

1-to-1 archive report

This PDF is a one-to-one readable report of the uploaded archive. It includes archive metadata, full ZIP inventory, full printable text contents, full .c file contents, and PBO internal inventories/extracted text when PBOs were present and readable.
Important: line numbers are added by this report for reference. The SHA-256 hashes identify the original bytes. Binary files are not printed as raw binary inside the PDF; they are documented with size, CRC/metadata, and SHA-256. PBO script/text files are extracted and printed when readable.

Source archive

Archive path: /mnt/data/core pbo files expans(11)(3).zip
Archive filename: core pbo files expans(11)(3).zip
Archive size bytes: 37833723
Archive SHA-256: 3d7f0b9d4aea8555b767d65c991d183f41653d1401f75d6d40c678219889737a
Report generated: 2026-05-14

Counts

ZIP entries: 30
ZIP files: 29
ZIP directories: 1
Printable ZIP text files included in full: 0
ZIP .c files included in full: 0
PBO files found: 29
PBO internal entries listed: 1033
Printable PBO internal text files included in full: 669
PBO internal .c files included in full: 376
PBO parse errors: 0

ZIP extension counts

.pbo: 29

PBO internal extension counts

.c: 376
.meta: 203
.edds: 201
.paa: 62
.bin: 34
<none>: 29
.layout: 27
.ptc: 22
.emat: 21
.p3d: 19
.ogg: 17
.rvmat: 9
.imageset: 7
.otf: 1
.xml: 1
.fnt: 1
.styles: 1
.json: 1
.csv: 1

C/source file index

[0001] PBO | core pbo files expans/0_core_preload.pbo :: 3_Game\DayZGame.c | bytes=1104 | lines=34 | sha256=04634ec2fc8eb8265567d03c2605c8ee23bc998919892bd6edf40ec32b103428
[0002] PBO | core pbo files expans/0_core_preload.pbo :: 4_World\Entities\ItemBase.c | bytes=7227 | lines=213 | sha256=9f324aaf0fd808be86a6941a1fea285828271ed52b9425cb712080754e51df9e
[0003] PBO | core pbo files expans/0_core_preload.pbo :: 4_World\Entities\ItemBase\Clothing.c | bytes=1469 | lines=43 | sha256=91b46d570e9ee8e7acd2fdace3d46b164088c10819c58ac710d013b22e198e5c

[0035] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\DZ_Expansion_Core.c | bytes=509 | lines=24 | sha256=488411318d2dcff4f27383477ce8ed3376f638ac5692ee97c4a5d4e432c9a0e7
[0036] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\EffectManager.c | bytes=1424 | lines=39 | sha256=730fabdf369518f34f731e932edb1c4e6e5f527563a505d55154605f2767d1a2
[0037] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Effects\EffectExpansionParticle.c | bytes=5738 | lines=240 | sha256=a679ff7994ab88546712a95da9571ac1b9ce45d5ae66e09c87787aa47728176
[0038] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Effects\EffectExpansionSmoke.c | bytes=710 | lines=33 | sha256=026075432cf975dd1406e7fac7731b00dc1542cb1f8381e14a8952fa07a57fd57
[0039] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Effects\EffectSound.c | bytes=896 | lines=41 | sha256=7e1b34d047a201cf2322908cbb0ab8210be9647a73cc9e79d12541e1c9b88354
[0040] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIChatChannel.c | bytes=423 | lines=17 | sha256=5e9d17fd30e8e56db68558d2f095c68dd73ae86f2c4cea31e9f5a4394dbeb888
[0041] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIChatSize.c | bytes=447 | lines=20 | sha256=f9e3806c70aab67bab49424ff87d4b5cec81207c39b491b2278c83d21a3551fd
[0042] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIMarkerSize.c | bytes=438 | lines=19 | sha256=b0bd5029a54f3f38cacf56f4ce03058b063d4f7c7fc91c212a93ae895487383c
[0043] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIMemberMarkerType.c | bytes=531 | lines=26 | sha256=9b8dc16452c543b461da03d9e6a3792412c97d598d6f0471adfb8f8b5740e74c
[0044] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIPlayerArrowColor.c | bytes=525 | lines=29 | sha256=027ee857e55ee2340b2a9b6ac699db0dd44b4719db6d20ff919db416b60d25f5
[0045] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionFireMode.c | bytes=98 | lines=10 | sha256=f1d9365eeceb8ac33f94b009e426a23a0d4596b6d63e7eba38e864da0113a312
[0046] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionRPC.c | bytes=639 | lines=28 | sha256=25027caacf2b9cf701e799bc43d61d8681602bf9dfbcc1021d27bf90db3d0e68
[0047] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionVehicleKeyStartMode.c | bytes=454 | lines=19 | sha256=a75ff367063c94f6f66519cbb90787163e912bba68f655e249cedf89alcfd23
[0048] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionVehicleLockState.c | bytes=567 | lines=25 | sha256=a422e76e163a588e3807622c40c47c3d745182ffff1e19b00f9dc7e1a260c69be
[0049] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionVehicleNetworkMode.c | bytes=425 | lines=19 | sha256=26567dbbc1648d6363fef819d07905f8e4a17f40b98a2a33130132e0c544fddd
[0050] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionVehicleType.c | bytes=82 | lines=9 | sha256=d5ee0ef9873df0effe4d707daff1c13eb03263f1cc7db49abcef7cd5f31fec71
[0051] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\NotificationRuntimeEnum.c | bytes=533 | lines=31 | sha256=a4491fae2b2824063f5194dea29710d71466141ec38ceb99af9f847615d4835f
[0052] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionArray.c | bytes=3842 | lines=183 | sha256=12af0c557e1ab8b2254abc2909a779211a94ff366b6e07febe03cbfd4bb91376
[0053] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionBitStream.c | bytes=32494 | lines=1494 | sha256=22f5c959a4d603de8fd1fa68154568773a06e512463519cd977f1bf6cfffadd7
[0054] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionColor.c | bytes=3042 | lines=126 | sha256=f64937a2f33d40255fa8fa189b86d3267155b4baafbf2944b2eb6e69bda15ad0
[0055] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionConstants.c | bytes=10465 | lines=235 | sha256=ac7870d76811f0f4215d78a6362aa8c9a9ee417902cca155cf18b8f62a3c80bc
[0056] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionEntity.c | bytes=3835 | lines=192 | sha256=0f46d7c6abf53a30979b82547c77320ac05a48802fd5077b3031cdd36ec96dd1
[0057] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionGame.c | bytes=6264 | lines=253 | sha256=977aed890b1e1f4e6b158cb8eeb44284ef723c70541879cc6ddcecc3286e6896
[0058] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionGlobalID.c | bytes=3405 | lines=206 | sha256=64d2258bbd92543b85bc9ce3c952f2282a740a0320ce3690573cdd1026bba29e
[0059] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionHash.c | bytes=1155 | lines=68 | sha256=e6828302fbb484bb3a7af393e8766f982ab1d60be52a29d8fd352075f1ef9303
[0060] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionIcon.c | bytes=583 | lines=25 | sha256=2e525e2984b7612df80cc1659d7b5181e8b245d45ac2ee7ca4323789c07a5131
[0061] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionIcons.c | bytes=19923 | lines=350 | sha256=3b9b71c511a363293de712c3ebf7290ff9f136b1b1b1906f0db363d927c19441
[0062] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionMath.c | bytes=24855 | lines=883 | sha256=8b22cb4e22f4bf9eb94f50b969bc477984bb39ef9b2fe846a1a0a2daffe8f369e
[0063] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionRPCManager.c | bytes=14545 | lines=594 | sha256=3592002d1274661dc07749201eb75774ea3b11f542d338d3334fe90e944714cd
[0064] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionScriptRPC.c | bytes=4374 | lines=164 | sha256=a59109057bce93f207342b1a84524aee652eb1a75d83633c384c415042c82e9e
[0065] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionSHA256.c | bytes=5829 | lines=250 | sha256=8371ef4c9516aab6195ce388094aea914c36385b32d76ba9a0f046f282b2d578

[0066] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionStatic.c | bytes=80641 | lines=2926 | sha256=eb74fc1276fb382e784a69d827ef8e7a021c0a4030faae4f4cc2d45d0056d344

[0067] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionTracing.c | bytes=20427 | lines=770 | sha256=30fe84a8009fe5a84216cacc8cca5dd09a25c61a0c65e4337cc478331051fd2d

[0068] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionUIManager.c | bytes=3286 | lines=145 | sha256=d8249dd22bf16cade14d6161f15e865045cc5ce06320c53748940a204140376

[0069] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionWeaponUtils.c | bytes=2738 | lines=85 | sha256=9d871c4030784809de3470209b866dff607fc391bbd5d77e4e085bfca79fb3eb

[0070] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Hud.c | bytes=496 | lines=24 | sha256=912254a796ed585329b896d45dbcd6f056f133d4f847a96e6d214f9156eeffb2

[0071] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Locations\ExpansionLocation.c | bytes=5376 | lines=178 | sha256=d4138992befe6c763e16b68395700034eca45c01c2e6489a30df281997d2b140

[0072] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Locations\ExpansionLocationType.c | bytes=532 | lines=26 | sha256=986cea5d0c2b3771324a93dac6dc0eef8292e9724a47b21b1364963fc5a947e2

[0073] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Loot\ExpansionLoot.c | bytes=2778 | lines=109 | sha256=3309b7cd781b6a292f606e0088773cb8ef6f0985c70d1dda62d13b05c66205c7

[0074] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Loot\ExpansionLootDefaults.c | bytes=382 | lines=14 | sha256=b6c9d4e9e0b4577e44834923576a6d6975ab114e53f582e0ba54f717d99a59b1

[0075] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionMapMarkerType.c | bytes=574 | lines=22 | sha256=29d0ee735c6012b70e018c6d698a28eea7100ea57a171abe351cbc97a95868a1

[0076] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionMarkerData.c | bytes=8401 | lines=429 | sha256=7d7980fd3ad137e9d8c608f1ad4dc89f61ee60e27806db4f6adbf75d501b2328

[0077] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionPartyMarkerData.c | bytes=539 | lines=21 | sha256=02976c6bb6ab0df050a67c335e9bec5ed83d2697b8abfbb1a4c03fabbd291b29

[0078] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionPartyQuickMarkerData.c | bytes=853 | lines=39 | sha256=3312a918bcac5bafbf59bf71bcde35f0f5e0c4d6720a14982f85b07b595afbbc

[0079] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionPersonalMarkerData.c | bytes=924 | lines=37 | sha256=045940f6e9667309d8e987acba5b3062e3ca05aebcf445f1c59e0a075bclcae0

[0080] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionPlayerMarkerData.c | bytes=1283 | lines=61 | sha256=d662a3dec8230cd77700cf64b3de2192c29311df06c3e3594f274cd46a98f9c4

[0081] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionServerMarkerData.c | bytes=507 | lines=19 | sha256=7ed2ac911831b94385360c9bffe633ab51e455be84191f9121284298310e1b6

[0082] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Math\Matrix3.c | bytes=6904 | lines=339 | sha256=f359090426e370f54a0a856f5f2518198756e553e2c48333342058fa251a67e

[0083] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Math\Quaternion.c | bytes=2208 | lines=109 | sha256=d453214066caff3a15e43acd44e45a8c70c8e46728d555daa076ee4e4607a09b

[0084] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Math\Transform.c | bytes=4914 | lines=270 | sha256=489facc0c87d79a2b63f7ba58b38e0824e838608c06f49fd562098b906799102

[0085] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Math\Vector.c | bytes=2857 | lines=125 | sha256=8e06c80e4a953ca40e5805b41fc2a512781834e6a38237dcbb1ef83eae944952

[0086] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptView.c | bytes=2258 | lines=122 | sha256=dcfa50127b6f68715deafc5ce637ea7baa7194569001710bdf1f470ab4bb57f9

[0087] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptViewFadeTimer.c | bytes=2664 | lines=134 | sha256=5efa3c2998a27c711c2ebe36fbe16aed3a51001dea16982ef42c2ba4f2183492

[0088] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptViewMenuBase.c | bytes=880 | lines=38 | sha256=f9480f1c383ec873df375ac4b03342d9e0b6db90da35fb223db84be584217e6

[0089] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\MVC\ScriptViews\Bases\ScriptedViewBase.c | bytes=578 | lines=27 | sha256=43b51ce6c124c514b274b85f4bf2990cle9da655f8a3e875f1d29c30ad76d859

[0090] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Particles\ParticleList.c | bytes=3328 | lines=52 | sha256=e3b8d3afbbfa2284faaa15b9de4e61ade8988463af9ba39ae8fce29d6eb91e84

[0091] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\PlayerIdentity.c | bytes=4344 | lines=196 | sha256=a3da38bf54acc509a5b848331d90e1927e32e71ae69e1183814644f4901bf627

[0092] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Prefab\ExpansionMinMax.c | bytes=597 | lines=46 | sha256=44bf73260dfe0423c9d7bf947b6b3b68ffcbe59a7bc4409b270182dd22be3d92

[0093] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Renders\ExpansionRenders.c | bytes=3382 | lines=123 | sha256=72932e2c0a8e640b503608e1182672d6c5af9a453f94daed7f99515f15cd6cc

[0094] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationBase.c | bytes=1475 | lines=72 | sha256=90a1919684d75795b0e044183587d9adcba3b4766b28ad50bfceadad2d501ee1

[0095] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationEnum.c | bytes=1058 | lines=50 | sha256=beb7297d31cfe14e077e409a4948c713ff17d15c1641e1c0ab107d9639bad8e5

[0096] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationInt.c | bytes=1054 | lines=46 | sha256=47a4286fec8b43ee09fe2fc00520a01cc93c8760cbf2daf0fc0fbfd077ecb340

[0097] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationSlider.c | bytes=1987 | lines=94 | sha256=6f344ea7771ea16a1a45b1fa251d9a4765f3ad844cfda1c60e2753b21d78879e
[0098] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationString.c | bytes=1079 | lines=46 | sha256=21e830ecdd1847279cc28abf2cd5aa45910aa35759986953baa178e7808c4ce3
[0099] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationToggle.c | bytes=1069 | lines=46 | sha256=a7570b48673a986fe73366553e5e72121b7279e11dbaaec026662da4d5b22a2a
[0100] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Core\ExpansionCoreSettings.c | bytes=5734 | lines=216 | sha256=b4f2340add1e85a52b93f543548ba6d37db1d662d6a7ee462e492519fad9649e
[0101] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\DamageSystem\DamageSystemSettings.c | bytes=3002 | lines=135 | sha256=ab50c85bc42d1989e2484795c7fafc3e6e5c73f8476d3a22ce02e3e5d849ff63
[0102] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\ExpansionColorSettingsBase.c | bytes=2079 | lines=98 | sha256=11eb2b7f01c66915525eeb0f180a67df9b9d03a931d3ad1ddc08f8e250495dac
[0103] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\ExpansionSettingBase.c | bytes=3676 | lines=184 | sha256=5a7a4ba7157e9ec8f49efb00b74e995ec59ac5319eabcb3d2c9ebdddeaef65d
[0104] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\ExpansionSettings.c | bytes=8877 | lines=333 | sha256=4d3e1c782dd21407cd8417d2b144cedde50be2d803867bbda6812cd28a6690f4
[0105] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Logging\ExpansionLogSettings.c | bytes=10666 | lines=392 | sha256=31ed08d491b222e60793939d15780a18592ba44dfd4def5b5522b7fd566b348b
[0106] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Monitoring\ExpansionMonitoringSettings.c | bytes=3513 | lines=159 | sha256=1dcc8b0bc0c3b1042ba5db8295e8d3cab8132fe13bfaa79c14b836ef6e9ad821
[0107] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Notifications\ExpansionAnnouncementType.c | bytes=438 | lines=18 | sha256=148b35bdf2f3256f80c9b856661542190fb108cec0435001dcc410d3a87b81e
[0108] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Notifications\ExpansionNotificationSettings.c | bytes=11824 | lines=407 | sha256=bdc6c9b3b8a8d3939427d7a9fcd2759c1fc151192d6d27e0eedfef41099eb702
[0109] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZoneCircle.c | bytes=742 | lines=32 | sha256=5819d3bab6d5266d5a424b283ca30b9f6e586d8e9495ef80a6398598625947de
[0110] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZoneCylinder.c | bytes=798 | lines=34 | sha256=f58423573f8a8b4157a866bd60cbcb1808da9e564c4a46d8de159a14ee00fae4
[0111] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZoneElement.c | bytes=504 | lines=23 | sha256=6788342003437795d11136fc0b0ffdf582ecf6ce0665e19b9bbbd4894b46acb99
[0112] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZonePolygon.c | bytes=713 | lines=30 | sha256=62cc49079ee6a9df40f54ef5e8dc58954575de5286d74fd712e9f6e10a3ddf282
[0113] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZoneSettings.c | bytes=9690 | lines=336 | sha256=7e738722bbffbf99c29b99c8c0aa0a2813923f6f33899e51d37bc9c0baf8cb18
[0114] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Sound\ExpansionSound.c | bytes=10136 | lines=407 | sha256=7b4e06c8a9f2eeda418cee90ac301cbebaea607a593af3ac11d76cf8b5071ddd
[0115] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Sound\ExpansionSoundModule.c | bytes=3467 | lines=128 | sha256=1db38065397785ea881f7bf23d92d37648c3893e944885a058b37442e9f9d0c4
[0116] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Sound\ExpansionSoundSet.c | bytes=4682 | lines=208 | sha256=a3d08fe72cf2ed7cce8d750f8e0e07e9ce3ff29e21372caea23e63c37a85d9d9
[0117] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\SyncEvents.c | bytes=944 | lines=34 | sha256=62a021056dc367e3cb4c0223ccfd15205b22da60fe0ac52b1e6e42be3004333e
[0118] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Tools\ExpansionItemNameTable.c | bytes=5951 | lines=241 | sha256=fc6244b32c04bfd47c14cf523b3690e512687f5036cf6ea7ac65db5eccf3ec4b
[0119] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Tools\ExpansionJsonFileParser.c | bytes=36820 | lines=1966 | sha256=7497128fc237bb6fdd82facbd03e875c37b647a2081ec2d5faf70db0da2d6658
[0120] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Tools\ExpansionJsonSchemaExporter.c | bytes=8999 | lines=368 | sha256=e03f1a4f53c336163c26cc1673dba37bc9d2ddb35462a048a09cde2da28b75fc
[0121] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Tools\ExpansionUIScriptedMenu.c | bytes=1292 | lines=52 | sha256=84f1fe162bcd68596231181d5b2ec49c9697b00d8997f9d9cb63640259c02e89
[0122] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\XML\CF_XML.c | bytes=348 | lines=19 | sha256=2465f00c8a24260a9ee71d7b0c258198c39ed5ad4ace352d7cd51ed360469c1f
[0123] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\XML\CF_XML_Element.c | bytes=154 | lines=11 | sha256=84f32720210d9de7acdb419a00eae1849ca98d4493a9a9fbf817cd667c329055
[0124] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\XML\ExpansionXML.c | bytes=2199 | lines=90 | sha256=b63244d388ca2c584427263409c3fb76d48199e68d5e99adbef53fb9d3fb56c8
[0125] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZone.c | bytes=1091 | lines=70 | sha256=9b8859d883e241c56d094d72ea5279860954026dc6e0dc3f47b41cbbd558d77a
[0126] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZoneActor.c | bytes=4515 | lines=235 | sha256=118e25670d2310cbc37a2a5f1599bf294ff10b399c40347108a29666810f16c4
[0127] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZoneCircle.c | bytes=1159 | lines=50 | sha256=2c8849ba5b83a173763636721378f9041aff6b6ae908554693333674e317ed7a

[0128] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZoneCylinder.c | bytes=1332 | lines=57 | sha256=86568227fa551e92a60829dbc1842fa905d42241ddff807d0285aa1136a922d21

[0129] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZonePolygon.c | bytes=2950 | lines=123 | sha256=f60d4a7171a1d092169d652087a129406b7986aeaf14ae9565712a3bbca042f62

[0130] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZoneType.c | bytes=77 | lines=8 | sha256=aa7670e5ab3680b69768cefe51f1420e5cd33712859611ff08b5d5482c1ca4e6

[0131] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ArrowManager\ArrowManagerPlayer.c | bytes=2340 | lines=127 | sha256=e4262aedc4088e191550899f1f6342816502058a6f7eb6e6deaba2e59ab892ed

[0132] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\BaseBuilding\Construction.c | bytes=4106 | lines=138 | sha256=2c7275ab28104276cbc9aaf514fc26888fb1762119672edf649ba30c29ad7df1

[0133] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\BleedingSources\BleedingSourcesManagerBase.c | bytes=571 | lines=23 | sha256=ebbf1ff32550d20e0c79486bfb6dbec2da8a7bb04ee1fa494d9085e85a2b8a57

[0134] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\BleedingSources\BleedingSourcesManagerServer.c | bytes=1301 | lines=68 | sha256=d4b37a787d66c19b1df7646f46273d74e8bc01724fd5d62f68d9c3f36f1305b7

[0135] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Commands\ExpansionHumanCommand.c | bytes=5429 | lines=237 | sha256=119a88192c7ae90f3d5c5e20014f0ff247571b50bdc94df529aad72cd8b1817e

[0136] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Commands\ExpansionHumanCommandScript.c | bytes=5328 | lines=223 | sha256=43e16c39dcea385efb90d4ffba904aabb2a73da91a3f3ccf58c13820dc9175d6

[0137] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Commands\ExpansionHumanCommandVehicle.c | bytes=1351 | lines=89 | sha256=8e79e347d29a259be6c0540e304a06d757319953de2f2a23e659fa2951bbb47a

[0138] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Commands\ExpansionHumanST.c | bytes=15617 | lines=540 | sha256=d005447634fc05147bf84e50f9e1d98902a8573855cdf1570fc65499252011ba

[0139] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Environment\Environment.c | bytes=8656 | lines=251 | sha256=299e397f7bda7b852945ed9b66aa9700b15aba7726f2db54e2bca2f17bee4622

[0140] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionAttachmentHelper.c | bytes=2753 | lines=137 | sha256=756560a9c85b97582b6b02dc96f77106f3636c806dfe696275193501f1118fb6

[0141] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionEmoteManager.c | bytes=1069 | lines=53 | sha256=d3ab69619f713e4a29d6bcff91c22bade6d933656e9dafb1d34062098ed926b6

[0142] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionEntityStorage.c | bytes=40841 | lines=1331 | sha256=ebb2173a30356ccc250aaae4ea0cbb441ae7f898c9ce89fef62c172ba073303

[0143] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionNetsyncData.c | bytes=4242 | lines=154 | sha256=a1d7f94d6e64a310f46881cf694fed2d165ffbb782a13e40e7bf4064c1684f1d

[0144] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionShape.c | bytes=5691 | lines=256 | sha256=33a9d20ad70a7c20acbc26d85f3f71df12e1b7ed3eec47e140alf8af45d48259

[0145] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionVehicle.c | bytes=39309 | lines=1730 | sha256=e11c6f337a7ae0b054fc09000f36ecd2811c6bdeff3ae91922f162c5e2aff35e

[0146] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionVehiclesStatic.c | bytes=1133 | lines=41 | sha256=bfa3ae4e33f447f11bc095cb3f7a084e0cf6611e3f342e1687b03344cff2b924

[0147] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionFSM.c | bytes=8075 | lines=352 | sha256=56b261522af58a1802d89bb537a39c0c53da9b46e31ebc7dfab5405cc1a04ac4

[0148] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionFSMType.c | bytes=8282 | lines=283 | sha256=3e650fba8c3d04b39de16c71bd938ddeeb9fe923948779c8e66739bb94fb41d3

[0149] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionState.c | bytes=1324 | lines=75 | sha256=079f6aceec58cd0fceb705234197ec32e69573e4772f95cd0738f7ad5c3c85a3

[0150] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionStateType.c | bytes=8020 | lines=257 | sha256=3b14c2b993fcd197503abe66e0e4c80936f10f735c0b01500dea7494c0fa917

[0151] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionTransition.c | bytes=681 | lines=46 | sha256=d29b1cdd58cd629219a54a0e01f75cfc4e32116b8d0b618cd2b03615580dfae

[0152] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionTransitionType.c | bytes=5458 | lines=185 | sha256=273afaf3620644ea6b6426be248db11dc15a027fb298e90ab1b9933b37f10ccd

[0153] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\JMAAnimRegister.c | bytes=1933 | lines=39 | sha256=395e7c0a3546ba9eecd8b6c1bbc5b825f6b6b410274d9497c6f89ebb585350f9

[0154] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Loadout\ExpansionLoadout.c | bytes=114731 | lines=3220 | sha256=2a377ed1139d21140692b7472a8d2feadb39fe6e4965d1d8bf41098e9ad71dfd

[0155] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\MissionBaseWorld.c | bytes=573 | lines=21 | sha256=a52eb6feb66b45ea71c05c0fe27a9b24d6ded072a628c6d4299166a5df0db82c

[0156] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Permissions\PermissionsManager.c | bytes=2753 | lines=118 | sha256=d18cbd44b3a8b8ea14469b0efc9f4f718c50cc4d29e5a8e3da74c657d1b9e7cb

[0157] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerModifiers\Modifiers\Conditions\AreaExposure.c | bytes=721 | lines=28 | sha256=930f6c3a871dbf3620a0fd57c09efbe972f55a15a2f52b6561ab3fb3c525e027

[0158] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerModifiers\ModifiersManager.c | bytes=5508 | lines=221 | sha256=a642d8d0f5f158f810d774942312cedccf25b02c8fc3a3ee0bff39b4f218509e

[0159] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerStats\PlayerStatBase.c | bytes=297 | lines=21 | sha256=549950898ab3a40e1b34ca19d9f6f4e615de13ae67fb0afa9fe5871d7ad0f4b7
[0160] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerStats\PlayerStats.c | bytes=445 | lines=23 | sha256=f346539c6d2aba600573314099f84c893a6ca7e5bf0e05b338b07f714be00425
[0161] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerStats\PlayerStatsPC0.c | bytes=855 | lines=39 | sha256=e070a4606334fa2d419981410033bc840c47768333d7666e52b2b17544ab4473
[0162] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerStomach\PlayerStomach.c | bytes=1593 | lines=63 | sha256=0c15a1988fd5638d9fa39abedb7e7298ad5417118ed0bf643b05a279bb54e70e
[0163] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerSymptoms\SymptomManager.c | bytes=1005 | lines=51 | sha256=e88a0258d6c54b3940fdeabb05749d922a2bc7df218ad10520e3d5e9abda93a9
[0164] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Prefab\ExpansionPrefab.c | bytes=2169 | lines=99 | sha256=75580e28d7ef6cf9499e6027fbce727f720f406ec2dc9454992b2ca3dff6c84f
[0165] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Prefab\ExpansionPrefabObject.c | bytes=15392 | lines=541 | sha256=4d61dccbf9d75efdbed0537fa2ed9fa0457a96ad14c1eb497677f82ba8d68416
[0166] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Scene\ExpansionScene.c | bytes=114 | lines=6 | sha256=0e6b12c6e3195b1b7016d7e6817c0f956d261d70a862a2cf8f59ebc48d7a4025
[0167] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Scene\ExpansionSceneObject.c | bytes=270 | lines=10 | sha256=fe39e9a8e57de6bdc061a698bbc3b9d8357b9389b605f8b1c7ae141aa4cd33f5
[0168] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\ExpansionDamageSystem.c | bytes=15846 | lines=441 | sha256=efd59a5b5a61f68245318d1d4d12955543e071fbca0e06d682c7f69d23a1525f
[0169] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\ExpansionItemBaseModule.c | bytes=7597 | lines=280 | sha256=86ffd30601db2bc9dc0c500fcf14fc8794915ab1069c21ea845de65d53f40da1
[0170] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Locator\LocatorLocatorDeprecated.c | bytes=1464 | lines=65 | sha256=db250fb8a6ed28985ed08234b3e433d7e1531f9ee1bae4ca97e4ca97bc0a4f82
[0171] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Monitor\ExpansionMonitorModule.c | bytes=32872 | lines=1012 | sha256=2d492d231f532538fffb69e2ea88558c9295d6bf1236612621dfa4ee0aa32d6b8
[0172] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Monitor\ExpansionSyncedPlayerStats.c | bytes=4085 | lines=201 | sha256=9d367c9ffcf0112613114349ef820378f8d7b5ce33063ce4c4480151896ca9c7
[0173] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkin.c | bytes=703 | lines=26 | sha256=d6d33e11f5e389f65e0aa bcd6c9b2aabbdb4451f1faa307ad7f810dcabfba2833
[0174] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkinDamageZone.c | bytes=662 | lines=25 | sha256=97e16cb7392580011f8fc926bf8d404b458d481842b996ec168dffa7a162aa16
[0175] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkinHealthLevel.c | bytes=441 | lines=17 | sha256=bf8f50c3691694823c9f655a944245e720c8946ea398cc34dbdf5270e44d14de
[0176] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkinHiddenSelection.c | bytes=475 | lines=18 | sha256=af3692ed1d961de97a8d57e68eebe48e9f27240ca130e68a79f56d271e39fbca
[0177] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkinModule.c | bytes=10179 | lines=380 | sha256=a2d2b82a6ba2a549db0f0b7259477f61f2b1ec63fabb487dda9b5f2b2c952eb8
[0178] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkins.c | bytes=2996 | lines=105 | sha256=5791d35f19bb0c9c7f6500fbc67df1087445b738184e62a786a716c139030939
[0179] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Zone\ExpansionZoneModule.c | bytes=3456 | lines=164 | sha256=80053ebe2339e67e605584631a5026bcfb5114bf1f622d5f44ecc447f6f59704
[0180] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\TransmissionAgents\PlayerAgentPool.c | bytes=1510 | lines=62 | sha256=3a70a4f73fbcfb940bca800b224a451fd33c0dcc9fd8e30b492c732ac8a95db
[0181] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\ActionConstructor.c | bytes=968 | lines=34 | sha256=fe415886b2f7143690e5dddb0b8cf88941f664c15cb87ca0ced26ea6df99132e
[0182] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\ActionBase.c | bytes=1438 | lines=60 | sha256=eb3a6fc9ff2824ab91fbacd9063b71f2f7953001879b50e93bad1352e215e11f
[0183] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\ActionContinuousBase.c | bytes=1070 | lines=39 | sha256=6=c68860058d8cf4dead80339447122c6f94d9809362105c692ba2447d1dc662f2
[0184] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\AnimatedActionBase.c | bytes=605 | lines=23 | sha256=5ebb1c0d7ea9c85c9f85ba89e4d9b12d851cd9e8359bea329e04cd1778584a09
[0185] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionActivateTrap.c | bytes=602 | lines=23 | sha256=ebd2c03019cddadfbf80f409aa1a41a0ef7f639098cf779f7d96c93cf999f188
[0186] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionArmExplosive.c | bytes=600 | lines=22 | sha256=a1fbc7bb0d19ad1e42695989fcc6eae7886cc1ffd96a5352c2f7a012a971297c
[0187] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionAttachExplosivesTrigger.c | bytes=622 | lines=22 | sha256=ee179a4dfefeb2270f6ca92b7356633479b1a81fcd23e35e2c5012e4f21cdd055
[0188] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionBuildPart.c | bytes=594 | lines=22 | sha256=e284631f376b2f31cd88552e0000ce81d04c32984d1a48abf64e71532db99469e
[0189] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionCoverHeadTarget.c | bytes=606 | lines=22 | sha256=d30e9f6af1ed2d7eef45a130256c76594686c751458b20edb6962c1860b80549

[0190] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionDigInStash.c | bytes=598 | lines=23 | sha256=7ff6d7f058d0d901310b5454e042cd3b3476fc97fb2dc1466767ac6f6484cb4b4

[0191] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionDismantlePart.c | bytes=651 | lines=22 | sha256=b52738649f5a25053874476f99c997a564c9afeddf840bdec595adfcf8fce042

[0192] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionFoldBaseBuildingObject.c | bytes=620 | lines=22 | sha256=c302e05c914a29e20e64c5ef9be4974bdf29393e648859a926c2ffaab11d8571

[0193] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionForceConsume.c | bytes=726 | lines=26 | sha256=cee0f413b62e5c2aed16ee5cb26dc7306d43ec823f3e7925095d207e1dcf46a2

[0194] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionGagTarget.c | bytes=594 | lines=22 | sha256=ab54af0864f2d83f829ec9f0c15e637124e81b7f2a74345567ddfb147ecf419

[0195] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionLockDoors.c | bytes=593 | lines=22 | sha256=8a2ab8b4ddf081a328052a46f9a0f54097f90a8e4c5e10e75a5af731571e52a6

[0196] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionMineBush.c | bytes=601 | lines=24 | sha256=8eda787e0f4afdde2fe582c921a22ead0736890a26c4d176d139c7a0b9b8e993

[0197] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionMineRock.c | bytes=601 | lines=24 | sha256=e2841bc6454caa6230fb8793b8cf11a6db12ada33102edd6a7c31152b97b344f

[0198] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionMineTree.c | bytes=592 | lines=22 | sha256=52429cb63a190e37085414308edd3214a5d871811e2f4063975fbdd3a7b68d7f

[0199] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionPackTent.c | bytes=595 | lines=22 | sha256=342a5e846c351cdf1cf336a9b7afe84d229e24e9bacc4777b7941933565e4871

[0200] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionPushObject.c | bytes=605 | lines=23 | sha256=28449ef4c73fd046534a679ef750b65a904194f71432641310bae43alee749ad

[0201] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionRestrainedSelf.c | bytes=601 | lines=23 | sha256=5afb966f9fc6055ae39226525c6ce21093ed19072b6a36965b650a20ea0113d7

[0202] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionRestrainedTarget.c | bytes=678 | lines=25 | sha256=131a3c578be571cd39ec2b3c349609ae043aecbf7529a0904f7d98efcdff0225

[0203] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionShaveTarget.c | bytes=597 | lines=22 | sha256=d7b1040526a850c068462e58639dbcd91c3932f2189c1caee51f9c8ff7f66ff

[0204] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionUnlockDoors.c | bytes=595 | lines=22 | sha256=78da30ea06dc3d182e392db9b034a099a8fed8889aedc699c3e547e12586b426

[0205] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionUnMountBarbedWire.c | bytes=609 | lines=22 | sha256=5de90c04f5d40c6c312946d1d2ef6abb54df5b3b413650ea44a936e4f99b29d2

[0206] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionUnrestrainTarget.c | bytes=620 | lines=22 | sha256=a59a54c530eb3c030668c26d562ae0a3b7ba25c66d0c852a84455a391b228dac

[0207] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionDebugLobotomize.c | bytes=3894 | lines=143 | sha256=b45bcc3141f144a515acb68549b75f6208cc15e1654c0e9c06633e3fe3127cb9

[0208] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionDebugStoreEntity.c | bytes=3372 | lines=127 | sha256=c2c624215315f3172b6e12863c449e79f22ea3901658a94b3733816cbc3f619f

[0209] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionPaint.c | bytes=3298 | lines=122 | sha256=baf047be6bd200f7a95351b9548e3f598384b3594e4ec3a8a0ef7243786e2802

[0210] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionPlaceDebugGoat.c | bytes=1109 | lines=33 | sha256=e7663d2f6667f6cb9d8e6793b6054fe3dd4bf199c479173b8e51c6022eb33

[0211] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionRestoreEntity.c | bytes=5897 | lines=173 | sha256=7eb7e408775dc841317e8c68dda0417fb9f0ff26154bbbcdfeea06b8e7eda636

[0212] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionCheckPulseTarget.c | bytes=776 | lines=27 | sha256=681c6b6d180aa8ee72a43ee4e935c723ebbb9af423d559564c3343ba31b263b2

[0213] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionCollectBloodTarget.c | bytes=740 | lines=27 | sha256=080c7927095b4621e30160be9def27c763a079e88ac8fb33f0c9ddde12deb935

[0214] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionCollectSampleTarget.c | bytes=740 | lines=26 | sha256=217e25120a3cbc55db4957353eb129ffe8984b0d93256eb9d566542f5e612261

[0215] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionDefibrilateTarget.c | bytes=736 | lines=26 | sha256=fd524658bfc815f1e0c237c286a1f18e8d8f4876554a738e27a44f32d9c067

[0216] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionGiveBloodTarget.c | bytes=732 | lines=26 | sha256=929f2226992c535d131497aa63ebbd3b2da32f6bba63005c6e887cab001a41db

[0217] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\ExpansionActionToolBase.c | bytes=5954 | lines=196 | sha256=cfc0135edfb7eb2aef72d6d618506852bf8cf41bac01cdaf47fd01f4d3678170

[0218] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Interact\ActionFoldObject.c | bytes=598 | lines=23 | sha256=1f3003cc806e29a427d8b9850ab8802bdfdd51677868eb6580fce4f3fe1874d

[0219] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionForceConsumeSingle.c | bytes=736 | lines=26 | sha256=6d920eb50931d5557e024dd50de9c30766e9b8a66b85ab3eb3e700cc5f5842ac

[0220] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionHandcuffTarget.c | bytes=602 | lines=22 | sha256=485b647e39009c6304c32d3269e1e426ce5815bf5edac3fd5f388f2ce49404de

[0221] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionTogglePlaceObject.c | bytes=611 | line s=23 | sha256=18f49926d2e84c4d7669ffc2cfecce99cf21b6833af8b1464d61e9663cf39207

[0222] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionTriggerRemotely.c | bytes=605 | lines= 22 | sha256=cbe38bf75b966fe995870469a607b498ae8flac39af856f247ce0848bc62027c

[0223] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionUnpin.c | bytes=584 | lines=22 | sha25 6=108847838c79925ab4c880aedb0353284f54112a28a21d9f20fd8f47e28a5b4

[0224] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\Medical\ActionInjectTarget.c | bytes=726 | l ines=26 | sha256=bd3d4046a4021e6ae276584dbf006810d6c6a7ac5ccdc1443afb16f18faeca5

[0225] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\ActionTargets.c | bytes=840 | lines=36 | sha256=09c9d114587d6f 0dba0455c977fcce70e0205cbe6d70680384625107a1le0722

[0226] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Creatures\Animals\AnimalBase.c | bytes=6313 | lines=223 | sha256=a3cb59a53efd82a8ada709fc04 691c8e0cbfdb72539f443f957a977bbe1800ea

[0227] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Creatures\Infected\ZombieBase.c | bytes=6455 | lines=228 | sha256=98c371721ac287dbf9a97c2a4 3ee07954e6f2ba4a8d9626079f4a8f7141fc882

[0228] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Buildings\BuildingBase.c | bytes=2068 | lines=63 | sha256=77678c66a886ab3ced8c6d58 ed7f3bc9969a510077f80679b4b165dcc368409a

[0229] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Collision\ExpansionBakedMapObject.c | bytes=688 | lines=34 | sha256=9d556dc37cbbd4 a2ec23651ef9bcd17fb5ea9dca8f82de88cb2b1efdcc158b91

[0230] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Collision\ExpansionLampLightBase.c | bytes=66 | lines=5 | sha256=72c0054b8d570895c 4001538d8ed7401fba2d3c813bcb70e0aa520efd27fb9cf

[0231] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Collision\ExpansionNavmeshCarver.c | bytes=2029 | lines=69 | sha256=2a94704a12235e 224360c419e940466adbe4a83252e0ed639ea20c3fae92488b

[0232] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Collision\ExpansionPhysicsStructure.c | bytes=3496 | lines=157 | sha256=20711bcf06 245967968f626a91d6e79898a5782665b2b7569096e24fa05f84ea

[0233] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Collision\ExpansionStaticMapObject.c | bytes=691 | lines=34 | sha256=83ef91db2d649 afd0ddd93182234c503c6ebe6504d67a6786e923912782c4238

[0234] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\DayZPlayerImplementFallDamage.c | bytes=425 | lines=16 | sha256=70669e0875887cb00d e688b77a4073c1683e840e4824e4be5a2c84f8f9fbde33

[0235] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ExpansionBaseBuilding.c | bytes=399 | lines=13 | sha256=6ec255c6aee2e2cce5ea048021 83f95e593ac4500fab967f4441a947da761f5e

[0236] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ExpansionDebugObjects.c | bytes=3015 | lines=118 | sha256=1b247830ac3950959721e396 6528ec0ebbe16769c0dac0314c21c7da89535804

[0237] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ExpansionEntityStoragePlaceholder.c | bytes=9401 | lines=358 | sha256=dd79b78cc575 556a7b66ba446af8b6b72341b36985664b0f9ba07c146a384f8a

[0238] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ExplosivesBase.c | bytes=301 | lines=21 | sha256=f25a4648537aadf8182de2fc5c81fc05d a5fa187d95eac9d8f51a05a06aa208a

[0239] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Firearms\Expansion_LobotomyDartGun.c | bytes=1458 | lines=61 | sha256=1b009c07fcfa 1ccd192a06945f4393b7494310bcbdf4e9e6227a2c1ae71f4064

[0240] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Firearms\FSM\States\WeaponStableState.c | bytes=1459 | lines=37 | sha256=1be78f378 12e23682b2629ea52708a46f2d1557c6434c92c8830127a3794c04d

[0241] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Firearms\Weapon_Base.c | bytes=14677 | lines=539 | sha256=74a7680803674315d8d90d63 ee29e98f71075f4573b365e72621895213e05c98

[0242] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Firearms\WeaponFSM.c | bytes=4728 | lines=138 | sha256=dc0d5d97890259c5c556c197cee 66304105a277cee62c088319d54e706038d76

[0243] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Grenade_Base\SmokeGrenadeBase.c | bytes=412 | lines=24 | sha256=c39c93c0ff130e9d93 7449f7678319fbc46a94e84e98f5530cf70eef2b59efcf

[0244] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase.c | bytes=49239 | lines=1862 | sha256=aee226cf58b160133225dcc48e314e99b51 3a006bc33b3alf1d9a6f75b85bf999

[0245] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\BaseBuildingBase.c | bytes=985 | lines=31 | sha256=5a93497fa73cd512e3075b 181bcd8ecb46eee721a3d71a1f6236e3159586c48b

[0246] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\BaseBuildingBase\Fence.c | bytes=315 | lines=14 | sha256=4cc9865125f11017 646b35564c86e890188a499de4bace4d63f72b1923d3f258

[0247] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\BatteryCharger.c | bytes=339 | lines=19 | sha256=47edf8c1750027bfe70b2e7d e385dd975a13e7e5a1cebfc3904a661e8fbdbe2

[0248] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Blowtorch.c | bytes=174 | lines=11 | sha256=4449bbcd107e642824aacf3cff63f 0a84154a480db555924bed565c4694217a5

[0249] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\CattleProd.c | bytes=327 | lines=19 | sha256=2074499066df925996d1092b9baf 6145b598a5524b522d61478adf006faae6af

[0250] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ChemLight.c | bytes=354 | lines=19 | sha256=d782128eee3d011e6a9a9c4c6f818 0c27721b9067b885cbecaafe9c2ed31e352

[0251] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Clothing\Armband_ColorBase.c | bytes=2047 | lines=66 | sha256=4b04ac3ce2b 0ac785921bab9336a2327891f231f7306aed41239ada096a94476

[0252] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Clothing_Base.c | bytes=1037 | lines=36 | sha256=36c1bc223097f4f7a4b7693d aa056f6be0e2f07b62be1ac27ff00b1417d2a4929

[0253] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Defibrillator.c | bytes=336 | lines=19 | sha256=664778b0a1a58651494accf3f f13ea81348962e591d8164dd293eacfb361e44

[0254] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Edible_Base.c | bytes=6041 | lines=177 | sha256=c732a9d624e04ee83000b83dd b56d0fcf8d4865c52d3a27cb46d54618e54bcc9

[0255] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ExpansionAdminChest.c | bytes=2384 | lines=103 | sha256=2ec0b049d3edd8e17 dc2dc13baf438a25482bea1b2a45elaca757b8ba9bfdd44

[0256] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ExpansionBriefcase.c | bytes=823 | lines=35 | sha256=ad327ca3a599e3a14c96 17f754b60c1f325ea38fdb5c3a7363250696f77fb706

[0257] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ExpansionCircuitBoardBase.c | bytes=820 | lines=41 | sha256=d16e61bf0d9bd 56ff600df248b7ba9efdf318cccd949de6cale87724c4f2e008

[0258] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ExpansionOwnedContainer.c | bytes=12666 | lines=478 | sha256=26d88799dc93 9aab96f674df8a972ab342c99ed3c30805f9134df58d0b12c1ce

[0259] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ExpansionSpraycanBase.c | bytes=1638 | lines=52 | sha256=e9d6fe58d73f6693 9c84a3d233588d95145c7c06b66b2d6b99b0ae34c1bccf2a

[0260] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Flashlight.c | bytes=327 | lines=19 | sha256=7ea6b692b9a633a11e3b3041058f 0ca92855d361dea0feale454b94e0483cb2e

[0261] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Gear\Navigation\GPSReceiver.c | bytes=330 | lines=19 | sha256=2e3310cf43f 1325a9861d0bd54be0b283c9626be556e53b1ba2b5cbea9424a51

[0262] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Grenade_Base.c | bytes=172 | lines=11 | sha256=0db4c940f985f8d3a358e17c38 462d4e054f3af060ea357f0a9e16ea3221b40e

[0263] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Heatpack.c | bytes=321 | lines=19 | sha256=4e3cb36ad7ca57d182dae8a18f1981 f80893cdf23c78e7e013c37f5a68a655b1

[0264] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Magazine\AmmunitionPiles.c | bytes=733 | lines=18 | sha256=08ed7873a6eeb0 bf824821631c0e384a74d6e522edb5a2b4ed52eb55cce50791

[0265] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Magazine\Magazine.c | bytes=720 | lines=18 | sha256=8a5f5bd46c8563ce019b9 8cbb2c871eb0dc131788e1550711cbb21cf586159a2

[0266] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Megaphone.c | bytes=324 | lines=19 | sha256=edcbf10b3634aec1c8f01bceb7ee3 7413f638c4e6d69312ad32450cf53c753e2

[0267] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\PortableGasLamp.c | bytes=342 | lines=19 | sha256=7c17f3da25fd5d2d96c9c43 033fd4866661f3488e7588c830b61a8408548ff2b

[0268] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\PortableGasStove.c | bytes=188 | lines=11 | sha256=e96ecfdf5dca65ec525419 175907deb339182f2fc22dce9623dbaa2157899b32

[0269] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\PoweredOptic_Base.c | bytes=374 | lines=19 | sha256=d1814973ff2cbe650ae6 395ba394ac221e973ee53a4f360d87a4e000e4554c2

[0270] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\PowerGenerator.c | bytes=351 | lines=19 | sha256=f69f9d19a004a1873f3f9d5a cf080da271b0f9c4b1c3efccbf078749a0780bff1

[0271] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Radio.c | bytes=166 | lines=11 | sha256=5a23f1316cecb3dfe1051678c8c077950 51ac1a8394f925e7dd8774a60b5b8c6

[0272] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Rangefinder.c | bytes=330 | lines=19 | sha256=5753b12999fe2aa160dbfb54b20c a10baa2332f2a8b9777f31263cfc3492818f4

[0273] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Raycaster.c | bytes=324 | lines=19 | sha256=f6018d217f481ea24454b4e735b5f 17bdbd5154eefcf0d69038d11cf5b7bc1042

[0274] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Refridgerator.c | bytes=336 | lines=19 | sha256=004b2b82478b9535d9cb6dc70 3f1a7c16373e0cb02a9da1873ec60ad8ba2bf99

[0275] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Roadflare.c | bytes=324 | lines=19 | sha256=693854d7c72ecaa4e17d63bab9c22 9819b412fc3f0aa920b21a567610fd2647a

[0276] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Spotlight.c | bytes=324 | lines=19 | sha256=b544af9e2d85249714daf5dec18f3 c4a6f5007990b93586915b8c90f8c3820da

[0277] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\StunBaton.c | bytes=324 | lines=19 | sha256=7dca289059b271a650ebd71929950 1189d0bb7a38d855d3ad435db3a50f3c7be

[0278] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Switchable_Base\TLRLight.c | bytes=321 | lines=19 | sha256=922dc6ff0bc994 e64cab3b54d2124163538a044e346cec56e8cbd14cc1e4a5dc

[0279] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Switchable_Base\UniversalLight.c | bytes=339 | lines=19 | sha256=950fa02b 733c8b5b11f21275d72108f6a54acbb51f7e238cc4946958253340a

[0280] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Torch.c | bytes=312 | lines=19 | sha256=11a3a9659c2929bc5b366454d38962f6c ae3c5b583c2942dc3764eb05d6ae398

[0281] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\TransmitterBase.c | bytes=342 | lines=19 | sha256=4eb1a0372e98f73b9b276bd ad30644102af40d46f1e5c4432ed446212cc2a025

[0282] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\XmasLights.c | bytes=327 | lines=19 | sha256=927b5003989d7016bab67e7910a1 0b36d4d020b0ab2ea7a0b36a6ed809f8a34e

[0283] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayer\DayZPlayerMeleeFightLogic_LightHeavy.c | bytes=1031 | lines=32 | sha256=fd2c496140ddc0d85e9f32e75641991c0ab12f4a8963383ff44461c3daf49749

[0284] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayerImplement.c | bytes=17975 | lines=684 | sha256=a0e3466a7ee7699259b87d892f526edacaa4cb17958e21354bbccd57f782cdaa

[0285] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayerImplementJumpClimb.c | bytes=1167 | lines=43 | sha256=0ed9a1cc7114c17652053a615c1b5d1675d76bc771cc29f484b7375d925f1a81

[0286] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayerImplementThrowing.c | bytes=1024 | lines=39 | sha256=607407f9b15551fb8cee51101e41e8169c52bfccad2dedd6d9fe2204e38cdb2c5

[0287] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayerSyncJunctures.c | bytes=1446 | lines=53 | sha256=34826a30329450114435715c7d67daf75539f446008932b247623d18a364fb4a

[0288] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\ExpansionNotPlayerBase.c | bytes=18694 | lines=692 | sha256=b61fe123b9fcdc82a401c048ff99279e87d19971490977c6187891887325830c

[0289] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\ExpansionNPCBase.c | bytes=2751 | lines=90 | sha256=3f45ceebb22f8c927eb7511856f6f73c46c95d1ce4cda30718f6cf104bd58103

[0290] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\PlayerBase.c | bytes=38620 | lines=1334 | sha256=ecb3b940a9908792d436ad6649ed7d0db7c92083eb887248850148949ba1becd

[0291] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Players\Cameras\DayZPlayerCamera3rdPerson.c | bytes=851 | lines=29 | sha256=46107fbf10cc43f017c4felff1a5c710734f4c8d7176ba27db0222cfa523487c

[0292] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Players\Cameras\DayzPlayerCameraBase.c | bytes=1307 | lines=46 | sha256=3719aa1197f81410bc4a5d035f21510f85a1c37e02418b7579d2c2fb29dd5b7aa

[0293] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\TrapBase.c | bytes=97 | lines=8 | sha256=111bfb284ae398c146e4b887ebe7cf7e38fa5e11540ec41e2f2c9425b30c722e

[0294] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\TrapBase\Trap_Bear.c | bytes=184 | lines=13 | sha256=5aa0924d4345a7ec01b41c8c72140742bbe7d155e6b566c3b044abc2e44f6606

[0295] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\TrapBase\Trap_LandMine.c | bytes=153 | lines=9 | sha256=2a82ffd869e40cc8ee42dd40c9851e74abe05f91fb825c243bb6ba12c5ea987b

[0296] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\TrapBase\Trap_Tripwire.c | bytes=1085 | lines=44 | sha256=88375a116d8cfe97cad2170aa282dcc105e98fa9b2c4dad35cc0324fbc313042

[0297] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Vehicles\BoatScript.c | bytes=7186 | lines=337 | sha256=4be2e307fa01cc028512b98ae6e25c9fb0a07b9df63dee34dd1bbf5d8e99bafa

[0298] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Vehicles\CarScript.c | bytes=12388 | lines=533 | sha256=6adc5b803558049e14413752f077a45ca5968854cbf50fe22544adfe83b6af8c

[0299] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\ExpansionObjectSet.c | bytes=1326 | lines=62 | sha256=c5d3e07e88a177019eef09ad2d6210c2c556197b95a1599085207cd3ef753b76

[0300] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\ExpansionStaticObjectBase.c | bytes=605 | lines=24 | sha256=e7684b9e6bfb04d87a6648eff3d69c2d74a880aa08de54ec83f460cfcf0d3e5c

[0301] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\ExpansionWorld.c | bytes=13398 | lines=469 | sha256=354ce679084fd4c424af17ef8269b20de8d8455625d503d77165d144222288

[0302] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\ExpansionWorldObjectsModule.c | bytes=27526 | lines=997 | sha256=f34df624638b42470a964fe47a843d3f67ed1b822ea74d3099ed0acceal9a290

[0303] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Lights\ExpansionBlinkLight.c | bytes=519 | lines=23 | sha256=7aab194218ecdd772c5849c0eae4ef9ae3f9c47218276e70f85fb96004d7f6d6

[0304] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Lights\ExpansionLighthouseLampLight.c | bytes=1417 | lines=63 | sha256=3e8ebd067287adc1be7059d49c642786a34567fa3ab78c840cd783b2516f2f62

[0305] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Lights\ExpansionPointLight.c | bytes=1563 | lines=65 | sha256=ef226b528cf0e1522e9bda217bb09beb096981a53d9d0e23f6d63a79225cab60

[0306] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Lights\ExpansionStreetLight.c | bytes=1457 | lines=56 | sha256=6ed799d8ae14bb4f194b8f95fe160d5601678b5dc63b965ea452256b01314aa0

[0307] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Static\ExpansionItemSpawnHelper.c | bytes=26147 | lines=766 | sha256=095c97a6a4ebc121cdb89d8048233a8c3d34cd447fb4d4ef896a1012126fd6a2

[0308] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Static\ExpansionTransferInventory.c | bytes=4483 | lines=161 | sha256=333420fa48aacd016057e7c0d74c30518257341d7bdb237b7199808a39d61eb6

[0309] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Static\MiscGameplayFunctions.c | bytes=9515 | lines=342 | sha256=6ca457bc22dc6c7ccblc7c463cc0d003d545fb6f42e4491f7e7ce2efb22066a6

[0310] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\ExpansionInventoryTools.c | bytes=13241 | lines=514 | sha256=f97b7b8ae1ecf33cc9de688990dc29b2a9860707ca7482a155e837165cc3eb60

[0311] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\Loot\ExpansionLootSpawner.c | bytes=8235 | lines=274 | sha256=9315a215b3cb9dccc40c87974f2886a7a1fb68aa42b0f45dd2d5a5bf2903fa3c

[0312] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\Notifications\ExpansionNotificationHUD.c | bytes=6738 | lines=214 | sha256=c8e7f099bd326d6a5348c3bd1b2b409905d903dc3860950ad40a3ece9c0737a9

[0313] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\Notifications\ExpansionNotificationModule.c | bytes=8214 | lines=273 | sha256=6724c60e6a6e814c2805973464092f29001f481d01bf059e4c536bed000089f6

[0314] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\Notifications\ExpansionNotificationView.c | bytes=9777 | lines=357 | sha256=14248a86ea8271bbae6d9d1fe8a07ff241596904fbf9fe65b76ef5c3d62a8c16

[0315] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Classes\Modules\ESP\ExpansionESPModificationModule.c | bytes=1008 | lines=45 | sha256=b1fd2f815738076f75d8b426bde1619ec31eb810c6459d047192330f4fce8359

[0316] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Classes\Modules\ExpansionClientSettingsModule.c | bytes=992 | lines=46 | sha256=3acbe5f5bd3bb622228c7e713ac36de51869ee4d8effcefa9a8e6bbc06cf8c9c

[0317] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Classes\Modules\JMModuleConstructor.c | bytes=612 | lines=26 | sha256=03d63e7cd42a5698a79fa5d8571805faa24d314b45423f15882234295a1f5a16

[0318] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\DayZExpansion.c | bytes=3226 | lines=136 | sha256=3c2970b9cb757e77a2ad6434676f6a68805aad643456c44994b6a5e3180eda12

[0319] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\ExpansionMapMarkerPlayerArrow.c | bytes=2520 | lines=92 | sha256=4a97500c27b306d389fc4e5ab828e9d3fd7aed05641ce6053e03740828b1e9fa

[0320] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\ExpansionMapWidgetBase.c | bytes=7192 | lines=352 | sha256=491a7c32cab429c7c3c846c78a7a97b5a8f4f5f7e6bd96a6106d95fc85b45960

[0321] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\ActionTargetsCursor.c | bytes=994 | lines=41 | sha256=1840790fe85488acfa72a65e43d32aa76f837b56e8589fc8e62251a8ff6b02c5

[0322] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\CharacterCreation\CharacterCreationMenu.c | bytes=507 | lines=22 | sha256=f59148368764d2637249d96a42240d396d93153886213e2cc627c318019c9d5d

[0323] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\DebugMonitor.c | bytes=461 | lines=22 | sha256=d4fd62dac9505661a561621a3aa42ca9529851d5aa7786e61866f813c04e0bb7

[0324] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\IngameHud.c | bytes=1988 | lines=70 | sha256=e5a14780fa01396c38c4b25b4bd119699c5f182527c2f8063559393922475637

[0325] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\IngameHudVisibility.c | bytes=138 | lines=8 | sha256=2716c15c3134db24a2c30ffadc122e6d7c1e56563b58053702736736157aa900

[0326] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\InGameMenu.c | bytes=1421 | lines=59 | sha256=e0825c9067a9f9e71e7a79dcb695a30cceb32534b4ff3649e5da9c64a35eb552

[0327] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\InspectMenuNew.c | bytes=3325 | lines=110 | sha256=5fa6046ade62a54a3cb13a3d1b67bf3bc76d2cc507a406f43f700abff15501c8

[0328] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\InventoryNew\ExpansionTidyPanel.c | bytes=4510 | lines=204 | sha256=cb05d4084c7ebf322cedf12856ea5cf8181899ffa788cf529f2c58444b2e8713

[0329] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\InventoryNew\Inherited\ContainerWithCargoAndAttachments.c | bytes=996 | lines=37 | sha256=a256=057c27145c87acb1c5485494e5131a2f569cc2b67734f0a175bd638dbf795aa7

[0330] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\ItemActionsWidget.c | bytes=291 | lines=15 | sha256=cf6c8e4182919709dcccdbce1e75a759ef35948b14f4409efbc0e7255e4c75bc9

[0331] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\KeybindingsMenu\KeybindingsMenu.c | bytes=627 | lines=29 | sha256=1bf3403a97d3b5b3cc04dadd76c61400f3481d0bba64f4f9043eead1d089a41b

[0332] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\MainMenu\MainMenu.c | bytes=624 | lines=28 | sha256=df2b47b6b4f3d1c8291353ec373fafecbcbf120b8d8e5bb784132767ad21ccf0

[0333] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\Options\ExpansionOptionSettingWidget.c | bytes=8303 | lines=250 | sha256=83dfa5e7fc7151c97e11910b9392220ac508edc0fce382a019569a4c73fa7369

[0334] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\Options\OptionSelectorSlider.c | bytes=106 | lines=8 | sha256=11cf75cc4630c363d3750e7e35ee5c74d24dfd8b4fa772717cd0a70abe5feffb

[0335] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\Options\OptionsMenu.c | bytes=1251 | lines=59 | sha256=3112edb6fefceee8eebc84c1616a5a598df0a9a4598e65792315abacb2966388a

[0336] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\Options\OptionsMenuExpansion.c | bytes=6712 | lines=227 | sha256=7064ee40caddff686318c61d55cb47d5d7ea75c7e59812da8d1414030d03bcc9

[0337] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\OptionSelectorMultistate.c | bytes=468 | lines=19 | sha256=5bf446437db38fb19f0108651e5267ce963c3c1771e210fbc24fdbf16d19ce23

[0338] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\TabberPrefab\TabberUI.c | bytes=1099 | lines=28 | sha256=3fc46185982f532fc5f9b79bf82e3637bc9b86868ae5b95a9ab2a05003de113f

[0339] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Mission\MissionBase.c | bytes=1581 | lines=69 | sha256=32573fcc48f6635cdb9c5a9ca5344702cc8b5dedbf7580a13650b465974e814f

[0340] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Mission\MissionGameplay.c | bytes=8917 | lines=321 | sha256=4645c12a821f16ac3745609ac05b6e51bd9866a83ad848f8cd972e4ad1db8588

[0341] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Mission\MissionMainMenu.c | bytes=450 | lines=20 | sha256=08f6fc8db015e041c30207ebd73a64a8e216c5171e71d92612c4bb9783e71672

[0342] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Mission\MissionServer.c | bytes=9222 | lines=290 | sha256=32c1a6fbbed8f912e239daff0f3860da2943b627523764d39e23caaca25f58eec

[0343] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptView.c | bytes=1303 | lines=74 | sha256=25e480844dcd6f0f643ea706eaa98f40091b564f54d2aeb9b89f280659b25eca

[0344] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptViewMenu.c | bytes=3899 | lines=205 | sha256=69621093c9cfd79c92ada50a743e6833c3d23c7ecb9ad0c3ce0063dd2ce0abe8

[0345] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\Buttons\ExpansionDialogButton_Text.c | bytes=1580 | lines=77 | sha256=246b71640c96ba6f66903df756a8c2f2c6e05cac7bf36162bfe7d9546df7ea06

[0346] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\Content\ExpansionDialogContent_Editbox.c | bytes=1324 | lines=59 | sha256=190e07c31c348947d7d1b09f8fe4c00ea0e995aaab8a387413ccf7e3d8ba2fca

[0347] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\Content\ExpansionDialogContent_Text.c | bytes=1451 | lines=70 | sha256=dee27a2f7d3481b7e6836122a526cd70e7696908a5e4162dac2d52b16025e0

[0348] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\Content\ExpansionDialogContent_WrapSpacer.c | bytes=2584 | lines=98 | sha256=127ecfef4311lc62c323617fdcca54a96723953e122a6fee8a72fd09fd0eae0ba

[0349] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\ExpansionDialogBase.c | bytes=3406 | lines=155 | sha256=cd3fc7e6d0e9ded53bf21566eb474aabfbd69c9841e1fb7ddacaa0aa649243e

[0350] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\ExpansionItemInspection.c | bytes=21205 | lines=809 | sha256=aelce527f4b19363a078063cc079934d6f4b49e866c6635cfa80038elf02e904

[0351] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\ExpansionItemTooltip.c | bytes=6321 | lines=277 | sha256=fa6936853938724dd75049dbbe820998f67861a1c1a7bff90769f8f593a55872

[0352] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\ExpansionPlayerPreview.c | bytes=9689 | lines=300 | sha256=786eb07111d9eae1186a35f41aed8bffc1e1b7161dcfaf4674fc87511460e6

[0353] PBO | core pbo files expan/definetest.pbo :: 5_Mission\Mission.c | bytes=3376 | lines=153 | sha256=9db26514b34ee9be28d62d9a4a573181d01caaa06451132d05ba3c5214ef523f

[0354] PBO | core pbo files expan/notificationscheduler_scripts.pbo :: 3_Game\DayZExpansion_NotificationScheduler\Expansion_NotificationScheduler_Constants.c | bytes=497 | lines=13 | sha256=09fe8a913bbdd1904f4cc05b2ded057bf9f5dee244ce53db3eb61ec4332ce9f5

[0355] PBO | core pbo files expan/notificationscheduler_scripts.pbo :: 3_Game\DayZExpansion_NotificationScheduler\ExpansionNotificationSchedulerModule.c | bytes=2810 | lines=100 | sha256=ed6dcd26af2312807789e00973f78158991f86b8a0d2f13a8c32f12c6299983f

[0356] PBO | core pbo files expan/notificationscheduler_scripts.pbo :: 3_Game\DayZExpansion_NotificationScheduler\ExpansionNotificationSchedulerSettings.c | bytes=4724 | lines=206 | sha256=afe3cf6540c548019b31af2b407bb09155ff4a6a25b091eae6686fd42233f840

[0357] PBO | core pbo files expan/notificationscheduler_scripts.pbo :: 3_Game\DayZExpansion_NotificationScheduler\ExpansionSettings.c | bytes=877 | lines=33 | sha256=fa7ce8092f254e62b1bf4139270bcf20c9ab5fdff919fb6043ea6b6805341fb

[0358] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 3_Game\DayZExpansion_VanillaFixes\DayZGame.c | bytes=4833 | lines=171 | sha256=adcc16c4dff05005601413fc6e840e2c97c39b7b1952419b888c6306591d5232

[0359] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\EmoteManager.c | bytes=404 | lines=22 | sha256=bdcca9259939a7428d6d257e7d479b0743bad20d4666891c8431566c87136fe5

[0360] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\SoundEvents\InfectedSoundEvents\InfectedSoundEventBase.c | bytes=586 | lines=21 | sha256=750fc507f84473a6bfe5afb77b67e1a6141886ab21c914ec4dcb6d4f0e032c31

[0361] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\UserActionsComponent\Actions\Continuous\ActionDigOutStash.c | bytes=612 | lines=25 | sha256=ff1993b12e7fd50c46f912d518f60d3fe55f96fdfe5828e4971a08be66b625f3

[0362] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\UserActionsComponent\Actions\Continuous\ActionRepairPart.c | bytes=1230 | lines=38 | sha256=db01d137c10b8ec7de18f43effc399a8c8277c7816a41d65d522b937528b0c8a

[0363] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\UserActionsComponent\Actions\Continuous\ActionUnrestrainTarget.c | bytes=1153 | lines=32 | sha256=27aa989428a6b94061e753ea4293bca88dba8327a3a2b0a9a59a079132e576df

[0364] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\Creatures\Animals\AnimalBase.c | bytes=4994 | lines=155 | sha256=d ee3f800d40ab206e28cf96d9350e37a36e5c514ba330c468e97a7c958291c00

[0365] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\Grenade_Base\SmokeGrenadeBase.c | bytes=930 | lines=33 | sha256=a48bb91a7707dd8a0fb8009eabb4d72b54e7fcfaa6af2835af5f9d6848b56104

[0366] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ItemBase.c | bytes=1811 | lines=57 | sha256=c12ca86cb99f18b0b9f93247838ffae8941f5a90bd3b5b5543647f4870a92b6c

[0367] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ItemBase\EasterEgg.c | bytes=449 | lines=21 | sha256=6954543e9c737b8f3e7ba5f8a5076f7e7ff4a8e578a7fc47f3b6cecd883d4d15

[0368] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ItemBase\FireworksBase.c | bytes=244 | lines=12 | sha256=08807e83727b500dd1c249b4f3faf3eef39bc9a26df202884dea4614fed30920

[0369] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ItemBase\Trap_TripWire.c | bytes=243 | lines=12 | sha256=1f8fclclcd56c924b6feee6fb95524b14e346700a8d59dbd03845beaf672aaa4

[0370] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ManBase\PlayerBase.c | bytes=1416 | lines=46 | sha256=8fc3ad9f984f0fc987749130e2ad0f031e9b2dcd7b41aa08bb53ce91598da79b

[0371] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\Vehicles\CarScript.c | bytes=3062 | lines=96 | sha256=29ad4063e0204d7aabdf81ad54c1c9d555081e73ebfa175268b4ba966878a1ca

[0372] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Plugins\PluginManager.c | bytes=631 | lines=18 | sha256=800c2c56fd6068539f6f672fc434e4ed93f431327b32dabfc60b98418161888f

[0373] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 5_Mission\DayZExpansion_VanillaFixes\GUI\DebugMonitor.c | bytes=116 | lines=8 | sha256=500a90799647ea18c949ef50ae423a581912c0c62cefa0d8098ba38a730d075d

[0374] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 5_Mission\DayZExpansion_VanillaFixes\GUI\IngameHUD.c | bytes=964 | lines=27 | sha256=9c70f1e659c5c4643999a95038e39edb2250b0d5a48aa98bf683c6f3455ab91e

[0375] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 5_Mission\DayZExpansion_VanillaFixes\GUI\InventoryNew\VicinityItemManager.c | bytes=254 | lines=15 | sha256=fb15ebe76fd0f8b4e56a5a0a6761c2365b8af636143852099f4fe4808b69cbf0

[0376] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 5_Mission\DayZExpansion_VanillaFixes\NewUI\Keybindings\KeybindingElementNew.c | bytes=718 | lines=22 | sha256=

ef57538a4eb72f9b706e0d8ecd7929ce14d8d1598f17375a3ee52547436effd6

PBO summary

[001] core pbo files expan/0_core_preload.pbo | size=15813 | entries=7 | sha256=fc8e69d951af5b41d8204102e131d2238dc37b6d2adc4e5ccd9dd67fda34a497 | props=prefix=0_DayZExpansion_Core_Preload
[002] core pbo files expan/0_modstorage_preload.pbo | size=2078 | entries=3 | sha256=8781687a7677677b803aa1414f1613fd4c16e0fdbdc9d227fc05a95e772d48d7 | props=prefix=0_DayZExpansion_ModStorage_Preload
[003] core pbo files expan/core_gui.pbo | size=9839906 | entries=430 | sha256=575838b391596a0607baed803b1bf7f859e1de2e075f78bd8ecb3b651a19eb43 | props=prefix=DayZExpansion\Core\GUI
[004] core pbo files expan/core_objects_bases.pbo | size=454 | entries=2 | sha256=a706ec6414431c07d26b6e3882c2cc5a6aa6f91ece8a2385d807d58c2abe1e1f | props=prefix=DayZExpansion\Core\Objects\Bases
[005] core pbo files expan/core_objects_briefcase.pbo | size=8981444 | entries=8 | sha256=a0e903d7b254805edad8538e17fc8ce36a17b3278c32cde0dbe4d83f915952ed | props=prefix=DayZExpansion\Core\Objects\Briefcase
[006] core pbo files expan/core_objects_circuitboard.pbo | size=9560406 | entries=11 | sha256=02f519a2b946a4b7bf6f4ba80923fd723b19f1044496b38e5e216b3c2bb60de7 | props=prefix=DayZExpansion\Core\Objects\CircuitBoard
[007] core pbo files expan/core_objects_currencies.pbo | size=8301075 | entries=27 | sha256=c319373ad6f7ad7063237ffa6124e31e70b63399991f091f81496ef86f876c33 | props=prefix=DayZExpansion\Core\Objects\Currencies
[008] core pbo files expan/core_objects_navmeshcarvers.pbo | size=2089 | entries=3 | sha256=0a32ef8fecae753a305c8de5c90551495a5fa72aa9af8004995eed9ca925193e | props=prefix=DayZExpansion\Core\Objects\NavmeshCarvers
[009] core pbo files expan/core_objects_temporaryownedcontainer.pbo | size=1514 | entries=3 | sha256=bfafb6bb21a767651d8e5683899456012e27113246b49b6107d04794396393bb | props=prefix=DayZExpansion\Core\Objects\TemporaryOwnedContainer; Mikero=DePbo.dll.7.92; version=22092320
[010] core pbo files expan/core_scripts.pbo | size=1620597 | entries=349 | sha256=08222afd61fb65035f30bc99e4ba744a9fa6f349a3faf5849c6a7fe2cd9a6093 | props=prefix=DayZExpansion\Core\Scripts
[011] core pbo files expan/core_stub.pbo | size=595 | entries=3 | sha256=cd1c352eae9cbb5cf69c44491d7978077fa7d273507f6c3987ba8b230e76f8e0 | props=prefix=DayZExpansion\Core\Stub; Mikero=DePbo.dll.7.92; version=22092320
[012] core pbo files expan/definetest.pbo | size=4353 | entries=3 | sha256=e5d3087fe31ba7984a87567bf835614cf7b4f40598cc8adac0897030b768193 | props=prefix=DayZExpansion\Definetest
[013] core pbo files expan/dta_core.pbo | size=18205 | entries=4 | sha256=f0edab085b47912c043a7d70090ae3710e136ccb1465cdc5a4d95b3f87689ea3 | props=prefix=DayZExpansion\Dta\Core
[014] core pbo files expan/dta_game.pbo | size=1719 | entries=2 | sha256=49341bd6d1431296f91d664ff0329a48a64e0a1deaaaf78cd068865f8f61adc | props=prefix=DayZExpansion\Dta\Game
[015] core pbo files expan/languagecore_core.pbo | size=203899 | entries=3 | sha256=e861233e4c97b9d30819658e05f7ea1d5130c70dd3159ad283522c3a1158c69c | props=prefix=DayZExpansion\languagecore\Core
[016] core pbo files expan/modstorage_scripts.pbo | size=1380 | entries=2 | sha256=30a121df45b4b752c32e1dcc539a8d29047166b26b02e405ad5906068b1e0aa7 | props=prefix=DayZExpansion\ModStorage\Scripts
[017] core pbo files expan/notificationscheduler_scripts.pbo | size=11141 | entries=6 | sha256=1dc24652f093760a904ce96fdb007ceebebc33a95e511ceb0f7e3f19c093c7cc | props=prefix=DayZExpansion\NotificationScheduler\Scripts
[018] core pbo files expan/objects_gear_spraycans.pbo | size=6027042 | entries=13 | sha256=f68401556f35c7cb2b545e04c396eabc8a9a10098bbb6cef69881580854745fa | props=prefix=DayZExpansion\Objects\Gear\Spraycans
[019] core pbo files expan/objects_structures_debug.pbo | size=40398 | entries=12 | sha256=f1e0ab5e2dc1642b88a105c2fb48ed2a86af3f9803861bc09cf4c9a015ee5cb0 | props=prefix=DayZExpansion\Objects\Structures\Debug
[020] core pbo files expan/particles.pbo | size=6743324 | entries=84 | sha256=a60c6c8a0b547b671aaa51f9fffe6fe81939a238dea2baaa788b4a24e397dac8 | props=prefix=DayZExpansion\Particles
[021] core pbo files expan/sounds_items_spraycan.pbo | size=18317 | entries=4 | sha256=f68504740d3f3cab41517c20fcfa8f03730b9f17b207b9d2b9b0c402849c6eb | props=prefix=DayZExpansion\Sounds\Items\SprayCan; Mikero=DePbo.dll.7.92; version=22092320
[022] core pbo files expan/sounds_ui.pbo | size=264518 | entries=19 | sha256=983ac81eb7e3e7clae887516624621a902ac2c2cla8a41d2a625fa7a64230dd5 | props=prefix=DayZExpansion\Sounds\UI; Mikero=DePbo.dll.7.92; version=22092320
[023] core pbo files expan/structures_industrial_misc.pbo | size=525 | entries=2 | sha256=a16a094542e58637115f74668eaadcdf7ad261cdf932081378da6d69eb9dba7b | props=prefix=DayZExpansion\Structures\Industrial\Misc
[024] core pbo files expan/structures_industrial_power.pbo | size=826 | entries=2 | sha256=121d87b9633d4f0c1cea92e25e8cab3f88a4b53a7c27d727247f32d6ff1a48 | props=prefix=DayZExpansion\Structures\Industrial\Power
[025] core pbo files expan/structures_residential_misc.pbo | size=695 | entries=2 | sha256=3d9d2916a0c93da6df411c329a29624608f522b34879804866b5187c70fd8d45 | props=prefix=DayZExpansion\Structures\Residential\Misc
[026] core pbo files expan/vanillafixes_animals.pbo | size=741 | entries=2 | sha256=629263eae555836063b20669f3362acb5f1b490f04f1811b501449ffbc59388 | props=prefix=DayZExpansion\VanillaFixes\Animals
[027] core pbo files expan/vanillafixes_gui.pbo | size=4204 | entries=4 | sha256=1f645725b92299342f3d5ba614e0fc71743a9048fc2a00b33816bcbec2316933 | props=prefix=DayZExpansion\VanillaFixes\GUI; Mikero=DePbo.dll.7.92; version=22092320
[028] core pbo files expan/vanillafixes_scripts.pbo | size=27985 | entries=21 | sha256=c9799aa488b1a869eb925f62f2566b56f63a67f589f95051f501db8f858fe39f | props=prefix=DayZExpansion\VanillaFixes\Scripts
[029] core pbo files expan/vanillafixes_sounds.pbo | size=479 | entries=2 | sha256=39fcd9b19b1a18ec8e8c2d1dc1d5d7d5113288249a46a04a0243370c000dcfc5 | props=prefix=DayZExpansion\VanillaFixes\Sounds

sion\VanillaFixes\Sounds

Full ZIP inventory

```
[0001] core pbo files expan/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:06:58 | crc= | sha256=
[0002] core pbo files expan/0_core_preload.pbo | pbo/binary | size=15813 | compressed=4642 | modified=2026-05-13 19:04:38 | crc=43D86DAE | sha256=fc8e69d951af5b41d8204102e131d2238dc37b6d2adc4e5ccd9dd67fda34a497
[0003] core pbo files expan/0_modstorage_preload.pbo | pbo/binary | size=2078 | compressed=679 | modified=2026-05-13 19:04:38 | crc=318CA4A1 | sha256=8781687a7677677b803aa1414f1613fd4c16e0fdbdc9d227fc05a95e772d48d7
[0004] core pbo files expan/core_gui.pbo | pbo/binary | size=9839906 | compressed=2597762 | modified=2026-05-13 19:04:38 | crc=03D5249B | sha256=575838b391596a0607baed803b1fb7f859e1de2e075f78bd8ecb3b651a19eb43
[0005] core pbo files expan/core_objects_bases.pbo | pbo/binary | size=454 | compressed=285 | modified=2026-05-13 19:04:38 | crc=7D2F246F | sha256=a706ec6414431c07d26b6e3882c2cc5a6aa6f91ece8a2385d807d58c2abe1elf
[0006] core pbo files expan/core_objects_briefcase.pbo | pbo/binary | size=8981444 | compressed=8463458 | modified=2026-05-13 19:04:38 | crc=358264E1 | sha256=a0e903d7b254805edad8538e17fc8ce36a17b3278c32cde0dbe4d83f915952ed
[0007] core pbo files expan/core_objects_circuitboard.pbo | pbo/binary | size=9560406 | compressed=8481370 | modified=2026-05-13 19:04:38 | crc=B46F7CC2 | sha256=02f519a2b946a4b7bf6f4ba80923fd723b19f1044496b38e5e216b3c2bb60de7
[0008] core pbo files expan/core_objects_currencies.pbo | pbo/binary | size=8301075 | compressed=7655685 | modified=2026-05-13 19:04:38 | crc=0E38B951 | sha256=c319373ad6f7ad7063237ffa6124e31e70b63399991f091f81496ef86f876c33
[0009] core pbo files expan/core_objects_navmeshcarvers.pbo | pbo/binary | size=2089 | compressed=1075 | modified=2026-05-13 19:04:38 | crc=DFAC9BF7 | sha256=0a32ef8fecae753a305c8de5c90551495a5fa72aa9af8004995eed9ca925193e
[0010] core pbo files expan/core_objects_temporaryownedcontainer.pbo | pbo/binary | size=1514 | compressed=513 | modified=2026-05-13 19:04:38 | crc=28F121E7 | sha256=bfafeb6bb21a767651d8e5683899456012e27113246b49b6107d04794396393bb
[0011] core pbo files expan/core_scripts.pbo | pbo/binary | size=1620597 | compressed=288593 | modified=2026-05-13 19:04:38 | crc=091913ED | sha256=08222afd61fb65035f30bc99e4ba744a9fa6f349a3faf5849c6a7fe2cd9a6093
[0012] core pbo files expan/core_stub.pbo | pbo/binary | size=595 | compressed=240 | modified=2026-05-13 19:04:38 | crc=6B0579F3 | sha256=cd1c352eae9cbb5cf69c44491d7978077fa7d273507f6c3987ba8b230e76f8e0
[0013] core pbo files expan/definetest.pbo | pbo/binary | size=4353 | compressed=1139 | modified=2026-05-13 19:04:38 | crc=1266911B | sha256=e5d3087fe31ba7984a87567bf835614cf7b4f40598cc8adacb0897030b768193
[0014] core pbo files expan/dta_core.pbo | pbo/binary | size=18205 | compressed=5209 | modified=2026-05-13 19:04:38 | crc=26F8657F | sha256=f0edab085b47912c043a7d70090ae3710e136ccb1465cdc5a4d95b3f87689ea3
[0015] core pbo files expan/dta_game.pbo | pbo/binary | size=1719 | compressed=617 | modified=2026-05-13 19:04:38 | crc=9B0711A3 | sha256=49341bd6d1431296f91d664ff0329a48a64e0a1deaaafb78cd068865f8f61adc
[0016] core pbo files expan/languagecore_core.pbo | pbo/binary | size=203899 | compressed=56388 | modified=2026-05-13 19:04:38 | crc=422FC5C9 | sha256=e861233e4c97b9d30819658e05f7ea1d5130c70dd3159ad283522c3a1158c69c
[0017] core pbo files expan/modstorage_scripts.pbo | pbo/binary | size=1380 | compressed=541 | modified=2026-05-13 19:04:38 | crc=B176EE63 | sha256=30a121df45b4b752c32e1dcc539a8d29047166b26b02e405ad5906068b1e0aa7
[0018] core pbo files expan/notificationscheduler_scripts.pbo | pbo/binary | size=11141 | compressed=2789 | modified=2026-05-13 19:04:38 | crc=8E750360 | sha256=1dc24652f093760a904ce96fdb007ceebecb33a95e511ceb0f7e3f19c093c7cc
[0019] core pbo files expan/objects_gear_spraycans.pbo | pbo/binary | size=6027042 | compressed=5629207 | modified=2026-05-13 19:04:38 | crc=FF75F5D0 | sha256=f68401556f35c7cb2b545e04c396eabc8a9a10098bbb6cef69881580854745fa
[0020] core pbo files expan/objects_structures_debug.pbo | pbo/binary | size=40398 | compressed=11026 | modified=2026-05-13 19:04:38 | crc=80D5F435 | sha256=f1e0ab5e2dc1642b88a105c2fb48ed2a86af3f9803861bc09cf4c9a015ee5cb0
[0021] core pbo files expan/particles.pbo | pbo/binary | size=6743324 | compressed=4400834 | modified=2026-05-13 19:04:38 | crc=EAC29F3A | sha256=a60c6c8a0b547b671aaa51f9fffef6fe81939a238dea2baaa788b4a24e397dac8
[0022] core pbo files expan/sounds_items_spraycan.pbo | pbo/binary | size=18317 | compressed=15097 | modified=2026-05-13 19:04:38 | crc=2C79DFFD | sha256=f68504740d3f3cab41517c20fcfa8f03730b9f17bc207b9d2b9b0c402849c6eb
[0023] core pbo files expan/sounds_ui.pbo | pbo/binary | size=264518 | compressed=198840 | modified=2026-05-13 19:04:38 | crc=EFE94F62 | sha256=983ac81eb7e3e7c1ae887516624621a902ac2c2c1a8a41d2a625fa7a64230dd5
[0024] core pbo files expan/structures_industrial_misc.pbo | pbo/binary | size=525 | compressed=303 | modified=2026-05-13 19:04:38 | crc=9C3F261E | sha256=a16a094542e58637115f74668eaadcdf7ad261cdf932081378da6d69eb9dba7b
[0025] core pbo files expan/structures_industrial_power.pbo | pbo/binary | size=826 | compressed=393 | modified=2026-05-13 19:04:38 | crc=F2027239 | sha256=121d87b9633d4f0c1cea92e25e8cabcl3f88a4b53a7c27d727247f32d6ffla48
[0026] core pbo files expan/structures_residential_misc.pbo | pbo/binary | size=695 | compressed=333 | modified=2026-05-13 19:04:38 | crc=77BBA571 | sha256=3d9d2916a0c93da6df411c329a29624608f522b34879804866b5187c70fd8d45
[0027] core pbo files expan/vanillafixes_animals.pbo | pbo/binary | size=741 | compressed=341 | modified=2026-05-13 19:04:38 | crc=BBF33068 | sha256=629263eae555836063b20669fc3362acb5f1b490f04f1811b501449ffbc59388
[0028] core pbo files expan/vanillafixes_gui.pbo | pbo/binary | size=4204 | compressed=985 | modified=2026-05-13 19:04:38 | crc=FB03A50E | sha256=1f645725b92299342f3d5ba614e0fc71743a9048fc2a00b33816cbcee2316933
[0029] core pbo files expan/vanillafixes_scripts.pbo | pbo/binary | size=27985 | compressed=8062 | modified=2026-05-13 19:04:38 | crc=8B2389C0 | sha256=c9799aa488b1a869eb925f62f2566b56f63a67f589f95051f501db8f858f39f
```

[0030] core pbo files expan/vanillafixes_sounds.pbo | pbo/binary | size=479 | compressed=291 | modified=2026-05-13 19:04:38 | crc=DA46D37E | sha256=39fcd9b19b1a18ec8e8c2d1d
c1d5d7d5113288249a46a04a0243370c000dcfc5

Full PBO internal inventory

[0001] PBO=core pbo files expan/0_core_preload.pbo :: 3_Game\DayZGame.c | text/utf-8-sig | size=1104 | method=0 | timestamp=1760094878 | sha256=04634ec2fc8eb8265567d03c2605
c8ee23bc998919892bd6edf40ec32b103428
[0002] PBO=core pbo files expan/0_core_preload.pbo :: 4_World\Entities\ItemBase.c | text/utf-8-sig | size=7227 | method=0 | timestamp=1763507328 | sha256=9f324aaf0fd808be86
a6941a1fea285828271ed52b9425cb712080754e51df9e
[0003] PBO=core pbo files expan/0_core_preload.pbo :: 4_World\Entities\ItemBase\Clothing.c | text/utf-8-sig | size=1469 | method=0 | timestamp=1725988317 | sha256=91b46d570
e9ee8e7acd2fdace3d46b164088c10819c58ac710d013b22e198e5c
[0004] PBO=core pbo files expan/0_core_preload.pbo :: 4_World\Entities\ManBase\PlayerBase.c | text/utf-8-sig | size=1511 | method=0 | timestamp=1725988317 | sha256=cdb2fcd7
2413cb442a2f0e5ce0ad57b2bbb7a3caee647a2e1399655d5627fc95
[0005] PBO=core pbo files expan/0_core_preload.pbo :: Common\DayZExpansion_Core_Defines.c | text/utf-8-sig | size=2883 | method=0 | timestamp=1778172984 | sha256=34025e280a
d057b5c12c7eb9bbf0030e42d6d66553568aacec109e1e5b3c5bc8
[0006] PBO=core pbo files expan/0_core_preload.pbo :: config.bin | binary | size=1206 | method=0 | timestamp=1778172984 | sha256=bd7e65c41843fa92edbd08100c406e82d441bf89e12
4dcf146fb260325fb9997
[0007] PBO=core pbo files expan/0_core_preload.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1649701611 | sha256=e3b0c44298fcl149afbfc4c8996fb92427ae41e4649b934c
a495991b7852b855
[0008] PBO=core pbo files expan/0_modstorage_preload.pbo :: Common\DayZExpansion_ModStorage_Defines.c | text/utf-8-sig | size=484 | method=0 | timestamp=1725984717 | sha256
=9afe547eb953a88faafa40403dda3facd7253555b2edf09908d91b6c302c5e9
[0009] PBO=core pbo files expan/0_modstorage_preload.pbo :: config.bin | binary | size=1370 | method=0 | timestamp=1773697938 | sha256=32bce3418c07cf0ab9432ee82d7064c8b5bc6
e12f1e4bae6123fe76d97507fcb
[0010] PBO=core pbo files expan/0_modstorage_preload.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1649709407 | sha256=e3b0c44298fcl149afbfc4c8996fb92427ae41e464
9b934ca495991b7852b855
[0011] PBO=core pbo files expan/core_gui.pbo :: config.bin | binary | size=139 | method=0 | timestamp=1760095002 | sha256=72817cc9a8689c2aa3c1afdb1d0ef8207a86695556324cd2ce
43b10985bc8eba
[0012] PBO=core pbo files expan/core_gui.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1649701612 | sha256=e3b0c44298fcl149afbfc4c8996fb92427ae41e4649b934ca49599
1b7852b855
[0013] PBO=core pbo files expan/core_gui.pbo :: fonts\etelkatextpro.otf | binary | size=72864 | method=0 | timestamp=1656712616 | sha256=f6a5b9be3004a567de6aebb9e5ac4c3feb7
51dd7ea2b81016ecef25d9610lead
[0014] PBO=core pbo files expan/core_gui.pbo :: fonts\etelkatextpro.xml | text/utf-8-sig | size=94 | method=0 | timestamp=1656712616 | sha256=ebbef9c95f6eb959ade8ab63535383
2b1549a22ae985b4d13c337b3df3e5e31d
[0015] PBO=core pbo files expan/core_gui.pbo :: fonts\etelkatextpro24.edds | binary | size=195114 | method=0 | timestamp=1656712616 | sha256=f2aa36459a031191f4c19120a65fb34
5cb6adf0de4d12c93e993f73c60ddde6e
[0016] PBO=core pbo files expan/core_gui.pbo :: fonts\etelkatextpro24.edds.meta | text/utf-8-sig | size=351 | method=0 | timestamp=1656712616 | sha256=300ac3c66c84cdbf69328
af0e5d562134833741e2cb759f18bc9cc71ec55303e
[0017] PBO=core pbo files expan/core_gui.pbo :: fonts\etelkatextpro24.fnt | binary | size=11588 | method=0 | timestamp=1656712616 | sha256=556dd2ca5e41b86a66f7b5821fa3fd938
0c53a614637f7189207eld1814149e8
[0018] PBO=core pbo files expan/core_gui.pbo :: icons\hud\2D_64x64.edds | binary | size=3064 | method=0 | timestamp=1649701612 | sha256=f5c1228f516eb028402cd97283338558185a
b8f1e2da38e61781e94899cb808a
[0019] PBO=core pbo files expan/core_gui.pbo :: icons\hud\2D_64x64.edds.meta | text/utf-8-sig | size=341 | method=0 | timestamp=1649701612 | sha256=89cee6e817340e0bd6ffa159
e68672e08eedc71a51a8d3d67c590385237d3f28
[0020] PBO=core pbo files expan/core_gui.pbo :: icons\hud\2D_off_64x64.edds | binary | size=3371 | method=0 | timestamp=1649701612 | sha256=586dfd7717f2acd1373b0ef5711ac7ab
ab715d289d238df293ed983e5d053341
[0021] PBO=core pbo files expan/core_gui.pbo :: icons\hud\2D_off_64x64.edds.meta | text/utf-8-sig | size=349 | method=0 | timestamp=1649701612 | sha256=7fb200f7abd679d992b8
23ce3649c267aa42106898f6e73d8fe60c60abef4b79
[0022] PBO=core pbo files expan/core_gui.pbo :: icons\hud\3D_64x64.edds | binary | size=3137 | method=0 | timestamp=1649701612 | sha256=6ece70078682392298ddc283847e7694372d
7d0dab44edbb1a346a3b6d6e42b3
[0023] PBO=core pbo files expan/core_gui.pbo :: icons\hud\3D_64x64.edds.meta | text/utf-8-sig | size=339 | method=0 | timestamp=1649701612 | sha256=54a983372b5aab1c5bb7b009
a6d6bf095f95f664ecf8b71c158a3a172fc7b689
[0024] PBO=core pbo files expan/core_gui.pbo :: icons\hud\3D_off_64x64.edds | binary | size=3502 | method=0 | timestamp=1649701612 | sha256=c9e433903691044799ad438a75fc9449
9d23a5cb61aeb9545aafa282b123f0c9
[0025] PBO=core pbo files expan/core_gui.pbo :: icons\hud\3D_off_64x64.edds.meta | text/utf-8-sig | size=348 | method=0 | timestamp=1649701612 | sha256=7c66e477e6c665b5b253
f3321a5bab1bbe7f953481232f35e746ee9dd68867e6
[0026] PBO=core pbo files expan/core_gui.pbo :: icons\hud\arrow_64x64.edds | binary | size=5977 | method=0 | timestamp=1649701612 | sha256=d54ed74c474edfd3cd26050c18a89f8a4
df150ab9d6fa5754f2c2329d2c6b9ff
[0027] PBO=core pbo files expan/core_gui.pbo :: icons\hud\arrow_64x64.edds.meta | text/utf-8-sig | size=345 | method=0 | timestamp=1649701612 | sha256=3d98e1aba13f109eb0e3f
e1a380354730d9c77ba361ba8aff5a7e17a58ed2a4
[0028] PBO=core pbo files expan/core_gui.pbo :: icons\hud\battery_empty_64x64.edds | binary | size=5586 | method=0 | timestamp=1649701612 | sha256=68864174065fa9c313d46a2e0
d93acdbbbed3b616calbe9b5681e6c378611780

[0029] PBO=core pbo files expan/core_gui.pbo :: icons\hud\battery_empty_64x64.edds.meta | text/utf-8-sig | size=362 | method=0 | timestamp=1649701612 | sha256=0994663aa0d9a0efd78c627ed5121641e787d6b30e8908763c4839c307b1dc11

[0030] PBO=core pbo files expan/core_gui.pbo :: icons\hud\battery_high_64x64.edds | binary | size=5606 | method=0 | timestamp=1649701612 | sha256=b00f2a89c44baccfc217923034e9eec7807c6516189d68b522f656f9c516e3d3

[0031] PBO=core pbo files expan/core_gui.pbo :: icons\hud\battery_high_64x64.edds.meta | text/utf-8-sig | size=360 | method=0 | timestamp=1649701612 | sha256=367701298ea5ada3e6218b0290ed3563fab064dec8b0ecd063c8edb250fe6460

[0032] PBO=core pbo files expan/core_gui.pbo :: icons\hud\battery_low_64x64.edds | binary | size=5575 | method=0 | timestamp=1649701612 | sha256=1677ebc0583b1fa3748a4633a092df7c6ca1854249d5a8b2ce484b21886e862a

[0033] PBO=core pbo files expan/core_gui.pbo :: icons\hud\battery_low_64x64.edds.meta | text/utf-8-sig | size=358 | method=0 | timestamp=1649701612 | sha256=64ed5bf80bacec86cb37f78305def9923baed226cb6f76f249d9d03783a72ecc

[0034] PBO=core pbo files expan/core_gui.pbo :: icons\hud\battery_med_64x64.edds | binary | size=5584 | method=0 | timestamp=1649701612 | sha256=e0717e498988aee42b003d553c7a391fae3cba0cb83cfd6e65d98eb992547087

[0035] PBO=core pbo files expan/core_gui.pbo :: icons\hud\battery_med_64x64.edds.meta | text/utf-8-sig | size=358 | method=0 | timestamp=1649701612 | sha256=909183f55e1665fa2ff7f61381d21d28e4f7987b9a4b9feb74ffacd08d8e99abd

[0036] PBO=core pbo files expan/core_gui.pbo :: icons\hud\bear_64x64.edds | binary | size=5061 | method=0 | timestamp=1649701612 | sha256=122aad979c6a0b262ab044490379afad2cc69a88fab984aa9a227f8dc7637fc4

[0037] PBO=core pbo files expan/core_gui.pbo :: icons\hud\bear_64x64.edds.meta | text/utf-8-sig | size=344 | method=0 | timestamp=1649701612 | sha256=72f7f919ca886258a8b5b78618a36bd7b964874e49047d58cc97105blac6ae36

[0038] PBO=core pbo files expan/core_gui.pbo :: icons\hud\book_1_64x64.edds | binary | size=5879 | method=0 | timestamp=1649701612 | sha256=d12965ceed75e46deeb2236c7d64bcacf9aeb2bf91b5507b9c0f6286fe3feb162

[0039] PBO=core pbo files expan/core_gui.pbo :: icons\hud\book_1_64x64.edds.meta | text/utf-8-sig | size=348 | method=0 | timestamp=1649701612 | sha256=fadb38c592e93b935f9355b7a49b95d09f42b436df7fd08fab783a710e943a49

[0040] PBO=core pbo files expan/core_gui.pbo :: icons\hud\book_2_64x64.edds | binary | size=5583 | method=0 | timestamp=1649701612 | sha256=8b7679d6293042188370c8a579c203bb48dbe34c2ecbb243fd60e5e972ecd1fd

[0041] PBO=core pbo files expan/core_gui.pbo :: icons\hud\book_2_64x64.edds.meta | text/utf-8-sig | size=348 | method=0 | timestamp=1649701612 | sha256=7fb8b09573332980b04b0367e077afebf80a12d3f4aef2fd1e273dcfa520042

[0042] PBO=core pbo files expan/core_gui.pbo :: icons\hud\car_64x64.edds | binary | size=3678 | method=0 | timestamp=1649701612 | sha256=fcd9956cd8d1ab190fdc9fcc076ce88ee9ce57b98c950c424a970e53016e0e119

[0043] PBO=core pbo files expan/core_gui.pbo :: icons\hud\car_64x64.edds.meta | text/utf-8-sig | size=343 | method=0 | timestamp=1649701612 | sha256=260098da634221873b49bad03fb2c7fe9a9c38f10e978109a32b0bdf513eb679

[0044] PBO=core pbo files expan/core_gui.pbo :: icons\hud\cargo_64x64.edds | binary | size=2671 | method=0 | timestamp=1695057122 | sha256=2ee8cf188a5c456146c7ef62ef6c76931e301dd896363068480e8fb740efcb8c

[0045] PBO=core pbo files expan/core_gui.pbo :: icons\hud\cargo_64x64.edds.meta | text/utf-8-sig | size=347 | method=0 | timestamp=1695057122 | sha256=36055650f17a3ec554b3e6bd9562939cbd54d3b0e9529954b7aeeee9e3db11f5d

[0046] PBO=core pbo files expan/core_gui.pbo :: icons\hud\claw_64x64.edds | binary | size=6843 | method=0 | timestamp=1649701612 | sha256=428ab2bec7af693be92c5a0b2f866abb6d92c30ec3ff407264c986d87515f30d

[0047] PBO=core pbo files expan/core_gui.pbo :: icons\hud\claw_64x64.edds.meta | text/utf-8-sig | size=345 | method=0 | timestamp=1649701612 | sha256=beb9360dee78474e484a46072f06fd3779f4c634ea467c1505b85b0ae3cadb8f

[0048] PBO=core pbo files expan/core_gui.pbo :: icons\hud\connection_lost.edds | binary | size=1853 | method=0 | timestamp=1695057122 | sha256=71b549861ca59a64130563475516d93a534262d4cb38735f52510b0267d94a63

[0049] PBO=core pbo files expan/core_gui.pbo :: icons\hud\connection_lost.edds.meta | text/utf-8-sig | size=348 | method=0 | timestamp=1695057122 | sha256=87806f2c806c21070e05d58928ad6be4cd952615d3c0befa9798db82ccd436c5

[0050] PBO=core pbo files expan/core_gui.pbo :: icons\hud\craft_64x64.edds | binary | size=4865 | method=0 | timestamp=1649701612 | sha256=762758c58607c9ef9f7d3f939e50e26d9cdb27e88319a1c7dc79f18f4cfddeaf

[0051] PBO=core pbo files expan/core_gui.pbo :: icons\hud\craft_64x64.edds.meta | text/utf-8-sig | size=347 | method=0 | timestamp=1649701612 | sha256=9d60143caad8fbb240cd4aac6edfd04a35e2d558a9516617d188ba50568287a5

[0052] PBO=core pbo files expan/core_gui.pbo :: icons\hud\cross_64x64.edds | binary | size=4933 | method=0 | timestamp=1649701612 | sha256=869d3daeed274ed05091f690a797fbcd11337bfde0036ced885c89aed80b6ad

[0053] PBO=core pbo files expan/core_gui.pbo :: icons\hud\cross_64x64.edds.meta | text/utf-8-sig | size=345 | method=0 | timestamp=1649701612 | sha256=3183580cf4326e660eec382d30db98ebe24e730725194278bbb5dd149a1849f9

[0054] PBO=core pbo files expan/core_gui.pbo :: icons\hud\drip_64x64.edds | binary | size=6955 | method=0 | timestamp=1649701612 | sha256=80026e35b351be74dedc879fb2fb72b064357c5912c22dc4568f066971bdd156

[0055] PBO=core pbo files expan/core_gui.pbo :: icons\hud\drip_64x64.edds.meta | text/utf-8-sig | size=344 | method=0 | timestamp=1649701612 | sha256=570dac909cf4dc5adc0ef03c9d320ad7a2589fe3f5f38c9dfd6cade4afe4e3eb

[0056] PBO=core pbo files expan/core_gui.pbo :: icons\hud\ear_64x64.edds | binary | size=7746 | method=0 | timestamp=1649701612 | sha256=dcfb84eb4670025b370fad04d84d00f7d202288d31c7f92d757353ccfc8c94f2

[0057] PBO=core pbo files expan/core_gui.pbo :: icons\hud\ear_64x64.edds.meta | text/utf-8-sig | size=342 | method=0 | timestamp=1649701612 | sha256=2706a9fbaefd2b830217f8ded588fde3eb7807368c6f2672b07044c8a8fad8d4

[0058] PBO=core pbo files expan/core_gui.pbo :: icons\hud\ellipse_64x64.edds | binary | size=8645 | method=0 | timestamp=1649701612 | sha256=06cb33582e2b629491b52c20c02abb1bfbf50f0dbc454d374f3fe47547c78fe3

[0059] PBO=core pbo files expan/core_gui.pbo :: icons\hud\ellipse_64x64.edds.meta | text/utf-8-sig | size=350 | method=0 | timestamp=1649701612 | sha256=75d102e6a7ea1061526dd0029c6ca720f4dbf9acde9ac4015a6265455b0c92db

[0060] PBO=core pbo files expan/core_gui.pbo :: icons\hud\ellipse_out_64x64.edds | binary | size=8544 | method=0 | timestamp=1649701612 | sha256=12a5abe5650df14e334d2e5cf8e1c8ab86e94b87571f2911366e0bdb1dd64ef6
[0061] PBO=core pbo files expan/core_gui.pbo :: icons\hud\ellipse_out_64x64.edds.meta | text/utf-8-sig | size=358 | method=0 | timestamp=1649701612 | sha256=2d37e820b536f8a4997b44d7a53169bb3af6ff59ea8881b40a02853c97ca460e
[0062] PBO=core pbo files expan/core_gui.pbo :: icons\hud\exclamationmark_64x64.edds | binary | size=5064 | method=0 | timestamp=1649701612 | sha256=a48bb6451c01e1ab993bfdb8756a13c3alf647602ebe949b7e91b4fb10d7fe35
[0063] PBO=core pbo files expan/core_gui.pbo :: icons\hud\exclamationmark_64x64.edds.meta | text/utf-8-sig | size=366 | method=0 | timestamp=1649701612 | sha256=9185aa311c4687d8748a49bbb82d57d4510fe7521c8e2e741fd0e4304f92693a
[0064] PBO=core pbo files expan/core_gui.pbo :: icons\hud\eye_64x64.edds | binary | size=3066 | method=0 | timestamp=1649701612 | sha256=08fcf7dd0e3a01cb9c7eb5fe067cfb5ce56c9e159d7284d96d3c16ef6a01e0c7
[0065] PBO=core pbo files expan/core_gui.pbo :: icons\hud\eye_64x64.edds.meta | text/utf-8-sig | size=342 | method=0 | timestamp=1649701612 | sha256=ea6e3ffef264d79ec8c35fb5b7b741187d3ea5e23a7d746288729544359915c0
[0066] PBO=core pbo files expan/core_gui.pbo :: icons\hud\fireplace_64x64.edds | binary | size=6298 | method=0 | timestamp=1649701612 | sha256=feaff0b7c528dce25add6a5ffa2a3a344cf7415ac9c77312a48a793995649566
[0067] PBO=core pbo files expan/core_gui.pbo :: icons\hud\fireplace_64x64.edds.meta | text/utf-8-sig | size=356 | method=0 | timestamp=1649701612 | sha256=d253b454c25fd0789e2867c436bdee9e4ccf1bceb1fdb548439be138bc047377
[0068] PBO=core pbo files expan/core_gui.pbo :: icons\hud\grab_64x64.edds | binary | size=3832 | method=0 | timestamp=1649701612 | sha256=12e3907fbda0534d71e0daff39ce32c23ae89b637a757c670b17ce8da90fb1ee
[0069] PBO=core pbo files expan/core_gui.pbo :: icons\hud\grab_64x64.edds.meta | text/utf-8-sig | size=345 | method=0 | timestamp=1649701612 | sha256=05ba5932b588df487cf450699e818e8c51a818086dced86af3f271b4acc929a
[0070] PBO=core pbo files expan/core_gui.pbo :: icons\hud\hand_open_64x64.edds | binary | size=6323 | method=0 | timestamp=1649701612 | sha256=a7460b9f13b91e8eac7dda6771b0f17a95fb871fcl1a1925d490f449c1df6dadda
[0071] PBO=core pbo files expan/core_gui.pbo :: icons\hud\hand_open_64x64.edds.meta | text/utf-8-sig | size=355 | method=0 | timestamp=1649701612 | sha256=bf46a89a416f60d5b17f5811d02933fb771606ac048620c12813cef51dbae4e3
[0072] PBO=core pbo files expan/core_gui.pbo :: icons\hud\health_64x64.edds | binary | size=6007 | method=0 | timestamp=1649701612 | sha256=f16eab5a33e6184b4077695bc553121774547a0cccc97ce8026b1764b22b0ff2
[0073] PBO=core pbo files expan/core_gui.pbo :: icons\hud\health_64x64.edds.meta | text/utf-8-sig | size=349 | method=0 | timestamp=1649701612 | sha256=51076da2a3589d877ac92c92818b49664d155f412d5a4f592a4a653302be682b
[0074] PBO=core pbo files expan/core_gui.pbo :: icons\hud\heart_64x64.edds | binary | size=6953 | method=0 | timestamp=1649701612 | sha256=8e288872fde9598c0446110e279f5df393b4c8aeb7e7786898a73479088f1bdc
[0075] PBO=core pbo files expan/core_gui.pbo :: icons\hud\heart_64x64.edds.meta | text/utf-8-sig | size=347 | method=0 | timestamp=1649701612 | sha256=e484d821f56178cac060607e5949e480a2e0bad59da1d37483b219a431d0a218
[0076] PBO=core pbo files expan/core_gui.pbo :: icons\hud\hook_64x64.edds | binary | size=5278 | method=0 | timestamp=1649701612 | sha256=2083ff5ef09b12896ad964e61b0ef69f5f594080c1864f23944dc4894be7612a
[0077] PBO=core pbo files expan/core_gui.pbo :: icons\hud\hook_64x64.edds.meta | text/utf-8-sig | size=343 | method=0 | timestamp=1649701612 | sha256=11edc75483a2e914cb3775f83873f19cbd809be5fa07bd35c938154cf7bf9042
[0078] PBO=core pbo files expan/core_gui.pbo :: icons\hud\info_64x64.edds | binary | size=6927 | method=0 | timestamp=1649701612 | sha256=10a59fbd471f11ee4accf828f8c8307b337f63fe03d8588b5cf510545b53075a
[0079] PBO=core pbo files expan/core_gui.pbo :: icons\hud\info_64x64.edds.meta | text/utf-8-sig | size=344 | method=0 | timestamp=1649701612 | sha256=3521aab3da93023199cbf3e5fa61d272e60185d0bd205c1d39d926bb7643046b
[0080] PBO=core pbo files expan/core_gui.pbo :: icons\hud\knife_64x64.edds | binary | size=3333 | method=0 | timestamp=1649701612 | sha256=9530d3323c513e54d477ce6ae5a72663e0620987b95fed62906981151ce0e945
[0081] PBO=core pbo files expan/core_gui.pbo :: icons\hud\knife_64x64.edds.meta | text/utf-8-sig | size=348 | method=0 | timestamp=1649701612 | sha256=c88e3351e56218076b0861a68d0114ae10f438d351b67c779b2293d492aeb072
[0082] PBO=core pbo files expan/core_gui.pbo :: icons\hud\map_64x64.edds | binary | size=8440 | method=0 | timestamp=1649701612 | sha256=4e3c240efa67029c890078b632ec8de419dcd0de4d99038506202e8fd23560ce
[0083] PBO=core pbo files expan/core_gui.pbo :: icons\hud\map_64x64.edds.meta | text/utf-8-sig | size=342 | method=0 | timestamp=1649701612 | sha256=e8e93a442b169cd7bb14433b402ab87808fda03c1f25aea23fc210d86e0588e0
[0084] PBO=core pbo files expan/core_gui.pbo :: icons\hud\marker_64x64.edds | binary | size=6347 | method=0 | timestamp=1649701612 | sha256=bb65e2b0ca7da014e0918be8675407c74b2ae641264ac8fd1ed12823b2880075
[0085] PBO=core pbo files expan/core_gui.pbo :: icons\hud\marker_64x64.edds.meta | text/utf-8-sig | size=348 | method=0 | timestamp=1649701612 | sha256=41d9982b83747620d5516e4533f41aad2243b1618ca0ac339a5a4b593733dea8
[0086] PBO=core pbo files expan/core_gui.pbo :: icons\hud\menu_64x64.edds | binary | size=7420 | method=0 | timestamp=1649701612 | sha256=5b0a3d14a8b48b2d50160025987912297e84acc9f41be533786468cf988377a0
[0087] PBO=core pbo files expan/core_gui.pbo :: icons\hud\menu_64x64.edds.meta | text/utf-8-sig | size=346 | method=0 | timestamp=1649701612 | sha256=fdc939acb92658e3963eac318de60b3be6034b0eb783eb14e15643234e8c52ca
[0088] PBO=core pbo files expan/core_gui.pbo :: icons\hud\minus_64x64.edds | binary | size=668 | method=0 | timestamp=1695057122 | sha256=0120435025662a78edc7821d64f37f8c8e0d1a459aa2e3b593f09d142fdbecbe
[0089] PBO=core pbo files expan/core_gui.pbo :: icons\hud\minus_64x64.edds.meta | text/utf-8-sig | size=348 | method=0 | timestamp=1695057122 | sha256=4e33f281a3c2a4ba50251cb80639b9594cc2ae366d7ee3b2090430ac1b24ad19
[0090] PBO=core pbo files expan/core_gui.pbo :: icons\hud\moon_64x64.edds | binary | size=5158 | method=0 | timestamp=1649701612 | sha256=03d425e512024e42d8663ceec4ff3e06f37412d6c8f3fc63c70113d9312c9689

[0091] PBO=core pbo files expan/core_gui.pbo :: icons\hud\moon_64x64.edds.meta | text/utf-8-sig | size=344 | method=0 | timestamp=1649701612 | sha256=71672f5fa0a64efbf20cdaa6563014673d2544f45fcefe2de7009d53392b00eb
[0092] PBO=core pbo files expan/core_gui.pbo :: icons\hud\note_64x64.edds | binary | size=5850 | method=0 | timestamp=1649701612 | sha256=8de85824f8b0cff0451ec509304ed28842a9936ae2d968448e30ab3ef56a4395
[0093] PBO=core pbo files expan/core_gui.pbo :: icons\hud\note_64x64.edds.meta | text/utf-8-sig | size=345 | method=0 | timestamp=1649701612 | sha256=0bdb53f6d72ee3e35f47fa9cb08e85ff6a466f81b8bcf80261acace32c5944ec
[0094] PBO=core pbo files expan/core_gui.pbo :: icons\hud\orientation_64x64.edds | binary | size=4205 | method=0 | timestamp=1649701612 | sha256=54768a3be01f60c8b65ad298f1dfb5228c9475264eb2a54075cbf2865054c84e
[0095] PBO=core pbo files expan/core_gui.pbo :: icons\hud\orientation_64x64.edds.meta | text/utf-8-sig | size=360 | method=0 | timestamp=1649701612 | sha256=50322e428381468ecc4081db110d3201d74e23e7c6625edeae470b5bddd19d5d
[0096] PBO=core pbo files expan/core_gui.pbo :: icons\hud\pen_64x64.edds | binary | size=2941 | method=0 | timestamp=1649701612 | sha256=f9b0b663fc5aaa013025b86b048659a72bfeafacb8eeb25b4c007bb6f7c875e9
[0097] PBO=core pbo files expan/core_gui.pbo :: icons\hud\pen_64x64.edds.meta | text/utf-8-sig | size=343 | method=0 | timestamp=1649701612 | sha256=cae7096fe11edbdbbeb60178ac95ff5692f2cea07871180d6932ace2d0d202782
[0098] PBO=core pbo files expan/core_gui.pbo :: icons\hud\persona_64x64.edds | binary | size=7308 | method=0 | timestamp=1649701612 | sha256=db6c40252cbacc695780def5fa3019c215b1656f188bc4e8e6dba4b97126e64
[0099] PBO=core pbo files expan/core_gui.pbo :: icons\hud\persona_64x64.edds.meta | text/utf-8-sig | size=351 | method=0 | timestamp=1649701612 | sha256=c72a6ac1631dacaba0d70790f2609fd46f63555de30fe65e8f324433a48dad16
[0100] PBO=core pbo files expan/core_gui.pbo :: icons\hud\pill_64x64.edds | binary | size=3660 | method=0 | timestamp=1649701612 | sha256=3bd54e04068316079879847f6c0e7eddc68033cd18fdb74341e3a716e505be2f
[0101] PBO=core pbo files expan/core_gui.pbo :: icons\hud\pill_64x64.edds.meta | text/utf-8-sig | size=345 | method=0 | timestamp=1649701612 | sha256=373edd0d2b99af1447b20a93ebd99a75d8209734e94bd1b4ab2541b1616aef11
[0102] PBO=core pbo files expan/core_gui.pbo :: icons\hud\plus_64x64.edds | binary | size=2043 | method=0 | timestamp=1695057122 | sha256=14628cdedc44fdebcb9cf7d2b39638772bace54382e2b3048e82ea77d1f0a7e9
[0103] PBO=core pbo files expan/core_gui.pbo :: icons\hud\plus_64x64.edds.meta | text/utf-8-sig | size=346 | method=0 | timestamp=1695057122 | sha256=8280bc0863eb4ed4f4b9fe9dfdf6d6b6e5187b2fdc0639c39c7eb4caf202b2a6
[0104] PBO=core pbo files expan/core_gui.pbo :: icons\hud\questionmark_2_64x64.edds | binary | size=2519 | method=0 | timestamp=1695057122 | sha256=faa13b42d9aaef4acae312dd8b4ada43e591bc38def866e670a24b2026260bc
[0105] PBO=core pbo files expan/core_gui.pbo :: icons\hud\questionmark_2_64x64.edds.meta | text/utf-8-sig | size=366 | method=0 | timestamp=1695057122 | sha256=f10f07bdc2435c7c464adb49024ba8737f2ab0ae3d014c0a31cb4d9f2c5b3fca
[0106] PBO=core pbo files expan/core_gui.pbo :: icons\hud\questionmark_64x64.edds | binary | size=7056 | method=0 | timestamp=1649701612 | sha256=aeee2af683b0b4057c492cb32ba6bcd6ccb984c3aae7cc29819a979740917402
[0107] PBO=core pbo files expan/core_gui.pbo :: icons\hud\questionmark_64x64.edds.meta | text/utf-8-sig | size=361 | method=0 | timestamp=1649701612 | sha256=ebcf8ae0037d3d295a6a11f58ab2c537aced2b03958402905e9cc58d99791cb2
[0108] PBO=core pbo files expan/core_gui.pbo :: icons\hud\radio_64x64.edds | binary | size=7351 | method=0 | timestamp=1649701612 | sha256=4ed51c46c52750770cd7ec98a905ad3238008f39fb08bf455b8f01b8d86ed30e
[0109] PBO=core pbo files expan/core_gui.pbo :: icons\hud\radio_64x64.edds.meta | text/utf-8-sig | size=347 | method=0 | timestamp=1649701612 | sha256=f74785c1d6e76f7361be22fd9360a66c8b67cf7b10854ff7ed33da472de62d6b
[0110] PBO=core pbo files expan/core_gui.pbo :: icons\hud\refresh_64x64.edds | binary | size=7670 | method=0 | timestamp=1649701612 | sha256=84c4bca285de764ac5d928d5eaeca39fb3ca6cb3b659cdde69fe9e83625e1717
[0111] PBO=core pbo files expan/core_gui.pbo :: icons\hud\refresh_64x64.edds.meta | text/utf-8-sig | size=351 | method=0 | timestamp=1649701612 | sha256=77c7eb04b64c5236131df300f6408e46d3ef7f80d3c436b5312a709dae42c717
[0112] PBO=core pbo files expan/core_gui.pbo :: icons\hud\Reputation-Stars.edds | binary | size=5601 | method=0 | timestamp=1695057122 | sha256=e964a47aa758c9017ab3b516d3cfd8419a11817fc346a62c6df77b6f1db8743
[0113] PBO=core pbo files expan/core_gui.pbo :: icons\hud\Reputation-Stars.edds.meta | text/utf-8-sig | size=348 | method=0 | timestamp=1695057122 | sha256=02baa7c47d18b2ed42ac69af5782421a239d6bf1e86e8a10104a4bff99812a35
[0114] PBO=core pbo files expan/core_gui.pbo :: icons\hud\shield_64x64.edds | binary | size=5294 | method=0 | timestamp=1649701612 | sha256=273f1f60084f3237953f637ff38cef2c460f3a7a1468d8d7f31ade98d64ce6d0
[0115] PBO=core pbo files expan/core_gui.pbo :: icons\hud\shield_64x64.edds.meta | text/utf-8-sig | size=349 | method=0 | timestamp=1649701612 | sha256=53d4043072fd6d15e480c660a0784a774f58a357649ffface89cf97c10439216
[0116] PBO=core pbo files expan/core_gui.pbo :: icons\hud\skull_1_64x64.edds | binary | size=7502 | method=0 | timestamp=1649701612 | sha256=cad0bd9e28723056684872163a30ce0b35a871be0a8e148c3961b700f759cef6
[0117] PBO=core pbo files expan/core_gui.pbo :: icons\hud\skull_1_64x64.edds.meta | text/utf-8-sig | size=349 | method=0 | timestamp=1649701612 | sha256=6334b3b0dc366dcb0b360873f6f0d161365d5ce6fe5b84381f16af54c18c97c7
[0118] PBO=core pbo files expan/core_gui.pbo :: icons\hud\skull_2_64x64.edds | binary | size=6455 | method=0 | timestamp=1649701612 | sha256=7632da36d97b3e0cb0c827c643fe1b25f7a86b781b2bdb041ed7fa139f467a6b
[0119] PBO=core pbo files expan/core_gui.pbo :: icons\hud\skull_2_64x64.edds.meta | text/utf-8-sig | size=350 | method=0 | timestamp=1649701612 | sha256=d3a85b83ec65d849623f8b38ec6704b6dfec901505f97156e8a5e2e03c38ae74
[0120] PBO=core pbo files expan/core_gui.pbo :: icons\hud\snow_64x64.edds | binary | size=8435 | method=0 | timestamp=1649701612 | sha256=ed5106bf34be1bcd238a723494aa533e3cf7ba8117561dbfc3c97609968745f6
[0121] PBO=core pbo files expan/core_gui.pbo :: icons\hud\snow_64x64.edds.meta | text/utf-8-sig | size=346 | method=0 | timestamp=1649701612 | sha256=e8a87bc28c06d7639c21f6500ad77d053f94c2bf0416eb084a5e9c44075a3a15

[0122] PBO=core pbo files expan/core_gui.pbo :: icons\hud\sort_simple_64x64.edds | binary | size=2302 | method=0 | timestamp=1695057122 | sha256=3f89a4c682bfff64348a6a68811c
a24dde1d658b08b62c58a1a15d8177169ad1a
[0123] PBO=core pbo files expan/core_gui.pbo :: icons\hud\sort_simple_64x64.edds.meta | text/utf-8-sig | size=360 | method=0 | timestamp=1695057122 | sha256=d9b937055978980
bcded7dfb2e4ddc0e13ad6ece3cc30907d54901bb2bf7482b5
[0124] PBO=core pbo files expan/core_gui.pbo :: icons\hud\sorting_64x64.edds | binary | size=2427 | method=0 | timestamp=1695057122 | sha256=a64c5fea973a686baf0349a1cb69870
baba488376338dab5f973769d08ce9e17
[0125] PBO=core pbo files expan/core_gui.pbo :: icons\hud\sorting_64x64.edds.meta | text/utf-8-sig | size=351 | method=0 | timestamp=1695057122 | sha256=211485f27b995e9eca0
3af0440e25d98c47f083535b986bde4f9f32c319836a6
[0126] PBO=core pbo files expan/core_gui.pbo :: icons\hud\square_64x64.edds | binary | size=2648 | method=0 | timestamp=1649701612 | sha256=8e54f450ab20fc75bc3dc20741db4205
04f123e877b6f301fb57a1dcf4a33cd1
[0127] PBO=core pbo files expan/core_gui.pbo :: icons\hud\square_64x64.edds.meta | text/utf-8-sig | size=350 | method=0 | timestamp=1649701612 | sha256=217866b94delc4c2c55c
487670e678765db3782ef1cc31b26dff504db84b6c9e
[0128] PBO=core pbo files expan/core_gui.pbo :: icons\hud\star_64x64.edds | binary | size=6498 | method=0 | timestamp=1649701612 | sha256=8d2e120e346b00fa2c30eb29f2756b18f8
33e35474eb8c073d0af0cd4206966e
[0129] PBO=core pbo files expan/core_gui.pbo :: icons\hud\star_64x64.edds.meta | text/utf-8-sig | size=346 | method=0 | timestamp=1649701612 | sha256=9f7dc5417769580f77e3e1
8309919b11042c15ae9a5f9c9772fccdd811c69b65
[0130] PBO=core pbo files expan/core_gui.pbo :: icons\hud\statistic_64x64.edds | binary | size=4801 | method=0 | timestamp=1649701612 | sha256=ba31da615eef1a3b3e2c2219b4306
36e05c88201dc8d30c7099530c21fe2b7e1
[0131] PBO=core pbo files expan/core_gui.pbo :: icons\hud\sun_64x64.edds | binary | size=8512 | method=0 | timestamp=1649701612 | sha256=627a17b9aad6e4425d7ba92fa5a8158c9a0
8a520c3bf525e9a64a04de668b594
[0132] PBO=core pbo files expan/core_gui.pbo :: icons\hud\sun_64x64.edds.meta | text/utf-8-sig | size=344 | method=0 | timestamp=1649701612 | sha256=27ca456613df9f283563e93
ad5317de7a867d6d7b66de5ae63e8f3b1654ae7f4
[0133] PBO=core pbo files expan/core_gui.pbo :: icons\hud\switch_64x64.edds | binary | size=5782 | method=0 | timestamp=1649701612 | sha256=a2647852ae8280c6bf99c2148e6d973a
40e312f65512c578a27c2ffba4fa2fc18
[0134] PBO=core pbo files expan/core_gui.pbo :: icons\hud\switch_64x64.edds.meta | text/utf-8-sig | size=348 | method=0 | timestamp=1649701612 | sha256=2798eeefc63ad11db438
cbe739681ccee970d810feab18c663298350651bc2e8
[0135] PBO=core pbo files expan/core_gui.pbo :: icons\hud\tent_64x64.edds | binary | size=4854 | method=0 | timestamp=1649701612 | sha256=874ee143e1b4f1bd90d9cfd65122bedaac
5ea0b3aa11f783848e48d80f239da
[0136] PBO=core pbo files expan/core_gui.pbo :: icons\hud\tent_64x64.edds.meta | text/utf-8-sig | size=346 | method=0 | timestamp=1649701612 | sha256=13651bbe55672f3199fb25
7f9f88840835c2a5ce918ec6d59b92e78f9a9a9c04
[0137] PBO=core pbo files expan/core_gui.pbo :: icons\hud\thermometer_1_64x64.edds | binary | size=5184 | method=0 | timestamp=1649701612 | sha256=b3ea2e5824bd886c3fef09451
9f688b091a09e5bccfcb3dcff677203656cdc87
[0138] PBO=core pbo files expan/core_gui.pbo :: icons\hud\thermometer_1_64x64.edds.meta | text/utf-8-sig | size=363 | method=0 | timestamp=1649701612 | sha256=46cf37509c6e6
7374377cae756518be70c6c040c78bdcc5da7e310c264ec44531
[0139] PBO=core pbo files expan/core_gui.pbo :: icons\hud\toothwheel_64x64.edds | binary | size=8089 | method=0 | timestamp=1649701612 | sha256=a8ceb5200b168f37920957926830
18eed58443c4d2e4512fd8b84e1b6d7584f8
[0140] PBO=core pbo files expan/core_gui.pbo :: icons\hud\toothwheel_64x64.edds.meta | text/utf-8-sig | size=357 | method=0 | timestamp=1649701612 | sha256=d4764b3fdece1692
c94cd7e3d647d4f01af3315331000f2ddd17106da80d44a7
[0141] PBO=core pbo files expan/core_gui.pbo :: icons\hud\toothwheels_64x64.edds | binary | size=6348 | method=0 | timestamp=1649701612 | sha256=6859e7a3f7285e91d1c25be70e5
c8b1593a6b53fe60af754a651c78813d0a925
[0142] PBO=core pbo files expan/core_gui.pbo :: icons\hud\toothwheels_64x64.edds.meta | text/utf-8-sig | size=359 | method=0 | timestamp=1649701612 | sha256=ccb36c5215048ce
d0f3ef7bb39d54243d04cd7e96519d184a8a1811d8055a1ec
[0143] PBO=core pbo files expan/core_gui.pbo :: icons\hud\under-roof.edds | binary | size=1012 | method=0 | timestamp=1695057122 | sha256=66d74cf2b0388e3cabad23c9fa8284c6e7
501e7bdcc85ab56207cb60bfff886e1
[0144] PBO=core pbo files expan/core_gui.pbo :: icons\hud\under-roof.edds.meta | text/utf-8-sig | size=336 | method=0 | timestamp=1695057122 | sha256=3d79ee120faf43fc4886d6
8cef00b510b1d44743492297c54c2998a3da216100
[0145] PBO=core pbo files expan/core_gui.pbo :: icons\hud\water_64x64.edds | binary | size=6322 | method=0 | timestamp=1649701612 | sha256=c1a67983120a8bcab4f547859932e19b4
0191dce8808cee8530feff23c634a71
[0146] PBO=core pbo files expan/core_gui.pbo :: icons\hud\water_64x64.edds.meta | text/utf-8-sig | size=347 | method=0 | timestamp=1649701612 | sha256=281df5f60880a4806e117
e84688be8d4958a7e619085ab0e9f6921e6d59a8b3a
[0147] PBO=core pbo files expan/core_gui.pbo :: icons\map\icon_lighthouse_ca.paa | binary | size=5625 | method=0 | timestamp=1649701612 | sha256=458804b3d74f945ed5a0f9f0963
ffb317656bd7e824a56132fbadf38cd080a82
[0148] PBO=core pbo files expan/core_gui.pbo :: icons\map\icon_tree_ca.paa | binary | size=5625 | method=0 | timestamp=1649701612 | sha256=9b3a89241a3a06def6de3f1fc38789394
c8482af23af8b70e5d048742d093bc3
[0149] PBO=core pbo files expan/core_gui.pbo :: icons\map\icon_tree_small_ca.paa | binary | size=5625 | method=0 | timestamp=1649701612 | sha256=95beeca7883e15dfb8d3fb90b5e
d1208d75356a34cb3cd0ebccb7da9535e1e0a
[0150] PBO=core pbo files expan/core_gui.pbo :: icons\map\icon_watertower_ca.paa | binary | size=5625 | method=0 | timestamp=1649701612 | sha256=d72b363d1dd9f1c000a2029186c
ae6bbf446b63ea69e7e1dd16861b3e8ee9b7e
[0151] PBO=core pbo files expan/core_gui.pbo :: icons\marker\boat.paa | binary | size=1522 | method=0 | timestamp=1649701612 | sha256=b739761d4c82ee769d10b14c65a172d5bed786
98ffab7d65eca14acac3695895
[0152] PBO=core pbo files expan/core_gui.pbo :: icons\marker\car.paa | binary | size=1522 | method=0 | timestamp=1649701612 | sha256=491a1207fddcc18f1157f2d4aecf2935aea1e0a
d5c316348bdaec11588da5f3

[0153] PBO=core pbo files expan/core_gui.pbo :: icons\marker\crash.paa | binary | size=1522 | method=0 | timestamp=1649701612 | sha256=2f3c7ad7ee087b06e889315fc6017a951d9f0b387bcb7e5b6403da46860cb8b
[0154] PBO=core pbo files expan/core_gui.pbo :: icons\marker\dot.paa | binary | size=1522 | method=0 | timestamp=1649701612 | sha256=fccc3c7f22676cf8d60930a6212e697561640ac728b85b4eac7189bd013ed2f6
[0155] PBO=core pbo files expan/core_gui.pbo :: icons\marker\heli.paa | binary | size=1522 | method=0 | timestamp=1649701612 | sha256=f4855f0199fd11acc03c33e8d82bd06316a6f8febfc9427f4396a6a371247d4b
[0156] PBO=core pbo files expan/core_gui.pbo :: icons\marker\marker_airdrop.paa | binary | size=22016 | method=0 | timestamp=1649701612 | sha256=02398acc955b7421dce9950462b15cb76ba458e136a944be0aae7ce63fb6b3f8
[0157] PBO=core pbo files expan/core_gui.pbo :: icons\marker\marker_boat.paa | binary | size=22016 | method=0 | timestamp=1649701612 | sha256=b95b7faa369314604ee361c38d43e2331e78093f960abb6e7f5d6579ebd3c692
[0158] PBO=core pbo files expan/core_gui.pbo :: icons\marker\marker_car.paa | binary | size=22016 | method=0 | timestamp=1649701612 | sha256=725656388434d94652a8c1bf74b8f10367b098ec74e477bdef0b4c5695636ee5
[0159] PBO=core pbo files expan/core_gui.pbo :: icons\marker\marker_deliver.paa | binary | size=22016 | method=0 | timestamp=1649701612 | sha256=bbd09d03f387194e40b37957d425fcac9c47752fcf131b0d5772992b1b48bdfd
[0160] PBO=core pbo files expan/core_gui.pbo :: icons\marker\marker_fishing.paa | binary | size=22016 | method=0 | timestamp=1649701612 | sha256=e3a138862ddd99b645002f533b8b6cb0a0df2a9529e23a9426746181e212f1
[0161] PBO=core pbo files expan/core_gui.pbo :: icons\marker\marker_helicopter.paa | binary | size=22016 | method=0 | timestamp=1649701612 | sha256=0feb0f0569ea9dd327f3f8eb6225149364066ead2af2a36d3e2aaf5545664c2
[0162] PBO=core pbo files expan/core_gui.pbo :: icons\marker\marker_home.paa | binary | size=22016 | method=0 | timestamp=1649701612 | sha256=ce02f5b01d31bb4b0c9bfbc7412baefa542e0bc6f25dab91f76a0042eba90f1bc
[0163] PBO=core pbo files expan/core_gui.pbo :: icons\marker\marker_mapmarker.paa | binary | size=22016 | method=0 | timestamp=1649701612 | sha256=4372e077d0ef9835a285f6413103230d158408a59d14982e9e7652aeddle2b2c
[0164] PBO=core pbo files expan/core_gui.pbo :: icons\marker\marker_radiation.paa | binary | size=22016 | method=0 | timestamp=1649701612 | sha256=fca03c92c7b0d05d9a1abc924a017e96148029a602fd0b8b2944dab57c846f8e
[0165] PBO=core pbo files expan/core_gui.pbo :: icons\marker\marker_skull.paa | binary | size=22016 | method=0 | timestamp=1649701612 | sha256=9be76047f86b48ffd0a14232b8699acb1c756e0696d40d8d397a0926b604a627
[0166] PBO=core pbo files expan/core_gui.pbo :: icons\marker\marker_trader.paa | binary | size=22016 | method=0 | timestamp=1649701612 | sha256=9c1c34eaf518f5703b40ff65af0057a69374b40dc238ed6ea7d49e753a85701e
[0167] PBO=core pbo files expan/core_gui.pbo :: icons\marker\marker_water.paa | binary | size=22016 | method=0 | timestamp=1649701612 | sha256=4dfba3ffd73726b1292853de4cb82131ec9391e16f1d47cdf3e889e0e6b48022
[0168] PBO=core pbo files expan/core_gui.pbo :: icons\marker\marker_zombie.paa | binary | size=22016 | method=0 | timestamp=1649701612 | sha256=3e660c3bae694f11ac63bcd079bbe8556bd0015b135e439e875cf247f1570acb
[0169] PBO=core pbo files expan/core_gui.pbo :: icons\marker\planks.paa | binary | size=1522 | method=0 | timestamp=1649701612 | sha256=ee665d47def6d75b58bc282664f1aadbdd8719179740e141affdf7a38c5a4b3b
[0170] PBO=core pbo files expan/core_gui.pbo :: icons\marker\zombie.paa | binary | size=1522 | method=0 | timestamp=1649701612 | sha256=9a96cf47332499312f04afdb7d1dd4b40cc411679bbecda4e96090765b1fe947
[0171] PBO=core pbo files expan/core_gui.pbo :: icons\misc\coinstack2_64x64.edds | binary | size=5408 | method=0 | timestamp=1705534847 | sha256=e3138c463d5414b96b85c8d067e69efab7cd77671043eaa588ff90b21224a11c
[0172] PBO=core pbo files expan/core_gui.pbo :: icons\misc\coinstack2_64x64.edds.meta | text/utf-8-sig | size=363 | method=0 | timestamp=1702744278 | sha256=0f1dff245f29e6004b432d4155464f8145911a2e14e2cb1f2f5426e37035e43b
[0173] PBO=core pbo files expan/core_gui.pbo :: icons\misc\coinstack_64x64.edds | binary | size=5054 | method=0 | timestamp=1695057122 | sha256=26a15c2bfalaad43efcelec8d1d1b2a449a6e73678409caec36749a8d67c5820
[0174] PBO=core pbo files expan/core_gui.pbo :: icons\misc\coinstack_64x64.edds.meta | text/utf-8-sig | size=361 | method=0 | timestamp=1702742737 | sha256=70fcdd79e7d6fa45aee6a208cd7aece7be6d0a1801394c4811803f516037ee56
[0175] PBO=core pbo files expan/core_gui.pbo :: icons\misc\sold_icon.edds | binary | size=14851 | method=0 | timestamp=1695057122 | sha256=66572e72ccbc18105d49600e9a53e71546669813a068de1249214c788752914c
[0176] PBO=core pbo files expan/core_gui.pbo :: icons\misc\sold_icon.edds.meta | text/utf-8-sig | size=344 | method=0 | timestamp=1695057122 | sha256=3e81ccdba402d2f06edb9335a3c15503867c3a5505a592978f0bf7a88a47437c
[0177] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Ambush_256x256.edds | binary | size=25240 | method=0 | timestamp=1695057122 | sha256=3c3823c2ea7a85e4db5aa2b5c23c3ae9b5cefcf797571494f5518de6f470181c
[0178] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Ambush_256x256.edds.meta | text/utf-8-sig | size=358 | method=0 | timestamp=1695057122 | sha256=6ebdce2b0c6c07f9521cb3211d179fe37b1c111cbfece3d3c3c07e489c61968c
[0179] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Animal_Skull_256x256.edds | binary | size=12181 | method=0 | timestamp=1649701612 | sha256=0cc0f4393233ba341141acfadb6d3b6cd40c4a3b472be35377a364caf11c772
[0180] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Animal_Skull_256x256.edds.meta | text/utf-8-sig | size=370 | method=0 | timestamp=1649701612 | sha256=fald1623c69aec0e3a17a52f44489bd2d9f6eae55dc65595431f6a761354e24
[0181] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Apple_256x256.edds | binary | size=16856 | method=0 | timestamp=1649701612 | sha256=12e13f7cf57d2d928d07d8f7fbfe528bd6afb1840d2db2f541654b8a2a86bb73
[0182] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Apple_256x256.edds.meta | text/utf-8-sig | size=356 | method=0 | timestamp=1649701612 | sha256=d489adba9f59fccbcb66ce6def3d8318047b0a3dcb5b740e03a8fbd9b83185e6
[0183] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Apple_Core_256x256.edds | binary | size=14919 | method=0 | timestamp=1649701612 | sha256=1dc44a037d897a07ed36af7f34cae0d63ff45d2e0165c8ec920068fe18f88687

[0184] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Apple_Core_256x256.edds.meta | text/utf-8-sig | size=366 | method=0 | timestamp=1649701612 | sha256=66e12f0a15945b51b16b2560a4f463e658bec3669fbbdbd519f93ff6f2918fd8

[0185] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Arrows_256x256.edds | binary | size=19859 | method=0 | timestamp=1649701612 | sha256=8a5185eee3b322e047f82bd90ac880e36a81be26cb3ad68819cf46a9c416f15d

[0186] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Arrows_256x256.edds.meta | text/utf-8-sig | size=358 | method=0 | timestamp=1649701612 | sha256=aba6875c701803515a2a8c35cb1f5f0cf6f2d28c16b97dca525e5eb086bb830

[0187] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Axe_256x256.edds | binary | size=15983 | method=0 | timestamp=1649701612 | sha256=f00dd171530d44c0ca20047eb2842c8daa89cac848605a5a5543143f1ab05ba3

[0188] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Axe_256x256.edds.meta | text/utf-8-sig | size=352 | method=0 | timestamp=1649701612 | sha256=d917b8f4ceeeef535aed6499b818d576bdf22b4bc46060a79914fcf79b71869c4

[0189] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_BagPack_256x256.edds | binary | size=29365 | method=0 | timestamp=1649701612 | sha256=71966b9994f1b99e645d5f192d4605405a8d49ce61627ca64b6393ee64a70ef5

[0190] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_BagPack_256x256.edds.meta | text/utf-8-sig | size=360 | method=0 | timestamp=1649701612 | sha256=fa9e24c53c9f5fe9beb8e3281ddbb0e1961d12441904d162fdc5dfb4519db864

[0191] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Bandage_256x256.edds | binary | size=15440 | method=0 | timestamp=1649701612 | sha256=0d4175cf200c0ae63d8d9dfa1a55b37efff5d18b9531e774c0da8eeb2b4641dc

[0192] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Bandage_256x256.edds.meta | text/utf-8-sig | size=360 | method=0 | timestamp=1649701612 | sha256=4b859465f49c998af78ad11eld1c3b442870b043847fcf849c27f487be17cb03

[0193] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Bandit_256x256.edds | binary | size=15598 | method=0 | timestamp=1695057122 | sha256=c713b16a8da7d048bc7916d59fca90197cbelef753b4a3e7c98d9c56ff308e89

[0194] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Bandit_256x256.edds.meta | text/utf-8-sig | size=359 | method=0 | timestamp=1695057122 | sha256=0c12e9a8a9fa8b94fd56c8a60ddb62c9c94eb07953240ceb48b5d5240dcec949

[0195] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Batteries_256x256.edds | binary | size=19276 | method=0 | timestamp=1649701612 | sha256=0c412d23b924e5438c0f3af8f4997ee071b4da3ca4f5dfc7ef7b50334351a27a

[0196] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Batteries_256x256.edds.meta | text/utf-8-sig | size=364 | method=0 | timestamp=1649701612 | sha256=44fa2462a0c0d8e5e7e68d02f1dcf267943b057656796e7df57c944a5d0b9c1c

[0197] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Berries_256x256.edds | binary | size=22889 | method=0 | timestamp=1649701612 | sha256=b4e7884789791929be23287950a92d0aef475a34d140bf5f89fe0f262f5bc58e

[0198] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Berries_256x256.edds.meta | text/utf-8-sig | size=360 | method=0 | timestamp=1649701612 | sha256=75fc74fcb4eeda035c8869a741b9c8d0b09ee16810610c926f9622ed9de7bdc

[0199] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Big_Kitchen_Knife_256x256.edds | binary | size=14589 | method=0 | timestamp=1649701612 | sha256=27f88a7b1f95b64a6cbff8e908c7036f8e782f2dc69b756ca6ffcfd0df5716

[0200] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Big_Kitchen_Knife_256x256.edds.meta | text/utf-8-sig | size=380 | method=0 | timestamp=1649701612 | sha256=ae23a80b5390bb26caaded1b1f1109d633626b5dd8652bcc0087c7eacacd6427

[0201] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Binoculars_256x256.edds | binary | size=21404 | method=0 | timestamp=1649701612 | sha256=ef22915b4ce392a3edce36d070d97545262351711197268765285c46afa23a39

[0202] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Binoculars_256x256.edds.meta | text/utf-8-sig | size=366 | method=0 | timestamp=1649701612 | sha256=e79c95a56e8a0c430cbb715979caae113c9688f85213cf5bcf7855ebd69fe2f

[0203] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Boat_256x256.edds | binary | size=8856 | method=0 | timestamp=1649701612 | sha256=a792446a13ad551b8f3095ac65bf0dd6e8c0b4d1fde7ade6c106825fef73145e

[0204] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Bolt_256x256.edds | binary | size=14366 | method=0 | timestamp=1649701612 | sha256=83a24ef53627491030ce0c312985b3163211320d7c5c484cce094ef77cb0f356

[0205] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Bolt_256x256.edds.meta | text/utf-8-sig | size=354 | method=0 | timestamp=1649701612 | sha256=f2d306d23a83589c232a805875ff02a3c011e463fcdced1de23c6acf25cfcd14

[0206] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Bonfire_256x256.edds | binary | size=25365 | method=0 | timestamp=1649701612 | sha256=bacfcc5dd272701c6b2aceb317afc2aac48242298cebb66e1fd77f3667e01671

[0207] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Bonfire_256x256.edds.meta | text/utf-8-sig | size=360 | method=0 | timestamp=1649701612 | sha256=ed413f6e6bb8c2b131f10e3603fe8b82f5488c51e8616bbc577a6cf0324bf5bb

[0208] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Bottle_256x256.edds | binary | size=15442 | method=0 | timestamp=1649701612 | sha256=c48516c17a1b8b41cbb76e244d728aae9ca6c974aeb21ad90a1b72cd9db3098c

[0209] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Bottle_256x256.edds.meta | text/utf-8-sig | size=358 | method=0 | timestamp=1649701612 | sha256=b930803c1282dc0c753795e41c7705cfbc9d4c5568e0b30de95698d9811e6250

[0210] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Bow_256x256.edds | binary | size=13198 | method=0 | timestamp=1649701612 | sha256=14243e19869dd7ee1da0c67b9bd30162a4df5bd8f8839ec5dfee23751fafaef8

[0211] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Bow_256x256.edds.meta | text/utf-8-sig | size=352 | method=0 | timestamp=1649701612 | sha256=b00efd477b645ae965f044c511c9b64355afc3aef138941006333acf3c88a4c1

[0212] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_BrokenLighter_256x256.edds | binary | size=19264 | method=0 | timestamp=1649701612 | sha256=46fc04dbc30f2b55703d547fe1a8ecfbc96ddf2f4fc54445ab4aab3dcdcae69d7

[0213] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_BrokenLighter_256x256.edds.meta | text/utf-8-sig | size=372 | method=0 | timestamp=1649701612 | sha256=1ae03cc08750fe3bb9bb261ddf8cae0012c15a6d66d37c7ddf69f34723dfe750

[0214] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Can_of_Beans_Big_256x256.edds | binary | size=24879 | method=0 | timestamp=1649701612 | sha256=6f15fb3169caaa49f3eacc47208122361fdea41cfe709ad6f71f3c320d5ec986

[0215] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Can_of_Beans_Big_256x256.edds.meta | text/utf-8-sig | size=378 | method=0 | timestamp=1649701612 | sha256=761ef1a15008a02a4062dc00b41398e0d2657216d95ff8ec74e0949e11a7c51f

[0216] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Can_of_Beans_Small_256x256.edds | binary | size=21643 | method=0 | timestamp=1649701612 | sha256=9a81cdc3047d302146a5ead8a2e12db562d9d229e7d73b8f24428462111bbd4d

[0217] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Can_of_Beans_Small_256x256.edds.meta | text/utf-8-sig | size=382 | method=0 | timestamp=1649701612 | sha256=0d14b22ced05ff574bcl1f88f677cd3b1034c00c0242d2099f420112ede6c341a

[0218] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Car_Keys_256x256.edds | binary | size=23444 | method=0 | timestamp=1649701612 | sha256=09e5cc31bd08798792a3647383d385a3e7b25f8ac48e961575638c0a54fb9614

[0219] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Car_Keys_256x256.edds.meta | text/utf-8-sig | size=362 | method=0 | timestamp=1649701612 | sha256=a7cf7314eb2808eb19d951d1f01f92257772c13413eaad1e72b295c8412402e3

[0220] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Carrot_256x256.edds | binary | size=13913 | method=0 | timestamp=1649701612 | sha256=311e64cd9c55585e5f97eb263263463502ada62fc3735a2c553f44632aa3f71

[0221] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Carrot_256x256.edds.meta | text/utf-8-sig | size=358 | method=0 | timestamp=1649701612 | sha256=e887ffd4b0fc18efad3c7903053a552dd47c5e7e6d16f129bf0583b1524be855

[0222] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Chain_Saw_256x256.edds | binary | size=21379 | method=0 | timestamp=1649701612 | sha256=d29fcdc5c0a86c233397d19e53e22d3f062e95e28251b0ef2940602cbf5f818d

[0223] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Chain_Saw_256x256.edds.meta | text/utf-8-sig | size=364 | method=0 | timestamp=1649701612 | sha256=394d2343b6d158588204c4b56502e8c4cc57e52fff28470be2bfff1199b328415

[0224] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Chicken_256x256.edds | binary | size=15382 | method=0 | timestamp=1649701612 | sha256=1dc89a9e4a079b1732b43381f29b1f06aa6451a0a6a7bf672d94bb2cae8529da

[0225] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Chicken_256x256.edds.meta | text/utf-8-sig | size=360 | method=0 | timestamp=1649701612 | sha256=2403e4023f40c1d34417e9332db59613e3a34d320bf9a6c4d8c499bfe08d5303

[0226] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Chocolate_bar_256x256.edds | binary | size=15776 | method=0 | timestamp=1649701612 | sha256=af609638e7147bf3fac9ea4a64dfdbeb3c0b597bf80e0368b49723eef90006d0

[0227] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Chocolate_bar_256x256.edds.meta | text/utf-8-sig | size=370 | method=0 | timestamp=1649701612 | sha256=09b235aebcbeab51d3efba4ad4329892180fa8c7d90112e5306d212675dfc0329

[0228] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Cigaretts_256x256.edds | binary | size=21897 | method=0 | timestamp=1649701612 | sha256=bb633b65a7eec1396affd4325f711d0f5e96fc1952609287b14868eb1861e232

[0229] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Cigaretts_256x256.edds.meta | text/utf-8-sig | size=360 | method=0 | timestamp=1649701612 | sha256=48e326d9d0f4da2599707b4c4060c82db1773c70f2c6850d299ca905df4f3a59

[0230] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Cloth_256x256.edds | binary | size=12664 | method=0 | timestamp=1649701612 | sha256=9c0962e6fcbe28436bca1787147ff772393879a841a9e7455e0d503ec841b74f

[0231] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Cloth_256x256.edds.meta | text/utf-8-sig | size=354 | method=0 | timestamp=1649701612 | sha256=6c7c753d3cebcbf295f877102a2f9830a3f617843ea16cfc39cd007e60595b1

[0232] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_of_bolts_256x256.edds | binary | size=20476 | method=0 | timestamp=1649701612 | sha256=8ba6cadcd9cddb8c82a9f1b700bcf18d8933754859ab1746ebbcc7f34324bbf2

[0233] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_of_bolts_256x256.edds.meta | text/utf-8-sig | size=382 | method=0 | timestamp=1649701612 | sha256=6bce5622e4b002cad927ce184bc2115c0e201f8cfe53ac6650520b96306a0a8d

[0234] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_of_sticks_01_256x256.edds | binary | size=21171 | method=0 | timestamp=1649701612 | sha256=3f8ddecc6c5c4985112a62713c44c1c43804177f04da04aacf659b229e556f07

[0235] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_of_sticks_01_256x256.edds.meta | text/utf-8-sig | size=390 | method=0 | timestamp=1649701612 | sha256=7a7baaf1c62d857f7174813cf5151c6d8e9d386f70a797f4772800856d6dbe64

[0236] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_of_sticks_02_256x256.edds | binary | size=16311 | method=0 | timestamp=1649701612 | sha256=2fae1730659423d34ac329caf509ab62188dd04b26b7e8e19dc93d859ed14099

[0237] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_of_sticks_02_256x256.edds.meta | text/utf-8-sig | size=390 | method=0 | timestamp=1649701612 | sha256=d6811c025877e0bce7a7526deblaa34eef9324ea3f9aaa3bc4dc90ed168dce1

[0238] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_of_sticks_03_256x256.edds | binary | size=21001 | method=0 | timestamp=1649701612 | sha256=d29049b662a3c19def906a11417ac5794788d59897588e982e206a344e83e7f1

[0239] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_of_sticks_03_256x256.edds.meta | text/utf-8-sig | size=390 | method=0 | timestamp=1649701612 | sha256=3119e60c6b8fe0333b40aaa2163b648983f81994e7d476b7f9eba4fb8cfa7ef6

[0240] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_of_sticks_04_256x256.edds | binary | size=20862 | method=0 | timestamp=1649701612 | sha256=adf4b4b4294658dd591a9dc5ef2f6955c19df002c298be34873e1c30afb541f4

[0241] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_of_sticks_04_256x256.edds.meta | text/utf-8-sig | size=390 | method=0 | timestamp=1649701612 | sha256=85d186d43fdca7cfda22c579ccd18acf0610082f7b32f642dec29alca2b2ed4c

[0242] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Compass_256x256.edds | binary | size=23710 | method=0 | timestamp=1649701612 | sha256=71a23923326bd5963aff02fc851bfca5d37e6b3b7213544e317e84dc6dcbfa2d

[0243] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Compass_256x256.edds.meta | text/utf-8-sig | size=358 | method=0 | timestamp=1649701612 | sha256=a12e44f62842412821e571c0a461d1e82be734d347753b2b440622fa8e02c59f

[0244] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Cooked_Meat_01_256x256.edds | binary | size=17819 | method=0 | timestamp=1649701612 | sha256=c53fe929e9193ea18aa0f811612f43f3ff481473df2782c0e821a8760d9bc00b

[0245] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Cooked_Meat_01_256x256.edds.meta | text/utf-8-sig | size=372 | method=0 | timestamp=1649701612 | sha256=5dee0de962435ba84c5d0d025e6707fb703cc7c6df4ce4d7c87b21ed2da7ad43

[0246] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Cooked_Meat_02_256x256.edds | binary | size=13887 | method=0 | timestamp=1649701612 | sha256=aa4113885a013600d8f0a3aebf978abf30c25c3b09b01cc79f053337e3ea470

[0247] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Cooked_Meat_02_256x256.edds.meta | text/utf-8-sig | size=372 | method=0 | timestamp=1649701612 | sha256=aa24dbbaf0e9359d0c7290bebc8c215d615ab91a6e1e078f0871f9ade42f2dd2

[0248] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Cooked_Meat_03_256x256.edds | binary | size=12744 | method=0 | timestamp=1649701612 | sha256=222cc38eb6c363e51332dc70a345375d2c77643b1005e48bf1b138fc2a45d00d

[0249] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Cooked_Meat_03_256x256.edds.meta | text/utf-8-sig | size=372 | method=0 | timestamp=1649701612 | sha256=f710553940ed71c5ab101fcbf773566e70b24fdcc5206fa04e59b041e3ac2c89

[0250] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Corn_256x256.edds | binary | size=17133 | method=0 | timestamp=1649701612 | sha256=37ed17b9d7158211d20e42e47d772389cd83df2496ea5d3cce793a01a58a3647

[0251] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Corn_256x256.edds.meta | text/utf-8-sig | size=352 | method=0 | timestamp=1649701612 | sha256=96a78bc311714853b9d52856859d3efa25885219f181fc8d033c6fda1976f8e2

[0252] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Cow_256x256.edds | binary | size=17166 | method=0 | timestamp=1649701612 | sha256=84480b4704cf0b3b249edf18a93786deadb8edb2a6894225a471f84755e18475

[0253] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Cow_256x256.edds.meta | text/utf-8-sig | size=350 | method=0 | timestamp=1649701612 | sha256=070502daf261d2ab4854bd552310282bac25cd27dd92e8aeb187f4485c6e216b

[0254] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Crowbar_256x256.edds | binary | size=12209 | method=0 | timestamp=1649701612 | sha256=2564ced5abb042a554b723e02a91d445e995ab3665122e939f33af1da9f19268

[0255] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Crowbar_256x256.edds.meta | text/utf-8-sig | size=358 | method=0 | timestamp=1649701612 | sha256=d0a8f2f76dcd85616338bda93c5917048c78cac2ee22ff2217b31419501bb772

[0256] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Dinosaur_Skull_256x256.edds | binary | size=17031 | method=0 | timestamp=1649701612 | sha256=a71d64a94592d224e468d168fc55ef0810612432ef2f7d700116b80f9946730e

[0257] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Dinosaur_Skull_256x256.edds.meta | text/utf-8-sig | size=372 | method=0 | timestamp=1649701612 | sha256=ba2f84ac4d1da65ecaf6a0c0ac965e2697ea45bca039433c6fbf493e46779db0a

[0258] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Dry_Wood_256x256.edds | binary | size=16912 | method=0 | timestamp=1649701612 | sha256=79362dc17c9b0e7ffdf525099eb7a328a92a31a80ab6b3a31007f67866e6064a3

[0259] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Dry_Wood_256x256.edds.meta | text/utf-8-sig | size=360 | method=0 | timestamp=1649701612 | sha256=7e5cc4f5927b3b0c4014726d2968c4746d836d9e8a66d6fed2488ad6937adbee

[0260] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_EatableFlowers_256x256.edds | binary | size=21215 | method=0 | timestamp=1649701612 | sha256=c2368327d6cf12bc7550b69d4dddcalfec219fc81d39042850df51035e904fea

[0261] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_EatableFlowers_256x256.edds.meta | text/utf-8-sig | size=372 | method=0 | timestamp=1649701612 | sha256=4530339e0024f29221fc1626f9823f27161aedf6cb735d4fd0ac5553afafc698

[0262] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_ElectricalTape_256x256.edds | binary | size=33878 | method=0 | timestamp=1649701612 | sha256=91f5b6b030c7c6db665de9d0f0281b4cd15423b9b7e3cb38024aeb1257575265

[0263] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_ElectricalTape_256x256.edds.meta | text/utf-8-sig | size=372 | method=0 | timestamp=1649701612 | sha256=2172e70c51d8e33271e0b41804f58c710bb93688b8a13435f7b68dc8ffflac9e

[0264] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Empty_Can_256x256.edds | binary | size=18741 | method=0 | timestamp=1649701612 | sha256=b4d1aaf81ab0402a32f0a28c98879f46c3776fbc1dfd86019afdbfea7f9e977c

[0265] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Empty_Can_256x256.edds.meta | text/utf-8-sig | size=363 | method=0 | timestamp=1695057122 | sha256=9008e04f9e6ed21de8484aa95ef7fff898cd9a06949f40a7cb725b77624fe61f

[0266] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Fish_256x256.edds | binary | size=11210 | method=0 | timestamp=1649701612 | sha256=ab5c78df97fa50a50c2787c2feb4e0flee4e82fa474a9d35f343b09245bd9f5e

[0267] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Fish_256x256.edds.meta | text/utf-8-sig | size=353 | method=0 | timestamp=1649701612 | sha256=54116efed7017e686f9a571971309fe53b04b34eb3c7ed2bdc67845f29b64ec8

[0268] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Flare_256x256.edds | binary | size=13211 | method=0 | timestamp=1649701612 | sha256=4528797ab5a110bddfa088c989e4106dd9b7ecf70a8e7be1add44f401a3f9b72

[0269] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Flare_256x256.edds.meta | text/utf-8-sig | size=355 | method=0 | timestamp=1649701612 | sha256=23ceeba572451ada3ca8a67e39b247d771e05e2d0640343333ebe384b24b5cca

[0270] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_FlareGun_256x256.edds | binary | size=16092 | method=0 | timestamp=1649701612 | sha256=ac234306da6857a2620066c3dae430956f02b36f453316365e689db88ccbf059

[0271] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_FlareGun_256x256.edds.meta | text/utf-8-sig | size=361 | method=0 | timestamp=1649701612 | sha256=a821674b75939378c9e8a7b01fdf97cd11e04a7b5501d629e6af271b14f0999a

[0272] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_FlareGunAmmo_256x256.edds | binary | size=14498 | method=0 | timestamp=1649701612 | sha256=a7eae6407a9d33d8201a87e07e9dcdff94334a2da7dbcb01fd4c2f130685ea3c

[0273] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_FlareGunAmmo_256x256.edds.meta | text/utf-8-sig | size=369 | method=0 | timestamp=1649701612 | sha256=cec90a9944039e3b87b3e23ca36aa7bb6a5fb8cd077a17c0419a1001edbe409

[0274] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Flashlight_256x256.edds | binary | size=18281 | method=0 | timestamp=1649701612 | sha256=88b76b104ecb691996f8886335a1282a419f5a7ec46c9854b11f471f42eb3e60

[0275] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Flashlight_256x256.edds.meta | text/utf-8-sig | size=365 | method=0 | timestamp=1649701612 | sha256=6cb98921ce92dbd7ae442a4f35440bb9adb29df9a718db40f709f4cbf205c843

[0276] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Fox_256x256.edds | binary | size=15340 | method=0 | timestamp=1649701612 | sha256=2b7579076eb011fa49335e87cd3d339ecbd521926cc683a4dffa28f2785da41a

[0277] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Fox_256x256.edds.meta | text/utf-8-sig | size=351 | method=0 | timestamp=1649701612 | sha256=b7d4e38e336ece9f72b40689d74aa55e96ebe193463101ae7e817a5a03a4e678

[0278] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Frying_Pan_256x256.edds | binary | size=22353 | method=0 | timestamp=1649701612 | sha256=98f14e2742eb54e55de93a5c8dd4bb430a8f09ef507a0facace35f7ab522d63d

[0279] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Frying_Pan_256x256.edds.meta | text/utf-8-sig | size=365 | method=0 | timestamp=1649701612 | sha256=043f7228a708a08cf83734443a8fd7bdcab527b229d9e7715592826a9368f5a9

[0280] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Gas_256x256.edds | binary | size=26885 | method=0 | timestamp=1649701612 | sha256=87f0841e879bd667b1ada44731f9dd77765ef2b3a17c9dd0d07e4cf940610695

[0281] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Gas_256x256.edds.meta | text/utf-8-sig | size=351 | method=0 | timestamp=1649701612 | sha256=1fc4a4b023b74fd6ef171cbe8024e3f39068e5b88e4d44a0c1553071908f4c46b

[0282] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_GasMask_256x256.edds | binary | size=30561 | method=0 | timestamp=1649701612 | sha256=f5581f7c9f9e5e203502ffef4bc3296bb83cfa58e160f16492c4382ac2f0b610

[0283] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_GasMask_256x256.edds.meta | text/utf-8-sig | size=359 | method=0 | timestamp=1649701612 | sha256=5d529642a073426901892dfe3b5d4e254f83fbd532d76dc9d36871ddb1ldac06b

[0284] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Golf_club_256x256.edds | binary | size=11448 | method=0 | timestamp=1649701612 | sha256=f979f13b9f40ca878f72e4e0ae1422247101943a0605205694f21ce06f4ce202

[0285] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Golf_club_256x256.edds.meta | text/utf-8-sig | size=363 | method=0 | timestamp=1649701612 | sha256=afe6cedb1f71827b8a87b03a6ce640da62b4b390ffc2533d51db9013ba6b9a8e

[0286] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Goose_256x256.edds | binary | size=13533 | method=0 | timestamp=1649701612 | sha256=974c07c73ee9249c4c481f578553537a00f082c7082505de0652dba685bf388e

[0287] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Goose_256x256.edds.meta | text/utf-8-sig | size=355 | method=0 | timestamp=1649701612 | sha256=533dea297da9fd9713f040a5be8cd2fa10934c47fd65b2b1af52bba8cb2380b1

[0288] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Grenade_256x256.edds | binary | size=20467 | method=0 | timestamp=1649701612 | sha256=dlaad8ac1ce0bad87e754c73aa6cc911e75078310e97dd28df9d49ead031034f

[0289] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Grenade_256x256.edds.meta | text/utf-8-sig | size=359 | method=0 | timestamp=1649701612 | sha256=b4e74f2ec9770ee19dbe513b6b386d8b2c7476b097ea42bcd22f0cd07cee92ed

[0290] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Guitar_256x256.edds | binary | size=25747 | method=0 | timestamp=1649701612 | sha256=9cdacebf482bd24314361ea7632d40d8d741083171daab42acf41d40099a7d2b

[0291] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Guitar_256x256.edds.meta | text/utf-8-sig | size=357 | method=0 | timestamp=1649701612 | sha256=84156acb8b204e46f419f3d673539dd0ec38a2e2700aee64f82cb6c93615bce8

[0292] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Gun_256x256.edds | binary | size=24180 | method=0 | timestamp=1649701612 | sha256=41025f940ba2666ea077115ec73147711fc126e85d9c2e6bf77fad9198ec917e

[0293] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Gun_256x256.edds.meta | text/utf-8-sig | size=351 | method=0 | timestamp=1649701612 | sha256=c6d0e3bbf59e80f1a7887d2c01b110e3ba21fbb39c34590b3cfd74d4b24b99e3

[0294] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Gun_Bullets_256x256.edds | binary | size=20322 | method=0 | timestamp=1649701612 | sha256=c46ad3811cd0d7993776f649d5cdc652af6c6f485932ad39328968e480c64961

[0295] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Gun_Bullets_256x256.edds.meta | text/utf-8-sig | size=367 | method=0 | timestamp=1649701612 | sha256=dc0108fbbb7f94bdcf81294e336cba1053fe73f5189e239b83737d89a145be0

[0296] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Hammer_256x256.edds | binary | size=14438 | method=0 | timestamp=1649701612 | sha256=e55fb95c3aa20a6c6a5df49a955edbd6a970133be83dfb0bbec70568bd8d2f00c

[0297] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Hammer_256x256.edds.meta | text/utf-8-sig | size=357 | method=0 | timestamp=1649701612 | sha256=3d6d17d0daffede8c51983d28c0a6103127b4431f001b9881ba26ac75733d9e0

[0298] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Helicopter_256x256.edds | binary | size=7536 | method=0 | timestamp=1649701612 | sha256=ad82be62e2ff85d5fb41dcc0de6b9ec1e260b36374ce67786ae25378557b2044

[0299] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_HerbalMedicine_256x256.edds | binary | size=27613 | method=0 | timestamp=1649701612 | sha256=b1ae69cf95e7386b42e13db2b363a4e300688770db7d9694b6a3ffa80777ed3

[0300] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_HerbalMedicine_256x256.edds.meta | text/utf-8-sig | size=373 | method=0 | timestamp=1649701612 | sha256=a34499ec71739a093f23168d42f93b816ac11f0b67d64fbb02e5cfd5899813

[0301] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_HomeMadeGrenade_256x256.edds | binary | size=28138 | method=0 | timestamp=1649701612 | sha256=f4d4a5dc7ff8ada8f26ef072435e2a80e9e3950f4ad670d32c2343a8d7c50e4a

[0302] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_HomeMadeGrenade_256x256.edds.meta | text/utf-8-sig | size=375 | method=0 | timestamp=1649701612 | sha256=4f75fd129182d15e6738068cc84b0a8937e77f4f791ed63f6337c2297a767366

[0303] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_HumanSkull_256x256.edds | binary | size=17154 | method=0 | timestamp=1649701612 | sha256=5c65146ffff8462415da399d86203f859518c87d0f8d46211d7ca02a263e9a519

[0304] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_HumanSkull_256x256.edds.meta | text/utf-8-sig | size=365 | method=0 | timestamp=1649701612 | sha256=158cbba91cb1bd3d17b3b7daa380df084f5fe3f8942e55a90b45376ba3f5b4ed

[0305] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Insect_256x256.edds | binary | size=14788 | method=0 | timestamp=1649701612 | sha256=a0097ff3c339afd90f40ba77a6fd83ef38128c728df5b910951311b84917cfd1

[0306] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Insect_256x256.edds.meta | text/utf-8-sig | size=357 | method=0 | timestamp=1649701612 | sha256=1b37cbc3d46391ee7022f5b50d8105226a877030abadc9ceb3636f0fdd7cc4d3

[0307] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Kitchen_Knife_256x256.edds | binary | size=13869 | method=0 | timestamp=1649701612 | sha256=7610328a3a2c847115f20b3113571f678c8435be4221130097b77dd5ed85b7c2

[0308] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Kitchen_Knife_256x256.edds.meta | text/utf-8-sig | size=371 | method=0 | timestamp=1649701612 | sha256=2adce7587ecef156c142a28e3bb4730d80870fdf78b0596794190254e6247cb1

[0309] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Ladder_256x256.edds | binary | size=16932 | method=0 | timestamp=1649701612 | sha256=e6c027f1ccfela7b3540df06e941f37deec6a398aa7a4f62ef2763cf6c6787bb

[0310] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Ladder_256x256.edds.meta | text/utf-8-sig | size=357 | method=0 | timestamp=1649701612 | sha256=dc6955755b3999a f81490e0004ef18c9357303ca671338ee9a4da94116c316b7

[0311] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Lantern_256x256.edds | binary | size=18322 | method=0 | timestamp=1649701612 | sha256=dd6aed7ae1a9abef11697a765829705a4093d6234f404c6d561801a6a283775a

[0312] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Lantern_256x256.edds.meta | text/utf-8-sig | size=359 | method=0 | timestamp=1649701612 | sha256=944176731c72ea ff2a574d537c6cb820a04cd996dbbb502141cb04df83c74582

[0313] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Lighter_256x256.edds | binary | size=18980 | method=0 | timestamp=1649701612 | sha256=40ca288747484124217c7544d d68aaef9d1fb09a3e37d423f99ed1796aa3a849

[0314] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Lighter_256x256.edds.meta | text/utf-8-sig | size=359 | method=0 | timestamp=1649701612 | sha256=61ff6e24708259 163ce2cdd327fa54a4584e0b7c84f77e8c5f5c7625713d9d02

[0315] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Lizard_256x256.edds | binary | size=9853 | method=0 | timestamp=1649701612 | sha256=08a9501894fe8963c3616425408 7fbcccd7930f55cd681a7a40ef0b723a808f3

[0316] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Lizard_256x256.edds.meta | text/utf-8-sig | size=357 | method=0 | timestamp=1649701612 | sha256=cc596ac28e4d58c 913b9dca113e3e01230dd8b56cb6f6464553443db31ff61

[0317] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Machette_256x256.edds | binary | size=13322 | method=0 | timestamp=1649701612 | sha256=0168e17d9beca99371188b43 ca8bb1d451acd4245836e06e8d375c3ccf33b185

[0318] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Machette_256x256.edds.meta | text/utf-8-sig | size=361 | method=0 | timestamp=1649701612 | sha256=73fd93d0f141e fcb703c7687bb75cbcd178e1b20ff711a71db5494888de0340

[0319] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Map_256x256.edds | binary | size=21126 | method=0 | timestamp=1649701612 | sha256=3289730dd67732a5ba39e839ca32d 56f222a26fc66b56c55e962c1b842646df5

[0320] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Map_256x256.edds.meta | text/utf-8-sig | size=351 | method=0 | timestamp=1649701612 | sha256=d7f499e8d3b566e115 0741e6d61854dd09b3c312a1ad3b30f1fd0d6e4341f02e

[0321] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Matches_256x256.edds | binary | size=21196 | method=0 | timestamp=1649701612 | sha256=88f9d9dbd34c617acb9fcc53de cd073229ba01d84413a3b9ced1c2b6eed02b5ef

[0322] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Matches_256x256.edds.meta | text/utf-8-sig | size=359 | method=0 | timestamp=1649701612 | sha256=1a43c466f1b5b8 5440a8c44fd935329fd9a0c1f6b7d1f275573b6d42f35da3

[0323] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Medic_Box_256x256.edds | binary | size=22627 | method=0 | timestamp=1649701612 | sha256=3a06ab70b36c3f450f11d37 492e4b159f0cb0779bebcf9104alda24278b00317

[0324] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Medic_Box_256x256.edds.meta | text/utf-8-sig | size=363 | method=0 | timestamp=1649701612 | sha256=6fce8690d834 e9e21504179e7c422330ab537a998f0fe976ea71cdb85b4625b4

[0325] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Molotov_256x256.edds | binary | size=15749 | method=0 | timestamp=1649701612 | sha256=13b1a3e756d6eddec919b8dd eal71a99863515f8aa48aa7524c301645c8aed8

[0326] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Molotov_256x256.edds.meta | text/utf-8-sig | size=359 | method=0 | timestamp=1649701612 | sha256=093ab15bc392cb 58a757a1dcea20275ac77fe8ca1ff8f4110d874eb609153893

[0327] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Mushrooms_256x256.edds | binary | size=19764 | method=0 | timestamp=1649701612 | sha256=86542319e0733cfe50702d4 825c275f3390944af7b1a1ff68e6fdd293ce0d2fc

[0328] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Mushrooms_256x256.edds.meta | text/utf-8-sig | size=363 | method=0 | timestamp=1649701612 | sha256=bcd47080cd1b b9b3a7502f8e995ba5e13c9a4fca65dffe744deee5ccd5ab295d

[0329] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Nails_256x256.edds | binary | size=19342 | method=0 | timestamp=1649701612 | sha256=56f380133fffc2cdc39b9a4d003 39e2e85a54e24e8a8c2be75b30cf4f537a34b

[0330] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Nails_256x256.edds.meta | text/utf-8-sig | size=355 | method=0 | timestamp=1649701612 | sha256=45da241a955d6ec9 cdaef1645998d594dbf0ec6e98953e3d2282f2c0c6bd7c80b

[0331] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Paper_256x256.edds | binary | size=10818 | method=0 | timestamp=1649701612 | sha256=4c46ab2d23e077e54632782bf3e 7f79c8f934875fd5551913cd935c3deba2d55

[0332] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Paper_256x256.edds.meta | text/utf-8-sig | size=355 | method=0 | timestamp=1649701612 | sha256=520e7603002db663 bcc2f5d3d972d4a83983df5750ad6b56acce35967e4ab92a

[0333] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Pills_256x256.edds | binary | size=17298 | method=0 | timestamp=1649701612 | sha256=b4dfdb6a89f6628f00b727fb0e5 58536298ade33b09f5bb2b025381f62752c99

[0334] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Pills_256x256.edds.meta | text/utf-8-sig | size=355 | method=0 | timestamp=1649701612 | sha256=afb86d70214e4520 38fbc3524715e7121b1927d95f9805f5c9ce94bd4e013dfc

[0335] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Pipe_wrench_256x256.edds | binary | size=16491 | method=0 | timestamp=1649701612 | sha256=8dc630b6db19ff897c891 a10cfa7e7f9a564534d0db7bc9dd4efcd3bc72f3655

[0336] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Pipe_wrench_256x256.edds.meta | text/utf-8-sig | size=367 | method=0 | timestamp=1649701612 | sha256=d681054f11 5b7d022a0e9ebdd6e69938ce602426b6f5daaa337ccd3fc159e6c

[0337] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Powder_256x256.edds | binary | size=10205 | method=0 | timestamp=1649701612 | sha256=54554b220a8e601e6daae7fb88 eec88e0f018d61aabcd940fdc2542adc022a03

[0338] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Powder_256x256.edds.meta | text/utf-8-sig | size=357 | method=0 | timestamp=1649701612 | sha256=cd164a60a43c657 e7a84d94335d561fd820327375caad3bb0a9076df5578bb9

[0339] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Pumpkin_256x256.edds | binary | size=20967 | method=0 | timestamp=1649701612 | sha256=9e8680088d3dd5050ddc38c7b d8fde206585bf75f35abf360d17d8910a346940

[0340] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Pumpkin_256x256.edds.meta | text/utf-8-sig | size=359 | method=0 | timestamp=1649701612 | sha256=59a28b2dcd1ccb 797190b06ef34128e99a8eb9b8f5a29b4a0b740alc7d2a9948

[0341] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Rabbit_256x256.edds | binary | size=17232 | method=0 | timestamp=1649701612 | sha256=e36970e43760ac4445172ded5a 3e556432d8e6c676eaccd466de7d40d38dd7a2

[0342] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Rabbit_256x256.edds.meta | text/utf-8-sig | size=357 | method=0 | timestamp=1649701612 | sha256=5e61be5214aebce b5359b8b299ea7c16745a375adb785a1aa022f510be936944

[0343] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Racoon_256x256.edds | binary | size=13821 | method=0 | timestamp=1649701612 | sha256=2cd31d2f408ecf4503cc1e1ee8 f5d1e07ed7d9009e2a8f265b6ac00c4e7349e2

[0344] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Racoon_256x256.edds.meta | text/utf-8-sig | size=357 | method=0 | timestamp=1649701612 | sha256=70127b88cecb057 56f95463da45b99b61375a18dc2faa6cc5c0dd57ec793db99

[0345] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Radio_256x256.edds | binary | size=26077 | method=0 | timestamp=1649701612 | sha256=21b4a43457b9de1129b99bca13c a73e91fce449c7a0efe2536d68c4e3cb45b56

[0346] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Radio_256x256.edds.meta | text/utf-8-sig | size=355 | method=0 | timestamp=1649701612 | sha256=1e4a7615824e6bc3 11bdc615c93368323be48971f26f86512dba754062a461b2

[0347] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Rat_256x256.edds | binary | size=9368 | method=0 | timestamp=1649701612 | sha256=0f08c9c45b1baaddbd6f3e5d68f0b9 ala31b5a88636a19d8229fclceefcd3045a

[0348] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Rat_256x256.edds.meta | text/utf-8-sig | size=351 | method=0 | timestamp=1649701612 | sha256=ac4f8d1dc8aa5d8124 28c2a75dd58d4645f1a726aa5b7af16aff3810dc6b671e

[0349] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Rock_01_256x256.edds | binary | size=12278 | method=0 | timestamp=1649701612 | sha256=fdd492e3b2cc6829698476848 96284be898c52e3061f365a5bf4939519af3c27

[0350] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Rock_01_256x256.edds.meta | text/utf-8-sig | size=359 | method=0 | timestamp=1649701612 | sha256=cd2aac1949fe6d 2e799f9c5d3e5527cb39af6bfbal180147ff4abd7cb8c4d803

[0351] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Rock_02_256x256.edds | binary | size=14408 | method=0 | timestamp=1649701612 | sha256=2ceac5cc7b06738915159a3ff 1c77aede94bbd1872e220ef8889717666713c1

[0352] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Rock_02_256x256.edds.meta | text/utf-8-sig | size=359 | method=0 | timestamp=1649701612 | sha256=844d77738c36fb 9e37e70c0f78eaacd03a9e56f9326cec2561a51b1bf4e30f20

[0353] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Rope_256x256.edds | binary | size=14111 | method=0 | timestamp=1649701612 | sha256=d5d2f3258f400032a7020e8483ab 7660399a4252fe167a246de8d77bc34d47f8

[0354] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Rope_256x256.edds.meta | text/utf-8-sig | size=353 | method=0 | timestamp=1649701612 | sha256=c3c1a955ab397422f 6a9409fbaf90d797c46f7850301ed322916e274f5d52bd4

[0355] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Saw_256x256.edds | binary | size=13048 | method=0 | timestamp=1649701612 | sha256=e0b06c2892176a59d1ee9632d9707 6a5d79b724743b87be09fc86b867881b96c

[0356] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Saw_256x256.edds.meta | text/utf-8-sig | size=351 | method=0 | timestamp=1649701612 | sha256=beeeb304b21160a7aa ef003f65768ba55524c107578c2f2ccfb78a72eeaad891

[0357] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Scrap_Metal_256x256.edds | binary | size=20956 | method=0 | timestamp=1649701612 | sha256=9225cbdd095a2a945d18e e3b674c59289a52d746aa5440601f517baffc878d0f

[0358] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Scrap_Metal_256x256.edds.meta | text/utf-8-sig | size=367 | method=0 | timestamp=1649701612 | sha256=eeca8fbfb1 3fa9320100551f7a54bc4024f423e55e66ab51c6b97d7d139d2c43

[0359] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Screwdriver_256x256.edds | binary | size=12208 | method=0 | timestamp=1649701612 | sha256=0d0335b7f78af96add5e3 cf3c0d97a23b2d6c3156eba2d55831debb843b798c4

[0360] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Screwdriver_256x256.edds.meta | text/utf-8-sig | size=367 | method=0 | timestamp=1649701612 | sha256=80819aa6fd 345735425a533fd5380c7b7b79a8bd73d510f09ec03670b7c93584

[0361] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Shotgun_256x256.edds | binary | size=11100 | method=0 | timestamp=1649701612 | sha256=6d21704c30c7009c13a023548 5e244323be674facc4ef6b296f778680bf6f3a5

[0362] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Shotgun_256x256.edds.meta | text/utf-8-sig | size=359 | method=0 | timestamp=1649701612 | sha256=945707fe20e2a5 c8da0e7298b7ee3cflc8b07ed0d5fcd53f1215f028692a7a1

[0363] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Shotgun_Bullets_256x256.edds | binary | size=19010 | method=0 | timestamp=1649701612 | sha256=59f16bd6c8cbafcb e91f50cdf61ad2058cb26eff93b229ea4b9bfe71e208519c

[0364] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Shotgun_Bullets_256x256.edds.meta | text/utf-8-sig | size=375 | method=0 | timestamp=1649701612 | sha256=bed816 1cbd2cd4b75625c854eb780c017a206e17c461356f62b47aac4aa3025c

[0365] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Shovel_256x256.edds | binary | size=13038 | method=0 | timestamp=1649701612 | sha256=9509d642f2143975489509c289 1ad2617f5ebbcd82b34a7ec19a9342763369c3

[0366] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Shovel_256x256.edds.meta | text/utf-8-sig | size=357 | method=0 | timestamp=1649701612 | sha256=0cb5854b62dd985 042aef619ae9999544c96d40cf37660342bd9a7b3462e1fb0

[0367] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Sleeping_Bag_256x256.edds | binary | size=21192 | method=0 | timestamp=1649701612 | sha256=050e46cd5f9a368473e7 41ccc412cbb0e085fbfa9c3c988d05a27b35908cb827

[0368] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Sleeping_Bag_256x256.edds.meta | text/utf-8-sig | size=369 | method=0 | timestamp=1649701612 | sha256=e295fcc1c bfe37de0927e1d1142c06cdf0c9dc32caafa2733ff8474d35eb8fdd

[0369] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Slingshot_256x256.edds | binary | size=19825 | method=0 | timestamp=1649701612 | sha256=5e64ec8293bc7f156a5d2a0 44d5d2747132c7b0f1264c75f60a90d5ca0be0983

[0370] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Slingshot_256x256.edds.meta | text/utf-8-sig | size=363 | method=0 | timestamp=1649701612 | sha256=cbccbbd18d3d254dff67268e41f3d76cdb079bfa32b1c35cca9ffb2f7a85da1e

[0371] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Soda_256x256.edds | binary | size=24689 | method=0 | timestamp=1649701612 | sha256=09ca3f1aada5eeb3f5471342b438cd1da5382705e649adf45fe64e84786e871b

[0372] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Soda_256x256.edds.meta | text/utf-8-sig | size=353 | method=0 | timestamp=1649701612 | sha256=28f817fc4979d4b92d8160592a99407d8681c6de29553912210e494bc6ed7bae

[0373] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Soldier_256x256.edds | binary | size=12576 | method=0 | timestamp=1695057122 | sha256=9a3b5f44c8fa538c28f609e293557e82286f7b1b5d3c73eb7be2d44b1eabc50b

[0374] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Soldier_256x256.edds.meta | text/utf-8-sig | size=360 | method=0 | timestamp=1695057122 | sha256=32fa7762df0fe4ed46a9058dedalec472edc4e309b36a596dbef1e25e5e77be4

[0375] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Tent_256x256.edds | binary | size=15708 | method=0 | timestamp=1649701612 | sha256=aa77a08c308d849306b6f699a630009f106f82dd379b664aeb3549d1ddcf1368

[0376] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Tent_256x256.edds.meta | text/utf-8-sig | size=353 | method=0 | timestamp=1649701612 | sha256=ec3b4bb053a16e604722146a5f7893f1f35c6e1894b18efc0298bac4195a7cc7

[0377] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Three_Stick_256x256.edds | binary | size=14634 | method=0 | timestamp=1649701612 | sha256=f0e159634c9b2735255986e4b51d1569e5c61f9d08b578b8a5e5a6eab290c1e2

[0378] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Three_Stick_256x256.edds.meta | text/utf-8-sig | size=367 | method=0 | timestamp=1649701612 | sha256=a0e1b13462f80f8764dbf9a8a03f16c00cece45a293b49f62e4fc39a506ddf4c

[0379] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Wakie-Talkie_256x256.edds | binary | size=20460 | method=0 | timestamp=1649701612 | sha256=86e7acb838e1be069135561765857af9e6f26b0361dbbb3750c5ecabb7ac7423

[0380] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Wakie-Talkie_256x256.edds.meta | text/utf-8-sig | size=369 | method=0 | timestamp=1649701612 | sha256=2f0f8ade56ce70f0ba0519d94b5d314e0884fdeaaae2fb4e5e12f401154cf141

[0381] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_WaterJug_256x256.edds | binary | size=20826 | method=0 | timestamp=1649701612 | sha256=01d0b4f5ac8f227a7a7750ea3ec31443e31a10c4865eee589956c0607b353bf1

[0382] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_WaterJug_256x256.edds.meta | text/utf-8-sig | size=361 | method=0 | timestamp=1649701612 | sha256=fb60a9204318280c7309a1d24f3abd4d0289c0bfd49c15ad4baa3ed53e5ee6d9

[0383] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_WildPork_256x256.edds | binary | size=12767 | method=0 | timestamp=1649701612 | sha256=fd491ee0f4f6329685b348208f5f44bdf7e0ff6ffb59775c621a078d6902f1a4

[0384] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_WildPork_256x256.edds.meta | text/utf-8-sig | size=361 | method=0 | timestamp=1649701612 | sha256=6a2e0ff5d1127f48763ad9806543df8f18f6bff468b7f5894eb101f32e652f3f

[0385] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Worms_256x256.edds | binary | size=15753 | method=0 | timestamp=1649701612 | sha256=bde3008d0e75b23453a2dcd9ad28968acd66c31bfd87db7bf31d1a9917f1b494

[0386] PBO=core pbo files expan/core_gui.pbo :: icons\misc\T_Worms_256x256.edds.meta | text/utf-8-sig | size=355 | method=0 | timestamp=1649701612 | sha256=b1a69151aafbd012db43d01a771f8e95c9443a39fbf0556b26a86bba5fd745a

[0387] PBO=core pbo files expan/core_gui.pbo :: icons\misc\trashcan.edds | binary | size=6690 | method=0 | timestamp=1649713007 | sha256=05a35a133359c77b7af47234a513311aeeef0f8ae2d6323120103f53db7fa5df5

[0388] PBO=core pbo files expan/core_gui.pbo :: icons\misc\trashcan.edds.meta | text/utf-8-sig | size=335 | method=0 | timestamp=1649713007 | sha256=c2e719170e3a8e2a3ce6e37e635875c1a4a243d5a88f70d30184ab6252c04a54

[0389] PBO=core pbo files expan/core_gui.pbo :: icons\misc\trashcan_checkmark.edds | binary | size=5129 | method=0 | timestamp=1649713007 | sha256=a1602c4851d084580742082aa83acd262fa456d2afc8aedc1240ef07cef2c08a

[0390] PBO=core pbo files expan/core_gui.pbo :: icons\misc\trashcan_checkmark.edds.meta | text/utf-8-sig | size=356 | method=0 | timestamp=1649713007 | sha256=a0eda798cd04c1f42d2657ac45385b0b5cbe9a2a26cd0c657d326b5f6bb92330

[0391] PBO=core pbo files expan/core_gui.pbo :: imagesets\arrows.edds | binary | size=12406 | method=0 | timestamp=1649701612 | sha256=48227829273efd0ac1d999a0e7367a847e5513b454378c3846353b9ad77b23f8

[0392] PBO=core pbo files expan/core_gui.pbo :: imagesets\arrows.edds.meta | text/utf-8-sig | size=340 | method=0 | timestamp=1649701612 | sha256=e5f8413dec4dbffcaccc5b4ac427796be3da131c2d8c78871ecc7702950205e9

[0393] PBO=core pbo files expan/core_gui.pbo :: imagesets\arrows.imageset | binary | size=406 | method=0 | timestamp=1649701612 | sha256=26f059a53d1add847e254139cbd311b1c27bbc230977db02fc2e5e3da00bbb11

[0394] PBO=core pbo files expan/core_gui.pbo :: imagesets\expansion_gui.edds | binary | size=174480 | method=0 | timestamp=1649701612 | sha256=408b45297e6c7d1a82cb317bdd5a2ca867397163db85beba57f5fee292b2a47f

[0395] PBO=core pbo files expan/core_gui.pbo :: imagesets\expansion_gui.edds.meta | text/utf-8-sig | size=355 | method=0 | timestamp=1649701612 | sha256=9a49e9b9535919dc76257385384477e8c1b06ded9d195d92f1d895658964cb21

[0396] PBO=core pbo files expan/core_gui.pbo :: imagesets\expansion_gui.imageset | binary | size=482 | method=0 | timestamp=1649701612 | sha256=f598c8741a4ab13f17b5e2534fda0a0512bfd5c9095c7a5abae2f8572326a9b

[0397] PBO=core pbo files expan/core_gui.pbo :: imagesets\expansion_iconset.edds | binary | size=5592620 | method=0 | timestamp=1649701612 | sha256=db41de7177a57da5cf6409fc30c8b05e07dbdcd2abbee2dc1f3829754b1dfce8

[0398] PBO=core pbo files expan/core_gui.pbo :: imagesets\expansion_iconset.edds.meta | text/utf-8-sig | size=429 | method=0 | timestamp=1649701612 | sha256=8cdb6c39e708b0306ebbb4c4769d9ff6295712bf74330d82565aea5151b13e79

[0399] PBO=core pbo files expan/core_gui.pbo :: imagesets\expansion_iconset.imageset | binary | size=6622 | method=0 | timestamp=1695057122 | sha256=e03ae2cc7b7b18326dc895d0397e2dd4684e6d365ff7b86f29d9aac492f1e1e7

[0400] PBO=core pbo files expan/core_gui.pbo :: imagesets\expansion_inventory.edds | binary | size=78135 | method=0 | timestamp=1695057122 | sha256=6bf5211c196ddb104356e086b7725d1f395db5e803e39e5d9d04f48dcadcd73d

[0401] PBO=core pbo files expan/core_gui.pbo :: imagesets\expansion_inventory.edds.meta | text/utf-8-sig | size=362 | method=0 | timestamp=1695057122 | sha256=f9ad2ab7df3ba c5692d0df3da6cb8301a4cc00c3ebef4c7ca1d82f1ea2e6cddb
[0402] PBO=core pbo files expan/core_gui.pbo :: imagesets\expansion_inventory.imageset | binary | size=946 | method=0 | timestamp=1695057122 | sha256=84ed716a70fa839776efa6 43f600d2581f4db7c469e19e4d4713d30402530617
[0403] PBO=core pbo files expan/core_gui.pbo :: imagesets\expansion_mod_imageset.edds | binary | size=723899 | method=0 | timestamp=1656712594 | sha256=7a2cdeab842942fb6900 0229afb7212d9d7308137868fc414fac7b378a636272
[0406] PBO=core pbo files expan/core_gui.pbo :: imagesets\expansion_mod_imageset.edds.meta | text/utf-8-sig | size=369 | method=0 | timestamp=1656712594 | sha256=41af704577 4f4e1f55deea332bc0c7b3807472e8a248ee3d516293095f46fa3f
[0405] PBO=core pbo files expan/core_gui.pbo :: imagesets\expansion_mod_imageset.imageset | binary | size=1774 | method=0 | timestamp=1656712594 | sha256=782557a6e33d965a82 deebf2a03b281129d0b053a47c4451a373064df977d678
[0406] PBO=core pbo files expan/core_gui.pbo :: imagesets\expansion_notification_iconset.edds | binary | size=74950 | method=0 | timestamp=1649701612 | sha256=5bf4a3e4e620f 08f79ffeealcbd550475228048016aea5872e4dd40214901a82
[0407] PBO=core pbo files expan/core_gui.pbo :: imagesets\expansion_notification_iconset.edds.meta | text/utf-8-sig | size=387 | method=0 | timestamp=1649701612 | sha256=f0 888c5f9779478b689b0d4a15de7000defa5117a28d15baea2ec8dec8cdc3df
[0408] PBO=core pbo files expan/core_gui.pbo :: imagesets\expansion_notification_iconset.imageset | binary | size=2467 | method=0 | timestamp=1649701612 | sha256=4ab4f72bae 97e49b945fcaef6b56dc92591751f057a155876e363d25e34d608e
[0409] PBO=core pbo files expan/core_gui.pbo :: imagesets\expansion_widgets.edds | binary | size=33246 | method=0 | timestamp=1649701612 | sha256=66bb137239afdc3f0e06ade6be 6efd8e1b521bb1a82a97bf5534c020d2e40ee9
[0410] PBO=core pbo files expan/core_gui.pbo :: imagesets\expansion_widgets.edds.meta | text/utf-8-sig | size=360 | method=0 | timestamp=1649701612 | sha256=3caa61ca2100008 85440e8e2faalbe380436ecb32cb0f18bf79087584e7f6c6d
[0411] PBO=core pbo files expan/core_gui.pbo :: imagesets\expansion_widgets.imageset | binary | size=1048 | method=0 | timestamp=1649701612 | sha256=43e9e08ed98d1e4d234312c e0340284aa3b70731ebd76cce833cf91bb1ae1lec
[0412] PBO=core pbo files expan/core_gui.pbo :: layouts\expansion_debug.layout | text/utf-8-sig | size=293 | method=0 | timestamp=1695057122 | sha256=58c81f0c50267585319787 d8476d3896112119f19c71334e133c4facda202452
[0413] PBO=core pbo files expan/core_gui.pbo :: layouts\expansion_inventory_tidy.layout | text/utf-8-sig | size=815 | method=0 | timestamp=1760094879 | sha256=5d33696763091 941e4673cc7efb8b51ce20f6b08a577cecle889a9615565ce3a
[0414] PBO=core pbo files expan/core_gui.pbo :: layouts\expansion_notification_activity.layout | text/utf-8-sig | size=5324 | method=0 | timestamp=1721900184 | sha256=8044a 2ede67bac6470775a27971fc01976d74294f5ac8c6c23d9b29cb32c7492
[0415] PBO=core pbo files expan/core_gui.pbo :: layouts\expansion_notification_baguette.layout | text/utf-8-sig | size=5873 | method=0 | timestamp=1714705082 | sha256=a39fe f349f5b93970f110496b8c40cdd803d8729e07dd4cf9e5ace73b2ba0d85
[0416] PBO=core pbo files expan/core_gui.pbo :: layouts\expansion_notification_hud.layout | text/utf-8-sig | size=4254 | method=0 | timestamp=1721900184 | sha256=a82cf581cf ca0a507f9eea49635475272d098270d34a1225a6eb1600b120bbbe
[0417] PBO=core pbo files expan/core_gui.pbo :: layouts\expansion_notification_killfeed.layout | text/utf-8-sig | size=5915 | method=0 | timestamp=1714705082 | sha256=639db 0b65dfe5230626637c233f3362a6eb6bc70c6842901e631fdaa9415ebdf
[0418] PBO=core pbo files expan/core_gui.pbo :: layouts\expansion_notification_market.layout | text/utf-8-sig | size=5910 | method=0 | timestamp=1714705082 | sha256=2bd7b1f 739902e20b2a0f2c8b51384d89134c379387884163a824063386619dd
[0419] PBO=core pbo files expan/core_gui.pbo :: layouts\expansion_notification_toast.layout | text/utf-8-sig | size=5873 | method=0 | timestamp=1714705082 | sha256=cd909098 35fc351c6326512ad02a2d353a3fa86b21425fa431c491fe227fd03d
[0420] PBO=core pbo files expan/core_gui.pbo :: layouts\map\expansion_map_canvaslayout.layout | text/utf-8-sig | size=382 | method=0 | timestamp=1649713049 | sha256=8f160af 1210fddb9cfb5a5e87d7c669e06265b79a07e661a93821c6a96e34d75
[0421] PBO=core pbo files expan/core_gui.pbo :: layouts\map\expansion_map_marker.layout | text/utf-8-sig | size=2903 | method=0 | timestamp=1713469910 | sha256=50788007ac8e 267e69d79be2b2d6192872eed07152221aa5705c72c3b9302ef9
[0422] PBO=core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_base.layout | text/utf-8-sig | size=5851 | method=0 | timestamp=1704038826 | sha256=2af d9476d0f7a0cdccaf2763727e428d06860b1c0d662a3ef403ca5494ca82e5
[0423] PBO=core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_button_text.layout | text/utf-8-sig | size=927 | method=0 | timestamp=1649701612 | sha2 56=d93cfc28deda0dfa9fac82c66a8de21b29e7f35bf9d967707c3b3227553b7a55
[0424] PBO=core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_content_spacer.layout | text/utf-8-sig | size=152 | method=0 | timestamp=1649701612 | s ha256=8e3376ba7af3d86c61e6ce3c210c543641b0bb3d61a9838045ed4679d62d4418
[0425] PBO=core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_content_textscroller.layout | text/utf-8-sig | size=883 | method=0 | timestamp=17040360 32 | sha256=e44b53bdd302169737c4df7f09eda0b1bf070dd6f1bc4091f190c8935bb7157f
[0426] PBO=core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_editbox.layout | text/utf-8-sig | size=698 | method=0 | timestamp=1649701612 | sha256=0 5c003d604ee264a952f5751b5aefd799703e925e7d653b2a909c153a6d1c103
[0427] PBO=core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_text.layout | text/utf-8-sig | size=899 | method=0 | timestamp=1705534847 | sha256=ae30 05b8f3a600b4e3dc142d323225edc5aa7910027a8850ef747d23fb595921
[0428] PBO=core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_wrapspacer.layout | text/utf-8-sig | size=672 | method=0 | timestamp=1695057122 | sha25 6=f8efa10cb3be23e9478cbfea2b2ae52e77736f5259b71c9ecd1b64947293529e
[0429] PBO=core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_wrapspacer_entry.layout | text/utf-8-sig | size=820 | method=0 | timestamp=1695057122 | sha256=0f63f0e205a87667fa51f0f7a34aea8af8c6d3f2e643f7a7608a462517b15b56
[0430] PBO=core pbo files expan/core_gui.pbo :: layouts\mvc\expansion_item_inspection.layout | text/utf-8-sig | size=6725 | method=0 | timestamp=1695057122 | sha256=29b93c7 827d996f5f52cc54402e2805dd737a37383da21460330dc50d4c054f26
[0431] PBO=core pbo files expan/core_gui.pbo :: layouts\mvc\expansion_item_preview_tooltip.layout | text/utf-8-sig | size=2480 | method=0 | timestamp=1649701612 | sha256=84 2d5f451c1312fefa77eb0f2519646c7206c968bb77d4fca52285df2d63d61b

[0432] PBO=core pbo files expan/core_gui.pbo :: layouts\mvc\expansion_item_tooltip.layout | text/utf-8-sig | size=6664 | method=0 | timestamp=1700767010 | sha256=1c290078537ac6a3d7cd848541f1b8a04571537b8ae31b9a11b60e5b0b667054

[0433] PBO=core pbo files expan/core_gui.pbo :: layouts\mvc\expansion_item_tooltip_stat_element.layout | text/utf-8-sig | size=1157 | method=0 | timestamp=1649701612 | sha256=7e8b6eab0ba07fd8e901dd93ad4f40d0046dfcd10d11led26448b6b86cf46fee

[0434] PBO=core pbo files expan/core_gui.pbo :: layouts\ui\options\expansion_options_category.layout | text/utf-8-sig | size=1251 | method=0 | timestamp=1649701612 | sha256=745457890b36bcd960f59ed9d8275f2fc7e534f3702bec86d5146f7079c890d

[0435] PBO=core pbo files expan/core_gui.pbo :: layouts\ui\options\expansion_options_setting_new.layout | text/utf-8-sig | size=2062 | method=0 | timestamp=1656712594 | sha256=4b4eca70be0da0d0c939dc2e9f23d01a32371d0d8972769410bae12d95fd23de

[0436] PBO=core pbo files expan/core_gui.pbo :: layouts\ui\options\expansion_tab.layout | text/utf-8-sig | size=764 | method=0 | timestamp=1649701612 | sha256=f03d22e983bcd8fb246d895bc74097285a333827e10f9b746f7c721dce36c65

[0437] PBO=core pbo files expan/core_gui.pbo :: layouts\ui\options\tab_control.layout | text/utf-8-sig | size=1032 | method=0 | timestamp=1649701612 | sha256=3e172c60b508704ad7b3457a06dd3f82f4a1f7a155f2ad89c280dc3e81bac023

[0438] PBO=core pbo files expan/core_gui.pbo :: looknfeel\expansion_widgets.styles | text/utf-8-sig | size=9667 | method=0 | timestamp=1713469910 | sha256=7c4c810898069c2b7faec2596a2186e75fdf62f115dd6485d3e9dcd92a2f52f

[0439] PBO=core pbo files expan/core_gui.pbo :: textures\expansion_icon.edds | binary | size=97248 | method=0 | timestamp=1649701612 | sha256=8aa79fd0f56cd5c03e8b98363132261f1f7561d7a3c76505867b9da0f229710

[0440] PBO=core pbo files expan/core_gui.pbo :: textures\expansion_icon.edds.meta | text/utf-8-sig | size=356 | method=0 | timestamp=1649701612 | sha256=7f177655350e58558645695c52dd472911e7e59487ac89e14b318c6cc0f69287

[0441] PBO=core pbo files expan/core_objects_bases.pbo :: config.bin | binary | size=294 | method=0 | timestamp=1679012866 | sha256=8f6f127ce9297a072c6cdfaeb7b8832e5c9fe61d8898958897a9bcab5202fa76

[0442] PBO=core pbo files expan/core_objects_bases.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1679012791 | sha256=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0443] PBO=core pbo files expan/core_objects_briefcase.pbo :: briefcase.p3d | binary | size=68383 | method=0 | timestamp=1679012884 | sha256=a6f76a2ce34e044a9edeab4848f701383e7dc6169e72566da2316bf98d3cb87

[0444] PBO=core pbo files expan/core_objects_briefcase.pbo :: config.bin | binary | size=1568 | method=0 | timestamp=1679012875 | sha256=69615cb5f6ac00ce21955ceebc6f566e11590dde7b4cdd0925325ffad25bf63

[0445] PBO=core pbo files expan/core_objects_briefcase.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1663955120 | sha256=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0446] PBO=core pbo files expan/core_objects_briefcase.pbo :: data\Briefcase.rvmat | text/utf-8-sig | size=1474 | method=0 | timestamp=1663955120 | sha256=80c42ce871e2c9af6d760e23688f9442d0508b6056ed3243a2ec50c4e1f4ff53

[0447] PBO=core pbo files expan/core_objects_briefcase.pbo :: data\briefcase_as.paa | binary | size=680030 | method=0 | timestamp=1663955120 | sha256=475572f1d1e0a1f811025f336542966d54dc86751ffcabfcb227135934872973

[0448] PBO=core pbo files expan/core_objects_briefcase.pbo :: data\briefcase_co.paa | binary | size=2169625 | method=0 | timestamp=1663955120 | sha256=0421d1e7a9281b61c95218e0c94b90b2c3b303ac120df52575dd5e89bfea88f3

[0449] PBO=core pbo files expan/core_objects_briefcase.pbo :: data\briefcase_nohq.paa | binary | size=4577290 | method=0 | timestamp=1663955120 | sha256=ef57bbbd823c3abebe43a120535bcd22f8a1877296943097c3566c9cbd032a7f

[0450] PBO=core pbo files expan/core_objects_briefcase.pbo :: data\briefcase_smdi.paa | binary | size=1482663 | method=0 | timestamp=1663955120 | sha256=ef297118e8ec73c273aa48ead3bb097dfe372ad1bd6de53b6b4a91c078c53d10

[0451] PBO=core pbo files expan/core_objects_circuitboard.pbo :: CircuitBoard.p3d | binary | size=294100 | method=0 | timestamp=1733952218 | sha256=3459f6f6496005ea9a0a3a1d6ee4ed38730ad2d575ceeee76b28037ab656de2e

[0452] PBO=core pbo files expan/core_objects_circuitboard.pbo :: config.bin | binary | size=3570 | method=0 | timestamp=1733952194 | sha256=6145f78df9c5c85e87534631213f7125930348a62b224150c8cb2aa8a91a8f4f

[0453] PBO=core pbo files expan/core_objects_circuitboard.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1695053522 | sha256=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0454] PBO=core pbo files expan/core_objects_circuitboard.pbo :: data\circuit_board.rvmat | text/utf-8-sig | size=1468 | method=0 | timestamp=1695053522 | sha256=d0de8fa6d0db25ee7eced139571f12c67ac27dcb142160ad45fba46586e19a7

[0455] PBO=core pbo files expan/core_objects_circuitboard.pbo :: data\circuit_board_co.paa | binary | size=576544 | method=0 | timestamp=1695053522 | sha256=3f46de683b5d6f35f4a9f63bdd4fd1d1f9051694f36c03d4815660903e68d069

[0456] PBO=core pbo files expan/core_objects_circuitboard.pbo :: data\circuit_board_damage.rvmat | text/utf-8-sig | size=1670 | method=0 | timestamp=1695053522 | sha256=83f74b65576fef84477db71885ef808951ad5d3c991a03b680f4e854b444075f

[0457] PBO=core pbo files expan/core_objects_circuitboard.pbo :: data\circuit_board_destruct.rvmat | text/utf-8-sig | size=1678 | method=0 | timestamp=1695053522 | sha256=2e9feab75316523978ffccadb27df5a7ac70ac4581dc24e985b82cd3c2ccld2c

[0458] PBO=core pbo files expan/core_objects_circuitboard.pbo :: data\circuit_board_mk2_co.paa | binary | size=563388 | method=0 | timestamp=1695053522 | sha256=8a77cfae55f6c598f21808e525e45bb58e5da148db8b1bce00ade946db0843a7

[0459] PBO=core pbo files expan/core_objects_circuitboard.pbo :: data\circuit_board_mk3_co.paa | binary | size=565973 | method=0 | timestamp=1695053522 | sha256=39df3ca01724fbf98ae05e43e2c3e12b8a09c268fc3782ba001ac2ae616396a2

[0460] PBO=core pbo files expan/core_objects_circuitboard.pbo :: data\circuit_board_nohq.paa | binary | size=7091626 | method=0 | timestamp=1695053522 | sha256=b5177b546bf8abe4ef24baaadf09fac078e6f98a38321fb4a3322c66080c886b

[0461] PBO=core pbo files expan/core_objects_circuitboard.pbo :: data\circuit_board_smdi.paa | binary | size=459792 | method=0 | timestamp=1695053522 | sha256=f9e3df19cdc2850237d22af699c553c44f70c217321bee52f3a5becb0f31d975

[0462] PBO=core pbo files expan/core_objects_currencies.pbo :: config.bin | binary | size=8250 | method=0 | timestamp=1773697967 | sha256=e84b305301b39227702adf19a4151173e045433b406c9f89b3f0c37f0c9d8688

[0463] PBO=core pbo files expan/core_objects_currencies.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1649698012 | sha256=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0464] PBO=core pbo files expan/core_objects_currencies.pbo :: data\gold.rvmat | text/utf-8-sig | size=1538 | method=0 | timestamp=1649698012 | sha256=e987e6de3feb0650f4c32a4b371e4a81b352815f1ab9a6e144abf2cb6660a2a2

[0465] PBO=core pbo files expan/core_objects_currencies.pbo :: data\gold_as.paa | binary | size=14846 | method=0 | timestamp=1649698012 | sha256=65279d357b6125b22cb2e499b5a3d3179a51d1e35b6c4a6e14003b00ec3398e8

[0466] PBO=core pbo files expan/core_objects_currencies.pbo :: data\gold_co.paa | binary | size=241771 | method=0 | timestamp=1649698012 | sha256=1bd0a42574309aa4247b548bb4ae4ab28a497e9f5fe44d8a9e2fe4e008c14e7b

[0467] PBO=core pbo files expan/core_objects_currencies.pbo :: data\gold_nohq.paa | binary | size=1065922 | method=0 | timestamp=1649698013 | sha256=e3a5d5e178dda81458a90700791a56eb333f35f6ec7abd2a17a0cf17e375802c

[0468] PBO=core pbo files expan/core_objects_currencies.pbo :: data\gold_nugget.paa | binary | size=1491937 | method=0 | timestamp=1649698013 | sha256=4361e8a63a5085a3ad9d4e621ff2b01f9f9aa67011bba5f2dfb2f008d831e6cf

[0469] PBO=core pbo files expan/core_objects_currencies.pbo :: data\gold_smdi.paa | binary | size=35732 | method=0 | timestamp=1649698013 | sha256=d64e493aaa7a3c656bd79e68195d2e1636dc74568489d8bc02e9a1101d7c9eaa

[0470] PBO=core pbo files expan/core_objects_currencies.pbo :: data\nugget_gold.rvmat | text/utf-8-sig | size=1089 | method=0 | timestamp=1649698013 | sha256=9b67fd34734ded41f317ab9670736944e5ae3ae5b8a6806681d7ffdf934473f4b

[0471] PBO=core pbo files expan/core_objects_currencies.pbo :: data\nugget_gold_as.paa | binary | size=286324 | method=0 | timestamp=1649698013 | sha256=47df6460a07ec26539688bc871fe7f67c59f4f20e7013621057ca75e179af838

[0472] PBO=core pbo files expan/core_objects_currencies.pbo :: data\nugget_gold_co.paa | binary | size=328139 | method=0 | timestamp=1649698013 | sha256=44c9bcb4ed61a43ddb401570fd04f951e790dd61cac8ff4b98ad728b5daaca47

[0473] PBO=core pbo files expan/core_objects_currencies.pbo :: data\nugget_gold_smdi.paa | binary | size=381926 | method=0 | timestamp=1649698013 | sha256=e93f0635f4e6d3daae9b579c75b2cf044f89a6737bdf3165fcd9fd64ab20e2aa

[0474] PBO=core pbo files expan/core_objects_currencies.pbo :: data\nugget_silver.rvmat | text/utf-8-sig | size=1062 | method=0 | timestamp=1649698013 | sha256=f2a049644190772d84731f3bed78d018f01c923b4c742e0934d872645e538a1

[0475] PBO=core pbo files expan/core_objects_currencies.pbo :: data\nugget_silver_as.paa | binary | size=286324 | method=0 | timestamp=1649698013 | sha256=47df6460a07ec26539688bc871fe7f67c59f4f20e7013621057ca75e179af838

[0476] PBO=core pbo files expan/core_objects_currencies.pbo :: data\nugget_silver_co.paa | binary | size=324766 | method=0 | timestamp=1649698013 | sha256=238393cb5a8beacaa60446dc1212a67116c53593beded9f60bda935a341aae0a

[0477] PBO=core pbo files expan/core_objects_currencies.pbo :: data\nugget_silver_nohq.paa | binary | size=897568 | method=0 | timestamp=1649698013 | sha256=fa3e68f5708f73c7afa6ee6eb7d8bfccee104ee052d289d45bc9a38be98ea24e

[0478] PBO=core pbo files expan/core_objects_currencies.pbo :: data\nugget_silver_smdi.paa | binary | size=385060 | method=0 | timestamp=1649698013 | sha256=db0608a47eca206fd0a9220ad1fd9f134af003446f6a340b158adbba8049fa47

[0479] PBO=core pbo files expan/core_objects_currencies.pbo :: data\silver.rvmat | text/utf-8-sig | size=1533 | method=0 | timestamp=1649698013 | sha256=36a4ea2ecc2a722bed47f63797a31c83459554934d6e50569f53edb20eab8c35

[0480] PBO=core pbo files expan/core_objects_currencies.pbo :: data\silver_as.paa | binary | size=14846 | method=0 | timestamp=1649698013 | sha256=65279d357b6125b22cb2e499b5a3d3179a51d1e35b6c4a6e14003b00ec3398e8

[0481] PBO=core pbo files expan/core_objects_currencies.pbo :: data\silver_co.paa | binary | size=14830 | method=0 | timestamp=1649698013 | sha256=ba07ad7efe2c0ff61c5971d2ee6fd6208715a90b0187ca398f8be78512df1658

[0482] PBO=core pbo files expan/core_objects_currencies.pbo :: data\silver_nohq.paa | binary | size=1066024 | method=0 | timestamp=1649698013 | sha256=d4d40b67ed291b8fbcd1a9ba8ec81acef36e5ad563eba441995ecbe3ale6174

[0483] PBO=core pbo files expan/core_objects_currencies.pbo :: data\silver_nugget.paa | binary | size=1363983 | method=0 | timestamp=1649698013 | sha256=146228b74c47d067be06de107e6e6d2ebb324ac16235460d75f91967ef450461

[0484] PBO=core pbo files expan/core_objects_currencies.pbo :: data\silver_smdi.paa | binary | size=30783 | method=0 | timestamp=1649698013 | sha256=491b013bf190a735002e4a5ab86fdfb5295e43de5da0d03f8409724d9a852f20

[0485] PBO=core pbo files expan/core_objects_currencies.pbo :: gold_bar.p3d | binary | size=6721 | method=0 | timestamp=1773697993 | sha256=dc4d118788a8e19a4340888ca9ffb0fae45540dd80616708ab7bbd02b3403e3

[0486] PBO=core pbo files expan/core_objects_currencies.pbo :: nugget_gold.p3d | binary | size=21097 | method=0 | timestamp=1773697993 | sha256=7998284e4386f498ca3de1704bb4ebe525e222680bf7d6ab719b51c7ea30496f

[0487] PBO=core pbo files expan/core_objects_currencies.pbo :: nugget_silver.p3d | binary | size=21099 | method=0 | timestamp=1773697993 | sha256=ee3054e3ecca7ac170e75485ec8ccb51e591363b887b93c2f38b1b380c1b52a3

[0488] PBO=core pbo files expan/core_objects_currencies.pbo :: silver_bar.p3d | binary | size=6718 | method=0 | timestamp=1773697993 | sha256=7371ab25a5462233843e05b0fc40626584f151d2c391d5b56e3c6e0935fb9928

[0489] PBO=core pbo files expan/core_objects_navmeshcarvers.pbo :: AnimalNavmeshCarver.p3d | binary | size=1439 | method=0 | timestamp=1714745818 | sha256=fc471da2da2611f41453245875fd214ab15345c57cf802d9df0682df90be1321

[0490] PBO=core pbo files expan/core_objects_navmeshcarvers.pbo :: config.bin | binary | size=437 | method=0 | timestamp=1714745799 | sha256=ac477ebe1a4a628eafc37f7d6ba60513ee4a13315f59fc3d777cadf4198aad05

[0491] PBO=core pbo files expan/core_objects_navmeshcarvers.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1714745756 | sha256=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0492] PBO=core pbo files expan/core_objects_temporaryownedcontainer.pbo :: config.bin | binary | size=633 | method=0 | timestamp=1663959058 | sha256=f6a55af87774f09a505d8aec2e4fd9801a9e1cba4c3c6332b82d069cb053d961

[0493] PBO=core pbo files expan/core_objects_temporaryownedcontainer.pbo :: config.bin | binary | size=633 | method=0 | timestamp=1663959059 | sha256=f6a55af87774f09a505d8aec2e4fd9801a9e1cba4c3c6332b82d069cb053d961

[0494] PBO=core pbo files expan/core_objects_temporaryownedcontainer.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1663958720 | sha256=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0495] PBO=core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\CF_Log.c | text/utf-8-sig | size=3158 | method=0 | timestamp=1742391793 | sha256=daddab39dc064859122d42b196eb929b3155a669c2e5bf782cb623e8f977916b

[0496] PBO=core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\CF_Trace.c | text/utf-8-sig | size=1960 | method=0 | timestamp=1733596175 | sha256=9a4ab1da29f1fd7b5da14dadf097a00447eb06c6e0790229e8c264fd085d2df6

[0497] PBO=core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\ExpansionInhibitor.c | text/utf-8-sig | size=934 | method=0 | timestamp=1733596175 | sha256=beffd853c113c4962985e8929a9504e80cdb85778fa050a5fbceed54770c5a61

[0498] PBO=core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\ExpansionStaticCore.c | text/utf-8-sig | size=502 | method=0 | timestamp=1738097041 | sha256=03d66367ea17a0856a0985b256de7733cdf0e9fd3175b9d0407e1f88d2891a32

[0499] PBO=core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\ExpansionString.c | text/utf-8-sig | size=12972 | method=0 | timestamp=1761158054 | sha256=30b1531e842892127ba3b6d2ee6a450e51b69c53532d9230b9e4847c963cb7b9

[0500] PBO=core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\ExpansionType.c | text/utf-8-sig | size=1207 | method=0 | timestamp=1747956239 | sha256=e64b9fc15f3a37666d843da4f1f5a5e9670b2016186ddd75facf521e2e44cb23

[0501] PBO=core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\ExpansionUtil.c | text/utf-8-sig | size=323 | method=0 | timestamp=1738097041 | sha256=1321c9dd81d6ee55811962d52b63a9e6a064da45b8a62fc8dff25b0a278df39

[0502] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Analytics\ExpansionAnalyticsManagerServer.c | text/utf-8-sig | size=2910 | method=0 | timestamp=1721900184 | sha256=171f4b4df2de10d57951a2525339e8b3ce971f4b8e8d14aed534c390a58473a0

[0503] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCE.c | text/utf-8-sig | size=5065 | method=0 | timestamp=1767727094 | sha256=80fda075e2250a53c24c035b9ba71082bd2c6eddae7bca65fe9b2e884559ed73

[0504] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCEEvents.c | text/utf-8-sig | size=6444 | method=0 | timestamp=1767727094 | sha256=ed68648ec8072d16400b0d2af61679287bfea15e60627c241ade95991ed7f040

[0505] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCEPlayerSpawnPoints.c | text/utf-8-sig | size=5696 | method=0 | timestamp=1767727094 | sha256=7387c17f5fca7a0fc913226f1cead979121a806cf6228a4648f67d242a4de1ed

[0506] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCESpawableTypes.c | text/utf-8-sig | size=3430 | method=0 | timestamp=1767727094 | sha256=906b5ef3d226bcc75fa8e8a43a5a8e14a8b00e973f55741c4e2353a88cbaf3ef

[0507] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCETerritory.c | text/utf-8-sig | size=2672 | method=0 | timestamp=1767727094 | sha256=b73c477e1c842684da694105800a6e251f4da9b335c1b5a5403525eacbd9b266

[0508] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCETType.c | text/utf-8-sig | size=5619 | method=0 | timestamp=1767727094 | sha256=32feda7557ce855f27d4993e8bffd1263de9a352ac4c01e0fed6f807a816993ef

[0509] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionEconomyCore.c | text/utf-8-sig | size=5473 | method=0 | timestamp=1767727094 | sha256=766febe864d925f2a3deacae5490a89536f3f5d86b9aa5826f44ea4d57683048

[0510] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CF_Date.c | text/utf-8-sig | size=1682 | method=0 | timestamp=1695057122 | sha256=b569ae39e17a45dcb1753540912d7bfff429827b1d004ca3aba2fe42094f5a077

[0511] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CF_Localiser.c | text/utf-8-sig | size=1145 | method=0 | timestamp=1737639769 | sha256=2ea53779088a009008033ee062dd60d24fe232e31a4558f93035d08ecba4fa95

[0512] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CF_ModuleGame.c | text/utf-8-sig | size=3204 | method=0 | timestamp=1760094879 | sha256=ef8ed4022af4e6c546edad5f543d2c4d4e08896a04167319a890bbe6936f1f41

[0513] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\ClientData.c | text/utf-8-sig | size=866 | method=0 | timestamp=1758201904 | sha256=c6b3e06e31711e8817d051bf200de6c184d03737a900e3f2ad496a3f7f8608b8

[0514] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\Notifications\ExpansionNotificationSystem.c | text/utf-8-sig | size=6820 | method=0 | timestamp=1739896182 | sha256=72d5e3695acb929e51f2eda7b09a189eb3672a78349b7dd0a8ea264d68c82ed9

[0515] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\Notifications\NotificationRuntimeData.c | text/utf-8-sig | size=1169 | method=0 | timestamp=1721900184 | sha256=25457e23cb8913f4fffc642d8f0d1910e318958e92aed86d05a6264f05e1176a

[0516] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\Notifications\NotificationSystem.c | text/utf-8-sig | size=8243 | method=0 | timestamp=1763507331 | sha256=096494a1caf8ab8beeb350c382d88cfea994871802a97b92b43a25d3a9525369

[0517] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\Notifications\NotificationUI.c | text/utf-8-sig | size=740 | method=0 | timestamp=1743003591 | sha256=0221e364c1706effb64a5a2be2209857060c476d0d3563021aa84f691de4ad7f

[0518] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\SyncPlayer.c | text/utf-8-sig | size=2395 | method=0 | timestamp=1758201904 | sha256=3d251151ed2f9ce2f849c3216dff09cdaf4a04f538900d4ee7460320e4736b7e

[0519] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ClientSettings\ExpansionClientSettingCategory.c | text/utf-8-sig | size=631 | method=0 | timestamp=1649713007 | sha256=5e07ccff24800520b3bdaf0ae1471c41d3b6f59cddd321650da581d8b5c5e37d

[0520] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ClientSettings\ExpansionClientSettings.c | text/utf-8-sig | size=51798 | method=0 | timestamp=1778172007 | sha256=6561d0be96f23e17754654998381498f67cb44653a82f1279b9b28485a86d21b

[0521] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ClientSettings\NotificationClientSettingsEnum.c | text/utf-8-sig | size=424 | method=0 | timestamp=1649713007 | sha256=97730861e44ca552981a77f0d7d3f1bd95f58e7967fdcb4aa561bfeff09f7ff8

[0522] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\DayZGame.c | text/utf-8-sig | size=8961 | method=0 | timestamp=1764102739 | sha256=a941eefc09b45fd22eb9a9750f4b19d4596bba3fe922f1f1a9c7f5329bec98b4

[0523] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\DZ_Expansion_Core.c | text/utf-8-sig | size=509 | method=0 | timestamp=1727629827 | sha256=488411318d2dcff4f27383477ce8ed3376f638ac5692ee97c4a5d4e432c9a0e7

[0524] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\EffectManager.c | text/utf-8-sig | size=1424 | method=0 | timestamp=1705534847 | sha256=730fabdf369518f34f731e932edb1c4e6e5f527563a505d55154605f2767d1a2

[0525] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Effects\EffectExpansionParticle.c | text/utf-8-sig | size=5738 | method=0 | timestamp=1727355243 | sha256=a679ff7994ab88546712a95da9571acb1b9ce4d5ae66e09c87787aa47728176

[0526] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Effects\EffectExpansionSmoke.c | text/utf-8-sig | size=710 | method=0 | timestamp=1649713049 | sha256=026075432f975dd1406e7fac7731b00dc1542cb1f8381e14a8952fa07a57fd57

[0527] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Effects\EffectSound.c | text/utf-8-sig | size=896 | method=0 | timestamp=1763507331 | sha256=7e1b34d047a201cf2322908cbb0ab8210be9647a73cc9e79d12541e1c9b88354

[0528] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIChatChannel.c | text/utf-8-sig | size=423 | method=0 | timestamp=1656712616 | sha256=5e9d17fd30e8e56db68558d2f095c68dd73ae86f2c4cea31e9f5a4394dbeb888

[0529] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIChatSize.c | text/utf-8-sig | size=447 | method=0 | timestamp=1649713007 | sha256=f9e3806c70aab67bab49424ff87d4b5cec81207c39b491b2278c83d21a3551fd

[0530] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIMarkerSize.c | text/utf-8-sig | size=438 | method=0 | timestamp=1649713007 | sha256=b0bd5029a54f3f38cacf556f4ce03058b063d4f7c7fc91c212a93ae895487383c

[0531] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIMemberMarkerType.c | text/utf-8-sig | size=531 | method=0 | timestamp=1649713007 | sha256=9b8dc16452c543b461da03d9e6a3792412c97d598d6f0471adfb8f8b5740e74c

[0532] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIPlayerArrowColor.c | text/utf-8-sig | size=525 | method=0 | timestamp=1695057122 | sha256=027ee857e55ee2340b2a9b6ac699db0dd44b4719db6d20ff919db416b60d25f5

[0533] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionFireMode.c | text/utf-8-sig | size=98 | method=0 | timestamp=1742954025 | sha256=f1d9365eeceeb8ac33f94b009e426a23a0d4596b6d63e7eba38e864da0113a312

[0534] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionRPC.c | text/utf-8-sig | size=639 | method=0 | timestamp=1698961241 | sha256=25027caacf2b9cf701e799bc43d61d8681602bf9dfbcc1021d27bf90db3d0e68

[0535] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionVehicleKeyStartMode.c | text/utf-8-sig | size=454 | method=0 | timestamp=1649713007 | sha256=a75ff367063c94f6f66519cbb90787163e912bba68f655e249cedf89a1cfad23

[0536] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionVehicleLockState.c | text/utf-8-sig | size=567 | method=0 | timestamp=1697203635 | sha256=a422e76e163a588e3807622c40c47c3d745182fffe19b00f9dc7e1a260c69be

[0537] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionVehicleNetworkMode.c | text/utf-8-sig | size=425 | method=0 | timestamp=1649713007 | sha256=26567dbbc1648d6363fef819d07905f8e4a17f40b98a2a33130132e0c544fddd

[0538] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionVehicleType.c | text/utf-8-sig | size=82 | method=0 | timestamp=1725988317 | sha256=d5ee0ef9873df0effe4d707daff1c13eb03263f1cc7db49abcef7cd5f31fec71

[0539] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\NotificationRuntimeEnum.c | text/utf-8-sig | size=533 | method=0 | timestamp=1649713007 | sha256=a4491fae2b2824063f5194dea29710d71466141ec38ceb99af9f847615d4835f

[0540] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionArray.c | text/utf-8-sig | size=3842 | method=0 | timestamp=1762533241 | sha256=12af0c557e1ab8b2254abc2909a779211a94ff366b6e07febe03cbdfbb91376

[0541] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionBitStream.c | text/utf-8-sig | size=32494 | method=0 | timestamp=1761158054 | sha256=22f5c959a4d603de8fd1fa68154568773a06e512463519cd977f1bf6cfffadd7

[0542] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionColor.c | text/utf-8-sig | size=3042 | method=0 | timestamp=1738097041 | sha256=f64937a2f33d40255fa8fa189b86d3267155b4baafbf2944b2eb6e69bd15ad0

[0543] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionConstants.c | text/utf-8-sig | size=10465 | method=0 | timestamp=1778172007 | sha256=ac7870d76811f0f4215d78a6362aa8c9a9ee417902cca155cf18b8f62a3c80bc

[0544] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionEntity.c | text/utf-8-sig | size=3835 | method=0 | timestamp=1758201904 | sha256=0f46d7c6abf53a30979b82547c77320ac05a48802fd5077b3031cdd36ec96dd1

[0545] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionGame.c | text/utf-8-sig | size=6264 | method=0 | timestamp=1763507331 | sha256=977aed890b1e1f4e6b158cb8eeb44284ef723c70541879cc6ddcecc3286e6896

[0546] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionGlobalID.c | text/utf-8-sig | size=3405 | method=0 | timestamp=1737540174 | sha256=64d2258bbd92543b85bc9ce3c952f2282a740a0320ce3690573cdd1026bba29e

[0547] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionHash.c | text/utf-8-sig | size=1155 | method=0 | timestamp=1763507331 | sha256=e6828302fbb484bb3a7af393e8766f982abd60be52a29d8fd352075f1ef9303

[0548] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionIcon.c | text/utf-8-sig | size=583 | method=0 | timestamp=1721900184 | sha256=2e525e2984b7612df80cc1659d7b5181e8b245d45ac2ee7ca4323789c07a5131

[0549] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionIcons.c | text/utf-8-sig | size=19923 | method=0 | timestamp=1748535617 | sha256=3b9b71c511a363293de712c3ebf7290ff9f136b1b1b1906f0db363d927c19441

[0550] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionMath.c | text/utf-8-sig | size=24855 | method=0 | timestamp=1763507331 | sha256=8b22cb4e22f4bf9eb94f50b969bc477984bb39ef9b2fe846a1a0a2dfe8f369e

[0551] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionRPCManager.c | text/utf-8-sig | size=14545 | method=0 | timestamp=1767632642 | sha256=3592002d1274661dc07749201eb75774ea3b11f542d338d3334fe90e944714cd

[0552] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionScriptRPC.c | text/utf-8-sig | size=4374 | method=0 | timestamp=1761158054 | sha256=a59109057bce93f207342b1a84524aee652eb1a75d83633c384c415042c82e9e

[0553] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionSHA256.c | text/utf-8-sig | size=5829 | method=0 | timestamp=1740495396 | sha256=8371ef4c9516aab6195ce388094aea914c36385b32d76ba9a0f046f282b2d578

[0554] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionStatic.c | text/utf-8-sig | size=80641 | method=0 | timestamp=1776958578 | sha256=eb74fc1276fb382e784a69d827ef8e7a021c0a4030faae4f4cc2d45d0056d344

[0555] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionTracing.c | text/utf-8-sig | size=20427 | method=0 | timestamp=1769788421 | sha256=30fe84a8009fe5a84216cacc8cca5dd09a25c61a0c65e4337cc478331051fd2d

[0556] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionUIManager.c | text/utf-8-sig | size=3286 | method=0 | timestamp=1763507331 | sha256=d8249dd22bf16cade14d6161f15e6865045cc5ce06320c53748940a204140376

[0557] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionWeaponUtils.c | text/utf-8-sig | size=2738 | method=0 | timestamp=1763507331 | sha256=9d871c4030784809de3470209b866dff607fc391bbd5d77e4e085bfca79fb3eb

[0558] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Hud.c | text/utf-8-sig | size=496 | method=0 | timestamp=1758201904 | sha256=912254a796ed585329b896d45dbcd6f056f133d4f847a96e6d214f9156eeffb2

[0559] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Locations\ExpansionLocation.c | text/utf-8-sig | size=5376 | method=0 | timestamp=1763507331 | sha256=d4138992befe6c763e16b68395700034eca45c01c2e6489a30df281997d2b140

[0560] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Locations\ExpansionLocationType.c | text/utf-8-sig | size=532 | method=0 | timestamp=1740495396 | sha256=986cea5d0c2b3771324a93dac6dc0eef8292e9724a47b21b1364963fc5a947e2

[0561] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Loot\ExpansionLoot.c | text/utf-8-sig | size=2778 | method=0 | timestamp=1746642369 | sha256=3309b7cd781b6a292f606e0088773cb8ef6f0985c70d1dda62d13b05c66205c7

[0562] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Loot\ExpansionLootDefaults.c | text/utf-8-sig | size=382 | method=0 | timestamp=1695057122 | sha256=b6c9d4e9e0b4577e44834923576a6d6975ab114e53f582e0ba54f717d99a59b1

[0563] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionMapMarkerType.c | text/utf-8-sig | size=574 | method=0 | timestamp=1656712616 | sha256=29d0ee735c6012b70e018c6d698a28eea7100ea57a171abe351c97a95868a1

[0564] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionMarkerData.c | text/utf-8-sig | size=8401 | method=0 | timestamp=1763507331 | sha256=7d7980fd3ad137e9d8c608f1ad4dc89f61ee60e27806db4f6adfb75d501b2328

[0565] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionPartyMarkerData.c | text/utf-8-sig | size=539 | method=0 | timestamp=1656712616 | sha256=02976c6bb6ab0df050a67c335e9bec5ed83d2697b8abfbba14c03fabb291b29

[0566] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionPartyQuickMarkerData.c | text/utf-8-sig | size=853 | method=0 | timestamp=1695057122 | sha256=3312a918bcac5bafbf59bf71bcde35f0f5e0c4d6720a14982f85b07b595afbbc

[0567] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionPersonalMarkerData.c | text/utf-8-sig | size=924 | method=0 | timestamp=1656712616 | sha256=045940f6e9667309d8e987acba5b3062e3ca05aebcf445f1c59e0a075b1cae0

[0568] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionPlayerMarkerData.c | text/utf-8-sig | size=1283 | method=0 | timestamp=1755888342 | sha256=d662a3dec8230cd77700cf64b3de2192c29311df06c3e3594f274cd46a98f9c4

[0569] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionServerMarkerData.c | text/utf-8-sig | size=507 | method=0 | timestamp=1710376738 | sha256=7ed2ac911831b94385360c9bff7e633ab51e455be84191f9121284298310e1b6

[0570] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Math\Matrix3.c | text/utf-8-sig | size=6904 | method=0 | timestamp=1760094879 | sha256=f359090426e370f54a0a856f5f2518198756e553e2c48333342058fa251a67e

[0571] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Math\Quaternion.c | text/utf-8-sig | size=2208 | method=0 | timestamp=1760094879 | sha256=d453214066caff3a15e43acd44e45a8c70c8e46728d555daa076ee4e4607a09b

[0572] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Math\Transform.c | text/utf-8-sig | size=4914 | method=0 | timestamp=1760094879 | sha256=489fac0c87d79a2b63f7ba58b38e0824e838608c06f49fd562098b906799102

[0573] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Math\Vector.c | text/utf-8-sig | size=2857 | method=0 | timestamp=1760094879 | sha256=8e06c80e4a953ca40e5805b41fc2a512781834e6a38237dcbblef83eae944952

[0574] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptView.c | text/utf-8-sig | size=2258 | method=0 | timestamp=1743003591 | sha256=dcfa50127b6f68715deafc5ce637ea7baa7194569001710bdf1f470ab4bb57f9

[0575] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptViewFadeTimer.c | text/utf-8-sig | size=2664 | method=0 | timestamp=1756926675 | sha256=5efa3c2998a27c711c2ebe36f6e16aed3a51001dea16982ef42c2ba4f2183492

[0576] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptViewMenuBase.c | text/utf-8-sig | size=880 | method=0 | timestamp=1743003591 | sha256=f9480f1c383ec8733df375ac4b03342d9e0b6db90da35fb223db84be584217e6

[0577] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\MVC\ScriptViews\Bases\ScriptedViewBase.c | text/utf-8-sig | size=578 | method=0 | timestamp=1743003591 | sha256=43b51ce6c124c514b274b85f4bf2990c1e9da655f8a3e875f1d29c30ad76d859

[0578] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Particles\ParticleList.c | text/utf-8-sig | size=3328 | method=0 | timestamp=1750940280 | sha256=e3b8d3afbbfa2284faaa15b9de4e61ade8988463af9ba39ae8fce29d6eb91e84

[0579] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\PlayerIdentity.c | text/utf-8-sig | size=4344 | method=0 | timestamp=1763507331 | sha256=a3da38bf54acc509a5b848331d90e1927e32e71ae69e1183814644f4901bf627

[0580] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Prefab\ExpansionMinMax.c | text/utf-8-sig | size=597 | method=0 | timestamp=1760094881 | sha256=44bf73260df0e0423c9d7bf947b63b68ffcbce59a7bc4409b270182dd22be3d92

[0581] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Renders\ExpansionRenders.c | text/utf-8-sig | size=3382 | method=0 | timestamp=1763507331 | sha256=72932e2c0a8e640b503608e1182672d6c5af9a453f94deaed7f99515f15cd6cc

[0582] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationBase.c | text/utf-8-sig | size=1475 | method=0 | timestamp=1758201904 | sha256=90a1919684d75795b0e044183587d9adcba3b4766b28ad50bfeeadad2d501ee1

[0583] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationEnum.c | text/utf-8-sig | size=1058 | method=0 | timestamp=1758201904 | sha256=beb7297d31cfe14e077e409a4948c713ff17d15c1641e1c0ab107d9639bad8e5

[0584] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationInt.c | text/utf-8-sig | size=1054 | method=0 | timestamp=1763507331 | sha256=47a4286fec8b43ee09fe2fc00520a01cc93c8760cbf2daf0fc0fbfd077ecb340

[0585] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationSlider.c | text/utf-8-sig | size=1987 | method=0 | timestamp=1763507331 | sha256=6f344ea7771ea16a1a45b1fa251d9a4765f3ad844cfda1c60e2753b21d78879e

[0586] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationString.c | text/utf-8-sig | size=1079 | method=0 | timestamp=1763507331 | sha256=21e830ecd1847279cc28abf2cd5aa45910aa35759986953baa178e7808c4ce3

[0587] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationToggle.c | text/utf-8-sig | size=1069 | method=0 | timestamp=1763507331 | sha256=a7570b48673a986fe73366553e5e72121b7279e11dbaaec026662da4d5b22a2a

[0588] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Core\ExpansionCoreSettings.c | text/utf-8-sig | size=5734 | method=0 | timestamp=1762533241 | sha256=b4f2340add1e85a52b93f543548ba6d37db1d662d6a7ee462e492519fad9649e

[0589] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\DamageSystem\DamageSystemSettings.c | text/utf-8-sig | size=3002 | method=0 | timestamp=1695057122 | sha256=ab50c85bc42d1989e2484795c7fafc3e6e5c73f8476d3a22ce02e3e5d849ff63

[0590] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\ExpansionColorSettingsBase.c | text/utf-8-sig | size=2079 | method=0 | timestamp=1649701613 | sha256=11eb2b7f01c66915525eeb0f180a67df9b9d03a931d3ad1ddc08fbe250495dac

[0591] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\ExpansionSettingBase.c | text/utf-8-sig | size=3676 | method=0 | timestamp=1763507331 | sha256=5a7a4ba7157e9ec8f49efb00b74e995ec59ac5319eabcb3d2c9ebdddeaeef65d

[0592] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\ExpansionSettings.c | text/utf-8-sig | size=8877 | method=0 | timestamp=1773584419 | sha256=4d3e1c782dd21407cd8417d2b144cedde50be2d803867bbda6812cd28a6690f4

[0593] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Logging\ExpansionLogSettings.c | text/utf-8-sig | size=10666 | method=0 | timestamp=1763507331 | sha256=31ed08d491b222e60793939d15780a18592ba44df4def5b5522b7fd566b348b

[0594] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Monitoring\ExpansionMonitoringSettings.c | text/utf-8-sig | size=3513 | method=0 | timestamp=1725988317 | sha256=1dcc8b0bc0c3b1042ba5db8295e8d3cab8132fe13bfaa79c14b836ef6e9ad821

[0595] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Notifications\ExpansionAnnouncementType.c | text/utf-8-sig | size=438 | method=0 | timestamp=1649713049 | sha256=148b35bdf2f3256f80c9b856661542190fb108cec0435001dcc410d3a87b81e

[0596] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Notifications\ExpansionNotificationSettings.c | text/utf-8-sig | size=11824 | method=0 | timestamp=1764529016 | sha256=bd6c69b3b8a8d3939427d7a9fcd2759c1fc151192d6d27e0eedfef41099eb702

[0597] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZoneCircle.c | text/utf-8-sig | size=742 | method=0 | timestamp=1695057122 | sha256=5819d3bab6d5266d5a424b283ca30b9f6e586d8e9495ef80a6398598625947de

[0598] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZoneCylinder.c | text/utf-8-sig | size=798 | method=0 | timestamp=1698961241 | sha256=f58423573f8a8b4157a866bd60cbcb1808da9e564c4a46d8de159a14ee00fae4

[0599] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZoneElement.c | text/utf-8-sig | size=504 | method=0 | timestamp=1695057122 | sha256=6788342003437795d1136fc0b0ffd582ecfccc0665e19b9bbbd4894b46acb99

[0600] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZonePolygon.c | text/utf-8-sig | size=713 | method=0 | timestamp=1695057122 | sha256=62cc49079ee6a9df40f54ef5e8dc58954575de5286d74fd712e9f6e10a3df282

[0601] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZoneSettings.c | text/utf-8-sig | size=9690 | method=0 | timestamp=1725988317 | sha256=7e738722bbffbf99c29b99c8c0aa0a2813923f6f33899e51d37bc9c0baf8cb18

[0602] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Sound\ExpansionSound.c | text/utf-8-sig | size=10136 | method=0 | timestamp=1763507331 | sha256=7b4e06c8a9f2eeda418cee90ac301cbebaea607a593af3ac11d76cf8b5071ddd

[0603] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Sound\ExpansionSoundModule.c | text/utf-8-sig | size=3467 | method=0 | timestamp=1705534847 | sha256=1db38065397785ea881f7bf23d92d37648c3893e944885a058b37442e9f9d0c4

[0604] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Sound\ExpansionSoundSet.c | text/utf-8-sig | size=4682 | method=0 | timestamp=1763507331 | sha256=a3d08fe72cf2ed7cce8d750f8e0e07e9c3ff29e21372caea23e63c37a85d9d9

[0605] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\SyncEvents.c | text/utf-8-sig | size=944 | method=0 | timestamp=1700767010 | sha256=62a021056dc367e3cb4c0223ccfd15205b22da60fe0ac52b1e6e42be3004333e

[0606] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Tools\ExpansionItemNameTable.c | text/utf-8-sig | size=5951 | method=0 | timestamp=1762533241 | sha256=fc6244b32c04bfd47c14cf523b3690e512687f5036cf6ea7ac65db5eccc3ec4b

[0607] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Tools\ExpansionJsonFileParser.c | text/utf-8-sig | size=36820 | method=0 | timestamp=1725988317 | sha256=7497128fc237bb6fdd82facbd03e875c37b647a2081ec2d5faf70db0da2d6658

[0608] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Tools\ExpansionJsonSchemaExporter.c | text/utf-8-sig | size=8999 | method=0 | timestamp=1774285677 | sha256=e03f1a4f53c336163c26cc1673dba37bc9d2ddb35462a048a09cde2da28b75fc

[0609] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Tools\ExpansionUIScriptedMenu.c | text/utf-8-sig | size=1292 | method=0 | timestamp=1763507331 | sha256=84f1fe162bcd68596231181d5b2ec49c9697b00d8997f9d9cb63640259c02e89

[0610] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\XML\CF_XML.c | text/utf-8-sig | size=348 | method=0 | timestamp=1760094879 | sha256=2465f00c8a24260a9ee71d7b0c258198c39ed5ad4ace352d7cd51ed360469c1f

[0611] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\XML\CF_XML_Element.c | text/utf-8-sig | size=154 | method=0 | timestamp=1767727094 | sha256=84f32720210d9de7acdb419a00eae1849ca98d4493a9a9fbf817cd667c329055

[0612] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\XML\ExpansionXML.c | text/utf-8-sig | size=2199 | method=0 | timestamp=1766430767 | sha256=b63244d388ca2c584427263409c3fb76d48199e68d5e99adbef53fb9d3fb56c8

[0613] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZone.c | text/utf-8-sig | size=1091 | method=0 | timestamp=1727629827 | sha256=9b8859d883e241c56d094d72ea5279860954026dc6e0dc3f47b41cbbd558d77a

[0614] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZoneActor.c | text/utf-8-sig | size=4515 | method=0 | timestamp=1727629827 | sha256=118e25670d2310cbbc37a2a5f1599bf294ff10b399c40347108a29666810f16c4

[0615] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZoneCircle.c | text/utf-8-sig | size=1159 | method=0 | timestamp=1649713007 | sha256=2c8849ba5b83a173763636721378f9041aff6b6ae90855469333674e317ed7a

[0616] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZoneCylinder.c | text/utf-8-sig | size=1332 | method=0 | timestamp=1649713007 | sha256=86568227fa551e92a60829dbci1842fa905d42241dddf807d0285aa1136a922d21

[0617] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZonePolygon.c | text/utf-8-sig | size=2950 | method=0 | timestamp=1649713007 | sha256=f60d4a717a1d092169d652087a129406b7986aeaf14ae9565712a3bbca042f62

[0618] PBO=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZoneType.c | text/utf-8-sig | size=77 | method=0 | timestamp=1649701613 | sha256=aa7670e5ab3680bb69768cefe51f1420e5cd33712859611ff08b5d5482c1ca4e6
[0619] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ArrowManager\ArrowManagerPlayer.c | text/utf-8-sig | size=2340 | method=0 | timestamp=1763507331 | sha256=e4262aedc4088e191550899f1f6342816502058a6f7eb6e6deaba2e59ab892ed
[0620] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\BaseBuilding\Construction.c | text/utf-8-sig | size=4106 | method=0 | timestamp=1760094879 | sha256=2c7275ab28104276cbc9aaf514fc26888fb1762119672edf649ba30c29ad7df1
[0621] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\BleedingSources\BleedingSourcesManagerBase.c | text/utf-8-sig | size=571 | method=0 | timestamp=1695057122 | sha256=ebbf1ff32550d20e0c79486bf6b6dbec2da8a7bb04ee1fa494d9085e85a2b8a57
[0622] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\BleedingSources\BleedingSourcesManagerServer.c | text/utf-8-sig | size=1301 | method=0 | timestamp=1725988317 | sha256=d4b37a787d66c19b1df7646f46273d74e8bc01724fd5d62f68d9c3f36f1305b7
[0623] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Commands\ExpansionHumanCommand.c | text/utf-8-sig | size=5429 | method=0 | timestamp=1767620195 | sha256=119a88192c7ae90f3d5ce520014f0ff247571b50bdc94df529aad72cd8b1817e
[0624] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Commands\ExpansionHumanCommandScript.c | text/utf-8-sig | size=5328 | method=0 | timestamp=1764653113 | sha256=43e16c39dcea385efb90d4ffb1a904aab2a73da91a3f3ccf58c13820dc9175d6
[0625] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Commands\ExpansionHumanCommandVehicle.c | text/utf-8-sig | size=1351 | method=0 | timestamp=1778172001 | sha256=8e79e347d29a259be6c0540e304a06d757319953de2f2a23e659fa2951bbb47a
[0626] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Commands\ExpansionHumanST.c | text/utf-8-sig | size=15617 | method=0 | timestamp=1773156445 | sha256=d005447634fc05147bf84e50f9e1d98902a8573855cdf1570fc65499252011ba
[0627] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Environment\Environment.c | text/utf-8-sig | size=8656 | method=0 | timestamp=1755790753 | sha256=299e397f7bda7b852945ed9b66aa9700b15aba7726f2db54e2bca2f17bee4622
[0628] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionAttachmentHelper.c | text/utf-8-sig | size=2753 | method=0 | timestamp=1758201904 | sha256=756560a9c85b97582b6b02dc96f77106f3636c806dfe696275193501f1118fb6
[0629] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionEmoteManager.c | text/utf-8-sig | size=1069 | method=0 | timestamp=1695057122 | sha256=d3ab69619f713e4a29d6bcff91c22bade6d933656e9dafb1d34062098ed926b6
[0630] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionEntityStorage.c | text/utf-8-sig | size=40841 | method=0 | timestamp=1763507331 | sha256=ebb2173a30356ccc250aaae4ea0cbb441ae7f898c9ce89fef6d2c172ba073303
[0631] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionNetsyncData.c | text/utf-8-sig | size=4242 | method=0 | timestamp=1776958578 | sha256=a1d7f94d6e64a310f46881cf694fed2d165ffbb782a13e40e7bf4064c1684f1d
[0632] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionShape.c | text/utf-8-sig | size=5691 | method=0 | timestamp=1763507331 | sha256=33a9d20ad70a7c20acbc26d85f3f71df12e1b7ed3eec47e140a1f8af45d48259
[0633] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionVehicle.c | text/utf-8-sig | size=39309 | method=0 | timestamp=1777567281 | sha256=e11c6f337a7ae0b054fc09000f36ecd2811c6bdeff3ae91922f162c5e2aff35e
[0634] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionVehiclesStatic.c | text/utf-8-sig | size=1133 | method=0 | timestamp=1649713049 | sha256=bfa3ae4e33f447f11bc095cb3f7a084e0cf6611e3f342e1687b03344cff2b924
[0635] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionFSM.c | text/utf-8-sig | size=8075 | method=0 | timestamp=1769788421 | sha256=56b261522af58a1802d89bb537a39c0c53da9b46e31ebc7dfab5405ccla0a4c4
[0636] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionFSMType.c | text/utf-8-sig | size=8282 | method=0 | timestamp=1763507331 | sha256=3e650fba8c3d04b39de16c71bd938ddeeb9fe923948779c8e66739bb94fb41d3
[0637] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionState.c | text/utf-8-sig | size=1324 | method=0 | timestamp=1769788421 | sha256=079f6aceec58cd0fceb705234197ec32e69573e4772f95cd0738f7ad5c3c85a3
[0638] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionStateType.c | text/utf-8-sig | size=8020 | method=0 | timestamp=1760094879 | sha256=3b14c2b993fcd197503abe66e0e4c80936f10f735cdb01500dea7494c0fa917
[0639] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionTransition.c | text/utf-8-sig | size=681 | method=0 | timestamp=1695057122 | sha256=d29b1cdd58cd629219a54a0e01f75cfc4e32116b8d0b618cd2b03615580dfae
[0640] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionTransitionType.c | text/utf-8-sig | size=5458 | method=0 | timestamp=1760094879 | sha256=273afaf3620644ea6b6426be248db11dc15a027fb298e90ab1b9933b37f10ccd
[0641] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\JMAAnimRegister.c | text/utf-8-sig | size=1933 | method=0 | timestamp=1759531432 | sha256=395e7c0a3546ba9eecd8b6c1bbc5b825f6b6b410274d9497c6f89ebb585350f9
[0642] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Loadout\ExpansionLoadout.c | text/utf-8-sig | size=114731 | method=0 | timestamp=1770925484 | sha256=2a377ed1139d21140692b7472a8d2feadb39fe6e4965d1d8bf41098e9ad71dfd
[0643] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\MissionBaseWorld.c | text/utf-8-sig | size=573 | method=0 | timestamp=1758201904 | sha256=a52eb6feb66b45ea71c05c0fe27a9b24d6ded072a628c6d4299166a5df0db82c
[0644] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Permissions\PermissionsManager.c | text/utf-8-sig | size=2753 | method=0 | timestamp=1763507331 | sha256=d18cbd44b3a8b8ea14469b0efc9f4f718c50cc4d29e5a8e3da74c657d1b9e7cb
[0645] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerModifiers\Modifiers\Conditions\AreaExposure.c | text/utf-8-sig | size=721 | method=0 | timestamp=1695057122 | sha256=930f6c3a871dbf3620a0fd57c09efbe972f55a15a2f52b6561ab3fb3c525e027
[0646] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerModifiers\ModifiersManager.c | text/utf-8-sig | size=5508 | method=0 | timestamp=1742391793 | sha256=a642d8d0f5f158f810d774942312cedccf25b02c8fc3a3ee0bfff39b4f218509e
[0647] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerStats\PlayerStatBase.c | text/utf-8-sig | size=297 | method=0 | timestamp=1725988317 | sha256=549950898ab3a40e1b34ca19d9f6f4e615de13ae67fb0afa9fe5871d7ad0f4b7
[0648] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerStats\PlayerStats.c | text/utf-8-sig | size=445 | method=0 | timestamp=1763507331 | sha256=f346539c6d2aba600573314099f84c893a6ca7e5bf0e05b338b07f714be00425

[0649] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerStats\PlayerStatsPC0.c | text/utf-8-sig | size=855 | method=0 | timestamp=1725988317 | sha256=e070a4606334fa2d419981410033bc840c47768333d7666e52b2b17544ab4473

[0650] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerStomach\PlayerStomach.c | text/utf-8-sig | size=1593 | method=0 | timestamp=1758201904 | sha256=0c15a1988fd5638d9fa39abedb7e7298ad5417118ed0bf643b05a279bb54e70e

[0651] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerSymptoms\SymptomManager.c | text/utf-8-sig | size=1005 | method=0 | timestamp=1725988317 | sha256=e88a0258d6c54b3940fdeabb05749d922a2bc7df218ad10520e3d5e9abda93a9

[0652] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Prefab\ExpansionPrefab.c | text/utf-8-sig | size=2169 | method=0 | timestamp=1763507331 | sha256=75580e28d7ef6cf9499e6027fbce727f720f406ec2dc9454992b2ca3dff6c84f

[0653] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Prefab\ExpansionPrefabObject.c | text/utf-8-sig | size=15392 | method=0 | timestamp=1763507331 | sha256=4d61dccbf9d75efdbed0537fa2ed9fa0457a96ad14cleb497677f82ba8d68416

[0654] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Scene\ExpansionScene.c | text/utf-8-sig | size=114 | method=0 | timestamp=1656712594 | sha256=0e6b12c6e3195b1b7016d7e6817c0f956d261d70a862a2cf8f59ebc48d7a4025

[0655] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Scene\ExpansionSceneObject.c | text/utf-8-sig | size=270 | method=0 | timestamp=1755790753 | sha256=fe39e9a8e57de6bdc061a698bbcb9d8357b9389b605f8b1c7ae141aa4cd33f5

[0656] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\ExpansionDamageSystem.c | text/utf-8-sig | size=15846 | method=0 | timestamp=1763507331 | sha256=efd59a5b5a61f68245318d1d4d12955543e071fbca0e06d682c7f69d23a1525f

[0657] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\ExpansionItemBaseModule.c | text/utf-8-sig | size=7597 | method=0 | timestamp=1763507331 | sha256=86ffd30601db2bc9dc0c500fcf14fc8794915ab1069c21ea845de65d53f40da1

[0658] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Locator\ExpansionLocatorDeprecated.c | text/utf-8-sig | size=1464 | method=0 | timestamp=1740495396 | sha256=db250fb8a6ed28985ed08234b3e433d7e1531f9ee1bae4ca97e4ca97bc0a4f82

[0659] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Monitor\ExpansionMonitorModule.c | text/utf-8-sig | size=32872 | method=0 | timestamp=1763507331 | sha256=2d492d231f532538ff6b9e2ea88558c9295d6bf1236612621dfa4ee0aa32d6b8

[0660] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Monitor\ExpansionSyncedPlayerStats.c | text/utf-8-sig | size=4085 | method=0 | timestamp=1739896182 | sha256=9d367c9ffcf0112613114349ef820378f8d7b5ce33063ce4c4480151896ca9c7

[0661] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkin.c | text/utf-8-sig | size=703 | method=0 | timestamp=1743443311 | sha256=d6d33e11f5e389f65e0aabcd6c9b2aabdb4451f1faa307ad7f810dcabfba2833

[0662] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkinDamageZone.c | text/utf-8-sig | size=662 | method=0 | timestamp=1695057122 | sha256=97e16cb7392580011f8fc926bf8d404b458d481842b996ec168dffa7a162aa16

[0663] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkinHealthLevel.c | text/utf-8-sig | size=441 | method=0 | timestamp=1675371431 | sha256=bfb8f50c3691694823c9f655a944245e720c8946ea398cc34dbdf5270e44d14de

[0664] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkinHiddenSelection.c | text/utf-8-sig | size=475 | method=0 | timestamp=1675371431 | sha256=af3692ed1d961de97a8d57e68eebe48e9f27240ca130e68a79f56d271e39fbca

[0665] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkinModule.c | text/utf-8-sig | size=10179 | method=0 | timestamp=1763507331 | sha256=a2d2b82a6ba2a549db0f0b7259477f61f2b1ec63fabb487dda9b5f2b2c952eb8

[0666] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkins.c | text/utf-8-sig | size=2996 | method=0 | timestamp=1695057122 | sha256=5791d35f19bb0c9c7f6500fbc67df1087445b738184e62a786a716c139030939

[0667] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Zone\ExpansionZoneModule.c | text/utf-8-sig | size=3456 | method=0 | timestamp=1727629827 | sha256=80053ebe2339e67e605584631a5026bcfb5114b1f622d5f44ecc447f6f59704

[0668] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\TransmissionAgents\PlayerAgentPool.c | text/utf-8-sig | size=1510 | method=0 | timestamp=1758201904 | sha256=3a70a4f73fbcff940bca800b224a451fd33c0dc9fd8e30b492c732ac8a95db

[0669] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\ActionConstructor.c | text/utf-8-sig | size=968 | method=0 | timestamp=1726943237 | sha256=fe415886b2f7143690e5dddb0b8cf88941f664c15cb87ca0ced26ea6df99132e

[0670] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\ActionBase.c | text/utf-8-sig | size=1438 | method=0 | timestamp=1695057122 | sha256=eb3a6fc9ff72824ab91fbacd9063b71f2f7953001879b50e93bad1352e215e11f

[0671] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\ActionContinuousBase.c | text/utf-8-sig | size=1070 | method=0 | timestamp=1649713049 | sha256=c68860058d8cf4dead80339447122c6f94d9809362105c692ba2447d1dc662f2

[0672] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\AnimatedActionBase.c | text/utf-8-sig | size=605 | method=0 | timestamp=1649713049 | sha256=5ebblc0d7ea9c85c9f85ba89e4d9b12d851cd9e8359bea329e04cd1778584a09

[0673] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionActivateTrap.c | text/utf-8-sig | size=602 | method=0 | timestamp=1695057122 | sha256=ebd2c03019cddadfbf80f409aa1a41a0ef7f639098cf779f7d96c93cf999f188

[0674] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionArmExplosive.c | text/utf-8-sig | size=600 | method=0 | timestamp=1695057122 | sha256=a1fbc7bb0d19ad1e42695989fcc6eae7886cc1ffd96a5352c2f7a012a971297c

[0675] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionAttachExplosivesTrigger.c | text/utf-8-sig | size=622 | method=0 | timestamp=1695057122 | sha256=ee179a4dffeb2270f6ca92b7356633479b1a81fcd23e35e2c5012e4f21cdd055

[0676] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionBuildPart.c | text/utf-8-sig | size=594 | method=0 | timestamp=1709081347 | sha256=e284631f376b2f31cd88552e000ce81d04c32984d1a48abf64e71532db9469e

[0677] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionCoverHeadTarget.c | text/utf-8-sig | size=606 | method=0 | timestamp=1695057122 | sha256=d30e9f6af1ed2d7eef45a130256c76594686c751458b20edb6962c1860b80549

[0678] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionDigInStash.c | text/utf-8-sig | size=598 | method=0 | timestamp=1695057122 | sha256=7ff6d7f058d0901310b5454e042cd3b3476fc97fb2dc1466767acf6484cb4b4

[0679] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionDismantlePart.c | text/utf-8-sig | size=651 | method=0 | timestamp=1709081347 | sha256=b52738649f5a25053874476f99c997a564c9afeddf840bdec595adfcf8fce042

[0680] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionFoldBaseBuildingObject.c | text/utf-8-sig | size=620 | method=0 | timestamp=1695057122 | sha256=c302e05c914a29e20e64c5ef9be4974bdf29393e648859a926c2ffaab11d8571

[0681] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionForceConsume.c | text/utf-8-sig | size=726 | method=0 | timestamp=1695057122 | sha256=cee0f413b62e5c2aed16ee5cb26dc7306d43ec823f3e7925095d207e1dcf46a2

[0682] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionGagTarget.c | text/utf-8-sig | size=594 | method=0 | timestamp=1695057122 | sha256=ab54af0864f2d83f829ec9f0c15e637124e81b7f2a74345567ddfdb147ecf419

[0683] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionLockDoors.c | text/utf-8-sig | size=593 | method=0 | timestamp=1695057122 | sha256=8a2ab8b4ddf081a328052a46f9a0f54097f90a8e4c5e10e75a5af731571e52a6

[0684] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionMineBush.c | text/utf-8-sig | size=601 | method=0 | timestamp=1695057122 | sha256=8eda787e0f4afdde2fe582c921a22ead0736890a26c4d176d139c7a0b9b8e993

[0685] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionMineRock.c | text/utf-8-sig | size=601 | method=0 | timestamp=1695057122 | sha256=e2841bc6454caa6230fb8793b8cf11a6db12ada33102edd6a7c31152b97b344f

[0686] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionMineTree.c | text/utf-8-sig | size=592 | method=0 | timestamp=1695057122 | sha256=52429c63a190e37085414308edd3214a5d871811e2f4063975fbdd3a7b68d7f

[0687] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionPackTent.c | text/utf-8-sig | size=595 | method=0 | timestamp=1695057122 | sha256=342a5e846c351cdf1cf336a9b7afe84d229e24e9bacc4777b7941933565e4871

[0688] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionPushObject.c | text/utf-8-sig | size=605 | method=0 | timestamp=1758201904 | sha256=28449ef4c73fd046534a679ef750b65a904194f71432641310bae43alee749ad

[0689] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionRestrainSelf.c | text/utf-8-sig | size=601 | method=0 | timestamp=1748552916 | sha256=5afb966f9fc6055ae39226525c6ce21093ed19072b6a36965b650a20ea0113d7

[0690] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionRestrainTarget.c | text/utf-8-sig | size=678 | method=0 | timestamp=1695057122 | sha256=131a3c578be571cd39ec2b3c349609ae043aecbf7529a0904f7d98efcdff0225

[0691] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionShaveTarget.c | text/utf-8-sig | size=597 | method=0 | timestamp=1695057122 | sha256=d7b1040526a850c068462e58639dbcd91c3932f2189c1caeee51f9c8ff7f66ff

[0692] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionUnlockDoors.c | text/utf-8-sig | size=595 | method=0 | timestamp=1695057122 | sha256=78da30ea06dc3d182e392db9b034a099a8fed8889aedc699c3e547e12586b426

[0693] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionUnMountBarbedWire.c | text/utf-8-sig | size=609 | method=0 | timestamp=1709081347 | sha256=5de90c04f5d40c6c312946d1d2ef6abb54df5b3b413650ea44a936e4f99b29d2

[0694] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionUnrestrainTarget.c | text/utf-8-sig | size=620 | method=0 | timestamp=1695057122 | sha256=a59a54c530eb3c030668c26d562ae0a3b7ba25c66d0c852a8455a391b228dac

[0695] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionDebugLobotomize.c | text/utf-8-sig | size=3894 | method=0 | timestamp=1725988317 | sha256=b45bcc3141f144a515acb68549b75f6208cc15e1654c0e9c06633e3fe3127cb9

[0696] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionDebugStoreEntity.c | text/utf-8-sig | size=3372 | method=0 | timestamp=1775587036 | sha256=c2c624215315f3172b6e12863c449e79f22ea3901658a94b3733816cbc3f619f

[0697] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionPaint.c | text/utf-8-sig | size=3298 | method=0 | timestamp=1763507331 | sha256=ba047be6bd200f7a95351b9548e3f598384b3594e4ec3a8a0ef7243786e2802

[0698] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionPlaceDebugGoat.c | text/utf-8-sig | size=1109 | method=0 | timestamp=1763507331 | sha256=e7663d2f6667f6cb9d8eede6793b6054fe3dd4bf199c479173b8e51c6022eb33

[0699] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionRestoreEntity.c | text/utf-8-sig | size=5897 | method=0 | timestamp=1763507331 | sha256=7eb7e408775dc841317e8c68dda0417fb9f0ff26154bbbcdfeea06b8e7eda636

[0700] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionCheckPulseTarget.c | text/utf-8-sig | size=776 | method=0 | timestamp=1695057122 | sha256=681c6b6d180aa8ee72a43ee4e935c723ebba9f423d559564c3343ba31b263b2

[0701] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionCollectBloodTarget.c | text/utf-8-sig | size=740 | method=0 | timestamp=1695057122 | sha256=080c7927095b4621e30160be9def27c763a079e88ac8fb33f0c9dde12deb935

[0702] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionCollectSampleTarget.c | text/utf-8-sig | size=740 | method=0 | timestamp=1695057122 | sha256=217e25120a3cb55db4957353eb129ffe8984b0d93256eb9d566542f5e612261

[0703] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionDefibrilateTarget.c | text/utf-8-sig | size=736 | method=0 | timestamp=1695057122 | sha256=fdf524658bfc815f1e0c237c286alf18e8d8f4876554a738e27a44f32d9c067

[0704] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionGiveBloodTarget.c | text/utf-8-sig | size=732 | method=0 | timestamp=1695057122 | sha256=929f2226992c535d131497aa63ebbd3b2da32f6bba63005c6e887cab001a41db

[0705] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\ExpansionActionToolBase.c | text/utf-8-sig | size=5954 | method=0 | timestamp=1705534847 | sha256=cfc0135edfb7eb2aef72d6d618506852bf8cf41bac01cdf47fd01f4d3678170

[0706] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Interact\ActionFoldObject.c | text/utf-8-sig | size=598 | method=0 | timestamp=1695057122 | sha256=1f3003cc806e29a427d8b9850ab8802bfdfdd51677868eb6580fce4f3fe1874d

[0707] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionForceConsumeSingle.c | text/utf-8-sig | size=736 | method=0 | timestamp=1695057122 | sha256=6d920eb50931d5557e024dd50de9c30766e9b8a66b85ab3eb3e700cc5f5842ac

[0708] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionHandcuffTarget.c | text/utf-8-sig | size=602 | method=0 | timestamp=1695057122 | sha256=485b647e39009c6304c32d3269e1e426ce5815bf5edac3fd5f388f2ce49404de

[0709] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionTogglePlaceObject.c | text/utf-8-sig | size=611 | method=0 | timestamp=1695057122 | sha256=18f49926d2e84c4d7669ffc2cfecc99cf21b6833af8b1464d61e9663cf39207

[0710] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionTriggerRemotely.c | text/utf-8-sig | size=605 | method=0 | timestamp=1695057122 | sha256=cbe38bf75b966fe995870469a607b498ae8f1ac39af856f247ce0848bc62027c

[0711] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionUnpin.c | text/utf-8-sig | size=584 | method=0 | timestamp=1695057122 | sha256=108847838c79925ab4c880aedb0353284f541112a28a21d9f20fd8f47e28a5b4

[0712] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\Medical\ActionInjectTarget.c | text/utf-8-sig | size=726 | method=0 | timestamp=1695057122 | sha256=bd3d4046a4021e6ae276584dbf006810d6c6a7ac5ccdc1443afbfb16f18faeca5

[0713] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Classes\UserActionsComponent\ActionTargets.c | text/utf-8-sig | size=840 | method=0 | timestamp=1748958892 | sha256=09c9d114587d6f0dba0455c977fcce70e0205cbe6d70680384625107a11e0722

[0714] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Creatures\Animals\AnimalBase.c | text/utf-8-sig | size=6313 | method=0 | timestamp=1776958578 | sha256=a3cb59a53efd82a8ada709fc04691c8e0cbfd72539f443f957a977bbe1800ea

[0715] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Creatures\Infected\ZombieBase.c | text/utf-8-sig | size=6455 | method=0 | timestamp=1763507331 | sha256=98c371721ac287dbf9a97c2a43ee07954e6f2ba4a8d9626079f4a8f7141fc882

[0716] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\Buildings\BuildingBase.c | text/utf-8-sig | size=2068 | method=0 | timestamp=1735833939 | sha256=77678c66a886ab3ced8c6d58ed7f3bc9969a510077f80679b4b165dcc368409a

[0717] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\Collision\ExpansionBakedMapObject.c | text/utf-8-sig | size=688 | method=0 | timestamp=1763507331 | sha256=9d556dc37cbbd4a2ec23651ef9bcd17fb5ea9dca8f82de88cb2b1efdcc158b91

[0718] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\Collision\ExpansionLampLightBase.c | text/utf-8-sig | size=66 | method=0 | timestamp=1649713007 | sha256=72c0054b8d570895c4001538d8ed7401fba2d3c813bcb70e0aa520efd27fb9cf

[0719] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\Collision\ExpansionNavmeshCarver.c | text/utf-8-sig | size=2029 | method=0 | timestamp=1763507332 | sha256=2a94704a12235e224360c419e940466adbe4a83252e0ed639ea20c3fae92488b

[0720] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\Collision\ExpansionPhysicsStructure.c | text/utf-8-sig | size=3496 | method=0 | timestamp=1763507332 | sha256=20711bcf06245967968f626a91d6e79898a5782665b2b7569096e24fa05f84ea

[0721] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\Collision\ExpansionStaticMapObject.c | text/utf-8-sig | size=691 | method=0 | timestamp=1763507332 | sha256=83ef91db2d649afd0ddd93182234c503c6ebe6504d67a6786e923912782c4238

[0722] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\DayZPlayerImplementFallDamage.c | text/utf-8-sig | size=425 | method=0 | timestamp=1763507332 | sha256=70669e0875887cb00de688b77a4073c1683e840e4824e4be5a2c84f8f9fbde33

[0723] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ExpansionBaseBuilding.c | text/utf-8-sig | size=399 | method=0 | timestamp=1695057122 | sha256=6ec255c6aae2e2cce5ea04802183f95e593ac4500fab967f4441a947da761f5e

[0724] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ExpansionDebugObjects.c | text/utf-8-sig | size=3015 | method=0 | timestamp=1747942687 | sha256=1b247830ac3950959721e3966528ec0ebbe16769c0dac0314c21c7da89535804

[0725] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ExpansionEntityStoragePlaceholder.c | text/utf-8-sig | size=9401 | method=0 | timestamp=1763507332 | sha256=dd79b78cc575556a7b66ba446af8b6b72341b36985664b0f9ba07c146a384f8a

[0726] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ExplosivesBase.c | text/utf-8-sig | size=301 | method=0 | timestamp=1714754615 | sha256=f25a4648537aadf8182de2fc5c81fc05da5fa187d95eac9d8f51a05a06aa208a

[0727] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\Firearms\Expansion_LobotomyDartGun.c | text/utf-8-sig | size=1458 | method=0 | timestamp=1763507332 | sha256=1b009c07fcfalcdd192a06945f4393b7494310bcbdf4e9e6227a2clae71f4064

[0728] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\Firearms\FSM\States\WeaponStableState.c | text/utf-8-sig | size=1459 | method=0 | timestamp=1747002829 | sha256=1be78f37812e23682b2629ea52708a46f2d1557c6434c92c8830127a3794c04d

[0729] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\Firearms\Weapon_Base.c | text/utf-8-sig | size=14677 | method=0 | timestamp=1763507332 | sha256=74a7680803674315d8d90d63ee29e98f71075f4573b365e72621895213e05c98

[0730] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\Firearms\WeaponFSM.c | text/utf-8-sig | size=4728 | method=0 | timestamp=1762533241 | sha256=cd0d5d97890259c5c556c197cee66304105a277cee62c088319d54e706038d76

[0731] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\Grenade_Base\SmokeGrenadeBase.c | text/utf-8-sig | size=412 | method=0 | timestamp=1755864610 | sha256=c39c93c0ff130e9d937449f7678319fbc46a94e84e98f5530cf70eef2b59efcf

[0732] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase.c | text/utf-8-sig | size=49239 | method=0 | timestamp=1773675516 | sha256=aee226cf58b160133225dcc48e314e99b513a006bc33b3a1fd9a675b85bf999

[0733] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\BaseBuildingBase.c | text/utf-8-sig | size=985 | method=0 | timestamp=1763507332 | sha256=5a93497fa73cd512e3075b18bcd8ecb46eee721a3d71a1f6236e3159586c48b

[0734] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\BaseBuildingBase\Fence.c | text/utf-8-sig | size=315 | method=0 | timestamp=1760094879 | sha256=4cc9865125f11017646b35564c86e890188a499de4bace4d63f72b1923d3f258

[0735] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\BatteryCharger.c | text/utf-8-sig | size=339 | method=0 | timestamp=1729002072 | sha256=47edf8c1750027bfe70b2e7de385dd975a13e7e5a1cebfc3904a661e8fbdbe2

[0736] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\Blowtorch.c | text/utf-8-sig | size=174 | method=0 | timestamp=1729002072 | sha256=4449bbcd107e642824aac3cf63f0a84154a480db555924bed565c4694217a5

[0737] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\CattleProd.c | text/utf-8-sig | size=327 | method=0 | timestamp=1729002072 | sha256=2074499066df925996d1092b9baf6145b598a5524b522d61478adf006faae6af

[0738] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\ChemLight.c | text/utf-8-sig | size=354 | method=0 | timestamp=1729002072 | sha256=d782128eee3d011e6a9ac4c6f8180c27721b9067b885cbecaafe9c2ed31e352

[0739] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\Clothing\Armband_ColorBase.c | text/utf-8-sig | size=2047 | method=0 | timestamp=1696535995 | sha256=4b04ac3ce2b0ac785921bab9336a2327891f7231f730aed41239ada096a94476

[0740] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\Clothing_Base.c | text/utf-8-sig | size=1037 | method=0 | timestamp=1696535995 | sha256=36c1bc223097f4f7a4b7693daa056fbe0e2f07b62belac27ff00b1417d2a4929

[0741] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\Defibrillator.c | text/utf-8-sig | size=336 | method=0 | timestamp=1729002072 | sha256=664778b0a1a58651494accf3ff13ea81348962e591d8164dd293eacfbcb361e44

[0742] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\Edible_Base.c | text/utf-8-sig | size=6041 | method=0 | timestamp=1763507332 | sha256=c732a9d624e04ee83000b83ddb56d0fcf8d4865c52d3a27cb46d54618e54bcc9

[0743] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\ExpansionAdminChest.c | text/utf-8-sig | size=2384 | method=0 | timestamp=1763507332 | sha256=2ec0b049d3edd8e17dc2dc13baf438a25482beal1b2a45elaca757b8ba9bfdd44

[0744] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\ExpansionBriefcase.c | text/utf-8-sig | size=823 | method=0 | timestamp=1649713049 | sha256=ad327ca3a599e3a14c9617f754b60c1f325ea38fdb5c3a7363250696f77fb706

[0745] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\ExpansionCircuitBoardBase.c | text/utf-8-sig | size=820 | method=0 | timestamp=1716495855 | sha256=d16e61bf0d9bd56ff600df248b7ba9efdf318cccd949de6ca1e87724c4f2e008

[0746] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\ExpansionOwnedContainer.c | text/utf-8-sig | size=12666 | method=0 | timestamp=1763507332 | sha256=26d88799dc939aab96f674df8a972ab342c99ed3c30805f9134df58d0b12c1ce

[0747] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\ExpansionSpraycanBase.c | text/utf-8-sig | size=1638 | method=0 | timestamp=1695057122 | sha256=e9d6fe58d73f66939c84a3d233588d95145c7c06b66b2d6b99b0ae34clbccf2a

[0748] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\Flashlight.c | text/utf-8-sig | size=327 | method=0 | timestamp=1729002072 | sha256=7ea6b692b9a633a11e3b3041058f0ca92855d361dea0feale454b94e0483cb2e

[0749] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\Gear\Navigation\GPSReceiver.c | text/utf-8-sig | size=330 | method=0 | timestamp=1729002072 | sha256=2e3310cf43f1325a9861d0bd54be0b283c9626be556e53b1ba2b5cbea9424a51

[0750] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\Grenade_Base.c | text/utf-8-sig | size=172 | method=0 | timestamp=1729002072 | sha256=0db4c940f985f8d3a358e17c38462d4e054f3af060ea357f0a9e16ea3221b40e

[0751] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\Heatpack.c | text/utf-8-sig | size=321 | method=0 | timestamp=1729002072 | sha256=4e3cb36ad7ca57d182dae8a18f1981f80893cdf23c78e7e013c37f5a68a655b1

[0752] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\Magazine\AmmunitionPiles.c | text/utf-8-sig | size=733 | method=0 | timestamp=1721900186 | sha256=08ed7873a6eeb0bf824821631c0e384a74d6e522edb5a2b4ed52eb55cce50791

[0753] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\Magazine\Magazine.c | text/utf-8-sig | size=720 | method=0 | timestamp=1721900185 | sha256=8a5f5bd46c8563ce019b98cbb2c871eb0dc131788e1550711cbb21cf586159a2

[0754] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\Megaphone.c | text/utf-8-sig | size=324 | method=0 | timestamp=1729002072 | sha256=edcbf10b3634aec1c8f01bceb7ee37413f638c4e6d69312ad32450cf53c753e2

[0755] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\PortableGasLamp.c | text/utf-8-sig | size=342 | method=0 | timestamp=1729002072 | sha256=7c17f3da25fd5d2d96c9c43033fd4866661f3488e7588c830b61a8408548ff2b

[0756] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\PortableGasStove.c | text/utf-8-sig | size=188 | method=0 | timestamp=1729002072 | sha256=e96ecfd5dca65ec525419175907deb339182f2fc22dce9623dbaa2157899b32

[0757] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\PoweredOptic_Base.c | text/utf-8-sig | size=374 | method=0 | timestamp=1755790753 | sha256=d1814973ff2cbe650aefe395ba394ac221e973ee53a4f360d87a4e000e4554c2

[0758] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\PowerGenerator.c | text/utf-8-sig | size=351 | method=0 | timestamp=1729002072 | sha256=f69f9d19a004a1873f3f9d5ac6f080da271b0f9c4b1c3efccb078749a0780bfff1

[0759] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\Radio.c | text/utf-8-sig | size=166 | method=0 | timestamp=1729002072 | sha256=5a23f1316cecb3dfe1051678c8c07795051a1a8394f925e7dd8774a60b5b8c6

[0760] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\Rangefinder.c | text/utf-8-sig | size=330 | method=0 | timestamp=1729002072 | sha256=5753b1299fe2aa160dbfb54b20ca10baa2332f2a8b977f31263cfc3492818f4

[0761] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\Raycaster.c | text/utf-8-sig | size=324 | method=0 | timestamp=1729002072 | sha256=f6018d217f481ea24454b4e735b5f17b0bd5154eefc0d69038d11cf5b7bc1042

[0762] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\Refridgerator.c | text/utf-8-sig | size=336 | method=0 | timestamp=1729002072 | sha256=004b2b82478b9535d9cb6dc703f1a7c16373e0cb02a9da1873ec60ad8ba2bf99

[0763] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\Roadflare.c | text/utf-8-sig | size=324 | method=0 | timestamp=1729002072 | sha256=693854d7c72ecaa4e17d63bab9c9229819b412fc3f0aa920b21a567610fd2647a

[0764] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\Spotlight.c | text/utf-8-sig | size=324 | method=0 | timestamp=1729002072 | sha256=b544af9e2d85249714daf5dec18f3c4a6f5007990b93586915b8c90f8c3820da

[0765] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\StunBaton.c | text/utf-8-sig | size=324 | method=0 | timestamp=1729002072 | sha256=7dca289059b271a650ebd719299501189d0bb7a38d855d3ad435db3a50f3c7be

[0766] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\Switchable_Base\TLRLight.c | text/utf-8-sig | size=321 | method=0 | timestamp=1729002072 | sha256=922dc6ff0bc994e64cab3b54d2124163538a044e346cec56e8cbd14ccle4a5dc

[0767] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\Switchable_Base\UniversalLight.c | text/utf-8-sig | size=339 | method=0 | timestamp=1729002072 | sha256=950fa02b733c8b5b11f21275d72108f6a54acbbb51f7e238cc4946958253340a

[0768] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\Torch.c | text/utf-8-sig | size=312 | method=0 | timestamp=1729002072 | sha256=11a3a9659c2929bc5b366454d38962f6cae3c5b583c2942dc3764eb05d6ae398

[0769] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\TransmitterBase.c | text/utf-8-sig | size=342 | method=0 | timestamp=1729002072 | sha256=4ebl1a0372e98f73b9b276bdad30644102af40d46f1e5c4432ed446212cc2a025

[0770] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ItemBase\XmasLights.c | text/utf-8-sig | size=327 | method=0 | timestamp=1729002072 | sha256=927b5003989d7016bab67e7910a10b36d4d020b0ab2ea7a0b36a6ed809f8a34e

[0771] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ManBase\DayZPlayer\DayZPlayerMeleeFightLogic_LightHeavy.c | text/utf-8-sig | size=1031 | method=0 | timestamp=1758201904 | sha256=fd2c496140ddcd085e9f32e75641991c0ab12f4a8963383ff44461c3daf49749

[0772] PBO=core pbo files expan/core_scripts.pbo :: 4 World\DayZExpansion_Core\Entities\ManBase\DayZPlayerImplement.c | text/utf-8-sig | size=17975 | method=0 | timestamp=1769788421 | sha256=a0e3466a7ee7699259b87d892f526edacaa4cb17958e21354bbccdd57f782cdaa

[0773] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayerImplementJumpClimb.c | text/utf-8-sig | size=1167 | method=0 | timestamp=1767475136 | sha256=0ed9a1cc7114c17652053a615c1b5d1675d76bc771cc29f484b7375d925f1a81

[0774] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayerImplementThrowing.c | text/utf-8-sig | size=1024 | method=0 | timestamp=1695057122 | sha256=607407f9b15551fb8cee5110e41e8169c52bfcca2dedd6d9fe2204e38cdb2c5

[0775] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayerSyncJunctures.c | text/utf-8-sig | size=1446 | method=0 | timestamp=1749751919 | sha256=34826a30329450114435715c7d67daf75539f446008932b247623d18a364fb4a

[0776] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\ExpansionNotPlayerBase.c | text/utf-8-sig | size=18694 | method=0 | timestamp=1763507332 | sha256=b61fe123b9fcd82a401c048ff99279e87d19971490977c6187891887325830c

[0777] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\ExpansionNPCBase.c | text/utf-8-sig | size=2751 | method=0 | timestamp=1763507332 | sha256=3f45ceebb22f8c927eb7511856f6f73c46c95d1ce4cda30718f6cf104bd58103

[0778] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\PlayerBase.c | text/utf-8-sig | size=38620 | method=0 | timestamp=1763507332 | sha256=ecb3b940a9908792d436ad6649ed7d0db7c92083eb887248850148949ba1becd

[0779] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Players\Cameras\DayZPlayerCamera3rdPerson.c | text/utf-8-sig | size=851 | method=0 | timestamp=1743003591 | sha256=46107fbf10cc43f017c4fe1ffa5c710734f4c8d7176ba27db0222cfa523487c

[0780] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Players\Cameras\DayZPlayerCameraBase.c | text/utf-8-sig | size=1307 | method=0 | timestamp=1743003591 | sha256=3719aa1197f81410bc4a5d035f21510f85a1c37e02418b7579d2cfb29dd5b7aa

[0781] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\TrapBase.c | text/utf-8-sig | size=97 | method=0 | timestamp=1714754615 | sha256=111bfb284ae398c146e4b887ebe7cf7e38fa5e11540ec41e2f2c9425b30c722e

[0782] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\TrapBase\Trap_Bear.c | text/utf-8-sig | size=184 | method=0 | timestamp=1714754615 | sha256=5aa0924d4345a7ec01b41c8c72140742bbe7d155e6b566c3b044abc2e44f6606

[0783] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\TrapBase\Trap_LandMine.c | text/utf-8-sig | size=153 | method=0 | timestamp=1714754615 | sha256=2a82ffd869e40cc8ee42dd40c9851e74abe05f91fb825c243bb6ba12c5ea987b

[0784] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\TrapBase\Trap_Tripwire.c | text/utf-8-sig | size=1085 | method=0 | timestamp=1714754615 | sha256=88375a116d8cfe97cad2170aa282dcc105e98fa9b2c4dad35cc0324fbc313042

[0785] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Vehicles\BoatScript.c | text/utf-8-sig | size=7186 | method=0 | timestamp=1774285677 | sha256=4be2e307fa01cc028512b98ae6e25c9fb0a07b9df63dee34dd1bbf5d8e99befa

[0786] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Vehicles\CarScript.c | text/utf-8-sig | size=12388 | method=0 | timestamp=1774285677 | sha256=6adc5b803558049e14413752f077a45ca5968854cbf50fe22544adfe83b6af8c

[0787] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\ExpansionObjectSet.c | text/utf-8-sig | size=1326 | method=0 | timestamp=1763507332 | sha256=c5d3e07e88a177019eef09ad2d6210c2c556197b95a1599085207cd3ef753b76

[0788] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\ExpansionStaticObjectBase.c | text/utf-8-sig | size=605 | method=0 | timestamp=1695057122 | sha256=e7684b9e6bfb04d87a6648eff3d69c2d7a4880aa08de54ec83f460cfcf0d3e5c

[0789] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\ExpansionWorld.c | text/utf-8-sig | size=13398 | method=0 | timestamp=1763507332 | sha256=354ce679084fd4c24af17ef8269b20de8d8455625d503d77165d5144222288

[0790] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\ExpansionWorldObjectsModule.c | text/utf-8-sig | size=27526 | method=0 | timestamp=1776958578 | sha256=f34df624638b42470a964fe47a843d3f67ed1b822ea74d3099ed0acce19a290

[0791] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Lights\ExpansionBlinkLight.c | text/utf-8-sig | size=519 | method=0 | timestamp=1721900185 | sha256=7aab194218ecdd772c5849c0eae4ef9ae3f9c47218276e70f85fb96004d7f6d6

[0792] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Lights\ExpansionLighthouseLampLight.c | text/utf-8-sig | size=1417 | method=0 | timestamp=1709237713 | sha256=3e8ebd067287adclbe7059d49c642786a34567fa3ab78c840cd783b2516f2f62

[0793] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Lights\ExpansionPointLight.c | text/utf-8-sig | size=1563 | method=0 | timestamp=1721900185 | sha256=ef226b528cf0e1522e9bda217bb09beb096981a53d9d0e23f6d63a79225ca6b0

[0794] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Lights\ExpansionStreetLight.c | text/utf-8-sig | size=1457 | method=0 | timestamp=1695057122 | sha256=6ed799d8ae14bb4f194b8f95fe160d5601678b5dc63b965ea452256b01314aa0

[0795] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Static\ExpansionItemSpawnHelper.c | text/utf-8-sig | size=26147 | method=0 | timestamp=1763507332 | sha256=095c97a6a4ebc121cddb89d8048233a8c3d34cd447fb4d4ef896a1012126fd6a2

[0796] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Static\ExpansionTransferInventory.c | text/utf-8-sig | size=4483 | method=0 | timestamp=1763507332 | sha256=333420fa48aacd016057e7c0d74c30518257341d7bdb237b7199808a39d61eb6

[0797] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Static\MiscGameplayFunctions.c | text/utf-8-sig | size=9515 | method=0 | timestamp=1764865388 | sha256=6ca457bc22dc6c7ccb1c7c463cc0d003d545fb6f42e4491f7e7ce2efb22066a6

[0798] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\ExpansionInventoryTools.c | text/utf-8-sig | size=13241 | method=0 | timestamp=1762533241 | sha256=f97b7b8ae1ecf33cc9de688990dc29b2a9860707ca7482a155e837165cc3eb60

[0799] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\Loot\ExpansionLootSpawner.c | text/utf-8-sig | size=8235 | method=0 | timestamp=1763507332 | sha256=9315a215b3cb9dccc40c87974f2886a7a1fb68aa42b0f45dd2d5a5bf2903fa3c

[0800] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\Notifications\ExpansionNotificationHUD.c | text/utf-8-sig | size=6738 | method=0 | timestamp=1743003591 | sha256=c8e7f099bd326d6a5348c3bd1b2b409905d903dc3860950ad40a3ece9c0737a9

[0801] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\Notifications\ExpansionNotificationModule.c | text/utf-8-sig | size=8214 | method=0 | timestamp=1763507332 | sha256=6724c60e6a6e814c2805973464092f29001f481d01bf059e4c536bed000089f6

[0802] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\Notifications\ExpansionNotificationView.c | text/utf-8-sig | size=9777 | method=0 | timestamp=1763507332 | sha256=14248a86ea8271bbae6d9d1fe8a07ff241596904fbf9fe65b76ef5c3d62a8c16

[0803] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Classes\Modules\ESP\ExpansionESPModificationModule.c | text/utf-8-sig | size=1008 | method=0 | timestamp=1698961241 | sha256=b1fd2f815738076f75d8b426bde1619ec31eb810c6459d047192330f4fce8359

[0804] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Classes\Modules\ExpansionClientSettingsModule.c | text/utf-8-sig | size=992 | method=0 | timestamp=1758201904 | sha256=3acbe5f5bd3bb622228c7e713ac30de51869ee4d8effcefa9a86bbcb06cf8c9c

[0805] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Classes\Modules\JModuleConstructor.c | text/utf-8-sig | size=612 | method=0 | timestamp=1656712594 | sha256=03d63e7cd42a5698a79fa5d8571805faa24d314b45423f15882234295alf5a16

[0806] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\DayZExpansion.c | text/utf-8-sig | size=3226 | method=0 | timestamp=1763507332 | sha256=3c2970b9cb757e77a2ad6434676f6a68805aad643456c44994b6a5e3180eda12

[0807] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\ExpansionMapMarkerPlayerArrow.c | text/utf-8-sig | size=2520 | method=0 | timestamp=1763507332 | sha256=4a97500c27b306d389fc4e5ab828e9d3fd7aed05641ce6053e03740828b1e9fa

[0808] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\ExpansionMapWidgetBase.c | text/utf-8-sig | size=7192 | method=0 | timestamp=1766934424 | sha256=491a7c32cab429c7c3c846c78a7a97b5a8f4f5f7e6bd96a6106d95fc85b45960

[0809] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\ActionTargetsCursor.c | text/utf-8-sig | size=994 | method=0 | timestamp=1743003591 | sha256=1840790fe85488acfa72a65e43d32aa76f837b56e8589fc8e62251a8ff6b02c5

[0810] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\CharacterCreation\CharacterCreationMenu.c | text/utf-8-sig | size=507 | method=0 | timestamp=1695057122 | sha256=f59148368764d2637249d96a42240d396d93153886213e2cc627c318019c9d5d

[0811] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\DebugMonitor.c | text/utf-8-sig | size=461 | method=0 | timestamp=1762533241 | sha256=d4fd62dac9505661a561621a3aa42ca9529851d5aa7786e61866f813c04e0bb7

[0812] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\IngameHud.c | text/utf-8-sig | size=1988 | method=0 | timestamp=1763507332 | sha256=e5a14780fa01396c38c4b25b4bd119699c5f182527c2f806355939322475637

[0813] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\IngameHudVisibility.c | text/utf-8-sig | size=138 | method=0 | timestamp=1758201904 | sha256=2716c15c3134db24a2c30ffadcd122e6d7c1e56563b58053702736736157aa900

[0814] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\InGameMenu.c | text/utf-8-sig | size=1421 | method=0 | timestamp=1695057122 | sha256=e0825c9067a9f9e71e7a79dcb695a30cceb32534b4ff3649e5da9c64a35eb552

[0815] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\InspectMenuNew.c | text/utf-8-sig | size=3325 | method=0 | timestamp=1725988317 | sha256=5fa6046ade62a54a3cb13a3d1b67bf3bc76d2cc507a406f43f700abff15501c8

[0816] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\InventoryNew\ExpansionTidyPanel.c | text/utf-8-sig | size=4510 | method=0 | timestamp=1763507332 | sha256=cb05d4084c7ebf322cedf12856ea5c8181899ffa788cf529f2c58444b2e8713

[0817] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\InventoryNew\Inherited\ContainerWithCargoAndAttachments.c | text/utf-8-sig | size=996 | method=0 | timestamp=1649713007 | sha256=057c27145c87ach1c5485494e5131a2f569cc2b67734f0a175bd638dbf795aa7

[0818] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\ItemActionsWidget.c | text/utf-8-sig | size=291 | method=0 | timestamp=1725988317 | sha256=cfc68e4182919709dcccdbele75a759ef35948b14f4409efbc0e7255e4c75bc9

[0819] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\KeybindingsMenu\KeybindingsMenu.c | text/utf-8-sig | size=627 | method=0 | timestamp=1695057122 | sha256=1bf3403a97d3b5b3cc04dadd76c61400f3481d0bba64f4f9043eead1d089a41b

[0820] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\MainMenu\MainMenu.c | text/utf-8-sig | size=624 | method=0 | timestamp=1695057122 | sha256=df2b47b6b4f3d1c8291353ec373fafecbcbfb120b8d8e5bb784132767ad21ccf0

[0821] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\Options\ExpansionOptionSettingWidget.c | text/utf-8-sig | size=8303 | method=0 | timestamp=1771689824 | sha256=83dfa5e7fc7f151c97e11910b9392220ac508edc0fce382a019569a4c73fa7369

[0822] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\Options\OptionSelectorSlider.c | text/utf-8-sig | size=106 | method=0 | timestamp=1771689805 | sha256=11cf75cc4630c363d3750e7e35ee5c74d24dfd8b4fa772717cd0a70abe5feffb

[0823] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\Options\OptionsMenu.c | text/utf-8-sig | size=1251 | method=0 | timestamp=1740617285 | sha256=3112edb6fefcee8eebc84c1616a5a598df0a9a4598e65792315abacb2966388a

[0824] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\Options\OptionsMenuExpansion.c | text/utf-8-sig | size=6712 | method=0 | timestamp=1763507332 | sha256=7064ee40caddff686318c61d55cb47d5d7ea75c7e59812da8d1414030d03bcc9

[0825] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\OptionSelectorMultistate.c | text/utf-8-sig | size=468 | method=0 | timestamp=1649713007 | sha256=5bf446437db38fb19f0108651e5267ce963c3c1771e210fbc24fdbf16d19ce23

[0826] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\TabberPrefab\TabberUI.c | text/utf-8-sig | size=1099 | method=0 | timestamp=1763507332 | sha256=3fc46185982f532fc5f9b79bf82e3637bc9b86868ae5b95a9ab2a05003de113f

[0827] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Mission\MissionBase.c | text/utf-8-sig | size=1581 | method=0 | timestamp=1763507332 | sha256=32573fcc48f6635cdb9c5a9ca5344f702cc8b5dedbf7580a13650b465974e814f

[0828] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Mission\MissionGameplay.c | text/utf-8-sig | size=8917 | method=0 | timestamp=1775587036 | sha256=4645c12a821f16ac3745609ac05b6e51bd9866a83ad848f8cd972e4ad1db8588

[0829] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Mission\MissionMainMenu.c | text/utf-8-sig | size=450 | method=0 | timestamp=1748800555 | sha256=08f6fc8db015e041c30207ebd73a64a8e216c5171e71d92612c4bb9783e71672

[0830] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Mission\MissionServer.c | text/utf-8-sig | size=9222 | method=0 | timestamp=1763507332 | sha256=32c1a6fbcd8f912e239daff0f3860da2943b627523764d39e23caaca25f58eec

[0831] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptView.c | text/utf-8-sig | size=1303 | method=0 | timestamp=1758218077 | sha256=25e480844dc6d0f643ea706eaa98f40091b564f54d2aeb9b89f280659b25eca

[0832] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptViewMenu.c | text/utf-8-sig | size=3899 | method=0 | timestamp=1763507332 | sha256=69621093c9cfd79c92ada50a743e6833c3d23c7ecb9ad0c3ce0063dd2ce0abe8

[0833] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\Buttons\ExpansionDialogButton_Text.c | text/utf-8-sig | size=1580 | method=0 | timestamp=1743003591 | sha256=246b71640c96ba6f66903df756a8c2f2c6e05cac7bf36162bfe7d9546df7ea06

[0834] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\Content\ExpansionDialogContent_Editbox.c | text/utf-8-sig | size=1324 | method=0 | timestamp=1743003591 | sha256=190e07c31c348947d71db09f8fe4c00ea0e995aaab8a387413ccf7e3d8ba2fca

[0835] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\Content\ExpansionDialogContent_Text.c | text/utf-8-sig | size=1451 | method=0 | timestamp=1743003591 | sha256=dee27a2f7d3481b7e6836122a526cd70e7696908a5ece4162dac2d52b16025e0

[0836] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\Content\ExpansionDialogContent_WrapSpacer.c | text/utf-8-sig | size=2584 | method=0 | timestamp=1743003591 | sha256=127ecfef4311lc62c323617fdcca54a96723953e122a6fee8a72fd09fd0eae0ba

[0837] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\ExpansionDialogBase.c | text/utf-8-sig | size=3406 | method=0 | timestamp=1743003591 | sha256=cd3fc7e6d0ea9ded53bf21566eb474aabfbfd69c9841e1fb7ddacaa0aa649243e

[0838] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\ExpansionItemInspection.c | text/utf-8-sig | size=21205 | method=0 | timestamp=1763507332 | sha256=aelce527f4b19363a078063cc079934d6f4b49e866c6635cfa80038elf02e904

[0839] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\ExpansionItemTooltip.c | text/utf-8-sig | size=6321 | method=0 | timestamp=1743003591 | sha256=fa6936853938724dd75049dbbe820998f67861alc1a7bff90769f8f593a55872

[0840] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\ExpansionPlayerPreview.c | text/utf-8-sig | size=9689 | method=0 | timestamp=1763507332 | sha256=786eb0711ld9eaecall86a35f41aed8bf7c1e1b7161dcfaf4674fc87511460e6

[0841] PBO=core pbo files expan/core_scripts.pbo :: config.bin | binary | size=2391 | method=0 | timestamp=1778172997 | sha256=5a030fa272963c7dea449803a2f9b0b7972e242efdbbbf3a1fa677d6fe837f3e

[0842] PBO=core pbo files expan/core_scripts.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1649701613 | sha256=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0843] PBO=core pbo files expan/core_scripts.pbo :: Data\Credits.json | text/utf-8-sig | size=11828 | method=0 | timestamp=1756725647 | sha256=665f9d5db6af97cc2b785ae197f739266f2b84ca71251cc634b78327fc88cf8d

[0844] PBO=core pbo files expan/core_stub.pbo :: config.bin | binary | size=187 | method=0 | timestamp=1663959067 | sha256=4f7cdb75993d7e9765829ab109cad747971be6a362fa30b5f26ca36bba8f90dd

[0845] PBO=core pbo files expan/core_stub.pbo :: config.bin | binary | size=187 | method=0 | timestamp=1663959068 | sha256=4f7cdb75993d7e9765829ab109cad747971be6a362fa30b5f26ca36bba8f90dd

[0846] PBO=core pbo files expan/core_stub.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1663958720 | sha256=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca49591b7852b855

[0847] PBO=core pbo files expan/definetest.pbo :: 5_Mission\Mission.c | text/utf-8-sig | size=3376 | method=0 | timestamp=1763503732 | sha256=9db26514b34ee9be28d62d9a4a573181d01caaa06451132d05ba3c5214ef523f

[0848] PBO=core pbo files expan/definetest.pbo :: config.bin | binary | size=785 | method=0 | timestamp=1763504440 | sha256=149e8416eebbfb8c458b459e206ce3136b39c1b9dabce6957207fa1ae472aa48

[0849] PBO=core pbo files expan/definetest.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1656708994 | sha256=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0850] PBO=core pbo files expan/dta_core.pbo :: cone.p3d | binary | size=2561 | method=0 | timestamp=1711657715 | sha256=d8449874485fdfa3fec4fec71382a99ae86d35cd773117aa6e9b7642047a34ea

[0851] PBO=core pbo files expan/dta_core.pbo :: coneSmall.p3d | binary | size=2561 | method=0 | timestamp=1711657715 | sha256=20044ca0a48532f6eff99fbdd96dc9db9f40a593dc5c3109ebae8f987ec1907b9

[0852] PBO=core pbo files expan/dta_core.pbo :: config.bin | binary | size=12870 | method=0 | timestamp=1711657713 | sha256=af19682c74ba22c9e975ffed32f2b356b95a33fb40bd10bf2ff649142800918d

[0853] PBO=core pbo files expan/dta_core.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1663955121 | sha256=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0854] PBO=core pbo files expan/dta_game.pbo :: config.bin | binary | size=1569 | method=0 | timestamp=1713468534 | sha256=7b69ed27a13486c8e6e006a8bb3b62f9fb466882ffd87b9c86e630540d737584

[0855] PBO=core pbo files expan/dta_game.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1663958721 | sha256=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0856] PBO=core pbo files expan/languagecore_core.pbo :: config.bin | binary | size=148 | method=0 | timestamp=1773698004 | sha256=2895b9c4ec7b130143e89946a89a50f2ad74191d7e8f2cbe90dd2122aecdaddb

[0857] PBO=core pbo files expan/languagecore_core.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1649698102 | sha256=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0858] PBO=core pbo files expan/languagecore_core.pbo :: stringtable.csv | text/utf-8-sig | size=203556 | method=0 | timestamp=1773667257 | sha256=58531d4b2eb3efc17caf2d3865ed7b268eb849b3b711c9cd66707dae8b7a6887

[0859] PBO=core pbo files expan/modstorage_scripts.pbo :: config.bin | binary | size=1220 | method=0 | timestamp=1741617038 | sha256=277a516f761b4f38a6b730e2c2963cc81fd54d45fe9fc6aa87eae20e8d42bb0c

[0860] PBO=core pbo files expan/modstorage_scripts.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1649709409 | sha256=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0861] PBO=core pbo files expan/notificationscheduler_scripts.pbo :: 3_Game\DayZExpansion_NotificationScheduler\Expansion_NotificationScheduler_Constants.c | text/utf-8-sig | size=497 | method=0 | timestamp=1649709409 | sha256=09fe8a913bbdd1904f4cc05b2ded057bf9f5dee244ce53db3eb61ec4332ce9f5

[0862] PBO=core pbo files expan/notificationscheduler_scripts.pbo :: 3_Game\DayZExpansion_NotificationScheduler\ExpansionNotificationSchedulerModule.c | text/utf-8-sig | size=2810 | method=0 | timestamp=1763503734 | sha256=ed6dcd26af2312807789e00973f78158991f86b8a0d2f13a8c32f12c6299983f

[0863] PBO=core pbo files expan/notificationscheduler_scripts.pbo :: 3_Game\DayZExpansion_NotificationScheduler\ExpansionNotificationSchedulerSettings.c | text/utf-8-sig | size=4724 | method=0 | timestamp=1695053527 | sha256=afe3cf6540c548019b31af2b407bb09155ff4a6a25b091eae6686fd42233f840

[0864] PBO=core pbo files expan/notificationscheduler_scripts.pbo :: 3_Game\DayZExpansion_NotificationScheduler\ExpansionSettings.c | text/utf-8-sig | size=877 | method=0 | timestamp=1695053527 | sha256=fa7ce8092f254e621bbf4139270bcf20c9ab5fdffdd919fb6043ea6b6805341fb

[0865] PBO=core pbo files expan/notificationscheduler_scripts.pbo :: config.bin | binary | size=1666 | method=0 | timestamp=1763504481 | sha256=940a815fa4f80891229c8f7860dc30306f1e425cc574f191d62f6aef2704438e

[0866] PBO=core pbo files expan/notificationscheduler_scripts.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1649709409 | sha256=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0867] PBO=core pbo files expan/objects_gear_spraycans.pbo :: config.bin | binary | size=677 | method=0 | timestamp=1676072011 | sha256=7f4f91e8fc14b4d7fa18a83d74f72e04da019a792317928fb118be44b7097bee

[0868] PBO=core pbo files expan/objects_gear_spraycans.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1663955134 | sha256=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0869] PBO=core pbo files expan/objects_gear_spraycans.pbo :: data\spraycan_blue_co.paa | binary | size=539734 | method=0 | timestamp=1663955134 | sha256=ce23d82e1043bc449e08318d9acf72eb79d5fd963673a516148b6d57bcf07f6d

[0870] PBO=core pbo files expan/objects_gear_spraycans.pbo :: data\spraycan_camo_co.paa | binary | size=561086 | method=0 | timestamp=1663955134 | sha256=506cd28dfd5f586abc1312d1c426db69fe23933293670002d57ddce6ffcc7547ca

[0871] PBO=core pbo files expan/objects_gear_spraycans.pbo :: data\spraycan_clean_co.paa | binary | size=570819 | method=0 | timestamp=1663955134 | sha256=da06d237cf57df83f8e1d8bcd44acb73b28d48ade0757ca0d32e216f130774c5

[0872] PBO=core pbo files expan/objects_gear_spraycans.pbo :: data\spraycan_engraved_co.paa | binary | size=555503 | method=0 | timestamp=1663955134 | sha256=70616c385bca88ffb920b9b9e79fba9823a6b69ef2adf8527e2037c1ddfb8853

[0873] PBO=core pbo files expan/objects_gear_spraycans.pbo :: data\spraycan_grey_co.paa | binary | size=537568 | method=0 | timestamp=1663955134 | sha256=61e4b59bb2e87155524f63a6479ae5a9b3a70807b50570a90ab6c3cd23c60a48

[0874] PBO=core pbo files expan/objects_gear_spraycans.pbo :: data\spraycan_orange_co.paa | binary | size=537605 | method=0 | timestamp=1663955134 | sha256=f4137501d78b9a51e39d3b2681e7d9eaa54025ed079c6432636ffad2a5f348e1

[0875] PBO=core pbo files expan/objects_gear_spraycans.pbo :: data\spraycan_pink_co.paa | binary | size=537570 | method=0 | timestamp=1663955134 | sha256=7cc0174675705f9bf8cf031edbce64e1a7d477152ef3a49d621f90168bfb8ba9

[0876] PBO=core pbo files expan/objects_gear_spraycans.pbo :: data\spraycan_red_co.paa | binary | size=541711 | method=0 | timestamp=1663955134 | sha256=1eafe4eddf4b7066c0b4f4ab42321bdeee2f1b35adb33ac84291cfb1370c607f

[0877] PBO=core pbo files expan/objects_gear_spraycans.pbo :: data\spraycan_white_co.paa | binary | size=541628 | method=0 | timestamp=1663955134 | sha256=b76926b066a983e31e644cc64021879f8cad4b0162ec4cdc97c1a4ddd4b98f1a

[0878] PBO=core pbo files expan/objects_gear_spraycans.pbo :: data\spraycan_wine_co.paa | binary | size=558881 | method=0 | timestamp=1663955134 | sha256=07253850a2abee5111f69b8289cf269f81620f7cb7da75b554e2f9696f46c3f

[0879] PBO=core pbo files expan/objects_gear_spraycans.pbo :: data\spraycan_yellow_co.paa | binary | size=543581 | method=0 | timestamp=1663955134 | sha256=128f8f70d54846cd b37a51c77f954be56716d87266d9999d3fc4d5d9ded657ff

[0880] PBO=core pbo files expan/objects_structures_debug.pbo :: config.bin | binary | size=13653 | method=0 | timestamp=1743443868 | sha256=d6d829eab896108e2e1b7ac0deea65f78ed6aef4c0b075db10e8cafd0362dd0

[0881] PBO=core pbo files expan/objects_structures_debug.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1649713009 | sha256=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0882] PBO=core pbo files expan/objects_structures_debug.pbo :: DebugArrow.p3d | binary | size=3183 | method=0 | timestamp=1743443874 | sha256=1b5534611518195d20b6bbb1754e86eaa6fd387a285e9489c87fa5355b02ca6b

[0883] PBO=core pbo files expan/objects_structures_debug.pbo :: DebugBox.p3d | binary | size=1432 | method=0 | timestamp=1743443874 | sha256=158760dd1d5f782b4580ebbc9926abe2c7cdfa4f540ff757c9e2ef06d3160a5d

[0884] PBO=core pbo files expan/objects_structures_debug.pbo :: DebugCube.p3d | binary | size=1433 | method=0 | timestamp=1743443874 | sha256=7d742dab6599829963ceff3b784172b5fc25e9df239f4248e942a208e3296501

[0885] PBO=core pbo files expan/objects_structures_debug.pbo :: DebugCylinder.p3d | binary | size=5284 | method=0 | timestamp=1743443874 | sha256=3ff98a62b3a314477a6833c8a27c82232e470374af22b50a4e9d025fbae823e2

[0886] PBO=core pbo files expan/objects_structures_debug.pbo :: DebugGoat.p3d | binary | size=2908 | method=0 | timestamp=1743443874 | sha256=5c7e172decdd55dcb182d84d143a0c69eeae79a51e3c8b04c9b2958bf956bf7c

[0887] PBO=core pbo files expan/objects_structures_debug.pbo :: DebugLine.p3d | binary | size=1637 | method=0 | timestamp=1743443874 | sha256=bd47d8d685b843421a2895eef31d12fd576cf2d4938de4a9ede028f0974cbdf7

[0888] PBO=core pbo files expan/objects_structures_debug.pbo :: DebugNoticeMe.p3d | binary | size=2523 | method=0 | timestamp=1743443874 | sha256=7efa3b2335ad94bf094e35e0d9059bcc91ac9614518eeb43175b875930f05a58

[0889] PBO=core pbo files expan/objects_structures_debug.pbo :: DebugRod.p3d | binary | size=1432 | method=0 | timestamp=1743443874 | sha256=2a12dad56824d656ef13049fe04e50ff7aedc22e208c9481d44b2eb784e6215c

[0890] PBO=core pbo files expan/objects_structures_debug.pbo :: DebugRodBig.p3d | binary | size=1435 | method=0 | timestamp=1743443874 | sha256=d404254a175c61b186dbb098569e414b60047979d2f849e27d4168afd22bc038

[0891] PBO=core pbo files expan/objects_structures_debug.pbo :: DebugSphereSmall.p3d | binary | size=4956 | method=0 | timestamp=1743443874 | sha256=f20f803b5c8524ede4499247441af21fd79256c92f47550028e5da3b305ec419

[0892] PBO=core pbo files expan/particles.pbo :: Airdrop\Expansion_Airdrop.ptc | binary | size=5903 | method=0 | timestamp=1713468415 | sha256=fe1622a8ddca2d519a4f1d1e05919803f3d1564fd092ec4d6dfd6d19d7e3e4b5

[0893] PBO=core pbo files expan/particles.pbo :: config.bin | binary | size=140 | method=0 | timestamp=1713468537 | sha256=d9903e813185cd7470e169279990411f26ad2ee8d3b52a3f5e1bea71776f161d

[0894] PBO=core pbo files expan/particles.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1663958772 | sha256=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0895] PBO=core pbo files expan/particles.pbo :: Explosions\Expansion_Explosion_Flare.ptc | binary | size=2223 | method=0 | timestamp=1663958772 | sha256=53aeecc227b87ed6cc94c2ffdadade66781e523ab452f29dc9bfa9fb7cdd2dea70

[0896] PBO=core pbo files expan/particles.pbo :: Explosions\Expansion_Explosion_Rocket.ptc | binary | size=3760 | method=0 | timestamp=1663958772 | sha256=d10ba0939f0a0ceac2976ceee58d34a70313485d954ac68f363ac92545522fcs

[0897] PBO=core pbo files expan/particles.pbo :: Explosions\Expansion_Explosion_Vehicle.ptc | binary | size=8396 | method=0 | timestamp=1663958772 | sha256=cc85a9fd72e5e7b1ed2fe8961a97a5210091e9d8cf979fb09db6d6e9e5ec5fa9

[0898] PBO=core pbo files expan/particles.pbo :: Explosions\Expansion_Explosion_Water.ptc | binary | size=6422 | method=0 | timestamp=1663958772 | sha256=f328a12324a2a6e6358326cf738a299ab9d23dbad77994f39f2d41ae80ba6ee7

[0899] PBO=core pbo files expan/particles.pbo :: Explosions\Expansion_Fire_Vehicle.ptc | binary | size=4024 | method=0 | timestamp=1663958772 | sha256=cda173e3674369b6c9ae8d894787de354e89936c940cdcd9542eb312a1a1a4

[0900] PBO=core pbo files expan/particles.pbo :: Lights\Expansion_World_Light_Blue.ptc | binary | size=343 | method=0 | timestamp=1663958772 | sha256=fa3ad65ee8c5fd2f2930ecb7e86cccbfc97374851791f17e7a976f5192a6fe13

[0901] PBO=core pbo files expan/particles.pbo :: Lights\Expansion_World_Light_Red.ptc | binary | size=327 | method=0 | timestamp=1663958772 | sha256=0d7534b0ee409d78a1db9cd589335d59ab3ea7d4920dcf934380215420217ce4

[0902] PBO=core pbo files expan/particles.pbo :: Lights\Expansion_World_Light_White.ptc | binary | size=243 | method=0 | timestamp=1663958772 | sha256=4dbc2abfd2cdd60c81d7b72fe1bd88ab795041dee8d912ad1476351ede5c92b7

[0903] PBO=core pbo files expan/particles.pbo :: Lights\Expansion_World_Light_Yellow.ptc | binary | size=299 | method=0 | timestamp=1663958772 | sha256=8a23dd269660738770c69b3e0acaf7408840232fabf93908589ce643932c93c7

[0904] PBO=core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Blast.emat | text/utf-8-sig | size=253 | method=0 | timestamp=1663958772 | sha256=a39cc235825bd32dca0ee9fc3d36f8485f682ce19fd256dd84eadda3f976021

[0905] PBO=core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Explosion.emat | text/utf-8-sig | size=267 | method=0 | timestamp=1663958772 | sha256=56-2fcf68c8624bc86230eeccbcalle941d0cbcd7860002e231802f605a972507817

[0906] PBO=core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Fire.emat | text/utf-8-sig | size=278 | method=0 | timestamp=1663958772 | sha256=9d66452831186b5527c131e7e25de291916a689aec0f3454d412a3aa9db7034a

[0907] PBO=core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Inferno.emat | text/utf-8-sig | size=253 | method=0 | timestamp=1663958772 | sha256=01308d2302b6638e69a4882a1f75f59c3284cda03c78387e49a250b4a9800f27

[0908] PBO=core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Metal.emat | text/utf-8-sig | size=178 | method=0 | timestamp=1663958772 | sha256=8846b124a47cf090647057e185d90023a4b382bb359e03d6669bd67de2c7ebbf

[0909] PBO=core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Shot.emat | text/utf-8-sig | size=235 | method=0 | timestamp=1663958772 | sha256=eedbf810dad44d8f46b6b6444fad27cb47acbf486683a7715ce50406efd948d5

[0910] PBO=core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Smoke.emat | text/utf-8-sig | size=303 | method=0 | timestamp=1663958772 | sha256=ac3cd2b631008ba5884ceb3e45f5578f6fd2a097e4d2f4559b2ac7fef3b88b6

[0911] PBO=core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Snow.emat | text/utf-8-sig | size=234 | method=0 | timestamp=1663958772 | sha256=13bc458b15705862f49d88d1cecb80b40a7ac84bc4720db778af73226fff6740

[0912] PBO=core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Spark.emat | text/utf-8-sig | size=235 | method=0 | timestamp=1663958772 | sha256=f603e37706ccbeddd268c943487e10483c8c0056ce6a233db936051359fbc02b

[0913] PBO=core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Splash.emat | text/utf-8-sig | size=167 | method=0 | timestamp=1663958772 | sha256=6b8619a2fe2c1d81f7061ce46c9bef5e9140627fcad70f2786dfc5334c42e4bb

[0914] PBO=core pbo files expan/particles.pbo :: Materials\Helicopter\Expansion_Material_Drips.emat | text/utf-8-sig | size=199 | method=0 | timestamp=1663958772 | sha256=82d7614246feb7a231e6d426742ec47d60d2c5ccc0f7e54cc3049e358b568d5e

[0915] PBO=core pbo files expan/particles.pbo :: Materials\Helicopter\Expansion_Material_Dust.emat | text/utf-8-sig | size=164 | method=0 | timestamp=1663958772 | sha256=909c5ad4abb62cd86f73f71aebf8c3ab67f600d636b3f4bf0a424c6335b7173f

[0916] PBO=core pbo files expan/particles.pbo :: Materials\Helicopter\Expansion_Material_Gravel.emat | text/utf-8-sig | size=166 | method=0 | timestamp=1663958772 | sha256=ef6c458f8de8972cc097e560148168b18999d2e2fb44693d2491f5ee29e2040f

[0917] PBO=core pbo files expan/particles.pbo :: Materials\Helicopter\Expansion_Material_Splash.emat | text/utf-8-sig | size=201 | method=0 | timestamp=1663958772 | sha256=a786fc7edef73c5cc37250595eddf6b616cb052f3227134502e413c60a41dec2

[0918] PBO=core pbo files expan/particles.pbo :: Materials\Helicopter\Expansion_Material_Water.emat | text/utf-8-sig | size=200 | method=0 | timestamp=1663958772 | sha256=e8415f271c1dd2ffa9dcb53cece60385ee2d7b30a796c0bddd93e937556f038

[0919] PBO=core pbo files expan/particles.pbo :: Materials\World\Data\Expansion_Material_Antiwater.emat | text/utf-8-sig | size=301 | method=0 | timestamp=1663958772 | sha256=5-f966b9694470d3a5aad7dc5e340243bc0175063a27e278931040a650331lee2

[0920] PBO=core pbo files expan/particles.pbo :: Materials\World\Data\Expansion_Material_Antiwater.rvmat | text/utf-8-sig | size=51 | method=0 | timestamp=1677184141 | sha256=f9b37768745b10ce5872d5fb9a4a55e7c21981b8c978ad5349281d67e0fac0d6

[0921] PBO=core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Cloud.emat | text/utf-8-sig | size=328 | method=0 | timestamp=1663958772 | sha256=9c5be97e142a90cc69cd67dac923841453d0ff81b504a9241f3744200963cc4f

[0922] PBO=core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Cloud.emat.meta | text/utf-8-sig | size=327 | method=0 | timestamp=1663958772 | sha256=29cae4a9f04e3bc773a7048932789813eebcd7878b28d28949f22cfcaba036b6

[0923] PBO=core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Fog.emat | text/utf-8-sig | size=114 | method=0 | timestamp=1663958772 | sha256=37c8b852d00d8435bef744875bb6fb4b7175f0fda9bbd40ea6987bab88e2d111

[0924] PBO=core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Fog.emat.meta | text/utf-8-sig | size=337 | method=0 | timestamp=1663958772 | sha256=326279848ae1a192b9d982f3880f9a59462e0dd14b7fb97c0dcef27fa3d34fd7

[0925] PBO=core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Ocean.emat | text/utf-8-sig | size=810 | method=0 | timestamp=1663958772 | sha256=4758f233c8b5989d1ae1800a42efbda3d37dd98b3a29d4ef11b213cd59512be0

[0926] PBO=core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Ocean.emat.meta | text/utf-8-sig | size=337 | method=0 | timestamp=1663958772 | sha256=2e9ea6409b77633b2c802dba90372a3a75461fb6360353c19403ea80facfd243

[0927] PBO=core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Ocean_Nice.emat | text/utf-8-sig | size=871 | method=0 | timestamp=1663958772 | sha256=85e180155f9225f8172565ab4941c9cb5d56923e700c932fdf89079680278ebd

[0928] PBO=core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Ocean_Nice.emat.meta | text/utf-8-sig | size=342 | method=0 | timestamp=1663958772 | sha256=309492f538f205c1321c4041f8a4c1384b71c3a5cb38971a638f7517b5eede98

[0929] PBO=core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Ocean_Storm.emat | text/utf-8-sig | size=786 | method=0 | timestamp=1663958772 | sha256=b9bf4825c7264d9075a82ca10ccdbba5ce83fe107b752ab854d8e0ab020fae81

[0930] PBO=core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Ocean_Storm.emat.meta | text/utf-8-sig | size=343 | method=0 | timestamp=1663958772 | sha256=cbc3e6ee2f3589358a5fddee3914f7dbccb763cc605d733a0a20b6e60dd4c76b

[0931] PBO=core pbo files expan/particles.pbo :: Misc\Expansion_Propane_Flame.ptc | binary | size=568 | method=0 | timestamp=1663958772 | sha256=a17fa4a4e3d223a76f9ed84ff55258a3665786ebe3a00713e8e3fdd01cc7f97b

[0932] PBO=core pbo files expan/particles.pbo :: Sprites\blast.edds | binary | size=102268 | method=0 | timestamp=1663958772 | sha256=39c6cc36b5ca95cafa4172a4b4149b611e85361fbbbc977450f2deb782ed46c8e

[0933] PBO=core pbo files expan/particles.pbo :: Sprites\blast.edds.meta | text/utf-8-sig | size=344 | method=0 | timestamp=1663958772 | sha256=c4bd086b3ae0e4dae2c3ed9d4b65cec1ba5d6209d2c6bb212b749334dc72701b

[0934] PBO=core pbo files expan/particles.pbo :: Sprites\drop.edds | binary | size=433 | method=0 | timestamp=1663958772 | sha256=519e932b7e74189c17acdcc3d26df7a14a88474e9db4f9e163be598eae8a63c2

[0935] PBO=core pbo files expan/particles.pbo :: Sprites\drop.edds.meta | text/utf-8-sig | size=336 | method=0 | timestamp=1663958772 | sha256=a58e7bdca6ac1bb26733b83095c54dbc9774a8f69579e31d34a05641dec8751d1

[0936] PBO=core pbo files expan/particles.pbo :: Sprites\dust.edds | binary | size=22028 | method=0 | timestamp=1663958772 | sha256=16930ec5ea6035ea4a57ca7b7837a9f48cc1742d77cef9ee070ad99c8218015c

[0937] PBO=core pbo files expan/particles.pbo :: Sprites\dust.edds.meta | text/utf-8-sig | size=332 | method=0 | timestamp=1663958772 | sha256=103e8c3f0e7f43d4ff711424086c8db6a6f493f5c84d280974361467de4147bf

[0938] PBO=core pbo files expan/particles.pbo :: Sprites\explosion.edds | binary | size=1432006 | method=0 | timestamp=1663958772 | sha256=49096e34d2e1e774c881979e951fba8295fc8e6f025ea15b76eae5ff7be953e8

[0939] PBO=core pbo files expan/particles.pbo :: Sprites\explosion.edds.meta | text/utf-8-sig | size=349 | method=0 | timestamp=1663958772 | sha256=b5928fc95fd9e95f35300ea06038652b179ebd369cfc7a3c095a64d26a6175ca

[0940] PBO=core pbo files expan/particles.pbo :: Sprites\fire.edds | binary | size=1528348 | method=0 | timestamp=1663958772 | sha256=1c517f0b86801d8b180094c5f040b5a8865cc26668057bd896b7a0d6294b5a59

[0941] PBO=core pbo files expan/particles.pbo :: Sprites\fire.edds.meta | text/utf-8-sig | size=333 | method=0 | timestamp=1663958772 | sha256=4de0e039b3cd0d691e6cfedfbb6ff3820d0d43e40dbf0a94a7a658f07ab15068

[0942] PBO=core pbo files expan/particles.pbo :: Sprites\gravel.edds | binary | size=349724 | method=0 | timestamp=1663958772 | sha256=8f40a02ee82eb0abba938e4bd9d82701c23537e578b45de796ed24b14f394371

[0943] PBO=core pbo files expan/particles.pbo :: Sprites\gravel.edds.meta | text/utf-8-sig | size=336 | method=0 | timestamp=1663958772 | sha256=1c5504b19c1661f2a33b63246b5b8e5823fc78f42521eb03f874d7976dc63d3b

[0944] PBO=core pbo files expan/particles.pbo :: Sprites\inferno.edds | binary | size=349724 | method=0 | timestamp=1663958772 | sha256=6977f5ac3f17a45c6534ab219b38622d55bc2c433f72d7a2fa71397cbc0d65d7

[0945] PBO=core pbo files expan/particles.pbo :: Sprites\inferno.edds.meta | text/utf-8-sig | size=338 | method=0 | timestamp=1663958772 | sha256=88df845fd2883d0f3b55d231e7ff0afa8e45caaf728cce0c2c5fc2799f0356a

[0946] PBO=core pbo files expan/particles.pbo :: Sprites\metal.edds | binary | size=254507 | method=0 | timestamp=1663958772 | sha256=fe27b63c17b5cf34ca46416cb05941175b6a9a1cfa6b9f8e8d8c7b9a0577df9f

[0947] PBO=core pbo files expan/particles.pbo :: Sprites\metal.edds.meta | text/utf-8-sig | size=334 | method=0 | timestamp=1663958772 | sha256=966f38fece6b6d2f23c82f0b5553501a42ccd87416c0706adfc51d0320f9f34

[0948] PBO=core pbo files expan/particles.pbo :: Sprites\Normals\smoke.edds | binary | size=604994 | method=0 | timestamp=1663958772 | sha256=cc1c3ffc51fc4e6a9cbeffcdcf15fe71f4b29b35ed870098fd7dd1edc0141e981

[0949] PBO=core pbo files expan/particles.pbo :: Sprites\Normals\smoke.edds.meta | text/utf-8-sig | size=347 | method=0 | timestamp=1663958772 | sha256=2a564cb1dfc93467fbf18e476b7fe4f1559b76ac27cadbc3f0e4c29421a6c221

[0950] PBO=core pbo files expan/particles.pbo :: Sprites\shot.edds | binary | size=282794 | method=0 | timestamp=1663958772 | sha256=0dc74d40a373d29a44c7e5a9c42462b7848ff0646db16aec7454bc105c167bb8

[0951] PBO=core pbo files expan/particles.pbo :: Sprites\shot.edds.meta | text/utf-8-sig | size=352 | method=0 | timestamp=1663958772 | sha256=a5ea3922b9a980103badba54947eb8c7a168bb02ad8bbbed6a95c2578378853e7

[0952] PBO=core pbo files expan/particles.pbo :: Sprites\smoke.edds | binary | size=1398308 | method=0 | timestamp=1663958772 | sha256=ff374a58c79f014e96779118b645b8be2e02290b219333e822ae2f969895ab92

[0953] PBO=core pbo files expan/particles.pbo :: Sprites\smoke.edds.meta | text/utf-8-sig | size=416 | method=0 | timestamp=1663958772 | sha256=573efefdd68852ec7353f747375179ae30597919cf2ea744f8353d5c72670dce8

[0954] PBO=core pbo files expan/particles.pbo :: Sprites\smoke.paa | binary | size=185941 | method=0 | timestamp=1663958772 | sha256=dcbl1e4cdab3ae46dc0224d4794df682365ce303bd2f6bf604dc0a1efc7c09b43

[0955] PBO=core pbo files expan/particles.pbo :: Sprites\snow.edds | binary | size=58623 | method=0 | timestamp=1663958772 | sha256=0fa2252925270f354fecc9b2684a1bea3884073b6acde1456f7463dbb6b721181

[0956] PBO=core pbo files expan/particles.pbo :: Sprites\snow.edds.meta | text/utf-8-sig | size=342 | method=0 | timestamp=1663958772 | sha256=b6a5b19fbb2ba182286038e6c0dd253d491432b4082c2914def0856fdd5930d1

[0957] PBO=core pbo files expan/particles.pbo :: Sprites\spark.edds | binary | size=1075 | method=0 | timestamp=1663958772 | sha256=642a1c2ffe1b69e9b70704d4b0491f1259ac46ffb260e6feadela5c636307d9a

[0958] PBO=core pbo files expan/particles.pbo :: Sprites\spark.edds.meta | text/utf-8-sig | size=334 | method=0 | timestamp=1663958772 | sha256=089cd9288438685e9fa45bd2299a934179b85868e87d629b0722ff976d93c04c

[0959] PBO=core pbo files expan/particles.pbo :: Sprites\splash.edds | binary | size=93536 | method=0 | timestamp=1663958772 | sha256=b3dd58cc89ab161ba7f799c7660d43b297250d
d295d7c1dd0cafc690845def43

[0960] PBO=core pbo files expan/particles.pbo :: Sprites\splash.edds.meta | text/utf-8-sig | size=335 | method=0 | timestamp=1663958772 | sha256=eca6f9ef04cff601773f70d8680
f29886aa38e65a2fc94ad0fce23072d10f734

[0961] PBO=core pbo files expan/particles.pbo :: Sprites\water.edds | binary | size=10516 | method=0 | timestamp=1663958772 | sha256=e3a72b5fe0a2374d6432357c9db94f21af32c06
24ffff8a4096a02dd49f2910a

[0962] PBO=core pbo files expan/particles.pbo :: Sprites\water.edds.meta | text/utf-8-sig | size=335 | method=0 | timestamp=1663958772 | sha256=1823b6ac6ac62da057344b11523c
862e84f5ed5da449c1a86029f4a56069abe3

[0963] PBO=core pbo files expan/particles.pbo :: Sprites\white.edds | binary | size=2571 | method=0 | timestamp=1663958772 | sha256=1f23293f726d625e40d497a6864bdfd1bccf7777
3f3e7a7a72da7aa2ae62da3f

[0964] PBO=core pbo files expan/particles.pbo :: Sprites\white.edds.meta | text/utf-8-sig | size=334 | method=0 | timestamp=1663958772 | sha256=04289268064b4ffbc4f8c2aa54a
2e840b95763a2f4695f281dfc3158a4b8f85

[0965] PBO=core pbo files expan/particles.pbo :: Vehicles\Expansion_Boat_Decal.ptc | binary | size=969 | method=0 | timestamp=1663958772 | sha256=c7cfcbcd4b9c9c8879690aa98a
84598a97e04f7ad3cb4b5ca26365e32747d433

[0966] PBO=core pbo files expan/particles.pbo :: Vehicles\Expansion_Boat_Engine.ptc | binary | size=901 | method=0 | timestamp=1663958772 | sha256=d8fdca48913649f8d96f20ef9
821a32e5c0fa9457f32c3812756bf3b71a5df13

[0967] PBO=core pbo files expan/particles.pbo :: Vehicles\Expansion_Boat_Water.ptc | binary | size=903 | method=0 | timestamp=1663958772 | sha256=9efda0c03a5df0589c548470a0
fb2c9479dbe3047a9269d3878dff52254278e3

[0968] PBO=core pbo files expan/particles.pbo :: Vehicles\Expansion_Helicopter_Exhaust.ptc | binary | size=955 | method=0 | timestamp=1673908788 | sha256=1442ced0cb864eba5d
7018127ad1c5738fc9d797b093b130c4f2273ae9d3b6c4

[0969] PBO=core pbo files expan/particles.pbo :: Vehicles\Expansion_Helicopter_Ground.ptc | binary | size=793 | method=0 | timestamp=1663958772 | sha256=935d91a34e47d66a4a3
dd5d723331e039df8b90efff2bd62f829a8a1db9a825e

[0970] PBO=core pbo files expan/particles.pbo :: Vehicles\Expansion_Helicopter_Water.ptc | binary | size=1394 | method=0 | timestamp=1663958772 | sha256=9a0d635656660158f6c
a6653a8abee63320007be4e3f9769240592e2f2dc2ebb

[0971] PBO=core pbo files expan/particles.pbo :: Weapons\Expansion_World_Dust.ptc | binary | size=1336 | method=0 | timestamp=1663958772 | sha256=c0607d2615d52ea7664eda54e4
cf7f7dfb2c8246966852e82a2851a1e8ff32f7

[0972] PBO=core pbo files expan/particles.pbo :: Weapons\Expansion_World_Flare.ptc | binary | size=3788 | method=0 | timestamp=1713468415 | sha256=104f17126e8e38d8a73340609
f48a1e28984823b86c80a64b2deb26868ca6d46

[0973] PBO=core pbo files expan/particles.pbo :: Weapons\Expansion_World_Rocket.ptc | binary | size=2449 | method=0 | timestamp=1663958772 | sha256=a93dc6f694a053322805b06c
5cd4e0e49faf4b8fb1d4f30db071ca2fd6c4d7a4

[0974] PBO=core pbo files expan/particles.pbo :: World\Expansion_World_Cloud.ptc | binary | size=678 | method=0 | timestamp=1663958772 | sha256=c82239e81ba7adf3821d88cfd2cd
98e81f1fd317180c969aaab7a449cd4b7d0c

[0975] PBO=core pbo files expan/particles.pbo :: World\Expansion_World_Fog.ptc | binary | size=622 | method=0 | timestamp=1663958772 | sha256=73e5858e27fb7549a26a99a0fda6bf
87d8bffa4a539c8cabb617003620b7ae5f

[0976] PBO=core pbo files expan/sounds_items_spraycan.pbo :: config.bin | binary | size=771 | method=0 | timestamp=1663959099 | sha256=a987ea778e29d2b760813a8bdd2ab147e7052
a25758de63bebdff239f13ca2855

[0977] PBO=core pbo files expan/sounds_items_spraycan.pbo :: config.bin | binary | size=771 | method=0 | timestamp=1663959100 | sha256=a987ea778e29d2b760813a8bdd2ab147e7052
a25758de63bebdff239f13ca2855

[0978] PBO=core pbo files expan/sounds_items_spraycan.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1663958773 | sha256=e3b0c44298fcl1c149afb4c8996fb92427ae41e46
49b934ca495991b7852b855

[0979] PBO=core pbo files expan/sounds_items_spraycan.pbo :: Expansion_Spraying.ogg | binary | size=16499 | method=0 | timestamp=1663958773 | sha256=7c1e4ec049e0c5049408202
87f5d01ee05e5da5159ad6452252450aad62d4595

[0980] PBO=core pbo files expan/sounds_ui.pbo :: config.bin | binary | size=7296 | method=0 | timestamp=1663959101 | sha256=d8a4506761bd91ba5409a463b278efec686215b0158fe706
6e22d8a150289d78

[0981] PBO=core pbo files expan/sounds_ui.pbo :: config.bin | binary | size=7296 | method=0 | timestamp=1663959102 | sha256=d8a4506761bd91ba5409a463b278efec686215b0158fe706
6e22d8a150289d78

[0982] PBO=core pbo files expan/sounds_ui.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1663958774 | sha256=e3b0c44298fcl1c149afb4c8996fb92427ae41e4649b934ca4959
91b7852b855

[0983] PBO=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Back1.ogg | binary | size=40719 | method=0 | timestamp=1663958774 | sha256=0a5505313c0ab9c3b9605ebf3f8b8b66dcf
a7b814ab64f5faeb177402614ef3c

[0984] PBO=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Back2.ogg | binary | size=32381 | method=0 | timestamp=1663958774 | sha256=33253e40cc5dee029f6fba296cd9aedb15e
22b009116074b4357914a169b80e7

[0985] PBO=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Click.ogg | binary | size=7413 | method=0 | timestamp=1663958774 | sha256=7688f26b5833bc9c3a3931539d67b616f00f
7e0663eae23964ca233102debb4

[0986] PBO=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Click_Beep_01.ogg | binary | size=5369 | method=0 | timestamp=1663958774 | sha256=41242d5b50ca881a908ed33f093a
3194c94d8b206e75248a7fc19c1869bf154e

[0987] PBO=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Click_Beep_02.ogg | binary | size=5457 | method=0 | timestamp=1663958774 | sha256=1edaedb306d01773d98f86193d1f
26fc86d12a00974d079d96171ca2bbb703d5

[0988] PBO=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Click_Beep_03.ogg | binary | size=5799 | method=0 | timestamp=1663958774 | sha256=efbc9642e40e72691bf3f1df6987
3c71e33cb84649323f6cb84ffba03921b8f

[0989] PBO=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Click_Beep_04.ogg | binary | size=5436 | method=0 | timestamp=1663958774 | sha256=30004530351786941a7eab957abc
7c2c45b1f8f0a89f09ead54bc22c75592497

[0990] PBO=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Denied.ogg | binary | size=8723 | method=0 | timestamp=1663958774 | sha256=52b35d9e259a9922e2600aec48d6b3edb2921a405a3f69086baf0e123067a4b3

[0991] PBO=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Draw_01.ogg | binary | size=14320 | method=0 | timestamp=1663958774 | sha256=cce10446e4c62d235de13e48321ebdfb bf844bab4a1475eedb402815eb06211

[0992] PBO=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Draw_02.ogg | binary | size=13561 | method=0 | timestamp=1663958774 | sha256=c21d1c10b06ea401ca25e19be63c3788c cc6f2d534ebbb8e94f778606c2d5710

[0993] PBO=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Draw_03.ogg | binary | size=13776 | method=0 | timestamp=1663958774 | sha256=a2b40c4acb99163e726841ee792b7734c 874ef3fd277c3ffbc921314be21c980

[0994] PBO=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Draw_04.ogg | binary | size=14232 | method=0 | timestamp=1663958774 | sha256=b192712093e616a47eb1eb939f3ff5f45 a06ddb4b7f8518aelec3940d0372730

[0995] PBO=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Hint.ogg | binary | size=6865 | method=0 | timestamp=1663958774 | sha256=25060f6d9a05cdb7795af0d1b1fcc5b88c98d 526ffc2baa2e9f52a50375e8a46

[0996] PBO=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Print1.ogg | binary | size=37230 | method=0 | timestamp=1663958774 | sha256=22ccdce8d50813f280f53259c27e3c849b aa356a113b5325021aafec8e59bfb1b

[0997] PBO=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Print2.ogg | binary | size=34208 | method=0 | timestamp=1663958774 | sha256=e6f9a73bf80fea86d8edfc48c06216fa06 beb1e891165774decff9822225a916

[0998] PBO=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Succes.ogg | binary | size=3485 | method=0 | timestamp=1663958774 | sha256=eed7404fbceb4d84c409c4b0cf129d9df93 97217d83d072d6cd476e8cb0d0e50

[0999] PBO=core pbo files expan/structures_industrial_misc.pbo :: config.bin | binary | size=357 | method=0 | timestamp=1682352030 | sha256=d868dcd4a21c2be1dc23c22c5efdf a6d55231f950b85b74a95b04a038980a

[1000] PBO=core pbo files expan/structures_industrial_misc.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1663958775 | sha256=e3b0c44298fc1c149afbf4c8996fb92427ae 41e4649b934ca495991b7852b855

[1001] PBO=core pbo files expan/structures_industrial_power.pbo :: config.bin | binary | size=657 | method=0 | timestamp=1682352031 | sha256=c37ea77a9e8eda282a0ad8594631a11 6d68929dc491e977805f53d20fa807638

[1002] PBO=core pbo files expan/structures_industrial_power.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1663958775 | sha256=e3b0c44298fc1c149afbf4c8996fb92427a e41e4649b934ca495991b7852b855

[1003] PBO=core pbo files expan/structures_residential_misc.pbo :: config.bin | binary | size=526 | method=0 | timestamp=1682352032 | sha256=a4c2625c139ef23d0d2e2d19a0c5e23 ca5739d137c0dac519baf146565771b20

[1004] PBO=core pbo files expan/structures_residential_misc.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1663958775 | sha256=e3b0c44298fc1c149afbf4c8996fb92427a e41e4649b934ca495991b7852b855

[1005] PBO=core pbo files expan/vanillafixes_animals.pbo :: config.bin | binary | size=579 | method=0 | timestamp=1714745826 | sha256=4913efe4964b9ba6fb8a6afe42e35e11362c12 cc5cd1252f12210d671b14a54a

[1006] PBO=core pbo files expan/vanillafixes_animals.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1714745757 | sha256=e3b0c44298fc1c149afbf4c8996fb92427ae41e464 9b934ca495991b7852b855

[1007] PBO=core pbo files expan/vanillafixes_gui.pbo :: config.bin | binary | size=147 | method=0 | timestamp=1663959109 | sha256=50b4e02f3bd314e690d6089cfc55d06f70505cfd4f 39ce64c540505b401a64b1

[1008] PBO=core pbo files expan/vanillafixes_gui.pbo :: config.bin | binary | size=147 | method=0 | timestamp=1663959110 | sha256=50b4e02f3bd314e690d6089cfc55d06f70505cfd4f 39ce64c540505b401a64b1

[1009] PBO=core pbo files expan/vanillafixes_gui.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1663958775 | sha256=e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b93 4ca495991b7852b855

[1010] PBO=core pbo files expan/vanillafixes_gui.pbo :: layouts\new_ui\options\keybindings_selectors\keybinding_option.layout | text/utf-8-sig | size=3592 | method=0 | time stamp=1663958775 | sha256=4a54df91d51a216f6abb926929a9bebf1f9dab130e6cf966a57e18d8db5543bcf

[1011] PBO=core pbo files expan/vanillafixes_scripts.pbo :: 3_Game\DayZExpansion_VanillaFixes\DayZGame.c | text/utf-8-sig | size=4833 | method=0 | timestamp=1763503735 | sh a256=adcc16c4dff05005601413fc6e840e2c97c39b7b1952419b888c6306591d5232

[1012] PBO=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\EmoteManager.c | text/utf-8-sig | size=404 | method=0 | timestamp=170 9234113 | sha256=bddca9259939a7428d6d257e7d479b0743bad20d4666891c8431566c87136fe5

[1013] PBO=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\SoundEvents\InfectedSoundEvents\InfectedSoundEventBase.c | text/utf-8 -sig | size=586 | method=0 | timestamp=1756722047 | sha256=750fc507f84473a6bfe5afb77b67e1a6141886ab21c914ec4dcb6d4f0e032c31

[1014] PBO=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\UserActionsComponent\Actions\Continuous\ActionDigOutStash.c | text/ut f-8-sig | size=612 | method=0 | timestamp=1705531248 | sha256=ff1993b12e7fd50c46f912d518f60d3fe55f96fdfe5828e4971a08be66b625f3

[1015] PBO=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\UserActionsComponent\Actions\Continuous\ActionRepairPart.c | text/utf -8-sig | size=1230 | method=0 | timestamp=1725984717 | sha256=db01d137c10b8ec7de18f43effc399a8c8277c7816a41d65d522b937528b0c8a

[1016] PBO=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\UserActionsComponent\Actions\Continuous\ActionUnrestrainTarget.c | te xt/utf-8-sig | size=1153 | method=0 | timestamp=1763503735 | sha256=27aa989428a6b94061e753ea4293bca88dba8327a3a2b0a9a59a079132e576df

[1017] PBO=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\Creatures\Animals\AnimalBase.c | text/utf-8-sig | size=4994 | method =0 | timestamp=1763503735 | sha256=dee3f800d40ab206e28cf96d9350e37a36e5c514ba330c468e97a7c958291c00

[1018] PBO=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\Grenade_Base\SmokeGrenadeBase.c | text/utf-8-sig | size=930 | method =0 | timestamp=1748895219 | sha256=a48bb91a7707dd8a0fb8009eabb4d72b54e7fcfaa6af2835af5f9d6848b56104

[1019] PBO=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ItemBase.c | text/utf-8-sig | size=1811 | method=0 | timestamp=17625 29641 | sha256=c12ca86cb99f18b0b9f93247838ffae8941f5a90bd3b5b5543647f4870a92b6c

[1020] PBO=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ItemBase\EasterEgg.c | text/utf-8-sig | size=449 | method=0 | timest amp=1701348202 | sha256=6954543e9c737b8f3e7ba5f8a5076f7e7ff4a8e578a7fc47f3b6cecd883d4d15

[1021] PBO=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ItemBase\FireworksBase.c | text/utf-8-sig | size=244 | method=0 | timestamp=1701348202 | sha256=08807e83727b500dd1c249b4f3faf3eef39bc9a26df202884dea4614fed30920

[1022] PBO=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ItemBase\Trap_TripWire.c | text/utf-8-sig | size=243 | method=0 | timestamp=1701348202 | sha256=1f8fclclcd56c924b6feee6fb95524b14e346700a8d59dbd03845beaf672aaa4

[1023] PBO=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ManBase\PlayerBase.c | text/utf-8-sig | size=1416 | method=0 | timestamp=1763503735 | sha256=8fc3ad9f984f0fc987749130e2ad0f031e9b2dcd7b41aa08bb53ce91598da79b

[1024] PBO=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\Vehicles\CarScript.c | text/utf-8-sig | size=3062 | method=0 | timestamp=1763503735 | sha256=29ad4063e0204d7aabdf81ad54c1c9d555081e73ebfa175268b4ba966878alca

[1025] PBO=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Plugins\PluginManager.c | text/utf-8-sig | size=631 | method=0 | timestamp=1763503735 | sha256=800c2c56fd6068539f6f672fc434e4ed93f431327b32dabfc60b98418161888f

[1026] PBO=core pbo files expan/vanillafixes_scripts.pbo :: 5_Mission\DayZExpansion_VanillaFixes\GUI\DebugMonitor.c | text/utf-8-sig | size=116 | method=0 | timestamp=1762529641 | sha256=500a90799647ea18c949ef50ae423a581912c0c62cefa0d8098ba38a730d075d

[1027] PBO=core pbo files expan/vanillafixes_scripts.pbo :: 5_Mission\DayZExpansion_VanillaFixes\GUI\IngameHUD.c | text/utf-8-sig | size=964 | method=0 | timestamp=1695053530 | sha256=9c70f1e659c5c4643999a95038e39edb2250b0d5a48aa98bf683c6f3455ab91e

[1028] PBO=core pbo files expan/vanillafixes_scripts.pbo :: 5_Mission\DayZExpansion_VanillaFixes\GUI\InventoryNew\VicinityItemManager.c | text/utf-8-sig | size=254 | method=0 | timestamp=1695053530 | sha256=fb15ebe76fd0f8b4e56a5a0a6761c2365b8af636143852099f4fe4808b69cbf0

[1029] PBO=core pbo files expan/vanillafixes_scripts.pbo :: 5_Mission\DayZExpansion_VanillaFixes\NewUI\Keybindings\KeybindingElementNew.c | text/utf-8-sig | size=718 | method=0 | timestamp=1695053530 | sha256=ef57538a4eb72f9b706e0d8ecd7929cel4d8d1598f17375a3ee52547436effd6

[1030] PBO=core pbo files expan/vanillafixes_scripts.pbo :: config.bin | binary | size=1416 | method=0 | timestamp=1763504497 | sha256=02ee23f453b6f077fffe4fdf6b8e533485d087326b1c9d88e2c74735bf898fcb

[1031] PBO=core pbo files expan/vanillafixes_scripts.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1695053530 | sha256=e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

[1032] PBO=core pbo files expan/vanillafixes_sounds.pbo :: config.bin | binary | size=318 | method=0 | timestamp=1703104628 | sha256=64fad323152aa0b9d8d7c7d36a0ddeb50461d7187c83d978949fled434a774d0

[1033] PBO=core pbo files expan/vanillafixes_sounds.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1703104529 | sha256=e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

Full ZIP text file contents

No printable text files found for this section.

Full extracted PBO text file contents

0001. PBO TEXT FILE

Path: core pbo files expans/0_core_preload.pbo :: 3_Game\DayZGame.c
Size bytes: 1104
SHA-256: 04634ec2fc8eb8265567d03c2605c8ee23bc998919892bd6edf40ec32b103428
Decoded as: utf-8-sig
Line count shown: 34
Detected class declarations: 1
 L1: modded class DayZGame
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L7: override void OnUpdate(bool doSim, float timeslice)
 L30: void Expansion_OnUpdate(bool doSim, float timeslice)

Full file content

```
000001 | modded class DayZGame
000002 | {
000003 |     protected float m_Expansion_ServerUpdateRateLimit_Interval;
000004 |     protected float m_Expansion_ServerUpdateRateLimit_LastUpdateTime;
000005 |     protected float m_Expansion_ServerUpdateRateLimit_TimeSlice;
000006 |
000007 |     override void OnUpdate(bool doSim, float timeslice)
000008 |     {
000009 |     #ifdef SERVER
000010 |         //! @note timeslice isn't accurate for measuring actual elapsed time, so it's just passed to super to match vanilla
000011 |         float updateTime = GetTickTime();
000012 |         float elapsed = updateTime - m_Expansion_ServerUpdateRateLimit_LastUpdateTime;
000013 |         m_Expansion_ServerUpdateRateLimit_TimeSlice += timeslice;
000014 |         if (elapsed >= m_Expansion_ServerUpdateRateLimit_Interval)
000015 |         {
000016 |             super.OnUpdate(doSim, m_Expansion_ServerUpdateRateLimit_TimeSlice);
000017 |
000018 |             Expansion_OnUpdate(doSim, m_Expansion_ServerUpdateRateLimit_TimeSlice);
000019 |
000020 |             m_Expansion_ServerUpdateRateLimit_LastUpdateTime = updateTime;
000021 |             m_Expansion_ServerUpdateRateLimit_TimeSlice = 0;
000022 |         }
000023 |     #else
000024 |         super.OnUpdate(doSim, timeslice);
000025 |
000026 |         Expansion_OnUpdate(doSim, timeslice);
000027 |     #endif
000028 |     }
000029 |
000030 |     void Expansion_OnUpdate(bool doSim, float timeslice)
000031 |     {
000032 |     }
000033 | }
000034 |
```

0002. PBO TEXT FILE

```
Path: core pbo files expan/0_core_preload.pbo :: 4_World\Entities\ItemBase.c
Size bytes: 7227
SHA-256: 9f324aaf0fd808be86a6941a1fea285828271ed52b9425cb712080754e51df9e
Decoded as: utf-8-sig
Line count shown: 213
Detected class declarations: 1
  L13: modded class ItemBase
Detected enum declarations: 0
Detected function/method-like declarations: 15
  L21: override bool CanPutAsAttachment(EntityAI parent)
  L34: override bool CanReceiveAttachment(EntityAI attachment, int slotId)
  L40: return Ex_NonPlayerParent_CanReceiveAttachmentWithCargo(attachment, slotId);
  L46: bool Ex_NonPlayerParent_CanReceiveAttachmentWithCargo(EntityAI attachment, int slotId)
  L65: bool Ex_EntityAI_HasInternalExclusionConflicts(int targetSlot)
  L87: bool Ex_EntityAI_CanReceiveAttachment(EntityAI attachment, int slotId)
  L111: override bool CanLoadAttachment(EntityAI attachment)
  L119: override bool CanDisplayAttachmentSlot(string slot_name)
  L148: return CanDisplayAttachmentSlot(InventorySlots.GetSlotIdFromString(slot_name));
  L154: override void CombineItemsClient(EntityAI entity2, bool use_stack_max = true)
  L160: override void OnRightClick()
  L166: override bool CanBeSplit()
  L174: override bool CanBeCombined(EntityAI other_item, bool reservation_check = true, bool stack_max_limit = false)
  L182: bool Expansion_IsInventoryLocked(out int lockType = 0, out EntityAI lockedEntity = null, bool checkParent = true)
  L191: override void MaxLifetimeRefreshCalc()
```

Full file content

```
000001 | /**
000002 |  * ItemBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class ItemBase
000014 | {
000015 |     bool m_Expansion_CDAS0bsoleteError;
000016 |
000017 |     ///! Always allow putting as attachment if root is player that is not yet loaded
000018 |     ///! (normal CanPutAsAttachment checks may otherwise fail if they check for items that may not yet be loaded)
000019 |     ///! -----
000020 |
000021 |     override bool CanPutAsAttachment(EntityAI parent)
000022 |     {
000023 |         PlayerBase player = PlayerBase.Cast(parent.GetHierarchyRootPlayer());
000024 |
000025 |         if (player && !player.IsPlayerLoaded())
000026 |             return true;
000027 |
000028 |         return super.CanPutAsAttachment(parent);
000029 |     }
000030 |
000031 |     ///! Allow receiving attachments with cargo when parent isn't player (e.g. furniture mod items or atts on them)
000032 |     ///! -----
```

```
000033 |
000034 | override bool CanReceiveAttachment(EntityAI attachment, int slotId)
000035 | {
000036 |     GameInventory attachmentInv = attachment.GetInventory();
000037 |     if (attachmentInv && attachmentInv.GetCargo() && attachmentInv.GetCargo().GetItemCount() > 0)
000038 |     {
000039 |         if (GetHierarchyParent() && !GetHierarchyParent().IsInherited(PlayerBase))
000040 |             return Ex_NonPlayerParent_CanReceiveAttachmentWithCargo(attachment, slotId);
000041 |     }
000042 |
000043 |     return super.CanReceiveAttachment(attachment, slotId);
000044 | }
000045 |
000046 | bool Ex_NonPlayerParent_CanReceiveAttachmentWithCargo(EntityAI attachment, int slotId)
000047 | {
000048 |     bool ret;
000049 |
000050 |     InventoryLocation loc = new InventoryLocation();
000051 |     attachment.GetInventory().GetCurrentInventoryLocation(loc);
000052 |     if (loc && loc.IsValid() && !GetInventory().AreChildrenAccessible())
000053 |         ret = false;
000054 |     else
000055 |         ret = Ex_EntityAI_CanReceiveAttachment(attachment, slotId);
000056 |
000057 | #ifdef DIAG_DEVELOPER
000058 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, this, "Ex_NPP_CanRecvAttWithCargo " + attachment + " " + InventorySlots.GetSlotName(slotId) + " " + ret);
000059 | #endif
000060 |
000061 |     return ret;
000062 | }
000063 |
000064 | //! Verbatim copy of EntityAI::HasInternalExclusionConflicts which is needlessly private >:-(
000065 | bool Ex_EntityAI_HasInternalExclusionConflicts(int targetSlot)
000066 | {
000067 |     set<int> targetSlotValues = GetAttachmentExclusionMaskSlot(targetSlot);
000068 |     if (targetSlotValues) //can be null, if so, no conflict
000069 |     {
000070 |         set<int> additionalValues = new set<int>(); //NOT slot values
000071 |         additionalValues.InsertSet(GetAttachmentExclusionMaskGlobal());
000072 |         additionalValues.InsertSet(GetAttachmentExclusionMaskChildren());
000073 |
000074 |         int countTarget = targetSlotValues.Count();
000075 |         for (int i = 0; i < countTarget; i++)
000076 |         {
000077 |             if (additionalValues.Find(targetSlotValues[i]) != -1)
000078 |             {
000079 |                 return true;
000080 |             }
000081 |         }
000082 |     }
000083 |     return false;
000084 | }
000085 |
000086 | //! (Almost) verbatim copy of EntityAI::CanReceiveAttachment with exception of Ex_EntityAI_HasInternalExclusionConflicts
000087 | bool Ex_EntityAI_CanReceiveAttachment(EntityAI attachment, int slotId)
000088 | {
000089 |     //generic occupancy check
000090 |     EntityAI currentAtt = GetInventory().FindAttachment(slotId);
000091 |     bool hasInternalConflict = Ex_EntityAI_HasInternalExclusionConflicts(slotId);
000092 |     if (currentAtt) //probably a swap or same-type swap
000093 |     {
000094 |         set<int> diff = attachment.GetAttachmentExclusionMaskAll(slotId);
```

```
000095 |         diff.RemoveItems(currentAtt.GetAttachmentExclusionMaskAll(slotId));
000096 |         if (diff.Count() == 0)
000097 |         {
000098 |             return !hasInternalConflict;
000099 |         }
000100 |         else
000101 |         {
000102 |             return !hasInternalConflict && !IsExclusionFlagPresentRecursive(diff, slotId);
000103 |         }
000104 |     }
000105 |     return !hasInternalConflict && !IsExclusionFlagPresentRecursive(attachment.GetAttachmentExclusionMaskAll(slotId), slotId);
000106 | }
000107 |
000108 | ///! Always allow loading attachments
000109 | ///! @note this override is currently not technically needed because vanilla ItemBase::CanLoadAttachment is commented out,
000110 | ///! but you never know...
000111 | override bool CanLoadAttachment(EntityAI attachment)
000112 | {
000113 |     return true;
000114 | }
000115 |
000116 | ///! Fix vanilla CanDisplayAttachmentSlot(string slot_name) not calling CanDisplayAttachmentSlot(int slot_id)
000117 | ///! -----
000118 |
000119 | override bool CanDisplayAttachmentSlot(string slot_name)
000120 | {
000121 |     if (!m_Expansion_CDASObsoleteError)
000122 |     {
000123 |         string tmp;
000124 |         DumpStackString(tmp);
000125 |         TStringArray lines = {};
000126 |         tmp.Split("\n", lines);
000127 |
000128 |         TStringArray stack = {};
000129 |
000130 |         for (int i = 1; i < lines.Count(); i++)
000131 |         {
000132 |             string line = lines[i];
000133 |
000134 |             stack.Insert(line);
000135 |
000136 |             if (line.IndexOf("CanDisplayAttachmentSlot()") == -1)
000137 |                 break;
000138 |         }
000139 |
000140 |         if (stack.Count() > 1)
000141 |             EXError.ErrorOnce(this, "Obsolete function - use CanDisplayAttachmentSlot with slot id parameter", stack);
000142 |         else
000143 |             EXError.ErrorOnce(null, "Obsolete function call - use CanDisplayAttachmentSlot with slot id parameter", stack);
000144 |
000145 |         m_Expansion_CDASObsoleteError = true;
000146 |     }
000147 |
000148 |     return CanDisplayAttachmentSlot(InventorySlots.GetSlotIdFromString(slot_name));
000149 | }
000150 |
000151 | ///! Prevent being able to combine/split stacks in locked inventory
000152 | ///! -----
000153 |
000154 | override void CombineItemsClient(EntityAI entity2, bool use_stack_max = true)
000155 | {
000156 |     if (!Expansion_IsInventoryLocked())
```

```
000157 |         super.CombineItemsClient(entity2, use_stack_max);
000158 |     }
000159 |
000160 |     override void OnRightClick()
000161 |     {
000162 |         if (!Expansion_IsInventoryLocked())
000163 |             super.OnRightClick();
000164 |     }
000165 |
000166 |     override bool CanBeSplit()
000167 |     {
000168 |         if (!super.CanBeSplit())
000169 |             return false;
000170 |
000171 |         return !Expansion_IsInventoryLocked();
000172 |     }
000173 |
000174 |     override bool CanBeCombined(EntityAI other_item, bool reservation_check = true, bool stack_max_limit = false)
000175 |     {
000176 |         if (!super.CanBeCombined(other_item, reservation_check, stack_max_limit))
000177 |             return false;
000178 |
000179 |         return !Expansion_IsInventoryLocked();
000180 |     }
000181 |
000182 |     bool Expansion_IsInventoryLocked(out int lockType = 0, out EntityAI lockedEntity = null, bool checkParent = true)
000183 |     {
000184 |         return ExpansionStatic.IsInventoryLocked(this, lockType, lockedEntity, checkParent);
000185 |     }
000186 |
000187 |     //! -----
000188 |
000189 |     //! @note unlike vanilla, use max lifetime of the instance, not max lifetime from CE
000190 |     //! Fixes stone oven despawning prematurely, among other things, and properly supports setting max lifetime via script
000191 |     override void MaxLifetimeRefreshCalc()
000192 |     {
000193 |         if ( (!g_Game.IsMultiplayer() || g_Game.IsServer()) && GetEconomyProfile() )
000194 |         {
000195 |             float lifetime = GetLifetimeMax();
000196 |             int frequency = GetCEApi().GetCEGlobalInt("FlagRefreshFrequency");
000197 |             if ( frequency <= 0 )
000198 |             {
000199 |                 frequency = GameConstants.REFRESHER_FREQUENCY_DEFAULT;
000200 |             }
000201 |
000202 |             bool refresherViable;
000203 |             if (frequency <= lifetime)
000204 |                 refresherViable = true;
000205 |             if ( refresherViable != m_RefresherViable )
000206 |             {
000207 |                 m_RefresherViable = refresherViable;
000208 |                 SetSynchDirty();
000209 |             }
000210 |         }
000211 |     }
000212 | }
000213 |
```

0003. PBO TEXT FILE

Path: core pbo files expan/0_core_preload.pbo :: 4_World\Entities\ItemBase\Clothing.c

Size bytes: 1469

SHA-256: 91b46d570e9ee8e7acd2fdace3d46b164088c10819c58ac710d013b22e198e5c

Decoded as: utf-8-sig

Line count shown: 43

Detected class declarations: 1

L13: modded class Clothing

Detected enum declarations: 0

Detected function/method-like declarations: 4

L18: override bool SmershException(EntityAI hierarchyParent)

L20: return IsInherited(SmershBag) && hierarchyParent.IsInherited(SmershVest);

L26: override bool CanReceiveItemIntoCargoClothingConditions(EntityAI item)

L33: override bool CanLoadItemIntoCargoClothingConditions(EntityAI item)

Full file content

```
000001 | /**
000002 |  * Clothing.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class Clothing
000014 | {
000015 |     //! Always allow smershbag attachment on smershvest
000016 |     //! -----
000017 |
000018 |     override bool SmershException(EntityAI hierarchyParent)
000019 |     {
000020 |         return IsInherited(SmershBag) && hierarchyParent.IsInherited(SmershVest);
000021 |     }
000022 |
000023 |     //! Allow items to go into cargo of clothing as long as cloting itself is not in cargo
000024 |     //! -----
000025 |
000026 |     override bool CanReceiveItemIntoCargoClothingConditions( EntityAI item )
000027 |     {
000028 |         EntityAI hierarchyParent = GetHierarchyParent();
000029 |         return !hierarchyParent || !GetInventory().IsInCargo() || SmershException(hierarchyParent);
000030 |     }
000031 |
000032 |     //! @note this will also be checked when splitting item
000033 |     override bool CanLoadItemIntoCargoClothingConditions( EntityAI item )
000034 |     {
000035 |         EntityAI parent = GetHierarchyParent();
000036 |
000037 |         if ( parent && parent.IsInherited( UndergroundStash ) )
000038 |             return true;
000039 |
000040 |         return !parent || !GetInventory().IsInCargo() || SmershException(parent);
000041 |     }
000042 | };
000043 |
```

0004. PBO TEXT FILE

Path: core pbo files expan/0_core_preload.pbo :: 4_World\Entities\ManBase\PlayerBase.c

Size bytes: 1511

SHA-256: cbd2fcd72413cb442a2f0e5ce0ad57b2bbb7a3caee647a2e1399655d5627fc95

Decoded as: utf-8-sig

Line count shown: 38

Detected class declarations: 1

L1: modded class PlayerBase

Detected enum declarations: 0

Detected function/method-like declarations: 2

L10: override void OnStoreSave(ParamsWriteContext ctx)

L23: override bool OnStoreLoad(ParamsReadContext ctx, int version)

Full file content

```

000001 | modded class PlayerBase
000002 | {
000003 | #ifdef EXPANSION_MODSTORAGE
000004 |     protected int m_Expansion_StoreLoadedVersion;
000005 |
000006 |     /// Safer implementation of vanilla PlayerBase::OnStoreSave/OnStoreLoad specifically for entity storage
000007 |     /// Vanilla plays fairly loose with the way some of PlayerBase data is written to storage which makes reading it back safely a challenge.
000008 |     /// To circumvent these problems for entity storage, vanilla OnStoreSave/Load is handled completely by CF_ModStorage
000009 |     /// (normal storage save/load will still use vanilla OnStoreSave/Load, as will any data added by 3rd party mods)
000010 |     override void OnStoreSave(ParamsWriteContext ctx)
000011 |     {
000012 |         if (ExpansionEntityStorageModule.IsCurrentRootEntity(this))
000013 |         {
000014 |             EXTrace.Print(EXTrace.PLAYER, this, "---- [EntityStorage] PlayerBase::OnStoreSave -> CF_ModStorageObject::OnStoreSave ----");
000015 |             m_CF_ModStorage.OnStoreSave(ctx);
000016 |         }
000017 |         else
000018 |         {
000019 |             super.OnStoreSave(ctx);
000020 |         }
000021 |     }
000022 |
000023 |     override bool OnStoreLoad(ParamsReadContext ctx, int version)
000024 |     {
000025 |         m_Expansion_StoreLoadedVersion = version;
000026 |
000027 |         if (ExpansionEntityStorageModule.IsCurrentRootEntity(this) && ExpansionEntityStorageModule.GetRestoredVersion() >= 13)
000028 |         {
000029 |             EXTrace.Print(EXTrace.PLAYER, this, "---- [EntityStorage] PlayerBase::OnStoreLoad -> CF_ModStorageObject::OnStoreLoad ----");
000030 |             return m_CF_ModStorage.OnStoreLoad(ctx, version);
000031 |         }
000032 |
000033 |         EXTrace.Print(EXTrace.PLAYER, this, "---- PlayerBase::OnStoreLoad super ----");
000034 |         return super.OnStoreLoad(ctx, version);
000035 |     }
000036 | #endif
000037 | }
000038 |

```


0005. PBO TEXT FILE

Path: core pbo files expan/0_core_preload.pbo :: Common\DayZExpansion_Core_Defines.c

Size bytes: 2883

SHA-256: 34025e280ad057b5c12c7eb9bbf0030e42d6d66553568aacec109e1e5b3c5bc8

Decoded as: utf-8-sig

Line count shown: 101

Detected class declarations: 0

Detected enum declarations: 0

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * DayZExpansion_Core_Defines.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | //! Versioning - LEGACY, consider adding defines for specific features instead when needed
000014 | //! GEQ = Greater than or equal
000015 | //! Do *not* remove old version defines!
000016 | #define EXPANSION_GEQ_1_7_0
000017 | #define EXPANSION_GEQ_1_7_17
000018 | #define EXPANSION_GEQ_1_7_24
000019 | #define EXPANSION_GEQ_1_7_31
000020 | #define EXPANSION_GEQ_1_8_0
000021 | #define EXPANSION_GEQ_1_8_11
000022 | #define EXPANSION_GEQ_1_8_12
000023 | #define EXPANSION_GEQ_1_8_18
000024 | #define EXPANSION_GEQ_1_8_19
000025 | #define EXPANSION_GEQ_1_8_20
000026 | #define EXPANSION_GEQ_1_8_21
000027 | #define EXPANSION_GEQ_1_8_25
000028 | #define EXPANSION_GEQ_1_8_28
000029 | #define EXPANSION_GEQ_1_8_33
000030 | #define EXPANSION_GEQ_1_8_46
000031 | #define EXPANSION_GEQ_1_9_38
000032 |
000033 | //! Features
000034 | #define EXPANSION_GLOBALID_ITEMBASE_CORE
000035 | #define EXPANSION_CHAT_HISTORY_LIMIT
000036 | #define EXPANSION_CHAT_TEXT_PROPERTIES
000037 | #define EXPANSION_HUD_VISIBILITY
000038 | #define EXPANSION_NOTIFICATION_KILLFEED_DROWNED
000039 |
000040 | //! Fixes
000041 | #define EXPANSION_VANILLA_EEITEMLOCATION_PB_FIX
000042 |
000043 | //! Enable it if you want to enable logging with EXPrint
000044 | //#define EXPANSIONEXPRINT
000045 | //#define EXPANSIONTRACE
000046 |
000047 | // currently is only removed on internal builds and remains on diag/retail. Consider also removing on retail for performance gains
000048 | #ifndef DEVELOPER
```

```
000049 | #define EXTRACE
000050 | #endif
000051 |
000052 | #ifdef DIAG
000053 | #define EXTRACE_DIAG
000054 | #endif
000055 |
000056 | /// Enable it if you want to enable logging with EXLogPrint
000057 | ///#define EXPANSIONEXLOGPRINT
000058 |
000059 | /// Enable mod load order debug prints
000060 | ///#define EXPANSION_LOADORDER_DEBUG
000061 |
000062 | /// Enable storage/modstorage debug prints
000063 | ///#define EXPANSION_STORAGE_DEBUG
000064 |
000065 | /// Enable it if you want to enable item attaching logic
000066 | #define EXPANSION_ITEM_ATTACHING_DISABLE
000067 | ///#define EXPANSION_ITEM_ATTACHING_LOGGING
000068 |
000069 | ///#define EXPANSION_PLAYER_ATTACHMENT_LOG
000070 |
000071 | ///#define EXPANSION_PLAYER_ATTACHMENT_CANATTACH_OVERRIDE
000072 |
000073 | /// Enable it if you want to enable skinning system debug logs
000074 | ///#define EXPANSION_SKIN_LOGGING
000075 |
000076 | /// Used for third party mods, if they want to know if expansion is loaded
000077 | #define EXPANSIONMODCORE
000078 |
000079 | #ifdef CF_DebugUI
000080 | #define EXPANSION_DEBUG_UI_AI
000081 | #define EXPANSION_DEBUG_UI_HOLOGRAM
000082 | #define EXPANSION_DEBUG_UI_FALLCOMMAND
000083 | #define EXPANSION_DEBUG_UI_VEHICLE
000084 | #define EXPANSION_DEBUG_UI_CAMERA
000085 | #endif
000086 |
000087 | #ifdef SERVER /// Don't comment these, diag exe server crashes
000088 | #define EXPANSION_DEBUG_SHAPES_DISABLE
000089 | #endif
000090 |
000091 | #ifdef DabsFramework
000092 | #define EXPANSIONUI
000093 | #else
000094 | #ifdef WORKBENCH
000095 | #define EXPANSIONUI
000096 | #endif
000097 | #endif
000098 |
000099 | ///! Versioning - NEW - do NOT add/change manually, will be added/changed during build with CI.bat!
000100 | #define EXPANSION_1_9_67
000101 |
```

0006. PBO TEXT FILE

Path: core pbo files expan/0_modstorage_preload.pbo :: Common\DayZExpansion_ModStorage_Defines.c

Size bytes: 484

SHA-256: 9afe547eb953a88faafa40403dda3facd7253555b2edf09908d91b6c302c5e9

Decoded as: utf-8-sig

Line count shown: 16

Detected class declarations: 0

Detected enum declarations: 0

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * DayZExpansion_ModStorage_Defines.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | //define EXPANSION_MODSTORAGE_DEBUG
000014 | //define EXPANSION_MODSTORAGE_DEBUG_LOAD
000015 | //define EXPANSION_MODSTORAGE_DEBUG_SAVE
000016 |
```

0007. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\CF_Log.c

Size bytes: 3158

SHA-256: daddab39dc064859122d42b196eb929b3155a669c2e5bf782cb623e8f977916b

Decoded as: utf-8-sig

Line count shown: 67

Detected class declarations: 1

L1: modded class CF_Log

Detected enum declarations: 0

Detected function/method-like declarations: 7

L7: override static void Trace(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "
L14: override static void Debug(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "
L21: override static void Info(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "
L28: override static void Warn(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "
L35: override static void Error(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "
L44: override static void Critical(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "
L54: static void PrintStack()

Full file content

```
000001 | modded class CF_Log
000002 | {
000003 |     static ref ExpansionStaticCore s_Expansion_StaticCore;
000004 |     static ref ExpansionStaticCore s_Expansion_Static = new ExpansionStaticCore;
000005 |
000006 | #ifndef CF_LOG_TIMESTAMP
000007 |     override static void Trace(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6 =
000008 |         "", string param7 = "", string param8 = "", string param9 = "")
000009 |     {
000010 |         if (Level > CF_LogLevel.TRACE) return;
000011 |         PrintFormat("%1 [TRACE] %2", s_Expansion_Static.CF_GetISOTime(), string.Format(message, param1, param2, param3, param4, param5, param6, param7, param8, pa
000012 |         ram9));
000013 |     }
000014 |     override static void Debug(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6 =
000015 |         "", string param7 = "", string param8 = "", string param9 = "")
000016 |     {
000017 |         if (Level > CF_LogLevel.DEBUG) return;
000018 |         PrintFormat("%1 [DEBUG] %2", s_Expansion_Static.CF_GetISOTime(), string.Format(message, param1, param2, param3, param4, param5, param6, param7, param8, par
000019 |         am9));
000020 |     }
000021 |     override static void Info(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6 =
000022 |         "", string param7 = "", string param8 = "", string param9 = "")
000023 |     {
000024 |         if (Level > CF_LogLevel.INFO) return;
000025 |         PrintFormat("%1 [INFO] %2", s_Expansion_Static.CF_GetISOTime(), string.Format(message, param1, param2, param3, param4, param5, param6, param7, param8, par
000026 |         am9));
000027 |     }
000028 |     override static void Warn(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6 =
000029 |         "", string param7 = "", string param8 = "", string param9 = "")
000030 |     {
000031 |         if (Level > CF_LogLevel.WARNING) return;
000032 |         PrintFormat("%1 [WARNING] %2", s_Expansion_Static.CF_GetISOTime(), string.Format(message, param1, param2, param3, param4, param5, param6, param7, param8,
000033 |         param9));
```

```
000033 |     }
000034 |
000035 |     override static void Error(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6 =
000036 |     "", string param7 = "", string param8 = "", string param9 = "")
000037 |     {
000038 |         if (Level > CF_LogLevel.ERROR) return;
000039 |         PrintFormat("%1 [ERROR] %2", s_Expansion_Static.CF_GetISOTime(), string.Format(message, param1, param2, param3, param4, param5, param6, param7, param8, pa
000040 |         ram9));
000041 |         PrintStack();
000042 |     }
000043 |
000044 |     override static void Critical(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param
000045 |     6 = "", string param7 = "", string param8 = "", string param9 = "")
000046 |     {
000047 |         if (Level > CF_LogLevel.CRITICAL) return;
000048 |         PrintFormat("%1 [CRITICAL] %2", s_Expansion_Static.CF_GetISOTime(), string.Format(message, param1, param2, param3, param4, param5, param6, param7, param8,
000049 |         param9));
000050 |         PrintStack();
000051 |     }
000052 | #endif
000053 |
000054 |     static void PrintStack()
000055 |     {
000056 |         string dump = "";
000057 |         DumpStackString(dump);
000058 |         array<string> outputs = new array<string>();
000059 |         dump.Split("\n", outputs);
000060 |
000061 |         for (int i = 1; i < outputs.Count(); i++)
000062 |         {
000063 |             Print("\t" + outputs[i]);
000064 |         }
000065 |     }
000066 | };
000067 |
```

0008. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\CF_Trace.c

Size bytes: 1960

SHA-256: 9a4ab1da29f1fd7b5da14dadf097a00447eb06c6e0790229e8c264fd085d2df6

Decoded as: utf-8-sig

Line count shown: 53

Detected class declarations: 1

L1: modded class CF_Trace

Detected enum declarations: 0

Detected function/method-like declarations: 5

L3: void Debug(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6
 L13: void Info(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6
 L23: void Warn(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6
 L33: void Error(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6
 L43: void Critical(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string par

Full file content

```

000001 | modded class CF_Trace
000002 | {
000003 |     void Debug(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6 = "", string para
    m7 = "", string param8 = "", string param9 = "")
000004 |     {
000005 |         if (!IsLogged())
000006 |         {
000007 |             return;
000008 |         }
000009 |
000010 |         CF_Log.Debug(CF_Trace.Depth() + " " + message, param1, param2, param3, param4, param5, param6, param7, param8, param9);
000011 |     }
000012 |
000013 |     void Info(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6 = "", string param
    7 = "", string param8 = "", string param9 = "")
000014 |     {
000015 |         if (!IsLogged())
000016 |         {
000017 |             return;
000018 |         }
000019 |
000020 |         CF_Log.Info(CF_Trace.Depth() + " " + message, param1, param2, param3, param4, param5, param6, param7, param8, param9);
000021 |     }
000022 |
000023 |     void Warn(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6 = "", string param
    7 = "", string param8 = "", string param9 = "")
000024 |     {
000025 |         if (!IsLogged())
000026 |         {
000027 |             return;
000028 |         }
000029 |
000030 |         CF_Log.Warn(CF_Trace.Depth() + " " + message, param1, param2, param3, param4, param5, param6, param7, param8, param9);
000031 |     }
000032 |
000033 |     void Error(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6 = "", string para
    m7 = "", string param8 = "", string param9 = "")
000034 |     {
000035 |         if (!IsLogged())
000036 |         {
000037 |             return;
000038 |         }

```

```
000039 |  
000040 |         CF_Log.Error(CF_Trace.Depth() + " " + message, param1, param2, param3, param4, param5, param6, param7, param8, param9);  
000041 |     }  
000042 |  
000043 |     void Critical(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6 = "", string p  
000044 |     {  
000045 |         if (!IsLogged())  
000046 |         {  
000047 |             return;  
000048 |         }  
000049 |  
000050 |         CF_Log.Critical(CF_Trace.Depth() + " " + message, param1, param2, param3, param4, param5, param6, param7, param8, param9);  
000051 |     }  
000052 | };  
000053 |
```

0009. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\ExpansionInhibitor.c

Size bytes: 934

SHA-256: beffd853c113c4962985e8929a9504e80cdb85778fa050a5fbceed54770c5a61

Decoded as: utf-8-sig

Line count shown: 42

Detected class declarations: 1

L13: class ExpansionInhibitor: Managed

Detected enum declarations: 0

Detected function/method-like declarations: 5

L19: private void ExpansionInhibitor(Class instance)

L25: void ~ExpansionInhibitor()

L32: static ExpansionInhibitor Add(Class instance)

L34: return new ExpansionInhibitor(instance);

L37: static bool Contains(Class instance)

Full file content

```
000001 | /**
000002 |  * ExpansionInhibitor.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionInhibitor: Managed
000014 | {
000015 |     protected static ref array<Class> s_Instances = new array<Class>;
000016 |
000017 |     protected Class m_Instance;
000018 |
000019 |     private void ExpansionInhibitor(Class instance)
000020 |     {
000021 |         m_Instance = instance;
000022 |         s_Instances.Insert(instance);
000023 |     }
000024 |
000025 |     void ~ExpansionInhibitor()
000026 |     {
000027 |         int index = s_Instances.Find(m_Instance);
000028 |         if (index > -1)
000029 |             s_Instances.Remove(index);
000030 |     }
000031 |
000032 |     static ExpansionInhibitor Add(Class instance)
000033 |     {
000034 |         return new ExpansionInhibitor(instance);
000035 |     }
000036 |
000037 |     static bool Contains(Class instance)
000038 |     {
000039 |         return s_Instances.Find(instance) > -1;
000040 |     }
000041 | }
000042 |
```


0010. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\ExpansionStaticCore.c
Size bytes: 502
SHA-256: 03d66367ea17a0856a0985b256de7733cdf0e9fd3175b9d0407e1f88d2891a32
Decoded as: utf-8-sig
Line count shown: 25
Detected class declarations: 1
 L1: class ExpansionStaticCore: Managed
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L3: string CF_GetISOTime()
 L15: static void EXPrintToFile(string str, string fileName = "\$profile:EXPrintToFile.log", int fileMode = FileMode.APPEND)

Full file content

```
000001 | class ExpansionStaticCore: Managed
000002 | {
000003 |     string CF_GetISOTime()
000004 |     {
000005 |         int hour;
000006 |         int minute;
000007 |         int second;
000008 |
000009 |         GetHourMinuteSecond(hour, minute, second);
000010 |
000011 |         return hour.ToStringLen(2) + ":" + minute.ToStringLen(2) + ":" + second.ToStringLen(2);
000012 |     }
000013 | }
000014 |
000015 | static void EXPrintToFile(string str, string fileName = "$profile:EXPrintToFile.log", int fileMode = FileMode.APPEND)
000016 | {
000017 |     FileHandle file = OpenFile(fileName, fileMode);
000018 |
000019 |     if (file)
000020 |     {
000021 |         FPrintln(file, str);
000022 |         CloseFile(file);
000023 |     }
000024 | }
000025 |
```

0011. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\ExpansionString.c
Size bytes: 12972
SHA-256: 30b1531e842892127ba3b6d2ee6a450e51b69c53532d9230b9e4847c963cb7b9
Decoded as: utf-8-sig
Line count shown: 626
Detected class declarations: 1
  L13: class ExpansionString: string
Detected enum declarations: 0
Detected function/method-like declarations: 55
  L39: void ExpansionString(string str)
  L44: string Get()
  L50: string BaseName()
  L60: static string BaseName(string fileName)
  L66: string DirName()
  L76: static string DirName(string fileName)
  L82: int DJB2Hash()
  L94: static int DJB2Hash(string str)
  L100: int JenkinsHash()
  L118: static int JenkinsHash(string str)
  L124: int PearsonHash8()
  L137: static int PearsonHash8(string str)
  L145: int Hash16()
  L158: static int Hash16(string str)
  L165: int BetterHash()
  L180: static int BetterHash(string str)
  L186: static string CamelCaseToWords(string str, string sep = " ")
  L214: static bool ContainsAny(string text, TStringArray words)
  L227: static int Replace(inout string text, string search, string replace, bool ignoreCase = false)
  L266: string Reversed()
  L278: bool StartsWith(string prefix)
  L283: static bool StartsWith(string str, string prefix)
  L288: static bool StartsWithAny(string text, TStringArray words)
  L299: bool StartsWithIgnoreCase(string prefix)
  L307: static bool StartsWithIgnoreCase(string str, string prefix)
  L313: bool EndsWith(string suffix, out int index = -1)
  L322: static bool EndsWith(string str, string suffix, out int index = -1)
  L328: bool EndsWithIgnoreCase(string suffix, out int index = -1)
  L336: static bool EndsWithIgnoreCase(string str, string suffix, out int index = -1)
  L342: bool Equals(string cmp)
  L348: bool EqualsCaseInsensitive(string cmp)
  L351: return EqualsIgnoreCase(cmp);
  L354: bool EqualsIgnoreCase(string cmp)
  L362: static bool EqualsIgnoreCase(string str, string cmp)
  L370: int LastIndexOf(string sample)
  L388: static int LastIndexOf(string str, string sample)
  L393: string JustifyLeft(int length, string pad)
  L406: static string JustifyLeft(string str, int length, string pad)
  L412: string JustifyRight(int length, string pad)
  L425: static string JustifyRight(string str, int length, string pad)
  L433: int ToAscii(int index = 0)
  L439: static int ToAscii(string str, int index = 0)
  L451: string RemoveFirstChar()
  L456: static string RemoveFirstChar( string str )
  L461: string StripExtension(string ext = string.Empty)
  L480: static string StripExtension(string str, string ext)
  L493: string RemoveLastChar()
  L498: static string RemoveLastChar( string str )
  L503: static string JoinStrings(array<ExpansionString> strings, string glue = ", ", bool reverse = false)
```

```
L531: static string JoinStrings(TStringArray strings, string glue = ", ", bool reverse = false)
L568: static string FindLongestCommonPrefix(string prefix, TStringArray values, bool skipNotFound = false)
L603: static int StrCmp(string a, string b)
L609: else if (a[i] > b[i])
L616: static int StrCaseCmp(string a, string b)
L621: return StrCmp(a, b);
```

Full file content

```
000001 | /**
000002 |  * ExpansionString.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionString: string
000014 | {
000015 |     static const string ZERO_WIDTH_SPACE = "\u200B"; //!< This may look like an empty string, but it is not. It's a zero-width space as UTF-8;
000016 |
000017 |     static const int PERMUTATION_TABLE[256] = {
000018 |         98, 6, 85, 150, 36, 23, 112, 164, 135, 207, 169, 5, 26, 64, 165, 219,
000019 |         61, 20, 68, 89, 130, 63, 52, 102, 24, 229, 132, 245, 80, 216, 195, 115,
000020 |         90, 168, 156, 203, 177, 120, 2, 190, 188, 7, 100, 185, 174, 243, 162, 10,
000021 |         237, 18, 253, 225, 8, 208, 172, 244, 255, 126, 101, 79, 145, 235, 228, 121,
000022 |         123, 251, 67, 250, 161, 0, 107, 97, 241, 111, 181, 82, 249, 33, 69, 55,
000023 |         59, 153, 29, 9, 213, 167, 84, 93, 30, 46, 94, 75, 151, 114, 73, 222,
000024 |         197, 96, 210, 45, 16, 227, 248, 202, 51, 152, 252, 125, 81, 206, 215, 186,
000025 |         39, 158, 178, 187, 131, 136, 1, 49, 50, 17, 141, 91, 47, 129, 60, 99,
000026 |         154, 35, 86, 171, 105, 34, 38, 200, 147, 58, 77, 118, 173, 246, 76, 254,
000027 |         133, 232, 196, 144, 198, 124, 53, 4, 108, 74, 223, 234, 134, 230, 157, 139,
000028 |         189, 205, 199, 128, 176, 19, 211, 236, 127, 192, 231, 70, 233, 88, 146, 44,
000029 |         183, 201, 22, 83, 13, 214, 116, 109, 159, 32, 95, 226, 140, 220, 57, 12,
000030 |         221, 31, 209, 182, 143, 92, 149, 184, 148, 62, 113, 65, 37, 27, 106, 166,
000031 |         3, 14, 204, 72, 21, 41, 56, 66, 28, 193, 40, 217, 25, 54, 179, 117,
000032 |         238, 87, 240, 155, 180, 170, 242, 212, 191, 163, 78, 218, 137, 194, 175, 110,
000033 |         43, 119, 224, 71, 122, 142, 42, 160, 104, 48, 247, 103, 15, 11, 138, 239
000034 |     };
000035 |
000036 |     /*
000037 |     protected string value;
000038 |
000039 |     void ExpansionString(string str)
000040 |     {
000041 |         value = str;
000042 |     }
000043 |
000044 |     string Get()
000045 |     {
000046 |         return value;
000047 |     }
000048 |     */
000049 |
000050 |     string BaseName()
000051 |     {
000052 |         string tmp = value;
000053 |         tmp.Replace("\\", "/");
```

```
000054 |         int index = tmp.LastIndexOf("/");
000055 |         if (index > -1)
000056 |             return value.Substring(index + 1, value.Length() - index - 1);
000057 |         return value;
000058 |     }
000059 |
000060 |     static string BaseName(string fileName)
000061 |     {
000062 |         ExpansionString tmp = fileName;
000063 |         return tmp.BaseName();
000064 |     }
000065 |
000066 |     string DirName()
000067 |     {
000068 |         string tmp = value;
000069 |         tmp.Replace("\\", "/");
000070 |         int index = tmp.LastIndexOf("/");
000071 |         if (index > -1)
000072 |             return value.Substring(0, index);
000073 |         return value;
000074 |     }
000075 |
000076 |     static string DirName(string fileName)
000077 |     {
000078 |         ExpansionString tmp = fileName;
000079 |         return tmp.DirName();
000080 |     }
000081 |
000082 |     int DJB2Hash()
000083 |     {
000084 |         int hash = 5381;
000085 |
000086 |         for (int i = 0; i < value.Length(); ++i)
000087 |         {
000088 |             hash = ((hash << 5) + hash) + value[i].ToAscii();  //!< Equivalent to hash * 33 + value[i].ToAscii()
000089 |         }
000090 |
000091 |         return hash;
000092 |     }
000093 |
000094 |     static int DJB2Hash(string str)
000095 |     {
000096 |         ExpansionString tmp = str;
000097 |         return tmp.DJB2Hash();
000098 |     }
000099 |
000100 |     int JenkinsHash()
000101 |     {
000102 |         int hash = 0;
000103 |
000104 |         for (int i = 0; i < value.Length(); ++i)
000105 |         {
000106 |             hash += value[i].ToAscii();
000107 |             hash += (hash << 10);
000108 |             hash ^= (hash >> 6);
000109 |         }
000110 |
000111 |         hash += (hash << 3);
000112 |         hash ^= (hash >> 11);
000113 |         hash += (hash << 15);
000114 |
000115 |         return hash;
```

```
000116 | }
000117 |
000118 | static int JenkinsHash(string str)
000119 | {
000120 |     ExpansionString tmp = str;
000121 |     return tmp.JenkinsHash();
000122 | }
000123 |
000124 | int PearsonHash8()
000125 | {
000126 |     int hash = value.Length();  //!< Initial value can be anything
000127 |
000128 |     for (int i = 0; i < value.Length(); ++i)
000129 |     {
000130 |         int ascii = value[i].ToAscii();
000131 |         hash = PERMUTATION_TABLE[(hash ^ ascii) & 0xff];
000132 |     }
000133 |
000134 |     return hash;
000135 | }
000136 |
000137 | static int PearsonHash8(string str)
000138 | {
000139 |     ExpansionString tmp = str;
000140 |     return tmp.PearsonHash8();
000141 | }
000142 |
000143 | //!< Neat little hash function, good for small datasets (< 64 k)
000144 | //!< https://stackoverflow.com/a/19661491
000145 | int Hash16()
000146 | {
000147 |     int hash;
000148 |
000149 |     for (int i = 0; i < value.Length(); ++i)
000150 |     {
000151 |         int ascii = value[i].ToAscii() + i;
000152 |         hash += (hash << 5) + ascii + (ascii << 7);
000153 |     }
000154 |
000155 |     return (hash ^ (hash >> 16)) & 0xffff;
000156 | }
000157 |
000158 | static int Hash16(string str)
000159 | {
000160 |     ExpansionString tmp = str;
000161 |     return tmp.Hash16();
000162 | }
000163 |
000164 | //!< Like vanilla Hash(), but using different prime (109 instead of 37) for better collision resilience
000165 | int BetterHash()
000166 | {
000167 |     int hash;
000168 |
000169 |     for (int i = 0; i < value.Length(); ++i)
000170 |     {
000171 |         int ascii = value[i].ToAscii();
000172 |         hash = hash * 109 + ascii;
000173 |         if (ascii > 127)
000174 |             hash -= 256;
000175 |     }
000176 |
000177 |     return hash;
```

```
000178 | }
000179 |
000180 | static int BetterHash(string str)
000181 | {
000182 |     ExpansionString tmp = str;
000183 |     return tmp.BetterHash();
000184 | }
000185 |
000186 | static string CamelCaseToWords(string str, string sep = " ")
000187 | {
000188 |     string output;
000189 |     string c;
000190 |     string cUpper;
000191 |     string cLower;
000192 |     bool wasLower;
000193 |
000194 |     for (int j = 0; j < str.Length(); j++)
000195 |     {
000196 |         c = str[j];
000197 |         cUpper = c;
000198 |         cUpper.ToUpper();
000199 |         cLower = c;
000200 |         cLower.ToLower();
000201 |         if (wasLower && c == cUpper && c != cLower)
000202 |             output += sep;
000203 |         output += c;
000204 |         ///! https://feedback.bistudio.com/T173348
000205 |         if (c != cUpper && c == cLower)
000206 |             wasLower = true;
000207 |         else
000208 |             wasLower = false;
000209 |     }
000210 |
000211 |     return output;
000212 | }
000213 |
000214 | static bool ContainsAny(string text, TStringArray words)
000215 | {
000216 |     foreach (string word: words)
000217 |     {
000218 |         if (text.Contains(word))
000219 |             return true;
000220 |     }
000221 |
000222 |     return false;
000223 | }
000224 |
000225 | ///! Vanilla string.Replace truncates long text >:-(
000226 | ///! https://feedback.bistudio.com/T177558
000227 | static int Replace(inout string text, string search, string replace, bool ignoreCase = false)
000228 | {
000229 |     string tmp;
000230 |     int index;
000231 |
000232 |     if (ignoreCase)
000233 |     {
000234 |         tmp = text;
000235 |         tmp.ToLower();
000236 |         search.ToLower();
000237 |         index = tmp.IndexOf(search);
000238 |     }
000239 |     else
```

```
000240 |     {
000241 |         index = text.IndexOf(search);
000242 |     }
000243 |
000244 |     int count;
000245 |     int searchLen = search.Length();
000246 |     int replaceLen = replace.Length();
000247 |
000248 |     while (index > -1)
000249 |     {
000250 |         text = text.Substring(0, index) + replace + text.Substring(index + searchLen, text.Length() - index - searchLen);
000251 |         count++;
000252 |         if (ignoreCase)
000253 |         {
000254 |             tmp = tmp.Substring(0, index) + replace + tmp.Substring(index + searchLen, tmp.Length() - index - searchLen);
000255 |             index = tmp.IndexOfFrom(index + replaceLen, search);
000256 |         }
000257 |         else
000258 |         {
000259 |             index = text.IndexOfFrom(index + replaceLen, search);
000260 |         }
000261 |     }
000262 |
000263 |     return count;
000264 | }
000265 |
000266 | string Reversed()
000267 | {
000268 |     string result;
000269 |
000270 |     for (int i = value.Length() - 1; i >= 0; --i)
000271 |     {
000272 |         result += value[i];
000273 |     }
000274 |
000275 |     return result;
000276 | }
000277 |
000278 | bool StartsWith(string prefix)
000279 | {
000280 |     return value.IndexOf(prefix) == 0;
000281 | }
000282 |
000283 | static bool StartsWith(string str, string prefix)
000284 | {
000285 |     return str.IndexOf(prefix) == 0;
000286 | }
000287 |
000288 | static bool StartsWithAny(string text, TStringArray words)
000289 | {
000290 |     foreach (string word: words)
000291 |     {
000292 |         if (ExpansionString.StartsWith(text, word))
000293 |             return true;
000294 |     }
000295 |
000296 |     return false;
000297 | }
000298 |
000299 | bool StartsWithIgnoreCase(string prefix)
000300 | {
000301 |     ExpansionString tmp = value;
```

```
000302 |         tmp.ToLower();
000303 |         prefix.ToLower();
000304 |         return tmp.StartsWith(prefix);
000305 |     }
000306 |
000307 |     static bool StartsWithIgnoreCase(string str, string prefix)
000308 |     {
000309 |         ExpansionString tmp = str;
000310 |         return tmp.StartsWithIgnoreCase(prefix);
000311 |     }
000312 |
000313 |     bool EndsWith(string suffix, out int index = -1)
000314 |     {
000315 |         int suffixLength = suffix.Length();
000316 |         if (value.Length() < suffixLength)
000317 |             return false;
000318 |         index = value.LastIndexOf(suffix);
000319 |         return index == value.Length() - suffixLength;
000320 |     }
000321 |
000322 |     static bool EndsWith(string str, string suffix, out int index = -1)
000323 |     {
000324 |         ExpansionString tmp = str;
000325 |         return tmp.EndsWith(suffix, index);
000326 |     }
000327 |
000328 |     bool EndsWithIgnoreCase(string suffix, out int index = -1)
000329 |     {
000330 |         ExpansionString tmp = value;
000331 |         tmp.ToLower();
000332 |         suffix.ToLower();
000333 |         return tmp.EndsWith(suffix, index);
000334 |     }
000335 |
000336 |     static bool EndsWithIgnoreCase(string str, string suffix, out int index = -1)
000337 |     {
000338 |         ExpansionString tmp = str;
000339 |         return tmp.EndsWithIgnoreCase(suffix, index);
000340 |     }
000341 |
000342 |     bool Equals(string cmp)
000343 |     {
000344 |         return value == cmp;
000345 |     }
000346 |
000347 |     ///! DEPRECATED, alias for EqualsIgnoreCase
000348 |     bool EqualsCaseInsensitive(string cmp)
000349 |     {
000350 |         Error("DEPRECATED, use EqualsIgnoreCase");
000351 |         return EqualsIgnoreCase(cmp);
000352 |     }
000353 |
000354 |     bool EqualsIgnoreCase(string cmp)
000355 |     {
000356 |         ExpansionString tmp = value;
000357 |         tmp.ToLower();
000358 |         cmp.ToLower();
000359 |         return tmp == cmp;
000360 |     }
000361 |
000362 |     static bool EqualsIgnoreCase(string str, string cmp)
000363 |     {
```



```
000364 |         ExpansionString tmp = str;
000365 |         return tmp.EqualsIgnoreCase(cmp);
000366 |     }
000367 |
000368 | /*
000369 |  //! Reimplement LastIndexOf (vanilla string.LastIndexOf is broken...)
000370 |  int LastIndexOf(string sample)
000371 |  {
000372 |      if (sample == string.Empty)
000373 |          return 0;
000374 |      int idx = -1;
000375 |      int lastIdx = -1;
000376 |      while (true)
000377 |      {
000378 |          idx = value.IndexOfFrom(idx + 1, sample);
000379 |          if (idx > -1)
000380 |              lastIdx = idx;
000381 |          else
000382 |              break;
000383 |      }
000384 |      return lastIdx;
000385 |  }
000386 | */
000387 |
000388 | static int LastIndexOf(string str, string sample)
000389 | {
000390 |     return str.LastIndexOf(sample);
000391 | }
000392 |
000393 | string JustifyLeft(int length, string pad)
000394 | {
000395 |     string tmp = value;
000396 |     length = length - value.Length();
000397 |
000398 |     for (int index = 0; index < length; index++)
000399 |     {
000400 |         tmp += pad;
000401 |     }
000402 |
000403 |     return tmp;
000404 | }
000405 |
000406 | static string JustifyLeft(string str, int length, string pad)
000407 | {
000408 |     ExpansionString tmp = str;
000409 |     return tmp.JustifyLeft(length, pad);
000410 | }
000411 |
000412 | string JustifyRight(int length, string pad)
000413 | {
000414 |     string tmp = value;
000415 |     length = length - value.Length();
000416 |
000417 |     for (int index = 0; index < length; index++)
000418 |     {
000419 |         tmp = pad + tmp;
000420 |     }
000421 |
000422 |     return tmp;
000423 | }
000424 |
000425 | static string JustifyRight(string str, int length, string pad)
```

```
000426 | {
000427 |     ExpansionString tmp = str;
000428 |     return tmp.JustifyRight(length, pad);
000429 | }
000430 |
000431 | /*
000432 |  //! Reimplement ToAscii (vanilla string.ToAscii is broken...)
000433 |  int ToAscii(int index = 0)
000434 |  {
000435 |      return value[index].Hash();
000436 |  }
000437 | */
000438 |
000439 | static int ToAscii(string str, int index = 0)
000440 | {
000441 |     return str[index].ToAscii();
000442 | }
000443 |
000444 | /**
000445 |  * @brief Removes the first character from the string
000446 |  *
000447 |  * @param str input string
000448 |  *
000449 |  * @return a copy of str with the first character removed
000450 |  */
000451 | string RemoveFirstChar()
000452 | {
000453 |     return value.Substring( 1, value.Length() - 1 );
000454 | }
000455 |
000456 | static string RemoveFirstChar( string str )
000457 | {
000458 |     return str.Substring( 1, str.Length() - 1 );
000459 | }
000460 |
000461 | string StripExtension(string ext = string.Empty)
000462 | {
000463 |     if (ext == string.Empty)
000464 |     {
000465 |         int index = value.LastIndexOf(".");
000466 |
000467 |         if (index > -1)
000468 |             return value.Substring(0, index);
000469 |
000470 |         return value;
000471 |     }
000472 |
000473 |     ExpansionString tmp = value;
000474 |     if (tmp.EndsWithIgnoreCase(ext))
000475 |         return value.Substring( 0, value.Length() - ext.Length() );
000476 |
000477 |     return value;
000478 | }
000479 |
000480 | static string StripExtension(string str, string ext)
000481 | {
000482 |     ExpansionString tmp = str;
000483 |     return tmp.StripExtension(ext);
000484 | }
000485 |
000486 | /**
000487 |  * @brief Removes the last character from the string
```

```
000488 | *
000489 | * @param str input string
000490 | *
000491 | * @return a copy of str with the last character removed
000492 | */
000493 | string RemoveLastChar()
000494 | {
000495 |     return value.Substring( 0, value.Length() - 1 );
000496 | }
000497 |
000498 | static string RemoveLastChar( string str )
000499 | {
000500 |     return str.Substring( 0, str.Length() - 1 );
000501 | }
000502 |
000503 | static string JoinStrings(array<ExpansionString> strings, string glue = ", ", bool reverse = false)
000504 | {
000505 |     string output = "";
000506 |     int count = strings.Count();
000507 |     int i, delta;
000508 |
000509 |     if (reverse)
000510 |     {
000511 |         i = count - 1;
000512 |         delta = -1;
000513 |     }
000514 |     else
000515 |     {
000516 |         i = 0;
000517 |         delta = 1;
000518 |     }
000519 |
000520 |     while (count--)
000521 |     {
000522 |         if (glue && output)
000523 |             output += glue;
000524 |         output += strings[i];
000525 |         i += delta;
000526 |     }
000527 |
000528 |     return output;
000529 | }
000530 |
000531 | static string JoinStrings(TStringArray strings, string glue = ", ", bool reverse = false)
000532 | {
000533 |     string output = "";
000534 |     int count = strings.Count();
000535 |     int i, delta;
000536 |
000537 |     if (reverse)
000538 |     {
000539 |         i = count - 1;
000540 |         delta = -1;
000541 |     }
000542 |     else
000543 |     {
000544 |         i = 0;
000545 |         delta = 1;
000546 |     }
000547 |
000548 |     while (count--)
000549 |     {
```

```
000550 |         if (glue && output)
000551 |             output += glue;
000552 |         output += strings[i];
000553 |         i += delta;
000554 |     }
000555 |
000556 |     return output;
000557 | }
000558 |
000559 | /**
000560 |  * @brief Find longest common prefix in values
000561 |  *
000562 |  * @param prefix    Starting prefix
000563 |  * @param values
000564 |  * @param skipNotFound If true, skip values where a common prefix was not found (else return empty string)
000565 |  *
000566 |  * @return longest common prefix or empty string
000567 |  */
000568 | static string FindLongestCommonPrefix(string prefix, TStringArray values, bool skipNotFound = false)
000569 | {
000570 |     if (values.Count() == 0)
000571 |         return "";
000572 |
000573 |     bool found;
000574 |
000575 |     foreach (string current: values)
000576 |     {
000577 |         int i = 0;
000578 |
000579 |         while (i < prefix.Length() && i < current.Length() && prefix[i] == current[i])
000580 |             i++;
000581 |
000582 |         if (i == 0)
000583 |         {
000584 |             if (skipNotFound)
000585 |                 continue;
000586 |
000587 |             return "";
000588 |         }
000589 |         else
000590 |         {
000591 |             found = true;
000592 |         }
000593 |
000594 |         prefix = prefix.Substring(0, i);
000595 |     }
000596 |
000597 |     if (found)
000598 |         return prefix;
000599 |
000600 |     return "";
000601 | }
000602 |
000603 | static int StrCmp(string a, string b)
000604 | {
000605 |     for (int i = 0; i < Math.Min(a.Length(), b.Length()); i++)
000606 |     {
000607 |         if (a[i] < b[i])
000608 |             return -1;
000609 |         else if (a[i] > b[i])
000610 |             return 1;
000611 |     }
```

```
000612 |  
000613 |     return a.Length() - b.Length();  
000614 | }  
000615 |  
000616 | static int StrCaseCmp(string a, string b)  
000617 | {  
000618 |     a.ToLower();  
000619 |     b.ToLower();  
000620 |  
000621 |     return StrCmp(a, b);  
000622 | }  
000623 | }  
000624 |  
000625 | typedef string ExpansionString;  
000626 |
```

0012. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\ExpansionType.c
Size bytes: 1207
SHA-256: e64b9fc15f3a37666d843da4f1f5a5e9670b2016186ddd75facf521e2e44cb23
Decoded as: utf-8-sig
Line count shown: 75
Detected class declarations: 3
 L1: class EXType: Managed
 L14: class EXTypeT<Class T>: EXType
 L51: class ExpansionPrimitiveT<Class T>: ExpansionPrimitive
Detected enum declarations: 0
Detected function/method-like declarations: 10
 L3: typename GetValueType()
 L8: string ToString(bool type = false, bool name = false, bool quotes = true)
 L18: void EXTypeT(T value)
 L23: T GetValue()
 L28: override typename GetValueType()
 L33: override string ToString(bool type = false, bool name = false, bool quotes = true)
 L55: void ExpansionPrimitiveT(T value)
 L60: T GetValue()
 L65: override typename GetValueType()
 L70: override string ToString(bool type = false, bool name = false, bool quotes = true)

Full file content

```
000001 | class EXType: Managed
000002 | {
000003 |     typename GetValueType()
000004 |     {
000005 |         return typename;
000006 |     }
000007 |
000008 |     string ToString(bool type = false, bool name = false, bool quotes = true)
000009 |     {
000010 |         return string.ToString(string.Empty, type, name, quotes);
000011 |     }
000012 | }
000013 |
000014 | class EXTypeT<Class T>: EXType
000015 | {
000016 |     T m_Value;
000017 |
000018 |     void EXTypeT(T value)
000019 |     {
000020 |         m_Value = value;
000021 |     }
000022 |
000023 |     T GetValue()
000024 |     {
000025 |         return m_Value;
000026 |     }
000027 |
000028 |     override typename GetValueType()
000029 |     {
000030 |         return T;
000031 |     }
000032 |
000033 |     override string ToString(bool type = false, bool name = false, bool quotes = true)
000034 |     {
000035 |         return string.ToString(m_Value, type, name, quotes);
```

```
000036 |     }
000037 | }
000038 |
000039 | typedef EXTypeT<bool> EXBool;
000040 |
000041 | typedef EXTypeT<float> EXFloat;
000042 |
000043 | typedef EXTypeT<int> EXInt;
000044 |
000045 | typedef EXTypeT<string> EXString;
000046 |
000047 | typedef EXTypeT<vector> EXVector;
000048 |
000049 | //! Legacy
000050 | typedef EXType ExpansionPrimitive;
000051 | class ExpansionPrimitiveT<Class T>: ExpansionPrimitive
000052 | {
000053 |     T m_Value;
000054 |
000055 |     void ExpansionPrimitiveT(T value)
000056 |     {
000057 |         m_Value = value;
000058 |     }
000059 |
000060 |     T GetValue()
000061 |     {
000062 |         return m_Value;
000063 |     }
000064 |
000065 |     override typename GetValueType()
000066 |     {
000067 |         return T;
000068 |     }
000069 |
000070 |     override string ToString(bool type = false, bool name = false, bool quotes = true)
000071 |     {
000072 |         return string.ToString(m_Value, type, name, quotes);
000073 |     }
000074 | }
000075 |
```

0013. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\ExpansionUtil.c

Size bytes: 323

SHA-256: 1321c9ddd81d6ee55811962d52b63a9e6a064da45b8a62fc8dff25b0a278df39

Decoded as: utf-8-sig

Line count shown: 23

Detected class declarations: 2

L1: class ExpansionUtil<Class T>

L12: class ExpansionUtil2<Class T1, Class T2>

Detected enum declarations: 0

Detected function/method-like declarations: 2

L3: static void Swap(inout T a, inout T b)

L14: static void RefCopy(map<T1, ref T2> from, map<T1, ref T2> to)

Full file content

```
000001 | class ExpansionUtil<Class T>
000002 | {
000003 |     static void Swap(inout T a, inout T b)
000004 |     {
000005 |         T c = a;
000006 |
000007 |         a = b;
000008 |         b = c;
000009 |     }
000010 | }
000011 |
000012 | class ExpansionUtil2<Class T1, Class T2>
000013 | {
000014 |     static void RefCopy(map<T1, ref T2> from, map<T1, ref T2> to)
000015 |     {
000016 |         to.Clear();
000017 |         foreach (T1 key, T2 value: from)
000018 |         {
000019 |             to[key] = value;
000020 |         }
000021 |     }
000022 | }
000023 |
```


0014. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Analytics\ExpansionAnalyticsManagerServer.c

Size bytes: 2910

SHA-256: 171f4b4df2de10d57951a2525339e8b3ce971f4b8e8d14aed534c390a58473a0

Decoded as: utf-8-sig

Line count shown: 104

Detected class declarations: 1

L13: modded class AnalyticsManagerServer

Detected enum declarations: 0

Detected function/method-like declarations: 5

L21: override void OnPlayerConnect(Man player)

L38: override void OnEntityKilled(Object killer, EntityAI target)

L64: protected void OnAnimalKilled(Man killer, EntityAI target)

L73: override protected void OnPlayerKilled(Man killer, EntityAI target)

L93: protected void OnAIPlayerKilled(Man killer, EntityAI target)

Full file content

```
000001 | /**
000002 |  * ExpansionAnalyticsManagerServer.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class AnalyticsManagerServer
000014 | {
000015 |     const string EXP_STAT_ANIMALS_KILLED = "animals_killed";
000016 |     const string EXP_STAT_AI_PLAYERS_KILLED = "ai_players_killed";
000017 |
000018 |     // -----
000019 |     // Override OnPlayerConnect
000020 |     // -----
000021 |     override void OnPlayerConnect(Man player)
000022 |     {
000023 | #ifdef EXPANSIONTRACE
000024 |         auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "OnPlayerConnect");
000025 | #endif
000026 |
000027 |         super.OnPlayerConnect(player);
000028 |
000029 |         player.StatRegister(EXP_STAT_ANIMALS_KILLED);
000030 | #ifdef ENFUSION_AI_PROJECT
000031 |         player.StatRegister(EXP_STAT_AI_PLAYERS_KILLED);
000032 | #endif
000033 |     }
000034 |
000035 |     // -----
000036 |     // Override OnEntityKilled
000037 |     // -----
000038 |     override void OnEntityKilled(Object killer, EntityAI target)
000039 |     {
000040 | #ifdef EXPANSIONTRACE
000041 |         auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "OnEntityKilled");
000042 | #endif
```

```
000043 |
000044 |     super.OnEntityKilled(killer, target);
000045 |
000046 |     EntityAI killer_entity = EntityAI.Cast( killer );
000047 |     if (killer_entity)
000048 |     {
000049 |         Man killer_survivor = killer_entity.GetHierarchyRootPlayer();
000050 |
000051 |         if (killer_survivor)
000052 |         {
000053 |             if (target.IsAnimal())
000054 |             {
000055 |                 OnAnimalKilled(killer_survivor, target);
000056 |             }
000057 |         }
000058 |     }
000059 | }
000060 |
000061 | // -----
000062 | // Expansion OnAnimalKilled
000063 | // -----
000064 | protected void OnAnimalKilled(Man killer, EntityAI target)
000065 | {
000066 | #ifdef EXPANSIONTRACE
000067 |     auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "OnAnimalKilled");
000068 | #endif
000069 |
000070 |     killer.StatUpdate(EXP_STAT_ANIMALS_KILLED, 1);
000071 | }
000072 |
000073 | override protected void OnPlayerKilled(Man killer, EntityAI target)
000074 | {
000075 | #ifdef EXPANSIONTRACE
000076 |     auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "OnPlayerKilled");
000077 | #endif
000078 |
000079 | #ifdef ENFUSION_AI_PROJECT
000080 |     //! Since eAIBase and DZPlayerImpl are not available in 3_Game,
000081 |     //! we just assume AI if target is man and has no identity
000082 |     Man victim;
000083 |     if (Class.CastTo(victim, target) && !victim.GetIdentity())
000084 |     {
000085 |         OnAIPlayerKilled(killer, target);
000086 |         return;
000087 |     }
000088 | #endif
000089 |
000090 |     super.OnPlayerKilled(killer, target);
000091 | }
000092 |
000093 | protected void OnAIPlayerKilled(Man killer, EntityAI target)
000094 | {
000095 | #ifdef EXPANSIONTRACE
000096 |     auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "OnAIPlayerKilled");
000097 | #endif
000098 |
000099 | #ifdef ENFUSION_AI_PROJECT
000100 |     killer.StatUpdate(EXP_STAT_AI_PLAYERS_KILLED, 1);
000101 | #endif
000102 | }
000103 | }
000104 |
```

0015. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCE.c

Size bytes: 5065

SHA-256: 80fda075e2250a53c24c035b9ba71082bd2c6eddae7bca65fe9b2e884559ed73

Decoded as: utf-8-sig

Line count shown: 221

Detected class declarations: 1

L44: class ExpansionCE

Detected enum declarations: 0

Detected function/method-like declarations: 16

L57: static ExpansionCE GetInstance()

L65: private void ExpansionCE()

L73: void Init()

L82: void LoadPlayerSpawnpoints()

L95: void LoadTerritories()

L116: void LoadTerritories(string territoryName)

L129: void LoadCE()

L144: void LoadCE(ExpansionCEFileType type)

L159: void LoadTypes()

L167: void LoadSpawnableTypes()

L175: void LoadEvents()

L180: void SaveJSON(string fileName = "\$mission:ExpansionCE.json")

L194: void Clear()

L203: ExpansionCEType GetType(string name)

L209: ExpansionCESpawnableType GetSpawnableType(string name)

L215: ExpansionCEEvt GetEvent(string name)

Full file content

```
000001 | /**
000002 |  * ExpansionCE.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | /**
000014 |  * @brief Central Economy
000015 |  * \n usage:
000016 |  * @code
000017 |  * ExpansionCE ce = ExpansionCE.GetInstance();
000018 |  *
000019 |  * ce.LoadTypes();
000020 |  * ExpansionCESpawnableType hatchet = ce.GetType("Hatchet");
000021 |  * Print(hatchet.Categories[0]);
000022 |  *
000023 |  * >> "tools"
000024 |  *
000025 |  * ce.LoadSpawnableTypes();
000026 |  * ExpansionCEType vss = ce.GetSpawnableType("VSS");
000027 |  * Print(vss.AttachmentGroups[0].Items[0].ItemName);
000028 |  *
000029 |  * >> "PS0110ptic"
000030 |  *
000031 |  * ce.LoadEvents();
```

```
000032 | * ExpansionCEEvent helicrash = ce.GetEvent("StaticHeliCrash");
000033 | * Print(helicrash.Children["wreck_m18_crashed"].LootMin);
000034 | *
000035 | * >> 10
000036 | *
000037 | * ce.LoadTerritories("wolf");
000038 | * ExpansionCETerritories wolf = ce.Territories["wolf"];
000039 | * Print(wolf.Zones[0].Name);
000040 | *
000041 | * >> "Water"
000042 | * @endcode
000043 | */
000044 | class ExpansionCE
000045 | {
000046 |     static const int NOT_SET = int.MIN;
000047 |
000048 |     protected static ref ExpansionCE s_Instance;
000049 |
000050 |     ref ExpansionEconomyCore EconomyCore = new ExpansionEconomyCore();
000051 |     ref ExpansionCETypes Types = new ExpansionCETypes();
000052 |     ref ExpansionCESpawnableTypes SpawnableTypes = new ExpansionCESpawnableTypes();
000053 |     ref ExpansionCEEEvents Events = new ExpansionCEEEvents();
000054 |     ref map<string, ref ExpansionCETerritories> Territories = new map<string, ref ExpansionCETerritories>();
000055 |     ref ExpansionCEPlayerSpawnpoints PlayerSpawnPoints = new ExpansionCEPlayerSpawnpoints();
000056 |
000057 |     static ExpansionCE GetInstance()
000058 |     {
000059 |         if (!s_Instance)
000060 |             s_Instance = new ExpansionCE();
000061 |
000062 |         return s_Instance;
000063 |     }
000064 |
000065 |     private void ExpansionCE()
000066 |     {
000067 |         Init();
000068 |     }
000069 |
000070 |     /**
000071 |     * @brief Initialize instance. WARNING: Should only be called on fresh instance or after calling Clear()
000072 |     */
000073 |     void Init()
000074 |     {
000075 |         EconomyCore.LoadDB(null);
000076 |         EconomyCore.Load(null, "$mission:cfgeconomycore.xml");
000077 |     }
000078 |
000079 |     /**
000080 |     * @brief Load player spawnpoints
000081 |     */
000082 |     void LoadPlayerSpawnpoints()
000083 |     {
000084 |         #ifdef EXTRACE
000085 |             auto trace = EXTrace.Start(EXTrace.CE, this);
000086 |         #endif
000087 |
000088 |         if (!PlayerSpawnPoints.IsLoaded())
000089 |             PlayerSpawnPoints.Load("$mission:cfgplayerspawnpoints.xml");
000090 |     }
000091 |
000092 |     /**
000093 |     * @brief Load all territories
```

```
000094 | */
000095 | void LoadTerritories()
000096 | {
000097 | #ifdef EXTRACE
000098 |     auto trace = EXTrace.Start(EXTrace.CE, this);
000099 | #endif
000100 |
000101 |     if (Territories.Count() > 0)
000102 |         return;
000103 |
000104 |     TStringArray territories = ExpansionStatic.FindFilesInLocation("$mission:env\\", ".xml");
000105 |     foreach (string territory: territories)
000106 |     {
000107 |         string territoryName = territory;
000108 |         territoryName.Replace("_territories.xml", "");
000109 |         LoadTerritories(territoryName);
000110 |     }
000111 | }
000112 |
000113 | /**
000114 |  * @brief Load specific territories
000115 |  */
000116 | void LoadTerritories(string territoryName)
000117 | {
000118 | #ifdef EXTRACE
000119 |     auto trace = EXTrace.Start(EXTrace.CE, this);
000120 | #endif
000121 |
000122 |     if (!Territories.Contains(territoryName))
000123 |         Territories[territoryName] = ExpansionCETerritories.LoadTerritories(string.Format("$mission:env\\%1_territories.xml", territoryName));
000124 | }
000125 |
000126 | /**
000127 |  * @brief Load all supported CE filetypes (types, spawnabletypes and events)
000128 |  */
000129 | void LoadCE()
000130 | {
000131 | #ifdef EXTRACE
000132 |     auto trace = EXTrace.Start(EXTrace.CE, this);
000133 | #endif
000134 |
000135 |     foreach (ExpansionCEFolde folder: EconomyCore.CE)
000136 |     {
000137 |         folder.Load(this);
000138 |     }
000139 | }
000140 |
000141 | /**
000142 |  * @brief Load specific CE filetype (types, spawnabletypes or events)
000143 |  */
000144 | void LoadCE(ExpansionCEFileType type)
000145 | {
000146 | #ifdef EXTRACE
000147 |     auto trace = EXTrace.Start(EXTrace.CE, this, typename.EnumToString(ExpansionCEFileType, type));
000148 | #endif
000149 |
000150 |     foreach (ExpansionCEFolde folder: EconomyCore.CE)
000151 |     {
000152 |         folder.Load(this, type);
000153 |     }
000154 | }
000155 |
```

```
000156 | /**
000157 |  * @brief Load types (equivalent to LoadCE(ExpansionCEFileType.TYPES)
000158 |  */
000159 | void LoadTypes()
000160 | {
000161 |     LoadCE(ExpansionCEFileType.TYPES);
000162 | }
000163 |
000164 | /**
000165 |  * @brief Load spawnabletypes (equivalent to LoadCE(ExpansionCEFileType.SPAWNABLETYPES)
000166 |  */
000167 | void LoadSpawnableTypes()
000168 | {
000169 |     LoadCE(ExpansionCEFileType.SPAWNABLETYPES);
000170 | }
000171 |
000172 | /**
000173 |  * @brief Load events (equivalent to LoadCE(ExpansionCEFileType.EVENTS)
000174 |  */
000175 | void LoadEvents()
000176 | {
000177 |     LoadCE(ExpansionCEFileType.EVENTS);
000178 | }
000179 |
000180 | void SaveJSON(string fileName = "$mission:ExpansionCE.json")
000181 | {
000182 |     #ifdef EXTRACE
000183 |         auto trace = EXTrace.Start(EXTrace.CE, this);
000184 |     #endif
000185 |
000186 |     string errorMsg;
000187 |     if (!JsonFileLoader<ExpansionCE>.SaveFile(fileName, this, errorMsg))
000188 |         Error(errorMsg);
000189 | }
000190 |
000191 | /**
000192 |  * @brief Clear all loaded data
000193 |  */
000194 | void Clear()
000195 | {
000196 |     EconomyCore.Clear();
000197 |     Types.Clear();
000198 |     SpawnableTypes.Clear();
000199 |     Events.Clear();
000200 |     Territories.Clear();
000201 | }
000202 |
000203 | ExpansionCEType GetType(string name)
000204 | {
000205 |     name.ToLower();
000206 |     return Types[name];
000207 | }
000208 |
000209 | ExpansionCESpawnableType GetSpawnableType(string name)
000210 | {
000211 |     name.ToLower();
000212 |     return SpawnableTypes[name];
000213 | }
000214 |
000215 | ExpansionCEEvent GetEvent(string name)
000216 | {
000217 |     name.ToLower();
```

```
000218 |         return Events[name];
000219 |     }
000220 | }
000221 |
```

0016. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCEEvents.c

Size bytes: 6444

SHA-256: ed68648ec8072d16400b0d2af61679287bfea15e60627c241ade95991ed7f040

Decoded as: utf-8-sig

Line count shown: 240

Detected class declarations: 4

L13: class ExpansionCEEventChild

L42: class ExpansionCEEventFlags

L61: class ExpansionCEEvent

L146: class ExpansionCEEvents: map<string, ref ExpansionCEEvent>

Detected enum declarations: 0

Detected function/method-like declarations: 9

L21: void ExpansionCEEventChild(string type)

L26: void Merge(ExpansionCEEventChild other)

L48: void Merge(ExpansionCEEventFlags other)

L78: void ExpansionCEEvent(string name)

L83: void AddChild(ExpansionCEEventChild child)

L92: void Merge(ExpansionCEEvent other)

L148: static ExpansionCEEvents LoadEvents(string fileName)

L155: void ReadEvents(string fileName)

L231: void Merge(string key, ExpansionCEEvent ceEvent)

Full file content

```
000001 | /**
000002 |  * ExpansionCEEvents.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionCEEventChild
000014 | {
000015 |     string Type;
000016 |     int LootMin;
000017 |     int LootMax;
000018 |     int Min;
000019 |     int Max;
000020 |
000021 |     void ExpansionCEEventChild(string type)
000022 |     {
000023 |         Type = type;
000024 |     }
000025 |
000026 |     void Merge(ExpansionCEEventChild other)
000027 |     {
000028 |         if (other.LootMin != ExpansionCE.NOT_SET)
000029 |             LootMin = other.LootMin;
000030 |
000031 |         if (other.LootMax != ExpansionCE.NOT_SET)
000032 |             LootMax = other.LootMax;
000033 |
000034 |         if (other.Min != ExpansionCE.NOT_SET)
000035 |             Min = other.Min;
```



```
000036 |
000037 |         if (other.Max != ExpansionCE.NOT_SET)
000038 |             Max = other.Max;
000039 |     }
000040 | }
000041 |
000042 | class ExpansionCEEventFlags
000043 | {
000044 |     int Deletable;
000045 |     int InitRandom;
000046 |     int RemoveDamaged;
000047 |
000048 |     void Merge(ExpansionCEEventFlags other)
000049 |     {
000050 |         if (other.Deletable != ExpansionCE.NOT_SET)
000051 |             Deletable = other.Deletable;
000052 |
000053 |         if (other.InitRandom != ExpansionCE.NOT_SET)
000054 |             InitRandom = other.InitRandom;
000055 |
000056 |         if (other.RemoveDamaged != ExpansionCE.NOT_SET)
000057 |             RemoveDamaged = other.RemoveDamaged;
000058 |     }
000059 | }
000060 |
000061 | class ExpansionCEEvent
000062 | {
000063 |     string Name;
000064 |     int Nominal;
000065 |     int Min;
000066 |     int Max;
000067 |     int Lifetime;
000068 |     int Restock;
000069 |     int SafeRadius;
000070 |     int DistanceRadius;
000071 |     int CleanupRadius;
000072 |     string Position;
000073 |     string Limit;
000074 |     int Active;
000075 |     ref ExpansionCEEventFlags Flags;
000076 |     ref map<string, ref ExpansionCEEventChild> Children = new map<string, ref ExpansionCEEventChild>();
000077 |
000078 |     void ExpansionCEEvent(string name)
000079 |     {
000080 |         Name = name;
000081 |     }
000082 |
000083 |     void AddChild(ExpansionCEEventChild child)
000084 |     {
000085 |         string type = child.Type;
000086 |         type.ToLower();
000087 |
000088 |         Children[type] = child;
000089 |     }
000090 |
000091 |     //! See https://community.bistudio.com/wiki/DayZ:Central\_Economy\_mission\_files\_modding for file specifics
000092 |     void Merge(ExpansionCEEvent other)
000093 |     {
000094 |         if (other.Nominal != ExpansionCE.NOT_SET)
000095 |             Nominal = other.Nominal;
000096 |
000097 |         if (other.Min != ExpansionCE.NOT_SET)
```

```
000098 |         Min = other.Min;
000099 |
000100 |         if (other.Max != ExpansionCE.NOT_SET)
000101 |             Max = other.Max;
000102 |
000103 |         if (other.Lifetime != ExpansionCE.NOT_SET)
000104 |             Lifetime = other.Lifetime;
000105 |
000106 |         if (other.Restock != ExpansionCE.NOT_SET)
000107 |             Restock = other.Restock;
000108 |
000109 |         if (other.SafeRadius != ExpansionCE.NOT_SET)
000110 |             SafeRadius = other.SafeRadius;
000111 |
000112 |         if (other.DistanceRadius != ExpansionCE.NOT_SET)
000113 |             DistanceRadius = other.DistanceRadius;
000114 |
000115 |         if (other.CleanupRadius != ExpansionCE.NOT_SET)
000116 |             CleanupRadius = other.CleanupRadius;
000117 |
000118 |         if (other.Position)
000119 |             Position = other.Position;
000120 |
000121 |         if (other.Limit)
000122 |             Limit = other.Limit;
000123 |
000124 |         if (other.Active != ExpansionCE.NOT_SET)
000125 |             Active = other.Active;
000126 |
000127 |         if (other.Flags)
000128 |         {
000129 |             if (!Flags)
000130 |                 Flags = new ExpansionCEEventFlags();
000131 |
000132 |             Flags.Merge(other.Flags);
000133 |         }
000134 |
000135 |         foreach (string type, ExpansionCEEventChild child: other.Children)
000136 |         {
000137 |             ExpansionCEEventChild existingChild = Children[type];
000138 |             if (existingChild)
000139 |                 existingChild.Merge(child);
000140 |             else
000141 |                 AddChild(child);
000142 |         }
000143 |     }
000144 | }
000145 |
000146 | class ExpansionCEEvents: map<string, ref ExpansionCEEvent>
000147 | {
000148 |     static ExpansionCEEvents LoadEvents(string fileName)
000149 |     {
000150 |         ExpansionCEEvents events = new ExpansionCEEvents();
000151 |         events.ReadEvents(fileName);
000152 |         return events;
000153 |     }
000154 |
000155 |     void ReadEvents(string fileName)
000156 |     {
000157 |         CF_XML_Document document = CF_XML.ReadDocumentEx(fileName);
000158 |         if (document)
000159 |         {
```

```
000160 |         auto root = document.Get("events")[0];
000161 |         if (!root)
000162 |         {
000163 |             CF.FormatError("No root tag 'events' in '%1'", fileName);
000164 |             return;
000165 |         }
000166 |
000167 |         auto events = root.GetContent().GetTags();
000168 |         foreach (CF_XML_Tag eventTag: events)
000169 |         {
000170 |             string tagName = eventTag.GetName();
000171 |             if (tagName != "event")
000172 |                 continue;
000173 |
000174 |             string name = ExpansionXML.GetAttributeString(eventTag, "name");
000175 |
000176 |             string key = name;
000177 |             key.ToLower();
000178 |
000179 |             int defaultValue = 0;
000180 |
000181 |             if (Contains(key))
000182 |                 defaultValue = ExpansionCE.NOT_SET;
000183 |
000184 |             auto ceEvent = new ExpansionCEEvent(name);
000185 |
000186 |             ceEvent.Nominal = ExpansionXML.GetTagContentInt(eventTag, "nominal", defaultValue);
000187 |             ceEvent.Min = ExpansionXML.GetTagContentInt(eventTag, "min", defaultValue);
000188 |             ceEvent.Max = ExpansionXML.GetTagContentInt(eventTag, "max", defaultValue);
000189 |             ceEvent.Lifetime = ExpansionXML.GetTagContentInt(eventTag, "lifetime", defaultValue);
000190 |             ceEvent.Restock = ExpansionXML.GetTagContentInt(eventTag, "restock", defaultValue);
000191 |             ceEvent.SafeRadius = ExpansionXML.GetTagContentInt(eventTag, "saferadius", defaultValue);
000192 |             ceEvent.DistanceRadius = ExpansionXML.GetTagContentInt(eventTag, "distanceradius", defaultValue);
000193 |             ceEvent.CleanupRadius = ExpansionXML.GetTagContentInt(eventTag, "cleanupradius", defaultValue);
000194 |             ceEvent.Position = ExpansionXML.GetTagContentString(eventTag, "position", "");
000195 |             ceEvent.Limit = ExpansionXML.GetTagContentString(eventTag, "limit", "");
000196 |             ceEvent.Active = ExpansionXML.GetTagContentInt(eventTag, "active", defaultValue);
000197 |
000198 |             auto flags = eventTag.GetTag("flags")[0];
000199 |             if (flags)
000200 |             {
000201 |                 ceEvent.Flags = new ExpansionCEEventFlags();
000202 |                 ceEvent.Flags.Deletable = ExpansionXML.GetAttributeInt(flags, "deletable", defaultValue);
000203 |                 ceEvent.Flags.InitRandom = ExpansionXML.GetAttributeInt(flags, "init_random", defaultValue);
000204 |                 ceEvent.Flags.RemoveDamaged = ExpansionXML.GetAttributeInt(flags, "remove_damaged", defaultValue);
000205 |             }
000206 |
000207 |             auto childrenTag = eventTag.GetTag("children")[0];
000208 |             if (childrenTag)
000209 |             {
000210 |                 auto children = childrenTag.GetTag("child");
000211 |                 foreach (CF_XML_Tag child: children)
000212 |                 {
000213 |                     string type = ExpansionXML.GetAttributeString(child, "type");
000214 |
000215 |                     auto ceEventChild = new ExpansionCEEventChild(type);
000216 |
000217 |                     ceEventChild.LootMin = ExpansionXML.GetAttributeInt(child, "lootmin", defaultValue);
000218 |                     ceEventChild.LootMax = ExpansionXML.GetAttributeInt(child, "lootmax", defaultValue);
000219 |                     ceEventChild.Min = ExpansionXML.GetAttributeInt(child, "min", defaultValue);
000220 |                     ceEventChild.Max = ExpansionXML.GetAttributeInt(child, "max", defaultValue);
000221 |                 }
```

```
000222 |         ceEvent.AddChild(ceEventChild);
000223 |     }
000224 | }
000225 |
000226 |     Merge(key, ceEvent);
000227 | }
000228 | }
000229 | }
000230 |
000231 | void Merge(string key, ExpansionCEEvent ceEvent)
000232 | {
000233 |     ExpansionCEEvent existing;
000234 |     if (Find(key, existing))
000235 |         existing.Merge(ceEvent);
000236 |     else
000237 |         Insert(key, ceEvent);
000238 | }
000239 | }
000240 |
```

0017. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCEPlayerSpawnPoints.c

Size bytes: 5696

SHA-256: 7387c17f5fca7a0fc913226f1cead979121a806cf6228a4648f67d242a4de1ed

Decoded as: utf-8-sig

Line count shown: 177

Detected class declarations: 6

```
L13: class ExpansionCEPlayerSpawnpointsParams
L25: class ExpansionCEPlayerSpawnpointsGeneratorParams
L36: class ExpansionCEPlayerSpawnpointsGroupParams
L44: class ExpansionCEPlayerSpawnpointsGroup
L55: class ExpansionCEPlayerSpawnpointsSettings
L63: class ExpansionCEPlayerSpawnpoints
```

Detected enum declarations: 0

Detected function/method-like declarations: 3

```
L49: void ExpansionCEPlayerSpawnpointsGroup(string name)
L72: void Load(string fileName)
L172: bool IsLoaded()
```

Full file content

```
000001 | /**
000002 |  * ExpansionCEPlayerSpawnpoints.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionCEPlayerSpawnpointsParams
000014 | {
000015 |     int MinDistInfected;
000016 |     int MaxDistInfected;
000017 |     int MinDistPlayer;
000018 |     int MaxDistPlayer;
000019 |     int MinDistStatic;
000020 |     int MaxDistStatic;
000021 |     int MinDistTrigger;
000022 |     int MaxDistTrigger;
000023 | }
000024 |
000025 | class ExpansionCEPlayerSpawnpointsGeneratorParams
000026 | {
000027 |     int GridDensity;
000028 |     int GridWidth;
000029 |     int GridHeight;
000030 |     int MinDistStatic;
000031 |     int MaxDistStatic;
000032 |     int MinSteepness;
000033 |     int MaxSteepness;
000034 | }
000035 |
000036 | class ExpansionCEPlayerSpawnpointsGroupParams
000037 | {
000038 |     bool EnableGroups;
000039 |     bool GroupsAsRegular;
```

```
000040 |     int Lifetime;
000041 |     int Counter;
000042 | }
000043 |
000044 | class ExpansionCEPlayerSpawnpointsGroup
000045 | {
000046 |     string Name;
000047 |     ref TVectorArray Positions = {};
000048 |
000049 |     void ExpansionCEPlayerSpawnpointsGroup(string name)
000050 |     {
000051 |         Name = name;
000052 |     }
000053 | }
000054 |
000055 | class ExpansionCEPlayerSpawnpointsSettings
000056 | {
000057 |     ref ExpansionCEPlayerSpawnpointsParams Params;
000058 |     ref ExpansionCEPlayerSpawnpointsGeneratorParams GeneratorParams;
000059 |     ref ExpansionCEPlayerSpawnpointsGroupParams GroupParams;
000060 |     ref array<ref ExpansionCEPlayerSpawnpointsGroup> Groups = {};
000061 | }
000062 |
000063 | class ExpansionCEPlayerSpawnpoints
000064 | {
000065 |     ref ExpansionCEPlayerSpawnpointsSettings Fresh;
000066 |     ref ExpansionCEPlayerSpawnpointsSettings Hop;
000067 |     ref ExpansionCEPlayerSpawnpointsSettings Travel;
000068 |
000069 |     [NonSerialized()]
000070 |     protected bool m_IsLoaded;
000071 |
000072 |     void Load(string fileName)
000073 |     {
000074 |         CF_XML_Document document = CF_XML.ReadDocumentEx(fileName);
000075 |         if (document)
000076 |         {
000077 |             auto root = document.Get("playerspawnpoints")[0];
000078 |             if (!root)
000079 |             {
000080 |                 CF.FormatError("No root tag 'playerspawnpoints' in '%1'", fileName);
000081 |                 return;
000082 |             }
000083 |
000084 |             auto tags = root.GetContent().GetTags();
000085 |             foreach (CF_XML_Tag tag: tags)
000086 |             {
000087 |                 auto settings = new ExpansionCEPlayerSpawnpointsSettings();
000088 |
000089 |                 string tagName = tag.GetName();
000090 |                 switch (tagName)
000091 |                 {
000092 |                     case "fresh":
000093 |                         Fresh = settings;
000094 |                         break;
000095 |
000096 |                     case "hop":
000097 |                         Hop = settings;
000098 |                         break;
000099 |
000100 |                     case "travel":
000101 |                         Travel = settings;
```

```
000102 |         break;
000103 |
000104 |         default:
000105 |             continue;
000106 |     }
000107 |
000108 |     auto spawnParams = tag.GetTag("spawn_params")[0];
000109 |     if (spawnParams)
000110 |     {
000111 |         settings.Params = new ExpansionCEPlayerSpawnpointsParams();
000112 |         settings.Params.MinDistInfected = ExpansionXML.GetTagContentInt(spawnParams, "min_dist_infected");
000113 |         settings.Params.MaxDistInfected = ExpansionXML.GetTagContentInt(spawnParams, "max_dist_infected");
000114 |         settings.Params.MinDistPlayer = ExpansionXML.GetTagContentInt(spawnParams, "min_dist_player");
000115 |         settings.Params.MaxDistPlayer = ExpansionXML.GetTagContentInt(spawnParams, "max_dist_player");
000116 |         settings.Params.MinDistStatic = ExpansionXML.GetTagContentInt(spawnParams, "min_dist_static");
000117 |         settings.Params.MaxDistStatic = ExpansionXML.GetTagContentInt(spawnParams, "max_dist_static");
000118 |         settings.Params.MinDistTrigger = ExpansionXML.GetTagContentInt(spawnParams, "min_dist_trigger");
000119 |         settings.Params.MaxDistTrigger = ExpansionXML.GetTagContentInt(spawnParams, "max_dist_trigger");
000120 |     }
000121 |
000122 |     auto generatorParams = tag.GetTag("generator_params")[0];
000123 |     if (generatorParams)
000124 |     {
000125 |         settings.GeneratorParams = new ExpansionCEPlayerSpawnpointsGeneratorParams();
000126 |         settings.GeneratorParams.GridDensity = ExpansionXML.GetTagContentInt(generatorParams, "grid_density");
000127 |         settings.GeneratorParams.GridWidth = ExpansionXML.GetTagContentInt(generatorParams, "grid_width");
000128 |         settings.GeneratorParams.GridHeight = ExpansionXML.GetTagContentInt(generatorParams, "grid_height");
000129 |         settings.GeneratorParams.MinDistStatic = ExpansionXML.GetTagContentInt(generatorParams, "min_dist_static");
000130 |         settings.GeneratorParams.MaxDistStatic = ExpansionXML.GetTagContentInt(generatorParams, "max_dist_static");
000131 |         settings.GeneratorParams.MinSteepness = ExpansionXML.GetTagContentInt(generatorParams, "min_steepness");
000132 |         settings.GeneratorParams.MaxSteepness = ExpansionXML.GetTagContentInt(generatorParams, "max_steepness");
000133 |     }
000134 |
000135 |     auto groupParams = tag.GetTag("group_params")[0];
000136 |     if (groupParams)
000137 |     {
000138 |         settings.GroupParams = new ExpansionCEPlayerSpawnpointsGroupParams();
000139 |         settings.GroupParams.EnableGroups = ExpansionXML.GetTagContentInt(groupParams, "enablegroups");
000140 |         settings.GroupParams.GroupsAsRegular = ExpansionXML.GetTagContentInt(groupParams, "groups_as_regular");
000141 |         settings.GroupParams.Lifetime = ExpansionXML.GetTagContentInt(groupParams, "lifetime");
000142 |         settings.GroupParams.Counter = ExpansionXML.GetTagContentInt(groupParams, "counter");
000143 |     }
000144 |
000145 |     auto posbubbles = tag.GetTag("generator_posbubbles")[0];
000146 |     if (posbubbles)
000147 |     {
000148 |         auto groups = posbubbles.GetContent().GetTags();
000149 |         foreach (CF_XML_Tag groupTag: groups)
000150 |         {
000151 |             string groupName = ExpansionXML.GetAttributeString(groupTag, "name");
000152 |             auto group = new ExpansionCEPlayerSpawnpointsGroup(groupName);
000153 |
000154 |             auto positions = groupTag.GetTag("pos");
000155 |             foreach (CF_XML_Tag pos: positions)
000156 |             {
000157 |                 float x = ExpansionXML.GetAttributeFloat(pos, "x");
000158 |                 float y = ExpansionXML.GetAttributeFloat(pos, "y"); //! Unused
000159 |                 float z = ExpansionXML.GetAttributeFloat(pos, "z");
000160 |                 group.Positions.Insert(Vector(x, y, z));
000161 |             }
000162 |
000163 |             settings.Groups.Insert(group);
```

```
000164 |         }
000165 |     }
000166 | }
000167 |
000168 |
000169 |     m_IsLoaded = true;
000170 | }
000171 |
000172 | bool IsLoaded()
000173 | {
000174 |     return m_IsLoaded;
000175 | }
000176 | }
000177 |
```


0018. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCESpawnableTypes.c

Size bytes: 3430

SHA-256: 906b5ef3d226bcc75fa8e8a43a5a8e14a8b00e973f55741c4e2353a88cbaf3ef

Decoded as: utf-8-sig

Line count shown: 130

Detected class declarations: 4

L13: class ExpansionCESpawnableAttachment

L25: class ExpansionCESpawnableAttachmentGroup

L41: class ExpansionCESpawnableType

L63: class ExpansionCESpawnableTypes: map<string, ref ExpansionCESpawnableType>

Detected enum declarations: 0

Detected function/method-like declarations: 9

L18: void ExpansionCESpawnableAttachment(string itemName, float chance)

L30: void ExpansionCESpawnableAttachmentGroup(float groupChance)

L35: void AddItem(string itemName, float itemChance)

L46: void ExpansionCESpawnableType(string name)

L51: void AddAttachmentGroup(ExpansionCESpawnableAttachmentGroup group)

L57: void Merge(ExpansionCESpawnableType other)

L65: static ExpansionCESpawnableTypes LoadTypes(string fileName)

L72: void ReadTypes(string fileName)

L121: void Merge(string key, ExpansionCESpawnableType spawnableType)

Full file content

```
000001 | /**
000002 |  * ExpansionCESpawnableTypes.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionCESpawnableAttachment
000014 | {
000015 |     string ItemName;
000016 |     float Chance;
000017 |
000018 |     void ExpansionCESpawnableAttachment(string itemName, float chance)
000019 |     {
000020 |         ItemName = itemName;
000021 |         Chance = chance;
000022 |     }
000023 | }
000024 |
000025 | class ExpansionCESpawnableAttachmentGroup
000026 | {
000027 |     float GroupChance;
000028 |     ref array<ref ExpansionCESpawnableAttachment> Items = new array<ref ExpansionCESpawnableAttachment>();
000029 |
000030 |     void ExpansionCESpawnableAttachmentGroup(float groupChance)
000031 |     {
000032 |         GroupChance = groupChance;
000033 |     }
000034 |
000035 |     void AddItem(string itemName, float itemChance)
```

```
000036 |     {
000037 |         Items.Insert(new ExpansionCESpawnableAttachment(itemName, itemChance));
000038 |     }
000039 | }
000040 |
000041 | class ExpansionCESpawnableType
000042 | {
000043 |     string Name;
000044 |     ref array<ref ExpansionCESpawnableAttachmentGroup> AttachmentGroups = new array<ref ExpansionCESpawnableAttachmentGroup>();
000045 |
000046 |     void ExpansionCESpawnableType(string name)
000047 |     {
000048 |         Name = name;
000049 |     }
000050 |
000051 |     void AddAttachmentGroup(ExpansionCESpawnableAttachmentGroup group)
000052 |     {
000053 |         AttachmentGroups.Insert(group);
000054 |     }
000055 |
000056 |     ///! See https://community.bistudio.com/wiki/DayZ:Central\_Economy\_mission\_files\_modding for file specifics
000057 |     void Merge(ExpansionCESpawnableType other)
000058 |     {
000059 |         ExpansionArray<ExpansionCESpawnableAttachmentGroup>.RefCopy(other.AttachmentGroups, AttachmentGroups);
000060 |     }
000061 | }
000062 |
000063 | class ExpansionCESpawnableTypes: map<string, ref ExpansionCESpawnableType>
000064 | {
000065 |     static ExpansionCESpawnableTypes LoadTypes(string fileName)
000066 |     {
000067 |         ExpansionCESpawnableTypes types = new ExpansionCESpawnableTypes();
000068 |         types.ReadTypes(fileName);
000069 |         return types;
000070 |     }
000071 |
000072 |     void ReadTypes(string fileName)
000073 |     {
000074 |         CF_XML_Document document = CF_XML.ReadDocumentEx(fileName);
000075 |         if (document)
000076 |         {
000077 |             auto root = document.Get("spawnabletypes")[0];
000078 |             if (!root)
000079 |             {
000080 |                 CF.FormatError("No root tag 'spawnabletypes' in '%1'", fileName);
000081 |                 return;
000082 |             }
000083 |
000084 |             auto types = root.GetContent().GetTags();
000085 |             foreach (CF_XML_Tag type: types)
000086 |             {
000087 |                 string tagName = type.GetName();
000088 |                 if (tagName != "type")
000089 |                     continue;
000090 |
000091 |                 string name = ExpansionXML.GetAttributeString(type, "name");
000092 |
000093 |                 string key = name;
000094 |                 key.ToLower();
000095 |
000096 |                 auto spawnableType = new ExpansionCESpawnableType(name);
000097 |             }
```

```
000098 |         auto attachmentGroups = type.GetTag("attachments");
000099 |         foreach (CF_XML_Tag attachmentGroup: attachmentGroups)
000100 |         {
000101 |             float groupChance = ExpansionXML.GetAttributeFloat(attachmentGroup, "chance", 0.0);
000102 |             auto group = new ExpansionCESpawnableAttachmentGroup(groupChance);
000103 |
000104 |             auto items = attachmentGroup.GetTag("item");
000105 |             foreach (CF_XML_Tag item: items)
000106 |             {
000107 |                 string itemName = ExpansionXML.GetAttributeString(item, "name");
000108 |                 float itemChance = ExpansionXML.GetAttributeFloat(item, "chance", 0.0);
000109 |
000110 |                 group.AddItem(itemName, itemChance);
000111 |             }
000112 |
000113 |             spawnableType.AddAttachmentGroup(group);
000114 |         }
000115 |
000116 |         Merge(key, spawnableType);
000117 |     }
000118 | }
000119 |
000120 |
000121 | void Merge(string key, ExpansionCESpawnableType spawnableType)
000122 | {
000123 |     ExpansionCESpawnableType existing;
000124 |     if (Find(key, existing))
000125 |         existing.Merge(spawnableType);
000126 |     else
000127 |         Insert(key, spawnableType);
000128 | }
000129 | }
000130 |
```

0019. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCETerritory.c

Size bytes: 2672

SHA-256: b73c477e1c842684da694105800a6e251f4da9b335c1b5a5403525eceed9b266

Decoded as: utf-8-sig

Line count shown: 105

Detected class declarations: 3

L17: class ExpansionCETerritory

L29: class ExpansionCETerritoryZone

L53: class ExpansionCETerritories: array<ref ExpansionCETerritory>

Detected enum declarations: 0

Detected function/method-like declarations: 4

L22: void ExpansionCETerritory(string color)

L40: void ExpansionCETerritoryZone(string name, int sMin, int sMax, int dMin, int dMax, float x, float z, float radius)

L55: static ExpansionCETerritories LoadTerritories(string fileName)

L62: void ReadTerritories(string fileName)

Full file content

```
000001 | /**
000002 |  * ExpansionCETerritory.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionCETerritory
000014 |  * @brief      structure for mission\env xmls
000015 |  */
000016 |
000017 | class ExpansionCETerritory
000018 | {
000019 |     string Color;
000020 |     ref array<ref ExpansionCETerritoryZone> Zones;
000021 |
000022 |     void ExpansionCETerritory(string color)
000023 |     {
000024 |         Color = color;
000025 |         Zones = {};
000026 |     }
000027 | }
000028 |
000029 | class ExpansionCETerritoryZone
000030 | {
000031 |     string Name;
000032 |     int StaticMin;
000033 |     int StaticMax;
000034 |     int DynamicMin;
000035 |     int DynamicMax;
000036 |     float X;
000037 |     float Z;
000038 |     float Radius;
000039 |
000040 |     void ExpansionCETerritoryZone(string name, int sMin, int sMax, int dMin, int dMax, float x, float z, float radius)
000041 |     {
```

```
000042 |         Name = name;
000043 |         StaticMin = sMin;
000044 |         StaticMax = sMax;
000045 |         DynamicMin = dMin;
000046 |         DynamicMax = dMax;
000047 |         X = x;
000048 |         Z = z;
000049 |         Radius = radius;
000050 |     }
000051 | }
000052 |
000053 | class ExpansionCETerritories: array<ref ExpansionCETerritory>
000054 | {
000055 |     static ExpansionCETerritories LoadTerritories(string fileName)
000056 |     {
000057 |         ExpansionCETerritories territories = {};
000058 |         territories.ReadTerritories(fileName);
000059 |         return territories;
000060 |     }
000061 |
000062 |     void ReadTerritories(string fileName)
000063 |     {
000064 |         CF_XML_Document document = CF_XML.ReadDocumentEx(fileName);
000065 |         if (document)
000066 |         {
000067 |             auto root = document.Get("territory-type")[0];
000068 |             if (!root)
000069 |             {
000070 |                 CF.FormatError("No root tag 'territory-type' in '%1'", fileName);
000071 |                 return;
000072 |             }
000073 |
000074 |             auto territories = root.GetContent().GetTags();
000075 |             foreach (CF_XML_Tag territory: territories)
000076 |             {
000077 |                 string tagName = territory.GetName();
000078 |                 if (tagName != "territory")
000079 |                     continue;
000080 |
000081 |                 string color = ExpansionXML.GetAttributeString(territory, "color");
000082 |
000083 |                 auto ceTerritory = new ExpansionCETerritory(color);
000084 |
000085 |                 auto zones = territory.GetTag("zone");
000086 |                 foreach (CF_XML_Tag zone: zones)
000087 |                 {
000088 |                     string name = ExpansionXML.GetAttributeString(zone, "name");
000089 |                     int sMin = ExpansionXML.GetAttributeInt(zone, "smin");
000090 |                     int sMax = ExpansionXML.GetAttributeInt(zone, "smax");
000091 |                     int dMin = ExpansionXML.GetAttributeInt(zone, "dmin");
000092 |                     int dMax = ExpansionXML.GetAttributeInt(zone, "dmax");
000093 |                     float x = ExpansionXML.GetAttributeFloat(zone, "x");
000094 |                     float z = ExpansionXML.GetAttributeFloat(zone, "z");
000095 |                     float radius = ExpansionXML.GetAttributeFloat(zone, "r");
000096 |
000097 |                     ceTerritory.Zones.Insert(new ExpansionCETerritoryZone(name, sMin, sMax, dMin, dMax, x, z, radius));
000098 |                 }
000099 |
000100 |                 Insert(ceTerritory);
000101 |             }
000102 |         }
000103 |     }
```

000104 | }
000105 |

0020. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCETType.c

Size bytes: 5619

SHA-256: 32feda7557ce855f27d4993e8bfd1263de9a352ac4c01e0fed6f807a816993ef

Decoded as: utf-8-sig

Line count shown: 209

Detected class declarations: 3

L13: class ExpansionCETType

L76: class ExpansionCETTypeFlags

L107: class ExpansionCETypes: map<string, ref ExpansionCETType>

Detected enum declarations: 0

Detected function/method-like declarations: 6

L28: void ExpansionCETType(string name)

L34: void Merge(ExpansionCETType other)

L85: void Merge(ExpansionCETTypeFlags other)

L109: static ExpansionCETypes LoadTypes(string fileName)

L116: void ReadTypes(string fileName)

L200: void Merge(string key, ExpansionCETType ceType)

Full file content

```

000001 | /**
000002 |  * ExpansionCETType.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionCETType
000014 | {
000015 |     string Name;
000016 |     int Nominal;
000017 |     int Lifetime;
000018 |     int Restock;
000019 |     int Min;
000020 |     int QuantMin;
000021 |     int QuantMax;
000022 |     int Cost;
000023 |     ref ExpansionCETTypeFlags Flags;
000024 |     ref set<string> Categories = new set<string>();
000025 |     ref set<string> Usages = new set<string>();
000026 |     ref set<string> Values = new set<string>();
000027 |
000028 |     void ExpansionCETType(string name)
000029 |     {
000030 |         Name = name;
000031 |     }
000032 |
000033 |     //! See https://community.bistudio.com/wiki/DayZ:Central\_Economy\_mission\_files\_modding for file specifics
000034 |     void Merge(ExpansionCETType other)
000035 |     {
000036 |         if (other.Nominal != ExpansionCE.NOT_SET)
000037 |             Nominal = other.Nominal;
000038 |
000039 |         if (other.Lifetime != ExpansionCE.NOT_SET)

```

```
000040 |         Lifetime = other.Lifetime;
000041 |
000042 |         if (other.Restock != ExpansionCE.NOT_SET)
000043 |             Restock = other.Restock;
000044 |
000045 |         if (other.Min != ExpansionCE.NOT_SET)
000046 |             Min = other.Min;
000047 |
000048 |         if (other.QuantMin != ExpansionCE.NOT_SET)
000049 |             QuantMin = other.QuantMin;
000050 |
000051 |         if (other.QuantMax != ExpansionCE.NOT_SET)
000052 |             QuantMax = other.QuantMax;
000053 |
000054 |         if (other.Cost != ExpansionCE.NOT_SET)
000055 |             Cost = other.Cost;
000056 |
000057 |         if (other.Flags)
000058 |         {
000059 |             if (!Flags)
000060 |                 Flags = new ExpansionCETypeFlags();
000061 |
000062 |             Flags.Merge(other.Flags);
000063 |         }
000064 |
000065 |         if (other.Categories)
000066 |             Categories.Copy(other.Categories);
000067 |
000068 |         if (other.Usages)
000069 |             Usages.Copy(other.Usages);
000070 |
000071 |         if (other.Values)
000072 |             Values.Copy(other.Values);
000073 |     }
000074 | }
000075 |
000076 | class ExpansionCETypeFlags
000077 | {
000078 |     int CountInCargo;
000079 |     int CountInHoarder;
000080 |     int CountInMap;
000081 |     int CountInPlayer;
000082 |     int Crafted;
000083 |     int DELoot;
000084 |
000085 |     void Merge(ExpansionCETypeFlags other)
000086 |     {
000087 |         if (other.CountInCargo != ExpansionCE.NOT_SET)
000088 |             CountInCargo = other.CountInCargo;
000089 |
000090 |         if (other.CountInHoarder != ExpansionCE.NOT_SET)
000091 |             CountInHoarder = other.CountInHoarder;
000092 |
000093 |         if (other.CountInMap != ExpansionCE.NOT_SET)
000094 |             CountInMap = other.CountInMap;
000095 |
000096 |         if (other.CountInPlayer != ExpansionCE.NOT_SET)
000097 |             CountInPlayer = other.CountInPlayer;
000098 |
000099 |         if (other.Crafted != ExpansionCE.NOT_SET)
000100 |             Crafted = other.Crafted;
000101 |     }
```



```
000102 |         if (other.DELoot != ExpansionCE.NOT_SET)
000103 |             DELoot = other.DELoot;
000104 |     }
000105 | }
000106 |
000107 | class ExpansionCETypes: map<string, ref ExpansionCEType>
000108 | {
000109 |     static ExpansionCETypes LoadTypes(string fileName)
000110 |     {
000111 |         ExpansionCETypes types = new ExpansionCETypes;
000112 |         types.ReadTypes(fileName);
000113 |         return types;
000114 |     }
000115 |
000116 |     void ReadTypes(string fileName)
000117 |     {
000118 |         CF_XML_Document document = CF_XML.ReadDocumentEx(fileName);
000119 |         if (document)
000120 |         {
000121 |             auto root = document.Get("types")[0];
000122 |             if (!root)
000123 |             {
000124 |                 CF.FormatError("No root tag 'types' in '%1'", fileName);
000125 |                 return;
000126 |             }
000127 |
000128 |             auto types = root.GetContent().GetTags();
000129 |             foreach (CF_XML_Tag type: types)
000130 |             {
000131 |                 string tagName = type.GetName();
000132 |                 if (tagName != "type")
000133 |                     continue;
000134 |
000135 |                 string name = ExpansionXML.GetAttributeString(type, "name");
000136 |
000137 |                 string key = name;
000138 |                 key.ToLower();
000139 |
000140 |                 int defaultValue = 0;
000141 |                 int defaultQuantity = -1;
000142 |                 int defaultCost = 100;
000143 |
000144 |                 if (Contains(key))
000145 |                 {
000146 |                     defaultValue = ExpansionCE.NOT_SET;
000147 |                     defaultQuantity = ExpansionCE.NOT_SET;
000148 |                     defaultCost = ExpansionCE.NOT_SET;
000149 |                 }
000150 |
000151 |                 auto ceType = new ExpansionCEType(name);
000152 |
000153 |                 ceType.Nominal = ExpansionXML.GetTagContentInt(type, "nominal", defaultValue);
000154 |                 ceType.Lifetime = ExpansionXML.GetTagContentInt(type, "lifetime", defaultValue);
000155 |                 ceType.Restock = ExpansionXML.GetTagContentInt(type, "restock", defaultValue);
000156 |                 ceType.Min = ExpansionXML.GetTagContentInt(type, "min", defaultValue);
000157 |                 ceType.QuantMin = ExpansionXML.GetTagContentInt(type, "quantmin", defaultQuantity);
000158 |                 ceType.QuantMax = ExpansionXML.GetTagContentInt(type, "quantmax", defaultQuantity);
000159 |                 ceType.Cost = ExpansionXML.GetTagContentInt(type, "cost", defaultCost);
000160 |
000161 |                 //! Flags
000162 |                 auto flags = type.GetTag("flags")[0];
000163 |                 if (flags)
```

```
000164 |         {
000165 |             ceType.Flags = new ExpansionCTypeFlags();
000166 |             ceType.Flags.CountInCargo = ExpansionXML.GetAttributeInt(flags, "count_in_cargo", defaultValue);
000167 |             ceType.Flags.CountInHoarder = ExpansionXML.GetAttributeInt(flags, "count_in_hoarder", defaultValue);
000168 |             ceType.Flags.CountInMap = ExpansionXML.GetAttributeInt(flags, "count_in_map", defaultValue);
000169 |             ceType.Flags.CountInPlayer = ExpansionXML.GetAttributeInt(flags, "count_in_player", defaultValue);
000170 |             ceType.Flags.Crafted = ExpansionXML.GetAttributeInt(flags, "crafted", defaultValue);
000171 |             ceType.Flags.DELoot = ExpansionXML.GetAttributeInt(flags, "deloot", defaultValue);
000172 |         }
000173 |
000174 |         ///! Categories
000175 |         auto categories = type.GetTag("category");
000176 |         foreach (CF_XML_Tag category: categories)
000177 |         {
000178 |             ceType.Categories.Insert(ExpansionXML.GetAttributeString(category, "name"));
000179 |         }
000180 |
000181 |         ///! Usage
000182 |         auto usages = type.GetTag("usage");
000183 |         foreach (CF_XML_Tag usage: usages)
000184 |         {
000185 |             ceType.Usages.Insert(ExpansionXML.GetAttributeString(usage, "name"));
000186 |         }
000187 |
000188 |         ///! Values
000189 |         auto values = type.GetTag("value");
000190 |         foreach (CF_XML_Tag value: values)
000191 |         {
000192 |             ceType.Values.Insert(ExpansionXML.GetAttributeString(value, "name"));
000193 |         }
000194 |
000195 |         Merge(key, ceType);
000196 |     }
000197 | }
000198 |
000199 | void Merge(string key, ExpansionCType ceType)
000200 | {
000201 |     ExpansionCType existing;
000202 |     if (Find(key, existing))
000203 |         existing.Merge(ceType);
000204 |     else
000205 |         Insert(key, ceType);
000206 | }
000207 | }
000208 | }
000209 |
```

0021. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionEconomyCore.c

Size bytes: 5473

SHA-256: 766febe864d925f2a3deacae5490a89536f3f5d86b9aa5826f44ea4d57683048

Decoded as: utf-8-sig

Line count shown: 240

Detected class declarations: 5

L20: class ExpansionEconomyCoreRootClass

L34: class ExpansionEconomyCoreDefault

L46: class ExpansionCEFolder

L100: class ExpansionCEFile

L152: class ExpansionEconomyCore

Detected enum declarations: 1

L13: enum ExpansionCEFileType

Detected function/method-like declarations: 11

L26: void ExpansionEconomyCoreRootClass(string name, string act, string reportMemoryLOD)

L39: void ExpansionEconomyCoreDefault(string name, string value)

L54: void ExpansionCEFolder(string folder)

L59: void AddFile(string name, ExpansionCEFileType type)

L76: void Load(ExpansionCE ce)

L86: void Load(ExpansionCE ce, ExpansionCEFileType type)

L111: void ExpansionCEFile(string name, ExpansionCEFileType type)

L119: void Load(ExpansionCE ce, string folder)

L158: void Load(ExpansionCE ce, string fileName)

L220: void LoadDB(ExpansionCE ce)

L233: void Clear()

Full file content

```
000001 | /**
000002 |  * ExpansionEconomyCore.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | enum ExpansionCEFileType
000014 | {
000015 |     TYPES,
000016 |     SPAWNABLETYPES,
000017 |     EVENTS
000018 | }
000019 |
000020 | class ExpansionEconomyCoreRootClass
000021 | {
000022 |     string Name;
000023 |     string Act;
000024 |     string ReportMemoryLOD;
000025 |
000026 |     void ExpansionEconomyCoreRootClass(string name, string act, string reportMemoryLOD)
000027 |     {
000028 |         Name = name;
000029 |         Act = act;
000030 |         ReportMemoryLOD = reportMemoryLOD;
000031 |     }
```

```
000032 | }
000033 |
000034 | class ExpansionEconomyCoreDefault
000035 | {
000036 |     string Name;
000037 |     string Value;
000038 |
000039 |     void ExpansionEconomyCoreDefault(string name, string value)
000040 |     {
000041 |         Name = name;
000042 |         Value = value;
000043 |     }
000044 | }
000045 |
000046 | class ExpansionCEFolder
000047 | {
000048 |     string Folder;
000049 |     ref array<ref ExpansionCEFile> Files = {};
000050 |
000051 |     [NonSerialized()]
000052 |     protected ref map<ExpansionCEFileType, ref array<ExpansionCEFile>> m_FilesByType = new map<ExpansionCEFileType, ref array<ExpansionCEFile>>;
000053 |
000054 |     void ExpansionCEFolder(string folder)
000055 |     {
000056 |         Folder = folder;
000057 |     }
000058 |
000059 |     void AddFile(string name, ExpansionCEFileType type)
000060 |     {
000061 |         auto file = new ExpansionCEFile(name, type);
000062 |
000063 |         Files.Insert(file);
000064 |
000065 |         array<ExpansionCEFile> files;
000066 |
000067 |         if (!m_FilesByType.Find(type, files))
000068 |         {
000069 |             files = {};
000070 |             m_FilesByType[type] = files;
000071 |         }
000072 |
000073 |         files.Insert(file);
000074 |     }
000075 |
000076 |     void Load(ExpansionCE ce)
000077 |     {
000078 |         #ifdef EXTRACE
000079 |             auto trace = EXTrace.Start(EXTrace.CE, this, Folder);
000080 |         #endif
000081 |
000082 |         foreach (ExpansionCEFile file: Files)
000083 |             file.Load(ce, Folder);
000084 |     }
000085 |
000086 |     void Load(ExpansionCE ce, ExpansionCEFileType type)
000087 |     {
000088 |         #ifdef EXTRACE
000089 |             auto trace = EXTrace.Start(EXTrace.CE, this, Folder, typename.EnumToString(ExpansionCEFileType, type));
000090 |         #endif
000091 |
000092 |         auto files = m_FilesByType[type];
000093 |     }
```

```
000094 |         if (files)
000095 |             foreach (ExpansionCEFile file: files)
000096 |                 file.Load(ce, Folder);
000097 |     }
000098 | }
000099 |
000100 | class ExpansionCEFile
000101 | {
000102 |     string Name;
000103 |     string Type;
000104 |
000105 |     [NonSerialized()]
000106 |     protected ExpansionCEFileType m_Type;
000107 |
000108 |     [NonSerialized()]
000109 |     protected bool m_IsLoaded;
000110 |
000111 |     void ExpansionCEFile(string name, ExpansionCEFileType type)
000112 |     {
000113 |         Name = name;
000114 |         Type = typename.EnumToString(ExpansionCEFileType, type);
000115 |         Type.ToLower();
000116 |         m_Type = type;
000117 |     }
000118 |
000119 |     void Load(ExpansionCE ce, string folder)
000120 |     {
000121 |         #ifdef EXTRACE
000122 |             auto trace = EXTrace.Start(EXTrace.CE, this, Name);
000123 |         #endif
000124 |
000125 |         if (m_IsLoaded)
000126 |             return;
000127 |
000128 |         string path = string.Format("$mission:%1\\%2", folder, Name);
000129 |
000130 |         switch (m_Type)
000131 |         {
000132 |             case ExpansionCEFileType.TYPES:
000133 |                 ce.Types.ReadTypes(path);
000134 |                 break;
000135 |
000136 |             case ExpansionCEFileType.SPAWNABLETYPES:
000137 |                 ce.SpawnableTypes.ReadTypes(path);
000138 |                 break;
000139 |
000140 |             case ExpansionCEFileType.EVENTS:
000141 |                 ce.Events.ReadEvents(path);
000142 |                 break;
000143 |         }
000144 |
000145 |         m_IsLoaded = true;
000146 |     }
000147 | }
000148 |
000149 | /**@class      ExpansionEconomyCore
000150 |  * @brief      structure for EconomyCore.xml
000151 |  */
000152 | class ExpansionEconomyCore
000153 | {
000154 |     ref array<ref ExpansionEconomyCoreRootClass> Classes = {};
000155 |     ref array<ref ExpansionEconomyCoreDefault> Defaults = {};
```

```
000156 |     ref array<ref ExpansionCEFFolder> CE = {};
000157 |
000158 | void Load(ExpansionCE ce, string fileName)
000159 | {
000160 |     CF_XML_Document document = CF_XML.ReadDocumentEx(fileName);
000161 |     if (document)
000162 |     {
000163 |         auto root = document.Get("economycore")[0];
000164 |         if (!root)
000165 |         {
000166 |             CF.FormatError("No root tag 'economycore' in '%1'", fileName);
000167 |             return;
000168 |         }
000169 |
000170 |         auto classes = root.GetTag("classes")[0];
000171 |         if (classes)
000172 |         {
000173 |             auto rootClasses = classes.GetTag("rootclass");
000174 |             foreach (CF_XML_Tag rootClass: rootClasses)
000175 |             {
000176 |                 string rootName = ExpansionXML.GetAttributeString(rootClass, "name");
000177 |                 string act = ExpansionXML.GetAttributeString(rootClass, "act");
000178 |                 string reportMemoryLOD = ExpansionXML.GetAttributeString(rootClass, "reportMemoryLOD");
000179 |
000180 |                 Classes.Insert(new ExpansionEconomyCoreRootClass(rootName, act, reportMemoryLOD));
000181 |             }
000182 |         }
000183 |
000184 |         auto defaults = root.GetTag("defaults")[0];
000185 |         if (defaults)
000186 |         {
000187 |             auto dflts = defaults.GetTag("default");
000188 |             foreach (CF_XML_Tag dflt: dflts)
000189 |             {
000190 |                 string defaultName = ExpansionXML.GetAttributeString(dflt, "name");
000191 |                 string defaultValue = ExpansionXML.GetAttributeString(dflt, "value");
000192 |
000193 |                 Defaults.Insert(new ExpansionEconomyCoreDefault(defaultName, defaultValue));
000194 |             }
000195 |         }
000196 |
000197 |         auto folders = root.GetTag("ce");
000198 |         foreach (CF_XML_Tag folder: folders)
000199 |         {
000200 |             auto ceFolder = new ExpansionCEFFolder(ExpansionXML.GetAttributeString(folder, "folder"));
000201 |
000202 |             auto files = folder.GetTag("file");
000203 |             foreach (CF_XML_Tag file: files)
000204 |             {
000205 |                 string name = ExpansionXML.GetAttributeString(file, "name");
000206 |                 string type = ExpansionXML.GetAttributeString(file, "type");
000207 |                 type.ToUpper();
000208 |
000209 |                 ceFolder.AddFile(name, typename.StringToEnum(ExpansionCEFileType, type));
000210 |             }
000211 |
000212 |             if (ce)
000213 |                 ceFolder.Load(ce);
000214 |
000215 |             CE.Insert(ceFolder);
000216 |         }
000217 |     }
```

```
000218 |     }
000219 |
000220 |     void LoadDB(ExpansionCE ce)
000221 |     {
000222 |         auto ceFolder = new ExpansionCEFolder("");
000223 |         ceFolder.AddFile("db/types.xml", ExpansionCEFileType.TYPES);
000224 |         ceFolder.AddFile("db/events.xml", ExpansionCEFileType.EVENTS);
000225 |         ceFolder.AddFile("cfgspawnabletypes.xml", ExpansionCEFileType.SPAWNABLETYPES);
000226 |
000227 |         if (ce)
000228 |             ceFolder.Load(ce);
000229 |
000230 |         CE.Insert(ceFolder);
000231 |     }
000232 |
000233 |     void Clear()
000234 |     {
000235 |         Classes.Clear();
000236 |         Defaults.Clear();
000237 |         CE.Clear();
000238 |     }
000239 | }
000240 |
```

0022. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CF_Date.c
Size bytes: 1682
SHA-256: b569ae39e17a45dcb1753540912d7bff429827b1d004ca3aba2fe42094f5a077
Decoded as: utf-8-sig
Line count shown: 77
Detected class declarations: 1
 L24: modded class CF_Date
Detected enum declarations: 1
 L13: enum CF_Weekdays
Detected function/method-like declarations: 11
 L26: int GetDaysToNextWeekDay(int weekDay)
 L35: string GetDayName()
 L41: static int GetDayByName(string dayName)
 L46: string GetISODate()
 L51: string GetISOTime(string delimHMS = ":")
 L56: string GetISODateTime(string delim = "T", string delimHMS = ":")
 L58: return GetISODate() + delim + GetISOTime(delimHMS);
 L62: override string Format(string format)
 L67: return GetISODate();
 L69: return GetISODateTime(" ");
 L71: return GetISOTime();

Full file content

```
000001 | /**
000002 |  * CF_Date.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum CF_Weekdays
000014 | {
000015 |     Sunday,
000016 |     Monday,
000017 |     Tuesday,
000018 |     Wednesday,
000019 |     Thursday,
000020 |     Friday,
000021 |     Saturday
000022 | }
000023 |
000024 | modded class CF_Date
000025 | {
000026 |     int GetDaysToNextWeekDay(int weekDay)
000027 |     {
000028 |         int weekDayOfCurrentWeek = GetDayOfWeek();
000029 |         if (weekDay > weekDayOfCurrentWeek)
000030 |             return weekDay - weekDayOfCurrentWeek;
000031 |         int daysRemainingInCurrentWeek = 7 - weekDayOfCurrentWeek;
000032 |         return daysRemainingInCurrentWeek + weekDay;
000033 |     }
000034 |
000035 |     string GetDayName()
```



```
000036 | {
000037 |     int day = GetDayOfWeek();
000038 |     return typename.EnumToString(CF_Weekdays, day);
000039 | }
000040 |
000041 | static int GetDayByName(string dayName)
000042 | {
000043 |     return typename.StringToEnum(CF_Weekdays, dayName);
000044 | }
000045 |
000046 | string GetISODate()
000047 | {
000048 |     return m_Year.ToStringLen(4) + "-" + m_Month.ToStringLen(2) + "-" + m_Day.ToStringLen(2);
000049 | }
000050 |
000051 | string GetISOTime(string delimHMS = ":")
000052 | {
000053 |     return m_Hour.ToStringLen(2) + delimHMS + m_Minute.ToStringLen(2) + delimHMS + m_Second.ToStringLen(2);
000054 | }
000055 |
000056 | string GetISODateTime(string delim = "T", string delimHMS = ":")
000057 | {
000058 |     return GetISODate() + delim + GetISOTime(delimHMS);
000059 | }
000060 |
000061 | //! Fix Format() for most common formats
000062 | override string Format(string format)
000063 | {
000064 |     switch (format)
000065 |     {
000066 |         case DATE:
000067 |             return GetISODate();
000068 |         case DATETIME:
000069 |             return GetISODateTime(" ");
000070 |         case TIME:
000071 |             return GetISOTime();
000072 |     }
000073 |
000074 |     return super.Format(format);
000075 | }
000076 | }
000077 |
```

0023. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CF_Localiser.c

Size bytes: 1145

SHA-256: 2ea53779088a009008033ee062dd60d24fe232e31a4558f93035d08ecba4fa95

Decoded as: utf-8-sig

Line count shown: 46

Detected class declarations: 1

L13: modded class CF_Localiser

Detected enum declarations: 0

Detected function/method-like declarations: 4

L15: override CF_Localiser Set(int index, string value)

L20: return Set(index, value, translates);

L24: override CF_Localiser Set(int index, string value, bool translates)

L38: void SetTranslates(int index, bool translates)

Full file content

```
000001 | /**
000002 |  * CF_Localiser.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class CF_Localiser
000014 | {
000015 |     override CF_Localiser Set(int index, string value)
000016 |     {
000017 |         string valueUpper = value;
000018 |         valueUpper.ToUpper();
000019 |         bool translates = valueUpper.IndexOf("STR_") == 0;
000020 |         return Set(index, value, translates);
000021 |     }
000022 |
000023 | #ifdef DIAG_DEVELOPER
000024 |     override CF_Localiser Set(int index, string value, bool translates)
000025 |     {
000026 |         if (translates)
000027 |         {
000028 |             string valueUpper = value;
000029 |             valueUpper.ToUpper();
000030 |             if (valueUpper.IndexOf("#STR_") == 0)
000031 |                 Error("Wrong use of CF_Localiser, localizable strings must not start with #");
000032 |         }
000033 |
000034 |         return super.Set(index, value, translates);
000035 |     }
000036 | #endif
000037 |
000038 |     void SetTranslates(int index, bool translates)
000039 |     {
000040 |         int realIndex = index + 1;
000041 |         if (realIndex < 0 || realIndex >= m_Count)
000042 |             return;
000043 |         m_Translates[realIndex] = translates;
```

000044 | }
000045 | }
000046 |

0024. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CF_ModuleGame.c
Size bytes: 3204
SHA-256: ef8ed4022af4e6c546edad5f543d2c4d4e08896a04167319a890bbe6936f1f41
Decoded as: utf-8-sig
Line count shown: 104
Detected class declarations: 1
  L13: modded class CF_ModuleGame
Detected enum declarations: 0
Detected function/method-like declarations: 14
  L20: void EnableTracing(bool enable = true)
  L27: override void EnableRPC()
  L38: void Expansion_EnableRPCManager()
  L49: int Expansion_RegisterServerRPC(string fn)
  L54: int Expansion_RegisterClientRPC(string fn)
  L59: int Expansion_RegisterBothRPC(string fn)
  L64: ExpansionScriptRPC Expansion_CreateRPC(string fn)
  L69: ExpansionBitStreamReader GetReader(ParamsReadContext ctx)
  L74: void TracePrint(string msg)
  L79: void TracePrint(string msg, string p1, string p2 = "", string p3 = "", string p4 = "", string p5 = "", string p6 = "", string p7 = "", string p8 = "")
  L84: void TracePrint(string msg, Class p1, Class p2 = null, Class p3 = null, Class p4 = null, Class p5 = null, Class p6 = null, Class p7 = null, Class p8 = null)
  L89: static void TracePrint(typename type, string msg)
  L94: static void TracePrint(typename type, string msg, string p1, string p2 = "", string p3 = "", string p4 = "", string p5 = "", string p6 = "", string p7 = "", string p8 = "")
  L99: static void TracePrint(typename type, string msg, Class p1, Class p2 = null, Class p3 = null, Class p4 = null, Class p5 = null, Class p6 = null, Class p7 = null, Class p8 = null)

```

Full file content

```

000001 | /**
000002 |  * CF_ModuleGame.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class CF_ModuleGame
000014 | {
000015 |     static ref map<typename, bool> s_Expansion_TracingEnabled = new map<typename, bool>;
000016 |     bool m_Expansion_TracingEnabled;
000017 |
000018 |     ref ExpansionRPCManager m_Expansion_RPCManager;
000019 |
000020 |     void EnableTracing(bool enable = true)
000021 |     {
000022 |         m_Expansion_TracingEnabled = enable;
000023 |         typename type = Type();
000024 |         s_Expansion_TracingEnabled[type] = enable;
000025 |     }
000026 |
000027 |     override void EnableRPC()
000028 |     {
000029 |         if (m_Expansion_RPCManager)
000030 |         {
000031 |             Error("Cannot use CF Module RPC system and Expansion RPC manager at the same time!");
000032 |             return;
000033 |         }

```

```
000034 |
000035 |     super.EnableRPC();
000036 | }
000037 |
000038 | void Expansion_EnableRPCManager()
000039 | {
000040 |     if (GetRPCMin() != -1 || GetRPCMax() != -1)
000041 |     {
000042 |         Error("Cannot use CF Module RPC system and Expansion RPC manager at the same time!");
000043 |         return;
000044 |     }
000045 |
000046 |     m_Expansion_RPCManager = new ExpansionRPCManager(this);
000047 | }
000048 |
000049 | int Expansion_RegisterServerRPC(string fn)
000050 | {
000051 |     return m_Expansion_RPCManager.RegisterServer(fn);
000052 | }
000053 |
000054 | int Expansion_RegisterClientRPC(string fn)
000055 | {
000056 |     return m_Expansion_RPCManager.RegisterClient(fn);
000057 | }
000058 |
000059 | int Expansion_RegisterBothRPC(string fn)
000060 | {
000061 |     return m_Expansion_RPCManager.RegisterBoth(fn);
000062 | }
000063 |
000064 | ExpansionScriptRPC Expansion_CreateRPC(string fn)
000065 | {
000066 |     return m_Expansion_RPCManager.CreateRPC(fn);
000067 | }
000068 |
000069 | ExpansionBitStreamReader GetReader(ParamsReadContext ctx)
000070 | {
000071 |     return m_Expansion_RPCManager.GetReader(ctx);
000072 | }
000073 |
000074 | void TracePrint(string msg)
000075 | {
000076 |     EXTrace.Print(m_Expansion_TracingEnabled, this, msg);
000077 | }
000078 |
000079 | void TracePrint(string msg, string p1, string p2 = "", string p3 = "", string p4 = "", string p5 = "", string p6 = "", string p7 = "", string p8 = "", string
p9 = "")
000080 | {
000081 |     EXTrace.Print(m_Expansion_TracingEnabled, this, string.Format(msg, p1, p2, p3, p4, p5, p6, p7, p8, p9));
000082 | }
000083 |
000084 | void TracePrint(string msg, Class p1, Class p2 = null, Class p3 = null, Class p4 = null, Class p5 = null, Class p6 = null, Class p7 = null, Class p8 = null, C
lass p9 = null)
000085 | {
000086 |     EXTrace.Print(m_Expansion_TracingEnabled, this, ExpansionStatic.FormatString(msg, p1, p2, p3, p4, p5, p6, p7, p8, p9));
000087 | }
000088 |
000089 | static void TracePrint(typename type, string msg)
000090 | {
000091 |     EXTrace.Print(s_Expansion_TracingEnabled[type], type, msg);
000092 | }
000093 |
```

```
000094 |     static void TracePrint(typename type, string msg, string p1, string p2 = "", string p3 = "", string p4 = "", string p5 = "", string p6 = "", string p7 = "", s
000095 | tring p8 = "", string p9 = "")
000096 |     {
000097 |         EXTrace.Print(s_Expansion_TracingEnabled[type], type, string.Format(msg, p1, p2, p3, p4, p5, p6, p7, p8, p9));
000098 |     }
000099 |     static void TracePrint(typename type, string msg, Class p1, Class p2 = null, Class p3 = null, Class p4 = null, Class p5 = null, Class p6 = null, Class p7 = nu
000100 | ll, Class p8 = null, Class p9 = null)
000101 |     {
000102 |         EXTrace.Print(s_Expansion_TracingEnabled[type], type, ExpansionStatic.FormatString(msg, p1, p2, p3, p4, p5, p6, p7, p8, p9));
000103 |     }
000104 | }
```

0025. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\ClientData.c

Size bytes: 866

SHA-256: c6b3e06e31711e8817d051bf200de6c184d03737a900e3f2ad496a3f7f8608b8

Decoded as: utf-8-sig

Line count shown: 32

Detected class declarations: 1

L13: modded class ClientData

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: override static void SyncEvent_PreprocessPlayerList(SyncPlayerList player_list)

Full file content

```
000001 | /**
000002 |  * ClientData.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ClientData
000014 | {
000015 |     override static void SyncEvent_PreprocessPlayerList(SyncPlayerList player_list)
000016 |     {
000017 |         foreach (auto sync_player : player_list.m_PlayerList)
000018 |         {
000019 |             PlayerIdentity identity = sync_player.m_Identity;
000020 |             if (!identity)
000021 |             {
000022 |                 ErrorEx("PlayerIdentity not synchronized before SyncPlayer", ErrorExSeverity.WARNING);
000023 |                 continue;
000024 |             }
000025 |
000026 |             sync_player.m_UID = identity.GetPlainId();
000027 |             sync_player.m_RUID = identity.GetId();
000028 |             sync_player.m_PlayerName = identity.GetPlainName();
000029 |         }
000030 |     }
000031 | }
000032 |
```

0026. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\Notifications\ExpansionNotificationSystem.c
Size bytes: 6820
SHA-256: 72d5e3695acb929e51f2eda7b09a189eb3672a78349b7dd0a8ea264d68c82ed9
Decoded as: utf-8-sig
Line count shown: 187
Detected class declarations: 4
  L16: class ExpansionNotificationSystem
  L75: class ExpansionNotificationTemplateBase
  L116: class ExpansionNotificationTemplate<Class T>: ExpansionNotificationTemplateBase
  L140: class ExpansionNotificationLocaliser: ExpansionNotificationTemplateBase
Detected enum declarations: 0
Detected function/method-like declarations: 21
  L23: void CreateNotification( CF_Localiser title, CF_Localiser text, string icon, int color, float time = 7, PlayerIdentity identity = NULL, Expa
  L32: void CreateNotification( string title, string text, string icon, int color, float time = 7, PlayerIdentity identity = NULL, ExpansionNotific
  L47: static ExpansionNotificationSystem GetNotificationSystem()
  L66: static void DestroyNotificationSystem()
  L82: void Create( PlayerIdentity identity = NULL )
  L87: void Create( string icon, int color, PlayerIdentity identity = NULL, ExpansionNotificationType type = ExpansionNotificationType.TOAST )
  L91: void Error( PlayerIdentity identity = NULL )
  L99: void Info( PlayerIdentity identity = NULL )
  L107: void Success( PlayerIdentity identity = NULL )
  L121: void ExpansionNotificationTemplate( T title, T text, string icon = "", int color = 0, float time = 7, ExpansionNotificationType type = Expan
  L131: override void Create( string icon, int color, PlayerIdentity identity = NULL, ExpansionNotificationType type = ExpansionNotificationType.TOA
  L145: void ExpansionNotificationLocaliser( CF_Localiser title, CF_Localiser text, string icon = "", int color = 0, float time = 7, ExpansionNotifi
  L155: override void Create( string icon, int color, PlayerIdentity identity = NULL, ExpansionNotificationType type = ExpansionNotificationType.TOA
  L164: static ExpansionNotificationTemplateBase ExpansionNotification( CF_Localiser title, CF_Localiser text, string icon = "", int color = 0, floa
  L166: return new ExpansionNotificationLocaliser( title, text, icon, color, time, type );
  L169: static ExpansionNotificationTemplateBase ExpansionNotification( string title, string text, string icon = "", int color = 0, float time = 7,
  L173: return new ExpansionNotificationLocaliser( titleLocaliser, textLocaliser, icon, color, time, type );
  L176: static ExpansionNotificationTemplateBase ExpansionNotification( string title, string icon = "", int color = 0, float time
  L179: return ExpansionNotification( titleLocaliser, text, icon, color, time, type );
  L182: static ExpansionNotificationTemplateBase ExpansionNotification( CF_Localiser title, string text, string icon = "", int color = 0, float time
  L185: return ExpansionNotification( title, textLocaliser, icon, color, time, type );

```

Full file content

```

000001 | /**
000002 |  * ExpansionNotificationSystem.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionNotificationSystem
000014 |  * @brief      This class handle notification toasts system
000015 |  */
000016 | class ExpansionNotificationSystem
000017 | {
000018 |     static ref ScriptInvoker SI_CreateNotification = new ScriptInvoker();
000019 |
000020 |     // -----
000021 |     // ExpansionNotificationSystem CreateNotification
000022 |     // -----
000023 |     void CreateNotification( CF_Localiser title, CF_Localiser text, string icon, int color, float time = 7, PlayerIdentity identity = NULL, ExpansionNotificationT

```



```
000024 |     type type = ExpansionNotificationType.TOAST)
000025 |     {
000026 |     #ifdef EXPANSIONTRACE
000027 |         auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "CreateNotification");
000028 |     #endif
000029 |         ExpansionNotification( title, text, icon, color, time, type ).Create( identity );
000030 |     }
000031 |
000032 |     void CreateNotification( string title, string text, string icon, int color, float time = 7, PlayerIdentity identity = NULL, ExpansionNotificationType type = E
xpansionNotificationType.TOAST)
000033 |     {
000034 |     #ifdef EXPANSIONTRACE
000035 |         auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "CreateNotification");
000036 |     #endif
000037 |         CreateNotification( new CF_Localiser( title ), new CF_Localiser( text ), icon, color, time, identity, type );
000038 |     }
000039 | };
000040 |
000041 |
000042 | static ref ExpansionNotificationSystem g_exNotificationBase;
000043 |
000044 | // -----
000045 | // ExpansionNotificationSystem GetNotificationSystem
000046 | // -----
000047 | static ExpansionNotificationSystem GetNotificationSystem()
000048 | {
000049 |     #ifdef EXPANSIONTRACE
000050 |         auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, "GetNotificationSystem");
000051 |     #endif
000052 |
000053 |     EXPrint("DEPRECATED: ExpansionNotificationSystem is deprecated, use ExpansionNotification instead");
000054 |
000055 |     if ( !g_exNotificationBase )
000056 |     {
000057 |         g_exNotificationBase = new ExpansionNotificationSystem();
000058 |     }
000059 |
000060 |     return g_exNotificationBase;
000061 | }
000062 |
000063 | // -----
000064 | // ExpansionNotificationSystem DestroyNotificationSystem
000065 | // -----
000066 | static void DestroyNotificationSystem()
000067 | {
000068 |     #ifdef EXPANSIONTRACE
000069 |         auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, "DestroyNotificationSystem");
000070 |     #endif
000071 |     if (g_exNotificationBase)
000072 |         g_exNotificationBase = null;
000073 | }
000074 |
000075 | class ExpansionNotificationTemplateBase
000076 | {
000077 |     protected string m_Icon;
000078 |     protected int m_Color;
000079 |     protected float m_Time;
000080 |     protected ExpansionNotificationType m_Type;
000081 |
000082 |     void Create( PlayerIdentity identity = NULL )
000083 |     {
```

```
000084 |         Create( m_Icon, m_Color, identity, m_Type );
000085 |     }
000086 |
000087 |     void Create( string icon, int color, PlayerIdentity identity = NULL, ExpansionNotificationType type = ExpansionNotificationType.TOAST )
000088 |     {
000089 |     }
000090 |
000091 |     void Error( PlayerIdentity identity = NULL )
000092 |     {
000093 |         if ( !m_Icon )
000094 |             m_Icon = EXPANSION_NOTIFICATION_ICON_ERROR;
000095 |
000096 |         Create( m_Icon, COLOR_EXPANSION_NOTIFICATION_ERROR, identity, m_Type );
000097 |     }
000098 |
000099 |     void Info( PlayerIdentity identity = NULL )
000100 |     {
000101 |         if ( !m_Icon )
000102 |             m_Icon = EXPANSION_NOTIFICATION_ICON_INFO;
000103 |
000104 |         Create( m_Icon, COLOR_EXPANSION_NOTIFICATION_INFO, identity, m_Type );
000105 |     }
000106 |
000107 |     void Success( PlayerIdentity identity = NULL )
000108 |     {
000109 |         if ( !m_Icon )
000110 |             m_Icon = EXPANSION_NOTIFICATION_ICON_INFO;
000111 |
000112 |         Create( m_Icon, COLOR_EXPANSION_NOTIFICATION_SUCCESS, identity, m_Type );
000113 |     }
000114 | }
000115 |
000116 | class ExpansionNotificationTemplate<Class T>: ExpansionNotificationTemplateBase
000117 | {
000118 |     protected T m_Title;
000119 |     protected T m_Text;
000120 |
000121 |     void ExpansionNotificationTemplate( T title, T text, string icon = "", int color = 0, float time = 7, ExpansionNotificationType type = ExpansionNotificationTy
000122 | pe.TOAST)
000123 |     {
000124 |         m_Title = title;
000125 |         m_Text = text;
000126 |         m_Icon = icon;
000127 |         m_Color = color;
000128 |         m_Time = time;
000129 |         m_Type = type;
000130 |     }
000131 |
000132 |     override void Create( string icon, int color, PlayerIdentity identity = NULL, ExpansionNotificationType type = ExpansionNotificationType.TOAST )
000133 |     {
000134 |         if ( GetExpansionSettings() && GetExpansionSettings().GetNotification().EnableNotification )
000135 |         {
000136 |             NotificationSystem.Create_Expansion( m_Title, m_Text, icon, color, m_Time, identity, type );
000137 |         }
000138 |     }
000139 | }
000140 | class ExpansionNotificationLocaliser: ExpansionNotificationTemplateBase
000141 | {
000142 |     protected ref CF_Localiser m_Title;
000143 |     protected ref CF_Localiser m_Text;
000144 | }
```

```
000145 | void ExpansionNotificationLocaliser( CF_Localiser title, CF_Localiser text, string icon = "", int color = 0, float time = 7, ExpansionNotificationType type =
| ExpansionNotificationType.TOAST)
000146 | {
000147 |     m_Title = title;
000148 |     m_Text = text;
000149 |     m_Icon = icon;
000150 |     m_Color = color;
000151 |     m_Time = time;
000152 |     m_Type = type;
000153 | }
000154 |
000155 | override void Create( string icon, int color, PlayerIdentity identity = NULL, ExpansionNotificationType type = ExpansionNotificationType.TOAST )
000156 | {
000157 |     if ( GetExpansionSettings() && GetExpansionSettings().GetNotification().EnableNotification )
000158 |     {
000159 |         NotificationSystem.Create_Expansion( m_Title, m_Text, icon, color, m_Time, identity, type );
000160 |     }
000161 | }
000162 | }
000163 |
000164 | static ExpansionNotificationTemplateBase ExpansionNotification( CF_Localiser title, CF_Localiser text, string icon = "", int color = 0, float time = 7, ExpansionN
| otificationType type = ExpansionNotificationType.TOAST )
000165 | {
000166 |     return new ExpansionNotificationLocaliser( title, text, icon, color, time, type );
000167 | }
000168 |
000169 | static ExpansionNotificationTemplateBase ExpansionNotification( string title, string text, string icon = "", int color = 0, float time = 7, ExpansionNotificationT
| pe type = ExpansionNotificationType.TOAST )
000170 | {
000171 |     CF_Localiser titleLocaliser = new CF_Localiser( title );
000172 |     CF_Localiser textLocaliser = new CF_Localiser( text );
000173 |     return new ExpansionNotificationLocaliser( titleLocaliser, textLocaliser, icon, color, time, type );
000174 | }
000175 |
000176 | static ExpansionNotificationTemplateBase ExpansionNotification( string title, CF_Localiser text, string icon = "", int color = 0, float time = 7, ExpansionNotific
| ationType type = ExpansionNotificationType.TOAST )
000177 | {
000178 |     CF_Localiser titleLocaliser = new CF_Localiser( title );
000179 |     return ExpansionNotification( titleLocaliser, text, icon, color, time, type );
000180 | }
000181 |
000182 | static ExpansionNotificationTemplateBase ExpansionNotification( CF_Localiser title, string text, string icon = "", int color = 0, float time = 7, ExpansionNotific
| ationType type = ExpansionNotificationType.TOAST )
000183 | {
000184 |     CF_Localiser textLocaliser = new CF_Localiser( text );
000185 |     return ExpansionNotification( title, textLocaliser, icon, color, time, type );
000186 | }
000187 |
```

0027. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\Notifications\NotificationRuntimeData.c

Size bytes: 1169

SHA-256: 25457e23cb8913f4fffc642d8f0d1910e318958e92aed86d05a6264f05e1176a

Decoded as: utf-8-sig

Line count shown: 61

Detected class declarations: 1

L23: modded class NotificationRuntimeData

Detected enum declarations: 1

L13: enum ExpansionNotificationType

Detected function/method-like declarations: 5

L29: override string GetIcon()

L41: void SetType(ExpansionNotificationType type)

L46: ExpansionNotificationType GetType()

L51: void SetObject(Object obj)

L56: Object GetObject()

Full file content

```
000001 | /**
000002 |  * NotificationRuntimeData.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum ExpansionNotificationType
000014 | {
000015 |     TOAST = 1,
000016 |     BAGUETTE = 2,
000017 |     ACTIVITY = 4,
000018 |     KILLFEED = 8,
000019 |     MARKET = 16,
000020 |     GARAGE = 32
000021 | }
000022 |
000023 | modded class NotificationRuntimeData
000024 | {
000025 |     ExpansionNotificationType m_Type;
000026 |     Object m_Object;
000027 |     bool m_LeaveJoinNotif = false;
000028 |
000029 |     override string GetIcon()
000030 |     {
000031 |         if (!m_StaticData.m_Icon.Contains(":") && !m_StaticData.m_Icon.Contains("\\") && !m_StaticData.m_Icon.Contains("/"))
000032 |         {
000033 |             auto icon = ExpansionIcons.Get(m_StaticData.m_Icon);
000034 |             if (icon)
000035 |                 return icon.IconPath;
000036 |         }
000037 |
000038 |         return m_StaticData.m_Icon;
000039 |     }
000040 |
000041 |     void SetType(ExpansionNotificationType type)
```

```
000042 | {
000043 |     m_Type = type;
000044 | }
000045 |
000046 | ExpansionNotificationType GetType()
000047 | {
000048 |     return m_Type;
000049 | }
000050 |
000051 | void SetObject(Object obj)
000052 | {
000053 |     m_Object = obj;
000054 | }
000055 |
000056 | Object GetObject()
000057 | {
000058 |     return m_Object;
000059 | }
000060 | }
000061 |
```

0028. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\Notifications\NotificationSystem.c
 Size bytes: 8243
 SHA-256: 096494a1caf8ab8beeb350c382d88cfea994871802a97b92b43a25d3a9525369
 Decoded as: utf-8-sig
 Line count shown: 271
 Detected class declarations: 1
 L13: modded class NotificationSystem
 Detected enum declarations: 0
 Detected function/method-like declarations: 11
 L19: void NotificationSystem()
 L49: static ExpansionRPCManager Expansion_RegisterRPCManager()
 L56: static void Create_Expansion(CF_Localiser title, CF_Localiser text, string icon, int color, float time = 7, PlayerIdentity sendTo = NULL, E
 L83: static void Create_Expansion(string title, string text, string icon, int color, float time = 7, PlayerIdentity sendTo = NULL, ExpansionNoti
 L88: static void ExpansionCreateNotification(CF_Localiser title, CF_Localiser text, string icon, int color, float time = 3, PlayerIdentity sendT
 L108: private static void Exec_ExpansionCreateNotification(CF_Localiser title, CF_Localiser text, string icon, int color, float time, ExpansionN
 L147: override static void RPC_CreateNotification(PlayerIdentity sender, Object target, ParamsReadContext ctx)
 L182: override void AddNotif(NotificationRuntimeData data)
 L196: static void RPC_ExpansionCreateNotification(PlayerIdentity sender, Object target, ParamsReadContext ctx)
 L233: override static void Update(float timeslice)
 L258: override NotificationData GetNotificationData(NotificationType type)

Full file content

```
000001 | /**
000002 |  * NotificationSystem.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class NotificationSystem
000014 | {
000015 |     autoptr array< ref NotificationRuntimeData > m_ExNotifications = {};
000016 |
000017 |     static ref ExpansionRPCManager s_Expansion_RPCManager = Expansion_RegisterRPCManager();
000018 |
000019 |     void NotificationSystem()
000020 |     {
000021 | #ifdef EXTRACE_DIAG
000022 |         auto trace = EXTrace.Start(EXTrace.NOTIFICATIONS, this);
000023 | #endif
000024 |
000025 | #ifdef SERVER
000026 |         string tmp;
000027 |         DumpStackString(tmp);
000028 |         TStringArray lines = {};
000029 |         tmp.Split("\n", lines);
000030 |
000031 |         TStringArray stack = {};
000032 |
000033 |         for (int i = 1; i < lines.Count(); i++)
000034 |         {
000035 |             string line = lines[i];
000036 |             string lineLower = line;
```

```
000037 |         lineLower.ToLower();
000038 |
000039 |         if (lineLower.IndexOf("dayzexpansion") == -1)
000040 |             stack.Insert(line);
000041 |     }
000042 |
000043 |     EXError.Error(this, "NotificationSystem should not be initialized on server!", stack);
000044 | #else
000045 |     s_Expansion_RPCManager.SetOwner(this);
000046 | #endif
000047 | }
000048 |
000049 | static ExpansionRPCManager Expansion_RegisterRPCManager()
000050 | {
000051 |     auto manager = new ExpansionRPCManager(null, NotificationSystem);
000052 |     manager.RegisterClient("RPC_ExpansionCreateNotification");
000053 |     return manager;
000054 | }
000055 |
000056 | static void Create_Expansion( CF_Localiser title, CF_Localiser text, string icon, int color, float time = 7, PlayerIdentity sendTo = NULL, ExpansionNotificati
onType type = ExpansionNotificationType.TOAST, Object obj = NULL )
000057 | {
000058 | #ifdef EXPANSIONTRACE
000059 |     auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, "NotificationSystem", "Create_Expansion");
000060 | #endif
000061 |
000062 |     if ( IsMissionHost() )
000063 |     {
000064 |         auto rpc = s_Expansion_RPCManager.CreateRPC("RPC_ExpansionCreateNotification");
000065 |         CF_Localiser.Write(rpc, title);
000066 |         CF_Localiser.Write(rpc, text);
000067 |         rpc.Write( icon );
000068 |         rpc.Write( color );
000069 |         rpc.Write( time );
000070 |         rpc.Write( type );
000071 |         rpc.Write( obj );
000072 |         rpc.Expansion_Send(true, sendTo);
000073 |     }
000074 |     else
000075 |     {
000076 |         if ( !m_Instance )
000077 |             return;
000078 |
000079 |         m_Instance.ExpansionCreateNotification( title, text, icon, color, time, sendTo, type, obj );
000080 |     }
000081 | }
000082 |
000083 | static void Create_Expansion( string title, string text, string icon, int color, float time = 7, PlayerIdentity sendTo = NULL, ExpansionNotificationType type
= ExpansionNotificationType.TOAST, Object obj = NULL )
000084 | {
000085 |     Create_Expansion( new CF_Localiser( title ), new CF_Localiser( text ), icon, color, time, sendTo, type, obj );
000086 | }
000087 |
000088 | static void ExpansionCreateNotification( CF_Localiser title, CF_Localiser text, string icon, int color, float time = 3, PlayerIdentity sendTo = NULL, Expansio
nNotificationType type = ExpansionNotificationType.TOAST, Object obj = NULL )
000089 | {
000090 |     if ( IsMissionHost() )
000091 |     {
000092 |         auto rpc = s_Expansion_RPCManager.CreateRPC("RPC_ExpansionCreateNotification");
000093 |         CF_Localiser.Write(rpc, title);
000094 |         CF_Localiser.Write(rpc, text);
000095 |         rpc.Write( icon );
```

```
000096 |         rpc.Write( color );
000097 |         rpc.Write( time );
000098 |         rpc.Write( type );
000099 |         rpc.Write( obj );
000100 |         rpc.Expansion_Send(true, sendTo);
000101 |     }
000102 |     else
000103 |     {
000104 |         Exec_ExpansionCreateNotification( title, text, icon, color, time, type, obj );
000105 |     }
000106 | }
000107 |
000108 | private static void Exec_ExpansionCreateNotification( CF_Localiser title, CF_Localiser text, string icon, int color, float time, ExpansionNotificationType ty
pe = ExpansionNotificationType.TOAST, Object obj = NULL )
000109 | {
000110 | #ifdef EXPANSIONTRACE
000111 |     auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, "NotificationSystem", "Exec_ExpansionCreateNotification");
000112 | #endif
000113 |
000114 |     if ( !m_Instance )
000115 |         return;
000116 |
000117 |     bool joinNotif = false;
000118 |     bool leaveNotif = false;
000119 |
000120 |     //! Don't show player notification if setting is off, same with leave notification
000121 |     if (title.GetText() == "STR_EXPANSION_PLAYER_JOINED_TITLE")
000122 |         joinNotif = true;
000123 |
000124 |     if (title.GetText() == "STR_EXPANSION_PLAYER_LEFT_TITLE")
000125 |         leaveNotif = true;
000126 |
000127 |     if ( joinNotif && !GetExpansionClientSettings().NotificationJoin )
000128 |         return;
000129 |
000130 |     if ( leaveNotif && !GetExpansionClientSettings().NotificationLeave )
000131 |         return;
000132 |
000133 |     bool leaveJoinNotif;
000134 |     //! https://feedback.bistudio.com/T173348
000135 |     if (joinNotif || leaveNotif)
000136 |         leaveJoinNotif = true;
000137 |
000138 |     NotificationRuntimeData data = new NotificationRuntimeData( time, new NotificationData( icon, title.Format() ), text.Format() );
000139 |     data.SetColor( color );
000140 |     data.m_LeaveJoinNotif = leaveJoinNotif;
000141 |     data.SetType( type );
000142 |     data.SetObject( obj );
000143 |
000144 |     m_Instance.AddNotif( data );
000145 | }
000146 |
000147 | override static void RPC_CreateNotification( PlayerIdentity sender, Object target, ParamsReadContext ctx )
000148 | {
000149 |     //! This is only here to make all CF notifications (non-Expansion mods) use Expansion visual style for consistency
000150 | #ifdef EXPANSIONTRACE
000151 |     auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, "NotificationSystem", "RPC_CreateNotification");
000152 | #endif
000153 |
000154 |     CF_Localiser title = new CF_Localiser( "" );
000155 |     //! @note can't use CF_Localiser.Read here since we don't control the sending side
000156 |     if ( !ctx.Read( title ) )
```



```
000157 |         return;
000158 |
000159 |         CF_Localiser text = new CF_Localiser( "" );
000160 |         //! @note can't use CF_Localiser.Read here since we don't control the sending side
000161 |         if ( !ctx.Read( text ) )
000162 |             return;
000163 |
000164 |         string icon;
000165 |         if ( !ctx.Read( icon ) )
000166 |             return;
000167 |
000168 |         int color;
000169 |         if ( !ctx.Read( color ) )
000170 |             return;
000171 |
000172 |         float time;
000173 |         if ( !ctx.Read( time ) )
000174 |             return;
000175 |
000176 |         Exec_ExpansionCreateNotification( title, text, icon, color, time );
000177 |     }
000178 |
000179 |     // -----
000180 |     // NotificationSystem AddNotif
000181 |     // -----
000182 |     override void AddNotif( NotificationRuntimeData data )
000183 |     {
000184 | #ifdef EXPANSIONTRACE
000185 |         auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "AddNotif");
000186 | #endif
000187 |
000188 |         //! @note: The reason we *subtract* NOTIFICATION_FADE_TIME here is because CF *adds* it in NotificationRuntimeData constructor,
000189 |         //! and we don't want that. Jumped through years old commit logs to try and understand why this is here. Please document your code :-(
000190 |         data.SetTime( data.GetTime() - NOTIFICATION_FADE_TIME );
000191 |
000192 |         m_ExNotifications.Insert( data );
000193 |         m_OnNotificationAdded.Invoke( data );
000194 |     }
000195 |
000196 |     static void RPC_ExpansionCreateNotification( PlayerIdentity sender, Object target, ParamsReadContext ctx )
000197 |     {
000198 | #ifdef EXPANSIONTRACE
000199 |         auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, "NotificationSystem", "RPC_ExpansionCreateNotification");
000200 | #endif
000201 |
000202 |         CF_Localiser title = new CF_Localiser( "" );
000203 |         if ( !CF_Localiser.Read( ctx, title ) )
000204 |             return;
000205 |
000206 |         CF_Localiser text = new CF_Localiser( "" );
000207 |         if ( !CF_Localiser.Read( ctx, text ) )
000208 |             return;
000209 |
000210 |         string icon;
000211 |         if ( !ctx.Read( icon ) )
000212 |             return;
000213 |
000214 |         int color;
000215 |         if ( !ctx.Read( color ) )
000216 |             return;
000217 |
000218 |         float time;
```

```
000219 |         if ( !ctx.Read( time ) )
000220 |             return;
000221 |
000222 |         int type;
000223 |         if ( !ctx.Read( type ) )
000224 |             return;
000225 |
000226 |         Object obj;
000227 |         if ( !ctx.Read( obj ) )
000228 |             return;
000229 |
000230 |         Exec_ExpansionCreateNotification( title, text, icon, color, time, type, obj );
000231 |     }
000232 |
000233 |     override static void Update(float timeslice)
000234 |     {
000235 | #ifdef EXPANSIONTRACE
000236 |         auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, "NotificationSystem", "Update");
000237 | #endif
000238 |
000239 |         if ( m_Instance && IsMissionClient() )
000240 |         {
000241 |             array< NotificationRuntimeData > to_remove = new array< NotificationRuntimeData >;
000242 |             foreach ( NotificationRuntimeData data : m_Instance.m_ExNotifications )
000243 |             {
000244 |                 if ( data.GetTime() < g_Game.GetTickTime() && data.m_HasShown )
000245 |                 {
000246 |                     to_remove.Insert( data );
000247 |                 }
000248 |             }
000249 |
000250 |             foreach ( NotificationRuntimeData removed : to_remove )
000251 |             {
000252 |                 m_Instance.m_ExNotifications.RemoveItem( removed );
000253 |                 m_Instance.m_OnNotificationRemoved.Invoke( removed );
000254 |             }
000255 |         }
000256 |     }
000257 |
000258 |     override NotificationData GetNotificationData( NotificationType type )
000259 |     {
000260 | #ifdef EXPANSIONTRACE
000261 |         auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "GetNotificationData");
000262 | #endif
000263 |
000264 |         if ( m_DataArray.Contains(type) )
000265 |         {
000266 |             return m_DataArray.Get( type );
000267 |         }
000268 |
000269 |         return null;
000270 |     }
000271 | };
```

0029. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\Notifications\NotificationUI.c

Size bytes: 740

SHA-256: 0221e364c1706effb64a5a2be2209857060c476d0d3563021aa84f691de4ad7f

Decoded as: utf-8-sig

Line count shown: 27

Detected class declarations: 1

L14: modded class NotificationUI

Detected enum declarations: 0

Detected function/method-like declarations: 1

L16: void NotificationUI()

Full file content

```
000001 | /**
000002 |  * ExpansionNotificationUI.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | modded class NotificationUI
000015 | {
000016 |     void NotificationUI()
000017 |     {
000018 | #ifdef EXPANSIONTRACE
000019 |         auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "NotificationUI");
000020 | #endif
000021 |
000022 |         NotificationSystem.GetInstance().m_OnNotificationAdded.Remove( AddNotification );
000023 |         NotificationSystem.GetInstance().m_OnNotificationRemoved.Remove( RemoveNotification );
000024 |     }
000025 | };
000026 | #endif
000027 |
```

0030. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\SyncPlayer.c

Size bytes: 2395

SHA-256: 3d251151ed2f9ce2f849c3216dff09cdaf4a04f538900d4ee7460320e4736b7e

Decoded as: utf-8-sig

Line count shown: 102

Detected class declarations: 1

L13: modded class SyncPlayer

Detected enum declarations: 0

Detected function/method-like declarations: 8

L22: void Expansion_CopyFrom(SyncPlayer syncPlayer)

L36: static SyncPlayer Expansion_GetByID(string id)

L49: SyncPlayer player();

L58: static set<ref SyncPlayer> Expansion_GetAll()

L60: set<ref SyncPlayer> players();

L71: SyncPlayer player();

L79: static set<ref SyncPlayer> Expansion_GetInSphere(vector position, int radius)

L82: set<ref SyncPlayer> players();

Full file content

```

000001 | /**
000002 |  * SyncPlayer.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class SyncPlayer
000014 | {
000015 | #ifdef EXPANSION_SYNCPLAYERLIST_SENDID
000016 |     int m_Expansion_Id[9];
000017 | #endif
000018 |
000019 |     [NonSerialized()]
000020 |     string m_RUID;
000021 |
000022 |     void Expansion_CopyFrom(SyncPlayer syncPlayer)
000023 |     {
000024 | #ifdef EXPANSION_SYNCPLAYERLIST_SENDID
000025 |         for (int i = 0; i < 9; i++)
000026 |         {
000027 |             m_Expansion_Id[i] = syncPlayer.m_Expansion_Id[i];
000028 |         }
000029 | #endif
000030 |         m_UID = syncPlayer.m_UID;
000031 |         m_RUID = syncPlayer.m_RUID;
000032 |         m_PlayerName = syncPlayer.m_PlayerName;
000033 |     }
000034 |
000035 |     //! @note ID can be either plain (steam64) ID or normal (hashed) ID
000036 |     static SyncPlayer Expansion_GetByID(string id)
000037 |     {
000038 |         if (!ClientData.m_PlayerList || !ClientData.m_PlayerList.m_PlayerList)
000039 |             return null;

```

```
000040 |
000041 |     foreach (SyncPlayer syncPlayer: ClientData.m_PlayerList.m_PlayerList)
000042 |     {
000043 |         if (!syncPlayer)
000044 |             continue;
000045 |
000046 |         if (syncPlayer.m_UID == id || syncPlayer.m_RUID == id)
000047 |         {
000048 |             //! Create a copy
000049 |             SyncPlayer player();
000050 |             player.Expansion_CopyFrom(syncPlayer);
000051 |             return player;
000052 |         }
000053 |     }
000054 |
000055 |     return null;
000056 | }
000057 |
000058 | static set<ref SyncPlayer> Expansion_GetAll()
000059 | {
000060 |     set<ref SyncPlayer> players();
000061 |
000062 |     if (!ClientData.m_PlayerList || !ClientData.m_PlayerList.m_PlayerList)
000063 |         return players;
000064 |
000065 |     foreach (SyncPlayer syncPlayer: ClientData.m_PlayerList.m_PlayerList)
000066 |     {
000067 |         if (!syncPlayer)
000068 |             continue;
000069 |
000070 |         //! Create a copy
000071 |         SyncPlayer player();
000072 |         player.Expansion_CopyFrom(syncPlayer);
000073 |         players.Insert(player);
000074 |     }
000075 |
000076 |     return players;
000077 | }
000078 |
000079 | static set<ref SyncPlayer> Expansion_GetInSphere(vector position, int radius)
000080 | {
000081 |     int radiusSq = radius * radius;
000082 |     set<ref SyncPlayer> players();
000083 |
000084 |     SyncPlayer syncPlayer;
000085 |     //! @note ClientData.m_PlayerBaseList only contains players in network bubble
000086 |     foreach (Man player: ClientData.m_PlayerBaseList)
000087 |     {
000088 |         if (!player.GetIdentity())
000089 |             continue;
000090 |
000091 |         if (vector.DistanceSq(position, player.GetPosition()) > radiusSq)
000092 |             continue;
000093 |
000094 |         syncPlayer = Expansion_GetByID(player.GetIdentity().GetId());
000095 |         if (syncPlayer)
000096 |             players.Insert(syncPlayer);
000097 |     }
000098 |
000099 |     return players;
000100 | }
000101 | };
```

000102 |

0031. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ClientSettings\ExpansionClientSettingCategory.c

Size bytes: 631

SHA-256: 5e07ccff24800520b3bdaf0ae1471c41d3b6f59cddd321650da581d8b5c5e37d

Decoded as: utf-8-sig

Line count shown: 24

Detected class declarations: 1

L13: class ExpansionClientSettingCategory

Detected enum declarations: 0

Detected function/method-like declarations: 1

L20: void ExpansionClientSettingCategory()

Full file content

```
000001 | /**
000002 |  * ExpansionClientSettingCategory.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionClientSettingCategory
000014 | {
000015 |     autoPtr array< ref ExpansionSettingSerializationBase > m_Settings;
000016 |
000017 |     string m_Name;
000018 |     string m_DisplayName;
000019 |
000020 |     void ExpansionClientSettingCategory()
000021 |     {
000022 |         m_Settings = new array< ref ExpansionSettingSerializationBase >;
000023 |     }
000024 | };
```

0032. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ClientSettings\ExpansionClientSettings.c
Size bytes: 51798
SHA-256: 6561d0be96f23e17754654998381498f67cb44653a82f1279b9b28485a86d21b
Decoded as: utf-8-sig
Line count shown: 1516
Detected class declarations: 1
  L16: class ExpansionClientSettings
Detected enum declarations: 0
Detected function/method-like declarations: 19
  L149: void ExpansionClientSettings()
  L184: private bool OnRead( ParamsReadContext ctx, int version, out bool settingsRepaired = false )
  L837: private void OnSave( ParamsWriteContext ctx )
  L985: bool Load()
  L1029: void Save()
  L1050: void Defaults()
  L1161: void Init()
  L1351: void OnSettingsUpdated(typename type, ExpansionSettingSerializationBase setting)
  L1360: private void CreateCategory( string name, string displayName )
  L1378: private void CreateToggle( string variable, string name, string detailContent )
  L1395: private void CreateSlider( string variable, string name, string detailContent, float min, float max, float step = 0 )
  L1416: private void CreateInt( string variable, string name, string detailContent )
  L1433: private void CreateEnum( string variable, typename enm, string name, string detailContent )
  L1458: private void CreateString( string variable, string name, string detailContent )
  L1472: void SetQuestHUDVisibility(bool state)
  L1478: bool GetQuestHUDVisibility()
  L1483: void SetQuestVisibilityState(int questID, bool state)
  L1489: bool GetQuestVisibilityState(int questID)
  L1500: static ExpansionClientSettings GetExpansionClientSettings()

```

Full file content

```

000001 | /**
000002 |  * ExpansionClientSettings.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | /**@class      ExpansionClientSettings
000014 |  * @brief      Expansion Main Client Settings class
000015 |  */
000016 | class ExpansionClientSettings
000017 | {
000018 |     [NonSerialized()]
000019 |     autoPtr ScriptInvoker SI_UpdateSetting = new ScriptInvoker();
000020 |
000021 |     [NonSerialized()]
000022 |     autoPtr array< ref ExpansionClientSettingCategory > m_Categories;
000023 |
000024 |     [NonSerialized()]
000025 |     private ExpansionClientSettingCategory m_CurrentCategory;
000026 |
000027 |     [NonSerialized()]
000028 |     bool m_ShouldShowHUDCategory = false;

```



```
000029 |
000030 | // ===== Vehicles Settings =====
000031 | bool UseCameraLock;
000032 | bool UseInvertedMouseControl;
000033 |
000034 | bool UseHelicopterMouseControl;
000035 | float HelicopterVerticalSensitivity;
000036 | float HelicopterHorizontalSensitivity;
000037 | bool UsePlaneMouseControl;
000038 | bool TurnOffAutoHoverDuringFlight;
000039 | bool EnableCollectiveDecay;
000040 | bool EnableRetreatingBladeStall;
000041 | bool UseLegacyHelicopterFlightModel; //! Obsolete
000042 |
000043 | // ===== Video Settings =====
000044 | bool CastLightShadows;
000045 |
000046 | // ===== Navigation Settings =====
000047 | bool Show3DClientMarkers;
000048 | bool Show3DPlayerMarkers;
000049 | bool Show3DPartyMarkers;
000050 | bool Show3DGlobalMarkers;
000051 |
000052 | bool Show3DPartyMemberIcon;
000053 |
000054 | bool Show2DClientMarkers;
000055 | bool Show2DPlayerMarkers;
000056 | bool Show2DPartyMarkers;
000057 | bool Show2DGlobalMarkers;
000058 |
000059 | bool ShowPartyMemberHUD;
000060 | bool OpenMapOnPlayerPos;
000061 |
000062 | float MaxDistance3DClientMarkers;
000063 | float MaxDistance3DPlayerMarkers;
000064 | float MaxDistance3DPartyMarkers;
000065 | float MaxDistance3DGlobalMarkers;
000066 |
000067 | bool ShowMarkerTextColor;
000068 |
000069 | ExpansionClientUIMemberMarkerType MemberMarkerType;
000070 | ExpansionClientUIMarkerSize MarkerSize;
000071 | ExpansionClientUIPlayerArrowColor PlayerArrowColor;
000072 | bool ShowMemberNameMarker;
000073 | bool ShowMemberDistanceMarker;
000074 | bool ForceColorMemberMarker;
000075 | float AlphaColorHUDOnTopOfHeadOfPlayers;
000076 | float RedColorHUDOnTopOfHeadOfPlayers;
000077 | float GreenColorHUDOnTopOfHeadOfPlayers;
000078 | float BlueColorHUDOnTopOfHeadOfPlayers;
000079 | float AlphaColorLookAtMinimum;
000080 | bool DefaultMarkerLockState;
000081 |
000082 | // ===== Notification Settings =====
000083 | bool ShowNotifications;
000084 | bool NotificationSound;
000085 | bool NotificationSoundLeaveJoin;
000086 | bool NotificationJoin;
000087 | bool NotificationLeave;
000088 | // int NotificationSoundType;
000089 |
000090 | // ===== Codelock Settings =====
```

```
000091 | bool StreamerMode;
000092 | bool ShowPINCode;
000093 | bool AutoOpenLockMenuAfterPlacing;
000094 |
000095 | // ===== Misc =====
000096 | bool EnableLiquidTypeColors;
000097 |
000098 | // ===== HUD Settings =====
000099 | float EarplugLevel;
000100 |
000101 | // Chat Settings
000102 | bool HUDChatToggle;
000103 | ExpansionClientUIChatSize HUDChatSize;
000104 | int HUDChatOutlineSize;
000105 | float HUDChatOutlineOpacity;
000106 | int HUDChatShadowSize;
000107 | float HUDChatShadowOpacity;
000108 | float HUDChatShadowOffsetX;
000109 | float HUDChatShadowOffsetY;
000110 | float HUDChatMessageTimeThreshold;
000111 | float HUDChatFadeOut;
000112 | ExpansionClientUIChatChannel DefaultChatChannel;
000113 | int HUDChatMessagesHistoryLimit;
000114 |
000115 | bool ShowNameQuickMarkers;
000116 | bool ShowDistanceQuickMarkers;
000117 |
000118 | bool ShowMapMarkerList;
000119 |
000120 | bool EnableGPSBasedOnVehicleSpeed;
000121 |
000122 | float VehicleCameraHeight;
000123 | float VehicleCameraDistance;
000124 | float VehicleCameraOffsetY;
000125 |
000126 | float VehicleResyncTimeout;
000127 | bool ShowDesyncInvulnerabilityNotifications;
000128 |
000129 | bool MarketMenuCategoriesState;
000130 | bool MarketMenuSkipConfirmations;
000131 | bool MarketMenuFilterPurchasableState;
000132 | bool MarketMenuFilterSellableState;
000133 | bool MarketMenuDisableSuccessNotifications;
000134 |
000135 | ref array<string> MutedPlayers;
000136 |
000137 | bool ShowUnderRoofIndicator;
000138 | bool RarityColorToggle;
000139 |
000140 | bool QuestHUDVisibility = true;
000141 | ref map<int, bool> QuestVisibilityStates;
000142 |
000143 | float ViewDistance;
000144 | float ObjectViewDistance;
000145 |
000146 | // -----
000147 | // ExpansionClientSettings Constructor
000148 | // -----
000149 | void ExpansionClientSettings()
000150 | {
000151 | #ifdef EXTRACE_DIAG
000152 |     auto trace = EXTrace.StartStack(EXTrace.CLIENT_SETTINGS, this);
```

```
000153 | #endif
000154 |
000155 |     #ifdef EXPANSIONMODNAVIGATION
000156 |         m_ShouldShowHUDCategory = true;
000157 |     #endif
000158 |     #ifdef EXPANSIONMODGROUPS
000159 |         m_ShouldShowHUDCategory = true;
000160 |     #endif
000161 |     #ifdef EXPANSIONMODHARDLINE
000162 |         m_ShouldShowHUDCategory = true;
000163 |     #endif
000164 |
000165 |         m_Categories = new array< ref ExpansionClientSettingCategory >;
000166 |         MutedPlayers = new array<string>;
000167 |
000168 |         QuestHUDVisibility = true;
000169 |         QuestVisibilityStates = new map<int, bool>;
000170 |
000171 |         Init();
000172 |         Defaults();
000173 |
000174 |         if ( !FileExist( EXPANSION_CLIENT_SETTINGS ) || !Load() )
000175 |         {
000176 |             Print( "Creating client settings." );
000177 |             Save();
000178 |         }
000179 |     }
000180 |
000181 |     // -----
000182 |     // ExpansionClientSettings OnRead
000183 |     // -----
000184 |     private bool OnRead( ParamsReadContext ctx, int version, out bool settingsRepaired = false )
000185 |     {
000186 |     #ifdef EXPANSIONTRACE
000187 |         auto trace = CF_Trace_2( EXTrace.CLIENT_SETTINGS, this, "OnRead" ).Add( ctx ).Add( version );
000188 |     #endif
000189 |
000190 |         // Vehicles
000191 |         if ( !ctx.Read( UseCameraLock ) )
000192 |         {
000193 |             EXPrint( ToString() + " :OnRead - ERROR: Couldn't read UseCameraLock!" );
000194 |             return false;
000195 |         }
000196 |         if ( !ctx.Read( UseInvertedMouseControl ) )
000197 |         {
000198 |             EXPrint( ToString() + " :OnRead - ERROR: Couldn't read UseInvertedMouseControl!" );
000199 |             return false;
000200 |         }
000201 |         if ( !ctx.Read( UseHelicopterMouseControl ) )
000202 |         {
000203 |             EXPrint( ToString() + " :OnRead - ERROR: Couldn't read UseHelicopterMouseControl!" );
000204 |             return false;
000205 |         }
000206 |         if ( !ctx.Read( UsePlaneMouseControl ) )
000207 |         {
000208 |             EXPrint( ToString() + " :OnRead - ERROR: Couldn't read UsePlaneMouseControl!" );
000209 |             return false;
000210 |         }
000211 |
000212 |         // Video
000213 |         if ( version < 36 )
000214 |         {
```

```
000215 |      //!< These three were removed in version 36
000216 |      float drawDistance;
000217 |      if ( !ctx.Read( drawDistance ) )
000218 |      {
000219 |          EXPrint(ToString() + ":\nRead - ERROR: Couldn't read drawDistance!");
000220 |          return false;
000221 |      }
000222 |      bool colorGrading;
000223 |      if ( !ctx.Read( colorGrading ) )
000224 |      {
000225 |          EXPrint(ToString() + ":\nRead - ERROR: Couldn't read colorGrading!");
000226 |          return false;
000227 |      }
000228 |      bool colorVignette;
000229 |      if ( !ctx.Read( colorVignette ) )
000230 |      {
000231 |          EXPrint(ToString() + ":\nRead - ERROR: Couldn't read colorVignette!");
000232 |          return false;
000233 |      }
000234 |  }
000235 |
000236 |  if ( !ctx.Read( CastLightShadows ) )
000237 |  {
000238 |      EXPrint(ToString() + ":\nRead - ERROR: Couldn't read CastLightShadows!");
000239 |      return false;
000240 |  }
000241 |
000242 |  // 3D Markers
000243 |  if ( !ctx.Read( Show3DClientMarkers ) )
000244 |  {
000245 |      EXPrint(ToString() + ":\nRead - ERROR: Couldn't read Show3DClientMarkers!");
000246 |      return false;
000247 |  }
000248 |  if ( !ctx.Read( Show3DPlayerMarkers ) )
000249 |  {
000250 |      EXPrint(ToString() + ":\nRead - ERROR: Couldn't read Show3DPlayerMarkers!");
000251 |      return false;
000252 |  }
000253 |  if ( !ctx.Read( Show3DPartyMarkers ) )
000254 |  {
000255 |      EXPrint(ToString() + ":\nRead - ERROR: Couldn't read Show3DPartyMarkers!");
000256 |      return false;
000257 |  }
000258 |  if ( !ctx.Read( Show3DGlobalMarkers ) )
000259 |  {
000260 |      EXPrint(ToString() + ":\nRead - ERROR: Couldn't read Show3DGlobalMarkers!");
000261 |      return false;
000262 |  }
000263 |
000264 |  // 2D Markers
000265 |  if ( !ctx.Read( Show2DClientMarkers ) )
000266 |  {
000267 |      EXPrint(ToString() + ":\nRead - ERROR: Couldn't read Show2DClientMarkers!");
000268 |      return false;
000269 |  }
000270 |  if ( !ctx.Read( Show2DPlayerMarkers ) )
000271 |  {
000272 |      EXPrint(ToString() + ":\nRead - ERROR: Couldn't read Show2DPlayerMarkers!");
000273 |      return false;
000274 |  }
000275 |  if ( !ctx.Read( Show2DPartyMarkers ) )
000276 |  {
```

```
000277 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read Show2DPartyMarkers!");
000278 |         return false;
000279 |     }
000280 |     if ( !ctx.Read( Show2DGlobalMarkers ) )
000281 |     {
000282 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read Show2DGlobalMarkers!");
000283 |         return false;
000284 |     }
000285 |
000286 |     // Notifications
000287 |     if ( !ctx.Read( ShowNotifications ) )
000288 |     {
000289 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ShowNotifications!");
000290 |         return false;
000291 |     }
000292 |     if ( !ctx.Read( NotificationSound ) )
000293 |     {
000294 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read NotificationSound!");
000295 |         return false;
000296 |     }
000297 |     if ( !ctx.Read( NotificationSoundLeaveJoin ) )
000298 |     {
000299 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read NotificationSoundLeaveJoin!");
000300 |         return false;
000301 |     }
000302 |     if ( !ctx.Read( NotificationJoin ) )
000303 |     {
000304 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read NotificationJoin!");
000305 |         return false;
000306 |     }
000307 |     if ( !ctx.Read( NotificationLeave ) )
000308 |     {
000309 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read NotificationLeave!");
000310 |         return false;
000311 |     }
000312 |
000313 |     // Streamer mode
000314 |     if ( !ctx.Read( StreamerMode ) )
000315 |     {
000316 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read StreamerMode!");
000317 |         return false;
000318 |     }
000319 |     if ( !ctx.Read( ShowPINCode ) )
000320 |     {
000321 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ShowPINCode!");
000322 |         return false;
000323 |     }
000324 |
000325 |     // HUD Settings
000326 |     if ( !ctx.Read( EarplugLevel ) )
000327 |     {
000328 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read EarplugLevel!");
000329 |         return false;
000330 |     }
000331 |     if ( !ctx.Read( AlphaColorHUDOnTopOfHeadOfPlayers ) )
000332 |     {
000333 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read AlphaColorHUDOnTopOfHeadOfPlayers!");
000334 |         return false;
000335 |     }
000336 |     if ( !ctx.Read( RedColorHUDOnTopOfHeadOfPlayers ) )
000337 |     {
000338 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read RedColorHUDOnTopOfHeadOfPlayers!");
```

```
000339 |         return false;
000340 |     }
000341 |     if ( !ctx.Read( GreenColorHUDOnTopOfHeadOfPlayers ) )
000342 |     {
000343 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read GreenColorHUDOnTopOfHeadOfPlayers!");
000344 |         return false;
000345 |     }
000346 |     if ( !ctx.Read( BlueColorHUDOnTopOfHeadOfPlayers ) )
000347 |     {
000348 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read BlueColorHUDOnTopOfHeadOfPlayers!");
000349 |         return false;
000350 |     }
000351 |     if ( !ctx.Read( AlphaColorLookAtMinimum ) )
000352 |     {
000353 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read AlphaColorLookAtMinimum!");
000354 |         return false;
000355 |     }
000356 |
000357 |     if ( version < 7 )
000358 |         return true;
000359 |
000360 |     // Chat settings
000361 |     if ( !ctx.Read( HUDChatSize ) )
000362 |     {
000363 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read HUDChatSize!");
000364 |         return false;
000365 |     }
000366 |     if ( !ctx.Read( HUDChatFadeOut ) )
000367 |     {
000368 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read HUDChatFadeOut!");
000369 |         return false;
000370 |     }
000371 |
000372 |     if ( version < 8 )
000373 |         return true;
000374 |
000375 |     // more markers settings
000376 |     if ( !ctx.Read( MemberMarkerType ) )
000377 |     {
000378 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read MemberMarkerType!");
000379 |         return false;
000380 |     }
000381 |     if ( !ctx.Read( MarkerSize ) )
000382 |     {
000383 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read MarkerSize!");
000384 |         return false;
000385 |     }
000386 |     if ( !ctx.Read( ShowMemberNameMarker ) )
000387 |     {
000388 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ShowMemberNameMarker!");
000389 |         return false;
000390 |     }
000391 |     if ( !ctx.Read( ShowMemberDistanceMarker ) )
000392 |     {
000393 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ShowMemberDistanceMarker!");
000394 |         return false;
000395 |     }
000396 |     if ( !ctx.Read( ForceColorMemberMarker ) )
000397 |     {
000398 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ForceColorMemberMarker!");
000399 |         return false;
000400 |     }
```

```
000401 |
000402 |     if ( version < 9 )
000403 |         return true;
000404 |
000405 |     if ( !ctx.Read( ShowNameQuickMarkers ) )
000406 |     {
000407 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ShowNameQuickMarkers!");
000408 |         return false;
000409 |     }
000410 |
000411 |     if ( !ctx.Read( ShowDistanceQuickMarkers ) )
000412 |     {
000413 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ShowDistanceQuickMarkers!");
000414 |         return false;
000415 |     }
000416 |
000417 |     if ( version < 13 )
000418 |         return true;
000419 |
000420 |     if ( !ctx.Read( HelicopterVerticalSensitivity ) )
000421 |     {
000422 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read HelicopterVerticalSensitivity!");
000423 |         return false;
000424 |     }
000425 |
000426 |     if ( !ctx.Read( HelicopterHorizontalSensitivity ) )
000427 |     {
000428 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read HelicopterHorizontalSensitivity!");
000429 |         return false;
000430 |     }
000431 |
000432 |     if ( version < 18 )
000433 |         return true;
000434 |
000435 |     if ( !ctx.Read( ShowMapMarkerList ) )
000436 |     {
000437 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ShowMapMarkerList!");
000438 |         return false;
000439 |     }
000440 |
000441 |     if ( version < 26 )
000442 |         return true;
000443 |
000444 |     if ( !ctx.Read( VehicleCameraHeight ) )
000445 |     {
000446 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read VehicleCameraHeight!");
000447 |         return false;
000448 |     }
000449 |
000450 |     if ( !ctx.Read( VehicleCameraDistance ) )
000451 |     {
000452 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read VehicleCameraDistance!");
000453 |         return false;
000454 |     }
000455 |
000456 |     if ( !ctx.Read( VehicleCameraOffsetY ) )
000457 |     {
000458 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read VehicleCameraOffsetY!");
000459 |         return false;
000460 |     }
000461 |
000462 |     if ( version < 29 )
```

```
000463 |         return true;
000464 |
000465 |     if ( !ctx.Read( MarketMenuCategoriesState ) )
000466 |     {
000467 |         EXPrint(ToString() + "::~OnRead - ERROR: Couldn't read MarketMenuCategoriesState!");
000468 |         return false;
000469 |     }
000470 |
000471 |     if ( !ctx.Read( MarketMenuSkipConfirmations ) )
000472 |     {
000473 |         EXPrint(ToString() + "::~OnRead - ERROR: Couldn't read MarketMenuSkipConfirmations!");
000474 |         return false;
000475 |     }
000476 |
000477 |     if ( !ctx.Read( MarketMenuFilterPurchasableState ) )
000478 |     {
000479 |         EXPrint(ToString() + "::~OnRead - ERROR: Couldn't read MarketMenuFilterPurchasableState!");
000480 |         return false;
000481 |     }
000482 |
000483 |     if ( !ctx.Read( MarketMenuFilterSellableState ) )
000484 |     {
000485 |         EXPrint(ToString() + "::~OnRead - ERROR: Couldn't read MarketMenuFilterSellableState!");
000486 |         return false;
000487 |     }
000488 |
000489 |     if ( version < 38 )
000490 |         return true;
000491 |
000492 |     if ( !ctx.Read( MarketMenuDisableSuccessNotifications ) )
000493 |     {
000494 |         EXPrint(ToString() + "::~OnRead - ERROR: Couldn't read MarketMenuDisableSuccessNotifications!");
000495 |         return false;
000496 |     }
000497 |
000498 |     if ( version < 39 )
000499 |         return true;
000500 |
000501 |     if ( !ctx.Read( DefaultMarkerLockState ) )
000502 |     {
000503 |         EXPrint(ToString() + "::~OnRead - ERROR: Couldn't read DefaultMarkerLockState!");
000504 |         return false;
000505 |     }
000506 |
000507 |     if ( !ctx.Read( TurnOffAutoHoverDuringFlight ) )
000508 |     {
000509 |         EXPrint(ToString() + "::~OnRead - ERROR: Couldn't read TurnOffAutoHoverDuringFlight!");
000510 |         return false;
000511 |     }
000512 |
000513 |     if ( version < 40 )
000514 |         return true;
000515 |
000516 |     if ( !ctx.Read( Show3DPartyMemberIcon ) )
000517 |     {
000518 |         EXPrint(ToString() + "::~OnRead - ERROR: Couldn't read Show3DPartyMemberIcon!");
000519 |         return false;
000520 |     }
000521 |
000522 |     if ( version < 41 )
000523 |         return true;
000524 |
```



```
000525 |         if ( !ctx.Read( DefaultChatChannel ) )
000526 |         {
000527 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read DefaultChatChannel!");
000528 |             return false;
000529 |         }
000530 |
000531 |         if ( version < 42 )
000532 |             return true;
000533 |
000534 |         if ( version >= 43 )
000535 |         {
000536 |             int mutedPlayersCount;
000537 |             if ( !ctx.Read( mutedPlayersCount ) )
000538 |             {
000539 |                 EXPrint(ToString() + ":\nRead - ERROR: Couldn't read MutedPlayers count!");
000540 |                 return false;
000541 |             }
000542 |
000543 |             MutedPlayers.Clear();
000544 |             for (int i = 0; i < mutedPlayersCount; i++)
000545 |             {
000546 |                 string muted;
000547 |                 if ( !ctx.Read( muted ) )
000548 |                 {
000549 |                     EXPrint(ToString() + ":\nRead - ERROR: Couldn't read MutedPlayer string!");
000550 |                     return false;
000551 |                 }
000552 |
000553 |                 if (MutedPlayers.Find(muted) == -1)
000554 |                 {
000555 |                     MutedPlayers.Insert( muted );
000556 |                 }
000557 |                 else
000558 |                 {
000559 |                     settingsRepaired = true;
000560 |                     if (mutedPlayersCount > 100)
000561 |                         return true; //!< Bail
000562 |                 }
000563 |             }
000564 |         }
000565 |
000566 |         if ( !ctx.Read( VehicleResyncTimeout ) )
000567 |         {
000568 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read VehicleResyncTimeout!");
000569 |             return false;
000570 |         }
000571 |
000572 |         if ( !ctx.Read( ShowDesyncInvulnerabilityNotifications ) )
000573 |         {
000574 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ShowDesyncInvulnerabilityNotifications!");
000575 |             return false;
000576 |         }
000577 |
000578 |         if (version < 44)
000579 |             return true;
000580 |
000581 |         if ( !ctx.Read( ShowUnderRoofIndicator ) )
000582 |         {
000583 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ShowUnderRoofIndicator!");
000584 |             return false;
000585 |         }
000586 |
```

```
000587 |         if (version < 45)
000588 |             return true;
000589 |
000590 |         if ( !ctx.Read( ShowPartyMemberHUD ) )
000591 |         {
000592 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ShowPartyMemberHUD!");
000593 |             return false;
000594 |         }
000595 |
000596 |         if ( !ctx.Read( PlayerArrowColor ) )
000597 |         {
000598 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ShowPartyMemberHUD!");
000599 |             return false;
000600 |         }
000601 |
000602 |         if (version < 46)
000603 |             return true;
000604 |
000605 |         if ( !ctx.Read( EnableGPSBasedOnVehicleSpeed ) )
000606 |         {
000607 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read EnableGPSBasedOnVehicleSpeed!");
000608 |             return false;
000609 |         }
000610 |
000611 |         if (version < 47)
000612 |             return true;
000613 |
000614 |         if ( !ctx.Read( HUDChatToggle ) )
000615 |         {
000616 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read HUDChatToggle!");
000617 |             return false;
000618 |         }
000619 |
000620 |         if ( !ctx.Read( HUDChatMessageTimeThreshold ) )
000621 |         {
000622 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read HUDChatToggle!");
000623 |             return false;
000624 |         }
000625 |
000626 |         if (version < 48)
000627 |             HUDChatFadeOut /= 10.0;
000628 |
000629 |         if (version < 49)
000630 |             return true;
000631 |
000632 |         if ( !ctx.Read( RarityColorToggle ) )
000633 |         {
000634 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read RarityColorToggle!");
000635 |             return false;
000636 |         }
000637 |
000638 |         if ( version < 50 )
000639 |             return true;
000640 |
000641 |         //! Quest HUD visibility
000642 |         if ( !ctx.Read( QuestHUDVisibility ) )
000643 |         {
000644 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read QuestHUDVisibility!");
000645 |             return false;
000646 |         }
000647 |
000648 |         int questVisStates;
```

```
000649 |         if ( !ctx.Read( questVisStates ) )
000650 |         {
000651 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read questVisStates!");
000652 |             return false;
000653 |         }
000654 |
000655 |         if (!QuestVisibilityStates)
000656 |             QuestVisibilityStates = new map<int, bool>;
000657 |
000658 |         for (int j = 0; j < questVisStates; j++)
000659 |         {
000660 |             int questID;
000661 |             if ( !ctx.Read( questID ) )
000662 |             {
000663 |                 EXPrint(ToString() + ":\nRead - ERROR: Couldn't read questID!");
000664 |                 return false;
000665 |             }
000666 |
000667 |             bool visState;
000668 |             if ( !ctx.Read( visState ) )
000669 |             {
000670 |                 EXPrint(ToString() + ":\nRead - ERROR: Couldn't read visState!");
000671 |                 return false;
000672 |             }
000673 |
000674 |             EXPrint(ToString() + ":\nRead - Add quest visibity state: " + questID + " | " + visState);
000675 |             QuestVisibilityStates[questID] = visState;
000676 |         }
000677 |
000678 |         if ( version < 51 )
000679 |         {
000680 |             EnableLiquidTypeColors = true;
000681 |             return true;
000682 |         }
000683 |
000684 |         if ( !ctx.Read( EnableLiquidTypeColors ) )
000685 |         {
000686 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read EnableLiquidTypeColors!");
000687 |             return false;
000688 |         }
000689 |
000690 |         if ( version < 52 )
000691 |         {
000692 |             return true;
000693 |         }
000694 |
000695 |         if ( !ctx.Read( AutoOpenLockMenuAfterPlacing ) )
000696 |         {
000697 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read AutoOpenLockMenuAfterPlacing!");
000698 |             return false;
000699 |         }
000700 |
000701 |         if ( version < 53 )
000702 |         {
000703 |             return true;
000704 |         }
000705 |
000706 |         if ( !ctx.Read( ViewDistance ) )
000707 |         {
000708 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ViewDistance!");
000709 |             return false;
000710 |         }
```

```
000711 |
000712 |     if ( !ctx.Read( ObjectViewDistance ) )
000713 |     {
000714 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ObjectViewDistance!");
000715 |         return false;
000716 |     }
000717 |
000718 |     if ( version < 54 )
000719 |     {
000720 |         return true;
000721 |     }
000722 |
000723 |     if ( !ctx.Read( MaxDistance3DClientMarkers ) )
000724 |     {
000725 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read MaxDistance3DClientMarkers!");
000726 |         return false;
000727 |     }
000728 |
000729 |     if ( !ctx.Read( MaxDistance3DPlayerMarkers ) )
000730 |     {
000731 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read MaxDistance3DPlayerMarkers!");
000732 |         return false;
000733 |     }
000734 |
000735 |     if ( !ctx.Read( MaxDistance3DPartyMarkers ) )
000736 |     {
000737 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read MaxDistance3DPartyMarkers!");
000738 |         return false;
000739 |     }
000740 |
000741 |     if ( !ctx.Read( MaxDistance3DGlobalMarkers ) )
000742 |     {
000743 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read MaxDistance3DGlobalMarkers!");
000744 |         return false;
000745 |     }
000746 |
000747 |     if ( !ctx.Read( ShowMarkerTextColor ) )
000748 |     {
000749 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ShowMarkerTextColor!");
000750 |         return false;
000751 |     }
000752 |
000753 |     if ( !ctx.Read( OpenMapOnPlayerPos ) )
000754 |     {
000755 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read OpenMapOnPlayerPos!");
000756 |         return false;
000757 |     }
000758 |
000759 |     if ( version < 55 )
000760 |     {
000761 |         return true;
000762 |     }
000763 |
000764 |     if ( !ctx.Read( HUDChatMessagesHistoryLimit ) )
000765 |     {
000766 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read HUDChatMessagesHistoryLimit!");
000767 |         return false;
000768 |     }
000769 |
000770 |     if (version < 56)
000771 |         return true;
000772 |
```

```
000773 |     if (!ctx.Read(HUDChatOutlineSize))
000774 |     {
000775 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read HUDChatOutlineSize!");
000776 |         return false;
000777 |     }
000778 |
000779 |     if (!ctx.Read(HUDChatOutlineOpacity))
000780 |     {
000781 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read HUDChatOutlineOpacity!");
000782 |         return false;
000783 |     }
000784 |
000785 |     if (!ctx.Read(HUDChatShadowSize))
000786 |     {
000787 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read HUDChatShadowSize!");
000788 |         return false;
000789 |     }
000790 |
000791 |     if (!ctx.Read(HUDChatShadowOpacity))
000792 |     {
000793 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read HUDChatShadowOpacity!");
000794 |         return false;
000795 |     }
000796 |
000797 |     if (!ctx.Read(HUDChatShadowOffsetX))
000798 |     {
000799 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read HUDChatShadowOffsetX!");
000800 |         return false;
000801 |     }
000802 |
000803 |     if (!ctx.Read(HUDChatShadowOffsetY))
000804 |     {
000805 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read HUDChatShadowOffsetY!");
000806 |         return false;
000807 |     }
000808 |
000809 |     if (version < 57)
000810 |         return true;
000811 |
000812 |     if (!ctx.Read(EnableCollectiveDecay))
000813 |     {
000814 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read EnableCollectiveDecay!");
000815 |         return false;
000816 |     }
000817 |
000818 |     if (!ctx.Read(EnableRetreatingBladeStall))
000819 |     {
000820 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read EnableRetreatingBladeStall!");
000821 |         return false;
000822 |     }
000823 |
000824 |     bool useLegacyHelicopterFlightModel; /// Obsolete
000825 |     if (version == 57 && !ctx.Read(useLegacyHelicopterFlightModel))
000826 |     {
000827 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read bool!");
000828 |         return false;
000829 |     }
000830 |
000831 |     return true;
000832 | }
000833 |
000834 | // -----
```

```
000835 | // ExpansionClientSettings OnSave
000836 | // -----
000837 | private void OnSave( ParamsWriteContext ctx )
000838 | {
000839 | #ifdef EXPANSIONTRACE
000840 |     auto trace = CF_Trace_1(EXTrace.CLIENT_SETTINGS, this, "OnSave").Add(ctx);
000841 | #endif
000842 |
000843 |     // Vehicles
000844 |     ctx.Write( UseCameraLock );
000845 |     ctx.Write( UseInvertedMouseControl );
000846 |
000847 |     ctx.Write( UseHelicopterMouseControl );
000848 |     ctx.Write( UsePlaneMouseControl );
000849 |
000850 |     // Video
000851 |     ctx.Write( CastLightShadows );
000852 |
000853 |     // 3D Markers
000854 |     ctx.Write( Show3DClientMarkers );
000855 |     ctx.Write( Show3DPlayerMarkers );
000856 |     ctx.Write( Show3DPartyMarkers );
000857 |     ctx.Write( Show3DGlobalMarkers );
000858 |
000859 |     // 2D Markers
000860 |     ctx.Write( Show2DClientMarkers );
000861 |     ctx.Write( Show2DPlayerMarkers );
000862 |     ctx.Write( Show2DPartyMarkers );
000863 |     ctx.Write( Show2DGlobalMarkers );
000864 |
000865 |     // Notifications
000866 |     ctx.Write( ShowNotifications );
000867 |     ctx.Write( NotificationSound );
000868 |     ctx.Write( NotificationSoundLeaveJoin );
000869 |     ctx.Write( NotificationJoin );
000870 |     ctx.Write( NotificationLeave );
000871 |
000872 |     // Streamer mode
000873 |     ctx.Write( StreamerMode );
000874 |     ctx.Write( ShowPINCode );
000875 |
000876 |     // HUD Settings
000877 |     ctx.Write( EarplugLevel );
000878 |     ctx.Write( AlphaColorHUDOnTopOfHeadOfPlayers );
000879 |     ctx.Write( RedColorHUDOnTopOfHeadOfPlayers );
000880 |     ctx.Write( GreenColorHUDOnTopOfHeadOfPlayers );
000881 |     ctx.Write( BlueColorHUDOnTopOfHeadOfPlayers );
000882 |     ctx.Write( AlphaColorLookAtMinimum );
000883 |
000884 |     // Chat settings
000885 |     ctx.Write( HUDChatSize );
000886 |     ctx.Write( HUDChatFadeOut );
000887 |
000888 |     // More markers settings
000889 |     ctx.Write( MemberMarkerType );
000890 |     ctx.Write( MarkerSize );
000891 |     ctx.Write( ShowMemberNameMarker );
000892 |     ctx.Write( ShowMemberDistanceMarker );
000893 |     ctx.Write( ForceColorMemberMarker );
000894 |
000895 |     ctx.Write( ShowNameQuickMarkers );
000896 |     ctx.Write( ShowDistanceQuickMarkers );
```

```
000897 |
000898 |     ctx.Write( HelicopterVerticalSensitivity );
000899 |     ctx.Write( HelicopterHorizontalSensitivity );
000900 |
000901 |     ctx.Write( ShowMapMarkerList );
000902 |
000903 |     ctx.Write( VehicleCameraHeight );
000904 |     ctx.Write( VehicleCameraDistance );
000905 |     ctx.Write( VehicleCameraOffsetY );
000906 |
000907 |     ctx.Write( MarketMenuCategoriesState );
000908 |     ctx.Write( MarketMenuSkipConfirmations );
000909 |     ctx.Write( MarketMenuFilterPurchasableState );
000910 |     ctx.Write( MarketMenuFilterSellableState );
000911 |
000912 |     ctx.Write( MarketMenuDisableSuccessNotifications );
000913 |
000914 |     ctx.Write( DefaultMarkerLockState );
000915 |
000916 |     ctx.Write( TurnOffAutoHoverDuringFlight );
000917 |
000918 |     ctx.Write( Show3DPartyMemberIcon );
000919 |
000920 |     ctx.Write( DefaultChatChannel );
000921 |
000922 |     int mutedPlayersCount = MutedPlayers.Count();
000923 |     ctx.Write( mutedPlayersCount );
000924 |     foreach (string muted: MutedPlayers)
000925 |     {
000926 |         ctx.Write( muted );
000927 |     }
000928 |
000929 |     ctx.Write( VehicleResyncTimeout );
000930 |     ctx.Write( ShowDesyncInvulnerabilityNotifications );
000931 |
000932 |     ctx.Write( ShowUnderRoofIndicator );
000933 |
000934 |     ctx.Write( ShowPartyMemberHUD );
000935 |     ctx.Write( PlayerArrowColor );
000936 |
000937 |     ctx.Write( EnableGPSBasedOnVehicleSpeed );
000938 |
000939 |     ctx.Write( HUDChatToggle );
000940 |     ctx.Write( HUDChatMessageTimeThreshold );
000941 |
000942 |     ctx.Write( RarityColorToggle );
000943 |
000944 |     //! Quest HUD visibility
000945 |     ctx.Write( QuestHUDVisibility );
000946 |     ctx.Write( QuestVisibilityStates.Count() );
000947 |
000948 |     foreach (int questID, bool visState: QuestVisibilityStates)
000949 |     {
000950 |         ctx.Write( questID );
000951 |         ctx.Write( visState );
000952 |     }
000953 |
000954 |     ctx.Write( EnableLiquidTypeColors );
000955 |
000956 |     ctx.Write( AutoOpenLockMenuAfterPlacing );
000957 |
000958 |     ctx.Write( ViewDistance );
```

```
000959 |         ctx.Write( ObjectViewDistance );
000960 |
000961 |         ctx.Write( MaxDistance3DClientMarkers );
000962 |         ctx.Write( MaxDistance3DPlayerMarkers );
000963 |         ctx.Write( MaxDistance3DPartyMarkers );
000964 |         ctx.Write( MaxDistance3DGlobalMarkers );
000965 |         ctx.Write( ShowMarkerTextColor );
000966 |         ctx.Write( OpenMapOnPlayerPos );
000967 |
000968 |         ctx.Write( HUDChatMessagesHistoryLimit );
000969 |
000970 |         ctx.Write(HUDChatOutlineSize);
000971 |         ctx.Write(HUDChatOutlineOpacity);
000972 |         ctx.Write(HUDChatShadowSize);
000973 |         ctx.Write(HUDChatShadowOpacity);
000974 |         ctx.Write(HUDChatShadowOffsetX);
000975 |         ctx.Write(HUDChatShadowOffsetY);
000976 |
000977 |         //! v57
000978 |         ctx.Write( EnableCollectiveDecay );
000979 |         ctx.Write( EnableRetreatingBladeStall );
000980 |     }
000981 |
000982 |     // -----
000983 |     // ExpansionClientSettings Load
000984 |     // -----
000985 |     bool Load()
000986 |     {
000987 |     #ifdef EXPANSIONTRACE
000988 |         auto trace = CF_Trace_0(EXTrace.CLIENT_SETTINGS, this, "Load");
000989 |     #endif
000990 |
000991 |         FileSerializer file = new FileSerializer;
000992 |
000993 |         if ( file.Open( EXPANSION_CLIENT_SETTINGS, FileMode.READ ) )
000994 |         {
000995 |             int version;
000996 |             if ( !file.Read( version ) )
000997 |             {
000998 |                 EXPrint(ToString() + ":\nLoad - ERROR: Could not read version!");
000999 |                 file.Close();
001000 |                 return false;
001001 |             }
001002 |
001003 |             EXPrint("Loading Expansion client settings version " + version);
001004 |
001005 |             bool settingsRepaired;
001006 |             if ( !OnRead( file, version, settingsRepaired ) )
001007 |             {
001008 |                 EXPrint(ToString() + ":\nLoad - ERROR: Loading client settings failed!");
001009 |                 file.Close();
001010 |                 return false;
001011 |             }
001012 |
001013 |             file.Close();
001014 |
001015 |             if (settingsRepaired)
001016 |                 Save();
001017 |         } else
001018 |         {
001019 |             EXPrint(ToString() + ":\nLoad - ERROR: Could not open client settings file \"" + EXPANSION_CLIENT_SETTINGS + "\"!");
001020 |             return false;
```



```
001021 |     }
001022 |
001023 |     return true;
001024 | }
001025 |
001026 | // -----
001027 | // ExpansionClientSettings Save
001028 | // -----
001029 | void Save()
001030 | {
001031 | #ifdef EXPANSIONTRACE
001032 |     auto trace = CF_Trace_0(EXTrace.CLIENT_SETTINGS, this, "Save");
001033 | #endif
001034 |
001035 |     FileSerializer file = new FileSerializer;
001036 |     if ( file.Open( EXPANSION_CLIENT_SETTINGS, FileMode.WRITE ) )
001037 |     {
001038 |         EXPrint("Saving Expansion client settings version " + EXPANSION_VERSION_CLIENT_SETTING_SAVE);
001039 |         file.Write( EXPANSION_VERSION_CLIENT_SETTING_SAVE );
001040 |
001041 |         OnSave( file );
001042 |
001043 |         file.Close();
001044 |     }
001045 | }
001046 |
001047 | // -----
001048 | // ExpansionClientSettings Defaults
001049 | // -----
001050 | void Defaults()
001051 | {
001052 | #ifdef EXPANSIONTRACE
001053 |     auto trace = CF_Trace_0(EXTrace.CLIENT_SETTINGS, this, "Defaults");
001054 | #endif
001055 |
001056 |     CastLightShadows = true;
001057 |
001058 |     Show3DClientMarkers = true;
001059 |     Show3DPlayerMarkers = true;
001060 |     Show3DPartyMarkers = true;
001061 |     Show3DGlobalMarkers = true;
001062 |
001063 |     Show2DClientMarkers = true;
001064 |     Show2DPlayerMarkers = true;
001065 |     Show2DPartyMarkers = true;
001066 |     Show2DGlobalMarkers = true;
001067 |
001068 |     ShowPartyMemberHUD = true;
001069 |
001070 |     MaxDistance3DClientMarkers = 30000;
001071 |     MaxDistance3DPlayerMarkers = 30000;
001072 |     MaxDistance3DPartyMarkers = 30000;
001073 |     MaxDistance3DGlobalMarkers = 30000;
001074 |
001075 |     OpenMapOnPlayerPos = true;
001076 |
001077 |     ShowMarkerTextColor = false;
001078 |
001079 |     ShowNotifications = true;
001080 |     NotificationSound = true;
001081 |     NotificationJoin = true;
001082 |     NotificationLeave = true;
```

```
001083 |
001084 |     StreamerMode = false;
001085 |     ShowPINCode = false;
001086 |     AutoOpenLockMenuAfterPlacing = false;
001087 |
001088 |     EnableLiquidTypeColors = true;
001089 |
001090 |     EarplugLevel = 0.05;
001091 |     AlphaColorHUDOnTopOfHeadOfPlayers = 255;
001092 |     RedColorHUDOnTopOfHeadOfPlayers = 255;
001093 |     GreenColorHUDOnTopOfHeadOfPlayers = 180;
001094 |     BlueColorHUDOnTopOfHeadOfPlayers = 24;
001095 |     AlphaColorLookAtMinimum = 80;
001096 |
001097 |     UseCameraLock = false;
001098 |     UseInvertedMouseControl = false;
001099 |
001100 |     UseHelicopterMouseControl = false;
001101 |     HelicopterVerticalSensitivity = 1.0;
001102 |     HelicopterHorizontalSensitivity = 1.0;
001103 |
001104 |     HUDChatToggle = true;
001105 |     HUDChatMessageTimeThreshold = 10.0;
001106 |     HUDChatSize = ExpansionClientUIChatSize.MEDIUM;
001107 |     HUDChatOutlineSize = 0;
001108 |     HUDChatOutlineOpacity = 1;
001109 |     HUDChatShadowSize = 4;
001110 |     HUDChatShadowOpacity = 1;
001111 |     HUDChatShadowOffsetX = 1;
001112 |     HUDChatShadowOffsetY = 1;
001113 |     HUDChatFadeOut = 3.0;
001114 |
001115 |     MemberMarkerType = ExpansionClientUIMemberMarkerType.PERSON;
001116 |     MarkerSize = ExpansionClientUIMarkerSize.MEDIUM;
001117 |     PlayerArrowColor = ExpansionClientUIPlayerArrowColor.GREY;
001118 |
001119 |     ShowMemberNameMarker = true;
001120 |     ShowMemberDistanceMarker = true;
001121 |     ForceColorMemberMarker = false;
001122 |
001123 |     // UsePlaneMouseControlInverted = true;
001124 |     // UsePlaneMouseControl = false;
001125 |
001126 |     ShowNameQuickMarkers = true;
001127 |     ShowDistanceQuickMarkers = true;
001128 |
001129 |     ShowMapMarkerList = true;
001130 |
001131 |     EnableGPSBasedOnVehicleSpeed = false;
001132 |
001133 |     VehicleCameraHeight = 1.0;
001134 |     VehicleCameraDistance = 1.0;
001135 |
001136 |     MarketMenuCategoriesState = false;
001137 |     MarketMenuSkipConfirmations = false;
001138 |     MarketMenuFilterPurchasableState = false;
001139 |     MarketMenuFilterSellableState = false;
001140 |     MarketMenuDisableSuccessNotifications = false;
001141 |
001142 |     DefaultMarkerLockState = false;
001143 |     TurnOffAutoHoverDuringFlight = true;
001144 |     Show3DPartyMemberIcon = true;
```

```
001145 |
001146 |     DefaultChatChannel = ExpansionClientUIChatChannel.GLOBAL;
001147 |     HUDChatMessagesHistoryLimit = 50;
001148 |
001149 |     VehicleResyncTimeout = 5.0;
001150 |     ShowDesyncInvulnerabilityNotifications = false;
001151 |
001152 |     QuestHUDVisibility = true;
001153 |
001154 |     ViewDistance = 0; //!< 0 = use game default
001155 |     ObjectViewDistance = 0; //!< 0 = use game default
001156 | }
001157 |
001158 | // -----
001159 | // ExpansionClientSettings Init
001160 | // -----
001161 | void Init()
001162 | {
001163 | #ifdef EXPANSIONTRACE
001164 |     auto trace = CF_Trace_0(EXTrace.CLIENT_SETTINGS, this, "Init");
001165 | #endif
001166 |
001167 |     CreateCategory( "VideoSettings", "#STR_EXPANSION_SETTINGS_CLIENT_VIDEO" );
001168 |
001169 |     //!< Option to toggle light shadows
001170 |     CreateToggle( "CastLightShadows", "#STR_EXPANSION_SETTINGS_CLIENT_VIDEO_LIGHTSHADOWS", "#STR_EXPANSION_SETTINGS_CLIENT_VIDEO_LIGHTSHADOWS_DESC" );
001171 | #ifdef EXPANSIONMODNAVIGATION
001172 |     CreateCategory( "3DMapMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_MARKERS_3D" );
001173 |
001174 |     //!< Option to toggle view of all personal 3D Map-Markers
001175 |     CreateToggle( "Show3DClientMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DCLIENTMARKERS", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DCLIENTMARKERS_DES
C" );
001176 |     //!< Option to toggle view of all 3D Party Player-Markers
001177 |     CreateToggle( "Show3DPlayerMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DPLAYERMARKERS", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DPLAYERMARKERS_DES
C" );
001178 |     //!< Option to toggle view of all 3D Party Map-Markers
001179 |     CreateToggle( "Show3DPartyMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DPARTYMARKERS", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DPARTYMARKERS_DESC"
);
001180 |     //!< Option to toggle view of all 3D Global Server-Markers
001181 |     CreateToggle( "Show3DGlobalMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DGLOBALMARKERS", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DGLOBALMARKERS_DES
C" );
001182 | #ifdef EXPANSIONMODGROUPS
001183 |     //!< Option to show/hide the icon that gets displayed next to party member markers
001184 |     CreateToggle( "Show3DPartyMemberIcon", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DPARTYMEMBERICON", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DPARTYMEMBERIC
ON_DESC" );
001185 | #endif
001186 |     CreateToggle( "ShowMarkerTextColor", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOWMARKERTEXTCOLOR", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOWMARKERTEXTCOLOR_DES
C" );
001187 |     CreateSlider( "MaxDistance3DClientMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_CLIENT3DDISTANCE", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_CLIENT3DDISTANCE_DE
SC", 100, 30000, 100 );
001188 |     CreateSlider( "MaxDistance3DPlayerMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_PLAYER3DDISTANCE", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_PLAYER3DDISTANCE_DE
SC", 100, 30000, 100 );
001189 |     CreateSlider( "MaxDistance3DPartyMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_PARTY3DDISTANCE", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_PARTY3DDISTANCE_DES
C", 100, 30000, 100 );
001190 |     CreateSlider( "MaxDistance3DGlobalMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_GLOBAL3DDISTANCE", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_GLOBAL3DDISTANCE_DE
SC", 100, 30000, 100 );
001191 |
001192 |     //!< Option to use the desired party member marker
001193 |     //CreateEnum( "MemberMarkerType", ExpansionClientUIMemberMarkerType, "MemberMarkerType", "MemberMarkerType" );
001194 |     //!< Option to set the 3D marker size
001195 |     CreateEnum( "MarkerSize", ExpansionClientUIMarkerSize, "#STR_EXPANSION_SETTINGS_MARKER_SIZE", "#STR_EXPANSION_SETTINGS_MARKER_SIZE_DESC" );
001196 |     //!< Option to toggle party Member name under their marker
```

```

001197 |         CreateToggle( "ShowMemberNameMarker", "#STR_EXPANSION_SETTINGS_PARTY_MEMBER_MARKER_NAME", "#STR_EXPANSION_SETTINGS_PARTY_MEMBER_MARKER_NAME_DESC" );
001198 |         //! Option to toggle party Member distance under their marker
001199 |         CreateToggle( "ShowMemberDistanceMarker", "#STR_EXPANSION_SETTINGS_PARTY_MEMBER_MARKER_DISTANCE", "#STR_EXPANSION_SETTINGS_PARTY_MEMBER_MARKER_DISTANCE_DE
SC" );
001200 |         //! Option to use the desired party member color instead of a randomized color
001201 |         //CreateToggle( "ForceColorMemberMarker", "ForceColorMemberMarker", "ForceColorMemberMarker" );
001202 |
001203 |         //! Option to toggle name under quick markers
001204 |         CreateToggle( "ShowNameQuickMarkers", "#STR_EXPANSION_SETTINGS_PARTY_QUICK_MARKER_NAME", "#STR_EXPANSION_SETTINGS_PARTY_QUICK_MARKER_NAME_DESC" );
001205 |         //! Option to toggle distance under quick markers
001206 |         CreateToggle( "ShowDistanceQuickMarkers", "#STR_EXPANSION_SETTINGS_PARTY_QUICK_MARKER_DISTANCE", "#STR_EXPANSION_SETTINGS_PARTY_QUICK_MARKER_DISTANCE_DESC
" );
001207 |
001208 |         //Color slider for party member on top of player head
001209 |         //CreateSlider( "AlphaColorHUDOnTopOfHeadOfPlayers", "#STR_EXPANSION_SETTINGS_HUD_ALPHA_HEAD_PLAYER", "#STR_EXPANSION_SETTINGS_HUD_ALPHA_HEAD_PLAYER_DESC
, 0.0, 255.0, 5.0 );
001210 |         //CreateSlider( "RedColorHUDOnTopOfHeadOfPlayers", "#STR_EXPANSION_SETTINGS_HUD_RED_HEAD_PLAYER", "#STR_EXPANSION_SETTINGS_HUD_RED_HEAD_PLAYER_DESC", 0.0,
255.0, 5.0 );
001211 |         //CreateSlider( "GreenColorHUDOnTopOfHeadOfPlayers", "#STR_EXPANSION_SETTINGS_HUD_GREEN_HEAD_PLAYER", "#STR_EXPANSION_SETTINGS_HUD_GREEN_HEAD_PLAYER_DESC"
, 0.0, 255.0, 5.0 );
001212 |         //CreateSlider( "BlueColorHUDOnTopOfHeadOfPlayers", "#STR_EXPANSION_SETTINGS_HUD_BLUE_HEAD_PLAYER", "#STR_EXPANSION_SETTINGS_HUD_BLUE_HEAD_PLAYER_DESC", 0
.0, 255.0, 5.0 );
001213 |
001214 |         CreateSlider( "AlphaColorLookAtMinimum", "#STR_EXPANSION_SETTINGS_HUD_3D_MARKER_POINTING", "#STR_EXPANSION_SETTINGS_HUD_3D_MARKER_POINTING_DESC", 0.0, 255
.0, 5.0 );
001215 |         #endif
001216 |
001217 |
001218 |     #ifdef EXPANSIONMODNAVIGATION
001219 |         CreateCategory( "2DMapMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_MARKERS_2D" );
001220 |
001221 |         //! Option to toggle view of all personal 2D Map-Markers
001222 |         CreateToggle( "Show2DClientMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW2DCLIENTMARKERS", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW2DCLIENTMARKERS_DES
C" );
001223 |         //! Option to toggle view of all 2D party Player-Markers
001224 |         CreateToggle( "Show2DPlayerMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW2DPLAYERMARKERS", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW2DPLAYERMARKERS_DES
C" );
001225 |         //! Option to toggle view of all 2D party Map-Markers
001226 |         CreateToggle( "Show2DPartyMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW2DPARTYMARKERS", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW2DPARTYMARKERS_DESC"
);
001227 |         //! Option to toggle view of all 2D global Server-Markers
001228 |         CreateToggle( "Show2DGlobalMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW2DGLOBALMARKERS", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW2DGLOBALMARKERS_DES
C" );
001229 |         //! Option to set default marker lock state for new created map markers.
001230 |         CreateToggle( "DefaultMarkerLockState", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_DEFAULTMARKERLOCK", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_DEFAULTMARKERLOCK_DESC
" );
001231 |         CreateToggle( "OpenMapOnPlayerPos", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_OPENMAPONPLAYERPOS", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_OPENMAPONPLAYERPOS_DESC"
);
001232 |
001233 |         CreateToggle( "ShowMapMarkerList", "#STR_EXPANSION_SETTINGS_MAPMENULIST_STATE_PREFERENCE", "#STR_EXPANSION_SETTINGS_MAPMENULIST_STATE_PREFERENCE_DESC" );
001234 |
001235 |         CreateEnum( "PlayerArrowColor", ExpansionClientUIPlayerArrowColor, "#STR_EXPANSION_SETTINGS_PLAYERARROW_COLOR", "#STR_EXPANSION_SETTINGS_PLAYERARROW_COLOR
_DESC" );
001236 |         #endif
001237 |
001238 |         CreateCategory( "Notifications", "#STR_EXPANSION_SETTINGS_NOTIFICATIONS" );
001239 |
001240 |         //! Option to toggle notification sounds
001241 |         CreateToggle( "ShowNotifications", "#STR_EXPANSION_SETTINGS_NOTIFICATIONS_DISPLAY", "#STR_EXPANSION_SETTINGS_NOTIFICATIONS_DISPLAY_DESC" );
001242 |         //! Option to toggle notification sounds
001243 |         CreateToggle( "NotificationSound", "#STR_EXPANSION_SETTINGS_NOTIFICATIONS_SOUND", "#STR_EXPANSION_SETTINGS_NOTIFICATIONS_SOUND_DESC" );
001244 |         //! Option to toggle notification sounds

```

```
001245 |         CreateToggle( "NotificationSoundLeaveJoin", "#STR_EXPANSION_SETTINGS_NOTIFICATIONS_SOUND_LEAVE_JOIN", "#STR_EXPANSION_SETTINGS_NOTIFICATIONS_SOUND_LEAVE_J
001246 |         OIN_DESC" );
001246 |         //! Option to toggle display of player join notifications
001247 |         CreateToggle( "NotificationJoin", "#STR_EXPANSION_SETTINGS_NOTIFICATIONS_JOIN", "#STR_EXPANSION_SETTINGS_NOTIFICATIONS_JOIN_DESC" );
001248 |         //! Option to toggle display of player left notifications
001249 |         CreateToggle( "NotificationLeave", "#STR_EXPANSION_SETTINGS_NOTIFICATIONS_LEAVE", "#STR_EXPANSION_SETTINGS_NOTIFICATIONS_LEAVE_DESC" );
001250 |
001251 |         CreateCategory( "StreamerMode", "#STR_EXPANSION_SETTINGS_STREAMER_MODE" );
001252 |
001253 |         //! Option to toggle streamer mode
001254 |         CreateToggle( "StreamerMode", "#STR_EXPANSION_SETTINGS_STREAMER_MODE_OPTION", "#STR_EXPANSION_SETTINGS_STREAMER_MODE_OPTION_DESC" );
001255 |         //! Option to toggle display of pins and passwords
001256 |         CreateToggle( "ShowPINCode", "#STR_EXPANSION_SETTINGS_STREAMER_MODE_SHOW_PIN_CODE", "#STR_EXPANSION_SETTINGS_STREAMER_MODE_SHOW_PIN_CODE_DESC" );
001257 |
001258 |         #ifdef EXPANSION_INSPECT_MENU_NEW_ENABLE
001259 |             CreateToggle( "EnableLiquidTypeColors", "#STR_EXPANSION_SETTINGS_ENABLE_LIQUID_TYPE_COLORS", "#STR_EXPANSION_SETTINGS_ENABLE_LIQUID_TYPE_COLORS_DESC" );
001260 |         #endif
001261 |
001262 |         #ifdef EXPANSIONMOD
001263 |             //! Option to change ear plug level
001264 |             CreateSlider( "EarplugLevel", "#STR_EXPANSION_SETTINGS_HUD_EARPLUG_LEVEL", "#STR_EXPANSION_SETTINGS_HUD_EARPLUG_LEVEL_DESC", 0.0, 1.0, 0.05 );
001265 |         #endif
001266 |
001267 |         CreateCategory( "BaseBuilding", "#STR_EXPANSION_SETTINGS_BASEBUILDING" );
001268 |
001269 |         //! Option to automatically open the lock menu after placing the code lock
001270 |         CreateToggle( "AutoOpenLockMenuAfterPlacing", "#STR_EXPANSION_SETTINGS_AUTOOPEN_CODELOCK_PLACING", "#STR_EXPANSION_SETTINGS_AUTOOPEN_CODELOCK_PLACING_DESC
001271 |         " );
001272 |
001273 |         if ( m_ShouldShowHUDCategory )
001274 |             CreateCategory( "HUD", "#STR_EXPANSION_SETTINGS_HUD" );
001275 |
001276 |         #ifdef EXPANSIONMODGROUPS
001277 |             //! Option to show/hide the party hud on client side
001278 |             CreateToggle( "ShowPartyMemberHUD", "#STR_EXPANSION_SETTINGS_CLIENT_PARTY_SHOWPARTYMEMBERHUD", "#STR_EXPANSION_SETTINGS_CLIENT_PARTY_SHOWPARTYMEMBERHUD_DE
001279 |             SC" );
001280 |         #endif
001281 |
001282 |         #ifdef EXPANSIONMODNAVIGATION
001283 |             CreateToggle( "EnableGPSBasedOnVehicleSpeed", "#STR_EXPANSION_SETTINGS_GPS_AUTO_UPDATE_STATE_PREFERENCE", "#STR_EXPANSION_SETTINGS_GPS_AUTO_UPDATE_STATE_P
001284 |             REFERENCE_DESC" );
001285 |         #endif
001286 |
001287 |         #ifdef EXPANSIONMODHARDLINE
001288 |             CreateToggle( "ShowUnderRoofIndicator", "#STR_EXPANSION_HUD_SHOW_ROOF_INDICATOR", "#STR_EXPANSION_HUD_SHOW_ROOF_INDICATOR_DESC" );
001289 |         #endif
001290 |
001291 |         #ifdef EXPANSIONMODCHAT
001292 |             CreateCategory( "HUD", "#STR_EXPANSION_SETTINGS_HUD_CHAT" );
001293 |             CreateToggle( "HUDChatToggle", "#STR_EXPANSION_SETTINGS_HUD_CHAT_TOGGLE", "#STR_EXPANSION_SETTINGS_HUD_CHAT_TOGGLE_DESC" );
001294 |             CreateEnum( "HUDChatSize", ExpansionClientUIChatSize, "#STR_EXPANSION_SETTINGS_HUD_CHAT_SIZE", "#STR_EXPANSION_SETTINGS_HUD_CHAT_SIZE_DESC" );
001295 |             CreateSlider( "HUDChatOutlineSize", "#STR_EXPANSION_SETTINGS_HUD_CHAT_OUTLINE_SIZE", "#STR_EXPANSION_SETTINGS_HUD_CHAT_OUTLINE_SIZE_DESC", 0.0, 10.0, 1.0
001296 |             );
001297 |             CreateSlider( "HUDChatOutlineOpacity", "#STR_EXPANSION_SETTINGS_HUD_CHAT_OUTLINE_OPACITY", "#STR_EXPANSION_SETTINGS_HUD_CHAT_OUTLINE_OPACITY_DESC", 0.0, 1
001298 |             .0, 0.01 );
001299 |             CreateSlider( "HUDChatShadowSize", "#STR_EXPANSION_SETTINGS_HUD_CHAT_SHADOW_SIZE", "#STR_EXPANSION_SETTINGS_HUD_CHAT_SHADOW_SIZE_DESC", 0.0, 10.0, 1.0 );
001300 |             CreateSlider( "HUDChatShadowOpacity", "#STR_EXPANSION_SETTINGS_HUD_CHAT_SHADOW_OPACITY", "#STR_EXPANSION_SETTINGS_HUD_CHAT_SHADOW_OPACITY_DESC", 0.0, 1.0,
001301 |             0.01 );
001302 |             CreateSlider( "HUDChatShadowOffsetX", "#STR_EXPANSION_SETTINGS_HUD_CHAT_SHADOW_OFFSET_X", "#STR_EXPANSION_SETTINGS_HUD_CHAT_SHADOW_OFFSET_X_DESC", 0.0, 4.
001303 |             0, 0.25 );
001304 |             CreateSlider( "HUDChatShadowOffsetY", "#STR_EXPANSION_SETTINGS_HUD_CHAT_SHADOW_OFFSET_Y", "#STR_EXPANSION_SETTINGS_HUD_CHAT_SHADOW_OFFSET_Y_DESC", 0.0, 4.
001305 |             0, 0.25 );
```

```
001298 |         CreateSlider( "HUDChatMessageTimeThreshold", "#STR_EXPANSION_SETTINGS_HUD_CHAT_MESSAGE_TIME_THRESHOLD", "#STR_EXPANSION_SETTINGS_HUD_CHAT_MESSAGE_TIME_THR
ESHOLD_DESC", 1.0, 20.0, 0.25 );
001299 |         CreateSlider( "HUDChatFadeOut", "#STR_EXPANSION_SETTINGS_HUD_CHAT_FADEOUT", "#STR_EXPANSION_SETTINGS_HUD_CHAT_FADEOUT_DESC", 0.0, 6.0, 0.1 );
001300 |         CreateEnum( "DefaultChatChannel", ExpansionClientUIChatChannel, "#STR_EXPANSION_SETTINGS_HUD_CHAT_CHANNEL", "#STR_EXPANSION_SETTINGS_HUD_CHAT_CHANNEL_DESC
" );
001301 |         CreateSlider( "HUDChatMessagesHistoryLimit", "#STR_EXPANSION_SETTINGS_HUD_CHAT_MESSAGES_HISTORY_LIMIT", "#STR_EXPANSION_SETTINGS_HUD_CHAT_MESSAGES_HISTORY
_LIMIT_DESC", 0.0, 100.0, 1.0 );
001302 |     #endif
001303 |
001304 |     #ifdef EXPANSIONMODHARDLINE
001305 |         CreateCategory( "Inventory", "#STR_EXPANSION_SETTINGS_INVENTORY" );
001306 |         CreateToggle( "RarityColorToggle", "#STR_EXPANSION_SETTINGS_INVENTORY_RARITY_COLOR_TOGGLE", "#STR_EXPANSION_SETTINGS_INVENTORY_RARITY_COLOR_TOGGLE_DESC" )
;
001307 |     #endif
001308 |
001309 |     #ifdef EXPANSIONMODVEHICLE
001310 |         CreateCategory( "Vehicles", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES" );
001311 |
001312 |         //! Option to toggle the vehicle camera
001313 |         //CreateToggle( "UseCameraLock", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_FREELOOK", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_FREELOOK_DESC" );
001314 |
001315 |         //! Option to change vehicle camera height
001316 |         CreateSlider( "VehicleCameraHeight", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_CAMERA_HEIGHT", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_CAMERA_HEIGHT_DESC
, 0.5, 10.0, 0.1 );
001317 |         CreateSlider( "VehicleCameraDistance", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_CAMERA_DISTANCE", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_CAMERA_DISTANCE
_DESC", 0.5, 5.0, 0.1 );
001318 |         //CreateSlider( "VehicleCameraOffsetY", "VEHICLE CAMERA OFFSET VERTICAL", "", -10.0, 5.0, 0.5 );
001319 |
001320 |         //! Heli mouse ctrl
001321 |         CreateToggle( "UseHelicopterMouseControl", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_HELICOPTER_MOUSE_CONTROL", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_HE
LICOPTER_MOUSE_CONTROL_DESC" );
001322 |         CreateToggle( "UseInvertedMouseControl", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_MOUSE_CONTROL_INVERTED", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_MOUSE_
CONTROL_DESC_INVERTED" );
001323 |         CreateSlider( "HelicopterVerticalSensitivity", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_HELICOPTER_SENSITIVITY_VERTICAL", "#STR_EXPANSION_SETTINGS_CLIENT_
VEHICLES_HELICOPTER_SENSITIVITY_VERTICAL_DESC", 0.1, 3.0, 0.1 );
001324 |         CreateSlider( "HelicopterHorizontalSensitivity", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_HELICOPTER_SENSITIVITY_HORIZONTAL", "#STR_EXPANSION_SETTINGS_CLI
ENT_VEHICLES_HELICOPTER_SENSITIVITY_HORIZONTAL_DESC", 0.1, 3.0, 0.1 );
001325 |         CreateToggle( "EnableCollectiveDecay", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_HELICOPTER_COLLECTIVE_DECAY", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_HEL
ICOPTER_COLLECTIVE_DECAY_DESC" );
001326 |         CreateToggle( "EnableRetreatingBladeStall", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_HELICOPTER_RETREATING_BLADE_STALL", "#STR_EXPANSION_SETTINGS_CLIENT_V
EHICLES_HELICOPTER_RETREATING_BLADE_STALL_DESC" );
001327 |         CreateToggle( "TurnOffAutoHoverDuringFlight", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_HELICOPTER_TURN_OFF_AUTOHOVER_DURING_FLIGHT", "#STR_EXPANSION_SETTI
NGS_CLIENT_VEHICLES_HELICOPTER_TURN_OFF_AUTOHOVER_DURING_FLIGHT_DESC" );
001328 |
001329 |         //CreateToggle( "UsePlaneMouseControl", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_PLANE_MOUSE_CONTROL", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_PLANE_MOUS
E_CONTROL_DESC" );
001330 |
001331 |         //! @note Lower values for VehicleResyncTimeout allow for faster resync, but may cause more stutter in crowded areas of the map,
001332 |         //! higher values may avoid stutter, but can result in more extreme vehicle position changes in case of reaching the timeout or prevent resync altogether.
001333 |         //! A vehicle that fails to resync will remain in that state for the affected client until the player leaves the vehicle's network bubble.
001334 |         CreateSlider( "VehicleResyncTimeout", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_RESYNC_TIMEOUT", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_RESYNC_TIMEOUT_DE
SC", 1.0, 10.0, 0.5 );
001335 |         CreateToggle( "ShowDesyncInvulnerabilityNotifications", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_INVULNERABILITY_NOTIFICATIONS", "#STR_EXPANSION_SETTINGS_
CLIENT_VEHICLES_INVULNERABILITY_NOTIFICATIONS_DESC" );
001336 |     #endif
001337 |
001338 |     #ifdef EXPANSIONMODMARKET
001339 |         CreateCategory( "MarketMenu", "#STR_EXPANSION_SETTINGS_CLIENT_MARKET" );
001340 |         CreateToggle( "MarketMenuCategoriesState", "#STR_EXPANSION_SETTINGS_CLIENT_MARKET_CATEGORIES_TOGGLE_STATE", "#STR_EXPANSION_SETTINGS_CLIENT_MARKET_CATEGOR
IES_TOGGLE_STATE_DESC" );
001341 |         CreateToggle( "MarketMenuSkipConfirmations", "#STR_EXPANSION_SETTINGS_CLIENT_MARKET_SKIP_CONFIRMATIONS", "#STR_EXPANSION_SETTINGS_CLIENT_MARKET_SKIP_CONFI
RMATIONS_DESC" );
```

```
001342 |         CreateToggle( "MarketMenuFilterPurchasableState", "#STR_EXPANSION_SETTINGS_CLIENT_MARKET_PURCHASABLES_FILTER_STATE", "#STR_EXPANSION_SETTINGS_CLIENT_MARKET_PURCHASABLES_FILTER_STATE_DESC" );
001343 |         CreateToggle( "MarketMenuFilterSellableState", "#STR_EXPANSION_SETTINGS_CLIENT_MARKET_SELLABLES_FILTER_STATE", "#STR_EXPANSION_SETTINGS_CLIENT_MARKET_SELLABLES_FILTER_STATE_DESC" );
001344 |         CreateToggle( "MarketMenuDisableSuccessNotifications", "#STR_EXPANSION_SETTINGS_CLIENT_MARKET_DISABLE_SUCCESS_NOTIFICATIONS", "#STR_EXPANSION_SETTINGS_CLIENT_MARKET_DISABLE_SUCCESS_NOTIFICATIONS_DESC" );
001345 |     #endif
001346 | }
001347 |
001348 | // -----
001349 | // ExpansionClientSettings OnSettingsUpdated
001350 | // -----
001351 | void OnSettingsUpdated(typename type, ExpansionSettingSerializationBase setting)
001352 | {
001353 |     #ifdef EXPANSIONTRACE
001354 |         auto trace = CF_Trace_0(EXTTrace.CLIENT_SETTINGS, this, "OnSettingsUpdated");
001355 |     #endif
001356 |
001357 |     GetExpansionClientSettings().SI_UpdateSetting.Invoke();
001358 | }
001359 |
001360 | private void CreateCategory( string name, string displayName )
001361 | {
001362 |     #ifdef EXPANSIONTRACE
001363 |         auto trace = CF_Trace_0(EXTTrace.CLIENT_SETTINGS, this, "CreateCategory");
001364 |     #endif
001365 |
001366 |     ExpansionClientSettingCategory category = new ExpansionClientSettingCategory;
001367 |
001368 |     category.m_Name = name;
001369 |     category.m_DisplayName = displayName;
001370 |
001371 |     m_Categories.Insert( category );
001372 |     m_CurrentCategory = category;
001373 | }
001374 |
001375 | // -----
001376 | // ExpansionClientSettings CreateToggle
001377 | // -----
001378 | private void CreateToggle( string variable, string name, string detailContent )
001379 | {
001380 |     #ifdef EXPANSIONTRACE
001381 |         auto trace = CF_Trace_0(EXTTrace.CLIENT_SETTINGS, this, "CreateToggle");
001382 |     #endif
001383 |
001384 |     ExpansionSettingSerializationToggle setting = new ExpansionSettingSerializationToggle(this, variable);
001385 |
001386 |     setting.m_Name = name;
001387 |     setting.m_DetailContent = detailContent;
001388 |
001389 |     m_CurrentCategory.m_Settings.Insert( setting );
001390 | }
001391 |
001392 | // -----
001393 | // ExpansionClientSettings CreateSlider
001394 | // -----
001395 | private void CreateSlider( string variable, string name, string detailContent, float min, float max, float step = 0 )
001396 | {
001397 |     #ifdef EXPANSIONTRACE
001398 |         auto trace = CF_Trace_0(EXTTrace.CLIENT_SETTINGS, this, "CreateSlider");
001399 |     #endif
001400 | }
```

```
001401 |         ExpansionSettingSerializationSlider setting = new ExpansionSettingSerializationSlider(this, variable);
001402 |
001403 |         setting.m_Name = name;
001404 |         setting.m_DetailContent = detailContent;
001405 |         setting.m_Min = min;
001406 |         setting.m_Max = max;
001407 |         setting.m_Step = step;
001408 |
001409 |         m_CurrentCategory.m_Settings.Insert( setting );
001410 |     }
001411 |
001412 |     // -----
001413 |     // ExpansionClientSettings CreateInt
001414 |     // -----
001415 |     //! TODO: Not working.
001416 |     private void CreateInt( string variable, string name, string detailContent )
001417 |     {
001418 |     #ifdef EXPANSIONTRACE
001419 |         auto trace = CF_Trace_0(EXTrace.CLIENT_SETTINGS, this, "CreateInt");
001420 |     #endif
001421 |
001422 |         ExpansionSettingSerializationInt setting = new ExpansionSettingSerializationInt(this, variable);
001423 |
001424 |         setting.m_Name = name;
001425 |         setting.m_DetailContent = detailContent;
001426 |
001427 |         m_CurrentCategory.m_Settings.Insert( setting );
001428 |     }
001429 |
001430 |     // -----
001431 |     // ExpansionClientSettings CreateEnum
001432 |     // -----
001433 |     private void CreateEnum( string variable, typename enm, string name, string detailContent )
001434 |     {
001435 |     #ifdef EXPANSIONTRACE
001436 |         auto trace = CF_Trace_0(EXTrace.CLIENT_SETTINGS, this, "CreateEnum");
001437 |     #endif
001438 |
001439 |         ExpansionSettingSerializationEnum setting = new ExpansionSettingSerializationEnum(this, variable);
001440 |
001441 |         setting.m_Name = name;
001442 |         setting.m_DetailContent = detailContent;
001443 |
001444 |         for ( int j = 0; j < enm.GetVariableCount(); ++j )
001445 |         {
001446 |             if ( enm.GetVariableType( j ) == int )
001447 |             {
001448 |                 setting.m_Values.Insert( enm.GetVariableName( j ) );
001449 |             }
001450 |         }
001451 |
001452 |         m_CurrentCategory.m_Settings.Insert( setting );
001453 |     }
001454 |
001455 |     // -----
001456 |     // ExpansionClientSettings CreateEnum
001457 |     // -----
001458 |     private void CreateString( string variable, string name, string detailContent )
001459 |     {
001460 |     #ifdef EXPANSIONTRACE
001461 |         auto trace = CF_Trace_0(EXTrace.CLIENT_SETTINGS, this, "CreateString");
001462 |     #endif
```



```
001463 |
001464 |     ExpansionSettingSerializationString setting = new ExpansionSettingSerializationString(this, variable);
001465 |
001466 |     setting.m_Name = name;
001467 |     setting.m_DetailContent = detailContent;
001468 |
001469 |     m_CurrentCategory.m_Settings.Insert( setting );
001470 | }
001471 |
001472 | void SetQuestHUDVisibility(bool state)
001473 | {
001474 |     QuestHUDVisibility = state;
001475 |     Save();
001476 | }
001477 |
001478 | bool GetQuestHUDVisibility()
001479 | {
001480 |     return QuestHUDVisibility;
001481 | }
001482 |
001483 | void SetQuestVisibilityState(int questID, bool state)
001484 | {
001485 |     QuestVisibilityStates[questID] = state;
001486 |     Save();
001487 | }
001488 |
001489 | bool GetQuestVisibilityState(int questID)
001490 | {
001491 |     if (QuestVisibilityStates.Contains(questID))
001492 |         return QuestVisibilityStates[questID];
001493 |
001494 |     return true;
001495 | }
001496 | }
001497 |
001498 | static ref ExpansionClientSettings g_ExClientSettings;
001499 |
001500 | static ExpansionClientSettings GetExpansionClientSettings()
001501 | {
001502 |     #ifdef EXPANSIONTRACE
001503 |         auto trace = CF_Trace_0(EXTrace.CLIENT_SETTINGS, "GetExpansionClientSettings");
001504 |     #endif
001505 |
001506 |     if (g_Game.IsDedicatedServer())
001507 |         return null;
001508 |
001509 |     if ( !g_ExClientSettings )
001510 |     {
001511 |         g_ExClientSettings = new ExpansionClientSettings;
001512 |     }
001513 |
001514 |     return g_ExClientSettings;
001515 | }
001516 |
```

0033. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ClientSettings\NotificationClientSettingsEnum.c

Size bytes: 424

SHA-256: 97730861e44ca552981a77f0d7d3f1bd95f58e7967fdcb4aa561bfeff09f7ff8

Decoded as: utf-8-sig

Line count shown: 18

Detected class declarations: 0

Detected enum declarations: 1

 L13: enum NotificationClientSettingsEnum

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * NotificationClientSettingsEnum.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum NotificationClientSettingsEnum
000014 | {
000015 |     SHOW,
000016 |     MUTED,
000017 |     HIDE
000018 | };
```

0034. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\DayZGame.c
Size bytes: 8961
SHA-256: a941eefc09b45fd22eb9a9750f4b19d4596bba3fe922f1f1a9c7f5329bec98b4
Decoded as: utf-8-sig
Line count shown: 318
Detected class declarations: 1
  L13: modded class DayZGame
Detected enum declarations: 0
Detected function/method-like declarations: 21
  L30: void DayZGame()
  L66: void ~DayZGame()
  L84: void Expansion_FilterPlayerCharacters()
  L99: void Expansion_SetFoodDecayModifier(float foodDecayModifier)
  L107: void SetExpansionGame(ExpansionGame game)
  L119: ExpansionGame GetExpansionGame()
  L127: string GetExpansionClientVersion()
  L161: void Expansion_SetGameVersionText(TextWidget version_widget)
  L197: float ExpansionCalculateStartTime(CF_Date date)
  L205: float ExpansionGetStartTime(bool useUTC = false)
  L212: int ExpansionGetStartTimestamp(bool useUTC = false)
  L219: protected void SetWorldCenterPosition()
  L227: vector GetWorldCenterPosition()
  L235: float GetWorldSize()
  L243: override void FirearmEffects(Object source, Object directHit, int componentIndex, string surface, vector pos, vector surfNormal, vector exit)
  L256: override void Expansion_OnUpdate(bool doSim, float timeslice)
  L263: override void OnRPC(PlayerIdentity sender, Object target, int rpc_type, ParamsReadContext ctx)
  L289: void Expansion_SetIsMissionMainMenu(bool state)
  L294: bool Expansion_IsMissionMainMenu()
  L299: bool Expansion_IsMissionSinglePlayer()
  L311: void Expansion_SetServerUpdateRateLimit(int rate)

```

Full file content

```

000001 | /**
000002 |  * ExpansionDayZGame.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class DayZGame
000014 | {
000015 |     protected string m_ExpansionClientVersion;
000016 |     protected string m_ExpansionLastestVersion;
000017 |     protected ref ExpansionGame m_ExpansionGame;
000018 |
000019 |     protected float m_Expansion_StartTime;
000020 |     protected float m_Expansion_StartTimeUTC;
000021 |     protected int m_Expansion_StartTimestamp;
000022 |     protected int m_Expansion_StartTimestampUTC;
000023 |
000024 |     protected vector m_WorldCenterPosition;
000025 |     protected bool m_Expansion_IsMissionMainMenu;
000026 |

```

```
000027 | // -----
000028 | // DayZGame Constructor
000029 | // -----
000030 | void DayZGame()
000031 | {
000032 | #ifdef EXPANSIONTRACE
000033 |     auto trace = EXTrace.Start(EXTrace.GLOBAL, this);
000034 | #endif
000035 |
000036 |     auto now = CF_Date.Now();
000037 |     auto nowUTC = CF_Date.Now(true);
000038 |
000039 |     m_Expansion_StartTime = ExpansionCalculateStartTime(now);
000040 |     m_Expansion_StartTimeUTC = ExpansionCalculateStartTime(nowUTC);
000041 |     m_Expansion_StartTimestamp = now.DateToEpoch() - (int) GetTickTime();
000042 |     m_Expansion_StartTimestampUTC = nowUTC.DateToEpoch() - (int) GetTickTime();
000043 |     EXLogPrint(ToString() + " Start time (local time) " + CF_Date.Epoch(m_Expansion_StartTimestamp).Format(CF_Date.DATETIME));
000044 |     EXLogPrint(ToString() + " Start time (UTC) " + CF_Date.Epoch(m_Expansion_StartTimestampUTC).Format(CF_Date.DATETIME));
000045 |     EXLogPrint(ToString() + " Runtime since start (seconds) " + GetTickTime());
000046 |
000047 |     CF_Log.s_Expansion_StaticCore = CF_Log.s_Expansion_Static;
000048 |     CF_Log.s_Expansion_Static = new ExpansionStatic;
000049 |
000050 |     if (!FileExist(EXPANSION_FOLDER))
000051 |     {
000052 |         ExpansionStatic.MakeDirectoryRecursive(EXPANSION_FOLDER);
000053 |     }
000054 |
000055 |     if (FileExist(EXPANSION_TEMP_INTERIORS))
000056 |     {
000057 |         DeleteFile(EXPANSION_TEMP_INTERIORS);
000058 |     }
000059 |
000060 |     Expansion_FilterPlayerCharacters();
000061 | }
000062 |
000063 | // -----
000064 | // DayZGame Deconstructor
000065 | // -----
000066 | void ~DayZGame()
000067 | {
000068 |     if (FileExist(EXPANSION_TEMP_INTERIORS))
000069 |     {
000070 |         DeleteFile(EXPANSION_TEMP_INTERIORS);
000071 |     }
000072 |
000073 | #ifdef EXTRACE
000074 |     if (EXTrace.s_Profiling.Count())
000075 |         EXTrace.DumpProfilingData();
000076 | #endif
000077 |
000078 |     m_ExpansionGame = null;
000079 |     CF_Log.s_Expansion_Static = CF_Log.s_Expansion_StaticCore;
000080 |
000081 |     Print("[DayZ Expansion] ~DayZGame");
000082 | }
000083 |
000084 | void Expansion_FilterPlayerCharacters()
000085 | {
000086 |     string child_name;
000087 |     for (int i = m_CharClassNames.Count() - 1; i >= 0; i--)
000088 |     {
```

```
000089 |         child_name = m_CharClassNames[i];
000090 |
000091 |         if (child_name.IndexOf("Expansion") == 0 || child_name.IndexOf("eAI") == 0)
000092 |         {
000093 |             m_CharClassNames.RemoveOrdered(i);
000094 |             EXTrace.Print(EXTrace.MISC, this, "Removed " + child_name + " from player character class names");
000095 |         }
000096 |     }
000097 | }
000098 |
000099 | void Expansion_SetFoodDecayModifier(float foodDecayModifier)
000100 | {
000101 |     m_FoodDecayModifier = foodDecayModifier;
000102 | }
000103 |
000104 | // -----
000105 | // Expansion SetExpansionGame
000106 | // -----
000107 | void SetExpansionGame(ExpansionGame game)
000108 | {
000109 | #ifdef EXTRACE_DIAG
000110 |     auto trace = EXTrace.Start(EXTrace.MISC, this);
000111 | #endif
000112 |
000113 |     m_ExpansionGame = game;
000114 | }
000115 |
000116 | // -----
000117 | // Expansion GetExpansionGame
000118 | // -----
000119 | ExpansionGame GetExpansionGame()
000120 | {
000121 |     return m_ExpansionGame;
000122 | }
000123 |
000124 | // -----
000125 | // Expansion GetExpansionClientVersion
000126 | // -----
000127 | string GetExpansionClientVersion()
000128 | {
000129 | #ifdef EXPANSIONTRACE
000130 |     auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, "DayZGame", "GetExpansionClientVersion");
000131 | #endif
000132 |
000133 |     if (m_ExpansionClientVersion)
000134 |         return m_ExpansionClientVersion;
000135 |
000136 |     array<ref ModInfo> mods = new array<ref ModInfo>;
000137 |     string version;
000138 |
000139 |     GetModInfos( mods );
000140 |     foreach (ModInfo mod: mods)
000141 |     {
000142 |         string modName = mod.GetName();
000143 |         if (modName[0] == "@")
000144 |             modName = modName.Substring(1, modName.Length() - 1);
000145 |         if ( modName.IndexOf( "DayZ-Expansion" ) == 0 && modName.IndexOf("DayZ-Expansion-Core") != 0 )
000146 |         {
000147 |             string modVersion = mod.GetVersion();
000148 |             if (modVersion > version)
000149 |                 version = modVersion;
000150 |         }
000150 |     }
```

```
000151 |     }
000152 |
000153 |     if (!version)
000154 |         version = "[LOCAL BUILD]";
000155 |
000156 |     m_ExpansionClientVersion = version;
000157 |
000158 |     return version;
000159 | }
000160 |
000161 | void Expansion_SetGameVersionText(TextWidget version_widget)
000162 | {
000163 |     string version_info = "DayZ";
000164 |
000165 |     #ifdef DIAG
000166 |         version_info += "_Diag";
000167 |     #endif
000168 |
000169 |     #ifdef DEVELOPER
000170 |         version_info += "_Internal";
000171 |     #endif
000172 |
000173 |     #ifdef EXTRACE
000174 |         version_info += "_Tracing";
000175 |     #endif
000176 |
000177 |     #ifdef EXTRACE_DIAG
000178 |         version_info += "_TracingDiag";
000179 |     #endif
000180 |
000181 |     string version;
000182 |     GetVersion(version);
000183 |
000184 |     version_info += " #main_menu_version " + version;
000185 |
000186 |     #ifdef BUILD_EXPERIMENTAL
000187 |         version_info += " Experimental";
000188 |     #endif
000189 |
000190 |     string expansion_version = GetExpansionClientVersion();
000191 |     if (expansion_version)
000192 |         version_info += " | DayZ Expansion #main_menu_version " + expansion_version;
000193 |
000194 |     version_widget.SetText(version_info);
000195 | }
000196 |
000197 | float ExpansionCalculateStartTime(CF_Date date)
000198 | {
000199 |     float time = date.GetHours() * 3600 + date.GetMinutes() * 60 + date.GetSeconds() - GetTickTime();
000200 |     if (time < 0)
000201 |         time += 24 * 3600;
000202 |     return time;
000203 | }
000204 |
000205 | float ExpansionGetStartTime(bool useUTC = false)
000206 | {
000207 |     if (useUTC)
000208 |         return m_Expansion_StartTimeUTC;
000209 |     return m_Expansion_StartTime;
000210 | }
000211 |
000212 | int ExpansionGetStartTimestamp(bool useUTC = false)
```

```
000213 | {
000214 |     if (useUTC)
000215 |         return m_Expansion_StartTimestampUTC;
000216 |     return m_Expansion_StartTimestamp;
000217 | }
000218 |
000219 | protected void SetWorldCenterPosition()
000220 | {
000221 |     string path = "CfgWorlds " + g_Game.GetWorldName();
000222 |     vector temp = g_Game.ConfigGetVector( path + " centerPosition" );
000223 |     m_WorldCenterPosition = Vector(temp[0], temp[2], temp[1]);
000224 | }
000225 |
000226 | ///! @note usually not actual center, depends on what's in a world's config.cpp
000227 | vector GetWorldCenterPosition()
000228 | {
000229 |     if ( !m_WorldCenterPosition )
000230 |         SetWorldCenterPosition();
000231 |
000232 |     return m_WorldCenterPosition;
000233 | }
000234 |
000235 | float GetWorldSize()
000236 | {
000237 |     return g_Game.GetWorld().GetWorldSize();
000238 | }
000239 |
000240 | // -----
000241 | // Override FirearmEffects
000242 | // -----
000243 | override void FirearmEffects(Object source, Object directHit, int componentIndex, string surface, vector pos, vector surfNormal, vector exitPos, vector inSpeed, vector outSpeed, bool isWater, bool deflected, string ammoType)
000244 | {
000245 | #ifdef EXPANSIONTRACE
000246 |     auto trace = CF_Trace_0(ExpansionTracing.WEAPONS, this, "FirearmEffects");
000247 | #endif
000248 |
000249 |     if (m_ExpansionGame != NULL)
000250 |         m_ExpansionGame.FirearmEffects(source, directHit, componentIndex, surface, pos, surfNormal, exitPos, inSpeed, outSpeed, isWater, deflected, ammoType);
000251 |
000252 |     super.FirearmEffects(source, directHit, componentIndex, surface, pos, surfNormal, exitPos, inSpeed, outSpeed, isWater, deflected, ammoType);
000253 | }
000254 |
000255 | #ifndef WORKBENCH
000256 | override void Expansion_OnUpdate(bool doSim, float timeslice)
000257 | {
000258 |     if (m_ExpansionGame)
000259 |         m_ExpansionGame.OnUpdate(doSim, timeslice);
000260 | }
000261 | #endif
000262 |
000263 | override void OnRPC(PlayerIdentity sender, Object target, int rpc_type, ParamsReadContext ctx)
000264 | {
000265 |     switch (rpc_type)
000266 |     {
000267 |     case ExpansionScriptRPC.EXPANSION_RPC_UNTARGETED:
000268 |         ExpansionRPCManager.OnRPC(sender, target, ctx);
000269 |         break;
000270 |     case ExpansionScriptRPC.EXPANSION_RPC_TARGETED:
000271 |         if (target)
000272 |             ExpansionRPCManager.OnRPC(sender, target, ctx);
000273 |         else
```

```
000274 |         EXTrace.Print(EXTrace.RPC, this, "Info: Targeted Expansion RPC received, but target doesn't exist");
000275 |         break;
000276 |     case ExpansionScriptRPC.EXPANSION_RPC_SJ:
000277 |         int junctureID;
000278 |         if (ctx.Read(junctureID))
000279 |             m_ExpansionGame.OnSyncJuncture(target, junctureID, ctx);
000280 |         else
000281 |             EXError.Error(this, "Expansion Sync Juncture received, but couldn't read juncture ID");
000282 |         break;
000283 |     default:
000284 |         super.OnRPC(sender, target, rpc_type, ctx);
000285 |         break;
000286 |     }
000287 | }
000288 |
000289 | void Expansion_SetIsMissionMainMenu(bool state)
000290 | {
000291 |     m_Expansion_IsMissionMainMenu = state;
000292 | }
000293 |
000294 | bool Expansion_IsMissionMainMenu()
000295 | {
000296 |     return m_Expansion_IsMissionMainMenu;
000297 | }
000298 |
000299 | bool Expansion_IsMissionSinglePlayer()
000300 | {
000301 |     if (IsMultiplayer())
000302 |         return false;
000303 |
000304 |     string mission;
000305 |     if (GetCLIPParam("mission", mission))
000306 |         return true;
000307 |
000308 |     return false;
000309 | }
000310 |
000311 | void Expansion_SetServerUpdateRateLimit(int rate)
000312 | {
000313 | #ifndef WORKBENCH
000314 |     m_Expansion_ServerUpdateRateLimit_Interval = 1.0 / rate;
000315 | #endif
000316 | }
000317 | };
000318 |
```


0035. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\DZ_Expansion_Core.c

Size bytes: 509

SHA-256: 488411318d2dcff4f27383477ce8ed3376f638ac5692ee97c4a5d4e432c9a0e7

Decoded as: utf-8-sig

Line count shown: 24

Detected class declarations: 1

L14: class DZ_Expansion_Core : ModStructure

Detected enum declarations: 0

Detected function/method-like declarations: 1

L16: override void LoadData()

Full file content

```
000001 | /**
000002 |  * ModStructure.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | #ifdef EXPANSION_MODSTORAGE
000014 | class DZ_Expansion_Core : ModStructure
000015 | {
000016 |     override void LoadData()
000017 |     {
000018 |         super.LoadData();
000019 |
000020 |         SetStorageVersion(52);
000021 |     }
000022 | };
000023 | #endif
000024 |
```

0036. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\EffectManager.c

Size bytes: 1424

SHA-256: 730fabdf369518f34f731e932edb1c4e6e5f527563a505d55154605f2767d1a2

Decoded as: utf-8-sig

Line count shown: 39

Detected class declarations: 1

L13: modded class SEffectManager

Detected enum declarations: 0

Detected function/method-like declarations: 2

L16: static EffectSound Expansion_PlaySound(string sound_set, vector position, float play_fade_in = 0, float stop_fade_out = 0, bool loop = false

L27: static EffectSound Expansion_PlaySoundOnObject(string sound_set, Object parent_object, float play_fade_in = 0, float stop_fade_out = 0, bool

Full file content

```
000001 | /**
000002 |  * SEffectManager.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class SEffectManager
000014 | {
000015 |     ///! @brief Like PlaySound, but allows passing in autodestroy parameter
000016 |     static EffectSound Expansion_PlaySound(string sound_set, vector position, float play_fade_in = 0, float stop_fade_out = 0, bool loop = false, bool autodestroy
= true)
000017 |     {
000018 |         EffectSound effect_sound = CreateSound(sound_set, position, play_fade_in, stop_fade_out, loop, false);
000019 |
000020 |         effect_sound.SetAutodestroy(autodestroy);
000021 |         effect_sound.SoundPlay();
000022 |
000023 |         return effect_sound;
000024 |     }
000025 |
000026 |     ///! @brief Like PlaySoundOnObject, but allows passing in autodestroy parameter
000027 |     static EffectSound Expansion_PlaySoundOnObject(string sound_set, Object parent_object, float play_fade_in = 0, float stop_fade_out = 0, bool loop = false, boo
l autodestroy = true)
000028 |     {
000029 |         EffectSound effect_sound = CreateSound(sound_set, parent_object.GetPosition(), play_fade_in, stop_fade_out, loop);
000030 |
000031 |         effect_sound.SetParent(parent_object);
000032 |         effect_sound.SetLocalPosition(vector.Zero);
000033 |         effect_sound.SetAutodestroy(autodestroy);
000034 |         effect_sound.SoundPlay();
000035 |
000036 |         return effect_sound;
000037 |     }
000038 | }
000039 |
```

0037. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Effects\EffectExpansionParticle.c
Size bytes: 5738
SHA-256: a679ff7994ab88546712a95da9571acb1b9ce45d5ae66e09c87787aa47728176
Decoded as: utf-8-sig
Line count shown: 240
Detected class declarations: 1
  L13: class EffectExpansionParticle : Effect
Detected enum declarations: 0
Detected function/method-like declarations: 24
  L24: void EffectExpansionParticle()
  L32: void ~EffectExpansionParticle()
  L40: void SetParticleID( int id )
  L49: void SetOrientation( vector ori )
  L57: vector GetOrientation()
  L65: override Object GetAttachmentParent()
  L73: override vector GetAttachedLocalPos()
  L81: override vector GetAttachedLocalOri()
  L89: override void SetAttachmentParent(Object obj)
  L97: void ForceParticleRotationRelativeToWorld(bool state)
  L105: bool IsParticleRotationRelativeToWorld()
  L113: override void SetAttachedLocalPos(vector pos)
  L121: override void SetAttachedLocalOri(vector ori)
  L129: Particle GetParticle()
  L137: void SetParticle(Particle p)
  L145: void CheckLifeSpan()
  L158: void AttachTo(Object obj, vector local_pos = "0 0 0", vector local_ori = "0 0 0", bool force_rotation_to_world = false)
  L167: override void Start()
  L192: override void Stop()
  L204: override void Event_OnFrameUpdate(float time_delta)
  L212: void Event_OnPlayStart()
  L220: void Event_OnPlayStarted()
  L228: override void OnCheckUpdate()
  L236: void SetDecalOwner(Object o)
```

Full file content

```
000001 | /**
000002 |  * EffectExpansionParticle.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class EffectExpansionParticle : Effect
000014 | {
000015 |     protected vector      m_ParticleOrientation;
000016 |     protected bool        m_ForceRotationRelativeToWorld = false;
000017 |     protected Particle     m_ParticleObj;
000018 |     protected int          m_ParticleID;
000019 |     protected vector       m_Orientation;
000020 |     protected Object       m_Object;
000021 |     //=====
000022 |     // Constructor
000023 |     //=====
```

```
000024 | void EffectExpansionParticle()
000025 | {
000026 |
000027 | }
000028 |
000029 | //=====
000030 | // Destructor
000031 | //=====
000032 | void ~EffectExpansionParticle()
000033 | {
000034 |     Stop();
000035 | }
000036 |
000037 | //=====
000038 | // SetParticleID
000039 | //=====
000040 | void SetParticleID( int id )
000041 | {
000042 |     m_ParticleID = id;
000043 | }
000044 |
000045 | //! Set orientation in degrees (yaw, pitch, roll)
000046 | //=====
000047 | // SoundSetWaveKind
000048 | //=====
000049 | void SetOrientation( vector ori )
000050 | {
000051 |     m_Orientation = ori;
000052 | }
000053 |
000054 | //=====
000055 | // SoundSetWaveKind
000056 | //=====
000057 | vector GetOrientation()
000058 | {
000059 |     return m_Orientation;
000060 | }
000061 |
000062 | //=====
000063 | // GetAttachmentParent
000064 | //=====
000065 | override Object GetAttachmentParent()
000066 | {
000067 |     return m_ParentObject;
000068 | }
000069 |
000070 | //=====
000071 | // GetAttachedLocalPos
000072 | //=====
000073 | override vector GetAttachedLocalPos()
000074 | {
000075 |     return m_LocalPos;
000076 | }
000077 |
000078 | //=====
000079 | // GetAttachedLocalOri
000080 | //=====
000081 | override vector GetAttachedLocalOri()
000082 | {
000083 |     return m_LocalOri;
000084 | }
000085 |
```

```
000086 | //=====
000087 | // SetAttachmentParent
000088 | //=====
000089 | override void SetAttachmentParent(Object obj)
000090 | {
000091 |     m_ParentObject = obj;
000092 | }
000093 |
000094 | //=====
000095 | // ForceParticleRotationRelativeToWorld
000096 | //=====
000097 | void ForceParticleRotationRelativeToWorld(bool state)
000098 | {
000099 |     m_ForceRotationRelativeToWorld = state;
000100 | }
000101 |
000102 | //=====
000103 | // IsParticleRotationRelativeToWorld
000104 | //=====
000105 | bool IsParticleRotationRelativeToWorld()
000106 | {
000107 |     return m_ForceRotationRelativeToWorld;
000108 | }
000109 |
000110 | //=====
000111 | // SetAttachedLocalPos
000112 | //=====
000113 | override void SetAttachedLocalPos(vector pos)
000114 | {
000115 |     m_LocalPos = pos;
000116 | }
000117 |
000118 | //=====
000119 | // SetAttachedLocalOri
000120 | //=====
000121 | override void SetAttachedLocalOri(vector ori)
000122 | {
000123 |     m_LocalOri = ori;
000124 | }
000125 |
000126 | //=====
000127 | // SoundSetWaveKind
000128 | //=====
000129 | Particle GetParticle()
000130 | {
000131 |     return m_ParticleObj;
000132 | }
000133 |
000134 | //=====
000135 | // SoundSetWaveKind
000136 | //=====
000137 | void SetParticle(Particle p)
000138 | {
000139 |     m_ParticleObj = p;
000140 | }
000141 |
000142 | //=====
000143 | // CheckLifeSpan
000144 | //=====
000145 | void CheckLifeSpan()
000146 | {
000147 |     if ( !m_ParticleObj )
```

```
000148 |     {
000149 |         delete this;
000150 |     }
000151 |
000152 |     OnCheckUpdate();
000153 | }
000154 |
000155 | //=====
000156 | // AttachTo
000157 | //=====
000158 | void AttachTo(Object obj, vector local_pos = "0 0 0", vector local_ori = "0 0 0", bool force_rotation_to_world = false)
000159 | {
000160 |     GetParticle().AddAsChild(obj, local_pos, local_ori, force_rotation_to_world);
000161 | }
000162 |
000163 | // !Plays all elements this effects consists of
000164 | //=====
000165 | // Start
000166 | //=====
000167 | override void Start()
000168 | {
000169 |     if (m_ParticleID > 0)
000170 |     {
000171 |         Particle p;
000172 |         p = Particle.PlayInWorld(m_ParticleID, GetPosition());
000173 |
000174 |         p.SetOrientation( GetOrientation() );
000175 |         //p.SetEffectHolder(this);
000176 |
000177 |         SetParticle(p);
000178 |     }
000179 |
000180 |     if ( GetAttachmentParent() )
000181 |     {
000182 |         AttachTo( GetAttachmentParent(), GetAttachedLocalPos(), GetAttachedLocalOri(), IsParticleRotationRelativeToWorld());
000183 |     }
000184 |
000185 |     super.Start();
000186 | }
000187 |
000188 | //! Stops all elements this effect consists of. Alternatively use SEffectManager.Stop( effect_id )
000189 | //=====
000190 | // Stop
000191 | //=====
000192 | override void Stop()
000193 | {
000194 |     if ( GetParticle() )
000195 |     {
000196 |         GetParticle().Stop();
000197 |         SetParticle(NULL);
000198 |     }
000199 | }
000200 |
000201 | //=====
000202 | // Event_OnFrameUpdate
000203 | //=====
000204 | override void Event_OnFrameUpdate(float time_delta)
000205 | {
000206 |     // Override this method for own use
000207 | }
000208 |
000209 | //=====
```

```
000210 | // Event_OnPlayStart
000211 | //=====
000212 | void Event_OnPlayStart()
000213 | {
000214 |     // Override this method for own use
000215 | }
000216 |
000217 | //=====
000218 | // Event_OnPlayStarted
000219 | //=====
000220 | void Event_OnPlayStarted()
000221 | {
000222 |     // Override this method for own use
000223 | }
000224 |
000225 | //=====
000226 | // OnCheckUpdate
000227 | //=====
000228 | override void OnCheckUpdate()
000229 | {
000230 |
000231 | }
000232 |
000233 | //=====
000234 | // SetDecalOwner
000235 | //=====
000236 | void SetDecalOwner(Object o)
000237 | {
000238 |     m_Object = o;
000239 | }
000240 | };
```

0038. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Effects\EffectExpansionSmoke.c

Size bytes: 710

SHA-256: 026075432f975dd1406e7fac7731b00dc1542cb1f8381e14a8952fa07a57fd57

Decoded as: utf-8-sig

Line count shown: 33

Detected class declarations: 1

L13: class EffectExpansionSmoke : EffectExpansionParticle

Detected enum declarations: 0

Detected function/method-like declarations: 3

L15: void EffectExpansionSmoke()

L23: void SetParticleStateSmoke()

L28: void SetParticleState(int state)

Full file content

```
000001 | /**
000002 |  * EffectExpansionSmoke.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class EffectExpansionSmoke : EffectExpansionParticle
000014 | {
000015 |     void EffectExpansionSmoke()
000016 |     {
000017 |         SetParticleStateSmoke();
000018 |         SetEnableEventFrame(true);
000019 |
000020 |         Start();
000021 |     }
000022 |
000023 |     void SetParticleStateSmoke()
000024 |     {
000025 |         SetParticleState( ParticleList.EXPANSION_AIRDROP_SMOKE );
000026 |     }
000027 |
000028 |     void SetParticleState( int state )
000029 |     {
000030 |         SetParticleID(state);
000031 |         Start();
000032 |     }
000033 | };
```


0039. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Effects\EffectSound.c

Size bytes: 896

SHA-256: 7e1b34d047a201cf2322908cbb0ab8210be9647a73cc9e79d12541e1c9b88354

Decoded as: utf-8-sig

Line count shown: 41

Detected class declarations: 1

L13: modded class EffectSound

Detected enum declarations: 0

Detected function/method-like declarations: 4

L16: void ~EffectSound()

L26: float Expansion_GetSoundFadeInDuration()

L31: float Expansion_GetSoundFadeOutDuration()

L36: bool Expansion_GetSoundLoop()

Full file content

```
000001 | /**
000002 |  * EffectSound.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class EffectSound
000014 | {
000015 | #ifdef DIAG_DEVELOPER
000016 |     void ~EffectSound()
000017 |     {
000018 |         if (!g_Game)
000019 |             return;
000020 |
000021 |         if (ExpansionSoundSet.s_RegisteredSoundSets_ByName.Contains(GetSoundSet()))
000022 |             EXTrace.Print(EXTrace.SOUND, this, "~EffectSound " + GetSoundSet() + " " + GetPosition() + " " + GetParent());
000023 |     }
000024 | #endif
000025 |
000026 |     float Expansion_GetSoundFadeInDuration()
000027 |     {
000028 |         return m_SoundFadeInDuration;
000029 |     }
000030 |
000031 |     float Expansion_GetSoundFadeOutDuration()
000032 |     {
000033 |         return m_SoundFadeOutDuration;
000034 |     }
000035 |
000036 |     bool Expansion_GetSoundLoop()
000037 |     {
000038 |         return m_SoundLoop;
000039 |     }
000040 | }
000041 |
```

0040. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIChatChannel.c

Size bytes: 423

SHA-256: 5e9d17fd30e8e56db68558d2f095c68dd73ae86f2c4cea31e9f5a4394dbeb888

Decoded as: utf-8-sig

Line count shown: 17

Detected class declarations: 0

Detected enum declarations: 1

 L13: enum ExpansionClientUIChatChannel

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionClientUIChatChannel.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum ExpansionClientUIChatChannel
000014 | {
000015 |     DIRECT = 0,
000016 |     GLOBAL = 1
000017 | };
```

0041. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIChatSize.c

Size bytes: 447

SHA-256: f9e3806c70aab67bab49424ff87d4b5cec81207c39b491b2278c83d21a3551fd

Decoded as: utf-8-sig

Line count shown: 20

Detected class declarations: 0

Detected enum declarations: 1

L13: enum ExpansionClientUIChatSize

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionClientUIChatSize.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum ExpansionClientUIChatSize
000014 | {
000015 |     VERYSMALL = 0,
000016 |     SMALL,
000017 |     MEDIUM,
000018 |     LARGE,
000019 |     VERYLARGE
000020 | };
```

0042. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIMarkerSize.c

Size bytes: 438

SHA-256: b0bd5029a54f3f38cacf56f4ce03058b063d4f7c7fc91c212a93ae895487383c

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 0

Detected enum declarations: 1

 L13: enum ExpansionClientUIMarkerSize

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionClientUIMarkerSize.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum ExpansionClientUIMarkerSize
000014 | {
000015 |     VERYSMALL = 0,
000016 |     SMALL,
000017 |     MEDIUM,
000018 |     LARGE
000019 | };
```

0043. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIMemberMarkerType.c

Size bytes: 531

SHA-256: 9b8dc16452c543b461da03d9e6a3792412c97d598d6f0471adfb8f8b5740e74c

Decoded as: utf-8-sig

Line count shown: 26

Detected class declarations: 0

Detected enum declarations: 1

 L13: enum ExpansionClientUIMemberMarkerType

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionClientUIMemberMarkerType.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum ExpansionClientUIMemberMarkerType
000014 | {
000015 |     PERSON = 0,
000016 |     MARKER,
000017 |     ROUNDMARKER,
000018 |     ROUNDMARKER2,
000019 |     INFECTED,
000020 |     INFECTED2,
000021 |     HEART,
000022 |     SKULL,
000023 |     SKULL2,
000024 |     SHIELD,
000025 |     INFO
000026 | };
```

0044. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIPlayerArrowColor.c

Size bytes: 525

SHA-256: 027ee857e55ee2340b2a9b6ac699db0dd44b4719db6d20ff919db416b60d25f5

Decoded as: utf-8-sig

Line count shown: 29

Detected class declarations: 0

Detected enum declarations: 1

L13: enum ExpansionClientUIPlayerArrowColor

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionClientUIPlayerArrowColor.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum ExpansionClientUIPlayerArrowColor
000014 | {
000015 |     // GrayScale
000016 |     WHITE = 0,
000017 |     GREY,
000018 |     BLACK,
000019 |
000020 |     // RGB
000021 |     RED,
000022 |     GREEN,
000023 |     BLUE,
000024 |
000025 |     // CMY
000026 |     CYAN,
000027 |     MAGENTA,
000028 |     YELLOW
000029 | };
```

0045. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionFireMode.c

Size bytes: 98

SHA-256: f1d9365eeceb8ac33f94b009e426a23a0d4596b6d63e7eba38e864da0113a312

Decoded as: utf-8-sig

Line count shown: 10

Detected class declarations: 0

Detected enum declarations: 1

 L1: enum ExpansionFireMode

Detected function/method-like declarations: 0

Full file content

```
000001 | enum ExpansionFireMode
000002 | {
000003 |     INVALID = -1,
000004 |     SemiAuto,
000005 |     Burst,
000006 |     FullAuto,
000007 |     Single,
000008 |     Double
000009 | }
000010 |
```

0046. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionRPC.c

Size bytes: 639

SHA-256: 25027caacf2b9cf701e799bc43d61d8681602bf9dfbcc1021d27bf90db3d0e68

Decoded as: utf-8-sig

Line count shown: 28

Detected class declarations: 0

Detected enum declarations: 1

L15: enum Expansion_JMPlayerModuleRPC : JMPlayerModuleRPC

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionRPC.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef JM_COT
000014 | //! @note these RPCs can't use Expansion RPC manager because they extend COT player module RPCs
000015 | enum Expansion_JMPlayerModuleRPC : JMPlayerModuleRPC
000016 | {
000017 |     // Hardline
000018 |     SetReputation,
000019 |
000020 |     // AI
000021 |     SetFaction,
000022 |
000023 |     // Personal Storage
000024 |     RetrieveEntityStorageObj,
000025 |     EX_COUNT
000026 | };
000027 | #endif
000028 |
```


0047. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionVehicleKeyStartMode.c

Size bytes: 454

SHA-256: a75ff367063c94f6f66519cbb90787163e912bba68f655e249cedf89a1cfad23

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 0

Detected enum declarations: 1

 L13: enum ExpansionVehicleKeyStartMode

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionVehicleKeyStartMode.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum ExpansionVehicleKeyStartMode
000014 | {
000015 |     DISABLED,
000016 |     REQUIREDINVENTORY,
000017 |     REQUIREDHAND,
000018 |     COUNT
000019 | };
```

0048. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionVehicleLockState.c

Size bytes: 567

SHA-256: a422e76e163a588e3807622c40c47c3d745182fffe19b00f9dc7e1a260c69be

Decoded as: utf-8-sig

Line count shown: 25

Detected class declarations: 0

Detected enum declarations: 1

 L13: enum ExpansionVehicleLockState

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionVehicleLockState.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum ExpansionVehicleLockState
000014 | {
000015 |     NOLOCK = 0,
000016 |     UNLOCKED,
000017 |     READY_TO_LOCK,
000018 |     LOCKED,
000019 |     READY_TO_FORCELOCK,
000020 |     FORCEDLOCKED,
000021 |     FORCEDUNLOCKED,
000022 |     //Use count here, for network optimization to know max
000023 |     COUNT
000024 | };
000025 |
```

0049. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionVehicleNetworkMode.c

Size bytes: 425

SHA-256: 26567dbbc1648d6363fef819d07905f8e4a17f40b98a2a33130132e0c544fddd

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 0

Detected enum declarations: 1

L13: enum ExpansionVehicleNetworkMode

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionVehicleNetworkMode.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum ExpansionVehicleNetworkMode
000014 | {
000015 |     SERVER,
000016 |     CLIENT,
000017 |     COUNT
000018 | };
000019 |
```

0050. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionVehicleType.c

Size bytes: 82

SHA-256: d5ee0ef9873df0effe4d707daff1c13eb03263f1cc7db49abcef7cd5f31fec71

Decoded as: utf-8-sig

Line count shown: 9

Detected class declarations: 0

Detected enum declarations: 1

 L1: enum ExpansionVehicleType

Detected function/method-like declarations: 0

Full file content

```
000001 | enum ExpansionVehicleType
000002 | {
000003 |     NONE = -1,
000004 |     AIR,
000005 |     LAND,
000006 |     WATER,
000007 |     RAILTRACK
000008 | }
000009 |
```

0051. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\NotificationRuntimeEnum.c

Size bytes: 533

SHA-256: a4491fae2b2824063f5194dea29710d71466141ec38ceb99af9f847615d4835f

Decoded as: utf-8-sig

Line count shown: 31

Detected class declarations: 0

Detected enum declarations: 1

 L13: enum NotificationRuntimeEnum

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * NotificationRuntimeEnum.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum NotificationRuntimeEnum
000014 | {
000015 |     UNKNOWN,
000016 |     MUTED,
000017 |
000018 |     PLAYER_JOINLEAVE,
000019 |
000020 |     KILLFEED,
000021 |
000022 |     SAFEZONE,
000023 |
000024 |     TERRITORY,
000025 |
000026 |     PARTY,
000027 |
000028 |     MISSION_AIRDROP,
000029 |     MISSION_HORDE,
000030 |     MISSION_AI
000031 | };
```

0052. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionArray.c

Size bytes: 3842

SHA-256: 12af0c557e1ab8b2254abc2909a779211a94ff366b6e07febe03cbfdffb91376

Decoded as: utf-8-sig

Line count shown: 183

Detected class declarations: 2

L13: class ExpansionArray<Class T>

L139: class ExpansionArrayTools<Class T1, Class T2>

Detected enum declarations: 0

Detected function/method-like declarations: 15

L19: void ExpansionArray(array<T> elements = null)

L29: void Clear()

L36: int Count()

L41: void Set(int n, T value)

L46: T Get(int n)

L51: int Insert(T element)

L56: void InsertAll(notnull array<T> from)

L64: int InsertAt(T element, int index)

L70: T GetQuasiRandomElementAvoidRepetition()

L92: T GetRandomElement()

L97: void Each(ScriptCaller callback, bool reverse = false)

L102: static void Each(array<T> elements, ScriptCaller callback, bool reverse = false)

L129: static void RefCopy(array<ref T> from, array<ref T> to)

L146: static void InsertAll_DownCast(array<T1> from, array<T2> to)

L167: static void InsertAll_UpCast(array<T1> from, array<T2> to)

Full file content

```
000001 | /**
000002 |  * ExpansionStatic.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionArray<Class T>
000014 | {
000015 |     protected ref array<T> m_Elements;
000016 |     protected ref TIntArray m_Indexes;
000017 |     protected int m_LastSelectedIdx;
000018 |
000019 |     void ExpansionArray(array<T> elements = null)
000020 |     {
000021 |         if (elements)
000022 |             m_Elements = elements;
000023 |         else
000024 |             m_Elements = new array<T>;
000025 |         m_Indexes = new TIntArray;
000026 |         m_LastSelectedIdx = -1;
000027 |     }
000028 |
000029 |     void Clear()
000030 |     {
000031 |         m_Elements.Clear();
```

```
000032 |         m_Indexes.Clear();
000033 |         m_LastSelectedIdx = -1;
000034 |     }
000035 |
000036 |     int Count()
000037 |     {
000038 |         return m_Elements.Count();
000039 |     }
000040 |
000041 |     void Set(int n, T value)
000042 |     {
000043 |         m_Elements[n] = value;
000044 |     }
000045 |
000046 |     T Get(int n)
000047 |     {
000048 |         return m_Elements[n];
000049 |     }
000050 |
000051 |     int Insert(T element)
000052 |     {
000053 |         return m_Elements.Insert(element);
000054 |     }
000055 |
000056 |     void InsertAll(notnull array<T> from)
000057 |     {
000058 |         foreach (T element: from)
000059 |         {
000060 |             Insert(element);
000061 |         }
000062 |     }
000063 |
000064 |     int InsertAt(T element, int index)
000065 |     {
000066 |         return m_Elements.InsertAt(element, index);
000067 |     }
000068 |
000069 |     //! Get a quasi-random element, preferring ones that haven't been picked yet
000070 |     T GetQuasiRandomElementAvoidRepetition()
000071 |     {
000072 |         //EXPrint(ToString() + "::GetQuasiRandomElementAvoidRepetition");
000073 |         if (!m_Indexes.Count())
000074 |         {
000075 |             //EXPrint(ToString() + "::GetQuasiRandomElementAvoidRepetition - resetting");
000076 |             for (int i = 0; i < m_Elements.Count(); i++)
000077 |             {
000078 |                 if (m_LastSelectedIdx > 0 && i == m_LastSelectedIdx)
000079 |                     continue;
000080 |                 m_Indexes.Insert(i);
000081 |             }
000082 |         }
000083 |
000084 |         m_LastSelectedIdx = m_Indexes.GetRandomIndex();
000085 |         T element = m_Elements[m_Indexes[m_LastSelectedIdx]];
000086 |
000087 |         m_Indexes.Remove(m_LastSelectedIdx);
000088 |
000089 |         return element;
000090 |     }
000091 |
000092 |     T GetRandomElement()
000093 |     {
```

```
000094 |         return m_Elements.GetRandomElement();
000095 |     }
000096 |
000097 |     void Each(ScriptCaller callback, bool reverse = false)
000098 |     {
000099 |         Each(m_Elements, callback, reverse);
000100 |     }
000101 |
000102 |     static void Each(array<T> elements, ScriptCaller callback, bool reverse = false)
000103 |     {
000104 |         ///! @note: Enforce garbage collects references to function arguments inside loops after the first iteration,
000105 |         ///! so we have to assign a local variable and use that instead to avoid premature garbage collection
000106 |         ScriptCaller localCallback = callback;
000107 |
000108 |         int count = elements.Count();
000109 |         int i, delta;
000110 |
000111 |         if (reverse)
000112 |         {
000113 |             i = count - 1;
000114 |             delta = -1;
000115 |         }
000116 |         else
000117 |         {
000118 |             i = 0;
000119 |             delta = 1;
000120 |         }
000121 |
000122 |         while (count-->0)
000123 |         {
000124 |             localCallback.Invoke(elements[i]);
000125 |             i += delta;
000126 |         }
000127 |     }
000128 |
000129 |     static void RefCopy(array<ref T> from, array<ref T> to)
000130 |     {
000131 |         to.Clear();
000132 |         foreach (T value: from)
000133 |         {
000134 |             to.Insert(value);
000135 |         }
000136 |     }
000137 | }
000138 |
000139 | class ExpansionArrayTools<Class T1, Class T2>
000140 | {
000141 |     /**
000142 |     * @brief Insert all values from source array `from` down-casted to T2 into destination array `to`
000143 |     *
000144 |     * @note No typechecking on values is done, if a value from source array cannot be cast to T2, null will be inserted instead
000145 |     */
000146 |     static void InsertAll_DownCast(array<T1> from, array<T2> to)
000147 |     {
000148 |         typename t1 = T1;
000149 |         typename t2 = T2;
000150 |         if (!t2.IsInherited(t1))
000151 |         {
000152 |             Error("'" + t1 + "' cannot be down-casted to '" + t2 + "'");
000153 |             return;
000154 |         }
000155 |     }
```



```
000156 |         foreach (T1 value1: from)
000157 |         {
000158 |             T2 value2;
000159 |             Class.CastTo(value2, value1);
000160 |             to.Insert(value2);
000161 |         }
000162 |     }
000163 |
000164 | /**
000165 |  * @brief Insert all values from source array `from` up-casted to T2 into destination array `to`
000166 |  */
000167 | static void InsertAll_UpCast(array<T1> from, array<T2> to)
000168 | {
000169 |     typename t1 = T1;
000170 |     typename t2 = T2;
000171 |     if (!t1.IsInherited(t2))
000172 |     {
000173 |         Error("'" + t1 + "' cannot be up-casted to '" + t2 + "'");
000174 |         return;
000175 |     }
000176 |
000177 |     foreach (T1 value: from)
000178 |     {
000179 |         to.Insert(value);
000180 |     }
000181 | }
000182 | }
000183 |
```

0053. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionBitStream.c
Size bytes: 32494
SHA-256: 22f5c959a4d603de8fd1fa68154568773a06e512463519cd977f1bf6cffbadd7
Decoded as: utf-8-sig
Line count shown: 1494
Detected class declarations: 6
  L59: class ExpansionBitStream
  L346: class ExpansionBitStreamWriter: ExpansionBitStream
  L405: class ExpansionBitStreamWriterT<Class T>: ExpansionBitStreamWriter
  L776: class ExpansionBitStreamReader: ExpansionBitStream
  L835: class ExpansionBitStreamReaderT<Class T>: ExpansionBitStreamReader
  L1241: class ExpansionArraySerializer
Detected enum declarations: 0
Detected function/method-like declarations: 80
  L72: static int BitSize(int value)
  L82: static int FloatToFP16(float value)
  L163: static float FP16ToFloat(int value)
  L218: static int Pack(int value, int bits, inout int shift)
  L237: static TIntArray Pack(string value, int bits, string alphabet)
  L258: static int Unpack(int packed, int bits, inout int shift)
  L277: static string Unpack(TIntArray packedValues, int bits, string alphabet)
  L289: static void Test()
  L348: void WriteUInt(int value, int bits);
  L350: void Write(int value, int bits);
  L352: void Write(int value, int min, int max);
  L354: void WriteBool(bool value);
  L356: void WriteChar(int value);
  L358: void WriteUChar(int value);
  L360: void WriteShort(int value);
  L362: void WriteUShort(int value);
  L364: void Write(float value, int bits);
  L366: void WriteHalf(float value);
  L368: void Write(vector value, int bits);
  L370: void WriteHalf(vector value);
  L372: void Write(string value, int bits);
  L374: void Write(string value, int bits, string alphabet);
  L376: void WriteClassName(string value);
  L378: void WriteClassNameLower(string value);
  L380: void Flush();
  L384: void Write(bool value);
  L386: void Write(int value);
  L388: void Write(float value);
  L390: void Write(vector value);
  L392: void Write(string value);
  L394: void Write(TBoolArray values);
  L396: void Write(TIntArray values);
  L398: void Write(TFloatArray values);
  L400: void Write(TStringArray values);
  L402: void Write(TVectorArray values);
  L409: void ExpansionBitStreamWriterT(T serializer)
  L414: static void WriteUInt(T serializer, int value, int bits, inout int packed, inout int packedBits)
  L464: static void Write(T serializer, int value, int bits, inout int packed, inout int packedBits)
  L475: static void Write(T serializer, int value, int min, int max, inout int packed, inout int packedBits)
  L480: static void WriteBool(T serializer, bool value, inout int packed, inout int packedBits)
  L486: static void WriteChar(T serializer, int value, inout int packed, inout int packedBits)
  L491: static void WriteUChar(T serializer, int value, inout int packed, inout int packedBits)
  L496: static void WriteShort(T serializer, int value, inout int packed, inout int packedBits)
  L501: static void WriteUShort(T serializer, int value, inout int packed, inout int packedBits)
```

```

L506: static void Write(T serializer, float value, int bits, inout int packed, inout int packedBits)
L512: static void WriteHalf(T serializer, float value, inout int packed, inout int packedBits)
L518: static void Write(T serializer, vector value, int bits, inout int packed, inout int packedBits)
L527: static void WriteHalf(T serializer, vector value, inout int packed, inout int packedBits)
L536: static void Write(T serializer, string value, int bits, inout int packed, inout int packedBits)
L564: static void Write(T serializer, string value, int bits, string alphabet, inout int packed, inout int packedBits)
L602: static void WriteClassName(T serializer, string value, inout int packed, inout int packedBits)
L612: static void WriteClassNameLower(T serializer, string value, inout int packed, inout int packedBits)
L620: static void Flush(T serializer, inout int packed, inout int packedBits)
L631: override void Write(int value, int bits)
L636: override void WriteUInt(int value, int bits)
L644: override void Write(int value, int min, int max)
L649: override void WriteBool(bool value)
L654: override void WriteChar(int value)
L659: override void WriteUChar(int value)
L664: override void WriteShort(int value)
L669: override void WriteUShort(int value)
L674: override void Write(float value, int bits)
L680: override void WriteHalf(float value)
L685: override void Write(vector value, int bits)
L691: override void WriteHalf(vector value)
L697: override void Write(string value, int bits)
L703: override void Write(string value, int bits, string alphabet)
L708: override void WriteClassName(string value)
L713: override void WriteClassNameLower(string value)
L718: override void Flush()
L725: override void Write(bool value)
L730: override void Write(int value)
L735: override void Write(float value)
L740: override void Write(vector value)
L745: override void Write(string value)
L750: override void Write(TBoolArray values)
L755: override void Write(TIntArray values)
L760: override void Write(TFloatArray values)
L765: override void Write(TStringArray values)
L770: override void Write(TVectorArray values)
... detector capped this preview at 80 entries; full code follows.

```

Full file content

```

000001 | /**
000002 |  * @brief Bit streams with packing/unpacking
000003 |  *
000004 |  * @code
000005 |  *   auto ctx = new ScriptReadWriteContext();
000006 |  *
000007 |  *   // Writing
000008 |  *   auto writer = new ExpansionBitStreamSerializerWriter(ctx.GetWriteContext());
000009 |  *
000010 |  *   bool   b = true;
000011 |  *   int    i = 123;
000012 |  *   int    j = -64;
000013 |  *   string s = "test";
000014 |  *   float  f = 0.123456789;
000015 |  *   vector v = Vector(7500.75, 250.25, 5000.5);
000016 |  *
000017 |  *   writer.WriteBool(b);
000018 |  *   writer.WriteUInt(i, 7);
000019 |  *   writer.Write(j, 7);
000020 |  *   writer.WriteHalf(f); // fp16 (4 digits of precision for [0..1], range +/- 65504)
000021 |  *   writer.Write(f, 16); // bFloat16 (3 digits of precision for [0..1], range +/- 3.39e+38)
000022 |  *   writer.Write(s, 3);

```

```
000023 | * writer.Write(v, 24);
000024 | * writer.Flush();
000025 | *
000026 | * // Reading
000027 | * auto reader = new ExpansionBitStreamSerializerReader(ctx.GetReadContext());
000028 | *
000029 | * bool b;
000030 | * int i;
000031 | * int j;
000032 | * string s;
000033 | * float f;
000034 | * vector v;
000035 | *
000036 | * if (reader.ReadBool(b)) Print(b);
000037 | * >> bool b = true
000038 | *
000039 | * if (reader.ReadUInt(i, 7)) Print(i);
000040 | * >> int i = 123
000041 | *
000042 | * if (reader.Read(j, 7)) Print(j);
000043 | * >> int j = -64
000044 | *
000045 | * if (reader.ReadHalf(f)) Print(f);
000046 | * >> float f = 0.123474
000047 | *
000048 | * if (reader.Read(f, 16)) Print(f);
000049 | * >> float f = 0.123047
000050 | *
000051 | * if (reader.Read(s, 3)) Print(s);
000052 | * >> string test = 'Test'
000053 | *
000054 | * if (reader.Read(v, 24)) Print(v);
000055 | * >> vector v = {7500.75, 250.25, 5000.5}
000056 | * @endcode
000057 | */
000058 |
000059 | class ExpansionBitStream
000060 | {
000061 |     static const string CLASSNAME_ALPHABET = "0123456789ABCDEFGHIJKLMNOPQRSTUVWXYZ_abcdefghijklmnopqrstuvwxyz";
000062 |     static const string CLASSNAME_ALPHABET_LOWERCASE = "0123456789_abcdefghijklmnopqrstuvwxyz";
000063 |
000064 |     int m_Packed;
000065 |     int m_PackedBits;
000066 |
000067 |     /**
000068 |      * @brief Bit size of integer value
000069 |      *
000070 |      * @return Number of bits
000071 |      */
000072 |     static int BitSize(int value)
000073 |     {
000074 |         return Math.Log2(value) + 1;
000075 |     }
000076 |
000077 |     /**
000078 |      * @brief float to fp16
000079 |      *
000080 |      * @note this version implements round-to-nearest for simplicity sake
000081 |      */
000082 |     static int FloatToFP16(float value)
000083 |     {
000084 |         int v = CF_Cast<float, int>.Reinterpret(value);
```

```
000085 |
000086 | int sign = (v >> 16) & 0x8000;
000087 | int exponent = (v >> 23) & 0xff;
000088 | int mantissa = v & 0x007fffff;
000089 |
000090 | if (exponent == 0xff)
000091 | {
000092 |     if (mantissa != 0)
000093 |     {
000094 |         //! NaN
000095 |
000096 |         mantissa = (mantissa >> 13) & 0x03ff;
000097 |
000098 |         if (mantissa == 0)
000099 |             mantissa = 0x0200; //! Quiet-NaN
000100 |
000101 |         return sign | 0x7c00 | mantissa;
000102 |     }
000103 |
000104 |     //! Infinity
000105 |     return sign | 0x7c00;
000106 | }
000107 |
000108 | //! Account for different exponent bias between float (127) and fp16 (15)
000109 | exponent -= 112; //! 127 - 15
000110 |
000111 | if (exponent <= 0)
000112 | {
000113 |     if (exponent < -10)
000114 |         return sign; //! Signed zero
000115 |
000116 |     //! Subnormal
000117 |
000118 |     mantissa |= 0x00800000; //! 1.xxxxx in float mantissa (24 bits)
000119 |
000120 |     int shift = 1 - exponent; //! Shift needed to make it subnormal
000121 |
000122 |     //! Round to nearest
000123 |     int round = 1 << (shift - 1);
000124 |     mantissa = (mantissa + round) >> shift;
000125 |
000126 |     mantissa = (mantissa >> 13) & 0x03ff;
000127 |
000128 |     return sign | mantissa;
000129 | }
000130 |
000131 | if (exponent >= 31)
000132 | {
000133 |     //! Overflow to infinity
000134 |     return sign | 0x7c00;
000135 | }
000136 |
000137 | //! Normal
000138 |
000139 | //! Add rounding bit (1 << 12) before shifting to get round-to-nearest
000140 | mantissa = mantissa + 0x00001000;
000141 |
000142 | //! If rounding caused mantissa overflow (i.e., 0x00800000 bit set),
000143 | //! increment exponent accordingly
000144 | //! (@note mantissa overflow bit is cleared implicitly by bitshifting and bitmasking later)
000145 | if ((mantissa & 0x00800000) != 0)
000146 |     exponent += 1;
```

```
000147 |
000148 |     if (exponent >= 31)
000149 |     {
000150 |         ///! Overflow to infinity
000151 |         return sign | 0x7c00;
000152 |     }
000153 |
000154 |     exponent = (exponent & 0x1f) << 10;
000155 |     mantissa = (mantissa >> 13) & 0x03ff;
000156 |
000157 |     return sign | exponent | mantissa;
000158 | }
000159 |
000160 | /**
000161 |  * @brief fp16 to float
000162 |  */
000163 | static float FP16ToFloat(int value)
000164 | {
000165 |     int sign = (value >> 15) & 0x00000001;
000166 |     int exponent = (value >> 10) & 0x1f;
000167 |     int mantissa = value & 0x03ff;
000168 |
000169 |     if (exponent == 0)
000170 |     {
000171 |         if (mantissa == 0)
000172 |         {
000173 |             ///! Signed zero
000174 |             return CF_Cast<int, float>.Reinterpret(sign << 31);
000175 |         }
000176 |
000177 |         ///! Subnormal
000178 |
000179 |         float f = mantissa * 0.000000059604644775390625; ///! 2^-24
000180 |
000181 |         if (sign)
000182 |             return -f;
000183 |
000184 |         return f;
000185 |     }
000186 |
000187 |     if (exponent == 31)
000188 |     {
000189 |         if (mantissa == 0)
000190 |         {
000191 |             ///! Infinity
000192 |             return CF_Cast<int, float>.Reinterpret((sign << 31) | 0x7f800000);
000193 |         }
000194 |         else
000195 |         {
000196 |             ///! NaN
000197 |             return CF_Cast<int, float>.Reinterpret((sign << 31) | 0x7f800000 | (mantissa << 13));
000198 |         }
000199 |     }
000200 |
000201 |     ///! Normal
000202 |
000203 |     ///! Account for different exponent bias between float (127) and fp16 (15)
000204 |     exponent -= 112; ///! 15 - 127
000205 |
000206 |     return CF_Cast<int, float>.Reinterpret((sign << 31) | (exponent << 23) | (mantissa << 13));
000207 | }
000208 |
```

```
000209 | /**
000210 |  * @brief pack value into <n> bits
000211 |  *
000212 |  * @param value
000213 |  * @param bits
000214 |  * @param [inout] shift
000215 |  *
000216 |  * @return Packed value
000217 |  */
000218 | static int Pack(int value, int bits, inout int shift)
000219 | {
000220 |     if (bits < 1 || bits > BIT_INT_SIZE || shift + bits > BIT_INT_SIZE)
000221 |     {
000222 |         CF.FormatError("Invalid value %1 for parameter `bits`: Out of range [1..%2]", bits.ToString(), BIT_INT_SIZE.ToString());
000223 |         return 0;
000224 |     }
000225 |
000226 |     int packed = (value & ((1 << bits) - 1)) << shift;
000227 |     shift += bits;
000228 |
000229 |     return packed;
000230 | }
000231 |
000232 | /**
000233 |  * @brief Encode string to TIntArray
000234 |  *
000235 |  * @note bits is used to encode string length, not characters!
000236 |  */
000237 | static TIntArray Pack(string value, int bits, string alphabet)
000238 | {
000239 |     int packed;
000240 |     int packedBits;
000241 |     ExpansionArraySerializer serializer = new ExpansionArraySerializer;
000242 |
000243 |     ExpansionBitStreamArrayWriter.Write(serializer, value, bits, alphabet, packed, packedBits);
000244 |     ExpansionBitStreamArrayWriter.Flush(serializer, packed, packedBits);
000245 |
000246 |     return serializer.m_Data;
000247 | }
000248 |
000249 | /**
000250 |  * @brief Unpack value from <n> bits of packed value
000251 |  *
000252 |  * @param packed
000253 |  * @param bits
000254 |  * @param [inout] shift
000255 |  *
000256 |  * @return Unpacked value
000257 |  */
000258 | static int Unpack(int packed, int bits, inout int shift)
000259 | {
000260 |     if (bits < 1 || bits > BIT_INT_SIZE || shift + bits > BIT_INT_SIZE)
000261 |     {
000262 |         CF.FormatError("Invalid value %1 for parameter `bits`: Out of range [1..%2]", bits.ToString(), BIT_INT_SIZE.ToString());
000263 |         return 0;
000264 |     }
000265 |
000266 |     int value = (packed >> shift) & ((1 << bits) - 1);
000267 |     shift += bits;
000268 |
000269 |     return value;
000270 | }
```

```
000271 |  
000272 | /**  
000273 |  * @brief Decode TIntArray to string  
000274 |  *  
000275 |  * @note bits is used to encode string length, not characters!  
000276 |  */  
000277 | static string Unpack(TIntArray packedValues, int bits, string alphabet)  
000278 | {  
000279 |     int packed;  
000280 |     int packedBits;  
000281 |     ExpansionArraySerializer serializer = new ExpansionArraySerializer(packedValues);  
000282 |     string value;  
000283 |  
000284 |     ExpansionBitStreamArrayReader.Read(serializer, value, bits, alphabet, packed, packedBits);  
000285 |  
000286 |     return value;  
000287 | }  
000288 |  
000289 | static void Test()  
000290 | {  
000291 |     auto ctx = new ScriptReadWriteContext();  
000292 |  
000293 |     auto writer = new ExpansionBitStreamSerializerWriter(ctx.GetWriteContext());  
000294 |  
000295 |     bool    b = true;  
000296 |     int     i = 123;  
000297 |     int     j = -64;  
000298 |     int     k = 255;  
000299 |     int     l = -128;  
000300 |     int     m = 65535;  
000301 |     int     n = -32768;  
000302 |     float   f = 0.123456789;  
000303 |     string  s = "test";  
000304 |     vector  v = Vector(7500.75, 250.25, 5000.5);  
000305 |  
000306 |     writer.WriteBool(b);  
000307 |     writer.WriteUInt(i, 7);  
000308 |     writer.Write(j, 7);  
000309 |     writer.WriteUChar(k);  
000310 |     writer.WriteChar(l);  
000311 |     writer.WriteUShort(m);  
000312 |     writer.WriteShort(n);  
000313 |     writer.WriteHalf(f);  
000314 |     writer.Write(f, 16);  
000315 |     writer.Write(s, 3);  
000316 |     writer.Write(v, 24);  
000317 |     writer.Flush();  
000318 |  
000319 |     auto reader = new ExpansionBitStreamSerializerReader(ctx.GetReadContext());  
000320 |  
000321 |     b = false;  
000322 |     i = 0;  
000323 |     j = 0;  
000324 |     k = 0;  
000325 |     l = 0;  
000326 |     m = 0;  
000327 |     n = 0;  
000328 |     f = 0.0;  
000329 |     s = "";  
000330 |     v = vector.Zero;  
000331 |  
000332 |     if (reader.ReadBool(b)) Print(b);
```



```
000333 |         if (reader.ReadUInt(i, 7)) Print(i);
000334 |         if (reader.Read(j, 7)) Print(j);
000335 |         if (reader.ReadUChar(k)) Print(k);
000336 |         if (reader.ReadChar(l)) Print(l);
000337 |         if (reader.ReadUShort(m)) Print(m);
000338 |         if (reader.ReadShort(n)) Print(n);
000339 |         if (reader.ReadHalf(f)) Print(f);
000340 |         if (reader.Read(f, 16)) Print(f);
000341 |         if (reader.Read(s, 3)) Print(s);
000342 |         if (reader.Read(v, 24)) Print(v);
000343 |     }
000344 | }
000345 |
000346 | class ExpansionBitStreamWriter: ExpansionBitStream
000347 | {
000348 |     void WriteUInt(int value, int bits);
000349 |
000350 |     void Write(int value, int bits);
000351 |
000352 |     void Write(int value, int min, int max);
000353 |
000354 |     void WriteBool(bool value);
000355 |
000356 |     void WriteChar(int value);
000357 |
000358 |     void WriteUChar(int value);
000359 |
000360 |     void WriteShort(int value);
000361 |
000362 |     void WriteUShort(int value);
000363 |
000364 |     void Write(float value, int bits);
000365 |
000366 |     void WriteHalf(float value);
000367 |
000368 |     void Write(vector value, int bits);
000369 |
000370 |     void WriteHalf(vector value);
000371 |
000372 |     void Write(string value, int bits);
000373 |
000374 |     void Write(string value, int bits, string alphabet);
000375 |
000376 |     void WriteClassName(string value);
000377 |
000378 |     void WriteClassNameLower(string value);
000379 |
000380 |     void Flush();
000381 |
000382 |     /* Pass through write ----- */
000383 |
000384 |     void Write(bool value);
000385 |
000386 |     void Write(int value);
000387 |
000388 |     void Write(float value);
000389 |
000390 |     void Write(vector value);
000391 |
000392 |     void Write(string value);
000393 |
000394 |     void Write(TBoolArray values);
```

```
000395 |
000396 |     void Write(TIntArray values);
000397 |
000398 |     void Write(TFloatArray values);
000399 |
000400 |     void Write(TStringArray values);
000401 |
000402 |     void Write(TVectorArray values);
000403 | }
000404 |
000405 | class ExpansionBitStreamWriterT<Class T>: ExpansionBitStreamWriter
000406 | {
000407 |     T m_Serializer;
000408 |
000409 |     void ExpansionBitStreamWriterT(T serializer)
000410 |     {
000411 |         m_Serializer = serializer;
000412 |     }
000413 |
000414 |     static void WriteUInt(T serializer, int value, int bits, inout int packed, inout int packedBits)
000415 |     {
000416 |         if (bits < 1 || bits > BIT_INT_SIZE)
000417 |         {
000418 |             CF.FormatError("Invalid value %1 for parameter `bits`: Out of range [1..%2]", bits.ToString(), BIT_INT_SIZE.ToString());
000419 |             return;
000420 |         }
000421 |
000422 |         if (bits < BIT_INT_SIZE)
000423 |             value &= ((1 << bits) - 1);
000424 |
000425 |         int remainingBits = bits;
000426 |
000427 |         while (remainingBits > 0)
000428 |         {
000429 |             int free = BIT_INT_SIZE - packedBits;
000430 |
000431 |             if (free <= 0)
000432 |             {
000433 |                 CF.FormatError("Something went terribly wrong. free = %1", free.ToString());
000434 |                 Flush(serializer, packed, packedBits);
000435 |                 return;
000436 |             }
000437 |
000438 |             int chunkBits;
000439 |
000440 |             if (remainingBits < free)
000441 |                 chunkBits = remainingBits;
000442 |             else
000443 |                 chunkBits = free;
000444 |
000445 |             int chunk = value;
000446 |
000447 |             if (chunkBits < BIT_INT_SIZE)
000448 |                 chunk &= ((1 << chunkBits) - 1);
000449 |
000450 |             packed |= (chunk << packedBits);
000451 |             packedBits += chunkBits;
000452 |
000453 |             value >>= chunkBits;
000454 |             remainingBits -= chunkBits;
000455 |
000456 |             if (packedBits == BIT_INT_SIZE)
```

```
000457 |         Flush(serializer, packed, packedBits);
000458 |     }
000459 | }
000460 |
000461 | /**
000462 |  * @brief Write signed integer packed into <n> bits
000463 |  */
000464 | static void Write(T serializer, int value, int bits, inout int packed, inout int packedBits)
000465 | {
000466 |     if (bits < BIT_INT_SIZE)
000467 |         value += Math.Pow(2, bits - 1);
000468 |
000469 |     WriteUInt(serializer, value, bits, packed, packedBits);
000470 | }
000471 |
000472 | /**
000473 |  * @brief Optimized writing of integer in range [min..max]
000474 |  */
000475 | static void Write(T serializer, int value, int min, int max, inout int packed, inout int packedBits)
000476 | {
000477 |     WriteUInt(serializer, value - min, BitSize(max - min), packed, packedBits);
000478 | }
000479 |
000480 | static void WriteBool(T serializer, bool value, inout int packed, inout int packedBits)
000481 | {
000482 |     int v = value;
000483 |     WriteUInt(serializer, v, 1, packed, packedBits);
000484 | }
000485 |
000486 | static void WriteChar(T serializer, int value, inout int packed, inout int packedBits)
000487 | {
000488 |     WriteUInt(serializer, value + 128, 8, packed, packedBits);
000489 | }
000490 |
000491 | static void WriteUChar(T serializer, int value, inout int packed, inout int packedBits)
000492 | {
000493 |     WriteUInt(serializer, value, 8, packed, packedBits);
000494 | }
000495 |
000496 | static void WriteShort(T serializer, int value, inout int packed, inout int packedBits)
000497 | {
000498 |     WriteUInt(serializer, value + 32768, 16, packed, packedBits);
000499 | }
000500 |
000501 | static void WriteUShort(T serializer, int value, inout int packed, inout int packedBits)
000502 | {
000503 |     WriteUInt(serializer, value, 16, packed, packedBits);
000504 | }
000505 |
000506 | static void Write(T serializer, float value, int bits, inout int packed, inout int packedBits)
000507 | {
000508 |     WriteUInt(serializer, CF_Cast<float, int>.Reinterpret(value) >> (BIT_INT_SIZE - bits), bits, packed, packedBits);
000509 | }
000510 |
000511 | //! @note converts float to fp16
000512 | static void WriteHalf(T serializer, float value, inout int packed, inout int packedBits)
000513 | {
000514 |     int fp16 = FloatToFP16(value);
000515 |     WriteUInt(serializer, fp16, 16, packed, packedBits);
000516 | }
000517 |
000518 | static void Write(T serializer, vector value, int bits, inout int packed, inout int packedBits)
```

```
000519 | {
000520 |     for (int i = 0; i < 3; ++i)
000521 |     {
000522 |         Write(serializer, value[i], bits, packed, packedBits);
000523 |     }
000524 | }
000525 |
000526 | //! @note converts float to fp16
000527 | static void WriteHalf(T serializer, vector value, inout int packed, inout int packedBits)
000528 | {
000529 |     for (int i = 0; i < 3; ++i)
000530 |     {
000531 |         WriteHalf(serializer, value[i], packed, packedBits);
000532 |     }
000533 | }
000534 |
000535 | //! @note bits is used to encode string length, not characters!
000536 | static void Write(T serializer, string value, int bits, inout int packed, inout int packedBits)
000537 | {
000538 |     int length = value.Length();
000539 |
000540 |     if (bits < BIT_INT_SIZE)
000541 |     {
000542 |         int maxLength = Math.Pow(2, bits) - 1;
000543 |
000544 |         if (length > maxLength)
000545 |         {
000546 |             CF.FormatError("string length %1 exceeds maximum %2 according to given bits %3", length.ToString(), maxLength.ToString(), bits.ToString());
000547 |             length = maxLength;
000548 |         }
000549 |     }
000550 |
000551 |     WriteUInt(serializer, length, bits, packed, packedBits);
000552 |
000553 |     for (int i = 0; i < length; ++i)
000554 |     {
000555 |         WriteUInt(serializer, value[i].ToAscii(), 8, packed, packedBits);
000556 |     }
000557 | }
000558 |
000559 | /**
000560 |  * @brief Optimized writing of string consisting of characters in <alphabet>
000561 |  *
000562 |  * @note bits is used to encode string length, not characters!
000563 |  */
000564 | static void Write(T serializer, string value, int bits, string alphabet, inout int packed, inout int packedBits)
000565 | {
000566 |     int length = value.Length();
000567 |
000568 |     if (bits < BIT_INT_SIZE)
000569 |     {
000570 |         int maxLength = Math.Pow(2, bits) - 1;
000571 |
000572 |         if (length > maxLength)
000573 |         {
000574 |             CF.FormatError("string length %1 exceeds maximum %2 according to given bits %3", length.ToString(), maxLength.ToString(), bits.ToString());
000575 |             length = maxLength;
000576 |         }
000577 |     }
000578 |
000579 |     WriteUInt(serializer, length, bits, packed, packedBits);
000580 | }
```

```
000581 |         int alphabetBits = BitSize(alphabet.Length());
000582 |
000583 |         for (int i = 0; i < length; ++i)
000584 |         {
000585 |             int v = alphabet.IndexOf(value[i]);
000586 |
000587 |             if (v == -1)
000588 |             {
000589 |                 CF.FormatError("Invalid character '%1' at index %2", value[i], i.ToString());
000590 |                 v = 0;
000591 |             }
000592 |
000593 |             WriteUInt(serializer, v, alphabetBits, packed, packedBits);
000594 |         }
000595 |     }
000596 |
000597 | /**
000598 |  * @brief Optimized writing of classname (5 characters fit into 4 bytes)
000599 |  *
000600 |  * @note Length is limited to 127 characters
000601 |  */
000602 | static void WriteClassName(T serializer, string value, inout int packed, inout int packedBits)
000603 | {
000604 |     Write(serializer, value, 7, CLASSNAME_ALPHABET, packed, packedBits);
000605 | }
000606 |
000607 | /**
000608 |  * @brief Optimized writing of lowercase classname (5 characters fit into 4 bytes)
000609 |  *
000610 |  * @note Length is limited to 127 characters
000611 |  */
000612 | static void WriteClassNameLower(T serializer, string value, inout int packed, inout int packedBits)
000613 | {
000614 |     Write(serializer, value, 7, CLASSNAME_ALPHABET_LOWERCASE, packed, packedBits);
000615 | }
000616 |
000617 | /**
000618 |  * @brief Flush remaining packed bits (if any) to serializer
000619 |  */
000620 | static void Flush(T serializer, inout int packed, inout int packedBits)
000621 | {
000622 |     if (packedBits > 0)
000623 |     {
000624 |         serializer.Write(packed);
000625 |
000626 |         packed = 0;
000627 |         packedBits = 0;
000628 |     }
000629 | }
000630 |
000631 | override void Write(int value, int bits)
000632 | {
000633 |     Write(m_Serializer, value, bits, m_Packed, m_PackedBits);
000634 | }
000635 |
000636 | override void WriteUInt(int value, int bits)
000637 | {
000638 |     WriteUInt(m_Serializer, value, bits, m_Packed, m_PackedBits);
000639 | }
000640 |
000641 | /**
000642 |  * @brief Optimized writing of integer in range [min..max]
```

```
000643 | */
000644 | override void Write(int value, int min, int max)
000645 | {
000646 |     Write(m_Serializer, value, min, max, m_Packed, m_PackedBits);
000647 | }
000648 |
000649 | override void WriteBool(bool value)
000650 | {
000651 |     WriteBool(m_Serializer, value, m_Packed, m_PackedBits);
000652 | }
000653 |
000654 | override void WriteChar(int value)
000655 | {
000656 |     WriteChar(m_Serializer, value, m_Packed, m_PackedBits);
000657 | }
000658 |
000659 | override void WriteUChar(int value)
000660 | {
000661 |     WriteUChar(m_Serializer, value, m_Packed, m_PackedBits);
000662 | }
000663 |
000664 | override void WriteShort(int value)
000665 | {
000666 |     WriteShort(m_Serializer, value, m_Packed, m_PackedBits);
000667 | }
000668 |
000669 | override void WriteUShort(int value)
000670 | {
000671 |     WriteUShort(m_Serializer, value, m_Packed, m_PackedBits);
000672 | }
000673 |
000674 | override void Write(float value, int bits)
000675 | {
000676 |     Write(m_Serializer, value, bits, m_Packed, m_PackedBits);
000677 | }
000678 |
000679 | //! @note converts float to fp16
000680 | override void WriteHalf(float value)
000681 | {
000682 |     WriteHalf(m_Serializer, value, m_Packed, m_PackedBits);
000683 | }
000684 |
000685 | override void Write(vector value, int bits)
000686 | {
000687 |     Write(m_Serializer, value, bits, m_Packed, m_PackedBits);
000688 | }
000689 |
000690 | //! @note converts float to fp16
000691 | override void WriteHalf(vector value)
000692 | {
000693 |     WriteHalf(m_Serializer, value, m_Packed, m_PackedBits);
000694 | }
000695 |
000696 | //! @note bits is used to encode string length, not characters!
000697 | override void Write(string value, int bits)
000698 | {
000699 |     Write(m_Serializer, value, bits, m_Packed, m_PackedBits);
000700 | }
000701 |
000702 | //! @note bits is used to encode string length, not characters!
000703 | override void Write(string value, int bits, string alphabet)
000704 | {
```

```
000705 |         Write(m_Serializer, value, bits, alphabet, m_Packed, m_PackedBits);
000706 |     }
000707 |
000708 |     override void WriteClassName(string value)
000709 |     {
000710 |         WriteClassName(m_Serializer, value, m_Packed, m_PackedBits);
000711 |     }
000712 |
000713 |     override void WriteClassNameLower(string value)
000714 |     {
000715 |         WriteClassNameLower(m_Serializer, value, m_Packed, m_PackedBits);
000716 |     }
000717 |
000718 |     override void Flush()
000719 |     {
000720 |         Flush(m_Serializer, m_Packed, m_PackedBits);
000721 |     }
000722 |
000723 |     /* Pass through write ----- */
000724 |
000725 |     override void Write(bool value)
000726 |     {
000727 |         m_Serializer.Write(value);
000728 |     }
000729 |
000730 |     override void Write(int value)
000731 |     {
000732 |         m_Serializer.Write(value);
000733 |     }
000734 |
000735 |     override void Write(float value)
000736 |     {
000737 |         m_Serializer.Write(value);
000738 |     }
000739 |
000740 |     override void Write(vector value)
000741 |     {
000742 |         m_Serializer.Write(value);
000743 |     }
000744 |
000745 |     override void Write(string value)
000746 |     {
000747 |         m_Serializer.Write(value);
000748 |     }
000749 |
000750 |     override void Write(TBoolArray values)
000751 |     {
000752 |         m_Serializer.Write(values);
000753 |     }
000754 |
000755 |     override void Write(TIntArray values)
000756 |     {
000757 |         m_Serializer.Write(values);
000758 |     }
000759 |
000760 |     override void Write(TFloatArray values)
000761 |     {
000762 |         m_Serializer.Write(values);
000763 |     }
000764 |
000765 |     override void Write(TStringArray values)
000766 |     {
```

```
000767 |         m_Serializer.Write(values);
000768 |     }
000769 |
000770 |     override void Write(TVectorArray values)
000771 |     {
000772 |         m_Serializer.Write(values);
000773 |     }
000774 | }
000775 |
000776 | class ExpansionBitStreamReader: ExpansionBitStream
000777 | {
000778 |     bool ReadUInt(out int value, int bits);
000779 |
000780 |     bool Read(out int value, int bits);
000781 |
000782 |     bool Read(out int value, int min, int max);
000783 |
000784 |     bool ReadBool(out bool value);
000785 |
000786 |     bool ReadChar(out int value);
000787 |
000788 |     bool ReadUChar(out int value);
000789 |
000790 |     bool ReadShort(out int value);
000791 |
000792 |     bool ReadUShort(out int value);
000793 |
000794 |     bool Read(out float value, int bits);
000795 |
000796 |     bool ReadHalf(out float value);
000797 |
000798 |     bool Read(out vector value, int bits);
000799 |
000800 |     bool ReadHalf(out vector value);
000801 |
000802 |     bool Read(out string value, int bits);
000803 |
000804 |     bool Read(out string value, int bits, string alphabet);
000805 |
000806 |     bool ReadClassName(out string value);
000807 |
000808 |     bool ReadClassNameLower(out string value);
000809 |
000810 |     void Reset();
000811 |
000812 |     /* Pass through read ----- */
000813 |
000814 |     bool Read(out bool value);
000815 |
000816 |     bool Read(out int value);
000817 |
000818 |     bool Read(out float value);
000819 |
000820 |     bool Read(out vector value);
000821 |
000822 |     bool Read(out string value);
000823 |
000824 |     bool Read(out TBoolArray values);
000825 |
000826 |     bool Read(out TIntArray values);
000827 |
000828 |     bool Read(out TFloatArray values);
```



```
000829 |
000830 |     bool Read(out TStringArray values);
000831 |
000832 |     bool Read(out TVectorArray values);
000833 | }
000834 |
000835 | class ExpansionBitStreamReader<Class T>: ExpansionBitStreamReader
000836 | {
000837 |     T m_Serializer;
000838 |
000839 |     void ExpansionBitStreamReaderT(T serializer)
000840 |     {
000841 |         m_Serializer = serializer;
000842 |     }
000843 |
000844 |     /**
000845 |      * @brief Read value from next <n> bits
000846 |      *
000847 |      * @param [out] value  Unpacked value
000848 |      * @param bits
000849 |      */
000850 |     static bool ReadUInt(T serializer, out int value, int bits, inout int packed, inout int packedBits)
000851 |     {
000852 |         if (bits < 1 || bits > BIT_INT_SIZE)
000853 |         {
000854 |             CF.FormatError("Invalid value %1 for parameter `bits`: Out of range [1..%2]", bits.ToString(), BIT_INT_SIZE.ToString());
000855 |             return false;
000856 |         }
000857 |
000858 |         value = 0;
000859 |
000860 |         int remainingBits = bits;
000861 |         int shift;
000862 |
000863 |         while (remainingBits > 0)
000864 |         {
000865 |             if (packedBits <= 0)
000866 |             {
000867 |                 if (!serializer.Read(packed))
000868 |                     return false;
000869 |
000870 |                 packedBits = BIT_INT_SIZE;
000871 |             }
000872 |
000873 |             int chunkBits;
000874 |
000875 |             if (remainingBits < packedBits)
000876 |                 chunkBits = remainingBits;
000877 |             else
000878 |                 chunkBits = packedBits;
000879 |
000880 |             int chunk = packed;
000881 |
000882 |             if (chunkBits < BIT_INT_SIZE)
000883 |                 chunk &= (1 << chunkBits) - 1;
000884 |
000885 |             value |= (chunk << shift);
000886 |
000887 |             packed >>= chunkBits;
000888 |             packedBits -= chunkBits;
000889 |
000890 |             shift += chunkBits;
```

```
000891 |         remainingBits -= chunkBits;
000892 |     }
000893 |
000894 |     if (bits < BIT_INT_SIZE)
000895 |         value &= ((1 << bits) - 1);
000896 |
000897 |     return true;
000898 | }
000899 |
000900 | static bool Read(T serializer, out int value, int bits, inout int packed, inout int packedBits)
000901 | {
000902 |     if (!ReadUInt(serializer, value, bits, packed, packedBits))
000903 |         return false;
000904 |
000905 |     if (bits < BIT_INT_SIZE)
000906 |         value -= Math.Pow(2, bits - 1);
000907 |
000908 |     return true;
000909 | }
000910 |
000911 | static bool Read(T serializer, out int value, int min, int max, inout int packed, inout int packedBits)
000912 | {
000913 |     if (!ReadUInt(serializer, value, BitSize(max - min), packed, packedBits))
000914 |         return false;
000915 |
000916 |     value += min;
000917 |
000918 |     return true;
000919 | }
000920 |
000921 | static bool ReadBool(T serializer, out bool value, inout int packed, inout int packedBits)
000922 | {
000923 |     int v;
000924 |
000925 |     if (!ReadUInt(serializer, v, 1, packed, packedBits))
000926 |         return false;
000927 |
000928 |     value = v;
000929 |
000930 |     return true;
000931 | }
000932 |
000933 | static bool ReadChar(T serializer, out int value, inout int packed, inout int packedBits)
000934 | {
000935 |     if (!ReadUInt(serializer, value, 8, packed, packedBits))
000936 |         return false;
000937 |
000938 |     value -= 128;
000939 |
000940 |     return true;
000941 | }
000942 |
000943 | static bool ReadUChar(T serializer, out int value, inout int packed, inout int packedBits)
000944 | {
000945 |     return ReadUInt(serializer, value, 8, packed, packedBits);
000946 | }
000947 |
000948 | static bool ReadShort(T serializer, out int value, inout int packed, inout int packedBits)
000949 | {
000950 |     if (!ReadUInt(serializer, value, 16, packed, packedBits))
000951 |         return false;
000952 | }
```

```
000953 |         value -= 32768;
000954 |
000955 |         return true;
000956 |     }
000957 |
000958 |     static bool ReadUShort(T serializer, out int value, inout int packed, inout int packedBits)
000959 |     {
000960 |         return ReadUInt(serializer, value, 16, packed, packedBits);
000961 |     }
000962 |
000963 |     static bool Read(T serializer, out float value, int bits, inout int packed, inout int packedBits)
000964 |     {
000965 |         int v;
000966 |
000967 |         if (!ReadUInt(serializer, v, bits, packed, packedBits))
000968 |             return false;
000969 |
000970 |         value = CF_Cast<int, float>.Reinterpret(v << (BIT_INT_SIZE - bits));
000971 |
000972 |         return true;
000973 |     }
000974 |
000975 |     ///! @note reads fp16 and converts to float
000976 |     static bool ReadHalf(T serializer, out float value, inout int packed, inout int packedBits)
000977 |     {
000978 |         int fp16;
000979 |
000980 |         if (!ReadUInt(serializer, fp16, 16, packed, packedBits))
000981 |             return false;
000982 |
000983 |         value = FP16ToFloat(fp16);
000984 |
000985 |         return true;
000986 |     }
000987 |
000988 |     static bool Read(T serializer, out vector value, int bits, inout int packed, inout int packedBits)
000989 |     {
000990 |         for (int i = 0; i < 3; ++i)
000991 |         {
000992 |             float v;
000993 |
000994 |             if (!Read(serializer, v, bits, packed, packedBits))
000995 |                 return false;
000996 |
000997 |             value[i] = v;
000998 |         }
000999 |
001000 |         return true;
001001 |     }
001002 |
001003 |     ///! @note reads fp16 and converts to float
001004 |     static bool ReadHalf(T serializer, out vector value, inout int packed, inout int packedBits)
001005 |     {
001006 |         for (int i = 0; i < 3; ++i)
001007 |         {
001008 |             float v;
001009 |
001010 |             if (!ReadHalf(serializer, v, packed, packedBits))
001011 |                 return false;
001012 |
001013 |             value[i] = v;
001014 |         }
001014 |     }
```

```
001015 |
001016 |     return true;
001017 | }
001018 |
001019 | //! @note bits is used to decode string length, not characters!
001020 | static bool Read(T serializer, out string value, int bits, inout int packed, inout int packedBits)
001021 | {
001022 |     int length;
001023 |
001024 |     if (!ReadUInt(serializer, length, bits, packed, packedBits))
001025 |         return false;
001026 |
001027 |     if (length < 0)
001028 |         return false;
001029 |
001030 |     value = "";
001031 |
001032 |     while (length-->0)
001033 |     {
001034 |         int v;
001035 |
001036 |         if (!ReadUInt(serializer, v, 8, packed, packedBits))
001037 |             return false;
001038 |
001039 |         value += v.ToString();
001040 |     }
001041 |
001042 |     return true;
001043 | }
001044 |
001045 | static bool Read(T serializer, out string value, int bits, string alphabet, inout int packed, inout int packedBits)
001046 | {
001047 |     int length;
001048 |
001049 |     if (!ReadUInt(serializer, length, bits, packed, packedBits))
001050 |         return false;
001051 |
001052 |     if (length < 0)
001053 |         return false;
001054 |
001055 |     int alphabetBits = BitSize(alphabet.Length());
001056 |     int maxIndex = alphabet.Length() - 1;
001057 |
001058 |     value = "";
001059 |
001060 |     while (length-->0)
001061 |     {
001062 |         int i;
001063 |
001064 |         if (!ReadUInt(serializer, i, alphabetBits, packed, packedBits))
001065 |             return false;
001066 |
001067 |         if (i > maxIndex)
001068 |         {
001069 |             CF.FormatError("Index out of bounds [0..%1]: %2", maxIndex.ToString(), i.ToString());
001070 |             continue;
001071 |         }
001072 |
001073 |         value += alphabet[i];
001074 |     }
001075 |
001076 |     return true;
```

```
001077 | }
001078 |
001079 | static bool ReadClassName(T serializer, out string value, inout int packed, inout int packedBits)
001080 | {
001081 |     return Read(serializer, value, 7, CLASSNAME_ALPHABET, packed, packedBits);
001082 | }
001083 |
001084 | static bool ReadClassNameLower(T serializer, out string value, inout int packed, inout int packedBits)
001085 | {
001086 |     return Read(serializer, value, 7, CLASSNAME_ALPHABET_LOWERCASE, packed, packedBits);
001087 | }
001088 |
001089 | static void Reset(out int packed, out int packedBits)
001090 | {
001091 |     packed = 0;
001092 |     packedBits = 0;
001093 | }
001094 |
001095 | override bool ReadUInt(out int value, int bits)
001096 | {
001097 |     return ReadUInt(m_Serializer, value, bits, m_Packed, m_PackedBits);
001098 | }
001099 |
001100 | override bool Read(out int value, int bits)
001101 | {
001102 |     return Read(m_Serializer, value, bits, m_Packed, m_PackedBits);
001103 | }
001104 |
001105 | override bool Read(out int value, int min, int max)
001106 | {
001107 |     return Read(m_Serializer, value, min, max, m_Packed, m_PackedBits);
001108 | }
001109 |
001110 | override bool ReadBool(out bool value)
001111 | {
001112 |     return ReadBool(m_Serializer, value, m_Packed, m_PackedBits);
001113 | }
001114 |
001115 | override bool ReadChar(out int value)
001116 | {
001117 |     return ReadChar(m_Serializer, value, m_Packed, m_PackedBits);
001118 | }
001119 |
001120 | override bool ReadUChar(out int value)
001121 | {
001122 |     return ReadUChar(m_Serializer, value, m_Packed, m_PackedBits);
001123 | }
001124 |
001125 | override bool ReadShort(out int value)
001126 | {
001127 |     return ReadShort(m_Serializer, value, m_Packed, m_PackedBits);
001128 | }
001129 |
001130 | override bool ReadUShort(out int value)
001131 | {
001132 |     return ReadUShort(m_Serializer, value, m_Packed, m_PackedBits);
001133 | }
001134 |
001135 | override bool Read(out float value, int bits)
001136 | {
001137 |     return Read(m_Serializer, value, bits, m_Packed, m_PackedBits);
001138 | }
```

```
001139 |  
001140 |    //! @note reads fp16 and converts to float  
001141 |    override bool ReadHalf(out float value)  
001142 |    {  
001143 |        return ReadHalf(m_Serializer, value, m_Packed, m_PackedBits);  
001144 |    }  
001145 |  
001146 |    override bool Read(out vector value, int bits)  
001147 |    {  
001148 |        return Read(m_Serializer, value, bits, m_Packed, m_PackedBits);  
001149 |    }  
001150 |  
001151 |    //! @note reads fp16 and converts to float  
001152 |    override bool ReadHalf(out vector value)  
001153 |    {  
001154 |        return ReadHalf(m_Serializer, value, m_Packed, m_PackedBits);  
001155 |    }  
001156 |  
001157 |    //! @note bits is used to decode string length, not characters!  
001158 |    override bool Read(out string value, int bits)  
001159 |    {  
001160 |        return Read(m_Serializer, value, bits, m_Packed, m_PackedBits);  
001161 |    }  
001162 |  
001163 |    //! @note bits is used to decode string length, not characters!  
001164 |    override bool Read(out string value, int bits, string alphabet)  
001165 |    {  
001166 |        return Read(m_Serializer, value, bits, alphabet, m_Packed, m_PackedBits);  
001167 |    }  
001168 |  
001169 |    override bool ReadClassName(out string value)  
001170 |    {  
001171 |        return ReadClassName(m_Serializer, value, m_Packed, m_PackedBits);  
001172 |    }  
001173 |  
001174 |    override bool ReadClassNameLower(out string value)  
001175 |    {  
001176 |        return ReadClassNameLower(m_Serializer, value, m_Packed, m_PackedBits);  
001177 |    }  
001178 |  
001179 |    /**  
001180 |    * @brief Reset internal state. Only call this if you know what you're doing.  
001181 |    */  
001182 |    override void Reset()  
001183 |    {  
001184 |        m_Packed = 0;  
001185 |        m_PackedBits = 0;  
001186 |    }  
001187 |  
001188 |    /* Pass through read ----- */  
001189 |  
001190 |    override bool Read(out bool value)  
001191 |    {  
001192 |        return m_Serializer.Read(value);  
001193 |    }  
001194 |  
001195 |    override bool Read(out int value)  
001196 |    {  
001197 |        return m_Serializer.Read(value);  
001198 |    }  
001199 |  
001200 |    override bool Read(out float value)
```

```
001201 | {
001202 |     return m_Serializer.Read(value);
001203 | }
001204 |
001205 | override bool Read(out vector value)
001206 | {
001207 |     return m_Serializer.Read(value);
001208 | }
001209 |
001210 | override bool Read(out string value)
001211 | {
001212 |     return m_Serializer.Read(value);
001213 | }
001214 |
001215 | override bool Read(out TBoolArray values)
001216 | {
001217 |     return m_Serializer.Read(values);
001218 | }
001219 |
001220 | override bool Read(out TIntArray values)
001221 | {
001222 |     return m_Serializer.Read(values);
001223 | }
001224 |
001225 | override bool Read(out TFloatArray values)
001226 | {
001227 |     return m_Serializer.Read(values);
001228 | }
001229 |
001230 | override bool Read(out TStringArray values)
001231 | {
001232 |     return m_Serializer.Read(values);
001233 | }
001234 |
001235 | override bool Read(out TVectorArray values)
001236 | {
001237 |     return m_Serializer.Read(values);
001238 | }
001239 | }
001240 |
001241 | class ExpansionArraySerializer
001242 | {
001243 |     ref TIntArray m_Data;
001244 |     int m_Index;
001245 |
001246 |     void ExpansionArraySerializer(TIntArray data = null)
001247 |     {
001248 |         if (data)
001249 |             m_Data = data;
001250 |         else
001251 |             m_Data = {};
001252 |     }
001253 |
001254 |     void Write(bool value)
001255 |     {
001256 |         Write((int)value);
001257 |     }
001258 |
001259 |     void Write(int value)
001260 |     {
001261 |         m_Data.Insert(value);
001262 |     }
```

```
001263 |  
001264 | void Write(float value)  
001265 | {  
001266 |     Write(CF_Cast<float, int>.Reinterpret(value));  
001267 | }  
001268 |  
001269 | void Write(vector value)  
001270 | {  
001271 |     for (int i = 0; i < 3; ++i)  
001272 |         Write(value[i]);  
001273 | }  
001274 |  
001275 | void Write(string value)  
001276 | {  
001277 |     int packed;  
001278 |     int packedBits;  
001279 |     ExpansionBitStreamArrayWriter.Write(this, value, 32, packed, packedBits);  
001280 |     ExpansionBitStreamArrayWriter.Flush(this, packed, packedBits);  
001281 | }  
001282 |  
001283 | void Write(TBoolArray values)  
001284 | {  
001285 |     Write(values.Count());  
001286 |     foreach (bool value: values)  
001287 |         Write(value);  
001288 | }  
001289 |  
001290 | void Write(TIntArray values)  
001291 | {  
001292 |     Write(values.Count());  
001293 |     foreach (int value: values)  
001294 |         Write(value);  
001295 | }  
001296 |  
001297 | void Write(TFloatArray values)  
001298 | {  
001299 |     Write(values.Count());  
001300 |     foreach (float value: values)  
001301 |         Write(value);  
001302 | }  
001303 |  
001304 | void Write(TStringArray values)  
001305 | {  
001306 |     Write(values.Count());  
001307 |     foreach (string value: values)  
001308 |         Write(value);  
001309 | }  
001310 |  
001311 | void Write(TVectorArray values)  
001312 | {  
001313 |     Write(values.Count());  
001314 |     foreach (vector value: values)  
001315 |         Write(value);  
001316 | }  
001317 |  
001318 | int Count()  
001319 | {  
001320 |     return m_Data.Count();  
001321 | }  
001322 |  
001323 | int Get(int index)  
001324 | {
```



```
001325 |         return m_Data[index];
001326 |     }
001327 |
001328 |     void Seek(int index)
001329 |     {
001330 |         if (index >= m_Data.Count())
001331 |             CF.FormatError("Index %1 out of bounds [0..%2]", index.ToString(), (m_Data.Count() - 1).ToString());
001332 |         else
001333 |             m_Index = index;
001334 |     }
001335 |
001336 |     bool Read(out bool value)
001337 |     {
001338 |         int v;
001339 |         if (!Read(v))
001340 |             return false;
001341 |
001342 |         value = v;
001343 |
001344 |         return true;
001345 |     }
001346 |
001347 |     bool Read(out int value)
001348 |     {
001349 |         if (m_Index >= m_Data.Count())
001350 |             return false;
001351 |
001352 |         value = m_Data[m_Index++];
001353 |
001354 |         return true;
001355 |     }
001356 |
001357 |     bool Read(out float value)
001358 |     {
001359 |         int v;
001360 |         if (!Read(v))
001361 |             return false;
001362 |
001363 |         value = CF_Cast<int, float>.Reinterpret(v);
001364 |
001365 |         return true;
001366 |     }
001367 |
001368 |     bool Read(out vector value)
001369 |     {
001370 |         for (int i = 0; i < 3; ++i)
001371 |         {
001372 |             float v;
001373 |             if (!Read(v))
001374 |                 return false;
001375 |
001376 |             value[i] = v;
001377 |         }
001378 |
001379 |         return true;
001380 |     }
001381 |
001382 |     bool Read(out string value)
001383 |     {
001384 |         int packed;
001385 |         int packedBits;
001386 |         return ExpansionBitStreamArrayReader.Read(this, value, 32, packed, packedBits);
```

```
001387 | }
001388 |
001389 | bool Read(out TBoolArray values)
001390 | {
001391 |     int count;
001392 |     if (!Read(count) || count < 0)
001393 |         return false;
001394 |
001395 |     values = {};
001396 |
001397 |     while (count--)
001398 |     {
001399 |         bool v;
001400 |         if (!Read(v))
001401 |             return false;
001402 |
001403 |         values.Insert(v);
001404 |     }
001405 |
001406 |     return true;
001407 | }
001408 |
001409 | bool Read(out TIntArray values)
001410 | {
001411 |     int count;
001412 |     if (!Read(count) || count < 0)
001413 |         return false;
001414 |
001415 |     values = {};
001416 |
001417 |     while (count--)
001418 |     {
001419 |         int v;
001420 |         if (!Read(v))
001421 |             return false;
001422 |
001423 |         values.Insert(v);
001424 |     }
001425 |
001426 |     return true;
001427 | }
001428 |
001429 | bool Read(out TFloatArray values)
001430 | {
001431 |     int count;
001432 |     if (!Read(count) || count < 0)
001433 |         return false;
001434 |
001435 |     values = {};
001436 |
001437 |     while (count--)
001438 |     {
001439 |         float v;
001440 |         if (!Read(v))
001441 |             return false;
001442 |
001443 |         values.Insert(v);
001444 |     }
001445 |
001446 |     return true;
001447 | }
001448 |
```

```
001449 |     bool Read(out TStringArray values)
001450 |     {
001451 |         int count;
001452 |         if (!Read(count) || count < 0)
001453 |             return false;
001454 |
001455 |         values = {};
001456 |
001457 |         while (count--)
001458 |         {
001459 |             string v;
001460 |             if (!Read(v))
001461 |                 return false;
001462 |
001463 |             values.Insert(v);
001464 |         }
001465 |
001466 |         return true;
001467 |     }
001468 |
001469 |     bool Read(out TVectorArray values)
001470 |     {
001471 |         int count;
001472 |         if (!Read(count) || count < 0)
001473 |             return false;
001474 |
001475 |         values = {};
001476 |
001477 |         while (count--)
001478 |         {
001479 |             vector v;
001480 |             if (!Read(v))
001481 |                 return false;
001482 |
001483 |             values.Insert(v);
001484 |         }
001485 |
001486 |         return true;
001487 |     }
001488 | }
001489 |
001490 | typedef ExpansionBitStreamWriterT<ExpansionArraySerializer> ExpansionBitStreamArrayWriter;
001491 | typedef ExpansionBitStreamReaderT<ExpansionArraySerializer> ExpansionBitStreamArrayReader;
001492 | typedef ExpansionBitStreamWriterT<Serializer> ExpansionBitStreamSerializerWriter;
001493 | typedef ExpansionBitStreamReaderT<Serializer> ExpansionBitStreamSerializerReader;
001494 |
```

0054. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionColor.c
Size bytes: 3042
SHA-256: f64937a2f33d40255fa8fa189b86d3267155b4baafb2944b2eb6e69bda15ad0
Decoded as: utf-8-sig
Line count shown: 126
Detected class declarations: 1
 L13: class ExpansionColor
Detected enum declarations: 0
Detected function/method-like declarations: 10
 L16: static string ARGBToHex(int color)
 L20: return ARGBToHex(Argb[0], Argb[1], Argb[2], Argb[3]);
 L24: static string ARGBToHex(int a, int r, int g, int b)
 L30: static int HexToARGB(string hexcolor)
 L57: return ARGB(color[3], color[0], color[1], color[2]);
 L60: static int ToARGB(string format)
 L65: else if (format.IndexOf(" ") > -1)
 L68: return HexToARGB(format);
 L82: return ARGB(color[3], color[0], color[1], color[2]);
 L86: static void sRGBToLab(float r, float g, float b, out float lab_l, out float lab_a, out float lab_b)

Full file content

```
000001 | /**
000002 |  * ExpansionColor.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionColor
000014 | {
000015 |     //! DayZ ARGB int to RRGGBBAA hex color string
000016 |     static string ARGBToHex(int color)
000017 |     {
000018 |         TIntArray argb = ExpansionStatic.IntToByteArray(color);
000019 |
000020 |         return ARGBToHex(Argb[0], Argb[1], Argb[2], Argb[3]);
000021 |     }
000022 |
000023 |     //! ARGB to RRGGBBAA hex color string
000024 |     static string ARGBToHex(int a, int r, int g, int b)
000025 |     {
000026 |         return ExpansionStatic.ByteArrayToHex({r, g, b, a});
000027 |     }
000028 |
000029 |     //! RGB, RGBA, RRGGBB or RRGGBBAA hex color string to DayZ ARGB color int
000030 |     static int HexToARGB(string hexcolor)
000031 |     {
000032 |         if (hexcolor.Length() < 3 || hexcolor.Length() > 8)
000033 |             return 0;
000034 |
000035 |         string hex;
000036 |
000037 |         if (hexcolor.Length() <= 4)
```

```
000038 |     {
000039 |         //! RGBA or RGBA
000040 |         hex = hexcolor[0] + hexcolor[1] + hexcolor[1] + hexcolor[2] + hexcolor[2];
000041 |         if (hexcolor.Length() == 4)
000042 |             hex += hexcolor[3] + hexcolor[3];  //! Alpha
000043 |     }
000044 |     else
000045 |     {
000046 |         hex = hexcolor;
000047 |     }
000048 |
000049 |     int color[4];
000050 |     color[3] = 255;  //! Init alpha to fully opaque
000051 |
000052 |     for (int i = 0; i < hex.Length() / 2; i++)
000053 |     {
000054 |         color[i] = ExpansionStatic.HexToInt(hex.Substring(i * 2, 2));
000055 |     }
000056 |
000057 |     return ARGB(color[3], color[0], color[1], color[2]);
000058 | }
000059 |
000060 | static int ToARGB(string format)
000061 | {
000062 |     TStringArray parts = {};
000063 |     if (format.IndexOf(",") > -1)
000064 |         format.Split(",", parts);
000065 |     else if (format.IndexOf(" ") > -1)
000066 |         format.Split(" ", parts);
000067 |     else
000068 |         return HexToARGB(format);
000069 |
000070 |     int color[4];
000071 |     color[3] = 255;  //! Init alpha to fully opaque
000072 |
000073 |     int i;
000074 |     foreach (string part: parts)
000075 |     {
000076 |         part.TrimInPlace();
000077 |         if (!part)
000078 |             continue;
000079 |         color[i++] = part.ToInt();
000080 |     }
000081 |
000082 |     return ARGB(color[3], color[0], color[1], color[2]);
000083 | }
000084 |
000085 | //! sRGB to L*a*b* conversion, D65 reference
000086 | static void sRGBToLab(float r, float g, float b, out float lab_l, out float lab_a, out float lab_b)
000087 | {
000088 |     float rgb[3];
000089 |     float xyz[3];
000090 |
000091 |     rgb[0] = r / 255.0;
000092 |     rgb[1] = g / 255.0;
000093 |     rgb[2] = b / 255.0;
000094 |
000095 |     int i;
000096 |
000097 |     for (i = 0; i < 3; i++)
000098 |     {
000099 |         if (rgb[i] > 0.04045)
```

```
000100 |         rgb[i] = Math.Pow((rgb[i] + 0.055) / 1.055, 2.4);
000101 |     else
000102 |         rgb[i] = rgb[i] / 12.92;
000103 |     }
000104 |
000105 |     xyz[0] = ((rgb[0] * 0.412391) + (rgb[1] * 0.357584) + (rgb[2] * 0.180481));
000106 |     xyz[1] = ((rgb[0] * 0.212639) + (rgb[1] * 0.715169) + (rgb[2] * 0.072192));
000107 |     xyz[2] = ((rgb[0] * 0.019331) + (rgb[1] * 0.119195) + (rgb[2] * 0.950532));
000108 |
000109 |     xyz[0] = xyz[0] / 0.950456;
000110 |     xyz[1] = xyz[1] / 1.0;
000111 |     xyz[2] = xyz[2] / 1.089058;
000112 |
000113 |     for (i = 0; i < 3; i++)
000114 |     {
000115 |         if (xyz[i] > 0.008856)
000116 |             xyz[i] = Math.Pow(xyz[i], (1.0 / 3.0));
000117 |         else
000118 |             xyz[i] = (903.296296 * xyz[i] + 16.0) / 116.0;
000119 |     }
000120 |
000121 |     lab_l = 116.0 * xyz[1] - 16.0;
000122 |     lab_a = 500.0 * (xyz[0] - xyz[1]);
000123 |     lab_b = 200.0 * (xyz[1] - xyz[2]);
000124 | }
000125 | }
000126 |
```

0055. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionConstants.c

Size bytes: 10465

SHA-256: ac7870d76811f0f4215d78a6362aa8c9a9ee417902cca155cf18b8f62a3c80bc

Decoded as: utf-8-sig

Line count shown: 235

Detected class declarations: 0

Detected enum declarations: 4

L17: enum ExpansionChatChannels

L138: enum ExpansionPlayerLink

L147: enum ExpansionPlayerRaycastResult

L159: enum ExpansionItemQuantityType

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionConstants.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**
000014 |  * Expansion chat channels
000015 |  * @{
000016 |  */
000017 | enum ExpansionChatChannels
000018 | {
000019 |     //! Vanilla
000020 |     CCLocal = 0, // https://www.youtube.com/watch?v=nN66uAbiJJw
000021 |     CCSystem = 1,
000022 |     CCAdmin = 2, // https://www.youtube.com/watch?v=W3q80d5qJio
000023 |     CCDirect = 4,
000024 |     CCMegaphone = 8,
000025 |     CCTransmitter = 16,
000026 |     CCPublicAddressSystem = 32,
000027 |     CCBattleEye = 64,
000028 |
000029 |     //! Expansion
000030 |     CCTransport = 128,
000031 |     CCGlobal = 256,
000032 |     CCTeam = 512
000033 | };
000034 |
000035 | //! DPRECATED, constant is no longer used and is only kept for legacy reasons. Liquid types are set in CfgLiquidDefinitions,
000036 | //! and liquids can be accesed via vanilla Liquid EnfScript class, e.g. use Liquid::Expansion_GetDisplayName to get display name for UI
000037 | const int EXPANSION_LIQUID_MILK = 65536;
000038 |
000039 | /**
000040 |  * Expansion UI Menu IDs
000041 |  * @{
000042 |  */
000043 | const int MENU_EXPANSION_MENU_START = 1000;
000044 | const int MENU_EXPANSION_CODELOCK_MENU = MENU_EXPANSION_MENU_START + 0;
```

```
000045 | const int MENU_EXPANSION_NUMPAD_MENU = MENU_EXPANSION_MENU_START + 1;
000046 | const int MENU_EXPANSION_MAP = MENU_EXPANSION_MENU_START + 2;
000047 | const int MENU_EXPANSION_FLAG_MENU = MENU_EXPANSION_MENU_START + 3;
000048 | const int MENU_EXPANSION_MENU_END = MENU_EXPANSION_MENU_START + 4;
000049 |
000050 | /**
000051 |  * Expansion UI Colors
000052 |  * @{
000053 |  */
000054 | static const int COLOR_EXPANSION_ITEM_HIGHLIGHT_TEXT = ARGB( 255, 0, 0, 0 );
000055 | static const int COLOR_EXPANSION_ITEM_NORMAL_TEXT = ARGB( 255, 0, 0, 0 );
000056 | static const int COLOR_EXPANSION_ITEM_HIGHLIGHT_ELEMENT = ARGB( 130, 89, 46, 26 );
000057 | static const int COLOR_EXPANSION_ITEM_NORMAL_ELEMENT = ARGB( 255, 0, 0, 0 );
000058 |
000059 | static const int COLOR_EXPANSION_NOTIFICATION_INFO = ARGB( 255, 52, 152, 219 );
000060 | static const int COLOR_EXPANSION_NOTIFICATION_ERROR = ARGB( 255, 231, 76, 60 );
000061 | static const int COLOR_EXPANSION_NOTIFICATION_SUCCESS = ARGB( 255, 46, 204, 113 );
000062 | static const int COLOR_EXPANSION_NOTIFICATION_SUCCSESS = ARGB( 255, 46, 204, 113 ); //! Legacy typo
000063 | static const int COLOR_EXPANSION_NOTIFICATION_ORANGE = ARGB( 255, 243, 156, 18 );
000064 | static const int COLOR_EXPANSION_NOTIFICATION ASPHALT = ARGB( 255, 52, 73, 94 );
000065 | static const int COLOR_EXPANSION_NOTIFICATION AMETHYST = ARGB( 255, 155, 89, 182 );
000066 | static const int COLOR_EXPANSION_NOTIFICATION TURQUOISE = ARGB( 255, 26, 188, 156 );
000067 | static const int COLOR_EXPANSION_NOTIFICATION ORANGEVILLE = ARGB( 255, 225, 112, 85 );
000068 | static const int COLOR_EXPANSION_NOTIFICATION_EXPANSION = ARGB( 255, 226, 65, 66 );
000069 | static const int COLOR_EXPANSION_NOTIFICATION_MISSION = ARGB(255, 235, 59, 90);
000070 |
000071 | /**
000072 |  * Expansion Path
000073 |  * @{
000074 |  */
000075 | static const string EXPANSION_FOLDER = "$profile:ExpansionMod\\";
000076 | static const string EXPANSION_MISSION_FOLDER = "$mission:expansion\\";
000077 |
000078 | static const string EXPANSION_SETTINGS_FOLDER = EXPANSION_FOLDER + "Settings\\";
000079 | static const string EXPANSION_LOADOUT_FOLDER = EXPANSION_FOLDER + "Loadouts\\";
000080 | static const string EXPANSION_GROUPS_FOLDER = EXPANSION_FOLDER + "Groups\\";
000081 | static const string EXPANSION_LOG_FOLDER = EXPANSION_FOLDER + "Logs\\";
000082 | static const string EXPANSION_AI_FOLDER = EXPANSION_FOLDER + "AI\\";
000083 | static const string EXPANSION_AI_PATROLS_FOLDER = EXPANSION_AI_FOLDER + "Patrols\\";
000084 | static const string EXPANSION_AI_FSM_FOLDER = EXPANSION_AI_FOLDER + "FSM\\";
000085 | static const string EXPANSION_MISSION_SETTINGS_FOLDER = EXPANSION_MISSION_FOLDER + "settings\\";
000086 | static const string EXPANSION_MISSIONS_FOLDER = EXPANSION_MISSION_FOLDER + "missions\\";
000087 | static const string EXPANSION_MISSION_MISSIONOBJECTS_FOLDER = EXPANSION_MISSION_FOLDER + "missionobjects\\";
000088 |
000089 | static const string EXPANSION_MISSION_OBJECTS_FOLDER = EXPANSION_MISSION_FOLDER + "objects\\";
000090 | static const string EXPANSION_MISSION_TRADERS_FOLDER = EXPANSION_MISSION_FOLDER + "traders\\";
000091 |
000092 | static const string EXPANSION_MAPPING_FOLDER = "DayZExpansion/Scripts/Data/Mapping/";
000093 | static const string EXPANSION_MAPPING_EXT = ".map";
000094 |
000095 | static const string EXPANSION_GENERAL_SETTINGS = EXPANSION_SETTINGS_FOLDER + "GeneralSettings.json";
000096 | static const string EXPANSION_BASE_BUILDING_SETTINGS = EXPANSION_MISSION_SETTINGS_FOLDER + "BaseBuildingSettings.json";
000097 | static const string EXPANSION_AIRDROP_SETTINGS = EXPANSION_SETTINGS_FOLDER + "AirdropSettings.json";
000098 | static const string EXPANSION_AI_SETTINGS = EXPANSION_SETTINGS_FOLDER + "AISettings.json";
000099 | static const string EXPANSION_AIPATROL_SETTINGS = EXPANSION_MISSION_SETTINGS_FOLDER + "AIPatrolSettings.json";
000100 | static const string EXPANSION_MAP_SETTINGS = EXPANSION_MISSION_SETTINGS_FOLDER + "MapSettings.json";
000101 | static const string EXPANSION_PARTY_SETTINGS = EXPANSION_SETTINGS_FOLDER + "PartySettings.json";
000102 | static const string EXPANSION_SAFE_ZONES_SETTINGS = EXPANSION_MISSION_SETTINGS_FOLDER + "SafeZoneSettings.json";
000103 | static const string EXPANSION_MISSION_SETTINGS = EXPANSION_SETTINGS_FOLDER + "MissionSettings.json";
000104 | static const string EXPANSION_NOTIFICATION_SETTINGS = EXPANSION_SETTINGS_FOLDER + "NotificationSettings.json";
000105 | static const string EXPANSION_RAID_SETTINGS = EXPANSION_SETTINGS_FOLDER + "RaidSettings.json";
000106 | static const string EXPANSION_TERRITORY_SETTINGS = EXPANSION_SETTINGS_FOLDER + "TerritorySettings.json";
```



```
000107 | static const string EXPANSION_VEHICLE_SETTINGS = EXPANSION_SETTINGS_FOLDER + "VehicleSettings.json";
000108 | static const string EXPANSION_CORE_SETTINGS = EXPANSION_SETTINGS_FOLDER + "CoreSettings.json";
000109 | static const string EXPANSION_DEBUG_SETTINGS = EXPANSION_SETTINGS_FOLDER + "DebugSettings.json"; //! Legacy
000110 | static const string EXPANSION_PLAYERLIST_SETTINGS = EXPANSION_SETTINGS_FOLDER + "PlayerListSettings.json";
000111 | static const string EXPANSION_LOG_SETTINGS = EXPANSION_SETTINGS_FOLDER + "LogsSettings.json";
000112 | static const string EXPANSION_SOCIALMEDIA_SETTINGS = EXPANSION_SETTINGS_FOLDER + "SocialMediaSettings.json";
000113 | static const string EXPANSION_CHAT_SETTINGS = EXPANSION_SETTINGS_FOLDER + "ChatSettings.json";
000114 | static const string EXPANSION_MONITORING_SETTINGS = EXPANSION_SETTINGS_FOLDER + "MonitoringSettings.json";
000115 | static const string EXPANSION_DAMAGESYSTEM_SETTINGS = EXPANSION_SETTINGS_FOLDER + "DamageSystemSettings.json";
000116 | static const string EXPANSION_GARAGE_SETTINGS = EXPANSION_SETTINGS_FOLDER + "GarageSettings.json";
000117 |
000118 | static const string EXPANSION_TEMP_INTERIORS = EXPANSION_FOLDER + "TempInteriors.bin";
000119 |
000120 | ///! On Client Only
000121 | static const string EXPANSION_CLIENT_SETTINGS = EXPANSION_FOLDER + "settings.bin";
000122 | static const string EXPANSION_CLIENT_MARKERS = EXPANSION_FOLDER + "markers.bin";
000123 |
000124 | /**
000125 |  * Server Browser Menu
000126 |  * @{
000127 |  */
000128 | const int EXPANSION_IDC_Int_DIRECT          = 50000104;
000129 |
000130 | /**
000131 |  * Player attachment
000132 |  * @{
000133 |  */
000134 | const int EXPANSION_INPUT_UDT_PLAYER_LINK   = 40003000;
000135 | const int EXPANSION_INPUT_UDT_GET_IN_TRANSPORT_UNLINK = 40003001;
000136 | const int EXPANSION_INPUT_UDT_PERFORM_CLIMB = 40003002;
000137 |
000138 | enum ExpansionPlayerLink
000139 | {
000140 |     NONE = 0,
000141 |     ATTACH,
000142 |     DETACH,
000143 |     CLIMB_START,
000144 |     CLIMB_FINISH
000145 | }
000146 |
000147 | enum ExpansionPlayerRaycastResult
000148 | {
000149 |     FALSE = 0,
000150 |     DETECT,
000151 |     DETECT_FALL,
000152 |     DETACH
000153 | }
000154 |
000155 | /**
000156 |  * Item tooltips
000157 |  * @{
000158 |  */
000159 | enum ExpansionItemQuantityType
000160 | {
000161 |     PC = 1,
000162 |     PERCENTAGE = 2,
000163 |     GRAM = 4,
000164 |     MILLILITER = 8,
000165 |     MAGAZINE = 16,
000166 |     POWER = 32,
000167 |     HEATISOLATION = 64
000168 | }
```

```
000169 |
000170 | /**
000171 |  * Expansion URLs
000172 |  * @{
000173 |  */
000174 | const string EXPANSION_Rest_URL = "https://api.thurston.pw/expansion/";
000175 |
000176 | /**
000177 |  * Expansion icons (internal use only)
000178 |  * @{
000179 |  */
000180 | static const string EXPANSION_ICON_POSITION = "set:expansion_iconset image:icon_position";
000181 |
000182 | static const string EXPANSION_ICON_3D_ON = "DayZExpansion\\Core\\GUI\\icons\\hud\\3D_64x64.edds";
000183 | static const string EXPANSION_ICON_3D_OFF = "DayZExpansion\\Core\\GUI\\icons\\hud\\3D_off_64x64.edds";
000184 | static const string EXPANSION_ICON_2D_ON = "DayZExpansion\\Core\\GUI\\icons\\hud\\2D_64x64.edds";
000185 | static const string EXPANSION_ICON_2D_OFF = "DayZExpansion\\Core\\GUI\\icons\\hud\\2D_off_64x64.edds";
000186 |
000187 | /**
000188 |  * Expansion notification icons (internal use only)
000189 |  * @{
000190 |  */
000191 | //! Old icons
000192 | static const string EXPANSION_NOTIFICATION_ICON_ERROR = "Error";
000193 | static const string EXPANSION_NOTIFICATION_ICON_CAR = "Car";
000194 | static const string EXPANSION_NOTIFICATION_ICON_TERRITORY = "Territory";
000195 | static const string EXPANSION_NOTIFICATION_ICON_AIRDROP = "Airdrop";
000196 | static const string EXPANSION_NOTIFICATION_ICON_TRADER = "Trader";
000197 | static const string EXPANSION_NOTIFICATION_ICON_HOME = "Base";
000198 | static const string EXPANSION_NOTIFICATION_ICON_VEHICLE_CRASH = "Vehicle Crash";
000199 | static const string EXPANSION_NOTIFICATION_ICON_AI_MISSION = EXPANSION_NOTIFICATION_ICON_VEHICLE_CRASH;    // PLACEHOLDER
000200 |
000201 | //! New icons
000202 | static const string EXPANSION_NOTIFICATION_ICON_INFO = "Info";
000203 | static const string EXPANSION_NOTIFICATION_ICON_MARKER = "Marker";
000204 | static const string EXPANSION_NOTIFICATION_ICON_PERSONA = "Persona";
000205 | static const string EXPANSION_NOTIFICATION_ICON_WATER_2 = "Water 2";
000206 | static const string EXPANSION_NOTIFICATION_ICON_MAP = "Map";
000207 | static const string EXPANSION_NOTIFICATION_ICON_SHIELD = "Shield";
000208 |
000209 | //! Newer icons
000210 | static const string EXPANSION_NOTIFICATION_ICON_T_Batteries = "Batteries";
000211 | static const string EXPANSION_NOTIFICATION_ICON_T_Empty_Can = "Empty Can";
000212 | static const string EXPANSION_NOTIFICATION_ICON_T_Gun = "Gun";
000213 | static const string EXPANSION_NOTIFICATION_ICON_T_Walkie_Talkie = "Walkie Talkie";
000214 |
000215 | /**
000216 |  * Expansion social media URLs
000217 |  * @{
000218 |  */
000219 | static const string EXPANSION_DISCORD_URL = "https://discord.gg/WabhFUa";
000220 | static const string EXPANSION_TWITTER_URL = "https://twitter.com/DayZExpansion";
000221 | static const string EXPANSION_WIKI_URL = "https://github.com/salutesh/DayZ-Expansion-Scripts/wiki";
000222 |
000223 | /**
000224 |  * Storage save version - DEPRECATED, NO LONGER USED, set individual storage version per mod in DZ_* ModStructure
000225 |  * @{
000226 |  */
000227 | static const int EXPANSION_VERSION_CURRENT_SAVE = 49;    //! DEPRECATED, NO LONGER USED, set individual storage version per mod in DZ_* ModStructure
000228 |
000229 | /**
000230 |  * Client settings save version
```

```
000231 | */
000232 | //! Starting with client settings v38, client and map marker save version are no longer linked to storage save version
000233 | static const int EXPANSION_VERSION_CLIENT_SETTING_SAVE = 58;
000234 | static const int EXPANSION_VERSION_MAP_MARKER_SAVE = 42; //! Also used for groups since group data stores group marker data
000235 |
```

0056. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionEntity.c

Size bytes: 3835

SHA-256: 0f46d7c6abf53a30979b82547c77320ac05a48802fd5077b3031cdd36ec96dd1

Decoded as: utf-8-sig

Line count shown: 192

Detected class declarations: 1

L4: class ExpansionEntity

Detected enum declarations: 0

Detected function/method-like declarations: 7

L8: void ExpansionEntity(EntityAI entity)

L15: void CF_OnStoreSave(CF_ModStorage ctx)

L44: bool CF_OnStoreLoad(CF_ModStorage ctx, int version)

L112: void CF_SaveVariables(CF_ModStorage ctx)

L125: void CF_WriteVarsToCTX(CF_ModStorage ctx)

L136: bool CF_LoadVariables(CF_ModStorage ctx, int version)

L155: bool CF_ReadVarsFromCTX(CF_ModStorage ctx, int version)

Full file content

```
000001 | /**
000002 |  * @brief this class duplicates some of the functionality of EntityAI to work-around the latter not being moddable
000003 |  */
000004 | class ExpansionEntity
000005 | {
000006 |     EntityAI m_Entity;
000007 |
000008 |     void ExpansionEntity(EntityAI entity)
000009 |     {
000010 |         m_Entity = entity;
000011 |     }
000012 |
000013 | #ifdef EXPANSION_MODSTORAGE
000014 |     //! EntityAI::OnStoreSave, but for ModStorage
000015 |     void CF_OnStoreSave(CF_ModStorage ctx)
000016 |     {
000017 |         if (m_Entity.m_EM)
000018 |         {
000019 |             ctx.Write(m_Entity.m_EM.GetEnergy());
000020 |             ctx.Write(m_Entity.m_EM.IsPassive());
000021 |             ctx.Write(m_Entity.m_EM.IsSwitchedOn());
000022 |             ctx.Write(m_Entity.m_EM.IsPlugged());
000023 |
000024 |             EntityAI energy_source = m_Entity.m_EM.GetEnergySource();
000025 |
000026 |             int b1 = 0;
000027 |             int b2 = 0;
000028 |             int b3 = 0;
000029 |             int b4 = 0;
000030 |
000031 |             if (energy_source)
000032 |                 energy_source.GetPersistentID(b1, b2, b3, b4);
000033 |
000034 |             ctx.Write(b1);
000035 |             ctx.Write(b2);
000036 |             ctx.Write(b3);
000037 |             ctx.Write(b4);
000038 |         }
000039 |
000040 |         CF_SaveVariables(ctx);
```

```
000041 | }
000042 |
000043 | //! EntityAI::OnStoreLoad, but for ModStorage
000044 | bool CF_OnStoreLoad(CF_ModStorage ctx, int version)
000045 | {
000046 |     if (m_Entity.m_EM)
000047 |     {
000048 |         float f_energy;
000049 |         if (!ctx.Read(f_energy))
000050 |             return false;
000051 |         m_Entity.m_EM.SetEnergy(f_energy);
000052 |
000053 |         bool b_is_passive;
000054 |         if (!ctx.Read(b_is_passive))
000055 |             return false;
000056 |         m_Entity.m_EM.SetPassiveState(b_is_passive);
000057 |
000058 |         bool b_is_on;
000059 |         if (!ctx.Read(b_is_on))
000060 |         {
000061 |             m_Entity.m_EM.SwitchOn();
000062 |             return false;
000063 |         }
000064 |
000065 |         bool b_is_plugged;
000066 |         if (!ctx.Read(b_is_plugged))
000067 |             return false;
000068 |
000069 |         if (version <= 103)
000070 |         {
000071 |             int tmp;
000072 |
000073 |             if (!ctx.Read(tmp))
000074 |                 return false;
000075 |
000076 |             if (!ctx.Read(tmp))
000077 |                 return false;
000078 |         }
000079 |         else
000080 |         {
000081 |             int b1 = 0;
000082 |             int b2 = 0;
000083 |             int b3 = 0;
000084 |             int b4 = 0;
000085 |
000086 |             if (!ctx.Read(b1)) return false;
000087 |             if (!ctx.Read(b2)) return false;
000088 |             if (!ctx.Read(b3)) return false;
000089 |             if (!ctx.Read(b4)) return false;
000090 |
000091 |             if (b_is_plugged)
000092 |             {
000093 |                 // Because function GetEntityByPersitentID() cannot be called here, ID values must be stored and used later.
000094 |                 m_Entity.m_EM.StoreEnergySourceIDs(b1, b2, b3, b4);
000095 |                 m_Entity.m_EM.RestorePlugState(true);
000096 |             }
000097 |         }
000098 |
000099 |         if (b_is_on)
000100 |             m_Entity.m_EM.SwitchOn();
000101 |     }
000102 | }
```

```
000103 |         if (version >= 140)
000104 |         {
000105 |             if (!CF_LoadVariables(ctx, version))
000106 |                 return false;
000107 |         }
000108 |
000109 |         return true;
000110 |     }
000111 |
000112 | void CF_SaveVariables(CF_ModStorage ctx)
000113 | {
000114 |     int varFlags;
000115 |
000116 |     if (m_Entity.m_VariablesMask)
000117 |         varFlags = ItemVariableFlags.FLOAT;
000118 |
000119 |     ctx.Write(varFlags);
000120 |
000121 |     if (m_Entity.m_VariablesMask)
000122 |         CF_WriteVarsToCTX(ctx);
000123 | }
000124 |
000125 | void CF_WriteVarsToCTX(CF_ModStorage ctx)
000126 | {
000127 |     ctx.Write(m_Entity.m_VariablesMask);
000128 |
000129 |     if (m_Entity.IsVariableSet(VARIABLE_TEMPERATURE))
000130 |     {
000131 |         ctx.Write(m_Entity.GetTemperature());
000132 |         ctx.Write(m_Entity.GetIsFrozen());
000133 |     }
000134 | }
000135 |
000136 | bool CF_LoadVariables(CF_ModStorage ctx, int version)
000137 | {
000138 |     int varFlags;
000139 |
000140 |     if (!ctx.Read(varFlags))
000141 |     {
000142 |         EXPrint(this, "---- CF_OnStoreLoad failed to load variable flags ----");
000143 |         return false;
000144 |     }
000145 |
000146 |     if (varFlags & ItemVariableFlags.FLOAT)
000147 |     {
000148 |         if (!CF_ReadVarsFromCTX(ctx, version))
000149 |             return false;
000150 |     }
000151 |
000152 |     return true;
000153 | }
000154 |
000155 | bool CF_ReadVarsFromCTX(CF_ModStorage ctx, int version)
000156 | {
000157 |     int mask;
000158 |
000159 |     if (!ctx.Read(mask))
000160 |     {
000161 |         EXPrint(this, "---- CF_OnStoreLoad failed to read variables mask ----");
000162 |         return false;
000163 |     }
000164 | }
```

```
000165 |         m_Entity.m_VariablesMask = mask;
000166 |
000167 |         if (mask & VARIABLE_TEMPERATURE)
000168 |         {
000169 |             float temperature;
000170 |             if (!ctx.Read(temperature))
000171 |             {
000172 |                 EXPrint(this, "---- CF_OnStoreLoad failed to read temperature ----");
000173 |                 return false;
000174 |             }
000175 |
000176 |             m_Entity.SetTemperatureDirect(temperature);
000177 |
000178 |             bool isFrozen;
000179 |             if (!ctx.Read(isFrozen))
000180 |             {
000181 |                 EXPrint(this, "---- CF_OnStoreLoad failed to read frozen ----");
000182 |                 return false;
000183 |             }
000184 |
000185 |             m_Entity.SetFrozen(isFrozen);
000186 |         }
000187 |
000188 |         return true;
000189 |     }
000190 | #endif
000191 | }
000192 |
```

0057. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionGame.c
Size bytes: 6264
SHA-256: 977aed890b1e1f4e6b158cb8eeb44284ef723c70541879cc6ddcecc3286e6896
Decoded as: utf-8-sig
Line count shown: 253
Detected class declarations: 1
  L13: class ExpansionGame
Detected enum declarations: 0
Detected function/method-like declarations: 29
  L26: void ExpansionGame()
  L42: void ~ExpansionGame()
  L56: string GetPlayerID(Man player)
  L61: string GetPlayerName(Man player)
  L70: void CreateExpansionUIManager()
  L81: void DestroyExpansionUIManager()
  L90: ExpansionUIManager GetExpansionUIManager()
  L99: static Object CreateObjectSafe(string type, vector pos, bool create_local = false, bool init_ai = false, bool create_physics = true)
  L113: return CreateObjectExSafe(type, pos, flags);
  L124: static Object CreateObjectExSafe(string type, vector pos, int iFlags, int iRotation = RF_DEFAULT)
  L132: static bool IsSafeToSpawn(string type)
  L158: void FirearmEffects( Object source, Object directHit, int componentIndex, string surface, vector pos, vector surfNormal, vector exitPos, vec
  L165: void OnStart()
  L174: void OnLoaded()
  L179: bool IsLoaded()
  L187: void OnFinish()
  L194: void OnUpdate( bool doSim, float timeslice )
  L198: void OnSyncJuncture(Object target, int junctureID, ParamsReadContext ctx)
  L202: void WriteRemovedWorldObjects(ParamsReadContext ctx)
  L206: void ReadRemovedWorldObjects(ParamsReadContext ctx)
  L210: void Expansion_SendNear(ExpansionScriptRPC rpc, vector position, float distance, Object target = null, bool guaranteed = false)
  L214: void Expansion_SendFar(ExpansionScriptRPC rpc, vector position, Object target = null, bool guaranteed = false)
  L218: static bool IsMultiplayerClient()
  L224: static bool IsMultiplayerServer()
  L229: static bool IsOffline()
  L234: static bool IsClientOrOffline()
  L239: static bool IsServerOrOffline()
  L245: void Lobotomize(DayZCreatureAI creature)
  L249: void LobotomySync(DayZCreatureAI creature, bool isLobotomized = false)

```

Full file content

```

000001 | /**
000002 |  * ExpansionGame.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionGame
000014 | {
000015 | #ifdef EXPANSIONUI
000016 |     ref ExpansionUIManager m_ExUIManager;
000017 | #endif
000018 |     ref ExpansionRPCManager m_RPCManager = new ExpansionRPCManager(this);

```



```
000019 |
000020 |     bool m_IsLoaded;
000021 |     int m_InstanceId;
000022 |
000023 |     // -----
000024 |     // ExpansionGame Constructor
000025 |     // -----
000026 |     void ExpansionGame()
000027 |     {
000028 | #ifdef EXTRACE_DIAG
000029 |         auto trace = EXTrace.Start(EXTrace.MISC, this);
000030 | #endif
000031 |
000032 |     #ifdef EXPANSIONUI
000033 |         CreateExpansionUIManager();
000034 |     #endif
000035 |
000036 |         ExpansionItemNameTable.LoadNameTable();
000037 |     }
000038 |
000039 |     // -----
000040 |     // ExpansionGame Destructor
000041 |     // -----
000042 |     void ~ExpansionGame()
000043 |     {
000044 |         if (!g_Game)
000045 |             return;
000046 |
000047 |     #ifdef EXPANSIONUI
000048 |         DestroyExpansionUIManager();
000049 |     #endif
000050 |
000051 | #ifdef DIAG_DEVELOPER
000052 |     Print("~ExpansionGame");
000053 | #endif
000054 |     }
000055 |
000056 |     string GetPlayerID(Man player)
000057 |     {
000058 |         return string.Empty;
000059 |     }
000060 |
000061 |     string GetPlayerName(Man player)
000062 |     {
000063 |         return string.Empty;
000064 |     }
000065 |
000066 | #ifdef EXPANSIONUI
000067 |     // -----
000068 |     // ExpansionGame CreateExpansionUIManager
000069 |     // -----
000070 |     void CreateExpansionUIManager()
000071 |     {
000072 |         if (!m_ExUIManager)
000073 |         {
000074 |             m_ExUIManager = new ExpansionUIManager();
000075 |         }
000076 |     }
000077 |
000078 |     // -----
000079 |     // ExpansionGame DestroyExpansionUIManager
000080 |     // -----
```

```
000081 | void DestroyExpansionUIManager()
000082 | {
000083 |     if (m_ExUIManager)
000084 |         m_ExUIManager = null;
000085 | }
000086 |
000087 | // -----
000088 | // ExpansionGame GetExpansionUIManager
000089 | // -----
000090 | ExpansionUIManager GetExpansionUIManager()
000091 | {
000092 |     return m_ExUIManager;
000093 | }
000094 | #endif
000095 |
000096 | /**
000097 |  * @brief like CreateObject, but won't create objects that have scope = 0 or no model
000098 |  */
000099 | static Object CreateObjectSafe(string type, vector pos, bool create_local = false, bool init_ai = false, bool create_physics = true)
000100 | {
000101 |     /*
000102 |         int flags;
000103 |
000104 |         if (create_local)
000105 |             flags |= ECE_LOCAL
000106 |
000107 |         if (init_ai)
000108 |             flags |= ECE_INITAI;
000109 |
000110 |         if (create_physics)
000111 |             flags |= ECE_CREATEPHYSICS;
000112 |
000113 |         return CreateObjectExSafe(type, pos, flags);
000114 |     */
000115 |     if (IsSafeToSpawn(type))
000116 |         return g_Game.CreateObject(type, pos, create_local, init_ai, create_physics);
000117 |
000118 |     return null;
000119 | }
000120 |
000121 | /**
000122 |  * @brief like CreateObjectEx, but won't create objects that have scope = 0 or no model
000123 |  */
000124 | static Object CreateObjectExSafe(string type, vector pos, int iFlags, int iRotation = RF_DEFAULT)
000125 | {
000126 |     if (IsSafeToSpawn(type))
000127 |         return g_Game.CreateObjectEx(type, pos, iFlags, iRotation);
000128 |
000129 |     return null;
000130 | }
000131 |
000132 | static bool IsSafeToSpawn(string type)
000133 | {
000134 |     TStringArray paths = {CFG_VEHICLESPATH, CFG_WEAPONSPATH, CFG_MAGAZINESPATH};
000135 |
000136 |     string model;
000137 |
000138 |     foreach (string path: paths)
000139 |     {
000140 |         if (g_Game.ConfigIsExisting(path + " " + type))
000141 |         {
000142 |             if (!g_Game.ConfigGetInt(path + " " + type + " scope"))
```

```
000143 |         return false;
000144 |
000145 |         if (!g_Game.ConfigGetText(path + " " + type + " model", model) || !model || model == "bmp")
000146 |             return false;
000147 |
000148 |         return true;
000149 |     }
000150 | }
000151 |
000152 |     return false;
000153 | }
000154 |
000155 | // -----
000156 | // ExpansionGame FirearmEffects
000157 | // -----
000158 | void FirearmEffects( Object source, Object directHit, int componentIndex, string surface, vector pos, vector surfNormal, vector exitPos, vector inSpeed, vecto
r outSpeed, bool isWater, bool deflected, string ammoType )
000159 | {
000160 | }
000161 |
000162 | // -----
000163 | // ExpansionGame OnStart
000164 | // -----
000165 | void OnStart()
000166 | {
000167 |     //! @note ServerConfigGetInt will return zero in OnMissionFinish, so we cache the value
000168 |     m_InstanceId = g_Game.ServerConfigGetInt("instanceId");
000169 | }
000170 |
000171 | // -----
000172 | // ExpansionGame OnLoaded
000173 | // -----
000174 | void OnLoaded()
000175 | {
000176 |     m_IsLoaded = true;
000177 | }
000178 |
000179 | bool IsLoaded()
000180 | {
000181 |     return m_IsLoaded;
000182 | }
000183 |
000184 | // -----
000185 | // ExpansionGame OnFinish
000186 | // -----
000187 | void OnFinish()
000188 | {
000189 | }
000190 |
000191 | // -----
000192 | // ExpansionGame OnUpdate
000193 | // -----
000194 | void OnUpdate( bool doSim, float timeslice )
000195 | {
000196 | }
000197 |
000198 | void OnSyncJuncture(Object target, int junctureID, ParamsReadContext ctx)
000199 | {
000200 | }
000201 |
000202 | void WriteRemovedWorldObjects(ParamsReadContext ctx)
000203 | {
```

```
000204 | }
000205 |
000206 | void ReadRemovedWorldObjects(ParamsReadContext ctx)
000207 | {
000208 | }
000209 |
000210 | void Expansion_SendNear(ExpansionScriptRPC rpc, vector position, float distance, Object target = null, bool guaranteed = false)
000211 | {
000212 | }
000213 |
000214 | void Expansion_SendFar(ExpansionScriptRPC rpc, vector position, Object target = null, bool guaranteed = false)
000215 | {
000216 | }
000217 |
000218 | static bool IsMultiplayerClient()
000219 | {
000220 |     //! Check for `&& IsMultiplayer` is redundant here, comment for clarity
000221 |     return g_Game.IsClient();
000222 | }
000223 |
000224 | static bool IsMultiplayerServer()
000225 | {
000226 |     return g_Game.IsServer() && g_Game.IsMultiplayer();
000227 | }
000228 |
000229 | static bool IsOffline()
000230 | {
000231 |     return !g_Game.IsMultiplayer();
000232 | }
000233 |
000234 | static bool IsClientOrOffline()
000235 | {
000236 |     return !g_Game.IsDedicatedServer();
000237 | }
000238 |
000239 | static bool IsServerOrOffline()
000240 | {
000241 |     //! Check for `|| !IsMultiplayer` is redundant here, comment for clarity
000242 |     return g_Game.IsServer();
000243 | }
000244 |
000245 | void Lobotomize(DayZCreatureAI creature)
000246 | {
000247 | }
000248 |
000249 | void LobotomySync(DayZCreatureAI creature, bool isLobotomized = false)
000250 | {
000251 | }
000252 | };
000253 |
```

0058. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionGlobalID.c

Size bytes: 3405

SHA-256: 64d2258bbd92543b85bc9ce3c952f2282a740a0320ce3690573cdd1026bba29e

Decoded as: utf-8-sig

Line count shown: 206

Detected class declarations: 1

L14: class ExpansionGlobalID

Detected enum declarations: 0

Detected function/method-like declarations: 12

L26: void Acquire()

L47: void Set(TIntArray id)

L68: bool IsEqual(int id[4])

L79: bool IsEqual(TIntArray id)

L90: bool IsZero()

L96: void OnStoreSave(CF_ModStorage ctx)

L102: bool OnStoreLoad(CF_ModStorage ctx)

L127: protected void UpdateNext()

L160: protected static void IncrementNext(int i)

L184: protected static void ResetNext()

L190: string IDToHex()

L198: string IDToString()

Full file content

```
000001 | /**
000002 |  * ExpansionGlobalID.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | ///! Similar to persistent ID, but not necessarily tied to storage
000014 | class ExpansionGlobalID
000015 | {
000016 |     ///! @note {0, 0, 0, 0} is reserved
000017 |     static autopttr TIntArray s_NextID = {int.MIN, int.MIN, int.MIN, int.MIN};
000018 |
000019 |     static bool s_IsMissionLoaded;
000020 |
000021 |     int m_ID[4];
000022 |
000023 |     [NonSerialized()]
000024 |     bool m_IsSet;
000025 |
000026 |     void Acquire()
000027 |     {
000028 |         #ifndef SERVER
000029 |             Error("Can't Acquire() global ID on client!");
000030 |             return;
000031 |         #endif
000032 |
000033 |         if (!s_IsMissionLoaded)
000034 |         {
000035 |             Error("Can't Acquire() global ID before mission is loaded!");
```

```
000036 |         return;
000037 |     }
000038 |
000039 |     for (int i = 0; i < 4; i++)
000040 |         m_ID[i] = s_NextID[i];
000041 |
000042 |     m_IsSet = true;
000043 |
000044 |     IncrementNext(3);
000045 | }
000046 |
000047 | void Set(TIntArray id)
000048 | {
000049 |     #ifndef SERVER
000050 |         Error("Can't Set() global ID on client!");
000051 |         return;
000052 |     #endif
000053 |
000054 |     if (s_IsMissionLoaded)
000055 |     {
000056 |         Error("Can't Set() global ID after mission is loaded!");
000057 |         return;
000058 |     }
000059 |
000060 |     for (int i = 0; i < 4; i++)
000061 |         m_ID[i] = id[i];
000062 |
000063 |     m_IsSet = true;
000064 |
000065 |     UpdateNext();
000066 | }
000067 |
000068 | bool IsEqual(int id[4])
000069 | {
000070 |     for (int i = 0; i < 4; i++)
000071 |     {
000072 |         if (m_ID[i] != id[i])
000073 |             return false;
000074 |     }
000075 |
000076 |     return true;
000077 | }
000078 |
000079 | bool IsEqual(TIntArray id)
000080 | {
000081 |     for (int i = 0; i < 4; i++)
000082 |     {
000083 |         if (m_ID[i] != id[i])
000084 |             return false;
000085 |     }
000086 |
000087 |     return true;
000088 | }
000089 |
000090 | bool IsZero()
000091 | {
000092 |     return m_ID[0] == 0 && m_ID[1] == 0 && m_ID[2] == 0 && m_ID[3] == 0;
000093 | }
000094 |
000095 | #ifdef EXPANSION_MODSTORAGE
000096 | void OnStoreSave(CF_ModStorage ctx)
000097 | {
```

```
000098 |         for (int i = 0; i < 4; i++)
000099 |             ctx.Write(m_ID[i]);
000100 |     }
000101 |
000102 | bool OnStoreLoad(CF_ModStorage ctx)
000103 | {
000104 |     for (int i = 0; i < 4; i++)
000105 |     {
000106 |         int id;
000107 |         if (!ctx.Read(id))
000108 |             return false;
000109 |
000110 |         m_ID[i] = id;
000111 |     }
000112 |
000113 |     if (IsZero())
000114 |     {
000115 |         EXPrint(ToString() + ":\nOnStoreLoad - WARNING: ID is zero!");
000116 |         return true;
000117 |     }
000118 |
000119 |     m_IsSet = true;
000120 |
000121 |     UpdateNext();
000122 |
000123 |     return true;
000124 | }
000125 | #endif
000126 |
000127 | protected void UpdateNext()
000128 | {
000129 |     int i;
000130 |     int same;
000131 |     bool inc;
000132 |
000133 |     for (i = 0; i < 4; i++)
000134 |     {
000135 |         if (m_ID[i] == s_NextID[i])
000136 |         {
000137 |             same++;
000138 |         }
000139 |         else
000140 |         {
000141 |             if (m_ID[i] > s_NextID[i])
000142 |                 inc = true;
000143 |
000144 |             break;
000145 |         }
000146 |     }
000147 |
000148 |     if (inc)
000149 |     {
000150 |         for (int j = i; j < 4; j++)
000151 |         {
000152 |             s_NextID[j] = m_ID[j];
000153 |         }
000154 |     }
000155 |
000156 |     if (inc || same == 4)
000157 |         IncrementNext(3);
000158 | }
000159 |
```

```
000160 | protected static void IncrementNext(int i)
000161 | {
000162 |     if (s_NextID[i] < int.MAX)
000163 |     {
000164 |         s_NextID[i] = s_NextID[i] + 1;
000165 |
000166 |         //! @note {0, 0, 0, 0} is reserved
000167 |         if (s_NextID[0] == 0 && s_NextID[1] == 0 && s_NextID[2] == 0 && s_NextID[3] == 0)
000168 |             s_NextID[3] = s_NextID[3] + 1;
000169 |     }
000170 |     else
000171 |     {
000172 |         if (i)
000173 |         {
000174 |             s_NextID[i] = 0;
000175 |             IncrementNext(i - 1);
000176 |         }
000177 |         else
000178 |         {
000179 |             ResetNext();
000180 |         }
000181 |     }
000182 | }
000183 |
000184 | protected static void ResetNext()
000185 | {
000186 |     for (int i = 0; i < 4; i++)
000187 |         s_NextID[i] = int.MIN;
000188 | }
000189 |
000190 | string IDToHex()
000191 | {
000192 |     string id;
000193 |     for (int i = 0; i < 4; i++)
000194 |         id += ExpansionStatic.IntToHex(m_ID[i]);
000195 |     return id;
000196 | }
000197 |
000198 | string IDToString()
000199 | {
000200 |     TStringArray ids = new TStringArray;
000201 |     for (int i = 0; i < 4; i++)
000202 |         ids.Insert(m_ID[i].ToString());
000203 |     return ExpansionString.JoinStrings(ids);
000204 | }
000205 | }
000206 |
```


0059. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionHash.c

Size bytes: 1155

SHA-256: e6828302fbb484bb3a7af393e8766f982ab1d60be52a29d8fd352075f1ef9303

Decoded as: utf-8-sig

Line count shown: 68

Detected class declarations: 1

L1: class ExpansionHash

Detected enum declarations: 0

Detected function/method-like declarations: 7

L6: void ExpansionHash(CF_String payload = CF_String.Empty)

L12: void Update(CF_String payload)

L17: void Set(int hashA, int hashB)

L23: bool IsEqual(ExpansionHash hash)

L34: bool ObjectIsKindOf(Object object)

L51: void Write(ParamsWriteContext ctx)

L57: bool Read(ParamsReadContext ctx)

Full file content

```
000001 | class ExpansionHash
000002 | {
000003 |     int m_HashA;
000004 |     int m_HashB;
000005 |
000006 |     void ExpansionHash(CF_String payload = CF_String.Empty)
000007 |     {
000008 |         if (payload)
000009 |             Update(payload);
000010 |     }
000011 |
000012 |     void Update(CF_String payload)
000013 |     {
000014 |         Set(payload.Hash(), payload.Reverse().Hash());
000015 |     }
000016 |
000017 |     void Set(int hashA, int hashB)
000018 |     {
000019 |         m_HashA = hashA;
000020 |         m_HashB = hashB;
000021 |     }
000022 |
000023 |     bool IsEqual(ExpansionHash hash)
000024 |     {
000025 |         if (hash.m_HashA == m_HashA && hash.m_HashB == m_HashB)
000026 |             return true;
000027 |
000028 |         return false;
000029 |     }
000030 |
000031 | /**
000032 |  * @brief Returns is object inherited from parent class name hashed in this
000033 |  */
000034 |     bool ObjectIsKindOf(Object object)
000035 |     {
000036 |         TStringArray fullPath = {};
000037 |         g_Game.ConfigGetObjectFullPath(object, fullPath);
000038 |
000039 |         ExpansionHash tmpHash = new ExpansionHash();
000040 |         foreach (string tmp: fullPath)
```

```
000041 |     {
000042 |         tmp.ToLower();
000043 |         tmpHash.Update(tmp);
000044 |         if (tmpHash.IsEqual(this))
000045 |             return true;
000046 |     }
000047 |
000048 |     return false;
000049 | }
000050 |
000051 | void Write(ParamsWriteContext ctx)
000052 | {
000053 |     ctx.Write(m_HashA);
000054 |     ctx.Write(m_HashB);
000055 | }
000056 |
000057 | bool Read(ParamsReadContext ctx)
000058 | {
000059 |     if (!ctx.Read(m_HashA))
000060 |         return false;
000061 |
000062 |     if (!ctx.Read(m_HashB))
000063 |         return false;
000064 |
000065 |     return true;
000066 | }
000067 | }
000068 |
```

0060. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionIcon.c

Size bytes: 583

SHA-256: 2e525e2984b7612df80cc1659d7b5181e8b245d45ac2ee7ca4323789c07a5131

Decoded as: utf-8-sig

Line count shown: 25

Detected class declarations: 1

L13: class ExpansionIcon : Managed

Detected enum declarations: 0

Detected function/method-like declarations: 1

L19: void ExpansionIcon(string name, string localisation, string path)

Full file content

```
000001 | /**
000002 |  * ExpansionIcon.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionIcon : Managed
000014 | {
000015 |     string Name;
000016 |     string Localisation;
000017 |     string IconPath;
000018 |
000019 |     void ExpansionIcon( string name, string localisation, string path )
000020 |     {
000021 |         Name = name;
000022 |         Localisation = localisation;
000023 |         IconPath = path;
000024 |     }
000025 | };
```

0061. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionIcons.c

Size bytes: 19923

SHA-256: 3b9b71c511a363293de712c3ebf7290ff9f136b1b1b1906f0db363d927c19441

Decoded as: utf-8-sig

Line count shown: 350

Detected class declarations: 1

L13: class ExpansionIcons

Detected enum declarations: 0

Detected function/method-like declarations: 11

L22: private void ExpansionIcons()

L33: void ~ExpansionIcons()

L40: void Generate()

L269: protected void AddIcon(string name, string localisation, string path)

L288: protected void AddIcon(string name, string path)

L296: static int Count()

L304: static ExpansionIcon Get(int index)

L312: static ExpansionIcon Get(string name)

L320: static string GetPath(string name)

L329: static array<ExpansionIcon> Sorted()

L340: array<ExpansionIcon> iconsSorted();

Full file content

```
000001 | /**
000002 |  * ExpansionIcons.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionIcons
000014 | {
000015 |     protected static ref ExpansionIcons s_Icons = new ExpansionIcons;
000016 |     protected autoptr map<string, ref ExpansionIcon> m_IconMap;
000017 |     protected autoptr array<ExpansionIcon> m_Icons;
000018 |
000019 |     // -----
000020 |     // ExpansionIcons Constructor
000021 |     // -----
000022 |     private void ExpansionIcons()
000023 |     {
000024 |         m_IconMap = new map<string, ref ExpansionIcon>();
000025 |         m_Icons = new array<ExpansionIcon>();
000026 |
000027 |         Generate();
000028 |     }
000029 |
000030 |     // -----
000031 |     // ExpansionIcons Destructor
000032 |     // -----
000033 |     void ~ExpansionIcons()
000034 |     {
000035 |     }
000036 | }
```

```
000037 | // -----
000038 | // ExpansionIcons Generate
000039 | // -----
000040 | void Generate()
000041 | {
000042 |     AddIcon("Ambush", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Ambush_256x256.edds");
000043 |     AddIcon("Animal Skull", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Animal_Skull_256x256.edds");
000044 |     AddIcon("Apple", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Apple_256x256.edds");
000045 |     AddIcon("Apple Core", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Apple_Core_256x256.edds");
000046 |     AddIcon("Arrows", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Arrows_256x256.edds");
000047 |     AddIcon("Axe", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Axe_256x256.edds");
000048 |     AddIcon("Arrow", "DayZExpansion\\Core\\GUI\\icons\\hud\\arrow_64x64.edds");
000049 |     AddIcon("Airdrop", "set:expansion_notification_iconset image:icon_airdrop");
000050 |     AddIcon("Anomaly", "set:expansion_inventory image:anomaly");
000051 |
000052 |     AddIcon("Backpack", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_BagPack_256x256.edds");
000053 |     AddIcon("Bandage", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Bandage_256x256.edds");
000054 |     AddIcon("Bandit", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Bandit_256x256.edds");
000055 |     AddIcon("Batteries", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Batteries_256x256.edds");
000056 |     AddIcon("Berries", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Berries_256x256.edds");
000057 |     AddIcon("Binoculars", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Binoculars_256x256.edds");
000058 |     AddIcon("Bolt", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Bolt_256x256.edds");
000059 |     AddIcon("Bonfire", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Bonfire_256x256.edds");
000060 |     AddIcon("Bottle", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Bottle_256x256.edds");
000061 |     AddIcon("Bow", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Bow_256x256.edds");
000062 |     AddIcon("Base", "DayZExpansion\\Core\\GUI\\icons\\marker\\marker_home.paa");
000063 |     AddIcon("Boat", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Boat_256x256.edds");
000064 |     AddIcon("Book 1", "DayZExpansion\\Core\\GUI\\icons\\hud\\book_1_64x64.edds");
000065 |     AddIcon("Book 2", "DayZExpansion\\Core\\GUI\\icons\\hud\\book_2_64x64.edds");
000066 |     AddIcon("Broken Lighter", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_BrokenLighter_256x256.edds");
000067 |     AddIcon("Bear", "DayZExpansion\\Core\\GUI\\icons\\hud\\bear_64x64.edds");
000068 |
000069 |     AddIcon("Car", "set:expansion_notification_iconset image:icon_car");
000070 |     AddIcon("Car 2", "DayZExpansion\\Core\\GUI\\icons\\hud\\car_64x64.edds");
000071 |     AddIcon("Craft", "DayZExpansion\\Core\\GUI\\icons\\hud\\craft_64x64.edds");
000072 |     AddIcon("Can Of Beans Big", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Can_Of_Beans_Big_256x256.edds");
000073 |     AddIcon("Can Of Beans Small", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Can_Of_Beans_Small_256x256.edds");
000074 |     AddIcon("Car Keys", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Car_Keys_256x256.edds");
000075 |     AddIcon("Carrot", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Carrot_256x256.edds");
000076 |     AddIcon("Chain Saw", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Chain_Saw_256x256.edds");
000077 |     AddIcon("Chicken", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Chicken_256x256.edds");
000078 |     AddIcon("Chocolate", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Chocolate_bar_256x256.edds");
000079 |     AddIcon("Cigaretts", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Cigaretts_256x256.edds");
000080 |     AddIcon("Circuit Board", "set:expansion_inventory image:circuit_board");
000081 |     AddIcon("Cloth", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Cloth_256x256.edds");
000082 |     AddIcon("Compass", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Compass_256x256.edds");
000083 |     AddIcon("Corn", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Corn_256x256.edds");
000084 |     AddIcon("Crowbar", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Crowbar_256x256.edds");
000085 |     AddIcon("Cow", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Cow_256x256.edds");
000086 |     AddIcon("Claw", "DayZExpansion\\Core\\GUI\\icons\\hud\\claw_64x64.edds");
000087 |     AddIcon("Coins", "DayZExpansion\\Core\\GUI\\icons\\misc\\coinstack_64x64.edds");
000088 |     AddIcon("Coins 2", "DayZExpansion\\Core\\GUI\\icons\\misc\\coinstack2_64x64.edds");
000089 |     AddIcon("CodeLock", "set:expansion_inventory image:codeLock");
000090 |
000091 |     AddIcon("Deliver", "DayZExpansion\\Core\\GUI\\icons\\marker\\marker_deliver.paa");
000092 |     AddIcon("Dinosaur Skull", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Dinosaur_Skull_256x256.edds");
000093 |     AddIcon("Dry Wood", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Dry_Wood_256x256.edds");
000094 |     AddIcon("Drip", "DayZExpansion\\Core\\GUI\\icons\\hud\\drip_64x64.edds");
000095 |
000096 |     AddIcon("Ear", "DayZExpansion\\Core\\GUI\\icons\\hud\\ear_64x64.edds");
000097 |     AddIcon("Eye", "DayZExpansion\\Core\\GUI\\icons\\hud\\eye_64x64.edds");
000098 |     AddIcon("Error", "set:expansion_notification_iconset image:icon_error");
```

```
000099 | AddIcon("Exclamationmark", "DayZExpansion\\Core\\GUI\\icons\\hud\\exclamationmark_64x64.edds");
000100 | AddIcon("Ellipse", "DayZExpansion\\Core\\GUI\\icons\\hud\\ellipse_64x64.edds");
000101 | AddIcon("Eatable Flowers", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_EatableFlowers_256x256.edds");
000102 | AddIcon("Electrical Tape", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_ElectricalTape_256x256.edds");
000103 | AddIcon("Empty Can", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Empty_Can_256x256.edds");
000104 |
000105 | AddIcon("Fishing", "DayZExpansion\\Core\\GUI\\icons\\marker\\marker_fishing.paa");
000106 | AddIcon("Fireplace", "DayZExpansion\\Core\\GUI\\icons\\hud\\fireplace_64x64.edds");
000107 | AddIcon("Fish", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Fish_256x256.edds");
000108 | AddIcon("Flare", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Flare_256x256.edds");
000109 | AddIcon("Flare Gun", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_FlareGun_256x256.edds");
000110 | AddIcon("Flare Gun Ammo", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_FlareGunAmmo_256x256.edds");
000111 | AddIcon("Flashlight", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Flashlight_256x256.edds");
000112 | AddIcon("Fox", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Fox_256x256.edds");
000113 | AddIcon("Frying Pan", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Frying_Pan_256x256.edds");
000114 |
000115 | AddIcon("Grab", "DayZExpansion\\Core\\GUI\\icons\\hud\\grab_64x64.edds");
000116 | AddIcon("Group", "set:expansion_notification_iconset image:icon_group");
000117 | AddIcon("Gas", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Gas_256x256.edds");
000118 | AddIcon("Gas Mask", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_GasMask_256x256.edds");
000119 | AddIcon("Golf Club", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Golf_club_256x256.edds");
000120 | AddIcon("Goose", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Goose_256x256.edds");
000121 | AddIcon("Grenade", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Grenade_256x256.edds");
000122 | AddIcon("Guitar", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Guitar_256x256.edds");
000123 | AddIcon("Gun", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Gun_256x256.edds");
000124 | AddIcon("Gun Bullets", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Gun_Bullets_256x256.edds");
000125 |
000126 | AddIcon("Heart", "DayZExpansion\\Core\\GUI\\icons\\hud\\heart_64x64.edds");
000127 | AddIcon("Hook", "DayZExpansion\\Core\\GUI\\icons\\hud\\hook_64x64.edds");
000128 | AddIcon("Helicopter", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Helicopter_256x256.edds");
000129 | AddIcon("Hammer", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Hammer_256x256.edds");
000130 | AddIcon("Herbal Medicine", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_HerbalMedicine_256x256.edds");
000131 | AddIcon("Home Made Grenade", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_HomeMadeGrenade_256x256.edds");
000132 | AddIcon("Human Skull", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_HumanSkull_256x256.edds");
000133 |
000134 | AddIcon("Info", "DayZExpansion\\Core\\GUI\\icons\\hud\\info_64x64.edds");
000135 | AddIcon("Infected 1", "DayZExpansion\\Core\\GUI\\icons\\marker\\marker_zombie.paa");
000136 | AddIcon("Infected 2", "DayZExpansion\\Core\\GUI\\icons\\marker\\zombie.paa");
000137 | AddIcon("Insect", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Insect_256x256.edds");
000138 |
000139 | AddIcon("Knife", "DayZExpansion\\Core\\GUI\\icons\\hud\\knife_64x64.edds");
000140 | AddIcon("Kitchen Knife", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Kitchen_Knife_256x256.edds");
000141 | AddIcon("Kitchen Knife Big", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Big_Kitchen_Knife_256x256.edds");
000142 |
000143 | AddIcon("Ladder", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Ladder_256x256.edds");
000144 | AddIcon("Lantern", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Lantern_256x256.edds");
000145 | AddIcon("Lighter", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Lighter_256x256.edds");
000146 |
000147 | AddIcon("Menu", "DayZExpansion\\Core\\GUI\\icons\\hud\\menu_64x64.edds");
000148 | AddIcon("Marker", "DayZExpansion\\Core\\GUI\\icons\\hud\\marker_64x64.edds");
000149 | AddIcon("Map", "DayZExpansion\\Core\\GUI\\icons\\hud\\map_64x64.edds");
000150 | AddIcon("Map Marker", "DayZExpansion\\Core\\GUI\\icons\\marker\\marker_mapmarker.paa");
000151 | AddIcon("Moon", "DayZExpansion\\Core\\GUI\\icons\\hud\\moon_64x64.edds");
000152 | AddIcon("Machette", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Machette_256x256.edds");
000153 | AddIcon("Matches", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Matches_256x256.edds");
000154 | AddIcon("Medic Box", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Medic_Box_256x256.edds");
000155 | AddIcon("Mushrooms", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Mushrooms_256x256.edds");
000156 |
000157 | AddIcon("Note", "DayZExpansion\\Core\\GUI\\icons\\hud\\note_64x64.edds");
000158 | AddIcon("Nails", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Nails_256x256.edds");
000159 |
000160 | AddIcon("Open Hand", "DayZExpansion\\Core\\GUI\\icons\\hud\\hand_open_64x64.edds");
```

```
000161 | AddIcon("Orientation", "DayZExpansion\\Core\\GUI\\icons\\hud\\orientation_64x64.edds");
000162 | AddIcon("Options", "set:expansion_iconset image:icon_options");
000163 |
000164 | AddIcon("Pen", "DayZExpansion\\Core\\GUI\\icons\\hud\\pen_64x64.edds");
000165 | AddIcon("Persona", "DayZExpansion\\Core\\GUI\\icons\\hud\\persona_64x64.edds");
000166 | AddIcon("Pill", "DayZExpansion\\Core\\GUI\\icons\\hud\\pill_64x64.edds");
000167 | AddIcon("Paper Map", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Map_256x256.edds");
000168 | AddIcon("Paper", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Paper_256x256.edds");
000169 | AddIcon("Pills", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Pills_256x256.edds");
000170 | AddIcon("Pipe Wrench", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Pipe_wrench_256x256.edds");
000171 | AddIcon("Powder", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Powder_256x256.edds");
000172 | AddIcon("Pumpkin", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Pumpkin_256x256.edds");
000173 |
000174 | AddIcon("Questionmark", "DayZExpansion\\Core\\GUI\\icons\\hud\\questionmark_64x64.edds");
000175 | AddIcon("Questionmark 2", "DayZExpansion\\Core\\GUI\\icons\\hud\\questionmark_2_64x64.edds");
000176 |
000177 | AddIcon("Radiation", "DayZExpansion\\Core\\GUI\\icons\\marker\\marker_radiation.paa");
000178 | AddIcon("Radio", "DayZExpansion\\Core\\GUI\\icons\\hud\\radio_64x64.edds");
000179 | AddIcon("Rabbit", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Rabbit_256x256.edds");
000180 | AddIcon("Racoon", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Racoon_256x256.edds");
000181 | AddIcon("Radio", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Radio_256x256.edds");
000182 | AddIcon("Rat", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Rat_256x256.edds");
000183 | AddIcon("Rock 1", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Rock_01_256x256.edds");
000184 | AddIcon("Rock 2", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Rock_02_256x256.edds");
000185 | AddIcon("Rope", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Rope_256x256.edds");
000186 |
000187 | AddIcon("Skull 1", "DayZExpansion\\Core\\GUI\\icons\\marker\\marker_skull.paa");
000188 | AddIcon("Skull 2", "DayZExpansion\\Core\\GUI\\icons\\hud\\skull_1_64x64.edds");
000189 | AddIcon("Skull 3", "DayZExpansion\\Core\\GUI\\icons\\hud\\skull_2_64x64.edds");
000190 | AddIcon("Star", "DayZExpansion\\Core\\GUI\\icons\\hud\\star_64x64.edds");
000191 | AddIcon("Sun", "DayZExpansion\\Core\\GUI\\icons\\hud\\sun_64x64.edds");
000192 | AddIcon("Snow", "DayZExpansion\\Core\\GUI\\icons\\hud\\snow_64x64.edds");
000193 | AddIcon("Square", "DayZExpansion\\Core\\GUI\\icons\\hud\\square_64x64.edds");
000194 | AddIcon("Shield", "DayZExpansion\\Core\\GUI\\icons\\hud\\shield_64x64.edds");
000195 | AddIcon("Saw", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Saw_256x256.edds");
000196 | AddIcon("Scrap Metal", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Scrap_Metal_256x256.edds");
000197 | AddIcon("Screwdriver", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Screwdriver_256x256.edds");
000198 | AddIcon("Shotgun", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Shotgun_256x256.edds");
000199 | AddIcon("Shotgun Bullets", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Shotgun_Bullets_256x256.edds");
000200 | AddIcon("Shovel", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Shovel_256x256.edds");
000201 | AddIcon("Soda", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Soda_256x256.edds");
000202 | AddIcon("Soldier", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Soldier_256x256.edds");
000203 | AddIcon("Status", "set:expansion_iconset image:icon_status");
000204 |
000205 | AddIcon("Territory", "set:expansion_iconset image:icon_territory");
000206 | AddIcon("Trader", "DayZExpansion\\Core\\GUI\\icons\\marker\\marker_trader.paa");
000207 | AddIcon("Tent", "DayZExpansion\\Core\\GUI\\icons\\hud\\tent_64x64.edds");
000208 | AddIcon("Thermometer", "DayZExpansion\\Core\\GUI\\icons\\hud\\thermometer_1_64x64.edds");
000209 | AddIcon("Tent", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Tent_256x256.edds");
000210 |
000211 | AddIcon("Vehicle Crash", "DayZExpansion\\Core\\GUI\\icons\\marker\\crash.paa");
000212 |
000213 | AddIcon("Water 1", "DayZExpansion\\Core\\GUI\\icons\\marker\\marker_water.paa");
000214 | AddIcon("Water 2", "DayZExpansion\\Core\\GUI\\icons\\hud\\water_64x64.edds");
000215 | AddIcon("Walkie Talkie", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Wakie-Talkie_256x256.edds");
000216 | AddIcon("Water Jug", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_WaterJug_256x256.edds");
000217 | AddIcon("Wild Pork", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_WildPork_256x256.edds");
000218 | AddIcon("Worms", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Worms_256x256.edds");
000219 |
000220 | //! Dont use yet
000221 | //AddIcon("Three Stick", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Three_Stick_256x256.edds");
000222 | //AddIcon("Sleeping Bag", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Sleeping_Bag_256x256.edds");
```

```
000223 | //AddIcon("Slingshot", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Slingshot_256x256.edds");
000224 | //AddIcon("Molotov", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Molotov_256x256.edds");
000225 | //AddIcon("Lizard", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Lizard_256x256.edds");
000226 | //AddIcon("Cooked Meat 1", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Cooked_Meat_01_256x256.edds");
000227 | //AddIcon("Cooked Meat 2", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Cooked_Meat_02_256x256.edds");
000228 | //AddIcon("Cooked Meat 3", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Cooked_Meat_03_256x256.edds");
000229 | //AddIcon("Collection Of Bolts", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Collection_of_bolts_256x256.edds");
000230 | //AddIcon("Collection Of Sticks 1", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Collection_of_sticks_01_256x256.edds");
000231 | //AddIcon("Collection Of Sticks 2", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Collection_of_sticks_02_256x256.edds");
000232 | //AddIcon("Collection Of Sticks 3", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Collection_of_sticks_03_256x256.edds");
000233 | //AddIcon("Collection Of Sticks 4", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Collection_of_sticks_04_256x256.edds");
000234 |
000235 | //! Social Media Icons
000236 | AddIcon("Discord", "set:expansion_iconset image:icon_discord");
000237 | AddIcon("Reddit", "set:expansion_iconset image:icon_reddit");
000238 | AddIcon("Steam", "set:expansion_iconset image:icon_steam");
000239 | AddIcon("GitHub", "set:expansion_iconset image:icon_github");
000240 | AddIcon("Homepage", "set:expansion_iconset image:icon_home");
000241 | AddIcon("Forums", "set:expansion_iconset image:icon_forums");
000242 | #ifdef DabsFramework
000243 |     AddIcon("Twitter", "set:brand image:x_twitter");
000244 | #else
000245 |     AddIcon("Twitter", "set:expansion_iconset image:icon_twitter");
000246 | #endif
000247 | AddIcon("YouTube", "set:expansion_iconset image:icon_youtube");
000248 | AddIcon("Patreon", "set:expansion_iconset image:icon_patreon");
000249 | AddIcon("Guilded", "set:expansion_iconset image:icon_guilded");
000250 | AddIcon("PayPal", "set:expansion_iconset image:icon_paypal");
000251 |
000252 | //! Misc
000253 | AddIcon("Cross", "DayZExpansion\\Core\\GUI\\icons\\hud\\cross_64x64.edds");
000254 | AddIcon("Battery Full", "DayZExpansion\\Core\\GUI\\icons\\hud\\battery_high_64x64.edds");
000255 | AddIcon("Battery Med", "DayZExpansion\\Core\\GUI\\icons\\hud\\battery_med_64x64.edds");
000256 | AddIcon("Battery Low", "DayZExpansion\\Core\\GUI\\icons\\hud\\battery_low_64x64.edds");
000257 | AddIcon("Battery Empty", "DayZExpansion\\Core\\GUI\\icons\\hud\\battery_empty_64x64.edds");
000258 | AddIcon("Clock Blank", "set:expansion_iconset image:clock_blank");
000259 |
000260 | //! Expansion logos
000261 | AddIcon("Expansion", "set:expansion_iconset image:icon_expansion_col");
000262 | AddIcon("Expansion B/W", "set:expansion_iconset image:icon_expansion_bw");
000263 | //AddIcon("Expansion White", "set:expansion_iconset image:icon_expansion_white"); //! Same as B/W
000264 | }
000265 |
000266 | // -----
000267 | // ExpansionIcons AddIcon
000268 | // -----
000269 | protected void AddIcon(string name, string localisation, string path)
000270 | {
000271 |     if (localisation == "")
000272 |         localisation = name;
000273 |
000274 |     ExpansionIcon icon = m_IconMap.Get(name);
000275 |     if (icon == NULL)
000276 |     {
000277 |         icon = new ExpansionIcon(name, localisation, path);
000278 |         m_IconMap.Insert(name, icon);
000279 |         m_Icons.Insert(icon);
000280 |     } else
000281 |     {
000282 |         icon.Name = name;
000283 |         icon.Localisation = localisation;
000284 |         icon.IconPath = path;
```



```
000285 |     }
000286 | }
000287 |
000288 | protected void AddIcon(string name, string path)
000289 | {
000290 |     AddIcon(name, name, path);
000291 | }
000292 |
000293 | // -----
000294 | // ExpansionIcons Count
000295 | // -----
000296 | static int Count()
000297 | {
000298 |     return s_Icons.m_Icons.Count();
000299 | }
000300 |
000301 | // -----
000302 | // ExpansionIcons Get
000303 | // -----
000304 | static ExpansionIcon Get(int index)
000305 | {
000306 |     return s_Icons.m_Icons.Get(index);
000307 | }
000308 |
000309 | // -----
000310 | // ExpansionIcons Get
000311 | // -----
000312 | static ExpansionIcon Get(string name)
000313 | {
000314 |     return s_Icons.m_IconMap.Get(name);
000315 | }
000316 |
000317 | // -----
000318 | // ExpansionIcons GetPath
000319 | // -----
000320 | static string GetPath( string name )
000321 | {
000322 |     ExpansionIcon icon = Get(name);
000323 |     if (!icon)
000324 |         return string.Empty;
000325 |
000326 |     return icon.IconPath;
000327 | }
000328 |
000329 | static array<ExpansionIcon> Sorted()
000330 | {
000331 |     TStringArray namesSorted = {};
000332 |
000333 |     foreach (ExpansionIcon icon: s_Icons.m_Icons)
000334 |     {
000335 |         namesSorted.Insert(icon.Name);
000336 |     }
000337 |
000338 |     namesSorted.Sort();
000339 |
000340 |     array<ExpansionIcon> iconsSorted();
000341 |
000342 |     foreach (string name: namesSorted)
000343 |     {
000344 |         iconsSorted.Insert(Get(name));
000345 |     }
000346 | }
```

```
000347 |         return iconsSorted;
000348 |     }
000349 | }
000350 |
```

0062. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionMath.c
Size bytes: 24855
SHA-256: 8b22cb4e22f4bf9eb94f50b969bc477984bb39ef9b2fe846a1a0a2dafa8f369e
Decoded as: utf-8-sig
Line count shown: 883
Detected class declarations: 1
  L14: class ExpansionMath
Detected enum declarations: 0
Detected function/method-like declarations: 63
  L19: static float LinearConversion(float minFrom, float maxFrom, float value, float minTo = 0, float maxTo = 1, bool clamp = true)
  L29: static float PowerConversion(float minFrom, float maxFrom, float value, float minTo = 0, float maxTo = 1, float power = 1.0)
  L35: static float Clamp( float value, float edge0 = 0, float edge1 = 1 )
  L44: static float PascalTriangle(int a, int b)
  L56: static float SmoothStep(float x, int N = 1, float edge0 = 0, float edge1 = 1)
  L68: static float SCurve(float x, float edge0 = 0, float edge1 = 1)
  L79: static vector InterpolateAngles(vector from, vector to, float time, float mult = 4.0, float pow = 2.0)
  L99: static vector ExRotateAroundPoint(vector point, vector pos, vector axis, float cosAngle, float sinAngle)
  L105: static vector GetRandomPointAtDegrees(vector center, float degrees, float minRadius, float maxRadius)
  L109: return GetRandomPointAtRadians(center, theta, minRadius, maxRadius);
  L113: static vector GetRandomPointAtRadians(vector center, float theta, float minRadius, float maxRadius)
  L119: return Vector(center[0] + r * Math.Cos(theta), center[1], center[2] + r * Math.Sin(theta));
  L123: static vector GetRandomPointInRing(vector center, float minRadius, float maxRadius)
  L127: return GetRandomPointAtRadians(center, theta, minRadius, maxRadius);
  L131: static vector GetRandomPointInCircle(vector center, float radius)
  L136: return Vector(center[0] + r * Math.Cos(theta), center[1], center[2] + r * Math.Sin(theta));
  L140: static float RelAngle(float angle)
  L148: static float AbsAngle(float angle)
  L170: static float AngleDiff2(float a, float b)
  L175: else if (d < -180)
  L189: static TFloatArray MovingAvg(TFloatArray values, int passes = 1, TFloatArray weights = null, TIntArray protect = null)
  L191: TFloatArray data();
  L192: TFloatArray window();
  L217: private static void _MovingAvg(inout TFloatArray data, TFloatArray window, TIntArray protect)
  L222: TFloatArray tmpwindow();
  L232: TFloatArray windowslice();
  L263: static TVectorArray PathInterpolated(TVectorArray path, ECurveType curveType = ECurveType.CatmullRom, bool smooth = true)
  L280: TVectorArray points();
  L281: TVectorArray interpolatedPath();
  L391: TFloatArray x();
  L392: TFloatArray z();
  L433: static vector Circumcenter(vector a, vector b, vector c)
  L489: else if (sideBCVertical)
  L508: static int Cmp(int a, int b)
  L514: else if ((a >= 0 && b >= 0) || (a < 0 && b < 0))
  L521: else if (a < 0 && b >= 0)
  L537: static float RandomFloatInclusive(float min, float max, bool uniform = false)
  L551: static float FMod(float x, float y)
  L561: else if (r <= -1.0)
  L574: static float Log2(float x, float tolerance = 1e-13)
  L620: static float Log10(float x, float tolerance = 1e-13)
  L623: return Log2(x) / Log2_10;
  L626: static float NewtonNext(float r, float x)
  L633: static float NewtonLog2(float x)
  L647: static float NewtonLog10(float x)
  L656: static float Side(vector p1, vector p2, vector p)
  L663: static bool TestAdditionOverflow(int a, int b)
  L670: static bool TestSubtractionOverflow(int a, int b)
  L677: static bool TestMultiplicationOverflow(int a, int b)
```

```
L688: static vector Direction2D(vector p1, vector p2)
L694: static float Distance2D(vector p1, vector p2)
L700: static float Distance2DSq(vector p1, vector p2)
L706: static float FindLargestDistance(TVectorArray positions)
L722: static float FindShortesDistance(TVectorArray positions)
L747: static bool FindClosestPointOutsideCylinder(vector start, inout vector end, vector center, float radius, float height, float perpendicularDi
L759: static vector GetClosestPointOutsideRadius(vector start, vector end, vector center, float radius, float perpendicularDistance = 15.0)
L763: return GetClosestPointOutsideSphere(start, end, center, radius, perpendicularDistance);
L766: static vector GetClosestPointOutsideSphere(vector start, vector end, vector center, float radius, float perpendicularDistance = 15.0)
L793: static bool IsPointInCylinder(vector center, float radius, float height, vector point)
L811: static bool IntersectLineCircle(vector lineStart, vector lineEnd, vector center, float radius)
L842: static float LookUp(float value, int num, float inVals[], float outVals[])
L859: static float Max(TFloatArray values)
L871: static float Min(TFloatArray values)
```

Full file content

```
000001 |
000002 | /**
000003 |  * ExpansionMath.c
000004 |  *
000005 |  * DayZ Expansion Mod
000006 |  * www.dayzexpansion.com
000007 |  * © 2022 DayZ Expansion Mod Team
000008 |  *
000009 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000010 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000011 |  *
000012 |  */
000013 |
000014 | class ExpansionMath
000015 | {
000016 |     static const float OneOverLN2 = 1.4426950408889634;
000017 |     static const float Epsilon = 0.000000001;
000018 |
000019 |     static float LinearConversion(float minFrom, float maxFrom, float value, float minTo = 0, float maxTo = 1, bool clamp = true)
000020 |     {
000021 |         float newValue = (((value - minFrom) * (maxTo - minTo)) / (maxFrom - minFrom)) + minTo;
000022 |
000023 |         if (clamp)
000024 |             newValue = Clamp(newValue, minTo, maxTo);
000025 |
000026 |         return newValue;
000027 |     }
000028 |
000029 |     static float PowerConversion(float minFrom, float maxFrom, float value, float minTo = 0, float maxTo = 1, float power = 1.0)
000030 |     {
000031 |         value = Math.Clamp((value - minFrom) / (maxFrom - minFrom), 0, 1); //! value must be equal to or between 0 and 1
000032 |         return (1 - Math.Pow(1 - value, power)) * (maxTo - minTo) + minTo;
000033 |     }
000034 |
000035 |     static float Clamp( float value, float edge0 = 0, float edge1 = 1 )
000036 |     {
000037 |         float min = Math.Min(edge0, edge1);
000038 |         float max = Math.Max(edge0, edge1);
000039 |         return Math.Clamp(value, min, max);
000040 |     }
000041 |
000042 |     //! Returns binomial coefficient without explicit use of factorials,
000043 |     //! which can't be used with negative integers
000044 |     static float PascalTriangle(int a, int b)
000045 |     {
```

```
000046 |         float result = 1;
000047 |         for (int i = 0; i < b; ++i)
000048 |         {
000049 |             result *= (a - i) / (i + 1);
000050 |         }
000051 |         return result;
000052 |     }
000053 |
000054 |     ///! Generalized smoothstep https://en.wikipedia.org/wiki/Smoothstep#Generalization\_to\_higher-order\_equations
000055 |     ///! This function is well-behaved up to including N=5. Beyond that, errors accumulate, until the function eventually breaks.
000056 |     static float SmoothStep(float x, int N = 1, float edge0 = 0, float edge1 = 1)
000057 |     {
000058 |         x = Math.Clamp((x - edge0) / (edge1 - edge0), 0, 1); ///! x must be equal to or between 0 and 1
000059 |         float result = 0;
000060 |         for (int n = 0; n <= N; ++n)
000061 |         {
000062 |             result += PascalTriangle(-N - 1, n) * PascalTriangle(2 * N + 1, N - n) * Math.Pow(x, N + n + 1);
000063 |         }
000064 |         return edge0 + result * (edge1 - edge0);
000065 |     }
000066 |
000067 |     ///! Alternative to smoothstep
000068 |     static float SCurve(float x, float edge0 = 0, float edge1 = 1)
000069 |     {
000070 |         x = Math.Clamp((x - edge0) / (edge1 - edge0), 0, 1); ///! x must be equal to or between 0 and 1
000071 |         float result = 0;
000072 |         if (x < 0.5)
000073 |             result = 2 * Math.Pow(x, 2);
000074 |         else
000075 |             result = 1 - 2 * Math.Pow(1 - x, 2);
000076 |         return edge0 + result * (edge1 - edge0);
000077 |     }
000078 |
000079 |     static vector InterpolateAngles(vector from, vector to, float time, float mult = 4.0, float pow = 2.0)
000080 |     {
000081 |         float diff;
000082 |         float f;
000083 |
000084 |         vector result;
000085 |
000086 |         for (int i = 0; i < 3; i++)
000087 |         {
000088 |             diff = Math.AbsFloat(AngleDiff2(from[i], to[i]));
000089 |             if (diff > 22.5)
000090 |                 f = mult - PowerConversion(0.0, 1.0, 22.5 / diff, mult, 0.0, pow);
000091 |             else
000092 |                 f = mult;
000093 |             result[i] = LinearConversion(0.0, 1.0, time * f, from[i], to[i]);
000094 |         }
000095 |
000096 |         return result;
000097 |     }
000098 |
000099 |     static vector ExRotateAroundPoint(vector point, vector pos, vector axis, float cosAngle, float sinAngle)
000100 |     {
000101 |         return vector.RotateAroundZero(pos - point, axis, cosAngle, sinAngle) + point;
000102 |     }
000103 |
000104 |     ///! Generate random point at angle in degrees
000105 |     static vector GetRandomPointAtDegrees(vector center, float degrees, float minRadius, float maxRadius)
000106 |     {
000107 |         float theta = degrees * Math.DEG2RAD;
```

```

000108 |         return GetRandomPointAtRadians(center, theta, minRadius, maxRadius);
000109 |     }
000110 |
000111 |
000112 |     //! Generate random point at angle in radians
000113 |     static vector GetRandomPointAtRadians(vector center, float theta, float minRadius, float maxRadius)
000114 |     {
000115 |         float maxRadiusSq = maxRadius * maxRadius;
000116 |         float minRadiusSq = minRadius * minRadius;
000117 |         float r = Math.Sqrt(Math.RandomFloat01() * (maxRadiusSq - minRadiusSq) + minRadiusSq);
000118 |
000119 |         return Vector(center[0] + r * Math.Cos(theta), center[1], center[2] + r * Math.Sin(theta));
000120 |     }
000121 |
000122 |     //! Generate random point within ring (uniformly)
000123 |     static vector GetRandomPointInRing(vector center, float minRadius, float maxRadius)
000124 |     {
000125 |         float theta = Math.RandomFloat01() * 2 * Math.PI;
000126 |
000127 |         return GetRandomPointAtRadians(center, theta, minRadius, maxRadius);
000128 |     }
000129 |
000130 |     //! Generate random point within circle (uniformly)
000131 |     static vector GetRandomPointInCircle(vector center, float radius)
000132 |     {
000133 |         float r = radius * Math.Sqrt( Math.RandomFloat01() );
000134 |         float theta = Math.RandomFloat01() * 2 * Math.PI;
000135 |
000136 |         return Vector(center[0] + r * Math.Cos(theta), center[1], center[2] + r * Math.Sin(theta));
000137 |     }
000138 |
000139 |     //! Converts angle in interval [0,360] to interval [-180,180]
000140 |     static float RelAngle(float angle)
000141 |     {
000142 |         if (angle > 180)
000143 |             return angle - 360;
000144 |         return angle;
000145 |     }
000146 |
000147 |     //! Converts angle in interval [-180,180] to interval [0,360]
000148 |     static float AbsAngle(float angle)
000149 |     {
000150 |         if (angle < 0)
000151 |             return angle + 360;
000152 |         return angle;
000153 |     }
000154 |
000155 |     /**
000156 |     \brief Returns smallest possible angle difference
000157 |     \param a \p float Angle in interval [0,360]
000158 |     \param b \p float Target angle in interval [0,360]
000159 |     \return \p float - Angle difference in interval [-180,180]
000160 |     @code
000161 |         Print( ExpansionMath.AngleDiff2(270.0, 0.0) );
000162 |         Print( ExpansionMath.AngleDiff2(350.0, 1.0) );
000163 |         Print( ExpansionMath.AngleDiff2(60.0, 275.0) );
000164 |
000165 |         >> 90.0
000166 |         >> 11.0
000167 |         >> -145.0
000168 |     @endcode
000169 |     */

```

```
000170 | static float AngleDiff2(float a, float b)
000171 | {
000172 |     float d = b - a;
000173 |     if (d > 180)
000174 |         return d - 360;
000175 |     else if (d < -180)
000176 |         return d + 360;
000177 |     return d;
000178 | }
000179 |
000180 | /**
000181 |  * @brief Smooth values (moving average)
000182 |  *
000183 |  * @param passes    Number of passes
000184 |  * @param weights    Float array containing weighting factors. Its length
000185 |  *                   determines the size of the window to use.
000186 |  *                   Defaults to {1.0, 1.0, 1.0}
000187 |  * @param protect    Int array containing indexes of values to protect
000188 |  */
000189 | static TFloatArray MovingAvg(TFloatArray values, int passes = 1, TFloatArray weights = null, TIntArray protect = null)
000190 | {
000191 |     TFloatArray data();
000192 |     TFloatArray window();
000193 |
000194 |     if (!weights || weights.Count() < 3 || weights.Count() % 2 != 1)
000195 |     {
000196 |         if (weights)
000197 |             CF_Log.Warn("Invalid weight count %1, has to be uneven and >= 3 - using default weights {1, 1, 1}", weights.Count().ToString());
000198 |         window.Insert(1.0);
000199 |         window.Insert(1.0);
000200 |         window.Insert(1.0);
000201 |     }
000202 |     else
000203 |     {
000204 |         window.Copy(weights);
000205 |     }
000206 |
000207 |     data.Copy(values);
000208 |
000209 |     for (int npass = 0; npass < passes; npass++)
000210 |     {
000211 |         _MovingAvg(data, window, protect);
000212 |     }
000213 |
000214 |     return data;
000215 | }
000216 |
000217 | private static void _MovingAvg(inout TFloatArray data, TFloatArray window, TIntArray protect)
000218 | {
000219 |     for (int j = 0; j < data.Count(); j++)
000220 |     {
000221 |         float v = data[j];
000222 |         TFloatArray tmpwindow();
000223 |         tmpwindow.Copy(window);
000224 |         if (j > 0 && j < data.Count() - 1 && (!protect || protect.Find(j) == -1))
000225 |         {
000226 |             while (tmpwindow.Count() >= 3)
000227 |             {
000228 |                 int tl = (tmpwindow.Count() - 1) / 2;
000229 |                 // Print(j + " " + tl + " " + tmpwindow);
000230 |                 if (tl > 0 && j - tl >= 0 && j + tl <= data.Count() - 1)
000231 |                 {
```

```

000232 |         TFloatArray windowSlice();
000233 |         for (int k = j - tl; k < j + tl + 1; k++)
000234 |             windowSlice.Insert(data[k]);
000235 |         float windowSize = 0;
000236 |         float tmpWindowSum = 0;
000237 |         for (int l = 0; l < tmpWindow.Count(); l++)
000238 |         {
000239 |             windowSize += tmpWindow[l] * windowSlice[l];
000240 |             tmpWindowSum += tmpWindow[l];
000241 |         }
000242 |         v = windowSize / tmpWindowSum;
000243 |         break;
000244 |     }
000245 |     else
000246 |     {
000247 |         tmpWindow.RemoveOrdered(0);
000248 |         tmpWindow.Remove(tmpWindow.Count() - 1);
000249 |     }
000250 | }
000251 | }
000252 | data[j] = v;
000253 | }
000254 | }
000255 |
000256 | /**
000257 |  * @brief Interpolate path
000258 |  *
000259 |  * @param path      Array of vectors
000260 |  * @param curveType The type of curve that should be used for interpolation
000261 |  * @param smooth     If path should be smoothed after applying curve interpolation (may help against overly sharp changes in angle)
000262 |  */
000263 | static TVectorArray PathInterpolated(TVectorArray path, ECurveType curveType = ECurveType.CatmullRom, bool smooth = true)
000264 | {
000265 | #ifdef EXTRACE
000266 |     auto trace = EXTrace.Start(EXTrace.PATH_INTERPOLATION, ExpansionMath);
000267 | #endif
000268 |
000269 |     if (!ExpansionStatic.HasEnumValue(ECurveType, curveType))
000270 |     {
000271 |         EXError.Error(null, "Invalid ECurveType value " + curveType);
000272 |         return path;
000273 |     }
000274 |
000275 |     if (path.Count() < 3)
000276 |         return path;
000277 |
000278 |     float minDistance = 4.472136;
000279 |
000280 |     TVectorArray points();
000281 |     TVectorArray interpolatedPath();
000282 |
000283 | #ifdef DIAG_DEVELOPER
000284 |     EXTrace.Print(EXTrace.PATH_INTERPOLATION, null, "Original points");
000285 | #endif
000286 |
000287 |     foreach (vector pathPoint: path)
000288 |     {
000289 |         points.Insert(Vector(pathPoint[0], pathPoint[2], 0));
000290 |     }
000291 | #ifdef DIAG_DEVELOPER
000292 |     EXTrace.Print(EXTrace.PATH_INTERPOLATION, null, pathPoint[0].ToString() + " " + pathPoint[2].ToString());
000293 | #endif

```



```
000294 |     }
000295 |
000296 |     ///! 1st pass - insert linearly interpolated points roughly every 100 m where needed to make path more evenly spaced
000297 |     ///! (helps against overly sharp turns in curve interpolation)
000298 |     TVectorArray intermediatePoints = {points[0]};
000299 |
000300 | #ifdef DIAG_DEVELOPER
000301 |     EXTrace.Print(EXTrace.PATH_INTERPOLATION, null, "Intermediate points");
000302 |     EXTrace.Print(EXTrace.PATH_INTERPOLATION, null, points[0][0].ToString() + " " + points[0][1].ToString());
000303 | #endif
000304 |
000305 |     for (int i = 1; i < points.Count(); i++)
000306 |     {
000307 |         float pointDistance = vector.Distance(points[i - 1], points[i]);
000308 |         int steps;
000309 |
000310 |         if (pointDistance >= 200.0)
000311 |             steps = Math.Floor(pointDistance / 100.0);
000312 |         else
000313 |             steps = 1;
000314 |
000315 |         for (int j = 1; j <= steps; j++)
000316 |         {
000317 |             vector intermediatePoint = vector.Lerp(points[i - 1], points[i], j / steps);
000318 |             intermediatePoints.Insert(intermediatePoint);
000319 |
000320 | #ifdef DIAG_DEVELOPER
000321 |             EXTrace.Print(EXTrace.PATH_INTERPOLATION, null, intermediatePoint[0].ToString() + " " + intermediatePoint[1].ToString());
000322 | #endif
000323 |         }
000324 |     }
000325 |
000326 |     ///! Curve interpolation
000327 | #ifdef DIAG_DEVELOPER
000328 |     EXTrace.Print(EXTrace.PATH_INTERPOLATION, null, "Filtered interpolated points - " + typename.EnumToString(ECurveType, curveType));
000329 | #endif
000330 |
000331 |     float t;
000332 |     float step = 0.01;
000333 |     float tEnd = points.Count() - 1;
000334 |     vector previousPoint3D;
000335 |     vector curveDir2D;
000336 |     float previousAngle;
000337 |     float angleDiff;
000338 |     float distance;
000339 |
000340 |     while (t < tEnd)
000341 |     {
000342 |         vector curvePoint = Math3D.Curve(curveType, t / tEnd, intermediatePoints);
000343 |
000344 |     // #ifdef DIAG_DEVELOPER
000345 |         // EXTrace.Print(EXTrace.PATH_INTERPOLATION, null, curvePoint[0].ToString() + " " + curvePoint[1].ToString());
000346 |     // #endif
000347 |
000348 |         vector point3D = Vector(curvePoint[0], 0, curvePoint[1]);
000349 |
000350 |         float tCur = t;
000351 |         t += step;
000352 |
000353 |         if (tCur)
000354 |             curveDir2D = vector.Direction(previousPoint3D, point3D);
000355 |     }
```

```
000356 |         previousPoint3D = point3D;
000357 |
000358 |         if (tCur)
000359 |         {
000360 |             distance += curveDir2D.Length();
000361 |
000362 |             if (*tCur != Math.Round(tCur) &&* tCur < tEnd)
000363 |             {
000364 |                 float angle = curveDir2D.VectorToAngles()[0];
000365 |                 angleDiff += Math.AbsFloat(angle - previousAngle);
000366 |                 previousAngle = angle;
000367 |                 if (angleDiff < 5.0)
000368 |                     continue;
000369 |             }
000370 |         }
000371 |
000372 |         if (!tCur || /*tCur == Math.Round(tCur) ||*/ distance > minDistance || tCur == tEnd)
000373 |         {
000374 |             distance = 0;
000375 |             angleDiff = 0;
000376 |
000377 |             interpolatedPath.Insert(point3D);
000378 | #ifdef DIAG_DEVELOPER
000379 |                 EXTrace.Print(EXTrace.PATH_INTERPOLATION, null, point3D[0].ToString() + " " + point3D[2].ToString());
000380 | #endif
000381 |         }
000382 |     }
000383 |
000384 |     if (smooth)
000385 |     {
000386 |         //! Smoothing pass - moving avg
000387 | #ifdef DIAG_DEVELOPER
000388 |         EXTrace.Print(EXTrace.PATH_INTERPOLATION, null, "Smoothing pass - moving avg");
000389 | #endif
000390 |
000391 |         TFloatArray x();
000392 |         TFloatArray z();
000393 |
000394 |         foreach (vector xyz: interpolatedPath)
000395 |         {
000396 |             x.Insert(xyz[0]);
000397 |             z.Insert(xyz[2]);
000398 |         }
000399 |
000400 |         x = ExpansionMath.MovingAvg(x);
000401 |         z = ExpansionMath.MovingAvg(z);
000402 |
000403 |         for (int k = 0; k < interpolatedPath.Count(); k++)
000404 |         {
000405 |             vector smoothedPoint = Vector(x[k], 0, z[k]);
000406 |             interpolatedPath[k] = smoothedPoint;
000407 |
000408 | #ifdef DIAG_DEVELOPER
000409 |                 EXTrace.Print(EXTrace.PATH_INTERPOLATION, null, x[k].ToString() + " " + z[k].ToString());
000410 | #endif
000411 |         }
000412 |     }
000413 |
000414 |     //! Final pass - set Y to surface
000415 |     for (int l = 0; l < interpolatedPath.Count(); l++)
000416 |     {
000417 |         vector interpolatedPoint = interpolatedPath[l];
```

```
000418 |         interpolatedPoint[l] = g_Game.SurfaceY(interpolatedPath[l][0], interpolatedPath[l][2]);
000419 |         interpolatedPath[l] = interpolatedPoint;
000420 | #ifdef DIAG_DEVELOPER
000421 |     EXTrace.Print(EXTrace.PATH_INTERPOLATION, null, interpolatedPath[l].ToString(false));
000422 | #endif
000423 |     }
000424 |
000425 |     return interpolatedPath;
000426 | }
000427 |
000428 | /**
000429 |  * @brief given the three points a, b and c forming a triangle, return the circumcenter of the triangle
000430 |  *
000431 |  * @note Y components of the vectors are ignored
000432 |  */
000433 | static vector Circumcenter(vector a, vector b, vector c)
000434 | {
000435 |     float sideAB = b[0] - a[0];
000436 |     float sideBC = c[0] - b[0];
000437 |
000438 |     ///! Check if the sides are vertical or horizontal
000439 |     bool sideABVertical = sideAB == 0;
000440 |     bool sideBCVertical = sideBC == 0;
000441 |
000442 |     ///! Compute midpoints of two sides
000443 |     float midXab = (a[0] + b[0]) * 0.5;
000444 |     float midYab = (a[2] + b[2]) * 0.5;
000445 |
000446 |     float midXbc = (b[0] + c[0]) * 0.5;
000447 |     float midYbc = (b[2] + c[2]) * 0.5;
000448 |
000449 |     float pbSlope1;
000450 |     float pbSlope2;
000451 |
000452 |     float cAB;
000453 |     float cBC;
000454 |
000455 |     if (sideABVertical)
000456 |     {
000457 |         ///! Special handling for vertical side (slope = undefined)
000458 |         pbSlope1 = 0; ///! Perpendicular bisector is horizontal
000459 |         cAB = midYab; ///! Line is y = cAB
000460 |     }
000461 |     else
000462 |     {
000463 |         float slope1 = (b[2] - a[2]) / sideAB; ///! Regular slope
000464 |         pbSlope1 = -1 / slope1; ///! Negative reciprocal for perpendicular slope
000465 |         cAB = midYab - pbSlope1 * midXab;
000466 |     }
000467 |
000468 |     if (sideBCVertical)
000469 |     {
000470 |         ///! Special handling for vertical side (slope = undefined)
000471 |         pbSlope2 = 0; ///! Perpendicular bisector is horizontal
000472 |         cBC = midYbc; ///! Line is y = cBC
000473 |     }
000474 |     else
000475 |     {
000476 |         float slope2 = (c[2] - b[2]) / sideBC; ///! Regular slope
000477 |         pbSlope2 = -1 / slope2; ///! Negative reciprocal for perpendicular slope
000478 |         cBC = midYbc - pbSlope2 * midXbc;
000479 |     }
}
```

```
000480 |
000481 |     vector circumcenter;
000482 |
000483 |     //! Solve intersection of two perpendicular bisectors
000484 |     if (sideABVertical)
000485 |     {
000486 |         circumcenter[0] = midXab;
000487 |         circumcenter[2] = pbSlope2 * circumcenter[0] + cBC;
000488 |     }
000489 |     else if (sideBCVertical)
000490 |     {
000491 |         circumcenter[0] = midXbc;
000492 |         circumcenter[2] = pbSlope1 * circumcenter[0] + cAB;
000493 |     }
000494 |     else
000495 |     {
000496 |         //! General case
000497 |         circumcenter[0] = (cBC - cAB) / (pbSlope1 - pbSlope2);
000498 |         circumcenter[2] = pbSlope1 * circumcenter[0] + cAB;
000499 |     }
000500 |
000501 |     return circumcenter;
000502 | }
000503 |
000504 | //! @brief Compares two numbers
000505 | //! Returns 1 if a > b, zero if a == b and -1 if a < b
000506 | //! This function can be used to work-around broken integer comparison involving negative numbers in EnForce
000507 | //! https://feedback.bistudio.com/T167065
000508 | static int Cmp(int a, int b)
000509 | {
000510 |     if (a == b)
000511 |     {
000512 |         return 0;
000513 |     }
000514 |     else if ((a >= 0 && b >= 0) || (a < 0 && b < 0))
000515 |     {
000516 |         if (a > b)
000517 |             return 1;
000518 |         else
000519 |             return -1;
000520 |     }
000521 |     else if (a < 0 && b >= 0)
000522 |     {
000523 |         return -1;
000524 |     }
000525 |
000526 |     return 1;
000527 | }
000528 |
000529 | /**
000530 |  * @brief Proper RandomFloatInclusive that does include endpoint, other than the one in EnMath
000531 |  *
000532 |  * @note uniform = true assumes Math.RandomInt is indeed uniform
000533 |  * @note with uniform = true, the range of possible unique values is limited to 2^24
000534 |  *       (otherwise 2^26 in best-case scenarios)
000535 |  * @note if the range defined by min and max exceeds 2^24, distribution is no longer uniform
000536 |  */
000537 | static float RandomFloatInclusive(float min, float max, bool uniform = false)
000538 | {
000539 |     int max_range = 16777216;  //! 2^24 (uniform, unique)
000540 |     float range = max - min;
000541 |
```

```
000542 |         if (!uniform || Math.AbsFloat(range) > max_range)
000543 |             max_range = 1073741824;  //!< 2^30 (non-uniform, 2^26 unique values)
000544 |
000545 |         int random_int = Math.RandomIntInclusive(0, max_range);
000546 |         float rand_float = (float)random_int / (float)max_range;
000547 |
000548 |         return min + (rand_float * range);
000549 |     }
000550 |
000551 | static float FMod(float x, float y)
000552 | {
000553 |     float r = x / y;
000554 |
000555 |     if (r >= 1.0)
000556 |     {
000557 |         //PrintFormat("FMOD %1 >= 1.0", r);
000558 |         //return x - Math.Floor(r) * y;  //!< Math.Floor is broken, e.g. float.MAX gets turned into 1.70141e+38, half of what it should be
000559 |         return x + Math.Ceil(-r) * y;  //!< Gives correct floor
000560 |     }
000561 |     else if (r <= -1.0)
000562 |     {
000563 |         //PrintFormat("FMOD %1 <= -1.0", r);
000564 |         return x - Math.Ceil(r) * y;
000565 |     }
000566 |
000567 |     //PrintFormat("FMOD -1.0 < %1 < 1.0", r);
000568 |     return x;
000569 | }
000570 |
000571 | //!< Proper Log2. Vanilla Math.Log2 signature gives the impression it works with floats. It doesn't, it's a purely integer implementation.
000572 | //!< Adapted from https://stackoverflow.com/a/3719696
000573 | //!< @note tolerance sets the accuracy of the result and should not be lower than 1e-15 (no accuracy improvement past that point)
000574 | static float Log2(float x, float tolerance = 1e-13)
000575 | {
000576 |     if (!x)
000577 |     {
000578 |         Error("Math domain error");
000579 |         return "nan".ToFloat();
000580 |     }
000581 |
000582 |     //!< Shortcut for x == 1.0
000583 |     if (x == 1.0)
000584 |         return 0.0;
000585 |
000586 |     //!< Shortcut for x == 0.5
000587 |     if (x == 0.5)
000588 |         return -1.0;
000589 |
000590 |     float log2x = 0.0;
000591 |
000592 |     //!< Integer part
000593 |     while (x < 1.0)
000594 |     {
000595 |         log2x -= 1.0;
000596 |         x *= 2.0;
000597 |     }
000598 |     while (x >= 2.0)
000599 |     {
000600 |         log2x += 1.0;
000601 |         x /= 2.0;
000602 |     }
000603 | }
```

```
000604 |      //!< Fractional part
000605 |      float frac = 1.0;
000606 |      while (frac >= tolerance)
000607 |      {
000608 |          frac /= 2.0;
000609 |          x *= x;
000610 |          if (x >= 2.0)
000611 |          {
000612 |              x /= 2.0;
000613 |              log2x += frac;
000614 |          }
000615 |      }
000616 |
000617 |      return log2x;
000618 |  }
000619 |
000620 |  static float Log10(float x, float tolerance = 1e-13)
000621 |  {
000622 |      static const float Log2_10 = Log2(10);
000623 |      return Log2(x) / Log2_10;
000624 |  }
000625 |
000626 |  static float NewtonNext(float r, float x)
000627 |  {
000628 |      int ir = r;
000629 |      int div = 1 << ir;
000630 |      return r - OneOverLN2 * (1.0 - (x / div));
000631 |  }
000632 |
000633 |  static float NewtonLog2(float x)
000634 |  {
000635 |      float r = x / 2; // better first guesses converge faster
000636 |      float r2 = NewtonNext(r, x);
000637 |      float delta = r - r2;
000638 |      while (delta * delta > Epsilon)
000639 |      {
000640 |          r = r2;
000641 |          r2 = NewtonNext(r, x);
000642 |          delta = r - r2;
000643 |      }
000644 |      return r2;
000645 |  }
000646 |
000647 |  static float NewtonLog10(float x)
000648 |  {
000649 |      //static const float Log2_10 = NewtonLog2(10);
000650 |      //return NewtonLog2(x) / Log2_10;
000651 |      return 0;
000652 |  }
000653 |
000654 |  //!< @brief returns side of line defined by points p1, p2 that point p lies on.
000655 |  //!< @return float side > 0 if on the left, side < 0 if on the right, 0 if on the line.
000656 |  static float Side(vector p1, vector p2, vector p)
000657 |  {
000658 |      return (p2[0] - p1[0]) * (p[2] - p1[2]) - (p2[2] - p1[2]) * (p[0] - p1[0]);
000659 |  }
000660 |
000661 |  //!< @brief Test if a + b would overflow
000662 |  //!< @note despite naming, we test for both over- and underflow
000663 |  static bool TestAdditionOverflow(int a, int b)
000664 |  {
000665 |      return ((b > 0 && a > int.MAX - b) || (b < 0 && a < int.MIN - b));
```

```
000666 | }
000667 |
000668 | /// @brief Test if a - b would overflow
000669 | /// @note despite naming, we test for both over- and underflow
000670 | static bool TestSubtractionOverflow(int a, int b)
000671 | {
000672 |     return ((b < 0 && a > int.MAX + b) || (b > 0 && a < int.MIN + b));
000673 | }
000674 |
000675 | /// @brief Test if a * b would overflow
000676 | /// @note despite naming, we test for both over- and underflow
000677 | static bool TestMultiplicationOverflow(int a, int b)
000678 | {
000679 |     if ((a == -1 && b == int.MIN) || (b == -1 && a == int.MIN))
000680 |         return true;
000681 |
000682 |     if ((b != 0 && a > (int) int.MAX / b) || (b != 0 && a < (int) int.MIN / b))
000683 |         return true;
000684 |
000685 |     return false;
000686 | }
000687 |
000688 | static vector Direction2D(vector p1, vector p2)
000689 | {
000690 |     p1[1] = p2[1];
000691 |     return vector.Direction(p1, p2);
000692 | }
000693 |
000694 | static float Distance2D(vector p1, vector p2)
000695 | {
000696 |     p1[1] = p2[1];
000697 |     return vector.Distance(p1, p2);
000698 | }
000699 |
000700 | static float Distance2DSq(vector p1, vector p2)
000701 | {
000702 |     p1[1] = p2[1];
000703 |     return vector.DistanceSq(p1, p2);
000704 | }
000705 |
000706 | static float FindLargestDistance(TVectorArray positions)
000707 | {
000708 |     float maxDistanceSq;
000709 |     for (int i = 0; i < positions.Count() - 1; i++)
000710 |     {
000711 |         for (int j = i + 1; j < positions.Count(); j++)
000712 |         {
000713 |             float distanceSq = vector.DistanceSq(positions[i], positions[j]);
000714 |             if (distanceSq > maxDistanceSq)
000715 |                 maxDistanceSq = distanceSq;
000716 |         }
000717 |     }
000718 |
000719 |     return Math.Sqrt(maxDistanceSq);
000720 | }
000721 |
000722 | static float FindShortesDistance(TVectorArray positions)
000723 | {
000724 |     float minDistanceSq;
000725 |     for (int i = 0; i < positions.Count() - 1; i++)
000726 |     {
000727 |         for (int j = i + 1; j < positions.Count(); j++)
```

```
000728 |         {
000729 |             float distanceSq = vector.DistanceSq(positions[i], positions[j]);
000730 |             if (distanceSq < minDistanceSq)
000731 |                 minDistanceSq = distanceSq;
000732 |         }
000733 |     }
000734 |
000735 |     return Math.Sqrt(minDistanceSq);
000736 | }
000737 |
000738 | /**
000739 |  * @brief Find closest point outside cylinder that intersects the path defined by points start and end
000740 |  *
000741 |  * @param start
000742 |  * @param [inout] end will be altered in-place if path intersects cylinder
000743 |  * @param perpendicularDistance positive = left, negative = right
000744 |  *
000745 |  * @return true if path intersects cylinder, else false
000746 |  */
000747 | static bool FindClosestPointOutsideCylinder(vector start, inout vector end, vector center, float radius, float height, float perpendicularDistance = 15.0)
000748 | {
000749 |     if (ExpansionMath.IsPointInCylinder(center, radius, height, start) || Math3D.IntersectRayCylinder(start, end, center, radius, height))
000750 |     {
000751 |         end = GetClosestPointOutsideRadius(start, end, center, radius, perpendicularDistance);
000752 |
000753 |         return true;
000754 |     }
000755 |
000756 |     return false;
000757 | }
000758 |
000759 | static vector GetClosestPointOutsideRadius(vector start, vector end, vector center, float radius, float perpendicularDistance = 15.0)
000760 | {
000761 |     start[1] = end[1];
000762 |     center[1] = end[1];
000763 |     return GetClosestPointOutsideSphere(start, end, center, radius, perpendicularDistance);
000764 | }
000765 |
000766 | static vector GetClosestPointOutsideSphere(vector start, vector end, vector center, float radius, float perpendicularDistance = 15.0)
000767 | {
000768 |     //! Calculate a perpendicular direction to avoid the sphere
000769 |     vector toCenter = center - start;
000770 |     toCenter.Normalize();
000771 |     //vector avoidanceDirectionLeft = toCenter.Perpend();
000772 |     //vector avoidanceDirectionRight = toCenter * -1.0;
000773 |     vector avoidanceDirection = toCenter.Perpend() * perpendicularDistance;
000774 |
000775 |     //! Adjust the endpoint away from the edge
000776 |     vector outside = center - toCenter * radius;
000777 |     //float distToEndLeftSq = vector.DistanceSq(outside + avoidanceDirectionLeft, end);
000778 |     //float distToEndRightSq = vector.DistanceSq(outside + avoidanceDirectionRight, end);
000779 |     //vector avoidanceDirection;
000780 |     //if (distToEndLeftSq < distToEndRightSq)
000781 |     //    avoidanceDirection = avoidanceDirectionLeft;
000782 |     //else
000783 |     //    avoidanceDirection = avoidanceDirectionRight;
000784 |
000785 |     return outside + avoidanceDirection;
000786 | }
000787 |
000788 | /**
000789 |  * @brief check whether point is inside cylinder
```



```
000790 | *
000791 | * @note center Y must be bottom of cylinder!
000792 | */
000793 | static bool IsPointInCylinder(vector center, float radius, float height, vector point)
000794 | {
000795 |     if (point[1] < center[1] || point[1] > center[1] + height)
000796 |         return false;
000797 |
000798 |     return Math.IsPointInCircle(center, radius, point);
000799 | }
000800 |
000801 | /**
000802 |  * @brief Returns if line intersects circle
000803 |  *
000804 |  * @param lineStart ([0] and [2] will be used, as a circle is 2D)
000805 |  * @param lineEnd ([0] and [2] will be used, as a circle is 2D)
000806 |  * @param center of circle ([0] and [2] will be used, as a circle is 2D)
000807 |  * @param radius of circle
000808 |  *
000809 |  * @return true when line intersects circle
000810 | */
000811 | static bool IntersectLineCircle(vector lineStart, vector lineEnd, vector center, float radius)
000812 | {
000813 |     float dx = lineEnd[0] - lineStart[0];
000814 |     float dy = lineEnd[2] - lineStart[2];
000815 |
000816 |     float fx = lineStart[0] - center[0];
000817 |     float fy = lineStart[2] - center[2];
000818 |
000819 |     //! Quadratic coefficients
000820 |     float a = dx * dx + dy * dy;
000821 |     float b = 2 * (fx * dx + fy * dy);
000822 |     float c = (fx * fx + fy * fy) - radius * radius;
000823 |
000824 |     float discriminant = b * b - 4 * a * c;
000825 |
000826 |     if (discriminant >= 0)
000827 |     {
000828 |         //! Check if intersection points are within the line segment
000829 |         discriminant = Math.Sqrt(discriminant);
000830 |         float t1 = (-b - discriminant) / (2 * a);
000831 |         float t2 = (-b + discriminant) / (2 * a);
000832 |
000833 |         //! Check if either t1 or t2 is within [0, 1]
000834 |         if ((t1 >= 0 && t1 <= 1) || (t2 >= 0 && t2 <= 1))
000835 |             return true;
000836 |     }
000837 |
000838 |     //! No intersection
000839 |     return false;
000840 | }
000841 |
000842 | static float LookUp(float value, int num, float inVals[], float outVals[])
000843 | {
000844 |     value = Math.Clamp(value, inVals[0], inVals[num - 1]);
000845 |
000846 |     for (int i = 0; i < num - 1; i++)
000847 |     {
000848 |         if (inVals[i] <= value && value <= inVals[i + 1])
000849 |         {
000850 |             float delta = (value - inVals[i]) / (inVals[i + 1] - inVals[i]);
000851 |             return Math.Lerp(outVals[i], outVals[i + 1], delta);
```

```
000852 |     }
000853 | }
000854 |
000855 |     //! Should never reach this point, just here to make code compile as we need a return value
000856 |     return 0;
000857 | }
000858 |
000859 | static float Max(TFloatArray values)
000860 | {
000861 |     float max = values[0];
000862 |
000863 |     for (int i = 1; i < values.Count(); ++i)
000864 |     {
000865 |         max = Math.Max(max, values[i]);
000866 |     }
000867 |
000868 |     return max;
000869 | }
000870 |
000871 | static float Min(TFloatArray values)
000872 | {
000873 |     float min = values[0];
000874 |
000875 |     for (int i = 1; i < values.Count(); ++i)
000876 |     {
000877 |         min = Math.Min(min, values[i]);
000878 |     }
000879 |
000880 |     return min;
000881 | }
000882 | }
000883 |
```

0063. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionRPCManager.c
Size bytes: 14545
SHA-256: 3592002d1274661dc07749201eb75774ea3b11f542d338d3334fe90e944714cd
Decoded as: utf-8-sig
Line count shown: 594
Detected class declarations: 2
  L13: class ExpansionRPCTypeMapping
  L35: class ExpansionRPCManager
Detected enum declarations: 0
Detected function/method-like declarations: 33
  L21: void DebugIDs()
  L52: void ExpansionRPCManager(Managed owner, typename type = NULLTYPE)
  L58: else if (owner)
  L62: void ~ExpansionRPCManager()
  L99: static ExpansionRPCManager Get(Managed owner, typename type = NULLTYPE)
  L110: else if (!type)
  L126: else if (manager.GetOwner() != owner)
  L134: void SetOwner(Managed owner)
  L143: void SetType(typename type)
  L158: Managed GetOwner()
  L163: ExpansionBitStreamReader GetReader(ParamsReadContext ctx)
  L178: protected int CreateRPCID(string fn, Managed instance = null)
  L189: else if (!m_Owner)
  L193: else if (!m_Owner.IsInherited(Object))
  L214: protected void Register(map<string, int> registeredRPCIDs, map<int, string> registeredRPCs, string fn, int rpcID)
  L252: ExpansionRPCTypeMapping GetTypeMapping()
  L264: int RegisterServer(string fn, Managed instance = null)
  L289: int RegisterClient(string fn, Managed instance = null)
  L314: int RegisterBoth(string fn, Managed instance = null)
  L327: else if (serverRPCID)
  L356: int GetRPCID(string fn)
  L393: string GetRPCName(int rpcID)
  L414: bool IsRegistered(string fn)
  L425: bool IsRegistered(int rpcID)
  L443: ExpansionScriptRPC CreateRPC(string fn)
  L449: return CreateRPC(GetRPCID(fn));
  L452: ExpansionScriptRPC CreateRPC(int rpcID)
  L466: ExpansionScriptRPC SendRPC(string fn, Param params = null, bool guaranteed = true, PlayerIdentity recipient = null)
  L468: return SendRPC(GetRPCID(fn), params, guaranteed, recipient);
  L471: ExpansionScriptRPC SendRPC(int rpcID, Param params = null, bool guaranteed = true, PlayerIdentity recipient = null)
  L483: static bool OnRPC(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L532: bool OnRPC(PlayerIdentity sender, Object target, int rpcID, ParamsReadContext ctx)
  L563: bool OnRPC(PlayerIdentity sender, int rpcID, ParamsReadContext ctx)

```

Full file content

```

000001 | /**
000002 |  * ExpansionRPCManager.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionRPCTypeMapping

```

```

000014 | {
000015 |     ///! @note server RPCs are received and executed on server, client RPCs are received and executed on client
000016 |     ref map<string, int> m_RegisteredServerRPCIDs = new map<string, int>;
000017 |     ref map<int, string> m_RegisteredServerRPCs = new map<int, string>;
000018 |     ref map<string, int> m_RegisteredClientRPCIDs = new map<string, int>;
000019 |     ref map<int, string> m_RegisteredClientRPCs = new map<int, string>;
000020 |
000021 |     void DebugIDs()
000022 |     {
000023 |         foreach (string serverRPC, int serverRPCID: m_RegisteredServerRPCIDs)
000024 |         {
000025 |             PrintFormat("SERVER: %1 %2 %3", ToString(), serverRPC, serverRPCID);
000026 |         }
000027 |
000028 |         foreach (string clientRPC, int clientRPCID: m_RegisteredClientRPCIDs)
000029 |         {
000030 |             PrintFormat("CLIENT: %1 %2 %3", ToString(), clientRPC, clientRPCID);
000031 |         }
000032 |     }
000033 | }
000034 |
000035 | class ExpansionRPCManager
000036 | {
000037 |     static const typename NULLTYPE;
000038 |
000039 |     static ref map<typename, ExpansionRPCManager> s_TargetlessManagersByType = new map<typename, ExpansionRPCManager>;
000040 |     static ref map<int, ExpansionRPCManager> s_RegisteredTargetlessManagers = new map<int, ExpansionRPCManager>;
000041 |     static ref map<typename, ref ExpansionRPCTypeMapping> s_TypeMappings = new map<typename, ref ExpansionRPCTypeMapping>;
000042 |
000043 |     protected Managed m_Owner;
000044 |     protected bool m_OwnerIsObject;
000045 |     protected typename m_Type;
000046 |     protected ref ExpansionRPCTypeMapping m_TypeMapping;
000047 |
000048 |     ref map<int, Managed> m_RegisteredInstances = new map<int, Managed>;
000049 |
000050 |     ref ExpansionBitStreamSerializerReader m_Reader;
000051 |
000052 |     void ExpansionRPCManager(Managed owner, typename type = NULLTYPE)
000053 |     {
000054 |         SetOwner(owner);
000055 |
000056 |         if (type)
000057 |             SetType(type);
000058 |         else if (owner)
000059 |             SetType(owner.Type());
000060 |     }
000061 |
000062 |     void ~ExpansionRPCManager()
000063 |     {
000064 |         if (!g_Game)
000065 |             return;
000066 |
000067 |         if (!m_OwnerIsObject)
000068 |         {
000069 | #ifdef EXTRACE
000070 |             auto trace = EXTrace.Start(EXTrace.PROFILING, this, "" + m_Owner, "" + m_Type, "" + s_RegisteredTargetlessManagers.Count());
000071 | #endif
000072 |
000073 |             if (s_TargetlessManagersByType) {
000074 |                 s_TargetlessManagersByType.Remove(m_Type);
000075 |             }

```

```
000076 |
000077 |         foreach (int serverRPCID: m_TypeMapping.m_RegisteredServerRPCIDs)
000078 |         {
000079 |             s_RegisteredTargetlessManagers.Remove(serverRPCID);
000080 |         }
000081 |
000082 |         foreach (int clientRPCID: m_TypeMapping.m_RegisteredClientRPCIDs)
000083 |         {
000084 |             s_RegisteredTargetlessManagers.Remove(clientRPCID);
000085 |         }
000086 |
000087 | #ifdef EXTRACE
000088 |         EXTrace.Add(trace, "" + s_RegisteredTargetlessManagers.Count());
000089 | #endif
000090 |     }
000091 | }
000092 |
000093 | /**
000094 |  * @brief Get new or existing RPC manager instance
000095 |  *
000096 |  * @note Use this instead of calling `new ExpansionRPCManager` directly if owner is effectively a singleton,
000097 |  * but is recreated before the existing instance is destroyed.
000098 |  */
000099 | static ExpansionRPCManager Get(Managed owner, typename type = NULLTYPE)
000100 | {
000101 | #ifdef EXTRACE_DIAG
000102 |     auto trace = EXTrace.Start(EXTrace.RPC, ExpansionRPCManager, "" + owner, "" + type);
000103 | #endif
000104 |
000105 |     bool ownerIsObject;
000106 |     if (owner)
000107 |     {
000108 |         if (owner.IsInherited(Object))
000109 |             ownerIsObject = true;
000110 |         else if (!type)
000111 |             type = owner.Type();
000112 |     }
000113 |
000114 |     if (!s_TargetlessManagersByType) {
000115 |         s_TargetlessManagersByType = new map<typename, ExpansionRPCManager>();
000116 |     }
000117 |
000118 |     ExpansionRPCManager manager;
000119 |     if (ownerIsObject || !type || !s_TargetlessManagersByType.Find(type, manager) || !manager)
000120 |     {
000121 |         manager = new ExpansionRPCManager(owner, type);
000122 |
000123 |         if (!ownerIsObject && type)
000124 |             s_TargetlessManagersByType[type] = manager;
000125 |     }
000126 |     else if (manager.GetOwner() != owner)
000127 |     {
000128 |         manager.SetOwner(owner);
000129 |     }
000130 |
000131 |     return manager;
000132 | }
000133 |
000134 | void SetOwner(Managed owner)
000135 | {
000136 |     m_Owner = owner;
000137 |     if (m_Owner && m_Owner.IsInherited(Object))
```

```
000138 |         m_OwnerIsObject = true;
000139 |     else
000140 |         m_OwnerIsObject = false;
000141 | }
000142 |
000143 | void SetType(typename type)
000144 | {
000145 |     m_Type = type;
000146 |
000147 |     if (!s_TypeMappings) {
000148 |         s_TypeMappings = new map<typename, ref ExpansionRPCTypeMapping>();
000149 |     }
000150 |
000151 |     if (!s_TypeMappings.Find(m_Type, m_TypeMapping))
000152 |     {
000153 |         m_TypeMapping = new ExpansionRPCTypeMapping();
000154 |         s_TypeMappings[m_Type] = m_TypeMapping;
000155 |     }
000156 | }
000157 |
000158 | Managed GetOwner()
000159 | {
000160 |     return m_Owner;
000161 | }
000162 |
000163 | ExpansionBitStreamReader GetReader(ParamsReadContext ctx)
000164 | {
000165 |     if (m_Reader)
000166 |     {
000167 |         m_Reader.Reset();
000168 |         m_Reader.m_Serializer = ctx;
000169 |     }
000170 |     else
000171 |     {
000172 |         m_Reader = new ExpansionBitStreamSerializerReader(ctx);
000173 |     }
000174 |
000175 |     return m_Reader;
000176 | }
000177 |
000178 | protected int CreateRPCID(string fn, Managed instance = null)
000179 | {
000180 | #ifdef EXTRACE
000181 |     auto trace = EXTrace.Start(EXTrace.PROFILING, this);
000182 | #endif
000183 |     string name;
000184 |
000185 |     if (instance)
000186 |     {
000187 |         name = instance.ClassName() + "::";
000188 |     }
000189 |     else if (!m_Owner)
000190 |     {
000191 |         name = m_Type.ToString() + "::";
000192 |     }
000193 |     else if (!m_Owner.IsInherited(Object))
000194 |     {
000195 |         name = m_Owner.ClassName() + "::";
000196 |     }
000197 |
000198 |     name += fn;
000199 | }
```

```
000200 | #ifdef EXTRACE
000201 |     EXTrace.Add(trace, name);
000202 | #endif
000203 |
000204 |     //int rpcID = ExpansionString.BetterHash(name);
000205 |     int rpcID = name.Hash();
000206 |
000207 | #ifdef EXTRACE
000208 |     EXTrace.Add(trace, rpcID);
000209 | #endif
000210 |
000211 |     return rpcID;
000212 | }
000213 |
000214 | protected void Register(map<string, int> registeredRPCIDs, map<int, string> registeredRPCs, string fn, int rpcID)
000215 | {
000216 |     string registeredFuncName;
000217 |
000218 |     if (!s_RegisteredTargetlessManagers) {
000219 |         s_RegisteredTargetlessManagers = new map<int, ExpansionRPCManager>();
000220 |     }
000221 |
000222 |     if (!m_OwnerIsObject)
000223 |     {
000224 |         ExpansionRPCManager manager;
000225 |         if (s_RegisteredTargetlessManagers.Find(rpcID, manager) && manager)
000226 |         {
000227 |             if (manager != this || (registeredRPCs.Find(rpcID, registeredFuncName) && registeredFuncName != fn))
000228 |             {
000229 |                 Error("Hash collision: " + ToString() + " " + fn + " " + manager + " " + registeredFuncName);
000230 |                 return;
000231 |             }
000232 |         }
000233 |         else
000234 |         {
000235 |             s_RegisteredTargetlessManagers[rpcID] = this;
000236 |         }
000237 |     }
000238 |     else
000239 |     {
000240 |         if (registeredRPCs.Find(rpcID, registeredFuncName))
000241 |         {
000242 |             if (registeredFuncName != fn)
000243 |                 Error("Hash collision: " + ToString() + " " + fn + " " + registeredFuncName);
000244 |             return;
000245 |         }
000246 |     }
000247 |
000248 |     registeredRPCIDs[fn] = rpcID;
000249 |     registeredRPCs[rpcID] = fn;
000250 | }
000251 |
000252 | ExpansionRPCTypeMapping GetTypeMapping()
000253 | {
000254 |     return m_TypeMapping;
000255 | }
000256 |
000257 | /**
000258 |  * @brief register RPC
000259 |  *
000260 |  * @param fn Name of function to register
000261 |  */
```

```
000262 |     * @return non-zero RPC ID
000263 |     */
000264 |     int RegisterServer(string fn, Managed instance = null)
000265 |     {
000266 | #ifdef EXTRACE
000267 |         auto trace = EXTrace.Start(EXTrace.PROFILING, this, "" + m_Owner, "" + m_Type, fn, "" + instance);
000268 | #endif
000269 |
000270 |         int rpcID = m_TypeMapping.m_RegisteredServerRPCIDs[fn];
000271 |
000272 |         if (!rpcID)
000273 |         {
000274 |             //! Not yet registered, create RPC ID & register
000275 |             rpcID = CreateRPCID(fn, instance);
000276 |
000277 |             if (rpcID)
000278 |             {
000279 |                 Register(m_TypeMapping.m_RegisteredServerRPCIDs, m_TypeMapping.m_RegisteredServerRPCs, fn, rpcID);
000280 |             }
000281 |         }
000282 |
000283 |         if (instance && rpcID)
000284 |             m_RegisteredInstances[rpcID] = instance;
000285 |
000286 |         return rpcID;
000287 |     }
000288 |
000289 |     int RegisterClient(string fn, Managed instance = null)
000290 |     {
000291 | #ifdef EXTRACE
000292 |         auto trace = EXTrace.Start(EXTrace.PROFILING, this, "" + m_Owner, "" + m_Type, fn, "" + instance);
000293 | #endif
000294 |
000295 |         int rpcID = m_TypeMapping.m_RegisteredClientRPCIDs[fn];
000296 |
000297 |         if (!rpcID)
000298 |         {
000299 |             //! Not yet registered, create RPC ID & register
000300 |             rpcID = CreateRPCID(fn, instance);
000301 |
000302 |             if (rpcID)
000303 |             {
000304 |                 Register(m_TypeMapping.m_RegisteredClientRPCIDs, m_TypeMapping.m_RegisteredClientRPCs, fn, rpcID);
000305 |             }
000306 |         }
000307 |
000308 |         if (instance && rpcID)
000309 |             m_RegisteredInstances[rpcID] = instance;
000310 |
000311 |         return rpcID;
000312 |     }
000313 |
000314 |     int RegisterBoth(string fn, Managed instance = null)
000315 |     {
000316 | #ifdef EXTRACE
000317 |         auto trace = EXTrace.Start(EXTrace.PROFILING, this, "" + m_Owner, "" + m_Type, fn, "" + instance);
000318 | #endif
000319 |
000320 |         int rpcID;
000321 |         int serverRPCID = m_TypeMapping.m_RegisteredServerRPCIDs[fn];
000322 |         int clientRPCID = m_TypeMapping.m_RegisteredClientRPCIDs[fn];
000323 |     }
```



```
000324 |      //!< Not yet registered, create RPC ID & register
000325 |      if (!serverRPCID && !clientRPCID)
000326 |          rpcID = CreateRPCID(fn, instance);
000327 |      else if (serverRPCID)
000328 |          rpcID = serverRPCID;
000329 |      else
000330 |          rpcID = clientRPCID;
000331 |
000332 |      if (!serverRPCID || !clientRPCID)
000333 |      {
000334 |          if (rpcID)
000335 |          {
000336 |              if (!serverRPCID)
000337 |                  Register(m_TypeMapping.m_RegisteredServerRPCIDs, m_TypeMapping.m_RegisteredServerRPCs, fn, rpcID);
000338 |              if (!clientRPCID)
000339 |                  Register(m_TypeMapping.m_RegisteredClientRPCIDs, m_TypeMapping.m_RegisteredClientRPCs, fn, rpcID);
000340 |          }
000341 |      }
000342 |
000343 |      if (instance && rpcID)
000344 |          m_RegisteredInstances[rpcID] = instance;
000345 |
000346 |      return rpcID;
000347 |  }
000348 |
000349 |  /**
000350 |   * @brief return registered RPC ID
000351 |   *
000352 |   * @param fn Name of registered function
000353 |   *
000354 |   * @return non-zero RPC ID if registered, else zero.
000355 |   */
000356 |  int GetRPCID(string fn)
000357 |  {
000358 |      #ifdef EXPANSION_RPCMANAGER_TRACE
000359 |          auto trace = EXTrace.Start(EXTrace.PROFILING, this, fn);
000360 |      #endif
000361 |
000362 |      int rpcID;
000363 |
000364 |      #ifdef SERVER
000365 |          //!< On server, we want to send RPC to client
000366 |          rpcID = m_TypeMapping.m_RegisteredClientRPCIDs[fn];
000367 |
000368 |          if (!rpcID)
000369 |          {
000370 |              m_TypeMapping.DebugIDs();
000371 |              Error("No CLIENT RPC registered for type " + m_Type + " and function " + fn);
000372 |          }
000373 |      #else
000374 |          //!< On client, we want to send RPC to server
000375 |          rpcID = m_TypeMapping.m_RegisteredServerRPCIDs[fn];
000376 |
000377 |          if (!rpcID)
000378 |          {
000379 |              if (!g_Game.IsMultiplayer())
000380 |                  rpcID = m_TypeMapping.m_RegisteredClientRPCIDs[fn];
000381 |
000382 |              if (!rpcID)
000383 |              {
000384 |                  m_TypeMapping.DebugIDs();
000385 |                  Error("No SERVER RPC registered for type " + m_Type + " and function " + fn);
```

```
000386 |     }
000387 | }
000388 | #endif
000389 |
000390 |     return rpcID;
000391 | }
000392 |
000393 | string GetRPCName(int rpcID)
000394 | {
000395 |     string fn;
000396 |
000397 | #ifdef SERVER
000398 |     fn = m_TypeMapping.m_RegisteredServerRPCs[rpcID];
000399 | #ifdef EXPANSION_RPCMANAGER_TRACE
000400 |     EXTrace.Print(EXTrace.PROFILING, this, "::GetRPCName SERVER " + rpcID + " " + fn);
000401 | #endif
000402 | #else
000403 |     fn = m_TypeMapping.m_RegisteredClientRPCs[rpcID];
000404 |     if (!fn && !g_Game.IsMultiplayer() && !GetDayZGame().IsLoading() && !GetDayZGame().Expansion_IsMissionMainMenu())
000405 |         fn = m_TypeMapping.m_RegisteredServerRPCs[rpcID];
000406 | #ifdef EXPANSION_RPCMANAGER_TRACE
000407 |     EXTrace.Print(EXTrace.PROFILING, this, "::GetRPCName CLIENT " + rpcID + " " + fn);
000408 | #endif
000409 | #endif
000410 |
000411 |     return fn;
000412 | }
000413 |
000414 | bool IsRegistered(string fn)
000415 | {
000416 | #ifdef SERVER
000417 |     //! On server, we want to send RPC to client
000418 |     return m_TypeMapping.m_RegisteredClientRPCIDs.Contains(fn);
000419 | #else
000420 |     //! On client, we want to send RPC to server
000421 |     return m_TypeMapping.m_RegisteredServerRPCIDs.Contains(fn);
000422 | #endif
000423 | }
000424 |
000425 | bool IsRegistered(int rpcID)
000426 | {
000427 | #ifdef SERVER
000428 |     //! On server, we want to send RPC to client
000429 |     return m_TypeMapping.m_RegisteredClientRPCs.Contains(rpcID);
000430 | #else
000431 |     //! On client, we want to send RPC to server
000432 |     return m_TypeMapping.m_RegisteredServerRPCs.Contains(rpcID);
000433 | #endif
000434 | }
000435 |
000436 | /**
000437 | * @brief create RPC
000438 | *
000439 | * @param fn Name of registered function
000440 | *
000441 | * @return ExpansionScriptRPC instance
000442 | */
000443 | ExpansionScriptRPC CreateRPC(string fn)
000444 | {
000445 | #ifdef EXPANSION_RPCMANAGER_TRACE
000446 |     auto trace = EXTrace.Start(EXTrace.PROFILING, this, fn);
000447 | #endif
```

```
000448 |
000449 |     return CreateRPC(GetRPCID(fn));
000450 | }
000451 |
000452 | ExpansionScriptRPC CreateRPC(int rpcID)
000453 | {
000454 |     #ifdef EXPANSION_RPCMANAGER_TRACE
000455 |         auto trace = EXTrace.Start(EXTrace.PROFILING, this, "" + rpcID);
000456 |     #endif
000457 |
000458 |     ExpansionScriptRPC rpc = ExpansionScriptRPC.Create(rpcID);
000459 |
000460 |     if (m_OwnerIsObject)
000461 |         rpc.m_Expansion_Target = Object.Cast(m_Owner);
000462 |
000463 |     return rpc;
000464 | }
000465 |
000466 | ExpansionScriptRPC SendRPC(string fn, Param params = null, bool guaranteed = true, PlayerIdentity recipient = null)
000467 | {
000468 |     return SendRPC(GetRPCID(fn), params, guaranteed, recipient);
000469 | }
000470 |
000471 | ExpansionScriptRPC SendRPC(int rpcID, Param params = null, bool guaranteed = true, PlayerIdentity recipient = null)
000472 | {
000473 |     auto rpc = CreateRPC(rpcID);
000474 |
000475 |     if (params)
000476 |         params.Serialize(rpc);
000477 |
000478 |     rpc.Expansion_Send(guaranteed, recipient);
000479 |
000480 |     return rpc;
000481 | }
000482 |
000483 | static bool OnRPC(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000484 | {
000485 |     #ifdef EXPANSION_RPCMANAGER_TRACE
000486 |         auto trace = EXTrace.Start(EXTrace.PROFILING, ExpansionRPCManager, "" + sender, "" + target);
000487 |     #endif
000488 |
000489 |     #ifdef SERVER
000490 |         if (!sender)
000491 |             return false;
000492 |
000493 |         //if (!sender.GetPlayer())
000494 |             //return false;
000495 |     #endif
000496 |
000497 |     int rpcID;
000498 |
000499 |     if (!ctx.Read(rpcID))
000500 |     {
000501 |         Error("Couldn't read Expansion RPC ID");
000502 |         return false;
000503 |     }
000504 |
000505 |     if (!rpcID)
000506 |     {
000507 |         Error("Invalid Expansion RPC ID 0");
000508 |         return false;
000509 |     }
}
```

```
000510 |
000511 |     ExpansionRPCManager manager;
000512 |
000513 |     if (target)
000514 |         EnScript.GetClassVar(target, "m_Expansion_RPCManager", 0, manager);
000515 |
000516 |     if (manager && manager.OnRPC(sender, rpcID, ctx))
000517 |     {
000518 |         return true;
000519 |     }
000520 |     else
000521 |     {
000522 |         manager = s_RegisteredTargetlessManagers[rpcID];
000523 |         if (manager && manager.OnRPC(sender, target, rpcID, ctx))
000524 |             return true;
000525 |
000526 |         EXPrint("Warning: No function registered for target " + target + " manager " + manager + " Expansion RPC ID " + rpcID);
000527 |     }
000528 |
000529 |     return false;
000530 | }
000531 |
000532 | bool OnRPC(PlayerIdentity sender, Object target, int rpcID, ParamsReadContext ctx)
000533 | {
000534 | #ifdef EXPANSION_RPCMANAGER_TRACE
000535 |     auto trace = EXTrace.Start(EXTrace.PROFILING, this, "" + sender, "" + target, "" + rpcID);
000536 | #endif
000537 |
000538 |     string fn = GetRPCName(rpcID);
000539 |
000540 |     if (!fn)
000541 |         return false;
000542 |
000543 |     Managed instance;
000544 |     if (!m_RegisteredInstances.Find(rpcID, instance))
000545 |         instance = m_Owner;
000546 |
000547 |     if (!instance)
000548 |     {
000549 |         Error("Expansion RPC " + rpcID + " " + fn + " has no instance!");
000550 |         return false;
000551 |     }
000552 |
000553 | #ifdef EXPANSION_RPCMANAGER_TRACE
000554 |     EXTrace.Add(trace, instance);
000555 | #endif
000556 |
000557 |     auto params = new Param3<PlayerIdentity, Object, ParamsReadContext>(sender, target, ctx);
000558 |     g_Game.GameScript.CallFunctionParams(instance, fn, null, params);
000559 |
000560 |     return true;
000561 | }
000562 |
000563 | bool OnRPC(PlayerIdentity sender, int rpcID, ParamsReadContext ctx)
000564 | {
000565 | #ifdef EXPANSION_RPCMANAGER_TRACE
000566 |     auto trace = EXTrace.Start(EXTrace.PROFILING, this, "" + sender, "" + rpcID);
000567 | #endif
000568 |
000569 |     string fn = GetRPCName(rpcID);
000570 |
000571 |     if (!fn)
```

```
000572 |         return false;
000573 |
000574 |         Managed instance;
000575 |         if (!m_RegisteredInstances.Find(rpcID, instance))
000576 |             instance = m_Owner;
000577 |
000578 |         if (!instance)
000579 |         {
000580 |             Error("Expansion RPC " + rpcID + " " + fn + " has no instance!");
000581 |             return false;
000582 |         }
000583 |
000584 | #ifdef EXPANSION_RPCMANAGER_TRACE
000585 |     EXTrace.Add(trace, instance);
000586 | #endif
000587 |
000588 |     auto params = new Param2<PlayerIdentity, ParamsReadContext>(sender, ctx);
000589 |     g_Game.GameScript.CallFunctionParams(instance, fn, null, params);
000590 |
000591 |     return true;
000592 | }
000593 | }
000594 |
```

0064. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionScriptRPC.c
Size bytes: 4374
SHA-256: a59109057bce93f207342b1a84524aee652eb1a75d83633c384c415042c82e9e
Decoded as: utf-8-sig
Line count shown: 164
Detected class declarations: 1
  L14: class ExpansionScriptRPC: ScriptRPC
Detected enum declarations: 0
Detected function/method-like declarations: 21
  L28: void Write(int value, int bits)
  L33: void WriteUInt(int value, int bits)
  L41: void Write(int value, int min, int max)
  L46: void WriteBool(bool value)
  L51: void WriteChar(int value)
  L56: void WriteUChar(int value)
  L61: void WriteShort(int value)
  L66: void WriteUShort(int value)
  L71: void Write(float value, int bits)
  L77: void WriteHalf(float value)
  L82: void Write(vector value, int bits)
  L88: void WriteHalf(vector value)
  L93: void Write(string value, int bits)
  L98: void Write(string value, int bits, string alphabet)
  L103: void WriteClassName(string value)
  L108: void WriteClassNameLower(string value)
  L113: void Flush()
  L120: void Expansion_WriteNetworkID(Object object)
  L128: void Expansion_Send(bool guaranteed = true, PlayerIdentity recipient = null)
  L133: void Expansion_Send(Object target, bool guaranteed = true, PlayerIdentity recipient = null)
  L153: static ExpansionScriptRPC Create(int rpcID)

```

Full file content

```

000001 | /**
000002 |  * ExpansionScriptRPC.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 |  ///! @note do not instantiate directly! Use ExpansionRPCManager::Create
000014 |  class ExpansionScriptRPC: ScriptRPC
000015 |  {
000016 |      static const int EXPANSION_RPC_UNTARGETED = 1506850293;  ///! "DayZ Expansion".Hash()
000017 |      static const int EXPANSION_RPC_TARGETED = 1506850294;  ///! "DayZ Expansion".Hash() + 1
000018 |      static const int EXPANSION_RPC_SJ = 1506850295;  ///! "DayZ Expansion".Hash() + 2
000019 |
000020 |      int m_Expansion_RPCID;
000021 |      Object m_Expansion_Target;
000022 |
000023 |      /* Packed write ----- */
000024 |
000025 |      int m_Packed;
000026 |      int m_PackedBits;

```

```
000027 |  
000028 | void Write(int value, int bits)  
000029 | {  
000030 |     ExpansionBitStreamSerializerWriter.Write(this, value, bits, m_Packed, m_PackedBits);  
000031 | }  
000032 |  
000033 | void WriteUInt(int value, int bits)  
000034 | {  
000035 |     ExpansionBitStreamSerializerWriter.WriteUInt(this, value, bits, m_Packed, m_PackedBits);  
000036 | }  
000037 |  
000038 | /**  
000039 |  * @brief Optimized writing of integer in range [min..max]  
000040 |  */  
000041 | void Write(int value, int min, int max)  
000042 | {  
000043 |     ExpansionBitStreamSerializerWriter.Write(this, value, min, max, m_Packed, m_PackedBits);  
000044 | }  
000045 |  
000046 | void WriteBool(bool value)  
000047 | {  
000048 |     ExpansionBitStreamSerializerWriter.WriteBool(this, value, m_Packed, m_PackedBits);  
000049 | }  
000050 |  
000051 | void WriteChar(int value)  
000052 | {  
000053 |     ExpansionBitStreamSerializerWriter.WriteChar(this, value, m_Packed, m_PackedBits);  
000054 | }  
000055 |  
000056 | void WriteUChar(int value)  
000057 | {  
000058 |     ExpansionBitStreamSerializerWriter.WriteUChar(this, value, m_Packed, m_PackedBits);  
000059 | }  
000060 |  
000061 | void WriteShort(int value)  
000062 | {  
000063 |     ExpansionBitStreamSerializerWriter.WriteShort(this, value, m_Packed, m_PackedBits);  
000064 | }  
000065 |  
000066 | void WriteUShort(int value)  
000067 | {  
000068 |     ExpansionBitStreamSerializerWriter.WriteUShort(this, value, m_Packed, m_PackedBits);  
000069 | }  
000070 |  
000071 | void Write(float value, int bits)  
000072 | {  
000073 |     ExpansionBitStreamSerializerWriter.Write(this, value, bits, m_Packed, m_PackedBits);  
000074 | }  
000075 |  
000076 | ///! @note converts float to fp16  
000077 | void WriteHalf(float value)  
000078 | {  
000079 |     ExpansionBitStreamSerializerWriter.WriteHalf(this, value, m_Packed, m_PackedBits);  
000080 | }  
000081 |  
000082 | void Write(vector value, int bits)  
000083 | {  
000084 |     ExpansionBitStreamSerializerWriter.Write(this, value, bits, m_Packed, m_PackedBits);  
000085 | }  
000086 |  
000087 | ///! @note converts float to fp16  
000088 | void WriteHalf(vector value)
```

```
000089 | {
000090 |     ExpansionBitStreamSerializerWriter.WriteHalf(this, value, m_Packed, m_PackedBits);
000091 | }
000092 |
000093 | void Write(string value, int bits)
000094 | {
000095 |     ExpansionBitStreamSerializerWriter.Write(this, value, bits, m_Packed, m_PackedBits);
000096 | }
000097 |
000098 | void Write(string value, int bits, string alphabet)
000099 | {
000100 |     ExpansionBitStreamSerializerWriter.Write(this, value, bits, alphabet, m_Packed, m_PackedBits);
000101 | }
000102 |
000103 | void WriteClassName(string value)
000104 | {
000105 |     ExpansionBitStreamSerializerWriter.WriteClassName(this, value, m_Packed, m_PackedBits);
000106 | }
000107 |
000108 | void WriteClassNameLower(string value)
000109 | {
000110 |     ExpansionBitStreamSerializerWriter.WriteClassNameLower(this, value, m_Packed, m_PackedBits);
000111 | }
000112 |
000113 | void Flush()
000114 | {
000115 |     ExpansionBitStreamSerializerWriter.Flush(this, m_Packed, m_PackedBits);
000116 | }
000117 |
000118 | /* ----- */
000119 |
000120 | void Expansion_WriteNetworkID(Object object)
000121 | {
000122 |     int low, high;
000123 |     object.GetNetworkID(low, high);
000124 |     Write(low);
000125 |     Write(high);
000126 | }
000127 |
000128 | void Expansion_Send(bool guaranteed = true, PlayerIdentity recipient = null)
000129 | {
000130 |     Expansion_Send(m_Expansion_Target, guaranteed, recipient);
000131 | }
000132 |
000133 | void Expansion_Send(Object target, bool guaranteed = true, PlayerIdentity recipient = null)
000134 | {
000135 |     if (!m_Expansion_RPCID)
000136 |         return;
000137 |
000138 |     Flush();
000139 |
000140 |     if (target)
000141 |         Send(target, EXPANSION_RPC_TARGETED, guaranteed, recipient);
000142 |     else
000143 |         Send(null, EXPANSION_RPC_UNTARGETED, guaranteed, recipient);
000144 | }
000145 |
000146 | /**
000147 |  * @brief create and return ExpansionScriptRPC instance
000148 |  *
000149 |  * @param rpcID Expansion RPC ID
000150 |  */
```



```
000151 |      * @return ExpansionScriptRPC instance
000152 |      */
000153 |      static ExpansionScriptRPC Create(int rpcID)
000154 |      {
000155 |          ExpansionScriptRPC rpc = new ExpansionScriptRPC();
000156 |          if (!rpcID)
000157 |              Error("Invalid Expansion RPC ID 0");
000158 |          else
000159 |              rpc.m_Expansion_RPCID = rpcID;
000160 |          rpc.Write(rpcID);
000161 |          return rpc;
000162 |      }
000163 |  }
000164 |
```

0065. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionSHA256.c

Size bytes: 5829

SHA-256: 8371ef4c9516aab6195ce388094aea914c36385b32d76ba9a0f046f282b2d578

Decoded as: utf-8-sig

Line count shown: 250

Detected class declarations: 1

L26: class ExpansionSHA256

Detected enum declarations: 0

Detected function/method-like declarations: 9

L51: static bool Reset()

L65: protected static bool DoUnitTest()

L93: protected static void Process()

L151: protected static void IncrementTotalBitsBy(CF_Uint amount)

L162: static void Update(string input, bool reset = true, bool finalize = true)

L185: static bool IsDirty()

L193: static void Finalize()

L221: static void Digest(out CF_Byte digest[32])

L235: static string HexDigest()

Full file content

```

000001 | /**
000002 |  * ExpansionSHA256.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**
000014 |  * @brief SHA256 implementation in EnforceScript
000015 |  *
000016 |  * @code
000017 |  * // Example usage
000018 |  * string inputString = "Hello, EnforceScript!";
000019 |  * ExpansionSHA256.Update(inputString);
000020 |  * string hash = ExpansionSHA256.HexDigest();
000021 |  * ExpansionSHA256.Reset(); // Don't forget to reset for next use!
000022 |  * Print("Input: " + inputString);
000023 |  * Print("SHA-256: " + hash);
000024 |  * @endcode
000025 | */
000026 | class ExpansionSHA256
000027 | {
000028 |     protected static CF_Uint s_K[64] = {
000029 |         0x428a2f98, 0x71374491, 0xb5c0fbcf, 0xe9b5dba5, 0x3956c25b, 0x59f111f1, 0x923f82a4, 0xab1c5ed5,
000030 |         0xd807aa98, 0x12835b01, 0x243185be, 0x550c7dc3, 0x72be5d74, 0x80deb1fe, 0x9bdc06a7, 0xc19bf174,
000031 |         0xe49b69c1, 0xefbe4786, 0x0fc19dc6, 0x240ca1cc, 0x2de92c6f, 0x4a7484aa, 0x5cb0a9dc, 0x76f988da,
000032 |         0x983e5152, 0xa831c66d, 0xb00327c8, 0xbf597fc7, 0xc6e00bf3, 0xd5a79147, 0x06ca6351, 0x14292967,
000033 |         0x27b70a85, 0x2e1b2138, 0x4d2c6dfe, 0x53380d13, 0x650a7354, 0x766a0abb, 0x81c2c92e, 0x92722c85,
000034 |         0xa2bfe8a1, 0xa81a664b, 0xc24b8b70, 0xc76c51a3, 0xd192e819, 0xd6990624, 0xf40e3585, 0x106aa070,
000035 |         0x19a4c116, 0x1e376c08, 0x27487774, 0x34b0bcb5, 0x391c0cb3, 0x4ed8aa4a, 0x5b9cca4f, 0x682e6fff,
000036 |         0x748f82ee, 0x78a5636f, 0x84c87814, 0x8cc70208, 0x90bafffa, 0xa4506ceb, 0xbef9a3f7, 0xc67178f2
000037 |     };
000038 | }

```

```
000039 | protected static CF_Uint s_InitialHash[8] = {
000040 |     0x6a09e667, 0xbb67ae85, 0x3c6ef372, 0xa54ff53a, 0x510e527f, 0x9b05688c, 0x1f83d9ab, 0x5be0cd19
000041 | };
000042 |
000043 | protected static CF_Uint s_Hash[8];
000044 | protected static CF_Uint s_TotalBits[2];
000045 | protected static CF_Uint s_Buffer[64];
000046 | protected static int s_BufferIndex;
000047 |
000048 | protected static bool s_Reset = Reset();
000049 | protected static bool s_Test = DoUnitTest();
000050 |
000051 | static bool Reset()
000052 | {
000053 |     for (int i = 0; i < 8; i++)
000054 |     {
000055 |         s_Hash[i] = s_InitialHash[i];
000056 |     }
000057 |
000058 |     s_TotalBits[0] = 0;
000059 |     s_TotalBits[1] = 0;
000060 |     s_BufferIndex = 0;
000061 |
000062 |     return true;
000063 | }
000064 |
000065 | protected static bool DoUnitTest()
000066 | {
000067 |     Update("76561197968396131");
000068 |
000069 | #ifdef DIAG_DEVELOPER
000070 |     Print(HexDigest());
000071 | #endif
000072 |
000073 |     CF_Byte digest[32];
000074 |     Digest(digest);
000075 |
000076 |     Reset();
000077 |
000078 |     string id = PlayerIdentity.Expansion_EncodeDigest(digest);
000079 |
000080 | #ifdef DIAG_DEVELOPER
000081 |     Print(id);
000082 | #endif
000083 |
000084 |     if (id != "XoIwo96jCq0GY-Rs9_PlsZf1YHNQ-ey54aB08cuT0VY=")
000085 |     {
000086 |         Error("ExpansionSHA256 generated wrong hash!");
000087 |         return false;
000088 |     }
000089 |
000090 |     return true;
000091 | }
000092 |
000093 | protected static void Process()
000094 | {
000095 |     CF_Uint words[64];
000096 |     int i;
000097 |
000098 |     for (i = 0; i < 16; i++)
000099 |     {
000100 |         words[i] = (s_Buffer[i * 4] << 24) | (s_Buffer[i * 4 + 1] << 16) | (s_Buffer[i * 4 + 2] << 8) | s_Buffer[i * 4 + 3];
```

```
000101 |     }
000102 |
000103 |     CF_Uint s0;
000104 |     CF_Uint s1;
000105 |
000106 |     for (i = 16; i < 64; i++)
000107 |     {
000108 |         s0 = CF_Uint.SIG0(words[i - 15]);
000109 |         s1 = CF_Uint.SIG1(words[i - 2]);
000110 |         words[i] = words[i - 16].Add(s0).Add(words[i - 7]).Add(s1);
000111 |     }
000112 |
000113 |     CF_Uint a = s_Hash[0];
000114 |     CF_Uint b = s_Hash[1];
000115 |     CF_Uint c = s_Hash[2];
000116 |     CF_Uint d = s_Hash[3];
000117 |     CF_Uint e = s_Hash[4];
000118 |     CF_Uint f = s_Hash[5];
000119 |     CF_Uint g = s_Hash[6];
000120 |     CF_Uint h = s_Hash[7];
000121 |
000122 |     for (i = 0; i < 64; i++)
000123 |     {
000124 |         s1 = CF_Uint.EP1(e);
000125 |         CF_Uint ch = CF_Uint.CH(e, f, g);
000126 |         CF_Uint temp1 = h.Add(s1).Add(ch).Add(s_K[i]).Add(words[i]);
000127 |         s0 = CF_Uint.EP0(a);
000128 |         CF_Uint maj = CF_Uint.MAJ(a, b, c);
000129 |         CF_Uint temp2 = s0.Add(maj);
000130 |
000131 |         h = g;
000132 |         g = f;
000133 |         f = e;
000134 |         e = d.Add(temp1);
000135 |         d = c;
000136 |         c = b;
000137 |         b = a;
000138 |         a = temp1.Add(temp2);
000139 |     }
000140 |
000141 |     s_Hash[0] = s_Hash[0].Add(a);
000142 |     s_Hash[1] = s_Hash[1].Add(b);
000143 |     s_Hash[2] = s_Hash[2].Add(c);
000144 |     s_Hash[3] = s_Hash[3].Add(d);
000145 |     s_Hash[4] = s_Hash[4].Add(e);
000146 |     s_Hash[5] = s_Hash[5].Add(f);
000147 |     s_Hash[6] = s_Hash[6].Add(g);
000148 |     s_Hash[7] = s_Hash[7].Add(h);
000149 | }
000150 |
000151 | protected static void IncrementTotalBitsBy(CF_Uint amount)
000152 | {
000153 |     CF_Uint max = 0xffffffff;
000154 |     CF_Uint test = max - amount;
000155 |
000156 |     if (s_TotalBits[0].IsGt(test))
000157 |         s_TotalBits[1] = s_TotalBits[1] + 1;
000158 |
000159 |     s_TotalBits[0] = s_TotalBits[0].Add(amount);
000160 | }
000161 |
000162 | static void Update(string input, bool reset = true, bool finalize = true)
```

```
000163 | {
000164 | #ifdef EXTRACE
000165 |     auto trace = EXTrace.Start(EXTrace.PROFILING, ExpansionSHA256);
000166 | #endif
000167 |     if (reset && IsDirty())
000168 |         Reset();
000169 |
000170 |     for (int i = 0; i < input.Length(); i++)
000171 |     {
000172 |         s_Buffer[s_BufferIndex++] = input[i].ToAscii() & 255;
000173 |         if (s_BufferIndex == 64)
000174 |         {
000175 |             Process();
000176 |             IncrementTotalBitsBy(512);
000177 |             s_BufferIndex = 0;
000178 |         }
000179 |     }
000180 |
000181 |     if (finalize)
000182 |         Finalize();
000183 | }
000184 |
000185 | static bool IsDirty()
000186 | {
000187 |     if (s_BufferIndex || s_TotalBits)
000188 |         return true;
000189 |
000190 |     return false;
000191 | }
000192 |
000193 | static void Finalize()
000194 | {
000195 |     IncrementTotalBitsBy(s_BufferIndex * 8);
000196 |
000197 |     //! Pad the message
000198 |     s_Buffer[s_BufferIndex++] = 0x80;
000199 |     while (s_BufferIndex != 56)
000200 |     {
000201 |         if (s_BufferIndex == 64)
000202 |         {
000203 |             Process();
000204 |             s_BufferIndex = 0;
000205 |         }
000206 |         s_Buffer[s_BufferIndex++] = 0;
000207 |     }
000208 |
000209 |     //! Append the total bits at the end
000210 |     for (int i = 0, k = 63; i < 2; i++)
000211 |     {
000212 |         for (int j = 0; j < 4; j++)
000213 |         {
000214 |             s_Buffer[k--] = s_TotalBits[i].ShiftRight(j * 8) & 0xFF;
000215 |         }
000216 |     }
000217 |
000218 |     Process();
000219 | }
000220 |
000221 | static void Digest(out CF_Byte digest[32])
000222 | {
000223 |     int n;
000224 |     for (int i = 0; i < 8; i++)
```

```
000225 |     {
000226 |         for (int j = 0; j < 4; j++)
000227 |         {
000228 |             CF_Byte value = s_Hash[i].ShiftRight(24 - j * 8) & 0xFF;
000229 |             n = i * 4 + j;
000230 |             digest[n] = value;
000231 |         }
000232 |     }
000233 | }
000234 |
000235 | static string HexDigest()
000236 | {
000237 |     string result;
000238 |
000239 |     for (int i = 0; i < 8; i++)
000240 |     {
000241 |         for (int j = 0; j < 8; j++)
000242 |         {
000243 |             result += ExpansionStatic.BASE16[s_Hash[i].ShiftRight(28 - j * 4) & 0xF];
000244 |         }
000245 |     }
000246 |
000247 |     return result;
000248 | }
000249 | }
000250 |
```

0066. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionStatic.c
Size bytes: 80641
SHA-256: eb74fc1276fb382e784a69d827ef8e7a021c0a4030faae4f4cc2d45d0056d344
Decoded as: utf-8-sig
Line count shown: 2926
Detected class declarations: 5
  L33: class EXTee
  L139: class EXError
  L394: class EXTimeIt
  L425: class EXHitch: EXTimeIt
  L464: class ExpansionStatic: ExpansionStaticCore
Detected enum declarations: 3
  L134: enum EXErrorSeverity: ErrorExSeverity
  L450: enum ExpansionVectorToString
  L458: enum ExpansionFindFileMode
Detected function/method-like declarations: 80
  L13: static bool Expansion_Assert_False( bool check, string message )
  L24: static void Expansion_Error(string s, inout bool check = false)
  L44: void EXTee(string fileName, FileMode mode = FileMode.APPEND)
  L49: void ~EXTee()
  L57: bool CanWrite()
  L65: void WriteLine(string str, bool print = true)
  L126: void Flush()
  L145: static void Info(Class instance, string msg, TStringArray stack = null)
  L150: static void InfoTrace(Class instance, string msg, TStringArray stack = null)
  L155: static void Warn(Class instance, string msg, TStringArray stack = null)
  L160: static void Error(Class instance, string msg, TStringArray stack = null)
  L165: static bool ErrorFalse(Class instance, string msg, TStringArray stack = null)
  L171: static void InfoOnce(Class instance, string msg, TStringArray stack = null)
  L176: static void WarnOnce(Class instance, string msg, TStringArray stack = null)
  L181: static void ErrorOnce(Class instance, string msg, TStringArray stack = null)
  L186: static void LogOnce(Class instance, string msg, TStringArray stack = null, ErrorExSeverity severity = ErrorExSeverity.ERROR)
  L198: static void Log(Class instance, string msg, TStringArray stack = null, ErrorExSeverity severity = ErrorExSeverity.ERROR)
  L237: else if (line.IndexOf("Info()") > -1)
  L239: else if (line.IndexOf("Warn()") > -1)
  L241: else if (line.IndexOf("Error()") > -1)
  L243: else if (line.IndexOf("InfoOnce()") > -1)
  L245: else if (line.IndexOf("WarnOnce()") > -1)
  L247: else if (line.IndexOf("ErrorOnce()") > -1)
  L249: else if (line.IndexOf("InfoTrace()") > -1)
  L259: static void LogToFile(string fileName, Class instance, string msg, TStringArray stack = null, ErrorExSeverity severity = ErrorExSeverity.ERR
  L347: static void EXPrint( string s, string prefix = " [EXPANSION DEBUG]: " )
  L352: static void EXPrint( Class instance, string s, string prefix = " [EXPANSION DEBUG]: " )
  L360: static void EXLogPrint( string s )
  L365: static void EXLogPrint( Class instance, string s )
  L373: static void EXLogPrint( float s )
  L381: static void EXLogPrint( int s )
  L387: static void EXPrintHitch( string msgPrefix, float startTime, float threshold = 0.0125 )
  L398: void EXTimeIt()
  L403: void Start()
  L408: int GetElapsed()
  L410: return TickCount(m_Ticks);
  L413: float GetElapsedMS()
  L415: return TickCount(m_Ticks) * 0.0001;
  L418: void Log()
  L430: void EXHitch(string msgPrefix, int threshold = 125000)
  L436: void ~EXHitch()
  L442: override void Log()
```

```

L476: static SurfaceDetectionParameters CreateSurfaceDetectionParams()
L484: static string BitmaskEnumToString(typename e, int enumValue, string delim = "|")
L499: else if (enumValue != 0)
L527: static bool StringToEnumEx(typename e, string enumName, out int value)
L540: static bool HasEnumValue(typename e, int enumValue)
L561: static string FloatToString(float nmb)
L563: return FormatFloat(nmb, 6, false, false);
L578: static string FormatFloat(float number, int precision = 6, bool useLocale = true, bool formatInt = true, bool enableIncreasedAccuracy = false)
L590: return FormatInt(i, false, useLocale);
L631: else if (Math.AbsFloat(f) != floor)
L701: else if (useComponents)
L744: else if (isNegativeExp)
L759: static int GetPrecision(int n)
L764: return FloatToString(1.0 / n).Length() - 2;
L769: static string FloatFixedDecimals(float f, int decimals = 4)
L792: static float FloatNewPrecision(float n, float i)
L801: static TStringArray GetWorkingZombieClasses()
L854: static string GetInstanceID(Class instance)
L877: static string GetDebugInfo(Class instance, bool checkParent = true)
L958: static string GetHierarchyInfo(Class instance)
L992: static string DumpToString(InventoryLocation loc)
L1041: string GetDisplayNameRaw(Object obj)
L1048: else if (obj.IsMagazine())
L1064: static string GetItemDisplayNameWithType( string type_name, map<string, string> cache = NULL )
L1073: else if ( g_Game.ConfigIsExisting( CFG_WEAPONSPATH + " " + type_name ) )
L1078: else if ( g_Game.ConfigIsExisting( CFG_VEHICLESPATH + " " + type_name ) )
L1083: else if ( g_Game.ConfigIsExisting( CFG_MAGAZINESPATH + " " + type_name ) )
L1109: static string GetItemDescriptionWithType( string type_name, map<string, string> cache = NULL )
L1118: else if ( g_Game.ConfigIsExisting( CFG_WEAPONSPATH + " " + type_name ) )
L1123: else if ( g_Game.ConfigIsExisting( CFG_VEHICLESPATH + " " + type_name ) )
L1128: else if ( g_Game.ConfigIsExisting( CFG_MAGAZINESPATH + " " + type_name ) )
L1142: static string GetPreviewClassName(string className, bool ignoreBaseBuildingKits = false)
L1148: else if (!ignoreBaseBuildingKits && className.IndexOf("kit") == className.Length() - 3)
L1189: static bool CanObstruct(Object obj)
L1209: static TStringArray GetAnimationSources(string type, string source = "user")
L1230: static void GetAnimationSourcesEx(string path, notnull TStringArray animationSources, string source = "user")
L1245: static float GetBoundingRadius(string className)
L1248: return ClippingInfo(className, minMax);
... detector capped this preview at 80 entries; full code follows.

```

Full file content

```

000001 | /**
000002 |  * ExpansionStatic.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | static bool Expansion_Assert_False( bool check, string message )
000014 | {
000015 |     if ( check == false )
000016 |     {
000017 |         Error( message );
000018 |         return true;
000019 |     }
000020 | }

```



```
000021 |     return false;
000022 | }
000023 |
000024 | static void Expansion_Error(string s, inout bool check = false)
000025 | {
000026 |     if (!check)
000027 |     {
000028 |         check = true;
000029 |         Error(s);
000030 |     }
000031 | }
000032 |
000033 | class EXtee
000034 | {
000035 |     ///! Effective printable max length (not including " SCRIPT      : " prefix)
000036 |     ///! Under diag server the effective max length is 16365
000037 |     ///! but we use the client/nondiag server max length for consistency
000038 |     static const int MAX_PRINTABLE_TEXT_LENGTH = 239;
000039 |
000040 |     FileHandle m_File;
000041 |     autoptr TStringArray m_PrintBuffer = {};
000042 |     int m_BufferLength;
000043 |
000044 |     void EXtee(string fileName, FileMode mode = FileMode.APPEND)
000045 |     {
000046 |         m_File = OpenFile(fileName, mode);
000047 |     }
000048 |
000049 |     void ~EXtee()
000050 |     {
000051 |         if (m_BufferLength > 0)
000052 |             Flush();
000053 |         if (m_File)
000054 |             CloseFile(m_File);
000055 |     }
000056 |
000057 |     bool CanWrite()
000058 |     {
000059 |         if (m_File)
000060 |             return true;
000061 |
000062 |         return false;
000063 |     }
000064 |
000065 |     void WriteLine(string str, bool print = true)
000066 |     {
000067 |         if (m_File)
000068 |             FPrintln(m_File, str);
000069 |
000070 |         if (print)
000071 |         {
000072 |             int strLen = str.Length();
000073 |
000074 |             int bufferLength = m_BufferLength;
000075 |             if (bufferLength > 0)
000076 |             {
000077 |                 ///! @note \n gets expanded to \r\n when printing, we need to deal with this by temporarily adjusting buffer length
000078 |                 bufferLength += m_PrintBuffer.Count() * 2;
000079 |
000080 |                 if (bufferLength + strLen > MAX_PRINTABLE_TEXT_LENGTH)
000081 |                     Flush();
000082 |             }
```

```
000083 |
000084 |         while (strLen > MAX_PRINTABLE_TEXT_LENGTH)
000085 |         {
000086 |             string chunk = str.Substring(0, MAX_PRINTABLE_TEXT_LENGTH);
000087 |
000088 |             //! Try to break on whitespace if possible
000089 |             int indexS = chunk.LastIndexOf(" ");
000090 |             int indexN = chunk.LastIndexOf("\n");
000091 |
000092 |             int index;
000093 |
000094 |             if (indexN > indexS)
000095 |                 index = indexN;
000096 |             else
000097 |                 index = indexS;
000098 |
000099 |             if (index > -1)
000100 |             {
000101 |                 index++;
000102 |
000103 |                 chunk = str.Substring(0, index);
000104 |             }
000105 |             else
000106 |             {
000107 |                 index = MAX_PRINTABLE_TEXT_LENGTH;
000108 |             }
000109 |
000110 |             Print("" + chunk);
000111 |
000112 |             strLen -= index;
000113 |
000114 |             //! string::Substring has a hard length limit of 8191
000115 |             if (strLen > 8191)
000116 |                 strLen = 8191;
000117 |
000118 |             str = str.Substring(index, strLen);
000119 |         }
000120 |
000121 |         m_PrintBuffer.Insert(str);
000122 |         m_BufferLength += strLen;
000123 |     }
000124 | }
000125 |
000126 | void Flush()
000127 | {
000128 |     Print(ExpansionString.JoinStrings(m_PrintBuffer, "\n"));
000129 |     m_PrintBuffer.Clear();
000130 |     m_BufferLength = 0;
000131 | }
000132 | }
000133 |
000134 | enum EXErrorSeverity: ErrorExSeverity
000135 | {
000136 |     INFO_TRACE
000137 | }
000138 |
000139 | class EXError
000140 | {
000141 |     static ref CF_Date s_Start = CF_Date.Now();
000142 |     static ref map<ErrorExSeverity, string> s_BaseNames = new map<ErrorExSeverity, string>;
000143 |     static ref map<string, int> s_Suppressed = new map<string, int>;
000144 | }
```

```
000145 | static void Info(Class instance, string msg, TStringArray stack = null)
000146 | {
000147 |     Log(instance, msg, stack, ErrorExSeverity.INFO);
000148 | }
000149 |
000150 | static void InfoTrace(Class instance, string msg, TStringArray stack = null)
000151 | {
000152 |     Log(instance, msg, stack, EXErrorSeverity.INFO_TRACE);
000153 | }
000154 |
000155 | static void Warn(Class instance, string msg, TStringArray stack = null)
000156 | {
000157 |     Log(instance, msg, stack, ErrorExSeverity.WARNING);
000158 | }
000159 |
000160 | static void Error(Class instance, string msg, TStringArray stack = null)
000161 | {
000162 |     Log(instance, msg, stack, ErrorExSeverity.ERROR);
000163 | }
000164 |
000165 | static bool ErrorFalse(Class instance, string msg, TStringArray stack = null)
000166 | {
000167 |     EXError.Error(instance, msg, stack);
000168 |     return false;
000169 | }
000170 |
000171 | static void InfoOnce(Class instance, string msg, TStringArray stack = null)
000172 | {
000173 |     LogOnce(instance, msg, stack, ErrorExSeverity.INFO);
000174 | }
000175 |
000176 | static void WarnOnce(Class instance, string msg, TStringArray stack = null)
000177 | {
000178 |     LogOnce(instance, msg, stack, ErrorExSeverity.WARNING);
000179 | }
000180 |
000181 | static void ErrorOnce(Class instance, string msg, TStringArray stack = null)
000182 | {
000183 |     LogOnce(instance, msg, stack, ErrorExSeverity.ERROR);
000184 | }
000185 |
000186 | static void LogOnce(Class instance, string msg, TStringArray stack = null, ErrorExSeverity severity = ErrorExSeverity.ERROR)
000187 | {
000188 |     int count;
000189 |
000190 |     if (!s_Suppressed.Find(msg, count))
000191 |         Log(instance, msg, stack, severity);
000192 |     else
000193 |         count++;
000194 |
000195 |     s_Suppressed[msg] = count;
000196 | }
000197 |
000198 | static void Log(Class instance, string msg, TStringArray stack = null, ErrorExSeverity severity = ErrorExSeverity.ERROR)
000199 | {
000200 |     string baseName;
000201 |
000202 |     if (!s_BaseNames)
000203 |         s_BaseNames = new map<ErrorExSeverity, string>;
000204 |
000205 |     int key;
000206 |     if (severity == EXErrorSeverity.INFO_TRACE)
```

```
000207 |         key = ErrorExSeverity.INFO;
000208 |     else
000209 |         key = severity;
000210 |
000211 |     if (!s_BaseNames.Find(key, baseName))
000212 |     {
000213 |         string prefix = typename.EnumToString(ErrorExSeverity, key);
000214 |         prefix.ToLower();
000215 |
000216 |         if (!s_Start)
000217 |             s_Start = CF_Date.Now();
000218 |
000219 |         baseName = string.Format("%1_%2.log", prefix, s_Start.GetISODateTime("_", "-"));
000220 |         s_BaseNames[key] = baseName;
000221 |     }
000222 |
000223 |     TStringArray filtered;
000224 |     if (!stack)
000225 |     {
000226 |         string tmp;
000227 |         DumpStackString(tmp);
000228 |         TStringArray lines = {};
000229 |         tmp.Split("\n", lines);
000230 |
000231 |         filtered = {};
000232 |         bool insert;
000233 |         foreach (string line: lines)
000234 |         {
000235 |             if (insert)
000236 |                 filtered.Insert(line);
000237 |             else if (line.IndexOf("Info()") > -1)
000238 |                 insert = true;
000239 |             else if (line.IndexOf("Warn()") > -1)
000240 |                 insert = true;
000241 |             else if (line.IndexOf("Error()") > -1)
000242 |                 insert = true;
000243 |             else if (line.IndexOf("InfoOnce()") > -1)
000244 |                 insert = true;
000245 |             else if (line.IndexOf("WarnOnce()") > -1)
000246 |                 insert = true;
000247 |             else if (line.IndexOf("ErrorOnce()") > -1)
000248 |                 insert = true;
000249 |             else if (line.IndexOf("InfoTrace()") > -1)
000250 |                 insert = true;
000251 |         }
000252 |
000253 |         stack = filtered;
000254 |     }
000255 |
000256 |     LogToFile("$profile:" + baseName, instance, msg, stack, severity);
000257 | }
000258 |
000259 | static void LogToFile(string fileName, Class instance, string msg, TStringArray stack = null, ErrorExSeverity severity = ErrorExSeverity.ERROR)
000260 | {
000261 |     //! Format like ErrorEx but with timestamps including ms
000262 |
000263 |     EXTee tee;
000264 |
000265 |     if (FileExist(fileName))
000266 |     {
000267 |         tee = new EXTee(fileName, FileMode.APPEND);
000268 |     }
```

```
000269 |     else
000270 |     {
000271 |         int key;
000272 |         if (severity == EXErrorSeverity.INFO_TRACE)
000273 |             key = ErrorExSeverity.INFO;
000274 |         else
000275 |             key = severity;
000276 |
000277 |         tee = new EXTee(fileName, FileMode.WRITE);
000278 |
000279 |         tee.WriteLine("-----", false);
000280 |         tee.WriteLine(string.Format("Log %1 started at %2", s_BaseNames[key], ExpansionStatic.GetISODateTime(false, " ")), false);
000281 |         tee.WriteLine("", false);
000282 |     }
000283 |
000284 |     string callerInfo;
000285 |
000286 |     if (instance)
000287 |     {
000288 |         callerInfo += "[" + instance.ToString();
000289 |
000290 |         if (stack.Count())
000291 |             callerInfo += ":@" + stack[0].Substring(0, stack[0].IndexOf("("));
000292 |
000293 |         callerInfo += "]" :: " ";
000294 |     }
000295 |
000296 |     string tag;
000297 |     if (severity == EXErrorSeverity.INFO_TRACE)
000298 |         tag = "INFO";
000299 |     else
000300 |         tag = typename.EnumToString(ErrorExSeverity, severity);
000301 |
000302 |     msg = string.Format("%1 %2[%3] :: %4", ExpansionStatic.GetISOTime(), callerInfo, tag, msg);
000303 |
000304 |     switch (severity)
000305 |     {
000306 |         case ErrorExSeverity.INFO:
000307 |             tee.WriteLine(msg);
000308 |             return;
000309 |     }
000310 |
000311 |     tee.WriteLine("", false);
000312 |     tee.WriteLine("", false);
000313 |     tee.WriteLine("-----", false);
000314 |     tee.WriteLine(string.Format("%1, %2", GetMachineName(), ExpansionStatic.GetISODate()), false);
000315 |
000316 |     tee.WriteLine(msg);
000317 |
000318 |     if (instance)
000319 |     {
000320 |         tee.WriteLine(string.Format("Class:      '%1'", instance.ClassName()));
000321 |         IEntity entity;
000322 |         if (Class.CastTo(entity, instance))
000323 |             tee.WriteLine(string.Format("Entity id:%1", entity.GetID()));
000324 |     }
000325 |
000326 |     if (stack.Count())
000327 |     {
000328 |         tee.WriteLine(string.Format("Function: '%1'", stack[0].Substring(0, stack[0].IndexOf("("))));
000329 |
000330 |         tee.WriteLine("Stack trace:");
```

```
000331 |
000332 |         bool print = true;
000333 |         foreach (string line: stack)
000334 |         {
000335 |             line.Replace(" : ", ":");
000336 |             int index = line.IndexOf("(") + 2;
000337 |             tee.WriteLine(line.Substring(index, line.Length() - index), print);
000338 |             print = false;
000339 |         }
000340 |     }
000341 | }
000342 | }
000343 |
000344 | // -----
000345 | // Expansion EXPrint
000346 | // -----
000347 | static void EXPrint( string s, string prefix = " [EXPANSION DEBUG]: " )
000348 | {
000349 |     PrintFormat("%1%2%3", ExpansionStatic.GetISOTime(), prefix, s );
000350 | }
000351 |
000352 | static void EXPrint( Class instance, string s, string prefix = " [EXPANSION DEBUG]: " )
000353 | {
000354 |     PrintFormat("%1%2%3 %4", ExpansionStatic.GetISOTime(), prefix, instance.ToString(), s );
000355 | }
000356 |
000357 | // -----
000358 | // Expansion EXLogPrint
000359 | // -----
000360 | static void EXLogPrint( string s )
000361 | {
000362 |     PrintFormat("%1%2%3", ExpansionStatic.GetISOTime(), " [EXPANSION LOG]: ", s );
000363 | }
000364 |
000365 | static void EXLogPrint( Class instance, string s )
000366 | {
000367 |     PrintFormat("%1%2%3 %4", ExpansionStatic.GetISOTime(), " [EXPANSION LOG]: ", instance.ToString(), s );
000368 | }
000369 |
000370 | // -----
000371 | // Expansion EXLogPrint
000372 | // -----
000373 | static void EXLogPrint( float s )
000374 | {
000375 |     EXLogPrint( s.ToString() );
000376 | }
000377 |
000378 | // -----
000379 | // Expansion EXLogPrint
000380 | // -----
000381 | static void EXLogPrint( int s )
000382 | {
000383 |     EXLogPrint( s.ToString() );
000384 | }
000385 |
000386 | //! Prints a hitch warning if elapsed time since startTime is above threshold (DEPRECATED, use EXHitch)
000387 | static void EXPrintHitch( string msgPrefix, float startTime, float threshold = 0.0125 )
000388 | {
000389 |     float elapsedTime = g_Game.GetTickTime() - startTime;
000390 |     if (elapsedTime > threshold)
000391 |         EXPrint(msgPrefix + "HITCH: " + (elapsedTime * 1000) + "ms");
000392 | }
```

```
000393 |
000394 | class EXTimeIt
000395 | {
000396 |     protected int m_Ticks;
000397 |
000398 |     void EXTimeIt()
000399 |     {
000400 |         Start();
000401 |     }
000402 |
000403 |     void Start()
000404 |     {
000405 |         m_Ticks = TickCount(0);
000406 |     }
000407 |
000408 |     int GetElapsed()
000409 |     {
000410 |         return TickCount(m_Ticks);
000411 |     }
000412 |
000413 |     float GetElapsedMS()
000414 |     {
000415 |         return TickCount(m_Ticks) * 0.0001;
000416 |     }
000417 |
000418 |     void Log()
000419 |     {
000420 |         int elapsed = TickCount(m_Ticks);
000421 |         PrintFormat("%1 elapsed: %2ms", ExpansionStatic.GetISOTime(), (elapsed / 10000.0).ToString());
000422 |     }
000423 | }
000424 |
000425 | class EXHitch: EXTimeIt
000426 | {
000427 |     protected int m_Threshold;
000428 |     protected string m_MsgPrefix;
000429 |
000430 |     void EXHitch(string msgPrefix, int threshold = 125000)
000431 |     {
000432 |         m_Threshold = threshold;
000433 |         m_MsgPrefix = msgPrefix;
000434 |     }
000435 |
000436 |     void ~EXHitch()
000437 |     {
000438 |         if (g_Game)
000439 |             Log();
000440 |     }
000441 |
000442 |     override void Log()
000443 |     {
000444 |         int elapsed = TickCount(m_Ticks);
000445 |         if (elapsed > m_Threshold)
000446 |             PrintFormat("%1 %2HITCH: %3ms", ExpansionStatic.GetISOTime(), m_MsgPrefix, (elapsed / 10000.0).ToString());
000447 |     }
000448 | }
000449 |
000450 | enum ExpansionVectorToString
000451 | {
000452 |     Plain,
000453 |     Beautify,
000454 |     Labels
```

```
000455 | }
000456 |
000457 | ///! Bitmask
000458 | enum ExpansionFindFileMode
000459 | {
000460 |     FILES = 1,
000461 |     DIRECTORIES = 2
000462 | }
000463 |
000464 | class ExpansionStatic: ExpansionStaticCore
000465 | {
000466 |     static const string BASE16 = "0123456789ABCDEF";
000467 |     static const typename NULLTYPE;
000468 |     static const string DIRSEPARATOR = "\\";
000469 |     static const string DIRSEPARATOR_ALT = "/";
000470 |
000471 |     static ref TStringArray s_VehicleClassNames = {"CarScript", "BoatScript", "ExpansionVehicleBase", "HypeTrain_PartBase"};
000472 |
000473 |     static ref SurfaceDetectionParameters s_SurfParams = CreateSurfaceDetectionParams();
000474 |     static ref SurfaceDetectionResult s_SurfResult = new SurfaceDetectionResult();
000475 |
000476 |     static SurfaceDetectionParameters CreateSurfaceDetectionParams()
000477 |     {
000478 |         auto surfParams = new SurfaceDetectionParameters();
000479 |         surfParams.type = SurfaceDetectionType.Roadway;
000480 |         surfParams.syncMode = UseObjectsMode.NoWait;
000481 |         return surfParams;
000482 |     }
000483 |
000484 |     static string BitmaskEnumToString(typename e, int enumValue, string delim = "|")
000485 |     {
000486 |         int cnt = e.GetVariableCount();
000487 |         int val;
000488 |
000489 |         string ret;
000490 |         for (int i = 0; i < cnt; i++)
000491 |         {
000492 |             if (e.GetVariableType(i) == int && e.GetVariableValue(null, i, val))
000493 |             {
000494 |                 if (val != 0)
000495 |                 {
000496 |                     if ((enumValue & val) != val)
000497 |                         continue;
000498 |                 }
000499 |                 else if (enumValue != 0)
000500 |                 {
000501 |                     continue;
000502 |                 }
000503 |
000504 |                 if (ret.Length() > 0)
000505 |                     ret += delim;
000506 |                 ret += e.GetVariableName(i);
000507 |             }
000508 |         }
000509 |
000510 |         if (ret.Length() > 0)
000511 |             return ret;
000512 |
000513 |         return "unknown";
000514 |     }
000515 |
000516 | /**
```



```
000517 | * @brief Set value to enum value if it exists
000518 | *
000519 | * @param e typename/enum
000520 | * @param enumName name
000521 | * @param [out] value (if found)
000522 | *
000523 | * @return true if found, false if not
000524 | *
000525 | * @note use this instead of typename.ToStringToEnum if you need to know if value exists or not
000526 | */
000527 | static bool StringToEnumEx(typename e, string enumName, out int value)
000528 | {
000529 |     int count = e.GetVariableCount();
000530 |
000531 |     for (int i = 0; i < count; i++)
000532 |     {
000533 |         if (e.GetVariableType(i) == int && e.GetVariableName(i) == enumName && e.GetVariableValue(null, i, value))
000534 |             return true;
000535 |     }
000536 |
000537 |     return false;
000538 | }
000539 |
000540 | static bool HasEnumValue(typename e, int enumValue)
000541 | {
000542 |     int cnt = e.GetVariableCount();
000543 |     int val;
000544 |
000545 |     for (int i = 0; i < cnt; i++)
000546 |     {
000547 |         if (e.GetVariableType(i) == int && e.GetVariableValue(null, i, val) && val == enumValue)
000548 |             return true;
000549 |     }
000550 |
000551 |     return false;
000552 | }
000553 |
000554 | /**
000555 | * @brief Float to string conversion
000556 | *
000557 | * @param nmb Float number
000558 | *
000559 | * @note unlike float::ToString(), returns non-scientific notation for any number
000560 | */
000561 | static string FloatToString(float nmb)
000562 | {
000563 |     return FormatFloat(nmb, 6, false, false);
000564 | }
000565 |
000566 | /**
000567 | * @brief Format float number as string with given precision
000568 | *
000569 | * @param nmb Float number
000570 | * @param precision Decimal places after decimal separator
000571 | * @param useLocale Use localized decimal/thousands separator
000572 | * @param formatInt Format integer part of number (using localized or SI thousands separator)
000573 | * @param enableIncreasedAccuracy Gain 1-3 additional digits of precision before and after the decimal point,
000574 | *     but at roughly 50% performance cost (avg)
000575 | *
000576 | * @note unlike float::ToString(), returns non-scientific notation for any number
000577 | */
000578 | static string FormatFloat(float number, int precision = 6, bool useLocale = true, bool formatInt = true, bool enableIncreasedAccuracy = false)
```

```
000579 | {
000580 |     int i;
000581 |
000582 |     if (number > (float) int.MIN && number < (float) int.MAX)
000583 |         i = number;
000584 |
000585 |     float f = i;
000586 |
000587 |     if (number == f)
000588 |     {
000589 |         if (formatInt)
000590 |             return FormatInt(i, false, useLocale);
000591 |         else
000592 |             return i.ToString();
000593 |     }
000594 |
000595 |     /*
000596 |     ///! XXX: It's easier and should be sufficient to just not do rounding at all and always truncate
000597 |     ///! Leaving this here just in case I change my mind
000598 |     if (precision > 0)
000599 |     {
000600 |         float m = Math.Pow(10, precision);
000601 |         if (Math.AbsFloat(number) <= float.MAX / m)
000602 |             number = Math.Round(number * m) / m;
000603 |     }
000604 |     */
000605 |
000606 |     float abs = Math.AbsFloat(number);
000607 |     //float floor = Math.Floor(abs); ///! It's broken, e.g. float.MAX gets turned into 1.70141e+38, half of what it should be
000608 |     float floor = -Math.Ceil(-abs); ///! Gives correct floor
000609 |     float frac = abs - floor;
000610 |
000611 |     string tmp = abs.ToString();
000612 |     string real;
000613 |     string zeros;
000614 |
000615 |     bool isNegativeExp;
000616 |     bool useComponents;
000617 |
000618 |     int count;
000619 |     int digit;
000620 |
000621 |     string str;
000622 |
000623 |     int expIdx = tmp.IndexOf("e");
000624 |
000625 |     if (expIdx > -1)
000626 |     {
000627 |         int exp = tmp.Substring(expIdx + 1, tmp.Length() - expIdx - 1).ToInt();
000628 |
000629 |         if (exp < 0)
000630 |             isNegativeExp = true;
000631 |         else if (Math.AbsFloat(f) != floor)
000632 |             useComponents = true;
000633 |
000634 |         if (isNegativeExp || useComponents)
000635 |         {
000636 |             count = Math.AbsInt(exp);
000637 |
000638 |             if (enableIncreasedAccuracy)
000639 |             {
000640 |                 if (useComponents)
```

```
000641 |         {
000642 |             while (floor >= 1.0)
000643 |             {
000644 |                 float fdigit = ExpansionMath.FMod(floor, 10.0);
000645 |                 digit = fdigit;
000646 |                 if (digit < 0)
000647 |                     digit = 0;
000648 |                 //PrintFormat("DIGIT %1 %2", fdigit, digit);
000649 |                 real = digit.ToString() + real;
000650 |                 floor = (floor - digit) / 10.0;
000651 |             }
000652 |
000653 |             if (real.Length() > ++count)
000654 |                 real = real.Substring(0, count);
000655 |         }
000656 |     else
000657 |     {
000658 |         count += tmp.Substring(0, expIdx).Length() - 1;
000659 |
000660 |         if (precision > count)
000661 |             precision = count;
000662 |     }
000663 | }
000664 | else
000665 | {
000666 |     int decimalLen;
000667 |
000668 |     if (expIdx >= 3)
000669 |     {
000670 |         //! coefficient has decimal point, e.g. 1.2e-05
000671 |         decimalLen = expIdx - 2;
000672 |         real = tmp.Substring(0, 1) + tmp.Substring(2, decimalLen);
000673 |     }
000674 |     else
000675 |     {
000676 |         //! coefficient has no decimal point, e.g. 1e-05
000677 |         decimalLen = 1;
000678 |         real = tmp.Substring(0, expIdx);
000679 |     }
000680 |
000681 |     if (isNegativeExp)
000682 |         count--;
000683 |     else
000684 |         count -= decimalLen;
000685 |
000686 |     while (count-- > 0)
000687 |     {
000688 |         zeros += "0";
000689 |     }
000690 | }
000691 |
000692 | if (number < 0)
000693 |     str = "-";
000694 | }
000695 | }
000696 |
000697 | if (isNegativeExp)
000698 | {
000699 |     str += "0";
000700 | }
000701 | else if (useComponents)
000702 | {
```

```
000703 |         if (formatInt)
000704 |             str += FormatIntStr(real + zeros, useLocale);
000705 |         else
000706 |             str += real + zeros;
000707 |     }
000708 |     else
000709 |     {
000710 |         if (number < 0 && i >= 0)
000711 |             str = "-";
000712 |
000713 |         if (formatInt)
000714 |             str += FormatInt(i, false, useLocale);
000715 |         else
000716 |             str += i.ToString();
000717 |     }
000718 |
000719 |     if (frac)
000720 |     {
000721 |         if (useLocale)
000722 |             str += Widget.TranslateString("#STR_EXPANSION_NUMBER_SEPARATOR_DECIMAL");
000723 |         else
000724 |             str += ".";
000725 |
000726 |         if (enableIncreasedAccuracy)
000727 |         {
000728 |             if (!isNegativeExp)
000729 |             {
000730 |                 count = frac.ToString().Length() - 1;
000731 |
000732 |                 if (precision > count)
000733 |                     precision = count;
000734 |             }
000735 |
000736 |             while (precision-- > 0)
000737 |             {
000738 |                 frac *= 10;
000739 |                 digit = frac;
000740 |                 str += digit.ToString();
000741 |                 frac -= digit;
000742 |             }
000743 |         }
000744 |         else if (isNegativeExp)
000745 |         {
000746 |             tmp = zeros + real;
000747 |             str += tmp.Substring(0, Math.Min(tmp.Length(), precision));
000748 |         }
000749 |         else
000750 |         {
000751 |             tmp = frac.ToString(false);
000752 |             str += tmp.Substring(2, Math.Min(tmp.Length() - 2, precision));
000753 |         }
000754 |     }
000755 |
000756 |     return str;
000757 | }
000758 |
000759 | static int GetPrecision(int n)
000760 | {
000761 |     n = Math.AbsInt(n);
000762 |
000763 |     if (n)
000764 |         return FloatToString(1.0 / n).Length() - 2;
```

```
000765 |
000766 |     return 0;
000767 | }
000768 |
000769 | static string FloatFixedDecimals(float f, int decimals = 4)
000770 | {
000771 |     string str = f.ToString();
000772 |     int i = str.IndexOf(".");
000773 |
000774 |     if (i > -1)
000775 |     {
000776 |         while (str.Length() - i < decimals + 1)
000777 |         {
000778 |             str += "0";
000779 |         }
000780 |
000781 |         int len = str.Length() - i - 1;
000782 |         if (len > decimals)
000783 |             str = str.Substring(0, i + decimals + 1);
000784 |     }
000785 |
000786 |     return str;
000787 | }
000788 |
000789 | // -----
000790 | // Expansion Float FloatNewPrecision
000791 | // -----
000792 | static float FloatNewPrecision(float n, float i)
000793 | {
000794 |     float m = Math.Pow(10, i);
000795 |     return Math.Floor(m * n) / m;
000796 | }
000797 |
000798 | // -----
000799 | // Expansion TStringArray GetWorkingZombieClasses
000800 | // -----
000801 | static TStringArray GetWorkingZombieClasses()
000802 | {
000803 |     return { "ZmbM_HermitSkinny_Beige", "ZmbM_HermitSkinny_Black", "ZmbM_HermitSkinny_Green",
000804 |             "ZmbM_HermitSkinny_Red", "ZmbM_FarmerFat_Beige", "ZmbM_FarmerFat_Blue", "ZmbM_FarmerFat_Brown",
000805 |             "ZmbM_FarmerFat_Green", "ZmbF_CitizenANormal_Beige", "ZmbF_CitizenANormal_Brown",
000806 |             "ZmbF_CitizenANormal_Blue", "ZmbM_CitizenASkinny_Blue", "ZmbM_CitizenASkinny_Brown",
000807 |             "ZmbM_CitizenASkinny_Grey", "ZmbM_CitizenASkinny_Red", "ZmbM_CitizenBFat_Blue", "ZmbM_CitizenBFat_Red",
000808 |             "ZmbM_CitizenBFat_Green", "ZmbF_CitizenBSkinny", "ZmbM_PrisonerSkinny",
000809 |             "ZmbM_FirefighterNormal", "ZmbM_FishermanOld_Blue", "ZmbM_FishermanOld_Green",
000810 |             "ZmbM_FishermanOld_Grey", "ZmbM_FishermanOld_Red", "ZmbM_JournalistSkinny",
000811 |             "ZmbF_JournalistNormal_Blue", "ZmbF_JournalistNormal_Green", "ZmbF_JournalistNormal_Red", "ZmbF_JournalistNormal_White",
000812 |             "ZmbM_ParamedicNormal_Blue", "ZmbM_ParamedicNormal_Green", "ZmbM_ParamedicNormal_Red",
000813 |             "ZmbM_ParamedicNormal_Black", "ZmbF_ParamedicNormal_Blue", "ZmbF_ParamedicNormal_Green",
000814 |             "ZmbF_ParamedicNormal_Red", "ZmbM_HikerSkinny_Blue", "ZmbM_HikerSkinny_Green", "ZmbM_HikerSkinny_Yellow",
000815 |             "ZmbF_HikerSkinny_Blue", "ZmbF_HikerSkinny_Grey", "ZmbF_HikerSkinny_Green", "ZmbF_HikerSkinny_Red",
000816 |             "ZmbM_HunterOld_Autumn", "ZmbM_HunterOld_Spring", "ZmbM_HunterOld_Summer", "ZmbM_HunterOld_Winter",
000817 |             "ZmbF_SurvivorNormal_Blue", "ZmbF_SurvivorNormal_Orange", "ZmbF_SurvivorNormal_Red",
000818 |             "ZmbF_SurvivorNormal_White",
000819 |             "ZmbM_PolicemanFat", "ZmbF_PoliceWomanNormal",
000820 |             "ZmbM_PolicemanSpecForce", "ZmbM_SoldierNormal",
000821 |             "ZmbM_usSoldier_normal_Woodland", "ZmbM_usSoldier_normal_Desert", "ZmbM_CommercialPilotOld_Blue",
000822 |             "ZmbM_CommercialPilotOld_Olive", "ZmbM_CommercialPilotOld_Brown", "ZmbM_CommercialPilotOld_Grey",
000823 |             "ZmbM_PatrolNormal_PautRev", "ZmbM_PatrolNormal_Autumn", "ZmbM_PatrolNormal_Flat", "ZmbM_PatrolNormal_Summer",
000824 |             "ZmbM_JoggerSkinny_Blue", "ZmbM_JoggerSkinny_Green", "ZmbM_JoggerSkinny_Red", "ZmbF_JoggerSkinny_Blue",
000825 |             "ZmbF_JoggerSkinny_Brown", "ZmbF_JoggerSkinny_Green", "ZmbF_JoggerSkinny_Red", "ZmbM_MotobikerFat_Beige",
000826 |             "ZmbM_MotobikerFat_Black", "ZmbM_MotobikerFat_Blue", "ZmbM_VillagerOld_Blue", "ZmbM_VillagerOld_Green",
```

```

000827 |         "ZmbM_VillagerOld_White", "ZmbM_SkaterYoung_Blue", "ZmbM_SkaterYoung_Brown", "ZmbM_SkaterYoung_Green",
000828 |         "ZmbM_SkaterYoung_Grey", "ZmbF_SkaterYoung_Brown", "ZmbF_SkaterYoung_Striped", "ZmbF_SkaterYoung_Violet",
000829 |         "ZmbF_DoctorSkinny", "ZmbF_BlueCollarFat_Blue", "ZmbF_BlueCollarFat_Green",
000830 |         "ZmbF_BlueCollarFat_Red", "ZmbF_BlueCollarFat_White", "ZmbF_MechanicNormal_Beige", "ZmbF_MechanicNormal_Green",
000831 |         "ZmbF_MechanicNormal_Grey", "ZmbF_MechanicNormal_Orange", "ZmbM_MechanicSkinny_Blue", "ZmbM_MechanicSkinny_Grey",
000832 |         "ZmbM_MechanicSkinny_Green", "ZmbM_MechanicSkinny_Red", "ZmbM_ConstrWorkerNormal_Beige",
000833 |         "ZmbM_ConstrWorkerNormal_Black", "ZmbM_ConstrWorkerNormal_Green", "ZmbM_ConstrWorkerNormal_Grey",
000834 |         "ZmbM_HeavyIndustryWorker", "ZmbM_OffshoreWorker_Green", "ZmbM_OffshoreWorker_Orange", "ZmbM_OffshoreWorker_Red",
000835 |         "ZmbM_OffshoreWorker_Yellow", "ZmbF_NurseFat", "ZmbM_HandymanNormal_Beige",
000836 |         "ZmbM_HandymanNormal_Blue", "ZmbM_HandymanNormal_Green", "ZmbM_HandymanNormal_Grey", "ZmbM_HandymanNormal_White",
000837 |         "ZmbM_DoctorFat", "ZmbM_Jacket_beige", "ZmbM_Jacket_black", "ZmbM_Jacket_blue", "ZmbM_Jacket_bluechecks",
000838 |         "ZmbM_Jacket_brown", "ZmbM_Jacket_greenchecks", "ZmbM_Jacket_grey", "ZmbM_Jacket_khaki", "ZmbM_Jacket_magenta", "ZmbM_Jacket_stripes",
000839 |         "ZmbF_PatientOld", "ZmbM_PatientSkinny", "ZmbF_ShortSkirt_beige",
000840 |         "ZmbF_ShortSkirt_black", "ZmbF_ShortSkirt_brown", "ZmbF_ShortSkirt_green", "ZmbF_ShortSkirt_grey", "ZmbF_ShortSkirt_checks",
000841 |         "ZmbF_ShortSkirt_red", "ZmbF_ShortSkirt_stripes", "ZmbF_ShortSkirt_white", "ZmbF_ShortSkirt_yellow",
000842 |         "ZmbF_VillagerOld_Blue", "ZmbF_VillagerOld_Green", "ZmbF_VillagerOld_Red", "ZmbF_VillagerOld_White",
000843 |         "ZmbF_MilkMaidOld_Beige", "ZmbF_MilkMaidOld_Black", "ZmbF_MilkMaidOld_Green", "ZmbF_MilkMaidOld_Grey",
000844 |         "ZmbM_priestPopSkinny", "ZmbM_ClerkFat_Brown", "ZmbM_ClerkFat_Grey", "ZmbM_ClerkFat_Khaki", "ZmbM_ClerkFat_White",
000845 |         "ZmbF_Clerk_Normal_Blue", "ZmbF_Clerk_Normal_White", "ZmbF_Clerk_Normal_Green", "ZmbF_Clerk_Normal_Red",
000846 |         "ZmbM_NBC_Grey", "ZmbM_NBC_Yellow", "ZmbM_PolicemanSpecForce_Heavy", "ZmbM_Santa", "ZmbM_usSoldier_Heavy_Woodland",
000847 |         "ZmbM_usSoldier_Officer_Desert" };
000848 |     }
000849 |
000850 | /**
000851 |  * @brief get the hex part of an instance's representational string,
000852 |  * e.g. if instance repr string is "SomeObject<4461795a>", returns "4461795a"
000853 |  */
000854 | static string GetInstanceID(Class instance)
000855 | {
000856 |     string repr = instance.ToString();
000857 |     int start = repr.LastIndexOf("<") + 1;
000858 |     int len = repr.LastIndexOf(">") - start;
000859 |     return repr.Substring(start, len);
000860 | }
000861 |
000862 | /**
000863 |  * @brief Get instance dbg info as string (null-safe if instance is managed)
000864 |  *
000865 |  * @param instance
000866 |  * @param checkParent When determining if inventory locked, don't check parent if set to false
000867 |  *
000868 |  * @return instance dbg name + instance id, followed by indicators for pending deletion and inventory locked (if applicable)
000869 |  *
000870 |  * @code
000871 |  *     string info = ExpansionStatic.GetEntityDebugInfo(g_Game.GetPlayer());
000872 |  *     Print(info);
000873 |  *
000874 |  *     >> info = 'PlayerBase:1:INSTANCETYPE_CLIENT<59d0b5f5>'
000875 |  * @endcode
000876 |  */
000877 | static string GetDebugInfo(Class instance, bool checkParent = true)
000878 | {
000879 |     if (!instance)
000880 |         return "null";
000881 |
000882 |     string dbgName = instance.GetDebugName();
000883 |     string dbgInfo;
000884 |
000885 |     Object obj;
000886 |     if (Class.CastTo(obj, instance))
000887 |     {
000888 |         string cls = obj.ClassName();

```

```
000889 |         string type = obj.GetType();
000890 |
000891 |         if (type)
000892 |         {
000893 |             //! Check if cls inherits from type (normally, it's the other way around), and if so, override type with cls
000894 |             if (Is(cls, type))
000895 |                 type = cls;
000896 |
000897 |             int i = dbgName.IndexOf(":");
000898 |             if (i > -1)
000899 |                 dbgName = type + dbgName.Substring(i, dbgName.Length() - i);
000900 |         }
000901 |
000902 |         dbgInfo = string.Format("%1<%2>", dbgName, GetInstanceID(instance));
000903 |
000904 |         if (obj.IsDamageDestroyed())
000905 |             dbgInfo += "[DEAD]";
000906 |
000907 |         //! Is object marked to be deleted soon?
000908 |         if (obj.ToDelete())
000909 |             dbgInfo += "[TO_DELETE]";
000910 |
000911 |         //! Is object in process of being deleted?
000912 |         if (obj.IsPendingDeletion())
000913 |             dbgInfo += "[PENDING_DELETION]";
000914 |     }
000915 |     else
000916 |     {
000917 |         dbgInfo = string.Format("%1<%2>", dbgName, GetInstanceID(instance));
000918 |     }
000919 |
000920 |     EntityAI entity;
000921 |     if (Class.CastTo(entity, instance))
000922 |     {
000923 |         //! Has EntityAI::SetPrepareToDelete been called?
000924 |         if (entity.IsPreparedToDelete())
000925 |             dbgInfo += "[PREPARED_TO_DELETE]";
000926 |
000927 |         //! Has EntityAI::Delete or EntityAI::EEDelete been called?
000928 |         if (entity.m_PendingDelete)
000929 |             dbgInfo += "[PENDING_DELETE]";
000930 |
000931 |         int lockType;
000932 |         EntityAI lockedEntity;
000933 |         if (IsInventoryLocked(entity, lockType, lockedEntity, checkParent))
000934 |         {
000935 |             string lockTypeInfo;
000936 |
000937 |             switch (lockType)
000938 |             {
000939 |                 case LOCK_FROM_SCRIPT:
000940 |                     lockTypeInfo = "LOCK";
000941 |                     break;
000942 |
000943 |                 case HIDE_INV_FROM_SCRIPT:
000944 |                     lockTypeInfo = "HIDE_INV";
000945 |                     break;
000946 |             }
000947 |
000948 |             if (lockedEntity != entity)
000949 |                 dbgInfo += string.Format("[%1=%2]", lockTypeInfo, lockedEntity);
000950 |             else
```

```
000951 |         dbgInfo += string.Format("[%1]", lockTypeInfo);
000952 |     }
000953 | }
000954 |
000955 |     return dbgInfo;
000956 | }
000957 |
000958 | static string GetHierarchyInfo(Class instance)
000959 | {
000960 |     string hierarchyInfo = GetDebugInfo(instance, false);
000961 |
000962 |     EntityAI entity;
000963 |     if (!Class.CastTo(entity, instance))
000964 |         return hierarchyInfo;
000965 |
000966 |     EntityAI parent = entity.GetHierarchyParent();
000967 |     auto il = new InventoryLocation;
000968 |
000969 |     while (parent)
000970 |     {
000971 |         if (parent.IsMan())
000972 |             hierarchyInfo += " on ";
000973 |         else
000974 |             hierarchyInfo += " in ";
000975 |
000976 |         if (entity.GetInventory().GetCurrentInventoryLocation(il))
000977 |         {
000978 |             if (il.GetType() == InventoryLocationType.ATTACHMENT)
000979 |                 hierarchyInfo += string.Format("slot %1 of ", InventorySlots.GetSlotName(il.GetSlot()));
000980 |         }
000981 |
000982 |         hierarchyInfo += GetDebugInfo(parent, false);
000983 |
000984 |         entity = parent;
000985 |         parent = parent.GetHierarchyParent();
000986 |     }
000987 |
000988 |     return hierarchyInfo;
000989 | }
000990 |
000991 | //! Better version of InventoryLocation.DumpToString (includes item/parent dbg info, slot name instead of ID, and whether loc is valid)
000992 | static string DumpToString(InventoryLocation loc)
000993 | {
000994 |     if (!loc)
000995 |         return "{ null }";
000996 |
000997 |     string res = "{ type=" + typename.EnumToString(InventoryLocationType, loc.GetType());
000998 |
000999 |     if (loc.GetType() != InventoryLocationType.UNKNOWN)
001000 |     {
001001 |         res += " item=" + GetDebugInfo(loc.GetItem());
001002 |
001003 |         if (loc.GetType() != InventoryLocationType.GROUND)
001004 |             res += " parent=" + GetDebugInfo(loc.GetParent());
001005 |     }
001006 |
001007 |     switch (loc.GetType())
001008 |     {
001009 |         case InventoryLocationType.UNKNOWN:
001010 |             break;
001011 |         case InventoryLocationType.GROUND:
001012 |             vector pos = loc.GetPos();
```



```

001013 |         float dir[4];
001014 |         loc.GetDir( dir );
001015 |         res += " pos=(" + pos[0] + ", " + pos[1] + ", " + pos[2] + ")";
001016 |         res += " dir=(" + dir[0] + ", " + dir[1] + ", " + dir[2] + ", " + dir[3] + ")";
001017 |         break;
001018 |     case InventoryLocationType.ATTACHMENT:
001019 |         res += " slot=" + InventorySlots.GetSlotName(loc.GetSlot());
001020 |         break;
001021 |     case InventoryLocationType.CARGO:
001022 |     case InventoryLocationType.PROXYCARGO:
001023 |         res += " idx=" + loc.GetIdx() + " row=" + loc.GetRow() + " col=" + loc.GetCol() + " f=" + loc.GetFlip();
001024 |         break;
001025 |     case InventoryLocationType.HANDS:
001026 |         break;
001027 |     case InventoryLocationType.VEHICLE:
001028 |         res += " idx=" + loc.GetIdx();
001029 |         break;
001030 |     default:
001031 |         res += "??";
001032 |         break;
001033 |     }
001034 |
001035 |     res += " valid=" + loc.IsValid().ToString();
001036 |     res += " }";
001037 |
001038 |     return res;
001039 | }
001040 |
001041 | string GetDisplayNameRaw(Object obj)
001042 | {
001043 |     string path;
001044 |     string displayName;
001045 |
001046 |     if (obj.IsWeapon())
001047 |         path = CFG_WEAPONSPATH;
001048 |     else if (obj.IsMagazine())
001049 |         path = CFG_MAGAZINESPATH;
001050 |     else
001051 |         path = CFG_VEHICLESPTH;
001052 |
001053 |     if (g_Game.ConfigGetTextRaw(path + " " + obj.GetType() + " displayName", displayName))
001054 |         g_Game.FormatRawConfigStringKeys(displayName);
001055 |
001056 |     return displayName;
001057 | }
001058 |
001059 | // -----
001060 | // Expansion String GetItemDisplayNameWithType
001061 | // -----
001062 | ///! @note this is for the rare cases where we only have a classname, not an object.
001063 | ///! If we have an object, should use <object>.GetDisplayName() instead.
001064 | static string GetItemDisplayNameWithType( string type_name, map<string, string> cache = NULL )
001065 | {
001066 |     string cfg_name;
001067 |     string cfg_name_path;
001068 |
001069 |     if ( cache && cache.Find( type_name, cfg_name ) )
001070 |     {
001071 |         return cfg_name;
001072 |     }
001073 |     else if ( g_Game.ConfigIsExisting( CFG_WEAPONSPATH + " " + type_name ) )
001074 |     {

```

```
001075 |         cfg_name_path = CFG_WEAPONSPATH + " " + type_name + " displayName";
001076 |         g_Game.ConfigGetText( cfg_name_path, cfg_name );
001077 |     }
001078 |     else if ( g_Game.ConfigIsExisting( CFG_VEHICLESPATH + " " + type_name ) )
001079 |     {
001080 |         cfg_name_path = CFG_VEHICLESPATH + " " + type_name + " displayName";
001081 |         g_Game.ConfigGetText( cfg_name_path, cfg_name );
001082 |     }
001083 |     else if ( g_Game.ConfigIsExisting( CFG_MAGAZINESPATH + " " + type_name ) )
001084 |     {
001085 |         cfg_name_path = CFG_MAGAZINESPATH + " " + type_name + " displayName";
001086 |         g_Game.ConfigGetText( cfg_name_path, cfg_name );
001087 |     }
001088 |     if (!cfg_name)
001089 |     {
001090 |         cfg_name = type_name;
001091 |     }
001092 |
001093 |     if (cfg_name.IndexOf("$UNT$") == 0)
001094 |         cfg_name.Replace("$UNT$", "");
001095 |
001096 |     if ( cache )
001097 |     {
001098 |         cache.Insert( type_name, cfg_name );
001099 |     }
001100 |
001101 |     return cfg_name;
001102 | }
001103 |
001104 | // -----
001105 | // Expansion String GetItemDescriptionWithType
001106 | // -----
001107 | ///! @note this is for the rare cases where we only have a classname, not an object.
001108 | ///! If we have an object, should use <object>.ConfigGetString('descriptionShort') instead.
001109 | static string GetItemDescriptionWithType( string type_name, map<string, string> cache = NULL )
001110 | {
001111 |     string cfg_des;
001112 |     string cfg_des_path;
001113 |
001114 |     if ( cache && cache.Find( type_name, cfg_des ) )
001115 |     {
001116 |         return cfg_des;
001117 |     }
001118 |     else if ( g_Game.ConfigIsExisting( CFG_WEAPONSPATH + " " + type_name ) )
001119 |     {
001120 |         cfg_des_path = CFG_WEAPONSPATH + " " + type_name + " descriptionShort";
001121 |         g_Game.ConfigGetText( cfg_des_path, cfg_des );
001122 |     }
001123 |     else if ( g_Game.ConfigIsExisting( CFG_VEHICLESPATH + " " + type_name ) )
001124 |     {
001125 |         cfg_des_path = CFG_VEHICLESPATH + " " + type_name + " descriptionShort";
001126 |         g_Game.ConfigGetText( cfg_des_path, cfg_des );
001127 |     }
001128 |     else if ( g_Game.ConfigIsExisting( CFG_MAGAZINESPATH + " " + type_name ) )
001129 |     {
001130 |         cfg_des_path = CFG_MAGAZINESPATH + " " + type_name + " descriptionShort";
001131 |         g_Game.ConfigGetText( cfg_des_path, cfg_des );
001132 |     }
001133 |
001134 |     if ( cache )
001135 |     {
001136 |         cache.Insert( type_name, cfg_des );
```

```

001137 |     }
001138 |
001139 |     return cfg_des;
001140 | }
001141 |
001142 | static string GetPreviewClassName(string className, bool ignoreBaseBuildingKits = false)
001143 | {
001144 |     if (g_Game.ConfigIsExisting("CfgVehicles " + className + "_ExpansionMarketPreview"))
001145 |     {
001146 |         return className + "_ExpansionMarketPreview";
001147 |     }
001148 |     else if (!ignoreBaseBuildingKits && className.IndexOf("kit") == className.Length() - 3)
001149 |     {
001150 |         /*****
001151 |         * WARNING: Only TESTED basebuilding items!
001152 |         * Most mods do NOT have the necessary rvConfig entries to get a reasonable preview and/or can cause client CTD if used!
001153 |         * Do NOT add other classnames unless they are GUARANTEED to work properly in market menu!
001154 |         *****/
001155 |
001156 |         //! Expansion
001157 |         if (g_Game.IsKindOf(className, "ExpansionKitLarge"))
001158 |         {
001159 |             string path = "CfgVehicles " + className + " placingTypes";
001160 |             if (g_Game.ConfigIsExisting(path))
001161 |             {
001162 |                 TStringArray placingTypes = new TStringArray;
001163 |                 g_Game.ConfigGetTextArray(path, placingTypes);
001164 |                 foreach (string placingType : placingTypes)
001165 |                 {
001166 |                     path = "CfgVehicles " + placingType + " deployType";
001167 |                     if (g_Game.ConfigIsExisting(path))
001168 |                     {
001169 |                         return g_Game.ConfigGetTextOut(path);
001170 |                     }
001171 |                 }
001172 |             }
001173 |         }
001174 |
001175 |         //! Vanilla
001176 |         if (className == "fencekit" || className == "watchtowerkit" || className == "territoryflagkit")
001177 |         {
001178 |             //! Item name is kit name without "kit" at the end
001179 |             string previewClassName = className.Substring(0, className.Length() - 3);
001180 |             if (g_Game.ConfigIsExisting("CfgVehicles " + previewClassName))
001181 |                 return previewClassName;
001182 |         }
001183 |     }
001184 |     return className;
001185 | }
001186 |
001187 | //! Will return sensible result on server for all objects, including ItemBase
001188 | //! (vanilla ItemBase::CanObstruct will always return true on server as it is only meant to be called on client because it relies on g_Game.GetPlayer)
001189 | static bool CanObstruct(Object obj)
001190 | {
001191 |     //! TODO: Move ItemBase::Expansion_CanObstruct from BaseBuilding to Core
001192 |     if (obj.IsItemBase())
001193 |     {
001194 |         if (obj.ConfigGetString("physLayer") != "item_large")
001195 |             return false;
001196 |
001197 |         if (!obj.ConfigGetBool("carveNavmesh"))
001198 |             return false;

```

```
001199 |
001200 |         if (obj.ConfigGetString("forceFarBubble") != "true")
001201 |             return false;
001202 |
001203 |         return true;
001204 |     }
001205 |
001206 |     return obj.CanObstruct();
001207 | }
001208 |
001209 | static TStringArray GetAnimationSources(string type, string source = "user")
001210 | {
001211 |     TStringArray paths = {CFG_VEHICLESPATH, CFG_WEAPONSPATH, CFG_MAGAZINESPATH};
001212 |     TStringArray animationSources = {};
001213 |
001214 |     foreach (string rootPath: paths)
001215 |     {
001216 |         string path = rootPath + " " + type;
001217 |         if (g_Game.ConfigIsExisting(path))
001218 |         {
001219 |             string baseName;
001220 |             if (g_Game.ConfigGetBaseName(path, baseName))
001221 |                 GetAnimationSourcesEx(rootPath + " " + baseName, animationSources, source);
001222 |
001223 |             GetAnimationSourcesEx(path, animationSources, source);
001224 |         }
001225 |     }
001226 |
001227 |     return animationSources;
001228 | }
001229 |
001230 | static void GetAnimationSourcesEx(string path, notnull TStringArray animationSources, string source = "user")
001231 | {
001232 |     string animPath = path + " AnimationSources";
001233 |     int childCount = g_Game.ConfigGetChildrenCount(animPath);
001234 |     for (int i = 0; i < childCount; ++i)
001235 |     {
001236 |         string name;
001237 |         if (g_Game.ConfigGetChildName(animPath, i, name))
001238 |         {
001239 |             if (g_Game.ConfigGetTextOut(animPath + " " + name + " source") == source)
001240 |                 animationSources.Insert(name);
001241 |         }
001242 |     }
001243 | }
001244 |
001245 | static float GetBoundingRadius(string className)
001246 | {
001247 |     vector minMax[2];
001248 |     return ClippingInfo(className, minMax);
001249 | }
001250 |
001251 | static float GetBoundingRadius(Object obj)
001252 | {
001253 |     vector minMax[2];
001254 |     return obj.ClippingInfo(minMax);
001255 | }
001256 |
001257 | static float ClippingInfo(string className, out vector minMax[2])
001258 | {
001259 |     float radius;
001260 | }
```

```
001261 |         Object obj = g_Game.CreateObjectEx(className, "0 0 0", ECE_LOCAL);
001262 |
001263 |         if (obj)
001264 |         {
001265 |             radius = obj.ClippingInfo(minMax);
001266 |             g_Game.ObjectDelete(obj);
001267 |         }
001268 |
001269 |         return radius;
001270 |     }
001271 |
001272 |     //! If collision box does not exist, minMax is set to clipping info (bounding box)
001273 |     static bool GetCollisionBox(string className, out vector minMax[2])
001274 |     {
001275 |         bool hasCollisionBox;
001276 |
001277 |         Object obj = g_Game.CreateObjectEx(className, "0 0 0", ECE_LOCAL);
001278 |
001279 |         if (obj)
001280 |         {
001281 |             hasCollisionBox = GetCollisionBox(obj, minMax);
001282 |             g_Game.ObjectDelete(obj);
001283 |         }
001284 |
001285 |         return hasCollisionBox;
001286 |     }
001287 |
001288 |     static bool GetCollisionBox(Object obj, out vector minMax[2])
001289 |     {
001290 |         bool hasCollisionBox = obj.GetCollisionBox(minMax);
001291 |         if (!hasCollisionBox)
001292 |             obj.ClippingInfo(minMax);
001293 |         return hasCollisionBox;
001294 |     }
001295 |
001296 |     static bool IsColliding(Object obj, vector point)
001297 |     {
001298 |         vector minMax[2];
001299 |         if (obj.GetCollisionBox(minMax))
001300 |         {
001301 |             vector localPoint = obj.WorldToModel(point);
001302 |
001303 |             for (int i = 0; i < 3; i++)
001304 |             {
001305 |                 if (localPoint[i] < minMax[0][i])
001306 |                     return false;
001307 |
001308 |                 if (localPoint[i] > minMax[1][i])
001309 |                     return false;
001310 |             }
001311 |
001312 |             return true;
001313 |         }
001314 |
001315 |         return false;
001316 |     }
001317 |
001318 |     static bool HasQuantity(string item_name)
001319 |     {
001320 |         float min;
001321 |         float max;
001322 |     }
```

```
001323 |         if (g_Game.IsKindOf(item_name, "Magazine_Base"))
001324 |         {
001325 |             max = g_Game.ConfigGetInt("CfgMagazines " + item_name + " count");
001326 |         }
001327 |     else
001328 |     {
001329 |         min = g_Game.ConfigGetInt("CfgVehicles " + item_name + " varQuantityMin");
001330 |         max = g_Game.ConfigGetFloat("CfgVehicles " + item_name + " varStackMax");
001331 |         if (!max)
001332 |             max = g_Game.ConfigGetInt("CfgVehicles " + item_name + " varQuantityMax");
001333 |     }
001334 |
001335 |     return max - min > 0;
001336 | }
001337 |
001338 | static bool ItemExists(string type_name)
001339 | {
001340 |     return g_Game.ConfigIsExisting( CFG_VEHICLES_PATH + " " + type_name ) || g_Game.ConfigIsExisting( CFG_WEAPONSPATH + " " + type_name ) || g_Game.ConfigIsExi
001341 | sting( CFG_MAGAZINES_PATH + " " + type_name );
001342 | }
001343 |
001344 | static bool TypeExists(string type_name)
001345 | {
001346 |     typename nullType;
001347 |     return type_name.ToType() != nullType;
001348 | }
001349 |
001350 | //! Inheritance check based on rvConfig class name or EnforceScript typename
001351 | static bool IsAnyOf(string className, TStringArray parentNames)
001352 | {
001353 |     foreach (string parentName: parentNames)
001354 |     {
001355 |         if (Is(className, parentName))
001356 |             return true;
001357 |     }
001358 |     return false;
001359 | }
001360 |
001361 | static bool IsAnyOf(string className, TTypeNameArray parent_types)
001362 | {
001363 |     foreach (typename parent_type: parent_types)
001364 |     {
001365 |         if (Is(className, parent_type))
001366 |             return true;
001367 |     }
001368 |     return false;
001369 | }
001370 |
001371 | //! Inheritance check based on rvConfig class name or EnforceScript typename
001372 | //! @note `check_script_inheritance` is a legacy parameter and no longer used (script inheritance is always checked).
001373 | static bool IsAnyOf(Object obj, TStringArray parentNames, bool check_script_inheritance = false)
001374 | {
001375 |     foreach (string parentName: parentNames)
001376 |     {
001377 |         typename parentType = parentName.ToType();
001378 |         if (parentType && obj.IsInherited(parentType))
001379 |             return true;
001380 |         if (g_Game.ObjectIsKindOf(obj, parentName))
001381 |             return true;
001382 |     }
001383 |     return false;
001384 | }
```

```
001384 |
001385 |     //! Inheritance check based on typename
001386 |     static bool IsAnyOf(typename type, TTypenameArray parent_types)
001387 |     {
001388 |         foreach (typename parent_type: parent_types)
001389 |         {
001390 |             if (type.IsInherited(parent_type))
001391 |                 return true;
001392 |         }
001393 |         return false;
001394 |     }
001395 |
001396 |     //! Inheritance check based on instance
001397 |     static bool IsAnyOf(Class instance, TTypenameArray parent_types)
001398 |     {
001399 |         foreach (typename parent_type: parent_types)
001400 |         {
001401 |             if (instance.IsInherited(parent_type))
001402 |                 return true;
001403 |         }
001404 |         return false;
001405 |     }
001406 |
001407 |     //! Inheritance check based on rvConfig class name or EnforceScript typename
001408 |     static bool Is(string className, string parentName)
001409 |     {
001410 |         typename classType = className.ToType();
001411 |         if (classType)
001412 |         {
001413 |             typename parentType = parentName.ToType();
001414 |
001415 |             if (parentType && classType.IsInherited(parentType))
001416 |                 return true;
001417 |         }
001418 |
001419 |         return g_Game.IsKindOf(className, parentName);
001420 |     }
001421 |
001422 |     static bool Is(typename type, string parentName)
001423 |     {
001424 |         typename parentType = parentName.ToType();
001425 |
001426 |         if (parentType && type.IsInherited(parentType))
001427 |             return true;
001428 |
001429 |         return g_Game.IsKindOf(type.ToString(), parentName);
001430 |     }
001431 |
001432 |     //! Inheritance check based on rvConfig class name or EnforceScript typename
001433 |     static bool Is(Object obj, string parentName)
001434 |     {
001435 |         typename parentType = parentName.ToType();
001436 |
001437 |         if (parentType && obj.IsInherited(parentType))
001438 |             return true;
001439 |
001440 |         return g_Game.ObjectIsKindOf(obj, parentName);
001441 |     }
001442 |
001443 |     //! Inheritance check based on rvConfig class name or EnforceScript typename
001444 |     static bool Is(string className, typename parentType)
001445 |     {
```

```
001446 |         typename classType = className.ToType();
001447 |         if (classType && classType.IsInherited(parentType))
001448 |             return true;
001449 |
001450 |         return g_Game.IsKindOf(className, parentType.ToString());
001451 |     }
001452 |
001453 |     static bool IsVehicle(string className)
001454 |     {
001455 |         if (ExpansionStatic.IsAnyOf(className, s_VehicleClassNames))
001456 |             return true;
001457 |
001458 |         return false;
001459 |     }
001460 |
001461 |     ///! Special case: Any inventory item (rvConfig Inventory_Base, CfgWeapons, CfgMagazines or EnforceScript ItemBase type)
001462 |     static bool IsInventoryItem(string className)
001463 |     {
001464 |         typename classType = className.ToType();
001465 |         if (classType)
001466 |         {
001467 |             string itemClass = "ItemBase";
001468 |             typename itemType = itemClass.ToType();
001469 |
001470 |             if (classType.IsInherited(itemType))
001471 |                 return true;
001472 |         }
001473 |
001474 |         if (g_Game.IsKindOf(className, "Inventory_Base"))
001475 |             return true;
001476 |
001477 |         if (g_Game.ConfigIsExisting("CfgMagazines " + className))
001478 |             return true;
001479 |
001480 |         if (g_Game.ConfigIsExisting("CfgWeapons " + className))
001481 |             return true;
001482 |
001483 |         return false;
001484 |     }
001485 |
001486 |     ///! Special case: Any player (rvConfig SurvivorBase or EnforceScript PlayerBase type)
001487 |     static bool IsPlayer(string className)
001488 |     {
001489 |         typename classType = className.ToType();
001490 |         if (classType)
001491 |         {
001492 |             string playerClass = "PlayerBase";
001493 |             typename playerType = playerClass.ToType();
001494 |
001495 |             if (classType.IsInherited(playerType))
001496 |                 return true;
001497 |         }
001498 |
001499 |         return g_Game.IsKindOf(className, "SurvivorBase");
001500 |     }
001501 |
001502 |     ///! TODO: Maybe use CF_Byte after next CF update?
001503 |     static TIntArray IntToByteArray(int n)
001504 |     {
001505 |         TIntArray bytes = {};
001506 |
001507 |         for (int i = 0; i < 4; i++)
```



```
001508 |         bytes.Insert((n >> (24 - i * 8)) & 255);
001509 |
001510 |     return bytes;
001511 | }
001512 |
001513 | //! TODO: Maybe remove and use CF_Encoding::ToHex instead after next CF update?
001514 | static string ByteArrayToHex(TIntArray bytes)
001515 | {
001516 |     string hex;
001517 |
001518 |     foreach (int byte: bytes)
001519 |         hex += ByteToHex(byte);
001520 |
001521 |     return hex;
001522 | }
001523 |
001524 | static int ByteArrayToInt(TIntArray bytes)
001525 | {
001526 |     int n;
001527 |
001528 |     for (int i = 0; i < 4; i++)
001529 |         n |= bytes[i] << (24 - i * 8);
001530 |
001531 |     return n;
001532 | }
001533 |
001534 | //! TODO: Maybe remove and use CF_Byte::ToHex instead after next CF update?
001535 | static string ByteToHex(int byte)
001536 | {
001537 |     return BASE16[(int) Math.Floor(byte / 16)] + BASE16[byte % 16];
001538 | }
001539 |
001540 | static string IntToHex(int n)
001541 | {
001542 |     return ByteArrayToHex(IntToByteArray(n));
001543 | }
001544 |
001545 | static string IntToHex(TIntArray ints)
001546 | {
001547 |     string hex;
001548 |     foreach (int n: ints)
001549 |     {
001550 |         hex += IntToHex(n);
001551 |     }
001552 |     return hex;
001553 | }
001554 |
001555 | static int HexToInt(string hex)
001556 | {
001557 |     hex.ToUpper();
001558 |
001559 |     int n;
001560 |
001561 |     for (int i = 0; i < hex.Length(); i++)
001562 |     {
001563 |         //! Snatched from Dabs Framework
001564 |         n += BASE16.IndexOf(hex[i]) * Math.Pow(16, Math.AbsInt(i - hex.Length() + 1));
001565 |     }
001566 |
001567 |     return n;
001568 | }
001569 |
```

```
001570 |    //!< TODO: These should be moved to ExpansionColor
001571 |    // -----
001572 |    // Expansion RGBtoInt
001573 |    // -----
001574 |    static int RGBtoInt(int r, int g, int b)
001575 |    {
001576 |        return ( r << 0 ) | ( g << 8 ) | ( b << 16 );
001577 |    }
001578 |
001579 |
001580 |    // -----
001581 |    // Expansion ARGBtoInt
001582 |    // -----
001583 |    static int ARGBtoInt(int a, int r, int g, int b)
001584 |    {
001585 |        return ( a << 24 ) | ( r << 16 ) | ( g << 8 ) | b;
001586 |    }
001587 |
001588 |    // -----
001589 |    // Expansion IntToRGB
001590 |    // -----
001591 |    static void IntToRGB(int value, out int red, out int green, out int blue)
001592 |    {
001593 |        red = ( value >> 0 ) & 255;
001594 |        green = ( value >> 8 ) & 255;
001595 |        blue = ( value >> 16 ) & 255;
001596 |    }
001597 |
001598 |    // -----
001599 |    // Expansion IntToARGB
001600 |    // -----
001601 |    static void IntToARGB(int value, out int alpha, out int red, out int green, out int blue)
001602 |    {
001603 |        alpha = ( value >> 24 ) & 255;
001604 |        red = ( value >> 16 ) & 255;
001605 |        green = ( value >> 8 ) & 255;
001606 |        blue = ( value ) & 255;
001607 |    }
001608 |
001609 |    static bool StringArrayContainsIgnoreCase(TStringArray elements, string search)
001610 |    {
001611 |        search.ToLower();
001612 |
001613 |        foreach (string element: elements)
001614 |        {
001615 |            element.ToLower();
001616 |            if (element == search)
001617 |                return true;
001618 |        }
001619 |
001620 |        return false;
001621 |    }
001622 |
001623 |    static string GetISODate(bool useUTC = false)
001624 |    {
001625 |        int year;
001626 |        int month;
001627 |        int day;
001628 |
001629 |        if (useUTC)
001630 |            GetYearMonthDayUTC(year, month, day);
001631 |        else
```

```
001632 |         GetYearMonthDay(year, month, day);
001633 |
001634 |     return year.ToStringLen(4) + "-" + month.ToStringLen(2) + "-" + day.ToStringLen(2);
001635 | }
001636 |
001637 | static string GetISODateTime(bool useUTC = false, string delim = "T", string delimHMS = ":", bool include_ms = false)
001638 | {
001639 |     return GetISODate(useUTC) + delim + GetISOTime(useUTC, include_ms, delimHMS);
001640 | }
001641 |
001642 | /*!
001643 |  * @brief format time (value in seconds)
001644 |  * @return one of the following formats as string (depending on arguments):
001645 |  * "HH:MM:SS.SSS" (default)
001646 |  * "HH:MM:SS" (include_ms = false)
001647 |  * "MM:SS.SSS" (include_hours = false)
001648 |  * "MM:SS" (include_ms = false, include_hours = false)
001649 |  * @note HH is the total number of hours and can exceed 24 unless `discard_days` is set to true!
001650 | */
001651 | static string FormatTime(float time, bool include_ms = true, bool include_hours = true, bool discard_days = false, string delimHMS = ":")
001652 | {
001653 |     if (include_hours)
001654 |     {
001655 |         int hours = (int) time / 3600;
001656 |         time -= hours * 3600;
001657 |
001658 |         if (discard_days && hours >= 24)
001659 |             hours = hours % 24;
001660 |     }
001661 |
001662 |     int minutes = (int) time / 60;
001663 |     time -= minutes * 60;
001664 |     int seconds = (int) time;
001665 |
001666 |     string timestring;
001667 |
001668 |     if (include_hours)
001669 |         timestring = hours.ToStringLen(2) + delimHMS + minutes.ToStringLen(2) + delimHMS + seconds.ToStringLen(2);
001670 |     else
001671 |         timestring = minutes.ToStringLen(2) + delimHMS + seconds.ToStringLen(2);
001672 |
001673 |     if ( include_ms )
001674 |     {
001675 |         time -= seconds;
001676 |         int ms = time * 1000;
001677 |         timestring += "." + ms.ToStringLen(3);
001678 |     }
001679 |
001680 |     return timestring;
001681 | }
001682 |
001683 | static string GetISOTime(bool useUTC = false, bool include_ms = true, string delimHMS = ":")
001684 | {
001685 | #ifndef CF_LOG_TIMESTAMP
001686 |     if ( include_ms && GetDayZGame() )
001687 |     {
001688 |         return FormatTime(GetDayZGame().ExpansionGetStartTime(useUTC) + GetDayZGame().GetTickTime(), true, true, true, delimHMS);
001689 |     }
001690 | #else
001691 |     if ( include_ms )
001692 |     {
001693 |         //! Accurate, including milliseconds
```

```
001694 |         return CF_Log.FormatTime(useUTC, delimHMS);
001695 |     }
001696 | #endif
001697 |     else
001698 |     {
001699 |         ///! Next best thing
001700 |         int hour;
001701 |         int minute;
001702 |         int second;
001703 |
001704 |         if (useUTC)
001705 |             GetHourMinuteSecondUTC(hour, minute, second);
001706 |         else
001707 |             GetHourMinuteSecond(hour, minute, second);
001708 |
001709 |         return hour.ToStringLen(2) + delimHMS + minute.ToStringLen(2) + delimHMS + second.ToStringLen(2);
001710 |     }
001711 | }
001712 |
001713 | override string CF_GetISOTime()
001714 | {
001715 |     return GetISOTime();
001716 | }
001717 |
001718 | ///! Fast timestamp, use this instead of CF_Date.Now().GetTimestamp() when performance counts
001719 | static int GetTimestamp(bool useUTC = false)
001720 | {
001721 |     return GetDayZGame().ExpansionGetStartTimestamp(useUTC) + (int) GetDayZGame().GetTickTime();
001722 | }
001723 |
001724 | ///! Fast accurate time in seconds, not including years/months/days
001725 | static float GetTime(bool useUTC = false)
001726 | {
001727 | #ifndef CF_LOG_TIMESTAMP
001728 |     return GetDayZGame().ExpansionGetStartTime(useUTC) + GetDayZGame().GetTickTime();
001729 | #else
001730 |     return CF_Log.s_TimestampHelper.GetTime(useUTC) * 0.001;
001731 | #endif
001732 | }
001733 |
001734 | static string GetTimeString( float total_time, bool include_seconds = false )
001735 | {
001736 |     string time_string;
001737 |
001738 |     if ( total_time <= 0 )
001739 |     {
001740 |         time_string = "0 #STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_SECONDS";
001741 |         return time_string;
001742 |     }
001743 |
001744 |     int time_seconds = total_time;    ///! Convert total time to int
001745 |
001746 |     int days = time_seconds / 86400;
001747 |     if ( days > 0 )
001748 |     {
001749 |         time_string += GetValueString( days ) + " #STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_DAYS";    ///! Days
001750 |     }
001751 |
001752 |     int hours = ( time_seconds % 86400 ) / 3600;
001753 |     if ( hours > 0 )
001754 |     {
001755 |         if (time_string)
```

```
001756 |         time_string += " ";    //!< Separator
001757 |         time_string += GetValueString( hours ) + " #STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_HOURS";    //!< Hours
001758 |     }
001759 |
001760 |     int minutes = ( time_seconds % 3600 ) / 60;
001761 |     if ( minutes > 0 )
001762 |     {
001763 |         if (time_string)
001764 |             time_string += " ";    //!< Separator
001765 |         time_string += GetValueString( minutes ) + " #STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_MINUTES";    //!< Minutes
001766 |     }
001767 |
001768 |     if ( include_seconds )
001769 |     {
001770 |         int seconds = time_seconds - days * 86400 - hours * 3600 - minutes * 60;
001771 |         if ( seconds > 0 )
001772 |         {
001773 |             if (time_string)
001774 |                 time_string += " ";    //!< Separator
001775 |             time_string += GetValueString( seconds ) + " #STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_SECONDS";
001776 |         }
001777 |     }
001778 |
001779 |     return time_string;
001780 | }
001781 |
001782 | static string GetWeightString( int weight, bool grams_only = false )
001783 | {
001784 |     string weight_string;
001785 |
001786 |     if( weight < 0 )
001787 |     {
001788 |         weight_string = "0 #STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_GRAMS";
001789 |         return weight_string;
001790 |     }
001791 |
001792 |     int weight_grams = weight;
001793 |
001794 |     int kilograms = weight_grams / 1000;
001795 |     if ( kilograms > 0 && !grams_only )
001796 |     {
001797 |         weight_string = GetValueString( kilograms ) + " #STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_KG";    //kilograms
001798 |     }
001799 |     else
001800 |     {
001801 |         weight_string = GetValueString( weight_grams ) + " #STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_GRAMS";    //grams
001802 |     }
001803 |
001804 |     return weight_string;
001805 | }
001806 |
001807 | static string GetDistanceString( float total_distance, bool meters_only = false )
001808 | {
001809 |     string distance_string;
001810 |
001811 |     if( total_distance < 0 )
001812 |     {
001813 |         distance_string = "0 #STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_METERS";
001814 |         return distance_string;
001815 |     }
001816 |
001817 |     int distance_meters = total_distance;
```

```
001818 |
001819 |     int kilometers = distance_meters / 1000;
001820 |     if ( kilometers > 0 && !meters_only )
001821 |     {
001822 |         distance_string = GetValueString( kilometers ) + " #STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_KM";           //kilometers
001823 |     }
001824 |     else
001825 |     {
001826 |         distance_string = GetValueString( distance_meters ) + " #STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_METERS";       //meters
001827 |     }
001828 |
001829 |     return distance_string;
001830 | }
001831 |
001832 | static string GetValueString( float total_value )
001833 | {
001834 |     if( total_value < 0 )
001835 |         return "0";
001836 |
001837 |     int value = total_value;
001838 |     string out_string;
001839 |
001840 |     if ( value >= 1000 )
001841 |     {
001842 |         string value_string = value.ToString();
001843 |
001844 |         int count;
001845 |         int first_length = value_string.Length() % 3;           //calculate position of the first separator
001846 |         if ( first_length > 0 )
001847 |         {
001848 |             count = 3 - first_length;
001849 |         }
001850 |
001851 |         for ( int i = 0; i < value_string.Length(); ++i )
001852 |         {
001853 |             out_string += value_string.Get( i );
001854 |             count ++;
001855 |
001856 |             if ( count >= 3 )
001857 |             {
001858 |                 out_string += " ";           //separator
001859 |                 count = 0;
001860 |             }
001861 |         }
001862 |     }
001863 |     else
001864 |     {
001865 |         out_string = value.ToString();
001866 |     }
001867 |
001868 |     return out_string.Trim();
001869 | }
001870 |
001871 | static string GetPersistentIDString(EntityAI entity)
001872 | {
001873 |     int b1, b2, b3, b4;
001874 |     entity.GetPersistentID(b1, b2, b3, b4);
001875 |     return GetPersistentIDString(b1, b2, b3, b4);
001876 | }
001877 |
001878 | static string GetPersistentIDString(int b1, int b2, int b3, int b4)
001879 | {
```

```
001880 |         string id;
001881 |         id += IntToHex(b1);
001882 |         id += IntToHex(b2);
001883 |         id += IntToHex(b3);
001884 |         id += IntToHex(b4);
001885 |         return id;
001886 |     }
001887 |
001888 |     // -----
001889 |     // Expansion GetWeightedRandom
001890 |     // -----
001891 |     //! Returns an index into the 'weights' array, or -1 if all weights are zero
001892 |     static int GetWeightedRandom( array< float > weights )
001893 |     {
001894 |         float weightSum = 0;
001895 |         for ( int i = 0; i < weights.Count(); i++ )
001896 |         {
001897 |             weightSum += weights[i];
001898 |         }
001899 |
001900 |         if ( weightSum == 0 )
001901 |             return -1;
001902 |
001903 |         float rnd = Math.RandomFloat( 0, weightSum );
001904 |         int index = 0;
001905 |         int count = weights.Count();
001906 |         while ( index < count )
001907 |         {
001908 |             if ( rnd < weights[ index ] )
001909 |             {
001910 |                 return index;
001911 |             }
001912 |
001913 |             rnd -= weights[index++];
001914 |         }
001915 |
001916 |         //! Should never get here
001917 |         return -1;
001918 |     }
001919 |
001920 |     static array< string > FindInLocation( string folder, string ext = "", int mode = ExpansionFindFileMode.FILES, bool recursive = false )
001921 |     {
001922 |         array< string > files = new array< string >;
001923 |         if (!FileExist(folder))
001924 |             return files;
001925 |         string fileName;
001926 |         FileAttr fileAttr;
001927 |         string pattern = folder + "*";
001928 |         if (!recursive)
001929 |             pattern += ext;
001930 |         FindFileHandle findFileHandle = FindFile( pattern, fileName, fileAttr, 0 );
001931 |         if ( findFileHandle )
001932 |         {
001933 |             bool isValid = true;
001934 |
001935 |             bool includeFiles;
001936 |             if (mode & ExpansionFindFileMode.FILES)
001937 |                 includeFiles = true;
001938 |
001939 |             bool includeDirs;
001940 |             if (mode & ExpansionFindFileMode.DIRECTORIES)
001941 |                 includeDirs = true;
```

```
001942 |  
001943 |         while (isValid)  
001944 |         {  
001945 |             bool isDir = false;  
001946 |             if (fileAttr & FileAttr.DIRECTORY)  
001947 |                 isDir = true;  
001948 |  
001949 |             if (fileName.Length() > 0)  
001950 |             {  
001951 |                 if ((includeFiles && !isDir) || (includeDirs && isDir))  
001952 |                 {  
001953 |                     if (!recursive || ExpansionString.EndsWithIgnoreCase(fileName, ext))  
001954 |                         files.Insert( fileName );  
001955 |                 }  
001956 |  
001957 |                 if (recursive && isDir)  
001958 |                 {  
001959 |                     TStringArray subFolderFileNames = FindInLocation(folder + fileName + DIRSEPARATOR, ext, mode, true);  
001960 |                     foreach (string subFolderFileName: subFolderFileNames)  
001961 |                     {  
001962 |                         files.Insert( fileName + DIRSEPARATOR + subFolderFileName );  
001963 |                     }  
001964 |                 }  
001965 |             }  
001966 |  
001967 |             isValid = FindNextFile(findFileHandle, fileName, fileAttr);  
001968 |         }  
001969 |  
001970 |         CloseFindFile( findFileHandle );  
001971 |     }  
001972 | #ifdef DIAG_DEVELOPER  
001973 |     EXTrace.Print(EXTrace.MISC, null, "FindInLocation " + folder + "*" + ext + " mode=" + typename.EnumToString(ExpansionFindFileMode, mode) + " recursive=" +  
recursive.ToString());  
001974 |     foreach (string file: files)  
001975 |     {  
001976 |         EXTrace.Print(EXTrace.MISC, null, folder + file);  
001977 |     }  
001978 | #endif  
001979 |     return files;  
001980 | }  
001981 |  
001982 | static array< string > FindFilesInLocation( string folder, string ext = "", bool recursive = false )  
001983 | {  
001984 |     return FindInLocation(folder, ext, ExpansionFindFileMode.FILES, recursive);  
001985 | }  
001986 |  
001987 | static array< string > FindDirectoriesInLocation( string folder, string ext = "", bool recursive = false )  
001988 | {  
001989 |     return FindInLocation(folder, ext, ExpansionFindFileMode.DIRECTORIES, recursive);  
001990 | }  
001991 |  
001992 | static bool MakeDirectoryRecursive(string path)  
001993 | {  
001994 |     TStringArray parts = {};  
001995 |     path.Replace(DIRSEPARATOR_ALT, DIRSEPARATOR);  
001996 |     path.Split(DIRSEPARATOR, parts);  
001997 |     path = "";  
001998 |     foreach (string part: parts)  
001999 |     {  
002000 |         if (!part)  
002001 |             continue;  
002002 |         path += part + DIRSEPARATOR;
```



```
002003 |         if (part.IndexOf(":") == part.Length() - 1)
002004 |             continue;
002005 |         if (!FileExist(path) && !MakeDirectory(path))
002006 |         {
002007 |             EXError.Error(null, "Couldn't create directory " + path);
002008 |             return false;
002009 |         }
002010 |     }
002011 |     return true;
002012 | }
002013 |
002014 | ///! Copies the directory tree rooted in srcDir to dstDir.
002015 | ///! If `ext` is given, limit to files and directories with that extension.
002016 | ///! If `move` is true and copying is successful, removes srcDir afterwards if empty.
002017 | static bool CopyDirectoryTree(string srcDir, string dstDir, string ext = "", bool move = false)
002018 | {
002019 |     srcDir.Replace(DIRSEPARATOR_ALT, DIRSEPARATOR);
002020 |     ExpansionString srcDirEx = srcDir;
002021 |     if (srcDirEx.LastIndexOf(DIRSEPARATOR) != srcDir.Length() - 1)
002022 |         srcDir += DIRSEPARATOR;
002023 |
002024 |     dstDir.Replace(DIRSEPARATOR_ALT, DIRSEPARATOR);
002025 |     ExpansionString dstDirEx = dstDir;
002026 |     if (dstDirEx.LastIndexOf(DIRSEPARATOR) != dstDir.Length() - 1)
002027 |         dstDir += DIRSEPARATOR;
002028 |
002029 |     if (!FileExist(dstDir) && !MakeDirectoryRecursive(dstDir))
002030 |         return false;
002031 |
002032 |     string fileName;
002033 |     FileAttr fileAttr;
002034 |     FindFileHandle findFileHandle = FindFile(srcDir + "*" + ext, fileName, fileAttr, 0);
002035 |
002036 |     if (!findFileHandle)
002037 |     {
002038 |         ///! FindFileHandle of NULL means there were no files found
002039 |         return false;
002040 |     }
002041 |
002042 |     if (fileName.Length() > 0 && !CopyFileOrDirectoryTree(srcDir + fileName, dstDir + fileName, ext, move, fileAttr))
002043 |     {
002044 |         EXError.Error(null, "CopyDirectoryTree " + srcDir + fileName + " " + dstDir + fileName + " ext " + ext + " move " + move + " failed");
002045 |         CloseFindFile(findFileHandle);
002046 |         return false;
002047 |     }
002048 |
002049 |     while (FindNextFile(findFileHandle, fileName, fileAttr))
002050 |     {
002051 |         if (fileName.Length() > 0 && !CopyFileOrDirectoryTree(srcDir + fileName, dstDir + fileName, ext, move, fileAttr))
002052 |         {
002053 |             EXError.Error(null, "CopyDirectoryTree " + srcDir + fileName + " " + dstDir + fileName + " ext " + ext + " move " + move + " failed");
002054 |             CloseFindFile(findFileHandle);
002055 |             return false;
002056 |         }
002057 |     }
002058 |
002059 |     CloseFindFile(findFileHandle);
002060 |
002061 |     if (move && (!ext || !FindFilesInLocation(srcDir).Count()) && !DeleteFile(srcDir))
002062 |     {
002063 |         EXError.Error(null, "CopyDirectoryTree remove src failed");
002064 |         return false;
```

```
002065 |     }
002066 |
002067 |     return true;
002068 | }
002069 |
002070 | /**
002071 |  * @brief delete whole directory structure rooted at path.
002072 |  * If `ext` is given, only files matching that extension are deleted (else all files).
002073 |  * Directories that still contain files after all matching files have been deleted are kept.
002074 |  *
002075 |  * @note passed in path needs to end with backslash!
002076 |  */
002077 | static bool DeleteDirectoryStructureRecursive(string path, string ext = string.Empty)
002078 | {
002079 |     if (FileExist(path))
002080 |     {
002081 |         TStringArray files = ExpansionStatic.FindFilesInLocation(path, ext);
002082 |         foreach (string baseName: files)
002083 |         {
002084 |             DeleteFile(path + baseName);
002085 |         }
002086 |
002087 |         TStringArray dirs = ExpansionStatic.FindDirectoriesInLocation(path);
002088 |         foreach (string dirBaseName: dirs)
002089 |         {
002090 |             DeleteDirectoryStructureRecursive(path + dirBaseName + DIRSEPARATOR, ext);
002091 |         }
002092 |
002093 |         return DeleteFile(path);
002094 |     }
002095 |
002096 |     return false;
002097 | }
002098 |
002099 | //! @note if copying a directory, make sure paths end with a path separator or provide fileAttr parameter
002100 | static bool CopyFileOrDirectoryTree(string srcPath, string dstPath, string ext = "", bool move = false, FileAttr fileAttr = 0)
002101 | {
002102 |     srcPath.Replace(DIRSEPARATOR_ALT, DIRSEPARATOR);
002103 |     dstPath.Replace(DIRSEPARATOR_ALT, DIRSEPARATOR);
002104 |
002105 |     bool isDir = (fileAttr & FileAttr.DIRECTORY);
002106 |     ExpansionString srcPathEx = srcPath;
002107 |     if (!isDir && srcPathEx.LastIndexOf(DIRSEPARATOR) == srcPath.Length() - 1)
002108 |         isDir = true;
002109 |
002110 |     if (isDir)
002111 |     {
002112 |         if (!CopyDirectoryTree(srcPath, dstPath, ext, move))
002113 |             return false;
002114 |     }
002115 |     else
002116 |     {
002117 |         ExpansionString dstPathEx = dstPath;
002118 |         string dstDir = dstPath.Substring(0, dstPathEx.LastIndexOf(DIRSEPARATOR));
002119 |         if (!FileExist(dstDir) && !MakeDirectoryRecursive(dstDir))
002120 |             return false;
002121 |
002122 |         if (!CopyFile(srcPath, dstPath))
002123 |         {
002124 |             EXError.Error(null, "CopyFileOrDirectoryTree copy failed");
002125 |             return false;
002126 |         }
```

```
002127 |
002128 |         if (move && !DeleteFile(srcPath))
002129 |         {
002130 |             EXError.Error(null, "CopyFileOrDirectoryTree remove src failed");
002131 |             return false;
002132 |         }
002133 |     }
002134 |
002135 |     return true;
002136 | }
002137 |
002138 | static void DeleteFiles( string folder, array< string > files )
002139 | {
002140 |     for ( int i = 0; i < files.Count(); i++ )
002141 |     {
002142 |         DeleteFile( folder + files[i] );
002143 |     }
002144 | }
002145 |
002146 | #ifdef ENFUSION_AI_PROJECT
002147 | static TStringArray GetWorkingAIClasses()
002148 | {
002149 |     return { "eAI_SurvivorM_Mirek", "eAI_SurvivorM_Denis", "eAI_SurvivorM_Boris",
002150 |             "eAI_SurvivorM_Cyril", "eAI_SurvivorM_Elias", "eAI_SurvivorM_Francis", "eAI_SurvivorM_Guo",
002151 |             "eAI_SurvivorM_Hassan", "eAI_SurvivorM_Indar", "eAI_SurvivorM_Jose",
002152 |             "eAI_SurvivorM_Kaito", "eAI_SurvivorM_Lewis", "eAI_SurvivorM_Manua",
002153 |             "eAI_SurvivorM_Niki", "eAI_SurvivorM_Oliver", "eAI_SurvivorM_Peter",
002154 |             "eAI_SurvivorM_Quinn", "eAI_SurvivorM_Rolf", "eAI_SurvivorM_Seth",
002155 |             "eAI_SurvivorM-Taiki", "eAI_SurvivorF_Linda", "eAI_SurvivorF_Maria",
002156 |             "eAI_SurvivorF_Frida", "eAI_SurvivorF_Gabi", "eAI_SurvivorF_Helga",
002157 |             "eAI_SurvivorF_Irena", "eAI_SurvivorF_Judy", "eAI_SurvivorF_Keiko",
002158 |             "eAI_SurvivorF_Eva", "eAI_SurvivorF_Naomi", "eAI_SurvivorF_Baty"};
002159 | }
002160 | #endif
002161 |
002162 | //! DEPRECATED, use FormatInt
002163 | static string IntToCurrencyString(int number, string separator, bool shorten = false)
002164 | {
002165 |     return FormatInt(number, shorten);
002166 | }
002167 |
002168 | /**
002169 |  * @brief Format integer number as string
002170 |  *
002171 |  * @param number
002172 |  * @param shorten If true, use K and M suffixes to denote thousands and millions
002173 |  * @param useLocale Use localized thousands separator (otherwise, scientific)
002174 |  */
002175 | static string FormatInt(int number, bool shorten = false, bool useLocale = true)
002176 | {
002177 |     int abs;
002178 |
002179 |     //! Protect against integer overflow in AbsInt
002180 |     if (number > int.MIN)
002181 |     {
002182 |         abs = Math.AbsInt(number);
002183 |
002184 |         if (abs < 1000)
002185 |             return number.ToString();
002186 |     }
002187 |     else
002188 |     {
```

```
002189 |         abs = int.MAX;
002190 |     }
002191 |
002192 |     if (shorten)
002193 |     {
002194 |         float dec = number;
002195 |         string suffix;
002196 |
002197 |         if (abs >= 1000000)
002198 |         {
002199 |             dec /= 1000000;
002200 |             suffix = "M";
002201 |         }
002202 |         else
002203 |         {
002204 |             //! abs >= 1000
002205 |             dec /= 1000;
002206 |             suffix = "K";
002207 |         }
002208 |
002209 |         dec = Math.Round(dec * 100) / 100;
002210 |
002211 |         string str = dec.ToString();
002212 |
002213 |         if (useLocale)
002214 |             str.Replace(".", Widget.TranslateString("#STR_EXPANSION_NUMBER_SEPARATOR_DECIMAL"));
002215 |
002216 |         return str + suffix;
002217 |     }
002218 |
002219 |     return FormatIntStr(number.ToString(), useLocale);
002220 | }
002221 |
002222 | static string FormatIntStr(string numberStr, bool useLocale = true)
002223 | {
002224 |     int len = numberStr.Length();
002225 |     int digits = len;
002226 |
002227 |     if (numberStr[0] == "-")
002228 |         digits--;
002229 |
002230 |     if (digits < 4)
002231 |         return numberStr;
002232 |
002233 |     int processedCount = 0;
002234 |
002235 |     string str;
002236 |
002237 |     string separator;
002238 |
002239 |     if (useLocale)
002240 |         separator = Widget.TranslateString("#STR_EXPANSION_NUMBER_SEPARATOR_THOUSANDS");
002241 |
002242 |     if (!separator)
002243 |         separator = " ";
002244 |
002245 |     for (int i = (len - 1); i >= 0; i--)
002246 |     {
002247 |         str = numberStr[i] + str;
002248 |
002249 |         if (digits == len || i)
002250 |             processedCount += 1;
```

```

002251 |
002252 |         if ((processedCount % 3) == 0 && processedCount < digits)
002253 |             str = separator + str;
002254 |     }
002255 |
002256 |     return str;
002257 | }
002258 |
002259 | /**
002260 |  * @brief Advanced string formatting
002261 |  *
002262 |  * @param fmt    Format string. Can use special format parameters in the form {<n>:<property_name>}
002263 |  *  <n>         parameter number (1..9)
002264 |  *  :<property_name> optional parameter property name, can be one of:
002265 |  *      name     player's identity name if param is a player and has identity, else display name if object, else classname
002266 |  *      id       player's identity ID if param is a player and has identity, else object network ID formatted as lowercase hex
002267 |  *              for better readability if object, else the param's instance ID (the part between "<>" in "Object<380e60b0>")
002268 |  *      global_id object global ID as lowercase hex if param is object and param has global ID, else 0
002269 |  *      identity_id player's identity ID if param is a player, else 0
002270 |  *      instance_id param instance ID (the part between "<>" in "Object<380e60b0>").
002271 |  *      network_id  object network ID as lowercase hex if param is object, else 0
002272 |  *      persistent_id entity persistent ID as lowercase hex if param is entity, else 0
002273 |  *      classname  param classname
002274 |  *      type       object GetType() if param is object, else an error is thrown
002275 |  *      position   object position if param is object, else an error is thrown
002276 |  *      orientation object orientation if param is object, else an error is thrown
002277 |  *
002278 |  * @param p1..p9 Parameter values. Note if you want to pass in primitives like bool, int, float, string or vector,
002279 |  *              you need to wrap them in EXTypeT.
002280 |  *              The most convenient way to do that is to use EXBool/EXFloat/EXInt/EXString/EXVector, e.g.
002281 |  *              `auto p = new EXInt(42)`
002282 |  *
002283 |  * @return formatted string
002284 |  *
002285 |  * @code
002286 |  *     Man player = g_Game.GetPlayer();
002287 |  *     string test = ExpansionStatic.FormatString("Player {1} \"{:1:name}\" (id={1:id} pos={1:position})", player);
002288 |  *     Print(test);
002289 |  *     >> test = 'Player DayZPlayer<4461795a> "ClientA" (id=XoIwo96...= pos=<7500, 0, 7500>)'
002290 |  * @endcode
002291 |  */
002292 | static string FormatString(string fmt, Class p1 = null, Class p2 = null, Class p3 = null, Class p4 = null, Class p5 = null, Class p6 = null, Class p7 = null,
Class p8 = null, Class p9 = null)
002293 | {
002294 |     string output;
002295 |
002296 |     int tokenStart;
002297 |     int tokenEnd = -1;
002298 |     string tokenPayload;
002299 |     string propertyName;
002300 |     Class p;
002301 |
002302 |     while (true)
002303 |     {
002304 |         tokenStart = fmt.IndexOfFrom(tokenEnd + 1, "{");
002305 |
002306 |         if (tokenStart > -1)
002307 |         {
002308 |             output += fmt.Substring(tokenEnd + 1, tokenStart - tokenEnd - 1);
002309 |
002310 |             tokenEnd = fmt.IndexOfFrom(tokenStart, "}");
002311 |

```

```
002312 |         if (tokenEnd > -1)
002313 |         {
002314 |             tokenPayload = fmt.Substring(tokenStart + 1, tokenEnd - tokenStart - 1);
002315 |         }
002316 |     else
002317 |     {
002318 |         output += fmt.Substring(tokenStart, fmt.Length() - tokenStart);
002319 |         break;
002320 |     }
002321 | }
002322 | else
002323 | {
002324 |     output += fmt.Substring(tokenEnd + 1, fmt.Length() - tokenEnd - 1);
002325 |     break;
002326 | }
002327 |
002328 | switch (tokenPayload[0].ToInt())
002329 | {
002330 |     case 1:
002331 |         p = p1;
002332 |         break;
002333 |     case 2:
002334 |         p = p2;
002335 |         break;
002336 |     case 3:
002337 |         p = p3;
002338 |         break;
002339 |     case 4:
002340 |         p = p4;
002341 |         break;
002342 |     case 5:
002343 |         p = p5;
002344 |         break;
002345 |     case 6:
002346 |         p = p6;
002347 |         break;
002348 |     case 7:
002349 |         p = p7;
002350 |         break;
002351 |     case 8:
002352 |         p = p8;
002353 |         break;
002354 |     case 9:
002355 |         p = p9;
002356 |         break;
002357 |
002358 |     default:
002359 |         p = null;
002360 |         break;
002361 | }
002362 |
002363 | if (tokenPayload.Length() > 1 && p)
002364 | {
002365 |     if (tokenPayload[1] != ":")
002366 |     {
002367 |         EXError.Error(null, "Invalid token " + tokenPayload);
002368 |         continue;
002369 |     }
002370 |
002371 |     propertyName = tokenPayload.Substring(2, tokenPayload.Length() - 2);
002372 |
002373 |     EntityAI entity;
```

```
002374 |         Man player;
002375 |         Object obj;
002376 |         int lowBits, highBits;
002377 |
002378 |         switch (propertyName)
002379 |         {
002380 |             case "name":
002381 |                 if (Class.CastTo(player, p))
002382 |                     output += GetDayZGame().GetExpansionGame().GetPlayerName(player);
002383 |                 else if (Class.CastTo(obj, p) && obj.GetDisplayName())
002384 |                     output += obj.GetDisplayName();
002385 |                 else
002386 |                     output += p.ClassName();
002387 |                 break;
002388 |
002389 |             case "classname":
002390 |                 output += p.ClassName();
002391 |                 break;
002392 |
002393 |             case "id":
002394 |                 if (Class.CastTo(player, p))
002395 |                 {
002396 |                     output += GetDayZGame().GetExpansionGame().GetPlayerID(player);
002397 |                 }
002398 |                 else if (Class.CastTo(obj, p))
002399 |                 {
002400 |                     obj.GetNetworkID(lowBits, highBits);
002401 |                     output += IntToHex(highBits);
002402 |                     output += IntToHex(lowBits);
002403 |                 }
002404 |                 else
002405 |                 {
002406 |                     output += GetInstanceID(p);
002407 |                 }
002408 |                 break;
002409 |
002410 |             case "identity_id":
002411 |                 if (Class.CastTo(player, p))
002412 |                     output += GetDayZGame().GetExpansionGame().GetPlayerID(player);
002413 |                 else
002414 |                     output += "0";
002415 |                 break;
002416 |
002417 |             case "network_id":
002418 |                 if (Class.CastTo(obj, p))
002419 |                 {
002420 |                     obj.GetNetworkID(lowBits, highBits);
002421 |                     output += IntToHex(highBits);
002422 |                     output += IntToHex(lowBits);
002423 |                 }
002424 |                 else
002425 |                 {
002426 |                     output += "0";
002427 |                 }
002428 |                 break;
002429 |
002430 |             case "instance_id":
002431 |                 output += GetInstanceID(p);
002432 |                 break;
002433 |
002434 |             case "global_id":
002435 |                 ExpansionGlobalID globalID;
```

```
002436 |         EnScript.GetClassVar(p, "m_Expansion_GlobalID", 0, globalID);
002437 |         if (globalID)
002438 |             output += globalID.IDToHex();
002439 |         else
002440 |             output += "0";
002441 |         break;
002442 |
002443 |         case "persistent_id":
002444 |             if (Class.CastTo(entity, p))
002445 |                 output += GetPersistentIDString(entity);
002446 |             else
002447 |                 output += "0";
002448 |             break;
002449 |
002450 |         case "lifetime":
002451 |             if (Class.CastTo(entity, p))
002452 |                 output += entity.GetLifetime().ToString();
002453 |             else
002454 |                 EXError.Error(null, p.ToString() + " is not an entity");
002455 |             break;
002456 |
002457 |         case "type":
002458 |             if (Class.CastTo(obj, p))
002459 |                 output += obj.GetType();
002460 |             else
002461 |                 EXError.Error(null, p.ToString() + " is not an object");
002462 |             break;
002463 |
002464 |         case "position":
002465 |             if (Class.CastTo(obj, p))
002466 |                 output += VectorToString(obj.GetPosition());
002467 |             else
002468 |                 EXError.Error(null, p.ToString() + " is not an object");
002469 |             break;
002470 |
002471 |         case "orientation":
002472 |             if (Class.CastTo(obj, p))
002473 |                 output += VectorToString(obj.GetOrientation());
002474 |             else
002475 |                 EXError.Error(null, p.ToString() + " is not an object");
002476 |             break;
002477 |
002478 |         default:
002479 |             EXError.Error(null, "Invalid property name " + tokenPayload);
002480 |             break;
002481 |     }
002482 | }
002483 | else
002484 | {
002485 |     EXType type;
002486 |     if (Class.CastTo(type, p))
002487 |     {
002488 |         if (type.GetValueType() == vector)
002489 |             output += VectorToString(EXTypeT<vector>.Cast(type).GetValue());
002490 |         else
002491 |             output += type.ToString(false, false, false);
002492 |     }
002493 |     else
002494 |     {
002495 |         output += p.ToString();
002496 |     }
002497 | }
```



```
002498 |     }
002499 |
002500 |     return output;
002501 | }
002502 |
002503 | static bool Key_SHIFT()
002504 | {
002505 |     return( ( KeyState( KeyCode.KC_LSHIFT ) > 0 ) || ( KeyState( KeyCode.KC_RSHIFT ) > 0 ) );
002506 | }
002507 |
002508 | static bool Key_CTRL()
002509 | {
002510 |     return( ( KeyState( KeyCode.KC_LCONTROL ) > 0 ) || ( KeyState( KeyCode.KC_RCONTROL ) > 0 ) );
002511 | }
002512 |
002513 | static bool Key_ALT()
002514 | {
002515 |     return( ( KeyState( KeyCode.KC_LMENU ) > 0 ) || ( KeyState( KeyCode.KC_RMENU ) > 0 ) );
002516 | }
002517 |
002518 | static bool Key_Y()
002519 | {
002520 |     return KeyState(KeyCode.KC_Y) > 0;
002521 | }
002522 |
002523 | static bool Key_Z()
002524 | {
002525 |     return KeyState(KeyCode.KC_Z) > 0;
002526 | }
002527 |
002528 | static bool Key_C()
002529 | {
002530 |     return KeyState(KeyCode.KC_C) > 0;
002531 | }
002532 |
002533 | static bool Key_B()
002534 | {
002535 |     return KeyState(KeyCode.KC_B) > 0;
002536 | }
002537 |
002538 | static bool Key_S()
002539 | {
002540 |     return KeyState(KeyCode.KC_S) > 0;
002541 | }
002542 |
002543 | static bool Key_UP()
002544 | {
002545 |     return KeyState(KeyCode.KC_UP) > 0;
002546 | }
002547 |
002548 | static bool Key_DOWN()
002549 | {
002550 |     return KeyState(KeyCode.KC_DOWN) > 0;
002551 | }
002552 |
002553 | static bool Key_LEFT()
002554 | {
002555 |     return KeyState(KeyCode.KC_LEFT) > 0;
002556 | }
002557 |
002558 | static bool Key_RIGHT()
002559 | {
```

```
002560 |         return KeyState(KeyCode.KC_RIGHT) > 0;
002561 |     }
002562 |
002563 |     static bool INPUT_FORWARD()
002564 |     {
002565 |         return g_Game.GetInput().LocalPress( "UAMoveForward", false );
002566 |     }
002567 |
002568 |     static bool INPUT_BACK()
002569 |     {
002570 |         return g_Game.GetInput().LocalPress( "UAMoveBack", false );
002571 |     }
002572 |
002573 |     static bool INPUT_LEFT()
002574 |     {
002575 |         return g_Game.GetInput().LocalPress( "UAMoveLeft", false );
002576 |     }
002577 |
002578 |     static bool INPUT_RIGHT()
002579 |     {
002580 |         return g_Game.GetInput().LocalPress( "UAMoveRight", false );
002581 |     }
002582 |
002583 |     static bool INPUT_GETOVER()
002584 |     {
002585 |         return g_Game.GetInput().LocalPress( "UAGetOver", false );
002586 |     }
002587 |
002588 |     static bool INPUT_STANCE()
002589 |     {
002590 |         return g_Game.GetInput().LocalPress( "UAStance", false );
002591 |     }
002592 |
002593 |     static void MessageNearPlayers(vector position, float radius, string msg)
002594 |     {
002595 |         float radiusSq = radius * radius;
002596 |         array<Man> players();
002597 |         g_Game.GetPlayers(players);
002598 |         foreach (Man player: players)
002599 |         {
002600 |             if (vector.DistanceSq(position, player.GetPosition()) < radiusSq)
002601 |             {
002602 |                 g_Game.RPCSingleParam(player, ERPCs.RPC_USER_ACTION_MESSAGE, new Param1<string>(msg), true, player.GetIdentity());
002603 |             }
002604 |         }
002605 |     }
002606 |
002607 |     static vector GetCursorHitPos(out Object hitObject = null, float fallbackDistance = 20.0)
002608 |     {
002609 | #ifdef EXTRACE_DIAG
002610 |         auto trace = EXTrace.Start(EXTrace.MISC, ExpansionStatic);
002611 | #endif
002612 |
002613 |         vector begPos = g_Game.GetCurrentCameraPosition();
002614 |         vector endPos = begPos + g_Game.GetCurrentCameraDirection() * 1000.0;
002615 |
002616 | #ifdef EXTRACE_DIAG
002617 |         EXTrace.Add(trace, begPos);
002618 |         EXTrace.Add(trace, endPos);
002619 | #endif
002620 |
002621 |         vector hitPosition, hitNormal;
```

```
002622 |         int hitComponent;
002623 |         set<Object> results = new set<Object>;
002624 |
002625 |         if (DayZPhysics.RaycastRV(begPos, endPos, hitPosition, hitNormal, hitComponent, results, null, g_Game.GetPlayer()))
002626 |         {
002627 |             if (results.Count())
002628 |                 hitObject = results[0];
002629 |         }
002630 |         else if (fallbackDistance)
002631 |         {
002632 |             hitPosition = begPos + g_Game.GetCurrentCameraDirection() * fallbackDistance;
002633 |             float surfaceY = g_Game.SurfaceY(hitPosition[0], hitPosition[2]);
002634 |             if (surfaceY > hitPosition[1])
002635 |                 hitPosition[1] = surfaceY;
002636 |         }
002637 |
002638 |         #ifdef EXTRACE_DIAG
002639 |             EXTrace.Add(trace, hitPosition);
002640 |         #endif
002641 |
002642 |         return hitPosition;
002643 |     }
002644 |
002645 |     static vector GetSurfacePosition(vector position)
002646 |     {
002647 |         return GetSurfacePosition(position[0], position[2]);
002648 |     }
002649 |
002650 |     static vector GetSurfacePosition(float x, float z)
002651 |     {
002652 |         return Vector(x, g_Game.SurfaceY(x, z), z);
002653 |     }
002654 |
002655 |     static vector GetSurfaceRoadPosition(vector position, RoadSurfaceDetection rsd = RoadSurfaceDetection.UNDER, UseObjectsMode syncMode = UseObjectsMode.NoWait)
002656 |     {
002657 |         return Vector(position[0], GetSurfaceRoadY3D(position, rsd, syncMode), position[2]);
002658 |     }
002659 |
002660 |     static vector GetSurfaceRoadPosition(float x, float y, float z, RoadSurfaceDetection rsd = RoadSurfaceDetection.UNDER, UseObjectsMode syncMode = UseObjectsMode.NoWait)
002661 |     {
002662 |         return Vector(x, GetSurfaceRoadY3D(x, y + 0.1, z, rsd, syncMode), z);
002663 |     }
002664 |
002665 |     static float GetSurfaceRoadY3D(float x, float y, float z, RoadSurfaceDetection rsd = RoadSurfaceDetection.UNDER, UseObjectsMode syncMode = UseObjectsMode.NoWait)
002666 |     {
002667 |         return GetSurfaceRoadY3D(Vector(x, y, z));
002668 |     }
002669 |
002670 |     static float GetSurfaceRoadY3D(vector position, RoadSurfaceDetection rsd = RoadSurfaceDetection.UNDER, UseObjectsMode syncMode = UseObjectsMode.NoWait)
002671 |     {
002672 |         s_SurfParams.position = position;
002673 |         s_SurfParams.syncMode = syncMode;
002674 |
002675 |         float roadY;
002676 |
002677 |         switch (rsd)
002678 |         {
002679 |             case RoadSurfaceDetection.CLOSEST:
002680 |                 ///! CLOSEST doesn't always return actual closest surface https://feedback.bistudio.com/T192568
002681 |                 s_SurfParams.rsd = RoadSurfaceDetection.ABOVE;
```

```

002682 |         g_Game.GetSurface(s_SurfParams, s_SurfResult);
002683 |         float roadY_Above = s_SurfResult.height;
002684 |         s_SurfParams.rsd = RoadSurfaceDetection.UNDER;
002685 |         g_Game.GetSurface(s_SurfParams, s_SurfResult);
002686 |         float roadY_Under = s_SurfResult.height;
002687 |         float y = position[1];
002688 |         float dist_Above = Math.AbsFloat(roadY_Above - y);
002689 |         float dist_Under = Math.AbsFloat(roadY_Under - y);
002690 |         if (dist_Above < dist_Under)
002691 |             roadY = roadY_Above;
002692 |         else
002693 |             roadY = roadY_Under;
002694 |         break;
002695 |
002696 |     default:
002697 |         s_SurfParams.rsd = rsd;
002698 |         g_Game.GetSurface(s_SurfParams, s_SurfResult);
002699 |         roadY = s_SurfResult.height;
002700 |         break;
002701 |     }
002702 |
002703 |     return roadY;
002704 | }
002705 |
002706 | static vector GetSurfaceRoadPosition(float x, float z, RoadSurfaceDetection rsd = RoadSurfaceDetection.LEGACY, UseObjectsMode syncMode = UseObjectsMode.NoWait
)
002707 | {
002708 |     return Vector(x, GetSurfaceRoadY3D(x, 0, z, rsd, syncMode), z);
002709 | }
002710 |
002711 | static float GetSurfaceRoadY(float x, float z, RoadSurfaceDetection rsd = RoadSurfaceDetection.LEGACY, UseObjectsMode syncMode = UseObjectsMode.NoWait)
002712 | {
002713 |     return GetSurfaceRoadY3D(x, 0, z, rsd, syncMode);
002714 | }
002715 |
002716 | static float GetSurfaceWaterDepth(vector position)
002717 | {
002718 |     return GetSurfaceWaterDepth(position[0], position[2]);
002719 | }
002720 |
002721 | static float GetSurfaceWaterDepth(float x, float z)
002722 | {
002723 |     return g_Game.GetWaterDepth(GetSurfacePosition(x, z));
002724 | }
002725 |
002726 | ///! Get ground surface position or water surface position, whichever has higher elevation
002727 | static vector GetSurfaceWaterPosition(vector position)
002728 | {
002729 |     return GetSurfaceWaterPosition(position[0], position[2]);
002730 | }
002731 |
002732 | ///! Get ground surface position or water surface position, whichever has higher elevation
002733 | static vector GetSurfaceWaterPosition(float x, float z)
002734 | {
002735 |     vector position = GetSurfacePosition(x, z);
002736 |     float waterDepth = g_Game.GetWaterDepth(position);
002737 |     if (waterDepth > 0)
002738 |         position[1] = position[1] + waterDepth;
002739 |     return position;
002740 | }
002741 |
002742 | static bool SurfaceIsWater(vector position, RoadSurfaceDetection rsd = RoadSurfaceDetection.UNDER, UseObjectsMode syncMode = UseObjectsMode.NoWait)

```

```
002743 | {
002744 |     float surfaceY = GetSurfaceRoadY3D(position[0], position[1] + 0.1, position[2], rsd, syncMode);
002745 |     float waterDepth = g_Game.GetWaterDepth(Vector(position[0], surfaceY, position[2]));
002746 |     if (waterDepth > 0)
002747 |         return true;
002748 |
002749 |     return false;
002750 | }
002751 |
002752 | static bool SurfaceIsWater(float x, float z, RoadSurfaceDetection rsd = RoadSurfaceDetection.UNDER, UseObjectsMode syncMode = UseObjectsMode.NoWait)
002753 | {
002754 |     return SurfaceIsWater(Vector(x, 0, z), rsd, syncMode);
002755 | }
002756 |
002757 | static string GetImpactSurfaceType(Object directHit, vector hitPosition, vector relativeVelocityBefore)
002758 | {
002759 |     string surfaceImpact;
002760 |
002761 |     if (directHit)
002762 |     {
002763 |         vector add = relativeVelocityBefore.Normalized() * 0.1;
002764 |         if (DayZPhysics.GetHitSurface(
002765 |             directHit,
002766 |             hitPosition - add,
002767 |             hitPosition + add,
002768 |             surfaceImpact) && surfaceImpact != string.Empty)
002769 |         {
002770 |             #ifdef DIAG_DEVELOPER
002771 |                 EXTrace.Print(EXTrace.AI, null, "GetHitSurface " + surfaceImpact);
002772 |             #endif
002773 |
002774 |             return surfaceImpact;
002775 |         }
002776 |
002777 |         ///! Sometimes, GetHitSurface fails to return something useful
002778 |         if (directHit.IsMan() || directHit.IsInherited(DayZCreature))
002779 |             surfaceImpact = "Hit_MeatBones";
002780 |         else if (directHit.IsBuilding())
002781 |             surfaceImpact = "Hit_Concrete";
002782 |         else if (directHit.IsBush())
002783 |             surfaceImpact = "Hit_Foliage";
002784 |         else if (directHit.IsTree())
002785 |             surfaceImpact = "Hit_Wood";
002786 |         else if (directHit.IsRock())
002787 |             surfaceImpact = "Hit_Gravel";
002788 |         else if (directHit.IsWeapon() || directHit.IsMagazine() || directHit.IsTransport())
002789 |             surfaceImpact = "Hit_Metal";
002790 |         else if (directHit.IsClothing())
002791 |             surfaceImpact = "Hit_Textile";
002792 |         else if (SurfaceIsWater(hitPosition))
002793 |             surfaceImpact = "Hit_Water";
002794 |         else
002795 |             surfaceImpact = "Hit_Dirt";
002796 |     }
002797 |     else
002798 |     {
002799 |         if (SurfaceIsWater(hitPosition))
002800 |             surfaceImpact = "Hit_Water";
002801 |         else
002802 |             surfaceImpact = "Hit_Dirt";
002803 |     }
002804 | }
```

```
002805 |     return surfaceImpact;
002806 | }
002807 |
002808 | //! @brief return lowercase game world name, with "gloom" suffix removed (if present)
002809 | static string GetCanonicalWorldName(CGame game = NULL)
002810 | {
002811 |     if (!game)
002812 |         game = g_Game;
002813 |
002814 |     string worldName;
002815 |     game.GetWorldName(worldName);
002816 |     worldName.ToLower();
002817 |
002818 |     if (worldName.Length() < 5)
002819 |         return worldName;
002820 |
002821 |     if (worldName.IndexOf("gloom") == worldName.Length() - 5)
002822 |         worldName = worldName.Substring(0, worldName.Length() - 5);
002823 |
002824 |     return worldName;
002825 | }
002826 |
002827 | static string VectorToString(vector vec, ExpansionVectorToString format = ExpansionVectorToString.Beautify, int precision = 2)
002828 | {
002829 |     float m = Math.Pow(10, precision);
002830 |     TStringArray output = {};
002831 |
002832 |     for (int i = 0; i < 3; i++)
002833 |         output.Insert((Math.Round(vec[i] * m) / m).ToString());
002834 |
002835 |     switch (format)
002836 |     {
002837 |         case ExpansionVectorToString.Beautify:
002838 |             return "<" + ExpansionString.JoinStrings(output, ", ") + ">";
002839 |         case ExpansionVectorToString.Labels:
002840 |             return "X: " + output[0] + " Y: " + output[1] + " Z: " + output[2];
002841 |     }
002842 |
002843 |     return ExpansionString.JoinStrings(output, " ");
002844 | }
002845 |
002846 | static bool GetVariableIntByName(typename type, string name, out int val)
002847 | {
002848 |     return StringToEnumEx(type, name, val);
002849 | }
002850 |
002851 | static void LockInventoryRecursive(EntityAI entity, int lockType = HIDE_INV_FROM_SCRIPT)
002852 | {
002853 |     int attcount = entity.GetInventory().AttachmentCount();
002854 |     for (int att = 0; att < attcount; att++)
002855 |     {
002856 |         EntityAI attachmentEntity = entity.GetInventory().GetAttachmentFromIndex(att);
002857 |         if (attachmentEntity)
002858 |             LockInventoryRecursive(attachmentEntity, lockType);
002859 |     }
002860 |     entity.GetInventory().LockInventory(lockType);
002861 | }
002862 |
002863 | static void UnlockInventoryRecursive(EntityAI entity, int lockType = HIDE_INV_FROM_SCRIPT)
002864 | {
002865 |     int attcount = entity.GetInventory().AttachmentCount();
002866 |     for (int att = 0; att < attcount; att++)
```

```
002867 |     {
002868 |         EntityAI attachmentEntity = entity.GetInventory().GetAttachmentFromIndex(att);
002869 |         if (attachmentEntity)
002870 |             UnlockInventoryRecursive(attachmentEntity, lockType);
002871 |     }
002872 |     entity.GetInventory().UnlockInventory(lockType);
002873 | }
002874 |
002875 | /**
002876 |  * @brief Check whether inventory of entity or its parent is locked
002877 |  *
002878 |  * @param [out] lockType      Set to LOCK_FROM_SCRIPT or HIDE_INV_FROM_SCRIPT if locked
002879 |  * @param [out] lockedEntity  Set to entity whose inventory is locked (i.e. entity itself or parent)
002880 |  *
002881 |  * @param checkParent        Don't check parent if set to false
002882 |  *
002883 |  * @return true if entity or parent is locked, else false
002884 |  */
002885 | static bool IsInventoryLocked(EntityAI entity, out int lockType = 0, out EntityAI lockedEntity = null, bool checkParent = true)
002886 | {
002887 |     auto inventory = entity.GetInventory();
002888 |
002889 |     if (inventory && inventory.IsInventoryLocked())
002890 |     {
002891 |         if (inventory.IsInventoryLockedForLockType(HIDE_INV_FROM_SCRIPT))
002892 |             lockType = HIDE_INV_FROM_SCRIPT;
002893 |         else
002894 |             lockType = LOCK_FROM_SCRIPT;
002895 |
002896 |         lockedEntity = entity;
002897 |
002898 |         return true;
002899 |     }
002900 |
002901 |     if (checkParent && entity.GetHierarchyParent())
002902 |         return IsInventoryLocked(entity.GetHierarchyParent(), lockType, lockedEntity, false);
002903 |
002904 |     return false;
002905 | }
002906 |
002907 | //! Only kept for compatibility with old mods, remove after next update
002908 | void LoadFlagTextures()
002909 | {
002910 |     Error("DEPRECATED - please use ExpansionFlagTextures::Load instead!");
002911 | }
002912 |
002913 | //! Only kept for compatibility with old mods, remove after next update
002914 | void AddFlagTexture( string path, string name )
002915 | {
002916 |     Error("DEPRECATED - please use ExpansionFlagTextures::Add instead!");
002917 | }
002918 |
002919 | //! Only kept for compatibility with old mods, remove after next update
002920 | bool RemoveFlagTexture( string path )
002921 | {
002922 |     Error("DEPRECATED - please use ExpansionFlagTextures::Remove instead!");
002923 |     return false;
002924 | }
002925 | }
002926 |
```

0067. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionTracing.c
Size bytes: 20427
SHA-256: 30fe84a8009fe5a84216cacc8cca5dd09a25c61a0c65e4337cc478331051fd2d
Decoded as: utf-8-sig
Line count shown: 770
Detected class declarations: 1
  L30: class EXTrace
Detected enum declarations: 0
Detected function/method-like declarations: 51
  L135: static bool IsEnabled()
  L192: private void EXTrace(Class instance, typename typeName, bool initialDump = true)
  L199: else if (typeName)
  L210: void ~EXTrace()
  L229: void InitialDump(int initialDumpStart = 1)
  L235: void Dump(int depth = 1, int start = 1, bool end = false)
  L254: else if (m_ClassName)
  L275: void ProcessStack(int depth = 1, int start = 1, bool end = false, bool dump = true, float elapsed = 0, string prefix = string.Empty, string
  L317: void Profile(float elapsed)
  L351: void DumpLine(string line, float elapsed, bool end = false)
  L360: static void DumpProfilingData()
  L405: EXTrace Add(bool param)
  L407: return Add(param.ToString());
  L410: EXTrace Add(int param)
  L412: return Add(param.ToString());
  L415: EXTrace Add(float param)
  L417: return Add(param.ToString());
  L420: EXTrace Add(vector param, bool beautify = true)
  L422: return Add(param.ToString(beautify));
  L425: EXTrace Add(typename param)
  L427: return Add(param.ToString());
  L430: EXTrace Add(Class param)
  L432: return Add(param.ToString());
  L435: EXTrace Add(string param)
  L442: static void Add(EXTrace trace, bool param)
  L447: static void Add(EXTrace trace, int param)
  L452: static void Add(EXTrace trace, float param)
  L457: static void Add(EXTrace trace, vector param, bool beautify = true)
  L465: static void Add(EXTrace trace, typename param)
  L470: static void Add(EXTrace trace, Class param)
  L475: static void Add(EXTrace trace, string param)
  L484: void SetDepth(int depth)
  L489: void SetFuncName(string funcName)
  L494: void SetStart(int start)
  L499: void SetSilent(bool silent)
  L504: void Print(string msg, string p1 = "", string p2 = "", string p3 = "", string p4 = "", string p5 = "", string p6 = "", string p7 = "", strin
  L509: static void Print(bool yes, Class instance, string msg, string p1 = "", string p2 = "", string p3 = "", string p4 = "", string p5 = "", stri
  L520: static void Print(bool yes, typename typeName, string msg, string p1 = "", string p2 = "", string p3 = "", string p4 = "", string p5 = "", s
  L531: static void PrintEx(Class instance, typename typeName, string msg, string p1 = "", string p2 = "", string p3 = "", string p4 = "", string p5
  L538: else if (typeName)
  L549: static void PrintHit(bool yes = true, Class instance = null, string msg = "", TotalDamageResult damageResult = null, int damageType = 0, Ent
  L584: static EXTrace Start(bool yes = true, Class instance = null, string param0 = "", string param1 = "", string param2 = "", string param3 = "",
  L619: static EXTrace StartStack(bool yes = true, Class instance = null, string param0 = "", string param1 = "", string param2 = "", string param3
  L634: static EXTrace Start0(bool yes = true, Class instance = null, string param0 = "", string param1 = "", string param2 = "", string param3 = ""
  L649: static EXTrace Start(bool yes, typename typeName, string param0 = "", string param1 = "", string param2 = "", string param3 = "", string par
  L684: static EXTrace StartStack(bool yes, typename typeName, string param0 = "", string param1 = "", string param2 = "", string param3 = "", strin
  L699: static EXTrace Start0(bool yes, typename typeName, string param0 = "", string param1 = "", string param2 = "", string param3 = "", string pa
  L713: static EXTrace Profile(bool yes, Class instance)
  L726: static EXTrace Profile(bool yes, Class instance, string funcName)
```



```
L740: static EXTrace Profile(bool yes, typename typeName)
L753: static EXTrace Profile(bool yes, typename typeName, string funcName)
```

Full file content

```
000001 | /**
000002 |  * ExpansionTracing.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | /*
000014 |  * Call tracing that can be enabled on a per-ID basis.
000015 |  * Insert in each method at the top one of the following:
000016 |  *
000017 |  * auto trace = EXTrace.Start(EXTrace.<ID>, <instance|typename|null>); //! Includes only 1st line of stack
000018 |  * auto trace = EXTrace.StartStack(EXTrace.<ID>, <instance|typename|null>); //! Includes whole stack
000019 |  * auto trace = EXTrace.Start0(EXTrace.<ID>, <instance|typename|null>); //! Excludes stack
000020 |  *
000021 |  * Calling trace.Dump(<int> depth) will output the current stack with the desired depth (this happens automatically when the trace is destroyed).
000022 |  * Leave out the depth parameter to use default depth.
000023 |  * You can also change the default depth on-the-fly by calling trace.SetDepth(<int> depth).
000024 |  *
000025 |  * static bool EXTrace.<ID> needs to exist in Core\DayZExpansion_Core\3_Game\ExpansionTracing.c
000026 |  * and be set to return value of IsEnabled() (will enable if DayZDiag, DayZ Experimental or CLI param `extrace` is set to true)
000027 |  * or uncomment global define EXPANSIONTRACE in DayZExpansion_Core_Defines.c
000028 |  * DON'T use without wrapping in ifdef EXPANSIONTRACE ... #endif in OnUpdate or anywhere else it would get called rapidly!
000029 |  */
000030 | class EXTrace
000031 | {
000032 |     //! Please keep these alphabetically ordered when inserting new variables
000033 |
000034 |     static bool ACTIONS = IsEnabled();
000035 |
000036 |     static bool AI = IsEnabled();
000037 |
000038 |     static bool AI_PROFILE = IsEnabled();
000039 |
000040 |     static bool BASEBUILDING = IsEnabled();
000041 |
000042 |     static bool BOOK;
000043 |
000044 |     static bool CE = IsEnabled();
000045 |
000046 |     static bool CHAT = IsEnabled();
000047 |
000048 |     static bool CHICKEN;
000049 |
000050 |     static bool COT_GROUPS = IsEnabled();
000051 |
000052 |     static bool DATACOLLECTION = IsEnabled();
000053 |
000054 |     static bool FSM;
000055 |
000056 |     static bool GENERAL_ITEMS = IsEnabled();
000057 | }
```

```
000058 | static bool GLOBAL;
000059 |
000060 | static bool GROUPS = IsEnabled();
000061 |
000062 | static bool GARAGE = IsEnabled();
000063 |
000064 | static bool HARDLINE = IsEnabled();
000065 |
000066 | static bool KILLFEED = IsEnabled();
000067 |
000068 | static bool LIGHTHOUSE = IsEnabled();
000069 |
000070 | static bool LIGHTS = IsEnabled();
000071 |
000072 | static bool LOADOUTS = IsEnabled();
000073 |
000074 | static bool MAPPING = IsEnabled();
000075 |
000076 | static bool MARKER;
000077 |
000078 | static bool MARKET = IsEnabled();
000079 |
000080 | static bool MISC = IsEnabled();
000081 |
000082 | static bool MISSIONS = IsEnabled();
000083 |
000084 | static bool NOTIFICATIONS = IsEnabled();
000085 |
000086 | static bool NAMALSKADVENTURE = IsEnabled();
000087 |
000088 | static bool P2PMARKET = IsEnabled();
000089 |
000090 | static bool PATH_INTERPOLATION;
000091 |
000092 | static bool PERSONALSTORAGE = IsEnabled();
000093 |
000094 | static bool PLAYER = IsEnabled();
000095 |
000096 | static bool PLAYER_CONSTANT; // Will fill up the logs
000097 |
000098 | static bool PLAYER_MONITOR;
000099 |
000100 | static bool PROFILING = IsEnabled();
000101 |
000102 | static bool QUESTS = IsEnabled();
000103 |
000104 | static bool RESPAWN = IsEnabled();
000105 |
000106 | static bool RPC = IsEnabled();
000107 |
000108 | static bool SETTINGS = IsEnabled();
000109 |
000110 | static bool SOUND = IsEnabled();
000111 |
000112 | static bool CLIENT_SETTINGS = IsEnabled();
000113 |
000114 | static bool SPAWNSELECTION;
000115 |
000116 | static bool SKIN;
000117 |
000118 | static bool TELEPORTER = IsEnabled();
000119 |
```

```
000120 | static bool TERRITORY;
000121 |
000122 | static bool UI = IsEnabled();
000123 |
000124 | static bool VEHICLES = IsEnabled();
000125 |
000126 | static bool WEAPONS = IsEnabled();
000127 |
000128 | static bool ZONES;
000129 |
000130 | //! -----
000131 |
000132 | protected static bool s_Initialized;
000133 | protected static bool s_Enabled;
000134 |
000135 | static bool IsEnabled()
000136 | {
000137 |     if (!s_Initialized)
000138 |     {
000139 | #ifdef DIAG
000140 |         s_Enabled = true;
000141 | #else
000142 |     #ifdef BUILD_EXPERIMENTAL
000143 |         #ifndef DEVELOPER
000144 |             s_Enabled = true;
000145 |         #endif
000146 |     #endif
000147 | #endif
000148 |
000149 |         string extrace;
000150 |         if (GetCLIParam("extrace", extrace))
000151 |         {
000152 |             if (extrace != "0" && extrace != "false")
000153 |                 s_Enabled = true;
000154 |             else
000155 |                 s_Enabled = false;
000156 |             if (s_Enabled)
000157 |                 EXPrint("Command line parameter `extrace` found - enabling tracing");
000158 |             else
000159 |                 EXPrint("Command line parameter `extrace` " + extrace + " found - disabling tracing");
000160 |         }
000161 |
000162 |         if (s_Enabled)
000163 |             CF_Log.Level = CF_LogLevel.TRACE;
000164 |
000165 |         s_Initialized = true;
000166 |     }
000167 |
000168 |     return s_Enabled;
000169 | }
000170 |
000171 | //! -----
000172 |
000173 | static const typename NULLTYPE;
000174 |
000175 | static const string INDENT = " ";
000176 | static string s_Indent;
000177 |
000178 | static ref CF_Date s_StartDate = CF_Date.Now();
000179 | static ref map<string, ref Param4<int, float, int, float>> s_Profiling = new map<string, ref Param4<int, float, int, float>>;
000180 |
000181 | protected string m_Instance;
```

```
000182 | protected string m_Params[10];
000183 | protected int m_ParamsCount;
000184 | protected int m_Ticks;
000185 | protected int m_Depth = 1; ///! Default depth = 1 (first line of stack). Set to -1 to include whole stack, set to 0 to exclude stack.
000186 | protected int m_Start = 2; ///! Default start = 2 (second line of stack)
000187 | protected bool m_End;
000188 | protected bool m_Silent;
000189 | protected string m_ClassName;
000190 | protected string m_FuncName;
000191 |
000192 | private void EXTrace(Class instance, typename typeName, bool initialDump = true)
000193 | {
000194 |     if (instance)
000195 |     {
000196 |         m_Instance = instance.ToString();
000197 |         m_ClassName = instance.ClassName();
000198 |     }
000199 |     else if (typeName)
000200 |     {
000201 |         m_ClassName = typeName.ToString();
000202 |     }
000203 |
000204 |     m_Ticks = TickCount(0);
000205 |
000206 |     if (initialDump)
000207 |         InitialDump();
000208 | }
000209 |
000210 | void ~EXTrace()
000211 | {
000212 |     if (m_Silent)
000213 |     {
000214 |         float elapsed = TickCount(m_Ticks) * 0.0001;
000215 |         if (m_FuncName)
000216 |             Profile(elapsed);
000217 |         else
000218 |             ProcessStack(1, m_Start, true, false, elapsed);
000219 |     }
000220 |     else
000221 |     {
000222 |         if (m_Depth == -1)
000223 |             m_Depth = 1;
000224 |         s_Indent = s_Indent.Substring(0, s_Indent.Length() - 1);
000225 |         Dump(m_Depth, m_Start, true);
000226 |     }
000227 | }
000228 |
000229 | void InitialDump(int initialDumpStart = 1)
000230 | {
000231 |     Dump(m_Depth, m_Start + initialDumpStart);
000232 |     s_Indent += " ";
000233 | }
000234 |
000235 | void Dump(int depth = 1, int start = 1, bool end = false)
000236 | {
000237 |     if (m_End)
000238 |         return;
000239 |
000240 |     m_End = end;
000241 |
000242 |     float elapsed = TickCount(m_Ticks) * 0.0001;
000243 |     string params;
```

```
000244 |
000245 |     for (int i = 0; i < m_ParamsCount; i++)
000246 |     {
000247 |         params += " " + m_Params[i];
000248 |     }
000249 |
000250 |     string prefix;
000251 |
000252 |     if (m_Instance)
000253 |         prefix = m_Instance;
000254 |     else if (m_ClassName)
000255 |         prefix = m_ClassName;
000256 |
000257 |     if (prefix)
000258 |     {
000259 |         if (depth != 0)
000260 |             prefix += "::-";
000261 |     }
000262 |
000263 |     if (depth == 0)
000264 |     {
000265 |         DumpLine(prefix + params, elapsed, end);
000266 |     }
000267 |     else
000268 |     {
000269 |         ProcessStack(depth, start + 1, end, true, elapsed, prefix, params);
000270 |     }
000271 |
000272 |     m_Ticks = TickCount(0);
000273 | }
000274 |
000275 | void ProcessStack(int depth = 1, int start = 1, bool end = false, bool dump = true, float elapsed = 0, string prefix = string.Empty, string params = string.Empty)
000276 | {
000277 |     string stack;
000278 |     DumpStackString(stack);
000279 |
000280 |     TStringArray stacka = {};
000281 |     stack.Split("\n", stacka);
000282 |
000283 |     int n = start;
000284 |
000285 |     while (depth != 0 && n < stacka.Count())
000286 |     {
000287 |         string line = stacka[n];
000288 |
000289 |         if (n > start)
000290 |         {
000291 |             PrintFormat("%1%2", s_Indent + INDENT, line);
000292 |         }
000293 |         else
000294 |         {
000295 |             if (end || m_ClassName)
000296 |             {
000297 |                 line = line.Substring(0, line.IndexOf("("));
000298 |                 m_FuncName = line;
000299 |             }
000300 |
000301 |             if (end)
000302 |                 Profile(elapsed);
000303 |
000304 |             if (dump)
```

```
000305 |         DumpLine(prefix + line + params, elapsed, end);
000306 |     else
000307 |         break;
000308 |     }
000309 |
000310 |     n++;
000311 |
000312 |     if (depth > 0)
000313 |         depth--;
000314 |     }
000315 | }
000316 |
000317 | void Profile(float elapsed)
000318 | {
000319 |     string name = m_ClassName;
000320 |
000321 |     if (m_FuncName)
000322 |     {
000323 |         if (name)
000324 |             name += "::";
000325 |         name += m_FuncName;
000326 |     }
000327 |
000328 |     int hitchCount;
000329 |     float hitchTime;
000330 |     if (elapsed > 1.0)
000331 |     {
000332 |         hitchCount = 1;
000333 |         hitchTime = elapsed;
000334 |     }
000335 |
000336 |     Param4<int, float, int, float> profile;
000337 |     if (s_Profiling.Find(name, profile))
000338 |     {
000339 |         profile.param1 += 1;
000340 |         profile.param2 += elapsed;
000341 |         profile.param3 += hitchCount;
000342 |         profile.param4 += hitchTime;
000343 |     }
000344 |     else
000345 |     {
000346 |         s_Profiling[name] = new Param4<int, float, int, float>(1, elapsed, hitchCount, hitchTime);
000347 |     }
000348 | }
000349 |
000350 | //! @note max script log printable text length client 240, server 1026 characters
000351 | void DumpLine(string line, float elapsed, bool end = false)
000352 | {
000353 |     if (end)
000354 |         PrintFormat("%1 [EXTRACE] %2 %3 ms", ExpansionStatic.GetISOTime(), s_Indent + "-" + line, elapsed.ToString());
000355 |     else
000356 |         PrintFormat("%1 [EXTRACE] %2", ExpansionStatic.GetISOTime(), s_Indent + "+" + line);
000357 | }
000358 |
000359 | #ifdef EXTRACE
000360 | static void DumpProfilingData()
000361 | {
000362 |     FileHandle file = OpenFile(string.Format("$profile:EXTrace_Profiling_%1.csv", s_StartDate.GetISODateTime("_", "-")), FileMode.WRITE);
000363 |     if (!file)
000364 |         return;
000365 |
000366 |     string calls = ExpansionString.JustifyRight(" CALLS", 10, "-");
```

```
000367 |         string time = ExpansionString.JustifyRight(" TOTAL TIME MS", 16, "-");
000368 |         string avg = ExpansionString.JustifyRight(" AVG TIME MS", 16, "-");
000369 |         string hitchCalls = ExpansionString.JustifyRight(" HITCHES", 10, "-");
000370 |         string hitchTime = ExpansionString.JustifyRight(" TOTAL HITCH MS", 16, "-");
000371 |         string hitchAvg = ExpansionString.JustifyRight(" AVG HITCH MS", 16, "-");
000372 |
000373 |         FPrintln(file, string.Format("%1 | %2 | %3 | %4 | %5 | %6 | %7", ExpansionString.JustifyLeft("NAME ", 90, "-"), calls, time, avg, hitchCalls, hitchTime, h
itchAvg));
000374 |
000375 |         TStringArray names = s_Profiling.GetKeyArray();
000376 |         names.Sort();
000377 |
000378 |         Param4<int, float, int, float> profile;
000379 |
000380 |         foreach (string name: names)
000381 |         {
000382 |             profile = s_Profiling[name];
000383 |             calls = ExpansionString.JustifyRight(profile.param1.ToString(), 10, " ");
000384 |             time = ExpansionString.JustifyRight(ExpansionStatic.FloatFixedDecimals(profile.param2, 4), 16, " ");
000385 |             avg = ExpansionString.JustifyRight(ExpansionStatic.FloatFixedDecimals(profile.param2 / profile.param1, 4), 16, " ");
000386 |             if (profile.param3)
000387 |             {
000388 |                 hitchCalls = ExpansionString.JustifyRight(profile.param3.ToString(), 10, " ");
000389 |                 hitchTime = ExpansionString.JustifyRight(ExpansionStatic.FloatFixedDecimals(profile.param4, 4), 16, " ");
000390 |                 hitchAvg = ExpansionString.JustifyRight(ExpansionStatic.FloatFixedDecimals(profile.param4 / profile.param3, 4), 16, " ");
000391 |             }
000392 |             else
000393 |             {
000394 |                 hitchCalls = "          ";
000395 |                 hitchTime = "          ";
000396 |                 hitchAvg = "          ";
000397 |             }
000398 |             FPrintln(file, string.Format("%1 | %2 | %3 | %4 | %5 | %6 | %7", ExpansionString.JustifyLeft(name, 90, " "), calls, time, avg, hitchCalls, hitchTime,
hitchAvg));
000399 |         }
000400 |
000401 |         CloseFile(file);
000402 |     }
000403 | #endif
000404 |
000405 |     EXTrace Add(bool param)
000406 |     {
000407 |         return Add(param.ToString());
000408 |     }
000409 |
000410 |     EXTrace Add(int param)
000411 |     {
000412 |         return Add(param.ToString());
000413 |     }
000414 |
000415 |     EXTrace Add(float param)
000416 |     {
000417 |         return Add(param.ToString());
000418 |     }
000419 |
000420 |     EXTrace Add(vector param, bool beautify = true)
000421 |     {
000422 |         return Add(param.ToString(beautify));
000423 |     }
000424 |
000425 |     EXTrace Add(typename param)
000426 |     {
```

```
000427 |         return Add(param.ToString());
000428 |     }
000429 |
000430 |     EXTrace Add(Class param)
000431 |     {
000432 |         return Add(param.ToString());
000433 |     }
000434 |
000435 |     EXTrace Add(string param)
000436 |     {
000437 |         m_Params[m_ParamsCount++] = param;
000438 |         return this;
000439 |     }
000440 |
000441 | #ifdef EXTRACE
000442 |     static void Add(EXTrace trace, bool param)
000443 |     {
000444 |         Add(trace, param.ToString());
000445 |     }
000446 |
000447 |     static void Add(EXTrace trace, int param)
000448 |     {
000449 |         Add(trace, param.ToString());
000450 |     }
000451 |
000452 |     static void Add(EXTrace trace, float param)
000453 |     {
000454 |         Add(trace, param.ToString());
000455 |     }
000456 |
000457 |     static void Add(EXTrace trace, vector param, bool beautify = true)
000458 |     {
000459 |         if (!trace)
000460 |             return;
000461 |
000462 |         trace.Add(param, beautify);
000463 |     }
000464 |
000465 |     static void Add(EXTrace trace, typename param)
000466 |     {
000467 |         Add(trace, param.ToString());
000468 |     }
000469 |
000470 |     static void Add(EXTrace trace, Class param)
000471 |     {
000472 |         Add(trace, param.ToString());
000473 |     }
000474 |
000475 |     static void Add(EXTrace trace, string param)
000476 |     {
000477 |         if (!trace)
000478 |             return;
000479 |
000480 |         trace.Add(param);
000481 |     }
000482 | #endif
000483 |
000484 |     void SetDepth(int depth)
000485 |     {
000486 |         m_Depth = depth;
000487 |     }
000488 |
```



```
000489 | void SetFuncName(string funcName)
000490 | {
000491 |     m_FuncName = funcName;
000492 | }
000493 |
000494 | void SetStart(int start)
000495 | {
000496 |     m_Start = start;
000497 | }
000498 |
000499 | void SetSilent(bool silent)
000500 | {
000501 |     m_Silent = silent;
000502 | }
000503 |
000504 | void Print(string msg, string p1 = "", string p2 = "", string p3 = "", string p4 = "", string p5 = "", string p6 = "", string p7 = "", string p8 = "", string
p9 = "")
000505 | {
000506 |     PrintFormat("%1 [EXPRINT] %2%3", ExpansionStatic.GetISOTime(), s_Indent, string.Format(msg, p1, p2, p3, p4, p5, p6, p7, p8, p9));
000507 | }
000508 |
000509 | static void Print(bool yes, Class instance, string msg, string p1 = "", string p2 = "", string p3 = "", string p4 = "", string p5 = "", string p6 = "", string
p7 = "", string p8 = "", string p9 = "")
000510 | {
000511 |     ///! Unconditionally conditionally enable if define not defined kappa
000512 | #ifndef EXPANSIONTRACE
000513 |     if (!yes || !msg)
000514 |         return;
000515 | #endif
000516 |
000517 |     PrintEx(instance, NULLTYPE, msg, p1, p2, p3, p4, p5, p6, p7, p8, p9);
000518 | }
000519 |
000520 | static void Print(bool yes, typename typeName, string msg, string p1 = "", string p2 = "", string p3 = "", string p4 = "", string p5 = "", string p6 = "", str
ing p7 = "", string p8 = "", string p9 = "")
000521 | {
000522 |     ///! Unconditionally conditionally enable if define not defined kappa
000523 | #ifndef EXPANSIONTRACE
000524 |     if (!yes || !msg)
000525 |         return;
000526 | #endif
000527 |
000528 |     PrintEx(null, typeName, msg, p1, p2, p3, p4, p5, p6, p7, p8, p9);
000529 | }
000530 |
000531 | static void PrintEx(Class instance, typename typeName, string msg, string p1 = "", string p2 = "", string p3 = "", string p4 = "", string p5 = "", string p6 =
"", string p7 = "", string p8 = "", string p9 = "")
000532 | {
000533 |     string ts = ExpansionStatic.GetISOTime();
000534 |
000535 |     string prefix;
000536 |     if (instance)
000537 |         prefix = instance.ToString();
000538 |     else if (typeName)
000539 |         prefix = typeName.ToString();
000540 |
000541 |     msg = string.Format(msg, p1, p2, p3, p4, p5, p6, p7, p8, p9);
000542 |
000543 |     if (prefix)
000544 |         PrintFormat("%1 [EXPRINT] %2%3 %4", ts, s_Indent, prefix, msg);
000545 |     else
000546 |         PrintFormat("%1 [EXPRINT] %2 %3", ts, s_Indent, msg);
```

```
000547 |     }
000548 |
000549 |     static void PrintHit(bool yes = true, Class instance = null, string msg = "", TotalDamageResult damageResult = null, int damageType = 0, EntityAI source = nul
1, int component = 0, string dmgZone = "", string ammo = "", vector modelPos = "0 0 0", float speedCoef = 1.0)
000550 |     {
000551 |         //! Unconditionally conditionally enable if define not defined kappa
000552 | #ifndef EXPANSIONTRACE
000553 |     if (!yes)
000554 |         return;
000555 | #endif
000556 |
000557 |     if (msg)
000558 |         msg += " ";
000559 |
000560 |     if (damageResult)
000561 |     {
000562 |         msg += damageResult.GetDamage(dmgZone, "Health").ToString() + " ";
000563 |         if (instance && instance.IsInherited(Man))
000564 |         {
000565 |             msg += damageResult.GetDamage(dmgZone, "Blood").ToString() + " ";
000566 |             msg += damageResult.GetDamage(dmgZone, "Shock").ToString() + " ";
000567 |         }
000568 |     }
000569 |
000570 |     msg += typename.EnumToString(DamageType, damageType) + " ";
000571 |
000572 |     msg += source.ToString() + " ";
000573 |     msg += component.ToString() + " ";
000574 |     msg += dmgZone + " ";
000575 |     msg += ammo + " ";
000576 |     msg += modelPos.ToString() + " ";
000577 |     msg += speedCoef.ToString();
000578 |
000579 |     Print(true, instance, msg);
000580 | }
000581 |
000582 | #ifdef EXTRACE
000583 |     //! Includes 1st line of stack
000584 |     static EXTrace Start(bool yes = true, Class instance = null, string param0 = "", string param1 = "", string param2 = "", string param3 = "", string param4 = "
", string param5 = "", string param6 = "", string param7 = "", string param8 = "", string param9 = "", int initialDumpStart = 1)
000585 |     {
000586 |         //! Unconditionally conditionally enable if define not defined kappa
000587 | #ifndef EXPANSIONTRACE
000588 |     if (!yes)
000589 |         return null;
000590 | #endif
000591 |
000592 |     auto trace = new EXTrace(instance, NULLTYPE, false);
000593 |     if (param0)
000594 |         trace.Add(param0);
000595 |     if (param1)
000596 |         trace.Add(param1);
000597 |     if (param2)
000598 |         trace.Add(param2);
000599 |     if (param3)
000600 |         trace.Add(param3);
000601 |     if (param4)
000602 |         trace.Add(param4);
000603 |     if (param5)
000604 |         trace.Add(param5);
000605 |     if (param6)
000606 |         trace.Add(param6);
```

```
000607 |         if (param7)
000608 |             trace.Add(param7);
000609 |         if (param8)
000610 |             trace.Add(param8);
000611 |         if (param9)
000612 |             trace.Add(param9);
000613 |         if (initialDumpStart)
000614 |             trace.InitialDump(initialDumpStart);
000615 |         return trace;
000616 |     }
000617 |
000618 |     //! Includes whole stack
000619 |     static EXTrace StartStack(bool yes = true, Class instance = null, string param0 = "", string param1 = "", string param2 = "", string param3 = "", string param
4 = "", string param5 = "", string param6 = "", string param7 = "", string param8 = "", string param9 = "")
000620 |     {
000621 |         //! Unconditionally conditionally enable if define not defined kappa
000622 | #ifndef EXPANSIONTRACE
000623 |     if (!yes)
000624 |         return null;
000625 | #endif
000626 |
000627 |         auto trace = Start(yes, instance, param0, param1, param2, param3, param4, param5, param6, param7, param8, param9, 0);
000628 |         trace.SetDepth(-1);
000629 |         trace.InitialDump(1);
000630 |         return trace;
000631 |     }
000632 |
000633 |     //! Excludes stack
000634 |     static EXTrace Start0(bool yes = true, Class instance = null, string param0 = "", string param1 = "", string param2 = "", string param3 = "", string param4 =
"", string param5 = "", string param6 = "", string param7 = "", string param8 = "", string param9 = "")
000635 |     {
000636 |         //! Unconditionally conditionally enable if define not defined kappa
000637 | #ifndef EXPANSIONTRACE
000638 |     if (!yes)
000639 |         return null;
000640 | #endif
000641 |
000642 |         auto trace = Start(yes, instance, param0, param1, param2, param3, param4, param5, param6, param7, param8, param9, 0);
000643 |         trace.SetDepth(0);
000644 |         trace.InitialDump(1);
000645 |         return trace;
000646 |     }
000647 |
000648 |     //! Includes 1st line of stack
000649 |     static EXTrace Start(bool yes, typename typeName, string param0 = "", string param1 = "", string param2 = "", string param3 = "", string param4 = "", string p
aram5 = "", string param6 = "", string param7 = "", string param8 = "", string param9 = "", int initialDumpStart = 1)
000650 |     {
000651 |         //! Unconditionally conditionally enable if define not defined kappa
000652 | #ifndef EXPANSIONTRACE
000653 |     if (!yes)
000654 |         return null;
000655 | #endif
000656 |
000657 |         auto trace = new EXTrace(null, typeName, false);
000658 |         if (param0)
000659 |             trace.Add(param0);
000660 |         if (param1)
000661 |             trace.Add(param1);
000662 |         if (param2)
000663 |             trace.Add(param2);
000664 |         if (param3)
000665 |             trace.Add(param3);
```

```
000666 |         if (param4)
000667 |             trace.Add(param4);
000668 |         if (param5)
000669 |             trace.Add(param5);
000670 |         if (param6)
000671 |             trace.Add(param6);
000672 |         if (param7)
000673 |             trace.Add(param7);
000674 |         if (param8)
000675 |             trace.Add(param8);
000676 |         if (param9)
000677 |             trace.Add(param9);
000678 |         if (initialDumpStart)
000679 |             trace.InitialDump(initialDumpStart);
000680 |         return trace;
000681 |     }
000682 |
000683 |     //! Includes whole stack
000684 |     static EXTrace StartStack(bool yes, typename typeName, string param0 = "", string param1 = "", string param2 = "", string param3 = "", string param4 = "", str
ing param5 = "", string param6 = "", string param7 = "", string param8 = "", string param9 = "")
000685 |     {
000686 |         //! Unconditionally conditionally enable if define not defined kappa
000687 | #ifndef EXPANSIONTRACE
000688 |         if (!yes)
000689 |             return null;
000690 | #endif
000691 |
000692 |         auto trace = Start(yes, typeName, param0, param1, param2, param3, param4, param5, param6, param7, param8, param9, 0);
000693 |         trace.SetDepth(-1);
000694 |         trace.InitialDump(1);
000695 |         return trace;
000696 |     }
000697 |
000698 |     //! Excludes stack
000699 |     static EXTrace Start0(bool yes, typename typeName, string param0 = "", string param1 = "", string param2 = "", string param3 = "", string param4 = "", string
param5 = "", string param6 = "", string param7 = "", string param8 = "", string param9 = "")
000700 |     {
000701 |         //! Unconditionally conditionally enable if define not defined kappa
000702 | #ifndef EXPANSIONTRACE
000703 |         if (!yes)
000704 |             return null;
000705 | #endif
000706 |
000707 |         auto trace = Start(yes, typeName, param0, param1, param2, param3, param4, param5, param6, param7, param8, param9, 0);
000708 |         trace.SetDepth(0);
000709 |         trace.InitialDump(1);
000710 |         return trace;
000711 |     }
000712 |
000713 |     static EXTrace Profile(bool yes, Class instance)
000714 |     {
000715 |         //! Unconditionally conditionally enable if define not defined kappa
000716 | #ifndef EXPANSIONTRACE
000717 |         if (!yes)
000718 |             return null;
000719 | #endif
000720 |
000721 |         auto trace = new EXTrace(instance, NULLTYPE, false);
000722 |         trace.SetSilent(true);
000723 |         return trace;
000724 |     }
000725 |
```

```
000726 | static EXTrace Profile(bool yes, Class instance, string funcName)
000727 | {
000728 |     //! Unconditionally conditionally enable if define not defined kappa
000729 | #ifndef EXPANSIONTRACE
000730 |     if (!yes)
000731 |         return null;
000732 | #endif
000733 |
000734 |     auto trace = new EXTrace(instance, NULLTYPE, false);
000735 |     trace.SetSilent(true);
000736 |     trace.SetFuncName(funcName);
000737 |     return trace;
000738 | }
000739 |
000740 | static EXTrace Profile(bool yes, typename typeName)
000741 | {
000742 |     //! Unconditionally conditionally enable if define not defined kappa
000743 | #ifndef EXPANSIONTRACE
000744 |     if (!yes)
000745 |         return null;
000746 | #endif
000747 |
000748 |     auto trace = new EXTrace(null, typeName, false);
000749 |     trace.SetSilent(true);
000750 |     return trace;
000751 | }
000752 |
000753 | static EXTrace Profile(bool yes, typename typeName, string funcName)
000754 | {
000755 |     //! Unconditionally conditionally enable if define not defined kappa
000756 | #ifndef EXPANSIONTRACE
000757 |     if (!yes)
000758 |         return null;
000759 | #endif
000760 |
000761 |     auto trace = new EXTrace(null, typeName, false);
000762 |     trace.SetSilent(true);
000763 |     trace.SetFuncName(funcName);
000764 |     return trace;
000765 | }
000766 | #endif
000767 | }
000768 |
000769 | typedef EXTrace ExpansionTracing;
000770 |
```

0068. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionUIManager.c

Size bytes: 3286

SHA-256: d8249dd22bf16cade14d6161f15e6865045cc5ce06320c53748940a204140376

Decoded as: utf-8-sig

Line count shown: 145

Detected class declarations: 1

L14: class ExpansionUIManager

Detected enum declarations: 0

Detected function/method-like declarations: 11

L19: void ExpansionUIManager()

L25: protected void SetMenu(ExpansionScriptViewMenuBase view)

L33: ExpansionScriptViewMenuBase GetMenu()

L38: void CloseMenu()

L56: void CloseAll(bool includeVanilla = false)

L65: protected void CloseAllScriptViews()

L82: protected void CloseAllUIScriptedMenus(bool includeVanilla = false)

L101: ExpansionScriptViewMenuBase CreateSVMenu(string viewName)

L123: protected void DestroySVMenu(ExpansionScriptViewMenuBase menu, bool doDelete = true)

L134: map<string, ExpansionScriptViewMenuBase> GetActiveMenus()

L139: protected ExpansionScriptViewMenuBase CreateMenuInstance(string className)

Full file content

```
000001 | /**
000002 |  * ExpansionUIManager.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionUIManager
000015 | {
000016 |     private ref ExpansionScriptViewMenuBase m_CurrentMenu;
000017 |     private ref map<string, ExpansionScriptViewMenuBase> m_ActiveMenus;
000018 |
000019 |     void ExpansionUIManager()
000020 |     {
000021 |         m_CurrentMenu = NULL;
000022 |         m_ActiveMenus = new map<string, ExpansionScriptViewMenuBase>;
000023 |     }
000024 |
000025 |     protected void SetMenu(ExpansionScriptViewMenuBase view)
000026 |     {
000027 |         if (m_CurrentMenu)
000028 |             m_CurrentMenu.Destroy();
000029 |
000030 |         m_CurrentMenu = view;
000031 |     }
000032 |
000033 |     ExpansionScriptViewMenuBase GetMenu()
000034 |     {
000035 |         return m_CurrentMenu;
000036 |     }
000036 | }
```

```
000037 |
000038 | void CloseMenu()
000039 | {
000040 |     if (m_CurrentMenu)
000041 |     {
000042 |         if (m_CurrentMenu.IsVisible())
000043 |             m_CurrentMenu.Hide();
000044 |
000045 |         Print("[EXPANSION UI MANAGER]: Removing menu " + m_CurrentMenu + " from UI manager.");
000046 |         DestroySVMenu(m_CurrentMenu);
000047 |         m_CurrentMenu = NULL;
000048 |     }
000049 | }
000050 |
000051 | /**
000052 |  * @brief Close all Expansion menus
000053 |  *
000054 |  * @param includeVanilla If true, close all vanilla menus as well (may include pause menu and menus of other mods, use with care!)
000055 |  */
000056 | void CloseAll(bool includeVanilla = false)
000057 | {
000058 |     CloseAllScriptViews();
000059 |     CloseAllUIScriptedMenus(includeVanilla);
000060 | }
000061 |
000062 | /**
000063 |  * @brief Close all Expansion ScriptView menus
000064 |  */
000065 | protected void CloseAllScriptViews()
000066 | {
000067 |     foreach (ExpansionScriptViewMenuBase menu: m_ActiveMenus)
000068 |     {
000069 |         if (menu.IsVisible())
000070 |             menu.Hide();
000071 |
000072 |         menu.Destroy();
000073 |     }
000074 |
000075 |     m_ActiveMenus.Clear();
000076 |     m_CurrentMenu = NULL;
000077 | }
000078 |
000079 | /**
000080 |  * @brief Close all Expansion UIScripted menus
000081 |  */
000082 | protected void CloseAllUIScriptedMenus(bool includeVanilla = false)
000083 | {
000084 |     UIMenuPanel menu = g_Game.GetUIManager().GetMenu();
000085 |     while (menu)
000086 |     {
000087 |         if (menu.GetParentMenu())
000088 |         {
000089 |             menu = menu.GetParentMenu();
000090 |         }
000091 |         else
000092 |         {
000093 |             if (includeVanilla || (menu.GetID() >= MENU_EXPANSION_MENU_START && menu.GetID() < MENU_EXPANSION_MENU_END))
000094 |                 menu.Close();
000095 |
000096 |             break;
000097 |         }
000098 |     }
```

```
000099 | }
000100 |
000101 | ExpansionScriptViewMenuBase CreateSVMenu(string viewName)
000102 | {
000103 |     ExpansionScriptViewMenuBase viewMenu;
000104 |     if (m_ActiveMenus.Find(viewName, viewMenu))
000105 |     {
000106 |         m_ActiveMenus.Remove(viewName);
000107 |         viewMenu.Destroy();
000108 |     }
000109 |
000110 |     viewMenu = CreateMenuInstance(viewName);
000111 |
000112 |     if (viewMenu)
000113 |     {
000114 |         SetMenu(viewMenu);
000115 |         m_ActiveMenus.Insert(viewName, viewMenu);
000116 |         viewMenu.Show();
000117 |         Print("[EXPANSION UI MANAGER]: Created menu " + viewMenu + ".");
000118 |     }
000119 |
000120 |     return viewMenu;
000121 | }
000122 |
000123 | protected void DestroySVMenu(ExpansionScriptViewMenuBase menu, bool doDelete = true)
000124 | {
000125 |     ExpansionScriptViewMenuBase viewMenu;
000126 |     if (m_ActiveMenus.Find(menu.ClassName(), viewMenu))
000127 |     {
000128 |         m_ActiveMenus.Remove(menu.ClassName());
000129 |         if (doDelete)
000130 |             viewMenu.Destroy();
000131 |     }
000132 | }
000133 |
000134 | map<string, ExpansionScriptViewMenuBase> GetActiveMenus()
000135 | {
000136 |     return m_ActiveMenus;
000137 | }
000138 |
000139 | protected ExpansionScriptViewMenuBase CreateMenuInstance(string className)
000140 | {
000141 |     return ExpansionScriptViewMenuBase.Cast(className.ToType()).Spawn();
000142 | }
000143 | };
000144 | #endif
000145 |
```


0069. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionWeaponUtils.c

Size bytes: 2738

SHA-256: 9d871c4030784809de3470209b866dff607fc391bbd5d77e4e085bfca79fb3eb

Decoded as: utf-8-sig

Line count shown: 85

Detected class declarations: 1

L13: class ExpansionWeaponUtils

Detected enum declarations: 0

Detected function/method-like declarations: 3

L24: static float GetDamageAppliedByAmmo(string ammoTypeName, string healthType="Health")

L47: static float GetDamageAppliedByBullet(string bulletTypeName, string healthType="Health")

L69: static float GetWeaponInitSpeedMultiplier(string weaponTypeName)

Full file content

```

000001 | /**
000002 |  * ExpansionWeaponUtils.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionWeaponUtils
000014 | {
000015 |     /** Maps ammo type to health type to damage applied
000016 |     static ref map<string, ref map<string, float>> s_DamageAppliedByAmmo = new map<string, ref map<string, float>>();
000017 |
000018 |     /** Maps bullet type to health type to damage applied
000019 |     static ref map<string, ref map<string, float>> s_DamageAppliedByBullet = new map<string, ref map<string, float>>();
000020 |
000021 |     /** Maps weapon classname to init speed mult
000022 |     static ref map<string, float> s_InitSpeedMultipliers = new map<string, float>();
000023 |
000024 |     static float GetDamageAppliedByAmmo(string ammoTypeName, string healthType="Health")
000025 |     {
000026 |         map<string, float> healthTypeMap;
000027 |         float damageApplied;
000028 |
000029 |         if (s_DamageAppliedByAmmo.Find(ammoTypeName, healthTypeMap))
000030 |         {
000031 |             damageApplied = healthTypeMap[healthType];
000032 |         }
000033 |         else
000034 |         {
000035 |             string bulletTypeNamePath = "CfgMagazines " + ammoTypeName + " ammo";
000036 |             if (g_Game.ConfigIsExisting(bulletTypeNamePath))
000037 |             {
000038 |                 string bulletTypeName = g_Game.ConfigGetTextOut(bulletTypeNamePath);
000039 |                 damageApplied = GetDamageAppliedByBullet(bulletTypeName, healthType);
000040 |                 s_DamageAppliedByAmmo[ammoTypeName] = s_DamageAppliedByBullet[bulletTypeName];
000041 |             }
000042 |         }
000043 |
000044 |         return damageApplied;

```

```
000045 |     }
000046 |
000047 |     static float GetDamageAppliedByBullet(string bulletTypeName, string healthType="Health")
000048 |     {
000049 |         map<string, float> healthTypeMap;
000050 |         float damageApplied;
000051 |
000052 |         if (!s_DamageAppliedByBullet.Find(bulletTypeName, healthTypeMap))
000053 |         {
000054 |             healthTypeMap = new map<string, float>;
000055 |             s_DamageAppliedByBullet[bulletTypeName] = healthTypeMap;
000056 |         }
000057 |
000058 |         if (!healthTypeMap.Find(healthType, damageApplied))
000059 |         {
000060 |             string damageAppliedPath = "CfgAmmo " + bulletTypeName + " DamageApplied " + healthType + " damage";
000061 |             if (g_Game.ConfigIsExisting(damageAppliedPath))
000062 |                 damageApplied = g_Game.ConfigGetFloat(damageAppliedPath);
000063 |             healthTypeMap[healthType] = damageApplied;
000064 |         }
000065 |
000066 |         return damageApplied;
000067 |     }
000068 |
000069 |     static float GetWeaponInitSpeedMultiplier(string weaponTypeName)
000070 |     {
000071 |         float mult = 1.0;
000072 |
000073 |         if (!s_InitSpeedMultipliers.Find(weaponTypeName, mult))
000074 |         {
000075 |             string path = "CfgWeapons " + weaponTypeName + " initSpeedMultiplier";
000076 |             if (g_Game.ConfigIsExisting(path))
000077 |                 mult = g_Game.ConfigGetFloat(path);
000078 |             s_InitSpeedMultipliers.Insert(weaponTypeName, mult);
000079 |             //EXPrint(weaponTypeName + " " + mult, " [ExpansionWeaponUtils] ");
000080 |         }
000081 |
000082 |         return mult;
000083 |     }
000084 | }
000085 |
```

0070. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Hud.c
Size bytes: 496
SHA-256: 912254a796ed585329b896d45dbcd6f056f133d4f847a96e6d214f9156eeffb2
Decoded as: utf-8-sig
Line count shown: 24
Detected class declarations: 1
 L13: modded class Hud
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L15: bool Expansion_CanShowHUDElements(DayZPlayer player = null)
 L20: bool Expansion_IsVisible()

Full file content

```
000001 | /**
000002 |  * Hud.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class Hud
000014 | {
000015 |     bool Expansion_CanShowHUDElements(DayZPlayer player = null)
000016 |     {
000017 |         return true;
000018 |     }
000019 |
000020 |     bool Expansion_IsVisible()
000021 |     {
000022 |         return true;
000023 |     }
000024 | };
```

0071. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Locations\ExpansionLocation.c

Size bytes: 5376

SHA-256: d4138992bef6c763e16b68395700034eca45c01c2e6489a30df281997d2b140

Decoded as: utf-8-sig

Line count shown: 178

Detected class declarations: 2

L14: class ExpansionLocation

L77: class ExpansionLocationT<Class T>

Detected enum declarations: 0

Detected function/method-like declarations: 5

L32: void ExpansionLocation(vector position = vector.Zero, float radius = 0, string name = string.Empty, string type = string.Empty, string class

L37: void Init(vector position, float radius, string name = string.Empty, string type = string.Empty, string className = string.Empty, Object obj

L48: static float GetRadius(string type)

L71: static array<ref ExpansionLocation> GetWorldLocations(int include = 0)

L79: static array<ref T> GetWorldLocations(int include = 0)

Full file content

```
000001 | /**
000002 |  * ExpansionLocation.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 |
000014 | class ExpansionLocation
000015 | {
000016 |     static const ref TStringArray SETTLEMENTS = {"Capital", "City", "Village"};
000017 |
000018 |     string Name;
000019 |     vector Position;
000020 |     float Radius;
000021 |     string Type;
000022 |
000023 |     [NonSerialized()]
000024 |     string m_ClassName;
000025 |
000026 |     [NonSerialized()]
000027 |     Object m_Object;
000028 |
000029 |     [NonSerialized()]
000030 |     int m_Index;
000031 |
000032 |     void ExpansionLocation(vector position = vector.Zero, float radius = 0, string name = string.Empty, string type = string.Empty, string className = string.Empty, Object obj = null, int index = -1)
000033 |     {
000034 |         Init(position, radius, name, type, className, obj, index);
000035 |     }
000036 |
000037 |     void Init(vector position, float radius, string name = string.Empty, string type = string.Empty, string className = string.Empty, Object obj = null, int index = -1)
000038 |     {
000039 |         Name = name;
```

```
000040 |         Position = position;
000041 |         Radius = radius;
000042 |         Type = type;
000043 |         m_ClassName = className;
000044 |         m_Object = obj;
000045 |         m_Index = index;
000046 |     }
000047 |
000048 |     static float GetRadius(string type)
000049 |     {
000050 |         ///! Most maps use these types.
000051 |         ///! One exception is Rostow which prepends "Name", e.g. "NameCapital", "NameCity" etc.
000052 |
000053 |         if ( type.Contains( "Capital" ) )
000054 |             return 1000;
000055 |
000056 |         if ( type.Contains( "City" ) )
000057 |             return 500;
000058 |
000059 |         if ( type.Contains( "Village" ) || type.Contains( "Suburb" ) )
000060 |             return 200;
000061 |
000062 |         if ( type.Contains( "Camp" ) )
000063 |             return 100;
000064 |
000065 |         if ( type.Contains( "Local" ) )
000066 |             return 100;
000067 |
000068 |         return 100;
000069 |     }
000070 |
000071 |     static array<ref ExpansionLocation> GetWorldLocations(int include = 0)
000072 |     {
000073 |         return ExpansionLocationT<ExpansionLocation>.GetWorldLocations(include);
000074 |     }
000075 | }
000076 |
000077 | class ExpansionLocationT<Class T>
000078 | {
000079 |     static array<ref T> GetWorldLocations(int include = 0)
000080 |     {
000081 |         if (!include)
000082 |         {
000083 |             include |= ExpansionLocationType.CAMP;
000084 |             include |= ExpansionLocationType.HILL;
000085 |             include |= ExpansionLocationType.LOCAL;
000086 |             include |= ExpansionLocationType.MARINE;
000087 |             include |= ExpansionLocationType.RUIN;
000088 |             include |= ExpansionLocationType.SETTLEMENT;
000089 |         }
000090 |
000091 |         array<ref T> areaArray = {};
000092 |
000093 |         string worldName = g_Game.GetWorldName();
000094 |         string location_config_path = "CfgWorlds " + worldName + " Names";
000095 |         int classNamesCount = g_Game.ConfigGetChildrenCount( location_config_path );
000096 |
000097 |         worldName.ToLower();
000098 |
000099 |         int index;
000100 |         for ( int l = 0; l < classNamesCount; ++l )
000101 |         {
```

```
000102 |         string location_class_name;
000103 |         g_Game.ConfigGetChildName( location_config_path, l, location_class_name );
000104 |
000105 |         string location_class_name_path = location_config_path + " " + location_class_name;
000106 |
000107 |         string location_type_path = location_class_name_path + " type";
000108 |         string location_name_path = location_class_name_path + " name";
000109 |         string location_position_path = location_class_name_path + " position";
000110 |
000111 |         string location_type;
000112 |         string location_name;
000113 |         g_Game.ConfigGetText( location_type_path, location_type );
000114 |         g_Game.ConfigGetText( location_name_path, location_name );
000115 |
000116 |         TFloatArray location_position = {};
000117 |         g_Game.ConfigGetFloatArray( location_position_path, location_position );
000118 |
000119 |         if ( location_position == null || location_position.Count() != 2 )
000120 |         {
000121 |             //Error("ExpansionLocation::GetWorldLocations location_position.Count() != 2 count : " + location_position.Count());
000122 |             continue;
000123 |         }
000124 |
000125 |         if ( (include & ExpansionLocationType.CAMP) == 0 && location_type.Contains( "Camp" ) )
000126 |             continue;
000127 |
000128 |         if ( (include & ExpansionLocationType.HILL) == 0 && location_type.Contains( "Hill" ) )
000129 |             continue;
000130 |
000131 |         if ( (include & ExpansionLocationType.LOCAL) == 0 && location_type.Contains( "Local" ) )
000132 |             continue;
000133 |
000134 |         if ( (include & ExpansionLocationType.LOCALOFFICE) == 0 && location_type.Contains( "LocalOffice" ) )
000135 |             continue;
000136 |
000137 |         if ( (include & ExpansionLocationType.MARINE) == 0 && location_type.Contains( "Marine" ) )
000138 |             continue;
000139 |
000140 |         if ( (include & ExpansionLocationType.RAILROADSTATION) == 0 && location_type.Contains( "RailroadStation" ) )
000141 |             continue;
000142 |
000143 |         if ( (include & ExpansionLocationType.RUIN) == 0 && location_type.Contains( "Ruin" ) )
000144 |             continue;
000145 |
000146 |         if ( (include & ExpansionLocationType.SETTLEMENT) == 0 && ExpansionString.ContainsAny(location_type, ExpansionLocation.SETTLEMENTS) )
000147 |             continue;
000148 |
000149 |         if ( (include & ExpansionLocationType.VIEWPOINT) == 0 && location_type.Contains( "ViewPoint" ) )
000150 |             continue;
000151 |
000152 |         if (worldName == "chernarusplus")
000153 |         {
000154 |             if ( location_class_name.Contains( "ZalivGuba" ) )
000155 |                 continue;
000156 |
000157 |             if ( location_class_name.Contains( "Dubovo" ) )
000158 |                 location_type = "Suburb";
000159 |
000160 |             if ( location_class_name.Contains( "Novoselki" ) )
000161 |                 location_type = "Suburb";
000162 |
000163 |             if ( location_class_name.Contains( "Vysotovo" ) )
```

```
000164 |         location_type = "Suburb";
000165 |     }
000166 |
000167 |     T loc;
000168 |     if (Class.CastTo(loc, ((typename)T).Spawn()))
000169 |     {
000170 |         float radius = ExpansionLocation.GetRadius(location_type);
000171 |         loc.Init(Vector(location_position[0], 0, location_position[1]), radius, location_name, location_type, location_class_name, null, index++);
000172 |         areaArray.Insert(loc);
000173 |     }
000174 | }
000175 |
000176 | return areaArray;
000177 | }
000178 | }
```

0072. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Locations\ExpansionLocationType.c

Size bytes: 532

SHA-256: 986cea5d0c2b3771324a93dac6dc0eef8292e9724a47b21b1364963fc5a947e2

Decoded as: utf-8-sig

Line count shown: 26

Detected class declarations: 0

Detected enum declarations: 1

 L14: enum ExpansionLocationType

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionLocationType.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 |
000014 | enum ExpansionLocationType
000015 | {
000016 |     CAMP = 1,
000017 |     HILL = 2,
000018 |     LOCAL = 4,
000019 |     LOCALOFFICE = 8,
000020 |     MARINE = 16,
000021 |     RAILROADSTATION = 32,
000022 |     RUIN = 64,
000023 |     SETTLEMENT = 128,
000024 |     VIEWPOINT = 256
000025 | }
000026 |
```


0073. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Loot\ExpansionLoot.c

Size bytes: 2778

SHA-256: 3309b7cd781b6a292f606e0088773cb8ef6f0985c70d1dda62d13b05c66205c7

Decoded as: utf-8-sig

Line count shown: 109

Detected class declarations: 5

L13: class ExpansionLootBase

L19: class ExpansionLootVariantV1: ExpansionLootBase

L42: class ExpansionLootV1 : ExpansionLootVariantV1

L76: class ExpansionLootVariant: ExpansionLootBase

L91: class ExpansionLoot : ExpansionLootVariant

Detected enum declarations: 0

Detected function/method-like declarations: 7

L23: void ExpansionLootVariantV1(string name = "", TStringArray attachments = NULL, float chance = 1)

L30: ExpansionLootVariant ConvertVariant()

L38: return new ExpansionLootVariant(Name, new_Att, Chance);

L49: void ExpansionLoot(string name = "", TStringArray attachments = NULL, float chance = 1, int quantityPercent = -1, array< ref ExpansionLootV

L57: ExpansionLoot Convert()

L83: void ExpansionLootVariant(string name = "", array<ref ExpansionLootVariant> attachments = NULL, float chance = 1)

L101: void ExpansionLoot(string name = "", array<ref ExpansionLootVariant> attachments = NULL, float chance = 1, int quantityPercent = -1, array<

Full file content

```

000001 | /**
000002 |  * ExpansionLoot.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionLootBase
000014 | {
000015 |     string Name;
000016 |     float Chance;
000017 | }
000018 |
000019 | class ExpansionLootVariantV1: ExpansionLootBase
000020 | {
000021 |     ref TStringArray Attachments;
000022 |
000023 |     void ExpansionLootVariantV1( string name = "", TStringArray attachments = NULL, float chance = 1 )
000024 |     {
000025 |         Name = name;
000026 |         Attachments = attachments;
000027 |         Chance = chance;
000028 |     }
000029 |
000030 |     ExpansionLootVariant ConvertVariant()
000031 |     {
000032 |         array<ref ExpansionLootVariant> new_Att = new array<ref ExpansionLootVariant>;
000033 |         foreach(string att: Attachments)
000034 |         {
000035 |             new_Att.Insert(new ExpansionLootVariant(att, null, 1));
000036 |         }

```

```
000037 |
000038 |         return new ExpansionLootVariant(Name, new_Att, Chance);
000039 |     }
000040 | };
000041 |
000042 | class ExpansionLootV1 : ExpansionLootVariantV1
000043 | {
000044 |     float QuantityPercent;
000045 |     int Max;
000046 |     int Min;
000047 |     ref array< ref ExpansionLootVariantV1 > Variants;
000048 |
000049 |     void ExpansionLoot( string name = "", TStringArray attachments = NULL, float chance = 1, int quantityPercent = -1, array< ref ExpansionLootVariantV1 > variant
s = NULL, int max = -1, int min = 0 )
000050 |     {
000051 |         QuantityPercent = quantityPercent;
000052 |         Max = max;
000053 |         Min = min;
000054 |         Variants = variants;
000055 |     }
000056 |
000057 |     ExpansionLoot Convert()
000058 |     {
000059 |         auto loot = ConvertVariant();
000060 |         auto newLoot = new ExpansionLoot(Name, loot.Attachments, Chance);
000061 |
000062 |         array< ref ExpansionLootVariant > newVariants = new array< ref ExpansionLootVariant >;
000063 |         foreach(ExpansionLootVariantV1 variant: Variants)
000064 |         {
000065 |             newVariants.Insert(variant.ConvertVariant());
000066 |         }
000067 |         newLoot.Variants = newVariants;
000068 |         newLoot.QuantityPercent = QuantityPercent;
000069 |         newLoot.Max = Max;
000070 |         newLoot.Min = Min;
000071 |
000072 |         return newLoot;
000073 |     }
000074 | };
000075 |
000076 | class ExpansionLootVariant: ExpansionLootBase
000077 | {
000078 |     ref array<ref ExpansionLootVariant> Attachments;
000079 |
000080 |     [NonSerialized()]
000081 |     float m_RemainingChance;
000082 |
000083 |     void ExpansionLootVariant( string name = "", array<ref ExpansionLootVariant> attachments = NULL, float chance = 1 )
000084 |     {
000085 |         Name = name;
000086 |         Attachments = attachments;
000087 |         Chance = chance;
000088 |     }
000089 | };
000090 |
000091 | class ExpansionLoot : ExpansionLootVariant
000092 | {
000093 |     float QuantityPercent;
000094 |     int Max;
000095 |     int Min;
000096 |     ref array< ref ExpansionLootVariant > Variants;
000097 | }
```

```
000098 | [NonSerialized()]
000099 | int m_Remaining;
000100 |
000101 | void ExpansionLoot( string name = "", array<ref ExpansionLootVariant> attachments = NULL, float chance = 1, int quantityPercent = -1, array< ref ExpansionLoot
000102 | Variant > variants = NULL, int max = -1, int min = 0 )
000103 | {
000104 |     QuantityPercent = quantityPercent;
000105 |     Max = max;
000106 |     Min = min;
000107 |     Variants = variants;
000108 | }
000109 | };
```

0074. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Loot\ExpansionLootDefaults.c

Size bytes: 382

SHA-256: b6c9d4e9e0b4577e44834923576a6d6975ab114e53f582e0ba54f717d99a59b1

Decoded as: utf-8-sig

Line count shown: 14

Detected class declarations: 1

 L13: class ExpansionLootDefaults {};

Detected enum declarations: 0

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionLootDefaults.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionLootDefaults {};
000014 |
```

0075. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionMapMarkerType.c

Size bytes: 574

SHA-256: 29d0ee735c6012b70e018c6d698a28eea7100ea57a171abe351cbc97a95868a1

Decoded as: utf-8-sig

Line count shown: 22

Detected class declarations: 0

Detected enum declarations: 1

 L13: enum ExpansionMapMarkerType

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionMapMarkerType.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum ExpansionMapMarkerType
000014 | {
000015 |     //!< if a type is removed, just rename it to "REMOVED", if a type is added, append to the end
000016 |     UNKNOWN      = 0,
000017 |     PERSONAL     = 1,
000018 |     PARTY        = 2,
000019 |     SERVER       = 3,
000020 |     PLAYER       = 4,
000021 |     PARTY_QUICK  = 5
000022 | };
```

0076. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionMarkerData.c
Size bytes: 8401
SHA-256: 7d7980fd3ad137e9d8c608f1ad4dc89f61ee60e27806db4f6adfb75d501b2328
Decoded as: utf-8-sig
Line count shown: 429
Detected class declarations: 1
    L18: class ExpansionMarkerData
Detected enum declarations: 0
Detected function/method-like declarations: 50
    L42: void ExpansionMarkerData( string uid = "", bool persist = true )
    L51: static ExpansionMarkerData Create( ExpansionMapMarkerType type, string uid = "", bool persist = true )
    L56: return new ExpansionPersonalMarkerData( uid, persist );
    L58: return new ExpansionServerMarkerData( uid, persist );
    L61: return new ExpansionPartyMarkerData( uid, persist );
    L63: return new ExpansionPlayerMarkerData( uid, persist );
    L65: return new ExpansionPartyQuickMarkerData( uid, persist );
    L72: static ExpansionMarkerData Copy( ExpansionMarkerData src, ExpansionMapMarkerType type = ExpansionMapMarkerType.UNKNOWN, string uid = "" )
    L102: ExpansionMapMarkerType GetType()
    L108: void SetUID( string uid )
    L113: string GetUID()
    L118: void SetName( string text )
    L123: string GetName()
    L128: void SetPosition( vector pos )
    L133: vector GetPosition()
    L140: void SetLockState( bool locked )
    L145: bool GetLockState()
    L150: void Update()
    L156: void UpdateObject( Object object )
    L168: Object GetObject()
    L176: vector GetAdjustedPosition()
    L181: void SetIconName( string iconName )
    L186: string GetIconName()
    L191: void SetIcon( ExpansionIcon icon )
    L202: void SetIcon(string icon)
    L214: string GetIcon()
    L223: ExpansionIcon GetExpansionIcon()
    L228: void SetColor( int color )
    L233: int GetColor()
    L238: void Set3D( bool is )
    L243: bool Is3D()
    L248: int ApplyVisibility( int vis )
    L254: int SetVisibility( int vis )
    L260: int FlipVisibility( int vis )
    L270: int RemoveVisibility( int vis )
    L276: int ClearVisibility()
    L282: int GetVisibility()
    L287: bool IsVisible()
    L292: bool IsWorldVisible()
    L297: bool IsMapVisible()
    L302: void SetHandler( ScriptedWidgetEventHandler handler )
    L307: ScriptedWidgetEventHandler GetHandler()
    L312: void OnSend( ParamsWriteContext ctx )
    L324: void OnSendObject( ParamsWriteContext ctx )
    L339: bool OnRecieve( ParamsReadContext ctx )
    L359: bool OnReceiveObject( ParamsReadContext ctx )
    L376: void OnSendFull(ParamsWriteContext ctx)
    L383: bool OnRecieveFull(ParamsReadContext ctx)
    L394: void OnStoreSave( ParamsWriteContext ctx )
```

```
L404: bool OnStoreLoad( ParamsReadContext ctx, int version )
```

Full file content

```
000001 | /**
000002 |  * ExpansionMarkerData.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | //! TODO: Change these constants to an enum (same values)
000014 | const int EXPANSION_MARKER_VIS_NONE = 0;
000015 | const int EXPANSION_MARKER_VIS_WORLD = 2;
000016 | const int EXPANSION_MARKER_VIS_MAP = 4;
000017 |
000018 | class ExpansionMarkerData
000019 | {
000020 |     protected string m_UID;
000021 |     protected int m_Visibility;
000022 |     protected bool m_Is3D;
000023 |     protected string m_Text;
000024 |     protected string m_IconName;
000025 |     protected int m_Color;
000026 |     protected vector m_Position;
000027 |     protected bool m_Locked = false;
000028 |
000029 |     bool m_Persist = true;
000030 |
000031 |     [NonSerialized()]
000032 |     protected Object m_Object;
000033 |
000034 |     [NonSerialized()]
000035 |     protected int m_ObjectNetworkLow;
000036 |     [NonSerialized()]
000037 |     protected int m_ObjectNetworkHigh;
000038 |
000039 |     [NonSerialized()]
000040 |     protected ScriptedWidgetEventHandler m_Handler;
000041 |
000042 |     void ExpansionMarkerData( string uid = "", bool persist = true )
000043 |     {
000044 |         m_UID = uid;
000045 |         m_Handler = NULL;
000046 |         m_Persist = persist;
000047 |
000048 |         SetVisibility( EXPANSION_MARKER_VIS_WORLD | EXPANSION_MARKER_VIS_MAP );
000049 |     }
000050 |
000051 |     static ExpansionMarkerData Create( ExpansionMapMarkerType type, string uid = "", bool persist = true )
000052 |     {
000053 |         switch ( type )
000054 |         {
000055 |             case ExpansionMapMarkerType.PERSONAL:
000056 |                 return new ExpansionPersonalMarkerData( uid, persist );
000057 |             case ExpansionMapMarkerType.SERVER:
000058 |                 return new ExpansionServerMarkerData( uid, persist );
```

```
000059 | #ifdef EXPANSIONMODGROUPS
000060 |     case ExpansionMapMarkerType.PARTY:
000061 |         return new ExpansionPartyMarkerData( uid, persist );
000062 |     case ExpansionMapMarkerType.PLAYER:
000063 |         return new ExpansionPlayerMarkerData( uid, persist );
000064 |     case ExpansionMapMarkerType.PARTY_QUICK:
000065 |         return new ExpansionPartyQuickMarkerData( uid, persist );
000066 | #endif
000067 | }
000068 |
000069 |     return NULL;
000070 | }
000071 |
000072 | static ExpansionMarkerData Copy( ExpansionMarkerData src, ExpansionMapMarkerType type = ExpansionMapMarkerType.UNKNOWN, string uid = "" )
000073 | {
000074 |     if ( type == ExpansionMapMarkerType.UNKNOWN )
000075 |         type = src.GetType();
000076 |
000077 |     ExpansionMarkerData dst = Create( type, uid );
000078 |     if ( !dst )
000079 |         return NULL;
000080 |
000081 |     if ( src.GetType() == dst.GetType() )
000082 |     {
000083 |         ScriptReadWriteContext ctx = new ScriptReadWriteContext;
000084 |         src.OnStoreSave( ctx.GetWriteContext() );
000085 |         dst.OnStoreLoad( ctx.GetReadContext(), int.MAX );
000086 |     } else
000087 |     {
000088 |         dst.m_Is3D = src.m_Is3D;
000089 |         dst.m_Text = src.m_Text;
000090 |         dst.m_IconName = src.m_IconName;
000091 |         dst.m_Color = src.m_Color;
000092 |         dst.m_Position = src.m_Position;
000093 |         dst.m_Locked = src.m_Locked;
000094 |         dst.m_Object = src.m_Object;
000095 |         dst.m_ObjectNetworkLow = src.m_ObjectNetworkLow;
000096 |         dst.m_ObjectNetworkHigh = src.m_ObjectNetworkHigh;
000097 |     }
000098 |
000099 |     return dst;
000100 | }
000101 |
000102 | ExpansionMapMarkerType GetType()
000103 | {
000104 |     return ExpansionMapMarkerType.UNKNOWN;
000105 | }
000106 |
000107 | // Do not call
000108 | void SetUID( string uid )
000109 | {
000110 |     m_UID = uid;
000111 | }
000112 |
000113 | string GetUID()
000114 | {
000115 |     return m_UID;
000116 | }
000117 |
000118 | void SetName( string text )
000119 | {
000120 |     m_Text = text;
```



```
000121 |     }
000122 |
000123 |     string GetName()
000124 |     {
000125 |         return m_Text;
000126 |     }
000127 |
000128 |     void SetPosition( vector pos )
000129 |     {
000130 |         m_Position = pos;
000131 |     }
000132 |
000133 |     vector GetPosition()
000134 |     {
000135 |         if ( m_Object )
000136 |             m_Position = m_Object.GetPosition();
000137 |         return m_Position;
000138 |     }
000139 |
000140 |     void SetLockState( bool locked )
000141 |     {
000142 |         m_Locked = locked;
000143 |     }
000144 |
000145 |     bool GetLockState()
000146 |     {
000147 |         return m_Locked;
000148 |     }
000149 |
000150 |     void Update()
000151 |     {
000152 |         if ( m_Object )
000153 |             m_Position = m_Object.GetPosition();
000154 |     }
000155 |
000156 |     void UpdateObject( Object object )
000157 |     {
000158 |         m_Object = object;
000159 |
000160 |         if ( m_Object )
000161 |         {
000162 |             m_Position = m_Object.GetPosition();
000163 |
000164 |             m_Object.GetNetworkID( m_ObjectNetworkLow, m_ObjectNetworkHigh );
000165 |         }
000166 |     }
000167 |
000168 |     Object GetObject()
000169 |     {
000170 |         if ( IsMissionClient() )
000171 |             m_Object = g_Game.GetObjectByNetworkId( m_ObjectNetworkLow, m_ObjectNetworkHigh );
000172 |
000173 |         return m_Object;
000174 |     }
000175 |
000176 |     vector GetAdjustedPosition()
000177 |     {
000178 |         return m_Position;
000179 |     }
000180 |
000181 |     void SetIconName( string iconName )
000182 |     {
```

```
000183 |         m_IconName = iconName;
000184 |     }
000185 |
000186 |     string GetIconName()
000187 |     {
000188 |         return m_IconName;
000189 |     }
000190 |
000191 |     void SetIcon( ExpansionIcon icon )
000192 |     {
000193 |         if ( icon == NULL )
000194 |         {
000195 |             m_IconName = "";
000196 |         } else
000197 |         {
000198 |             m_IconName = icon.Name;
000199 |         }
000200 |     }
000201 |
000202 |     void SetIcon(string icon)
000203 |     {
000204 |         if (icon == "")
000205 |         {
000206 |             m_IconName = "";
000207 |         }
000208 |         else
000209 |         {
000210 |             m_IconName = icon;
000211 |         }
000212 |     }
000213 |
000214 |     string GetIcon()
000215 |     {
000216 |         ExpansionIcon icon = ExpansionIcons.Get(m_IconName);
000217 |         if (icon)
000218 |             return icon.IconPath;
000219 |         else
000220 |             return m_IconName;
000221 |     }
000222 |
000223 |     ExpansionIcon GetExpansionIcon()
000224 |     {
000225 |         return ExpansionIcons.Get( m_IconName );
000226 |     }
000227 |
000228 |     void SetColor( int color )
000229 |     {
000230 |         m_Color = color;
000231 |     }
000232 |
000233 |     int GetColor()
000234 |     {
000235 |         return m_Color;
000236 |     }
000237 |
000238 |     void Set3D( bool is )
000239 |     {
000240 |         m_Is3D = is;
000241 |     }
000242 |
000243 |     bool Is3D()
000244 |     {
```

```
000245 |         return m_Is3D;
000246 |     }
000247 |
000248 |     int ApplyVisibility( int vis )
000249 |     {
000250 |         m_Visibility = vis;
000251 |         return m_Visibility;
000252 |     }
000253 |
000254 |     int SetVisibility( int vis )
000255 |     {
000256 |         m_Visibility |= vis;
000257 |         return m_Visibility;
000258 |     }
000259 |
000260 |     int FlipVisibility( int vis )
000261 |     {
000262 |         if ( ( m_Visibility & vis ) != 0 )
000263 |             m_Visibility &= ~vis;
000264 |         else
000265 |             m_Visibility |= vis;
000266 |
000267 |         return m_Visibility;
000268 |     }
000269 |
000270 |     int RemoveVisibility( int vis )
000271 |     {
000272 |         m_Visibility &= ~vis;
000273 |         return m_Visibility;
000274 |     }
000275 |
000276 |     int ClearVisibility()
000277 |     {
000278 |         m_Visibility = 0;
000279 |         return m_Visibility;
000280 |     }
000281 |
000282 |     int GetVisibility()
000283 |     {
000284 |         return m_Visibility;
000285 |     }
000286 |
000287 |     bool IsVisible()
000288 |     {
000289 |         return m_Visibility != 0;
000290 |     }
000291 |
000292 |     bool IsWorldVisible()
000293 |     {
000294 |         return (m_Visibility & EXPANSION_MARKER_VIS_WORLD) != 0;
000295 |     }
000296 |
000297 |     bool IsMapVisible()
000298 |     {
000299 |         return (m_Visibility & EXPANSION_MARKER_VIS_MAP) != 0;
000300 |     }
000301 |
000302 |     void SetHandler( ScriptedWidgetEventHandler handler )
000303 |     {
000304 |         m_Handler = handler;
000305 |     }
000306 |
```

```
000307 | ScriptedWidgetEventHandler GetHandler()
000308 | {
000309 |     return m_Handler;
000310 | }
000311 |
000312 | void OnSend( ParamsWriteContext ctx )
000313 | {
000314 |     ctx.Write( m_Text );
000315 |     ctx.Write( Is3D() );
000316 |     ctx.Write( m_IconName );
000317 |     ctx.Write( m_Color );
000318 |
000319 |     ctx.Write( m_Position );
000320 |
000321 |     ctx.Write( m_Locked );
000322 | }
000323 |
000324 | void OnSendObject( ParamsWriteContext ctx )
000325 | {
000326 |     if ( m_Object )
000327 |     {
000328 |         ctx.Write( true );
000329 |
000330 |         m_Object.GetNetworkID( m_ObjectNetworkLow, m_ObjectNetworkHigh );
000331 |         ctx.Write( m_ObjectNetworkLow );
000332 |         ctx.Write( m_ObjectNetworkHigh );
000333 |     } else
000334 |     {
000335 |         ctx.Write( false );
000336 |     }
000337 | }
000338 |
000339 | bool OnRecieve( ParamsReadContext ctx )
000340 | {
000341 |     if ( !ctx.Read( m_Text ) )
000342 |         return false;
000343 |     if ( !ctx.Read( m_Is3D ) )
000344 |         return false;
000345 |     if ( !ctx.Read( m_IconName ) )
000346 |         return false;
000347 |     if ( !ctx.Read( m_Color ) )
000348 |         return false;
000349 |
000350 |     if ( !ctx.Read( m_Position ) )
000351 |         return false;
000352 |
000353 |     if ( !ctx.Read( m_Locked ) )
000354 |         return false;
000355 |
000356 |     return true;
000357 | }
000358 |
000359 | bool OnReceiveObject( ParamsReadContext ctx )
000360 | {
000361 |     bool hasObject;
000362 |     if ( !ctx.Read( hasObject ) )
000363 |         return false;
000364 |
000365 |     if ( hasObject )
000366 |     {
000367 |         if ( !ctx.Read( m_ObjectNetworkLow ) || !ctx.Read( m_ObjectNetworkHigh ) )
000368 |             return false;
```

```
000369 |  
000370 |         m_Object = g_Game.GetObjectByNetworkId( m_ObjectNetworkLow, m_ObjectNetworkHigh );  
000371 |     }  
000372 |  
000373 |     return true;  
000374 | }  
000375 |  
000376 | void OnSendFull(ParamsWriteContext ctx)  
000377 | {  
000378 |     OnSend(ctx);  
000379 |  
000380 |     ctx.Write(m_Visibility);  
000381 | }  
000382 |  
000383 | bool OnRecieveFull(ParamsReadContext ctx)  
000384 | {  
000385 |     if (!OnRecieve(ctx))  
000386 |         return false;  
000387 |  
000388 |     if (!ctx.Read(m_Visibility))  
000389 |         return false;  
000390 |  
000391 |     return true;  
000392 | }  
000393 |  
000394 | void OnStoreSave( ParamsWriteContext ctx )  
000395 | {  
000396 |     ctx.Write( Is3D() );  
000397 |     ctx.Write( m_Text );  
000398 |     ctx.Write( m_IconName );  
000399 |     ctx.Write( m_Color );  
000400 |     ctx.Write( m_Position );  
000401 |     ctx.Write( m_Locked );  
000402 | }  
000403 |  
000404 | bool OnStoreLoad( ParamsReadContext ctx, int version )  
000405 | {  
000406 |     if ( Expansion_Assert_False( ctx.Read( m_Is3D ), "[" + this + "]" Failed reading m_Is3D" ) )  
000407 |         return false;  
000408 |  
000409 |     if ( Expansion_Assert_False( ctx.Read( m_Text ), "[" + this + "]" Failed reading m_Text" ) )  
000410 |         return false;  
000411 |  
000412 |     if ( Expansion_Assert_False( ctx.Read( m_IconName ), "[" + this + "]" Failed reading m_IconName" ) )  
000413 |         return false;  
000414 |  
000415 |     if ( Expansion_Assert_False( ctx.Read( m_Color ), "[" + this + "]" Failed reading m_Color" ) )  
000416 |         return false;  
000417 |  
000418 |     if ( Expansion_Assert_False( ctx.Read( m_Position ), "[" + this + "]" Failed reading m_Position" ) )  
000419 |         return false;  
000420 |  
000421 |     if ( version >= 38 )  
000422 |     {  
000423 |         if ( Expansion_Assert_False( ctx.Read( m_Locked ), "[" + this + "]" Failed reading m_Locked" ) )  
000424 |             return false;  
000425 |     }  
000426 |  
000427 |     return true;  
000428 | }  
000429 | }
```

0077. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionPartyMarkerData.c

Size bytes: 539

SHA-256: 02976c6bb6ab0df050a67c335e9bec5ed83d2697b8abfbb1a4c03fabbd291b29

Decoded as: utf-8-sig

Line count shown: 21

Detected class declarations: 1

L14: class ExpansionPartyMarkerData : ExpansionMarkerData

Detected enum declarations: 0

Detected function/method-like declarations: 1

L16: override ExpansionMapMarkerType GetType()

Full file content

```
000001 | /**
000002 |  * ExpansionPartyMarkerData.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef EXPANSIONMODGROUPS
000014 | class ExpansionPartyMarkerData : ExpansionMarkerData
000015 | {
000016 |     override ExpansionMapMarkerType GetType()
000017 |     {
000018 |         return ExpansionMapMarkerType.PARTY;
000019 |     }
000020 | };
000021 | #endif
```

0078. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionPartyQuickMarkerData.c

Size bytes: 853

SHA-256: 3312a918bcac5bafbf59bf71bcde35f0f5e0c4d6720a14982f85b07b595afbbc

Decoded as: utf-8-sig

Line count shown: 39

Detected class declarations: 1

L14: class ExpansionPartyQuickMarkerData : ExpansionMarkerData

Detected enum declarations: 0

Detected function/method-like declarations: 3

L16: override ExpansionMapMarkerType GetType()

L21: override void OnSend(ParamsWriteContext ctx)

L28: override bool OnRecieve(ParamsReadContext ctx)

Full file content

```
000001 | /**
000002 |  * ExpansionPartyQuickMarkerData.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef EXPANSIONMODGROUPS
000014 | class ExpansionPartyQuickMarkerData : ExpansionMarkerData
000015 | {
000016 |     override ExpansionMapMarkerType GetType()
000017 |     {
000018 |         return ExpansionMapMarkerType.PARTY_QUICK;
000019 |     }
000020 |
000021 |     override void OnSend( ParamsWriteContext ctx )
000022 |     {
000023 |         ctx.Write( m_Color );
000024 |
000025 |         ctx.Write( m_Position );
000026 |     }
000027 |
000028 |     override bool OnRecieve( ParamsReadContext ctx )
000029 |     {
000030 |         if ( !ctx.Read( m_Color ) )
000031 |             return false;
000032 |
000033 |         if ( !ctx.Read( m_Position ) )
000034 |             return false;
000035 |
000036 |         return true;
000037 |     }
000038 | };
000039 | #endif
```

0079. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionPersonalMarkerData.c

Size bytes: 924

SHA-256: 045940f6e9667309d8e987acba5b3062e3ca05aecbf445f1c59e0a075bc1cae0

Decoded as: utf-8-sig

Line count shown: 37

Detected class declarations: 1

L13: class ExpansionPersonalMarkerData : ExpansionMarkerData

Detected enum declarations: 0

Detected function/method-like declarations: 3

L15: override ExpansionMapMarkerType GetType()

L20: override bool OnStoreLoad(ParamsReadContext ctx, int version)

L31: override void OnStoreSave(ParamsWriteContext ctx)

Full file content

```
000001 | /**
000002 |  * ExpansionPersonalMarkerData.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionPersonalMarkerData : ExpansionMarkerData
000014 | {
000015 |     override ExpansionMapMarkerType GetType()
000016 |     {
000017 |         return ExpansionMapMarkerType.PERSONAL;
000018 |     }
000019 |
000020 |     override bool OnStoreLoad( ParamsReadContext ctx, int version )
000021 |     {
000022 |         if ( !super.OnStoreLoad( ctx, version ) )
000023 |             return false;
000024 |
000025 |         if ( Expansion_Assert_False( ctx.Read( m_Visibility ), "[" + this + "] Failed reading m_Visibility" ) )
000026 |             return false;
000027 |
000028 |         return true;
000029 |     }
000030 |
000031 |     override void OnStoreSave( ParamsWriteContext ctx )
000032 |     {
000033 |         super.OnStoreSave( ctx );
000034 |
000035 |         ctx.Write( m_Visibility );
000036 |     }
000037 | };
```


0080. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionPlayerMarkerData.c

Size bytes: 1283

SHA-256: d662a3dec8230cd77700cf64b3de2192c29311df06c3e3594f274cd46a98f9c4

Decoded as: utf-8-sig

Line count shown: 61

Detected class declarations: 1

L14: class ExpansionPlayerMarkerData : ExpansionMarkerData

Detected enum declarations: 0

Detected function/method-like declarations: 5

L16: override ExpansionMapMarkerType GetType()

L21: override vector GetAdjustedPosition()

L41: override void OnSend(ParamsWriteContext ctx)

L50: override bool OnRecieve(ParamsReadContext ctx)

L58: return OnReceiveObject(ctx);

Full file content

```
000001 | /**
000002 |  * ExpansionPlayerMarkerData.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | #ifdef EXPANSIONMODGROUPS
000014 | class ExpansionPlayerMarkerData : ExpansionMarkerData
000015 | {
000016 |     override ExpansionMapMarkerType GetType()
000017 |     {
000018 |         return ExpansionMapMarkerType.PLAYER;
000019 |     }
000020 |
000021 |     override vector GetAdjustedPosition()
000022 |     {
000023 |         vector position = GetPosition();
000024 |         Object object = GetObject();
000025 |
000026 |         Human human;
000027 |         if ( Class.CastTo( human, object ) )
000028 |         {
000029 |             if ( human.IsAlive() )
000030 |             {
000031 |                 position = human.GetBonePositionWS( human.GetBoneIndexByName( "Head" ) ) + "0.0 0.25 0.0";
000032 |             } else
000033 |             {
000034 |                 position = human.GetPosition();
000035 |             }
000036 |         }
000037 |
000038 |         return position;
000039 |     }
000040 |
000041 |     override void OnSend( ParamsWriteContext ctx )
000042 |     {
```

```
000043 |         ctx.Write( m_Color );
000044 |
000045 |         ctx.Write( m_Position );
000046 |
000047 |         OnSendObject( ctx );
000048 |     }
000049 |
000050 |     override bool OnRecieve( ParamsReadContext ctx )
000051 |     {
000052 |         if ( !ctx.Read( m_Color ) )
000053 |             return false;
000054 |
000055 |         if ( !ctx.Read( m_Position ) )
000056 |             return false;
000057 |
000058 |         return OnReceiveObject( ctx );
000059 |     }
000060 | };
000061 | #endif
```

0081. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionServerMarkerData.c

Size bytes: 507

SHA-256: 7ed2ac911831b94385360c9bfff7e633ab51e455be84191f9121284298310e1b6

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

L13: class ExpansionServerMarkerData : ExpansionMarkerData

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: override ExpansionMapMarkerType GetType()

Full file content

```
000001 | /**
000002 |  * ExpansionServerMarkerData.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionServerMarkerData : ExpansionMarkerData
000014 | {
000015 |     override ExpansionMapMarkerType GetType()
000016 |     {
000017 |         return ExpansionMapMarkerType.SERVER;
000018 |     }
000019 | };
```

0082. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Math\Matrix3.c
Size bytes: 6904
SHA-256: f359090426e370f54a0a856f5f2518198756e553e2c483333342058fa251a67e
Decoded as: utf-8-sig
Line count shown: 339
Detected class declarations: 1
  L13: class ExpansionMatrix3
Detected enum declarations: 0
Detected function/method-like declarations: 29
  L19: static void Transpose(vector a[3], out vector b[3])
  L32: void ExpansionMatrix3()
  L37: static ExpansionMatrix3 SetRotationX(float angle)
  L52: void Set(int _index, vector _value)
  L57: void Set(int _index, string _value)
  L62: vector Get(int _index)
  L67: void Update()
  L73: void ToQuaternion(out ExpansionQuaternion quat)
  L83: ExpansionMatrix3 Invert()
  L112: ExpansionMatrix3 Scaled(vector scale)
  L131: ExpansionMatrix3 Transpose()
  L150: ExpansionMatrix3 Adjoint()
  L169: float TDotX(vector v)
  L174: float TDotY(vector v)
  L179: float TDotZ(vector v)
  L184: float Cofactor(int r1, int c1, int r2, int c2)
  L198: vector Multiply(vector other)
  L209: void FromYawPitchRoll(vector ypr)
  L216: static ExpansionMatrix3 YawPitchRoll(vector ypr)
  L227: vector ToYawPitchRoll()
  L232: static void Tilda(vector vIn, out ExpansionMatrix3 mat)
  L251: ExpansionMatrix3 Multiply(ExpansionMatrix3 m)
  L260: void Multiply(ExpansionMatrix3 m, out ExpansionMatrix3 n)
  L268: static void Multiply(ExpansionMatrix3 a, ExpansionMatrix3 b, out ExpansionMatrix3 n)
  L276: ExpansionMatrix3 InvMultiply(ExpansionMatrix3 m)
  L285: static void DirectionAndUp(vector dir, vector up, out ExpansionMatrix3 mat)
  L298: ExpansionMatrix3 BISAdd(ExpansionMatrix3 m)
  L309: ExpansionMatrix3 BISSubtract(ExpansionMatrix3 m)
  L320: ExpansionMatrix3 BISMultiply(float m)
```

Full file content

```
000001 | /**
000002 |  * ExpansionMatrix3.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionMatrix3
000014 | {
000015 |     vector data[3];
000016 |
000017 |     ExpansionTransform m_trans;
000018 | }
```

```
000019 | static void Transpose(vector a[3], out vector b[3])
000020 | {
000021 |     b[0][0] = a[0][0];
000022 |     b[0][1] = a[1][0];
000023 |     b[0][2] = a[1][0];
000024 |     b[1][0] = a[0][1];
000025 |     b[1][1] = a[1][1];
000026 |     b[1][2] = a[1][1];
000027 |     b[2][0] = a[0][2];
000028 |     b[2][1] = a[1][2];
000029 |     b[2][2] = a[1][2];
000030 | }
000031 |
000032 | void ExpansionMatrix3()
000033 | {
000034 |     data = {"1 0 0", "0 1 0", "0 0 1"};
000035 | }
000036 |
000037 | static ExpansionMatrix3 SetRotationX(float angle)
000038 | {
000039 |     ExpansionMatrix3 mat = new ExpansionMatrix3();
000040 |
000041 |     float s = Math.Sin(angle);
000042 |     float c = Math.Cos(angle);
000043 |
000044 |     mat.data[1][1] = c;
000045 |     mat.data[1][2] = -s;
000046 |     mat.data[2][1] = s;
000047 |     mat.data[2][2] = c;
000048 |
000049 |     return mat;
000050 | }
000051 |
000052 | void Set(int _index, vector _value)
000053 | {
000054 |     data[_index] = _value;
000055 | }
000056 |
000057 | void Set(int _index, string _value)
000058 | {
000059 |     data[_index] = _value.ToVector();
000060 | }
000061 |
000062 | vector Get(int _index)
000063 | {
000064 |     return data[_index];
000065 | }
000066 |
000067 | void Update()
000068 | {
000069 |     if (m_trans)
000070 |         m_trans.UpdateBasis();
000071 | }
000072 |
000073 | void ToQuaternion(out ExpansionQuaternion quat)
000074 | {
000075 |     if (quat == NULL)
000076 |         quat = new ExpansionQuaternion();
000077 |
000078 |     Math3D.MatrixToQuat(data, quat.data);
000079 |
000080 |     quat.Update();
```

```
000081 |     }
000082 |
000083 | ExpansionMatrix3 Invert()
000084 | {
000085 |     ExpansionMatrix3 n = new ExpansionMatrix3;
000086 |
000087 |     vector co = Vector(Cofactor(1, 1, 2, 2), Cofactor(1, 2, 2, 0), Cofactor(1, 0, 2, 1));
000088 |
000089 |     float det = vector.Dot(data[0], co);
000090 |     if (det == 0)
000091 |     {
000092 |         return n;
000093 |     }
000094 |
000095 |     float s = 1.0 / det;
000096 |
000097 |     n.data[0][0] = co[0] * s;
000098 |     n.data[0][1] = Cofactor(0, 2, 2, 1) * s;
000099 |     n.data[0][2] = Cofactor(0, 1, 1, 2) * s;
000100 |
000101 |     n.data[1][0] = co[1] * s;
000102 |     n.data[1][1] = Cofactor(0, 0, 2, 2) * s;
000103 |     n.data[1][2] = Cofactor(0, 2, 1, 0) * s;
000104 |
000105 |     n.data[2][0] = co[2] * s;
000106 |     n.data[2][1] = Cofactor(0, 1, 2, 0) * s;
000107 |     n.data[2][2] = Cofactor(0, 0, 1, 1) * s;
000108 |
000109 |     return n;
000110 | }
000111 |
000112 | ExpansionMatrix3 Scaled(vector scale)
000113 | {
000114 |     ExpansionMatrix3 n = new ExpansionMatrix3;
000115 |
000116 |     n.data[0][0] = data[0][0] * scale[0];
000117 |     n.data[1][0] = data[1][0] * scale[1];
000118 |     n.data[2][0] = data[2][0] * scale[2];
000119 |
000120 |     n.data[0][1] = data[0][1] * scale[0];
000121 |     n.data[1][1] = data[1][1] * scale[1];
000122 |     n.data[2][1] = data[2][1] * scale[2];
000123 |
000124 |     n.data[0][2] = data[0][2] * scale[0];
000125 |     n.data[1][2] = data[1][2] * scale[1];
000126 |     n.data[2][2] = data[2][2] * scale[2];
000127 |
000128 |     return n;
000129 | }
000130 |
000131 | ExpansionMatrix3 Transpose()
000132 | {
000133 |     ExpansionMatrix3 n = new ExpansionMatrix3;
000134 |
000135 |     n.data[0][0] = data[0][0];
000136 |     n.data[0][1] = data[1][0];
000137 |     n.data[0][2] = data[2][0];
000138 |
000139 |     n.data[1][0] = data[0][1];
000140 |     n.data[1][1] = data[1][1];
000141 |     n.data[1][2] = data[2][1];
000142 | }
```

```
000143 |         n.data[2][0] = data[0][2];
000144 |         n.data[2][1] = data[1][2];
000145 |         n.data[2][2] = data[2][2];
000146 |
000147 |     return n;
000148 | }
000149 |
000150 | ExpansionMatrix3 Adjoint()
000151 | {
000152 |     ExpansionMatrix3 n = new ExpansionMatrix3;
000153 |
000154 |     n.data[0][0] = Cofactor(1, 1, 2, 2);
000155 |     n.data[0][1] = Cofactor(0, 2, 2, 1);
000156 |     n.data[0][2] = Cofactor(0, 1, 1, 2);
000157 |
000158 |     n.data[1][0] = Cofactor(1, 2, 2, 0);
000159 |     n.data[1][1] = Cofactor(0, 0, 2, 2);
000160 |     n.data[1][2] = Cofactor(0, 2, 1, 0);
000161 |
000162 |     n.data[2][0] = Cofactor(1, 0, 2, 1);
000163 |     n.data[2][1] = Cofactor(0, 1, 2, 0);
000164 |     n.data[2][2] = Cofactor(0, 0, 1, 1);
000165 |
000166 |     return n;
000167 | }
000168 |
000169 | float TDotX(vector v)
000170 | {
000171 |     return data[0][0] * v[0] + data[1][0] * v[1] + data[2][0] * v[2];
000172 | }
000173 |
000174 | float TDotY(vector v)
000175 | {
000176 |     return data[0][1] * v[0] + data[1][1] * v[1] + data[2][1] * v[2];
000177 | }
000178 |
000179 | float TDotZ(vector v)
000180 | {
000181 |     return data[0][2] * v[0] + data[1][2] * v[1] + data[2][2] * v[2];
000182 | }
000183 |
000184 | float Cofactor(int r1, int c1, int r2, int c2)
000185 | {
000186 |     float a = data[r1][c1];
000187 |     float b = data[r2][c2];
000188 |     float c = data[r1][c2];
000189 |     float d = data[r2][c1];
000190 |
000191 |     float ab = a * b;
000192 |     float cd = c * d;
000193 |     float ret = ab - cd;
000194 |
000195 |     return ret;
000196 | }
000197 |
000198 | vector Multiply(vector other)
000199 | {
000200 |     vector n = vector.Zero;
000201 |
000202 |     n[0] = vector.Dot(data[0], other);
000203 |     n[1] = vector.Dot(data[1], other);
000204 |     n[2] = vector.Dot(data[2], other);
```

```
000205 |  
000206 |     return n;  
000207 | }  
000208 |  
000209 | void FromYawPitchRoll(vector ypr)  
000210 | {  
000211 |     Math3D.YawPitchRollMatrix(ypr, data);  
000212 |  
000213 |     Update();  
000214 | }  
000215 |  
000216 | static ExpansionMatrix3 YawPitchRoll(vector ypr)  
000217 | {  
000218 |     ExpansionMatrix3 mat = new ExpansionMatrix3;  
000219 |  
000220 |     Math3D.YawPitchRollMatrix(ypr, mat.data);  
000221 |  
000222 |     mat.Update();  
000223 |  
000224 |     return mat;  
000225 | }  
000226 |  
000227 | vector ToYawPitchRoll()  
000228 | {  
000229 |     return Math3D.MatrixToAngles(data);  
000230 | }  
000231 |  
000232 | static void Tilda(vector vIn, out ExpansionMatrix3 mat)  
000233 | {  
000234 |     if (mat == NULL)  
000235 |         mat = new ExpansionMatrix3;  
000236 |  
000237 |     mat.data[0][0] = 0.0;  
000238 |     mat.data[1][1] = 0.0;  
000239 |     mat.data[2][2] = 0.0;  
000240 |  
000241 |     mat.data[0][1] = -vIn[2];  
000242 |     mat.data[1][0] = vIn[2];  
000243 |     mat.data[2][0] = -vIn[1];  
000244 |     mat.data[0][2] = vIn[1];  
000245 |     mat.data[1][2] = -vIn[0];  
000246 |     mat.data[2][1] = vIn[0];  
000247 |  
000248 |     mat.Update();  
000249 | }  
000250 |  
000251 | ExpansionMatrix3 Multiply(ExpansionMatrix3 m)  
000252 | {  
000253 |     ExpansionMatrix3 n = new ExpansionMatrix3;  
000254 |  
000255 |     Math3D.MatrixMultiply3(data, m.data, n.data);  
000256 |  
000257 |     return n;  
000258 | }  
000259 |  
000260 | void Multiply(ExpansionMatrix3 m, out ExpansionMatrix3 n)  
000261 | {  
000262 |     if (n == NULL)  
000263 |         n = new ExpansionMatrix3;  
000264 |  
000265 |     Math3D.MatrixMultiply3(data, m.data, n.data);  
000266 | }
```



```
000267 |
000268 | static void Multiply(ExpansionMatrix3 a, ExpansionMatrix3 b, out ExpansionMatrix3 n)
000269 | {
000270 |     if (n == NULL)
000271 |         n = new ExpansionMatrix3;
000272 |
000273 |     Math3D.MatrixMultiply3(a.data, b.data, n.data);
000274 | }
000275 |
000276 | ExpansionMatrix3 InvMultiply(ExpansionMatrix3 m)
000277 | {
000278 |     ExpansionMatrix3 n = new ExpansionMatrix3;
000279 |
000280 |     Math3D.MatrixInvMultiply3(data, m.data, n.data);
000281 |
000282 |     return n;
000283 | }
000284 |
000285 | static void DirectionAndUp(vector dir, vector up, out ExpansionMatrix3 mat)
000286 | {
000287 |     if (mat == NULL)
000288 |         mat = new ExpansionMatrix3;
000289 |
000290 |     vector temp[4];
000291 |     Math3D.DirectionAndUpMatrix(dir, up, temp);
000292 |
000293 |     mat.data[0] = temp[0];
000294 |     mat.data[1] = temp[1];
000295 |     mat.data[2] = temp[2];
000296 | }
000297 |
000298 | ExpansionMatrix3 BISAdd(ExpansionMatrix3 m)
000299 | {
000300 |     ExpansionMatrix3 n = new ExpansionMatrix3;
000301 |
000302 |     n.data[0] = data[0] + m.data[0];
000303 |     n.data[1] = data[1] + m.data[1];
000304 |     n.data[2] = data[2] + m.data[2];
000305 |
000306 |     return n;
000307 | }
000308 |
000309 | ExpansionMatrix3 BISSubtract(ExpansionMatrix3 m)
000310 | {
000311 |     ExpansionMatrix3 n = new ExpansionMatrix3;
000312 |
000313 |     n.data[0] = data[0] - m.data[0];
000314 |     n.data[1] = data[1] - m.data[1];
000315 |     n.data[2] = data[2] - m.data[2];
000316 |
000317 |     return n;
000318 | }
000319 |
000320 | ExpansionMatrix3 BISMultiply(float m)
000321 | {
000322 |     ExpansionMatrix3 n = new ExpansionMatrix3;
000323 |
000324 |     n.data[0][0] = data[0][0] * m;
000325 |     n.data[1][0] = data[1][0] * m;
000326 |     n.data[2][0] = data[2][0] * m;
000327 |
000328 |     n.data[0][1] = data[0][1] * m;
```

```
000329 |         n.data[1][1] = data[1][1] * m;
000330 |         n.data[2][1] = data[2][1] * m;
000331 |
000332 |         n.data[0][2] = data[0][2] * m;
000333 |         n.data[1][2] = data[1][2] * m;
000334 |         n.data[2][2] = data[2][2] * m;
000335 |
000336 |         return n;
000337 |     }
000338 | };
000339 |
```

0083. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Math\Quaternion.c

Size bytes: 2208

SHA-256: d453214066caff3a15e43acd44e45a8c70c8e46728d555daa076ee4e4607a09b

Decoded as: utf-8-sig

Line count shown: 109

Detected class declarations: 1

L13: class ExpansionQuaternion

Detected enum declarations: 0

Detected function/method-like declarations: 10

L19: void ExpansionQuaternion()

L24: void Update()

L30: void ToMatrix(out ExpansionMatrix3 matrix)

L40: void ToAngles(out vector vec)

L44: void SetRotation(float angle, vector axis)

L57: static ExpansionQuaternion Rotation(float angle, vector axis)

L65: ExpansionQuaternion Add(ExpansionQuaternion other)

L77: ExpansionQuaternion AddSelf(ExpansionQuaternion other)

L87: ExpansionQuaternion Multiply(float other)

L99: ExpansionQuaternion MultiplySelf(float other)

Full file content

```
000001 | /**
000002 |  * ExpansionQuaternion.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionQuaternion
000014 | {
000015 |     float data[4];
000016 |
000017 |     ExpansionTransform m_trans;
000018 |
000019 |     void ExpansionQuaternion()
000020 |     {
000021 |         data = {0, 0, 0, 1};
000022 |     }
000023 |
000024 |     void Update()
000025 |     {
000026 |         if (m_trans)
000027 |             m_trans.UpdateRotation();
000028 |     }
000029 |
000030 |     void ToMatrix(out ExpansionMatrix3 matrix)
000031 |     {
000032 |         if (matrix == NULL)
000033 |             matrix = new ExpansionMatrix3;
000034 |
000035 |         Math3D.QuatToMatrix(data, matrix.data);
000036 |
000037 |         matrix.Update();
```

```
000038 |     }
000039 |
000040 |     void ToAngles(out vector vec)
000041 |     {
000042 |     }
000043 |
000044 |     void SetRotation(float angle, vector axis)
000045 |     {
000046 |         float len = axis.Length();
000047 |         if (len == 0)
000048 |             return;
000049 |
000050 |         float s = Math.Sin(angle * 0.5) / len;
000051 |         data[0] = axis[0] * s;
000052 |         data[1] = axis[1] * s;
000053 |         data[2] = axis[2] * s;
000054 |         data[3] = Math.Cos(angle * 0.5);
000055 |     }
000056 |
000057 |     static ExpansionQuaternion Rotation(float angle, vector axis)
000058 |     {
000059 |         ExpansionQuaternion q = new ExpansionQuaternion();
000060 |         q.SetRotation(angle, axis);
000061 |
000062 |         return q;
000063 |     }
000064 |
000065 |     ExpansionQuaternion Add(ExpansionQuaternion other)
000066 |     {
000067 |         ExpansionQuaternion n = new ExpansionQuaternion();
000068 |
000069 |         n.data[0] = data[0] + other.data[0];
000070 |         n.data[1] = data[1] + other.data[1];
000071 |         n.data[2] = data[2] + other.data[2];
000072 |         n.data[3] = data[3] + other.data[3];
000073 |
000074 |         return n;
000075 |     }
000076 |
000077 |     ExpansionQuaternion AddSelf(ExpansionQuaternion other)
000078 |     {
000079 |         data[0] = data[0] + other.data[0];
000080 |         data[1] = data[1] + other.data[1];
000081 |         data[2] = data[2] + other.data[2];
000082 |         data[3] = data[3] + other.data[3];
000083 |
000084 |         return this;
000085 |     }
000086 |
000087 |     ExpansionQuaternion Multiply(float other)
000088 |     {
000089 |         ExpansionQuaternion n = new ExpansionQuaternion();
000090 |
000091 |         n.data[0] = data[0] * other;
000092 |         n.data[1] = data[1] * other;
000093 |         n.data[2] = data[2] * other;
000094 |         n.data[3] = data[3] * other;
000095 |
000096 |         return n;
000097 |     }
000098 |
000099 |     ExpansionQuaternion MultiplySelf(float other)
```

```
000100 | {
000101 |     data[0] = data[0] * other;
000102 |     data[1] = data[1] * other;
000103 |     data[2] = data[2] * other;
000104 |     data[3] = data[3] * other;
000105 |
000106 |     return this;
000107 | }
000108 | };
000109 |
```

0084. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Math\Transform.c
Size bytes: 4914
SHA-256: 489facc0c87d79a2b63f7ba58b38e0824e838608c06f49fd562098b906799102
Decoded as: utf-8-sig
Line count shown: 270
Detected class declarations: 1
  L13: class ExpansionTransform // also known as Matrix4
Detected enum declarations: 0
Detected function/method-like declarations: 30
  L20: void ExpansionTransform()
  L32: ExpansionTransform Clone()
  L42: void Debug()
  L51: ExpansionTransform Add(ExpansionTransform transform)
  L56: void Set(int _index, vector _value)
  L61: void Set(int _index, string _value)
  L66: vector Get(int _index)
  L71: ExpansionTransform Set(notnull Object obj, bool update = false)
  L83: ExpansionTransform Get(notnull Object obj)
  L92: static ExpansionTransform GetArray(vector trans[4])
  L106: static ExpansionTransform GetObject(notnull Object obj)
  L115: static ExpansionTransform GetPlayerBoneWS(notnull Human human, int boneIdx, int mode = 0)
  L126: else if (mode == 2)
  L136: static void Set(notnull Object obj, ExpansionTransform trans)
  L141: void UpdateBasis()
  L150: void UpdateRotation()
  L159: void UpdateUnion()
  L168: ExpansionMatrix3 GetBasis()
  L173: void SetBasis(ExpansionMatrix3 basis)
  L181: ExpansionQuaternion GetRotation()
  L186: void SetRotation(ExpansionQuaternion rotation)
  L194: vector GetYawPitchRoll()
  L199: vector GetOrigin()
  L204: void SetOrigin(vector origin)
  L209: static void DirectionAndUp(vector dir, vector up, out ExpansionTransform trans, vector pos = "0 0 0")
  L220: vector ExpansionTransform(vector v)
  L231: static ExpansionTransform YawPitchRoll(vector ypr, vector pos = "0 0 0")
  L244: ExpansionTransform Multiply(ExpansionTransform m)
  L253: ExpansionTransform InvMultiply(ExpansionTransform m)
  L262: void CopyTo(out vector mat[4])

```

Full file content

```

000001 | /**
000002 |  * ExpansionTransform.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionTransform // also known as Matrix4
000014 | {
000015 |     vector data[4];
000016 |
000017 |     ref ExpansionMatrix3 m_basis;

```

```
000018 |     ref ExpansionQuaternion m_rotation;
000019 |
000020 | void ExpansionTransform()
000021 | {
000022 |     data = {"1 0 0", "0 1 0", "0 1 0", "0 0 0"};
000023 |
000024 |     m_basis = new ExpansionMatrix3;
000025 |     m_rotation = new ExpansionQuaternion;
000026 |     m_basis.m_trans = this;
000027 |     m_rotation.m_trans = this;
000028 |
000029 |     UpdateUnion();
000030 | }
000031 |
000032 | ExpansionTransform Clone()
000033 | {
000034 |     ExpansionTransform n = new ExpansionTransform();
000035 |
000036 |     n.data = data;
000037 |     n.UpdateUnion();
000038 |
000039 |     return n;
000040 | }
000041 |
000042 | void Debug()
000043 | {
000044 |     Print("ExpansionTransform::Debug");
000045 |     Print("[0] " + data[0]);
000046 |     Print("[1] " + data[1]);
000047 |     Print("[2] " + data[2]);
000048 |     Print("[3] " + data[3]);
000049 | }
000050 |
000051 | ExpansionTransform Add(ExpansionTransform transform)
000052 | {
000053 |     return NULL;
000054 | }
000055 |
000056 | void Set(int _index, vector _value)
000057 | {
000058 |     data[_index] = _value;
000059 | }
000060 |
000061 | void Set(int _index, string _value)
000062 | {
000063 |     data[_index] = _value.ToVector();
000064 | }
000065 |
000066 | vector Get(int _index)
000067 | {
000068 |     return data[_index];
000069 | }
000070 |
000071 | ExpansionTransform Set(notnull Object obj, bool update = false)
000072 | {
000073 |     obj.SetTransform(data);
000074 |
000075 |     if (update)
000076 |     {
000077 |         obj.Update();
000078 |     }
000079 | }
```

```
000080 |     return this;
000081 | }
000082 |
000083 | ExpansionTransform Get(notnull Object obj)
000084 | {
000085 |     obj.GetTransform(data);
000086 |
000087 |     UpdateUnion();
000088 |
000089 |     return this;
000090 | }
000091 |
000092 | static ExpansionTransform GetArray(vector trans[4])
000093 | {
000094 |     ExpansionTransform n = new ExpansionTransform();
000095 |
000096 |     n.data[0] = trans[0];
000097 |     n.data[1] = trans[1];
000098 |     n.data[2] = trans[2];
000099 |     n.data[3] = trans[3];
000100 |
000101 |     n.UpdateUnion();
000102 |
000103 |     return n;
000104 | }
000105 |
000106 | static ExpansionTransform GetObject(notnull Object obj)
000107 | {
000108 |     ExpansionTransform n = new ExpansionTransform();
000109 |
000110 |     n.Get(obj);
000111 |
000112 |     return n;
000113 | }
000114 |
000115 | static ExpansionTransform GetPlayerBoneWS(notnull Human human, int boneIdx, int mode = 0)
000116 | {
000117 |     ExpansionTransform n = new ExpansionTransform();
000118 |
000119 |     human.GetBoneTransformWS(boneIdx, n.data);
000120 |     if (mode == 1)
000121 |     {
000122 |         n.data[0] = "1 0 0";
000123 |         n.data[1] = "0 1 0";
000124 |         n.data[2] = "0 0 1";
000125 |     }
000126 |     else if (mode == 2)
000127 |     {
000128 |         n.data[3] = "0 0 0";
000129 |     }
000130 |
000131 |     n.UpdateUnion();
000132 |
000133 |     return n;
000134 | }
000135 |
000136 | static void Set(notnull Object obj, ExpansionTransform trans)
000137 | {
000138 |     trans.Set(obj);
000139 | }
000140 |
000141 | void UpdateBasis()
```



```
000142 | {
000143 |     data[0] = m_basis.data[0];
000144 |     data[1] = m_basis.data[1];
000145 |     data[2] = m_basis.data[2];
000146 |
000147 |     Math3D.MatrixToQuat(m_basis.data, m_rotation.data);
000148 | }
000149 |
000150 | void UpdateRotation()
000151 | {
000152 |     Math3D.QuatToMatrix(m_rotation.data, m_basis.data);
000153 |
000154 |     data[0] = m_basis.data[0];
000155 |     data[1] = m_basis.data[1];
000156 |     data[2] = m_basis.data[2];
000157 | }
000158 |
000159 | void UpdateUnion()
000160 | {
000161 |     m_basis.data[0] = data[0];
000162 |     m_basis.data[1] = data[1];
000163 |     m_basis.data[2] = data[2];
000164 |
000165 |     Math3D.MatrixToQuat(m_basis.data, m_rotation.data);
000166 | }
000167 |
000168 | ExpansionMatrix3 GetBasis()
000169 | {
000170 |     return m_basis;
000171 | }
000172 |
000173 | void SetBasis(ExpansionMatrix3 basis)
000174 | {
000175 |     m_basis = basis;
000176 |     m_basis.m_trans = this;
000177 |
000178 |     UpdateBasis();
000179 | }
000180 |
000181 | ExpansionQuaternion GetRotation()
000182 | {
000183 |     return m_rotation;
000184 | }
000185 |
000186 | void SetRotation(ExpansionQuaternion rotation)
000187 | {
000188 |     m_rotation = rotation;
000189 |     m_rotation.m_trans = this;
000190 |
000191 |     UpdateRotation();
000192 | }
000193 |
000194 | vector GetYawPitchRoll()
000195 | {
000196 |     return m_basis.ToYawPitchRoll();
000197 | }
000198 |
000199 | vector GetOrigin()
000200 | {
000201 |     return data[3];
000202 | }
000203 |
```

```
000204 | void SetOrigin(vector origin)
000205 | {
000206 |     data[3] = origin;
000207 | }
000208 |
000209 | static void DirectionAndUp(vector dir, vector up, out ExpansionTransform trans, vector pos = "0 0 0")
000210 | {
000211 |     if (trans == NULL)
000212 |         trans = new ExpansionTransform;
000213 |
000214 |     Math3D.DirectionAndUpMatrix(dir, up, trans.data);
000215 |     trans.UpdateUnion();
000216 |
000217 |     trans.data[3] = pos;
000218 | }
000219 |
000220 | vector ExpansionTransform(vector v)
000221 | {
000222 |     vector n = vector.Zero;
000223 |
000224 |     n[0] = vector.Dot(data[0], v) + data[3][0];
000225 |     n[1] = vector.Dot(data[1], v) + data[3][1];
000226 |     n[2] = vector.Dot(data[2], v) + data[3][2];
000227 |
000228 |     return n;
000229 | }
000230 |
000231 | static ExpansionTransform YawPitchRoll(vector ypr, vector pos = "0 0 0")
000232 | {
000233 |     ExpansionTransform trans = new ExpansionTransform;
000234 |
000235 |     Math3D.YawPitchRollMatrix(ypr, trans.m_basis.data);
000236 |
000237 |     trans.UpdateBasis();
000238 |
000239 |     trans.data[3] = pos;
000240 |
000241 |     return trans;
000242 | }
000243 |
000244 | ExpansionTransform Multiply(ExpansionTransform m)
000245 | {
000246 |     ExpansionTransform n = new ExpansionTransform;
000247 |
000248 |     Math3D.MatrixMultiply4(data, m.data, n.data);
000249 |
000250 |     return n;
000251 | }
000252 |
000253 | ExpansionTransform InvMultiply(ExpansionTransform m)
000254 | {
000255 |     ExpansionTransform n = new ExpansionTransform;
000256 |
000257 |     Math3D.MatrixInvMultiply4(data, m.data, n.data);
000258 |
000259 |     return n;
000260 | }
000261 |
000262 | void CopyTo(out vector mat[4])
000263 | {
000264 |     mat[0] = data[0];
000265 |     mat[1] = data[1];
```

```
000266 |         mat[2] = data[2];
000267 |         mat[3] = data[3];
000268 |     }
000269 | };
000270 |
```

0085. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Math\Vector.c

Size bytes: 2857

SHA-256: 8e06c80e4a953ca40e5805b41fc2a512781834e6a38237dcbblef83eae944952

Decoded as: utf-8-sig

Line count shown: 125

Detected class declarations: 1

L13: class ExpansionVectorHelper

Detected enum declarations: 0

Detected function/method-like declarations: 10

L15: static vector Rotate(ExpansionMatrix3 a, vector o)

L42: static vector Multiply(vector data, vector other)

L53: static vector Multiply(vector data, float other)

L64: static vector Multiply(vector data, ExpansionMatrix3 other)

L69: static vector Multiply(vector data, ExpansionTransform other)

L74: static vector InvMultiply(vector data, ExpansionMatrix3 other)

L79: static vector InvMultiply(vector data, ExpansionTransform other)

L84: static ExpansionQuaternion Multiply(vector data, ExpansionQuaternion q)

L96: static vector CrossProduct(vector a, vector b)

L114: static vector Cross(vector data, vector other)

Full file content

```
000001 | /**
000002 |  * ExpansionVectorHelper.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionVectorHelper
000014 | {
000015 |     static vector Rotate( ExpansionMatrix3 a, vector o )
000016 |     {
000017 |         vector n = vector.Zero;
000018 |
000019 |         float x = o[0];
000020 |         float y = o[1];
000021 |         float z = o[2];
000022 |
000023 |         float xx = a.data[0][0] * x;
000024 |         float xy = a.data[0][1] * y;
000025 |         float xz = a.data[0][2] * z;
000026 |
000027 |         float yx = a.data[1][0] * x;
000028 |         float yy = a.data[1][1] * y;
000029 |         float yz = a.data[1][2] * z;
000030 |
000031 |         float zx = a.data[2][0] * x;
000032 |         float zy = a.data[2][1] * y;
000033 |         float zz = a.data[2][2] * z;
000034 |
000035 |         n[0] = xx + xy + xz;
000036 |         n[1] = yx + yy + yz;
000037 |         n[2] = zx + zy + zz;
```

```
000038 |
000039 |     return n;
000040 | }
000041 |
000042 | static vector Multiply( vector data, vector other )
000043 | {
000044 |     vector n = vector.Zero;
000045 |
000046 |     n[0] = data[0] * other[0];
000047 |     n[1] = data[1] * other[1];
000048 |     n[2] = data[2] * other[2];
000049 |
000050 |     return n;
000051 | }
000052 |
000053 | static vector Multiply( vector data, float other )
000054 | {
000055 |     vector n = vector.Zero;
000056 |
000057 |     n[0] = data[0] * other;
000058 |     n[1] = data[1] * other;
000059 |     n[2] = data[2] * other;
000060 |
000061 |     return n;
000062 | }
000063 |
000064 | static vector Multiply( vector data, ExpansionMatrix3 other )
000065 | {
000066 |     return data.Multiply3( other.data );
000067 | }
000068 |
000069 | static vector Multiply( vector data, ExpansionTransform other )
000070 | {
000071 |     return data.Multiply4( other.data );
000072 | }
000073 |
000074 | static vector InvMultiply( vector data, ExpansionMatrix3 other )
000075 | {
000076 |     return data.InvMultiply3( other.data );
000077 | }
000078 |
000079 | static vector InvMultiply( vector data, ExpansionTransform other )
000080 | {
000081 |     return data.InvMultiply4( other.data );
000082 | }
000083 |
000084 | static ExpansionQuaternion Multiply( vector data, ExpansionQuaternion q )
000085 | {
000086 |     ExpansionQuaternion n = new ExpansionQuaternion;
000087 |
000088 |     n.data[0] = data[0] * q.data[3] + data[1] * q.data[2] - data[2] * q.data[1];
000089 |     n.data[1] = data[1] * q.data[3] + data[2] * q.data[0] - data[0] * q.data[2];
000090 |     n.data[2] = data[2] * q.data[3] + data[0] * q.data[1] - data[1] * q.data[0];
000091 |     n.data[3] = -data[0] * q.data[0] - data[1] * q.data[1] - data[2] * q.data[2];
000092 |
000093 |     return n;
000094 | }
000095 |
000096 | static vector CrossProduct( vector a, vector b )
000097 | {
000098 |     float ox = b[0];
000099 |     float oy = b[1];
```

```
000100 |         float oz = b[2];
000101 |         float lx = a[0];
000102 |         float ly = a[1];
000103 |         float lz = a[2];
000104 |
000105 |         float x = ly * oz - lz * oy;
000106 |         float y = lz * ox - lx * oz;
000107 |         float z = lx * oy - ly * ox;
000108 |
000109 |         vector n = Vector( x, y, z );
000110 |
000111 |         return n;
000112 |     }
000113 |
000114 |     static vector Cross( vector data, vector other )
000115 |     {
000116 |         vector n = vector.Zero;
000117 |
000118 |         n[0] = data[1] * other[2] - data[2] * other[1];
000119 |         n[1] = data[2] * other[0] - data[0] * other[2];
000120 |         n[2] = data[0] * other[1] - data[1] * other[0];
000121 |
000122 |         return n;
000123 |     }
000124 | };
000125 |
```

0086. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptView.c
Size bytes: 2258
SHA-256: dcfa50127b6f68715deafc5ce637ea7baa7194569001710bdf1f470ab4bb57f9
Decoded as: utf-8-sig
Line count shown: 122
Detected class declarations: 2
  L14: class ExpansionViewController: ViewController
  L22: class ExpansionScriptViewBase: ScriptView
Detected enum declarations: 0
Detected function/method-like declarations: 20
  L16: void ExpansionViewController()
  L27: void ExpansionScriptViewBase()
  L33: void Destroy()
  L41: void SetIsVisible(bool state)
  L46: override bool IsVisible()
  L51: void SetAlpha(float alpha)
  L56: float GetAlpha()
  L61: override void Show(bool show);
  L63: void Show();
  L65: void OnShow();
  L67: void Hide();
  L69: void OnHide();
  L71: bool CanShow();
  L73: void Refresh();
  L75: static array<ScriptView> GetAll()
  L80: static void DestroyAll()
  L90: static ScriptView GetScriptViewByClassName(string name)
  L109: void UpdatePlayerPreviewObject(Object previewObject)
  L113: void SpawnPlayerPreviewAttachments(EntityAI item)
  L117: void SetCurrentPreviewObject(Object obj)
```

Full file content

```
000001 | /**
000002 |  * ExpansionScriptViewBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionViewController: ViewController
000015 | {
000016 |     void ExpansionViewController()
000017 |     {
000018 |         Debug_Logging = false;
000019 |     }
000020 | };
000021 |
000022 | class ExpansionScriptViewBase: ScriptView
000023 | {
000024 |     protected bool m_IsVisible;
000025 |     protected float m_Alpha;
000026 | }
```

```
000027 | void ExpansionScriptViewBase()
000028 | {
000029 |     Debug_Logging = false;
000030 |     m_IsVisible = !IsInherited(ExpansionScriptViewMenuBase);
000031 | }
000032 |
000033 | void Destroy()
000034 | {
000035 |     if (!g_Game)
000036 |         return;
000037 |
000038 |     delete this;
000039 | }
000040 |
000041 | void SetIsVisible(bool state)
000042 | {
000043 |     m_IsVisible = state;
000044 | }
000045 |
000046 | override bool IsVisible()
000047 | {
000048 |     return m_IsVisible;
000049 | }
000050 |
000051 | void SetAlpha(float alpha)
000052 | {
000053 |     m_Alpha = alpha;
000054 | }
000055 |
000056 | float GetAlpha()
000057 | {
000058 |     return m_Alpha;
000059 | }
000060 |
000061 | override void Show(bool show);
000062 |
000063 | void Show();
000064 |
000065 | void OnShow();
000066 |
000067 | void Hide();
000068 |
000069 | void OnHide();
000070 |
000071 | bool CanShow();
000072 |
000073 | void Refresh();
000074 |
000075 | static array<ScriptView> GetAll()
000076 | {
000077 |     return All;
000078 | }
000079 |
000080 | static void DestroyAll()
000081 | {
000082 |     for (int i = All.Count() - 1; i >= 0; i--)
000083 |     {
000084 |         ExpansionScriptViewBase scriptView;
000085 |         if (Class.CastTo(scriptView, All[i]))
000086 |             scriptView.Destroy();
000087 |     }
000088 | }
```



```
000089 | static ScriptView GetScriptViewByClassName(string name)
000090 | {
000091 |     Print("ExpansionScriptViewBase::GetScriptViewByClassName - Search for view with name: " + name);
000092 |     foreach (ScriptView view: All)
000093 |     {
000094 |         string viewName = view.ClassName();
000095 |         Print("ExpansionScriptViewBase::GetScriptViewByClassName - View name: " + viewName);
000096 |         if (viewName == name)
000097 |         {
000098 |             Print("ExpansionScriptViewBase::GetScriptViewByClassName - Found and return view: " + viewName);
000099 |             return view;
000100 |         }
000101 |     }
000102 |     Print("ExpansionScriptViewBase::GetScriptViewByClassName - Could not find view name. Return NULL.");
000103 |     return null;
000104 | }
000105 |
000106 | void UpdatePlayerPreviewObject(Object previewObject)
000107 | {
000108 | }
000109 |
000110 | void SpawnPlayerPreviewAttachments(EntityAI item)
000111 | {
000112 | }
000113 |
000114 | void SetCurrentPreviewObject(Object obj)
000115 | {
000116 | }
000117 | }
000118 | #endif
000119 |
000120 |
000121 |
000122 |
```

0087. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptViewFadeTimer.c
 Size bytes: 2664
 SHA-256: 5efa3c2998a27c711c2ebe36fbe16aed3a51001dea16982ef42c2ba4f2183492
 Decoded as: utf-8-sig
 Line count shown: 134
 Detected class declarations: 1
 L14: class ExpansionScriptViewFadeTimer: TimerBase
 Detected enum declarations: 0
 Detected function/method-like declarations: 5
 L21: void ExpansionScriptViewFadeTimer()
 L33: void FadeIn(ExpansionScriptViewBase scriptView, float time, bool continue_ = false)
 L68: void FadeOut(ExpansionScriptViewBase scriptView, float time, bool continue_ = false, bool hide = true)
 L99: override private void OnTimer()
 L116: override private void OnUpdate()

Full file content

```
000001 | /**
000002 |  * ExpansionScriptViewFadeTimer.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionScriptViewFadeTimer: TimerBase
000015 | {
000016 |     private ExpansionScriptViewBase m_ScriptView;
000017 |     bool m_FadeIn;
000018 |     bool m_Hide;
000019 |     float m_Alpha;
000020 |
000021 |     void ExpansionScriptViewFadeTimer()
000022 |     {
000023 |         OnInit(CALL_CATEGORY_GUI);
000024 |         m_FadeIn = true;
000025 |     }
000026 |
000027 |     /**
000028 |     \brief "fade in" effect
000029 |     @param scriptView which will be faded
000030 |     @param time duration of effect
000031 |     @param continue - if True continue from current alpha value, otherwise always begin from 0.0 alpha
000032 |     */
000033 |     void FadeIn(ExpansionScriptViewBase scriptView, float time, bool continue_ = false)
000034 |     {
000035 |         m_Alpha = scriptView.GetAlpha();
000036 |
000037 |         if (continue_ && m_Alpha > 0.99)
000038 |         {
000039 |             scriptView.SetAlpha(1.0);
000040 |             scriptView.Show(true);
000041 |             return;
000042 |         }
```

```
000043 |
000044 |     m_ScriptView = scriptView;
000045 |     m_FadeIn = true;
000046 |
000047 |     OnStart(time, false);
000048 |
000049 |     if (m_ScriptView && !continue_)
000050 |     {
000051 |         m_Alpha = 0.0;
000052 |         m_ScriptView.SetAlpha(m_Alpha);
000053 |         m_ScriptView.Show(true);
000054 |     }
000055 |
000056 |     if (continue_)
000057 |     {
000058 |         m_time = m_Alpha * time;
000059 |     }
000060 | }
000061 |
000062 | /**
000063 |  \brief "fade out" effect
000064 |  @param scriptView which will be faded
000065 |  @param time duration of effect
000066 |  @param continue - if True continue from current alpha value, otherwise always begin from 1.0 alpha
000067 |  */
000068 | void FadeOut(ExpansionScriptViewBase scriptView, float time, bool continue_ = false, bool hide = true)
000069 | {
000070 |     m_Alpha = scriptView.GetAlpha();
000071 |
000072 |     if (continue_ && m_Alpha < 0.01)
000073 |     {
000074 |         scriptView.SetAlpha(0);
000075 |         if (hide)
000076 |             scriptView.Show(false);
000077 |         return;
000078 |     }
000079 |
000080 |     m_ScriptView = scriptView;
000081 |     m_FadeIn = false;
000082 |     m_Hide = hide;
000083 |
000084 |     OnStart(time, false);
000085 |
000086 |     if (m_ScriptView && !continue_)
000087 |     {
000088 |         m_Alpha = 1.0;
000089 |         m_ScriptView.SetAlpha(m_Alpha);
000090 |         m_ScriptView.Show(true);
000091 |     }
000092 |
000093 |     if (continue_)
000094 |     {
000095 |         m_time = (1.0 - m_Alpha) * time;
000096 |     }
000097 | }
000098 |
000099 | override private void OnTimer()
000100 | {
000101 |     if (m_ScriptView)
000102 |     {
000103 |         if (m_FadeIn)
000104 |         {
```

```
000105 |         m_ScriptView.SetAlpha(1);
000106 |     }
000107 |     else
000108 |     {
000109 |         m_ScriptView.SetAlpha(0);
000110 |         if (m_Hide)
000111 |             m_ScriptView.Show(false);
000112 |     }
000113 | }
000114 | }
000115 |
000116 | override private void OnUpdate()
000117 | {
000118 |     float timeDiff = m_time / m_duration;
000119 |
000120 |     if (m_ScriptView)
000121 |     {
000122 |         if (m_FadeIn)
000123 |         {
000124 |             m_ScriptView.SetAlpha(timeDiff);
000125 |         }
000126 |         else
000127 |         {
000128 |             m_ScriptView.SetAlpha(m_Alpha - timeDiff);
000129 |         }
000130 |     }
000131 | }
000132 | };
000133 | #endif
000134 |
```

0088. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptViewMenuBase.c
Size bytes: 880
SHA-256: f9480f1c383ec8733df375ac4b03342d9e0b6db90da35fb223db84be584217e6
Decoded as: utf-8-sig
Line count shown: 38
Detected class declarations: 1
 L14: class ExpansionScriptViewMenuBase: ExpansionScriptViewBase
Detected enum declarations: 0
Detected function/method-like declarations: 9
 L16: void LockControls(bool lockMovement = true);
 L17: void UnlockControls();
 L18: void LockInputs(bool state, bool lockMovement = true);
 L19: void UnlockInputs();
 L20: void ShowHud(bool state);
 L21: void ShowUICursor(bool state);
 L22: void CloseMenu();
 L24: override bool CanShow()
 L29: bool CanClose()

Full file content

```
000001 | /**
000002 |  * ExpansionScriptViewMenuBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionScriptViewMenuBase: ExpansionScriptViewBase
000015 | {
000016 |     void LockControls(bool lockMovement = true);
000017 |     void UnlockControls();
000018 |     void LockInputs(bool state, bool lockMovement = true);
000019 |     void UnlockInputs();
000020 |     void ShowHud(bool state);
000021 |     void ShowUICursor(bool state);
000022 |     void CloseMenu();
000023 |
000024 |     override bool CanShow()
000025 |     {
000026 |         return true;
000027 |     }
000028 |
000029 |     bool CanClose()
000030 |     {
000031 |         return true;
000032 |     }
000033 | };
000034 | #else
000035 | //! Dummy for MissionGameplay::Expansion_OnUpdate
000036 | typedef bool ExpansionScriptViewMenuBase;
000037 | #endif
000038 |
```

0089. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\MVC\ScriptViews\Bases\ScriptedViewBase.c

Size bytes: 578

SHA-256: 43b51ce6c124c514b274b85f4bf2990c1e9da655f8a3e875f1d29c30ad76d859

Decoded as: utf-8-sig

Line count shown: 27

Detected class declarations: 1

L14: modded class ScriptedViewBase

Detected enum declarations: 0

Detected function/method-like declarations: 3

L16: void SetSort(int sort, bool immedUpdate = true)

L21: int GetSort()

L23: return GetLayoutRoot().GetSort();

Full file content

```
000001 | /**
000002 |  * ScriptedViewBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | modded class ScriptedViewBase
000015 | {
000016 |     void SetSort(int sort, bool immedUpdate = true)
000017 |     {
000018 |         GetLayoutRoot().SetSort(sort, immedUpdate);
000019 |     }
000020 |
000021 |     int GetSort()
000022 |     {
000023 |         return GetLayoutRoot().GetSort();
000024 |     }
000025 | };
000026 | #endif
000027 |
```

0090. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Particles\ParticleList.c

Size bytes: 3328

SHA-256: e3b8d3afbfbfa2284faaa15b9de4e61ade8988463af9ba39ae8fce29d6eb91e84

Decoded as: utf-8-sig

Line count shown: 52

Detected class declarations: 1

L13: modded class ParticleList

Detected enum declarations: 0

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionParticles.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ParticleList
000014 | {
000015 |     //! Explosions
000016 |     static const int EXPANSION_EXPLOSION_HELICOPTER = RegisterParticle( "DayZExpansion/Particles/Explosions/" , "Expansion_Explosion_Vehicle");
000017 |     static const int EXPANSION_EXPLOSION_ROCKET = RegisterParticle( "DayZExpansion/Particles/Explosions/" , "Expansion_Explosion_Rocket");
000018 |     static const int EXPANSION_EXPLOSION_WATER = RegisterParticle( "DayZExpansion/Particles/Explosions/" , "Expansion_Explosion_Water");
000019 |     static const int EXPANSION_EXPLOSION_FLARE = RegisterParticle( "DayZExpansion/Particles/Explosions/" , "Expansion_Explosion_Flare");
000020 |     static const int EXPANSION_FIRE_HELICOPTER = RegisterParticle( "DayZExpansion/Particles/Explosions/" , "Expansion_Fire_Vehicle");
000021 |
000022 |     //! Boats
000023 |     static const int EXPANSION_BOAT_WATER = RegisterParticle( "DayZExpansion/Particles/Vehicles/" , "Expansion_Boat_Water");
000024 |     static const int EXPANSION_BOAT_DECAL = RegisterParticle( "DayZExpansion/Particles/Vehicles/" , "Expansion_Boat_Decal");
000025 |     static const int EXPANSION_BOAT_ENGINE = RegisterParticle( "DayZExpansion/Particles/Vehicles/" , "Expansion_Boat_Engine");
000026 |
000027 |     //! Helicopters
000028 |     static const int EXPANSION_HELICOPTER_WATER = RegisterParticle( "DayZExpansion/Particles/Vehicles/" , "Expansion_Helicopter_Water");
000029 |     static const int EXPANSION_HELICOPTER_GROUND = RegisterParticle( "DayZExpansion/Particles/Vehicles/" , "Expansion_Helicopter_Ground");
000030 |     static const int EXPANSION_HELICOPTER_EXHAUST = RegisterParticle( "DayZExpansion/Particles/Vehicles/" , "Expansion_Helicopter_Exhaust");
000031 |
000032 |     // Weapons
000033 |     static const int EXPANSION_FLARE_SMOKE = RegisterParticle( "DayZExpansion/Particles/Weapons/" , "Expansion_World_Flare");
000034 |     static const int EXPANSION_ROCKET_SMOKE = RegisterParticle( "DayZExpansion/Particles/Weapons/" , "Expansion_World_Rocket");
000035 |     static const int EXPANSION_ROCKET_DUST = RegisterParticle( "DayZExpansion/Particles/Weapons/" , "Expansion_World_Dust");
000036 |
000037 |     //! Airdrop
000038 |     static const int EXPANSION_AIRDROP_SMOKE = RegisterParticle( "DayZExpansion/Particles/Airdrop/" , "Expansion_Airdrop");
000039 |
000040 |     //! World
000041 |     static const int EXPANSION_CLOUD = RegisterParticle( "DayZExpansion/Particles/World/" , "Expansion_World_Cloud");
000042 |     static const int EXPANSION_FOG = RegisterParticle( "DayZExpansion/Particles/World/" , "Expansion_World_Fog");
000043 |
000044 |     //! Lights
000045 |     static const int EXPANSION_LIGHT_BLUE = RegisterParticle( "DayZExpansion/Particles/Lights/" , "Expansion_World_Light_Blue");
000046 |     static const int EXPANSION_LIGHT_RED = RegisterParticle( "DayZExpansion/Particles/Lights/" , "Expansion_World_Light_Red");
000047 |     static const int EXPANSION_LIGHT_WHITE = RegisterParticle( "DayZExpansion/Particles/Lights/" , "Expansion_World_Light_White");
```

```
000048 | static const int EXPANSION_LIGHT_YELLOW = RegisterParticle( "DayZExpansion/Particles/Lights/" , "Expansion_World_Light_Yellow");
000049 |
000050 | //! Misc
000051 | static const int EXPANSION_PROPANE_FLAME = RegisterParticle( "DayZExpansion/Particles/Misc/" , "Expansion_Propane_Flame");
000052 | };
```


0091. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\PlayerIdentity.c

Size bytes: 4344

SHA-256: a3da38bf54acc509a5b848331d90e1927e32e71ae69e1183814644f4901bf627

Decoded as: utf-8-sig

Line count shown: 196

Detected class declarations: 1

L13: modded class PlayerIdentity

Detected enum declarations: 0

Detected function/method-like declarations: 10

L19: string Expansion_GetPlainId()

L22: return GetPlainId();

L41: void Expansion_PlainIdToInt(out int plainId[2])

L57: static string Expansion_PlainIdToString(int plainId[2])

L65: void Expansion_IdToInt(out int id[9])

L95: static string Expansion_IdToString(int id[9])

L116: static string Expansion_EncodeDigest(CF_Byte digest[32])

L150: static string Expansion_PlainIdToId(string steamId)

L168: static PlayerIdentity Expansion_GetIdentityByPlainId(string steamId)

L182: static PlayerIdentity Expansion_GetIdentityById(string id)

Full file content

```

000001 | /**
000002 |  * PlayerIdentity.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class PlayerIdentity
000014 | {
000015 |     static const string EXPANSION_ID64_ALPHABET = "ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789-_";
000016 |
000017 |     static ref map<string, string> s_Expansion_PlainID2ID = new map<string, string>;
000018 |
000019 |     string Expansion_GetPlainId()
000020 |     {
000021 |         if (g_Game.IsServer())
000022 |             return GetPlainId();
000023 |
000024 |         //! @note on client, PlayerIdentity::GetPlainId() will return empty string,
000025 |         //! so we have to find corresponding SyncPlayer using hashed ID.
000026 |         foreach (SyncPlayer syncPlayer: ClientData.m_PlayerList.m_PlayerList)
000027 |         {
000028 |             if (!syncPlayer)
000029 |                 continue;
000030 |
000031 |             if (syncPlayer.m_RUID == GetId())
000032 |                 return syncPlayer.m_UID;
000033 |         }
000034 |
000035 |         return string.Empty;
000036 |     }
000037 | }

```

```
000038 | /**
000039 |  * @brief Get plain ID as array of ints (2)
000040 |  */
000041 | void Expansion_PlainIdToInt(out int plainId[2])
000042 | {
000043 |     string steamId = GetPlainId();
000044 |     int idLen = steamId.Length();
000045 |
000046 |     if (idLen != 17)
000047 |     {
000048 |         Error("Unsupported plain ID length " + idLen);
000049 |     }
000050 |     else
000051 |     {
000052 |         plainId[0] = steamId.Substring(0, 9).ToInt();
000053 |         plainId[1] = steamId.Substring(9, idLen - 9).ToInt();
000054 |     }
000055 | }
000056 |
000057 | static string Expansion_PlainIdToString(int plainId[2])
000058 | {
000059 |     return plainId[0].ToString() + ExpansionString.JustifyRight(plainId[1].ToString(), 8, "0");
000060 | }
000061 |
000062 | /**
000063 |  * @brief Get ID as array of ints (9)
000064 |  */
000065 | void Expansion_IdToInt(out int id[9])
000066 | {
000067 |     string uid = GetId();
000068 |     int idLen = uid.Length();
000069 |
000070 |     if (idLen > 44)
000071 |     {
000072 |         Error("Unsupported ID length " + idLen);
000073 |     }
000074 |     else
000075 |     {
000076 |         int inputLength = idLen - 1;
000077 |         int outputLength = 9;
000078 |
000079 |         for (int i = 0, j = 0; i < outputLength; i++)
000080 |         {
000081 |             int packedValue = 0;
000082 |
000083 |             //! Up to five 6-bit numbers can be packed into one 32-bit signed int
000084 |             for (int k = 0; k < 5 && j < inputLength; k++)
000085 |             {
000086 |                 packedValue |= (EXPANSION_ID64_ALPHABET.IndexOf(uid[j]) & 0x3F) << (k * 6);
000087 |                 j++;
000088 |             }
000089 |
000090 |             id[i] = packedValue;
000091 |         }
000092 |     }
000093 | }
000094 |
000095 | static string Expansion_IdToString(int id[9])
000096 | {
000097 |     int inputLength = 9;
000098 |     string output;
```

```
000100 |         for (int i = 0; i < inputLength; i++)
000101 |         {
000102 |             int packedValue = id[i];
000103 |
000104 |             for (int k = 0; k < 5; k++)
000105 |             {
000106 |                 output += EXPANSION_ID64_ALPHABET[(packedValue >> (k * 6)) & 0x3F];
000107 |
000108 |                 if (i == inputLength - 1 && k == 2)
000109 |                     break;
000110 |             }
000111 |         }
000112 |
000113 |         return output + "=";
000114 |     }
000115 |
000116 |     static string Expansion_EncodeDigest(CF_Byte digest[32])
000117 |     {
000118 |         string id;
000119 |
000120 |         int i = 0;
000121 |         while (i < 32)
000122 |         {
000123 |             CF_Uint value = 0;
000124 |
000125 |             value = value.Add(digest[i] << 16);
000126 |             i++;
000127 |
000128 |             if (i < 32)
000129 |             {
000130 |                 value = value.Add(digest[i] << 8);
000131 |                 i++;
000132 |             }
000133 |
000134 |             if (i < 32)
000135 |             {
000136 |                 value = value.Add(digest[i]);
000137 |                 i++;
000138 |             }
000139 |
000140 |             id += EXPANSION_ID64_ALPHABET[value.ShiftRight(18) & 63];
000141 |             id += EXPANSION_ID64_ALPHABET[value.ShiftRight(12) & 63];
000142 |             id += EXPANSION_ID64_ALPHABET[value.ShiftRight(6) & 63];
000143 |             if (i < 32)
000144 |                 id += EXPANSION_ID64_ALPHABET[value & 63];
000145 |         }
000146 |
000147 |         return id + "=";
000148 |     }
000149 |
000150 |     static string Expansion_PlainIdToId(string steamId)
000151 |     {
000152 |         string uid;
000153 |
000154 |         if (!s_Expansion_PlainID2ID.Find(steamId, uid))
000155 |         {
000156 |             ///! EXPENSIVE! About ~1ms per calculated digest, so only do this if we don't have the value cached
000157 |             ExpansionSHA256.Update(steamId);
000158 |             CF_Byte digest[32];
000159 |             ExpansionSHA256.Digest(digest);
000160 |             ExpansionSHA256.Reset();
000161 |             uid = Expansion_EncodeDigest(digest);
```

```
000162 |         s_Expansion_PlainID2ID[steamId] = uid;
000163 |     }
000164 |
000165 |     return uid;
000166 | }
000167 |
000168 | static PlayerIdentity Expansion_GetIdentityByPlainId(string steamId)
000169 | {
000170 |     array<PlayerIdentity> identities = {};
000171 |     g_Game.GetPlayerIndentities(identities);
000172 |
000173 |     foreach (PlayerIdentity identity: identities)
000174 |     {
000175 |         if (identity.GetPlainId() == steamId)
000176 |             return identity;
000177 |     }
000178 |
000179 |     return null;
000180 | }
000181 |
000182 | static PlayerIdentity Expansion_GetIdentityById(string id)
000183 | {
000184 |     array<PlayerIdentity> identities = {};
000185 |     g_Game.GetPlayerIndentities(identities);
000186 |
000187 |     foreach (PlayerIdentity identity: identities)
000188 |     {
000189 |         if (identity.GetId() == id)
000190 |             return identity;
000191 |     }
000192 |
000193 |     return null;
000194 | }
000195 | }
000196 |
```

0092. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Prefab\ExpansionMinMax.c

Size bytes: 597

SHA-256: 44bf73260dfe0423c9d7bf947b6b3b68ffcb59a7bc4409b270182dd22be3d92

Decoded as: utf-8-sig

Line count shown: 46

Detected class declarations: 2

L1: class ExpansionMinMax

L37: class ExpansionHealth: ExpansionMinMax

Detected enum declarations: 0

Detected function/method-like declarations: 4

L6: void ExpansionMinMax(float min = 0, float max = 0)

L11: void Set(float min, float max)

L20: float GetRandom()

L41: void ExpansionHealth(float min = 0, float max = 0, string zone = "")

Full file content

```
000001 | class ExpansionMinMax
000002 | {
000003 |     float Min;
000004 |     float Max;
000005 |
000006 |     void ExpansionMinMax(float min = 0, float max = 0)
000007 |     {
000008 |         Set(min, max);
000009 |     }
000010 |
000011 |     void Set(float min, float max)
000012 |     {
000013 |         Min = min;
000014 |         Max = max;
000015 |
000016 |         if (Max < Min)
000017 |             Max = Min;
000018 |     }
000019 |
000020 |     float GetRandom()
000021 |     {
000022 |         if (Max <= 0)
000023 |         {
000024 |             return -1;
000025 |         }
000026 |
000027 |         float random = Math.RandomFloatInclusive(Min, Max);
000028 |         if (random <= 0)
000029 |         {
000030 |             return 0;
000031 |         }
000032 |
000033 |         return random;
000034 |     }
000035 | };
000036 |
000037 | class ExpansionHealth: ExpansionMinMax
000038 | {
000039 |     string Zone;
000040 |
000041 |     void ExpansionHealth(float min = 0, float max = 0, string zone = "")
000042 |     {
```

```
000043 |         Zone = zone;
000044 |     }
000045 | };
000046 |
```

0093. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Renders\ExpansionRenders.c

Size bytes: 3382

SHA-256: 72932e2c0a8e640b503608e1182672d6c5af9a453f94deaed7f99515f15cd6cc

Decoded as: utf-8-sig

Line count shown: 123

Detected class declarations: 2

L13: class ExpansionCircle

L32: class ExpansionCircleRender

Detected enum declarations: 0

Detected function/method-like declarations: 8

L21: void ExpansionCircle(float rad, float x, float y, float width, float color)

L41: void ExpansionCircleRender(Widget parent)

L46: void ~ExpansionCircleRender()

L52: void AddCircle(ExpansionCircle circle)

L57: void Render(MapWidget mapWidget)

L69: bool CircleOverlap(ExpansionCircle a, ExpansionCircle b)

L77: bool IsPointInCircle(array<ExpansionCircle> overlaps, float x, float y)

L89: void RenderCircle(ExpansionCircle circle)

Full file content

```
000001 | /**
000002 |  * ExpansionRenders.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionCircle
000014 | {
000015 |     float Radius;
000016 |     float X;
000017 |     float Y;
000018 |     float Width;
000019 |     int Color;
000020 |
000021 |     void ExpansionCircle(float rad, float x, float y, float width, float color)
000022 |     {
000023 |         Radius = rad;
000024 |         X = x;
000025 |         Y = y;
000026 |         Width = width;
000027 |         Color = color;
000028 |     }
000029 | };
000030 |
000031 |
000032 | class ExpansionCircleRender
000033 | {
000034 |     //Widget m_LayoutCanvas;
000035 |     CanvasWidget m_CanvasWidget;
000036 |     const int SEGMENTS = 180;
000037 |     ref array<ref ExpansionCircle> m_Circles = new array<ref ExpansionCircle>();
000038 |     Widget m_Parent;
```

```
000039 | MapWidget m_MapWidget;
000040 |
000041 | void ExpansionCircleRender(Widget parent)
000042 | {
000043 |     m_Parent = parent;
000044 | }
000045 |
000046 | void ~ExpansionCircleRender()
000047 | {
000048 |     m_CanvasWidget.Clear();
000049 |     m_Circles.Clear();
000050 | }
000051 |
000052 | void AddCircle(ExpansionCircle circle)
000053 | {
000054 |     m_Circles.Insert(circle);
000055 | }
000056 |
000057 | void Render(MapWidget mapWidget)
000058 | {
000059 |     m_MapWidget = mapWidget;
000060 |     Widget layoutCanvas = g_Game.GetWorkspace().CreateWidgets("DayZExpansion/Core/GUI/layouts/map/expansion_map_canvaslayout.layout", m_Parent);
000061 |     m_CanvasWidget = CanvasWidget.Cast( layoutCanvas.FindAnyWidget( "CanvasWidget" ) );
000062 |
000063 |     for (int i = 0; i < m_Circles.Count(); i++)
000064 |     {
000065 |         RenderCircle(m_Circles[i]);
000066 |     }
000067 | }
000068 |
000069 | bool CircleOverlap(ExpansionCircle a, ExpansionCircle b)
000070 | {
000071 |     float xx = (a.X - b.X);
000072 |     float yy = (a.Y - b.Y);
000073 |     float rr = a.Radius + b.Radius;
000074 |     return ((xx * xx) + (yy * yy)) < (rr * rr);
000075 | }
000076 |
000077 | bool IsPointInCircle(array<ExpansionCircle> overlaps, float x, float y)
000078 | {
000079 |     for (int i = 0; i < overlaps.Count(); i++)
000080 |     {
000081 |         float xx = (overlaps[i].X - x);
000082 |         float yy = (overlaps[i].Y - y);
000083 |         float rr = overlaps[i].Radius;
000084 |         if (((xx * xx) + (yy * yy)) < (rr * rr)) return true;
000085 |     }
000086 |     return false;
000087 | }
000088 |
000089 | void RenderCircle(ExpansionCircle circle)
000090 | {
000091 |     m_CanvasWidget.Clear();
000092 |
000093 |     array<ExpansionCircle> overlaps = new array<ExpansionCircle>();
000094 |     for (int i = 0; i < m_Circles.Count(); i++)
000095 |     {
000096 |         if (m_Circles[i] == circle) continue;
000097 |
000098 |         if (CircleOverlap(circle, m_Circles[i]))
000099 |             overlaps.Insert(m_Circles[i]);
000100 |     }
```



```
000101 |  
000102 |     for (int a = 0; a < SEGMENTS; a++)  
000103 |     {  
000104 |         float stride = 360.0 / SEGMENTS;  
000105 |  
000106 |         float a1 = Math.DEG2RAD * a * stride;  
000107 |         float a2 = Math.DEG2RAD * (a + SEGMENTS) * stride;  
000108 |  
000109 |         float x1 = circle.X + Math.Sin(a1) * circle.Radius;  
000110 |         float y1 = circle.Y + Math.Cos(a1) * circle.Radius;  
000111 |  
000112 |         float x2 = circle.X + Math.Sin(a2) * circle.Radius;  
000113 |         float y2 = circle.Y + Math.Cos(a2) * circle.Radius;  
000114 |  
000115 |         //if (IsPointInCircle(overlaps, x1, y1)) continue;  
000116 |  
000117 |         vector map_pos1 = m_MapWidget.ScreenToMap(Vector(x1, y1, 0));  
000118 |         vector map_pos2 = m_MapWidget.ScreenToMap(Vector(x2, y2, 0));  
000119 |  
000120 |         m_CanvasWidget.DrawLine(map_pos1[0], map_pos1[2], map_pos2[0], map_pos2[2], circle.Width, circle.Color);  
000121 |     }  
000122 | }  
000123 | };
```

0094. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationBase.c

Size bytes: 1475

SHA-256: 90a1919684d75795b0e044183587d9adcba3b4766b28ad50bfeeadd2d501ee1

Decoded as: utf-8-sig

Line count shown: 72

Detected class declarations: 1

L13: class ExpansionSettingSerializationBase

Detected enum declarations: 0

Detected function/method-like declarations: 5

L29: void ExpansionSettingSerializationBase(notnull Class instance, string variable)

L38: void SetFromTemp()

L43: void ResetTemp()

L48: bool IsTempSet()

L53: protected bool FindClassInstanceAndVariable()

Full file content

```

000001 | /**
000002 |  * ExpansionSettingSerializationBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionSettingSerializationBase
000014 | {
000015 |     protected string m_Variable;
000016 |     string m_Name;
000017 |
000018 |     string m_DetailContent;
000019 |
000020 |     protected Class m_Instance;
000021 |
000022 |     protected Class m_ActualInstance;
000023 |     protected string m_ActualVariable;
000024 |
000025 |     Managed m_WidgetHandle;
000026 |
000027 |     bool m_IsTempSet;
000028 |
000029 |     void ExpansionSettingSerializationBase(notnull Class instance, string variable)
000030 |     {
000031 |         m_Instance = instance;
000032 |         m_Variable = variable;
000033 |
000034 |         if (!FindClassInstanceAndVariable())
000035 |             CF.FormatError("Variable '%1' not found on %2", m_Variable, m_Instance.ToString());
000036 |     }
000037 |
000038 |     void SetFromTemp()
000039 |     {
000040 |         ResetTemp();
000041 |     }
000042 |

```

```
000043 | void ResetTemp()
000044 | {
000045 |     m_IsTempSet = false;
000046 | }
000047 |
000048 | bool IsTempSet()
000049 | {
000050 |     return m_IsTempSet;
000051 | }
000052 |
000053 | protected bool FindClassInstanceAndVariable()
000054 | {
000055 |     array<string> arr = {};
000056 |     m_Variable.Split( ".", arr );
000057 |
000058 |     m_ActualInstance = m_Instance;
000059 |
000060 |     for ( int i = 0; i < arr.Count() - 1; ++i )
000061 |     {
000062 |         EnScript.GetClassVar( m_ActualInstance, arr[i], 0, m_ActualInstance );
000063 |
000064 |         if ( m_ActualInstance == NULL )
000065 |             return false;
000066 |     }
000067 |
000068 |     m_ActualVariable = arr[arr.Count() - 1];
000069 |
000070 |     return true;
000071 | }
000072 | };
```

0095. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationEnum.c

Size bytes: 1058

SHA-256: beb7297d31cfe14e077e409a4948c713ff17d15c1641e1c0ab107d9639bad8e5

Decoded as: utf-8-sig

Line count shown: 50

Detected class declarations: 1

L13: class ExpansionSettingSerializationEnum: ExpansionSettingSerializationInt

Detected enum declarations: 0

Detected function/method-like declarations: 4

L17: void ExpansionSettingSerializationEnum(notnull Class instance, string variable)

L22: void SetTempValue(string value)

L31: void SetValue(string value)

L40: override void SetValue(int value)

Full file content

```
000001 | /**
000002 |  * ExpansionSettingSerializationEnum.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionSettingSerializationEnum: ExpansionSettingSerializationInt
000014 | {
000015 |     ref array< string > m_Values;
000016 |
000017 |     void ExpansionSettingSerializationEnum(notnull Class instance, string variable)
000018 |     {
000019 |         m_Values = new array< string >();
000020 |     }
000021 |
000022 |     void SetTempValue( string value )
000023 |     {
000024 |         int idx = m_Values.Find( value );
000025 |         if ( idx == -1 )
000026 |             return;
000027 |
000028 |         SetTempValue( idx );
000029 |     }
000030 |
000031 |     void SetValue( string value )
000032 |     {
000033 |         int idx = m_Values.Find( value );
000034 |         if ( idx == -1 )
000035 |             return;
000036 |
000037 |         SetValue( idx );
000038 |     }
000039 |
000040 |     override void SetValue( int value )
000041 |     {
000042 |         if ( value >= m_Values.Count() )
000043 |             value = m_Values.Count();
```

```
000044 |  
000045 |         if ( value < 0 )  
000046 |             value = 0;  
000047 |  
000048 |         super.SetValue( value );  
000049 |     }  
000050 | };
```

0096. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationInt.c

Size bytes: 1054

SHA-256: 47a4286fec8b43ee09fe2fc00520a01cc93c8760cbf2daf0fc0fbfd077ecb340

Decoded as: utf-8-sig

Line count shown: 46

Detected class declarations: 1

L13: class ExpansionSettingSerializationInt: ExpansionSettingSerializationBase

Detected enum declarations: 0

Detected function/method-like declarations: 4

L17: void SetTempValue(int value)

L23: override void SetFromTemp()

L30: int GetValue()

L39: void SetValue(int value)

Full file content

```

000001 | /**
000002 |  * ExpansionSettingSerializationInt.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionSettingSerializationInt: ExpansionSettingSerializationBase
000014 | {
000015 |     int m_TempValue;
000016 |
000017 |     void SetTempValue( int value )
000018 |     {
000019 |         m_TempValue = value;
000020 |         m_IsTempSet = true;
000021 |     }
000022 |
000023 |     override void SetFromTemp()
000024 |     {
000025 |         super.SetFromTemp();
000026 |
000027 |         SetValue( m_TempValue );
000028 |     }
000029 |
000030 |     int GetValue()
000031 |     {
000032 |         int value;
000033 |
000034 |         EnScript.GetClassVar( m_ActualInstance, m_ActualVariable, 0, value );
000035 |
000036 |         return value;
000037 |     }
000038 |
000039 |     void SetValue( int value )
000040 |     {
000041 |         EnScript.SetClassVar( m_ActualInstance, m_ActualVariable, 0, value );
000042 |
000043 |         auto param = new Param2< typename, ExpansionSettingSerializationBase >( Type(), this );

```

```
000044 |      g_Game.GameScript.Call( m_Instance, "OnSettingsUpdated", param );
000045 |      }
000046 | };
```

0097. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationSlider.c
Size bytes: 1987
SHA-256: 6f344ea7771ea16a1a45b1fa251d9a4765f3ad844cfda1c60e2753b21d78879e
Decoded as: utf-8-sig
Line count shown: 94
Detected class declarations: 1
L13: class ExpansionSettingSerializationSlider: ExpansionSettingSerializationBase
Detected enum declarations: 0
Detected function/method-like declarations: 5
L23: override protected bool FindClassInstanceAndVariable()
L43: void SetTempValue(float value)
L49: override void SetFromTemp()
L56: float GetValue()
L74: void SetValue(float value)

Full file content

```
000001 | /**
000002 |  * ExpansionSettingSerializationSlider.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionSettingSerializationSlider: ExpansionSettingSerializationBase
000014 | {
000015 |     float m_Min;
000016 |     float m_Max;
000017 |     float m_Step;
000018 |
000019 |     float m_TempValue;
000020 |
000021 |     typename m_VariableType;
000022 |
000023 |     override protected bool FindClassInstanceAndVariable()
000024 |     {
000025 |         if (super.FindClassInstanceAndVariable())
000026 |         {
000027 |             typename type = m_ActualInstance.Type();
000028 |             int count = type.GetVariableCount();
000029 |
000030 |             for (int i = 0; i < count; i++)
000031 |             {
000032 |                 if (type.GetVariableName(i) == m_ActualVariable)
000033 |                 {
000034 |                     m_VariableType = type.GetVariableType(i);
000035 |                     return true;
000036 |                 }
000037 |             }
000038 |         }
000039 |
000040 |         return false;
000041 |     }
000042 | }
```



```
000043 | void SetTempValue( float value )
000044 | {
000045 |     m_TempValue = value;
000046 |     m_IsTempSet = true;
000047 | }
000048 |
000049 | override void SetFromTemp()
000050 | {
000051 |     super.SetFromTemp();
000052 |
000053 |     SetValue( m_TempValue );
000054 | }
000055 |
000056 | float GetValue()
000057 | {
000058 |     switch (m_VariableType)
000059 |     {
000060 |         case int:
000061 |             int i;
000062 |             EnScript.GetClassVar(m_ActualInstance, m_ActualVariable, 0, i);
000063 |             return i;
000064 |
000065 |         case float:
000066 |             float f;
000067 |             EnScript.GetClassVar(m_ActualInstance, m_ActualVariable, 0, f);
000068 |             return f;
000069 |     }
000070 |
000071 |     return 0;
000072 | }
000073 |
000074 | void SetValue( float value )
000075 | {
000076 |     value = Math.Clamp( value, m_Min, m_Max );
000077 |
000078 |     switch (m_VariableType)
000079 |     {
000080 |         case int:
000081 |             int i = Math.Round(value);
000082 |             EnScript.SetClassVar(m_ActualInstance, m_ActualVariable, 0, i);
000083 |             break;
000084 |
000085 |         case float:
000086 |             float f = value;
000087 |             EnScript.SetClassVar(m_ActualInstance, m_ActualVariable, 0, f);
000088 |             break;
000089 |     }
000090 |
000091 |     auto param = new Param2< typename, ExpansionSettingSerializationBase >( Type(), this );
000092 |     g_Game.GameScript.Call( m_Instance, "OnSettingsUpdated", param );
000093 | }
000094 | };
```

0098. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationString.c

Size bytes: 1079

SHA-256: 21e830ecdd1847279cc28abf2cd5aa45910aa35759986953baa178e7808c4ce3

Decoded as: utf-8-sig

Line count shown: 46

Detected class declarations: 1

L13: class ExpansionSettingSerializationString: ExpansionSettingSerializationBase

Detected enum declarations: 0

Detected function/method-like declarations: 4

L17: void SetTempValue(string value)

L23: override void SetFromTemp()

L30: string GetValue()

L39: void SetValue(string value)

Full file content

```

000001 | /**
000002 |  * ExpansionSettingSerializationString.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionSettingSerializationString: ExpansionSettingSerializationBase
000014 | {
000015 |     string m_TempValue;
000016 |
000017 |     void SetTempValue( string value )
000018 |     {
000019 |         m_TempValue = value;
000020 |         m_IsTempSet = true;
000021 |     }
000022 |
000023 |     override void SetFromTemp()
000024 |     {
000025 |         super.SetFromTemp();
000026 |
000027 |         SetValue( m_TempValue );
000028 |     }
000029 |
000030 |     string GetValue()
000031 |     {
000032 |         string value;
000033 |
000034 |         EnScript.GetClassVar( m_ActualInstance, m_ActualVariable, 0, value );
000035 |
000036 |         return value;
000037 |     }
000038 |
000039 |     void SetValue( string value )
000040 |     {
000041 |         EnScript.SetClassVar( m_ActualInstance, m_ActualVariable, 0, value );
000042 |
000043 |         auto param = new Param2< typename, ExpansionSettingSerializationBase >( Type(), this );

```

```
000044 |      g_Game.GameScript.Call( m_Instance, "OnSettingsUpdated", param );
000045 |      }
000046 | };
```

0099. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationToggle.c
Size bytes: 1069
SHA-256: a7570b48673a986fe73366553e5e72121b7279e11dbaec026662da4d5b22a2a
Decoded as: utf-8-sig
Line count shown: 46
Detected class declarations: 1
L13: class ExpansionSettingSerializationToggle: ExpansionSettingSerializationBase
Detected enum declarations: 0
Detected function/method-like declarations: 4
L17: void SetTempValue(bool value)
L23: override void SetFromTemp()
L30: bool GetValue()
L39: void SetValue(bool value)

Full file content

```
000001 | /**
000002 |  * ExpansionSettingSerializationToggle.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionSettingSerializationToggle: ExpansionSettingSerializationBase
000014 | {
000015 |     bool m_TempValue;
000016 |
000017 |     void SetTempValue( bool value )
000018 |     {
000019 |         m_TempValue = value;
000020 |         m_IsTempSet = true;
000021 |     }
000022 |
000023 |     override void SetFromTemp()
000024 |     {
000025 |         super.SetFromTemp();
000026 |
000027 |         SetValue( m_TempValue );
000028 |     }
000029 |
000030 |     bool GetValue()
000031 |     {
000032 |         bool value;
000033 |
000034 |         EnScript.GetClassVar( m_ActualInstance, m_ActualVariable, 0, value );
000035 |
000036 |         return value;
000037 |     }
000038 |
000039 |     void SetValue( bool value )
000040 |     {
000041 |         EnScript.SetClassVar( m_ActualInstance, m_ActualVariable, 0, value );
000042 |
000043 |         auto param = new Param2< typename, ExpansionSettingSerializationBase >( Type(), this );
```

```
000044 |      g_Game.GameScript.Call( m_Instance, "OnSettingsUpdated", param );
000045 |      }
000046 | };
```

0100. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Core\ExpansionCoreSettings.c
Size bytes: 5734
SHA-256: b4f2340add1e85a52b93f543548ba6d37db1d662d6a7ee462e492519fad9649e
Decoded as: utf-8-sig
Line count shown: 216
Detected class declarations: 1
  L15: class ExpansionCoreSettings: ExpansionSettingBase
Detected enum declarations: 0
Detected function/method-like declarations: 12
  L27: override bool OnRecieve( ParamsReadContext ctx )
  L55: override void OnSend( ParamsWriteContext ctx )
  L62: override int Send( PlayerIdentity identity )
  L81: override bool Copy( ExpansionSettingBase setting )
  L92: private void CopyInternal( ExpansionCoreSettings s )
  L104: override bool IsLoaded()
  L110: override void Unload()
  L116: override bool OnLoad()
  L182: override bool OnSave()
  L194: override void Update( ExpansionSettingBase setting )
  L202: override void Defaults()
  L212: override string SettingName()
```

Full file content

```
000001 | /**
000002 |  * ExpansionCoreSettings.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | typedef ExpansionCoreSettings ExpansionDebugSettings; //!< Legacy compat
000014 |
000015 | class ExpansionCoreSettings: ExpansionSettingBase
000016 | {
000017 |     static const int VERSION = 9;
000018 |
000019 |     int ServerUpdateRateLimit;
000020 |     bool ForceExactCEItemLifetime;
000021 |     bool EnableInventoryCargoTidy;
000022 |
000023 |     [NonSerialized()]
000024 |     private bool m_IsLoaded;
000025 |
000026 |     // -----
000027 |     override bool OnRecieve( ParamsReadContext ctx )
000028 |     {
000029 | #ifdef EXPANSIONTRACE
000030 |         auto trace = CF_Trace_1(ExpansionTracing.SETTINGS, this, "OnRecieve").Add(ctx);
000031 | #endif
000032 |
000033 |         if (!ctx.Read(EnableInventoryCargoTidy))
000034 |         {
000035 |             Error("ExpansionCoreSettings::OnRecieve EnableInventoryCargoTidy");
```

```
000036 |         return false;
000037 |     }
000038 |
000039 |     float foodDecayModifier;
000040 |     if ( !ctx.Read( foodDecayModifier ) )
000041 |     {
000042 |         Error("ExpansionCoreSettings::OnRecieve foodDecayModifier");
000043 |         return false;
000044 |     }
000045 |
000046 |     g_Game.Expansion_SetFoodDecayModifier(foodDecayModifier);
000047 |
000048 |     m_IsLoaded = true;
000049 |
000050 |     ExpansionSettings.SI_Core.Invoke();
000051 |
000052 |     return true;
000053 | }
000054 |
000055 | override void OnSend( ParamsWriteContext ctx )
000056 | {
000057 |     ctx.Write(EnableInventoryCargoTidy);
000058 |     ctx.Write(g_Game.GetFoodDecayModifier());
000059 | }
000060 |
000061 | // -----
000062 | override int Send( PlayerIdentity identity )
000063 | {
000064 | #ifdef EXPANSIONTRACE
000065 |     auto trace = CF_Trace_1(ExpansionTracing.SETTINGS, this, "Send").Add(identity);
000066 | #endif
000067 |
000068 |     if ( !IsMissionHost() )
000069 |     {
000070 |         return 0;
000071 |     }
000072 |
000073 |     auto rpc = CreateRPC();
000074 |     OnSend( rpc );
000075 |     rpc.Expansion_Send(true, identity);
000076 |
000077 |     return 0;
000078 | }
000079 |
000080 | // -----
000081 | override bool Copy( ExpansionSettingBase setting )
000082 | {
000083 |     ExpansionCoreSettings s;
000084 |     if ( !Class.CastTo( s, setting ) )
000085 |         return false;
000086 |
000087 |     CopyInternal( s );
000088 |     return true;
000089 | }
000090 |
000091 | // -----
000092 | private void CopyInternal( ExpansionCoreSettings s )
000093 | {
000094 | #ifdef EXPANSIONTRACE
000095 |     auto trace = CF_Trace_1(ExpansionTracing.SETTINGS, this, "CopyInternal").Add(s);
000096 | #endif
000097 | }
```

```
000098 |         ServerUpdateRateLimit = s.ServerUpdateRateLimit;
000099 |         ForceExactCEItemLifetime = s.ForceExactCEItemLifetime;
000100 |         EnableInventoryCargoTidy = s.EnableInventoryCargoTidy;
000101 |     }
000102 |
000103 |     // -----
000104 |     override bool IsLoaded()
000105 |     {
000106 |         return m_IsLoaded;
000107 |     }
000108 |
000109 |     // -----
000110 |     override void Unload()
000111 |     {
000112 |         m_IsLoaded = false;
000113 |     }
000114 |
000115 |     // -----
000116 |     override bool OnLoad()
000117 |     {
000118 | #ifdef EXPANSIONTRACE
000119 |         auto trace = CF_Trace_0(ExpansionTracing.SETTINGS, this, "OnLoad");
000120 | #endif
000121 |
000122 |         m_IsLoaded = true;
000123 |
000124 |         if (FileExist(EXPANSION_DEBUG_SETTINGS))
000125 |             MoveSettings(EXPANSION_DEBUG_SETTINGS, EXPANSION_CORE_SETTINGS);
000126 |
000127 |         bool save;
000128 |
000129 |         bool coreSettingsExist = FileExist(EXPANSION_CORE_SETTINGS);
000130 |
000131 |         if (coreSettingsExist)
000132 |         {
000133 |             EXPrint("[ExpansionCoreSettings] Load existing setting file:" + EXPANSION_CORE_SETTINGS);
000134 |
000135 |             string errorMsg;
000136 |             if (!JsonFileLoader<ExpansionCoreSettings>.LoadFile(EXPANSION_CORE_SETTINGS, this, errorMsg))
000137 |                 EXError.Error(this, errorMsg, {});
000138 |
000139 |             if (m_Version < VERSION)
000140 |             {
000141 |                 auto settingsDefaults = new ExpansionCoreSettings();
000142 |                 settingsDefaults.Defaults();
000143 |
000144 |                 if (m_Version < 8 && !EnableInventoryCargoTidy)
000145 |                     EnableInventoryCargoTidy = settingsDefaults.EnableInventoryCargoTidy;
000146 |
000147 |                 m_Version = VERSION;
000148 |
000149 |                 save = true;
000150 |             }
000151 |
000152 |             if (ForceExactCEItemLifetime)
000153 |                 EXError.Warn(this, "ForceExactCEItemLifetime is enabled and staggered item de-/respawning is essentially no longer in effect as a result. This may
negatively affect server and loot economy performance. Recommended setting for ForceExactCEItemLifetime is 0 or false unless you're sure you still want it despit
e the potential drawback.", {});
000154 |             }
000155 |             else
000156 |             {
000157 |                 EXPrint("[ExpansionCoreSettings] No existing setting file:" + EXPANSION_CORE_SETTINGS + ". Creating defaults!");
```



```
000158 |         Defaults();
000159 |         save = true;
000160 |     }
000161 |
000162 |     if (ServerUpdateRateLimit > 0)
000163 |     {
000164 |         if (ServerUpdateRateLimit >= 40)
000165 |         {
000166 |             EXPrint("[ExpansionCoreSettings] Limiting server script update rate to " + ServerUpdateRateLimit + " per second");
000167 |             GetDayZGame().Expansion_SetServerUpdateRateLimit(ServerUpdateRateLimit);
000168 |         }
000169 |         else
000170 |         {
000171 |             EXPrint("[ExpansionCoreSettings] ERROR: ServerUpdateRateLimit " + ServerUpdateRateLimit + " is too low!");
000172 |         }
000173 |     }
000174 |
000175 |     if (save)
000176 |         Save();
000177 |
000178 |     return coreSettingsExist;
000179 | }
000180 |
000181 | // -----
000182 | override bool OnSave()
000183 | {
000184 |     Print("[ExpansionCoreSettings] Saving settings");
000185 |
000186 |     string errorMsg;
000187 |     if (!JsonFileLoader<ExpansionCoreSettings>.SaveFile(EXPANSION_CORE_SETTINGS, this, errorMsg))
000188 |         EXError.Error(this, errorMsg, {});
000189 |
000190 |     return true;
000191 | }
000192 |
000193 | // -----
000194 | override void Update( ExpansionSettingBase setting )
000195 | {
000196 |     super.Update( setting );
000197 |
000198 |     ExpansionSettings.SI_Core.Invoke();
000199 | }
000200 |
000201 | // -----
000202 | override void Defaults()
000203 | {
000204 |     m_Version = VERSION;
000205 |
000206 |     ServerUpdateRateLimit = 0;
000207 |     ForceExactCEItemLifetime = false;
000208 |
000209 |     EnableInventoryCargoTidy = false;
000210 | }
000211 |
000212 | override string SettingName()
000213 | {
000214 |     return "Core Settings";
000215 | }
000216 | };
```

0101. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\DamageSystem\DamageSystemSettings.c

Size bytes: 3002

SHA-256: ab50c85bc42d1989e2484795c7fafc3e6e5c73f8476d3a22ce02e3e5d849ff63

Decoded as: utf-8-sig

Line count shown: 135

Detected class declarations: 1

L16: class ExpansionDamageSystemSettings: ExpansionSettingBase

Detected enum declarations: 0

Detected function/method-like declarations: 12

L32: override bool OnRecieve(ParamsReadContext ctx)

L37: override void OnSend(ParamsWriteContext ctx)

L41: override int Send(PlayerIdentity identity)

L46: override bool Copy(ExpansionSettingBase setting)

L57: private void CopyInternal(ExpansionDamageSystemSettings s)

L64: override bool IsLoaded()

L69: override void Unload()

L74: override bool OnLoad()

L101: override bool OnSave()

L108: override void Update(ExpansionSettingBase setting)

L115: override void Defaults()

L130: override string SettingName()

Full file content

```
000001 | /**
000002 |  * ExpansionDamageSystemSettings.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | /**@class      ExpansionDamageSystemSettings
000014 |  * @brief      Vehicle settings class
000015 |  */
000016 | class ExpansionDamageSystemSettings: ExpansionSettingBase
000017 | {
000018 |     static const int VERSION = 1;
000019 |
000020 |     bool Enabled;
000021 |     bool CheckForBlockingObjects;
000022 |
000023 |     //! List of classnames that should use the Expansion damage system for explosion damage if enabled
000024 |     autoptr TStringArray ExplosionTargets = new TStringArray;
000025 |
000026 |     //! Mapping bullet ammo type to explosion ammo type
000027 |     ref map<string, string> ExplosiveProjectiles = new map<string, string>;
000028 |
000029 |     [NonSerialized()]
000030 |     private bool m_IsLoaded;
000031 |
000032 |     override bool OnRecieve(ParamsReadContext ctx)
000033 |     {
000034 |         return true;
000035 |     }
```

```
000036 |
000037 |     override void OnSend(ParamsWriteContext ctx)
000038 |     {
000039 |     }
000040 |
000041 |     override int Send(PlayerIdentity identity)
000042 |     {
000043 |         return 0;
000044 |     }
000045 |
000046 |     override bool Copy( ExpansionSettingBase setting )
000047 |     {
000048 |         ExpansionDamageSystemSettings s;
000049 |         if (!Class.CastTo(s, setting))
000050 |             return false;
000051 |
000052 |         CopyInternal(s);
000053 |
000054 |         return true;
000055 |     }
000056 |
000057 |     private void CopyInternal(ExpansionDamageSystemSettings s)
000058 |     {
000059 |         Enabled = s.Enabled;
000060 |         CheckForBlockingObjects = s.CheckForBlockingObjects;
000061 |         ExplosionTargets = s.ExplosionTargets;
000062 |     }
000063 |
000064 |     override bool IsLoaded()
000065 |     {
000066 |         return m_IsLoaded;
000067 |     }
000068 |
000069 |     override void Unload()
000070 |     {
000071 |         m_IsLoaded = false;
000072 |     }
000073 |
000074 |     override bool OnLoad()
000075 |     {
000076 |         m_IsLoaded = true;
000077 |
000078 |         bool save;
000079 |
000080 |         bool settingsExist = FileExist(EXPANSION_DAMAGESYSTEM_SETTINGS);
000081 |
000082 |         if (settingsExist)
000083 |         {
000084 |             EXPrint("[ExpansionDamageSystemSettings] Load existing setting file:" + EXPANSION_DAMAGESYSTEM_SETTINGS);
000085 |
000086 |             JsonFileLoader<ExpansionDamageSystemSettings>.JsonLoadFile(EXPANSION_DAMAGESYSTEM_SETTINGS, this);
000087 |         }
000088 |         else
000089 |         {
000090 |             EXPrint("[ExpansionDamageSystemSettings] No existing setting file:" + EXPANSION_DAMAGESYSTEM_SETTINGS + ". Creating defaults!");
000091 |             Defaults();
000092 |             save = true;
000093 |         }
000094 |
000095 |         if (save)
000096 |             Save();
000097 |     }
```

```
000098 |         return settingsExist;
000099 |     }
000100 |
000101 |     override bool OnSave()
000102 |     {
000103 |         JsonFileLoader<ExpansionDamageSystemSettings>.JsonSaveFile(EXPANSION_DAMAGESYSTEM_SETTINGS, this);
000104 |
000105 |         return true;
000106 |     }
000107 |
000108 |     override void Update(ExpansionSettingBase setting)
000109 |     {
000110 |         super.Update(setting);
000111 |
000112 |         ExpansionSettings.SI_DamageSystem.Invoke();
000113 |     }
000114 |
000115 |     override void Defaults()
000116 |     {
000117 |         m_Version = VERSION;
000118 |
000119 | #ifdef EXPANSIONMODBASEBUILDING
000120 |         Enabled = true;
000121 |         ExplosionTargets.Insert("ExpansionBaseBuilding");
000122 |         ExplosionTargets.Insert("ExpansionSafeBase");
000123 | #else
000124 |         Enabled = false;
000125 | #endif
000126 |         CheckForBlockingObjects = true;
000127 |         ExplosiveProjectiles.Insert("Bullet_40mm_Explosive", "Explosion_40mm_Ammo");
000128 |     }
000129 |
000130 |     override string SettingName()
000131 |     {
000132 |         return "Damage System Settings";
000133 |     }
000134 | };
000135 |
```

0102. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\ExpansionColorSettingsBase.c

Size bytes: 2079

SHA-256: 11eb2b7f01c66915525eeb0f180a67df9b9d03a931d3ad1ddc08fbe250495dac

Decoded as: utf-8-sig

Line count shown: 98

Detected class declarations: 1

L13: class ExpansionColorSettingsBase

Detected enum declarations: 0

Detected function/method-like declarations: 8

L18: void ExpansionColorSettingsBase()

L23: int Get(string name)

L28: void Set(string name, int color)

L35: void Set(string name, string color)

L42: void _Set(string name, int color)

L50: void OnSend(ParamsWriteContext ctx)

L66: void OnReceive(ParamsReadContext ctx)

L82: void Update()

Full file content

```
000001 | /**
000002 |  * ExpansionColorSettingsBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionColorSettingsBase
000014 | {
000015 |     [NonSerialized()]
000016 |     ref map<string, int> m_Colors;
000017 |
000018 |     void ExpansionColorSettingsBase()
000019 |     {
000020 |         m_Colors = new map<string, int>;
000021 |     }
000022 |
000023 |     int Get(string name)
000024 |     {
000025 |         return m_Colors.Get(name);
000026 |     }
000027 |
000028 |     void Set(string name, int color)
000029 |     {
000030 |         EnScript.SetClassVar(this, name, 0, ExpansionColor.ARGBToHex(color));
000031 |
000032 |         _Set(name, color);
000033 |     }
000034 |
000035 |     void Set(string name, string color)
000036 |     {
000037 |         EnScript.SetClassVar(this, name, 0, color);
000038 |
000039 |         _Set(name, ExpansionColor.ToARGB(color));
```

```
000040 | }
000041 |
000042 | void _Set(string name, int color)
000043 | {
000044 |     if (m_Colors.Contains(name))
000045 |         m_Colors.Set(name, color);
000046 |     else
000047 |         m_Colors.Insert(name, color);
000048 | }
000049 |
000050 | void OnSend(ParamsWriteContext ctx)
000051 | {
000052 |     typename type = Type();
000053 |     int count = type.GetVariableCount();
000054 |     for (int i = 0; i < count; i++)
000055 |     {
000056 |         if (type.GetVariableType(i) != string)
000057 |             continue;
000058 |
000059 |         string color;
000060 |         type.GetVariableValue(this, i, color);
000061 |         //! Network optimization: We send the color as int
000062 |         ctx.Write(ExpansionColor.ToARGB(color));
000063 |     }
000064 | }
000065 |
000066 | void OnReceive(ParamsReadContext ctx)
000067 | {
000068 |     typename type = Type();
000069 |     int count = type.GetVariableCount();
000070 |     for (int i = 0; i < count; i++)
000071 |     {
000072 |         if (type.GetVariableType(i) != string)
000073 |             continue;
000074 |
000075 |         int color;
000076 |         ctx.Read(color);
000077 |         string name = type.GetVariableName(i);
000078 |         Set(name, color);
000079 |     }
000080 | }
000081 |
000082 | void Update()
000083 | {
000084 |     typename type = Type();
000085 |     int count = type.GetVariableCount();
000086 |     for (int i = 0; i < count; i++)
000087 |     {
000088 |         if (type.GetVariableType(i) != string)
000089 |             continue;
000090 |
000091 |         string name = type.GetVariableName(i);
000092 |         string color;
000093 |         type.GetVariableValue(this, i, color);
000094 |         _Set(name, ExpansionColor.ToARGB(color));
000095 |     }
000096 | }
000097 | }
000098 | }
```

0103. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\ExpansionSettingBase.c

Size bytes: 3676

SHA-256: 5a7a4ba7157e9ec8f49efb00b74e995ec59ac5319eabcb3d2c9ebbddeaeef65d

Decoded as: utf-8-sig

Line count shown: 184

Detected class declarations: 1

L13: class ExpansionSettingBase

Detected enum declarations: 0

Detected function/method-like declarations: 24

L20: void ExpansionSettingBase()

L24: void ~ExpansionSettingBase()

L28: ExpansionScriptRPC CreateRPC()

L30: return GetExpansionSettings().CreateRPC(Type());

L33: ExpansionBitStreamReader GetReader(ParamsReadContext ctx)

L35: return GetExpansionSettings().GetReader(ctx);

L38: bool OnRecieve(ParamsReadContext ctx)

L45: void OnSend(ParamsWriteContext ctx)

L50: bool Load()

L58: return OnLoad();

L61: protected bool OnLoad()

L67: void Unload()

L72: bool Save()

L89: return OnSave();

L92: protected bool OnSave()

L98: void Defaults()

L103: void SetIsUsingDefaults(bool isUsingDefaults = true)

L108: bool IsUsingDefaults()

L113: bool IsLoaded()

L119: bool Copy(ExpansionSettingBase setting)

L125: int Send(PlayerIdentity identity)

L131: void Update(ExpansionSettingBase setting)

L147: string SettingName()

L153: static bool MoveSettings(string srcPath, string dstPath, string ext = "")

Full file content

```

000001 | /**
000002 |  * ExpansionSettingBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionSettingBase
000014 | {
000015 |     int m_Version;
000016 |
000017 |     [NonSerialized()]
000018 |     protected bool m_IsUsingDefaults;
000019 |
000020 |     void ExpansionSettingBase()
000021 |     {
000022 |     }
000023 |

```

```
000024 | void ~ExpansionSettingBase()
000025 | {
000026 | }
000027 |
000028 | ExpansionScriptRPC CreateRPC()
000029 | {
000030 |     return GetExpansionSettings().CreateRPC(Type());
000031 | }
000032 |
000033 | ExpansionBitStreamReader GetReader(ParamsReadContext ctx)
000034 | {
000035 |     return GetExpansionSettings().GetReader(ctx);
000036 | }
000037 |
000038 | bool OnRecieve( ParamsReadContext ctx )
000039 | {
000040 |     Error("Not implemented");
000041 |
000042 |     return false;
000043 | }
000044 |
000045 | void OnSend( ParamsWriteContext ctx )
000046 | {
000047 |     Error("Not implemented");
000048 | }
000049 |
000050 | bool Load()
000051 | {
000052 |     if ( !g_Game.IsDedicatedServer() )
000053 |     {
000054 |         Defaults();
000055 |         return false;
000056 |     }
000057 |
000058 |     return OnLoad();
000059 | }
000060 |
000061 | protected bool OnLoad()
000062 | {
000063 |     Error("Not implemented");
000064 |     return false;
000065 | }
000066 |
000067 | void Unload()
000068 | {
000069 |     Error("Not implemented");
000070 | }
000071 |
000072 | bool Save()
000073 | {
000074 |     if ( g_Game.IsClient() )
000075 |     {
000076 |         return false;
000077 |     }
000078 |
000079 |     if ( !FileExist( EXPANSION_SETTINGS_FOLDER ) )
000080 |     {
000081 |         ExpansionStatic.MakeDirectoryRecursive( EXPANSION_SETTINGS_FOLDER );
000082 |     }
000083 |
000084 |     if ( !FileExist( EXPANSION_MISSION_SETTINGS_FOLDER ) )
000085 |     {
```



```
000086 |         ExpansionStatic.MakeDirectoryRecursive( EXPANSION_MISSION_SETTINGS_FOLDER );
000087 |     }
000088 |
000089 |     return OnSave();
000090 | }
000091 |
000092 | protected bool OnSave()
000093 | {
000094 |     Error("Not implemented");
000095 |     return false;
000096 | }
000097 |
000098 | void Defaults()
000099 | {
000100 |     Error("Not implemented");
000101 | }
000102 |
000103 | void SetIsUsingDefaults(bool isUsingDefaults = true)
000104 | {
000105 |     m_IsUsingDefaults = isUsingDefaults;
000106 | }
000107 |
000108 | bool IsUsingDefaults()
000109 | {
000110 |     return m_IsUsingDefaults;
000111 | }
000112 |
000113 | bool IsLoaded()
000114 | {
000115 |     Error("Not implemented");
000116 |     return true;
000117 | }
000118 |
000119 | bool Copy( ExpansionSettingBase setting )
000120 | {
000121 |     Error("Not implemented");
000122 |     return false;
000123 | }
000124 |
000125 | int Send( PlayerIdentity identity )
000126 | {
000127 |     Error("Not implemented");
000128 |     return 0;
000129 | }
000130 |
000131 | void Update( ExpansionSettingBase setting )
000132 | {
000133 |     if ( setting )
000134 |     {
000135 |         if ( setting == this )
000136 |             EXPrint("ExpansionSettingBase::Update - Warning: " + setting + " is trying to copy from itself. This may be unintended.");
000137 |         else
000138 |             Copy( setting );
000139 |
000140 |         Save();
000141 |     }
000142 |
000143 |     if ( !IsMissionClient() )
000144 |         Send( NULL );
000145 | }
000146 |
000147 | string SettingName()
```

```
000148 | {
000149 |     return "Base Settings";
000150 | }
000151 |
000152 | //! @note if moving a directory, make sure paths end with "\\"
000153 | static bool MoveSettings(string srcPath, string dstPath, string ext = "")
000154 | {
000155 |     EXPrint("Moving " + srcPath + " to " + dstPath);
000156 |     if (ExpansionStatic.CopyFileOrDirectoryTree(srcPath, dstPath, ext, true))
000157 |     {
000158 |         //! Use original src path for info line
000159 |         string infoLine = "Info: '" + srcPath + "' has moved to '" + dstPath + "'.";
000160 |
000161 |         ExpansionString src = srcPath;
000162 |         int lastIdx = src.LastIndexOf("\\");
000163 |         if (lastIdx == srcPath.Length() - 1)
000164 |         {
000165 |             //! It's a directory. Strip trailing backslash and go again
000166 |             srcPath = srcPath.Substring(0, lastIdx);
000167 |             src = srcPath;
000168 |             lastIdx = src.LastIndexOf("\\");
000169 |         }
000170 |
000171 |         string hintFileName = srcPath.Substring(0, lastIdx + 1) + srcPath.Substring(lastIdx + 1, srcPath.Length() - lastIdx - 1) + " ReadMe.txt";
000172 |
000173 |         FileHandle hintFile = OpenFile(hintFileName, FileMode.WRITE);
000174 |         FPrintln(hintFile, infoLine);
000175 |         FPrintln(hintFile, "Feel free to delete this ReadMe file at your convenience.");
000176 |         CloseFile(hintFile);
000177 |         return true;
000178 |     }
000179 |     else
000180 |     {
000181 |         return false;
000182 |     }
000183 | }
000184 | }
```

0104. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\ExpansionSettings.c

Size bytes: 8877

SHA-256: 4d3e1c782dd21407cd8417d2b144cedde50be2d803867bbda6812cd28a6690f4

Decoded as: utf-8-sig

Line count shown: 333

Detected class declarations: 1

L13: class ExpansionSettings

Detected enum declarations: 0

Detected function/method-like declarations: 28

L31: void ServerInit()

L45: void Unload()

L57: void Load(ExpansionSettingBase setting)

L72: bool IsLoaded(typename type)

L84: void Init()

L98: void RegisterClientRPC(typename type)

L105: ExpansionScriptRPC CreateRPC(typename type)

L114: ExpansionScriptRPC CreateRPC(string fn)

L119: ExpansionBitStreamReader GetReader(ParamsReadContext ctx)

L124: void Init(typename type, bool registerClientRPC = false)

L139: void OnInit(typename type)

L143: void GameInit()

L163: void Send(notnull PlayerIdentity identity)

L178: void RPC_CoreSettings(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L183: void RPC_MonitoringSettings(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L188: void RPC_NotificationSettings(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L193: void Receive(typename type, ParamsReadContext ctx)

L206: void Save()

L221: ExpansionSettingBase Get(typename type, bool checkLoaded = true)

L242: private void WarnNotLoaded(typename type)

L281: ExpansionCoreSettings GetCore(bool checkLoaded = true)

L286: ExpansionDebugSettings GetDebug(bool checkLoaded = true)

L292: ExpansionLogSettings GetLog(bool checkLoaded = true)

L297: ExpansionSafeZoneSettings GetSafeZone(bool checkLoaded = true)

L302: ExpansionNotificationSettings GetNotification(bool checkLoaded = true)

L307: ExpansionMonitoringSettings GetMonitoring(bool checkLoaded = true)

L312: ExpansionDamageSystemSettings GetDamageSystem(bool checkLoaded = true)

L320: static ExpansionSettings GetExpansionSettings()

Full file content

```

000001 | /**
000002 |  * ExpansionSettings.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionSettings
000014 | {
000015 |     static ref ScriptInvoker SI_Core = new ScriptInvoker();
000016 |     static ref ScriptInvoker SI_Debug = SI_Core; //!< Legacy compat
000017 |     static ref ScriptInvoker SI_Log = new ScriptInvoker();
000018 |     static ref ScriptInvoker SI_SafeZone = new ScriptInvoker();
000019 |     static ref ScriptInvoker SI_Notification = new ScriptInvoker();

```

```
000020 | static ref ScriptInvoker SI_DamageSystem = new ScriptInvoker();
000021 |
000022 | protected bool m_GameInit = false;
000023 |
000024 | protected ref map<typename, ref ExpansionSettingBase> m_Settings = new map<typename, ref ExpansionSettingBase>;
000025 | protected autoptr array<ExpansionSettingBase> m_SettingsOrdered = new array<ExpansionSettingBase>;
000026 | protected ref map<typename, int> m_Warnings = new map<typename, int>;
000027 |
000028 | ref ExpansionRPCManager m_Expansion_RPCManager = new ExpansionRPCManager(this);
000029 | protected ref map<typename, int> m_RPCIDs = new map<typename, int>;
000030 |
000031 | void ServerInit()
000032 | {
000033 | #ifdef EXTRACE
000034 |     auto trace = EXTrace.Start(EXTrace.SETTINGS, this);
000035 | #endif
000036 |
000037 |     Init();
000038 |
000039 |     foreach (ExpansionSettingBase setting: m_SettingsOrdered)
000040 |     {
000041 |         Load(setting);
000042 |     }
000043 | }
000044 |
000045 | void Unload()
000046 | {
000047 | #ifdef EXTRACE
000048 |     auto trace = EXTrace.StartStack(EXTrace.SETTINGS, this);
000049 | #endif
000050 |
000051 |     foreach (ExpansionSettingBase setting: m_SettingsOrdered)
000052 |     {
000053 |         setting.Unload();
000054 |     }
000055 | }
000056 |
000057 | void Load(ExpansionSettingBase setting)
000058 | {
000059 | #ifdef EXPANSIONTRACE
000060 |     auto trace = CF_Trace_0(ExpansionTracing.SETTINGS, this, "LoadSetting");
000061 | #endif
000062 |
000063 |     if ( setting.Load() )
000064 |     {
000065 |         CF_Log.Info( "ExpansionSettings: Successfully Loaded " + setting.ClassName() );
000066 |     } else
000067 |     {
000068 |         CF_Log.Info( "ExpansionSettings: Unsuccessful load, using defaults for " + setting.ClassName() );
000069 |     }
000070 | }
000071 |
000072 | bool IsLoaded(typename type)
000073 | {
000074 |     ExpansionSettingBase setting;
000075 |     if (m_Settings.Find(type, setting))
000076 |     {
000077 |         if (setting.IsLoaded())
000078 |             return true;
000079 |     }
000080 |
000081 |     return false;
```

```
000082 |     }
000083 |
000084 |     void Init()
000085 |     {
000086 | #ifdef EXTRACE
000087 |         auto trace = EXTrace.Start(EXTrace.SETTINGS, this);
000088 | #endif
000089 |
000090 |         Init(ExpansionCoreSettings, true);
000091 |         Init(ExpansionLogSettings);
000092 |         Init(ExpansionSafeZoneSettings);
000093 |         Init(ExpansionNotificationSettings, true);
000094 |         Init(ExpansionMonitoringSettings, true);
000095 |         Init(ExpansionDamageSystemSettings);
000096 |     }
000097 |
000098 |     void RegisterClientRPC(typename type)
000099 |     {
000100 |         string name = type.ToString();
000101 |         name = name.Substring(9, name.Length() - 9); //! Strip "Expansion"
000102 |         m_RPCIDs[type] = m_Expansion_RPCManager.RegisterClient("RPC_" + name);
000103 |     }
000104 |
000105 |     ExpansionScriptRPC CreateRPC(typename type)
000106 |     {
000107 | #ifdef EXTRACE
000108 |         auto trace = EXTrace.Profile(EXTrace.SETTINGS, this);
000109 | #endif
000110 |
000111 |         return m_Expansion_RPCManager.CreateRPC(m_RPCIDs[type]);
000112 |     }
000113 |
000114 |     ExpansionScriptRPC CreateRPC(string fn)
000115 |     {
000116 |         return m_Expansion_RPCManager.CreateRPC(fn);
000117 |     }
000118 |
000119 |     ExpansionBitStreamReader GetReader(ParamsReadContext ctx)
000120 |     {
000121 |         return m_Expansion_RPCManager.GetReader(ctx);
000122 |     }
000123 |
000124 |     void Init(typename type, bool registerClientRPC = false)
000125 |     {
000126 |         if (!m_Settings.Contains(type))
000127 |         {
000128 |             auto setting = ExpansionSettingBase.Cast(type.Spawn());
000129 |             m_Settings.Insert(type, setting);
000130 |             m_SettingsOrdered.Insert(setting);
000131 |
000132 |             if (registerClientRPC)
000133 |                 RegisterClientRPC(type);
000134 |
000135 |             OnInit(type);
000136 |         }
000137 |     }
000138 |
000139 |     void OnInit(typename type)
000140 |     {
000141 |     }
000142 |
000143 |     void GameInit()
```

```
000144 | {
000145 | #ifdef EXTRACE
000146 |     auto trace = EXTrace.Start(EXTrace.SETTINGS, this);
000147 | #endif
000148 |
000149 |     if (m_GameInit)
000150 |     {
000151 |         Unload();
000152 |
000153 |         m_GameInit = false;
000154 |     }
000155 |     else
000156 |     {
000157 |         m_GameInit = true;
000158 |     }
000159 |
000160 |     Init();
000161 | }
000162 |
000163 | void Send( notnull PlayerIdentity identity )
000164 | {
000165 | #ifdef EXTRACE
000166 |     auto trace = EXTrace.Start(EXTrace.SETTINGS, this);
000167 | #endif
000168 |
000169 |     if ( IsMissionClient() )
000170 |         return;
000171 |
000172 |     foreach (ExpansionSettingBase setting: m_SettingsOrdered)
000173 |     {
000174 |         setting.Send(identity);
000175 |     }
000176 | }
000177 |
000178 | void RPC_CoreSettings(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000179 | {
000180 |     Receive(ExpansionCoreSettings, ctx);
000181 | }
000182 |
000183 | void RPC_MonitoringSettings(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000184 | {
000185 |     Receive(ExpansionMonitoringSettings, ctx);
000186 | }
000187 |
000188 | void RPC_NotificationSettings(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000189 | {
000190 |     Receive(ExpansionNotificationSettings, ctx);
000191 | }
000192 |
000193 | void Receive(typename type, ParamsReadContext ctx)
000194 | {
000195 | #ifdef EXTRACE
000196 |     auto trace = EXTrace.Start(EXTrace.SETTINGS, this, type.ToString());
000197 | #endif
000198 |
000199 |     if (g_Game.IsDedicatedServer())
000200 |         return;
000201 |
000202 |     Init(type);
000203 |     Expansion_Assert_False(m_Settings[type].OnRecieve(ctx), "Failed reading " + type.ToString() );
000204 | }
000205 |
```

```
000206 | void Save()
000207 | {
000208 | #ifdef EXPANSIONTRACE
000209 |     auto trace = CF_Trace_0(ExpansionTracing.SETTINGS, this, "Save");
000210 | #endif
000211 |
000212 |     if ( IsMissionHost() && g_Game.IsMultiplayer() )
000213 |     {
000214 |         foreach (ExpansionSettingBase setting: m_SettingsOrdered)
000215 |         {
000216 |             setting.Save();
000217 |         }
000218 |     }
000219 | }
000220 |
000221 | ExpansionSettingBase Get(typename type, bool checkLoaded = true)
000222 | {
000223 |     auto setting = m_Settings[type];
000224 |     if (setting && !setting.IsLoaded())
000225 |     {
000226 |         if (checkLoaded && (g_Game.IsDedicatedServer() || !g_Game.GetMission() || (g_Game.GetMission().IsMissionGameplay() && g_Game.IsMultiplayer()) || (GetDayZGame().IsLoading() && !GetDayZGame().Expansion_IsMissionMainMenu() && !GetDayZGame().Expansion_IsMissionSinglePlayer()))
ayZGame().IsLoading() && !GetDayZGame().Expansion_IsMissionMainMenu() && !GetDayZGame().Expansion_IsMissionSinglePlayer()))
000227 |             WarnNotLoaded(type);
000228 |
000229 |         if (!setting.IsUsingDefaults() && (g_Game.IsDedicatedServer() || GetDayZGame().Expansion_IsMissionSinglePlayer()))
000230 |         {
000231 |             //! IMPORTANT: Only use defaults if dedicated server or SP!
000232 |             EXTrace.Print(true, type, "Using defaults");
000233 |             setting.Defaults();
000234 |             setting.SetIsUsingDefaults();
000235 |             EnScript.SetClassVar(setting, "m_IsLoaded", 0, true);
000236 |         }
000237 |     }
000238 |
000239 |     return setting;
000240 | }
000241 |
000242 | private void WarnNotLoaded(typename type)
000243 | {
000244 |     int count;
000245 |     if (!m_Warnings.Find(type, count))
000246 |         m_Warnings.Insert(type, 1);
000247 |     else
000248 |         m_Warnings[type] = ++count;
000249 |
000250 |     if (count % 10 == 0)
000251 |     {
000252 |         string msg = "Trying to access " + type.ToString() + " before it has been ";
000253 |
000254 |         if (g_Game.IsDedicatedServer() || GetDayZGame().Expansion_IsMissionSinglePlayer())
000255 |             msg += "loaded!";
000256 |         else
000257 |             msg += "received!";
000258 |
000259 |         if (count)
000260 |         {
000261 |             EXError.Warn(this, "WARNING: " + msg + " (there have been " + count + " more suppressed warnings)");
000262 |         }
000263 |         else
000264 |         {
000265 |             EXError.Error(this, "ERROR: " + msg);
000266 |         }
000266 |     }
```

```
000267 |
000268 |     #ifdef DIAG_DEVELOPER
000269 |         EXTrace.Print(true, null, "Dedicated server: " + g_Game.IsDedicatedServer());
000270 |         EXTrace.Print(true, null, "Is mission singleplayer: " + GetDayZGame().Expansion_IsMissionSinglePlayer());
000271 |         EXTrace.Print(true, null, "Is multiplayer: " + g_Game.IsMultiplayer());
000272 |         EXTrace.Print(true, null, "Is loading: " + GetDayZGame().IsLoading());
000273 |         EXTrace.Print(true, null, "Mission: " + g_Game.GetMission());
000274 |         if (g_Game.GetMission())
000275 |             EXTrace.Print(true, null, "Is mission gameplay: " + g_Game.GetMission().IsMissionGameplay());
000276 |         EXTrace.Print(true, null, "Is mission main menu: " + GetDayZGame().Expansion_IsMissionMainMenu());
000277 |     #endif
000278 | }
000279 | }
000280 |
000281 | ExpansionCoreSettings GetCore(bool checkLoaded = true)
000282 | {
000283 |     return ExpansionCoreSettings.Cast(Get(ExpansionCoreSettings, checkLoaded));
000284 | }
000285 |
000286 | ExpansionDebugSettings GetDebug(bool checkLoaded = true)
000287 | {
000288 |     EXError.ErrorOnce(this, "DEPRECATED, use GetExpansionSettings().GetCore() instead");
000289 |     return ExpansionDebugSettings.Cast(Get(ExpansionDebugSettings, checkLoaded));
000290 | }
000291 |
000292 | ExpansionLogSettings GetLog(bool checkLoaded = true)
000293 | {
000294 |     return ExpansionLogSettings.Cast(Get(ExpansionLogSettings, checkLoaded));
000295 | }
000296 |
000297 | ExpansionSafeZoneSettings GetSafeZone(bool checkLoaded = true)
000298 | {
000299 |     return ExpansionSafeZoneSettings.Cast(Get(ExpansionSafeZoneSettings, checkLoaded));
000300 | }
000301 |
000302 | ExpansionNotificationSettings GetNotification(bool checkLoaded = true)
000303 | {
000304 |     return ExpansionNotificationSettings.Cast(Get(ExpansionNotificationSettings, checkLoaded));
000305 | }
000306 |
000307 | ExpansionMonitoringSettings GetMonitoring(bool checkLoaded = true)
000308 | {
000309 |     return ExpansionMonitoringSettings.Cast(Get(ExpansionMonitoringSettings, checkLoaded));
000310 | }
000311 |
000312 | ExpansionDamageSystemSettings GetDamageSystem(bool checkLoaded = true)
000313 | {
000314 |     return ExpansionDamageSystemSettings.Cast(Get(ExpansionDamageSystemSettings, checkLoaded));
000315 | }
000316 | };
000317 |
000318 | static ref ExpansionSettings g_exGlobalSettings;
000319 |
000320 | static ExpansionSettings GetExpansionSettings()
000321 | {
000322 |     if ( g_exGlobalSettings == NULL )
000323 |     {
000324 |         g_exGlobalSettings = new ExpansionSettings();
000325 |     #ifdef SERVER
000326 |         g_exGlobalSettings.ServerInit();
000327 |     #else
000328 |         g_exGlobalSettings.GameInit();
```



```
000329 | #endif
000330 |     }
000331 |
000332 |     return g_exGlobalSettings;
000333 | }
```

0105. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Logging\ExpansionLogSettings.c

Size bytes: 10666

SHA-256: 31ed08d491b222e60793939d15780a18592ba44dfd4def5b5522b7fd566b348b

Decoded as: utf-8-sig

Line count shown: 392

Detected class declarations: 1

L16: class ExpansionLogSettings: ExpansionSettingBase

Detected enum declarations: 0

Detected function/method-like declarations: 15

L78: void ExpansionLogSettings()

L83: override bool OnRecieve(ParamsReadContext ctx)

L104: override void OnSend(ParamsWriteContext ctx)

L112: override int Send(PlayerIdentity identity)

L118: override bool Copy(ExpansionSettingBase setting)

L129: private void CopyInternal(ExpansionLogSettings s)

L180: override bool IsLoaded()

L186: override void Unload()

L192: override bool OnLoad()

L283: override bool OnSave()

L293: override void Update(ExpansionSettingBase setting)

L301: override void Defaults()

L354: override string SettingName()

L359: void PrintLog(string text, string param1 = string.Empty, string param2 = string.Empty, string param3 = string.Empty, string param4 = string.

L388: void PrintLog(string fmt, Class p1, Class p2 = null, Class p3 = null, Class p4 = null, Class p5 = null, Class p6 = null, Class p7 = null, Cl

Full file content

```

000001 | /**
000002 |  * ExpansionLogSettings.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | /**@class      ExpansionLogSettings
000014 |  * @brief      Log settings class
000015 |  **/
000016 | class ExpansionLogSettings: ExpansionSettingBase
000017 | {
000018 |     static const int VERSION = 8;
000019 |
000020 |     bool Safezone;          //!< If enabled, generate logs when the player leave or enter a safezone
000021 |     bool AdminTools;        //!< If enabled, generate logs of the adminhammer and expansionadmindcarkey when used
000022 |     bool ExplosionDamageSystem;    //!< If enabled, generate logs of the Expansion explosion damage system when used
000023 |
000024 |     bool VehicleCarKey;     //!< If enabled, generate logs about pairing, unpairing, locking, unlocking vehicles with car keys
000025 |     bool VehicleTowing;     //!< If enabled, generate logs about towing and untowing vehicles
000026 |     bool VehicleLockPicking;    //!< If enabled, generate logs about lockpicking a vehicle
000027 |     bool VehicleDestroyed;    //!< Print a log when a vehicle is destroyed
000028 |     bool VehicleAttachments;
000029 |     bool VehicleEnter;
000030 |     bool VehicleLeave;
000031 |     bool VehicleDeleted;
000032 |     bool VehicleEngine;

```

```
000033 |
000034 |     bool BaseBuildingRaiding;    //!< If enabled, generate logs about raiding expansion basebuilding and safes
000035 |     bool CodeLockRaiding;        //!< If enabled, generate logs about codelock raiding (wrong core)
000036 |     bool Territory;              //!< If enabled, generate logs about creating, deleting territories and inviting players
000037 |
000038 |     bool Killfeed;               //!< If enabled, generate logs based on the killfeed module
000039 |
000040 |     bool SpawnSelection;         //!< If enabled, generate logs when the player spawn
000041 |
000042 |     bool Party;                  //!< If enabled, generate logs when the player create a party or invite someone
000043 |
000044 |     bool MissionAirdrop;         //!< If enabled, generate logs of spawned airdrops from missions or player called
000045 |     //bool MissionHorde;         //!< Will log Horde missions
000046 |
000047 |     bool Chat;                   //!< If enabled, generate logs of the chat
000048 |
000049 |     bool Market;                 //!< If enabled, generate logs for market system actions by all players
000050 |     bool ATM;                    //!< If enabled, generate logs for ATM system actions by all players
000051 |
000052 |     bool AIGeneral;              // If enabled, generate logs about AI. This logs will be non specific
000053 |     bool AIPatrol;              // If enabled, generate logs about AI Patrols
000054 |     bool AIObjectPatrol;         // If enabled, generate logs about AI Crash Patrols
000055 |
000056 |     bool LogToScripts;           // Should the prints be logged in the scripts logs ?
000057 |     bool LogToADM;              // Should the prints be logged in the ADM logs ?
000058 |
000059 |     bool Hardline;              //!< If enabled, generate logs for market system actions by all players
000060 |
000061 |     bool Garage;                 //!< If enabled, generate logs for garage module events.
000062 |     bool VehicleCover;          //!< If enabled, generate logs for vehicle-cover actions.
000063 |
000064 |     bool EntityStorage;          //!< If enabled, generate logs for entity-storage actions.
000065 |
000066 |     bool Quests;
000067 |
000068 |     [NonSerialized()]
000069 |     private string m_FileName;
000070 |
000071 |     [NonSerialized()]
000072 |     private FileHandle m_FileLog;
000073 |
000074 |     [NonSerialized()]
000075 |     private bool m_IsLoaded;
000076 |
000077 |     // -----
000078 |     void ExpansionLogSettings()
000079 |     {
000080 |     }
000081 |
000082 |     // -----
000083 |     override bool OnRecieve( ParamsReadContext ctx )
000084 |     {
000085 |         //Not sent to client under normal operation
000086 |         m_IsLoaded = true;
000087 |
000088 |         ExpansionLogSettings setting;
000089 |         if ( !ctx.Read( setting ) )
000090 |         {
000091 |             Error("ExpansionLogSettings::OnRecieve setting");
000092 |             return false;
000093 |         }
000094 |     }
```

```
000095 |         CopyInternal( setting );
000096 |
000097 |         m_IsLoaded = true;
000098 |
000099 |         ExpansionSettings.SI_Log.Invoke();
000100 |
000101 |         return true;
000102 |     }
000103 |
000104 |     override void OnSend( ParamsWriteContext ctx )
000105 |     {
000106 |         ExpansionLogSettings thisSetting = this;
000107 |
000108 |         ctx.Write( thisSetting );
000109 |     }
000110 |
000111 |     // -----
000112 |     override int Send( PlayerIdentity identity )
000113 |     {
000114 |         //Not sent to client
000115 |     }
000116 |
000117 |     // -----
000118 |     override bool Copy( ExpansionSettingBase setting )
000119 |     {
000120 |         ExpansionLogSettings s;
000121 |         if ( !Class.CastTo( s, setting ) )
000122 |             return false;
000123 |
000124 |         CopyInternal( s );
000125 |         return true;
000126 |     }
000127 |
000128 |     // -----
000129 |     private void CopyInternal( ExpansionLogSettings s )
000130 |     {
000131 |         Safezone = s.Safezone;
000132 |         ExplosionDamageSystem = s.ExplosionDamageSystem;
000133 |
000134 |         VehicleCarKey = s.VehicleCarKey;
000135 |         VehicleTowing = s.VehicleTowing;
000136 |         VehicleLockPicking = s.VehicleLockPicking;
000137 |         VehicleDestroyed = s.VehicleDestroyed;
000138 |         VehicleAttachments = s.VehicleAttachments;
000139 |         VehicleEnter = s.VehicleEnter;
000140 |         VehicleLeave = s.VehicleLeave;
000141 |         VehicleDeleted = s.VehicleDeleted;
000142 |         VehicleEngine = s.VehicleEngine;
000143 |
000144 |         BaseBuildingRaiding = s.BaseBuildingRaiding;
000145 |         CodeLockRaiding = s.CodeLockRaiding;
000146 |         Territory = s.Territory;
000147 |
000148 |         Killfeed = s.Killfeed;
000149 |
000150 |         SpawnSelection = s.SpawnSelection;
000151 |
000152 |         MissionAirdrop = s.MissionAirdrop;
000153 |         //MissionHorde = s.MissionHorde;
000154 |
000155 |         Party = s.Party;
000156 |     }
```

```
000157 | Chat = s.Chat;
000158 |
000159 | Market = s.Market;
000160 | ATM = s.ATM;
000161 |
000162 | Hardline = s.Hardline;
000163 |
000164 | AIGeneral = s.AIGeneral;
000165 | AIPatrol = s.AIPatrol;
000166 | AIObjectPatrol = s.AIObjectPatrol;
000167 |
000168 | AdminTools = s.AdminTools;
000169 |
000170 | LogToScripts = s.LogToScripts;
000171 | LogToADM = s.LogToADM;
000172 |
000173 | Garage = s.Garage;
000174 | VehicleCover = s.VehicleCover;
000175 |
000176 | EntityStorage = s.EntityStorage;
000177 | }
000178 |
000179 | // -----
000180 | override bool IsLoaded()
000181 | {
000182 |     return m_IsLoaded;
000183 | }
000184 |
000185 | // -----
000186 | override void Unload()
000187 | {
000188 |     m_IsLoaded = false;
000189 | }
000190 |
000191 | // -----
000192 | override bool OnLoad()
000193 | {
000194 |     m_IsLoaded = true;
000195 |
000196 |     m_FileName = EXPANSION_LOG_FOLDER + "\\\" + "ExpLog_" + ExpansionStatic.GetISODateTime(false, "_", "-") + ".log";
000197 |
000198 |     bool save;
000199 |
000200 |     bool logSettingsExist = FileExist(EXPANSION_LOG_SETTINGS);
000201 |
000202 |     if (logSettingsExist)
000203 |     {
000204 |         EXPrint("[ExpansionLogSettings] Load existing setting file:" + EXPANSION_LOG_SETTINGS);
000205 |
000206 |         ExpansionLogSettings settingsDefault = new ExpansionLogSettings;
000207 |         settingsDefault.Defaults();
000208 |
000209 |         JsonFileLoader<ExpansionLogSettings>.JsonLoadFile(EXPANSION_LOG_SETTINGS, this);
000210 |
000211 |         if (m_Version < VERSION)
000212 |         {
000213 |             EXPrint("[ExpansionLogSettings] Load - Converting v" + m_Version + " \" + EXPANSION_LOG_SETTINGS + "\" to v" + VERSION);
000214 |
000215 |             if (m_Version < 2)
000216 |             {
000217 |                 ///! New with v2
000218 |                 LogToScripts = settingsDefault.LogToScripts;
```

```
000219 |         LogToADM = settingsDefault.LogToADM;
000220 |
000221 |         VehicleDestroyed = settingsDefault.VehicleDestroyed;
000222 |     }
000223 |
000224 |     if (m_Version < 3)
000225 |     {
000226 |         AIGeneral = settingsDefault.AIGeneral;
000227 |         AIPatrol = settingsDefault.AIPatrol;
000228 |     }
000229 |
000230 |     if (m_Version < 4)
000231 |     {
000232 |         AIObjectPatrol = settingsDefault.AIObjectPatrol;
000233 |     }
000234 |
000235 |     if (m_Version < 5)
000236 |     {
000237 |         ExplosionDamageSystem = settingsDefault.ExplosionDamageSystem;
000238 |     }
000239 |
000240 |     if (m_Version < 6)
000241 |     {
000242 |         VehicleAttachments = settingsDefault.VehicleAttachments;
000243 |         VehicleEnter = settingsDefault.VehicleEnter;
000244 |         VehicleLeave = settingsDefault.VehicleLeave;
000245 |         VehicleDeleted = settingsDefault.VehicleDeleted;
000246 |         VehicleEngine = settingsDefault.VehicleEngine;
000247 |     }
000248 |
000249 |     if (m_Version < 7)
000250 |     {
000251 |         Garage = settingsDefault.Garage;
000252 |         VehicleCover = settingsDefault.VehicleCover;
000253 |     }
000254 |
000255 |     if (m_Version < 7)
000256 |     {
000257 |         EntityStorage = settingsDefault.EntityStorage;
000258 |     }
000259 |
000260 |     if (m_Version < 8)
000261 |     {
000262 |         Quests = settingsDefault.Quests;
000263 |     }
000264 |
000265 |     m_Version = VERSION;
000266 |     save = true;
000267 | }
000268 |
000269 | else
000270 | {
000271 |     EXPrint("[ExpansionLogSettings] No existing setting file:" + EXPANSION_LOG_SETTINGS + ". Creating defaults!");
000272 |     Defaults();
000273 |     save = true;
000274 | }
000275 |
000276 | if (save)
000277 |     Save();
000278 |
000279 | return logSettingsExist;
000280 | }
```

```
000281 |
000282 | // -----
000283 | override bool OnSave()
000284 | {
000285 |     Print("[ExpansionLogSettings] Saving settings");
000286 |
000287 |     JsonFileLoader<ExpansionLogSettings>.JsonSaveFile( EXPANSION_LOG_SETTINGS, this );
000288 |
000289 |     return true;
000290 | }
000291 |
000292 | // -----
000293 | override void Update( ExpansionSettingBase setting )
000294 | {
000295 |     super.Update( setting );
000296 |
000297 |     ExpansionSettings.SI_Log.Invoke();
000298 | }
000299 |
000300 | // -----
000301 | override void Defaults()
000302 | {
000303 |     m_Version = VERSION;
000304 |
000305 |     Safezone = true;
000306 |     AdminTools = true;
000307 |     ExplosionDamageSystem = true;
000308 |
000309 |     LogToScripts = false;
000310 |     LogToADM = false;
000311 |
000312 |     VehicleDestroyed = true;
000313 |     VehicleCarKey = true;
000314 |     VehicleTowing = true;
000315 |     VehicleLockPicking = true;
000316 |     VehicleAttachments = true;
000317 |     VehicleEnter = true;
000318 |     VehicleLeave = true;
000319 |     VehicleDeleted = true;
000320 |     VehicleEngine = true;
000321 |
000322 |     BaseBuildingRaiding = true;
000323 |     CodeLockRaiding = true;
000324 |     Territory = true;
000325 |
000326 |     Killfeed = true;
000327 |
000328 |     SpawnSelection = true;
000329 |
000330 |     MissionAirdrop = true;
000331 |     //MissionHorde = true;
000332 |
000333 |     Party = true;
000334 |
000335 |     Chat = true;
000336 |
000337 |     AIGeneral = true;
000338 |     AIPatrol = true;
000339 |     AIObjectPatrol = true;
000340 |
000341 |     Market = true;
000342 |     ATM = true;
```

```
000343 |
000344 |         Hardline = true;
000345 |
000346 |         Garage = true;
000347 |         VehicleCover = true;
000348 |
000349 |         EntityStorage = true;
000350 |
000351 |         Quests = true;
000352 |     }
000353 |
000354 |     override string SettingName()
000355 |     {
000356 |         return "Log Settings";
000357 |     }
000358 |
000359 |     void PrintLog(string text, string param1 = string.Empty, string param2 = string.Empty, string param3 = string.Empty, string param4 = string.Empty, string para
m5 = string.Empty, string param6 = string.Empty, string param7 = string.Empty, string param8 = string.Empty, string param9 = string.Empty)
000360 |     {
000361 |         if ( !FileExist( EXPANSION_LOG_FOLDER ) )
000362 |         {
000363 |             ExpansionStatic.MakeDirectoryRecursive( EXPANSION_LOG_FOLDER );
000364 |         }
000365 |
000366 |         string output = ExpansionStatic.GetISOTime() + " " + string.Format(text, param1, param2, param3, param4, param5, param6, param7, param8, param9);
000367 |
000368 |         if (LogToScripts || LogToADM)
000369 |         {
000370 |             if (LogToScripts)
000371 |             {
000372 |                 Print(output);
000373 |             }
000374 |             if (LogToADM)
000375 |             {
000376 |                 g_Game.AdminLog(output);
000377 |             }
000378 |         } else {
000379 |             if (!FileExist( m_FileName ))
000380 |                 m_FileLog = OpenFile(m_FileName, FileMode.WRITE);
000381 |             else
000382 |                 m_FileLog = OpenFile(m_FileName, FileMode.APPEND);
000383 |             FPrintln(m_FileLog, output);
000384 |             CloseFile(m_FileLog);
000385 |         }
000386 |     }
000387 |
000388 |     void PrintLog(string fmt, Class p1, Class p2 = null, Class p3 = null, Class p4 = null, Class p5 = null, Class p6 = null, Class p7 = null, Class p8 = null, Cla
ss p9 = null)
000389 |     {
000390 |         PrintLog(ExpansionStatic.FormatString(fmt, p1, p2, p3, p4, p5, p6, p7, p8, p9));
000391 |     }
000392 | };
```


0106. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Monitoring\ExpansionMonitoringSettings.c

Size bytes: 3513

SHA-256: 1dcc8b0bc0c3b1042ba5db8295e8d3cab8132fe13bfaa79c14b836ef6e9ad821

Decoded as: utf-8-sig

Line count shown: 159

Detected class declarations: 1

L16: class ExpansionMonitoringSettings: ExpansionSettingBase

Detected enum declarations: 0

Detected function/method-like declarations: 13

L26: void ExpansionMonitoringSettings()

L31: override bool OnRecieve(ParamsReadContext ctx)

L44: override void OnSend(ParamsWriteContext ctx)

L50: override int Send(PlayerIdentity identity)

L65: override bool Copy(ExpansionSettingBase setting)

L76: private void CopyInternal(ExpansionMonitoringSettings s)

L82: override bool IsLoaded()

L88: override void Unload()

L94: override bool OnLoad()

L122: override bool OnSave()

L132: override void Update(ExpansionSettingBase setting)

L138: override void Defaults()

L155: override string SettingName()

Full file content

```

000001 | /**
000002 |  * ExpansionMonitoringSettings.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionMonitoringSettings
000014 |  * @brief      Vehicle settings class
000015 |  */
000016 | class ExpansionMonitoringSettings: ExpansionSettingBase
000017 | {
000018 |     static const int VERSION = 1;
000019 |
000020 |     bool Enabled;
000021 |
000022 |     [NonSerialized()]
000023 |     private bool m_IsLoaded;
000024 |
000025 |     // -----
000026 |     void ExpansionMonitoringSettings()
000027 |     {
000028 |     }
000029 |
000030 |     // -----
000031 |     override bool OnRecieve( ParamsReadContext ctx )
000032 |     {
000033 |         if (!ctx.Read(Enabled))
000034 |         {

```

```
000035 |         Error(Classname() + "::OnRecieve Enabled");
000036 |         return false;
000037 |     }
000038 |
000039 |     m_IsLoaded = true;
000040 |
000041 |     return true;
000042 | }
000043 |
000044 | override void OnSend( ParamsWriteContext ctx )
000045 | {
000046 |     ctx.Write(Enabled);
000047 | }
000048 |
000049 | // -----
000050 | override int Send( PlayerIdentity identity )
000051 | {
000052 |     if ( !IsMissionHost() )
000053 |     {
000054 |         return 0;
000055 |     }
000056 |
000057 |     auto rpc = CreateRPC();
000058 |     OnSend( rpc );
000059 |     rpc.Expansion_Send(true, identity);
000060 |
000061 |     return 0;
000062 | }
000063 |
000064 | // -----
000065 | override bool Copy( ExpansionSettingBase setting )
000066 | {
000067 |     ExpansionMonitoringSettings s;
000068 |     if ( !Class.CastTo( s, setting ) )
000069 |         return false;
000070 |
000071 |     CopyInternal( s );
000072 |     return true;
000073 | }
000074 |
000075 | // -----
000076 | private void CopyInternal( ExpansionMonitoringSettings s )
000077 | {
000078 |     Enabled = s.Enabled;
000079 | }
000080 |
000081 | // -----
000082 | override bool IsLoaded()
000083 | {
000084 |     return m_IsLoaded;
000085 | }
000086 |
000087 | // -----
000088 | override void Unload()
000089 | {
000090 |     m_IsLoaded = false;
000091 | }
000092 |
000093 | // -----
000094 | override bool OnLoad()
000095 | {
000096 |     m_IsLoaded = true;
```

```
000097 |
000098 |         bool save;
000099 |
000100 |         bool settingsExist = FileExist(EXPANSION_MONITORING_SETTINGS);
000101 |
000102 |         if (settingsExist)
000103 |         {
000104 |             EXPrint("[ExpansionMonitoringSettings] Load existing setting file:" + EXPANSION_MONITORING_SETTINGS);
000105 |
000106 |             JsonFileLoader<ExpansionMonitoringSettings>.JsonLoadFile( EXPANSION_MONITORING_SETTINGS, this );
000107 |         }
000108 |     else
000109 |     {
000110 |         EXPrint("[ExpansionMonitoringSettings] No existing setting file:" + EXPANSION_MONITORING_SETTINGS + ". Creating defaults!");
000111 |         Defaults();
000112 |         save = true;
000113 |     }
000114 |
000115 |     if (save)
000116 |         Save();
000117 |
000118 |     return settingsExist;
000119 | }
000120 |
000121 | // -----
000122 | override bool OnSave()
000123 | {
000124 |     Print("[ExpansionMonitoringSettings] Saving settings");
000125 |
000126 |     JsonFileLoader<ExpansionMonitoringSettings>.JsonSaveFile( EXPANSION_MONITORING_SETTINGS, this );
000127 |
000128 |     return true;
000129 | }
000130 |
000131 | // -----
000132 | override void Update( ExpansionSettingBase setting )
000133 | {
000134 |     super.Update( setting );
000135 | }
000136 |
000137 | // -----
000138 | override void Defaults()
000139 | {
000140 |     m_Version = VERSION;
000141 |
000142 | #ifdef EXPANSIONMOD
000143 |     Enabled = true;
000144 | #endif
000145 |
000146 | #ifdef EXPANSIONMODBOOK
000147 |     Enabled = true;
000148 | #endif
000149 |
000150 | #ifdef EXPANSIONMODGROUPS
000151 |     Enabled = true;
000152 | #endif
000153 | }
000154 |
000155 | override string SettingName()
000156 | {
000157 |     return "Monitoring Settings";
000158 | }
```

000159 | };

0107. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Notifications\ExpansionAnnouncementType.c
Size bytes: 438
SHA-256: 148b35bdff2f3256f80c9b856661542190fb108cec0435001dcc410d3a87b81e
Decoded as: utf-8-sig
Line count shown: 18
Detected class declarations: 0
Detected enum declarations: 1
 L13: enum ExpansionAnnouncementType
Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionAnnouncementType.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum ExpansionAnnouncementType
000014 | {
000015 |     CHAT = 0,
000016 |     NOTIFICATION,
000017 |     MUTEDNOTIFICATION
000018 | };
```

0108. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Notifications\ExpansionNotificationSettings.c
Size bytes: 11824
SHA-256: bd6c69b3b8a8d3939427d7a9fcd2759c1fc151192d6d27e0eedfef41099eb702
Decoded as: utf-8-sig
Line count shown: 407
Detected class declarations: 2
  L16: class ExpansionNotificationSettingsBase: ExpansionSettingBase
  L86: class ExpansionNotificationSettings: ExpansionNotificationSettingsBase
Detected enum declarations: 0
Detected function/method-like declarations: 14
  L100: void ExpansionNotificationSettings()
  L105: override bool OnRecieve( ParamsReadContext ctx )
  L127: override void OnSend( ParamsWriteContext ctx )
  L135: override int Send( PlayerIdentity identity )
  L154: override bool Copy( ExpansionSettingBase setting )
  L165: private void CopyInternal( ExpansionNotificationSettings s )
  L178: private void CopyInternal( ExpansionNotificationSettingsBase s )
  L235: override bool IsLoaded()
  L241: override void Unload()
  L247: override bool OnLoad()
  L317: override bool OnSave()
  L327: override void Update( ExpansionSettingBase setting )
  L335: override void Defaults()
  L403: override string SettingName()

```

Full file content

```

000001 | /**
000002 |  * ExpansionNotificationSettings.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | /**@class      ExpansionNotificationSettingsBase
000014 |  * @brief      Map settings base class
000015 |  **/
000016 | class ExpansionNotificationSettingsBase: ExpansionSettingBase
000017 | {
000018 |     bool EnableNotification;
000019 |     bool ShowPlayerJoinServer;
000020 |     ExpansionAnnouncementType JoinMessageType;
000021 |     bool ShowPlayerLeftServer;
000022 |     ExpansionAnnouncementType LeftMessageType;
000023 |
000024 |     bool ShowAirdropStarted;
000025 |     bool ShowAirdropClosingOn;
000026 |     bool ShowAirdropDropped;
000027 |     bool ShowAirdropEnded;
000028 |
000029 |     bool ShowPlayerAirdropStarted;
000030 |     bool ShowPlayerAirdropClosingOn;
000031 |     bool ShowPlayerAirdropDropped;
000032 |

```

```
000033 | #ifdef EXPANSION_MISSION_AI_ENABLE
000034 | bool ShowAIMissionStarted;
000035 | bool ShowAIMissionAction;
000036 | bool ShowAIMissionEnded;
000037 | #endif
000038 |
000039 | bool ShowTerritoryNotifications;          //!< Show the notifications when entering or leaving territory.
000040 |
000041 | bool EnableKillFeed;
000042 | ExpansionAnnouncementType KillFeedMessageType;
000043 | bool KillFeedFall;
000044 | bool KillFeedCarHitDriver;
000045 | bool KillFeedCarHitNoDriver;
000046 | bool KillFeedCarCrash;
000047 | bool KillFeedCarCrashCrew;
000048 |
000049 | bool KillFeedHeliHitDriver;
000050 | bool KillFeedHeliHitNoDriver;
000051 | bool KillFeedHeliCrash;
000052 | bool KillFeedHeliCrashCrew;
000053 | bool KillFeedBoatHitDriver;
000054 | bool KillFeedBoatHitNoDriver;
000055 | bool KillFeedBoatCrash;
000056 | bool KillFeedBoatCrashCrew;
000057 | /*bool KillFeedPlaneHitDriver;
000058 | bool KillFeedPlaneHitNoDriver;
000059 | bool KillFeedBikeHitDriver;
000060 | bool KillFeedBikeHitNoDriver;*/
000061 |
000062 | bool KillFeedBarbedWire;
000063 | bool KillFeedFire;
000064 | bool KillFeedWeaponExplosion;
000065 | bool KillFeedDehydration;
000066 | bool KillFeedStarvation;
000067 | bool KillFeedBleeding;
000068 | bool KillFeedStatusEffects;
000069 | bool KillFeedSuicide;
000070 | bool KillFeedWeapon;
000071 | bool KillFeedMeleeWeapon;
000072 | bool KillFeedBarehands;
000073 | bool KillFeedInfected;
000074 | bool KillFeedAnimal;
000075 | bool KillFeedAI;
000076 | bool KillFeedDrowned;
000077 | bool KillFeedKilledUnknown;
000078 | bool KillFeedDiedUnknown;
000079 |
000080 | bool EnableKillFeedDiscordMsg;
000081 | }
000082 |
000083 | /**@class      ExpansionNotificationSettings
000084 | * @brief      Notification settings class
000085 | **/
000086 | class ExpansionNotificationSettings: ExpansionNotificationSettingsBase
000087 | {
000088 |     static const int VERSION = 5;
000089 |
000090 |     //!< These are not implemented, uncomment once done
000091 |     //bool ShowVictimOnKillFeed;
000092 |     //bool ShowDistanceOnKillFeed;
000093 |     //bool ShowKillerOnKillFeed;
000094 |     //bool ShowWeaponOnKillFeed;
```

```
000095 |
000096 |     [NonSerialized()]
000097 |     private bool m_IsLoaded;
000098 |
000099 |     // -----
000100 |     void ExpansionNotificationSettings()
000101 |     {
000102 |     }
000103 |
000104 |     // -----
000105 |     override bool OnRecieve( ParamsReadContext ctx )
000106 |     {
000107 | #ifdef EXPANSIONTRACE
000108 |         auto trace = CF_Trace_1(ExpansionTracing.SETTINGS, this, "OnRecieve").Add(ctx);
000109 | #endif
000110 |
000111 |         ExpansionNotificationSettings setting;
000112 |         if ( !ctx.Read( setting ) )
000113 |         {
000114 |             Error("ExpansionNotificationSettings::OnRecieve setting");
000115 |             return false;
000116 |         }
000117 |
000118 |         CopyInternal( setting );
000119 |
000120 |         m_IsLoaded = true;
000121 |
000122 |         ExpansionSettings.SI_Notification.Invoke();
000123 |
000124 |         return true;
000125 |     }
000126 |
000127 |     override void OnSend( ParamsWriteContext ctx )
000128 |     {
000129 |         ExpansionNotificationSettings thisSetting = this;
000130 |
000131 |         ctx.Write( thisSetting );
000132 |     }
000133 |
000134 |     // -----
000135 |     override int Send( PlayerIdentity identity )
000136 |     {
000137 | #ifdef EXPANSIONTRACE
000138 |         auto trace = CF_Trace_1(ExpansionTracing.SETTINGS, this, "Send").Add(identity);
000139 | #endif
000140 |
000141 |         if ( !IsMissionHost() )
000142 |         {
000143 |             return 0;
000144 |         }
000145 |
000146 |         auto rpc = CreateRPC();
000147 |         OnSend( rpc );
000148 |         rpc.Expansion_Send(true, identity);
000149 |
000150 |         return 0;
000151 |     }
000152 |
000153 |     // -----
000154 |     override bool Copy( ExpansionSettingBase setting )
000155 |     {
000156 |         ExpansionNotificationSettings s;
```



```
000157 |         if ( !Class.CastTo( s, setting ) )
000158 |             return false;
000159 |
000160 |         CopyInternal( s );
000161 |         return true;
000162 |     }
000163 |
000164 |     // -----
000165 |     private void CopyInternal( ExpansionNotificationSettings s )
000166 |     {
000167 |         //! These are not implemented, uncomment once done
000168 |         //ShowDistanceOnKillFeed = s.ShowDistanceOnKillFeed;
000169 |         //ShowVictimOnKillFeed = s.ShowVictimOnKillFeed;
000170 |         //ShowKillerOnKillFeed = s.ShowKillerOnKillFeed;
000171 |         //ShowWeaponOnKillFeed = s.ShowWeaponOnKillFeed;
000172 |
000173 |         ExpansionNotificationSettingsBase sb = s;
000174 |         CopyInternal( sb );
000175 |     }
000176 |
000177 |     // -----
000178 |     private void CopyInternal( ExpansionNotificationSettingsBase s )
000179 |     {
000180 |         EnableNotification = s.EnableNotification;
000181 |         ShowPlayerJoinServer = s.ShowPlayerJoinServer;
000182 |         JoinMessageType = s.JoinMessageType;
000183 |         ShowPlayerLeftServer = s.ShowPlayerLeftServer;
000184 |         LeftMessageType = s.LeftMessageType;
000185 |
000186 |         ShowAirdropStarted = s.ShowAirdropStarted;
000187 |         ShowAirdropClosingOn = s.ShowAirdropClosingOn;
000188 |         ShowAirdropDropped = s.ShowAirdropDropped;
000189 |         ShowAirdropEnded = s.ShowAirdropEnded;
000190 |         ShowPlayerAirdropStarted = s.ShowPlayerAirdropStarted;
000191 |         ShowPlayerAirdropClosingOn = s.ShowPlayerAirdropClosingOn;
000192 |         ShowPlayerAirdropDropped = s.ShowPlayerAirdropDropped;
000193 |
000194 |         ShowTerritoryNotifications = s.ShowTerritoryNotifications;
000195 |
000196 |         EnableKillFeed = s.EnableKillFeed;
000197 |         KillFeedMessageType = s.KillFeedMessageType;
000198 |         KillFeedFall = s.KillFeedFall;
000199 |         KillFeedCarHitDriver = s.KillFeedCarHitDriver;
000200 |         KillFeedCarHitNoDriver = s.KillFeedCarHitNoDriver;
000201 |         KillFeedCarCrash = s.KillFeedCarCrash;
000202 |         KillFeedCarCrashCrew = s.KillFeedCarCrashCrew;
000203 |         KillFeedHeliHitDriver = s.KillFeedHeliHitDriver;
000204 |         KillFeedHeliHitNoDriver = s.KillFeedHeliHitNoDriver;
000205 |         KillFeedHeliCrash = s.KillFeedHeliCrash;
000206 |         KillFeedHeliCrashCrew = s.KillFeedHeliCrashCrew;
000207 |         KillFeedBoatHitDriver = s.KillFeedBoatHitDriver;
000208 |         KillFeedBoatHitNoDriver = s.KillFeedBoatHitNoDriver;
000209 |         KillFeedBoatCrash = s.KillFeedBoatCrash;
000210 |         KillFeedBoatCrashCrew = s.KillFeedBoatCrashCrew;
000211 |         /*KillFeedPlaneHitDriver = s.KillFeedPlaneHitDriver;
000212 |         KillFeedPlaneHitNoDriver = s.KillFeedPlaneHitNoDriver;
000213 |         KillFeedBikeHitDriver = s.KillFeedBikeHitDriver;
000214 |         KillFeedBikeHitNoDriver = s.KillFeedBikeHitNoDriver;*/
000215 |         KillFeedBarbedWire = s.KillFeedBarbedWire;
000216 |         KillFeedFire = s.KillFeedFire;
000217 |         KillFeedWeaponExplosion = s.KillFeedWeaponExplosion;
000218 |         KillFeedDehydration = s.KillFeedDehydration;
```

```
000219 | KillFeedStarvation = s.KillFeedStarvation;
000220 | KillFeedBleeding = s.KillFeedBleeding;
000221 | KillFeedStatusEffects = s.KillFeedStatusEffects;
000222 | KillFeedSuicide = s.KillFeedSuicide;
000223 | KillFeedWeapon = s.KillFeedWeapon;
000224 | KillFeedMeleeWeapon = s.KillFeedMeleeWeapon;
000225 | KillFeedBarehands = s.KillFeedBarehands;
000226 | KillFeedInfected = s.KillFeedInfected;
000227 | KillFeedAnimal = s.KillFeedAnimal;
000228 | KillFeedAI = s.KillFeedAI;
000229 | KillFeedKilledUnknown = s.KillFeedKilledUnknown;
000230 | KillFeedDiedUnknown = s.KillFeedDiedUnknown;
000231 | EnableKillFeedDiscordMsg = s.EnableKillFeedDiscordMsg;
000232 | }
000233 |
000234 | // -----
000235 | override bool IsLoaded()
000236 | {
000237 |     return m_IsLoaded;
000238 | }
000239 |
000240 | // -----
000241 | override void Unload()
000242 | {
000243 |     m_IsLoaded = false;
000244 | }
000245 |
000246 | // -----
000247 | override bool OnLoad()
000248 | {
000249 |     m_IsLoaded = true;
000250 |
000251 |     bool save;
000252 |
000253 |     bool notificationSettingsExist = FileExist(EXPANSION_NOTIFICATION_SETTINGS);
000254 |
000255 |     if (notificationSettingsExist)
000256 |     {
000257 |         EXPrint("[ExpansionNotificationSettings] Load existing setting file:" + EXPANSION_NOTIFICATION_SETTINGS);
000258 |
000259 |         ExpansionNotificationSettings settingsDefault = new ExpansionNotificationSettings;
000260 |         settingsDefault.Defaults();
000261 |
000262 |         ExpansionNotificationSettingsBase settingsBase;
000263 |
000264 |         JsonFileLoader<ExpansionNotificationSettingsBase>.JsonLoadFile(EXPANSION_NOTIFICATION_SETTINGS, settingsBase);
000265 |
000266 |         if (settingsBase.m_Version < VERSION)
000267 |         {
000268 |             if (settingsBase.m_Version < 2)
000269 |             {
000270 |                 EXPrint("[ExpansionNotificationSettings] Load - Converting v1 \" + EXPANSION_NOTIFICATION_SETTINGS + "\" to v" + VERSION);
000271 |
000272 |                 //! New with v2
000273 |                 CopyInternal(settingsDefault);
000274 |             }
000275 |
000276 |             //! Copy over old settings that haven't changed
000277 |             CopyInternal(settingsBase);
000278 |
000279 |             if (settingsBase.m_Version < 3)
000280 |             {
```

```
000281 |             KillFeedBoatHitDriver = settingsDefault.KillFeedBoatHitDriver;
000282 |             KillFeedBoatHitNoDriver = settingsDefault.KillFeedBoatHitNoDriver;
000283 |         }
000284 |
000285 |         if (settingsBase.m_Version < 4)
000286 |         {
000287 |             KillFeedStatusEffects = settingsDefault.KillFeedStatusEffects;
000288 |         }
000289 |
000290 |         if (settingsBase.m_Version < 5)
000291 |         {
000292 |             KillFeedAI = settingsDefault.KillFeedAI;
000293 |         }
000294 |
000295 |         m_Version = VERSION;
000296 |         save = true;
000297 |     }
000298 |     else
000299 |     {
000300 |         JsonFileLoader<ExpansionNotificationSettings>.JsonLoadFile(EXPANSION_NOTIFICATION_SETTINGS, this);
000301 |     }
000302 | }
000303 | else
000304 | {
000305 |     EXPrint("[ExpansionNotificationSettings] No existing setting file:" + EXPANSION_NOTIFICATION_SETTINGS + ". Creating defaults!");
000306 |     Defaults();
000307 |     save = true;
000308 | }
000309 |
000310 | if (save)
000311 |     Save();
000312 |
000313 | return notificationSettingsExist;
000314 | }
000315 |
000316 | // -----
000317 | override bool OnSave()
000318 | {
000319 |     Print("[ExpansionNotificationSettings] Saving settings");
000320 |
000321 |     JsonFileLoader<ExpansionNotificationSettings>.JsonSaveFile( EXPANSION_NOTIFICATION_SETTINGS, this );
000322 |
000323 |     return true;
000324 | }
000325 |
000326 | // -----
000327 | override void Update( ExpansionSettingBase setting )
000328 | {
000329 |     super.Update( setting );
000330 |
000331 |     ExpansionSettings.SI_Notification.Invoke();
000332 | }
000333 |
000334 | // -----
000335 | override void Defaults()
000336 | {
000337 |     m_Version = VERSION;
000338 |
000339 |     EnableNotification = true;
000340 |
000341 |     ShowPlayerJoinServer = true;
000342 |     JoinMessageType = ExpansionAnnouncementType.NOTIFICATION;
```

```
000343 |     ShowPlayerLeftServer = true;
000344 |     LeftMessageType = ExpansionAnnouncementType.NOTIFICATION;
000345 |
000346 |     ShowAirdropStarted = true;
000347 |     ShowAirdropClosingOn = true;
000348 |     ShowAirdropDropped = true;
000349 |     ShowAirdropEnded = true;
000350 |     ShowPlayerAirdropStarted = true;
000351 |     ShowPlayerAirdropClosingOn = true;
000352 |     ShowPlayerAirdropDropped = true;
000353 |
000354 |     ShowTerritoryNotifications = true;
000355 |
000356 |     EnableKillFeed = true;
000357 |     KillFeedMessageType = ExpansionAnnouncementType.NOTIFICATION;
000358 |
000359 |     //! These are not implemented, uncomment once done
000360 |     //ShowDistanceOnKillFeed = true;
000361 |     //ShowVictimOnKillFeed = true;
000362 |     //ShowKillerOnKillFeed = true;
000363 |     //ShowWeaponOnKillFeed = true;
000364 |
000365 |     KillFeedFall = true;
000366 |     KillFeedCarHitDriver = true;
000367 |     KillFeedCarHitNoDriver = true;
000368 |     KillFeedCarCrash = true;
000369 |     KillFeedCarCrashCrew = true;
000370 |     KillFeedHeliHitDriver = true;
000371 |     KillFeedHeliHitNoDriver = true;
000372 |     KillFeedHeliCrash = true;
000373 |     KillFeedHeliCrashCrew = true;
000374 |     KillFeedBoatHitDriver = true;
000375 |     KillFeedBoatHitNoDriver = true;
000376 |     KillFeedBoatCrash = true;
000377 |     KillFeedBoatCrashCrew = true;
000378 |     /*KillFeedPlaneHitDriver = true;
000379 |     KillFeedPlaneHitNoDriver = true;
000380 |     KillFeedBikeHitDriver = true;
000381 |     KillFeedBikeHitNoDriver = true;*/
000382 |     KillFeedBarbedWire = true;
000383 |     KillFeedFire = true;
000384 |     KillFeedWeaponExplosion = true;
000385 |     KillFeedDehydration = true;
000386 |     KillFeedStarvation = true;
000387 |     KillFeedBleeding = true;
000388 |     KillFeedStatusEffects = true;
000389 |     KillFeedSuicide = true;
000390 |     KillFeedWeapon = true;
000391 |     KillFeedMeleeWeapon = true;
000392 |     KillFeedBarehands = true;
000393 |     KillFeedInfected = true;
000394 |     KillFeedAnimal = true;
000395 |     KillFeedAI = true;
000396 |     KillFeedKilledUnknown = true;
000397 |     KillFeedDiedUnknown = true;
000398 |
000399 |     EnableKillFeedDiscordMsg = false;
000400 | }
000401 |
000402 | // -----
000403 | override string SettingName()
000404 | {
```

```
000405 |         return "Notification Settings";
000406 |     }
000407 | };
```

0109. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZoneCircle.c

Size bytes: 742

SHA-256: 5819d3bab6d5266d5a424b283ca30b9f6e586d8e9495ef80a6398598625947de

Decoded as: utf-8-sig

Line count shown: 32

Detected class declarations: 1

L16: class ExpansionSafeZoneCircle: ExpansionSafeZoneElement

Detected enum declarations: 0

Detected function/method-like declarations: 3

L21: void ExpansionSafeZoneCircle(vector center, float radius)

L27: override ExpansionZone Create()

L29: return new ExpansionZoneCircle(ExpansionZoneType.SAFE, Center, Radius);

Full file content

```
000001 | /**
000002 |  * ExpansionSafeZoneCircle.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionSafeZoneCircle
000014 |  * @brief
000015 |  */
000016 | class ExpansionSafeZoneCircle: ExpansionSafeZoneElement
000017 | {
000018 |     vector Center;
000019 |     float Radius;
000020 |
000021 |     void ExpansionSafeZoneCircle( vector center, float radius )
000022 |     {
000023 |         this.Center = center;
000024 |         this.Radius = radius;
000025 |     }
000026 |
000027 |     override ExpansionZone Create()
000028 |     {
000029 |         return new ExpansionZoneCircle(ExpansionZoneType.SAFE, Center, Radius);
000030 |     }
000031 | };
000032 |
```

0110. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZoneCylinder.c

Size bytes: 798

SHA-256: f58423573f8a8b4157a866bd60cbcb1808da9e564c4a46d8de159a14ee00fae4

Decoded as: utf-8-sig

Line count shown: 34

Detected class declarations: 1

L16: class ExpansionSafeZoneCylinder: ExpansionSafeZoneElement

Detected enum declarations: 0

Detected function/method-like declarations: 3

L22: void ExpansionSafeZoneCylinder(vector center, float radius, float height)

L29: override ExpansionZone Create()

L31: return new ExpansionZoneCylinder(ExpansionZoneType.SAFE, Center, Radius, Height);

Full file content

```
000001 | /**
000002 |  * ExpansionSafeZoneCylinder.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionSafeZoneCylinder
000014 |  * @brief
000015 |  */
000016 | class ExpansionSafeZoneCylinder: ExpansionSafeZoneElement
000017 | {
000018 |     vector Center;
000019 |     float Radius;
000020 |     float Height;
000021 |
000022 |     void ExpansionSafeZoneCylinder(vector center, float radius, float height)
000023 |     {
000024 |         Center = center;
000025 |         Radius = radius;
000026 |         Height = height;
000027 |     }
000028 |
000029 |     override ExpansionZone Create()
000030 |     {
000031 |         return new ExpansionZoneCylinder(ExpansionZoneType.SAFE, Center, Radius, Height);
000032 |     }
000033 | };
000034 |
```

0111. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZoneElement.c

Size bytes: 504

SHA-256: 6788342003437795d11136fc0b0ffd582ecfcce0665e19b9bbbd4894b46acb99

Decoded as: utf-8-sig

Line count shown: 23

Detected class declarations: 1

L16: class ExpansionSafeZoneElement : Managed

Detected enum declarations: 0

Detected function/method-like declarations: 1

L18: ExpansionZone Create()

Full file content

```
000001 | /**
000002 |  * ExpansionSafeZoneElement.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionSafeZoneElement
000014 |  * @brief
000015 |  */
000016 | class ExpansionSafeZoneElement : Managed
000017 | {
000018 |     ExpansionZone Create()
000019 |     {
000020 |         return null;
000021 |     }
000022 | };
000023 |
```


0112. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZonePolygon.c

Size bytes: 713

SHA-256: 62cc49079ee6a9df40f54ef5e8dc58954575de5286d74fd712e9f6e10a3df282

Decoded as: utf-8-sig

Line count shown: 30

Detected class declarations: 1

L16: class ExpansionSafeZonePolygon : ExpansionSafeZoneElement

Detected enum declarations: 0

Detected function/method-like declarations: 3

L20: void ExpansionSafeZonePolygon(TVectorArray positions)

L25: override ExpansionZone Create()

L27: return new ExpansionZonePolygon(ExpansionZoneType.SAFE, Positions);

Full file content

```
000001 | /**
000002 |  * ExpansionSafeZonePolygon.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionSafeZonePolygon
000014 |  * @brief
000015 |  */
000016 | class ExpansionSafeZonePolygon : ExpansionSafeZoneElement
000017 | {
000018 |     autoptr TVectorArray Positions;
000019 |
000020 |     void ExpansionSafeZonePolygon(TVectorArray positions)
000021 |     {
000022 |         Positions = positions;
000023 |     }
000024 |
000025 |     override ExpansionZone Create()
000026 |     {
000027 |         return new ExpansionZonePolygon(ExpansionZoneType.SAFE, Positions);
000028 |     }
000029 | };
000030 |
```

0113. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZoneSettings.c

Size bytes: 9690

SHA-256: 7e738722bbffbf99c29b99c8c0aa0a2813923f6f33899e51d37bc9c0baf8cb18

Decoded as: utf-8-sig

Line count shown: 336

Detected class declarations: 3

L16: class ExpansionSafeZoneSettingsBase: ExpansionSettingBase

L27: class ExpansionSafeZoneSettingsV0: ExpansionSafeZoneSettingsBase

L35: class ExpansionSafeZoneSettings: ExpansionSafeZoneSettingsBase

Detected enum declarations: 0

Detected function/method-like declarations: 16

L53: void ExpansionSafeZoneSettings() {};

L56: override bool OnRecieve(ParamsReadContext ctx)

L79: override void OnSend(ParamsWriteContext ctx)

L87: override int Send(PlayerIdentity identity)

L93: override bool Copy(ExpansionSettingBase setting)

L104: private void CopyInternal(ExpansionSafeZoneSettings s)

L128: private void CopyInternal(ExpansionSafeZoneSettingsBase s)

L151: override bool IsLoaded()

L157: override void Unload()

L163: override bool OnLoad()

L250: override bool OnSave()

L260: override void Defaults()

L300: void DefaultChernarusSafeZones()

L317: void DefaultNamalskSafeZones()

L323: void DefaultTakistanSafeZones()

L331: override string SettingName()

Full file content

```
000001 | /**
000002 |  * ExpansionSafeZoneSettings.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | /**@class      ExpansionSafeZoneSettingsBase
000014 |  * @brief      Safezone settings base class
000015 |  */
000016 | class ExpansionSafeZoneSettingsBase: ExpansionSettingBase
000017 | {
000018 |     bool Enabled; // Enable Safezone when set to 1
000019 |     int FrameRateCheckSafeZoneInMs; // How often in ms the server need to check if the player is inside a Safezone
000020 |     autoptr array<ref ExpansionSafeZoneCircle> CircleZones = new array< ref ExpansionSafeZoneCircle >;
000021 |     autoptr array<ref ExpansionSafeZonePolygon> PolygonZones = new array< ref ExpansionSafeZonePolygon >;
000022 | }
000023 |
000024 | /**@class      ExpansionSafeZoneSettingsBase
000025 |  * @brief      Safezone settings v0 class
000026 |  */
000027 | class ExpansionSafeZoneSettingsV0: ExpansionSafeZoneSettingsBase
000028 | {
000029 |     bool EnableVehicleInvincibleInsideSafeZone;
```

```
000030 | }
000031 |
000032 | /**@class      ExpansionSafeZoneSettings
000033 | * @brief       SafeZone settings class
000034 | **/
000035 | class ExpansionSafeZoneSettings: ExpansionSafeZoneSettingsBase
000036 | {
000037 |     static const int VERSION = 11;
000038 |
000039 |     autoptr array<ref ExpansionSafeZoneCylinder> CylinderZones = new array< ref ExpansionSafeZoneCylinder >;
000040 |
000041 |     int ActorsPerTick;
000042 |     bool DisablePlayerCollision;
000043 |     bool DisableVehicleDamageInSafeZone;
000044 |     bool EnableForceSZCleanup;
000045 |     float ItemLifetimeInSafeZone;
000046 |     bool EnableForceSZCleanupVehicles;
000047 |     float VehicleLifetimeInSafeZone;
000048 |     autoptr TStringArray ForceSZCleanup_ExcludedItems = new TStringArray;
000049 |
000050 |     [NonSerialized()]
000051 |     private bool m_IsLoaded;
000052 |
000053 |     void ExpansionSafeZoneSettings() {};
000054 |
000055 |     // -----
000056 |     override bool OnRecieve( ParamsReadContext ctx )
000057 |     {
000058 | #ifdef EXPANSIONTRACE
000059 |         auto trace = CF_Trace_1(ExpansionTracing.SETTINGS, this, "OnRecieve").Add(ctx);
000060 | #endif
000061 |
000062 |         //Not sent to client under normal operation
000063 |         m_IsLoaded = true;
000064 |
000065 |         ExpansionSafeZoneSettings setting;
000066 |         if ( !ctx.Read( setting ) )
000067 |         {
000068 |             Error("ExpansionSafeZoneSettings::OnRecieve setting");
000069 |             return false;
000070 |         }
000071 |
000072 |         CopyInternal( setting );
000073 |
000074 |         m_IsLoaded = true;
000075 |
000076 |         return true;
000077 |     }
000078 |
000079 |     override void OnSend( ParamsWriteContext ctx )
000080 |     {
000081 |         ExpansionSafeZoneSettings thisSetting = this;
000082 |
000083 |         ctx.Write( thisSetting );
000084 |     }
000085 |
000086 |     // -----
000087 |     override int Send( PlayerIdentity identity )
000088 |     {
000089 |         //Not sent to client
000090 |     }
000091 |
```

```
000092 | // -----
000093 | override bool Copy( ExpansionSettingBase setting )
000094 | {
000095 |     ExpansionSafeZoneSettings s;
000096 |     if ( !Class.CastTo( s, setting ) )
000097 |         return false;
000098 |
000099 |     CopyInternal( s );
000100 |     return true;
000101 | }
000102 |
000103 | // -----
000104 | private void CopyInternal(ExpansionSafeZoneSettings s)
000105 | {
000106 |     ActorsPerTick = s.ActorsPerTick;
000107 |
000108 |     DisablePlayerCollision = s.DisablePlayerCollision;
000109 |
000110 |     DisableVehicleDamageInSafeZone = s.DisableVehicleDamageInSafeZone;
000111 |     EnableForceSZCleanup = s.EnableForceSZCleanup;
000112 |     ItemLifetimeInSafeZone = s.ItemLifetimeInSafeZone;
000113 |     EnableForceSZCleanupVehicles = s.EnableForceSZCleanupVehicles;
000114 |     VehicleLifetimeInSafeZone = s.VehicleLifetimeInSafeZone;
000115 |
000116 |     CylinderZones.Clear();
000117 |
000118 |     foreach (auto cylinderZone: s.CylinderZones)
000119 |     {
000120 |         CylinderZones.Insert(cylinderZone);
000121 |     }
000122 |
000123 |     ExpansionSafeZoneSettingsBase sb = s;
000124 |     CopyInternal( sb );
000125 | }
000126 |
000127 | // -----
000128 | private void CopyInternal(ExpansionSafeZoneSettingsBase s)
000129 | {
000130 |     int i = 0;
000131 |
000132 |     Enabled = s.Enabled;
000133 |
000134 |     CircleZones.Clear();
000135 |     PolygonZones.Clear();
000136 |
000137 |     foreach (auto circleZone: s.CircleZones)
000138 |     {
000139 |         CircleZones.Insert(circleZone);
000140 |     }
000141 |
000142 |     foreach (auto polygonZone: s.PolygonZones)
000143 |     {
000144 |         PolygonZones.Insert(polygonZone);
000145 |     }
000146 |
000147 |     FrameRateCheckSafeZoneInMs = s.FrameRateCheckSafeZoneInMs;
000148 | }
000149 |
000150 | // -----
000151 | override bool IsLoaded()
000152 | {
000153 |     return m_IsLoaded;
```

```
000154 |     }
000155 |
000156 |     // -----
000157 |     override void Unload()
000158 |     {
000159 |         m_IsLoaded = false;
000160 |     }
000161 |
000162 |     // -----
000163 |     override bool OnLoad()
000164 |     {
000165 |         m_IsLoaded = true;
000166 |
000167 |         //! Move existing settings file over from old location in $profile to new location in $mission
000168 |         string fileNameOld = EXPANSION_SETTINGS_FOLDER + "SafeZoneSettings.json";
000169 |         if (FileExist(fileNameOld))
000170 |             MoveSettings(fileNameOld, EXPANSION_SAFE_ZONES_SETTINGS);
000171 |
000172 |         bool save;
000173 |
000174 |         bool safezoneSettingsExist = FileExist(EXPANSION_SAFE_ZONES_SETTINGS);
000175 |
000176 |         if (safezoneSettingsExist)
000177 |         {
000178 |             ExpansionSafeZoneSettings settingsDefault = new ExpansionSafeZoneSettings;
000179 |             settingsDefault.Defaults();
000180 |
000181 |             ExpansionSafeZoneSettingsBase settingsBase;
000182 |
000183 |             JsonFileLoader<ExpansionSafeZoneSettingsBase>.JsonLoadFile(EXPANSION_SAFE_ZONES_SETTINGS, settingsBase);
000184 |
000185 |             if (settingsBase.m_Version < VERSION)
000186 |             {
000187 |                 EXPrint("[ExpansionSafeZoneSettingsBase] Load - Converting v" + settingsBase.m_Version + " \" + EXPANSION_SAFE_ZONES_SETTINGS + "\" to v" + VERSI
000188 | ON);
000189 |
000190 |                 if (settingsBase.m_Version < 2)
000191 |                 {
000192 |                     ExpansionSafeZoneSettingsV0 settings_v0;
000193 |                     JsonFileLoader<ExpansionSafeZoneSettingsV0>.JsonLoadFile(EXPANSION_SAFE_ZONES_SETTINGS, settings_v0);
000194 |
000195 |                     DisableVehicleDamageInSafeZone = settings_v0.EnableVehicleInvincibleInsideSafeZone;
000196 |
000197 |                     //! Copy over old settings that haven't changed
000198 |                     CopyInternal(settingsBase);
000199 |                 }
000200 |                 else
000201 |                 {
000202 |                     JsonFileLoader<ExpansionSafeZoneSettings>.JsonLoadFile(EXPANSION_SAFE_ZONES_SETTINGS, this);
000203 |                 }
000204 |
000205 |                 if (settingsBase.m_Version < 3)
000206 |                     EnableForceSZCleanup = settingsDefault.EnableForceSZCleanup;
000207 |
000208 |                 if (settingsBase.m_Version < 4)
000209 |                     ItemLifetimeInSafeZone = settingsDefault.ItemLifetimeInSafeZone;
000210 |
000211 |                 if (settingsBase.m_Version < 5)
000212 |                     ForceSZCleanup_ExcludedItems = settingsDefault.ForceSZCleanup_ExcludedItems;
000213 |
000214 |                 if (settingsBase.m_Version < 6)
000215 |                 {
```

```
000215 |         FrameRateCheckSafeZoneInMs = settingsDefault.FrameRateCheckSafeZoneInMs;
000216 |         ActorsPerTick = settingsDefault.ActorsPerTick;
000217 |     }
000218 |
000219 |     if (settingsBase.m_Version < 8)
000220 |         ForceSZCleanup_ExcludedItems.Insert("ExpansionVehicleCover");
000221 |
000222 |     if (settingsBase.m_Version < 9 && !VehicleLifetimeInSafeZone)
000223 |         VehicleLifetimeInSafeZone = settingsDefault.VehicleLifetimeInSafeZone;
000224 |
000225 |     if (settingsBase.m_Version < 11)
000226 |         DisablePlayerCollision = settingsDefault.DisablePlayerCollision;
000227 |
000228 |     m_Version = VERSION;
000229 |     save = true;
000230 | }
000231 | else
000232 | {
000233 |     JsonFileLoader<ExpansionSafeZoneSettings>.JsonLoadFile(EXPANSION_SAFE_ZONES_SETTINGS, this);
000234 | }
000235 | }
000236 | else
000237 | {
000238 |     EXPrint("[ExpansionSafeZoneSettings] No existing setting file:" + EXPANSION_SAFE_ZONES_SETTINGS + ". Creating defaults!");
000239 |     Defaults();
000240 |     save = true;
000241 | }
000242 |
000243 | if (save)
000244 |     Save();
000245 |
000246 | return safezoneSettingsExist;
000247 | }
000248 |
000249 | // -----
000250 | override bool OnSave()
000251 | {
000252 |     Print("[ExpansionSafeZoneSettings] Saving settings");
000253 |
000254 |     JsonFileLoader<ExpansionSafeZoneSettings>.JsonSaveFile( EXPANSION_SAFE_ZONES_SETTINGS, this );
000255 |
000256 |     return true;
000257 | }
000258 |
000259 | // -----
000260 | override void Defaults()
000261 | {
000262 |     m_Version = VERSION;
000263 |
000264 | #ifdef EXPANSIONMODMARKET
000265 |     Enabled = true;
000266 | #else
000267 |     Enabled = false;
000268 | #endif
000269 |     DisableVehicleDamageInSafeZone = true;
000270 |     FrameRateCheckSafeZoneInMs = 0;
000271 |     ActorsPerTick = 5;
000272 |     DisablePlayerCollision = false;
000273 |     EnableForceSZCleanup = true;
000274 |     ItemLifetimeInSafeZone = 15 * 60; //! 15 Minutes
000275 |     EnableForceSZCleanupVehicles = false;
000276 |     VehicleLifetimeInSafeZone = 60 * 60; //! 60 Minutes
```

```
000277 |
000278 | #ifdef CARCOVER
000279 |     ForceSZCleanup_ExcludedItems = {"CarCoverBase", "ExpansionVehicleCover"};
000280 | #endif
000281 |
000282 | #ifdef EXPANSIONMODMARKET
000283 |     switch (ExpansionStatic.GetCanonicalWorldName())
000284 |     {
000285 |         //! Vanilla Maps
000286 |         case "chernarusplus":
000287 |             DefaultChernarusSafeZones();
000288 |             break;
000289 |         case "namalsk":
000290 |             DefaultNamalskSafeZones();
000291 |             break;
000292 |         case "takistanplus":
000293 |             DefaultTakistanSafeZones();
000294 |             break;
000295 |     }
000296 | #endif
000297 | }
000298 |
000299 | #ifdef EXPANSIONMODMARKET
000300 | void DefaultChernarusSafeZones()
000301 | {
000302 |     //! Krasnostav Trader Camp
000303 |     TVectorArray points = new TVectorArray;
000304 |     points.Insert( Vector(12288.9, 142.4, 12804.4) );
000305 |     points.Insert( Vector(12068.4, 139.8, 12923.4) );
000306 |     points.Insert( Vector(11680.6, 141.1, 12650.6) );
000307 |     points.Insert( Vector(11805.3, 146.3, 12258.9) );
000308 |     points.Insert( Vector(12327.7, 140.0, 12453.8) );
000309 |     PolygonZones.Insert( new ExpansionSafeZonePolygon( points ) );
000310 |     //CircleZones.Insert( new ExpansionSafeZoneCircle( Vector(12013.4, 140.0, 12556.7), 700 ) );
000311 |     //! Green Mountain Trader Camp
000312 |     CircleZones.Insert( new ExpansionSafeZoneCircle( Vector(3728.27, 403, 6003.6), 500 ) );
000313 |     //! Kamenka Trader Camp
000314 |     CircleZones.Insert( new ExpansionSafeZoneCircle( Vector(1143.14, 6.9, 2423.27), 700 ) );
000315 | }
000316 |
000317 | void DefaultNamalskSafeZones()
000318 | {
000319 |     //! Jalovisko Trader Camp
000320 |     CircleZones.Insert( new ExpansionSafeZoneCircle( Vector(8583.67, 29, 10515), 400 ) );
000321 | }
000322 |
000323 | void DefaultTakistanSafeZones()
000324 | {
000325 |     //! Marastar Oasis
000326 |     CircleZones.Insert( new ExpansionSafeZoneCircle( Vector(4611.26, 4.6, 12334.0), 500 ) );
000327 | }
000328 | #endif
000329 |
000330 | // -----
000331 | override string SettingName()
000332 | {
000333 |     return "Safe-Zone Settings";
000334 | }
000335 | };
000336 |
```

0114. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Sound\ExpansionSound.c
Size bytes: 10136
SHA-256: 7b4e06c8a9f2eeda418cee90ac301cbebaea607a593af3ac11d76cf8b5071ddd
Decoded as: utf-8-sig
Line count shown: 407
Detected class declarations: 1
  L13: class ExpansionSound
Detected enum declarations: 0
Detected function/method-like declarations: 31
  L24: void ExpansionSound(notnull ExpansionSoundSet soundSet, vector position, Object parent = null)
  L35: void ~ExpansionSound()
  L48: static ExpansionSound Play(string soundSetName, vector position, float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
  L58: static ExpansionSound Play(int soundSetID, vector position, float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
  L68: static ExpansionSound Play(string soundSetName, notnull Object parent, float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
  L78: static ExpansionSound Play(int soundSetID, notnull Object parent, float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
  L88: void Play(float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
  L123: static ExpansionSound Stop(string soundSetName, vector position, float fadeOut = -1.0)
  L133: static ExpansionSound Stop(int soundSetID, vector position, float fadeOut = -1.0)
  L143: static ExpansionSound Stop(string soundSetName, notnull Object parent, float fadeOut = -1.0)
  L153: static ExpansionSound Stop(int soundSetID, notnull Object parent, float fadeOut = -1.0)
  L163: void Stop(float fadeOut = -1.0)
  L185: static ExpansionSound FadeIn(string soundSetName, vector position, float duration = -1.0)
  L195: static ExpansionSound FadeIn(int soundSetID, vector position, float duration = -1.0)
  L205: static ExpansionSound FadeIn(string soundSetName, notnull Object parent, float duration = -1.0)
  L215: static ExpansionSound FadeIn(int soundSetID, notnull Object parent, float duration = -1.0)
  L225: void FadeIn(float duration = -1.0)
  L244: static ExpansionSound FadeOut(string soundSetName, vector position, float duration = -1.0)
  L254: static ExpansionSound FadeOut(int soundSetID, vector position, float duration = -1.0)
  L264: static ExpansionSound FadeOut(string soundSetName, notnull Object parent, float duration = -1.0)
  L274: static ExpansionSound FadeOut(int soundSetID, notnull Object parent, float duration = -1.0)
  L284: void FadeOut(float duration = -1.0)
  L306: static ExpansionSound SetVolume(string soundSetName, vector position, float duration)
  L316: static ExpansionSound SetVolume(int soundSetID, vector position, float duration)
  L326: static ExpansionSound SetVolume(string soundSetName, notnull Object parent, float duration)
  L336: static ExpansionSound SetVolume(int soundSetID, notnull Object parent, float duration)
  L346: void SetVolume(float volume)
  L363: protected void OnStop()
  L374: void Unlink()
  L390: protected void WriteParams(ParamsWriteContext ctx, Param params = null)
  L399: protected void Send(ExpansionScriptRPC rpc)

```

Full file content

```

000001 | /**
000002 |  * ExpansionSound.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionSound
000014 | {
000015 |     ExpansionSoundSet m_SoundSet;
000016 |     vector m_Position;

```



```
000017 | Object m_Parent;
000018 | ref EffectSound m_Sound;
000019 | float m_FadeIn;
000020 | float m_FadeOut;
000021 | bool m_Loop;
000022 | bool m_IsLinked;
000023 |
000024 | void ExpansionSound(notnull ExpansionSoundSet soundSet, vector position, Object parent = null)
000025 | {
000026 |     m_SoundSet = soundSet;
000027 |     m_Position = position;
000028 |     m_Parent = parent;
000029 |
000030 | #ifndef SERVER
000031 |     m_IsLinked = true;
000032 | #endif
000033 | }
000034 |
000035 | void ~ExpansionSound()
000036 | {
000037 |     if (!g_Game)
000038 |         return;
000039 |
000040 |     if (m_IsLinked)
000041 |         Unlink();
000042 |
000043 | #ifdef DIAG_DEVELOPER
000044 |     EXTrace.Print(EXTrace.SOUND, this, "::~~ExpansionSound() " + m_SoundSet.m_Name + " ID " + m_SoundSet.m_ID + " " + m_Position + " " + m_Parent + " " + m_Fad
eIn + " " + m_FadeOut + " " + m_Loop);
000045 | #endif
000046 | }
000047 |
000048 | static ExpansionSound Play(string soundSetName, vector position, float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
000049 | {
000050 |     auto soundSet = ExpansionSoundSet.Get(soundSetName);
000051 |
000052 |     if (!soundSet)
000053 |         return null;
000054 |
000055 |     return soundSet.Play(position, fadeIn, fadeOut, loop);
000056 | }
000057 |
000058 | static ExpansionSound Play(int soundSetID, vector position, float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
000059 | {
000060 |     auto soundSet = ExpansionSoundSet.Get(soundSetID);
000061 |
000062 |     if (!soundSet)
000063 |         return null;
000064 |
000065 |     return soundSet.Play(position, fadeIn, fadeOut, loop);
000066 | }
000067 |
000068 | static ExpansionSound Play(string soundSetName, notnull Object parent, float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
000069 | {
000070 |     auto soundSet = ExpansionSoundSet.Get(soundSetName);
000071 |
000072 |     if (!soundSet)
000073 |         return null;
000074 |
000075 |     return soundSet.Play(parent, fadeIn, fadeOut, loop);
000076 | }
000077 |
```

```
000078 | static ExpansionSound Play(int soundSetID, notnull Object parent, float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
000079 | {
000080 |     auto soundSet = ExpansionSoundSet.Get(soundSetID);
000081 |
000082 |     if (!soundSet)
000083 |         return null;
000084 |
000085 |     return soundSet.Play(parent, fadeIn, fadeOut, loop);
000086 | }
000087 |
000088 | void Play(float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
000089 | {
000090 |     #ifdef EXTRACE_DIAG
000091 |         auto trace = EXTrace.Start(EXTrace.SOUND, this, m_SoundSet.m_Name, "ID " + m_SoundSet.m_ID, m_Position.ToString(), "" + m_Parent, fadeIn.ToString(), fadeOut.ToString(), loop.ToString());
000092 |     #endif
000093 |
000094 |     if (fadeIn >= 0.0)
000095 |         m_FadeIn = fadeIn;
000096 |
000097 |     if (fadeOut >= 0.0)
000098 |         m_FadeOut = fadeOut;
000099 |
000100 |     if (loop >= 0)
000101 |         m_Loop = loop;
000102 |
000103 |     #ifdef SERVER
000104 |         auto rpc = ExpansionSoundModule.s_Instance.Expansion_CreateRPC("RPC_Play");
000105 |         WriteParams(rpc);
000106 |         rpc.Write(m_FadeIn);
000107 |         rpc.Write(m_FadeOut);
000108 |         rpc.Write(m_Loop);
000109 |         Send(rpc);
000110 |     #else
000111 |         if (m_Sound)
000112 |             m_Sound.Event_OnSoundWaveEnded.Remove(OnStop);
000113 |
000114 |         if (m_Parent)
000115 |             m_Sound = SEffectManager.Expansion_PlaySoundOnObject(m_SoundSet.m_Name, m_Parent, m_FadeIn, m_FadeOut, m_Loop);
000116 |         else
000117 |             m_Sound = SEffectManager.Expansion_PlaySound(m_SoundSet.m_Name, m_Position, m_FadeIn, m_FadeOut, m_Loop);
000118 |
000119 |         m_Sound.Event_OnSoundWaveEnded.Insert(OnStop);
000120 |     #endif
000121 | }
000122 |
000123 | static ExpansionSound Stop(string soundSetName, vector position, float fadeOut = -1.0)
000124 | {
000125 |     auto soundSet = ExpansionSoundSet.Get(soundSetName);
000126 |
000127 |     if (!soundSet)
000128 |         return null;
000129 |
000130 |     return soundSet.Stop(position, fadeOut);
000131 | }
000132 |
000133 | static ExpansionSound Stop(int soundSetID, vector position, float fadeOut = -1.0)
000134 | {
000135 |     auto soundSet = ExpansionSoundSet.Get(soundSetID);
000136 |
000137 |     if (!soundSet)
000138 |         return null;
```

```
000139 |
000140 |     return soundSet.Stop(position, fadeOut);
000141 | }
000142 |
000143 | static ExpansionSound Stop(string soundSetName, notnull Object parent, float fadeOut = -1.0)
000144 | {
000145 |     auto soundSet = ExpansionSoundSet.Get(soundSetName);
000146 |
000147 |     if (!soundSet)
000148 |         return null;
000149 |
000150 |     return soundSet.Stop(parent, fadeOut);
000151 | }
000152 |
000153 | static ExpansionSound Stop(int soundSetID, notnull Object parent, float fadeOut = -1.0)
000154 | {
000155 |     auto soundSet = ExpansionSoundSet.Get(soundSetID);
000156 |
000157 |     if (!soundSet)
000158 |         return null;
000159 |
000160 |     return soundSet.Stop(parent, fadeOut);
000161 | }
000162 |
000163 | void Stop(float fadeOut = -1.0)
000164 | {
000165 |     #ifdef EXTRACE_DIAG
000166 |         auto trace = EXTrace.Start(EXTrace.SOUND, this, m_SoundSet.m_Name, "ID " + m_SoundSet.m_ID, m_Position.ToString(), "" + m_Parent, fadeOut.ToString());
000167 |     #endif
000168 |
000169 |     #ifdef SERVER
000170 |         auto rpc = ExpansionSoundModule.s_Instance.Expansion_CreateRPC("RPC_Stop");
000171 |         WriteParams(rpc);
000172 |         rpc.Write(fadeOut);
000173 |         Send(rpc);
000174 |     #else
000175 |         if (m_Sound)
000176 |         {
000177 |             if (fadeOut >= 0)
000178 |                 m_Sound.SetSoundFadeOut(fadeOut);
000179 |
000180 |             m_Sound.SoundStop();
000181 |         }
000182 |     #endif
000183 | }
000184 |
000185 | static ExpansionSound FadeIn(string soundSetName, vector position, float duration = -1.0)
000186 | {
000187 |     auto soundSet = ExpansionSoundSet.Get(soundSetName);
000188 |
000189 |     if (!soundSet)
000190 |         return null;
000191 |
000192 |     return soundSet.FadeIn(position, duration);
000193 | }
000194 |
000195 | static ExpansionSound FadeIn(int soundSetID, vector position, float duration = -1.0)
000196 | {
000197 |     auto soundSet = ExpansionSoundSet.Get(soundSetID);
000198 |
000199 |     if (!soundSet)
000200 |         return null;
```

```
000201 |
000202 |     return soundSet.FadeIn(position, duration);
000203 | }
000204 |
000205 | static ExpansionSound FadeIn(string soundSetName, notnull Object parent, float duration = -1.0)
000206 | {
000207 |     auto soundSet = ExpansionSoundSet.Get(soundSetName);
000208 |
000209 |     if (!soundSet)
000210 |         return null;
000211 |
000212 |     return soundSet.FadeIn(parent, duration);
000213 | }
000214 |
000215 | static ExpansionSound FadeIn(int soundSetID, notnull Object parent, float duration = -1.0)
000216 | {
000217 |     auto soundSet = ExpansionSoundSet.Get(soundSetID);
000218 |
000219 |     if (!soundSet)
000220 |         return null;
000221 |
000222 |     return soundSet.FadeIn(parent, duration);
000223 | }
000224 |
000225 | void FadeIn(float duration = -1.0)
000226 | {
000227 | #ifdef EXTRACE_DIAG
000228 |     auto trace = EXTrace.Start(EXTrace.SOUND, this, m_SoundSet.m_Name, "ID " + m_SoundSet.m_ID, m_Position.ToString(), "" + m_Parent, duration.ToString());
000229 | #endif
000230 |
000231 | #ifdef SERVER
000232 |     auto rpc = ExpansionSoundModule.s_Instance.Expansion_CreateRPC("RPC_FadeIn");
000233 |     WriteParams(rpc);
000234 |     rpc.Write(duration);
000235 |     Send(rpc);
000236 | #else
000237 |     if (duration < 0)
000238 |         duration = m_FadeIn;
000239 |
000240 |     Play(duration, m_FadeOut, m_Loop);
000241 | #endif
000242 | }
000243 |
000244 | static ExpansionSound FadeOut(string soundSetName, vector position, float duration = -1.0)
000245 | {
000246 |     auto soundSet = ExpansionSoundSet.Get(soundSetName);
000247 |
000248 |     if (!soundSet)
000249 |         return null;
000250 |
000251 |     return soundSet.FadeOut(position, duration);
000252 | }
000253 |
000254 | static ExpansionSound FadeOut(int soundSetID, vector position, float duration = -1.0)
000255 | {
000256 |     auto soundSet = ExpansionSoundSet.Get(soundSetID);
000257 |
000258 |     if (!soundSet)
000259 |         return null;
000260 |
000261 |     return soundSet.FadeOut(position, duration);
000262 | }
```

```
000263 |
000264 | static ExpansionSound FadeOut(string soundSetName, notnull Object parent, float duration = -1.0)
000265 | {
000266 |     auto soundSet = ExpansionSoundSet.Get(soundSetName);
000267 |
000268 |     if (!soundSet)
000269 |         return null;
000270 |
000271 |     return soundSet.FadeOut(parent, duration);
000272 | }
000273 |
000274 | static ExpansionSound FadeOut(int soundSetID, notnull Object parent, float duration = -1.0)
000275 | {
000276 |     auto soundSet = ExpansionSoundSet.Get(soundSetID);
000277 |
000278 |     if (!soundSet)
000279 |         return null;
000280 |
000281 |     return soundSet.FadeOut(parent, duration);
000282 | }
000283 |
000284 | void FadeOut(float duration = -1.0)
000285 | {
000286 | #ifdef EXTRACE_DIAG
000287 |     auto trace = EXTrace.Start(EXTrace.SOUND, this, m_SoundSet.m_Name, "ID " + m_SoundSet.m_ID, m_Position.ToString(), "" + m_Parent, duration.ToString());
000288 | #endif
000289 |
000290 | #ifdef SERVER
000291 |     auto rpc = ExpansionSoundModule.s_Instance.Expansion_CreateRPC("RPC_FadeOut");
000292 |     WriteParams(rpc);
000293 |     rpc.Write(duration);
000294 |     Send(rpc);
000295 | #else
000296 |     if (m_Sound)
000297 |     {
000298 |         if (duration >= 0)
000299 |             m_Sound.SetSoundFadeOut(duration);
000300 |
000301 |             m_Sound.SoundStop();
000302 |     }
000303 | #endif
000304 | }
000305 |
000306 | static ExpansionSound SetVolume(string soundSetName, vector position, float duration)
000307 | {
000308 |     auto soundSet = ExpansionSoundSet.Get(soundSetName);
000309 |
000310 |     if (!soundSet)
000311 |         return null;
000312 |
000313 |     return soundSet.SetVolume(position, duration);
000314 | }
000315 |
000316 | static ExpansionSound SetVolume(int soundSetID, vector position, float duration)
000317 | {
000318 |     auto soundSet = ExpansionSoundSet.Get(soundSetID);
000319 |
000320 |     if (!soundSet)
000321 |         return null;
000322 |
000323 |     return soundSet.SetVolume(position, duration);
000324 | }
```

```
000325 |
000326 | static ExpansionSound SetVolume(string soundSetName, notnull Object parent, float duration)
000327 | {
000328 |     auto soundSet = ExpansionSoundSet.Get(soundSetName);
000329 |
000330 |     if (!soundSet)
000331 |         return null;
000332 |
000333 |     return soundSet.SetVolume(parent, duration);
000334 | }
000335 |
000336 | static ExpansionSound SetVolume(int soundSetID, notnull Object parent, float duration)
000337 | {
000338 |     auto soundSet = ExpansionSoundSet.Get(soundSetID);
000339 |
000340 |     if (!soundSet)
000341 |         return null;
000342 |
000343 |     return soundSet.SetVolume(parent, duration);
000344 | }
000345 |
000346 | void SetVolume(float volume)
000347 | {
000348 |     #ifdef EXTRACE_DIAG
000349 |         auto trace = EXTrace.Start(EXTrace.SOUND, this, m_SoundSet.m_Name, "ID " + m_SoundSet.m_ID, m_Position.ToString(), "" + m_Parent, volume.ToString());
000350 |     #endif
000351 |
000352 |     #ifdef SERVER
000353 |         auto rpc = ExpansionSoundModule.s_Instance.Expansion_CreateRPC("RPC_SetVolume");
000354 |         WriteParams(rpc);
000355 |         rpc.Write(volume);
000356 |         Send(rpc);
000357 |     #else
000358 |         if (m_Sound)
000359 |             m_Sound.SetSoundVolume(volume);
000360 |     #endif
000361 | }
000362 |
000363 | protected void OnStop()
000364 | {
000365 |     #ifdef EXTRACE_DIAG
000366 |         auto trace = EXTrace.Start(EXTrace.SOUND, this, m_SoundSet.m_Name, "ID " + m_SoundSet.m_ID);
000367 |     #endif
000368 |
000369 |     Unlink();
000370 |
000371 |     m_Sound = null;
000372 | }
000373 |
000374 | void Unlink()
000375 | {
000376 |     #ifndef SERVER
000377 |         if (m_Parent)
000378 |             m_SoundSet.m_ObjectSounds.Remove(m_Parent);
000379 |         else
000380 |             m_SoundSet.m_PositionalSounds.Remove(m_Position.ToString());
000381 |     #endif
000382 |
000383 |     m_IsLinked = false;
000384 |
000385 |     #ifdef DIAG_DEVELOPER
000386 |         EXTrace.Print(EXTrace.SOUND, this, "::Unlink()");
```

```
000387 |     #endif
000388 | }
000389 |
000390 | protected void WriteParams(ParamsWriteContext ctx, Param params = null)
000391 | {
000392 |     ctx.Write(m_SoundSet.m_ID);
000393 |     if (!m_Parent)
000394 |         ctx.Write(m_Position);
000395 |     if (params)
000396 |         params.Serialize(ctx);
000397 | }
000398 |
000399 | protected void Send(ExpansionScriptRPC rpc)
000400 | {
000401 |     if (m_Parent)
000402 |         GetDayZGame().GetExpansionGame().Expansion_SendNear(rpc, m_Parent.GetPosition(), m_SoundSet.m_Range, m_Parent, true);
000403 |     else
000404 |         GetDayZGame().GetExpansionGame().Expansion_SendNear(rpc, m_Position, m_SoundSet.m_Range, null, true);
000405 | }
000406 | }
000407 |
```

0115. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Sound\ExpansionSoundModule.c
 Size bytes: 3467
 SHA-256: 1db38065397785ea881f7bf23d92d37648c3893e944885a058b37442e9f9d0c4
 Decoded as: utf-8-sig
 Line count shown: 128
 Detected class declarations: 1
 L18: class ExpansionSoundModule: CF_ModuleGame
 Detected enum declarations: 0
 Detected function/method-like declarations: 8
 L22: void ExpansionSoundModule()
 L27: override void OnInit()
 L39: void RPC_Play(PlayerIdentity sender, Object target, ParamsReadContext ctx)
 L54: void RPC_Stop(PlayerIdentity sender, Object target, ParamsReadContext ctx)
 L69: void RPC_FadeIn(PlayerIdentity sender, Object target, ParamsReadContext ctx)
 L84: void RPC_FadeOut(PlayerIdentity sender, Object target, ParamsReadContext ctx)
 L99: void RPC_SetVolume(PlayerIdentity sender, Object target, ParamsReadContext ctx)
 L114: protected bool ReadParams(Object target, ParamsReadContext ctx, out int soundSetID, out vector position, Param params)

Full file content

```
000001 | /**
000002 |  * ExpansionSoundModule.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionSoundModule
000014 |  * @brief      This module provides functionality like playing sound for near players at given position
000015 |  */
000016 |
000017 | [CF_RegisterModule(ExpansionSoundModule)]
000018 | class ExpansionSoundModule: CF_ModuleGame
000019 | {
000020 |     static ExpansionSoundModule s_Instance;
000021 |
000022 |     void ExpansionSoundModule()
000023 |     {
000024 |         s_Instance = this;
000025 |     }
000026 |
000027 |     override void OnInit()
000028 |     {
000029 |         super.OnInit();
000030 |
000031 |         Expansion_EnableRPCManager();
000032 |         Expansion_RegisterClientRPC("RPC_Play");
000033 |         Expansion_RegisterClientRPC("RPC_Stop");
000034 |         Expansion_RegisterClientRPC("RPC_FadeIn");
000035 |         Expansion_RegisterClientRPC("RPC_FadeOut");
000036 |         Expansion_RegisterClientRPC("RPC_SetVolume");
000037 |     }
000038 |
000039 |     void RPC_Play(PlayerIdentity sender, Object target, ParamsReadContext ctx)
```



```
000040 | {
000041 |     int soundSetID;
000042 |     vector position;
000043 |     auto params = new Param3<float, float, bool>(-1.0, -1.0, false); //!< fadeIn, fadeOut, loop
000044 |
000045 |     if (!ReadParams(target, ctx, soundSetID, position, params))
000046 |         return;
000047 |
000048 |     if (target)
000049 |         ExpansionSound.Play(soundSetID, target, params.param1, params.param2, params.param3);
000050 |     else
000051 |         ExpansionSound.Play(soundSetID, position, params.param1, params.param2, params.param3);
000052 | }
000053 |
000054 | void RPC_Stop(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000055 | {
000056 |     int soundSetID;
000057 |     vector position;
000058 |     auto params = new Param1<float>(0.0); //!< fadeOut
000059 |
000060 |     if (!ReadParams(target, ctx, soundSetID, position, params))
000061 |         return;
000062 |
000063 |     if (target)
000064 |         ExpansionSound.Stop(soundSetID, target, params.param1);
000065 |     else
000066 |         ExpansionSound.Stop(soundSetID, position, params.param1);
000067 | }
000068 |
000069 | void RPC_FadeIn(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000070 | {
000071 |     int soundSetID;
000072 |     vector position;
000073 |     auto params = new Param1<float>(0.0); //!< duration
000074 |
000075 |     if (!ReadParams(target, ctx, soundSetID, position, params))
000076 |         return;
000077 |
000078 |     if (target)
000079 |         ExpansionSound.FadeIn(soundSetID, target, params.param1);
000080 |     else
000081 |         ExpansionSound.FadeIn(soundSetID, position, params.param1);
000082 | }
000083 |
000084 | void RPC_FadeOut(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000085 | {
000086 |     int soundSetID;
000087 |     vector position;
000088 |     auto params = new Param1<float>(0.0); //!< duration
000089 |
000090 |     if (!ReadParams(target, ctx, soundSetID, position, params))
000091 |         return;
000092 |
000093 |     if (target)
000094 |         ExpansionSound.FadeOut(soundSetID, target, params.param1);
000095 |     else
000096 |         ExpansionSound.FadeOut(soundSetID, position, params.param1);
000097 | }
000098 |
000099 | void RPC_SetVolume(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000100 | {
000101 |     int soundSetID;
```

```
000102 |         vector position;
000103 |         auto params = new Param1<float>(0.0); //!< volume
000104 |
000105 |         if (!ReadParams(target, ctx, soundSetID, position, params))
000106 |             return;
000107 |
000108 |         if (target)
000109 |             ExpansionSound.SetVolume(soundSetID, target, params.param1);
000110 |         else
000111 |             ExpansionSound.SetVolume(soundSetID, position, params.param1);
000112 |     }
000113 |
000114 | protected bool ReadParams(Object target, ParamsReadContext ctx, out int soundSetID, out vector position, Param params)
000115 | {
000116 |     if (!ctx.Read(soundSetID))
000117 |         return false;
000118 |
000119 |     if (!target && !ctx.Read(position))
000120 |         return false;
000121 |
000122 |     if (!params.Deserializer(ctx))
000123 |         return false;
000124 |
000125 |     return true;
000126 | }
000127 | }
000128 |
```

0116. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Sound\ExpansionSoundSet.c
Size bytes: 4682
SHA-256: a3d08fe72cf2ed7cce8d750f8e0e07e9ce3ff29e21372caea23e63c37a85d9d9
Decoded as: utf-8-sig
Line count shown: 208
Detected class declarations: 1
  L13: class ExpansionSoundSet
Detected enum declarations: 0
Detected function/method-like declarations: 16
  L27: void ExpansionSoundSet(string name)
  L44: static ExpansionSoundSet Register(string name)
  L58: static ExpansionSoundSet Get(string name)
  L68: static ExpansionSoundSet Get(int soundSetID)
  L78: ExpansionSound GetSound(vector position, bool create = true)
  L95: ExpansionSound GetSound(Object parent, bool create = true)
  L112: ExpansionSound Play(vector position, float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
  L121: ExpansionSound Play(notnull Object parent, float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
  L130: ExpansionSound Stop(vector position, float fadeOut = -1.0)
  L140: ExpansionSound Stop(notnull Object parent, float fadeOut = -1.0)
  L150: ExpansionSound FadeIn(vector position, float duration = -1.0)
  L159: ExpansionSound FadeIn(notnull Object parent, float duration = -1.0)
  L168: ExpansionSound FadeOut(vector position, float duration = -1.0)
  L178: ExpansionSound FadeOut(notnull Object parent, float duration = -1.0)
  L188: ExpansionSound SetVolume(vector position, float volume)
  L198: ExpansionSound SetVolume(notnull Object parent, float volume)

```

Full file content

```

000001 | /**
000002 |  * ExpansionSoundSet.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionSoundSet
000014 | {
000015 |     static ref map<int, ref ExpansionSoundSet> s_RegisteredSoundSets_ByID = new map<int, ref ExpansionSoundSet>;
000016 |     static ref map<string, ExpansionSoundSet> s_RegisteredSoundSets_ByName = new map<string, ExpansionSoundSet>;
000017 |
000018 |     string m_Name;
000019 |     int m_ID;
000020 |     float m_Range;
000021 |
000022 | #ifndef SERVER
000023 |     ref map<string, ref ExpansionSound> m_PositionalSounds = new map<string, ref ExpansionSound>;
000024 |     ref map<Object, ref ExpansionSound> m_ObjectSounds = new map<Object, ref ExpansionSound>;
000025 | #endif
000026 |
000027 |     void ExpansionSoundSet(string name)
000028 |     {
000029 |         m_Name = name;
000030 |         m_ID = name.Hash();
000031 |

```

```
000032 |     TStringArray soundShaders = {};
000033 |     g_Game.ConfigGetTextArray("CfgSoundSets " + name + " soundShaders", soundShaders);
000034 |     foreach (string soundShader: soundShaders)
000035 |     {
000036 |         m_Range = Math.Max(g_Game.ConfigGetFloat("CfgSoundShaders " + soundShader + " range"), m_Range);
000037 |     }
000038 |
000039 | #ifdef DIAG_DEVELOPER
000040 |     EXTrace.Print(EXTrace.SOUND, this, name + " ID " + m_ID + " range " + m_Range);
000041 | #endif
000042 | }
000043 |
000044 | static ExpansionSoundSet Register(string name)
000045 | {
000046 |     ExpansionSoundSet soundSet;
000047 |
000048 |     if (!s_RegisteredSoundSets_ByName.Find(name, soundSet))
000049 |     {
000050 |         soundSet = new ExpansionSoundSet(name);
000051 |         s_RegisteredSoundSets_ByID[soundSet.m_ID] = soundSet;
000052 |         s_RegisteredSoundSets_ByName[name] = soundSet;
000053 |     }
000054 |
000055 |     return soundSet;
000056 | }
000057 |
000058 | static ExpansionSoundSet Get(string name)
000059 | {
000060 |     auto soundSet = s_RegisteredSoundSets_ByName[name];
000061 |
000062 |     if (!soundSet)
000063 |         Error("Not a registered soundset: " + name);
000064 |
000065 |     return soundSet;
000066 | }
000067 |
000068 | static ExpansionSoundSet Get(int soundSetID)
000069 | {
000070 |     auto soundSet = s_RegisteredSoundSets_ByID[soundSetID];
000071 |
000072 |     if (!soundSet)
000073 |         Error("Not a registered soundset ID: " + soundSetID);
000074 |
000075 |     return soundSet;
000076 | }
000077 |
000078 | ExpansionSound GetSound(vector position, bool create = true)
000079 | {
000080 |     ExpansionSound sound;
000081 |
000082 | #ifndef SERVER
000083 |     if (!m_PositionalSounds.Find(position.ToString(), sound) && create)
000084 |     {
000085 | #endif
000086 |         sound = new ExpansionSound(this, position);
000087 | #ifndef SERVER
000088 |         m_PositionalSounds[position.ToString()] = sound;
000089 |     }
000090 | #endif
000091 |
000092 |     return sound;
000093 | }
```

```
000094 |
000095 | ExpansionSound GetSound(Object parent, bool create = true)
000096 | {
000097 |     ExpansionSound sound;
000098 |
000099 | #ifndef SERVER
000100 |     if (!m_ObjectSounds.Find(parent, sound) && create)
000101 |     {
000102 | #endif
000103 |         sound = new ExpansionSound(this, vector.Zero, parent);
000104 | #ifndef SERVER
000105 |         m_ObjectSounds[parent] = sound;
000106 |     }
000107 | #endif
000108 |
000109 |     return sound;
000110 | }
000111 |
000112 | ExpansionSound Play(vector position, float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
000113 | {
000114 |     ExpansionSound sound = GetSound(position);
000115 |
000116 |     sound.Play(fadeIn, fadeOut, loop);
000117 |
000118 |     return sound;
000119 | }
000120 |
000121 | ExpansionSound Play(notnull Object parent, float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
000122 | {
000123 |     ExpansionSound sound = GetSound(parent);
000124 |
000125 |     sound.Play(fadeIn, fadeOut, loop);
000126 |
000127 |     return sound;
000128 | }
000129 |
000130 | ExpansionSound Stop(vector position, float fadeOut = -1.0)
000131 | {
000132 |     ExpansionSound sound = GetSound(position, false);
000133 |
000134 |     if (sound)
000135 |         sound.Stop(fadeOut);
000136 |
000137 |     return sound;
000138 | }
000139 |
000140 | ExpansionSound Stop(notnull Object parent, float fadeOut = -1.0)
000141 | {
000142 |     ExpansionSound sound = GetSound(parent, false);
000143 |
000144 |     if (sound)
000145 |         sound.Stop(fadeOut);
000146 |
000147 |     return sound;
000148 | }
000149 |
000150 | ExpansionSound FadeIn(vector position, float duration = -1.0)
000151 | {
000152 |     ExpansionSound sound = GetSound(position);
000153 |
000154 |     sound.FadeIn(duration);
000155 | }
```

```
000156 |     return sound;
000157 | }
000158 |
000159 | ExpansionSound FadeIn(notnull Object parent, float duration = -1.0)
000160 | {
000161 |     ExpansionSound sound = GetSound(parent);
000162 |
000163 |     sound.FadeIn(duration);
000164 |
000165 |     return sound;
000166 | }
000167 |
000168 | ExpansionSound FadeOut(vector position, float duration = -1.0)
000169 | {
000170 |     ExpansionSound sound = GetSound(position, false);
000171 |
000172 |     if (sound)
000173 |         sound.FadeOut(duration);
000174 |
000175 |     return sound;
000176 | }
000177 |
000178 | ExpansionSound FadeOut(notnull Object parent, float duration = -1.0)
000179 | {
000180 |     ExpansionSound sound = GetSound(parent, false);
000181 |
000182 |     if (sound)
000183 |         sound.FadeOut(duration);
000184 |
000185 |     return sound;
000186 | }
000187 |
000188 | ExpansionSound SetVolume(vector position, float volume)
000189 | {
000190 |     ExpansionSound sound = GetSound(position, false);
000191 |
000192 |     if (sound)
000193 |         sound.SetVolume(volume);
000194 |
000195 |     return sound;
000196 | }
000197 |
000198 | ExpansionSound SetVolume(notnull Object parent, float volume)
000199 | {
000200 |     ExpansionSound sound = GetSound(parent, false);
000201 |
000202 |     if (sound)
000203 |         sound.SetVolume(volume);
000204 |
000205 |     return sound;
000206 | }
000207 | }
000208 |
```

0117. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\SyncEvents.c

Size bytes: 944

SHA-256: 62a021056dc367e3cb4c0223ccfd15205b22da60fe0ac52b1e6e42be3004333e

Decoded as: utf-8-sig

Line count shown: 34

Detected class declarations: 1

L13: modded class SyncEvents

Detected enum declarations: 0

Detected function/method-like declarations: 1

L18: override static void SendPlayerList()

Full file content

```
000001 | /**
000002 |  * SyncEvents.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class SyncEvents
000014 | {
000015 |     static ref map<string, bool> s_Expansion_RespawningUIDs = new map<string, bool>;
000016 |     static bool s_Expansion_IsClientRespawn;
000017 |
000018 |     override static void SendPlayerList()
000019 |     {
000020 |         if (s_Expansion_IsClientRespawn)
000021 |         {
000022 |             EXTrace.Print(EXTrace.PLAYER, SyncEvents, "Client respawn - not sending playerlist");
000023 |             s_Expansion_IsClientRespawn = false;
000024 |             return;
000025 |         }
000026 |
000027 |         SyncData data = new SyncData;
000028 |         data.m_ServerPlayerList = new SyncPlayerList;
000029 |         data.m_ServerPlayerList.CreatePlayerList();
000030 |
000031 |         SendSyncEvent( ERPCs.RPC_SYNC_EVENT, ESyncevent.PlayerList, data, true );
000032 |     }
000033 | }
000034 |
```

0118. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Tools\ExpansionItemNameTable.c

Size bytes: 5951

SHA-256: fc6244b32c04bfd47c14cf523b3690e512687f5036cf6ea7ac65db5eccf3ec4b

Decoded as: utf-8-sig

Line count shown: 241

Detected class declarations: 1

L13: class ExpansionItemNameTable

Detected enum declarations: 0

Detected function/method-like declarations: 10

L19: static void LoadNameTable()

L110: static void Hash(string type, out int hashA, out int hashB)

L117: static void WriteHash(ParamsWriteContext ctx, int hashA, int hashB)

L124: static bool ReadHash(ParamsReadContext ctx, out int hashA, out int hashB)

L138: static void WriteHash(ExpansionBitStreamWriter writer, int hashA, int hashB)

L144: static bool ReadHash(ExpansionBitStreamReader reader, out int hashA, out int hashB)

L155: static bool IsHashColliding(string type)

L163: static string GetTypeByHash(int hashA, int hashB)

L172: static string GetTypeLowerByHash(int hashA, int hashB)

L179: static array<string> GetTypeNamesByString(string displayName)

Full file content

```

000001 | /**
000002 |  * ExpansionItemNameTable.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionItemNameTable
000014 | {
000015 |     static ref map<string, ref array<string>> s_NameTable = new map<string, ref array<string>>;
000016 |     static ref map<int, ref map<int, string>> s_HashTable = new map<int, ref map<int, string>>;
000017 |     static ref set<string> s_Collisions = new set<string>;
000018 |
000019 |     static void LoadNameTable()
000020 |     {
000021 |         #ifdef EXTRACE
000022 |         auto trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, ExpansionItemNameTable);
000023 |         #endif
000024 |
000025 |         if (s_NameTable.Count() > 0)
000026 |             return;
000027 |
000028 |         array<string> configClasses = {CFG_WEAPONSPATH, CFG_MAGAZINESPATH, CFG_VEHICLESPTH};
000029 |         foreach(string configClass: configClasses)
000030 |         {
000031 |             int childCount = g_Game.ConfigGetChildrenCount(configClass);
000032 |             for (int i = 0; i < childCount; i++)
000033 |             {
000034 |                 string childName;
000035 |                 g_Game.ConfigGetChildName(configClass, i, childName);
000036 |
000037 |                 int scope = g_Game.ConfigGetInt(configClass + " " + childName + " scope");

```



```
000038 |         if (scope != 2)
000039 |             continue;
000040 |
000041 |         //! -----
000042 |
000043 |         //! Item name table - maps display name to types
000044 |
000045 |         string displayName;
000046 |         g_Game.ConfigGetText(configClass + " " + childName + " displayName", displayName);
000047 |         string childNameLower = childName;
000048 |         childNameLower.ToLower();
000049 |
000050 |         if (displayName != "")
000051 |         {
000052 |             displayName.ToLower();
000053 |
000054 |             array<string> currentTypes;
000055 |             if (!s_NameTable.Find(displayName, currentTypes))
000056 |             {
000057 |                 currentTypes = new array<string>;
000058 |                 s_NameTable[displayName] = currentTypes;
000059 |             }
000060 |
000061 |             if (currentTypes.Find(childNameLower) == -1)
000062 |                 currentTypes.Insert(childNameLower);
000063 |         }
000064 |
000065 |         //! -----
000066 |
000067 |         //! Hash table - maps hash to type. We use a combined 16 bit + 8 bit hash for optimized network efficiency
000068 |
000069 |         int hashA;
000070 |         int hashB;
000071 |         Hash(childNameLower, hashA, hashB);
000072 |
000073 |         map<int, string> hashTable;
000074 |         if (!s_HashTable.Find(hashA, hashTable))
000075 |         {
000076 |             hashTable = new map<int, string>;
000077 |             s_HashTable[hashA] = hashTable;
000078 |         }
000079 |
000080 |         if (hashTable.Contains(hashB))
000081 |         {
000082 |             #ifdef DIAG_DEVELOPER
000083 |                 EXError.Info(null, "Hash collision: " + childName + " collides with " + hashTable[hashB], {});
000084 |             #endif
000085 |             s_Collisions.Insert(childNameLower);
000086 |         }
000087 |         else
000088 |         {
000089 |             hashTable[hashB] = childName;
000090 |         }
000091 |     }
000092 | }
000093 |
000094 | #ifdef EXTRACE
000095 | trace = null;
000096 | #endif
000097 |
000098 | #ifdef DIAG_DEVELOPER
000099 | foreach(string dN, array<string> tN: s_NameTable)
```

```
000100 |     {
000101 |         ErrorEx("Display name:" + dN + " | Types count: " + tN.Count(), ErrorExSeverity.INFO);
000102 |         foreach(string t: tN)
000103 |         {
000104 |             ErrorEx("----- Type:" + t, ErrorExSeverity.INFO);
000105 |         }
000106 |     }
000107 | #endif
000108 | }
000109 |
000110 | static void Hash(string type, out int hashA, out int hashB)
000111 | {
000112 |     ExpansionString tmp = type;
000113 |     hashA = tmp.DJB2Hash() & 0xffff;
000114 |     hashB = tmp.JenkinsHash() & 0xff;
000115 | }
000116 |
000117 | static void WriteHash(ParamsWriteContext ctx, int hashA, int hashB)
000118 | {
000119 |     int hash = hashA;
000120 |     hash |= hashB << 16;
000121 |     ctx.Write(hash);
000122 | }
000123 |
000124 | static bool ReadHash(ParamsReadContext ctx, out int hashA, out int hashB)
000125 | {
000126 |     int hash;
000127 |     if (!ctx.Read(hash))
000128 |         return false;
000129 |
000130 |     hashA = hash & 0x0000ffff;
000131 |
000132 |     int shift = 16;
000133 |     hashB = ExpansionBitStream.Unpack(hash, 8, shift);
000134 |
000135 |     return true;
000136 | }
000137 |
000138 | static void WriteHash(ExpansionBitStreamWriter writer, int hashA, int hashB)
000139 | {
000140 |     writer.WriteUInt(hashA, 16);
000141 |     writer.WriteUInt(hashB, 8);
000142 | }
000143 |
000144 | static bool ReadHash(ExpansionBitStreamReader reader, out int hashA, out int hashB)
000145 | {
000146 |     if (!reader.ReadUInt(hashA, 16))
000147 |         return false;
000148 |
000149 |     if (!reader.ReadUInt(hashB, 8))
000150 |         return false;
000151 |
000152 |     return true;
000153 | }
000154 |
000155 | static bool IsHashColliding(string type)
000156 | {
000157 |     type.ToLower();
000158 |     if (s_Collisions.Find(type) > -1)
000159 |         return true;
000160 |     return false;
000161 | }
```

```
000162 |
000163 | static string GetTypeByHash(int hashA, int hashB)
000164 | {
000165 |     map<int, string> hashTable;
000166 |     if (s_HashTable.Find(hashA, hashTable))
000167 |         return hashTable[hashB];
000168 |
000169 |     return "";
000170 | }
000171 |
000172 | static string GetTypeLowerByHash(int hashA, int hashB)
000173 | {
000174 |     string type = GetTypeByHash(hashA, hashB);
000175 |     type.ToLower();
000176 |     return type;
000177 | }
000178 |
000179 | static array<string> GetTypeNamesByString(string displayName)
000180 | {
000181 |     TStringArray validTypeNames = {};
000182 |     string lowerName = displayName;
000183 |     lowerName.ToLower();
000184 |     TStringArray tokens = {};
000185 |     lowerName.Split(" ", tokens);
000186 |
000187 |     set<string> dST = new set<string>;
000188 |     foreach (string sM: tokens)
000189 |     {
000190 |         dST.Insert(sM);
000191 |     }
000192 |
000193 |     foreach(string dN, array<string> tN: s_NameTable)
000194 |     {
000195 |         #ifdef DIAG_DEVELOPER
000196 |         ErrorEx("Display name: " + dN + " | Types count: " + tN.Count(), ErrorExSeverity.INFO);
000197 |         #endif
000198 |
000199 |         TStringArray dNT = {};
000200 |         if (dN.IndexOf(" ") > -1)
000201 |             dN.Split(" ", dNT);
000202 |         else
000203 |             dNT.Insert(dN);
000204 |
000205 |         set<string> dNST = new set<string>;
000206 |         foreach (string sT: dNT)
000207 |         {
000208 |             dNST.Insert(sT);
000209 |         }
000210 |
000211 |         foreach(string dW: dST) //! Display name tokens
000212 |         {
000213 |             foreach(string nW: dNST) //! Type name tokens
000214 |             {
000215 |                 #ifdef DIAG_DEVELOPER
000216 |                 ErrorEx("Compare [" + nW + "] with [" + dW + "]", ErrorExSeverity.INFO);
000217 |                 #endif
000218 |                 if (nW.IndexOf(dW) != -1)
000219 |                 {
000220 |                     #ifdef DIAG_DEVELOPER
000221 |                     ErrorEx("Compare [" + nW + "] with [" + dW + "] - LEGIT", ErrorExSeverity.INFO);
000222 |                     #endif
000223 |                     foreach(string t: tN)
```

```
000224 |         {
000225 |             if (validTypeNames.Find(t) == -1)
000226 |                 validTypeNames.Insert(t);
000227 |         }
000228 |     }
000229 |     #ifdef DIAG_DEVELOPER
000230 |     else
000231 |     {
000232 |         ErrorEx("Compare [" + nW + "] with [" + dW + "] - SKIP", ErrorExSeverity.INFO);
000233 |     }
000234 |     #endif
000235 | }
000236 |     }
000237 | }
000238 |
000239 | return validTypeNames;
000240 | }
000241 | }
```

0119. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Tools\ExpansionJsonFileParser.c

Size bytes: 36820

SHA-256: 7497128fc237bb6fdd82facbd03e875c37b647a2081ec2d5faf70db0da2d6658

Decoded as: utf-8-sig

Line count shown: 1966

Detected class declarations: 12

```
L13: class ExpansionJsonFileParser<Class T>
L71: class ExpansionJSONElementBase: JsonApiStruct
L215: class ExpansionJSONBool: ExpansionJSONElementBase
L260: class ExpansionJSONFloat: ExpansionJSONElementBase
L308: class ExpansionJSONInt: ExpansionJSONElementBase
L353: class ExpansionJSONNull: ExpansionJSONElementBase
L371: class ExpansionJSONString: ExpansionJSONElementBase
L419: class ExpansionJSONUndefined: ExpansionJSONElementBase
L427: class ExpansionJSONCollection: ExpansionJSONElementBase
L435: class ExpansionJSONArray: ExpansionJSONCollection
L566: class ExpansionJSONObject: ExpansionJSONCollection
L666: class ExpansionJSON: ExpansionJSONElementBase
```

Detected enum declarations: 0

Detected function/method-like declarations: 80

```
L17: static bool Load(string filename, out T data)
L44: static void Save(string filename, T data)
L55: static bool ReadFromString(string string_data, out T data, out string error = string.Empty)
L63: static string AsString(T data)
L78: typename GetValueType()
L84: array<ref ExpansionJSONElementBase> GetArray()
L89: map<string, ref ExpansionJSONElementBase> GetMap()
L94: TBoolArray GetBoolArray()
L99: TIntArray GetIntArray()
L104: TFloatArray GetFloatArray()
L109: TStringArray GetStringArray()
L114: int Insert(ExpansionJSONElementBase element)
L119: int InsertAt(ExpansionJSONElementBase element, int index)
L124: bool Insert(string name, ExpansionJSONElementBase element)
L129: void Set(string name, ExpansionJSONElementBase element)
L133: ExpansionJSONElementBase Get(int index)
L138: ExpansionJSONElementBase Get(string name)
L143: bool GetBool()
L148: int GetInt()
L153: float GetFloat()
L158: string GetString()
L163: override string GetDebugName()
L165: return ToString();
L168: bool IsNull()
L173: bool IsUndefined()
L178: bool IsCollection()
L183: bool IsArray()
L188: bool IsObject()
L193: int Count()
L198: string ToJSONString(bool pretty = true)
L203: static string ToJSONString(string value)
L219: void ExpansionJSONBool(bool value)
L224: override typename GetValueType()
L229: override bool GetBool()
L234: override int GetInt()
L239: override float GetFloat()
L244: override string GetString()
L249: override string GetDebugName()
```

```

L254: override string ToJSONString(bool pretty = true)
L256: return GetString();
L264: void ExpansionJSONFloat(float value)
L269: override typename GetValueType()
L274: override bool GetBool()
L279: override int GetInt()
L284: override float GetFloat()
L289: override string GetString()
L297: override string GetDebugName()
L302: override string ToJSONString(bool pretty = true)
L304: return GetString();
L312: void ExpansionJSONInt(int value)
L317: override typename GetValueType()
L322: override bool GetBool()
L327: override int GetInt()
L332: override float GetFloat()
L337: override string GetString()
L342: override string GetDebugName()
L347: override string ToJSONString(bool pretty = true)
L349: return GetString();
L355: override bool IsNull()
L360: override string GetString()
L365: override string ToJSONString(bool pretty = true)
L375: void ExpansionJSONString(string value)
L380: override typename GetValueType()
L385: override bool GetBool()
L393: override int GetInt()
L398: override float GetFloat()
L403: override string GetString()
L408: override string GetDebugName()
L413: override string ToJSONString(bool pretty = true)
L415: return ToJSONString(m_Value);
L421: override bool IsUndefined()
L429: override bool IsCollection()
L439: override typename GetValueType()
L444: override array<ref ExpansionJSONElementBase> GetArray()
L449: override TBoolArray GetBoolArray()
L461: override TIntArray GetIntArray()
L473: override TFloatArray GetFloatArray()
L485: override TStringArray GetStringArray()
L497: override int Insert(ExpansionJSONElementBase element)
L502: override int InsertAt(ExpansionJSONElementBase element, int index)
... detector capped this preview at 80 entries; full code follows.

```

Full file content

```

000001 | /**
000002 |  * ExpansionJsonFileParser.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionJsonFileParser<Class T>
000014 | {
000015 |     protected static ref JsonSerializer m_Serializer = new JsonSerializer;
000016 |

```

```
000017 | static bool Load(string filename, out T data)
000018 | {
000019 |     if (!FileExist(filename))
000020 |         return false;
000021 |
000022 |     FileHandle handle = OpenFile(filename, FileMode.READ);
000023 |     if (!handle)
000024 |         return false;
000025 |
000026 |     string file_content;
000027 |     string line_content;
000028 |
000029 |     while (FGets(handle, line_content) >= 0)
000030 |     {
000031 |         file_content += line_content;
000032 |     }
000033 |
000034 |     CloseFile(handle);
000035 |
000036 |     string error;
000037 |     bool ret = ReadFromString(file_content, data, error);
000038 |     if (!ret)
000039 |         Error(string.Format("File %1:\n%2", filename, error));
000040 |
000041 |     return ret;
000042 | }
000043 |
000044 | static void Save(string filename, T data)
000045 | {
000046 |     FileHandle handle = OpenFile(filename, FileMode.WRITE);
000047 |     if (!handle)
000048 |         return;
000049 |
000050 |     FPrint(handle, AsString(data));
000051 |
000052 |     CloseFile(handle);
000053 | }
000054 |
000055 | static bool ReadFromString(string string_data, out T data, out string error = string.Empty)
000056 | {
000057 |     if (m_Serializer.ReadFromString(data, string_data, error))
000058 |         return true;
000059 |
000060 |     return false;
000061 | }
000062 |
000063 | static string AsString(T data)
000064 | {
000065 |     string string_data;
000066 |     m_Serializer.WriteString(data, true, string_data);
000067 |     return string_data;
000068 | }
000069 | }
000070 |
000071 | class ExpansionJSONElementBase: JsonApiStruct
000072 | {
000073 |     static const string BACKSPACE = (8).AsciiToString();
000074 |     static const string FORMFEED = (12).AsciiToString();
000075 |
000076 |     static string s_Indent;
000077 |
000078 |     typename GetValueType()
```

```
000079 | {
000080 |     typename nullType;
000081 |     return nullType;
000082 | }
000083 |
000084 | array<ref ExpansionJSONElementBase> GetArray()
000085 | {
000086 |     return null;
000087 | }
000088 |
000089 | map<string, ref ExpansionJSONElementBase> GetMap()
000090 | {
000091 |     return null;
000092 | }
000093 |
000094 | TBoolArray GetBoolArray()
000095 | {
000096 |     return null;
000097 | }
000098 |
000099 | TIntArray GetIntArray()
000100 | {
000101 |     return null;
000102 | }
000103 |
000104 | TFloatArray GetFloatArray()
000105 | {
000106 |     return null;
000107 | }
000108 |
000109 | TStringArray GetStringArray()
000110 | {
000111 |     return null;
000112 | }
000113 |
000114 | int Insert(ExpansionJSONElementBase element)
000115 | {
000116 |     return 0;
000117 | }
000118 |
000119 | int InsertAt(ExpansionJSONElementBase element, int index)
000120 | {
000121 |     return 0;
000122 | }
000123 |
000124 | bool Insert(string name, ExpansionJSONElementBase element)
000125 | {
000126 |     return false;
000127 | }
000128 |
000129 | void Set(string name, ExpansionJSONElementBase element)
000130 | {
000131 | }
000132 |
000133 | ExpansionJSONElementBase Get(int index)
000134 | {
000135 |     return new ExpansionJSONUndefined;
000136 | }
000137 |
000138 | ExpansionJSONElementBase Get(string name)
000139 | {
000140 |     return new ExpansionJSONUndefined;
```



```
000141 | }
000142 |
000143 | bool GetBool()
000144 | {
000145 |     return false;
000146 | }
000147 |
000148 | int GetInt()
000149 | {
000150 |     return 0;
000151 | }
000152 |
000153 | float GetFloat()
000154 | {
000155 |     return 0.0;
000156 | }
000157 |
000158 | string GetString()
000159 | {
000160 |     return string.Empty;
000161 | }
000162 |
000163 | override string GetDebugName()
000164 | {
000165 |     return ToString();
000166 | }
000167 |
000168 | bool IsNull()
000169 | {
000170 |     return false;
000171 | }
000172 |
000173 | bool IsUndefined()
000174 | {
000175 |     return false;
000176 | }
000177 |
000178 | bool IsCollection()
000179 | {
000180 |     return false;
000181 | }
000182 |
000183 | bool IsArray()
000184 | {
000185 |     return false;
000186 | }
000187 |
000188 | bool IsObject()
000189 | {
000190 |     return false;
000191 | }
000192 |
000193 | int Count()
000194 | {
000195 |     return 0;
000196 | }
000197 |
000198 | string ToJSONString(bool pretty = true)
000199 | {
000200 |     return "";
000201 | }
000202 |
```

```
000203 | static string ToJSONString(string value)
000204 | {
000205 |     value.Replace(BACKSPACE, "\\b");
000206 |     value.Replace(FORMFEED, "\\f");
000207 |     value.Replace("\\n", "\\n");
000208 |     value.Replace("\\r", "\\r");
000209 |     value.Replace("\\t", "\\t");
000210 |     value.Replace("\\\"", "\\\" + \"\\\"");
000211 |     return string.Format("\"%1\"", value);
000212 | }
000213 | }
000214 |
000215 | class ExpansionJSONBool: ExpansionJSONElementBase
000216 | {
000217 |     bool m_Value;
000218 |
000219 |     void ExpansionJSONBool(bool value)
000220 |     {
000221 |         m_Value = value;
000222 |     }
000223 |
000224 |     override typename GetValueType()
000225 |     {
000226 |         return bool;
000227 |     }
000228 |
000229 |     override bool GetBool()
000230 |     {
000231 |         return m_Value;
000232 |     }
000233 |
000234 |     override int GetInt()
000235 |     {
000236 |         return m_Value;
000237 |     }
000238 |
000239 |     override float GetFloat()
000240 |     {
000241 |         return m_Value;
000242 |     }
000243 |
000244 |     override string GetString()
000245 |     {
000246 |         return m_Value.ToString();
000247 |     }
000248 |
000249 |     override string GetDebugName()
000250 |     {
000251 |         return string.Format("%1(%2)", ToString(), GetString());
000252 |     }
000253 |
000254 |     override string ToJSONString(bool pretty = true)
000255 |     {
000256 |         return GetString();
000257 |     }
000258 | }
000259 |
000260 | class ExpansionJSONFloat: ExpansionJSONElementBase
000261 | {
000262 |     float m_Value;
000263 |
000264 |     void ExpansionJSONFloat(float value)
```

```
000265 | {
000266 |     m_Value = value;
000267 | }
000268 |
000269 | override typename GetValueType()
000270 | {
000271 |     return float;
000272 | }
000273 |
000274 | override bool GetBool()
000275 | {
000276 |     return m_Value;
000277 | }
000278 |
000279 | override int GetInt()
000280 | {
000281 |     return m_Value;
000282 | }
000283 |
000284 | override float GetFloat()
000285 | {
000286 |     return m_Value;
000287 | }
000288 |
000289 | override string GetString()
000290 | {
000291 |     string s = m_Value.ToString();
000292 |     if (s.IndexOf(".") == -1 && s.IndexOf("e") == -1)
000293 |         s += ".0";
000294 |     return s;
000295 | }
000296 |
000297 | override string GetDebugName()
000298 | {
000299 |     return string.Format("%1(%2)", ToString(), GetString());
000300 | }
000301 |
000302 | override string ToJSONString(bool pretty = true)
000303 | {
000304 |     return GetString();
000305 | }
000306 | }
000307 |
000308 | class ExpansionJSONInt: ExpansionJSONElementBase
000309 | {
000310 |     int m_Value;
000311 |
000312 |     void ExpansionJSONInt(int value)
000313 |     {
000314 |         m_Value = value;
000315 |     }
000316 |
000317 |     override typename GetValueType()
000318 |     {
000319 |         return int;
000320 |     }
000321 |
000322 |     override bool GetBool()
000323 |     {
000324 |         return m_Value;
000325 |     }
000326 | }
```

```
000327 |     override int GetInt()
000328 |     {
000329 |         return m_Value;
000330 |     }
000331 |
000332 |     override float GetFloat()
000333 |     {
000334 |         return m_Value;
000335 |     }
000336 |
000337 |     override string GetString()
000338 |     {
000339 |         return m_Value.ToString();
000340 |     }
000341 |
000342 |     override string GetDebugName()
000343 |     {
000344 |         return string.Format("%1(%2)", ToString(), m_Value);
000345 |     }
000346 |
000347 |     override string ToJSONString(bool pretty = true)
000348 |     {
000349 |         return GetString();
000350 |     }
000351 | }
000352 |
000353 | class ExpansionJSONNull: ExpansionJSONElementBase
000354 | {
000355 |     override bool IsNull()
000356 |     {
000357 |         return true;
000358 |     }
000359 |
000360 |     override string GetString()
000361 |     {
000362 |         return "NULL";
000363 |     }
000364 |
000365 |     override string ToJSONString(bool pretty = true)
000366 |     {
000367 |         return "null";
000368 |     }
000369 | }
000370 |
000371 | class ExpansionJSONString: ExpansionJSONElementBase
000372 | {
000373 |     string m_Value;
000374 |
000375 |     void ExpansionJSONString(string value)
000376 |     {
000377 |         m_Value = value;
000378 |     }
000379 |
000380 |     override typename GetValueType()
000381 |     {
000382 |         return string;
000383 |     }
000384 |
000385 |     override bool GetBool()
000386 |     {
000387 |         if (m_Value)
000388 |             return true;
```

```
000389 |  
000390 |     return false;  
000391 | }  
000392 |  
000393 | override int GetInt()  
000394 | {  
000395 |     return m_Value.ToInt();  
000396 | }  
000397 |  
000398 | override float GetFloat()  
000399 | {  
000400 |     return m_Value.ToFloat();  
000401 | }  
000402 |  
000403 | override string GetString()  
000404 | {  
000405 |     return m_Value;  
000406 | }  
000407 |  
000408 | override string GetDebugName()  
000409 | {  
000410 |     return string.Format("%1(%2)", ToString(), ToJSONString(m_Value));  
000411 | }  
000412 |  
000413 | override string ToJSONString(bool pretty = true)  
000414 | {  
000415 |     return ToJSONString(m_Value);  
000416 | }  
000417 | }  
000418 |  
000419 | class ExpansionJSONUndefined: ExpansionJSONElementBase  
000420 | {  
000421 |     override bool IsUndefined()  
000422 |     {  
000423 |         return true;  
000424 |     }  
000425 | }  
000426 |  
000427 | class ExpansionJSONCollection: ExpansionJSONElementBase  
000428 | {  
000429 |     override bool IsCollection()  
000430 |     {  
000431 |         return true;  
000432 |     }  
000433 | }  
000434 |  
000435 | class ExpansionJSONArray: ExpansionJSONCollection  
000436 | {  
000437 |     ref array<ref ExpansionJSONElementBase> m_Elements = new array<ref ExpansionJSONElementBase>;  
000438 |  
000439 |     override typename GetValueType()  
000440 |     {  
000441 |         return array;  
000442 |     }  
000443 |  
000444 |     override array<ref ExpansionJSONElementBase> GetArray()  
000445 |     {  
000446 |         return m_Elements;  
000447 |     }  
000448 |  
000449 |     override TBoolArray GetBoolArray()  
000450 |     {
```

```
000451 |         TBoolArray a = {};
000452 |
000453 |         foreach (ExpansionJSONElementBase element: m_Elements)
000454 |         {
000455 |             a.Insert(element.GetBool());
000456 |         }
000457 |
000458 |         return a;
000459 |     }
000460 |
000461 |     override TIntArray GetIntArray()
000462 |     {
000463 |         TIntArray a = {};
000464 |
000465 |         foreach (ExpansionJSONElementBase element: m_Elements)
000466 |         {
000467 |             a.Insert(element.GetInt());
000468 |         }
000469 |
000470 |         return a;
000471 |     }
000472 |
000473 |     override TFloatArray GetFloatArray()
000474 |     {
000475 |         TFloatArray a = {};
000476 |
000477 |         foreach (ExpansionJSONElementBase element: m_Elements)
000478 |         {
000479 |             a.Insert(element.GetFloat());
000480 |         }
000481 |
000482 |         return a;
000483 |     }
000484 |
000485 |     override TStringArray GetStringArray()
000486 |     {
000487 |         TStringArray a = {};
000488 |
000489 |         foreach (ExpansionJSONElementBase element: m_Elements)
000490 |         {
000491 |             a.Insert(element.GetString());
000492 |         }
000493 |
000494 |         return a;
000495 |     }
000496 |
000497 |     override int Insert(ExpansionJSONElementBase element)
000498 |     {
000499 |         return m_Elements.Insert(element);
000500 |     }
000501 |
000502 |     override int InsertAt(ExpansionJSONElementBase element, int index)
000503 |     {
000504 |         return m_Elements.InsertAt(element, index);
000505 |     }
000506 |
000507 |     override ExpansionJSONElementBase Get(int index)
000508 |     {
000509 |         ExpansionJSONElementBase element = m_Elements[index];
000510 |         if (!element)
000511 |             element = new ExpansionJSONUndefined;
000512 |         return element;
```

```
000513 |     }
000514 |
000515 |     override bool IsArray()
000516 |     {
000517 |         return true;
000518 |     }
000519 |
000520 |     override int Count()
000521 |     {
000522 |         return m_Elements.Count();
000523 |     }
000524 |
000525 |     override string ToJSONString(bool pretty = true)
000526 |     {
000527 |         string s = "[";
000528 |
000529 |         if (pretty && m_Elements.Count())
000530 |         {
000531 |             s += "\n";
000532 |             s_Indent += "    ";
000533 |         }
000534 |
000535 |         foreach (int i, ExpansionJSONElementBase element: m_Elements)
000536 |         {
000537 |             if (i)
000538 |             {
000539 |                 s += ",";
000540 |
000541 |                 if (pretty)
000542 |                     s += "\n";
000543 |             }
000544 |
000545 |             if (pretty)
000546 |                 s += s_Indent;
000547 |
000548 |             s += element.ToJSONString(pretty);
000549 |         }
000550 |
000551 |         if (pretty && m_Elements.Count())
000552 |         {
000553 |             if (i)
000554 |                 s += "\n";
000555 |
000556 |             s_Indent = s_Indent.Substring(0, s_Indent.Length() - 4);
000557 |             s += s_Indent;
000558 |         }
000559 |
000560 |         s += "]";
000561 |
000562 |         return s;
000563 |     }
000564 | }
000565 |
000566 | class ExpansionJSONObject: ExpansionJSONCollection
000567 | {
000568 |     ref TStringArray m_Keys = {};
000569 |     ref map<string, ref ExpansionJSONElementBase> m_Elements = new map<string, ref ExpansionJSONElementBase>;
000570 |
000571 |     override typename GetValueType()
000572 |     {
000573 |         return map;
000574 |     }
```

```
000575 |
000576 |     override map<string, ref ExpansionJSONElementBase> GetMap()
000577 |     {
000578 |         return m_Elements;
000579 |     }
000580 |
000581 |     override bool Insert(string name, ExpansionJSONElementBase element)
000582 |     {
000583 |         m_Keys.Insert(name);
000584 |
000585 |         return m_Elements.Insert(name, element);
000586 |     }
000587 |
000588 |     override void Set(string name, ExpansionJSONElementBase element)
000589 |     {
000590 |         if (!m_Elements.Contains(name))
000591 |             m_Keys.Insert(name);
000592 |
000593 |         m_Elements[name] = element;
000594 |     }
000595 |
000596 |     override ExpansionJSONElementBase Get(string name)
000597 |     {
000598 |         ExpansionJSONElementBase element = m_Elements[name];
000599 |         if (!element)
000600 |             element = new ExpansionJSONUndefined;
000601 |         return element;
000602 |     }
000603 |
000604 |     bool Contains(string name)
000605 |     {
000606 |         return m_Elements.Contains(name);
000607 |     }
000608 |
000609 |     override bool IsObject()
000610 |     {
000611 |         return true;
000612 |     }
000613 |
000614 |     override int Count()
000615 |     {
000616 |         return m_Elements.Count();
000617 |     }
000618 |
000619 |     override string ToJSONString(bool pretty = true)
000620 |     {
000621 |         string s = "{";
000622 |
000623 |         if (pretty && m_Elements.Count())
000624 |         {
000625 |             s += "\n";
000626 |             s_Indent += "    ";
000627 |         }
000628 |
000629 |         foreach (int i, string name: m_Keys)
000630 |         {
000631 |             ExpansionJSONElementBase element = m_Elements[name];
000632 |
000633 |             if (i)
000634 |             {
000635 |                 s += ", ";
000636 |             }
```



```

000637 |         if (pretty)
000638 |             s += "\n";
000639 |     }
000640 |
000641 |     if (pretty)
000642 |         s += s_Indent;
000643 |
000644 |     s += ToJSONString(name) + ": " + element.ToJSONString(pretty);
000645 | }
000646 |
000647 | if (pretty && m_Elements.Count())
000648 | {
000649 |     if (i)
000650 |         s += "\n";
000651 |
000652 |     s_Indent = s_Indent.Substring(0, s_Indent.Length() - 4);
000653 |     s += s_Indent;
000654 | }
000655 |
000656 | s += "}";
000657 |
000658 | return s;
000659 | }
000660 | }
000661 |
000662 | #ifdef DIAG_DEVELOPER
000663 | #define EXPANSIONJSON_DIAG
000664 | #endif
000665 |
000666 | class ExpansionJSON: ExpansionJSONElementBase
000667 | {
000668 |     static const string NUMBER = "0123456789";
000669 |     static const string NUMBER_START = "+-" + NUMBER;
000670 |     static const string NUMBER_END = "." + NUMBER + "e,";
000671 |     static const string NUMBER_END_DECIMAL = NUMBER + "e,";
000672 |     static const string NUMBER_END_EXPONENT = "." + NUMBER + ",";
000673 |     static const string NUMBER_END_EXPONENT_DECIMAL = NUMBER + ",";
000674 |     static const string TOKEN_START = "\"{" + NUMBER_START + "tfn";
000675 |     static const int TOKEN_ERROR = 0;
000676 |     static const int TOKEN_SPECIAL = 1;
000677 |     static const int TOKEN_STRING = 2;
000678 |     static const int TOKEN_LITERAL = 3;
000679 |     static const int TOKEN_NUMBER = 4;
000680 |     static const int TOKEN_EOL = 5;
000681 |
000682 |     ref ExpansionJSONElementBase m_Root;
000683 |
000684 |     //! @note the following are all related to parser state (see Reset/DumpState)
000685 |     int m_StateChangeCount;
000686 |     int m_PrevStateChangeCount;
000687 |     ExpansionJSONElementBase m_Current;
000688 |     ref array<ExpansionJSONElementBase> m_CurrentHierarchy = {};
000689 | #ifdef EXPANSIONJSON_DIAG
000690 |     ref TStringArray m_CurrentHierarchyPath = {};
000691 | #endif
000692 |     string m_Buffer;
000693 |     string m_LineBuffer;
000694 |     int m_CurrentOffset;
000695 |     int m_LineNumber;
000696 |     bool m_HasKey;
000697 |     string m_Key;
000698 |     string m_Token;

```

```
000699 | bool m_ResetToken;
000700 | bool m_InString;
000701 | bool m_InBool;
000702 | bool m_InNumber;
000703 | bool m_HasDecimalPoint;
000704 | bool m_HasExponent;
000705 | bool m_Escaped;
000706 | bool m_InUnicodeEscapeSequence;
000707 | string m_UnicodeEscapeSequence;
000708 | string m_Expect;
000709 | bool m_ExpectEOF;
000710 | string m_Error;
000711 |
000712 | override typename GetValueType()
000713 | {
000714 |     return m_Root.GetValueType();
000715 | }
000716 |
000717 | override array<ref ExpansionJSONElementBase> GetArray()
000718 | {
000719 |     return m_Root.GetArray();
000720 | }
000721 |
000722 | override map<string, ref ExpansionJSONElementBase> GetMap()
000723 | {
000724 |     return m_Root.GetMap();
000725 | }
000726 |
000727 | override TBoolArray GetBoolArray()
000728 | {
000729 |     return m_Root.GetBoolArray();
000730 | }
000731 |
000732 | override TIntArray GetIntArray()
000733 | {
000734 |     return m_Root.GetIntArray();
000735 | }
000736 |
000737 | override TFloatArray GetFloatArray()
000738 | {
000739 |     return m_Root.GetFloatArray();
000740 | }
000741 |
000742 | override TStringArray GetStringArray()
000743 | {
000744 |     return m_Root.GetStringArray();
000745 | }
000746 |
000747 | override int Insert(ExpansionJSONElementBase element)
000748 | {
000749 |     return m_Root.Insert(element);
000750 | }
000751 |
000752 | override int InsertAt(ExpansionJSONElementBase element, int index)
000753 | {
000754 |     return m_Root.InsertAt(element, index);
000755 | }
000756 |
000757 | override bool Insert(string name, ExpansionJSONElementBase element)
000758 | {
000759 |     return m_Root.Insert(name, element);
000760 | }
```

```
000761 |  
000762 |     override void Set(string name, ExpansionJSONElementBase element)  
000763 |     {  
000764 |         m_Root[name] = element;  
000765 |     }  
000766 |  
000767 |     override ExpansionJSONElementBase Get(int index)  
000768 |     {  
000769 |         return m_Root.Get(index);  
000770 |     }  
000771 |  
000772 |     override ExpansionJSONElementBase Get(string name)  
000773 |     {  
000774 |         return m_Root.Get(name);  
000775 |     }  
000776 |  
000777 |     override bool GetBool()  
000778 |     {  
000779 |         return m_Root.GetBool();  
000780 |     }  
000781 |  
000782 |     override int GetInt()  
000783 |     {  
000784 |         return m_Root.GetInt();  
000785 |     }  
000786 |  
000787 |     override float GetFloat()  
000788 |     {  
000789 |         return m_Root.GetFloat();  
000790 |     }  
000791 |  
000792 |     override string GetString()  
000793 |     {  
000794 |         return m_Root.GetString();  
000795 |     }  
000796 |  
000797 |     override bool IsNull()  
000798 |     {  
000799 |         return m_Root.IsNull();  
000800 |     }  
000801 |  
000802 |     override bool IsUndefined()  
000803 |     {  
000804 |         return m_Root.IsUndefined();  
000805 |     }  
000806 |  
000807 |     override bool IsCollection()  
000808 |     {  
000809 |         return m_Root.IsCollection();  
000810 |     }  
000811 |  
000812 |     override bool IsArray()  
000813 |     {  
000814 |         return m_Root.IsArray();  
000815 |     }  
000816 |  
000817 |     override bool IsObject()  
000818 |     {  
000819 |         return m_Root.IsObject();  
000820 |     }  
000821 |  
000822 |     override int Count()
```

```
000823 | {
000824 |     return m_Root.Count();
000825 | }
000826 |
000827 | static ExpansionJSON Load(string fileName)
000828 | {
000829 |     FileHandle file = OpenFile(fileName, FileMode.READ);
000830 |
000831 |     if (!file)
000832 |         return null;
000833 |
000834 |     string data;
000835 |     string line;
000836 |
000837 |     int n;
000838 |     while (FGets(file, line) >= 0)
000839 |     {
000840 |         if (n++)
000841 |             data += "\n";
000842 |
000843 |         data += line;
000844 |     }
000845 |
000846 |     CloseFile(file);
000847 |
000848 |     return FromString(data);
000849 | }
000850 |
000851 | static ExpansionJSON FromString(string data, out bool success = false)
000852 | {
000853 |     auto json = new ExpansionJSON;
000854 |
000855 |     if (json.Parse(data))
000856 |         success = true;
000857 |
000858 |     return json;
000859 | }
000860 |
000861 | override string ToJSONString(bool pretty = true)
000862 | {
000863 |     return m_Root.ToJSONString(pretty);
000864 | }
000865 |
000866 | /**
000867 |  * @brief Reset internal parser state
000868 |  */
000869 | void Reset()
000870 | {
000871 |     m_Root = new ExpansionJSONUndefined;
000872 |
000873 |     m_StateChangeCount = 0;
000874 |     m_PrevStateChangeCount = 0;
000875 |     m_Current = null;
000876 |     m_CurrentHierarchy.Clear();
000877 | #ifdef EXPANSIONJSON_DIAG
000878 |     m_CurrentHierarchyPath.Clear();
000879 | #endif
000880 |     m_Buffer = "";
000881 |     m_LineBuffer = "";
000882 |     m_CurrentOffset = 0;
000883 |     m_LineNumber = 1;
000884 |     m_HasKey = false;
```

```
000885 |         m_Key = "";
000886 |         m-Token = "";
000887 |         m_ResetToken = false;
000888 |         m_InString = false;
000889 |         m_InBool = false;
000890 |         m_InNumber = false;
000891 |         m_HasDecimalPoint = false;
000892 |         m_HasExponent = false;
000893 |         m_Escaped = false;
000894 |         m_InUnicodeEscapeSequence = false;
000895 |         m_UnicodeEscapeSequence = "";
000896 |         m_Expect = TOKEN_START;
000897 |         m_ExpectEOF = false;
000898 |         m_Error = "";
000899 |     }
000900 |
000901 |     bool Parse(string data)
000902 |     {
000903 |     #ifdef EXTRACE_DIAG
000904 |         auto trace = EXTrace.Start(EXTrace.MISC, this);
000905 |     #endif
000906 |
000907 |         Reset();
000908 |
000909 |     #ifdef EXPANSIONJSON_DIAG
000910 |         DumpState();
000911 |     #endif
000912 |
000913 |     #ifdef EXPANSIONJSON_PARSEBYCHAR
000914 |         m_Buffer = data;
000915 |         data = "";
000916 |
000917 |         while (m_CurrentOffset < m_Buffer.Length())
000918 |         {
000919 |             if (!ParseSingleCharacter(m_Buffer[m_CurrentOffset], false))
000920 |                 return false;
000921 |         }
000922 |     #else
000923 |         string token;
000924 |         int type;
000925 |
000926 |         while (data)
000927 |         {
000928 |             type = data.ParseStringEx(token);
000929 |             if (!type || !ParseToken(type, token))
000930 |                 return false;
000931 |         }
000932 |     #endif
000933 |
000934 |         if (m_InString)
000935 |             return ParseError("Unexpected EOF at line %2 column %3, expected '\"'");
000936 |         else if (m_Expect && !m_ExpectEOF)
000937 |             return ParseError("Unexpected EOF at line %2 column %3, expected '%4'", "", m_Expect);
000938 |         else if (m_InNumber)
000939 |             ParseNumber(m-Token);
000940 |
000941 |     #ifdef EXPANSIONJSON_PARSEBYCHAR
000942 |         m_Buffer = "";
000943 |     #endif
000944 |
000945 |         return true;
000946 |     }
```

```
000947 |
000948 | bool ParseToken(int type, string token)
000949 | {
000950 |     switch (type)
000951 |     {
000952 |         case TOKEN_EOL:
000953 |             m_LineBuffer = "";
000954 |             m_LineNumber++;
000955 |
000956 |             return true;
000957 |
000958 |         case TOKEN_LITERAL:
000959 |             m_LineBuffer += token;
000960 |
000961 |             if (m_Current && m_Current.IsObject() && !m_HasKey)
000962 |                 return ParseError("Invalid character '%1' at line %2 column %3, expected '%4'", token, m_Expect);
000963 |
000964 |             if (!ParseLiteral(token))
000965 |                 return false;
000966 |
000967 |             Expect("", ",", true);
000968 |
000969 | #ifdef EXPANSIONJSON_DIAG
000970 |     DumpState();
000971 | #endif
000972 |
000973 |             return true;
000974 |
000975 |         case TOKEN_NUMBER:
000976 |             m_LineBuffer += token;
000977 |
000978 |             if (m_Current && m_Current.IsObject() && !m_HasKey)
000979 |                 return ParseError("Invalid character '%1' at line %2 column %3, expected '%4'", token, m_Expect);
000980 |
000981 |             if (!ParseNumber(token))
000982 |                 return false;
000983 |
000984 |             Expect("", ",", true);
000985 |
000986 | #ifdef EXPANSIONJSON_DIAG
000987 |     DumpState();
000988 | #endif
000989 |
000990 |             return true;
000991 |
000992 |         case TOKEN_STRING:
000993 |             m_LineBuffer += "\"" + token + "\"";
000994 |
000995 |             if (m_Current && m_Current.IsObject() && !m_HasKey)
000996 |             {
000997 |                 m_Key = token;
000998 |                 Expect("", ":");
000999 |             }
001000 |             else
001001 |             {
001002 |                 if (!ParseString(token))
001003 |                     return false;
001004 |
001005 |                 Expect("", ",", true);
001006 |             }
001007 |
001008 | #ifdef EXPANSIONJSON_DIAG
```

```
001009 |         DumpState();
001010 |     #endif
001011 |
001012 |         return true;
001013 |
001014 |     case TOKEN_SPECIAL:
001015 |         m_LineBuffer += token;
001016 |
001017 |         if (!m_Current && !m_Root.IsUndefined())
001018 |         {
001019 |             if (token == ",")
001020 |                 return ParseError("Invalid character '%1' at line %2 column %3 (JSON can only have one root element)", token);
001021 |             else
001022 |                 return ParseError("Invalid character '%1' at line %2 column %3", token);
001023 |         }
001024 |         else if (m_Expect)
001025 |         {
001026 |             if (m_Expect.IndexOf(token) > -1)
001027 |                 m_Expect = "";
001028 |             else
001029 |                 return ParseError("Invalid character '%1' at line %2 column %3, expected '%4'", token, m_Expect);
001030 |         }
001031 |
001032 |         break;
001033 |     }
001034 |
001035 |     switch (token)
001036 |     {
001037 |     case "{":
001038 |         OnStartObjectEx(m_Key);
001039 |
001040 |         Expect("", "\",", true);
001041 |
001042 |         break;
001043 |
001044 |     case "}":
001045 |         OnEndObjectEx();
001046 |
001047 |         if (m_Current)
001048 |             Expect("", ", ", true);
001049 |     #ifdef EXPANSIONJSON_DIAG
001050 |     else
001051 |         m_StateChangeCount++;
001052 |     #endif
001053 |
001054 |         break;
001055 |
001056 |     case "[":
001057 |         OnStartArray(m_Key);
001058 |
001059 |         Expect("", TOKEN_START, true);
001060 |
001061 |         break;
001062 |
001063 |     case "]":
001064 |         OnEndArray(m_Current.Count());
001065 |
001066 |         if (m_Current)
001067 |             Expect("", ", ", true);
001068 |     #ifdef EXPANSIONJSON_DIAG
001069 |     else
001070 |         m_StateChangeCount++;
```

```
001071 |         #endif
001072 |
001073 |             break;
001074 |
001075 |         case ":":
001076 |             m_HasKey = true;
001077 |
001078 |             Expect("", TOKEN_START);
001079 |
001080 |             break;
001081 |
001082 |         case ",":
001083 |             if (!m_Current)
001084 |                 return ParseError("Invalid character '%1' at line %2 column %3 (JSON can only have one root element)", token);
001085 |             else if (m_Current.IsArray())
001086 |                 Expect("", TOKEN_START);
001087 |             else
001088 |                 Expect("", "\\");
001089 |
001090 |             break;
001091 |
001092 |         default:
001093 |             return ParseError("Invalid character '%1' at line %2 column %3, expected '%4'", token, m_Expect);
001094 |     }
001095 |
001096 | #ifdef EXPANSIONJSON_DIAG
001097 |     DumpState();
001098 | #endif
001099 |
001100 |     return true;
001101 | }
001102 |
001103 | bool ParseSingleCharacter(string c, bool buffer = true)
001104 | {
001105 |     if (c)
001106 |     {
001107 |         if (buffer)
001108 |             m_Buffer += c;
001109 |
001110 |         if (c == "\\n")
001111 |         {
001112 |             if (m_InString)
001113 |                 return ParseError("Unterminated string at line %2 column %3, expected '\\\"');
001114 |
001115 |             if (m_InNumber)
001116 |                 ParseNumber(m-Token);
001117 |
001118 |             m_LineBuffer = "";
001119 |             m_LineNumber++;
001120 |         }
001121 |         else
001122 |         {
001123 |             m_LineBuffer += c;
001124 |         }
001125 |
001126 |         if (!m_InString)
001127 |         {
001128 |             if (!c.Trim() || c == "\\n")
001129 |             {
001130 |                 ///! Skip whitespace if not in string
001131 |                 return IncrementOffset();
001132 |             }
```



```
001133 |
001134 |         if (!m_Current && !m_Root.IsUndefined())
001135 |         {
001136 |             if (c == ",")
001137 |                 return ParseError("Invalid character '%1' at line %2 column %3 (JSON can only have one root element)", c);
001138 |             else
001139 |                 return ParseError("Invalid character '%1' at line %2 column %3", c);
001140 |         }
001141 |     else if (m_Expect)
001142 |     {
001143 |         if (m_Expect.IndexOf(c) > -1)
001144 |         {
001145 |             m_Expect = "";
001146 |         }
001147 |         else
001148 |         {
001149 |             return ParseError("Invalid character '%1' at line %2 column %3, expected '%4'", c, m_Expect);
001150 |         }
001151 |     }
001152 | }
001153 | else if (c == "\\\" && !m_Escaped)
001154 | {
001155 |     m_Escaped = true;
001156 |
001157 | #ifdef EXPANSIONJSON_DIAG
001158 |     m_StateChangeCount++;
001159 | #endif
001160 |
001161 |     return IncrementOffset();
001162 | }
001163 | else if (m_Escaped)
001164 | {
001165 |     if (c == "u")
001166 |     {
001167 |         if (m_Buffer.Length() > m_CurrentOffset + 4)
001168 |         {
001169 |             ///! If we have a buffer, look ahead
001170 |             m-Token += UnescapeUnicode(m_Buffer.Substring(m_CurrentOffset + 1, 4));
001171 |
001172 |             m_CurrentOffset += 4;
001173 |
001174 |             m_Escaped = false;
001175 |         }
001176 |         else
001177 |         {
001178 |             m_InUnicodeEscapeSequence = true;
001179 |         }
001180 |     }
001181 |     else if (m_InUnicodeEscapeSequence)
001182 |     {
001183 |         if (m_UnicodeEscapeSequence.Length() < 4)
001184 |         {
001185 |             m_UnicodeEscapeSequence += c;
001186 |
001187 |             if (m_UnicodeEscapeSequence.Length() == 4)
001188 |             {
001189 |                 m-Token += UnescapeUnicode(m_UnicodeEscapeSequence);
001190 |                 m_InUnicodeEscapeSequence = false;
001191 |                 m_Escaped = false;
001192 |             }
001193 |         }
001194 |     }
001194 | }
```

```
001195 |         else
001196 |         {
001197 |             m_Token += Unescape(c);
001198 |             m_Escaped = false;
001199 |         }
001200 |
001201 |         if (!m_Escaped)
001202 |             m_UnicodeEscapeSequence = "";
001203 |
001204 | #ifdef EXPANSIONJSON_DIAG
001205 |     m_StateChangeCount++;
001206 | #endif
001207 |
001208 |     return IncrementOffset();
001209 | }
001210 | else if (c != "\\")
001211 | {
001212 |     if (m_Buffer.Length() > m_CurrentOffset + 1)
001213 |     {
001214 |         //!< If we have a buffer, look ahead
001215 |
001216 |         int index = m_Buffer.IndexOfFrom(m_CurrentOffset, "\\");
001217 |
001218 |         if (index > -1)
001219 |         {
001220 |             int len = index - m_CurrentOffset;
001221 |
001222 |             if (len > 0)
001223 |             {
001224 |                 string token = m_Buffer.Substring(m_CurrentOffset, len);
001225 |
001226 |                 index = token.IndexOf("\\");
001227 |                 int newline = token.IndexOf("\n");
001228 |
001229 |                 if (newline > -1 && (index == -1 || newline < index))
001230 |                     index = newline;
001231 |
001232 |                 if (index > -1)
001233 |                 {
001234 |                     len = index;
001235 |                     token = token.Substring(0, len);
001236 |                 }
001237 |
001238 |                 m_Token += token;
001239 |             }
001240 |
001241 |             m_CurrentOffset += len;
001242 |
001243 |             return true;
001244 |         }
001245 |     }
001246 |
001247 |     m_Token += c;
001248 |
001249 |     return IncrementOffset();
001250 | }
001251 |
001252 | switch (c)
001253 | {
001254 |     case "{":
001255 |         OnStartObjectEx(m_Key);
001256 |
```

```
001257 |         Expect("", "\"", true);
001258 |
001259 |         break;
001260 |
001261 |     case "}":
001262 |         /*
001263 |         if (m_Current.IsObject())
001264 |         {
001265 |             /*
001266 |                 if (m-Token)
001267 |                 {
001268 |                     //! float or int
001269 |                     ParseNumber(m-Token);
001270 |                 }
001271 |
001272 |                 OnEndObjectEx();
001273 |
001274 |                 if (m_Current)
001275 |                     Expect("", ",", true);
001276 | #ifdef EXPANSIONJSON_DIAG
001277 |                 else
001278 |                     m_StateChangeCount++;
001279 | #endif
001280 |             /*
001281 |         }
001282 |     else
001283 |     {
001284 |         return ParseError("Invalid character '%1' at line %2 column %3", c);
001285 |     }
001286 |     */
001287 |
001288 |     break;
001289 |
001290 |     case "[":
001291 |         OnStartArray(m_Key);
001292 |
001293 |         Expect("", TOKEN_START, true);
001294 |
001295 |         break;
001296 |
001297 |     case "]":
001298 |         /*
001299 |         if (m_Current.IsArray())
001300 |         {
001301 |             /*
001302 |                 if (m-Token)
001303 |                 {
001304 |                     //! float or int
001305 |                     ParseNumber(m-Token);
001306 |                 }
001307 |
001308 |                 OnEndArray(m_Current.Count());
001309 |
001310 |                 if (m_Current)
001311 |                     Expect("", ",", true);
001312 | #ifdef EXPANSIONJSON_DIAG
001313 |                 else
001314 |                     m_StateChangeCount++;
001315 | #endif
001316 |             /*
001317 |         }
001318 |     else
```

```
001319 |         {
001320 |             return ParseError("Invalid character '%1' at line %2 column %3", c);
001321 |         }
001322 |     */
001323 |
001324 |     break;
001325 |
001326 | case "\\":
001327 |     if (m_InString)
001328 |     {
001329 |         m_InString = false;
001330 |
001331 |         if (m_Current && m_Current.IsObject() && !m_HasKey)
001332 |         {
001333 |             m_Key = m-Token;
001334 |             m_ResetToken = true;
001335 |             Expect("", ":");
001336 |         }
001337 |         else
001338 |         {
001339 |             OnString(m_Key, m-Token);
001340 |
001341 |             Expect("", ",", true);
001342 |         }
001343 |     }
001344 |     /*
001345 |     else if (m-Token)
001346 |     {
001347 |         return ParseError("Invalid character '%1' at line %2 column %3", c);
001348 |     }
001349 |     */
001350 |     else
001351 |     {
001352 |         m_InString = true;
001353 |         m_Expect = "";
001354 |
001355 |         #ifdef EXPANSIONJSON_DIAG
001356 |             m_StateChangeCount++;
001357 |         #endif
001358 |     }
001359 |
001360 |     break;
001361 |
001362 | case ":":
001363 |     /*
001364 |     if (m_Current.IsObject() && !m_HasKey)
001365 |     {
001366 |         /*
001367 |             m_HasKey = true;
001368 |
001369 |             Expect("", TOKEN_START);
001370 |         */
001371 |     }
001372 |     else
001373 |     {
001374 |         return ParseError("Invalid character '%1' at line %2 column %3", c);
001375 |     }
001376 |     */
001377 |
001378 |     break;
001379 |
001380 | case ",":
```

```
001381 |         if (m_Token)
001382 |         {
001383 |             //! float or int
001384 |             ParseNumber(m_Token);
001385 |         }
001386 |
001387 |         if (!m_Current)
001388 |         {
001389 |             return ParseError("Invalid character '%1' at line %2 column %3 (JSON can only have one root element)", c);
001390 |         }
001391 |         else if (m_Current.IsArray())
001392 |         {
001393 |             Expect("", TOKEN_START);
001394 |         }
001395 |         else
001396 |         {
001397 |             Expect("", "\\");
001398 |         }
001399 |
001400 |         break;
001401 |
001402 |     ///! true
001403 |     case "t":
001404 |         if (m_Buffer.Length() > m_CurrentOffset + 3)
001405 |         {
001406 |             //! If we have a buffer, look ahead
001407 |             m_Token += m_Buffer.Substring(m_CurrentOffset, 4);
001408 |
001409 |             m_CurrentOffset += 3;
001410 |
001411 |             Expect("", ",", true);
001412 |
001413 |             if (!ParseLiteral(m_Token))
001414 |                 return false;
001415 |         }
001416 |         else
001417 |         {
001418 |             m_InBool = true;
001419 |             Expect(c, "r");
001420 |         }
001421 |         break;
001422 |
001423 |     case "r":
001424 |         Expect(c, "u");
001425 |         break;
001426 |
001427 |     case "u":
001428 |         if (m_InBool)
001429 |             Expect(c, "e"); //! Expect true
001430 |         else
001431 |             Expect(c, "l"); //! Expect null
001432 |         break;
001433 |
001434 |     ///! false
001435 |     case "f":
001436 |         if (m_Buffer.Length() > m_CurrentOffset + 4)
001437 |         {
001438 |             //! If we have a buffer, look ahead
001439 |             m_Token += m_Buffer.Substring(m_CurrentOffset, 5);
001440 |
001441 |             m_CurrentOffset += 4;
001442 |         }
```

```
001443 |         Expect("", "", true);
001444 |
001445 |         if (!ParseLiteral(m-Token))
001446 |             return false;
001447 |     }
001448 |     else
001449 |     {
001450 |         m_InBool = true;
001451 |         Expect(c, "a");
001452 |     }
001453 |     break;
001454 |
001455 | case "a":
001456 |     Expect(c, "l");
001457 |     break;
001458 |
001459 | case "l":
001460 |     if (m_InBool)
001461 |     {
001462 |         Expect(c, "s"); //! Expect false
001463 |     }
001464 |     else if (m-Token.Length() < 3)
001465 |     {
001466 |         Expect(c, "l"); //! Expect null
001467 |     }
001468 |     else
001469 |     {
001470 |         Expect(c, "", true);
001471 |
001472 |         //! null
001473 |         ParseLiteral(m-Token);
001474 |     }
001475 |     break;
001476 |
001477 | case "s":
001478 |     Expect(c, "e");
001479 |     break;
001480 |
001481 | //! null
001482 | case "n":
001483 |     if (m-Buffer.Length() > m-CurrentOffset + 3)
001484 |     {
001485 |         //! If we have a buffer, look ahead
001486 |         m-Token += m-Buffer.Substring(m-CurrentOffset, 4);
001487 |
001488 |         m-CurrentOffset += 3;
001489 |
001490 |         Expect("", "", true);
001491 |
001492 |         if (!ParseLiteral(m-Token))
001493 |             return false;
001494 |     }
001495 |     else
001496 |     {
001497 |         Expect(c, "u");
001498 |     }
001499 |     break;
001500 |
001501 | //! Numbers
001502 | case "+":
001503 | case "-":
001504 |     m-InNumber = true;
```

```
001505 |         Expect(c, NUMBER);
001506 |         break;
001507 |
001508 |     case ".":
001509 |         m_HasDecimalPoint = true;
001510 |         Expect(c, NUMBER);
001511 |         break;
001512 |
001513 |     case "e":
001514 |         if (m_InNumber)
001515 |         {
001516 |             m_HasDecimalPoint = false;
001517 |             m_HasExponent = true;
001518 |             Expect(c, NUMBER_START);
001519 |         }
001520 |     else
001521 |     {
001522 |         Expect(c, ",", true);
001523 |
001524 |         //! true or false
001525 |         ParseLiteral(m-Token);
001526 |     }
001527 |     break;
001528 |
001529 | default:
001530 |     if (c.ToInt().ToString() == c)
001531 |     {
001532 |         if (!m_InNumber)
001533 |             m_InNumber = true;
001534 |
001535 |         if (m_HasDecimalPoint)
001536 |         {
001537 |             if (m_HasExponent)
001538 |                 Expect(c, NUMBER_END_EXPONENT_DECIMAL, true);
001539 |             else
001540 |                 Expect(c, NUMBER_END_DECIMAL, true);
001541 |         }
001542 |     else
001543 |     {
001544 |         if (m_HasExponent)
001545 |             Expect(c, NUMBER_END_EXPONENT, true);
001546 |         else
001547 |             Expect(c, NUMBER_END, true);
001548 |     }
001549 | }
001550 | else
001551 | {
001552 |     return ParseError("Invalid character '%1' at line %2 column %3", c);
001553 | }
001554 | break;
001555 | }
001556 |
001557 |     return IncrementOffset();
001558 | }
001559 |
001560 | return false;
001561 | }
001562 |
001563 | void Expect(string c, string e, bool expectElementEnd = false)
001564 | {
001565 | #ifdef EXPANSIONJSON_PARSEBYCHAR
001566 |     if (c)
```

```
001567 |         m-Token += c;
001568 |     #endif
001569 |
001570 |         m_Expect = e;
001571 |         m_ExpectEOF = false;
001572 |
001573 |         if (expectElementEnd)
001574 |         {
001575 |             if (m_Current)
001576 |             {
001577 |                 if (m_Current.IsArray())
001578 |                     m_Expect += "];";
001579 |                 else
001580 |                     m_Expect += "}";
001581 |             }
001582 |             else
001583 |             {
001584 |                 m_ExpectEOF = true;
001585 |             }
001586 |         }
001587 |
001588 |     #ifdef EXPANSIONJSON_DIAG
001589 |         m_StateChangeCount++;
001590 |     #endif
001591 | }
001592 |
001593 | bool IncrementOffset()
001594 | {
001595 |     #ifdef EXPANSIONJSON_DIAG
001596 |         if (m_StateChangeCount != m_PrevStateChangeCount)
001597 |         {
001598 |             DumpState();
001599 |             m_PrevStateChangeCount = m_StateChangeCount;
001600 |         }
001601 |     #endif
001602 |
001603 |     if (m_ResetToken)
001604 |     {
001605 |         m-Token = "";
001606 |         m_ResetToken = false;
001607 |     }
001608 |
001609 |     m_CurrentOffset++;
001610 |     return true;
001611 | }
001612 |
001613 | bool ParseError(string error, string c = "", string expect = string.Empty)
001614 | {
001615 |     int column = m_LineBuffer.Length() - 1;
001616 |
001617 |     string line = m_LineBuffer;
001618 |     line.Replace("\t", " ");
001619 |
001620 |     m_Error = string.Format(error, c, m_LineNumber, column, expect) + "\n";
001621 |     m_Error += line + "\n";
001622 |     m_Error += GetParseMarker();
001623 |
001624 |     Error(m_Error);
001625 |
001626 |     return false;
001627 | }
001628 |
```



```
001629 | string Unescape(string c)
001630 | {
001631 | #ifdef EXPANSIONJSON_DIAG
001632 |     DiagPrint("Unescape %1", c);
001633 | #endif
001634 |
001635 |     switch (c)
001636 |     {
001637 |         case "b":
001638 |             return BACKSPACE;
001639 |
001640 |         case "f":
001641 |             return FORMFEED;
001642 |
001643 |         case "n":
001644 |             return "\n";
001645 |
001646 |         case "r":
001647 |             return "\r";
001648 |
001649 |         case "t":
001650 |             return "\t";
001651 |     }
001652 |
001653 |     return c;
001654 | }
001655 |
001656 | string UnescapeUnicode(string sequence)
001657 | {
001658 | #ifdef EXPANSIONJSON_DIAG
001659 |     DiagPrint("UnescapeUnicode %1", sequence);
001660 | #endif
001661 |
001662 |     int codepoint = ("0x" + sequence).HexToInt();
001663 |
001664 |     string s;
001665 |
001666 |     if (codepoint <= 0x7f)
001667 |     {
001668 |         //!< Single-byte UTF-8
001669 |         s = codepoint.AsciiToString();
001670 |     }
001671 |     else if (codepoint <= 0x7ff)
001672 |     {
001673 |         //!< Two-byte UTF-8
001674 |         s = (0xc0 | (codepoint >> 6)).AsciiToString();
001675 |         s += (0x80 | (codepoint & 0x3f)).AsciiToString();
001676 |     }
001677 |     else if (codepoint <= 0xffff)
001678 |     {
001679 |         //!< Three-byte UTF-8
001680 |         s = (0xe0 | (codepoint >> 12)).AsciiToString();
001681 |         s += (0x80 | ((codepoint >> 6) & 0x3f)).AsciiToString();
001682 |         s += (0x80 | (codepoint & 0x3f)).AsciiToString();
001683 |     }
001684 |     //!< @note four-byte UTF-8 not supported by JSON standard
001685 |     else if (codepoint <= 0x10ffff)
001686 |     {
001687 |         //!< Four-byte UTF-8
001688 |         s = (0xf0 | (codepoint >> 18)).AsciiToString();
001689 |         s += (0x80 | ((codepoint >> 12) & 0x3f)).AsciiToString();
001690 |         s += (0x80 | ((codepoint >> 6) & 0x3f)).AsciiToString();
```

```
001691 |         s += (0x80 | (codepoint & 0x3f)).AsciiToString();
001692 |     }
001693 |     else
001694 |     {
001695 |         ///! Invalid code point
001696 |         Error("Invalid Unicode escape sequence: " + sequence);
001697 |     }
001698 |
001699 |     return s;
001700 | }
001701 |
001702 | void OnStartObjectEx(string name)
001703 | {
001704 |     #ifdef EXPANSIONJSON_DIAG
001705 |         DiagPrint("OnStartObjectEx");
001706 |     #endif
001707 |
001708 |     InsertIntoCurrentHierarchy(name, new ExpansionJSONObject);
001709 | }
001710 |
001711 | void OnEndObjectEx()
001712 | {
001713 |     #ifdef EXPANSIONJSON_DIAG
001714 |         DiagPrint("OnEndObjectEx %1", string.Join("", m_CurrentHierarchyPath));
001715 |     #endif
001716 |
001717 |     OnEndElement();
001718 | }
001719 |
001720 | override void OnStartArray(string name)
001721 | {
001722 |     #ifdef EXPANSIONJSON_DIAG
001723 |         DiagPrint("OnStartArray");
001724 |     #endif
001725 |
001726 |     InsertIntoCurrentHierarchy(name, new ExpansionJSONArray);
001727 | }
001728 |
001729 | override void OnEndArray(int itemCount)
001730 | {
001731 |     #ifdef EXPANSIONJSON_DIAG
001732 |         DiagPrint("OnEndArray %1", string.Join("", m_CurrentHierarchyPath));
001733 |     #endif
001734 |
001735 |     OnEndElement();
001736 | }
001737 |
001738 | void OnEndElement()
001739 | {
001740 |     #ifdef EXPANSIONJSON_DIAG
001741 |         ExpansionJSONElementBase element = m_Current;
001742 |     #endif
001743 |
001744 |     m_CurrentHierarchy.Remove(m_CurrentHierarchy.Count() - 1);
001745 |     m_Current = m_CurrentHierarchy[m_CurrentHierarchy.Count() - 1];
001746 |
001747 |     #ifdef EXPANSIONJSON_DIAG
001748 |         m_CurrentHierarchyPath.Remove(m_CurrentHierarchyPath.Count() - 1);
001749 |         DiagPrint("OnEndElement %1 -> %2", element.ToString(), m_Current.ToString());
001750 |     #endif
001751 | }
001752 |
```

```
001753 | override void OnString(string name, string value)
001754 | {
001755 |     InsertIntoCurrentHierarchy(name, new ExpansionJSONString(value));
001756 |
001757 | #ifdef EXPANSIONJSON_PARSEBYCHAR
001758 |     m_ResetToken = true;
001759 | #endif
001760 | }
001761 |
001762 | bool ParseLiteral(string token)
001763 | {
001764 | #ifdef EXPANSIONJSON_PARSEBYCHAR
001765 |     m_InBool = false;
001766 |     m_ResetToken = true;
001767 | #endif
001768 |
001769 |     ExpansionJSONElementBase element;
001770 |
001771 |     switch (token)
001772 |     {
001773 |         case "true":
001774 |             element = new ExpansionJSONBool(true);
001775 |             break;
001776 |
001777 |         case "false":
001778 |             element = new ExpansionJSONBool(false);
001779 |             break;
001780 |
001781 |         case "null":
001782 |             element = new ExpansionJSONNull();
001783 |             break;
001784 |
001785 |         default:
001786 |             return ParseError("Invalid token %1 at line %2 column %3", token);
001787 |     }
001788 |
001789 |     return InsertIntoCurrentHierarchy(m_Key, element);
001790 | }
001791 |
001792 | bool ParseNumber(string token)
001793 | {
001794 | #ifdef EXPANSIONJSON_PARSEBYCHAR
001795 |     m_HasDecimalPoint = false;
001796 |     m_HasExponent = false;
001797 |     m_InNumber = false;
001798 |     m_ResetToken = true;
001799 | #endif
001800 |
001801 |     ExpansionJSONElementBase element;
001802 |
001803 |     if (token.IndexOf(".") > -1 || token.IndexOf("e") > -1)
001804 |         element = new ExpansionJSONFloat(token.ToFloat());
001805 |     else
001806 |         element = new ExpansionJSONInt(token.ToInt());
001807 |
001808 |     return InsertIntoCurrentHierarchy(m_Key, element);
001809 | }
001810 |
001811 | bool ParseString(string token)
001812 | {
001813 |     int index;
001814 |     string s;
```

```
001815 |  
001816 |     while (true)  
001817 |     {  
001818 |         index = token.IndexOf("\\");  
001819 |  
001820 |         if (index == -1 || index == token.Length() - 1)  
001821 |         {  
001822 |             s += token;  
001823 |             break;  
001824 |         }  
001825 |  
001826 |         s += token.Substring(0, index);  
001827 |  
001828 |         string c = token[index + 1];  
001829 |         string sequence;  
001830 |  
001831 |         switch (c)  
001832 |         {  
001833 |             case "u":  
001834 |                 sequence = token.Substring(index + 2, 4);  
001835 |                 s += UnescapeUnicode(sequence);  
001836 |                 token = token.Substring(index + 6, token.Length() - index - 6);  
001837 |                 break;  
001838 |  
001839 |             default:  
001840 |                 s += Unescape(c);  
001841 |                 token = token.Substring(index + 2, token.Length() - index - 2);  
001842 |                 break;  
001843 |         }  
001844 |     }  
001845 |  
001846 |     OnString(m_Key, s);  
001847 |  
001848 |     return true;  
001849 | }  
001850 |  
001851 | bool InsertIntoCurrentHierarchy(string name, ExpansionJSONElementBase element)  
001852 | {  
001853 |     ExpansionJSONArray arr;  
001854 |     ExpansionJSONObject obj;  
001855 |  
001856 |     if (Class.CastTo(arr, m_Current))  
001857 |     {  
001858 |         #ifdef EXPANSIONJSON_DIAG  
001859 |             DiagPrint("InsertIntoCurrentHierarchy %1 %2 %3", string.Join("", m_CurrentHierarchyPath), arr.Count().ToString(), element.GetDebugName());  
001860 |  
001861 |             if (element.IsCollection())  
001862 |                 m_CurrentHierarchyPath.Insert(string.Format("[%1]", arr.Count()));  
001863 |         #endif  
001864 |  
001865 |         arr.Insert(element);  
001866 |     }  
001867 |     else if (Class.CastTo(obj, m_Current))  
001868 |     {  
001869 |         #ifdef EXPANSIONJSON_DIAG  
001870 |             DiagPrint("InsertIntoCurrentHierarchy %1 %2 %3", string.Join("", m_CurrentHierarchyPath), name, element.GetDebugName());  
001871 |  
001872 |             if (element.IsCollection())  
001873 |                 m_CurrentHierarchyPath.Insert(string.Format("[\\\"%1\\\"]", name));  
001874 |         #endif  
001875 |  
001876 |         obj[name] = element;
```

```
001877 |     }
001878 |     else
001879 |     {
001880 |         #ifdef EXPANSIONJSON_DIAG
001881 |             DiagPrint("InsertIntoCurrentHierarchy %1", element.GetDebugName());
001882 |
001883 |             m_CurrentHierarchyPath.Insert("ROOT");
001884 |         #endif
001885 |
001886 |         m_Root = element;
001887 |     }
001888 |
001889 |     if (element.IsCollection())
001890 |     {
001891 |         m_Current = element;
001892 |         m_CurrentHierarchy.Insert(element);
001893 |     }
001894 |
001895 |     m_Key = "";
001896 |     m_HasKey = false;
001897 |
001898 |     return true;
001899 | }
001900 |
001901 | void InsertIntoCurrentHierarchyAt(int index, ExpansionJSONElementBase element)
001902 | {
001903 |     #ifdef EXPANSIONJSON_DIAG
001904 |         DiagPrint("InsertIntoCurrentHierarchyAt %1 %2", index.ToString(), element.GetDebugName());
001905 |     #endif
001906 |
001907 |     ExpansionJSONArray arr;
001908 |     if (Class.CastTo(arr, m_Current))
001909 |         arr.InsertAt(element, index);
001910 | }
001911 |
001912 | void DiagPrint(string s, string p1 = "", string p2 = "", string p3 = "", string p4 = "", string p5 = "", string p6 = "", string p7 = "", string p8 = "", string p9 = "")
001913 | {
001914 |     PrintFormat(s, p1, p2, p3, p4, p5, p6, p7, p8, p9);
001915 | }
001916 |
001917 | string GetParseMarker()
001918 | {
001919 |     string marker;
001920 |
001921 |     for (int i = 0; i < m_LineBuffer.Length() - 1; i++)
001922 |     {
001923 |         marker += "-";
001924 |     }
001925 |
001926 |     marker += "^";
001927 |
001928 |     return marker;
001929 | }
001930 |
001931 | void DumpState()
001932 | {
001933 |     string prefix = "JSON parser state[" + m_StateChangeCount + "]: %1";
001934 |
001935 |     if (m_LineBuffer)
001936 |     {
001937 |         string line = m_LineBuffer;
```

```
001938 |         line.Replace("\t", " ");
001939 |         DiagPrint(prefix, line);
001940 |         DiagPrint(prefix, GetParseMarker());
001941 |     }
001942 |
001943 |     DiagPrint(prefix, "m_LineNumber = " + m_LineNumber);
001944 | #ifdef EXPANSIONJSON_PARSEBYCHAR
001945 |     DiagPrint(prefix, "m_CurrentOffset = " + m_CurrentOffset);
001946 | #endif
001947 |     DiagPrint(prefix, "m_HasKey = " + m_HasKey);
001948 |     DiagPrint(prefix, "m_Key = " + m_Key);
001949 | #ifdef EXPANSIONJSON_PARSEBYCHAR
001950 |     DiagPrint(prefix, "m-Token = " + m-Token);
001951 |     DiagPrint(prefix, "m_ResetToken = " + m_ResetToken);
001952 |     DiagPrint(prefix, "m_InString = " + m_InString);
001953 |     DiagPrint(prefix, "m_InBool = " + m_InBool);
001954 |     DiagPrint(prefix, "m_InNumber = " + m_InNumber);
001955 |     DiagPrint(prefix, "m_HasDecimalPoint = " + m_HasDecimalPoint);
001956 |     DiagPrint(prefix, "m_HasExponent = " + m_HasExponent);
001957 |     DiagPrint(prefix, "m_Escaped = " + m_Escaped);
001958 |     DiagPrint(prefix, "m_InUnicodeEscapeSequence = " + m_InUnicodeEscapeSequence);
001959 |     DiagPrint(prefix, "m_UnicodeEscapeSequence = " + m_UnicodeEscapeSequence);
001960 | #endif
001961 |     DiagPrint(prefix, "m_Expect = " + m_Expect);
001962 |     DiagPrint(prefix, "m_ExpectEOF = " + m_ExpectEOF);
001963 |     DiagPrint("-----");
001964 | }
001965 | }
001966 |
```

0120. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Tools\ExpansionJsonSchemaExporter.c

Size bytes: 8999

SHA-256: e03f1a4f53c336163c26cc1673dba37bc9d2ddb35462a048a09cde2da28b75fc

Decoded as: utf-8-sig

Line count shown: 368

Detected class declarations: 1

L13: class ExpansionJsonSchemaExporter

Detected enum declarations: 0

Detected function/method-like declarations: 35

L22: void ExpansionJsonSchemaExporter()

L28: ExpansionJsonSchemaExporter GetSchema()

L33: string ToJSONString(typename type, bool pretty = true)

L39: bool ToFile(typename type, string path, bool pretty = true)

L55: private ExpansionJsonSchemaExporter Export(typename type)

L64: private ExpansionJsonSchemaExporter Build(typename type)

L86: private ExpansionJsonSchemaExporter BuildProperties(typename type)

L107: private ExpansionJsonSchemaExporter BaseTypeToSchema(typename type)

L113: return SimpleType("integer");

L117: return SimpleType("number");

L121: return SimpleType("string");

L125: return BuildBoolSchema();

L129: return BuildVectorSchema();

L166: return BuildClassRef(type);

L175: private ExpansionJsonSchemaExporter TypeNameToSchema(string name)

L183: return SimpleType("integer");

L187: return SimpleType("number");

L191: return SimpleType("string");

L195: return BuildBoolSchema();

L199: return BuildVectorSchema();

L235: return BuildClassRef(resolved);

L244: private ExpansionJsonSchemaExporter BuildClassRef(typename type)

L250: return MakeRef(key);

L255: return MakeRef(key);

L268: return MakeRef(key);

L271: private ExpansionJsonSchemaExporter MakeRef(string defName)

L278: private ExpansionJsonSchemaExporter BuildVectorSchema()

L298: private ExpansionJsonSchemaExporter BuildBoolSchema()

L311: private ExpansionJsonSchemaExporter SimpleType(string jsonType)

L318: private string StripRef(string typeName)

L328: private string ExtractGenericParam(string typeName)

L332: return StripRef(typeName.Substring(start, end - start));

L335: private void ExtractMapParams(string typeName, out string keyType, out string valueType)

L353: else if (c == ">")

L357: else if (c == "," && depth == 0)

Full file content

```
000001 | /**
000002 |  * ExpansionJsonSchemaExporter.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
```

```
000013 | class ExpansionJsonSchemaExporter
000014 | {
000015 |     private ref map<string, ref ExpansionJSONObject> m_Defs;
000016 |     private ref map<string, bool> m_Visiting;
000017 |     private ref ExpansionJSONObject m_Schema;
000018 |
000019 |     private ref ExpansionJSONObject m_BoolSchema;
000020 |     private ref ExpansionJSONObject m_VectorSchema;
000021 |
000022 |     void ExpansionJsonSchemaExporter()
000023 |     {
000024 |         m_Defs = new map<string, ref ExpansionJSONObject>();
000025 |         m_Visiting = new map<string, bool>();
000026 |     }
000027 |
000028 |     ExpansionJSONObject GetSchema()
000029 |     {
000030 |         return m_Schema;
000031 |     }
000032 |
000033 |     string ToJSONString(typename type, bool pretty = true)
000034 |     {
000035 |         Export(type);
000036 |         return m_Schema.ToJSONString(pretty);
000037 |     }
000038 |
000039 |     bool ToFile(typename type, string path, bool pretty = true)
000040 |     {
000041 |         Export(type);
000042 |
000043 |         FileHandle file = OpenFile(path, FileMode.WRITE);
000044 |         if (!file)
000045 |         {
000046 |             return false;
000047 |         }
000048 |
000049 |         FPrintln(file, ToJSONString(type, pretty));
000050 |         CloseFile(file);
000051 |
000052 |         return true;
000053 |     }
000054 |
000055 |     private ExpansionJSONObject Export(typename type)
000056 |     {
000057 |         m_Defs.Clear();
000058 |         m_Visiting.Clear();
000059 |
000060 |         m_Schema = Build(type);
000061 |         return m_Schema;
000062 |     }
000063 |
000064 |     private ExpansionJSONObject Build(typename type)
000065 |     {
000066 |         ExpansionJSONObject schema = new ExpansionJSONObject();
000067 |         schema.Set("$schema", new ExpansionJSONString("https://json-schema.org/draft/2020-12/schema"));
000068 |         schema.Set("$id", new ExpansionJSONString(type.ToString() + ".schema.json"));
000069 |         schema.Set("title", new ExpansionJSONString(type.ToString()));
000070 |         schema.Set("type", new ExpansionJSONString("object"));
000071 |         schema.Set("properties", BuildProperties(type));
000072 |
000073 |         if (m_Defs.Count() > 0)
000074 |         {
```



```
000075 |         ExpansionJSONObject defs = new ExpansionJSONObject();
000076 |         foreach (string defName, ExpansionJSONObject defSchema : m_Defs)
000077 |         {
000078 |             defs.Set(defName, defSchema);
000079 |         }
000080 |         schema.Set("$defs", defs);
000081 |     }
000082 |
000083 |     return schema;
000084 | }
000085 |
000086 | private ExpansionJSONObject BuildProperties(typename type)
000087 | {
000088 |     ExpansionJSONObject props = new ExpansionJSONObject();
000089 |     int count = type.GetVariableCount();
000090 |
000091 |     for (int i = 0; i < count; i++)
000092 |     {
000093 |         string varName = type.GetVariableName(i);
000094 |
000095 |         if (varName.IndexOf("m_") == 0 || varName.IndexOf("s_") == 0)
000096 |         {
000097 |             continue;
000098 |         }
000099 |
000100 |         typename varType = type.GetVariableType(i);
000101 |         props.Set(varName, TypeToSchema(varType));
000102 |     }
000103 |
000104 |     return props;
000105 | }
000106 |
000107 | private ExpansionJSONElementBase TypeToSchema(typename type)
000108 | {
000109 |     switch (type)
000110 |     {
000111 |         case int:
000112 |         {
000113 |             return SimpleType("integer");
000114 |         }
000115 |         case float:
000116 |         {
000117 |             return SimpleType("number");
000118 |         }
000119 |         case string:
000120 |         {
000121 |             return SimpleType("string");
000122 |         }
000123 |         case bool:
000124 |         {
000125 |             return BuildBoolSchema();
000126 |         }
000127 |         case vector:
000128 |         {
000129 |             return BuildVectorSchema();
000130 |         }
000131 |     }
000132 |
000133 |     string typeName = type.ToString();
000134 |
000135 |     string inner;
000136 |     ExpansionJSONObject obj;
```

```
000137 |         if (typeName.IndexOf("array<") == 0)
000138 |         {
000139 |             inner = ExtractGenericParam(typeName);
000140 |             obj = new ExpansionJSONObject();
000141 |             obj.Set("type", new ExpansionJSONString("array"));
000142 |             obj.Set("items", TypeNameToSchema(inner));
000143 |             return obj;
000144 |         }
000145 |         if (typeName.IndexOf("set<") == 0)
000146 |         {
000147 |             inner = ExtractGenericParam(typeName);
000148 |             obj = new ExpansionJSONObject();
000149 |             obj.Set("type", new ExpansionJSONString("array"));
000150 |             obj.Set("uniqueItems", new ExpansionJSONBool(true));
000151 |             obj.Set("items", TypeNameToSchema(inner));
000152 |             return obj;
000153 |         }
000154 |         if (typeName.IndexOf("map<") == 0)
000155 |         {
000156 |             string keyType, valueType;
000157 |             ExtractMapParams(typeName, keyType, valueType);
000158 |             obj = new ExpansionJSONObject();
000159 |             obj.Set("type", new ExpansionJSONString("object"));
000160 |             obj.Set("additionalProperties", TypeNameToSchema(valueType));
000161 |             return obj;
000162 |         }
000163 |
000164 |         if (type.IsInherited(Class))
000165 |         {
000166 |             return BuildClassRef(type);
000167 |         }
000168 |
000169 |         ExpansionJSONObject fallback = new ExpansionJSONObject();
000170 |         fallback.Set("type", new ExpansionJSONString("string"));
000171 |         fallback.Set("description", new ExpansionJSONString("unmapped: " + typeName));
000172 |         return fallback;
000173 |     }
000174 |
000175 |     private ExpansionJSONElementBase TypeNameToSchema(string name)
000176 |     {
000177 |         name = name.Trim();
000178 |
000179 |         switch (name)
000180 |         {
000181 |             case "int":
000182 |             {
000183 |                 return SimpleType("integer");
000184 |             }
000185 |             case "float":
000186 |             {
000187 |                 return SimpleType("number");
000188 |             }
000189 |             case "string":
000190 |             {
000191 |                 return SimpleType("string");
000192 |             }
000193 |             case "bool":
000194 |             {
000195 |                 return BuildBoolSchema();
000196 |             }
000197 |             case "vector":
000198 |             {
```

```
000199 |         return BuildVectorSchema();
000200 |     }
000201 | }
000202 |
000203 | string inner;
000204 | ExpansionJSONObject obj;
000205 | if (name.IndexOf("array<") == 0)
000206 | {
000207 |     inner = ExtractGenericParam(name);
000208 |     obj = new ExpansionJSONObject();
000209 |     obj.Set("type", new ExpansionJSONString("array"));
000210 |     obj.Set("items", TypeNameToSchema(inner));
000211 |     return obj;
000212 | }
000213 | if (name.IndexOf("set<") == 0)
000214 | {
000215 |     inner = ExtractGenericParam(name);
000216 |     obj = new ExpansionJSONObject();
000217 |     obj.Set("type", new ExpansionJSONString("array"));
000218 |     obj.Set("uniqueItems", new ExpansionJSONBool(true));
000219 |     obj.Set("items", TypeNameToSchema(inner));
000220 |     return obj;
000221 | }
000222 | if (name.IndexOf("map<") == 0)
000223 | {
000224 |     string keyType, valueType;
000225 |     ExtractMapParams(name, keyType, valueType);
000226 |     obj = new ExpansionJSONObject();
000227 |     obj.Set("type", new ExpansionJSONString("object"));
000228 |     obj.Set("additionalProperties", TypeNameToSchema(valueType));
000229 |     return obj;
000230 | }
000231 |
000232 | typename resolved = name.ToType();
000233 | if (resolved && resolved.IsInherited(Class))
000234 | {
000235 |     return BuildClassRef(resolved);
000236 | }
000237 |
000238 | ExpansionJSONObject fallback = new ExpansionJSONObject();
000239 | fallback.Set("type", new ExpansionJSONString("string"));
000240 | fallback.Set("description", new ExpansionJSONString("unresolved: " + name));
000241 | return fallback;
000242 | }
000243 |
000244 | private ExpansionJSONObject BuildClassRef(typename type)
000245 | {
000246 |     string key = type.ToString();
000247 |
000248 |     if (m_Visiting.Contains(key))
000249 |     {
000250 |         return MakeRef(key);
000251 |     }
000252 |
000253 |     if (m_Defs.Contains(key))
000254 |     {
000255 |         return MakeRef(key);
000256 |     }
000257 |
000258 |     m_Visiting.Set(key, true);
000259 |
000260 |     ExpansionJSONObject def = new ExpansionJSONObject();
```

```
000261 |         def.Set("type", new ExpansionJSONString("object"));
000262 |         def.Set("title", new ExpansionJSONString(key));
000263 |         def.Set("properties", BuildProperties(type));
000264 |
000265 |         m_Defs.Set(key, def);
000266 |         m_Visiting.Remove(key);
000267 |
000268 |         return MakeRef(key);
000269 |     }
000270 |
000271 | private ExpansionJSONObject MakeRef(string defName)
000272 | {
000273 |     ExpansionJSONObject refObj = new ExpansionJSONObject();
000274 |     refObj.Set("$ref", new ExpansionJSONString("#/$defs/" + defName));
000275 |     return refObj;
000276 | }
000277 |
000278 | private ExpansionJSONObject BuildVectorSchema()
000279 | {
000280 |     if (!m_VectorSchema)
000281 |     {
000282 |         ExpansionJSONArray prefixItems = new ExpansionJSONArray();
000283 |         prefixItems.Insert(SimpleType("number"));
000284 |         prefixItems.Insert(SimpleType("number"));
000285 |         prefixItems.Insert(SimpleType("number"));
000286 |
000287 |         m_VectorSchema = new ExpansionJSONObject();
000288 |         m_VectorSchema.Set("type", new ExpansionJSONString("array"));
000289 |         m_VectorSchema.Set("prefixItems", prefixItems);
000290 |         m_VectorSchema.Set("items", new ExpansionJSONBool(false));
000291 |         m_VectorSchema.Set("minItems", new ExpansionJSONInt(3));
000292 |         m_VectorSchema.Set("maxItems", new ExpansionJSONInt(3));
000293 |     }
000294 |
000295 |     return m_VectorSchema;
000296 | }
000297 |
000298 | private ExpansionJSONObject BuildBoolSchema()
000299 | {
000300 |     if (!m_BoolSchema)
000301 |     {
000302 |         m_BoolSchema = new ExpansionJSONObject();
000303 |         m_BoolSchema.Set("type", new ExpansionJSONString("integer"));
000304 |         m_BoolSchema.Set("minimum", new ExpansionJSONInt(0));
000305 |         m_BoolSchema.Set("maximum", new ExpansionJSONInt(1));
000306 |     }
000307 |
000308 |     return m_BoolSchema;
000309 | }
000310 |
000311 | private ExpansionJSONObject SimpleType(string jsonType)
000312 | {
000313 |     ExpansionJSONObject obj = new ExpansionJSONObject();
000314 |     obj.Set("type", new ExpansionJSONString(jsonType));
000315 |     return obj;
000316 | }
000317 |
000318 | private string StripRef(string typeName)
000319 | {
000320 |     if (typeName[0] == "@")
000321 |     {
000322 |         return typeName.Substring(1, typeName.Length() - 1);
```

```
000323 |     }
000324 |
000325 |     return typeName;
000326 | }
000327 |
000328 | private string ExtractGenericParam(string typeName)
000329 | {
000330 |     int start = typeName.IndexOf("<") + 1;
000331 |     int end = typeName.Length() - 1;
000332 |     return StripRef(typeName.Substring(start, end - start));
000333 | }
000334 |
000335 | private void ExtractMapParams(string typeName, out string keyType, out string valueType)
000336 | {
000337 |     int len = typeName.Length();
000338 |     int start = typeName.IndexOf("<") + 1;
000339 |
000340 |     string inner = typeName.Substring(start, len - start - 1);
000341 |     int innerLen = inner.Length();
000342 |
000343 |     int depth = 0;
000344 |     int splitAt = -1;
000345 |
000346 |     for (int i = 0; i < innerLen; i++)
000347 |     {
000348 |         string c = inner[i];
000349 |         if (c == "<")
000350 |         {
000351 |             depth++;
000352 |         }
000353 |         else if (c == ">")
000354 |         {
000355 |             depth--;
000356 |         }
000357 |         else if (c == "," && depth == 0)
000358 |         {
000359 |             splitAt = i;
000360 |             break;
000361 |         }
000362 |     }
000363 |
000364 |     keyType = StripRef(inner.Substring(0, splitAt));
000365 |     valueType = StripRef(inner.Substring(splitAt + 1, innerLen - splitAt - 1));
000366 | }
000367 | }
000368 |
```

0121. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Tools\ExpansionUIScriptedMenu.c

Size bytes: 1292

SHA-256: 84f1fe162bcd68596231181d5b2ec49c9697b00d8997f9d9cb63640259c02e89

Decoded as: utf-8-sig

Line count shown: 52

Detected class declarations: 1

L13: class ExpansionUIScriptedMenu: UIScriptedMenu

Detected enum declarations: 0

Detected function/method-like declarations: 3

L18: override void OnShow()

L28: override void OnHide()

L38: void ShowHud(bool state)

Full file content

```
000001 | /**
000002 |  * ExpansionUIScriptedMenu.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionUIScriptedMenu: UIScriptedMenu
000014 | {
000015 |     // -----
000016 |     // ExpansionUIScriptedMenu OnShow
000017 |     // -----
000018 |     override void OnShow()
000019 |     {
000020 |         super.OnShow();
000021 |
000022 |         ShowHud(false);
000023 |     }
000024 |
000025 |     // -----
000026 |     // ExpansionUIScriptedMenu OnHide
000027 |     // -----
000028 |     override void OnHide()
000029 |     {
000030 |         super.OnHide();
000031 |
000032 |         ShowHud(true);
000033 |     }
000034 |
000035 |     // -----
000036 |     // ExpansionUIScriptedMenu ShowHud
000037 |     // -----
000038 |     void ShowHud(bool state)
000039 |     {
000040 |         Mission mission = g_Game.GetMission();
000041 |
000042 |         if (!mission)
000043 |             return;
000044 |     }
```

```
000045 |      Hud hud = mission.GetHud();
000046 |      if (!hud)
000047 |          return;
000048 |
000049 |      hud.ShowHudUI(state);
000050 |      hud.ShowQuickbarUI(state);
000051 |  }
000052 | }
```

0122. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\XML\CF_XML.c

Size bytes: 348

SHA-256: 2465f00c8a24260a9ee71d7b0c258198c39ed5ad4ace352d7cd51ed360469c1f

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

L1: modded class CF_XML

Detected enum declarations: 0

Detected function/method-like declarations: 1

L5: static CF_XML_Document ReadDocumentEx(string file)

Full file content

```
000001 | modded class CF_XML
000002 | {
000003 |     #ifndef CF_XML_READ_DOCUMENT_EX
000004 |         //! TODO: Move this to CF
000005 |         static CF_XML_Document ReadDocumentEx(string file)
000006 |         {
000007 |             if (!FileExist(file))
000008 |             {
000009 |                 CF.FormatError("File does not exist: '%1'", file);
000010 |                 return null;
000011 |             }
000012 |
000013 |             CF_XML_Document document;
000014 |             ReadDocument(file, document);
000015 |             return document;
000016 |         }
000017 |     #endif
000018 | }
000019 |
```


0123. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\XML\CF_XML_Element.c

Size bytes: 154

SHA-256: 84f32720210d9de7acdb419a00eae1849ca98d4493a9a9fbf817cd667c329055

Decoded as: utf-8-sig

Line count shown: 11

Detected class declarations: 1

 L3: modded class CF_XML_Element

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L5: array<ref CF_XML_Tag> GetTags()

Full file content

```
000001 | #ifndef CF_XML_GET_TAGS
000002 | //! TODO: Move this to CF
000003 | modded class CF_XML_Element
000004 | {
000005 |     array<ref CF_XML_Tag> GetTags()
000006 |     {
000007 |         return _tags;
000008 |     }
000009 | }
000010 | #endif
000011 |
```

0124. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\XML\ExpansionXML.c

Size bytes: 2199

SHA-256: b63244d388ca2c584427263409c3fb76d48199e68d5e99adbf53fb9d3fb56c8

Decoded as: utf-8-sig

Line count shown: 90

Detected class declarations: 1

L1: class ExpansionXML

Detected enum declarations: 0

Detected function/method-like declarations: 6

```
L8: static bool GetAttributeBool(CF_XML_Tag tag, string name, bool defaultValue = false)
L31: static float GetAttributeFloat(CF_XML_Tag tag, string name, float defaultValue = 0)
L43: static int GetAttributeInt(CF_XML_Tag tag, string name, int defaultValue = 0)
L55: static string GetAttributeString(CF_XML_Tag tag, string name, string defaultValue = "")
L67: static int GetTagContentInt(CF_XML_Tag tag, string type, int defaultValue = 0)
L79: static string GetTagContentString(CF_XML_Tag tag, string type, string defaultValue = "")
```

Full file content

```
000001 | class ExpansionXML
000002 | {
000003 |     /** TODO: Move below static functions to CF_XML_Tag as non-static methods
000004 |
000005 |     /**
000006 |     * @brief Get attribute value as bool. If attribute does not exist, return defaultValue.
000007 |     */
000008 |     static bool GetAttributeBool(CF_XML_Tag tag, string name, bool defaultValue = false)
000009 |     {
000010 |         auto attr = tag.GetAttribute(name);
000011 |         if (attr)
000012 |         {
000013 |             /** TODO: Change CF_XML_Attribute::ValueAsBool to detect "1" value as true
000014 |             switch (attr.GetValue())
000015 |             {
000016 |                 case "true":
000017 |                 case "1":
000018 |                     return true;
000019 |
000020 |                 default:
000021 |                     return false;
000022 |             }
000023 |         }
000024 |
000025 |         return defaultValue;
000026 |     }
000027 |
000028 |     /**
000029 |     * @brief Get attribute value as float. If attribute does not exist, return defaultValue.
000030 |     */
000031 |     static float GetAttributeFloat(CF_XML_Tag tag, string name, float defaultValue = 0)
000032 |     {
000033 |         auto attr = tag.GetAttribute(name);
000034 |         if (attr)
000035 |             return attr.ValueAsFloat();
000036 |
000037 |         return defaultValue;
000038 |     }
000039 |
000040 |     /**
000041 |     * @brief Get attribute value as int. If attribute does not exist, return defaultValue.
```

```
000042 | */
000043 | static int GetAttributeInt(CF_XML_Tag tag, string name, int defaultValue = 0)
000044 | {
000045 |     auto attr = tag.GetAttribute(name);
000046 |     if (attr)
000047 |         return attr.ValueAsInt();
000048 |
000049 |     return defaultValue;
000050 | }
000051 |
000052 | /**
000053 |  * @brief Get attribute value as string. If attribute does not exist, return defaultValue.
000054 |  */
000055 | static string GetAttributeString(CF_XML_Tag tag, string name, string defaultValue = "")
000056 | {
000057 |     auto attr = tag.GetAttribute(name);
000058 |     if (attr)
000059 |         return attr.ValueAsString();
000060 |
000061 |     return defaultValue;
000062 | }
000063 |
000064 | /**
000065 |  * @brief Get tag content as int. If tag does not exist, return defaultValue.
000066 |  */
000067 | static int GetTagContentInt(CF_XML_Tag tag, string type, int defaultValue = 0)
000068 | {
000069 |     auto children = tag.GetTag(type);
000070 |     if (children.Count() > 0)
000071 |         return children[0].GetContent().GetContent().ToInt();
000072 |
000073 |     return defaultValue;
000074 | }
000075 |
000076 | /**
000077 |  * @brief Get tag content as string. If tag does not exist, return defaultValue.
000078 |  */
000079 | static string GetTagContentString(CF_XML_Tag tag, string type, string defaultValue = "")
000080 | {
000081 |     auto children = tag.GetTag(type);
000082 |     if (children.Count() > 0)
000083 |         return children[0].GetContent().GetContent();
000084 |
000085 |     return defaultValue;
000086 | }
000087 |
000088 |
000089 | }
000090 |
```

0125. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZone.c

Size bytes: 1091

SHA-256: 9b8859d883e241c56d094d72ea5279860954026dc6e0dc3f47b41cbbd558d77a

Decoded as: utf-8-sig

Line count shown: 70

Detected class declarations: 1

L1: class ExpansionZone

Detected enum declarations: 0

Detected function/method-like declarations: 5

L15: void ExpansionZone(ExpansionZoneType type)

L30: void ~ExpansionZone()

L58: void Check(vector position)

L65: string ToString()

L67: return ToString();

Full file content

```
000001 | class ExpansionZone
000002 | {
000003 |     static const int COUNT = ExpansionZoneType.Count;
000004 |
000005 |     static ref ExpansionZone s_Head;
000006 |
000007 |     static bool s_InsideBuffer[COUNT];
000008 |
000009 |     int m_ID;
000010 |     ExpansionZoneType m_Type;
000011 |
000012 |     ref ExpansionZone m_Next = null;
000013 |     ExpansionZone m_Prev = null;
000014 |
000015 |     void ExpansionZone(ExpansionZoneType type)
000016 |     {
000017 | #ifdef EXPANSIONTRACE
000018 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "ExpansionZone");
000019 | #endif
000020 |
000021 |         m_Type = type;
000022 |
000023 |         m_Next = s_Head;
000024 |         if (m_Next)
000025 |             m_Next.m_Prev = this;
000026 |
000027 |         s_Head = this;
000028 |     }
000029 |
000030 |     void ~ExpansionZone()
000031 |     {
000032 | #ifdef EXPANSIONTRACE
000033 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "~ExpansionZone");
000034 | #endif
000035 |
000036 |         if (!g_Game)
000037 |             return;
000038 |
000039 |         if (s_Head)
000040 |         {
000041 |             if (s_Head == this)
000042 |             {
```

```
000043 |         s_Head = m_Next;
000044 |     }
000045 |
000046 |     if (m_Next)
000047 |     {
000048 |         m_Next.m_Prev = m_Prev;
000049 |     }
000050 |
000051 |     if (m_Prev)
000052 |     {
000053 |         m_Prev.m_Next = m_Next;
000054 |     }
000055 |     }
000056 | }
000057 |
000058 | void Check(vector position)
000059 | {
000060 | #ifdef EXPANSIONTRACE
000061 |     auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "Check");
000062 | #endif
000063 | }
000064 |
000065 | string ToStr()
000066 | {
000067 |     return ToString();
000068 | }
000069 | };
000070 |
```

0126. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZoneActor.c

Size bytes: 4515

SHA-256: 118e25670d2310cbc37a2a5f1599bf294ff10b399c40347108a29666810f16c4

Decoded as: utf-8-sig

Line count shown: 235

Detected class declarations: 3

L13: class ExpansionZoneActor

L173: class ExpansionZoneActorT<Class T> : ExpansionZoneActor

L199: class ExpansionZoneEntity<Class T> : ExpansionZoneActor

Detected enum declarations: 0

Detected function/method-like declarations: 17

L27: void ExpansionZoneActor()

L44: void ~ExpansionZoneActor()

L77: static void UpdateAll(int max)

L113: void Update()

L125: protected void OnUpdate()

L144: else if (!ExpansionZone.s_InsideBuffer[i] && m_Inside[i])

L152: void OnEnterZone(ExpansionZoneType type);

L154: void OnExitZone(ExpansionZoneType type);

L156: vector GetPosition()

L161: bool InZone()

L177: void ExpansionZoneActorT(T instance)

L182: override void OnEnterZone(ExpansionZoneType type)

L187: override void OnExitZone(ExpansionZoneType type)

L192: override vector GetPosition()

L203: void ExpansionZoneEntity(T instance)

L208: override void OnUpdate()

L227: else if (!ExpansionZone.s_InsideBuffer[i] && m_Inside[i])

Full file content

```
000001 | /**
000002 |  * ExpansionZoneActor.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionZoneActor
000014 | {
000015 |     static const int COUNT = ExpansionZoneType.Count;
000016 |
000017 |     static ExpansionZoneActor s_Head = null;
000018 |     static ExpansionZoneActor s_Current = null;
000019 |
000020 |     ExpansionZoneActor m_Next = null;
000021 |     ExpansionZoneActor m_Prev = null;
000022 |
000023 |     bool m_Inside[COUNT];
000024 |
000025 |     vector m_Position;
000026 |
000027 |     void ExpansionZoneActor()
000028 |     {
```

```
000029 | #ifdef EXPANSIONTRACE
000030 |     auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "ExpansionZoneActor");
000031 | #endif
000032 |
000033 |     m_Next = s_Head;
000034 |     m_Prev = null;
000035 |
000036 |     if (s_Head)
000037 |     {
000038 |         s_Head.m_Prev = this;
000039 |     }
000040 |
000041 |     s_Head = this;
000042 | }
000043 |
000044 | void ~ExpansionZoneActor()
000045 | {
000046 | #ifdef EXPANSIONTRACE
000047 |     auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "~ExpansionZoneActor");
000048 | #endif
000049 |
000050 |     if (!g_Game)
000051 |         return;
000052 |
000053 |     if (!s_Head)
000054 |         return;
000055 |
000056 |     if (s_Head == this)
000057 |     {
000058 |         s_Head = m_Next;
000059 |     }
000060 |
000061 |     if (s_Current == this)
000062 |     {
000063 |         s_Current = m_Next;
000064 |     }
000065 |
000066 |     if (m_Next)
000067 |     {
000068 |         m_Next.m_Prev = m_Prev;
000069 |     }
000070 |
000071 |     if (m_Prev)
000072 |     {
000073 |         m_Prev.m_Next = m_Next;
000074 |     }
000075 | }
000076 |
000077 | static void UpdateAll(int max)
000078 | {
000079 | #ifdef EXPANSIONTRACE
000080 |     auto trace = CF_Trace_0(ExpansionTracing.ZONES, "ExpansionZoneActor", "UpdateAll");
000081 | #endif
000082 |
000083 |     int index = 0;
000084 |     bool passedHead = false;
000085 |
000086 |     if (!s_Current)
000087 |     {
000088 |         s_Current = s_Head;
000089 |         passedHead = true;
000090 |     }
```

```
000091 |
000092 |     for (int i = 0; i < COUNT; i++)
000093 |         ExpansionZone.s_InsideBuffer[i] = false;
000094 |
000095 |     while (s_Current)
000096 |     {
000097 |         ExpansionZoneActor next = s_Current.m_Next;
000098 |         s_Current.OnUpdate();
000099 |         s_Current = next;
000100 |
000101 |         if ((index++) > max)
000102 |             return;
000103 |
000104 |         // small chance duplicate entries will be processed, but doing a proper check will prove to be inefficient
000105 |         if (!passedHead && !s_Current)
000106 |         {
000107 |             s_Current = s_Head;
000108 |             passedHead = true;
000109 |         }
000110 |     }
000111 | }
000112 |
000113 | void Update()
000114 | {
000115 | #ifdef EXPANSIONTRACE
000116 |     auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "Update");
000117 | #endif
000118 |
000119 |     for (int i = 0; i < COUNT; i++)
000120 |         ExpansionZone.s_InsideBuffer[i] = false;
000121 |
000122 |     OnUpdate();
000123 | }
000124 |
000125 | protected void OnUpdate()
000126 | {
000127 | #ifdef EXPANSIONTRACE
000128 |     auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "OnUpdate");
000129 | #endif
000130 |
000131 |     m_Position = GetPosition();
000132 |
000133 |     ExpansionZone element = ExpansionZone.s_Head;
000134 |     while (element)
000135 |     {
000136 |         element.Check(m_Position);
000137 |         element = element.m_Next;
000138 |     }
000139 |
000140 |     for (int i = 0; i < COUNT; i++)
000141 |     {
000142 |         if (ExpansionZone.s_InsideBuffer[i] && !m_Inside[i])
000143 |             OnEnterZone(i);
000144 |         else if (!ExpansionZone.s_InsideBuffer[i] && m_Inside[i])
000145 |             OnExitZone(i);
000146 |
000147 |         m_Inside[i] = ExpansionZone.s_InsideBuffer[i];
000148 |         ExpansionZone.s_InsideBuffer[i] = false;
000149 |     }
000150 | }
000151 |
000152 | void OnEnterZone(ExpansionZoneType type);
```



```
000153 |  
000154 |     void OnExitZone(ExpansionZoneType type);  
000155 |  
000156 |     vector GetPosition()  
000157 |     {  
000158 |         return vector.Zero;  
000159 |     }  
000160 |  
000161 |     bool InZone()  
000162 |     {  
000163 |         for (int i = 0; i < COUNT; i++)  
000164 |         {  
000165 |             if (m_Inside[i])  
000166 |                 return true;  
000167 |         }  
000168 |  
000169 |         return false;  
000170 |     }  
000171 | };  
000172 |  
000173 | class ExpansionZoneActorT<Class T> : ExpansionZoneActor  
000174 | {  
000175 |     T m_Instance;  
000176 |  
000177 |     void ExpansionZoneActorT(T instance)  
000178 |     {  
000179 |         m_Instance = instance;  
000180 |     }  
000181 |  
000182 |     override void OnEnterZone(ExpansionZoneType type)  
000183 |     {  
000184 |         m_Instance.OnEnterZone(type);  
000185 |     }  
000186 |  
000187 |     override void OnExitZone(ExpansionZoneType type)  
000188 |     {  
000189 |         m_Instance.OnExitZone(type);  
000190 |     }  
000191 |  
000192 |     override vector GetPosition()  
000193 |     {  
000194 |         return m_Instance.GetPosition();  
000195 |     }  
000196 | };  
000197 |  
000198 | // Optimized for entities, reduces number of functions called in iterator  
000199 | class ExpansionZoneEntity<Class T> : ExpansionZoneActor  
000200 | {  
000201 |     T m_Instance;  
000202 |  
000203 |     void ExpansionZoneEntity(T instance)  
000204 |     {  
000205 |         m_Instance = instance;  
000206 |     }  
000207 |  
000208 |     override void OnUpdate()  
000209 |     {  
000210 | #ifdef EXPANSIONTRACE  
000211 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "OnUpdate");  
000212 | #endif  
000213 |  
000214 |         m_Position = m_Instance.GetPosition();
```

```
000215 |  
000216 |     ExpansionZone element = ExpansionZone.s_Head;  
000217 |     while (element)  
000218 |     {  
000219 |         element.Check(m_Position);  
000220 |         element = element.m_Next;  
000221 |     }  
000222 |  
000223 |     for (int i = 0; i < COUNT; i++)  
000224 |     {  
000225 |         if (ExpansionZone.s_InsideBuffer[i] && !m_Inside[i])  
000226 |             m_Instance.OnEnterZone(i);  
000227 |         else if (!ExpansionZone.s_InsideBuffer[i] && m_Inside[i])  
000228 |             m_Instance.OnExitZone(i);  
000229 |  
000230 |         m_Inside[i] = ExpansionZone.s_InsideBuffer[i];  
000231 |         ExpansionZone.s_InsideBuffer[i] = false;  
000232 |     }  
000233 | }  
000234 | };  
000235 |
```

0127. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZoneCircle.c

Size bytes: 1159

SHA-256: 2c8849ba5b83a173763636721378f9041aff6b6ae908554693333674e317ed7a

Decoded as: utf-8-sig

Line count shown: 50

Detected class declarations: 1

L16: class ExpansionZoneCircle : ExpansionZone

Detected enum declarations: 0

Detected function/method-like declarations: 3

L21: void ExpansionZoneCircle(ExpansionZoneType type, vector position, float radius)

L31: override void Check(vector position)

L45: override string ToStr()

Full file content

```

000001 | /**
000002 |  * ExpansionZoneCircle.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionZoneCircle
000014 |  * @brief
000015 |  */
000016 | class ExpansionZoneCircle : ExpansionZone
000017 | {
000018 |     vector m_Position;
000019 |     float m_Radius;
000020 |
000021 |     void ExpansionZoneCircle(ExpansionZoneType type, vector position, float radius)
000022 |     {
000023 | #ifdef EXPANSIONTRACE
000024 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "ExpansionZoneCircle");
000025 | #endif
000026 |
000027 |         m_Position = position;
000028 |         m_Radius = radius;
000029 |     }
000030 |
000031 |     override void Check(vector position)
000032 |     {
000033 | #ifdef EXPANSIONTRACE
000034 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "Check");
000035 | #endif
000036 |
000037 |         if (s_InsideBuffer[m_Type])
000038 |             return;
000039 |
000040 |         bool isInside = Math.IsPointInCircle(position, m_Radius, m_Position);
000041 |
000042 |         s_InsideBuffer[m_Type] = isInside;
000043 |     }
000044 |

```

```
000045 |     override string ToString()
000046 |     {
000047 |         return super.ToString() + " position=" + m_Position + " radius=" + m_Radius;
000048 |     }
000049 | };
000050 |
```

0128. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZoneCylinder.c

Size bytes: 1332

SHA-256: 86568227fa551e92a60829dbc1842fa905d42241ddf807d0285aa1136a922d21

Decoded as: utf-8-sig

Line count shown: 57

Detected class declarations: 1

L16: class ExpansionZoneCylinder : ExpansionZone

Detected enum declarations: 0

Detected function/method-like declarations: 3

L22: void ExpansionZoneCylinder(ExpansionZoneType type, vector position, float radius, float height)

L33: override void Check(vector position)

L53: override string ToStr()

Full file content

```
000001 | /**
000002 |  * ExpansionZoneCylinder.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionZoneCylinder
000014 |  * @brief
000015 |  */
000016 | class ExpansionZoneCylinder : ExpansionZone
000017 | {
000018 |     vector m_Position;
000019 |     float m_Radius;
000020 |     float m_Height;
000021 |
000022 |     void ExpansionZoneCylinder(ExpansionZoneType type, vector position, float radius, float height)
000023 |     {
000024 | #ifdef EXPANSIONTRACE
000025 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "ExpansionZoneCylinder");
000026 | #endif
000027 |
000028 |         m_Position = position;
000029 |         m_Radius = radius;
000030 |         m_Height = height;
000031 |     }
000032 |
000033 |     override void Check(vector position)
000034 |     {
000035 | #ifdef EXPANSIONTRACE
000036 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "Check");
000037 | #endif
000038 |
000039 |         if (s_InsideBuffer[m_Type])
000040 |             return;
000041 |
000042 |         if (position[1] < m_Position[1])
000043 |             return;
000044 |     }
```

```
000045 |         if (position[1] > m_Position[1] + m_Height)
000046 |             return;
000047 |
000048 |         bool isInside = Math.IsPointInCircle(position, m_Radius, m_Position);
000049 |
000050 |         s_InsideBuffer[m_Type] = isInside;
000051 |     }
000052 |
000053 |     override string ToStr()
000054 |     {
000055 |         return super.ToStr() + " position=" + m_Position + " radius=" + m_Radius;
000056 |     }
000057 | };
```

0129. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZonePolygon.c

Size bytes: 2950

SHA-256: f60d4a717a1d092169d652087a129406b7986aeaf14ae9565712a3bbca042f62

Decoded as: utf-8-sig

Line count shown: 123

Detected class declarations: 1

L16: class ExpansionZonePolygon : ExpansionZone

Detected enum declarations: 0

Detected function/method-like declarations: 3

L34: void ExpansionZonePolygon(ExpansionZoneType type, TVectorArray positions)

L82: override void Check(vector position)

L118: override string ToString()

Full file content

```

000001 | /**
000002 |  * ExpansionZonePolygon.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionZonePolygon
000014 |  * @brief
000015 |  */
000016 | class ExpansionZonePolygon : ExpansionZone
000017 | {
000018 |     vector m_Position;
000019 |     float m_Radius;
000020 |
000021 |     int m_Count;
000022 |     float m_Positions_X[32];
000023 |     float m_Positions_Z[32];
000024 |
000025 |     static float s_PosX;
000026 |     static float s_PosZ;
000027 |     static float s_PosX0;
000028 |     static float s_PosZ0;
000029 |     static float s_PosX1;
000030 |     static float s_PosZ1;
000031 |     static int s_ItrK;
000032 |     static int s_ItrJ;
000033 |
000034 |     void ExpansionZonePolygon(ExpansionZoneType type, TVectorArray positions)
000035 |     {
000036 | #ifdef EXPANSIONTRACE
000037 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "ExpansionZonePolygon");
000038 | #endif
000039 |
000040 |         int i, j;
000041 |
000042 |         m_Count = positions.Count();
000043 |         if (m_Count <= 2 || m_Count >= 32)
000044 |         {

```

```
000045 |         Error("Invalid number of positions supplied for polygon zone, got " + m_Count + ", expected 2<n<32");
000046 |     }
000047 |
000048 |     for (i = 0; i < m_Count; i++)
000049 |     {
000050 |         m_Positions_X[i] = positions[i][0];
000051 |         m_Positions_Z[i] = positions[i][2];
000052 |     }
000053 |
000054 |     float accumulatedArea = 0.0;
000055 |     j = m_Count - 1;
000056 |     for (i = 0; i < m_Count; ++i)
000057 |     {
000058 |         float area = m_Positions_X[i] * m_Positions_Z[j] - m_Positions_X[j] * m_Positions_Z[i];
000059 |         accumulatedArea += area;
000060 |         m_Position[0] = m_Position[0] + ((m_Positions_X[i] + m_Positions_X[j]) * area);
000061 |         m_Position[2] = m_Position[2] + ((m_Positions_Z[i] + m_Positions_Z[j]) * area);
000062 |         j = i;
000063 |     }
000064 |
000065 |     accumulatedArea *= 3.0;
000066 |     if (accumulatedArea == 0.0)
000067 |         return;
000068 |
000069 |     m_Position[0] = m_Position[0] / accumulatedArea;
000070 |     m_Position[2] = m_Position[2] / accumulatedArea;
000071 |
000072 |     for (i = 0; i < m_Count; ++i)
000073 |     {
000074 |         float distance = vector.Distance(m_Position, positions[i]);
000075 |         if (distance > m_Radius)
000076 |         {
000077 |             m_Radius = distance;
000078 |         }
000079 |     }
000080 | }
000081 |
000082 | override void Check(vector position)
000083 | {
000084 | #ifdef EXPANSIONTRACE
000085 |     auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "Check");
000086 | #endif
000087 |
000088 |     m_Position[1] = position[1];
000089 |
000090 |     if (s_InsideBuffer[m_Type] || !Math.IsPointInCircle(position, m_Radius, m_Position))
000091 |         return;
000092 |
000093 |     bool ins = false;
000094 |
000095 |     s_PosX = position[0];
000096 |     s_PosZ = position[2];
000097 |
000098 |     s_ItrK = 0;
000099 |     s_ItrJ = m_Count - 1;
000100 |
000101 |     while (s_ItrK < m_Count)
000102 |     {
000103 |         s_PosX0 = m_Positions_X[s_ItrK];
000104 |         s_PosZ0 = m_Positions_Z[s_ItrK];
000105 |         s_PosX1 = m_Positions_X[s_ItrJ];
000106 |         s_PosZ1 = m_Positions_Z[s_ItrJ];
```



```
000107 |  
000108 |         if ((s_PosZ0 > s_PosZ) != (s_PosZ1 > s_PosZ) && s_PosX < (s_PosX1 - s_PosX0) * (s_PosZ - s_PosZ0) / (s_PosZ1 - s_PosZ0) + s_PosX0)  
000109 |             ins = !ins;  
000110 |  
000111 |         s_ItrJ = s_ItrK;  
000112 |         s_ItrK++;  
000113 |     }  
000114 |  
000115 |         s_InsideBuffer[m_Type] = ins;  
000116 |     }  
000117 |  
000118 |     override string ToString()  
000119 |     {  
000120 |         return super.ToString() + " position=" + m_Position + " radius=" + m_Radius;  
000121 |     }  
000122 | };  
000123 |
```

0130. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZoneType.c
Size bytes: 77
SHA-256: aa7670e5ab3680b69768cefe51f1420e5cd33712859611ff08b5d5482c1ca4e6
Decoded as: utf-8-sig
Line count shown: 8
Detected class declarations: 0
Detected enum declarations: 1
 L1: enum ExpansionZoneType
Detected function/method-like declarations: 0

Full file content

```
000001 | enum ExpansionZoneType
000002 | {
000003 |     SAFE = 0,
000004 |     MARKET,
000005 |     CONTAMINATED,
000006 |     Count
000007 | };
000008 |
```

0131. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ArrowManager\ArrowManagerPlayer.c

Size bytes: 2340

SHA-256: e4262aedc4088e191550899f1f6342816502058a6f7eb6e6deaba2e59ab892ed

Decoded as: utf-8-sig

Line count shown: 127

Detected class declarations: 1

L1: modded class ArrowManagerPlayer

Detected enum declarations: 0

Detected function/method-like declarations: 2

L4: void CF_Save(CF_ModStorage ctx)

L41: bool CF_Load(CF_ModStorage ctx)

Full file content

```
000001 | modded class ArrowManagerPlayer
000002 | {
000003 | #ifdef EXPANSION_MODSTORAGE
000004 |     void CF_Save(CF_ModStorage ctx)
000005 |     {
000006 |         ctx.Write(VERSION);
000007 |
000008 |         int count = m_Arrows.Count();
000009 |         int i;
000010 |
000011 |         for (i = count - 1; i >= 0; i--)
000012 |         {
000013 |             if (!m_Arrows[i])
000014 |                 m_Arrows.Remove(i);
000015 |         }
000016 |
000017 |         count = m_Arrows.Count();
000018 |
000019 |         ctx.Write(count);
000020 |
000021 |         foreach (EntityAI arrow: m_Arrows)
000022 |         {
000023 |             string type = arrow.GetType();
000024 |             ctx.Write(type.Hash());
000025 |
000026 |             vector angle = arrow.GetLocalYawPitchRoll();
000027 |             vector pos = arrow.GetLocalPosition();
000028 |
000029 |             ctx.Write(angle[0]);
000030 |             ctx.Write(angle[1]);
000031 |             ctx.Write(angle[2]);
000032 |             ctx.Write(pos[0]);
000033 |             ctx.Write(pos[1]);
000034 |             ctx.Write(pos[2]);
000035 |
000036 |             int pivot = arrow.GetHierarchyPivot();
000037 |             ctx.Write(pivot);
000038 |         }
000039 |     }
000040 |
000041 |     bool CF_Load(CF_ModStorage ctx)
000042 |     {
000043 |         int version;
000044 |         if (!ctx.Read(version))
000045 |             return false;
```

```
000046 |
000047 |     int count;
000048 |     if (!ctx.Read(count))
000049 |         return false;
000050 |
000051 |     while (count--)
000052 |     {
000053 |         if (version >= 1)
000054 |         {
000055 |             int hash;
000056 |             if (!ctx.Read(hash))
000057 |                 return false;
000058 |
000059 |             float angleF[3];
000060 |             float posF[3];
000061 |             float value;
000062 |
000063 |             if (!ctx.Read(value))
000064 |                 return false;
000065 |
000066 |             angleF[0] = value;
000067 |
000068 |             if (!ctx.Read(value))
000069 |                 return false;
000070 |
000071 |             angleF[1] = value;
000072 |
000073 |             if (!ctx.Read(value))
000074 |                 return false;
000075 |
000076 |             angleF[2] = value;
000077 |
000078 |             if (!ctx.Read(value))
000079 |                 return false;
000080 |
000081 |             posF[0] = value;
000082 |
000083 |             if (!ctx.Read(value))
000084 |                 return false;
000085 |
000086 |             posF[1] = value;
000087 |
000088 |             if (!ctx.Read(value))
000089 |                 return false;
000090 |
000091 |             posF[2] = value;
000092 |
000093 |             vector angle = "0 0 0";
000094 |             vector pos = "0 0 0";
000095 |
000096 |             angle = vector.ArrayToVec(angleF);
000097 |             pos = vector.ArrayToVec(posF);
000098 |
000099 |             int pivot;
000100 |             if (!ctx.Read(pivot))
000101 |                 return false;
000102 |
000103 |             if (version >= 2)
000104 |             {
000105 |                 #ifdef SERVER
000106 |                     int spawnFlags = ECE_KEEPHEIGHT|ECE_DYNAMIC_PERSISTENCY;
000107 |                 #else
```

```
000108 |         int spawnFlags = ECE_LOCAL|ECE_KEEPHEIGHT|ECE_DYNAMIC_PERSISTENCY;
000109 |     #endif
000110 |
000111 |         typename arrowType = GetArrowTypeFromHash(hash);
000112 |         EntityAI arrow = EntityAI.Cast(g_Game.CreateObjectEx(arrowType.ToString(), pos, spawnFlags));
000113 |         if (arrow)
000114 |         {
000115 |             arrow.SetQuantityToMinimum();
000116 |             arrow.SetYawPitchRoll(angle);
000117 |             m_Owner.AddChild(arrow, pivot);
000118 |         }
000119 |     }
000120 | }
000121 | }
000122 |
000123 |     return true;
000124 | }
000125 | #endif
000126 | }
000127 |
```

0132. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\BaseBuilding\Construction.c

Size bytes: 4106

SHA-256: 2c7275ab28104276cbc9aaf514fc26888fb1762119672edf649ba30c29ad7df1

Decoded as: utf-8-sig

Line count shown: 138

Detected class declarations: 1

L13: modded class Construction

Detected enum declarations: 0

Detected function/method-like declarations: 5

L15: static void ExpansionBuildFullIfSupported(Object obj)

L60: void ExpansionBuildFull()

L76: ConstructionPart ExpansionBuildPartFull(string part_name)

L89: void ExpansionBuildPartFull(ConstructionPart construction_part)

L125: override bool CanBuildPart(string part_name, ItemBase tool, bool use_tool)

Full file content

```
000001 | /**
000002 |  * Construction.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class Construction
000014 | {
000015 |     static void ExpansionBuildFullIfSupported(Object obj)
000016 |     {
000017 |         BaseBuildingBase baseBuilding;
000018 |         if (Class.CastTo(baseBuilding, obj) && baseBuilding.CanUseConstruction())
000019 |         {
000020 |             /*****
000021 |              * WARNING: Only TESTED basebuilding items!
000022 |              * Most 3rd-party mods do NOT have the necessary rvConfig entries to get a reasonable preview and/or can cause client CTD if used!
000023 |              * Do NOT add other classnames unless they are GUARANTEED to work properly in market menu!
000024 |              *****/
000025 |
000026 |             bool isSupportedBB;
000027 |
000028 |             switch (baseBuilding.GetType())
000029 |             {
000030 |                 case "Fence":
000031 |                 case "Watchtower":
000032 |                 case "TerritoryFlag":
000033 |                     isSupportedBB = true;
000034 |                     break;
000035 |
000036 |                 default:
000037 |                     #ifdef EXPANSIONMODBASEBUILDING
000038 |                         if (baseBuilding.IsInherited(ExpansionBaseBuilding))
000039 |                             isSupportedBB = true;
000040 |                     #endif
000041 |                     break;
000042 |             }
```

```
000043 |
000044 |         if (isSupportedBB)
000045 |         {
000046 |             Construction construction = baseBuilding.GetConstruction();
000047 |             if (construction)
000048 |             {
000049 |                 if (construction.GetConstructionParts().Count() == 0)
000050 |                     construction.Init();
000051 |
000052 |                 construction.ExpansionBuildFull();
000053 |             }
000054 |         }
000055 |     }
000056 | }
000057 |
000058 |     /// Builds the whole thing without requiring materials
000059 |     /// Useful for client-side preview, currently used by Market for that purpose
000060 |     void ExpansionBuildFull()
000061 |     {
000062 | #ifdef EXPANSIONTRACE
000063 |         auto trace = CF_Trace_0(ExpansionTracing.BASEBUILDING, this, "ExpansionBuildFull");
000064 | #endif
000065 |
000066 |         TStringArray construction_parts = GetConstructionParts().GetKeyArray();
000067 |         construction_parts.Sort();
000068 |         foreach (string part_name : construction_parts)
000069 |         {
000070 |             ExpansionBuildPartFull(part_name);
000071 |         }
000072 |         GetParent().UpdateVisuals();
000073 |     }
000074 |
000075 |     /// Builds the part and all required parts, returns the part if it exists, else NULL
000076 |     ConstructionPart ExpansionBuildPartFull(string part_name)
000077 |     {
000078 | #ifdef EXPANSIONTRACE
000079 |         auto trace = CF_Trace_0(ExpansionTracing.BASEBUILDING, this, "ExpansionBuildPartFull");
000080 | #endif
000081 |
000082 |         ConstructionPart construction_part = GetConstructionPart(part_name);
000083 |         if (construction_part)
000084 |             ExpansionBuildPartFull(construction_part);
000085 |         return construction_part;
000086 |     }
000087 |
000088 |     /// Builds the part and all required parts
000089 |     void ExpansionBuildPartFull(ConstructionPart construction_part)
000090 |     {
000091 | #ifdef EXPANSIONTRACE
000092 |         auto trace = CF_Trace_0(ExpansionTracing.BASEBUILDING, this, "ExpansionBuildPartFull");
000093 | #endif
000094 |
000095 |         string part_name = construction_part.GetPartName();
000096 |
000097 |         if (!construction_part.IsBuilt() && !HasConflictPart(part_name))
000098 |         {
000099 |             array<string> required_parts = construction_part.GetRequiredParts();
000100 |             foreach (string required_part_name : required_parts)
000101 |             {
000102 |                 ConstructionPart required_part = GetConstructionPart(required_part_name);
000103 |                 ExpansionBuildPartFull(required_part);
000104 |                 if (!required_part.IsBuilt())
```

```
000105 |         return;
000106 |     }
000107 |
000108 |     if (!g_Game.IsServer())
000109 |     {
000110 |         constrution_part.SetBuiltState(true);
000111 |
000112 |         if (constrution_part.IsBase())
000113 |             GetParent().SetBaseState(true);
000114 |     }
000115 |
000116 |     GetParent().ExpansionUpdateBaseBuildingStateFromPartBuilt(part_name);
000117 |
000118 |     if (g_Game.IsServer())
000119 |         GetParent().Expansion_OnPartBuiltServer(constrution_part);
000120 |     else
000121 |         GetParent().UpdateVisuals();
000122 | }
000123 |
000124 |
000125 | override bool CanBuildPart( string part_name, ItemBase tool, bool use_tool )
000126 | {
000127 |     if ( tool && tool.Expansion_IsAdminTool() )
000128 |     {
000129 |         if ( !IsPartConstructed( part_name ) && HasRequiredPart( part_name ) && !HasConflictPart( part_name ) )
000130 |         {
000131 |             return true;
000132 |         }
000133 |     }
000134 |
000135 |     return super.CanBuildPart( part_name, tool, use_tool );
000136 | }
000137 | }
000138 |
```


0133. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\BleedingSources\BleedingSourcesManagerBase.c
Size bytes: 571
SHA-256: ebbf1ff32550d20e0c79486bfb6dbec2da8a7bb04ee1fa494d9085e85a2b8a57
Decoded as: utf-8-sig
Line count shown: 23
Detected class declarations: 1
 L13: modded class BleedingSourcesManagerBase
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override protected bool CanAddBleedingSource(int bit)

Full file content

```
000001 | /**
000002 |  * BleedingSourcesManagerBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class BleedingSourcesManagerBase
000014 | {
000015 |     override protected bool CanAddBleedingSource(int bit)
000016 |     {
000017 |         if (!m_Player.Expansion_CanBeDamaged())
000018 |             return false;
000019 |
000020 |         return super.CanAddBleedingSource(bit);
000021 |     }
000022 | }
000023 |
```

0134. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\BleedingSources\BleedingSourcesManagerServer.c

Size bytes: 1301

SHA-256: d4b37a787d66c19b1df7646f46273d74e8bc01724fd5d62f68d9c3f36f1305b7

Decoded as: utf-8-sig

Line count shown: 68

Detected class declarations: 1

L1: modded class BleedingSourcesManagerServer

Detected enum declarations: 0

Detected function/method-like declarations: 2

L4: void CF_OnStoreSave(CF_ModStorage ctx)

L29: bool CF_OnStoreLoad(CF_ModStorage ctx, int version)

Full file content

```
000001 | modded class BleedingSourcesManagerServer
000002 | {
000003 | #ifdef EXPANSION_MODSTORAGE
000004 |     void CF_OnStoreSave(CF_ModStorage ctx)
000005 |     {
000006 |         int active_bits = m_Player.GetBleedingBits();
000007 |
000008 |         ctx.Write(active_bits);
000009 |
000010 |         int bit_offset = 0;
000011 |
000012 |         for (int i = 0; i < BIT_INT_SIZE; i++)
000013 |         {
000014 |             int bit = 1 << bit_offset;
000015 |
000016 |             if ((bit & active_bits) != 0)
000017 |             {
000018 |                 int active_time = GetBleedingSourceActiveTime(bit);
000019 |                 eBleedingSourceType type = GetBleedingSourceType(bit);
000020 |
000021 |                 ctx.Write(active_time);
000022 |                 ctx.Write(type);
000023 |             }
000024 |
000025 |             bit_offset++;
000026 |         }
000027 |     }
000028 |
000029 |     bool CF_OnStoreLoad(CF_ModStorage ctx, int version)
000030 |     {
000031 |         int active_bits;
000032 |         if (!ctx.Read(active_bits))
000033 |             return false;
000034 |
000035 |         int bit_offset = 0;
000036 |
000037 |         for (int i = 0; i < BIT_INT_SIZE; i++)
000038 |         {
000039 |             int bit = 1 << bit_offset;
000040 |
000041 |             if ((bit & active_bits) != 0 && CanAddBleedingSource(bit))
000042 |             {
000043 |                 AddBleedingSource(bit);
000044 |
000045 |                 int active_time = 0;
```

```
000046 |         if (!ctx.Read(active_time))
000047 |             return false;
000048 |         else
000049 |             SetBleedingSourceActiveTime(bit, active_time);
000050 |
000051 |         if (version >= 121)
000052 |         {
000053 |             eBleedingSourceType type = eBleedingSourceType.NORMAL;
000054 |             if (!ctx.Read(type))
000055 |                 return false;
000056 |             else
000057 |                 SetBleedingSourceType(bit, type);
000058 |         }
000059 |     }
000060 |
000061 |     bit_offset++;
000062 | }
000063 |
000064 | return true;
000065 | }
000066 | #endif
000067 | }
000068 |
```

0135. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Commands\ExpansionHumanCommand.c

Size bytes: 5429

SHA-256: 119a88192c7ae90f3d5ce520014f0ff247571b50bdc94df529aad72cd8b1817e

Decoded as: utf-8-sig

Line count shown: 237

Detected class declarations: 1

L14: class ExpansionHumanCommand

Detected enum declarations: 0

Detected function/method-like declarations: 30

L33: void ExpansionHumanCommand(DayZPlayerImplement player, ExpansionHumanST table)

L39: void ~ExpansionHumanCommand()

L44: void SetLookDirection(vector pDirection)

L50: void SetLookAnglesRel(float lookLR, float lookUD)

L62: void SetAimAnglesRel(float aimLR, float aimUD) { }

L65: void AnglesToQuat(vector angles, out float[] quat)

L72: void PrePhys_SetAngles(vector angles)

L79: void PrePhys_SetRotation(float rotation[4])

L83: void ClearDebugShapes()

L93: void SetCurrentStance(int stance)

L98: int GetCurrentStance()

L103: void SetCurrentMovement(int movement)

L108: int GetCurrentMovement()

L113: void SetCurrentLeaning(float leaning)

L118: float GetCurrentLeaning()

L123: void PreAnimUpdate(float pDt)

L150: void OnActivate()

L155: void OnDeactivate()

L160: void Finish()

L165: bool PostPhysUpdate(float pDt)

L171: bool CF_OnDebugUpdate(CF_Debug instance, CF_DebugUI_Type type)

L177: void DBGDrawLineMS(vector start, vector end, int color = 0x44FFFFFF)

L188: void DBGDrawLine(vector start, vector end, int color = 0x44FFFFFF)

L193: void DBGDrawSphereMS(vector position, float size, int color = 0x44FFFFFF)

L202: void DBGDrawSphere(vector position, float size, int color = 0x44FFFFFF)

L207: void DBGDrawLineDirectionMS(vector direction, int color = 0x44FFFFFF)

L212: void DBGDrawLineDirectionMS(vector start, vector direction, int color = 0x44FFFFFF)

L217: void DBGDrawLineDirection(vector start, vector direction, int color = 0x44FFFFFF)

L222: void DBGAddShape(Shape shape)

L229: vector DBGFixDebugPosition(inout vector position)

Full file content

```
000001 | /**
000002 |  * ExpansionHumanCommand.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | //! NO MEMLEAKS ANS SEGFAULTS, unlike HumanCommandScript
000014 | class ExpansionHumanCommand
000015 | {
000016 |     DayZPlayerImplement m_Player;
000017 |     ExpansionHumanST m_Table;
```

```
000018 |
000019 |     vector m_Transform[4];
000020 |
000021 |     autoptr array<Shape> m_DebugShapes = new array<Shape>();
000022 |
000023 |     private bool m_Look = true;
000024 |     private float m_LookLR;
000025 |     private float m_LookUD;
000026 |
000027 |     private int m_CurrentStance = DayZPlayerConstants.STANCEIDX_ERECT;
000028 |     private int m_CurrentMovement = DayZPlayerConstants.MOVEMENT_IDLE;
000029 |     private float m_CurrentLeaning;
000030 |
000031 |     bool m_Continue = true;
000032 |
000033 |     void ExpansionHumanCommand(DayZPlayerImplement player, ExpansionHumanST table)
000034 |     {
000035 |         m_Player = player;
000036 |         m_Table = table;
000037 |     }
000038 |
000039 |     void ~ExpansionHumanCommand()
000040 |     {
000041 |         ClearDebugShapes();
000042 |     }
000043 |
000044 |     void SetLookDirection(vector pDirection)
000045 |     {
000046 |         vector angles = pDirection.VectorToAngles();
000047 |         SetLookAnglesRel(ExpansionMath.RelAngle(angles[0]), ExpansionMath.RelAngle(angles[1]));
000048 |     }
000049 |
000050 |     void SetLookAnglesRel(float lookLR, float lookUD)
000051 |     {
000052 |         m_LookLR = lookLR;
000053 |         m_LookUD = lookUD;
000054 |
000055 |         //!< https://feedback.bistudio.com/T173348
000056 |         if (Math.AbsFloat(m_LookLR) > 0.01 || Math.AbsFloat(m_LookUD) > 0.01)
000057 |             m_Look = true;
000058 |         else
000059 |             m_Look = false;
000060 |     }
000061 |
000062 |     void SetAimAnglesRel(float aimLR, float aimUD) { }
000063 |
000064 |     //!< Helper functions
000065 |     void AnglesToQuat(vector angles, out float[] quat)
000066 |     {
000067 |         vector rotationMatrix[3];
000068 |         Math3D.YawPitchRollMatrix(angles, rotationMatrix);
000069 |         Math3D.MatrixToQuat(rotationMatrix, quat);
000070 |     }
000071 |
000072 |     void PrePhys_SetAngles(vector angles)
000073 |     {
000074 |         float rotation[4];
000075 |         AnglesToQuat(angles, rotation);
000076 |         PrePhys_SetRotation(rotation);
000077 |     }
000078 |
000079 |     void PrePhys_SetRotation(float rotation[4])
```

```
000080 | {
000081 | }
000082 |
000083 | void ClearDebugShapes()
000084 | {
000085 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000086 |     for (int dbg = 0; dbg < m_DebugShapes.Count(); ++dbg)
000087 |         m_DebugShapes[dbg].Destroy();
000088 |
000089 |     m_DebugShapes.Clear();
000090 | #endif
000091 | }
000092 |
000093 | void SetCurrentStance(int stance)
000094 | {
000095 |     m_CurrentStance = stance;
000096 | }
000097 |
000098 | int GetCurrentStance()
000099 | {
000100 |     return m_CurrentStance;
000101 | }
000102 |
000103 | void SetCurrentMovement(int movement)
000104 | {
000105 |     m_CurrentMovement = movement;
000106 | }
000107 |
000108 | int GetCurrentMovement()
000109 | {
000110 |     return m_CurrentMovement;
000111 | }
000112 |
000113 | void SetCurrentLeaning(float leaning)
000114 | {
000115 |     m_CurrentLeaning = leaning;
000116 | }
000117 |
000118 | float GetCurrentLeaning()
000119 | {
000120 |     return m_CurrentLeaning;
000121 | }
000122 |
000123 | void PreAnimUpdate(float pDt)
000124 | {
000125 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000126 |     ClearDebugShapes();
000127 | #endif
000128 |
000129 |     m_Player.GetTransform(m_Transform);
000130 |
000131 |     m_Table.SetLook(m_Player, m_Look);
000132 |
000133 |     switch (m_Player.GetInstanceType())
000134 |     {
000135 |     case DayZPlayerInstanceType.INSTANCETYPE_AI_SERVER:
000136 |     case DayZPlayerInstanceType.INSTANCETYPE_AI_REMOTE:
000137 |     case DayZPlayerInstanceType.INSTANCETYPE_AI_SINGLEPLAYER:
000138 |         m_Table.SetLookDirX(m_Player, m_LookLR);
000139 |         m_Table.SetLookDirY(m_Player, m_LookUD);
000140 |         break;
000141 |     }
```

```
000142 |         default:
000143 |             HumanCommandWeapons hcw = m_Player.GetCommandModifier_Weapons();
000144 |             m_Table.SetLookDirX(m_Player, hcw.GetBaseAimingAngleLR());
000145 |             m_Table.SetLookDirY(m_Player, hcw.GetBaseAimingAngleUD());
000146 |             break;
000147 |     }
000148 | }
000149 |
000150 | void OnActivate()
000151 | {
000152 |     ClearDebugShapes();
000153 | }
000154 |
000155 | void OnDeactivate()
000156 | {
000157 |     ClearDebugShapes();
000158 | }
000159 |
000160 | void Finish()
000161 | {
000162 |     m_Continue = false;
000163 | }
000164 |
000165 | bool PostPhysUpdate(float pDt)
000166 | {
000167 |     return m_Continue;
000168 | }
000169 |
000170 | #ifdef CF_DebugUI
000171 |     bool CF_OnDebugUpdate(CF_Debug instance, CF_DebugUI_Type type)
000172 |     {
000173 |         return true;
000174 |     }
000175 | #endif
000176 |
000177 | void DBGDrawLineMS(vector start, vector end, int color = 0x44FFFFFF)
000178 | {
000179 |     vector pts[2];
000180 |     pts[0] = DBGFixDebugPosition(start);
000181 |     pts[1] = DBGFixDebugPosition(end);
000182 |
000183 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000184 |     DBGAddShape(Shape.CreateLines(color, ShapeFlags TRANSP | ShapeFlags.NOZBUFFER, pts, 2));
000185 | #endif
000186 | }
000187 |
000188 | void DBGDrawLine(vector start, vector end, int color = 0x44FFFFFF)
000189 | {
000190 |     DBGDrawLineMS(start.InvMultiply4(m_Transform), end.InvMultiply4(m_Transform), color);
000191 | }
000192 |
000193 | void DBGDrawSphereMS(vector position, float size, int color = 0x44FFFFFF)
000194 | {
000195 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000196 |     position = DBGFixDebugPosition(position);
000197 |
000198 |     DBGAddShape(Shape.CreateSphere(color, ShapeFlags.WIREFRAME | ShapeFlags.NOZBUFFER, position, size));
000199 | #endif
000200 | }
000201 |
000202 | void DBGDrawSphere(vector position, float size, int color = 0x44FFFFFF)
000203 | {
```

```
000204 |         DBGDrawSphereMS(position.InvMultiply4(m_Transform), size, color);
000205 |     }
000206 |
000207 |     void DBGDrawLineDirectionMS(vector direction, int color = 0x44FFFFFF)
000208 |     {
000209 |         DBGDrawLineMS("0 0 0", direction, color);
000210 |     }
000211 |
000212 |     void DBGDrawLineDirectionMS(vector start, vector direction, int color = 0x44FFFFFF)
000213 |     {
000214 |         DBGDrawLineMS(start, start + direction, color);
000215 |     }
000216 |
000217 |     void DBGDrawLineDirection(vector start, vector direction, int color = 0x44FFFFFF)
000218 |     {
000219 |         DBGDrawLineDirectionMS(start.InvMultiply4(m_Transform), direction.InvMultiply3(m_Transform), color);
000220 |     }
000221 |
000222 |     void DBGAddShape(Shape shape)
000223 |     {
000224 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000225 |         m_DebugShapes.Insert(shape);
000226 | #endif
000227 |     }
000228 |
000229 |     vector DBGFixDebugPosition(inout vector position)
000230 |     {
000231 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000232 |         position = position.Multiply4(m_Transform);
000233 | #endif
000234 |
000235 |         return position;
000236 |     }
000237 | };
```


0136. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Commands\ExpansionHumanCommandScript.c

Size bytes: 5328

SHA-256: 43e16c39dcea385efb90d4ffb1a904aab2a73da91a3f3ccf58c13820dc9175d6

Decoded as: utf-8-sig

Line count shown: 223

Detected class declarations: 1

L13: class ExpansionHumanCommandScript : HumanCommandScript

Detected enum declarations: 0

Detected function/method-like declarations: 27

L31: void ExpansionHumanCommandScript(DayZPlayerImplement player, ExpansionHumanST table)

L39: void ~ExpansionHumanCommandScript()

L44: void SetLookDirection(vector pDirection)

L50: void SetLookAnglesRel(float lookLR, float lookUD)

L62: void SetAimAnglesRel(float aimLR, float aimUD) { }

L65: void AnglesToQuat(vector angles, out float[] quat)

L72: void PrePhys_SetAngles(vector angles)

L79: void ClearDebugShapes()

L89: void SetCurrentStance(int stance)

L94: override int GetCurrentStance()

L99: void SetCurrentMovement(int movement)

L104: override int GetCurrentMovement()

L109: void SetCurrentLeaning(float leaning)

L114: override float GetCurrentLeaning()

L119: override void PreAnimUpdate(float pDt)

L146: override void OnActivate()

L151: override void OnDeactivate()

L157: bool CF_OnDebugUpdate(CF_Debug instance, CF_DebugUI_Type type)

L163: void DBGDrawLineMS(vector start, vector end, int color = 0x44FFFFFF)

L174: void DBGDrawLine(vector start, vector end, int color = 0x44FFFFFF)

L179: void DBGDrawSphereMS(vector position, float size, int color = 0x44FFFFFF)

L188: void DBGDrawSphere(vector position, float size, int color = 0x44FFFFFF)

L193: void DBGDrawLineDirectionMS(vector direction, int color = 0x44FFFFFF)

L198: void DBGDrawLineDirectionMS(vector start, vector direction, int color = 0x44FFFFFF)

L203: void DBGDrawLineDirection(vector start, vector direction, int color = 0x44FFFFFF)

L208: void DBGAddShape(Shape shape)

L215: vector DBGFixDebugPosition(inout vector position)

Full file content

```
000001 | /**
000002 |  * ExpansionHumanCommandScript.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionHumanCommandScript : HumanCommandScript
000014 | {
000015 |     DayZPlayerImplement m_Player;
000016 |     ExpansionHumanST m_Table;
000017 |     HumanInputController m_Input;
000018 |
000019 |     vector m_Transform[4];
000020 | }
```

```
000021 |     autoptr array<Shape> m_DebugShapes = new array<Shape>();
000022 |
000023 |     private bool m_Look = true;
000024 |     private float m_LookLR;
000025 |     private float m_LookUD;
000026 |
000027 |     private int m_CurrentStance = DayZPlayerConstants.STANCEIDX_ERECT;
000028 |     private int m_CurrentMovement = DayZPlayerConstants.MOVEMENT_IDLE;
000029 |     private float m_CurrentLeaning;
000030 |
000031 |     void ExpansionHumanCommandScript(DayZPlayerImplement player, ExpansionHumanST table)
000032 |     {
000033 |         m_Player = player;
000034 |         m_Table = table;
000035 |
000036 |         m_Input = player.GetInputController();
000037 |     }
000038 |
000039 |     void ~ExpansionHumanCommandScript()
000040 |     {
000041 |         ClearDebugShapes();
000042 |     }
000043 |
000044 |     void SetLookDirection(vector pDirection)
000045 |     {
000046 |         vector angles = pDirection.VectorToAngles();
000047 |         SetLookAnglesRel(ExpansionMath.RelAngle(angles[0]), ExpansionMath.RelAngle(angles[1]));
000048 |     }
000049 |
000050 |     void SetLookAnglesRel(float lookLR, float lookUD)
000051 |     {
000052 |         m_LookLR = lookLR;
000053 |         m_LookUD = lookUD;
000054 |
000055 |         //! https://feedback.bistudio.com/T173348
000056 |         if (Math.AbsFloat(m_LookLR) > 0.01 || Math.AbsFloat(m_LookUD) > 0.01)
000057 |             m_Look = true;
000058 |         else
000059 |             m_Look = false;
000060 |     }
000061 |
000062 |     void SetAimAnglesRel(float aimLR, float aimUD) { }
000063 |
000064 |     //! Helper functions
000065 |     void AnglesToQuat(vector angles, out float[] quat)
000066 |     {
000067 |         vector rotationMatrix[3];
000068 |         Math3D.YawPitchRollMatrix(angles, rotationMatrix);
000069 |         Math3D.MatrixToQuat(rotationMatrix, quat);
000070 |     }
000071 |
000072 |     void PrePhys_SetAngles(vector angles)
000073 |     {
000074 |         float rotation[4];
000075 |         AnglesToQuat(angles, rotation);
000076 |         PrePhys_SetRotation(rotation);
000077 |     }
000078 |
000079 |     void ClearDebugShapes()
000080 |     {
000081 |     #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000082 |         for (int dbg = 0; dbg < m_DebugShapes.Count(); ++dbg)
```

```
000083 |         m_DebugShapes[dbg].Destroy();
000084 |
000085 |         m_DebugShapes.Clear();
000086 | #endif
000087 |     }
000088 |
000089 |     void SetCurrentStance(int stance)
000090 |     {
000091 |         m_CurrentStance = stance;
000092 |     }
000093 |
000094 |     override int GetCurrentStance()
000095 |     {
000096 |         return m_CurrentStance;
000097 |     }
000098 |
000099 |     void SetCurrentMovement(int movement)
000100 |     {
000101 |         m_CurrentMovement = movement;
000102 |     }
000103 |
000104 |     override int GetCurrentMovement()
000105 |     {
000106 |         return m_CurrentMovement;
000107 |     }
000108 |
000109 |     void SetCurrentLeaning(float leaning)
000110 |     {
000111 |         m_CurrentLeaning = leaning;
000112 |     }
000113 |
000114 |     override float GetCurrentLeaning()
000115 |     {
000116 |         return m_CurrentLeaning;
000117 |     }
000118 |
000119 |     override void PreAnimUpdate(float pDt)
000120 |     {
000121 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000122 |         ClearDebugShapes();
000123 | #endif
000124 |
000125 |         m_Player.GetTransform(m_Transform);
000126 |
000127 |         m_Table.SetLook(this, m_Look);
000128 |
000129 |         switch (m_Player.GetInstanceType())
000130 |         {
000131 |             case DayZPlayerInstanceType.INSTANCETYPE_AI_SERVER:
000132 |             case DayZPlayerInstanceType.INSTANCETYPE_AI_REMOTE:
000133 |             case DayZPlayerInstanceType.INSTANCETYPE_AI_SINGLEPLAYER:
000134 |                 m_Table.SetLookDirX(this, m_LookLR);
000135 |                 m_Table.SetLookDirY(this, m_LookUD);
000136 |                 break;
000137 |
000138 |             default:
000139 |                 HumanCommandWeapons hcw = m_Player.GetCommandModifier_Weapons();
000140 |                 m_Table.SetLookDirX(this, hcw.GetBaseAimingAngleLR());
000141 |                 m_Table.SetLookDirY(this, hcw.GetBaseAimingAngleUD());
000142 |                 break;
000143 |         }
000144 |     }
```

```
000145 |
000146 |     override void OnActivate()
000147 |     {
000148 |         ClearDebugShapes();
000149 |     }
000150 |
000151 |     override void OnDeactivate()
000152 |     {
000153 |         ClearDebugShapes();
000154 |     }
000155 |
000156 | #ifdef CF_DebugUI
000157 |     bool CF_OnDebugUpdate(CF_Debug instance, CF_DebugUI_Type type)
000158 |     {
000159 |         return true;
000160 |     }
000161 | #endif
000162 |
000163 |     void DBGDrawLineMS(vector start, vector end, int color = 0x44FFFFFF)
000164 |     {
000165 |         vector pts[2];
000166 |         pts[0] = DBGFixDebugPosition(start);
000167 |         pts[1] = DBGFixDebugPosition(end);
000168 |
000169 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000170 |         DBGAddShape(Shape.CreateLines(color, ShapeFlags TRANSP | ShapeFlags.NOZBUFFER, pts, 2));
000171 | #endif
000172 |     }
000173 |
000174 |     void DBGDrawLine(vector start, vector end, int color = 0x44FFFFFF)
000175 |     {
000176 |         DBGDrawLineMS(start.InvMultiply4(m_Transform), end.InvMultiply4(m_Transform), color);
000177 |     }
000178 |
000179 |     void DBGDrawSphereMS(vector position, float size, int color = 0x44FFFFFF)
000180 |     {
000181 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000182 |         position = DBGFixDebugPosition(position);
000183 |
000184 |         DBGAddShape(Shape.CreateSphere(color, ShapeFlags.WIREFRAME | ShapeFlags.NOZBUFFER, position, size));
000185 | #endif
000186 |     }
000187 |
000188 |     void DBGDrawSphere(vector position, float size, int color = 0x44FFFFFF)
000189 |     {
000190 |         DBGDrawSphereMS(position.InvMultiply4(m_Transform), size, color);
000191 |     }
000192 |
000193 |     void DBGDrawLineDirectionMS(vector direction, int color = 0x44FFFFFF)
000194 |     {
000195 |         DBGDrawLineMS("0 0 0", direction, color);
000196 |     }
000197 |
000198 |     void DBGDrawLineDirectionMS(vector start, vector direction, int color = 0x44FFFFFF)
000199 |     {
000200 |         DBGDrawLineMS(start, start + direction, color);
000201 |     }
000202 |
000203 |     void DBGDrawLineDirection(vector start, vector direction, int color = 0x44FFFFFF)
000204 |     {
000205 |         DBGDrawLineDirectionMS(start.InvMultiply4(m_Transform), direction.InvMultiply3(m_Transform), color);
000206 |     }
```

```
000207 |  
000208 |     void DBGAddShape(Shape shape)  
000209 |     {  
000210 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE  
000211 |         m_DebugShapes.Insert(shape);  
000212 | #endif  
000213 |     }  
000214 |  
000215 |     vector DBGFixDebugPosition(inout vector position)  
000216 |     {  
000217 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE  
000218 |         position = position.Multiply4(m_Transform);  
000219 | #endif  
000220 |  
000221 |         return position;  
000222 |     }  
000223 | };
```

0137. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Commands\ExpansionHumanCommandVehicle.c
Size bytes: 1351
SHA-256: 8e79e347d29a259be6c0540e304a06d757319953de2f2a23e659fa2951bbb47a
Decoded as: utf-8-sig
Line count shown: 89
Detected class declarations: 1
  L13: class ExpansionHumanCommandVehicle : ExpansionHumanCommandScript
Detected enum declarations: 0
Detected function/method-like declarations: 16
  L15: void ExpansionHumanCommandVehicle(DayZPlayerImplement player, ExpansionHumanST table, Object vehicle, int seatIdx, int seat_anim, bool fromU
  L19: void LeaveVehicle()
  L23: void GetOutVehicle()
  L27: void JumpOutVehicle()
  L31: void SwitchSeat(int seatIdx, int seatAnimType)
  L35: bool IsGettingOut()
  L40: bool IsGettingIn()
  L45: bool IsSwitchSeat()
  L50: Object GetObject()
  L55: Transport GetTransport()
  L61: ExpansionVehicleBase GetExpansionVehicle()
  L67: int GetVehicleSeat()
  L72: void SetVehicleType(int vehicleType)
  L76: void KeepInVehicleSpaceAfterLeave(bool state)
  L80: bool WasGearChange()
  L85: void SetClutchState(bool state)

```

Full file content

```

000001 | /**
000002 |  * ExpansionHumanCommandVehicle.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionHumanCommandVehicle : ExpansionHumanCommandScript
000014 | {
000015 |     void ExpansionHumanCommandVehicle(DayZPlayerImplement player, ExpansionHumanST table, Object vehicle, int seatIdx, int seat_anim, bool fromUnconscious)
000016 |     {
000017 |     }
000018 |
000019 |     void LeaveVehicle()
000020 |     {
000021 |     }
000022 |
000023 |     void GetOutVehicle()
000024 |     {
000025 |     }
000026 |
000027 |     void JumpOutVehicle()
000028 |     {
000029 |     }
000030 |
000031 |     void SwitchSeat(int seatIdx, int seatAnimType)

```

```
000032 | {
000033 | }
000034 |
000035 | bool IsGettingOut()
000036 | {
000037 |     return false;
000038 | }
000039 |
000040 | bool IsGettingIn()
000041 | {
000042 |     return false;
000043 | }
000044 |
000045 | bool IsSwitchSeat()
000046 | {
000047 |     return false;
000048 | }
000049 |
000050 | Object GetObject()
000051 | {
000052 |     return null;
000053 | }
000054 |
000055 | Transport GetTransport()
000056 | {
000057 |     return null;
000058 | }
000059 |
000060 | #ifdef EXPANSIONMODVEHICLE
000061 |     ExpansionVehicleBase GetExpansionVehicle()
000062 |     {
000063 |         return null;
000064 |     }
000065 | #endif
000066 |
000067 | int GetVehicleSeat()
000068 | {
000069 |     return -1;
000070 | }
000071 |
000072 | void SetVehicleType(int vehicleType)
000073 | {
000074 | }
000075 |
000076 | void KeepInVehicleSpaceAfterLeave(bool state)
000077 | {
000078 | }
000079 |
000080 | bool WasGearChange()
000081 | {
000082 |     return false;
000083 | }
000084 |
000085 | void SetClutchState(bool state)
000086 | {
000087 | }
000088 | };
000089 |
```

0138. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Commands\ExpansionHumanST.c

Size bytes: 15617

SHA-256: d005447634fc05147bf84e50f9e1d98902a8573855cdf1570fc65499252011ba

Decoded as: utf-8-sig

Line count shown: 540

Detected class declarations: 1

L13: class ExpansionHumanST

Detected enum declarations: 0

Detected function/method-like declarations: 72

L77: void ExpansionHumanST(Human human)

L155: void CallFall(HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0)

L160: void CallFall(DayZPlayer player, int pParamInt = 0, float pParamFloat = 0)

L165: void CallFallCancel(HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0)

L170: void CallFallCancel(DayZPlayer player, int pParamInt = 0, float pParamFloat = 0)

L175: void CallJump(HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0)

L180: void CallJump(DayZPlayer player, int pParamInt = 0, float pParamFloat = 0)

L185: void CallLand(HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0)

L190: void CallLand(DayZPlayer player, int pParamInt = 0, float pParamFloat = 0)

L195: void CallSwim(HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0)

L200: void CallSwim(DayZPlayer player, int pParamInt = 0, float pParamFloat = 0)

L205: void CallTurn(HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0)

L210: void CallTurn(DayZPlayer player, int pParamInt = 0, float pParamFloat = 0)

L215: void CallStopTurn(HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0)

L220: void CallStopTurn(DayZPlayer player, int pParamInt = 0, float pParamFloat = 0)

L225: void CallWeaponFire(HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0)

L230: void CallWeaponFire(DayZPlayer player, int pParamInt = 0, float pParamFloat = 0)

L245: void CallVehicleGetIn(HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0)

L250: void CallVehicleGetIn(DayZPlayer player, int pParamInt = 0, float pParamFloat = 0)

L255: void CallVehicleSwitchSeat(HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0)

L260: void CallVehicleSwitchSeat(DayZPlayer player, int pParamInt = 0, float pParamFloat = 0)

L265: void CallVehicleGetOut(HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0)

L270: void CallVehicleGetOut(DayZPlayer player, int pParamInt = 0, float pParamFloat = 0)

L275: void CallVehicleClimbOut(HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0)

L280: void CallVehicleClimbOut(DayZPlayer player, int pParamInt = 0, float pParamFloat = 0)

L285: void CallVehicleCrawlOut(HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0)

L290: void CallVehicleCrawlOut(DayZPlayer player, int pParamInt = 0, float pParamFloat = 0)

L295: void CallVehicleJumpOut(HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0)

L300: void CallVehicleJumpOut(DayZPlayer player, int pParamInt = 0, float pParamFloat = 0)

L315: void SetMovementSpeed(HumanCommandScript script, float param)

L320: void SetMovementSpeed(DayZPlayer player, float param)

L325: void SetMovementDirection(HumanCommandScript script, float param)

L330: void SetMovementDirection(DayZPlayer player, float param)

L335: void SetTurnAmount(HumanCommandScript script, float param)

L340: void SetTurnAmount(DayZPlayer player, float param)

L345: void SetWaterLevel(HumanCommandScript script, float param)

L350: void SetWaterLevel(DayZPlayer player, float param)

L355: bool IsLandEarlyExit(HumanCommandScript script)

L360: void SetVehicleType(HumanCommandScript script, int param)

L365: void SetVehicleType(DayZPlayer player, int param)

L370: void SetVehicleSteering(HumanCommandScript script, float param)

L375: void SetVehicleSteering(DayZPlayer player, float param)

L380: void SetVehicleThrottle(HumanCommandScript script, float param)

L385: void SetVehicleThrottle(DayZPlayer player, float param)

L390: void SetVehicleClutch(HumanCommandScript script, float param)

L395: void SetVehicleClutch(DayZPlayer player, float param)

L400: void SetVehicleBrake(HumanCommandScript script, bool param)

L405: void SetVehicleBrake(DayZPlayer player, bool param)

L410: void SetVehicleAccelerationFB(HumanCommandScript script, float param)


```
L415: void SetVehicleAccelerationFB( DayZPlayer player, float param )
L420: void SetVehicleAccelerationLR( HumanCommandScript script, float param )
L425: void SetVehicleAccelerationLR( DayZPlayer player, float param )
L430: bool IsLeaveVehicle( HumanCommandScript script )
L435: bool IsLandVehicle( HumanCommandScript script )
L440: void SetLook( HumanCommandScript script, bool param )
L445: void SetLook( DayZPlayer player, bool param )
L450: void SetLookDirX( HumanCommandScript script, float param )
L455: void SetLookDirX( DayZPlayer player, float param )
L460: void SetLookDirY( HumanCommandScript script, float param )
L465: void SetLookDirY( DayZPlayer player, float param )
L480: void SetAimX( HumanCommandScript script, float param )
L485: void SetAimX( DayZPlayer player, float param )
L490: void SetAimY( HumanCommandScript script, float param )
L495: void SetAimY( DayZPlayer player, float param )
L500: void SetRaised( HumanCommandScript script, bool param )
L505: void SetRaised( DayZPlayer player, bool param )
L510: void SetADS( HumanCommandScript script, bool param )
L515: void SetADS( DayZPlayer player, bool param )
L520: void SetStance( HumanCommandScript script, int param )
L525: void SetStance( DayZPlayer player, int param )
L530: void SetLean( HumanCommandScript script, float param )
L535: void SetLean( DayZPlayer player, float param )
```

Full file content

```
000001 | /**
000002 |  * ExpansionHumanST.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionHumanST
000014 | {
000015 |     int m_CMD_Fall;
000016 |     int m_CMD_FallCancel;
000017 |     int m_CMD_Jump;
000018 |     int m_CMD_Land;
000019 |     int m_CMD_Swim;
000020 |
000021 |     int m_CMD_Turn;
000022 |     int m_CMD_StopTurn;
000023 |
000024 |     int m_CMD_WeaponFire;
000025 |
000026 |     //int m_CMD_Expansion_Parachute_Pull;
000027 |     //int m_CMD_Expansion_Parachute_Cut;
000028 |
000029 |     int m_CMD_Vehicle_GetIn;
000030 |     int m_CMD_Vehicle_SwitchSeat;
000031 |     int m_CMD_Vehicle_GetOut;
000032 |     int m_CMD_Vehicle_ClimbOut;
000033 |     int m_CMD_Vehicle_CrawlOut;
000034 |     int m_CMD_Vehicle_JumpOut;
000035 |
000036 |     //int m_CMD_Guitar;
```

```
000037 | //int m_CMD_Guitar_Stop;
000038 |
000039 | int m_VAR_MovementSpeed;
000040 | int m_VAR_MovementDirection;
000041 |
000042 | int m_VAR_TurnAmount;
000043 |
000044 | int m_VAR_WaterLevel;
000045 |
000046 | int m_EVT_LandEarlyExit;
000047 |
000048 | int m_VAR_VehicleType;
000049 | int m_VAR_VehicleSteering;
000050 | int m_VAR_VehicleThrottle;
000051 | int m_VAR_VehicleClutch;
000052 | int m_VAR_VehicleBrake;
000053 | int m_VAR_VehicleAccelerationFB;
000054 | int m_VAR_VehicleAccelerationLR;
000055 |
000056 | int m_EVT_LeaveVehicle;
000057 | int m_EVT_LandVehicle;
000058 |
000059 | int m_VAR_Look;
000060 | int m_VAR_LookDirX;
000061 | int m_VAR_LookDirY;
000062 |
000063 | //int m_VAR_GuitarChord;
000064 | //int m_VAR_GuitarFret;
000065 |
000066 | int m_VAR_AimX;
000067 | int m_VAR_AimY;
000068 |
000069 | int m_VAR_Raised;
000070 | int m_VAR_ADS;
000071 | int m_VAR_Stance;
000072 |
000073 | int m_VAR_Lean;
000074 |
000075 | int m_TAG_WeaponFire;
000076 |
000077 | void ExpansionHumanST( Human human )
000078 | {
000079 |     HumanAnimInterface hai = human.GetAnimInterface();
000080 |
000081 |     m_CMD_Fall = hai.BindCommand( "CMD_Fall" );
000082 |     m_CMD_FallCancel = hai.BindCommand( "CMD_FallCancel" );
000083 |     m_CMD_Jump = hai.BindCommand( "CMD_Jump" );
000084 |     m_CMD_Land = hai.BindCommand( "CMD_Land" );
000085 |     m_CMD_Swim = hai.BindCommand( "CMD_Swim" );
000086 |
000087 | #ifdef EXPANSIONMODAI
000088 |     m_CMD_Turn = hai.BindCommand( "CMD_eAI_Turn" );
000089 |     m_CMD_StopTurn = hai.BindCommand( "CMD_eAI_StopTurn" );
000090 | #endif
000091 |
000092 |     m_CMD_WeaponFire = hai.BindCommand( "CMD_WeaponFire" );
000093 |
000094 |     //m_CMD_Expansion_Parachute_Pull = hai.BindCommand( "CMD_Expansion_Parachute_Pull" );
000095 |     //m_CMD_Expansion_Parachute_Cut = hai.BindCommand( "CMD_Expansion_Parachute_Cut" );
000096 |
000097 |     m_CMD_Vehicle_GetIn = hai.BindCommand( "CMD_Vehicle_GetIn" );
000098 |     m_CMD_Vehicle_SwitchSeat = hai.BindCommand( "CMD_Vehicle_SwitchSeat" );
```

```
000099 |         m_CMD_Vehicle_GetOut = hai.BindCommand( "CMD_Vehicle_GetOut" );
000100 |         m_CMD_Vehicle_ClimbOut = hai.BindCommand( "CMD_Vehicle_ClimbOut" );
000101 |         m_CMD_Vehicle_CrawlOut = hai.BindCommand( "CMD_Vehicle_CrawlOut" );
000102 |         m_CMD_Vehicle_JumpOut = hai.BindCommand( "CMD_Vehicle_JumpOut" );
000103 |
000104 |         //m_CMD_Guitar = hai.BindCommand( "CMD_Guitar" );
000105 |         //m_CMD_Guitar_Stop = hai.BindCommand( "CMD_Guitar_Stop" );
000106 |
000107 |         m_VAR_MovementSpeed = hai.BindVariableFloat( "MovementSpeed" );
000108 |         m_VAR_MovementDirection = hai.BindVariableFloat( "MovementDirection" );
000109 |
000110 | #ifdef EXPANSIONMODAI
000111 |     m_VAR_TurnAmount = hai.BindVariableFloat( "eAI_TurnAmount" );
000112 | #endif
000113 |
000114 |     m_VAR_WaterLevel = hai.BindVariableFloat( "WaterLevel" );
000115 |
000116 |     m_EVT_LandEarlyExit = hai.BindEvent( "LandEarlyExit" );
000117 |
000118 |     m_VAR_VehicleType = hai.BindVariableInt( "VehicleType" );
000119 |     m_VAR_VehicleSteering = hai.BindVariableFloat( "VehicleSteering" );
000120 |     m_VAR_VehicleThrottle = hai.BindVariableFloat( "VehicleThrottle" );
000121 |     m_VAR_VehicleClutch = hai.BindVariableFloat( "VehicleClutch" );
000122 |     m_VAR_VehicleBrake = hai.BindVariableBool( "VehicleBrake" );
000123 |     m_VAR_VehicleAccelerationFB = hai.BindVariableFloat( "VehicleAccelerationFB" );
000124 |     m_VAR_VehicleAccelerationLR = hai.BindVariableFloat( "VehicleAccelerationLR" );
000125 |
000126 |     m_EVT_LeaveVehicle = hai.BindEvent( "LeaveVehicle" );
000127 |     m_EVT_LandVehicle = hai.BindEvent( "LandVehicle" );
000128 |
000129 |     m_VAR_Look = hai.BindVariableBool( "Look" );
000130 | #ifdef EXPANSIONMODAI
000131 |     m_VAR_LookDirX = hai.BindVariableFloat( "eAI_LookDirX" );
000132 |     m_VAR_LookDirY = hai.BindVariableFloat( "eAI_LookDirY" );
000133 | #endif
000134 |
000135 |     //m_VAR_GuitarChord = hai.BindVariableInt( "GuitarChord" );
000136 |     //m_VAR_GuitarFret = hai.BindVariableFloat( "GuitarFret" );
000137 |
000138 | #ifdef EXPANSIONMODAI
000139 |     m_VAR_AimX = hai.BindVariableFloat( "eAI_AimX" );
000140 |     m_VAR_AimY = hai.BindVariableFloat( "eAI_AimY" );
000141 |
000142 |     m_VAR_Raised = hai.BindVariableBool( "eAI_Raised" );
000143 | #endif
000144 |
000145 |     m_VAR_ADS = hai.BindVariableBool( "ADS" );
000146 |     m_VAR_Stance = hai.BindVariableInt( "Stance" );
000147 |
000148 | #ifdef EXPANSIONMODAI
000149 |     m_VAR_Lean = hai.BindVariableFloat( "eAI_Lean" );
000150 | #endif
000151 |
000152 |     m_TAG_WeaponFire = hai.BindTag("TagWeaponFire");
000153 | }
000154 |
000155 | void CallFall( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000156 | {
000157 |     script.PreAnim_CallCommand( m_CMD_Fall, pParamInt, pParamFloat );
000158 | }
000159 |
000160 | void CallFall( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
```

```
000161 | {
000162 |     player.AnimCallCommand( m_CMD_Fall, pParamInt, pParamFloat );
000163 | }
000164 |
000165 | void CallFallCancel( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000166 | {
000167 |     script.PreAnim_CallCommand( m_CMD_FallCancel, pParamInt, pParamFloat );
000168 | }
000169 |
000170 | void CallFallCancel( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
000171 | {
000172 |     player.AnimCallCommand( m_CMD_FallCancel, pParamInt, pParamFloat );
000173 | }
000174 |
000175 | void CallJump( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000176 | {
000177 |     script.PreAnim_CallCommand( m_CMD_Jump, pParamInt, pParamFloat );
000178 | }
000179 |
000180 | void CallJump( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
000181 | {
000182 |     player.AnimCallCommand( m_CMD_Jump, pParamInt, pParamFloat );
000183 | }
000184 |
000185 | void CallLand( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000186 | {
000187 |     script.PreAnim_CallCommand( m_CMD_Land, pParamInt, pParamFloat );
000188 | }
000189 |
000190 | void CallLand( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
000191 | {
000192 |     player.AnimCallCommand( m_CMD_Land, pParamInt, pParamFloat );
000193 | }
000194 |
000195 | void CallSwim( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000196 | {
000197 |     script.PreAnim_CallCommand( m_CMD_Swim, pParamInt, pParamFloat );
000198 | }
000199 |
000200 | void CallSwim( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
000201 | {
000202 |     player.AnimCallCommand( m_CMD_Swim, pParamInt, pParamFloat );
000203 | }
000204 |
000205 | void CallTurn( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000206 | {
000207 |     script.PreAnim_CallCommand( m_CMD_Turn, pParamInt, pParamFloat );
000208 | }
000209 |
000210 | void CallTurn( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
000211 | {
000212 |     player.AnimCallCommand( m_CMD_Turn, pParamInt, pParamFloat );
000213 | }
000214 |
000215 | void CallStopTurn( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000216 | {
000217 |     script.PreAnim_CallCommand( m_CMD_StopTurn, pParamInt, pParamFloat );
000218 | }
000219 |
000220 | void CallStopTurn( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
000221 | {
000222 |     player.AnimCallCommand( m_CMD_StopTurn, pParamInt, pParamFloat );
```

```
000223 | }
000224 |
000225 | void CallWeaponFire( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000226 | {
000227 |     script.PreAnim_CallCommand( m_CMD_WeaponFire, pParamInt, pParamFloat );
000228 | }
000229 |
000230 | void CallWeaponFire( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
000231 | {
000232 |     player.AnimCallCommand( m_CMD_WeaponFire, pParamInt, pParamFloat );
000233 | }
000234 |
000235 | //void CallParachutePull( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000236 | //{
000237 | //    script.PreAnim_CallCommand( m_CMD_Expansion_Parachute_Pull, pParamInt, pParamFloat );
000238 | //}
000239 |
000240 | //void CallParachuteCut( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000241 | //{
000242 | //    script.PreAnim_CallCommand( m_CMD_Expansion_Parachute_Cut, pParamInt, pParamFloat );
000243 | //}
000244 |
000245 | void CallVehicleGetIn( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000246 | {
000247 |     script.PreAnim_CallCommand( m_CMD_Vehicle_GetIn, pParamInt, pParamFloat );
000248 | }
000249 |
000250 | void CallVehicleGetIn( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
000251 | {
000252 |     player.AnimCallCommand( m_CMD_Vehicle_GetIn, pParamInt, pParamFloat );
000253 | }
000254 |
000255 | void CallVehicleSwitchSeat( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000256 | {
000257 |     script.PreAnim_CallCommand( m_CMD_Vehicle_SwitchSeat, pParamInt, pParamFloat );
000258 | }
000259 |
000260 | void CallVehicleSwitchSeat( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
000261 | {
000262 |     player.AnimCallCommand( m_CMD_Vehicle_SwitchSeat, pParamInt, pParamFloat );
000263 | }
000264 |
000265 | void CallVehicleGetOut( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000266 | {
000267 |     script.PreAnim_CallCommand( m_CMD_Vehicle_GetOut, pParamInt, pParamFloat );
000268 | }
000269 |
000270 | void CallVehicleGetOut( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
000271 | {
000272 |     player.AnimCallCommand( m_CMD_Vehicle_GetOut, pParamInt, pParamFloat );
000273 | }
000274 |
000275 | void CallVehicleClimbOut( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000276 | {
000277 |     script.PreAnim_CallCommand( m_CMD_Vehicle_ClimbOut, pParamInt, pParamFloat );
000278 | }
000279 |
000280 | void CallVehicleClimbOut( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
000281 | {
000282 |     player.AnimCallCommand( m_CMD_Vehicle_ClimbOut, pParamInt, pParamFloat );
000283 | }
000284 |
```

```
000285 | void CallVehicleCrawlOut( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000286 | {
000287 |     script.PreAnim_CallCommand( m_CMD_Vehicle_CrawlOut, pParamInt, pParamFloat );
000288 | }
000289 |
000290 | void CallVehicleCrawlOut( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
000291 | {
000292 |     player.AnimCallCommand( m_CMD_Vehicle_CrawlOut, pParamInt, pParamFloat );
000293 | }
000294 |
000295 | void CallVehicleJumpOut( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000296 | {
000297 |     script.PreAnim_CallCommand( m_CMD_Vehicle_JumpOut, pParamInt, pParamFloat );
000298 | }
000299 |
000300 | void CallVehicleJumpOut( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
000301 | {
000302 |     player.AnimCallCommand( m_CMD_Vehicle_JumpOut, pParamInt, pParamFloat );
000303 | }
000304 |
000305 | //void CallGuitar( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000306 | //{
000307 | //    script.PreAnim_CallCommand( m_CMD_Guitar, pParamInt, pParamFloat );
000308 | //}
000309 |
000310 | //void CallGuitarStop( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000311 | //{
000312 | //    script.PreAnim_CallCommand( m_CMD_Guitar_Stop, pParamInt, pParamFloat );
000313 | //}
000314 |
000315 | void SetMovementSpeed( HumanCommandScript script, float param )
000316 | {
000317 |     script.PreAnim_SetFloat( m_VAR_MovementSpeed, param );
000318 | }
000319 |
000320 | void SetMovementSpeed( DayZPlayer player, float param )
000321 | {
000322 |     player.AnimSetFloat( m_VAR_MovementSpeed, param );
000323 | }
000324 |
000325 | void SetMovementDirection( HumanCommandScript script, float param )
000326 | {
000327 |     script.PreAnim_SetFloat( m_VAR_MovementDirection, param );
000328 | }
000329 |
000330 | void SetMovementDirection( DayZPlayer player, float param )
000331 | {
000332 |     player.AnimSetFloat( m_VAR_MovementDirection, param );
000333 | }
000334 |
000335 | void SetTurnAmount( HumanCommandScript script, float param )
000336 | {
000337 |     script.PreAnim_SetFloat( m_VAR_TurnAmount, param );
000338 | }
000339 |
000340 | void SetTurnAmount( DayZPlayer player, float param )
000341 | {
000342 |     player.AnimSetFloat( m_VAR_TurnAmount, param );
000343 | }
000344 |
000345 | void SetWaterLevel( HumanCommandScript script, float param )
000346 | {
```

```
000347 |     script.PreAnim_SetFloat( m_VAR_WaterLevel, param );
000348 | }
000349 |
000350 | void SetWaterLevel( DayZPlayer player, float param )
000351 | {
000352 |     player.AnimSetFloat( m_VAR_WaterLevel, param );
000353 | }
000354 |
000355 | bool IsLandEarlyExit( HumanCommandScript script )
000356 | {
000357 |     return script.PrePhys_IsEvent( m_EVT_LandEarlyExit );
000358 | }
000359 |
000360 | void SetVehicleType( HumanCommandScript script, int param )
000361 | {
000362 |     script.PreAnim_SetInt( m_VAR_VehicleType, param );
000363 | }
000364 |
000365 | void SetVehicleType( DayZPlayer player, int param )
000366 | {
000367 |     player.AnimSetInt( m_VAR_VehicleType, param );
000368 | }
000369 |
000370 | void SetVehicleSteering( HumanCommandScript script, float param )
000371 | {
000372 |     script.PreAnim_SetFloat( m_VAR_VehicleSteering, param );
000373 | }
000374 |
000375 | void SetVehicleSteering( DayZPlayer player, float param )
000376 | {
000377 |     player.AnimSetFloat( m_VAR_VehicleSteering, param );
000378 | }
000379 |
000380 | void SetVehicleThrottle( HumanCommandScript script, float param )
000381 | {
000382 |     script.PreAnim_SetFloat( m_VAR_VehicleThrottle, param );
000383 | }
000384 |
000385 | void SetVehicleThrottle( DayZPlayer player, float param )
000386 | {
000387 |     player.AnimSetFloat( m_VAR_VehicleThrottle, param );
000388 | }
000389 |
000390 | void SetVehicleClutch( HumanCommandScript script, float param )
000391 | {
000392 |     script.PreAnim_SetFloat( m_VAR_VehicleClutch, param );
000393 | }
000394 |
000395 | void SetVehicleClutch( DayZPlayer player, float param )
000396 | {
000397 |     player.AnimSetFloat( m_VAR_VehicleClutch, param );
000398 | }
000399 |
000400 | void SetVehicleBrake( HumanCommandScript script, bool param )
000401 | {
000402 |     script.PreAnim_SetBool( m_VAR_VehicleBrake, param );
000403 | }
000404 |
000405 | void SetVehicleBrake( DayZPlayer player, bool param )
000406 | {
000407 |     player.AnimSetBool( m_VAR_VehicleBrake, param );
000408 | }
```

```
000409 |
000410 | void SetVehicleAccelerationFB( HumanCommandScript script, float param )
000411 | {
000412 |     script.PreAnim_SetFloat( m_VAR_VehicleAccelerationFB, param );
000413 | }
000414 |
000415 | void SetVehicleAccelerationFB( DayZPlayer player, float param )
000416 | {
000417 |     player.AnimSetFloat( m_VAR_VehicleAccelerationFB, param );
000418 | }
000419 |
000420 | void SetVehicleAccelerationLR( HumanCommandScript script, float param )
000421 | {
000422 |     script.PreAnim_SetFloat( m_VAR_VehicleAccelerationLR, param );
000423 | }
000424 |
000425 | void SetVehicleAccelerationLR( DayZPlayer player, float param )
000426 | {
000427 |     player.AnimSetFloat( m_VAR_VehicleAccelerationLR, param );
000428 | }
000429 |
000430 | bool IsLeaveVehicle( HumanCommandScript script )
000431 | {
000432 |     return script.PrePhys_IsEvent( m_EVT_LeaveVehicle );
000433 | }
000434 |
000435 | bool IsLandVehicle( HumanCommandScript script )
000436 | {
000437 |     return script.PrePhys_IsEvent( m_EVT_LandVehicle );
000438 | }
000439 |
000440 | void SetLook( HumanCommandScript script, bool param )
000441 | {
000442 |     script.PreAnim_SetBool( m_VAR_Look, param );
000443 | }
000444 |
000445 | void SetLook( DayZPlayer player, bool param )
000446 | {
000447 |     player.AnimSetBool( m_VAR_Look, param );
000448 | }
000449 |
000450 | void SetLookDirX( HumanCommandScript script, float param )
000451 | {
000452 |     script.PreAnim_SetFloat( m_VAR_LookDirX, param );
000453 | }
000454 |
000455 | void SetLookDirX( DayZPlayer player, float param )
000456 | {
000457 |     player.AnimSetFloat( m_VAR_LookDirX, param );
000458 | }
000459 |
000460 | void SetLookDirY( HumanCommandScript script, float param )
000461 | {
000462 |     script.PreAnim_SetFloat( m_VAR_LookDirY, param );
000463 | }
000464 |
000465 | void SetLookDirY( DayZPlayer player, float param )
000466 | {
000467 |     player.AnimSetFloat( m_VAR_LookDirY, param );
000468 | }
000469 |
000470 | //void SetGuitarChord( HumanCommandScript script, int param )
```



```
000471 | // {
000472 | //     script.PreAnim_SetInt( m_VAR_GuitarChord, param );
000473 | // }
000474 |
000475 | //void SetGuitarFret( HumanCommandScript script, float param )
000476 | // {
000477 | //     script.PreAnim_SetFloat( m_VAR_GuitarFret, param );
000478 | // }
000479 |
000480 | void SetAimX( HumanCommandScript script, float param )
000481 | {
000482 |     script.PreAnim_SetFloat( m_VAR_AimX, param );
000483 | }
000484 |
000485 | void SetAimX( DayZPlayer player, float param )
000486 | {
000487 |     player.AnimSetFloat( m_VAR_AimX, param );
000488 | }
000489 |
000490 | void SetAimY( HumanCommandScript script, float param )
000491 | {
000492 |     script.PreAnim_SetFloat( m_VAR_AimY, param );
000493 | }
000494 |
000495 | void SetAimY( DayZPlayer player, float param )
000496 | {
000497 |     player.AnimSetFloat( m_VAR_AimY, param );
000498 | }
000499 |
000500 | void SetRaised( HumanCommandScript script, bool param )
000501 | {
000502 |     script.PreAnim_SetBool( m_VAR_Raised, param );
000503 | }
000504 |
000505 | void SetRaised( DayZPlayer player, bool param )
000506 | {
000507 |     player.AnimSetBool( m_VAR_Raised, param );
000508 | }
000509 |
000510 | void SetADS( HumanCommandScript script, bool param )
000511 | {
000512 |     script.PreAnim_SetBool( m_VAR_ADS, param );
000513 | }
000514 |
000515 | void SetADS( DayZPlayer player, bool param )
000516 | {
000517 |     player.AnimSetBool( m_VAR_ADS, param );
000518 | }
000519 |
000520 | void SetStance( HumanCommandScript script, int param )
000521 | {
000522 |     script.PreAnim_SetInt( m_VAR_Stance, param );
000523 | }
000524 |
000525 | void SetStance( DayZPlayer player, int param )
000526 | {
000527 |     player.AnimSetInt( m_VAR_Stance, param );
000528 | }
000529 |
000530 | void SetLean( HumanCommandScript script, float param )
000531 | {
000532 |     script.PreAnim_SetFloat( m_VAR_Lean, param );
```

```
000533 |     }
000534 |
000535 |     void SetLean( DayZPlayer player, float param )
000536 |     {
000537 |         player.AnimSetFloat( m_VAR_Lean, param );
000538 |     }
000539 | };
000540 |
```

0139. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Environment\Environment.c
Size bytes: 8656
SHA-256: 299e397f7bda7b852945ed9b66aa9700b15aba7726f2db54e2bca2f17bee4622
Decoded as: utf-8-sig
Line count shown: 251
Detected class declarations: 1
  L1: modded class Environment
Detected enum declarations: 0
Detected function/method-like declarations: 7
  L117: static void Expansion_GetWeatherVisibility(float fog, float overcast, float rain, float snow, out float fogVisibility, out float overcastVis
  L125: static void Expansion_GetWeatherVisibilityCurrent(out float fogVisibility, out float overcastVisibility, out float rainVisibility, out float
  L137: void Expansion_GetWeatherVisibility(out float fogVisibility, out float overcastVisibility, out float rainVisibility, out float snowVisibilit
  L142: float Expansion_GetDynVolFogVisibility()
  L144: return Expansion_GetDynVolFogVisibilityEx(m_PlayerHeightPos);
  L147: static float Expansion_GetDynVolFogVisibilityEx(float height)
  L222: else if (dynVolFogDistDensity == 1)

```

Full file content

```

000001 | modded class Environment
000002 | {
000003 |     ///! Normal fog
000004 |     ///! -----
000005 |
000006 |     static float s_Expansion_Visibility_In[5] = {
000007 |         0.0,
000008 |         0.25,
000009 |         0.5,
000010 |         0.75,
000011 |         1.0
000012 |     };
000013 |
000014 |     ///! At 25% fog, visibility is around 900 m
000015 |     ///! At 50% fog, visibility is around 445 m
000016 |     ///! At 75% fog, visibility is around 250 m
000017 |     ///! At 100% fog, visibility is around 44 m
000018 |     static float s_Expansion_FogVisibility_Out[5] = {
000019 |         1.000,
000020 |         0.900,
000021 |         0.445,
000022 |         0.250,
000023 |         0.044
000024 |     };
000025 |
000026 |     ///! Dynamic volumetric fog
000027 |     ///! -----
000028 |
000029 |     static float s_Expansion_DistDensity_In[6] = {
000030 |         0,
000031 |         0.1,
000032 |         0.25,
000033 |         0.5,
000034 |         0.75,
000035 |         1
000036 |     };
000037 |
000038 |     static float s_Expansion_DistDensity_Out[6] = {
000039 |         1.000,
000040 |         0.500,

```

```
000041 |         0.100,
000042 |         0.070,
000043 |         0.050,
000044 |         0.040
000045 |     };
000046 |
000047 |     static float s_Expansion_HeightDiff_DistDensity0_In[9] = {
000048 |         0,
000049 |         30,
000050 |         40,
000051 |         50,
000052 |         60,
000053 |         70,
000054 |         80,
000055 |         90,
000056 |         100
000057 |     };
000058 |
000059 |     //! Values for height density = 0
000060 |     static float s_Expansion_HeightDiff_DistDensity0_Out[9] = {
000061 |         1.000,
000062 |         0.900,
000063 |         0.300,
000064 |         0.100,
000065 |         0.045,
000066 |         0.020,
000067 |         0.0075,
000068 |         0.003,
000069 |         0.001
000070 |     };
000071 |
000072 |     static float s_Expansion_HeightDiff_DistDensity1_In[9] = {
000073 |         -40,
000074 |         -30,
000075 |         -20,
000076 |         -10,
000077 |         0,
000078 |         10,
000079 |         20,
000080 |         30,
000081 |         40
000082 |     };
000083 |
000084 |     //! Values for height density = 0
000085 |     static float s_Expansion_HeightDiff_DistDensity1_Out[9] = {
000086 |         1.000,
000087 |         0.900,
000088 |         0.300,
000089 |         0.100,
000090 |         0.045,
000091 |         0.020,
000092 |         0.0075,
000093 |         0.0025,
000094 |         0.0
000095 |     };
000096 |
000097 |     static float s_Expansion_DistDensity_Scale_In[6] = {
000098 |         0,
000099 |         0.01,
000100 |         0.05,
000101 |         0.1,
000102 |         0.35,
```

```
000103 | 1
000104 | };
000105 |
000106 | static float s_Expansion_HeightDiff_Scale_Out[6] = {
000107 |     1,
000108 |     0.166666,
000109 |     0.066666,
000110 |     0.033333,
000111 |     0.008333,
000112 |     0
000113 | };
000114 |
000115 | //! -----
000116 |
000117 | static void Expansion_GetWeatherVisibility(float fog, float overcast, float rain, float snow, out float fogVisibility, out float overcastVisibility, out float
rainVisibility, out float snowVisibility)
000118 | {
000119 |     fogVisibility = ExpansionMath.LookUp(fog, 5, s_Expansion_Visibility_In, s_Expansion_FogVisibility_Out);
000120 |     overcastVisibility = ExpansionMath.LinearConversion(0.75 - Math.Min(rain, 0.75), 1.0, overcast, 1.0, 0.5 * fogVisibility);
000121 |     rainVisibility = ExpansionMath.LinearConversion(0.5, 1.0, rain, 1.0, 0.33);
000122 |     snowVisibility = ExpansionMath.LinearConversion(0.5, 1.0, snow, 1.0, 0.33);
000123 | }
000124 |
000125 | static void Expansion_GetWeatherVisibilityCurrent(out float fogVisibility, out float overcastVisibility, out float rainVisibility, out float snowVisibility)
000126 | {
000127 |     Weather weather = g_Game.GetWeather();
000128 |
000129 |     float fog = weather.GetFog().GetActual();
000130 |     float overcast = weather.GetOvercast().GetActual();
000131 |     float rain = weather.GetRain().GetActual();
000132 |     float snow = weather.GetSnowfall().GetActual();
000133 |
000134 |     Expansion_GetWeatherVisibility(fog, overcast, rain, snow, fogVisibility, overcastVisibility, rainVisibility, snowVisibility);
000135 | }
000136 |
000137 | void Expansion_GetWeatherVisibility(out float fogVisibility, out float overcastVisibility, out float rainVisibility, out float snowVisibility)
000138 | {
000139 |     Expansion_GetWeatherVisibility(m_Fog, m_Clouds, m_Rain, m_Snowfall, fogVisibility, overcastVisibility, rainVisibility, snowVisibility);
000140 | }
000141 |
000142 | float Expansion_GetDynVolFogVisibility()
000143 | {
000144 |     return Expansion_GetDynVolFogVisibilityEx(m_PlayerHeightPos);
000145 | }
000146 |
000147 | static float Expansion_GetDynVolFogVisibilityEx(float height)
000148 | {
000149 |     /**
000150 |     * Default values for dynamic fog
000151 |     *
000152 |     * Chernarus: Height bias 50..200, distance density 0.01..0.05, height density 0.9..1
000153 |     * Enoch: Height bias 155..170, distance density 0.01..0.05, height density 0.9..1
000154 |     * Sakhal: Height bias 0, distance density 0.001..0.35, height density 1
000155 |     *
000156 |     * Observations:
000157 |     *
000158 |     * If distance density is 0 and height density is 1, there is no meaningful fog regardless of height bias.
000159 |     * If both distance and height density are 1, height bias has no effect.
000160 |     * If height density is 1, height bias has little to no effect and fog density is controlled by distance density.
000161 |     * If height density is 0, height bias has full effect.
000162 |     *
000163 |     * View distances for distance/height density = 0 (VERY rough visually determined estimates):
```

```
000164 | *
000165 | * Height bias = current altitude - 20 m: No discernible fog
000166 | * Height bias = current altitude - 10 m: Faint fog on horizon
000167 | * Height bias = current altitude: Slightly less faint fog on horizon
000168 | * Height bias = current altitude + 10 m: Fog more clearly discernible but doesn't limit view distance yet
000169 | * Height bias = current altitude + 20 m: ~1000 m
000170 | * Height bias = current altitude + 30 m: ~900 m
000171 | * Height bias = current altitude + 40 m: ~300 m
000172 | * Height bias = current altitude + 50 m: ~100 m
000173 | * Height bias = current altitude + 60 m: ~50 m
000174 | * Height bias = current altitude + 70 m: ~20 m
000175 | * Height bias = current altitude + 80 m: ~7.5 m
000176 | * Height bias = current altitude + 90 m: ~3 m
000177 | * Height bias = current altitude + 100 m: ~1 m
000178 | * Height bias = current altitude + 110 m: ~0 m
000179 | *
000180 | * View distances for distance density = 1 and height density = 0 (VERY rough visually determined estimates):
000181 | *
000182 | * Height bias = current altitude - 80 m: No discernible fog
000183 | * Height bias = current altitude - 70 m: Faint fog on horizon
000184 | * Height bias = current altitude - 60 m: Slightly less faint fog on horizon
000185 | * Height bias = current altitude - 50 m: Fog more clearly discernible but doesn't limit view distance yet
000186 | * Height bias = current altitude - 40 m: ~1000 m
000187 | * Height bias = current altitude - 30 m: ~900 m
000188 | * Height bias = current altitude - 20 m: ~300 m
000189 | * Height bias = current altitude - 10 m: ~100 m
000190 | * Height bias = current altitude: ~40 m
000191 | * Height bias = current altitude + 10 m: ~20 m
000192 | * Height bias = current altitude + 20 m: ~7 m
000193 | * Height bias = current altitude + 30 m: ~2.5 m
000194 | * Height bias = current altitude + 40 m: ~0 m
000195 | *
000196 | * The following values result in roughly same effective view distance:
000197 | *
000198 | * Height bias = current altitude with dist density 1 and height density 0
000199 | * Height bias = current altitude + 15 with dist density 0.5 and height density 0.5
000200 | */
000201 |
000202 | Weather weather = g_Game.GetWeather();
000203 |
000204 | float dynVolFogDistDensity = weather.GetDynVolFogDistanceDensity(); /// Density percentage in <0,1> range
000205 | float dynVolFogHeightDensity = weather.GetDynVolFogHeightDensity(); /// Density percentage in <0,1> range
000206 | float dynVolFogHeightBias = weather.GetDynVolFogHeightBias(); /// Height offset in meters relative to 0
000207 |
000208 | float heightDiff = dynVolFogHeightBias - height; /// How "deep" we are into dynamic fog vertically. Negative value = above fog
000209 |
000210 | if (dynVolFogDistDensity > 0 || dynVolFogHeightDensity < 1)
000211 | {
000212 |     float hBias_Vis = 1.0;
000213 |
000214 |     float distDensity_Vis = ExpansionMath.LookUp(dynVolFogDistDensity, 6, s_Expansion_DistDensity_In, s_Expansion_DistDensity_Out);
000215 |
000216 |     if (dynVolFogHeightDensity < 1)
000217 |     {
000218 |         if (dynVolFogDistDensity == 0)
000219 |         {
000220 |             hBias_Vis = ExpansionMath.LookUp(heightDiff, 9, s_Expansion_HeightDiff_DistDensity0_In, s_Expansion_HeightDiff_DistDensity0_Out);
000221 |         }
000222 |         else if (dynVolFogDistDensity == 1)
000223 |         {
000224 |             hBias_Vis = ExpansionMath.LookUp(heightDiff, 9, s_Expansion_HeightDiff_DistDensity1_In, s_Expansion_HeightDiff_DistDensity1_Out);
000225 |         }
000225 |     }
```

```
000226 |         else
000227 |         {
000228 |             float hBias_distDensity0_Vis = ExpansionMath.LookUp(heightDiff, 9, s_Expansion_HeightDiff_DistDensity0_In, s_Expansion_HeightDiff_DistDensity0
000229 |             float hBias_distDensity1_Vis = ExpansionMath.LookUp(heightDiff, 9, s_Expansion_HeightDiff_DistDensity1_In, s_Expansion_HeightDiff_DistDensity1
000230 |             _Out);
000231 |             _Out);
000232 |             ///! @note this over-corrects (estimated view distance is too low) for 0 < dist density < 1 with height density 1,
000233 |             ///! but a more accurate solution would have to use more/finer grained lookup tables and thus require more manual labor in
000234 |             ///! painstakingly obtaining the table values, so this will have to do
000235 |             float scale = ExpansionMath.LookUp(dynVolFogDistDensity, 6, s_Expansion_DistDensity_Scale_In, s_Expansion_HeightDiff_Scale_Out);
000236 |             hBias_distDensity0_Vis *= ExpansionMath.LinearConversion(-40, 20, heightDiff, 1 - dynVolFogDistDensity, scale);
000237 |             hBias_Vis = ExpansionMath.LinearConversion(0, 1, dynVolFogDistDensity, hBias_distDensity0_Vis, hBias_distDensity1_Vis);
000238 |         }
000239 |     }
000240 |     else
000241 |     {
000242 |         return distDensity_Vis;
000243 |     }
000244 |
000245 |     return ExpansionMath.LinearConversion(0, 1, dynVolFogHeightDensity, hBias_Vis, distDensity_Vis);
000246 | }
000247 |
000248 | return 1.0;
000249 | }
000250 | }
000251 |
```

0140. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionAttachmentHelper.c

Size bytes: 2753

SHA-256: 756560a9c85b97582b6b02dc96f77106f3636c806dfe696275193501f1118fb6

Decoded as: utf-8-sig

Line count shown: 137

Detected class declarations: 1

L13: class ExpansionAttachmentHelper

Detected enum declarations: 0

Detected function/method-like declarations: 5

L15: static bool CanAttachTo(Object child, Object target)

L35: static Object FindRootAttach(Object child, Object obj)

L49: static Object FindBestAttach(Object child, array<ref RaycastRVResult> results)

L89: static Object FindBestAttach(Object child, set<Object> objects)

L117: static Object IsAttachment(Object owner, vector position, float radius)

Full file content

```
000001 | /**
000002 |  * ExpansionAttachmentHelper.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionAttachmentHelper
000014 | {
000015 |     static bool CanAttachTo(Object child, Object target)
000016 |     {
000017 |         ExpansionVehicle vehicle;
000018 |         if (ExpansionVehicle.Get(vehicle, target))
000019 |         {
000020 |             return vehicle.CanObjectAttach(child);
000021 |         }
000022 |
000023 |         ItemBase item;
000024 |         if (Class.CastTo(item, target))
000025 |         {
000026 |             if (!item.m_Expansion_AcceptingAttachment)
000027 |                 return false;
000028 |
000029 |             return item.Expansion_CanObjectAttach(child);
000030 |         }
000031 |
000032 |         return false;
000033 |     }
000034 |
000035 |     static Object FindRootAttach(Object child, Object obj)
000036 |     {
000037 |         while (obj)
000038 |         {
000039 |             if (CanAttachTo(child, obj))
000040 |                 return obj;
000041 |
000042 |             if (!Class.CastTo(obj, obj.GetParent()))
```



```
000043 |         break;
000044 |     }
000045 |
000046 |     return null;
000047 | }
000048 |
000049 | static Object FindBestAttach(Object child, array<ref RaycastRVResult> results)
000050 | {
000051 |     Object best;
000052 |
000053 |     Object obj;
000054 |     IEntity parent;
000055 |     DayZPlayerImplement player;
000056 |
000057 |     if (Class.CastTo(player, child))
000058 |         parent = player.Expansion_GetParent();
000059 |     else
000060 |         parent = child.GetParent();
000061 |
000062 |     foreach (RaycastRVResult result: results)
000063 |     {
000064 |         if (!CanAttachTo(child, result.parent))
000065 |         {
000066 |             if (!CanAttachTo(child, result.obj))
000067 |                 continue;
000068 |
000069 |             obj = result.obj;
000070 |         }
000071 |
000072 |         if (!obj)
000073 |         {
000074 |             obj = result.parent;
000075 |
000076 |             if (!obj)
000077 |                 continue;
000078 |         }
000079 |
000080 |         if (obj == parent)
000081 |             return obj;
000082 |
000083 |         best = obj;
000084 |     }
000085 |
000086 |     return best;
000087 | }
000088 |
000089 | static Object FindBestAttach(Object child, set<Object> objects)
000090 | {
000091 |     Object best;
000092 |
000093 |     Object root;
000094 |     IEntity parent;
000095 |     DayZPlayerImplement player;
000096 |
000097 |     if (Class.CastTo(player, child))
000098 |         parent = player.Expansion_GetParent();
000099 |     else
000100 |         parent = child.GetParent();
000101 |
000102 |     foreach (Object obj: objects)
000103 |     {
000104 |         root = FindRootAttach(child, obj);
```

```
000105 |         if (!root)
000106 |             continue;
000107 |
000108 |         if (root == parent)
000109 |             return root;
000110 |
000111 |         best = root;
000112 |     }
000113 |
000114 |     return best;
000115 | }
000116 |
000117 | static Object IsAttachment(Object owner, vector position, float radius)
000118 | {
000119 |     vector boundingBox[2];
000120 |
000121 |     vector start = position;
000122 |     vector end = position - Vector(0, radius, 0);
000123 |
000124 |     RaycastRVParams params = new RaycastRVParams(start, end, owner, radius);
000125 |     params.sorted = true;
000126 |     params.type = ObjIntersectGeom;
000127 |     params.flags = CollisionFlags.ALLOBJECTS;
000128 |
000129 |     //! Initiate the raycast
000130 |     array<ref RaycastRVResult> results = new array<ref RaycastRVResult>();
000131 |     if (DayZPhysics.RaycastRVProxy(params, results))
000132 |         return ExpansionAttachmentHelper.FindBestAttach(owner, results);
000133 |
000134 |     return null;
000135 | }
000136 | };
000137 |
```

0141. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionEmoteManager.c

Size bytes: 1069

SHA-256: d3ab69619f713e4a29d6bcff91c22bade6d933656e9dafb1d34062098ed926b6

Decoded as: utf-8-sig

Line count shown: 53

Detected class declarations: 1

L13: modded class EmoteManager

Detected enum declarations: 0

Detected function/method-like declarations: 3

L15: override protected void CommitSuicide()

L32: override void CreateBleedingEffect(int Callback_ID)

L49: int Expansion_GetCurrentGesture()

Full file content

```
000001 | /**
000002 |  * ExpansionEmoteManager.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class EmoteManager
000014 | {
000015 |     override protected void CommitSuicide()
000016 |     {
000017 |         #ifdef EXPANSIONTRACE
000018 |             auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "CommitSuicide");
000019 |         #endif
000020 |
000021 |         if (m_Player)
000022 |         {
000023 |             if (m_Player.Expansion_IsInSafeZone())
000024 |             {
000025 |                 return;
000026 |             }
000027 |         }
000028 |
000029 |         super.CommitSuicide( );
000030 |     }
000031 |
000032 |     override void CreateBleedingEffect(int Callback_ID)
000033 |     {
000034 |         #ifdef EXPANSIONTRACE
000035 |             auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "CreateBleedingEffect");
000036 |         #endif
000037 |
000038 |         if (m_Player)
000039 |         {
000040 |             if (m_Player.Expansion_IsInSafeZone())
000041 |             {
000042 |                 return;
000043 |             }
000044 |         }
```

```
000045 |  
000046 |         super.CreateBleedingEffect( Callback_ID );  
000047 |     }  
000048 |  
000049 |     int Expansion_GetCurrentGesture()  
000050 |     {  
000051 |         return m_CurrentGestureID;  
000052 |     }  
000053 | };
```

0142. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionEntityStorage.c
Size bytes: 40841
SHA-256: ebb2173a30356ccc250aaaae4ea0cbb441ae7f898c9ce89fef62c172ba073303
Decoded as: utf-8-sig
Line count shown: 1331
Detected class declarations: 3
  L13: class ExpansionCartridgeInfo
  L39: class ExpansionEntityStorageContext
  L84: class ExpansionEntityStorageModule: CF_ModuleWorld
Detected enum declarations: 0
Detected function/method-like declarations: 80
  L19: void OnSave(ParamsWriteContext ctx)
  L26: bool OnLoad(ParamsReadContext ctx)
  L45: void ExpansionEntityStorageContext()
  L50: bool Open(string fileName, int mode)
  L56: void Close()
  L102: void ExpansionEntityStorageModule()
  L110: override void OnInit()
  L117: override void OnMissionStart(Class sender, CF_EventArgs args)
  L131: static bool Save(EntityAI entity, ParamsWriteContext ctx, string basePath, bool inventoryOnly = false, EntityAI placeholder = null, int level)
  L149: else if (result == SKIP)
  L165: return ErrorFalse("Couldn't open file for writing " + childFileName);
  L193: static int Save_Phase1(ParamsWriteContext ctx, EntityAI entity, bool inventoryOnly = false, int level = 0)
  L275: static int Save_Phase2a(ParamsWriteContext ctx, int itemCount, string basePath, int level)
  L285: static bool Save_Phase2(ParamsWriteContext ctx, string basePath, EntityAI entity, bool inventoryOnly = false, EntityAI placeholder = null, int level)
  L316: else if (Save_Phase2a(ctx, inventoryCount, basePath, level) == 0)
  L321: else if (Save_Phase2a(ctx, inventoryCount, basePath, level) == 0)
  L361: static void Save_Phase3(ParamsWriteContext ctx, EntityAI entity)
  L467: static bool ErrorFalse(string message)
  L474: static bool Restore(ParamsReadContext ctx, FileSerializer file, string basePath = string.Empty, inout EntityAI entity = null, EntityAI parent)
  L486: return ErrorFalse("Couldn't read entity storage version");
  L494: return ErrorFalse("Couldn't read timestamp");
  L498: else if (entityStorageVersion < 4)
  L500: return ErrorFalse("Outdated entity storage version " + entityStorageVersion);
  L515: else if (result == SKIP)
  L564: static int Restore_Phase1(ParamsReadContext ctx, out EntityAI entity, EntityAI parent, PlayerBase player = null, int entityStorageVersion = 0)
  L580: return ErrorFalse("Couldn't read type");
  L589: return ErrorFalse(type + ": Couldn't read inventory location type");
  L600: return ErrorFalse(type + ": Couldn't read position");
  L603: return ErrorFalse(type + ": Couldn't read orientation");
  L620: return ErrorFalse(type + ": Couldn't read slot ID");
  L623: return ErrorFalse(type + ": Couldn't read slot locked state");
  L665: return ErrorFalse(type + ": Couldn't read cargo index");
  L667: return ErrorFalse(type + ": Couldn't read cargo row");
  L669: return ErrorFalse(type + ": Couldn't read cargo col");
  L671: return ErrorFalse(type + ": Couldn't read cargo flip");
  L677: return ErrorFalse(type + ": Unknown inventory location type " + typename.EnumToString(InventoryLocationType, ilt));
  L701: return ErrorFalse(errorMsg);
  L723: else if (parent)
  L736: return ErrorFalse(errorMsg);
  L749: static bool Restore_Phase2(ParamsReadContext ctx, string basePath, EntityAI entity, EntityAI placeholder = null, PlayerBase player = null, int entityStorageVersion = 0)
  L760: return ErrorFalse(entity.GetType() + ": Couldn't read inventory count");
  L777: return ErrorFalse("Couldn't read type");
  L787: return ErrorFalse("Couldn't open file for reading " + childFileName);
  L817: static bool Restore_Phase3a(ParamsReadContext ctx, EntityAI entity, int entityStorageVersion)
  L833: return ErrorFalse(entity.GetType() + ": Couldn't read muzzle count");
  L846: return ErrorFalse(entity.GetType() + ": Couldn't read chamber empty");
  L850: return ErrorFalse(entity.GetType() + ": Couldn't read ammo damage");

```

```

L852: return ErrorFalse(entity.GetType() + ": Couldn't read ammo type");
L858: return ErrorFalse(entity.GetType() + ": Couldn't read internal mag cartridge count");
L865: return ErrorFalse(entity.GetType() + ": Couldn't read ammo damage");
L867: return ErrorFalse(entity.GetType() + ": Couldn't read ammo type");
L876: return ErrorFalse(entity.GetType() + ": Couldn't read game version");
L881: return ErrorFalse(entity.GetType() + ": Couldn't OnStoreLoad");
L895: return ErrorFalse(entity.GetType() + ": Couldn't read additional data version");
L901: return ErrorFalse(entity.GetType() + ": Couldn't read additional data");
L912: return ErrorFalse(entity.GetType() + ": Couldn't read ammo count");
L922: return ErrorFalse(entity.GetType() + ": Couldn't read cartridge count");
L932: return ErrorFalse(entity.GetType() + ": Couldn't read cartridge info");
L956: return ErrorFalse(entity.GetType() + ": Couldn't read global health");
L962: return ErrorFalse(entity.GetType() + ": Couldn't read damage zone count");
L970: return ErrorFalse(entity.GetType() + ": Couldn't read damage zone");
L973: return ErrorFalse(entity.GetType() + ": Couldn't read damage zone health");
L983: static void Restore_Phase3b(EntityAI entity, int elapsed)
L1004: static string GetFileName(int id)
L1006: return GetStorageDirectory() + id.ToString() + EXT;
L1009: static string GetFileName(string name)
L1011: return GetStorageDirectory() + name + EXT;
L1014: static string GetStorageDirectory()
L1020: static void DeleteSavedEntity(EntityAI entity)
L1029: static EntityAI GetSavedEntityToBeDeleted()
L1038: static EntityAI GetCurrentEntity()
L1043: static bool IsCurrentEntity(EntityAI entity)
L1055: static EntityAI GetCurrentRootEntity()
L1060: static bool IsCurrentRootEntity(EntityAI entity)
L1068: static bool IsInCurrentHierarchy(EntityAI entity)
L1083: static int GetRestoredVersion()
L1088: static bool DeleteFiles(string name, string storageDirectory = string.Empty)
L1122: static bool SaveToFile(EntityAI entity, string fileName, bool inventoryOnly = false, EntityAI placeholder = null, bool removeOrphaned = false)
L1127: return ErrorFalse("Couldn't open file for writing " + fileName);
L1152: static bool RestoreFromFile(string fileName, inout EntityAI entity = null, EntityAI placeholder = null, PlayerBase player = null, bool deleteOrphaned = false)
... detector capped this preview at 80 entries; full code follows.

```

Full file content

```

000001 | /**
000002 |  * ExpansionEntityStorage.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionCartridgeInfo
000014 | {
000015 |     int Count;
000016 |     float Damage;
000017 |     string Type;
000018 |
000019 |     void OnSave(ParamsWriteContext ctx)
000020 |     {
000021 |         ctx.Write(Count);
000022 |         ctx.Write(Damage);
000023 |         ctx.Write(Type);
000024 |     }
000025 | }

```

```
000026 |     bool OnLoad(ParamsReadContext ctx)
000027 |     {
000028 |         if (!ctx.Read(Count))
000029 |             return false;
000030 |         if (!ctx.Read(Damage))
000031 |             return false;
000032 |         if (!ctx.Read(Type))
000033 |             return false;
000034 |
000035 |         return true;
000036 |     }
000037 | }
000038 |
000039 | class ExpansionEntityStorageContext
000040 | {
000041 |     ref FileSerializer m_Context;
000042 |     string m_FileName;
000043 |     int m_FailedCount;
000044 |
000045 |     void ExpansionEntityStorageContext()
000046 |     {
000047 |         m_Context = new FileSerializer();
000048 |     }
000049 |
000050 |     bool Open(string fileName, int mode)
000051 |     {
000052 |         m_FileName = fileName;
000053 |         return m_Context.Open(fileName, mode);
000054 |     }
000055 |
000056 |     void Close()
000057 |     {
000058 |         m_Context.Close();
000059 |     }
000060 | }
000061 |
000062 |
000063 | /**
000064 |  * Vanilla order:
000065 |  *
000066 |  * OnStoreLoad
000067 |  * For each attachment/cargo (if any):
000068 |  *     attachment OnStoreLoad
000069 |  *     attachment AfterStoreLoad
000070 |  * AfterStoreLoad
000071 |  *
000072 |  * EntityStorage order:
000073 |  *
000074 |  * For each attachment/cargo (if any):
000075 |  *     attachment OnStoreLoad
000076 |  *     attachment AfterStoreLoad
000077 |  * OnStoreLoad
000078 |  * AfterStoreLoad
000079 |  *
000080 |  * @note This difference is intentional so that restored parent entity state is less likely to interfere with creation of child entities.
000081 |  */
000082 |
000083 | [CF_RegisterModule(ExpansionEntityStorageModule)]
000084 | class ExpansionEntityStorageModule: CF_ModuleWorld
000085 | {
000086 |     static const int VERSION = 13;
000087 |     static const string EXT = ".bin";
```

```
000088 |
000089 |     static const int FAILURE = 0;
000090 |     static const int SUCCESS = 1;
000091 |     static const int SKIP = 2;
000092 |
000093 |     static ref map<string, ref ExpansionEntityStorageContext> s_SubContexts = new map<string, ref ExpansionEntityStorageContext>;
000094 |
000095 |     static int Now;
000096 |
000097 |     static EntityAI s_SavedEntityToBeDeleted;
000098 |     static EntityAI s_CurrentEntity;
000099 |     static EntityAI s_CurrentRootEntity;
000100 |     static int s_LastRestoredVersion;
000101 |
000102 |     void ExpansionEntityStorageModule()
000103 |     {
000104 |         #ifdef JM_COT
000105 |             GetPermissionsManager().Expansion_RegisterPermission("Expansion.EntityStorage.Goatify", JMPPermissionType.DISALLOW);
000106 |         #endif
000107 |     }
000108 |
000109 | #ifdef SERVER
000110 |     override void OnInit()
000111 |     {
000112 |         super.OnInit();
000113 |
000114 |         EnableMissionStart();
000115 |     }
000116 |
000117 |     override void OnMissionStart(Class sender, CF_EventArgs args)
000118 |     {
000119 |         #ifdef EXTRACE
000120 |             auto trace = EXTrace.Start(ExpansionTracing.GENERAL_ITEMS, this);
000121 |         #endif
000122 |
000123 |         super.OnMissionStart(sender, args);
000124 |
000125 |         if (!FileExist(GetStorageDirectory()))
000126 |             ExpansionStatic.MakeDirectoryRecursive(GetStorageDirectory());
000127 |     }
000128 | #endif
000129 |
000130 |     /// @brief save entity and all its children (attachments/cargo) to ctx. Will not delete the entity!
000131 |     static bool Save(EntityAI entity, ParamsWriteContext ctx, string basePath, bool inventoryOnly = false, EntityAI placeholder = null, int level = 0, TStringArra
y orphanedFiles = null)
000132 |     {
000133 |         if (!level)
000134 |         {
000135 |             Reset();
000136 |             ResetState();
000137 |
000138 |             ctx.Write(VERSION);
000139 |             ctx.Write(Now);
000140 |         }
000141 |
000142 |         /// @note order of operations matters! DO NOT CHANGE!
000143 |
000144 |         if (!inventoryOnly || level > 0)
000145 |         {
000146 |             int result = Save_Phase1(ctx, entity, inventoryOnly, level);
000147 |             if (result == FAILURE)
000148 |                 return false;
```



```
000149 |         else if (result == SKIP)
000150 |             return true;
000151 |     }
000152 |
000153 |     ExpansionEntityStorageContext context;
000154 |     FileSerializer file;
000155 |
000156 |     if (level > 0)
000157 |     {
000158 |         string type = entity.GetType();
000159 |
000160 |         if (!s_SubContexts.Find(type, context))
000161 |         {
000162 |             string childFileName = string.Format("%1\\%2%3", basePath, type, EXT);
000163 |             context = new ExpansionEntityStorageContext();
000164 |             if (!context.Open(childFileName, FileMode.WRITE))
000165 |                 return ErrorFalse("Couldn't open file for writing " + childFileName);
000166 |             s_SubContexts[type] = context;
000167 |         }
000168 |
000169 |         file = context.m_Context;
000170 |     }
000171 |     else
000172 |     {
000173 |         file = FileSerializer.Cast(ctx);
000174 |     }
000175 |
000176 |     if (!Save_Phase2(file, basePath, entity, inventoryOnly, placeholder, level, orphanedFiles))
000177 |         return false;
000178 |
000179 |     if (!inventoryOnly || level > 0)
000180 |         Save_Phase3(file, entity);
000181 |
000182 |     s_CurrentEntity = null;
000183 |
000184 |     if (!level)
000185 |     {
000186 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, ExpansionEntityStorageModule, "Save " + s_CurrentRootEntity + " -> null");
000187 |         s_CurrentRootEntity = null;
000188 |     }
000189 |
000190 |     return true;
000191 | }
000192 |
000193 | static int Save_Phase1(ParamsWriteContext ctx, EntityAI entity, bool inventoryOnly = false, int level = 0)
000194 | {
000195 |     InventoryLocation il = new InventoryLocation();
000196 |     GameInventory inventory = entity.GetInventory();
000197 |     if (inventory)
000198 |     {
000199 |         inventory.GetCurrentInventoryLocation(il);
000200 |     }
000201 |     else
000202 |     {
000203 |         vector mat[4];
000204 |         entity.GetTransform(mat);
000205 |         il.SetGround(null, mat);
000206 |     }
000207 |     if (!il.IsValid())
000208 |     {
000209 |         EXError.Error(entity, "Invalid location");
000210 |         return FAILURE;
```

```
000211 |     }
000212 |     InventoryLocationType ilt = il.GetType();
000213 |     EntityAI parent = entity.GetHierarchyParent();
000214 |     if (inventoryOnly && ilt == InventoryLocationType.ATTACHMENT && level == 1)
000215 |     {
000216 |         //! If only saving inventory, don't save attachments on hierarchy root if it is openable or attachment slot is locked
000217 |         bool isOpenable;
000218 | #ifdef EXPANSIONMODBASEBUILDING
000219 |         ItemBase itemParent;
000220 |         if (Class.CastTo(itemParent, parent) && (itemParent.ExpansionIsOpenable() || itemParent.IsNonExpansionOpenable()))
000221 |             isOpenable = true;
000222 | #endif
000223 |         if (isOpenable || parent.GetInventory().GetSlotLock(il.GetSlot()) || entity.IsKindOf("CombinationLock") || entity.IsKindOf("ExpansionCodeLock") || ent
ity.IsKindOf("RA_CodeLock") || entity.IsKindOf("CodeLock"))
000224 |         {
000225 |             EXTrace.Print(EXTrace.GENERAL_ITEMS, parent, "ExpansionEntityStorage::Save_Phase1 - skippping " + entity.GetType() + " in locked slot");
000226 |             ctx.Write(""); //! Have to write empty entry because we already have written inventory count and no way to retroactively overwrite it
000227 |             return SKIP;
000228 |         }
000229 |     }
000230 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, parent, "ExpansionEntityStorage::Save_Phase1 " + entity.GetType() + " inventory location type " + typename.EnumToStri
ng(InventoryLocationType, ilt));
000231 |
000232 |     //! 1a) entity type
000233 |     ctx.Write(entity.GetType());
000234 |
000235 |     //! 1b) location
000236 |     ctx.Write(ilt);
000237 |     switch (ilt)
000238 |     {
000239 |         case InventoryLocationType.GROUND:
000240 |             ctx.Write(entity.GetPosition());
000241 |             ctx.Write(entity.GetOrientation());
000242 |             break;
000243 |         case InventoryLocationType.ATTACHMENT:
000244 |             int slotId = il.GetSlot();
000245 |             ctx.Write(slotId);
000246 |             ctx.Write(parent.GetInventory().GetSlotLock(slotId));
000247 |             break;
000248 |         case InventoryLocationType.HANDS:
000249 |             //! Nothing to do
000250 |             break;
000251 |         case InventoryLocationType.CARGO:
000252 |         case InventoryLocationType.PROXYCARGO:
000253 |             ctx.Write(il.GetIdx());
000254 |             ctx.Write(il.GetRow());
000255 |             ctx.Write(il.GetCol());
000256 |             ctx.Write(il.GetFlip());
000257 |             break;
000258 |         default:
000259 |             EXError.Error(entity, "Unknown location type " + typename.EnumToString(InventoryLocationType, ilt));
000260 |             return FAILURE;
000261 |             break;
000262 |     }
000263 |
000264 |     s_CurrentEntity = entity;
000265 |
000266 |     if (!level)
000267 |     {
000268 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, ExpansionEntityStorageModule, "Save_Phase1 " + s_CurrentRootEntity + " -> " + entity);
000269 |         s_CurrentRootEntity = entity;
000270 |     }
```

```
000271 |  
000272 |     return SUCCESS;  
000273 | }  
000274 |  
000275 | static int Save_Phase2a(ParamsWriteContext ctx, int itemCount, string basePath, int level)  
000276 | {  
000277 |     ctx.Write(itemCount);  
000278 |  
000279 |     if (itemCount && !level && !FileExist(basePath))  
000280 |         MakeDirectory(basePath);  
000281 |  
000282 |     return itemCount;  
000283 | }  
000284 |  
000285 | static bool Save_Phase2(ParamsWriteContext ctx, string basePath, EntityAI entity, bool inventoryOnly = false, EntityAI placeholder = null, int level = 0, TStringArray orphanedFiles = null)  
000286 | {  
000287 |     //!< 2) attachments + cargo  
000288 |     GameInventory inventory = entity.GetInventory();  
000289 |     CargoBase cargo;  
000290 |     int attCount;  
000291 |     int cargoItemCount;  
000292 |  
000293 |     if (inventory)  
000294 |     {  
000295 |         if (!level && placeholder && entity.HasAnyCargo() && !MiscGameplayFunctions.Expansion_MoveCargo(entity, placeholder))  
000296 |             EXPrint("[EntityStorage] " + entity.GetType() + ": Couldn't move cargo to placeholder " + placeholder.GetType() + " - serializing instead");  
000297 |         attCount = inventory.AttachmentCount();  
000298 |         cargo = inventory.GetCargo();  
000299 |         if (cargo)  
000300 |             cargoItemCount = cargo.GetItemCount();  
000301 |     }  
000302 |  
000303 |     int inventoryCount = attCount + cargoItemCount;  
000304 |  
000305 |     bool success = true;  
000306 |  
000307 |     if (entity.IsMan())  
000308 |     {  
000309 |         Man player = Man.Cast(entity);  
000310 |         EntityAI entityInHands = player.GetHumanInventory().GetEntityInHands();  
000311 |         if (entityInHands)  
000312 |         {  
000313 |             Save_Phase2a(ctx, inventoryCount + 1, basePath, level);  
000314 |             success = Save(entityInHands, ctx, basePath, inventoryOnly, null, level + 1);  
000315 |         }  
000316 |         else if (Save_Phase2a(ctx, inventoryCount, basePath, level) == 0)  
000317 |         {  
000318 |             return true;  
000319 |         }  
000320 |     }  
000321 |     else if (Save_Phase2a(ctx, inventoryCount, basePath, level) == 0)  
000322 |     {  
000323 |         return true;  
000324 |     }  
000325 |  
000326 |     for (int i = 0; i < inventoryCount; i++)  
000327 |     {  
000328 |         EntityAI item;  
000329 |         if (i < attCount)  
000330 |             item = inventory.GetAttachmentFromIndex(i);  
000331 |         else
```

```
000332 |         item = cargo.GetItem(i - attCount);
000333 |
000334 |         success = Save(item, ctx, basePath, inventoryOnly, null, level + 1);
000335 |
000336 |         if (!success)
000337 |             break;
000338 |     }
000339 |
000340 |     if (!level)
000341 |     {
000342 |         Reset(false, orphanedFiles);
000343 |
000344 |         if (orphanedFiles)
000345 |         {
000346 |             ///! Remove orphaned files
000347 |             foreach (string orphanedFile: orphanedFiles)
000348 |             {
000349 |                 EXTrace.Print(EXTrace.GENERAL_ITEMS, entity, "ExpansionEntityStorage::Save_Phase2 - deleting orphaned " + orphanedFile);
000350 |                 DeleteFile(basePath + "\\\" + orphanedFile);
000351 |             }
000352 |         }
000353 |     }
000354 |
000355 |     if (!success)
000356 |         return false;
000357 |
000358 |     return true;
000359 | }
000360 |
000361 | static void Save_Phase3(ParamsWriteContext ctx, EntityAI entity)
000362 | {
000363 |     int i;
000364 |
000365 |     s_CurrentEntity = entity;
000366 |
000367 |     ///! 3) special treatment for weapons
000368 |     Weapon_Base weapon;
000369 |     if (Class.CastTo(weapon, entity))
000370 |     {
000371 |         float ammoDamage;
000372 |         string ammoTypeName;
000373 |
000374 |         ctx.Write(weapon.GetMuzzleCount());
000375 |         for (int mi = 0; mi < weapon.GetMuzzleCount(); ++mi)
000376 |         {
000377 |             ctx.Write(weapon.IsChamberEmpty(mi));
000378 |             if (!weapon.IsChamberEmpty(mi))
000379 |             {
000380 |                 if (weapon.GetCartridgeInfo(mi, ammoDamage, ammoTypeName))
000381 |                 {
000382 |                     ctx.Write(ammoDamage);
000383 |                     ctx.Write(ammoTypeName);
000384 |                 }
000385 |             }
000386 |
000387 |             ctx.Write(weapon.GetInternalMagazineCartridgeCount(mi));
000388 |             for (int ci = 0; ci < weapon.GetInternalMagazineCartridgeCount(mi); ++ci)
000389 |             {
000390 |                 if (weapon.GetInternalMagazineCartridgeInfo(mi, ci, ammoDamage, ammoTypeName))
000391 |                 {
000392 |                     ctx.Write(ammoDamage);
000393 |                     ctx.Write(ammoTypeName);
```

```
000394 |     }
000395 |     }
000396 |   }
000397 | }
000398 |
000399 | //! 4) storesave
000400 | int version = g_Game.SaveVersion();
000401 | ctx.Write(version);
000402 | entity.OnStoreSave(ctx);
000403 |
000404 | DayZPlayerImplement player;
000405 | if (Class.CastTo(player, entity))
000406 | {
000407 |     ctx.Write(player.Expansion_GetEntityStorageAdditionalDataVersion());
000408 |     player.Expansion_OnEntityStorageAdditionalDataSave(ctx);
000409 | }
000410 |
000411 | //! 5) special treatment for mags/ammo
000412 | Magazine mag;
000413 | if (Class.CastTo(mag, entity))
000414 | {
000415 |     if (mag.IsAmmoPile())
000416 |     {
000417 |         ctx.Write(mag.GetAmmoCount());
000418 |     }
000419 |     else
000420 |     {
000421 |         //! Need to store actual cartridges
000422 |         //! Try to optimize amount of data written
000423 |         auto cartridges = new array<ref ExpansionCartridgeInfo>;
000424 |         ExpansionCartridgeInfo info;
000425 |         float damage; //! @note damage is the damage of the cartridge itself (0..1), NOT the damage it inflicts!
000426 |         string cartTypeName;
000427 |         for (i = 0; i < mag.GetAmmoCount(); i++)
000428 |         {
000429 |             mag.GetCartridgeAtIndex(i, damage, cartTypeName);
000430 |             if (!info || damage != info.Damage || cartTypeName != info.Type)
000431 |             {
000432 |                 info = new ExpansionCartridgeInfo;
000433 |                 info.Damage = damage;
000434 |                 info.Type = cartTypeName;
000435 |                 cartridges.Insert(info);
000436 |             }
000437 |             info.Count++;
000438 |         }
000439 |         ctx.Write(cartridges.Count());
000440 |         foreach (auto cartridge: cartridges)
000441 |         {
000442 |             cartridge.OnSave(ctx);
000443 |         }
000444 |     }
000445 | }
000446 |
000447 | //! 6) Special treatment for vehicles (no special treatment needed for ExpansionVehicleBase since it inherits from ItemBase)
000448 | ExpansionVehicle vehicle;
000449 | if (!entity.IsItemBase() && ExpansionVehicle.Get(vehicle, entity))
000450 | {
000451 |     vehicle.WriteFluidsTo(ctx);
000452 | }
000453 |
000454 | //! 7) global health and damage zones
000455 | ctx.Write(entity.GetHealth());
```

```
000456 |     TStringArray dmgZones = new TStringArray();
000457 |     entity.GetDamageZones(dmgZones);
000458 |     ctx.Write(dmgZones.Count());
000459 |     foreach (string dmgZone: dmgZones)
000460 |     {
000461 |         float dmgZoneHealth = entity.GetHealth(dmgZone, "Health");
000462 |         ctx.Write(dmgZone);
000463 |         ctx.Write(dmgZoneHealth);
000464 |     }
000465 | }
000466 |
000467 | static bool ErrorFalse(string message)
000468 | {
000469 |     EXError.Error(null, message);
000470 |     return false;
000471 | }
000472 |
000473 | ///! @brief restore entity and all its children from ctx (creates entities)
000474 | static bool Restore(ParamsReadContext ctx, FileSerializer file, string basePath = string.Empty, inout EntityAI entity = null, EntityAI parent = null, EntityAI
placeholder = null, PlayerBase player = null, int entityStorageVersion = 0, string type = string.Empty, int level = 0, int elapsed = 0, bool deleteRestored = tru
e)
000475 | {
000476 |     #ifdef EXTRACE_DIAG
000477 |         auto trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, ExpansionEntityStorageModule, basePath, "entity=" + ExpansionStatic.GetDebugInfo(entity, false), "parent
=" + ExpansionStatic.GetDebugInfo(parent, false), "placeholder=" + ExpansionStatic.GetDebugInfo(placeholder, false), "player=" + ExpansionStatic.GetDebugInfo(play
er, false), "version=" + entityStorageVersion, "type=" + type, "level=" + level, "elapsed=" + elapsed, "deleteRestored=" + deleteRestored);
000478 |     #endif
000479 |
000480 |     if (!level)
000481 |     {
000482 |         Reset();
000483 |         ResetState();
000484 |
000485 |         if (!ctx.Read(entityStorageVersion))
000486 |             return ErrorFalse("Couldn't read entity storage version");
000487 |
000488 |         s_LastRestoredVersion = entityStorageVersion;
000489 |
000490 |         if (entityStorageVersion >= 5)
000491 |         {
000492 |             int timestamp;
000493 |             if (!ctx.Read(timestamp))
000494 |                 return ErrorFalse("Couldn't read timestamp");
000495 |
000496 |             elapsed = Now - timestamp;
000497 |         }
000498 |         else if (entityStorageVersion < 4)
000499 |         {
000500 |             return ErrorFalse("Outdated entity storage version " + entityStorageVersion);
000501 |         }
000502 |     }
000503 |
000504 |     ///! @note order of operations matters! DO NOT CHANGE!
000505 |
000506 |     bool createEntity;
000507 |     ///! https://feedback.bistudio.com/T173348
000508 |     if (level || !entity)
000509 |         createEntity = true;
000510 |     if (createEntity)
000511 |     {
000512 |         int result = Restore_Phase1(ctx, entity, parent, player, entityStorageVersion, type, level);
000513 |         if (result == FAILURE)
```

```
000514 |         return false;
000515 |     else if (result == SKIP)
000516 |         return true;
000517 | }
000518 |
000519 | if (!file)
000520 |     file = FileSerializer.Cast(ctx);
000521 |
000522 | bool restored;
000523 |
000524 | if (createEntity && entityStorageVersion == 10)
000525 |     restored = Restore_Phase3a(file, entity, entityStorageVersion);
000526 | else
000527 |     restored = true;
000528 |
000529 | if (restored)
000530 |     restored = Restore_Phase2(file, basePath, entity, placeholder, player, entityStorageVersion, type, level, elapsed, deleteRestored);
000531 |
000532 | if (restored && createEntity)
000533 | {
000534 |     if (entityStorageVersion != 10)
000535 |     {
000536 |         restored = Restore_Phase3a(file, entity, entityStorageVersion);
000537 |         if (restored)
000538 |             Restore_Phase3b(entity, elapsed);
000539 |     }
000540 |     else
000541 |     {
000542 |         Restore_Phase3b(entity, elapsed);
000543 |     }
000544 | }
000545 |
000546 | if (!restored && createEntity)
000547 | {
000548 |     if (!level && placeholder && entity.HasAnyCargo() && !MiscGameplayFunctions.Expansion_MoveCargo(entity, placeholder))
000549 |         EXError.Error(null, "Couldn't move cargo from " + entity + " back to placeholder " + placeholder);
000550 |     entity.Delete();
000551 | }
000552 |
000553 | s_CurrentEntity = null;
000554 |
000555 | if (!level)
000556 | {
000557 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, ExpansionEntityStorageModule, "Restore " + s_CurrentRootEntity + " -> null");
000558 |     s_CurrentRootEntity = null;
000559 | }
000560 |
000561 | return restored;
000562 | }
000563 |
000564 | static int Restore_Phase1(ParamsReadContext ctx, out EntityAI entity, EntityAI parent, PlayerBase player = null, int entityStorageVersion = 0, string type = s
tring.Empty, int level = 0)
000565 | {
000566 |     #ifdef EXTRACE_DIAG
000567 |         auto trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, ExpansionEntityStorageModule, "entity=" + ExpansionStatic.GetDebugInfo(entity, false), "parent=" + Expan
sionStatic.GetDebugInfo(parent, false), "player=" + ExpansionStatic.GetDebugInfo(player, false), "version=" + entityStorageVersion, "type=" + type, "level=" + lev
el);
000568 |     #endif
000569 |
000570 |     if (entity)
000571 |     {
000572 |         EXError.Warn(null, "[EntityStorage] Passed in entity is not NULL! " + ExpansionStatic.GetHierarchyInfo(entity));
```

```
000573 |         entity = null;
000574 |     }
000575 |
000576 |     //! 1a) entity type
000577 |     if (!level || !type)
000578 |     {
000579 |         if (!ctx.Read(type))
000580 |             return ErrorFalse("Couldn't read type");
000581 |
000582 |         if (type == string.Empty)
000583 |             return SKIP;
000584 |     }
000585 |
000586 |     //! 1b) location (creates entity)
000587 |     InventoryLocationType ilt;
000588 |     if (!ctx.Read(ilt))
000589 |         return ErrorFalse(type + ": Couldn't read inventory location type");
000590 |     if (!level && !parent && player)
000591 |         parent = player;
000592 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, parent, "ExpansionEntityStorage::Restore_Phase1 " + type + " inventory location type " + typename.EnumToString(Invent
000593 |     oryLocationType, ilt));
000594 |     InventoryLocation il;
000595 |     string errorMsg;
000596 |     switch (ilt)
000597 |     {
000598 |         case InventoryLocationType.GROUND:
000599 |             vector position;
000600 |             if (!ctx.Read(position))
000601 |                 return ErrorFalse(type + ": Couldn't read position");
000602 |             vector orientation;
000603 |             if (!ctx.Read(orientation))
000604 |                 return ErrorFalse(type + ": Couldn't read orientation");
000605 |             int flags = ECE_OBJECT_SWAP;
000606 |             if (g_Game.IsKindOf(type, "DZ_LightAI"))
000607 |                 flags |= ECE_INITAI;
000608 |             if (Class.CastTo(entity, g_Game.CreateObjectEx(type, position, flags, RF_DEFAULT)))
000609 |             {
000610 |                 entity.SetPosition(position);
000611 |                 entity.SetOrientation(orientation);
000612 |             }
000613 |             else
000614 |             {
000615 |                 errorMsg = "Couldn't create " + type + " on ground at " + position;
000616 |             }
000617 |             break;
000618 |         case InventoryLocationType.ATTACHMENT:
000619 |             int slotId;
000620 |             if (!ctx.Read(slotId))
000621 |                 return ErrorFalse(type + ": Couldn't read slot ID");
000622 |             bool slotLocked;
000623 |             if (entityStorageVersion >= 9 && !ctx.Read(slotLocked))
000624 |                 return ErrorFalse(type + ": Couldn't read slot locked state");
000625 |             il = new InventoryLocation();
000626 |             if (level)
000627 |             {
000628 |                 //! Some 3rd party mods create default attachments in EEInit without checking slots, boo!
000629 |                 //! If it's a different type, create restored entity elsewhere, else use existing attachment
000630 |                 entity = parent.GetInventory().FindAttachment(slotId);
000631 |                 if (entity)
000632 |                 {
000633 |                     if (entity.GetType() != type)
```



```

000634 |         EXError.Warn(null, "[EntityStorage] Existing attachment " + entity.GetType() + " on " + parent + " is blocking entity to be restored "
+ type + ", will try to create in inventory");
000635 |         entity = null;
000636 |     }
000637 |     else
000638 |     {
000639 |         EXError.Warn(null, "[EntityStorage] Using existing attachment " + entity.GetType() + " on " + parent);
000640 |     }
000641 | }
000642 | }
000643 | if (!entity)
000644 | {
000645 |     il.SetAttachment(parent, null, slotId);
000646 |     entity = GameInventory.LocationCreateEntity(il, type, ECE_IN_INVENTORY, RF_DEFAULT);
000647 | }
000648 | if (entity)
000649 |     parent.GetInventory().SetSlotLock(slotId, slotLocked);
000650 | else
000651 |     errorMsg = "Couldn't create " + type + " on " + parent + " in slot " + InventorySlots.GetSlotName(slotId);
000652 | break;
000653 | case InventoryLocationType.HANDS:
000654 |     il = new InventoryLocation();
000655 |     il.SetHands(parent, null);
000656 |     entity = GameInventory.LocationCreateEntity(il, type, ECE_IN_INVENTORY, RF_DEFAULT);
000657 |     if (!entity)
000658 |         errorMsg = "Couldn't create " + type + " in hands of " + parent;
000659 |     break;
000660 | case InventoryLocationType.CARGO:
000661 | case InventoryLocationType.PROXYCARGO:
000662 |     int idx, row, col;
000663 |     bool flip;
000664 |     if (!ctx.Read(idx))
000665 |         return ErrorFalse(type + ": Couldn't read cargo index");
000666 |     if (!ctx.Read(row))
000667 |         return ErrorFalse(type + ": Couldn't read cargo row");
000668 |     if (!ctx.Read(col))
000669 |         return ErrorFalse(type + ": Couldn't read cargo col");
000670 |     if (!ctx.Read(flip))
000671 |         return ErrorFalse(type + ": Couldn't read cargo flip");
000672 |     entity = parent.GetInventory().CreateEntityInCargoEx(type, idx, row, col, flip); //! Only way to get flip correct
000673 |     if (!entity)
000674 |         errorMsg = "Couldn't create " + type + " in cargo of " + parent;
000675 |     break;
000676 | default:
000677 |     return ErrorFalse(type + ": Unknown inventory location type " + typename.EnumToString(InventoryLocationType, ilt));
000678 |     break;
000679 | }
000680 |
000681 | if (!entity)
000682 | {
000683 |     bool cfgExists;
000684 |
000685 |     TStringArray paths = {CFG_VEHICLESPATH, CFG_WEAPONSPATH, CFG_MAGAZINESPATH};
000686 |     foreach (string path: paths)
000687 |     {
000688 |         if (g_Game.ConfigIsExisting(string.Format("%1 %2", path, type)))
000689 |         {
000690 |             cfgExists = true;
000691 |             break;
000692 |         }
000693 |     }
000694 | }

```

```

000695 |         if (!cfgExists)
000696 |         {
000697 |             ///! Config type was removed or renamed
000698 |             errorMsg += " because the classname doesn't exist (removed or renamed?)";
000699 |
000700 |             if (!level)
000701 |                 return ErrorFalse(errorMsg);
000702 |
000703 |             EXError.Warn(null, errorMsg);
000704 |             return false;
000705 |         }
000706 |     }
000707 |
000708 |     if (!entity && ilt != InventoryLocationType.GROUND)
000709 |     {
000710 |         string locInfo;
000711 |         if (!level && player)
000712 |         {
000713 |             ///! Try to create in player inventory, falling back to owned container
000714 |             entity = ExpansionItemSpawnHelper.SpawnInInventorySecure(type, player, parent);
000715 |             ///! Try to create on ground at player pos
000716 |             if (!entity && Class.CastTo(entity, g_Game.CreateObjectEx(type, player.GetPosition(), ECE_PLACE_ON_SURFACE, RF_DEFAULT)))
000717 |             {
000718 |                 if (il)
000719 |                     locInfo = " " + ExpansionStatic.DumpToString(il);
000720 |                 EXError.Warn(null, "ExpansionEntityStorage::Restore_Phase1 - WARNING: Couldn't create " + type + " on " + parent + locInfo + ", created at pla
000721 | yer position " + player.GetPosition() + " instead");
000722 |             }
000723 |         }
000724 |         else if (parent)
000725 |         {
000726 |             ///! Try to create at parent position
000727 |             if (Class.CastTo(entity, g_Game.CreateObjectEx(type, parent.GetPosition(), ECE_PLACE_ON_SURFACE, RF_DEFAULT)))
000728 |             {
000729 |                 if (il)
000730 |                     locInfo = " " + ExpansionStatic.DumpToString(il);
000731 |                 EXError.Warn(null, "ExpansionEntityStorage::Restore_Phase1 - WARNING: Couldn't create " + type + " on " + parent + locInfo + ", created at par
000732 | ent position " + parent.GetPosition() + " instead");
000733 |             }
000734 |         }
000735 |     }
000736 |     if (!entity)
000737 |         return ErrorFalse(errorMsg);
000738 |
000739 |     s_CurrentEntity = entity;
000740 |
000741 |     if (!level)
000742 |     {
000743 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, ExpansionEntityStorageModule, "Restore_Phase1 " + s_CurrentRootEntity + " -> " + entity);
000744 |         s_CurrentRootEntity = entity;
000745 |     }
000746 |     return SUCCESS;
000747 | }
000748 |
000749 | static bool Restore_Phase2(ParamsReadContext ctx, string basePath, EntityAI entity, EntityAI placeholder = null, PlayerBase player = null, int entityStorageVe
000750 | rsion = 0, string type = string.Empty, int level = 0, int elapsed = 0, bool deleteRestored = true)
000751 | {
000752 |     #ifdef EXTRACE_DIAG
000753 |         auto trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, ExpansionEntityStorageModule, basePath, "entity=" + ExpansionStatic.GetDebugInfo(entity, false), "placeh
000754 | older=" + ExpansionStatic.GetDebugInfo(placeholder, false), "player=" + ExpansionStatic.GetDebugInfo(player, false), "version=" + entityStorageVersion, "type=" +

```

```
type, "level=" + level, "elapsed=" + elapsed, "deleteRestored=" + deleteRestored);
000753 | #endif
000754 |
000755 |     //! 2) attachments + cargo
000756 |     if (!level && placeholder && placeholder.HasAnyCargo() && !MiscGameplayFunctions.Expansion_MoveCargo(placeholder, entity))
000757 |         EXError.Error(null, "Couldn't move cargo from placeholder " + placeholder + " to " + entity);
000758 |     int inventoryCount;
000759 |     if (!ctx.Read(inventoryCount))
000760 |         return ErrorFalse(entity.GetType() + ": Couldn't read inventory count");
000761 |
000762 |     if (!inventoryCount)
000763 |         return true;
000764 |
000765 |     string childFileName;
000766 |     ExpansionEntityStorageContext context;
000767 |     FileSerializer file;
000768 |
000769 |     int restored;
000770 |
000771 |     EntityAI child;
000772 |     for (int i = 0; i < inventoryCount; i++)
000773 |     {
000774 |         if (entityStorageVersion >= 7)
000775 |         {
000776 |             if (!ctx.Read(type))
000777 |                 return ErrorFalse("Couldn't read type");
000778 |
000779 |             if (type == string.Empty)
000780 |                 continue;
000781 |
000782 |             if (!s_SubContexts.Find(type, context))
000783 |             {
000784 |                 childFileName = string.Format("%1\\%2%3", basePath, type, EXT);
000785 |                 context = new ExpansionEntityStorageContext();
000786 |                 if (!context.Open(childFileName, FileMode.READ))
000787 |                     return ErrorFalse("Couldn't open file for reading " + childFileName);
000788 |                 s_SubContexts[type] = context;
000789 |             }
000790 |
000791 |             file = context.m_Context;
000792 |         }
000793 |
000794 |         child = null;
000795 |         if (!Restore(ctx, file, basePath, child, entity, null, player, entityStorageVersion, type, level + 1, elapsed))
000796 |         {
000797 |             if (entityStorageVersion < 7)
000798 |                 return false;
000799 |             else
000800 |                 context.m_FailedCount++;
000801 |         }
000802 |         else
000803 |         {
000804 |             restored++;
000805 |         }
000806 |     }
000807 |
000808 |     if (entityStorageVersion >= 7 && !level)
000809 |     {
000810 |         if (Reset(deleteRestored))
000811 |             DeleteFile(basePath);
000812 |     }
000813 |
```

```
000814 |     return restored > 0;
000815 | }
000816 |
000817 | static bool Restore_Phase3a(ParamsReadContext ctx, EntityAI entity, int entityStorageVersion)
000818 | {
000819 |     #ifdef EXTRACE_DIAG
000820 |         auto trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, ExpansionEntityStorageModule, "entity=" + ExpansionStatic.GetDebugInfo(entity, false), "version=" + enti
tyStorageVersion);
000821 |     #endif
000822 |
000823 |     int i;
000824 |
000825 |     s_CurrentEntity = entity;
000826 |
000827 |     //! 3) special treatment for weapons
000828 |     Weapon_Base weapon;
000829 |     if (Class.CastTo(weapon, entity))
000830 |     {
000831 |         int muzzleCount;
000832 |         if (!ctx.Read(muzzleCount))
000833 |             return ErrorFalse(entity.GetType() + ": Couldn't read muzzle count");
000834 |
000835 |         #ifdef DIAG_DEVELOPER
000836 |             EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Muzzle count: " + muzzleCount);
000837 |         #endif
000838 |
000839 |         float ammoDamage;
000840 |         string ammoTypeName;
000841 |
000842 |         for (int mi = 0; mi < muzzleCount; ++mi)
000843 |         {
000844 |             bool isChamberEmpty;
000845 |             if (!ctx.Read(isChamberEmpty))
000846 |                 return ErrorFalse(entity.GetType() + ": Couldn't read chamber empty");
000847 |             if (!isChamberEmpty)
000848 |             {
000849 |                 if (!ctx.Read(ammoDamage))
000850 |                     return ErrorFalse(entity.GetType() + ": Couldn't read ammo damage");
000851 |                 if (!ctx.Read(ammoTypeName))
000852 |                     return ErrorFalse(entity.GetType() + ": Couldn't read ammo type");
000853 |                 weapon.PushCartridgeToChamber(mi, ammoDamage, ammoTypeName);
000854 |             }
000855 |
000856 |             int internalMagCartridgeCount;
000857 |             if (!ctx.Read(internalMagCartridgeCount))
000858 |                 return ErrorFalse(entity.GetType() + ": Couldn't read internal mag cartridge count");
000859 |             #ifdef DIAG_DEVELOPER
000860 |                 EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Internal magazine cartridge count: " + internalMagCartridgeCount);
000861 |             #endif
000862 |             for (int ci = 0; ci < internalMagCartridgeCount; ++ci)
000863 |             {
000864 |                 if (!ctx.Read(ammoDamage))
000865 |                     return ErrorFalse(entity.GetType() + ": Couldn't read ammo damage");
000866 |                 if (!ctx.Read(ammoTypeName))
000867 |                     return ErrorFalse(entity.GetType() + ": Couldn't read ammo type");
000868 |                 weapon.PushCartridgeToInternalMagazine(mi, ammoDamage, ammoTypeName);
000869 |             }
000870 |         }
000871 |     }
000872 |
000873 |     //! 4) storeload
000874 |     int version;
```

```
000875 |         if (!ctx.Read(version))
000876 |             return ErrorFalse(entity.GetType() + ": Couldn't read game version");
000877 | #ifdef DIAG_DEVELOPER
000878 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Storage version: " + version);
000879 | #endif
000880 |     if (!entity.OnStoreLoad(ctx, version))
000881 |         return ErrorFalse(entity.GetType() + ": Couldn't OnStoreLoad");
000882 |
000883 | #ifdef DIAG_DEVELOPER
000884 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Entity OnStoreLoad SUCCESS");
000885 | #endif
000886 |
000887 |     if (weapon)
000888 |         weapon.Expansion_ResetMuzzleModes();
000889 |
000890 |     DayZPlayerImplement player;
000891 |     if (version >= 12 && Class.CastTo(player, entity))
000892 |     {
000893 |         int entityStorageAdditionalDataVersion;
000894 |         if (!ctx.Read(entityStorageAdditionalDataVersion))
000895 |             return ErrorFalse(entity.GetType() + ": Couldn't read additional data version");
000896 | #ifdef DIAG_DEVELOPER
000897 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Additional data version: " + entityStorageAdditionalDataVersion);
000898 | #endif
000899 |
000900 |         if (!player.Expansion_OnEntityStorageAdditionalDataLoad(ctx, entityStorageAdditionalDataVersion))
000901 |             return ErrorFalse(entity.GetType() + ": Couldn't read additional data");
000902 |     }
000903 |
000904 |     //! 5) special treatment for mags/ammo
000905 |     Magazine mag;
000906 |     int ammoCount;
000907 |     if (Class.CastTo(mag, entity))
000908 |     {
000909 |         if (mag.IsAmmoPile() || entityStorageVersion < 8)
000910 |         {
000911 |             if (!ctx.Read(ammoCount))
000912 |                 return ErrorFalse(entity.GetType() + ": Couldn't read ammo count");
000913 | #ifdef DIAG_DEVELOPER
000914 |             EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Ammo count: " + ammoCount);
000915 | #endif
000916 |             mag.ServerSetAmmoCount(ammoCount);
000917 |         }
000918 |         else
000919 |         {
000920 |             int count;
000921 |             if (!ctx.Read(count))
000922 |                 return ErrorFalse(entity.GetType() + ": Couldn't read cartridge count");
000923 | #ifdef DIAG_DEVELOPER
000924 |             EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Cartridge count: " + count);
000925 | #endif
000926 |             mag.ServerSetAmmoCount(0);
000927 |             auto cartridges = new array<ref ExpansionCartridgeInfo>;
000928 |             for (i = 0; i < count; i++)
000929 |             {
000930 |                 auto info = new ExpansionCartridgeInfo;
000931 |                 if (!info.OnLoad(ctx))
000932 |                     return ErrorFalse(entity.GetType() + ": Couldn't read cartridge info");
000933 |                 cartridges.Insert(info);
000934 |             }
000935 |             foreach (auto cartridge: cartridges)
000936 |             {
```

```

000937 |         for (i = 0; i < cartridge.Count; i++)
000938 |         {
000939 |             mag.ServerStoreCartridge(cartridge.Damage, cartridge.Type);
000940 |         }
000941 |     }
000942 | }
000943 |
000944 |
000945 | //! 6) Special treatment for vehicles (no special treatment needed for ExpansionVehicleBase since it inherits from ItemBase)
000946 | ExpansionVehicle vehicle;
000947 | if (!entity.IsItemBase() && ExpansionVehicle.Get(vehicle, entity))
000948 | {
000949 |     if (!vehicle.ReadFluidsFrom(ctx, entityStorageVersion))
000950 |         return false;
000951 | }
000952 |
000953 | //! 7) global health and damage zones
000954 | float globalHealth;
000955 | if (!ctx.Read(globalHealth))
000956 |     return ErrorFalse(entity.GetType() + ": Couldn't read global health");
000957 | entity.SetHealth(globalHealth);
000958 | //TStringArray dmgZones = new TStringArray();
000959 | //entity.GetDamageZones(dmgZones);
000960 | int dmgZoneCount;
000961 | if (!ctx.Read(dmgZoneCount))
000962 |     return ErrorFalse(entity.GetType() + ": Couldn't read damage zone count");
000963 | #ifdef DIAG_DEVELOPER
000964 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Damage zone count: " + dmgZoneCount);
000965 | #endif
000966 | for (i = 0; i < dmgZoneCount; i++)
000967 | {
000968 |     string dmgZone;
000969 |     if (!ctx.Read(dmgZone))
000970 |         return ErrorFalse(entity.GetType() + ": Couldn't read damage zone");
000971 |     float dmgZoneHealth;
000972 |     if (!ctx.Read(dmgZoneHealth))
000973 |         return ErrorFalse(entity.GetType() + ": Couldn't read damage zone health");
000974 |     //if (dmgZones.Find(dmgZone) > -1)
000975 |     entity.SetHealth(dmgZone, "Health", dmgZoneHealth);
000976 |     //else
000977 |         //EXPrint("[EntityStorage] " + entity.GetType() + ": Couldn't find damage zone \"" + dmgZone + "\"");
000978 | }
000979 |
000980 | return true;
000981 | }
000982 |
000983 | static void Restore_Phase3b(EntityAI entity, int elapsed)
000984 | {
000985 |     #ifdef EXTRACE_DIAG
000986 |         auto trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, ExpansionEntityStorageModule, "entity=" + ExpansionStatic.GetDebugInfo(entity, false), "elapsed=" + elapsed);
000987 |     #endif
000988 |
000989 |     //! 8) Process wetness/temperature/decay
000990 |     ItemBase item;
000991 |     if (elapsed > 0 && Class.CastTo(item, entity))
000992 |         item.Expansion_ProcessWTD(elapsed);
000993 |
000994 |     //! FINAL
000995 |     entity.AfterStoreLoad();
000996 |     entity.SetSynchDirty();
000997 |     Weapon_Base weapon;

```

```
000998 |         if (Class.CastTo(weapon, entity))
000999 |             weapon.Synchronize();
001000 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Call(entity.EEOnAfterLoad);  /// Make sure EEOnAfterLoad gets called AFTER whole hierarchy has loaded
001001 |     }
001002 |
001003 |     /// Legacy
001004 |     static string GetFileName(int id)
001005 |     {
001006 |         return GetStorageDirectory() + id.ToString() + EXT;
001007 |     }
001008 |
001009 |     static string GetFileName(string name)
001010 |     {
001011 |         return GetStorageDirectory() + name + EXT;
001012 |     }
001013 |
001014 |     static string GetStorageDirectory()
001015 |     {
001016 |         int instance_id = g_Game.ServerConfigGetInt("instanceId");
001017 |         return "$mission:storage_" + instance_id + "\\expansion\\entitystorage\\";
001018 |     }
001019 |
001020 |     static void DeleteSavedEntity(EntityAI entity)
001021 |     {
001022 |         s_SavedEntityToBeDeleted = entity;
001023 |
001024 |         g_Game.ObjectDelete(entity);
001025 |
001026 |         s_SavedEntityToBeDeleted = null;
001027 |     }
001028 |
001029 |     static EntityAI GetSavedEntityToBeDeleted()
001030 |     {
001031 |         return s_SavedEntityToBeDeleted;
001032 |     }
001033 |
001034 |     /** @brief get current entity during entity storage save/restore operations
001035 |     *
001036 |     * @note use only during Save/Restore! Will be nulled afterwards
001037 |     */
001038 |     static EntityAI GetCurrentEntity()
001039 |     {
001040 |         return s_CurrentEntity;
001041 |     }
001042 |
001043 |     static bool IsCurrentEntity(EntityAI entity)
001044 |     {
001045 |         if (s_CurrentEntity == entity)
001046 |             return true;
001047 |
001048 |         return false;
001049 |     }
001050 |
001051 |     /** @brief get current root entity during entity storage save/restore operations
001052 |     *
001053 |     * @note use only during Save/Restore! Will be nulled afterwards
001054 |     */
001055 |     static EntityAI GetCurrentRootEntity()
001056 |     {
001057 |         return s_CurrentRootEntity;
001058 |     }
001059 |
```

```
001060 | static bool IsCurrentRootEntity(EntityAI entity)
001061 | {
001062 |     if (s_CurrentRootEntity == entity)
001063 |         return true;
001064 |
001065 |     return false;
001066 | }
001067 |
001068 | static bool IsInCurrentHierarchy(EntityAI entity)
001069 | {
001070 |     while (entity)
001071 |     {
001072 |         if (entity == s_CurrentRootEntity)
001073 |             return true;
001074 |
001075 |         entity = entity.GetHierarchyParent();
001076 |     }
001077 |
001078 |     return false;
001079 | }
001080 |
001081 | /** @brief get last restored entity storage version
001082 |  */
001083 | static int GetRestoredVersion()
001084 | {
001085 |     return s_LastRestoredVersion;
001086 | }
001087 |
001088 | static bool DeleteFiles(string name, string storageDirectory = string.Empty)
001089 | {
001090 |     if (storageDirectory == string.Empty)
001091 |         storageDirectory = GetStorageDirectory();
001092 |
001093 |     string folderName = storageDirectory + name;
001094 |     string fileName = folderName + EXT;
001095 |
001096 |     if (FileExist(fileName))
001097 |     {
001098 |         if (!DeleteFile(fileName))
001099 |             EXError.Error(null, "[EntityStorage] couldn't delete " + fileName);
001100 |
001101 |         if (FileExist(folderName))
001102 |         {
001103 |             TStringArray files = ExpansionStatic.FindFilesInLocation(folderName + "\\*", EXT);
001104 |
001105 |             foreach (string baseName: files)
001106 |             {
001107 |                 if (!DeleteFile(folderName + "\\" + baseName))
001108 |                     EXError.Error(null, "[EntityStorage] couldn't delete " + folderName + "\\" + baseName);
001109 |             }
001110 |
001111 |             if (!DeleteFile(folderName))
001112 |                 EXError.Error(null, "[EntityStorage] couldn't delete " + folderName);
001113 |             else
001114 |                 return true;
001115 |         }
001116 |     }
001117 |
001118 |     return false;
001119 | }
001120 |
001121 | //! @brief saves entity and all its children (attachments/cargo) to file.
```



```
001122 | static bool SaveToFile(EntityAI entity, string fileName, bool inventoryOnly = false, EntityAI placeholder = null, bool removeOrphaned = false)
001123 | {
001124 |     FileSerializer file = new FileSerializer();
001125 |
001126 |     if (!file.Open(fileName, FileMode.WRITE))
001127 |         return ErrorFalse("Couldn't open file for writing " + fileName);
001128 |
001129 |     Now = CF_Date.Now(true).DateToEpoch();
001130 |
001131 |     auto hitch = new EXHitch("[ExpansionEntityStorage] ");
001132 |
001133 |     string basePath;
001134 |     TStringArray orphanedFiles;
001135 |     ExpansionString exFileName = fileName;
001136 |     if (exFileName.EndsWith(EXT))
001137 |     {
001138 |         basePath = fileName.Substring(0, fileName.Length() - EXT.Length());
001139 |         if (removeOrphaned)
001140 |             orphanedFiles = ExpansionStatic.FindFilesInLocation(basePath + "\\*", EXT);
001141 |     }
001142 |
001143 |     bool success = Save(entity, file, basePath, inventoryOnly, placeholder, 0, orphanedFiles);
001144 |
001145 |     file.Close();
001146 |
001147 |     return success;
001148 | }
001149 |
001150 | ///! @brief restores entity and all its children from file (creates entities). Deletes file on success.
001151 | ///! @note if you pass in an existing entity, only its children (inventory) will be restored.
001152 | static bool RestoreFromFile(string fileName, inout EntityAI entity = null, EntityAI placeholder = null, PlayerBase player = null, bool deleteRestored = true)
001153 | {
001154 |     #ifdef EXTRACE_DIAG
001155 |         auto trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, ExpansionEntityStorageModule, fileName, "entity=" + ExpansionStatic.GetDebugInfo(entity, false), "placeholder=" + ExpansionStatic.GetDebugInfo(placeholder, false), "player=" + ExpansionStatic.GetDebugInfo(player, false), "deleteRestored=" + deleteRestored);
001156 |     #endif
001157 |
001158 |     FileSerializer file = new FileSerializer();
001159 |
001160 |     if (!file.Open(fileName, FileMode.READ))
001161 |         return ErrorFalse("Couldn't open file for reading " + fileName);
001162 |
001163 |     GameInventory inventory;
001164 |     bool isInventoryLocked;
001165 |     if (entity)
001166 |     {
001167 |         inventory = entity.GetInventory();
001168 |         if (inventory && inventory.IsInventoryLockedForLockType(HIDE_INV_FROM_SCRIPT))
001169 |         {
001170 |             isInventoryLocked = true;
001171 |             inventory.UnlockInventory(HIDE_INV_FROM_SCRIPT);
001172 |         }
001173 |     }
001174 |
001175 |     Now = CF_Date.Now(true).DateToEpoch();
001176 |
001177 |     auto hitch = new EXHitch("[ExpansionEntityStorage] ");
001178 |
001179 |     string basePath;
001180 |     ExpansionString exFileName = fileName;
001181 |     if (exFileName.EndsWith(EXT))
001182 |         basePath = fileName.Substring(0, fileName.Length() - EXT.Length());
```

```
001183 |
001184 |     bool success = Restore(file, null, basePath, entity, entity, placeholder, player, 0, string.Empty, 0, 0, deleteRestored);
001185 |
001186 |     if (isInventoryLocked)
001187 |         inventory.LockInventory(HIDE_INV_FROM_SCRIPT);
001188 |
001189 |     file.Close();
001190 |
001191 |     if (!success)
001192 |         return false;
001193 |
001194 |     if (deleteRestored)
001195 |         DeleteFile(fileName);
001196 |
001197 |     return true;
001198 | }
001199 |
001200 | ///! @brief saves entity and all its children (attachments/cargo) and replaces original entity with placeholder. Deletes original entity on success!
001201 | ///! @note if storeCargo is false (default), move cargo to placeholder, else save cargo to virtual storage
001202 | static bool SaveToFileAndReplace(EntityAI entity, string fileName, string placeholderType, vector position, int iFlags = ECE_OBJECT_SWAP, out EntityAI placeho
lder = null, bool storeCargo = false, array<EntityAI> transferAttachments = null)
001203 | {
001204 |     Object placeholderObject = g_Game.CreateObjectEx(placeholderType, position, iFlags);
001205 |
001206 |     if (!Class.CastTo(placeholder, placeholderObject))
001207 |     {
001208 |         EXError.Error(entity, "ExpansionEntityStorageModule::SaveToFileAndReplace - Couldn't cast to EntityAI " + placeholderObject);
001209 |         g_Game.ObjectDelete(placeholderObject);
001210 |         return false;
001211 |     }
001212 |
001213 |     GameInventory inventory = entity.GetInventory();
001214 |     bool isInventoryLocked;
001215 |     if (inventory && inventory.IsInventoryLockedForLockType(HIDE_INV_FROM_SCRIPT))
001216 |     {
001217 |         isInventoryLocked = true;
001218 |         inventory.UnlockInventory(HIDE_INV_FROM_SCRIPT);
001219 |     }
001220 |
001221 |     InventoryLocation transferAttachmentInvLoc;
001222 |     if (transferAttachments)
001223 |     {
001224 |         transferAttachmentInvLoc = new InventoryLocation();
001225 |         foreach (EntityAI transferAttachment: transferAttachments)
001226 |         {
001227 |             transferAttachment.GetInventory().GetCurrentInventoryLocation(transferAttachmentInvLoc);
001228 |             placeholder.ServerTakeEntityAsAttachmentEx(transferAttachment, transferAttachmentInvLoc.GetSlot());
001229 |         }
001230 |     }
001231 |
001232 |     bool success;
001233 |
001234 |     if (storeCargo)
001235 |         success = SaveToFile(entity, fileName);
001236 |     else
001237 |         success = SaveToFile(entity, fileName, false, placeholder);
001238 |
001239 |     if (!success)
001240 |     {
001241 |         ///! Need to undo...
001242 |         if (transferAttachments)
001243 |         {
```

```
001244 |         foreach (EntityAI undoTransferAttachment: transferAttachments)
001245 |         {
001246 |             undoTransferAttachment.GetInventory().GetCurrentInventoryLocation(transferAttachmentInvLoc);
001247 |             entity.ServerTakeEntityAsAttachmentEx(undoTransferAttachment, transferAttachmentInvLoc.GetSlot());
001248 |         }
001249 |     }
001250 |
001251 |     if (isInventoryLocked)
001252 |         inventory.LockInventory(HIDE_INV_FROM_SCRIPT);
001253 |     if (placeholder)
001254 |         g_Game.ObjectDelete(placeholder);
001255 |
001256 |     return false;
001257 | }
001258 |
001259 | vector orientation = entity.GetOrientation();
001260 |
001261 | if ((iFlags & ECE_KEEPEIGHT) == 0)
001262 | {
001263 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, entity, "ExpansionEntityStorageModule::SaveToFileAndReplace - position " + position);
001264 |
001265 |     vector surface = ExpansionStatic.GetSurfaceWaterPosition(position);
001266 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "ExpansionEntityStorageModule::SaveToFileAndReplace - surface position " + surface);
001267 |
001268 |     PhxInteractionLayers layerMask;
001269 |     layerMask |= PhxInteractionLayers.BUILDING;
001270 |     layerMask |= PhxInteractionLayers.DOOR;
001271 |     layerMask |= PhxInteractionLayers.VEHICLE;
001272 |     layerMask |= PhxInteractionLayers.ROADWAY;
001273 |     layerMask |= PhxInteractionLayers.TERRAIN;
001274 |     layerMask |= PhxInteractionLayers.ITEM_LARGE;
001275 |     layerMask |= PhxInteractionLayers.FENCE;
001276 |     vector hitPosition;
001277 |     if (DayZPhysics.RayCastBullet(position, surface, layerMask, entity, null, hitPosition, null, null))
001278 |     {
001279 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, entity, "ExpansionEntityStorageModule::SaveToFileAndReplace - hit position " + hitPosition);
001280 |         position = hitPosition;
001281 |     }
001282 |     else
001283 |     {
001284 |         position = surface;
001285 |     }
001286 | }
001287 |
001288 | DeleteSavedEntity(entity);
001289 |
001290 | if (placeholder)
001291 | {
001292 |     placeholder.SetPosition(position);
001293 |     placeholder.SetOrientation(orientation);
001294 | }
001295 |
001296 | return true;
001297 | }
001298 |
001299 | static bool Reset(bool deleteRestored = false, TStringArray orphanedFiles = null)
001300 | {
001301 |     int failedCount;
001302 |
001303 |     foreach (string type, ExpansionEntityStorageContext context: s_SubContexts)
001304 |     {
001305 |         context.Close();
```

```
001306 |         failedCount += context.m_FailedCount;
001307 |         if (deleteRestored && !context.m_FailedCount)
001308 |             DeleteFile(context.m_FileName);
001309 |
001310 |         if (orphanedFiles)
001311 |         {
001312 |             int index = orphanedFiles.Find(type + EXT);
001313 |             if (index > -1)
001314 |                 orphanedFiles.Remove(index);
001315 |         }
001316 |     }
001317 |
001318 |     s_SubContexts.Clear();
001319 |
001320 |     return !deleteRestored || failedCount == 0;
001321 | }
001322 |
001323 | static void ResetState()
001324 | {
001325 |     s_LastRestoredVersion = 0;
001326 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, ExpansionEntityStorageModule, "ResetState " + s_CurrentRootEntity + " -> null");
001327 |     s_CurrentEntity = null;
001328 |     s_CurrentRootEntity = null;
001329 | }
001330 | }
001331 |
```

0143. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionNetsyncData.c

Size bytes: 4242

SHA-256: ald7f94d6e64a310f46881cf694fed2d165ffbb782a13e40e7bf4064c1684f1d

Decoded as: utf-8-sig

Line count shown: 154

Detected class declarations: 1

L13: class ExpansionNetsyncData

Detected enum declarations: 0

Detected function/method-like declarations: 7

L22: void ExpansionNetsyncData(Object object, bool lateClientInit = true)

L54: void LateClientInit()

L68: void Set(int index, string value)

L81: bool Get(int index, out string output)

L93: void Request()

L103: void Send(PlayerIdentity recipient, ParamsReadContext ctx = null)

L129: void Receive(PlayerIdentity sender, ParamsReadContext ctx)

Full file content

```

000001 | /**
000002 |  * ExpansionNetsyncData.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionNetsyncData
000014 | {
000015 |     Object m_Object;
000016 |     ref TStringArray m_Data;
000017 |     ref ScriptInvoker SI_Receive;
000018 |     ref ExpansionRPCManager m_Expansion_RPCManager;
000019 |     bool m_WasDataRequested;
000020 |     bool m_WasDataSent;
000021 |
000022 |     void ExpansionNetsyncData(Object object, bool lateClientInit = true)
000023 |     {
000024 |         m_Object = object;
000025 |
000026 |         EnScript.GetClassVar(object, "m_Expansion_RPCManager", 0, m_Expansion_RPCManager);
000027 |         if (!m_Expansion_RPCManager)
000028 |         {
000029 |             EntityAI entity;
000030 |             typename type;
000031 |             if (Class.CastTo(entity, object))
000032 |                 type = ExpansionWorld.GetModdableRootType(entity);
000033 |             m_Expansion_RPCManager = new ExpansionRPCManager(object, type);
000034 |             EnScript.SetClassVar(object, "m_Expansion_RPCManager", 0, m_Expansion_RPCManager);
000035 |         }
000036 |
000037 |         m_Expansion_RPCManager.RegisterServer("Send", this);
000038 |         m_Expansion_RPCManager.RegisterClient("Receive", this);
000039 |
000040 |         if (g_Game.IsClient() && lateClientInit)

```

```
000041 |     {
000042 |         SI_Receive = new ScriptInvoker();
000043 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(LateClientInit, 250); //!< Has to be delayed, else won't work!
000044 |     }
000045 | }
000046 |
000047 | /**
000048 |  * @brief Late client initialization for entities w/o netsynced vars (others will request netsync data in OnVariablesSynchronized)
000049 |  *
000050 |  * @note if you take an item to hand, vanilla will create a temporary copy of the item on client only.
000051 |  * We don't want to request netsync data for that item, since the RPC will go into nowhere on server.
000052 |  * We can detect such an item by checking its network ID. If it's client only, net ID will be zero.
000053 |  */
000054 | void LateClientInit()
000055 | {
000056 |     if (!m_WasDataRequested && m_Object)
000057 |     {
000058 |         int low, high;
000059 |         m_Object.GetNetworkID(low, high);
000060 |         #ifdef DIAG_DEVELOPER
000061 |             EXTrace.Print(EXTrace.MISC, m_Object, "Netsync data late client init - network ID " + low + " " + high);
000062 |         #endif
000063 |         if (low || high)
000064 |             Request();
000065 |     }
000066 | }
000067 |
000068 | void Set(int index, string value)
000069 | {
000070 |     if (!m_Data)
000071 |         m_Data = new TStringArray;
000072 |     if (index < m_Data.Count())
000073 |         m_Data[index] = value;
000074 |     else
000075 |         m_Data.Insert(value);
000076 |     #ifdef DIAG_DEVELOPER
000077 |         EXTrace.Print(EXTrace.MISC, m_Object, "Set netsync data " + index + " '" + m_Data[index] + "'");
000078 |     #endif
000079 | }
000080 |
000081 | bool Get(int index, out string output)
000082 | {
000083 |     if (m_Data && index < m_Data.Count())
000084 |     {
000085 |         output = m_Data[index];
000086 |         return true;
000087 |     }
000088 |
000089 |     return false;
000090 | }
000091 |
000092 | //!< Request name override from server
000093 | void Request()
000094 | {
000095 |     #ifdef DIAG_DEVELOPER
000096 |         EXTrace.Print(EXTrace.MISC, m_Object, "Requesting netsync data");
000097 |     #endif
000098 |     m_Expansion_RPCManager.SendRPC("Send");
000099 |     m_WasDataRequested = true;
000100 | }
000101 |
000102 | //!< Send netsync data to client
```

```
000103 | void Send(PlayerIdentity recipient, ParamsReadContext ctx = null)
000104 | {
000105 |     if (!m_Data || !m_Data.Count())
000106 |         return;
000107 |
000108 |     #ifdef DIAG_DEVELOPER
000109 |         if (recipient)
000110 |             EXTrace.Print(EXTrace.MISC, m_Object, "Sending " + m_Data.Count() + " netsync data entries to " + recipient.GetId());
000111 |         else
000112 |             EXTrace.Print(EXTrace.MISC, m_Object, "Sending " + m_Data.Count() + " netsync data entries to players in object netbubble");
000113 |     #endif
000114 |
000115 |     auto rpc = m_Expansion_RPCManager.CreateRPC("Receive");
000116 |     rpc.Write(m_Data.Count());
000117 |     foreach (string value: m_Data)
000118 |     {
000119 |         rpc.Write(value);
000120 |     }
000121 |     if (!recipient)
000122 |         PlayerBase.Expansion_Send(rpc, m_Object, true);
000123 |     else
000124 |         rpc.Expansion_Send(true, recipient);
000125 |
000126 |     m_WasDataSent = true;
000127 | }
000128 |
000129 | void Receive(PlayerIdentity sender, ParamsReadContext ctx)
000130 | {
000131 |     int count;
000132 |     ctx.Read(count);
000133 |
000134 |     string value;
000135 |     m_Data = new TStringArray;
000136 |     while (count)
000137 |     {
000138 |         ctx.Read(value);
000139 |         #ifdef DIAG_DEVELOPER
000140 |             EXTrace.Print(EXTrace.MISC, m_Object, "Received netsync data entry '" + value + "'");
000141 |         #endif
000142 |         m_Data.Insert(value);
000143 |         count--;
000144 |     }
000145 |
000146 |     if (SI_Receive)
000147 |         SI_Receive.Invoke();
000148 |
000149 |     #ifdef DIAG_DEVELOPER
000150 |         EXTrace.Print(EXTrace.MISC, m_Object, "Received " + m_Data.Count() + " netsync data entries");
000151 |     #endif
000152 | }
000153 | }
000154 |
```

0144. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionShape.c
Size bytes: 5691
SHA-256: 33a9d20ad70a7c20acbc26d85f3f71df12e1b7ed3eec47e140a1f8af45d48259
Decoded as: utf-8-sig
Line count shown: 256
Detected class declarations: 3
  L1: class ExpansionShapeBase : Managed
  L17: class ExpansionShape : ExpansionShapeBase
  L180: class ExpansionDebugText : ExpansionShapeBase
Detected enum declarations: 0
Detected function/method-like declarations: 30
  L5: ExpansionShapeBase NotAligned()
  L11: void Update(vector objTransform[4], vector physTransform[4])
  L24: static ExpansionShape Create(ShapeType type, int color, ShapeFlags flags, vector p1, vector p2)
  L26: ExpansionShape res();
  L35: static ExpansionShape CreateLines(int color, ShapeFlags flags, vector p[], int num)
  L37: ExpansionShape res();
  L46: static ExpansionShape CreateMatrix(ShapeFlags flags, vector mat[4], float scale = 0.5)
  L48: ExpansionShape res();
  L67: static ExpansionShape CreateLine(int color, ShapeFlags flags, vector p0, vector p1)
  L72: return CreateLines(color, flags, line, 2);
  L75: static ExpansionShape CreateDirLine(int color, ShapeFlags flags, vector p, vector dir)
  L80: return CreateLines(color, flags, line, 2);
  L83: static ExpansionShape CreateTris(int color, ShapeFlags flags, vector p[], int num)
  L85: ExpansionShape res();
  L94: static ExpansionShape CreateTriangle(int color, ShapeFlags flags, vector p0, vector p1, vector p2)
  L100: return CreateTris(color, flags, tri, 1);
  L103: static ExpansionShape CreateSphere(int color, ShapeFlags flags, vector origin, float radius)
  L105: ExpansionShape res();
  L115: static ExpansionShape CreateSphere(bool toggled, int colorA, int colorB, ShapeFlags flags, vector origin, float radius)
  L123: return CreateSphere(color, flags, origin, radius);
  L126: static ExpansionShape CreateCylinder(int color, ShapeFlags flags, vector origin, float radius, float length)
  L128: ExpansionShape res();
  L138: static ExpansionShape CreateArrow(vector from, vector to, float size, int color, ShapeFlags flags)
  L140: ExpansionShape res();
  L149: void ~ExpansionShape()
  L157: override void Update(vector objTransform[4], vector physTransform[4])
  L185: static ExpansionDebugText Create(string text, vector position, int size = 16)
  L187: ExpansionDebugText res();
  L204: void ~ExpansionDebugText()
  L217: override void Update(vector objTransform[4], vector physTransform[4])

```

Full file content

```

000001 | class ExpansionShapeBase : Managed
000002 | {
000003 |     bool m_NotAligned;
000004 |
000005 |     ExpansionShapeBase NotAligned()
000006 |     {
000007 |         m_NotAligned = true;
000008 |         return this;
000009 |     }
000010 |
000011 |     void Update(vector objTransform[4], vector physTransform[4])
000012 |     {
000013 |         //m_Shape.SetMatrix(inTransform);
000014 |     }
000015 | };

```



```
000016 |
000017 | class ExpansionShape : ExpansionShapeBase
000018 | {
000019 |     static int s_MatrixColours[3] = { 0xFFFF0000, 0xFF00FF00, 0xFF0000FF };
000020 |
000021 |     Shape m_Shape;
000022 |     vector m-Origin;
000023 |
000024 |     static ExpansionShape Create(ShapeType type, int color, ShapeFlags flags, vector p1, vector p2)
000025 |     {
000026 |         ExpansionShape res();
000027 |
000028 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000029 |         res.m_Shape = Shape.Create(type, color, flags, p1, p2);
000030 | #endif
000031 |
000032 |         return res;
000033 |     }
000034 |
000035 |     static ExpansionShape CreateLines(int color, ShapeFlags flags, vector p[], int num)
000036 |     {
000037 |         ExpansionShape res();
000038 |
000039 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000040 |         res.m_Shape = Shape.CreateLines(color, flags, p, num);
000041 | #endif
000042 |
000043 |         return res;
000044 |     }
000045 |
000046 |     static ExpansionShape CreateMatrix(ShapeFlags flags, vector mat[4], float scale = 0.5)
000047 |     {
000048 |         ExpansionShape res();
000049 |
000050 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000051 |         vector line[6];
000052 |         res.m-Origin = mat[3];
000053 |
000054 |         for (int i = 0; i < 3; i++)
000055 |         {
000056 |             int ii = i * 2;
000057 |             line[ii + 0] = "0 0 0";
000058 |             line[ii + 1] = (mat[i] * scale);
000059 |         }
000060 |
000061 |         res.m_Shape = Shape.CreateLines(s_MatrixColours[i], flags, line, 6);
000062 | #endif
000063 |
000064 |         return res;
000065 |     }
000066 |
000067 |     static ExpansionShape CreateLine(int color, ShapeFlags flags, vector p0, vector p1)
000068 |     {
000069 |         vector line[2];
000070 |         line[0] = p0;
000071 |         line[1] = p1;
000072 |         return CreateLines(color, flags, line, 2);
000073 |     }
000074 |
000075 |     static ExpansionShape CreateDirLine(int color, ShapeFlags flags, vector p, vector dir)
000076 |     {
000077 |         vector line[2];
```

```
000078 |         line[0] = p;
000079 |         line[1] = p + dir;
000080 |         return CreateLines(color, flags, line, 2);
000081 |     }
000082 |
000083 |     static ExpansionShape CreateTris(int color, ShapeFlags flags, vector p[], int num)
000084 |     {
000085 |         ExpansionShape res();
000086 |
000087 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000088 |         res.m_Shape = Shape.CreateTris(color, flags, p, num);
000089 | #endif
000090 |
000091 |         return res;
000092 |     }
000093 |
000094 |     static ExpansionShape CreateTriangle(int color, ShapeFlags flags, vector p0, vector p1, vector p2)
000095 |     {
000096 |         vector tri[3];
000097 |         tri[0] = p0;
000098 |         tri[1] = p1;
000099 |         tri[2] = p2;
000100 |         return CreateTris(color, flags, tri, 1);
000101 |     }
000102 |
000103 |     static ExpansionShape CreateSphere(int color, ShapeFlags flags, vector origin, float radius)
000104 |     {
000105 |         ExpansionShape res();
000106 |
000107 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000108 |         res.m_Origin = origin;
000109 |         res.m_Shape = Shape.CreateSphere(color, flags, origin, radius);
000110 | #endif
000111 |
000112 |         return res;
000113 |     }
000114 |
000115 |     static ExpansionShape CreateSphere(bool toggled, int colorA, int colorB, ShapeFlags flags, vector origin, float radius)
000116 |     {
000117 |         int color = colorA;
000118 |         if (toggled)
000119 |         {
000120 |             color = colorB;
000121 |         }
000122 |
000123 |         return CreateSphere(color, flags, origin, radius);
000124 |     }
000125 |
000126 |     static ExpansionShape CreateCylinder(int color, ShapeFlags flags, vector origin, float radius, float length)
000127 |     {
000128 |         ExpansionShape res();
000129 |
000130 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000131 |         res.m_Origin = origin;
000132 |         res.m_Shape = Shape.CreateCylinder(color, flags, origin, radius, length);
000133 | #endif
000134 |
000135 |         return res;
000136 |     }
000137 |
000138 |     static ExpansionShape CreateArrow(vector from, vector to, float size, int color, ShapeFlags flags)
000139 |     {
```

```
000140 |         ExpansionShape res();
000141 |
000142 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000143 |     res.m_Shape = Shape.CreateArrow(from, to, size, color, flags);
000144 | #endif
000145 |
000146 |     return res;
000147 | }
000148 |
000149 | void ~ExpansionShape()
000150 | {
000151 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000152 |     m_Shape.Destroy();
000153 |     m_Shape = null;
000154 | #endif
000155 | }
000156 |
000157 | override void Update(vector objTransform[4], vector physTransform[4])
000158 | {
000159 |     if (m_NotAligned)
000160 |     {
000161 |         return;
000162 |     }
000163 |
000164 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000165 |     vector objPhysTransform[4];
000166 |     Math3D.MatrixMultiply4(physTransform, objTransform, objPhysTransform);
000167 |
000168 |     vector localTransform[4];
000169 |     Math3D.MatrixIdentity4(localTransform);
000170 |     localTransform[3] = m-Origin;
000171 |
000172 |     vector worldTransform[4];
000173 |     Math3D.MatrixMultiply4(objTransform, localTransform, worldTransform);
000174 |
000175 |     m_Shape.SetMatrix(worldTransform);
000176 | #endif
000177 | }
000178 | };
000179 |
000180 | class ExpansionDebugText : ExpansionShapeBase
000181 | {
000182 |     ref TextWidget m_Widget;
000183 |     vector m-Origin;
000184 |
000185 |     static ExpansionDebugText Create(string text, vector position, int size = 16)
000186 |     {
000187 |         ExpansionDebugText res();
000188 |
000189 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000190 |         Widget layoutRoot = g_Game.GetWorkspace().CreateWidgets("DayZExpansion/Core/GUI/layouts/expansion_debug.layout");
000191 |
000192 |         res.m-Origin = position;
000193 |
000194 |         if (Class.CastTo(res.m_Widget, layoutRoot))
000195 |         {
000196 |             res.m_Widget.SetText(text);
000197 |             res.m_Widget.SetTextExactSize(size);
000198 |         }
000199 | #endif
000200 |
000201 |     return res;
```

```
000202 |     }
000203 |
000204 |     void ~ExpansionDebugText()
000205 |     {
000206 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000207 |         if (!m_Widget)
000208 |         {
000209 |             return;
000210 |         }
000211 |
000212 |         m_Widget.Unlink();
000213 |         m_Widget = null;
000214 | #endif
000215 |     }
000216 |
000217 |     override void Update(vector objTransform[4], vector physTransform[4])
000218 |     {
000219 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000220 |         if (!m_Widget)
000221 |         {
000222 |             return;
000223 |         }
000224 |
000225 |         vector transform[4];
000226 |         Math3D.MatrixIdentity4(transform);
000227 |         transform[3] = m-Origin;
000228 |
000229 |         Math3D.MatrixMultiply4(objTransform, transform, transform);
000230 |
000231 |         vector position = g_Game.GetScreenPos(transform[3]);
000232 |
000233 |         float width;
000234 |         float height;
000235 |         m_Widget.GetScreenSize(width, height);
000236 |
000237 |         float aWidth = 200;
000238 |         float aHeight = height;
000239 |
000240 |         position[0] = position[0] - (aWidth * 0.5);
000241 |         position[1] = position[1] - (aHeight * 0.5);
000242 |
000243 |
000244 |         float scale = 18.0 * (1.0 / position[2]);
000245 |
000246 |         m_Widget.SetFlags(WidgetFlags.EXACTSIZE);
000247 |         //m_Widget.SetSize(width * scale, height * scale);
000248 |         m_Widget.SetTextExactSize(scale);
000249 |
000250 |         m_Widget.SetPos(position[0], position[1]);
000251 |         m_Widget.Show(position[2] > 0);
000252 |         m_Widget.Update();
000253 | #endif
000254 |     }
000255 | };
000256 |
```

0145. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionVehicle.c
Size bytes: 39309
SHA-256: e11c6f337a7ae0b054fc09000f36ecd2811c6bdeff3ae91922f162c5e2aff35e
Decoded as: utf-8-sig
Line count shown: 1730
Detected class declarations: 2
  L4: class ExpansionVehicle
  L944: class ExpansionVehicleT<Class T>: ExpansionVehicle
Detected enum declarations: 0
Detected function/method-like declarations: 80
  L37: void ExpansionVehicle()
  L42: void ~ExpansionVehicle()
  L53: static ExpansionVehicle Get(IEntity entity, bool errorOnFailure = false, bool includeAttached = false)
  L65: else if (Class.CastTo(bs, entity))
  L70: else if (Class.CastTo(evb, entity))
  L73: else if (Class.CastTo(player, entity))
  L80: return Get(player.Expansion_GetParent());
  L88: return Get(vehCmd.GetTransport(), errorOnFailure);
  L92: return Get(exVehCmd.GetObject(), errorOnFailure);
  L104: static bool Get(out ExpansionVehicle ev, IEntity entity, bool errorOnFailure = false, bool includeAttached = false)
  L114: static ExpansionVehicleType GetVehicleType(string type)
  L145: void DeferredInit()
  L155: void SetActions()
  L159: void Init()
  L165: EntityAI GetEntity()
  L171: Transport GetTransport()
  L177: BoatScript GetBoat()
  L182: CarScript GetCar()
  L187: HelicopterScript GetHelicopter()
  L192: ExpansionGlobalID GetGlobalID()
  L199: NetworkMoveStrategy GetNetworkMoveStrategy()
  L206: string GetPersistentIDString()
  L211: vector GetOrientation()
  L213: return GetEntity().GetOrientation();
  L216: vector GetPosition()
  L218: return GetEntity().GetPosition();
  L221: string GetType()
  L223: return GetEntity().GetType();
  L226: string GetDisplayName()
  L228: return GetEntity().GetDisplayName();
  L231: int GetHealthLevel(string zone = "")
  L233: return GetEntity().GetHealthLevel(zone);
  L236: void SetSkin(int skinIndex)
  L241: bool HasSkin(int skinIndex)
  L247: int GetCurrentSkinIndex()
  L253: string GetCurrentSkinName()
  L259: void UpdateCargoCount(int delta)
  L272: int GetCargoCount()
  L277: void FillFluid(int fluid, float amount)
  L282: void FillFluids(float relativeAmount = 1.0)
  L287: void CloneFluidsTo(ExpansionVehicle dst)
  L292: void LeakFluids()
  L297: float GetFluidCapacity(int fluid)
  L303: float GetFluidFraction(int fluid)
  L309: void WriteFluidsTo(ParamsWriteContext ctx)
  L314: bool ReadFluidsFrom(ParamsReadContext ctx, int entityStorageVersion)
  L320: void Synchronize()
  L325: bool IsBike()
```

```

L330: bool IsBoat()
L335: bool IsCar()
L340: bool IsHelicopter()
L345: bool IsPlane()
L350: bool IsDuck()
L355: bool IsCECreated()
L360: bool IsDestroyed()
L362: return GetEntity().IsDamageDestroyed();
L365: bool IsExploded()
L371: bool IsScriptedLightsOn()
L377: bool IsVitalAircraftBattery()
L383: bool IsVitalCarBattery()
L389: bool IsVitalHelicopterBattery()
L395: bool IsVitalTruckBattery()
L401: int GetEngineStartAnimation()
L407: int GetEngineStopAnimation()
L413: bool OnBeforeEngineStart(int index = 0)
L419: void OnEngineStart(int index = 0)
L423: void OnEngineStop(int index = 0)
L427: bool EngineIsOn()
L433: bool EngineIsOn(int index)
L439: int EngineGetRunningAboveOrAtIdleRPMCount()
L445: void EngineStart()
L450: void EngineStop()
L455: int EngineGetCount()
L461: int EngineGetCurrent()
L467: void EngineSetNext()
L472: string EngineGetName()
L478: float GetThrottle()
L484: float GetThrottle(int index)
L490: void ConsumeFuel(float fuelConsumption)
L495: void ConsumeFuelOverTime(float dt)
... detector capped this preview at 80 entries; full code follows.

```

Full file content

```

000001 | /**
000002 |  * @brief Wrapper class for vehicle functionality that is shared among vehicles inheriting from otherwise unrelated classes
000003 |  */
000004 | class ExpansionVehicle
000005 | {
000006 |     static ref CF_DoublyLinkedNodes_WeakRef<ExpansionVehicle> s_All = new CF_DoublyLinkedNodes_WeakRef<ExpansionVehicle>();
000007 |
000008 |     ref CF_DoublyLinkedNode_WeakRef<ExpansionVehicle> m_Node;
000009 |
000010 |     protected bool m_IsBike;
000011 |     protected bool m_IsBoat;
000012 |     protected bool m_IsCar;
000013 |     protected bool m_IsHelicopter;
000014 |     protected bool m_IsPlane;
000015 |     protected bool m_IsDuck;
000016 |
000017 |     protected bool m_IsCECreated;
000018 |     protected bool m_DestructionLogged;
000019 |     protected bool m_HasLifetime;
000020 |     protected int m_CargoCount;
000021 |
000022 |     protected bool m_IsInSafeZone;
000023 |     protected bool m_SZCleanup;
000024 |     protected float m_SZParkingTime;
000025 |
000026 |     protected string m_LastDriverUID;

```

```
000027 |     protected bool m_SynchLastDriverUID;
000028 |     protected bool m_LastDriverUIDSynched;
000029 |
000030 |     protected float m_CrewKilledTimestamp;
000031 |
000032 |     protected float m_FuelConsumption;
000033 | #ifdef DIAG_DEVELOPER
000034 |     protected float m_FuelConsumption_Prev;
000035 | #endif
000036 |
000037 |     void ExpansionVehicle()
000038 |     {
000039 |         m_Node = s_All.Add(this);
000040 |     }
000041 |
000042 |     void ~ExpansionVehicle()
000043 |     {
000044 |     #ifndef DIAG_DEVELOPER
000045 |         if (!g_Game)
000046 |             return;
000047 |     #endif
000048 |
000049 |         if (s_All)
000050 |             s_All.Remove(m_Node);
000051 |     }
000052 |
000053 |     static ExpansionVehicle Get(IEntity entity, bool errorOnFailure = false, bool includeAttached = false)
000054 |     {
000055 |         BoatScript bs;
000056 |         CarScript cs;
000057 |         //HelicopterScript hs;
000058 |     #ifdef EXPANSIONMODVEHICLE
000059 |         ExpansionVehicleBase evb;
000060 |     #endif
000061 |         DayZPlayerImplement player;
000062 |
000063 |         if (Class.CastTo(cs, entity))
000064 |             return cs.GetExpansionVehicle();
000065 |         else if (Class.CastTo(bs, entity))
000066 |             return bs.GetExpansionVehicle();
000067 |         //else if (Class.CastTo(hs, entity))
000068 |             //return new ExpansionVehicleT<HelicopterScript>(hs);
000069 |     #ifdef EXPANSIONMODVEHICLE
000070 |         else if (Class.CastTo(evb, entity))
000071 |             return evb.GetExpansionVehicle();
000072 |     #endif
000073 |         else if (Class.CastTo(player, entity))
000074 |         {
000075 |             if (includeAttached)
000076 |             {
000077 |                 ///! Expansion_GetParent will both check GetParent (which will satisfy any players with
000078 |                 ///! VehicleCmd aka sitting in vehicle seats as well as custom player attachment systems of
000079 |                 ///! Expansion under DayZ 1.25 and 3rd party mods) as well as DayZ 1.26 vanilla PhysicsGetLinkedEntity
000080 |                 return Get(player.Expansion_GetParent());
000081 |             }
000082 |             else
000083 |             {
000084 |                 ///! Don't use GetParent here since it is used for player attachment by Expansion (only under DayZ 1.25)
000085 |                 ///! and potentially other vehicle mods that do not use vanilla 1.26 attachment system
000086 |                 auto vehCmd = player.GetCommand_Vehicle();
000087 |                 if (vehCmd)
000088 |                     return Get(vehCmd.GetTransport(), errorOnFailure);
```

```
000089 |         #ifdef EXPANSIONMODVEHICLE
000090 |             auto exVehCmd = player.GetCommand_ExpansionVehicle();
000091 |             if (exVehCmd)
000092 |                 return Get(exVehCmd.GetObject(), errorOnFailure);
000093 |         #endif
000094 |     }
000095 | }
000096 |
000097 |
000098 |     if (errorOnFailure)
000099 |         EXError.Error(null, string.Format("%1 is not of a known vehicle type", entity));
000100 |
000101 |     return null;
000102 | }
000103 |
000104 | static bool Get(out ExpansionVehicle ev, IEntity entity, bool errorOnFailure = false, bool includeAttached = false)
000105 | {
000106 |     ev = Get(entity, errorOnFailure, includeAttached);
000107 |
000108 |     if (!ev)
000109 |         return false;
000110 |
000111 |     return true;
000112 | }
000113 |
000114 | static ExpansionVehicleType GetVehicleType(string type)
000115 | {
000116 |     string vehicleClass = g_Game.ConfigGetTextOut("CfgVehicles " + type + " vehicleClass");
000117 |     switch (vehicleClass)
000118 |     {
000119 |         case "Expansion_Helicopter":
000120 |         case "Expansion_Plane":
000121 |         case "Vehicles_Helicopter":
000122 |         case "Vehicles_Plane":
000123 |             return ExpansionVehicleType.AIR;
000124 |         case "Expansion_Boat":
000125 |         case "Expansion_Ship":
000126 |         case "Vehicles_Boat":
000127 |         case "Vehicles_Ship":
000128 |             return ExpansionVehicleType.WATER;
000129 |     #ifdef HypeTrain
000130 |         case "HypeTrain_Locomotive":
000131 |         case "HypeTrain_Wagon":
000132 |             return ExpansionVehicleType.RAILTRACK;
000133 |     #endif
000134 |     }
000135 |
000136 |     if (g_Game.IsKindOf(type, "BoatScript"))
000137 |         return ExpansionVehicleType.WATER;
000138 |
000139 |     if (g_Game.IsKindOf(type, "CarScript"))
000140 |         return ExpansionVehicleType.LAND;
000141 |
000142 |     return ExpansionVehicleType.NONE;
000143 | }
000144 |
000145 | void DeferredInit()
000146 | {
000147 |     EntityAI entity = GetEntity();
000148 |     if (IsStoreLoaded() && !entity.IsSetForDeletion() && ExpansionEntityStoragePlaceholder.Expansion_HasPlaceholder(this))
000149 |     {
000150 |         EXPrint("Deleting " + entity + " " + entity.GetPosition() + " global ID " + GetGlobalID().IDToString());
```



```
000151 |         entity.Delete();
000152 |     }
000153 | }
000154 |
000155 | void SetActions()
000156 | {
000157 | }
000158 |
000159 | void Init()
000160 | {
000161 | }
000162 |
000163 | //! -----
000164 |
000165 | EntityAI GetEntity()
000166 | {
000167 |     EXError.Error(this, "NOT IMPLEMENTED");
000168 |     return null;
000169 | }
000170 |
000171 | Transport GetTransport()
000172 | {
000173 |     EXError.Error(this, "NOT IMPLEMENTED");
000174 |     return null;
000175 | }
000176 |
000177 | BoatScript GetBoat()
000178 | {
000179 |     return BoatScript.Cast(GetEntity());
000180 | }
000181 |
000182 | CarScript GetCar()
000183 | {
000184 |     return CarScript.Cast(GetEntity());
000185 | }
000186 |
000187 | HelicopterScript GetHelicopter()
000188 | {
000189 |     return HelicopterScript.Cast(GetEntity());
000190 | }
000191 |
000192 | ExpansionGlobalID GetGlobalID()
000193 | {
000194 |     EXError.Error(this, "NOT IMPLEMENTED");
000195 |     return null;
000196 | }
000197 |
000198 | #ifdef FEATURE_NETWORK_RECONCILIATION
000199 |     NetworkMoveStrategy GetNetworkMoveStrategy()
000200 |     {
000201 |         EXError.Error(this, "NOT IMPLEMENTED");
000202 |         return NetworkMoveStrategy.NONE;
000203 |     }
000204 | #endif
000205 |
000206 | string GetPersistentIDString()
000207 | {
000208 |     return ExpansionStatic.GetPersistentIDString(GetEntity());
000209 | }
000210 |
000211 | vector GetOrientation()
000212 | {
```

```
000213 |         return GetEntity().GetOrientation();
000214 |     }
000215 |
000216 |     vector GetPosition()
000217 |     {
000218 |         return GetEntity().GetPosition();
000219 |     }
000220 |
000221 |     string GetType()
000222 |     {
000223 |         return GetEntity().GetType();
000224 |     }
000225 |
000226 |     string GetDisplayName()
000227 |     {
000228 |         return GetEntity().GetDisplayName();
000229 |     }
000230 |
000231 |     int GetHealthLevel(string zone = "")
000232 |     {
000233 |         return GetEntity().GetHealthLevel(zone);
000234 |     }
000235 |
000236 |     void SetSkin(int skinIndex)
000237 |     {
000238 |         EXError.Error(this, "NOT IMPLEMENTED");
000239 |     }
000240 |
000241 |     bool HasSkin(int skinIndex)
000242 |     {
000243 |         EXError.Error(this, "NOT IMPLEMENTED");
000244 |         return false;
000245 |     }
000246 |
000247 |     int GetCurrentSkinIndex()
000248 |     {
000249 |         EXError.Error(this, "NOT IMPLEMENTED");
000250 |         return -1;
000251 |     }
000252 |
000253 |     string GetCurrentSkinName()
000254 |     {
000255 |         EXError.Error(this, "NOT IMPLEMENTED");
000256 |         return string.Empty;
000257 |     }
000258 |
000259 |     void UpdateCargoCount(int delta)
000260 |     {
000261 |         m_CargoCount += delta;
000262 | #ifdef SERVER
000263 |         EntityAI entity = GetEntity();
000264 |         if (entity.IsInitialized())
000265 |             entity.SetSynchDirty();
000266 | #endif
000267 | #ifdef DIAG_DEVELOPER
000268 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, this, GetEntity().ToString() + " cargo count + " + delta + " = " + m_CargoCount);
000269 | #endif
000270 |     }
000271 |
000272 |     int GetCargoCount()
000273 |     {
000274 |         return m_CargoCount;
```

```
000275 | }
000276 |
000277 | void FillFluid(int fluid, float amount)
000278 | {
000279 |     EXError.Error(this, "NOT IMPLEMENTED");
000280 | }
000281 |
000282 | void FillFluids(float relativeAmount = 1.0)
000283 | {
000284 |     EXError.Error(this, "NOT IMPLEMENTED");
000285 | }
000286 |
000287 | void CloneFluidsTo(ExpansionVehicle dst)
000288 | {
000289 |     EXError.Error(this, "NOT IMPLEMENTED");
000290 | }
000291 |
000292 | void LeakFluids()
000293 | {
000294 |     EXError.Error(this, "NOT IMPLEMENTED");
000295 | }
000296 |
000297 | float GetFluidCapacity(int fluid)
000298 | {
000299 |     EXError.Error(this, "NOT IMPLEMENTED");
000300 |     return 0;
000301 | }
000302 |
000303 | float GetFluidFraction(int fluid)
000304 | {
000305 |     EXError.Error(this, "NOT IMPLEMENTED");
000306 |     return 0;
000307 | }
000308 |
000309 | void WriteFluidsTo(ParamsWriteContext ctx)
000310 | {
000311 |     EXError.Error(this, "NOT IMPLEMENTED");
000312 | }
000313 |
000314 | bool ReadFluidsFrom(ParamsReadContext ctx, int entityStorageVersion)
000315 | {
000316 |     EXError.Error(this, "NOT IMPLEMENTED");
000317 |     return false;
000318 | }
000319 |
000320 | void Synchronize()
000321 | {
000322 |     EXError.Error(this, "NOT IMPLEMENTED");
000323 | }
000324 |
000325 | bool IsBike()
000326 | {
000327 |     return m_IsBike;
000328 | }
000329 |
000330 | bool IsBoat()
000331 | {
000332 |     return m_IsBoat;
000333 | }
000334 |
000335 | bool IsCar()
000336 | {
```

```
000337 |         return m_IsCar;
000338 |     }
000339 |
000340 |     bool IsHelicopter()
000341 |     {
000342 |         return m_IsHelicopter;
000343 |     }
000344 |
000345 |     bool IsPlane()
000346 |     {
000347 |         return m_IsPlane;
000348 |     }
000349 |
000350 |     bool IsDuck()
000351 |     {
000352 |         return m_IsDuck;
000353 |     }
000354 |
000355 |     bool IsCECreated()
000356 |     {
000357 |         return m_IsCECreated;
000358 |     }
000359 |
000360 |     bool IsDestroyed()
000361 |     {
000362 |         return GetEntity().IsDamageDestroyed();
000363 |     }
000364 |
000365 |     bool IsExploded()
000366 |     {
000367 |         EXError.Error(this, "NOT IMPLEMENTED");
000368 |         return false;
000369 |     }
000370 |
000371 |     bool IsScriptedLightsOn()
000372 |     {
000373 |         EXError.Error(this, "NOT IMPLEMENTED");
000374 |         return false;
000375 |     }
000376 |
000377 |     bool IsVitalAircraftBattery()
000378 |     {
000379 |         EXError.Error(this, "NOT IMPLEMENTED");
000380 |         return false;
000381 |     }
000382 |
000383 |     bool IsVitalCarBattery()
000384 |     {
000385 |         EXError.Error(this, "NOT IMPLEMENTED");
000386 |         return false;
000387 |     }
000388 |
000389 |     bool IsVitalHelicopterBattery()
000390 |     {
000391 |         EXError.Error(this, "NOT IMPLEMENTED");
000392 |         return false;
000393 |     }
000394 |
000395 |     bool IsVitalTruckBattery()
000396 |     {
000397 |         EXError.Error(this, "NOT IMPLEMENTED");
000398 |         return false;
```

```
000399 | }
000400 |
000401 | int GetEngineStartAnimation()
000402 | {
000403 |     EXError.Error(this, "NOT IMPLEMENTED");
000404 |     return 0;
000405 | }
000406 |
000407 | int GetEngineStopAnimation()
000408 | {
000409 |     EXError.Error(this, "NOT IMPLEMENTED");
000410 |     return 0;
000411 | }
000412 |
000413 | bool OnBeforeEngineStart(int index = 0)
000414 | {
000415 |     EXError.Error(this, "NOT IMPLEMENTED");
000416 |     return false;
000417 | }
000418 |
000419 | void OnEngineStart(int index = 0)
000420 | {
000421 | }
000422 |
000423 | void OnEngineStop(int index = 0)
000424 | {
000425 | }
000426 |
000427 | bool EngineIsOn()
000428 | {
000429 |     EXError.Error(this, "NOT IMPLEMENTED");
000430 |     return false;
000431 | }
000432 |
000433 | bool EngineIsOn(int index)
000434 | {
000435 |     EXError.Error(this, "NOT IMPLEMENTED");
000436 |     return false;
000437 | }
000438 |
000439 | int EngineGetRunningAboveOrAtIdleRPMCount()
000440 | {
000441 |     EXError.Error(this, "NOT IMPLEMENTED");
000442 |     return 0;
000443 | }
000444 |
000445 | void EngineStart()
000446 | {
000447 |     EXError.Error(this, "NOT IMPLEMENTED");
000448 | }
000449 |
000450 | void EngineStop()
000451 | {
000452 |     EXError.Error(this, "NOT IMPLEMENTED");
000453 | }
000454 |
000455 | int EngineGetCount()
000456 | {
000457 |     EXError.Error(this, "NOT IMPLEMENTED");
000458 |     return 0;
000459 | }
000460 |
```

```
000461 | int EngineGetCurrent()
000462 | {
000463 |     EXError.Error(this, "NOT IMPLEMENTED");
000464 |     return -1;
000465 | }
000466 |
000467 | void EngineSetNext()
000468 | {
000469 |     EXError.Error(this, "NOT IMPLEMENTED");
000470 | }
000471 |
000472 | string EngineGetName()
000473 | {
000474 |     EXError.Error(this, "NOT IMPLEMENTED");
000475 |     return string.Empty;
000476 | }
000477 |
000478 | float GetThrottle()
000479 | {
000480 |     EXError.Error(this, "NOT IMPLEMENTED");
000481 |     return 0;
000482 | }
000483 |
000484 | float GetThrottle(int index)
000485 | {
000486 |     EXError.Error(this, "NOT IMPLEMENTED");
000487 |     return 0;
000488 | }
000489 |
000490 | void ConsumeFuel(float fuelConsumption)
000491 | {
000492 |     EXError.Error(this, "NOT IMPLEMENTED");
000493 | }
000494 |
000495 | void ConsumeFuelOverTime(float dt)
000496 | {
000497 |     EXError.Error(this, "NOT IMPLEMENTED");
000498 | }
000499 |
000500 | bool HasGear()
000501 | {
000502 |     EXError.Error(this, "NOT IMPLEMENTED");
000503 |     return false;
000504 | }
000505 |
000506 | void SwitchGear()
000507 | {
000508 |     EXError.Error(this, "NOT IMPLEMENTED");
000509 | }
000510 |
000511 | bool IsInSafeZone()
000512 | {
000513 |     return m_IsInSafeZone;
000514 | }
000515 |
000516 | bool CanBeLocked()
000517 | {
000518 |     return true;
000519 | }
000520 |
000521 | bool CanBeDamaged()
000522 | {
```

```
000523 |         if (GetExpansionSettings().GetSafeZone().Enabled && IsInSafeZone())
000524 |             return !GetExpansionSettings().GetSafeZone().DisableVehicleDamageInSafeZone;
000525 |
000526 |         return GetEntity().GetAllowDamage();
000527 |     }
000528 |
000529 |     bool CanObjectAttach(Object obj)
000530 |     {
000531 |         EXError.Error(this, "NOT IMPLEMENTED");
000532 |         return false;
000533 |     }
000534 |
000535 |     bool CanPlayerAttach()
000536 |     {
000537 |         EXError.Error(this, "NOT IMPLEMENTED");
000538 |         return false;
000539 |     }
000540 |
000541 |     bool IsFunctional(bool checkOptionalParts = false, set<typename> missingComponents = null)
000542 |     {
000543 |         EXError.Error(this, "NOT IMPLEMENTED");
000544 |         return false;
000545 |     }
000546 |
000547 |     CarDoorState GetDoorState(int seatIdx)
000548 |     {
000549 |         EXError.Error(this, "NOT IMPLEMENTED");
000550 |         return CarDoorState.DOORS_MISSING;
000551 |     }
000552 |
000553 |     CarDoorState GetDoorState(string slotName)
000554 |     {
000555 |         EXError.Error(this, "NOT IMPLEMENTED");
000556 |         return CarDoorState.DOORS_MISSING;
000557 |     }
000558 |
000559 |     bool HasDoor(int seatIdx)
000560 |     {
000561 |         return GetDoorState(seatIdx) != CarDoorState.DOORS_MISSING;
000562 |     }
000563 |
000564 |     bool IsDoorClosed(int seatIdx)
000565 |     {
000566 |         return GetDoorState(seatIdx) == CarDoorState.DOORS_CLOSED;
000567 |     }
000568 |
000569 |     void SetLockState(ExpansionVehicleLockState lockState)
000570 |     {
000571 |         EXError.Error(this, "NOT IMPLEMENTED");
000572 |     }
000573 |
000574 |     ExpansionVehicleLockState GetLockState()
000575 |     {
000576 |         EXError.Error(this, "NOT IMPLEMENTED");
000577 |         return ExpansionVehicleLockState.NOLOCK;
000578 |     }
000579 |
000580 |     bool IsLocked()
000581 |     {
000582 |         return false;
000583 |     }
000584 |
```

```
000585 | void ResetKeyPairing()
000586 | {
000587 |     EXError.Error(this, "NOT IMPLEMENTED");
000588 | }
000589 |
000590 | int CrewSize()
000591 | {
000592 |     EXError.Error(this, "NOT IMPLEMENTED");
000593 |     return 0;
000594 | }
000595 |
000596 | Human CrewMember(int posIdx)
000597 | {
000598 |     EXError.Error(this, "NOT IMPLEMENTED");
000599 |     return null;
000600 | }
000601 |
000602 | int CrewMemberIndex(Human player)
000603 | {
000604 |     EXError.Error(this, "NOT IMPLEMENTED");
000605 |     return -1;
000606 | }
000607 |
000608 | int CrewPositionIndex(int componentIdx)
000609 | {
000610 |     EXError.Error(this, "NOT IMPLEMENTED");
000611 |     return -1;
000612 | }
000613 |
000614 | bool IsPlayerInSeat(DayZPlayerImplement player, int seatIdx = DayZPlayerConstants.VEHICLESEAT_DRIVER)
000615 | {
000616 |     #ifdef EXPANSIONMODVEHICLE
000617 |         if (GetEntity().IsInherited(ExpansionVehicleBase))
000618 |         {
000619 |             auto exVehCmd = player.GetCommand_ExpansionVehicle();
000620 |             if (exVehCmd && exVehCmd.GetVehicleSeat() == seatIdx)
000621 |                 return true;
000622 |
000623 |             return false;
000624 |         }
000625 |     #endif
000626 |
000627 |     auto vehCmd = player.GetCommand_Vehicle();
000628 |     if (vehCmd && vehCmd.GetVehicleSeat() == seatIdx)
000629 |         return true;
000630 |
000631 |     return false;
000632 | }
000633 |
000634 | int GetSeatAnimationType(int posIdx)
000635 | {
000636 |     EXError.Error(this, "NOT IMPLEMENTED");
000637 |     return 0;
000638 | }
000639 |
000640 | int GetAnimInstance()
000641 | {
000642 |     EXError.Error(this, "NOT IMPLEMENTED");
000643 |     return 0;
000644 | }
000645 |
000646 | string GetAnimSourceFromSelection(string selection)
```



```
000647 | {
000648 |     EXError.Error(this, "NOT IMPLEMENTED");
000649 |     return string.Empty;
000650 | }
000651 |
000652 | string GetDoorInvSlotNameFromSeatPos(int posIdx)
000653 | {
000654 |     EXError.Error(this, "NOT IMPLEMENTED");
000655 |     return string.Empty;
000656 | }
000657 |
000658 | string GetDoorSelectionNameFromSeatPos(int posIdx)
000659 | {
000660 |     EXError.Error(this, "NOT IMPLEMENTED");
000661 |     return string.Empty;
000662 | }
000663 |
000664 | float GetSpeedometer()
000665 | {
000666 |     vector velocity = GetVelocity(GetEntity());
000667 |     velocity[1] = 0;
000668 |     return velocity.Length() * 3.6;
000669 | }
000670 |
000671 | float GetSpeedometerAbsolute()
000672 | {
000673 |     return Math.AbsFloat(GetSpeedometer());
000674 | }
000675 |
000676 | bool CrewCanGetThrough(int posIdx)
000677 | {
000678 |     EXError.Error(this, "NOT IMPLEMENTED");
000679 |     return false;
000680 | }
000681 |
000682 | bool CanGetInSeat(PlayerBase player, int seatIdx)
000683 | {
000684 |     EXError.Error(this, "NOT IMPLEMENTED");
000685 |     return false;
000686 | }
000687 |
000688 | void OnVariablesSynchronized()
000689 | {
000690 | }
000691 |
000692 | void SetLastDriverUID(PlayerBase player)
000693 | {
000694 |     m_LastDriverUID = player.GetIdentityUID();
000695 |
000696 |     EXPrint(ToString() + "::SetLastDriverUID - " + m_LastDriverUID);
000697 |
000698 |     if (!IsMissionHost())
000699 |         return;
000700 |
000701 |     m_SynchLastDriverUID = true;
000702 |
000703 |     GetEntity().SetSynchDirty();
000704 | }
000705 |
000706 | void ResetLastDriverUIDSynch()
000707 | {
000708 |     EXPrint(ToString() + "::ResetLastDriverUIDSynch");
```

```
000709 |
000710 |         m_SynchLastDriverUID = false;
000711 |
000712 |         GetEntity().SetSynchDirty();
000713 |     }
000714 |
000715 |     string GetLastDriverUID()
000716 |     {
000717 |         return m_LastDriverUID;
000718 |     }
000719 |
000720 |     void SetCrewKilledTimestamp(float timestamp)
000721 |     {
000722 |         m_CrewKilledTimestamp = timestamp;
000723 |     }
000724 |
000725 |     float GetCrewKilledTimestamp()
000726 |     {
000727 |         return m_CrewKilledTimestamp;
000728 |     }
000729 |
000730 |     void SetAllDoorsAnimationPhase(float phase)
000731 |     {
000732 |         EXError.Error(this, "NOT IMPLEMENTED");
000733 |     }
000734 |
000735 |     void CloseAllDoors()
000736 |     {
000737 |     }
000738 |
000739 |     set<Human> GetCrew(bool playersOnly = false, bool includeAttached = false)
000740 |     {
000741 |         EXError.Error(this, "NOT IMPLEMENTED");
000742 |         return new set<Human>;
000743 |     }
000744 |
000745 |     void ForceCrewGetOut()
000746 |     {
000747 |         EXError.Error(this, "NOT IMPLEMENTED");
000748 |     }
000749 |
000750 |     void CreateSafeZoneCleanup()
000751 |     {
000752 |         if (m_SZCleanup)
000753 |             return;
000754 |
000755 |         EntityAI vehicle = GetEntity();
000756 |
000757 |         if (ExpansionStatic.IsAnyOf(vehicle, GetExpansionSettings().GetSafeZone().ForceSZCleanup_ExcludedItems, true))
000758 |             return;
000759 |
000760 |         m_SZCleanup = true;
000761 |
000762 | #ifdef EXPANSION_SAFEZONE_DEBUG
000763 |         EXPrint("[CORE][Expansion_SZCleanup] " + ToString() + " " + vehicle.GetPosition() + " marked for cleanup - lifetime " + vehicle.GetLifetime());
000764 | #endif
000765 |     }
000766 |
000767 |     void SafeZoneCleanup(float elapsedSinceLastUpdate)
000768 |     {
000769 |         //! If vehicle is not in a safezone, bail
000770 |         if (!m_IsInSafeZone)
```

```
000771 |         return;
000772 |
000773 |         ///! If vehicle vehicle safezone cleanup is not enabled, bail
000774 |         if (!m_SZCleanup)
000775 |             return;
000776 |
000777 |     #ifdef EXPANSIONMODVEHICLE
000778 |         ///! Heli needs to be landed to count as parked
000779 |         ExpansionHelicopterScript heli;
000780 |         if (Class.CastTo(heli, GetEntity()) && heli.Expansion_EngineIsSpinning() && !heli.IsLanded())
000781 |             return;
000782 |     #endif
000783 |
000784 |     EntityAI vehicle = GetEntity();
000785 |
000786 |     ///! If vehicle isn't moving, consider it parked and increase parking time
000787 |     if (GetVelocity(vehicle).LengthSq() < 0.01)
000788 |         m_SZParkingTime += elapsedSinceLastUpdate;
000789 |
000790 |     ///! If parking time is zero, bail
000791 |     if (!m_SZParkingTime)
000792 |         return;
000793 |
000794 |     ///! If parking time exceeds max allowed vehicle lifetime in SZ, delete it
000795 |     float lifetime = GetExpansionSettings().GetSafeZone().VehicleLifetimeInSafeZone;
000796 |     if (m_SZParkingTime > lifetime)
000797 |     {
000798 |         ForceCrewGetOut();
000799 |
000800 |         ///! If we have last driver UID, notify player that their vehicle is being deleted
000801 |         if (m_LastDriverUID)
000802 |         {
000803 |             PlayerBase player = PlayerBase.GetPlayerByUID(m_LastDriverUID);
000804 |             if (player)
000805 |             {
000806 |                 string displayName = GetDisplayName();
000807 |                 string posText = ExpansionStatic.VectorToString(GetPosition(), ExpansionVectorToString.Labels);
000808 |                 string lifetimeText = ExpansionStatic.GetTimeString(lifetime, true);
000809 |                 CF_Localiser localiser = new CF_Localiser("STR_EXPANSION_SAFEZONE_VEHICLE_CLEANUP_1", displayName, posText, lifetimeText);
000810 |                 ExpansionNotification("STR_EXPANSION_SAFEZONE_TITLE", localiser).Error(player.GetIdentity());
000811 |             }
000812 |         }
000813 |
000814 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(DeleteVehicleWhenCrewLeft, 3000, false, lifetime);
000815 |     }
000816 | }
000817 |
000818 | void DeleteVehicleWhenCrewLeft(float lifetime)
000819 | {
000820 |     if (!GetCrew(false, false).Count())
000821 |     {
000822 |         ///! If we have last driver UID, notify player that their vehicle is being deleted
000823 |         if (m_LastDriverUID)
000824 |         {
000825 |             PlayerBase player = PlayerBase.GetPlayerByUID(m_LastDriverUID);
000826 |             if (player)
000827 |             {
000828 |                 string displayName = GetDisplayName();
000829 |                 string posText = ExpansionStatic.VectorToString(GetPosition(), ExpansionVectorToString.Labels);
000830 |                 string lifetimeText = ExpansionStatic.GetTimeString(lifetime, true);
000831 |                 CF_Localiser localiser = new CF_Localiser("STR_EXPANSION_SAFEZONE_VEHICLE_CLEANUP_2", displayName, posText, lifetimeText);
000832 |                 ExpansionNotification("STR_EXPANSION_SAFEZONE_TITLE", localiser).Error(player.GetIdentity());
000833 |             }
000834 |         }
000835 |     }
000836 | }
```

```
000833 |         }
000834 |     }
000835 |
000836 |     GetEntity().Delete();
000837 | }
000838 | }
000839 |
000840 | void ResetSZParkingTime()
000841 | {
000842 |     m_SZParkingTime = 0;
000843 | }
000844 |
000845 | void OnEnterZone(ExpansionZoneType type)
000846 | {
000847 |     if (type != ExpansionZoneType.SAFE) return;
000848 |
000849 |     EXTrace.Print(EXTrace.VEHICLES, GetEntity(), "::OnEnterZone " + GetPosition());
000850 |
000851 |     m_IsInSafeZone = true;
000852 |
000853 |     if (GetExpansionSettings().GetSafeZone().EnableForceSZCleanupVehicles)
000854 |         CreateSafeZoneCleanup();
000855 | }
000856 |
000857 | void OnExitZone(ExpansionZoneType type)
000858 | {
000859 |     if (type != ExpansionZoneType.SAFE) return;
000860 |
000861 |     EXTrace.Print(EXTrace.VEHICLES, GetEntity(), "::OnExitZone " + GetPosition());
000862 |
000863 |     m_IsInSafeZone = false;
000864 |     m_SZCleanup = false;
000865 |     ResetSZParkingTime();
000866 | }
000867 |
000868 | void OnCECreate()
000869 | {
000870 |     m_IsCECreated = true;
000871 | }
000872 |
000873 | void OnCEUpdate()
000874 | {
000875 | }
000876 |
000877 | bool IsStoreLoaded()
000878 | {
000879 |     EXError.Error(this, "NOT IMPLEMENTED");
000880 |     return false;
000881 | }
000882 |
000883 | bool IsStoreSaved()
000884 | {
000885 |     EXError.Error(this, "NOT IMPLEMENTED");
000886 |     return false;
000887 | }
000888 |
000889 | void OnDestroyed(Object killer)
000890 | {
000891 |     if (g_Game.IsServer() && GetExpansionSettings().GetLog().VehicleDestroyed && !m_DestructionLogged)
000892 |     {
000893 |         GetExpansionSettings().GetLog().PrintLog("[VehicleDestroyed] {1:type} (id={1:persistent_id} pos={1:position})", GetEntity());
000894 |     }
```

```
000895 |         m_DestructionLogged = true;
000896 |     }
000897 | }
000898 |
000899 | void OnDelete()
000900 | {
000901 |     if (g_Game.IsServer())
000902 |     {
000903 |         auto settings = GetExpansionSettings().GetLog();
000904 |         if (settings.VehicleDeleted)
000905 |         {
000906 |             //! Only log vehicle deleted message if not deleted as part of entity storage (e.g. cover/garage)
000907 |             EntityAI entity = GetEntity();
000908 |             if (ExpansionEntityStorageModule.GetSavedEntityToBeDeleted() != entity)
000909 |                 settings.PrintLog("[VehicleDeleted] {1:type} (id={1:persistent_id} pos={1:position} lifetime={1:lifetime})", entity);
000910 |         }
000911 |     }
000912 | }
000913 |
000914 | void OnDoorOpened(string selection)
000915 | {
000916 | }
000917 |
000918 | void OnDoorClosed(string selection)
000919 | {
000920 | }
000921 |
000922 | void OnLocked(ExpansionVehicleLockState previousLockState)
000923 | {
000924 | }
000925 |
000926 | void OnUnlocked(ExpansionVehicleLockState previousLockState)
000927 | {
000928 | }
000929 |
000930 | protected void KeyMessage(string message)
000931 | {
000932 | #ifdef EXPANSION_CARKEY_LOGGING
000933 |     #ifndef SERVER
000934 |         PlayerBase player;
000935 |         if (Class.CastTo(player, g_Game.GetPlayer()))
000936 |             player.Message(message);
000937 |     #endif
000938 |
000939 |     Print(message);
000940 | #endif
000941 | }
000942 | }
000943 |
000944 | class ExpansionVehicleT<Class T>: ExpansionVehicle
000945 | {
000946 |     protected T m_Vehicle;
000947 |
000948 | #ifdef EXPANSIONMODVEHICLE
000949 |     //! Very annoying that vehicle mod stuff has to be here, but you cannot mod classes with type parameters...
000950 |     protected EffectSound m_SoundLock;
000951 | #endif
000952 |
000953 |     void ExpansionVehicleT(T vehicle)
000954 |     {
000955 |         m_Vehicle = vehicle;
000956 |     }
```

```
000957 |         m_IsBike = vehicle.Expansion_IsBike();
000958 |         m_IsBoat = vehicle.Expansion_IsBoat();
000959 |         m_IsCar = vehicle.Expansion_IsCar();
000960 |         m_IsHelicopter = vehicle.Expansion_IsHelicopter();
000961 |         m_IsPlane = vehicle.Expansion_IsPlane();
000962 |         m_IsDuck = vehicle.Expansion_IsDuck();
000963 |
000964 |         m_FuelConsumption = g_Game.ConfigGetFloat("CfgVehicles " + vehicle.GetType() + " fuelConsumption");
000965 |     }
000966 |
000967 |     override void Init()
000968 |     {
000969 |         super.Init();
000970 |
000971 |         m_Vehicle.RegisterNetSyncVariableInt("m_ExpansionVehicle.m_CargoCount");
000972 |         m_Vehicle.RegisterNetSyncVariableBool("m_ExpansionVehicle.m_SynchLastDriverUID");
000973 |
000974 |         #ifdef EXPANSIONMODMARKET
000975 |             m_Vehicle.RegisterNetSyncVariableInt("m_ExpansionVehicle.m_ParkingFine");
000976 |         #endif
000977 |
000978 |         #ifdef EXPANSIONMODVEHICLE
000979 |             m_NetsyncData = new ExpansionNetsyncData(m_Vehicle);
000980 |
000981 |             m_Vehicle.m_Expansion_RPCManager.RegisterClient("RPC_PlayLockSound", (ExpansionVehicle) this);
000982 |         #endif
000983 |     }
000984 |
000985 |     //! -----
000986 |
000987 |     override EntityAI GetEntity()
000988 |     {
000989 |         return m_Vehicle;
000990 |     }
000991 |
000992 |     override Transport GetTransport()
000993 |     {
000994 |         return Transport.Cast(GetEntity()); //! @note will obviously return null if entity doesn't inherit from transport
000995 |     }
000996 |
000997 |     override ExpansionGlobalID GetGlobalID()
000998 |     {
000999 |         return m_Vehicle.m_Expansion_GlobalID;
001000 |     }
001001 |
001002 |     #ifdef FEATURE_NETWORK_RECONCILIATION
001003 |         override NetworkMoveStrategy GetNetworkMoveStrategy()
001004 |         {
001005 |             return m_Vehicle.GetNetworkMoveStrategy();
001006 |         }
001007 |     #endif
001008 |
001009 |     override void SetSkin(int skinIndex)
001010 |     {
001011 |         m_Vehicle.ExpansionSetSkin(skinIndex);
001012 |     }
001013 |
001014 |     override bool HasSkin(int skinIndex)
001015 |     {
001016 |         return m_Vehicle.ExpansionHasSkin(skinIndex);
001017 |     }
001018 |
```

```
001019 | override int GetCurrentSkinIndex()
001020 | {
001021 |     return m_Vehicle.ExpansionGetCurrentSkinIndex();
001022 | }
001023 |
001024 | override string GetCurrentSkinName()
001025 | {
001026 |     return m_Vehicle.ExpansionGetCurrentSkinName();
001027 | }
001028 |
001029 | override void FillFluid(int fluid, float amount)
001030 | {
001031 |     m_Vehicle.Fill(fluid, amount);
001032 | }
001033 |
001034 | override void FillFluids(float relativeAmount = 1.0)
001035 | {
001036 |     typename fluidEnum = CarFluid;
001037 |     if (GetBoat())
001038 |         fluidEnum = BoatFluid;
001039 |     int fluid;
001040 |     for (int i = 0; i < EnumTools.GetEnumSize(fluidEnum); i++)
001041 |     {
001042 |         fluid = EnumTools.GetEnumValue(fluidEnum, i);
001043 |         m_Vehicle.Fill(fluid, m_Vehicle.GetFluidCapacity(fluid) * relativeAmount);
001044 |     }
001045 | }
001046 |
001047 | override void CloneFluidsTo(ExpansionVehicle dst)
001048 | {
001049 |     typename fluidEnum = CarFluid;
001050 |     if (GetBoat())
001051 |         fluidEnum = BoatFluid;
001052 |     int fluid;
001053 |     for (int i = 0; i < EnumTools.GetEnumSize(fluidEnum); i++)
001054 |     {
001055 |         fluid = EnumTools.GetEnumValue(fluidEnum, i);
001056 |         dst.FillFluid(fluid, m_Vehicle.GetFluidFraction(fluid) * dst.GetFluidCapacity(fluid));
001057 |     }
001058 | }
001059 |
001060 | override void LeakFluids()
001061 | {
001062 |     typename fluidEnum = CarFluid;
001063 |     if (GetBoat())
001064 |         fluidEnum = BoatFluid;
001065 |     int fluid;
001066 |     for (int i = 0; i < EnumTools.GetEnumSize(fluidEnum); i++)
001067 |     {
001068 |         fluid = EnumTools.GetEnumValue(fluidEnum, i);
001069 |         m_Vehicle.LeakAll(fluid);
001070 |     }
001071 | }
001072 |
001073 | override float GetFluidCapacity(int fluid)
001074 | {
001075 |     return m_Vehicle.GetFluidCapacity(fluid);
001076 | }
001077 |
001078 | override float GetFluidFraction(int fluid)
001079 | {
001080 |     return m_Vehicle.GetFluidFraction(fluid);
```

```
001081 |     }
001082 |
001083 |     override void WriteFluidsTo(ParamsWriteContext ctx)
001084 |     {
001085 |         typename fluidEnum = CarFluid;
001086 |         if (GetBoat())
001087 |             fluidEnum = BoatFluid;
001088 |         int fluidCount = EnumTools.GetEnumSize(fluidEnum);
001089 |         ctx.Write(fluidCount);
001090 |         for (int i = 0; i < fluidCount; i++)
001091 |         {
001092 |             ctx.Write(m_Vehicle.GetFluidFraction(EnumTools.GetEnumValue(fluidEnum, i)));
001093 |         }
001094 |     }
001095 |
001096 |     override bool ReadFluidsFrom(ParamsReadContext ctx, int entityStorageVersion)
001097 |     {
001098 |         int fluid;
001099 |         float fluidFraction;
001100 |         typename fluidEnum = CarFluid;
001101 |         if (GetBoat())
001102 |             fluidEnum = BoatFluid;
001103 |         int fluidEnumSize = EnumTools.GetEnumSize(fluidEnum);
001104 |         int fluidCount;
001105 |
001106 |         if (entityStorageVersion >= 6)
001107 |             ctx.Read(fluidCount);
001108 |         else
001109 |             fluidCount = fluidEnumSize;
001110 |
001111 |         #ifdef DIAG_DEVELOPER
001112 |             EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Fluid count: " + fluidCount);
001113 |         #endif
001114 |
001115 |         for (int i = 0; i < fluidCount; i++)
001116 |         {
001117 |             if (i < fluidEnumSize)
001118 |                 fluid = EnumTools.GetEnumValue(fluidEnum, i);
001119 |
001120 |             if (!ctx.Read(fluidFraction))
001121 |             {
001122 |                 EXError.Error(null, GetType() + ": Couldn't read fluid fraction for " + typename.EnumToString(fluidEnum, fluid));
001123 |             }
001124 |
001125 |             if (i < fluidEnumSize)
001126 |                 m_Vehicle.Fill(fluid, fluidFraction * m_Vehicle.GetFluidCapacity(fluid));
001127 |         }
001128 |         return true;
001129 |     }
001130 |
001131 |     override void Synchronize()
001132 |     {
001133 |         m_Vehicle.Synchronize();
001134 |     }
001135 |
001136 |     override bool IsStoreLoaded()
001137 |     {
001138 |         return m_Vehicle.Expansion_IsStoreLoaded();
001139 |     }
001140 |
001141 |     override bool IsStoreSaved()
001142 |     {
```



```
001143 |         return m_Vehicle.Expansion_IsStoreSaved();
001144 |     }
001145 |
001146 |     override bool IsFunctional(bool checkOptionalParts = false, set<typename> missingComponents = null)
001147 |     {
001148 |         return m_Vehicle.Expansion_IsVehicleFunctional(checkOptionalParts, missingComponents);
001149 |     }
001150 |
001151 |     override bool EngineIsOn()
001152 |     {
001153 |     #ifdef EXPANSIONMODVEHICLE
001154 |         return m_Vehicle.Expansion_EngineIsOn();
001155 |     #else
001156 |         return m_Vehicle.EngineIsOn();
001157 |     #endif
001158 |     }
001159 |
001160 |     override void EngineStart()
001161 |     {
001162 |     #ifdef EXPANSIONMODVEHICLE
001163 |         m_Vehicle.Expansion_EngineStart();
001164 |     #else
001165 |         m_Vehicle.EngineStart();
001166 |     #endif
001167 |     }
001168 |
001169 |     override void EngineStop()
001170 |     {
001171 |     #ifdef EXPANSIONMODVEHICLE
001172 |         m_Vehicle.Expansion_EngineStop();
001173 |     #else
001174 |         m_Vehicle.EngineStop();
001175 |     #endif
001176 |     }
001177 |
001178 |     override float GetThrottle()
001179 |     {
001180 |         return m_Vehicle.Expansion_GetThrottle();
001181 |     }
001182 |
001183 |     override int CrewSize()
001184 |     {
001185 |         return m_Vehicle.CrewSize();
001186 |     }
001187 |
001188 |     override Human CrewMember(int posIdx)
001189 |     {
001190 |         return m_Vehicle.CrewMember(posIdx);
001191 |     }
001192 |
001193 |     override int CrewMemberIndex(Human player)
001194 |     {
001195 |         return m_Vehicle.CrewMemberIndex(player);
001196 |     }
001197 |
001198 |     override int CrewPositionIndex(int componentIdx)
001199 |     {
001200 |         return m_Vehicle.CrewPositionIndex(componentIdx);
001201 |     }
001202 |
001203 |     override int GetSeatAnimationType(int posIdx)
001204 |     {
```

```
001205 |         return m_Vehicle.GetSeatAnimationType(posIdx);
001206 |     }
001207 |
001208 |     override int GetAnimInstance()
001209 |     {
001210 |         return m_Vehicle.GetAnimInstance();
001211 |     }
001212 |
001213 |     override string GetAnimSourceFromSelection(string selection)
001214 |     {
001215 |         return m_Vehicle.Expansion_GetAnimSourceFromSelection(selection);
001216 |     }
001217 |
001218 |     override string GetDoorInvSlotNameFromSeatPos(int posIdx)
001219 |     {
001220 |         return m_Vehicle.Expansion_GetDoorInvSlotNameFromSeatPos(posIdx);
001221 |     }
001222 |
001223 |     override string GetDoorSelectionNameFromSeatPos(int posIdx)
001224 |     {
001225 |         return m_Vehicle.Expansion_GetDoorSelectionNameFromSeatPos(posIdx);
001226 |     }
001227 |
001228 |     override void SetAllDoorsAnimationPhase(float phase)
001229 |     {
001230 |         CarDoor carDoor;
001231 |
001232 |         for (int i = 0; i < m_Vehicle.GetInventory().AttachmentCount(); i++)
001233 |         {
001234 |             if (Class.CastTo(carDoor, m_Vehicle.GetInventory().GetAttachmentFromIndex(i)))
001235 |             {
001236 |                 TStringArray selectionNames = {};
001237 |
001238 |                 carDoor.GetActionComponentNameList(0, selectionNames);
001239 |
001240 |                 if (!selectionNames.Count())
001241 |                     continue;
001242 |
001243 |                 TStringArray animSources = {};
001244 |                 string animSource;
001245 |
001246 |                 foreach (string selectionName: selectionNames)
001247 |                 {
001248 |                     animSource = m_Vehicle.Expansion_GetAnimSourceFromSelection(selectionName);
001249 |                     if (animSource)
001250 |                         animSources.Insert(animSource);
001251 |                 }
001252 |
001253 |                 //! Turns out correct selection is always last one when doing it this way
001254 |                 int lastIdx = animSources.Count() - 1;
001255 |                 if (lastIdx > -1)
001256 |                 {
001257 |                     animSource = animSources[lastIdx];
001258 |                     if (m_Vehicle.GetAnimationPhase(animSource) != phase)
001259 |                         m_Vehicle.SetAnimationPhase(animSource, phase);
001260 |                 }
001261 |             }
001262 |         }
001263 |     }
001264 |
001265 |     override bool CrewCanGetThrough(int posIdx)
001266 |     {
```

```
001267 |         return m_Vehicle.CrewCanGetThrough(posIdx);
001268 |     }
001269 |
001270 |     override bool CanGetInSeat(PlayerBase player, int seatIdx)
001271 |     {
001272 |         return m_Vehicle.Expansion_CanGetInSeat(player, seatIdx);
001273 |     }
001274 |
001275 |     override void CloseAllDoors()
001276 |     {
001277 |         m_Vehicle.Expansion_CloseAllDoors();
001278 |     }
001279 |
001280 |     override void OnVariablesSynchronized()
001281 |     {
001282 |         if (m_SynchLastDriverUID != m_LastDriverUIDSynched)
001283 |         {
001284 |             m_LastDriverUIDSynched = m_SynchLastDriverUID;
001285 |
001286 |             if (!m_SynchLastDriverUID)
001287 |                 return;
001288 |
001289 |             ///! Reset m_LastDriverUID client-side if vehicle has driver and it is not the player
001290 |             Human driver = m_Vehicle.CrewMember(DayZPlayerConstants.VEHICLESEAT_DRIVER);
001291 |             Man player = g_Game.GetPlayer();
001292 |             if (driver && player && driver != player)
001293 |             {
001294 |                 m_LastDriverUID = "";
001295 |             }
001296 |         }
001297 |     }
001298 |
001299 |     override set<Human> GetCrew(bool playersOnly = false, bool includeAttached = false)
001300 |     {
001301 |         set<Human> players = new set<Human>;
001302 |         Human crew;
001303 |
001304 |         ///! Seated players
001305 |         for (int i = 0; i < m_Vehicle.CrewSize(); i++)
001306 |         {
001307 |             crew = m_Vehicle.CrewMember(i);
001308 |             if (!crew)
001309 |                 continue;
001310 |
001311 |             if (!playersOnly || crew.GetIdentity())
001312 |                 players.Insert(crew);
001313 |         }
001314 |
001315 |         if (!includeAttached)
001316 |             return players;
001317 |
001318 |         ///! Attached players
001319 |         ///! TODO: this is fairly inefficient
001320 |         auto node = PlayerBase.s_Expansion_AllPlayers.m_Head;
001321 |         while (node)
001322 |         {
001323 |             crew = node.m_Value;
001324 |
001325 |             node = node.m_Next;
001326 |
001327 |             if (crew.PhysicsGetLinkedEntity() != m_Vehicle)
001328 |                 continue;
```

```
001329 |  
001330 |         if (!playersOnly || crew.GetIdentity())  
001331 |             players.Insert(crew);  
001332 |     }  
001333 |  
001334 |     return players;  
001335 | }  
001336 |  
001337 | override void ForceCrewGetOut()  
001338 | {  
001339 |     ///! TODO/FIXME ForceCrewGetOut doesn't work under DayZ 1.28 or newer  
001340 |     return;  
001341 |  
001342 |     auto crew = GetCrew(false, false);  
001343 |     foreach (auto member: crew)  
001344 |     {  
001345 |         ///! Open the door so player can get out  
001346 |         int crewIdx = CrewMemberIndex(member);  
001347 |         string selection = GetDoorSelectionNameFromSeatPos(crewIdx);  
001348 |         if (selection)  
001349 |         {  
001350 |             string animSource = GetAnimSourceFromSelection(selection);  
001351 |             if (animSource)  
001352 |                 m_Vehicle.SetAnimationPhase(animSource, 1.0);  
001353 |         }  
001354 |  
001355 |         ///! Push them out  
001356 |         HumanCommandVehicle vehCommand = member.GetCommand_Vehicle();  
001357 |         if (vehCommand)  
001358 |             vehCommand.GetOutVehicle();  
001359 |     }  
001360 | }  
001361 |  
001362 | override bool CanObjectAttach(Object obj)  
001363 | {  
001364 |     return m_Vehicle.Expansion_CanObjectAttach(obj);  
001365 | }  
001366 |  
001367 | override bool CanPlayerAttach()  
001368 | {  
001369 |     return m_Vehicle.Expansion_CanPlayerAttach();  
001370 | }  
001371 |  
001372 | override CarDoorState GetDoorState(int seatIdx)  
001373 | {  
001374 |     string slotName = GetDoorInvSlotNameFromSeatPos(seatIdx);  
001375 |     return GetDoorState(slotName);  
001376 | }  
001377 |  
001378 | override CarDoorState GetDoorState(string slotName)  
001379 | {  
001380 |     return m_Vehicle.Expansion_GetCarDoorsState(slotName);  
001381 | }  
001382 |  
001383 | #ifdef EXPANSIONMODVEHICLE  
001384 |     override void SetActions()  
001385 |     {  
001386 |         m_Vehicle.Expansion_AddAction(ExpansionActionPairKey);  
001387 |         m_Vehicle.Expansion_AddAction(ExpansionActionAdminUnpairKey);  
001388 |  
001389 |         m_Vehicle.Expansion_AddAction(ExpansionActionLockVehicle);  
001390 |     }
```

```
001391 |
001392 | override bool AllDoorsClosed(bool includeHoodAndTrunk = true)
001393 | {
001394 |     foreach (ExpansionDoor door: m_Doors)
001395 |     {
001396 |         if (!includeHoodAndTrunk && (door.m_IsHood || door.m_IsTrunk))
001397 |             continue;
001398 |
001399 |         if (m_Vehicle.Expansion_GetCarDoorsState(door.m_InventorySlot) != CarDoorState.DOORS_CLOSED)
001400 |             return false;
001401 |     }
001402 |
001403 |     return true;
001404 | }
001405 |
001406 | override bool IsAutoHover()
001407 | {
001408 |     EntityAI entity = GetEntity();
001409 |     ExpansionHelicopterScript hs;
001410 |     ExpansionVehicleHelicopterBase evhb;
001411 |     if (Class.CastTo(hs, entity))
001412 |         return hs.IsAutoHover();
001413 |     else if (Class.CastTo(evhb, entity))
001414 |         return evhb.IsAutoHover();
001415 |
001416 |     return false;
001417 | }
001418 |
001419 | override void SwitchAutoHover()
001420 | {
001421 |     EntityAI entity = GetEntity();
001422 |     ExpansionHelicopterScript hs;
001423 |     ExpansionVehicleHelicopterBase evhb;
001424 |     if (Class.CastTo(hs, entity))
001425 |         hs.SwitchAutoHover();
001426 |     else if (Class.CastTo(evhb, entity))
001427 |         evhb.SwitchAutoHover();
001428 | }
001429 |
001430 | override bool LeavingSeatDoesAttachment(int posIdx)
001431 | {
001432 |     return m_Vehicle.LeavingSeatDoesAttachment(posIdx);
001433 | }
001434 |
001435 | override int NumberTowConnections()
001436 | {
001437 |     return m_Vehicle.Expansion_NumberTowConnections();
001438 | }
001439 |
001440 | override bool GetOverlappingTowConnection(vector towPosition, float towRadius, out int index)
001441 | {
001442 |     return m_Vehicle.Expansion_GetOverlappingTowConnection(towPosition, towRadius, index);
001443 | }
001444 |
001445 | override vector GetTowDirection()
001446 | {
001447 |     return m_Vehicle.Expansion_GetTowDirection();
001448 | }
001449 |
001450 | override float GetTowLength()
001451 | {
001452 |     return m_Vehicle.Expansion_GetTowLength();
```

```
001453 | }
001454 |
001455 | override vector GetTowPosition()
001456 | {
001457 |     return m_Vehicle.Expansion_GetTowPosition();
001458 | }
001459 |
001460 | override vector GetTowPositionWS()
001461 | {
001462 |     return m_Vehicle.ModelToWorld(GetTowPosition());
001463 | }
001464 |
001465 | override EntityAI GetTowedEntity()
001466 | {
001467 |     return m_Vehicle.Expansion_GetTowedEntity();
001468 | }
001469 |
001470 | override bool IsTowing()
001471 | {
001472 |     return m_Vehicle.Expansion_IsTowing();
001473 | }
001474 |
001475 | override void CreateTow(Object tow, int index)
001476 | {
001477 |     m_Vehicle.Expansion_CreateTow(tow, index);
001478 | }
001479 |
001480 | override void DestroyTow()
001481 | {
001482 |     m_Vehicle.Expansion_DestroyTow();
001483 | }
001484 |
001485 | override bool IsScriptedLightsOn()
001486 | {
001487 |     return m_Vehicle.IsScriptedLightsOn();
001488 | }
001489 |
001490 | override bool IsVitalAircraftBattery()
001491 | {
001492 |     return m_Vehicle.IsVitalAircraftBattery();
001493 | }
001494 |
001495 | override bool IsVitalCarBattery()
001496 | {
001497 |     return m_Vehicle.IsVitalCarBattery();
001498 | }
001499 |
001500 | override bool IsVitalHelicopterBattery()
001501 | {
001502 |     return m_Vehicle.IsVitalHelicopterBattery();
001503 | }
001504 |
001505 | override bool IsVitalTruckBattery()
001506 | {
001507 |     return m_Vehicle.IsVitalTruckBattery();
001508 | }
001509 |
001510 | override bool IsExploded()
001511 | {
001512 |     return m_Vehicle.Expansion_IsExploded();
001513 | }
001514 |
```

```
001515 | override int GetEngineStartAnimation()
001516 | {
001517 |     return m_Vehicle.Expansion_EngineStartAnimation();
001518 | }
001519 |
001520 | override int GetEngineStopAnimation()
001521 | {
001522 |     return m_Vehicle.Expansion_EngineStopAnimation();
001523 | }
001524 |
001525 | override int EngineGetCount()
001526 | {
001527 |     return m_Vehicle.Expansion_EngineGetCount();
001528 | }
001529 |
001530 | override int EngineGetCurrent()
001531 | {
001532 |     return m_Vehicle.Expansion_EngineGetCurrent();
001533 | }
001534 |
001535 | override void EngineSetNext()
001536 | {
001537 |     m_Vehicle.Expansion_EngineSetNext();
001538 | }
001539 |
001540 | override string EngineGetName()
001541 | {
001542 |     return m_Vehicle.Expansion_EngineGetName();
001543 | }
001544 |
001545 | override bool OnBeforeEngineStart(int index = 0)
001546 | {
001547 |     if (g_Game.IsClient())
001548 |         return true;
001549 |
001550 |     float engineHealth = GetEntity().GetHealth01("Engine", "");
001551 |     //! @note chance when engine is damaged (health level 0.5)
001552 |     float chance = GetExpansionSettings().GetVehicle().DamagedEngineStartupChancePercent / 100.0;
001553 |     //! @note calculated chance follows a power curve (linear if chance == 0.5)
001554 |     float chanceMin = 0.0025;
001555 |     bool clamp = chance == 0;
001556 |
001557 |     if (chance < chanceMin)
001558 |         chance = chanceMin;
001559 |
001560 |     chance = Math.Pow(engineHealth, -ExpansionMath.Log2(chance));
001561 |
001562 |     if (clamp)
001563 |         chance = ExpansionMath.LinearConversion(chanceMin, 1.0, chance, 0.0, 1.0);
001564 |
001565 |     if (chance >= Math.RandomFloatInclusive(0.0, 1.0))
001566 |         return true;
001567 |
001568 |     return false;
001569 | }
001570 |
001571 | override void OnEngineStart(int index = 0)
001572 | {
001573 |     if (g_Game.IsServer() && GetExpansionSettings().GetLog().VehicleEngine)
001574 |         GetExpansionSettings().GetLog().PrintLog("[VehicleEngine] Player \"{1:name}\" (id={1:id}) started vehicle {2:name} (id={2:persistent_id} pos={2:positi
001575 | on})", CrewMember(DayZPlayerConstants.VEHICLESEAT_DRIVER), GetEntity());
}
```

```
001576 |
001577 |     override void OnEngineStop(int index = 0)
001578 |     {
001579 |         if (g_Game.IsServer() && GetExpansionSettings().GetLog().VehicleEngine)
001580 |             GetExpansionSettings().GetLog().PrintLog("[VehicleEngine] Player \"{1:name}\" (id={1:id}) stopped vehicle {2:name} (id={2:persistent_id} pos={2:positi
on})", CrewMember(DayZPlayerConstants.VEHICLESEAT_DRIVER), GetEntity());
001581 |     }
001582 |
001583 |     override bool EngineIsOn(int index)
001584 |     {
001585 |         return m_Vehicle.Expansion_EngineIsOn(index);
001586 |     }
001587 |
001588 |     override float GetThrottle(int index)
001589 |     {
001590 |         return m_Vehicle.Expansion_GetThrottle(index);
001591 |     }
001592 |
001593 |     override int EngineGetRunningAboveOrAtIdleRPMCount()
001594 |     {
001595 |         int count;
001596 |
001597 |         for (int i = 0; i < m_Vehicle.Expansion_EngineGetCount(); ++i)
001598 |         {
001599 |             if (m_Vehicle.Expansion_EngineGetRPM(i) >= m_Vehicle.Expansion_EngineGetRPMIdle(i) || m_Vehicle.Expansion_GetThrottle(i) > 0)
001600 |                 count++;
001601 |         }
001602 |
001603 |         return count;
001604 |     }
001605 |
001606 |     override void ConsumeFuel(float fuelConsumption)
001607 |     {
001608 |         float fuelConsumptionNominal = fuelConsumption;
001609 |
001610 |         float fuelConsumptionPct = GetExpansionSettings().GetVehicle().FuelConsumptionPercent;
001611 |
001612 |         if (fuelConsumptionPct != 100)
001613 |             fuelConsumption *= fuelConsumptionPct * 0.01;
001614 |
001615 |         //! @note fuel consumption for engine 0 is handled by the game internally, so we need to subtract nominal fuel consumption.
001616 |         //! If resulting consumption is negative, FuelConsumptionPercent was set to below 100% (= add some fuel back after consumption)
001617 |         if (m_Vehicle.Expansion_EngineGetRPM(0) >= m_Vehicle.Expansion_EngineGetRPMIdle(0) || m_Vehicle.Expansion_GetThrottle(0) > 0)
001618 |             fuelConsumption -= fuelConsumptionNominal / EngineGetRunningAboveOrAtIdleRPMCount();
001619 |
001620 | #ifdef DIAG_DEVELOPER
001621 |     if (EXTrace.VEHICLES && fuelConsumption != m_FuelConsumption_Prev)
001622 |     {
001623 |         EXTrace.Print(true, this, m_Vehicle.GetType() + " fuel consumption (liters/s) " + fuelConsumption + " (" + fuelConsumptionPct + "%)");
001624 |         m_FuelConsumption_Prev = fuelConsumption;
001625 |     }
001626 | #endif
001627 |
001628 |     if (fuelConsumption != 0.0)
001629 |     {
001630 |         int fluid;
001631 |         if (m_Vehicle.IsInherited(Boat))
001632 |             fluid = BoatFluid.FUEL;
001633 |         else
001634 |             fluid = CarFluid.FUEL;
001635 |
001636 |         if (fuelConsumption < 0.0)
```



```
001637 |         {
001638 |             //! Will only be negative if engine 0 is on with FuelConsumptionPercent < 100
001639 |
001640 |             //! Need to make sure to only add fuel if not already depleted else we will never run out of fuel
001641 |             if (m_Vehicle.GetFluidFraction(fluid) > 0)
001642 |                 m_Vehicle.Fill(fluid, -fuelConsumption);
001643 |         }
001644 |         else
001645 |         {
001646 |             m_Vehicle.Leak(fluid, fuelConsumption);
001647 |         }
001648 |     }
001649 | }
001650 |
001651 | override void ConsumeFuelOverTime(float dt)
001652 | {
001653 |     ConsumeFuel(m_FuelConsumption * dt / 3600.0);
001654 | }
001655 |
001656 | override bool HasGear()
001657 | {
001658 |     return m_Vehicle.Expansion_HasGear();
001659 | }
001660 |
001661 | override void SwitchGear()
001662 | {
001663 |     m_Vehicle.Expansion_SwitchGear();
001664 | }
001665 |
001666 | override ExpansionPhysicsState GetPhysicsState()
001667 | {
001668 |     return m_Vehicle.Expansion_GetPhysicsState();
001669 | }
001670 |
001671 | override void OnDoorOpened(string selection)
001672 | {
001673 |     super.OnDoorOpened(selection);
001674 |
001675 |     m_Vehicle.Expansion_OnDoorOpened(selection);
001676 | }
001677 |
001678 | override void OnDoorClosed(string selection)
001679 | {
001680 |     super.OnDoorClosed(selection);
001681 |
001682 |     m_Vehicle.Expansion_OnDoorClosed(selection);
001683 | }
001684 |
001685 | override void OnLocked(ExpansionVehicleLockState previousLockState)
001686 | {
001687 |     KeyMessage("OnLocked");
001688 |
001689 |     if (g_Game.IsServer())
001690 |     {
001691 |         auto rpc = m_Vehicle.m_Expansion_RPCManager.CreateRPC("RPC_PlayLockSound");
001692 |         PlayerBase.Expansion_SendNear(rpc, GetEntity().GetPosition(), 20.0, GetEntity(), true);
001693 |     }
001694 | }
001695 |
001696 | override void OnUnlocked(ExpansionVehicleLockState previousLockState)
001697 | {
001698 |     KeyMessage("OnUnlocked");
```

```
001699 |
001700 |     if (g_Game.IsServer())
001701 |     {
001702 |         switch (previousLockState)
001703 |         {
001704 |             case ExpansionVehicleLockState.LOCKED:
001705 |             case ExpansionVehicleLockState.FORCEDLOCKED:
001706 |                 break;
001707 |             default:
001708 |                 return;
001709 |         }
001710 |
001711 |         auto rpc = m_Vehicle.m_Expansion_RPCManager.CreateRPC("RPC_PlayLockSound");
001712 |         PlayerBase.Expansion_SendNear(rpc, GetEntity().GetPosition(), 20.0, GetEntity(), true);
001713 |     }
001714 | }
001715 |
001716 | void RPC_PlayLockSound(PlayerIdentity sender, ParamsReadContext ctx)
001717 | {
001718 | #ifdef EXTRACE
001719 |     auto trace = EXTrace.Start(EXTrace.VEHICLES, this);
001720 | #endif
001721 |
001722 |     if (m_SoundLock)
001723 |         delete m_SoundLock;
001724 |
001725 |     m_SoundLock = SEffectManager.PlaySound("Expansion_Car_Lock_SoundSet", m_Vehicle.GetPosition());
001726 |     m_SoundLock.SetSoundAutodestroy(true);
001727 | }
001728 | #endif
001729 | }
001730 |
```

0146. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionVehiclesStatic.c
Size bytes: 1133
SHA-256: bfa3ae4e33f447f11bc095cb3f7a084e0cf6611e3f342e1687b03344cff2b924
Decoded as: utf-8-sig
Line count shown: 41
Detected class declarations: 1
  L13: class ExpansionVehiclesStatic
Detected enum declarations: 0
Detected function/method-like declarations: 2
  L15: static vector GetCenterSelection(Object target, string pLODName, string pSelectionName)
  L38: return Vector(totalVertices[0] / count, totalVertices[1] / count, totalVertices[2] / count);
```

Full file content

```
000001 | /**
000002 |  * ExpansionVehiclesStatic.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionVehiclesStatic
000014 | {
000015 |     static vector GetCenterSelection(Object target, string pLODName, string pSelectionName)
000016 |     {
000017 |         LOD lod = target.GetLODByName(pLODName);
000018 |         if (!lod)
000019 |             return "0 0 0";
000020 |
000021 |         Selection selection = lod.GetSelectionByName(pSelectionName);
000022 |         if (!selection)
000023 |             return "0 0 0";
000024 |
000025 |         vector offset = vector.Zero; // m_WheelDirectionMS * m_Axle.GetWheelHubRadius() * -0.5;
000026 |
000027 |         vector totalVertices = "0 0 0";
000028 |         int count = selection.GetVertexCount();
000029 |         for (int i = 0; i < count; ++i)
000030 |         {
000031 |             vector vp = lod.GetVertexPosition(selection.GetLODVertexIndex(i)) + offset;
000032 |             totalVertices += vp;
000033 |         }
000034 |
000035 |         if (count == 0)
000036 |             return "0 0 0";
000037 |
000038 |         return Vector(totalVertices[0] / count, totalVertices[1] / count, totalVertices[2] / count);
000039 |     }
000040 | };
000041 |
```

0147. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionFSM.c
Size bytes: 8075
SHA-256: 56b261522af58a1802d89bb537a39c0c53da9b46e31ebc7dfab5405cc1a04ac4
Decoded as: utf-8-sig
Line count shown: 352
Detected class declarations: 1
  L3: class ExpansionFSM
Detected enum declarations: 0
Detected function/method-like declarations: 18
  L22: void ExpansionFSM(ExpansionFSMOwnerType owner, ExpansionState parentState)
  L36: bool CF_OnDebugUpdate(CF_Debug instance, CF_DebugUI_Type type)
  L56: ExpansionFSMOwnerType GetOwner()
  L65: string GetName()
  L74: ExpansionState GetParent()
  L79: void AddState(ExpansionState state)
  L88: void AddTransition(ExpansionTransition transition)
  L106: ExpansionState GetState()
  L115: ExpansionState GetState(string type)
  L126: ExpansionState GetState(typename type)
  L137: bool IsInState(string name)
  L142: bool IsInState(typename type)
  L147: bool StartDefault()
  L178: bool Start(string e = "")
  L210: bool Abort(string e = "")
  L231: int Update(float pDt, int pSimulationPrecision)
  L290: bool FindSuitableTransition(ExpansionState s, string e, out ExpansionState dst)
  L324: bool FindSuitableTransition(array<ref ExpansionTransition> transitions, string e, out ExpansionState dst)

```

Full file content

```

000001 | typedef Class ExpansionFSMOwnerType;
000002 |
000003 | class ExpansionFSM
000004 | {
000005 |     static const int EXIT = 0;
000006 |     static const int CONTINUE = 1;
000007 |     static const int RESTART = 2;
000008 |
000009 |     private autoptr array<ref ExpansionState> m_States;
000010 |     private autoptr array<ref ExpansionTransition> m_Transitions;
000011 |
000012 |     private ExpansionState m_CurrentState;
000013 |     private ExpansionState m_ParentState;
000014 |
000015 |     protected ExpansionFSMOwnerType m_Owner;
000016 |
000017 |     protected string m_Name;
000018 |     protected string m_DefaultState;
000019 |
000020 |     int m_NoTransitionCount;
000021 |
000022 |     void ExpansionFSM(ExpansionFSMOwnerType owner, ExpansionState parentState)
000023 |     {
000024 |         #ifdef EAI_TRACE
000025 |             auto trace = CF_Trace_1(this, "ExpansionFSM").Add(parentState);
000026 |             #endif
000027 |
000028 |             m_Owner = owner;
000029 |             m_ParentState = parentState;

```

```
000030 |  
000031 |     m_States = new array<ref ExpansionState>();  
000032 |     m_Transitions = new array<ref ExpansionTransition>();  
000033 | }  
000034 |  
000035 | #ifdef CF_DEBUG  
000036 | bool CF_OnDebugUpdate(CF_Debug instance, CF_DebugUI_Type type)  
000037 | {  
000038 |     int i;  
000039 |  
000040 |     instance.Add("Active State", m_CurrentState);  
000041 |     if (m_CurrentState)  
000042 |     {  
000043 |         instance.IncrementTab();  
000044 |         instance.Add(m_CurrentState);  
000045 |         instance.DecrementTab();  
000046 |     }  
000047 |  
000048 |     instance.Add("Transitions", m_Transitions.Count());  
000049 |     for (i = 0; i < m_Transitions.Count(); i++)  
000050 |         instance.Add(m_Transitions[i]);  
000051 |  
000052 |     return false;  
000053 | }  
000054 | #endif  
000055 |  
000056 | ExpansionFSMOwnerType GetOwner()  
000057 | {  
000058 |     #ifdef EAI_TRACE  
000059 |         auto trace = CF_Trace_0(this, "GetOwner");  
000060 |     #endif  
000061 |  
000062 |     return m_Owner;  
000063 | }  
000064 |  
000065 | string GetName()  
000066 | {  
000067 |     #ifdef EAI_TRACE  
000068 |         auto trace = CF_Trace_0(this, "GetName");  
000069 |     #endif  
000070 |  
000071 |     return m_Name;  
000072 | }  
000073 |  
000074 | ExpansionState GetParent()  
000075 | {  
000076 |     return m_ParentState;  
000077 | }  
000078 |  
000079 | void AddState(ExpansionState state)  
000080 | {  
000081 |     #ifdef EAI_TRACE  
000082 |         auto trace = CF_Trace_1(this, "AddState").Add(state);  
000083 |     #endif  
000084 |  
000085 |     m_States.Insert(state);  
000086 | }  
000087 |  
000088 | void AddTransition(ExpansionTransition transition)  
000089 | {  
000090 |     ExpansionState src = transition.GetSource();  
000091 | }
```

```
000092 |         if (src)
000093 |         {
000094 |             src.AddTransition(transition);
000095 |         }
000096 |     else
000097 |     {
000098 |         m_Transitions.Insert(transition);
000099 |
000100 |         #ifdef DIAG_DEVELOPER
000101 |             EXTrace.Print(EXTrace.FSM, this, "AddTransition NULL -> " + transition.GetDestination() + " | count: " + m_Transitions.Count());
000102 |         #endif
000103 |     }
000104 | }
000105 |
000106 | ExpansionState GetState()
000107 | {
000108 |     #ifdef EAI_TRACE
000109 |         auto trace = CF_Trace_0(this, "GetState");
000110 |     #endif
000111 |
000112 |     return m_CurrentState;
000113 | }
000114 |
000115 | ExpansionState GetState(string type)
000116 | {
000117 |     #ifdef EAI_TRACE
000118 |         auto trace = CF_Trace_1(this, "GetState").Add(type);
000119 |     #endif
000120 |
000121 |     for (int i = 0; i < m_States.Count(); i++) if (m_States[i].ClassName() == type) return m_States[i];
000122 |
000123 |     return null;
000124 | }
000125 |
000126 | ExpansionState GetState(typename type)
000127 | {
000128 |     #ifdef EAI_TRACE
000129 |         auto trace = CF_Trace_1(this, "GetState").Add(type.ToString());
000130 |     #endif
000131 |
000132 |     for (int i = 0; i < m_States.Count(); i++) if (m_States[i].Type() == type) return m_States[i];
000133 |
000134 |     return null;
000135 | }
000136 |
000137 | bool IsInState(string name)
000138 | {
000139 |     return m_CurrentState && m_CurrentState.GetName() == name;
000140 | }
000141 |
000142 | bool IsInState(typename type)
000143 | {
000144 |     return m_CurrentState && m_CurrentState.IsInherited(type);
000145 | }
000146 |
000147 | bool StartDefault()
000148 | {
000149 |     #ifdef EAI_TRACE
000150 |         auto trace = CF_Trace_0(this, "StartDefault");
000151 |     #endif
000152 |
000153 |     if (m_DefaultState == "") return Start();
```

```
000154 |
000155 |     ExpansionState src = m_CurrentState;
000156 |     ExpansionState dst = GetState(m_DefaultState);
000157 |
000158 |     if (src && src != dst)
000159 |     {
000160 |         EXTrace.Print(EXTrace.FSM, m_Owner, "StartDefault - Exiting state: %1", src.GetName());
000161 |         src.OnExit("", true, dst);
000162 |     }
000163 |
000164 |     m_CurrentState = dst;
000165 |
000166 |     if (m_CurrentState)
000167 |     {
000168 |         EXTrace.Print(EXTrace.FSM, m_Owner, "StartDefault - Starting state: %1", m_CurrentState.GetName());
000169 |         m_CurrentState.OnEntry("", src);
000170 |         return true;
000171 |     }
000172 |
000173 |     CF_Log.Warn("%1 StartDefault - No valid state found.", m_Owner.ToString());
000174 |
000175 |     return false;
000176 | }
000177 |
000178 | bool Start(string e = "")
000179 | {
000180 |     #ifdef EAI_TRACE
000181 |     auto trace = CF_Trace_1(this, "Start").Add(e);
000182 |     #endif
000183 |
000184 |     ExpansionState new_state;
000185 |     FindSuitableTransition(m_CurrentState, e, new_state);
000186 |
000187 |     ExpansionState src = m_CurrentState;
000188 |     ExpansionState dst = new_state;
000189 |
000190 |     if (m_CurrentState && m_CurrentState != dst)
000191 |     {
000192 |         EXTrace.Print(EXTrace.FSM, m_Owner, "Start - Exiting state: %1", m_CurrentState.GetName());
000193 |         m_CurrentState.OnExit(e, true, dst);
000194 |     }
000195 |
000196 |     m_CurrentState = dst;
000197 |
000198 |     if (m_CurrentState && src != m_CurrentState)
000199 |     {
000200 |         EXTrace.Print(EXTrace.FSM, m_Owner, "Start - Starting state: %1", m_CurrentState.GetName());
000201 |         m_CurrentState.OnEntry(e, src);
000202 |         return true;
000203 |     }
000204 |
000205 |     CF_Log.Warn("%1 Start - No valid state found.", m_Owner.ToString());
000206 |
000207 |     return false;
000208 | }
000209 |
000210 | bool Abort(string e = "")
000211 | {
000212 |     #ifdef EAI_TRACE
000213 |     auto trace = CF_Trace_1(this, "Abort").Add(e);
000214 |     #endif
000215 | }
```

```
000216 |         if (m_CurrentState)
000217 |         {
000218 |             EXTrace.Print(EXTrace.FSM, m_Owner, "Abort - Exiting state: %1", m_CurrentState.GetName());
000219 |             m_CurrentState.OnExit(e, true, null);
000220 |             m_CurrentState = null;
000221 |             return true;
000222 |         }
000223 |
000224 |         return false;
000225 |     }
000226 |
000227 |     /**
000228 |     * @return EXIT Tell the parent FSM that the child FSM is complete
000229 |     * @return CONTINUE Tell the parent FSM that the child FSM is still running
000230 |     */
000231 |     int Update(float pDt, int pSimulationPrecision)
000232 |     {
000233 | #ifdef EXTRACE_DIAG
000234 |         auto trace = EXTrace.Profile(EXTrace.AI, this, "Update");
000235 | #endif
000236 |
000237 |         if (!m_Owner)
000238 |             return EXIT;
000239 |
000240 |         //EXTrace.Print(EXTrace.FSM, m_Owner, "m_CurrentState: %1", m_CurrentState.ToString());
000241 |
000242 |         if (m_CurrentState)
000243 |         {
000244 |             switch (m_CurrentState.OnUpdate(pDt, pSimulationPrecision))
000245 |             {
000246 |                 case RESTART:
000247 |                     m_CurrentState.OnEntry("", m_CurrentState);
000248 |                     return CONTINUE;
000249 |
000250 |                 case CONTINUE:
000251 |                     return CONTINUE;
000252 |             }
000253 |         }
000254 |
000255 |         ExpansionState new_state;
000256 |         bool found = FindSuitableTransition(m_CurrentState, "", new_state);
000257 |         if (!found || (new_state && m_CurrentState == new_state))
000258 |         {
000259 |             return CONTINUE;
000260 |         }
000261 |
000262 |         ExpansionState src = m_CurrentState;
000263 |
000264 |         if (m_CurrentState)
000265 |         {
000266 |             m_CurrentState.OnExit("", false, new_state);
000267 |             if (m_CurrentState.m_SubFSM)
000268 |                 m_CurrentState.m_SubFSM.m_CurrentState = null;
000269 |         }
000270 |
000271 |         m_CurrentState = new_state;
000272 |
000273 |         if (m_CurrentState == null)
000274 |         {
000275 |             if (src)
000276 |                 EXTrace.Print(EXTrace.FSM, m_Owner, "State transition exit %1", src.GetName());
000277 |             return EXIT;
```



```
000278 |     }
000279 |
000280 |     if (src)
000281 |         EXTrace.Print(EXTrace.FSM, m_Owner, "State transition %1 -> %2", src.GetName(), m_CurrentState.GetName());
000282 |     else
000283 |         EXTrace.Print(EXTrace.FSM, m_Owner, "State transition NULL -> %1", m_CurrentState.GetName());
000284 |
000285 |     m_CurrentState.OnEntry("", src);
000286 |
000287 |     return CONTINUE;
000288 | }
000289 |
000290 | bool FindSuitableTransition(ExpansionState s, string e, out ExpansionState dst)
000291 | {
000292 |     #ifdef EAI_TRACE
000293 |         auto trace = CF_Trace_2(this, "FindSuitableTransition").Add(s).Add(e);
000294 |     #endif
000295 |
000296 |     bool found;
000297 |
000298 |     //! First, look for suitable transition in state
000299 |     if (s)
000300 |         found = FindSuitableTransition(s.m_Transitions, e, dst);
000301 |
000302 |     //! If none found, look for suitable transition in FSM
000303 |     if (!found)
000304 |         found = FindSuitableTransition(m_Transitions, e, dst);
000305 |
000306 | #ifdef EAI_DEBUG_TRANSITION
000307 |     if (!found && m_NoTransitionCount == 0)
000308 |     {
000309 |         m_NoTransitionCount++;
000310 |         int transitionsCount = m_Transitions.Count();
000311 |         if (s)
000312 |             transitionsCount += s.m_Transitions.Count();
000313 |         EXPrint(m_Owner.ToString() + " no suitable transition found in " + transitionsCount + " transitions!");
000314 |     }
000315 |     else
000316 |     {
000317 |         m_NoTransitionCount = -1;
000318 |     }
000319 | #endif
000320 |
000321 |     return found;
000322 | }
000323 |
000324 | bool FindSuitableTransition(array<ref ExpansionTransition> transitions, string e, out ExpansionState dst)
000325 | {
000326 |     foreach (auto t: transitions)
000327 |     {
000328 |         if (e == "" || t.GetEvent() == e)
000329 |         {
000330 |             switch (t.Guard())
000331 |             {
000332 |                 case ExpansionTransition.SUCCESS:
000333 |                     #ifdef EAI_DEBUG_TRANSITION
000334 |                         m_NoTransitionCount = 0;
000335 |                     #endif
000336 |                     dst = t.GetDestination();
000337 |
000338 |                     return true;
000339 |                 case ExpansionTransition.FAIL:
```

```
000340 |         break;
000341 |     }
000342 | }
000343 | #ifdef EAI_DEBUG_TRANSITION
000344 |     if (m_NoTransitionCount > 0)
000345 |         EXPrint(m_Owner.ToString() + " not a suitable transition: " + t.GetSource() + " -> " + t.GetDestination());
000346 | #endif
000347 | }
000348 |
000349 |     return false;
000350 | }
000351 | };
000352 |
```

0148. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionFSMType.c

Size bytes: 8282

SHA-256: 3e650fba8c3d04b39de16c71bd938ddeeb9fe923948779c8e66739bb94fb41d3

Decoded as: utf-8-sig

Line count shown: 283

Detected class declarations: 1

L1: class ExpansionFSMType

Detected enum declarations: 0

Detected function/method-like declarations: 10

L19: void ExpansionFSMType()

L27: static void UnloadAll()

L36: static bool Contains(string name)

L45: static void AddSpawnable(string name, ExpansionFSMType type)

L54: static void Add(ExpansionFSMType type)

L63: static ExpansionFSMType Get(string type)

L72: ExpansionFSM Spawn(ExpansionFSMOwnerType owner, ExpansionState parentState)

L84: static ExpansionFSM Spawn(string type, ExpansionFSMOwnerType owner, ExpansionState parentState)

L93: static ExpansionFSMType LoadXML(string path, string fileName)

L150: static ExpansionFSMType LoadXML(string path, string fileName, FileHandle file)

Full file content

```

000001 | class ExpansionFSMType
000002 | {
000003 |     static int s_ReloadNumber = 0;
000004 |     static ref map<string, bool> s_Loaded = new map<string, bool>;
000005 |
000006 |     private static autoptr map<string, ExpansionFSMType> m_SpawnableTypes = new map<string, ExpansionFSMType>();
000007 |     private static autoptr array<autoptr ExpansionFSMType> m_Types = new array<autoptr ExpansionFSMType>();
000008 |
000009 |     string m_Name;
000010 |     string m_Type;
000011 |
000012 |     string m_ClassName;
000013 |     ScriptModule m_Module;
000014 |
000015 |     autoptr array<string> m_Variables = new array<string>();
000016 |     autoptr array<autoptr ExpansionStateType> m_States = new array<autoptr ExpansionStateType>();
000017 |     autoptr array<autoptr ExpansionTransitionType> m_Transitions = new array<autoptr ExpansionTransitionType>();
000018 |
000019 |     void ExpansionFSMType()
000020 |     {
000021 |         #ifdef EAI_TRACE
000022 |             auto trace = CF_Trace_0(this, "ExpansionFSMType");
000023 |             #endif
000024 |
000025 |     }
000026 |
000027 |     static void UnloadAll()
000028 |     {
000029 |         s_ReloadNumber++;
000030 |         s_Loaded.Clear();
000031 |
000032 |         m_Types.Clear();
000033 |         m_SpawnableTypes.Clear();
000034 |     }
000035 |
000036 |     static bool Contains(string name)
000037 |     {

```

```
000038 |     #ifdef EAI_TRACE
000039 |     auto trace = CF_Trace_1("ExpansionFSMType", "Contains").Add(name);
000040 |     #endif
000041 |
000042 |     return m_SpawnableTypes.Contains(name);
000043 | }
000044 |
000045 | static void AddSpawnable(string name, ExpansionFSMType type)
000046 | {
000047 |     #ifdef EAI_TRACE
000048 |     auto trace = CF_Trace_2("ExpansionFSMType", "AddSpawnable").Add(name).Add(type);
000049 |     #endif
000050 |
000051 |     m_SpawnableTypes.Insert(name, type);
000052 | }
000053 |
000054 | static void Add(ExpansionFSMType type)
000055 | {
000056 |     #ifdef EAI_TRACE
000057 |     auto trace = CF_Trace_1("ExpansionFSMType", "Add").Add(type);
000058 |     #endif
000059 |
000060 |     m_Types.Insert(type);
000061 | }
000062 |
000063 | static ExpansionFSMType Get(string type)
000064 | {
000065 |     #ifdef EAI_TRACE
000066 |     auto trace = CF_Trace_1("ExpansionFSMType", "Get").Add(type);
000067 |     #endif
000068 |
000069 |     return m_SpawnableTypes[type];
000070 | }
000071 |
000072 | ExpansionFSM Spawn(ExpansionFSMOwnerType owner, ExpansionState parentState)
000073 | {
000074 |     #ifdef EAI_TRACE
000075 |     auto trace = CF_Trace_1(this, "Spawn").Add(owner).Add(parentState);
000076 |     #endif
000077 |
000078 |     ExpansionFSM retValue = null;
000079 |     Param params = new Param2<ExpansionFSMOwnerType, ExpansionState>(owner, parentState);
000080 |     m_Module.CallFunctionParams(null, "Create_" + m_ClassName, retValue, params);
000081 |     return retValue;
000082 | }
000083 |
000084 | static ExpansionFSM Spawn(string type, ExpansionFSMOwnerType owner, ExpansionState parentState)
000085 | {
000086 |     #ifdef EAI_TRACE
000087 |     auto trace = CF_Trace_3("ExpansionFSMType", "Spawn").Add(type).Add(owner).Add(parentState);
000088 |     #endif
000089 |
000090 |     return m_SpawnableTypes[type].Spawn(owner, parentState);
000091 | }
000092 |
000093 | static ExpansionFSMType LoadXML(string path, string fileName)
000094 | {
000095 |     #ifdef EAI_TRACE
000096 |     auto trace = CF_Trace_2("ExpansionFSMType", "LoadXML").Add(path).Add(fileName);
000097 |     #endif
000098 |
000099 |     if (ExpansionFSMType.Contains(fileName))
```

```
000100 | {
000101 |     return ExpansionFSMType.Get(fileName);
000102 | }
000103 |
000104 | bool success;
000105 | if (s_Loaded.Find(path + "/" + fileName, success) && !success)
000106 |     return null;
000107 |
000108 | if (!FileExist(EXPANSION_AI_FOLDER))
000109 | {
000110 |     ExpansionStatic.MakeDirectoryRecursive(EXPANSION_AI_FOLDER);
000111 | }
000112 |
000113 | if (!FileExist(EXPANSION_AI_FSM_FOLDER))
000114 | {
000115 |     ExpansionStatic.MakeDirectoryRecursive(EXPANSION_AI_FSM_FOLDER);
000116 | }
000117 |
000118 | string script_path = EXPANSION_AI_FSM_FOLDER + fileName + ".c";
000119 | FileHandle file = OpenFile(script_path, FileMode.WRITE);
000120 | if (!file)
000121 | {
000122 |     return null;
000123 | }
000124 |
000125 | ExpansionFSMType new_type = LoadXML(path, fileName, file);
000126 |
000127 | CloseFile(file);
000128 |
000129 | ScriptModule module = g_Game.GetMission().MissionScript;
000130 | new_type.m_Module = ScriptModule.LoadScript(module, script_path, false);
000131 | if (new_type.m_Module == null)
000132 | {
000133 |     Error("There was an error loading in the FSM generated from " + path + "/" + fileName + ".xml, check $profile:script_<date>_<time>.log and " + script_
000134 | path);
000135 |     s_Loaded[path + "/" + fileName] = false;
000136 |     return null;
000137 | }
000138 |
000139 | s_Loaded[path + "/" + fileName] = true;
000140 | #ifdef DIAG_DEVELOPER
000141 |     //! Create a backup to ease debugging
000142 |     CopyFile(script_path, script_path + ".bak");
000143 | #endif
000144 |
000145 | AddSpawnable(fileName, new_type);
000146 |
000147 | return new_type;
000148 | }
000149 |
000150 | static ExpansionFSMType LoadXML(string path, string fileName, FileHandle file)
000151 | {
000152 |     #ifdef EAI_TRACE
000153 |     auto trace = CF_Trace_3("ExpansionFSMType", "LoadXML").Add(path).Add(fileName).Add("FileHandle");
000154 |     #endif
000155 |
000156 |     string actualFilePath = path + "/" + fileName + ".xml";
000157 |     CF_Log.Debug(actualFilePath);
000158 |     if (!FileExist(actualFilePath))
000159 |     {
000160 |         return null;
```

```
000161 |     }
000162 |
000163 |     CF_XML_Document document;
000164 |     CF_XML.ReadDocument(actualFilePath, document);
000165 |
000166 |     #ifdef DIAG_DEVELOPER
000167 |     ///! XXX: CF_XML_Document::Save doesn't write a proper representation of the parsed document
000168 |     document.Save(EXPANSION_AI_FSM_FOLDER + fileName + ".xml");
000169 |     #endif
000170 |
000171 |     string name = document.Get("fsm")[0].GetAttribute("name").ValueAsString();
000172 |     string type = document.Get("fsm")[0].GetAttribute("type").ValueAsString();
000173 |     string class_name = "Expansion_" + name + "_FSM_" + s_ReloadNumber;
000174 |
000175 |     auto files = document.Get("fsm");
000176 |     files = files[0].GetTag("files");
000177 |     if (files.Count() > 0)
000178 |     {
000179 |         files = files[0].GetTag("file");
000180 |
000181 |         for (int i = 0; i < files.Count(); i++)
000182 |         {
000183 |             string subFSMName = files[i].GetAttribute("name").ValueAsString();
000184 |             ExpansionFSMType.LoadXML(path, subFSMName, file);
000185 |         }
000186 |     }
000187 |
000188 |     ExpansionFSMType new_type = new ExpansionFSMType();
000189 |     new_type.m_Name = name;
000190 |     new_type.m_Type = type;
000191 |     new_type.m_ClassName = class_name;
000192 |
000193 |     auto states = document.Get("fsm");
000194 |     states = states[0].GetTag("states");
000195 |     auto defaultStateAttrib = states[0].GetAttribute("default");
000196 |     string defaultState = "";
000197 |     if (defaultStateAttrib)
000198 |     {
000199 |         defaultState = "Expansion_" + name + "_" + defaultStateAttrib.ValueAsString() + "_State_" + ExpansionFSMType.s_ReloadNumber;
000200 |     }
000201 |
000202 |     states = states[0].GetTag("state");
000203 |
000204 |     foreach (auto state : states)
000205 |     {
000206 |         ExpansionStateType stateType = ExpansionStateType.LoadXML(new_type, state, file);
000207 |         new_type.m_States.Insert(stateType);
000208 |     }
000209 |
000210 |     auto transitions = document.Get("fsm");
000211 |     transitions = transitions[0].GetTag("transitions");
000212 |     transitions = transitions[0].GetTag("transition");
000213 |     foreach (auto transition : transitions)
000214 |     {
000215 |         array<autoPtr ExpansionTransitionType> transitionTypes = ExpansionTransitionType.LoadXML(new_type, transition, file);
000216 |         foreach (auto transitionType: transitionTypes)
000217 |         {
000218 |             new_type.m_Transitions.Insert(transitionType);
000219 |         }
000220 |     }
000221 |
000222 |     FPrintln(file, "class " + class_name + ": " + type + "FSM {");
```

```
000223 |
000224 |     auto variables = document.Get("fsm");
000225 |     variables = variables[0].GetTag("variables");
000226 |     if (variables.Count() > 0)
000227 |     {
000228 |         variables = variables[0].GetTag("variable");
000229 |         foreach (auto variable : variables)
000230 |         {
000231 |             string variable_name = variable.GetAttribute("name").ValueAsString();
000232 |             string variable_type = variable.GetAttribute("type").ValueAsString();
000233 |             string variable_default = "";
000234 |             if (variable.GetAttribute("default"))
000235 |             {
000236 |                 variable_default = variable.GetAttribute("default").ValueAsString();
000237 |             }
000238 |
000239 |             new_type.m_Variables.Insert(variable_name);
000240 |
000241 |             string variable_line = "" + variable_type + " " + variable_name;
000242 |             if (variable_default != "") variable_line += " = " + variable_default;
000243 |             variable_line += ";";
000244 |
000245 |             FPrintln(file, "      " + variable_line);
000246 |         }
000247 |     }
000248 |
000249 |     FPrintln(file, "    void " + class_name + "(ExpansionFSMOwnerType owner, ExpansionState parentState) {}");
000250 |     FPrintln(file, "        m_Name = \"" + name + "\";");
000251 |     FPrintln(file, "        m_DefaultState = \"" + defaultState + "\";");
000252 |     FPrintln(file, "        Setup();");
000253 |     FPrintln(file, "    }");
000254 |
000255 |     FPrintln(file, "    void Setup() {}");
000256 | #ifdef EAI_TRACE
000257 |     FPrintln(file, "        auto trace = CF_Trace_0(this, \"Setup\");");
000258 | #endif
000259 |
000260 |     foreach (auto stateType0 : new_type.m_States)
000261 |     {
000262 |         FPrintln(file, "        AddState(new " + stateType0.m_ClassName + "(this));");
000263 |     }
000264 |
000265 |     foreach (auto transitionType0 : new_type.m_Transitions)
000266 |     {
000267 |         FPrintln(file, "        AddTransition(new " + transitionType0.m_ClassName + "(this));");
000268 |     }
000269 |
000270 |     FPrintln(file, "    }");
000271 |
000272 |     FPrintln(file, "}");
000273 |
000274 |     FPrintln(file, "ExpansionFSM Create_" + class_name + "(ExpansionFSMOwnerType owner, ExpansionState parentState) {}");
000275 |     FPrintln(file, "        return new " + class_name + "(owner, parentState);");
000276 |     FPrintln(file, "}");
000277 |
000278 |     ExpansionFSMType.Add(new_type);
000279 |
000280 |     return new_type;
000281 | }
000282 | };
000283 |
```

0149. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionState.c

Size bytes: 1324

SHA-256: 079f6aceec58cd0fceb705234197ec32e69573e4772f95cd0738f7ad5c3c85a3

Decoded as: utf-8-sig

Line count shown: 75

Detected class declarations: 1

L1: class ExpansionState

Detected enum declarations: 0

Detected function/method-like declarations: 8

L18: void ExpansionState(ExpansionFSM _fsm)

L23: void AddTransition(ExpansionTransition transition)

L33: bool CF_OnDebugUpdate(CF_Debug instance, CF_DebugUI_Type type)

L49: string GetName()

L54: ExpansionFSM GetSubFSM()

L60: void OnEntry(string Event, ExpansionState From)

L65: void OnExit(string Event, bool Aborted, ExpansionState To)

L70: int OnUpdate(float DeltaTime, int SimulationPrecision)

Full file content

```
000001 | class ExpansionState
000002 | {
000003 |     static const int EXIT = 0;
000004 |     static const int CONTINUE = 1;
000005 |     static const int RESTART = 2;
000006 |
000007 |     string m_Name;
000008 |     string m_ClassName;
000009 |
000010 |     //! only used if there is a sub-fsm
000011 |     ref ExpansionFSM m_SubFSM;
000012 |
000013 |     autoptr array<ref ExpansionTransition> m_Transitions = {};
000014 |
000015 |     /* STATE VARIABLES */
000016 |     ExpansionState parent;
000017 |
000018 |     void ExpansionState(ExpansionFSM _fsm)
000019 |     {
000020 |         parent = _fsm.GetParent();
000021 |     }
000022 |
000023 |     void AddTransition(ExpansionTransition transition)
000024 |     {
000025 |         m_Transitions.Insert(transition);
000026 |
000027 |         #ifdef DIAG_DEVELOPER
000028 |             EXTrace.Print(EXTrace.FSM, this, "AddTransition -> " + transition.GetDestination() + " | count: " + m_Transitions.Count());
000029 |         #endif
000030 |     }
000031 |
000032 |     #ifdef CF_DEBUG
000033 |     bool CF_OnDebugUpdate(CF_Debug instance, CF_DebugUI_Type type)
000034 |     {
000035 |         int i;
000036 |
000037 |         instance.Add("FSM", m_SubFSM);
000038 |         if (m_SubFSM)
000039 |         {
```



```
000040 |         instance.IncrementTab();
000041 |         instance.Add(m_SubFSM);
000042 |         instance.DecrementTab();
000043 |     }
000044 |
000045 |     return false;
000046 | }
000047 | #endif
000048 |
000049 | string GetName()
000050 | {
000051 |     return m_Name;
000052 | }
000053 |
000054 | ExpansionFSM GetSubFSM()
000055 | {
000056 |     return m_SubFSM;
000057 | }
000058 |
000059 | /* IMPLEMENTED IN XML */
000060 | void OnEntry(string Event, ExpansionState From)
000061 | {
000062 |
000063 | }
000064 |
000065 | void OnExit(string Event, bool Aborted, ExpansionState To)
000066 | {
000067 |
000068 | }
000069 |
000070 | int OnUpdate(float DeltaTime, int SimulationPrecision)
000071 | {
000072 |     return CONTINUE;
000073 | }
000074 | };
000075 |
```

0150. PBO TEXT FILE

```
Path: core pbo files expan\core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionStateType.c
Size bytes: 8020
SHA-256: 3b14c2b993fcda197503abe66e0e4c80936f10f735cdb01500dea7494c0fa917
Decoded as: utf-8-sig
Line count shown: 257
Detected class declarations: 1
  L1: class ExpansionStateType
Detected enum declarations: 0
Detected function/method-like declarations: 7
  L8: void ExpansionStateType()
  L17: static bool Contains(string name)
  L26: static void Add(ExpansionStateType type)
  L35: static ExpansionStateType Get(string type)
  L44: static ExpansionStateType LoadXML(ExpansionFSMType fsmType, CF_XML_Tag xml_root_tag, FileHandle file)
  L223: static bool FPrintTag0(FileHandle file, array<CF_XML_Tag> tags)
  L238: static void FPrintContent(FileHandle file, string content)
```

Full file content

```
000001 | class ExpansionStateType
000002 | {
000003 |     private static ref map<string, autoptr ExpansionStateType> m_Types = new map<string, autoptr ExpansionStateType>();
000004 |
000005 |     string m_ClassName;
000006 |     ref array<string> m_Variables;
000007 |
000008 |     void ExpansionStateType()
000009 |     {
000010 |         #ifdef EAI_TRACE
000011 |             auto trace = CF_Trace_0(this, "ExpansionStateType");
000012 |         #endif
000013 |
000014 |         m_Variables = new array<string>();
000015 |     }
000016 |
000017 |     static bool Contains(string name)
000018 |     {
000019 |         #ifdef EAI_TRACE
000020 |             auto trace = CF_Trace_1("ExpansionStateType", "Contains").Add(name);
000021 |         #endif
000022 |
000023 |         return m_Types.Contains(name);
000024 |     }
000025 |
000026 |     static void Add(ExpansionStateType type)
000027 |     {
000028 |         #ifdef EAI_TRACE
000029 |             auto trace = CF_Trace_1("ExpansionStateType", "Add").Add(type);
000030 |         #endif
000031 |
000032 |         m_Types.Insert(type.m_ClassName, type);
000033 |     }
000034 |
000035 |     static ExpansionStateType Get(string type)
000036 |     {
000037 |         #ifdef EAI_TRACE
000038 |             auto trace = CF_Trace_1("ExpansionStateType", "Get").Add(type);
000039 |         #endif
000040 |     }
```

```
000041 |     return m_Types[type];
000042 | }
000043 |
000044 | static ExpansionStateType LoadXML(ExpansionFSMType fsmType, CF_XML_Tag xml_root_tag, FileHandle file)
000045 | {
000046 |     #ifdef EAI_TRACE
000047 |     auto trace = CF_Trace_2("ExpansionStateType", "LoadXML").Add(fsmName).Add(xml_root_tag);
000048 |     #endif
000049 |
000050 |     string fsmName = fsmType.m_Name;
000051 |
000052 |     string name = xml_root_tag.GetAttribute("name").ValueAsString();
000053 |
000054 |     string child_fsm;
000055 |     if (xml_root_tag.GetAttribute("fsm"))
000056 |     {
000057 |         child_fsm = xml_root_tag.GetAttribute("fsm").ValueAsString();
000058 |     }
000059 |
000060 |     bool inheritsFromCustom = false;
000061 |
000062 |     string inherited = fsmType.m_Type + "State";
000063 |     if (xml_root_tag.GetAttribute("class"))
000064 |     {
000065 |         typename inherited_type = xml_root_tag.GetAttribute("class").ValueAsString().ToType();
000066 |         if (!inherited_type.IsInherited(inherited.ToType()))
000067 |         {
000068 |             Error("class doesn't inherit from fsm base type");
000069 |         }
000070 |
000071 |         inherited = inherited_type.ToString();
000072 |         inheritsFromCustom = true;
000073 |     }
000074 |
000075 |     string class_name = "Expansion_" + fsmName + "_" + name + "_State_" + ExpansionFSMType.s_ReloadNumber;
000076 |
000077 |     //if (child_fsm != "") class_name = "Expansion_FSM_" + child_fsm + "_State";
000078 |
000079 |     if (ExpansionStateType.Contains(class_name))
000080 |     {
000081 |         return ExpansionStateType.Get(class_name);
000082 |     }
000083 |
000084 |     ExpansionStateType new_type = new ExpansionStateType();
000085 |     new_type.m_ClassName = class_name;
000086 |
000087 |     FPrintln(file, "class " + class_name + ": " + inherited + " {}");
000088 |
000089 |     string child_fsm_name = "Expansion_" + child_fsm + "_FSM_" + ExpansionFSMType.s_ReloadNumber;
000090 |
000091 |     if (child_fsm != "")
000092 |     {
000093 |         FPrintln(file, "    " + child_fsm_name + " sub_fsm;");
000094 |     }
000095 |
000096 |     FPrintln(file, "    Expansion_" + fsmName + "_FSM_" + ExpansionFSMType.s_ReloadNumber + " fsm;");
000097 |
000098 |     auto variables = xml_root_tag.GetTag("variables");
000099 |     if (variables.Count() > 0)
000100 |     {
000101 |         variables = variables[0].GetTag("variable");
000102 |         foreach (auto variable : variables)
```

```

000103 |         {
000104 |             string variable_name = variable.GetAttribute("name").ValueAsString();
000105 |             string variable_type = variable.GetAttribute("type").ValueAsString();
000106 |             string variable_default = "";
000107 |
000108 |             if (variable.GetAttribute("default"))
000109 |             {
000110 |                 variable_default = variable.GetAttribute("default").ValueAsString();
000111 |             }
000112 |
000113 |             new_type.m_Variables.Insert(variable_name);
000114 |
000115 |             string variable_line = "" + variable_type + " " + variable_name;
000116 |             if (variable_default != "")
000117 |             {
000118 |                 variable_line += " = " + variable_default;
000119 |             }
000120 |
000121 |             variable_line += ";";
000122 |
000123 |             FPrintln(file, "    " + variable_line);
000124 |         }
000125 |     }
000126 |
000127 |     FPrintln(file, "    void " + class_name + "(ExpansionFSM _fsm) {}");
000128 |     FPrintln(file, "        Class.CastTo(fsm, _fsm);");
000129 |     FPrintln(file, "        m_ClassName = \"" + class_name + "\";");
000130 |     if (child_fsm != "")
000131 |     {
000132 |         FPrintln(file, "        m_Name = \"" + child_fsm + "\";");
000133 |         FPrintln(file, "        m_SubFSM = new " + child_fsm_name + "(_fsm.GetOwner(), this);");
000134 |         FPrintln(file, "        Class.CastTo(sub_fsm, m_SubFSM);");
000135 |     }
000136 |     else
000137 |     {
000138 |         FPrintln(file, "        m_Name = \"" + name + "\";");
000139 |     }
000140 |
000141 |     FPrintln(file, "    }");
000142 |
000143 |     auto event_entry = xml_root_tag.GetTag("event_entry");
000144 |     auto event_exit = xml_root_tag.GetTag("event_exit");
000145 |     auto event_update = xml_root_tag.GetTag("event_update");
000146 |
000147 |     if (child_fsm != "")
000148 |     {
000149 |         FPrintln(file, "        override void OnEntry(string Event, ExpansionState From) {}");
000150 | #ifdef EAI_TRACE
000151 |         FPrintln(file, "            auto trace = CF_Trace_2(this, \"OnEntry\").Add(Event).Add(From);");
000152 | #endif
000153 |         if (inheritsFromCustom) FPrintln(file, "            super.OnEntry(Event, From);");
000154 |         FPrintln(file, "            if (Event != \"\"+\"\") m_SubFSM.Start(Event);");
000155 |         FPrintln(file, "            else m_SubFSM.StartDefault();");
000156 |         FPrintTag0(file, event_entry);
000157 |         FPrintln(file, "        }");
000158 |
000159 |         FPrintln(file, "        override void OnExit(string Event, bool Aborted, ExpansionState To) {}");
000160 | #ifdef EAI_TRACE
000161 |         FPrintln(file, "            auto trace = CF_Trace_3(this, \"OnExit\").Add(Event).Add(Aborted).Add(To);");
000162 | #endif
000163 |         if (inheritsFromCustom) FPrintln(file, "            super.OnExit(Event, Aborted, To);");
000164 |         FPrintln(file, "            if (Aborted) m_SubFSM.Abort(Event);");

```

```
000165 |         FPrintTag0(file, event_exit);
000166 |         FPrintln(file, "    }");
000167 |
000168 |         FPrintln(file, "    override int OnUpdate(float DeltaTime, int SimulationPrecision) {");
000169 | #ifdef EAI_TRACE
000170 |         FPrintln(file, "        auto trace = CF_Trace_2(this, \"OnUpdate\").Add(DeltaTime).Add(SimulationPrecision);");
000171 | #endif
000172 |         if (inheritsFromCustom) FPrintln(file, "        if (super.OnUpdate(DeltaTime, SimulationPrecision) == EXIT) return EXIT;");
000173 |         FPrintln(file, "        if (m_SubFSM.Update(DeltaTime, SimulationPrecision) == EXIT) return EXIT;");
000174 |         if (!FPrintTag0(file, event_update))
000175 |         {
000176 |             FPrintln(file, "            return CONTINUE;");
000177 |         }
000178 |         FPrintln(file, "    }");
000179 |     }
000180 |     else
000181 |     {
000182 |         if (event_entry.Count() > 0 && event_entry[0].GetContent().GetContent().Trim())
000183 |         {
000184 |             FPrintln(file, "        override void OnEntry(string Event, ExpansionState From) {");
000185 | #ifdef EAI_TRACE
000186 |             FPrintln(file, "            auto trace = CF_Trace_2(this, \"OnEntry\").Add(Event).Add(From);");
000187 | #endif
000188 |             if (inheritsFromCustom) FPrintln(file, "            super.OnEntry(Event, From);");
000189 |             FPrintContent(file, event_entry[0].GetContent().GetContent());
000190 |             FPrintln(file, "        }");
000191 |         }
000192 |
000193 |         if (event_exit.Count() > 0 && event_exit[0].GetContent().GetContent().Trim())
000194 |         {
000195 |             FPrintln(file, "        override void OnExit(string Event, bool Aborted, ExpansionState To) {");
000196 | #ifdef EAI_TRACE
000197 |             FPrintln(file, "            auto trace = CF_Trace_3(this, \"OnExit\").Add(Event).Add(Aborted).Add(To);");
000198 | #endif
000199 |             if (inheritsFromCustom) FPrintln(file, "            super.OnExit(Event, Aborted, To);");
000200 |             FPrintContent(file, event_exit[0].GetContent().GetContent());
000201 |             FPrintln(file, "        }");
000202 |         }
000203 |
000204 |         if (event_update.Count() > 0 && event_update[0].GetContent().GetContent().Trim())
000205 |         {
000206 |             FPrintln(file, "        override int OnUpdate(float DeltaTime, int SimulationPrecision) {");
000207 | #ifdef EAI_TRACE
000208 |             FPrintln(file, "            auto trace = CF_Trace_2(this, \"OnUpdate\").Add(DeltaTime).Add(SimulationPrecision);");
000209 | #endif
000210 |             if (inheritsFromCustom) FPrintln(file, "            if (super.OnUpdate(DeltaTime, SimulationPrecision) == EXIT) return EXIT;");
000211 |             FPrintContent(file, event_update[0].GetContent().GetContent());
000212 |             FPrintln(file, "        }");
000213 |         }
000214 |     }
000215 |
000216 |     FPrintln(file, "}");
000217 |
000218 |     ExpansionStateType.Add(new_type);
000219 |
000220 |     return new_type;
000221 | }
000222 |
000223 | static bool FPrintTag0(FileHandle file, array<CF_XML_Tag> tags)
000224 | {
000225 |     if (tags.Count() > 0)
000226 |     {
```

```
000227 |         string content = tags[0].GetContent().GetContent();
000228 |         if (content.Trim())
000229 |         {
000230 |             FPrintContent(file, content);
000231 |             return true;
000232 |         }
000233 |     }
000234 |
000235 |     return false;
000236 | }
000237 |
000238 | static void FPrintContent(FileHandle file, string content)
000239 | {
000240 |     TStringArray lines = {};
000241 |     content.Split("\n", lines);
000242 |     string indent = "    ";
000243 |     foreach (string line: lines)
000244 |     {
000245 |         //! Minimal "Code formatting"
000246 |         line = line.Trim();
000247 |         bool hasCurlyL = line.Contains("{");
000248 |         bool hasCurlyR = line.Contains("}");
000249 |         if (hasCurlyR && !hasCurlyL)
000250 |             indent = indent.Substring(0, indent.Length() - 1);
000251 |         FPrintln(file, indent + line);
000252 |         if (hasCurlyL && !hasCurlyR)
000253 |             indent += "    ";
000254 |     }
000255 | }
000256 | };
000257 |
```

0151. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionTransition.c

Size bytes: 681

SHA-256: d29b1cdd58cd629219a54a0e01f75cffc4e32116b8d0b618cd2b03615580dfae

Decoded as: utf-8-sig

Line count shown: 46

Detected class declarations: 1

L1: class ExpansionTransition

Detected enum declarations: 0

Detected function/method-like declarations: 6

L8: void ExpansionTransition(ExpansionFSM _fsm)

L13: bool CF_OnDebugUpdate(CF_Debug instance, CF_DebugUI_Type type)

L26: ExpansionState GetSource()

L31: ExpansionState GetDestination()

L36: string GetEvent()

L41: int Guard()

Full file content

```
000001 | class ExpansionTransition
000002 | {
000003 |     static const int FAIL = 0;
000004 |     static const int SUCCESS = 1;
000005 |
000006 |     protected string m_ClassName;
000007 |
000008 |     void ExpansionTransition(ExpansionFSM _fsm)
000009 |     {
000010 |     }
000011 |
000012 | #ifdef CF_DEBUG
000013 |     bool CF_OnDebugUpdate(CF_Debug instance, CF_DebugUI_Type type)
000014 |     {
000015 |         int i;
000016 |
000017 |         instance.Add("Source", GetSource());
000018 |         instance.Add("Destination", GetDestination());
000019 |         instance.Add("Event", GetEvent());
000020 |         instance.Add("Guard", Guard());
000021 |
000022 |         return false;
000023 |     }
000024 | #endif
000025 |
000026 |     ExpansionState GetSource()
000027 |     {
000028 |         return null;
000029 |     }
000030 |
000031 |     ExpansionState GetDestination()
000032 |     {
000033 |         return null;
000034 |     }
000035 |
000036 |     string GetEvent()
000037 |     {
000038 |         return "";
000039 |     }
000040 |
000041 |     int Guard()
```

```
000042 |      {  
000043 |      return SUCCESS;  
000044 |      }  
000045 | };  
000046 |
```


0152. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionTransitionType.c
Size bytes: 5458
SHA-256: 273afaf3620644ea6b6426be248db11dc15a027fb298e90ab1b9933b37f10ccd
Decoded as: utf-8-sig
Line count shown: 185
Detected class declarations: 1
  L1: class ExpansionTransitionType
Detected enum declarations: 0
Detected function/method-like declarations: 7
  L7: void ExpansionTransitionType()
  L14: static void UnloadAll()
  L19: static bool Contains(string name)
  L28: static void Add(ExpansionTransitionType type)
  L37: static ExpansionTransitionType Get(string type)
  L46: static array<autoptr ExpansionTransitionType> LoadXML(ExpansionFSMType fsmType, CF_XML_Tag xml_root_tag, FileHandle file)
  L81: static ExpansionTransitionType CreateTransition(ExpansionFSMType fsmType, CF_XML_Tag xml_root_tag, FileHandle file, string from_state_name =
```

Full file content

```
000001 | class ExpansionTransitionType
000002 | {
000003 |     private static ref map<string, autoptr ExpansionTransitionType> m_Types = new map<string, autoptr ExpansionTransitionType>();
000004 |     string m_ClassName;
000005 |
000006 |     void ExpansionTransitionType()
000007 |     {
000008 |
000009 | #ifdef EAI_TRACE
000010 |     auto trace = CF_Trace_0(this, "ExpansionTransitionType");
000011 | #endif
000012 |     }
000013 |
000014 |     static void UnloadAll()
000015 |     {
000016 |         m_Types.Clear();
000017 |     }
000018 |
000019 |     static bool Contains(string name)
000020 |     {
000021 | #ifdef EAI_TRACE
000022 |     auto trace = CF_Trace_1("ExpansionTransitionType", "Contains").Add(name);
000023 | #endif
000024 |
000025 |     return m_Types.Contains(name);
000026 |     }
000027 |
000028 |     static void Add(ExpansionTransitionType type)
000029 |     {
000030 | #ifdef EAI_TRACE
000031 |     auto trace = CF_Trace_1("ExpansionTransitionType", "Add").Add(type);
000032 | #endif
000033 |
000034 |     m_Types.Insert(type.m_ClassName, type);
000035 |     }
000036 |
000037 |     static ExpansionTransitionType Get(string type)
000038 |     {
000039 | #ifdef EAI_TRACE
000040 |     auto trace = CF_Trace_1("ExpansionTransitionType", "Get").Add(type);
```

```
000041 | #endif
000042 |
000043 |     return m_Types[type];
000044 | }
000045 |
000046 | static array<autoPtr ExpansionTransitionType> LoadXML(ExpansionFSMType fsmType, CF_XML_Tag xml_root_tag, FileHandle file)
000047 | {
000048 | #ifdef EAI_TRACE
000049 |     auto trace = CF_Trace_1("ExpansionTransitionType", "LoadXML").Add(fsmType.m_Name);
000050 | #endif
000051 |
000052 |     TStringArray from_state_names = {};
000053 |     auto from_state = xml_root_tag.GetTag("from_state");
000054 |     if (from_state.Count() > 0)
000055 |     {
000056 |         auto from_state_name_attr = from_state[0].GetAttribute("name");
000057 |         if (from_state_name_attr)
000058 |         {
000059 |             from_state_name_attr.ValueAsString().Split(",", from_state_names);
000060 |         }
000061 |     }
000062 |
000063 |     array<autoPtr ExpansionTransitionType> transitionTypes = {};
000064 |
000065 |     if (from_state_names.Count())
000066 |     {
000067 |         foreach (string from_state_name: from_state_names)
000068 |         {
000069 |             from_state_name.Trim();
000070 |             transitionTypes.Insert(CreateTransition(fsmType, xml_root_tag, file, from_state_name));
000071 |         }
000072 |     }
000073 |     else
000074 |     {
000075 |         transitionTypes.Insert(CreateTransition(fsmType, xml_root_tag, file));
000076 |     }
000077 |
000078 |     return transitionTypes;
000079 | }
000080 |
000081 | static ExpansionTransitionType CreateTransition(ExpansionFSMType fsmType, CF_XML_Tag xml_root_tag, FileHandle file, string from_state_name = string.Empty)
000082 | {
000083 |     string fsmName = fsmType.m_Name;
000084 |
000085 |     string from_state_class = "ExpansionState";
000086 |     if (from_state_name != "")
000087 |     {
000088 |         from_state_class = "Expansion_" + fsmName + "_" + from_state_name + "_State_" + ExpansionFSMType.s_ReloadNumber;
000089 |     }
000090 |
000091 |     string to_state_name;
000092 |     auto to_state = xml_root_tag.GetTag("to_state");
000093 |     if (to_state.Count() > 0)
000094 |     {
000095 |         auto to_state_name_attr = to_state[0].GetAttribute("name");
000096 |         if (to_state_name_attr)
000097 |         {
000098 |             to_state_name = to_state_name_attr.ValueAsString();
000099 |         }
000100 |     }
000101 |     string to_state_class = "ExpansionState";
000102 |     if (to_state_name != "")
```

```
000103 | {
000104 |     to_state_class = "Expansion_" + fsmName + "_" + to_state_name + "_State_" + ExpansionFSMType.s_ReloadNumber;
000105 | }
000106 |
000107 | string event_name;
000108 | auto evt = xml_root_tag.GetTag("event");
000109 | if (evt.Count() > 0)
000110 | {
000111 |     auto evt_name_attr = evt[0].GetAttribute("name");
000112 |     if (evt_name_attr)
000113 |     {
000114 |         event_name = evt_name_attr.ValueAsString();
000115 |     }
000116 | }
000117 | string event_class = "";
000118 | if (event_name != "")
000119 | {
000120 |     event_class = "Expansion_" + event_name + "_Event";
000121 | }
000122 |
000123 | bool inheritsFromCustom = false;
000124 |
000125 | string inherited = fsmType.m_Type + "Transition";
000126 | if (xml_root_tag.GetAttribute("class"))
000127 | {
000128 |     typename inherited_type = xml_root_tag.GetAttribute("class").ValueAsString().ToType();
000129 |     if (!inherited_type.IsInherited(inherited.ToType()))
000130 |     {
000131 |         Error("class doesn't inherit from fsm base type");
000132 |     }
000133 |
000134 |     inherited = inherited_type.ToString();
000135 |     inheritsFromCustom = true;
000136 | }
000137 |
000138 | string class_name = "Expansion_" + fsmName + "_" + from_state_name + "_" + to_state_name + "_Transition_" + ExpansionFSMType.s_ReloadNumber;
000139 |
000140 | if (ExpansionTransitionType.Contains(class_name))
000141 | {
000142 |     return ExpansionTransitionType.Get(class_name);
000143 | }
000144 |
000145 | ExpansionTransitionType new_type = new ExpansionTransitionType();
000146 | new_type.m_ClassName = class_name;
000147 |
000148 | FPrintln(file, "class " + class_name + ": " + inherited + " {");
000149 |
000150 | FPrintln(file, "    private " + from_state_class + " src;");
000151 | FPrintln(file, "    private " + to_state_class + " dst;");
000152 |
000153 | FPrintln(file, "    Expansion_" + fsmName + "_FSM_" + ExpansionFSMType.s_ReloadNumber + " fsm;");
000154 |
000155 | FPrintln(file, "    void " + class_name + "(ExpansionFSM _fsm) {");
000156 | FPrintln(file, "        Class.CastTo(fsm, _fsm);");
000157 | FPrintln(file, "        m_ClassName = \"" + class_name + "\";");
000158 | FPrintln(file, "        Class.CastTo(src, _fsm.GetState(\"\" + from_state_class + \"\"));");
000159 | FPrintln(file, "        Class.CastTo(dst, _fsm.GetState(\"\" + to_state_class + \"\"));");
000160 | FPrintln(file, "    }");
000161 |
000162 | auto guard = xml_root_tag.GetTag("guard");
000163 | if (guard.Count() > 0 && guard[0].GetContent().GetContent().Trim())
000164 | {
```

```
000165 |         FPrintln(file, "    override int Guard() {");
000166 | #ifdef EAI_TRACE
000167 |         FPrintln(file, "    auto trace = CF_Trace_0(this, \"Guard\");");
000168 | #endif
000169 |         if (inheritsFromCustom) FPrintln(file, "        if (super.Guard() == FAIL) return FAIL;");
000170 |         ExpansionStateType.FPrintContent(file, guard[0].GetContent().GetContent());
000171 |         FPrintln(file, "    }");
000172 |     }
000173 |
000174 |     FPrintln(file, "    override ExpansionState GetSource() { return src; }");
000175 |     FPrintln(file, "    override ExpansionState GetDestination() { return dst; }");
000176 |     FPrintln(file, "    override string GetEvent() { return \"\" + event_class + \"\"; }");
000177 |
000178 |     FPrintln(file, "}");
000179 |
000180 |     ExpansionTransitionType.Add(new_type);
000181 |
000182 |     return new_type;
000183 | }
000184 | };
000185 |
```

0153. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\JMAAnimRegister.c

Size bytes: 1933

SHA-256: 395e7c0a3546ba9eecdb86c1bbc5b825f6b6b410274d9497c6f89ebb585350f9

Decoded as: utf-8-sig

Line count shown: 39

Detected class declarations: 1

L13: modded class ModItemRegisterCallbacks

Detected enum declarations: 0

Detected function/method-like declarations: 3

L15: override void RegisterHeavy(DayZPlayerType pType, DayzPlayerItemBehaviorCfg pBehavior)

L23: override void RegisterOneHanded(DayZPlayerType pType, DayzPlayerItemBehaviorCfg pBehavior)

L32: override void RegisterTwoHanded(DayZPlayerType pType, DayzPlayerItemBehaviorCfg pBehavior)

Full file content

```
000001 | /**
000002 |  * JMAAnimRegister.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ModItemRegisterCallbacks
000014 | {
000015 |     override void RegisterHeavy( DayZPlayerType pType, DayzPlayerItemBehaviorCfg pBehavior )
000016 |     {
000017 |         super.RegisterHeavy( pType, pBehavior );
000018 |
000019 |         pType.AddItemInHandsProfileIK("ExpansionBriefcase", "dz/anim/workspaces/player/player_main/player_main_2h.asi", pBehavior, "dz/anim/anm/player/ik/two_ha
000020 | nded/jerrycan.anm");
000021 |         pType.AddItemInHandsProfileIK("ExpansionTemporaryOwnedContainer", "dz/anim/workspaces/player/player_main/player_main_heavy.asi", pBehavior, "dz/anim/anm
000022 | /player/ik/heavy/wooden_crate.anm");
000023 |     }
000024 |
000025 |     override void RegisterOneHanded(DayZPlayerType pType, DayzPlayerItemBehaviorCfg pBehavior)
000026 |     {
000027 |         super.RegisterOneHanded(pType, pBehavior);
000028 |
000029 |         pType.AddItemInHandsProfileIK("ExpansionCircuitBoard_MK1", "dz/anim/workspaces/player/player_main/player_main_1h.asi", pBehavior, "dz/anim/anm/player/ik
000030 | /gear/tuna.anm");
000031 |         pType.AddItemInHandsProfileIK("ExpansionCircuitBoard_MK2", "dz/anim/workspaces/player/player_main/player_main_1h.asi", pBehavior, "dz/anim/anm/player/ik
000032 | /gear/tuna.anm");
000033 |         pType.AddItemInHandsProfileIK("ExpansionCircuitBoard_MK3", "dz/anim/workspaces/player/player_main/player_main_1h.asi", pBehavior, "dz/anim/anm/player/ik
000034 | /gear/tuna.anm");
000035 |     }
000036 |
000037 |     override void RegisterTwoHanded(DayZPlayerType pType, DayzPlayerItemBehaviorCfg pBehavior)
000038 |     {
000039 |         super.RegisterTwoHanded(pType, pBehavior);
000040 |
000041 |         pType.AddItemInHandsProfileIK("ExpansionDebugGoat", "dz/anim/workspaces/player/player_main/weapons/player_main_2h_extinguisher.asi", pBehavior, "dz/anim
000042 | /anm/player/ik/two_handed/alice_g.anm");
000043 |     }
000044 | }
```

000039 |

0154. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Loadout\ExpansionLoadout.c

Size bytes: 114731

SHA-256: 2a377ed1139d21140692b7472a8d2feadb39fe6e4965d1d8bf41098e9ad71dfd

Decoded as: utf-8-sig

Line count shown: 3220

Detected class declarations: 1

L3: class ExpansionHumanLoadout

Detected enum declarations: 0

Detected function/method-like declarations: 22

L9: static void Init()

L75: static void DefaultPlayerFemaleSuitLoadout()

L155: static void DefaultPlayerMaleSuitLoadout()

L235: static void DefaultPlayerSurvivorLoadout()

L321: static void DefaultBanditLoadout()

L665: static void DefaultSurvivorWeapon(inout ExpansionPrefabObject loadout)

L1081: static void DefaultSurvivorLoadout()

L1360: static void DefaultFireFighterLoadout()

L1438: static void DefaultWestLoadout()

L1572: static void DefaultWestWeapon(inout ExpansionPrefabObject loadout)

L1775: static void DefaultEastLoadout()

L2026: static void DefaultEastWeapon(inout ExpansionPrefabObject loadout)

L2252: static void DefaultGorkaLoadout()

L2448: static void DefaultTTsK0Loadout()

L2556: static void DefaultTTsK0Weapon(inout ExpansionPrefabObject loadout)

L2664: static void DefaultNBCLoadout()

L2811: static void DefaultPoliceLoadout()

L2887: static void DefaultPoliceWeapon(inout ExpansionPrefabObject loadout)

L2982: static void DefaultHumanLoadout()

L3091: static void DefaultYellowKingLoadout()

L3139: static void DefaultYeetBrigadeLoadout()

L3199: static bool Apply(EntityAI other, string file, bool forceReload = false)

Full file content

```
000001 | typedef ExpansionPrefab ExpansionLoadout;
000002 |
000003 | class ExpansionHumanLoadout
000004 | {
000005 |     static const string FILETYPE = ".json";
000006 |
000007 |     protected static bool s_Initialized;
000008 |
000009 |     static void Init()
000010 |     {
000011 |         #ifdef EXTRACE_DIAG
000012 |             auto trace = EXTrace.Start(EXTrace.LOADOUTS, ExpansionHumanLoadout);
000013 |         #endif
000014 |
000015 |         if (s_Initialized)
000016 |             return;
000017 |
000018 |         s_Initialized = true;
000019 |
000020 |         ///! Move previous loadouts to new location
000021 |         string loadoutFolderAI = EXPANSION_FOLDER + "AI\\Loadouts\\";
000022 |         if (FileExist(loadoutFolderAI))
000023 |             ExpansionSettingBase.MoveSettings(loadoutFolderAI, EXPANSION_LOADOUT_FOLDER);
000024 |
000025 |         if (!FileExist(EXPANSION_LOADOUT_FOLDER))
```

```
000026 | {
000027 |     ExpansionStatic.MakeDirectoryRecursive(EXPANSION_LOADOUT_FOLDER);
000028 | }
000029 | else
000030 | {
000031 |     //! Load existing loadouts
000032 |     TStringArray loadouts = ExpansionStatic.FindFilesInLocation(EXPANSION_LOADOUT_FOLDER, ".json");
000033 |     foreach (string loadout: loadouts)
000034 |     {
000035 |         ExpansionLoadout.Load(loadout.Substring(0, loadout.Length() - 5));
000036 |     }
000037 | }
000038 |
000039 | //! Always create default loadouts if they don't exist
000040 |
000041 | // Armed Loadouts
000042 | DefaultHumanLoadout();
000043 | DefaultPoliceLoadout();
000044 | DefaultFireFighterLoadout();
000045 | DefaultTTsKOLoadout();
000046 | DefaultGorkaLoadout();
000047 | DefaultNBCLoadout();
000048 |
000049 | // Default faction loadouts
000050 | DefaultEastLoadout();
000051 | DefaultWestLoadout();
000052 | DefaultSurvivorLoadout();
000053 | DefaultBanditLoadout();
000054 |
000055 | // Unarmed Loadouts
000056 | DefaultPlayerSurvivorLoadout();
000057 | DefaultPlayerMaleSuitLoadout();
000058 | DefaultPlayerFemaleSuitLoadout();
000059 |
000060 | //! Misc Loadouts
000061 | DefaultYellowKingLoadout();
000062 | DefaultYeetBrigadeLoadout();
000063 |
000064 | //DefaultPlayerFemaleSurvivorLoadout();
000065 |
000066 | //DefaultPlayerUniversalMedicLoadout();
000067 | //DefaultPlayerMaleMedicLoadout();
000068 | //DefaultPlayerFemaleMedicLoadout();
000069 |
000070 | //DefaultPlayerFireFighterLoadout();
000071 | //DefaultPlayerMecanicLoadout();
000072 | //DefaultPlayerFisherLoadout();
000073 | }
000074 |
000075 | static void DefaultPlayerFemaleSuitLoadout()
000076 | {
000077 |     if (FileExist(ExpansionLoadout.GetPath("PlayerFemaleSuitLoadout")))
000078 |         return;
000079 |
000080 |     // Generate the default PlayerFemaleSuitLoadout.json file
000081 |     auto loadout = ExpansionLoadout.Create("PlayerFemaleSuitLoadout");
000082 |
000083 |     if (!loadout)
000084 |         return;
000085 |
000086 |     loadout = loadout.BeginAttachment("WomanSuit_Blue", "Body");
000087 |     loadout.SetHealth(0.7, 1.0);
```



```
000088 |         loadout = loadout.End();
000089 |         loadout = loadout.BeginAttachment("WomanSuit_Brown", "Body");
000090 |         loadout.SetHealth(0.7, 1.0);
000091 |         loadout = loadout.End();
000092 |         loadout = loadout.BeginAttachment("WomanSuit_DarkGrey", "Body");
000093 |         loadout.SetHealth(0.7, 1.0);
000094 |         loadout = loadout.End();
000095 |         loadout = loadout.BeginAttachment("WomanSuit_Khaki", "Body");
000096 |         loadout.SetHealth(0.7, 1.0);
000097 |         loadout = loadout.End();
000098 |         loadout = loadout.BeginAttachment("WomanSuit_LightGrey", "Body");
000099 |         loadout.SetHealth(0.7, 1.0);
000100 |         loadout = loadout.End();
000101 |         loadout = loadout.BeginAttachment("WomanSuit_White", "Body");
000102 |         loadout.SetHealth(0.7, 1.0);
000103 |         loadout = loadout.End();
000104 |         loadout = loadout.BeginAttachment("WomanSuit_Black", "Body");
000105 |         loadout.SetHealth(0.7, 1.0);
000106 |         loadout = loadout.End();
000107 |
000108 |         loadout = loadout.BeginAttachment("SlacksPants_Blue", "Legs");
000109 |         loadout.SetHealth(0.7, 1.0);
000110 |         loadout = loadout.End();
000111 |         loadout = loadout.BeginAttachment("SlacksPants_Brown", "Legs");
000112 |         loadout.SetHealth(0.7, 1.0);
000113 |         loadout = loadout.End();
000114 |         loadout = loadout.BeginAttachment("SlacksPants_DarkGrey", "Legs");
000115 |         loadout.SetHealth(0.7, 1.0);
000116 |         loadout = loadout.End();
000117 |         loadout = loadout.BeginAttachment("SlacksPants_Khaki", "Legs");
000118 |         loadout.SetHealth(0.7, 1.0);
000119 |         loadout = loadout.End();
000120 |         loadout = loadout.BeginAttachment("SlacksPants_LightGrey", "Legs");
000121 |         loadout.SetHealth(0.7, 1.0);
000122 |         loadout = loadout.End();
000123 |         loadout = loadout.BeginAttachment("SlacksPants_White", "Legs");
000124 |         loadout.SetHealth(0.7, 1.0);
000125 |         loadout = loadout.End();
000126 |         loadout = loadout.BeginAttachment("SlacksPants_Black", "Legs");
000127 |         loadout.SetHealth(0.7, 1.0);
000128 |         loadout = loadout.End();
000129 |
000130 |         loadout = loadout.BeginAttachment("DressShoes_White", "Feet");
000131 |         loadout.SetHealth(0.7, 1.0);
000132 |         loadout = loadout.End();
000133 |         loadout = loadout.BeginAttachment("DressShoes_Beige", "Feet");
000134 |         loadout.SetHealth(0.7, 1.0);
000135 |         loadout = loadout.End();
000136 |         loadout = loadout.BeginAttachment("DressShoes_Black", "Feet");
000137 |         loadout.SetHealth(0.7, 1.0);
000138 |         loadout = loadout.End();
000139 |         loadout = loadout.BeginAttachment("DressShoes_Brown", "Feet");
000140 |         loadout.SetHealth(0.7, 1.0);
000141 |         loadout = loadout.End();
000142 |         loadout = loadout.BeginAttachment("DressShoes_Sunburst", "Feet");
000143 |         loadout.SetHealth(0.7, 1.0);
000144 |         loadout = loadout.End();
000145 |
000146 |         loadout = loadout.BeginCargo("Apple");
000147 |         loadout.Chance = 0.1;
000148 |         loadout = loadout.End();
000149 |         loadout = loadout.BeginCargo("BandageDressing");
```

```
000150 |         loadout.Chance = 0.15;
000151 |         loadout = loadout.End();
000152 |     loadout.Save();
000153 | }
000154 |
000155 | static void DefaultPlayerMaleSuitLoadout()
000156 | {
000157 |     if (FileExist(ExpansionLoadout.GetPath("PlayerMaleSuitLoadout")))
000158 |         return;
000159 |
000160 |     // Generate the default PlayerMaleSuitLoadout.json file
000161 |     auto loadout = ExpansionLoadout.Create("PlayerMaleSuitLoadout");
000162 |
000163 |     if (!loadout)
000164 |         return;
000165 |
000166 |     loadout = loadout.BeginAttachment("ManSuit_Blue", "Body");
000167 |     loadout.SetHealth(0.7, 1.0);
000168 |     loadout = loadout.End();
000169 |     loadout = loadout.BeginAttachment("ManSuit_Brown", "Body");
000170 |     loadout.SetHealth(0.7, 1.0);
000171 |     loadout = loadout.End();
000172 |     loadout = loadout.BeginAttachment("ManSuit_DarkGrey", "Body");
000173 |     loadout.SetHealth(0.7, 1.0);
000174 |     loadout = loadout.End();
000175 |     loadout = loadout.BeginAttachment("ManSuit_Khaki", "Body");
000176 |     loadout.SetHealth(0.7, 1.0);
000177 |     loadout = loadout.End();
000178 |     loadout = loadout.BeginAttachment("ManSuit_LightGrey", "Body");
000179 |     loadout.SetHealth(0.7, 1.0);
000180 |     loadout = loadout.End();
000181 |     loadout = loadout.BeginAttachment("ManSuit_White", "Body");
000182 |     loadout.SetHealth(0.7, 1.0);
000183 |     loadout = loadout.End();
000184 |     loadout = loadout.BeginAttachment("ManSuit_Black", "Body");
000185 |     loadout.SetHealth(0.7, 1.0);
000186 |     loadout = loadout.End();
000187 |
000188 |     loadout = loadout.BeginAttachment("SlacksPants_Blue", "Legs");
000189 |     loadout.SetHealth(0.7, 1.0);
000190 |     loadout = loadout.End();
000191 |     loadout = loadout.BeginAttachment("SlacksPants_Brown", "Legs");
000192 |     loadout.SetHealth(0.7, 1.0);
000193 |     loadout = loadout.End();
000194 |     loadout = loadout.BeginAttachment("SlacksPants_DarkGrey", "Legs");
000195 |     loadout.SetHealth(0.7, 1.0);
000196 |     loadout = loadout.End();
000197 |     loadout = loadout.BeginAttachment("SlacksPants_Khaki", "Legs");
000198 |     loadout.SetHealth(0.7, 1.0);
000199 |     loadout = loadout.End();
000200 |     loadout = loadout.BeginAttachment("SlacksPants_LightGrey", "Legs");
000201 |     loadout.SetHealth(0.7, 1.0);
000202 |     loadout = loadout.End();
000203 |     loadout = loadout.BeginAttachment("SlacksPants_White", "Legs");
000204 |     loadout.SetHealth(0.7, 1.0);
000205 |     loadout = loadout.End();
000206 |     loadout = loadout.BeginAttachment("SlacksPants_Black", "Legs");
000207 |     loadout.SetHealth(0.7, 1.0);
000208 |     loadout = loadout.End();
000209 |
000210 |     loadout = loadout.BeginAttachment("DressShoes_White", "Feet");
000211 |     loadout.SetHealth(0.7, 1.0);
```

```
000212 |         loadout = loadout.End();
000213 |         loadout = loadout.BeginAttachment("DressShoes_Beige", "Feet");
000214 |         loadout.SetHealth(0.7, 1.0);
000215 |         loadout = loadout.End();
000216 |         loadout = loadout.BeginAttachment("DressShoes_Black", "Feet");
000217 |         loadout.SetHealth(0.7, 1.0);
000218 |         loadout = loadout.End();
000219 |         loadout = loadout.BeginAttachment("DressShoes_Brown", "Feet");
000220 |         loadout.SetHealth(0.7, 1.0);
000221 |         loadout = loadout.End();
000222 |         loadout = loadout.BeginAttachment("DressShoes_Sunburst", "Feet");
000223 |         loadout.SetHealth(0.7, 1.0);
000224 |         loadout = loadout.End();
000225 |
000226 |         loadout = loadout.BeginCargo("Apple");
000227 |         loadout.Chance = 0.1;
000228 |         loadout = loadout.End();
000229 |         loadout = loadout.BeginCargo("BandageDressing");
000230 |         loadout.Chance = 0.15;
000231 |         loadout = loadout.End();
000232 |     loadout.Save();
000233 | }
000234 |
000235 | static void DefaultPlayerSurvivorLoadout()
000236 | {
000237 |     if (FileExist(ExpansionLoadout.GetPath("PlayerSurvivorLoadout")))
000238 |         return;
000239 |
000240 |     // Generate the default PlayerSurvivorLoadout.json file
000241 |     auto loadout = ExpansionLoadout.Create("PlayerSurvivorLoadout");
000242 |
000243 |     if (!loadout)
000244 |         return;
000245 |
000246 |     loadout = loadout.BeginAttachment("Hoodie_Black", "Body");
000247 |     loadout.SetHealth(0.7, 1.0);
000248 |     loadout = loadout.End();
000249 |     loadout = loadout.BeginAttachment("Hoodie_Blue", "Body");
000250 |     loadout.SetHealth(0.7, 1.0);
000251 |     loadout = loadout.End();
000252 |     loadout = loadout.BeginAttachment("Hoodie_Brown", "Body");
000253 |     loadout.SetHealth(0.7, 1.0);
000254 |     loadout = loadout.End();
000255 |     loadout = loadout.BeginAttachment("Hoodie_Green", "Body");
000256 |     loadout.SetHealth(0.7, 1.0);
000257 |     loadout = loadout.End();
000258 |     loadout = loadout.BeginAttachment("Hoodie_Grey", "Body");
000259 |     loadout.SetHealth(0.7, 1.0);
000260 |     loadout = loadout.End();
000261 |     loadout = loadout.BeginAttachment("Hoodie_Red", "Body");
000262 |     loadout.SetHealth(0.7, 1.0);
000263 |     loadout = loadout.End();
000264 |     loadout = loadout.BeginAttachment("Shirt_BlueCheck", "Body");
000265 |     loadout.SetHealth(0.7, 1.0);
000266 |     loadout = loadout.End();
000267 |     loadout = loadout.BeginAttachment("Shirt_BlueCheckBright", "Body");
000268 |     loadout.SetHealth(0.7, 1.0);
000269 |     loadout = loadout.End();
000270 |     loadout = loadout.BeginAttachment("Shirt_GreenCheck", "Body");
000271 |     loadout.SetHealth(0.7, 1.0);
000272 |     loadout = loadout.End();
000273 |     loadout = loadout.BeginAttachment("Shirt_PlaneBlack", "Body");
```

```
000274 |         loadout.SetHealth(0.7, 1.0);
000275 |         loadout = loadout.End();
000276 |         loadout = loadout.BeginAttachment("Shirt_RedCheck", "Body");
000277 |         loadout.SetHealth(0.7, 1.0);
000278 |         loadout = loadout.End();
000279 |         loadout = loadout.BeginAttachment("Shirt_WhiteCheck", "Body");
000280 |         loadout.SetHealth(0.7, 1.0);
000281 |         loadout = loadout.End();
000282 |
000283 |         loadout = loadout.BeginAttachment("Jeans_Black", "Legs");
000284 |         loadout.SetHealth(0.7, 1.0);
000285 |         loadout = loadout.End();
000286 |         loadout = loadout.BeginAttachment("Jeans_Blue", "Legs");
000287 |         loadout.SetHealth(0.7, 1.0);
000288 |         loadout = loadout.End();
000289 |         loadout = loadout.BeginAttachment("Jeans_BlueDark", "Legs");
000290 |         loadout.SetHealth(0.7, 1.0);
000291 |         loadout = loadout.End();
000292 |         loadout = loadout.BeginAttachment("Jeans_Brown", "Legs");
000293 |         loadout.SetHealth(0.7, 1.0);
000294 |         loadout = loadout.End();
000295 |         loadout = loadout.BeginAttachment("Jeans_Green", "Legs");
000296 |         loadout.SetHealth(0.7, 1.0);
000297 |         loadout = loadout.End();
000298 |         loadout = loadout.BeginAttachment("Jeans_Grey", "Legs");
000299 |         loadout.SetHealth(0.7, 1.0);
000300 |         loadout = loadout.End();
000301 |
000302 |         loadout = loadout.BeginAttachment("AthleticShoes_Black", "Feet");
000303 |         loadout.SetHealth(0.7, 1.0);
000304 |         loadout = loadout.End();
000305 |         loadout = loadout.BeginAttachment("AthleticShoes_Blue", "Feet");
000306 |         loadout.SetHealth(0.7, 1.0);
000307 |         loadout = loadout.End();
000308 |         loadout = loadout.BeginAttachment("AthleticShoes_Brown", "Feet");
000309 |         loadout.SetHealth(0.7, 1.0);
000310 |         loadout = loadout.End();
000311 |         loadout = loadout.BeginAttachment("AthleticShoes_Green", "Feet");
000312 |         loadout.SetHealth(0.7, 1.0);
000313 |         loadout = loadout.End();
000314 |         loadout = loadout.BeginAttachment("AthleticShoes_Grey", "Feet");
000315 |         loadout.SetHealth(0.7, 1.0);
000316 |         loadout = loadout.End();
000317 |
000318 |         loadout.Save();
000319 |     }
000320 |
000321 |     static void DefaultBanditLoadout()
000322 |     {
000323 |         if (FileExist(ExpansionLoadout.GetPath("BanditLoadout")))
000324 |             return;
000325 |
000326 |         // Generate the default BanditLoadout.json file
000327 |         auto loadout = ExpansionLoadout.Create("BanditLoadout");
000328 |
000329 |         if (!loadout)
000330 |             return;
000331 |
000332 |         loadout = loadout.BeginAttachment("GorkaEJacket_Autumn", "Body");
000333 |         loadout.SetHealth(0.7, 1.0);
000334 |         loadout = loadout.End();
000335 |         loadout = loadout.BeginAttachment("GorkaEJacket_Flat", "Body");
```

```
000336 |         loadout.SetHealth(0.7, 1.0);
000337 |         loadout = loadout.End();
000338 |         loadout = loadout.BeginAttachment("GorkaEJacket_PautRev", "Body");
000339 |         loadout.SetHealth(0.7, 1.0);
000340 |         loadout = loadout.End();
000341 |         loadout = loadout.BeginAttachment("GorkaEJacket_Summer", "Body");
000342 |         loadout.SetHealth(0.7, 1.0);
000343 |         loadout = loadout.End();
000344 |         loadout = loadout.BeginAttachment("TTsK0Jacket_Camo", "Body");
000345 |         loadout.SetHealth(0.7, 1.0);
000346 |         loadout = loadout.End();
000347 |         loadout = loadout.BeginAttachment("Hoodie_Black", "Body");
000348 |         loadout.SetHealth(0.7, 1.0);
000349 |         loadout = loadout.End();
000350 |         loadout = loadout.BeginAttachment("Hoodie_Blue", "Body");
000351 |         loadout.SetHealth(0.7, 1.0);
000352 |         loadout = loadout.End();
000353 |         loadout = loadout.BeginAttachment("Hoodie_Brown", "Body");
000354 |         loadout.SetHealth(0.7, 1.0);
000355 |         loadout = loadout.End();
000356 |         loadout = loadout.BeginAttachment("Hoodie_Green", "Body");
000357 |         loadout.SetHealth(0.7, 1.0);
000358 |         loadout = loadout.End();
000359 |         loadout = loadout.BeginAttachment("Hoodie_Grey", "Body");
000360 |         loadout.SetHealth(0.7, 1.0);
000361 |         loadout = loadout.End();
000362 |         loadout = loadout.BeginAttachment("Hoodie_Red", "Body");
000363 |         loadout.SetHealth(0.7, 1.0);
000364 |         loadout = loadout.End();
000365 |         loadout = loadout.BeginAttachment("BomberJacket_Black", "Body");
000366 |         loadout.SetHealth(0.7, 1.0);
000367 |         loadout = loadout.End();
000368 |         loadout = loadout.BeginAttachment("BomberJacket_Blue", "Body");
000369 |         loadout.SetHealth(0.7, 1.0);
000370 |         loadout = loadout.End();
000371 |         loadout = loadout.BeginAttachment("BomberJacket_Brown", "Body");
000372 |         loadout.SetHealth(0.7, 1.0);
000373 |         loadout = loadout.End();
000374 |         loadout = loadout.BeginAttachment("BomberJacket_Grey", "Body");
000375 |         loadout.SetHealth(0.7, 1.0);
000376 |         loadout = loadout.End();
000377 |         loadout = loadout.BeginAttachment("BomberJacket_Maroon", "Body");
000378 |         loadout.SetHealth(0.7, 1.0);
000379 |         loadout = loadout.End();
000380 |         loadout = loadout.BeginAttachment("BomberJacket_Olive", "Body");
000381 |         loadout.SetHealth(0.7, 1.0);
000382 |         loadout = loadout.End();
000383 |         loadout = loadout.BeginAttachment("BomberJacket_SkyBlue", "Body");
000384 |         loadout.SetHealth(0.7, 1.0);
000385 |         loadout = loadout.End();
000386 |         loadout = loadout.BeginAttachment("DenimJacket", "Body");
000387 |         loadout.SetHealth(0.7, 1.0);
000388 |         loadout = loadout.End();
000389 |         loadout = loadout.BeginAttachment("HikingJacket_Black", "Body");
000390 |         loadout.SetHealth(0.7, 1.0);
000391 |         loadout = loadout.End();
000392 |         loadout = loadout.BeginAttachment("HikingJacket_Blue", "Body");
000393 |         loadout.SetHealth(0.7, 1.0);
000394 |         loadout = loadout.End();
000395 |         loadout = loadout.BeginAttachment("HikingJacket_Green", "Body");
000396 |         loadout.SetHealth(0.7, 1.0);
000397 |         loadout = loadout.End();
```

```
000398 |         loadout = loadout.BeginAttachment("HikingJacket_Red", "Body");
000399 |         loadout.SetHealth(0.7, 1.0);
000400 |         loadout = loadout.End();
000401 |         loadout = loadout.BeginAttachment("QuiltedJacket_Black", "Body");
000402 |         loadout.SetHealth(0.7, 1.0);
000403 |         loadout = loadout.End();
000404 |         loadout = loadout.BeginAttachment("QuiltedJacket_Blue", "Body");
000405 |         loadout.SetHealth(0.7, 1.0);
000406 |         loadout = loadout.End();
000407 |         loadout = loadout.BeginAttachment("QuiltedJacket_Green", "Body");
000408 |         loadout.SetHealth(0.7, 1.0);
000409 |         loadout = loadout.End();
000410 |         loadout = loadout.BeginAttachment("QuiltedJacket_Grey", "Body");
000411 |         loadout.SetHealth(0.7, 1.0);
000412 |         loadout = loadout.End();
000413 |         loadout = loadout.BeginAttachment("QuiltedJacket_Orange", "Body");
000414 |         loadout.SetHealth(0.7, 1.0);
000415 |         loadout = loadout.End();
000416 |         loadout = loadout.BeginAttachment("QuiltedJacket_Red", "Body");
000417 |         loadout.SetHealth(0.7, 1.0);
000418 |         loadout = loadout.End();
000419 |         loadout = loadout.BeginAttachment("QuiltedJacket_Violet", "Body");
000420 |         loadout.SetHealth(0.7, 1.0);
000421 |         loadout = loadout.End();
000422 |         loadout = loadout.BeginAttachment("QuiltedJacket_Yellow", "Body");
000423 |         loadout.SetHealth(0.7, 1.0);
000424 |         loadout = loadout.End();
000425 |         loadout = loadout.BeginAttachment("Shirt_BlueCheck", "Body");
000426 |         loadout.SetHealth(0.7, 1.0);
000427 |         loadout = loadout.End();
000428 |         loadout = loadout.BeginAttachment("Shirt_BlueCheckBright", "Body");
000429 |         loadout.SetHealth(0.7, 1.0);
000430 |         loadout = loadout.End();
000431 |         loadout = loadout.BeginAttachment("Shirt_GreenCheck", "Body");
000432 |         loadout.SetHealth(0.7, 1.0);
000433 |         loadout = loadout.End();
000434 |         loadout = loadout.BeginAttachment("Shirt_PlaneBlack", "Body");
000435 |         loadout.SetHealth(0.7, 1.0);
000436 |         loadout = loadout.End();
000437 |         loadout = loadout.BeginAttachment("Shirt_RedCheck", "Body");
000438 |         loadout.SetHealth(0.7, 1.0);
000439 |         loadout = loadout.End();
000440 |         loadout = loadout.BeginAttachment("Shirt_WhiteCheck", "Body");
000441 |         loadout.SetHealth(0.7, 1.0);
000442 |         loadout = loadout.End();
000443 |
000444 |         loadout = loadout.BeginAttachment("GorkaPants_Autumn", "Legs");
000445 |         loadout.SetHealth(0.7, 1.0);
000446 |         loadout = loadout.End();
000447 |         loadout = loadout.BeginAttachment("GorkaPants_Flat", "Legs");
000448 |         loadout.SetHealth(0.7, 1.0);
000449 |         loadout = loadout.End();
000450 |         loadout = loadout.BeginAttachment("GorkaPants_PautRev", "Legs");
000451 |         loadout.SetHealth(0.7, 1.0);
000452 |         loadout = loadout.End();
000453 |         loadout = loadout.BeginAttachment("GorkaPants_Summer", "Legs");
000454 |         loadout.SetHealth(0.7, 1.0);
000455 |         loadout = loadout.End();
000456 |         loadout = loadout.BeginAttachment("TTSK0Pants", "Legs");
000457 |         loadout.SetHealth(0.7, 1.0);
000458 |         loadout = loadout.End();
000459 |         loadout = loadout.BeginAttachment("Jeans_Black", "Legs");
```

```
000460 |         loadout.SetHealth(0.7, 1.0);
000461 |         loadout = loadout.End();
000462 |         loadout = loadout.BeginAttachment("Jeans_Blue", "Legs");
000463 |         loadout.SetHealth(0.7, 1.0);
000464 |         loadout = loadout.End();
000465 |         loadout = loadout.BeginAttachment("Jeans_BlueDark", "Legs");
000466 |         loadout.SetHealth(0.7, 1.0);
000467 |         loadout = loadout.End();
000468 |         loadout = loadout.BeginAttachment("Jeans_Brown", "Legs");
000469 |         loadout.SetHealth(0.7, 1.0);
000470 |         loadout = loadout.End();
000471 |         loadout = loadout.BeginAttachment("Jeans_Green", "Legs");
000472 |         loadout.SetHealth(0.7, 1.0);
000473 |         loadout = loadout.End();
000474 |         loadout = loadout.BeginAttachment("Jeans_Grey", "Legs");
000475 |         loadout.SetHealth(0.7, 1.0);
000476 |         loadout = loadout.End();
000477 |         loadout = loadout.BeginAttachment("TrackSuitPants_Black", "Legs");
000478 |         loadout.SetHealth(0.7, 1.0);
000479 |         loadout = loadout.End();
000480 |         loadout = loadout.BeginAttachment("TrackSuitPants_Blue", "Legs");
000481 |         loadout.SetHealth(0.7, 1.0);
000482 |         loadout = loadout.End();
000483 |         loadout = loadout.BeginAttachment("TrackSuitPants_Green", "Legs");
000484 |         loadout.SetHealth(0.7, 1.0);
000485 |         loadout = loadout.End();
000486 |         loadout = loadout.BeginAttachment("TrackSuitPants_LightBlue", "Legs");
000487 |         loadout.SetHealth(0.7, 1.0);
000488 |         loadout = loadout.End();
000489 |         loadout = loadout.BeginAttachment("TrackSuitPants_Red", "Legs");
000490 |         loadout.SetHealth(0.7, 1.0);
000491 |         loadout = loadout.End();
000492 |         loadout = loadout.BeginAttachment("CargoPants_Beige", "Legs");
000493 |         loadout.SetHealth(0.7, 1.0);
000494 |         loadout = loadout.End();
000495 |         loadout = loadout.BeginAttachment("CargoPants_Black", "Legs");
000496 |         loadout.SetHealth(0.7, 1.0);
000497 |         loadout = loadout.End();
000498 |         loadout = loadout.BeginAttachment("CargoPants_Blue", "Legs");
000499 |         loadout.SetHealth(0.7, 1.0);
000500 |         loadout = loadout.End();
000501 |         loadout = loadout.BeginAttachment("CargoPants_Green", "Legs");
000502 |         loadout.SetHealth(0.7, 1.0);
000503 |         loadout = loadout.End();
000504 |         loadout = loadout.BeginAttachment("CargoPants_Grey", "Legs");
000505 |         loadout.SetHealth(0.7, 1.0);
000506 |         loadout = loadout.End();
000507 |
000508 |         loadout = loadout.BeginAttachment("CombatBoots_Beige", "Feet");
000509 |         loadout.SetHealth(0.7, 1.0);
000510 |         loadout = loadout.End();
000511 |         loadout = loadout.BeginAttachment("CombatBoots_Black", "Feet");
000512 |         loadout.SetHealth(0.7, 1.0);
000513 |         loadout = loadout.End();
000514 |         loadout = loadout.BeginAttachment("CombatBoots_Brown", "Feet");
000515 |         loadout.SetHealth(0.7, 1.0);
000516 |         loadout = loadout.End();
000517 |         loadout = loadout.BeginAttachment("CombatBoots_Green", "Feet");
000518 |         loadout.SetHealth(0.7, 1.0);
000519 |         loadout = loadout.End();
000520 |         loadout = loadout.BeginAttachment("CombatBoots_Grey", "Feet");
000521 |         loadout.SetHealth(0.7, 1.0);
```

```
000522 |         loadout = loadout.End();
000523 |         loadout = loadout.BeginAttachment("TTSK0Boots", "Feet");
000524 |         loadout.SetHealth(0.7, 1.0);
000525 |         loadout = loadout.End();
000526 |
000527 |         loadout = loadout.BeginAttachment("WorkingBoots_Beige", "Feet");
000528 |         loadout.SetHealth(0.7, 1.0);
000529 |         loadout = loadout.End();
000530 |         loadout = loadout.BeginAttachment("WorkingBoots_Grey", "Feet");
000531 |         loadout.SetHealth(0.7, 1.0);
000532 |         loadout = loadout.End();
000533 |         loadout = loadout.BeginAttachment("WorkingBoots_Yellow", "Feet");
000534 |         loadout.SetHealth(0.7, 1.0);
000535 |         loadout = loadout.End();
000536 |
000537 |         loadout = loadout.BeginAttachment("WorkingGloves_Beige", "Gloves");
000538 |         loadout.SetHealth(0.7, 1.0);
000539 |         loadout = loadout.End();
000540 |         loadout = loadout.BeginAttachment("WorkingGloves_Black", "Gloves");
000541 |         loadout.SetHealth(0.7, 1.0);
000542 |         loadout = loadout.End();
000543 |         loadout = loadout.BeginAttachment("WorkingGloves_Brown", "Gloves");
000544 |         loadout.SetHealth(0.7, 1.0);
000545 |         loadout = loadout.End();
000546 |         loadout = loadout.BeginAttachment("WorkingGloves_Yellow", "Gloves");
000547 |         loadout.SetHealth(0.7, 1.0);
000548 |         loadout = loadout.End();
000549 |         loadout = loadout.BeginAttachment("OMNOGloves_Brown", "Gloves");
000550 |         loadout.SetHealth(0.7, 1.0);
000551 |         loadout.Chance = 0.02;
000552 |         loadout = loadout.End();
000553 |         loadout = loadout.BeginAttachment("OMNOGloves_Gray", "Gloves");
000554 |         loadout.SetHealth(0.7, 1.0);
000555 |         loadout.Chance = 0.02;
000556 |         loadout = loadout.End();
000557 |
000558 |         loadout = loadout.BeginAttachment("Balaclava3Holes_Black", "MASK");
000559 |         loadout.SetHealth(0.7, 1.0);
000560 |         loadout = loadout.End();
000561 |         loadout = loadout.BeginAttachment("Balaclava3Holes_Beige", "MASK");
000562 |         loadout.SetHealth(0.7, 1.0);
000563 |         loadout = loadout.End();
000564 |         loadout = loadout.BeginAttachment("Balaclava3Holes_Blue", "MASK");
000565 |         loadout.SetHealth(0.7, 1.0);
000566 |         loadout = loadout.End();
000567 |         loadout = loadout.BeginAttachment("Balaclava3Holes_Green", "MASK");
000568 |         loadout.SetHealth(0.7, 1.0);
000569 |         loadout = loadout.End();
000570 |         loadout = loadout.BeginAttachment("BalaclavaMask_Beige", "MASK");
000571 |         loadout.SetHealth(0.7, 1.0);
000572 |         loadout = loadout.End();
000573 |         loadout = loadout.BeginAttachment("BalaclavaMask_Black", "MASK");
000574 |         loadout.SetHealth(0.7, 1.0);
000575 |         loadout = loadout.End();
000576 |         loadout = loadout.BeginAttachment("BalaclavaMask_Blackskull", "MASK");
000577 |         loadout.SetHealth(0.7, 1.0);
000578 |         loadout = loadout.End();
000579 |         loadout = loadout.BeginAttachment("BalaclavaMask_Blue", "MASK");
000580 |         loadout.SetHealth(0.7, 1.0);
000581 |         loadout = loadout.End();
000582 |         loadout = loadout.BeginAttachment("BalaclavaMask_Green", "MASK");
000583 |         loadout.SetHealth(0.7, 1.0);
```



```
000584 |         loadout = loadout.End();
000585 |         loadout = loadout.BeginAttachment("BalaclavaMask_Pink", "MASK");
000586 |         loadout.SetHealth(0.7, 1.0);
000587 |         loadout = loadout.End();
000588 |         loadout = loadout.BeginAttachment("BalaclavaMask_White", "MASK");
000589 |         loadout.SetHealth(0.7, 1.0);
000590 |         loadout = loadout.End();
000591 |         loadout = loadout.BeginAttachment("WeldingMask", "MASK");
000592 |         loadout.SetHealth(0.7, 1.0);
000593 |         loadout = loadout.End();
000594 |         loadout = loadout.BeginAttachment("Bandana_Blackpattern", "MASK");
000595 |         loadout.SetHealth(0.7, 1.0);
000596 |         loadout = loadout.End();
000597 |         loadout = loadout.BeginAttachment("Bandana_Camopattern", "MASK");
000598 |         loadout.SetHealth(0.7, 1.0);
000599 |         loadout = loadout.End();
000600 |         loadout = loadout.BeginAttachment("Bandana_Greenpattern", "MASK");
000601 |         loadout.SetHealth(0.7, 1.0);
000602 |         loadout = loadout.End();
000603 |         loadout = loadout.BeginAttachment("Bandana_Polkapattern", "MASK");
000604 |         loadout.SetHealth(0.7, 1.0);
000605 |         loadout = loadout.End();
000606 |         loadout = loadout.BeginAttachment("Bandana_Redpattern", "MASK");
000607 |         loadout.SetHealth(0.7, 1.0);
000608 |         loadout = loadout.End();
000609 |
000610 |         loadout = loadout.BeginAttachment("PoliceVest", "Vest");
000611 |         loadout.SetHealth(0.7, 1.0);
000612 |         loadout = loadout.End();
000613 |         loadout = loadout.BeginAttachment("UKAssVest_Olive", "Vest");
000614 |         loadout.SetHealth(0.7, 1.0);
000615 |         loadout = loadout.End();
000616 |         loadout = loadout.BeginAttachment("UKAssVest_Camo", "Vest");
000617 |         loadout.SetHealth(0.7, 1.0);
000618 |         loadout = loadout.End();
000619 |         loadout = loadout.BeginAttachment("HighCapacityVest_Olive", "Vest");
000620 |         loadout.SetHealth(0.7, 1.0);
000621 |         loadout = loadout.End();
000622 |
000623 |         loadout = loadout.BeginAttachment("MilitaryBelt", "Hips");
000624 |         loadout.SetHealth(0.7, 1.0);
000625 |         loadout.Chance = 0.2;
000626 |         loadout = loadout.End();
000627 |         loadout = loadout.BeginAttachment("CivilianBelt", "Hips");
000628 |         loadout.SetHealth(0.7, 1.0);
000629 |         loadout = loadout.End();
000630 |
000631 |         loadout = loadout.BeginAttachment("BaseballBat", "Melee");
000632 |         loadout.SetHealth(0.7, 1.0);
000633 |         loadout.Chance = 0.05;
000634 |         loadout = loadout.End();
000635 |         loadout = loadout.BeginAttachment("FirefighterAxe", "Melee");
000636 |         loadout.SetHealth(0.7, 1.0);
000637 |         loadout.Chance = 0.05;
000638 |         loadout = loadout.End();
000639 |         loadout = loadout.BeginAttachment("Shovel", "Melee");
000640 |         loadout.SetHealth(0.7, 1.0);
000641 |         loadout.Chance = 0.05;
000642 |         loadout = loadout.End();
000643 |         loadout = loadout.BeginAttachment("PipeWrench", "Melee");
000644 |         loadout.SetHealth(0.7, 1.0);
000645 |         loadout.Chance = 0.05;
```

```
000646 |         loadout = loadout.End();
000647 |         loadout = loadout.BeginAttachment("Pipe", "Melee");
000648 |         loadout.SetHealth(0.7, 1.0);
000649 |         loadout.Chance = 0.05;
000650 |         loadout = loadout.End();
000651 |         loadout = loadout.BeginAttachment("Pickaxe", "Melee");
000652 |         loadout.SetHealth(0.7, 1.0);
000653 |         loadout.Chance = 0.05;
000654 |         loadout = loadout.End();
000655 |         loadout = loadout.BeginAttachment("Crowbar", "Melee");
000656 |         loadout.SetHealth(0.7, 1.0);
000657 |         loadout.Chance = 0.1;
000658 |         loadout = loadout.End();
000659 |
000660 |         DefaultSurvivorWeapon(loadout);
000661 |
000662 |     loadout.Save();
000663 | }
000664 |
000665 | static void DefaultSurvivorWeapon(inout ExpansionPrefabObject loadout)
000666 | {
000667 |     loadout = loadout.BeginSet("WEAPON");
000668 |     loadout = loadout.BeginAttachment("AK101", "Shoulder");
000669 |     loadout = loadout.BeginAttachment("Mag_AK101_30Rnd");
000670 |     loadout = loadout.End();
000671 |     loadout = loadout.BeginAttachment("AK_PlasticBttstck");
000672 |     loadout.Chance = 0.3;
000673 |     loadout = loadout.End();
000674 |     loadout = loadout.BeginAttachment("AK_FoldingBttstck");
000675 |     loadout.Chance = 0.3;
000676 |     loadout = loadout.End();
000677 |     loadout = loadout.BeginAttachment("AK74_WoodBttstck");
000678 |     loadout.Chance = 0.1;
000679 |     loadout = loadout.End();
000680 |     loadout = loadout.BeginAttachment("AK_WoodBttstck");
000681 |     loadout = loadout.End();
000682 |     loadout = loadout.BeginAttachment("AK_PlasticHndgrd");
000683 |     loadout = loadout.End();
000684 |     loadout = loadout.BeginAttachment("AK_WoodHndgrd");
000685 |     loadout = loadout.End();
000686 |     loadout = loadout.BeginAttachment("KashtanOptic");
000687 |     loadout.Chance = 0.1;
000688 |     loadout = loadout.End();
000689 |     loadout = loadout.BeginAttachment("KobraOptic");
000690 |     loadout.Chance = 0.2;
000691 |     loadout = loadout.BeginAttachment("Battery9V");
000692 |     loadout = loadout.End();
000693 |     loadout = loadout.End();
000694 |     loadout = loadout.BeginAttachment("PS010ptic");
000695 |     loadout.Chance = 0.2;
000696 |     loadout = loadout.BeginAttachment("Battery9V");
000697 |     loadout = loadout.End();
000698 |     loadout = loadout.End();
000699 |     loadout = loadout.End();
000700 |
000701 |     loadout = loadout.BeginCargo("Mag_AK101_30Rnd");
000702 |     loadout.Chance = 1.0;
000703 |     loadout = loadout.End();
000704 |     loadout = loadout.BeginCargo("Mag_AK101_30Rnd");
000705 |     loadout.Chance = 0.15;
000706 |     loadout = loadout.End();
000707 |     loadout = loadout.End();
```

```
000708 |
000709 |     loadout = loadout.BeginSet("WEAPON");
000710 |         loadout = loadout.BeginAttachment("AK74", "Shoulder");
000711 |             loadout = loadout.BeginAttachment("Mag_AK74_30Rnd");
000712 |             loadout = loadout.End();
000713 |             loadout = loadout.BeginAttachment("AK_PlasticBttstck");
000714 |             loadout.Chance = 0.3;
000715 |             loadout = loadout.End();
000716 |             loadout = loadout.BeginAttachment("AK_FoldingBttstck");
000717 |             loadout.Chance = 0.3;
000718 |             loadout = loadout.End();
000719 |             loadout = loadout.BeginAttachment("AK74_WoodBttstck");
000720 |             loadout.Chance = 0.1;
000721 |             loadout = loadout.End();
000722 |             loadout = loadout.BeginAttachment("AK_WoodBttstck");
000723 |             loadout = loadout.End();
000724 |             loadout = loadout.BeginAttachment("AK74_Hndgrd");
000725 |             loadout = loadout.End();
000726 |             loadout = loadout.BeginAttachment("AK_PlasticHndgrd");
000727 |             loadout = loadout.End();
000728 |             loadout = loadout.BeginAttachment("AK_WoodHndgrd");
000729 |             loadout = loadout.End();
000730 |             loadout = loadout.BeginAttachment("KashtanOptic");
000731 |             loadout.Chance = 0.1;
000732 |             loadout = loadout.End();
000733 |             loadout = loadout.BeginAttachment("KobraOptic");
000734 |             loadout.Chance = 0.2;
000735 |                 loadout = loadout.BeginAttachment("Battery9V");
000736 |                 loadout = loadout.End();
000737 |             loadout = loadout.End();
000738 |             loadout = loadout.BeginAttachment("PS010ptic");
000739 |             loadout.Chance = 0.2;
000740 |                 loadout = loadout.BeginAttachment("Battery9V");
000741 |                 loadout = loadout.End();
000742 |             loadout = loadout.End();
000743 |         loadout = loadout.End();
000744 |
000745 |         loadout = loadout.BeginCargo("Mag_AK74_30Rnd");
000746 |         loadout.Chance = 1.0;
000747 |         loadout = loadout.End();
000748 |         loadout = loadout.BeginCargo("Mag_AK74_30Rnd");
000749 |         loadout.Chance = 0.15;
000750 |         loadout = loadout.End();
000751 |     loadout = loadout.End();
000752 |
000753 |     loadout = loadout.BeginSet("WEAPON");
000754 |         loadout = loadout.BeginAttachment("AKS74U", "Shoulder");
000755 |             loadout = loadout.BeginAttachment("Mag_AK74_30Rnd");
000756 |             loadout = loadout.End();
000757 |             loadout = loadout.BeginAttachment("AKS74U_Bttstck");
000758 |             loadout = loadout.End();
000759 |             loadout = loadout.BeginAttachment("KobraOptic");
000760 |             loadout.Chance = 0.1;
000761 |                 loadout = loadout.BeginAttachment("Battery9V");
000762 |                 loadout = loadout.End();
000763 |             loadout = loadout.End();
000764 |         loadout = loadout.End();
000765 |
000766 |         loadout = loadout.BeginCargo("Mag_AK74_30Rnd");
000767 |         loadout.Chance = 1.0;
000768 |         loadout = loadout.End();
000769 |         loadout = loadout.BeginCargo("Mag_AK74_30Rnd");
```

```
000770 |         loadout.Chance = 0.15;
000771 |         loadout = loadout.End();
000772 |     loadout = loadout.End();
000773 |
000774 |     loadout = loadout.BeginSet("WEAPON");
000775 |         loadout = loadout.BeginAttachment("AKM", "Shoulder");
000776 |         loadout = loadout.BeginAttachment("Mag_AKM_30Rnd");
000777 |         loadout.Chance = 0.9;
000778 |         loadout = loadout.End();
000779 |         loadout = loadout.BeginAttachment("Mag_AKM_Drum75Rnd");
000780 |         loadout.Chance = 0.1;
000781 |         loadout = loadout.End();
000782 |         loadout = loadout.BeginAttachment("AK_PlasticBttstck");
000783 |         loadout.Chance = 0.3;
000784 |         loadout = loadout.End();
000785 |         loadout = loadout.BeginAttachment("AK_FoldingBttstck");
000786 |         loadout.Chance = 0.3;
000787 |         loadout = loadout.End();
000788 |         loadout = loadout.BeginAttachment("AK74_WoodBttstck");
000789 |         loadout.Chance = 0.1;
000790 |         loadout = loadout.End();
000791 |         loadout = loadout.BeginAttachment("AK_WoodBttstck");
000792 |         loadout = loadout.End();
000793 |         loadout = loadout.BeginAttachment("AK_PlasticHndgrd");
000794 |         loadout = loadout.End();
000795 |         loadout = loadout.BeginAttachment("AK_WoodHndgrd");
000796 |         loadout = loadout.End();
000797 |         loadout = loadout.BeginAttachment("KashtanOptic");
000798 |         loadout.Chance = 0.1;
000799 |         loadout = loadout.End();
000800 |         loadout = loadout.BeginAttachment("KobraOptic");
000801 |         loadout.Chance = 0.2;
000802 |         loadout = loadout.BeginAttachment("Battery9V");
000803 |         loadout = loadout.End();
000804 |         loadout = loadout.End();
000805 |         loadout = loadout.BeginAttachment("PS010ptic");
000806 |         loadout.Chance = 0.2;
000807 |         loadout = loadout.BeginAttachment("Battery9V");
000808 |         loadout = loadout.End();
000809 |         loadout = loadout.End();
000810 |     loadout = loadout.End();
000811 |
000812 |     loadout = loadout.BeginCargo("Mag_AKM_30Rnd");
000813 |     loadout.Chance = 1.0;
000814 |     loadout = loadout.End();
000815 |     loadout = loadout.BeginCargo("Mag_AKM_30Rnd");
000816 |     loadout.Chance = 0.15;
000817 |     loadout = loadout.End();
000818 | loadout = loadout.End();
000819 |
000820 | loadout = loadout.BeginSet("WEAPON");
000821 |     loadout = loadout.BeginAttachment("MP5K", "Shoulder");
000822 |     loadout = loadout.BeginAttachment("Mag_MP5_30Rnd");
000823 |     loadout.Chance = 0.8;
000824 |     loadout = loadout.End();
000825 |     loadout = loadout.BeginAttachment("Mag_MP5_15Rnd");
000826 |     loadout = loadout.End();
000827 |     loadout = loadout.BeginAttachment("MP5k_StockBttstck");
000828 |     loadout.Chance = 0.8;
000829 |     loadout = loadout.End();
000830 |     loadout = loadout.BeginAttachment("MP5_PlasticHndgrd");
000831 |     loadout.Chance = 0.8;
```

```
000832 |         loadout = loadout.End();
000833 |         loadout = loadout.BeginAttachment("MP5_RailHndgrd");
000834 |         loadout = loadout.End();
000835 |         loadout = loadout.BeginAttachment("MP5_Compensator");
000836 |         loadout.Chance = 0.2;
000837 |         loadout = loadout.End();
000838 |         loadout = loadout.BeginAttachment("ReflexOptic");
000839 |         loadout.Chance = 0.1;
000840 |         loadout = loadout.BeginAttachment("Battery9V");
000841 |         loadout = loadout.End();
000842 |         loadout = loadout.End();
000843 |     loadout = loadout.End();
000844 |
000845 |     loadout = loadout.BeginCargo("Mag_MP5_15Rnd");
000846 |     loadout.Chance = 0.5;
000847 |     loadout = loadout.End();
000848 |     loadout = loadout.BeginCargo("Mag_MP5_15Rnd");
000849 |     loadout.Chance = 0.5;
000850 |     loadout = loadout.End();
000851 |     loadout = loadout.BeginCargo("Mag_MP5_30Rnd");
000852 |     loadout.Chance = 0.15;
000853 |     loadout = loadout.End();
000854 | loadout = loadout.End();
000855 |
000856 | loadout = loadout.BeginSet("WEAPON");
000857 |     loadout = loadout.BeginAttachment("Mosin9130", "Shoulder");
000858 |     loadout = loadout.BeginAttachment("PUScopeOptic");
000859 |     loadout.Chance = 0.4;
000860 |     loadout = loadout.End();
000861 |     loadout = loadout.End();
000862 |
000863 |     loadout = loadout.BeginCargo("Ammo_762x54");
000864 |     loadout = loadout.End();
000865 |     loadout = loadout.BeginCargo("Ammo_762x54");
000866 |     loadout.Chance = 1.0;
000867 |     loadout = loadout.End();
000868 |     loadout = loadout.BeginCargo("Ammo_762x54");
000869 |     loadout.Chance = 0.15;
000870 |     loadout = loadout.End();
000871 | loadout = loadout.End();
000872 |
000873 | loadout = loadout.BeginSet("WEAPON");
000874 |     loadout = loadout.BeginAttachment("SKS", "Shoulder");
000875 |     loadout = loadout.BeginAttachment("PUScopeOptic");
000876 |     loadout.Chance = 0.3;
000877 |     loadout = loadout.End();
000878 |     loadout = loadout.End();
000879 |
000880 |     loadout = loadout.BeginCargo("Ammo_762x39");
000881 |     loadout = loadout.End();
000882 |     loadout = loadout.BeginCargo("Ammo_762x39");
000883 |     loadout.Chance = 1.0;
000884 |     loadout = loadout.End();
000885 |     loadout = loadout.BeginCargo("Ammo_762x39");
000886 |     loadout.Chance = 0.15;
000887 |     loadout = loadout.End();
000888 | loadout = loadout.End();
000889 |
000890 | loadout = loadout.BeginSet("WEAPON");
000891 |     loadout = loadout.BeginAttachment("Ruger1022", "Shoulder");
000892 |     loadout = loadout.BeginAttachment("Mag_Ruger1022_30Rnd");
000893 |     loadout.Chance = 0.4;
```

```
000894 |         loadout = loadout.End();
000895 |         loadout = loadout.BeginAttachment("Mag_Ruger1022_15Rnd");
000896 |         loadout = loadout.End();
000897 |     loadout = loadout.End();
000898 |
000899 |     loadout = loadout.BeginCargo("Mag_Ruger1022_15Rnd");
000900 |     loadout.Chance = 0.5;
000901 |     loadout = loadout.End();
000902 |     loadout = loadout.BeginCargo("Mag_Ruger1022_15Rnd");
000903 |     loadout.Chance = 0.5;
000904 |     loadout = loadout.End();
000905 |     loadout = loadout.BeginCargo("Mag_Ruger1022_30Rnd");
000906 |     loadout.Chance = 0.15;
000907 |     loadout = loadout.End();
000908 | loadout = loadout.End();
000909 |
000910 | loadout = loadout.BeginSet("WEAPON");
000911 |     loadout = loadout.BeginAttachment("CZ550", "Shoulder");
000912 |     loadout = loadout.BeginAttachment("Mag_CZ550_4rnd");
000913 |     loadout.Chance = 0.6;
000914 |     loadout = loadout.End();
000915 |     loadout = loadout.BeginAttachment("Mag_CZ550_10rnd");
000916 |     loadout = loadout.End();
000917 |     loadout = loadout.BeginAttachment("HuntingOptic");
000918 |     loadout.Chance = 0.4;
000919 |     loadout = loadout.End();
000920 | loadout = loadout.End();
000921 |
000922 |     loadout = loadout.BeginCargo("Mag_CZ550_10rnd");
000923 |     loadout.Chance = 1.0;
000924 |     loadout = loadout.End();
000925 |     loadout = loadout.BeginCargo("Mag_CZ550_10rnd");
000926 |     loadout.Chance = 0.15;
000927 |     loadout = loadout.End();
000928 | loadout = loadout.End();
000929 |
000930 | loadout = loadout.BeginSet("WEAPON");
000931 |     loadout = loadout.BeginAttachment("P1", "Hands");
000932 |     loadout = loadout.BeginAttachment("Mag_P1_8Rnd");
000933 |     loadout = loadout.End();
000934 |     loadout = loadout.End();
000935 |
000936 |     loadout = loadout.BeginCargo("Mag_P1_8Rnd");
000937 |     loadout.Chance = 1.0;
000938 |     loadout = loadout.End();
000939 |     loadout = loadout.BeginCargo("Mag_P1_8Rnd");
000940 |     loadout.Chance = 0.15;
000941 |     loadout = loadout.End();
000942 | loadout = loadout.End();
000943 |
000944 | loadout = loadout.BeginSet("WEAPON");
000945 |     loadout = loadout.BeginAttachment("Mp133Shotgun", "Shoulder");
000946 |     loadout = loadout.End();
000947 |
000948 |     loadout = loadout.BeginCargo("Ammo_12gaSlug");
000949 |     loadout = loadout.End();
000950 |     loadout = loadout.BeginCargo("Ammo_12gaPellets");
000951 |     loadout = loadout.End();
000952 |     loadout = loadout.BeginCargo("Ammo_12gaSlug");
000953 |     loadout.Chance = 0.5;
000954 |     loadout = loadout.End();
000955 |     loadout = loadout.BeginCargo("Ammo_12gaPellets");
```

```
000956 |         loadout.Chance = 0.5;
000957 |         loadout = loadout.End();
000958 |     loadout = loadout.End();
000959 |
000960 |     loadout = loadout.BeginSet("WEAPON");
000961 |         loadout = loadout.BeginAttachment("CZ527", "Shoulder");
000962 |         loadout = loadout.BeginAttachment("Mag_CZ527_5rnd");
000963 |         loadout = loadout.End();
000964 |         loadout = loadout.BeginAttachment("HuntingOptic");
000965 |         loadout.Chance = 0.5;
000966 |         loadout = loadout.End();
000967 |     loadout = loadout.End();
000968 |
000969 |     loadout = loadout.BeginCargo("Mag_CZ527_5rnd");
000970 |     loadout.Chance = 1.0;
000971 |     loadout = loadout.End();
000972 |     loadout = loadout.BeginCargo("Mag_CZ527_5rnd");
000973 |     loadout.Chance = 0.15;
000974 |     loadout = loadout.End();
000975 | loadout = loadout.End();
000976 |
000977 | loadout = loadout.BeginSet("WEAPON");
000978 |     loadout = loadout.BeginAttachment("UMP45", "Shoulder");
000979 |     loadout = loadout.BeginAttachment("Mag_UMP_25Rnd");
000980 |     loadout = loadout.End();
000981 |     loadout = loadout.BeginAttachment("ReflexOptic");
000982 |     loadout.Chance = 0.1;
000983 |     loadout = loadout.BeginAttachment("Battery9V");
000984 |     loadout = loadout.End();
000985 |     loadout = loadout.End();
000986 | loadout = loadout.End();
000987 |
000988 |     loadout = loadout.BeginCargo("Mag_UMP_25Rnd");
000989 |     loadout.Chance = 1.0;
000990 |     loadout = loadout.End();
000991 |     loadout = loadout.BeginCargo("Mag_UMP_25Rnd");
000992 |     loadout.Chance = 0.15;
000993 |     loadout = loadout.End();
000994 | loadout = loadout.End();
000995 |
000996 | loadout = loadout.BeginSet("WEAPON");
000997 |     loadout = loadout.BeginAttachment("CZ61", "Shoulder");
000998 |     loadout = loadout.BeginAttachment("Mag_CZ61_20Rnd");
000999 |     loadout = loadout.End();
001000 |     loadout = loadout.End();
001001 |
001002 |     loadout = loadout.BeginCargo("Mag_CZ61_20Rnd");
001003 |     loadout.Chance = 1.0;
001004 |     loadout = loadout.End();
001005 |     loadout = loadout.BeginCargo("Mag_CZ61_20Rnd");
001006 |     loadout.Chance = 0.15;
001007 |     loadout = loadout.End();
001008 | loadout = loadout.End();
001009 |
001010 | loadout = loadout.BeginSet("WEAPON");
001011 |     loadout = loadout.BeginAttachment("FNX45", "Hands");
001012 |     loadout = loadout.BeginAttachment("Mag_FNX45_15Rnd");
001013 |     loadout = loadout.End();
001014 |     loadout = loadout.End();
001015 |
001016 |     loadout = loadout.BeginCargo("Mag_FNX45_15Rnd");
001017 |     loadout.Chance = 1.0;
```

```
001018 |         loadout = loadout.End();
001019 |         loadout = loadout.BeginCargo("Mag_FNX45_15Rnd");
001020 |         loadout.Chance = 0.15;
001021 |         loadout = loadout.End();
001022 |     loadout = loadout.End();
001023 |
001024 |     loadout = loadout.BeginSet("WEAPON");
001025 |         loadout = loadout.BeginAttachment("MKII", "Hands");
001026 |         loadout = loadout.BeginAttachment("Mag_MKII_10Rnd");
001027 |         loadout = loadout.End();
001028 |     loadout = loadout.End();
001029 |
001030 |     loadout = loadout.BeginCargo("Mag_MKII_10Rnd");
001031 |     loadout.Chance = 1.0;
001032 |     loadout = loadout.End();
001033 |     loadout = loadout.BeginCargo("Mag_MKII_10Rnd");
001034 |     loadout.Chance = 0.15;
001035 |     loadout = loadout.End();
001036 | loadout = loadout.End();
001037 |
001038 | loadout = loadout.BeginSet("WEAPON");
001039 |     loadout = loadout.BeginAttachment("CZ75", "Hands");
001040 |     loadout = loadout.BeginAttachment("Mag_CZ75_15Rnd");
001041 |     loadout = loadout.End();
001042 | loadout = loadout.End();
001043 |
001044 |     loadout = loadout.BeginCargo("Mag_CZ75_15Rnd");
001045 |     loadout.Chance = 1.0;
001046 |     loadout = loadout.End();
001047 |     loadout = loadout.BeginCargo("Mag_CZ75_15Rnd");
001048 |     loadout.Chance = 0.15;
001049 |     loadout = loadout.End();
001050 | loadout = loadout.End();
001051 |
001052 | loadout = loadout.BeginSet("WEAPON");
001053 |     loadout = loadout.BeginAttachment("MakarovIJ70", "Hands");
001054 |     loadout = loadout.BeginAttachment("Mag_IJ70_8Rnd");
001055 |     loadout = loadout.End();
001056 | loadout = loadout.End();
001057 |
001058 |     loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
001059 |     loadout.Chance = 1.0;
001060 |     loadout = loadout.End();
001061 |     loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
001062 |     loadout.Chance = 0.15;
001063 |     loadout = loadout.End();
001064 | loadout = loadout.End();
001065 |
001066 | loadout = loadout.BeginSet("WEAPON");
001067 |     loadout = loadout.BeginAttachment("Glock19", "Hands");
001068 |     loadout = loadout.BeginAttachment("Mag_Glock_15Rnd");
001069 |     loadout = loadout.End();
001070 | loadout = loadout.End();
001071 |
001072 |     loadout = loadout.BeginCargo("Mag_Glock_15Rnd");
001073 |     loadout.Chance = 1.0;
001074 |     loadout = loadout.End();
001075 |     loadout = loadout.BeginCargo("Mag_Glock_15Rnd");
001076 |     loadout.Chance = 0.15;
001077 |     loadout = loadout.End();
001078 | loadout = loadout.End();
001079 | }
```



```
001080 |
001081 | static void DefaultSurvivorLoadout()
001082 | {
001083 |     if (FileExist(ExpansionLoadout.GetPath("SurvivorLoadout")))
001084 |         return;
001085 |
001086 |     // Generate the default SurvivorLoadout.json file
001087 |     auto loadout = ExpansionLoadout.Create("SurvivorLoadout");
001088 |
001089 |     if (!loadout)
001090 |         return;
001091 |
001092 |     loadout = loadout.BeginAttachment("GorkaEJacket_Autumn", "Body");
001093 |     loadout.SetHealth(0.7, 1.0);
001094 |     loadout = loadout.End();
001095 |     loadout = loadout.BeginAttachment("GorkaEJacket_Flat", "Body");
001096 |     loadout.SetHealth(0.7, 1.0);
001097 |     loadout = loadout.End();
001098 |     loadout = loadout.BeginAttachment("GorkaEJacket_PautRev", "Body");
001099 |     loadout.SetHealth(0.7, 1.0);
001100 |     loadout = loadout.End();
001101 |     loadout = loadout.BeginAttachment("GorkaEJacket_Summer", "Body");
001102 |     loadout.SetHealth(0.7, 1.0);
001103 |     loadout = loadout.End();
001104 |     loadout = loadout.BeginAttachment("TTsK0Jacket_Camo", "Body");
001105 |     loadout.SetHealth(0.7, 1.0);
001106 |     loadout = loadout.End();
001107 |     loadout = loadout.BeginAttachment("Hoodie_Black", "Body");
001108 |     loadout.SetHealth(0.7, 1.0);
001109 |     loadout = loadout.End();
001110 |     loadout = loadout.BeginAttachment("Hoodie_Blue", "Body");
001111 |     loadout.SetHealth(0.7, 1.0);
001112 |     loadout = loadout.End();
001113 |     loadout = loadout.BeginAttachment("Hoodie_Brown", "Body");
001114 |     loadout.SetHealth(0.7, 1.0);
001115 |     loadout = loadout.End();
001116 |     loadout = loadout.BeginAttachment("Hoodie_Green", "Body");
001117 |     loadout.SetHealth(0.7, 1.0);
001118 |     loadout = loadout.End();
001119 |     loadout = loadout.BeginAttachment("Hoodie_Grey", "Body");
001120 |     loadout.SetHealth(0.7, 1.0);
001121 |     loadout = loadout.End();
001122 |     loadout = loadout.BeginAttachment("Hoodie_Red", "Body");
001123 |     loadout.SetHealth(0.7, 1.0);
001124 |     loadout = loadout.End();
001125 |     loadout = loadout.BeginAttachment("BomberJacket_Black", "Body");
001126 |     loadout.SetHealth(0.7, 1.0);
001127 |     loadout = loadout.End();
001128 |     loadout = loadout.BeginAttachment("BomberJacket_Blue", "Body");
001129 |     loadout.SetHealth(0.7, 1.0);
001130 |     loadout = loadout.End();
001131 |     loadout = loadout.BeginAttachment("BomberJacket_Brown", "Body");
001132 |     loadout.SetHealth(0.7, 1.0);
001133 |     loadout = loadout.End();
001134 |     loadout = loadout.BeginAttachment("BomberJacket_Grey", "Body");
001135 |     loadout.SetHealth(0.7, 1.0);
001136 |     loadout = loadout.End();
001137 |     loadout = loadout.BeginAttachment("BomberJacket_Maroon", "Body");
001138 |     loadout.SetHealth(0.7, 1.0);
001139 |     loadout = loadout.End();
001140 |     loadout = loadout.BeginAttachment("BomberJacket_Olive", "Body");
001141 |     loadout.SetHealth(0.7, 1.0);
```

```
001142 |         loadout = loadout.End();
001143 |         loadout = loadout.BeginAttachment("BomberJacket_SkyBlue", "Body");
001144 |         loadout.SetHealth(0.7, 1.0);
001145 |         loadout = loadout.End();
001146 |         loadout = loadout.BeginAttachment("DenimJacket", "Body");
001147 |         loadout.SetHealth(0.7, 1.0);
001148 |         loadout = loadout.End();
001149 |         loadout = loadout.BeginAttachment("HikingJacket_Black", "Body");
001150 |         loadout.SetHealth(0.7, 1.0);
001151 |         loadout = loadout.End();
001152 |         loadout = loadout.BeginAttachment("HikingJacket_Blue", "Body");
001153 |         loadout.SetHealth(0.7, 1.0);
001154 |         loadout = loadout.End();
001155 |         loadout = loadout.BeginAttachment("HikingJacket_Green", "Body");
001156 |         loadout.SetHealth(0.7, 1.0);
001157 |         loadout = loadout.End();
001158 |         loadout = loadout.BeginAttachment("HikingJacket_Red", "Body");
001159 |         loadout.SetHealth(0.7, 1.0);
001160 |         loadout = loadout.End();
001161 |         loadout = loadout.BeginAttachment("QuiltedJacket_Black", "Body");
001162 |         loadout.SetHealth(0.7, 1.0);
001163 |         loadout = loadout.End();
001164 |         loadout = loadout.BeginAttachment("QuiltedJacket_Blue", "Body");
001165 |         loadout.SetHealth(0.7, 1.0);
001166 |         loadout = loadout.End();
001167 |         loadout = loadout.BeginAttachment("QuiltedJacket_Green", "Body");
001168 |         loadout.SetHealth(0.7, 1.0);
001169 |         loadout = loadout.End();
001170 |         loadout = loadout.BeginAttachment("QuiltedJacket_Grey", "Body");
001171 |         loadout.SetHealth(0.7, 1.0);
001172 |         loadout = loadout.End();
001173 |         loadout = loadout.BeginAttachment("QuiltedJacket_Orange", "Body");
001174 |         loadout.SetHealth(0.7, 1.0);
001175 |         loadout = loadout.End();
001176 |         loadout = loadout.BeginAttachment("QuiltedJacket_Red", "Body");
001177 |         loadout.SetHealth(0.7, 1.0);
001178 |         loadout = loadout.End();
001179 |         loadout = loadout.BeginAttachment("QuiltedJacket_Violet", "Body");
001180 |         loadout.SetHealth(0.7, 1.0);
001181 |         loadout = loadout.End();
001182 |         loadout = loadout.BeginAttachment("QuiltedJacket_Yellow", "Body");
001183 |         loadout.SetHealth(0.7, 1.0);
001184 |         loadout = loadout.End();
001185 |         loadout = loadout.BeginAttachment("Shirt_BlueCheck", "Body");
001186 |         loadout.SetHealth(0.7, 1.0);
001187 |         loadout = loadout.End();
001188 |         loadout = loadout.BeginAttachment("Shirt_BlueCheckBright", "Body");
001189 |         loadout.SetHealth(0.7, 1.0);
001190 |         loadout = loadout.End();
001191 |         loadout = loadout.BeginAttachment("Shirt_GreenCheck", "Body");
001192 |         loadout.SetHealth(0.7, 1.0);
001193 |         loadout = loadout.End();
001194 |         loadout = loadout.BeginAttachment("Shirt_PlaneBlack", "Body");
001195 |         loadout.SetHealth(0.7, 1.0);
001196 |         loadout = loadout.End();
001197 |         loadout = loadout.BeginAttachment("Shirt_RedCheck", "Body");
001198 |         loadout.SetHealth(0.7, 1.0);
001199 |         loadout = loadout.End();
001200 |         loadout = loadout.BeginAttachment("Shirt_WhiteCheck", "Body");
001201 |         loadout.SetHealth(0.7, 1.0);
001202 |         loadout = loadout.End();
001203 |
```

```
001204 |         loadout = loadout.BeginAttachment("GorkaPants_Autumn", "Legs");
001205 |         loadout.SetHealth(0.7, 1.0);
001206 |         loadout = loadout.End();
001207 |         loadout = loadout.BeginAttachment("GorkaPants_Flat", "Legs");
001208 |         loadout.SetHealth(0.7, 1.0);
001209 |         loadout = loadout.End();
001210 |         loadout = loadout.BeginAttachment("GorkaPants_PautRev", "Legs");
001211 |         loadout.SetHealth(0.7, 1.0);
001212 |         loadout = loadout.End();
001213 |         loadout = loadout.BeginAttachment("GorkaPants_Summer", "Legs");
001214 |         loadout.SetHealth(0.7, 1.0);
001215 |         loadout = loadout.End();
001216 |         loadout = loadout.BeginAttachment("TTSK0Pants", "Legs");
001217 |         loadout.SetHealth(0.7, 1.0);
001218 |         loadout = loadout.End();
001219 |         loadout = loadout.BeginAttachment("Jeans_Black", "Legs");
001220 |         loadout.SetHealth(0.7, 1.0);
001221 |         loadout = loadout.End();
001222 |         loadout = loadout.BeginAttachment("Jeans_Blue", "Legs");
001223 |         loadout.SetHealth(0.7, 1.0);
001224 |         loadout = loadout.End();
001225 |         loadout = loadout.BeginAttachment("Jeans_BlueDark", "Legs");
001226 |         loadout.SetHealth(0.7, 1.0);
001227 |         loadout = loadout.End();
001228 |         loadout = loadout.BeginAttachment("Jeans_Brown", "Legs");
001229 |         loadout.SetHealth(0.7, 1.0);
001230 |         loadout = loadout.End();
001231 |         loadout = loadout.BeginAttachment("Jeans_Green", "Legs");
001232 |         loadout.SetHealth(0.7, 1.0);
001233 |         loadout = loadout.End();
001234 |         loadout = loadout.BeginAttachment("Jeans_Grey", "Legs");
001235 |         loadout.SetHealth(0.7, 1.0);
001236 |         loadout = loadout.End();
001237 |         loadout = loadout.BeginAttachment("TrackSuitPants_Black", "Legs");
001238 |         loadout.SetHealth(0.7, 1.0);
001239 |         loadout = loadout.End();
001240 |         loadout = loadout.BeginAttachment("TrackSuitPants_Blue", "Legs");
001241 |         loadout.SetHealth(0.7, 1.0);
001242 |         loadout = loadout.End();
001243 |         loadout = loadout.BeginAttachment("TrackSuitPants_Green", "Legs");
001244 |         loadout.SetHealth(0.7, 1.0);
001245 |         loadout = loadout.End();
001246 |         loadout = loadout.BeginAttachment("TrackSuitPants_LightBlue", "Legs");
001247 |         loadout.SetHealth(0.7, 1.0);
001248 |         loadout = loadout.End();
001249 |         loadout = loadout.BeginAttachment("TrackSuitPants_Red", "Legs");
001250 |         loadout.SetHealth(0.7, 1.0);
001251 |         loadout = loadout.End();
001252 |         loadout = loadout.BeginAttachment("CargoPants_Beige", "Legs");
001253 |         loadout.SetHealth(0.7, 1.0);
001254 |         loadout = loadout.End();
001255 |         loadout = loadout.BeginAttachment("CargoPants_Black", "Legs");
001256 |         loadout.SetHealth(0.7, 1.0);
001257 |         loadout = loadout.End();
001258 |         loadout = loadout.BeginAttachment("CargoPants_Blue", "Legs");
001259 |         loadout.SetHealth(0.7, 1.0);
001260 |         loadout = loadout.End();
001261 |         loadout = loadout.BeginAttachment("CargoPants_Green", "Legs");
001262 |         loadout.SetHealth(0.7, 1.0);
001263 |         loadout = loadout.End();
001264 |         loadout = loadout.BeginAttachment("CargoPants_Grey", "Legs");
001265 |         loadout.SetHealth(0.7, 1.0);
```

```
001266 |         loadout = loadout.End();
001267 |
001268 |         loadout = loadout.BeginAttachment("CombatBoots_Beige", "Feet");
001269 |         loadout.SetHealth(0.7, 1.0);
001270 |         loadout = loadout.End();
001271 |         loadout = loadout.BeginAttachment("CombatBoots_Black", "Feet");
001272 |         loadout.SetHealth(0.7, 1.0);
001273 |         loadout = loadout.End();
001274 |         loadout = loadout.BeginAttachment("CombatBoots_Brown", "Feet");
001275 |         loadout.SetHealth(0.7, 1.0);
001276 |         loadout = loadout.End();
001277 |         loadout = loadout.BeginAttachment("CombatBoots_Green", "Feet");
001278 |         loadout.SetHealth(0.7, 1.0);
001279 |         loadout = loadout.End();
001280 |         loadout = loadout.BeginAttachment("CombatBoots_Grey", "Feet");
001281 |         loadout.SetHealth(0.7, 1.0);
001282 |         loadout = loadout.End();
001283 |         loadout = loadout.BeginAttachment("TTSK0Boots", "Feet");
001284 |         loadout.SetHealth(0.7, 1.0);
001285 |         loadout = loadout.End();
001286 |
001287 |         loadout = loadout.BeginAttachment("WorkingBoots_Beige", "Feet");
001288 |         loadout.SetHealth(0.7, 1.0);
001289 |         loadout = loadout.End();
001290 |         loadout = loadout.BeginAttachment("WorkingBoots_Grey", "Feet");
001291 |         loadout.SetHealth(0.7, 1.0);
001292 |         loadout = loadout.End();
001293 |         loadout = loadout.BeginAttachment("WorkingBoots_Yellow", "Feet");
001294 |         loadout.SetHealth(0.7, 1.0);
001295 |         loadout = loadout.End();
001296 |
001297 |         loadout = loadout.BeginAttachment("WorkingGloves_Beige", "Gloves");
001298 |         loadout.SetHealth(0.7, 1.0);
001299 |         loadout = loadout.End();
001300 |         loadout = loadout.BeginAttachment("WorkingGloves_Black", "Gloves");
001301 |         loadout.SetHealth(0.7, 1.0);
001302 |         loadout = loadout.End();
001303 |         loadout = loadout.BeginAttachment("WorkingGloves_Brown", "Gloves");
001304 |         loadout.SetHealth(0.7, 1.0);
001305 |         loadout = loadout.End();
001306 |         loadout = loadout.BeginAttachment("WorkingGloves_Yellow", "Gloves");
001307 |         loadout.SetHealth(0.7, 1.0);
001308 |         loadout = loadout.End();
001309 |         loadout = loadout.BeginAttachment("OMNOGloves_Brown", "Gloves");
001310 |         loadout.SetHealth(0.7, 1.0);
001311 |         loadout.Chance = 0.02;
001312 |         loadout = loadout.End();
001313 |         loadout = loadout.BeginAttachment("OMNOGloves_Gray", "Gloves");
001314 |         loadout.SetHealth(0.7, 1.0);
001315 |         loadout.Chance = 0.02;
001316 |         loadout = loadout.End();
001317 |
001318 |         loadout = loadout.BeginAttachment("MilitaryBelt", "Hips");
001319 |         loadout.SetHealth(0.7, 1.0);
001320 |         loadout.Chance = 0.2;
001321 |         loadout = loadout.End();
001322 |         loadout = loadout.BeginAttachment("CivilianBelt", "Hips");
001323 |         loadout.SetHealth(0.7, 1.0);
001324 |         loadout = loadout.End();
001325 |
001326 |         loadout = loadout.BeginAttachment("BaseballBat", "Melee");
001327 |         loadout.SetHealth(0.7, 1.0);
```

```
001328 |         loadout.Chance = 0.05;
001329 |         loadout = loadout.End();
001330 |         loadout = loadout.BeginAttachment("FirefighterAxe", "Melee");
001331 |         loadout.SetHealth(0.7, 1.0);
001332 |         loadout.Chance = 0.05;
001333 |         loadout = loadout.End();
001334 |         loadout = loadout.BeginAttachment("Shovel", "Melee");
001335 |         loadout.SetHealth(0.7, 1.0);
001336 |         loadout.Chance = 0.05;
001337 |         loadout = loadout.End();
001338 |         loadout = loadout.BeginAttachment("PipeWrench", "Melee");
001339 |         loadout.SetHealth(0.7, 1.0);
001340 |         loadout.Chance = 0.05;
001341 |         loadout = loadout.End();
001342 |         loadout = loadout.BeginAttachment("Pipe", "Melee");
001343 |         loadout.SetHealth(0.7, 1.0);
001344 |         loadout.Chance = 0.05;
001345 |         loadout = loadout.End();
001346 |         loadout = loadout.BeginAttachment("Pickaxe", "Melee");
001347 |         loadout.SetHealth(0.7, 1.0);
001348 |         loadout.Chance = 0.05;
001349 |         loadout = loadout.End();
001350 |         loadout = loadout.BeginAttachment("Crowbar", "Melee");
001351 |         loadout.SetHealth(0.7, 1.0);
001352 |         loadout.Chance = 0.1;
001353 |         loadout = loadout.End();
001354 |
001355 |         DefaultSurvivorWeapon(loadout);
001356 |
001357 |         loadout.Save();
001358 |     }
001359 |
001360 | static void DefaultFireFighterLoadout()
001361 | {
001362 |     if (FileExist(ExpansionLoadout.GetPath("FireFighterLoadout")))
001363 |         return;
001364 |
001365 |     // Generate the default FireFighterLoadout.json file
001366 |     auto loadout = ExpansionLoadout.Create("FireFighterLoadout");
001367 |
001368 |     if (!loadout)
001369 |         return;
001370 |
001371 |     loadout = loadout.BeginAttachment("FirefighterJacket_Beige", "Body");
001372 |     loadout.SetHealth(0.7, 1.0);
001373 |     loadout = loadout.End();
001374 |     loadout = loadout.BeginAttachment("FirefighterJacket_Black", "Body");
001375 |     loadout.SetHealth(0.7, 1.0);
001376 |     loadout = loadout.End();
001377 |
001378 |     loadout = loadout.BeginAttachment("FirefightersPants_Beige", "Legs");
001379 |     loadout.SetHealth(0.7, 1.0);
001380 |     loadout = loadout.End();
001381 |     loadout = loadout.BeginAttachment("FirefightersPants_Black", "Legs");
001382 |     loadout.SetHealth(0.7, 1.0);
001383 |     loadout = loadout.End();
001384 |
001385 |     loadout = loadout.BeginAttachment("WorkingBoots_Beige", "Feet");
001386 |     loadout.SetHealth(0.7, 1.0);
001387 |     loadout = loadout.End();
001388 |     loadout = loadout.BeginAttachment("WorkingBoots_Grey", "Feet");
001389 |     loadout.SetHealth(0.7, 1.0);
```

```
001390 |         loadout = loadout.End();
001391 |         loadout = loadout.BeginAttachment("WorkingBoots_Yellow", "Feet");
001392 |         loadout.SetHealth(0.7, 1.0);
001393 |         loadout = loadout.End();
001394 |
001395 |         loadout = loadout.BeginAttachment("ReflexVest", "Vest");
001396 |         loadout.SetHealth(0.7, 1.0);
001397 |         loadout.Chance = 0.1;
001398 |         loadout = loadout.End();
001399 |
001400 |         loadout = loadout.BeginAttachment("FirefightersHelmet_Red", "Headgear");
001401 |         loadout.SetHealth(0.7, 1.0);
001402 |         loadout = loadout.End();
001403 |         loadout = loadout.BeginAttachment("FirefightersHelmet_White", "Headgear");
001404 |         loadout.SetHealth(0.7, 1.0);
001405 |         loadout = loadout.End();
001406 |         loadout = loadout.BeginAttachment("FirefightersHelmet_Yellow", "Headgear");
001407 |         loadout.SetHealth(0.7, 1.0);
001408 |         loadout = loadout.End();
001409 |
001410 |         loadout = loadout.BeginAttachment("WorkingGloves_Beige", "Gloves");
001411 |         loadout.SetHealth(0.7, 1.0);
001412 |         loadout = loadout.End();
001413 |         loadout = loadout.BeginAttachment("WorkingGloves_Black", "Gloves");
001414 |         loadout.SetHealth(0.7, 1.0);
001415 |         loadout = loadout.End();
001416 |         loadout = loadout.BeginAttachment("WorkingGloves_Brown", "Gloves");
001417 |         loadout.SetHealth(0.7, 1.0);
001418 |         loadout = loadout.End();
001419 |         loadout = loadout.BeginAttachment("WorkingGloves_Yellow", "Gloves");
001420 |         loadout.SetHealth(0.7, 1.0);
001421 |         loadout = loadout.End();
001422 |
001423 |         loadout = loadout.BeginAttachment("CivilianBelt", "Hips");
001424 |         loadout.SetHealth(0.7, 1.0);
001425 |         loadout = loadout.End();
001426 |
001427 |         loadout = loadout.BeginAttachment("FirefighterAxe", "Melee");
001428 |         loadout.SetHealth(0.7, 1.0);
001429 |         loadout.Chance = 0.3;
001430 |         loadout = loadout.End();
001431 |         loadout = loadout.BeginAttachment("Crowbar", "Melee");
001432 |         loadout.SetHealth(0.7, 1.0);
001433 |         loadout.Chance = 0.1;
001434 |         loadout = loadout.End();
001435 |     loadout.Save();
001436 | }
001437 |
001438 | static void DefaultWestLoadout()
001439 | {
001440 |     if (FileExist(ExpansionLoadout.GetPath("WestLoadout")))
001441 |         return;
001442 |
001443 |     // Generate the default WestLoadout.json file
001444 |     auto loadout = ExpansionLoadout.Create("WestLoadout");
001445 |
001446 |     if (!loadout)
001447 |         return;
001448 |
001449 |     loadout = loadout.BeginAttachment("USMCJacket_Desert", "Body");
001450 |     loadout.SetHealth(0.7, 1.0);
001451 |     loadout = loadout.End();
```

```
001452 |         loadout = loadout.BeginAttachment("USMCJacket_Woodland", "Body");
001453 |         loadout.SetHealth(0.7, 1.0);
001454 |         loadout = loadout.End();
001455 |
001456 |         loadout = loadout.BeginAttachment("USMCPants_Desert", "Legs");
001457 |         loadout.SetHealth(0.7, 1.0);
001458 |         loadout = loadout.End();
001459 |         loadout = loadout.BeginAttachment("USMCPants_Woodland", "Legs");
001460 |         loadout.SetHealth(0.7, 1.0);
001461 |         loadout = loadout.End();
001462 |
001463 |         loadout = loadout.BeginAttachment("CombatBoots_Beige", "Feet");
001464 |         loadout.SetHealth(0.7, 1.0);
001465 |         loadout = loadout.End();
001466 |         loadout = loadout.BeginAttachment("CombatBoots_Black", "Feet");
001467 |         loadout.SetHealth(0.7, 1.0);
001468 |         loadout = loadout.End();
001469 |         loadout = loadout.BeginAttachment("CombatBoots_Brown", "Feet");
001470 |         loadout.SetHealth(0.7, 1.0);
001471 |         loadout = loadout.End();
001472 |         loadout = loadout.BeginAttachment("CombatBoots_Green", "Feet");
001473 |         loadout.SetHealth(0.7, 1.0);
001474 |         loadout = loadout.End();
001475 |         loadout = loadout.BeginAttachment("CombatBoots_Grey", "Feet");
001476 |         loadout.SetHealth(0.7, 1.0);
001477 |         loadout = loadout.End();
001478 |
001479 |         loadout = loadout.BeginAttachment("CoyoteBag_Brown", "Back");
001480 |         loadout.SetHealth(0.7, 1.0);
001481 |         loadout.Chance = 0.6;
001482 |         loadout = loadout.BeginCargo("BandageDressing");
001483 |         loadout.Chance = 0.1;
001484 |         loadout = loadout.End();
001485 |
001486 |         loadout = loadout.BeginCargo("BandageDressing");
001487 |         loadout.Chance = 0.1;
001488 |         loadout = loadout.End();
001489 |
001490 |         loadout = loadout.BeginCargo("Chemlight_Green");
001491 |         loadout.Chance = 0.1;
001492 |         loadout = loadout.End();
001493 |
001494 |         loadout = loadout.BeginCargo("Chemlight_Green");
001495 |         loadout.Chance = 0.1;
001496 |         loadout = loadout.End();
001497 |         loadout = loadout.End();
001498 |
001499 |         loadout = loadout.BeginAttachment("CoyoteBag_Green", "Back");
001500 |         loadout.SetHealth(0.7, 1.0);
001501 |         loadout = loadout.BeginCargo("BandageDressing");
001502 |         loadout.Chance = 0.1;
001503 |         loadout = loadout.End();
001504 |
001505 |         loadout = loadout.BeginCargo("BandageDressing");
001506 |         loadout.Chance = 0.1;
001507 |         loadout = loadout.End();
001508 |
001509 |         loadout = loadout.BeginCargo("Chemlight_Green");
001510 |         loadout.Chance = 0.1;
001511 |         loadout = loadout.End();
001512 |
001513 |         loadout = loadout.BeginCargo("Chemlight_Green");
```

```
001514 |         loadout.Chance = 0.1;
001515 |         loadout = loadout.End();
001516 |     loadout = loadout.End();
001517 |
001518 |     loadout = loadout.BeginAttachment("PlateCarrierVest", "Vest");
001519 |     loadout.SetHealth(0.7, 1.0);
001520 |     loadout = loadout.BeginAttachment("PlateCarrierPouches");
001521 |     loadout.Chance = 0.8;
001522 |     loadout = loadout.End();
001523 |     loadout = loadout.BeginAttachment("PlateCarrierHolster");
001524 |     loadout.Chance = 0.5;
001525 |     loadout = loadout.End();
001526 |     loadout = loadout.End();
001527 |     loadout = loadout.BeginAttachment("HighCapacityVest_Olive", "Vest");
001528 |     loadout.SetHealth(0.7, 1.0);
001529 |     loadout = loadout.End();
001530 |
001531 |     loadout = loadout.BeginAttachment("BallisticHelmet_Black", "Headgear");
001532 |     loadout.SetHealth(0.7, 1.0);
001533 |     loadout = loadout.End();
001534 |     loadout = loadout.BeginAttachment("BallisticHelmet_Green", "Headgear");
001535 |     loadout.SetHealth(0.7, 1.0);
001536 |     loadout = loadout.End();
001537 |     loadout = loadout.BeginAttachment("Mich2001Helmet", "Headgear");
001538 |     loadout = loadout.BeginAttachment("NVGoggles", "Headgear");
001539 |     loadout.Chance = 0.4;
001540 |     loadout.SetHealth(0.7, 1.0);
001541 |     loadout = loadout.BeginAttachment("Battery9V");
001542 |     loadout = loadout.End();
001543 |     loadout = loadout.End();
001544 |     loadout.SetHealth(0.7, 1.0);
001545 |     loadout = loadout.End();
001546 |
001547 |     loadout = loadout.BeginAttachment("TacticalGloves_Beige", "Gloves");
001548 |     loadout.SetHealth(0.7, 1.0);
001549 |     loadout = loadout.End();
001550 |     loadout = loadout.BeginAttachment("TacticalGloves_Black", "Gloves");
001551 |     loadout.SetHealth(0.7, 1.0);
001552 |     loadout = loadout.End();
001553 |     loadout = loadout.BeginAttachment("TacticalGloves_Green", "Gloves");
001554 |     loadout.SetHealth(0.7, 1.0);
001555 |     loadout = loadout.End();
001556 |
001557 |     loadout = loadout.BeginAttachment("MilitaryBelt", "Hips");
001558 |     loadout.SetHealth(0.7, 1.0);
001559 |     loadout = loadout.End();
001560 |
001561 |     DefaultWestWeapon(loadout);
001562 |
001563 |     loadout = loadout.BeginCargo("Apple");
001564 |     loadout.Chance = 0.1;
001565 |     loadout = loadout.End();
001566 |     loadout = loadout.BeginCargo("BandageDressing");
001567 |     loadout.Chance = 0.15;
001568 |     loadout = loadout.End();
001569 |     loadout.Save();
001570 | }
001571 |
001572 | static void DefaultWestWeapon(inout ExpansionPrefabObject loadout)
001573 | {
001574 |     loadout = loadout.BeginSet("WEAPON");
001575 |     loadout = loadout.BeginAttachment("Scout", "Shoulder");
```



```
001576 |         loadout.SetHealth(0.7, 1.0);
001577 |         loadout = loadout.BeginAttachment("Mag_Scout_5Rnd");
001578 |         loadout = loadout.End();
001579 |         loadout = loadout.BeginAttachment("ACOGOptic");
001580 |         loadout.Chance = 0.3;
001581 |         loadout = loadout.End();
001582 |         loadout = loadout.BeginAttachment("ACOGOptic_6x");
001583 |         loadout.Chance = 0.15;
001584 |         loadout = loadout.End();
001585 |         loadout = loadout.BeginAttachment("ReflexOptic");
001586 |         loadout.Chance = 0.075;
001587 |         loadout = loadout.BeginAttachment("Battery9V");
001588 |         loadout = loadout.End();
001589 |         loadout = loadout.End();
001590 |         loadout = loadout.BeginAttachment("M68Optic");
001591 |         loadout.Chance = 0.075;
001592 |         loadout = loadout.BeginAttachment("Battery9V");
001593 |         loadout = loadout.End();
001594 |         loadout = loadout.End();
001595 |         loadout = loadout.BeginAttachment("StarlightOptic");
001596 |         loadout.Chance = 0.05;
001597 |         loadout = loadout.BeginAttachment("Battery9V");
001598 |         loadout = loadout.End();
001599 |         loadout = loadout.End();
001600 |     loadout = loadout.End();
001601 |
001602 |     loadout = loadout.BeginCargo("Mag_Scout_5Rnd");
001603 |     loadout.Chance = 1.0;
001604 |     loadout = loadout.End();
001605 |     loadout = loadout.BeginCargo("Mag_Scout_5Rnd");
001606 |     loadout.Chance = 0.15;
001607 |     loadout = loadout.End();
001608 | loadout = loadout.End();
001609 |
001610 | loadout = loadout.BeginSet("WEAPON");
001611 |     loadout = loadout.BeginAttachment("FAMAS", "Shoulder");
001612 |     loadout.SetHealth(0.7, 1.0);
001613 |     loadout = loadout.BeginAttachment("Mag_FAMAS_25Rnd");
001614 |     loadout = loadout.End();
001615 |     loadout = loadout.End();
001616 |
001617 |     loadout = loadout.BeginCargo("Mag_FAMAS_25Rnd");
001618 |     loadout.Chance = 1.0;
001619 |     loadout = loadout.End();
001620 |     loadout = loadout.BeginCargo("Mag_FAMAS_25Rnd");
001621 |     loadout.Chance = 0.15;
001622 |     loadout = loadout.End();
001623 | loadout = loadout.End();
001624 |
001625 | loadout = loadout.BeginSet("WEAPON");
001626 |     loadout = loadout.BeginAttachment("M4A1", "Shoulder");
001627 |     loadout.SetHealth(0.7, 1.0);
001628 |     loadout = loadout.BeginAttachment("Mag_STANAG_30Rnd");
001629 |     loadout.Chance = 0.60;
001630 |     loadout = loadout.End();
001631 |     loadout = loadout.BeginAttachment("Mag_STANAG_60Rnd");
001632 |     loadout.Chance = 0.10;
001633 |     loadout = loadout.End();
001634 |     loadout = loadout.BeginAttachment("Mag_CMAG_10Rnd");
001635 |     loadout.Chance = 0.05;
001636 |     loadout = loadout.End();
001637 |     loadout = loadout.BeginAttachment("Mag_CMAG_20Rnd");
```

```
001638 |         loadout.Chance = 0.05;
001639 |         loadout = loadout.End();
001640 |         loadout = loadout.BeginAttachment("Mag_CMAG_30Rnd");
001641 |         loadout.Chance = 0.05;
001642 |         loadout = loadout.End();
001643 |         loadout = loadout.BeginAttachment("Mag_CMAG_40Rnd");
001644 |         loadout.Chance = 0.05;
001645 |         loadout = loadout.End();
001646 |         loadout = loadout.BeginAttachment("M4_CQBBttstck");
001647 |         loadout.Chance = 0.33;
001648 |         loadout = loadout.End();
001649 |         loadout = loadout.BeginAttachment("M4_MPBttstck");
001650 |         loadout.Chance = 0.33;
001651 |         loadout = loadout.End();
001652 |         loadout = loadout.BeginAttachment("M4_OEBttstck");
001653 |         loadout = loadout.End();
001654 |         loadout = loadout.BeginAttachment("M4_MPHndgrd");
001655 |         loadout.Chance = 0.33;
001656 |         loadout = loadout.End();
001657 |         loadout = loadout.BeginAttachment("M4_PlasticHndgrd");
001658 |         loadout = loadout.End();
001659 |         loadout = loadout.BeginAttachment("M4_RISHndgrd");
001660 |         loadout.Chance = 0.33;
001661 |         loadout = loadout.End();
001662 |         loadout = loadout.BeginAttachment("ACOG0ptic");
001663 |         loadout.Chance = 0.3;
001664 |         loadout = loadout.End();
001665 |         loadout = loadout.BeginAttachment("ACOG0ptic_6x");
001666 |         loadout.Chance = 0.05;
001667 |         loadout = loadout.End();
001668 |         loadout = loadout.BeginAttachment("Reflex0ptic");
001669 |         loadout.Chance = 0.1;
001670 |         loadout = loadout.BeginAttachment("Battery9V");
001671 |         loadout = loadout.End();
001672 |         loadout = loadout.End();
001673 |         loadout = loadout.BeginAttachment("M680ptic");
001674 |         loadout.Chance = 0.1;
001675 |         loadout = loadout.BeginAttachment("Battery9V");
001676 |         loadout = loadout.End();
001677 |         loadout = loadout.End();
001678 |         loadout = loadout.BeginAttachment("M4_T3NRDS0ptic");
001679 |         loadout.Chance = 0.1;
001680 |         loadout = loadout.BeginAttachment("Battery9V");
001681 |         loadout = loadout.End();
001682 |         loadout = loadout.End();
001683 |         loadout = loadout.BeginAttachment("Starlight0ptic");
001684 |         loadout.Chance = 0.01;
001685 |         loadout = loadout.BeginAttachment("Battery9V");
001686 |         loadout = loadout.End();
001687 |         loadout = loadout.End();
001688 |         loadout = loadout.BeginAttachment("M4_CarryHandle0ptic");
001689 |         loadout = loadout.End();
001690 |         loadout = loadout.End();
001691 |
001692 |         loadout = loadout.BeginCargo("Mag_STANAG_30Rnd");
001693 |         loadout.Chance = 1.0;
001694 |         loadout = loadout.End();
001695 |         loadout = loadout.BeginCargo("Mag_STANAG_30Rnd");
001696 |         loadout.Chance = 0.15;
001697 |         loadout = loadout.End();
001698 |         loadout = loadout.End();
001699 |
```

```
001700 |         loadout = loadout.BeginSet("WEAPON");
001701 |             loadout = loadout.BeginAttachment("Aug", "Shoulder");
001702 |             loadout.SetHealth(0.7, 1.0);
001703 |                 loadout = loadout.BeginAttachment("Mag_Aug_30Rnd");
001704 |                 loadout = loadout.End();
001705 |             loadout = loadout.End();
001706 |
001707 |             loadout = loadout.BeginCargo("Mag_Aug_30Rnd");
001708 |             loadout.Chance = 1.0;
001709 |             loadout = loadout.End();
001710 |             loadout = loadout.BeginCargo("Mag_Aug_30Rnd");
001711 |             loadout.Chance = 0.15;
001712 |             loadout = loadout.End();
001713 |         loadout = loadout.End();
001714 |
001715 |         loadout = loadout.BeginSet("WEAPON");
001716 |             loadout = loadout.BeginAttachment("AugShort", "Shoulder");
001717 |             loadout.SetHealth(0.7, 1.0);
001718 |                 loadout = loadout.BeginAttachment("Mag_Aug_30Rnd");
001719 |                 loadout = loadout.End();
001720 |                 loadout = loadout.BeginAttachment("ACOGOptic");
001721 |                 loadout.Chance = 0.3;
001722 |                 loadout = loadout.End();
001723 |                 loadout = loadout.BeginAttachment("ACOGOptic_6x");
001724 |                 loadout.Chance = 0.05;
001725 |                 loadout = loadout.End();
001726 |                 loadout = loadout.BeginAttachment("ReflexOptic");
001727 |                 loadout.Chance = 0.1;
001728 |                 loadout = loadout.BeginAttachment("Battery9V");
001729 |                 loadout = loadout.End();
001730 |             loadout = loadout.End();
001731 |             loadout = loadout.BeginAttachment("M680Optic");
001732 |             loadout.Chance = 0.1;
001733 |                 loadout = loadout.BeginAttachment("Battery9V");
001734 |                 loadout = loadout.End();
001735 |             loadout = loadout.End();
001736 |             loadout = loadout.BeginAttachment("M4_T3NRDSOptic");
001737 |             loadout.Chance = 0.1;
001738 |                 loadout = loadout.BeginAttachment("Battery9V");
001739 |                 loadout = loadout.End();
001740 |             loadout = loadout.End();
001741 |             loadout = loadout.BeginAttachment("StarlightOptic");
001742 |             loadout.Chance = 0.01;
001743 |                 loadout = loadout.BeginAttachment("Battery9V");
001744 |                 loadout = loadout.End();
001745 |             loadout = loadout.End();
001746 |         loadout = loadout.End();
001747 |
001748 |         loadout = loadout.BeginCargo("Mag_Aug_30Rnd");
001749 |         loadout.Chance = 1.0;
001750 |         loadout = loadout.End();
001751 |         loadout = loadout.BeginCargo("Mag_Aug_30Rnd");
001752 |         loadout.Chance = 0.15;
001753 |         loadout = loadout.End();
001754 |     loadout = loadout.End();
001755 |
001756 |     loadout = loadout.BeginSet("WEAPON");
001757 |         loadout = loadout.BeginAttachment("M16A2", "Shoulder");
001758 |         loadout.SetHealth(0.7, 1.0);
001759 |             loadout = loadout.BeginAttachment("Mag_STANAG_60Rnd");
001760 |             loadout.Chance = 0.2;
001761 |             loadout = loadout.End();
```

```
001762 |         loadout = loadout.BeginAttachment("Mag_STANAG_30Rnd");
001763 |         loadout = loadout.End();
001764 |     loadout = loadout.End();
001765 |
001766 |     loadout = loadout.BeginCargo("Mag_STANAG_30Rnd");
001767 |     loadout.Chance = 1.0;
001768 |     loadout = loadout.End();
001769 |     loadout = loadout.BeginCargo("Mag_STANAG_30Rnd");
001770 |     loadout.Chance = 0.15;
001771 |     loadout = loadout.End();
001772 |     loadout = loadout.End();
001773 | }
001774 |
001775 | static void DefaultEastLoadout()
001776 | {
001777 |     if (FileExist(ExpansionLoadout.GetPath("EastLoadout")))
001778 |         return;
001779 |
001780 |     // Generate the default EastLoadout.json file
001781 |     auto loadout = ExpansionLoadout.Create("EastLoadout");
001782 |
001783 |     if (!loadout)
001784 |         return;
001785 |
001786 |     loadout = loadout.BeginAttachment("GorkaEJacket_Autumn", "Body");
001787 |     loadout.SetHealth(0.7, 1.0);
001788 |     loadout = loadout.End();
001789 |     loadout = loadout.BeginAttachment("GorkaEJacket_Flat", "Body");
001790 |     loadout.SetHealth(0.7, 1.0);
001791 |     loadout = loadout.End();
001792 |     loadout = loadout.BeginAttachment("GorkaEJacket_PautRev", "Body");
001793 |     loadout.SetHealth(0.7, 1.0);
001794 |     loadout = loadout.End();
001795 |     loadout = loadout.BeginAttachment("GorkaEJacket_Summer", "Body");
001796 |     loadout.SetHealth(0.7, 1.0);
001797 |     loadout = loadout.End();
001798 |     loadout = loadout.BeginAttachment("TTsK0Jacket_Camo", "Body");
001799 |     loadout.SetHealth(0.7, 1.0);
001800 |     loadout = loadout.End();
001801 |
001802 |     loadout = loadout.BeginAttachment("GorkaPants_Autumn", "Legs");
001803 |     loadout.SetHealth(0.7, 1.0);
001804 |     loadout = loadout.End();
001805 |     loadout = loadout.BeginAttachment("GorkaPants_Flat", "Legs");
001806 |     loadout.SetHealth(0.7, 1.0);
001807 |     loadout = loadout.End();
001808 |     loadout = loadout.BeginAttachment("GorkaPants_PautRev", "Legs");
001809 |     loadout.SetHealth(0.7, 1.0);
001810 |     loadout = loadout.End();
001811 |     loadout = loadout.BeginAttachment("GorkaPants_Summer", "Legs");
001812 |     loadout.SetHealth(0.7, 1.0);
001813 |     loadout = loadout.End();
001814 |     loadout = loadout.BeginAttachment("TTsK0Pants", "Legs");
001815 |     loadout.SetHealth(0.7, 1.0);
001816 |     loadout = loadout.End();
001817 |
001818 |     loadout = loadout.BeginAttachment("CombatBoots_Beige", "Feet");
001819 |     loadout.SetHealth(0.7, 1.0);
001820 |     loadout = loadout.End();
001821 |     loadout = loadout.BeginAttachment("CombatBoots_Black", "Feet");
001822 |     loadout.SetHealth(0.7, 1.0);
001823 |     loadout = loadout.End();
```

```
001824 |         loadout = loadout.BeginAttachment("CombatBoots_Brown", "Feet");
001825 |         loadout.SetHealth(0.7, 1.0);
001826 |         loadout = loadout.End();
001827 |         loadout = loadout.BeginAttachment("CombatBoots_Green", "Feet");
001828 |         loadout.SetHealth(0.7, 1.0);
001829 |         loadout = loadout.End();
001830 |         loadout = loadout.BeginAttachment("CombatBoots_Grey", "Feet");
001831 |         loadout.SetHealth(0.7, 1.0);
001832 |         loadout = loadout.End();
001833 |         loadout = loadout.BeginAttachment("TTSK0Boots", "Feet");
001834 |         loadout.SetHealth(0.7, 1.0);
001835 |         loadout = loadout.End();
001836 |
001837 |         loadout = loadout.BeginAttachment("TortillaBag", "Back");
001838 |         loadout.SetHealth(0.7, 1.0);
001839 |         loadout.Chance = 0.6;
001840 |             loadout = loadout.BeginCargo("MakarovIJ70");
001841 |             loadout.Chance = 0.34;
001842 |             loadout = loadout.End();
001843 |
001844 |             loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
001845 |             loadout.Chance = 0.3;
001846 |             loadout = loadout.End();
001847 |
001848 |             loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
001849 |             loadout.Chance = 0.2;
001850 |             loadout = loadout.End();
001851 |
001852 |             loadout = loadout.BeginCargo("BandageDressing");
001853 |             loadout.Chance = 0.1;
001854 |             loadout = loadout.End();
001855 |
001856 |             loadout = loadout.BeginCargo("BandageDressing");
001857 |             loadout.Chance = 0.1;
001858 |             loadout = loadout.End();
001859 |
001860 |             loadout = loadout.BeginCargo("Chemlight_Green");
001861 |             loadout.Chance = 0.1;
001862 |             loadout = loadout.End();
001863 |
001864 |             loadout = loadout.BeginCargo("Chemlight_Green");
001865 |             loadout.Chance = 0.1;
001866 |             loadout = loadout.End();
001867 |
001868 |             loadout = loadout.BeginCargo("RDG2SmokeGrenade_Black");
001869 |             loadout.Chance = 0.1;
001870 |             loadout = loadout.End();
001871 |
001872 |             loadout = loadout.BeginCargo("RDG2SmokeGrenade_White");
001873 |             loadout.Chance = 0.1;
001874 |             loadout = loadout.End();
001875 |
001876 |             loadout = loadout.BeginCargo("Ammo_762x39");
001877 |             loadout.Chance = 0.1;
001878 |             loadout = loadout.End();
001879 |         loadout = loadout.End();
001880 |
001881 |         loadout = loadout.BeginAttachment("AssaultBag_Ttsko", "Back");
001882 |         loadout.SetHealth(0.7, 1.0);
001883 |             loadout = loadout.BeginCargo("MakarovIJ70");
001884 |             loadout.Chance = 0.34;
001885 |             loadout = loadout.End();
```

```
001886 |
001887 |         loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
001888 |         loadout.Chance = 0.3;
001889 |         loadout = loadout.End();
001890 |
001891 |         loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
001892 |         loadout.Chance = 0.2;
001893 |         loadout = loadout.End();
001894 |
001895 |         loadout = loadout.BeginCargo("BandageDressing");
001896 |         loadout.Chance = 0.1;
001897 |         loadout = loadout.End();
001898 |
001899 |         loadout = loadout.BeginCargo("BandageDressing");
001900 |         loadout.Chance = 0.1;
001901 |         loadout = loadout.End();
001902 |
001903 |         loadout = loadout.BeginCargo("Chemlight_Green");
001904 |         loadout.Chance = 0.1;
001905 |         loadout = loadout.End();
001906 |
001907 |         loadout = loadout.BeginCargo("Chemlight_Green");
001908 |         loadout.Chance = 0.1;
001909 |         loadout = loadout.End();
001910 |
001911 |         loadout = loadout.BeginCargo("RDG2SmokeGrenade_Black");
001912 |         loadout.Chance = 0.1;
001913 |         loadout = loadout.End();
001914 |
001915 |         loadout = loadout.BeginCargo("RDG2SmokeGrenade_White");
001916 |         loadout.Chance = 0.1;
001917 |         loadout = loadout.End();
001918 |
001919 |         loadout = loadout.BeginCargo("Ammo_762x39");
001920 |         loadout.Chance = 0.1;
001921 |         loadout = loadout.End();
001922 |         loadout = loadout.End();
001923 |
001924 |         loadout = loadout.BeginAttachment("SmershBag", "Back");
001925 |         loadout.SetHealth(0.7, 1.0);
001926 |         loadout.Chance = 0.1;
001927 |         loadout = loadout.BeginCargo("MakarovIJ70");
001928 |         loadout.Chance = 0.34;
001929 |         loadout = loadout.End();
001930 |
001931 |         loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
001932 |         loadout.Chance = 0.3;
001933 |         loadout = loadout.End();
001934 |
001935 |         loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
001936 |         loadout.Chance = 0.2;
001937 |         loadout = loadout.End();
001938 |
001939 |         loadout = loadout.BeginCargo("BandageDressing");
001940 |         loadout.Chance = 0.1;
001941 |         loadout = loadout.End();
001942 |
001943 |         loadout = loadout.BeginCargo("BandageDressing");
001944 |         loadout.Chance = 0.1;
001945 |         loadout = loadout.End();
001946 |
001947 |         loadout = loadout.BeginCargo("Chemlight_Green");
```

```
001948 |         loadout.Chance = 0.1;
001949 |         loadout = loadout.End();
001950 |
001951 |         loadout = loadout.BeginCargo("Chemlight_Green");
001952 |         loadout.Chance = 0.1;
001953 |         loadout = loadout.End();
001954 |
001955 |         loadout = loadout.BeginCargo("RDG2SmokeGrenade_Black");
001956 |         loadout.Chance = 0.1;
001957 |         loadout = loadout.End();
001958 |
001959 |         loadout = loadout.BeginCargo("RDG2SmokeGrenade_White");
001960 |         loadout.Chance = 0.1;
001961 |         loadout = loadout.End();
001962 |
001963 |         loadout = loadout.BeginCargo("Ammo_762x39");
001964 |         loadout.Chance = 0.1;
001965 |         loadout = loadout.End();
001966 |     loadout = loadout.End();
001967 |
001968 |     loadout = loadout.BeginAttachment("SmershVest", "Vest");
001969 |     loadout.SetHealth(0.7, 1.0);
001970 |     loadout = loadout.BeginAttachment("SmershBag");
001971 |     loadout.Chance = 0.8;
001972 |     loadout = loadout.End();
001973 |     loadout = loadout.End();
001974 |     loadout = loadout.BeginAttachment("UKAssVest_Olive", "Vest");
001975 |     loadout.SetHealth(0.7, 1.0);
001976 |     loadout = loadout.End();
001977 |     loadout = loadout.BeginAttachment("UKAssVest_Camo", "Vest");
001978 |     loadout.SetHealth(0.7, 1.0);
001979 |     loadout = loadout.End();
001980 |     loadout = loadout.BeginAttachment("HighCapacityVest_Olive", "Vest");
001981 |     loadout.SetHealth(0.7, 1.0);
001982 |     loadout = loadout.End();
001983 |
001984 |     loadout = loadout.BeginAttachment("Ssh68Helmet", "Headgear");
001985 |     loadout.SetHealth(0.7, 1.0);
001986 |     loadout = loadout.End();
001987 |     loadout = loadout.BeginAttachment("TankerHelmet", "Headgear");
001988 |     loadout.SetHealth(0.7, 1.0);
001989 |     loadout = loadout.End();
001990 |     loadout = loadout.BeginAttachment("PilotkaCap", "Headgear");
001991 |     loadout.SetHealth(0.7, 1.0);
001992 |     loadout = loadout.End();
001993 |     loadout = loadout.BeginAttachment("OfficerHat", "Headgear");
001994 |     loadout.SetHealth(0.7, 1.0);
001995 |     loadout = loadout.End();
001996 |     loadout = loadout.BeginAttachment("GorkaHelmet", "Headgear");
001997 |     loadout = loadout.BeginAttachment("GorkaHelmetVisor", "Glass");
001998 |     loadout.Chance = 0.4;
001999 |     loadout.SetHealth(0.7, 1.0);
002000 |     loadout = loadout.End();
002001 |     loadout.SetHealth(0.7, 1.0);
002002 |     loadout = loadout.End();
002003 |
002004 |     loadout = loadout.BeginAttachment("OMNOGloves_Brown", "Gloves");
002005 |     loadout.SetHealth(0.7, 1.0);
002006 |     loadout = loadout.End();
002007 |     loadout = loadout.BeginAttachment("OMNOGloves_Gray", "Gloves");
002008 |     loadout.SetHealth(0.7, 1.0);
002009 |     loadout = loadout.End();
```

```
002010 |
002011 |         loadout = loadout.BeginAttachment("MilitaryBelt", "Hips");
002012 |         loadout.SetHealth(0.7, 1.0);
002013 |         loadout = loadout.End();
002014 |
002015 |         DefaultEastWeapon(loadout);
002016 |
002017 |         loadout = loadout.BeginCargo("Apple");
002018 |         loadout.Chance = 0.1;
002019 |         loadout = loadout.End();
002020 |         loadout = loadout.BeginCargo("BandageDressing");
002021 |         loadout.Chance = 0.15;
002022 |         loadout = loadout.End();
002023 |     loadout.Save();
002024 | }
002025 |
002026 | static void DefaultEastWeapon(inout ExpansionPrefabObject loadout)
002027 | {
002028 |     loadout = loadout.BeginSet("WEAPON");
002029 |     loadout = loadout.BeginAttachment("AK101", "Shoulder");
002030 |     loadout = loadout.BeginAttachment("Mag_AK101_30Rnd");
002031 |     loadout = loadout.End();
002032 |     loadout = loadout.BeginAttachment("AK_PlasticBttstck");
002033 |     loadout.Chance = 0.3;
002034 |     loadout = loadout.End();
002035 |     loadout = loadout.BeginAttachment("AK_FoldingBttstck");
002036 |     loadout.Chance = 0.3;
002037 |     loadout = loadout.End();
002038 |     loadout = loadout.BeginAttachment("AK74_WoodBttstck");
002039 |     loadout.Chance = 0.1;
002040 |     loadout = loadout.End();
002041 |     loadout = loadout.BeginAttachment("AK_WoodBttstck");
002042 |     loadout = loadout.End();
002043 |     loadout = loadout.BeginAttachment("AK_PlasticHndgrd");
002044 |     loadout = loadout.End();
002045 |     loadout = loadout.BeginAttachment("AK_WoodHndgrd");
002046 |     loadout = loadout.End();
002047 |     loadout = loadout.BeginAttachment("KashtanOptic");
002048 |     loadout.Chance = 0.1;
002049 |     loadout = loadout.End();
002050 |     loadout = loadout.BeginAttachment("KobraOptic");
002051 |     loadout.Chance = 0.2;
002052 |     loadout = loadout.BeginAttachment("Battery9V");
002053 |     loadout = loadout.End();
002054 |     loadout = loadout.End();
002055 |     loadout = loadout.BeginAttachment("PS010ptic");
002056 |     loadout.Chance = 0.2;
002057 |     loadout = loadout.BeginAttachment("Battery9V");
002058 |     loadout = loadout.End();
002059 |     loadout = loadout.End();
002060 |     loadout = loadout.End();
002061 |
002062 |     loadout = loadout.BeginCargo("Mag_AK101_30Rnd");
002063 |     loadout.Chance = 1.0;
002064 |     loadout = loadout.End();
002065 |     loadout = loadout.BeginCargo("Mag_AK101_30Rnd");
002066 |     loadout.Chance = 0.15;
002067 |     loadout = loadout.End();
002068 |     loadout = loadout.End();
002069 |
002070 |     loadout = loadout.BeginSet("WEAPON");
002071 |     loadout = loadout.BeginAttachment("AK74", "Shoulder");
```



```
002072 |         loadout = loadout.BeginAttachment("Mag_AK74_30Rnd");
002073 |         loadout = loadout.End();
002074 |         loadout = loadout.BeginAttachment("AK_PlasticBttstck");
002075 |         loadout.Chance = 0.3;
002076 |         loadout = loadout.End();
002077 |         loadout = loadout.BeginAttachment("AK_FoldingBttstck");
002078 |         loadout.Chance = 0.3;
002079 |         loadout = loadout.End();
002080 |         loadout = loadout.BeginAttachment("AK74_WoodBttstck");
002081 |         loadout.Chance = 0.1;
002082 |         loadout = loadout.End();
002083 |         loadout = loadout.BeginAttachment("AK_WoodBttstck");
002084 |         loadout = loadout.End();
002085 |         loadout = loadout.BeginAttachment("AK74_Hndgrd");
002086 |         loadout = loadout.End();
002087 |         loadout = loadout.BeginAttachment("AK_PlasticHndgrd");
002088 |         loadout = loadout.End();
002089 |         loadout = loadout.BeginAttachment("AK_WoodHndgrd");
002090 |         loadout = loadout.End();
002091 |         loadout = loadout.BeginAttachment("KashtanOptic");
002092 |         loadout.Chance = 0.1;
002093 |         loadout = loadout.End();
002094 |         loadout = loadout.BeginAttachment("KobraOptic");
002095 |         loadout.Chance = 0.2;
002096 |         loadout = loadout.BeginAttachment("Battery9V");
002097 |         loadout = loadout.End();
002098 |         loadout = loadout.End();
002099 |         loadout = loadout.BeginAttachment("PS010ptic");
002100 |         loadout.Chance = 0.2;
002101 |         loadout = loadout.BeginAttachment("Battery9V");
002102 |         loadout = loadout.End();
002103 |         loadout = loadout.End();
002104 |     loadout = loadout.End();
002105 |
002106 |     loadout = loadout.BeginCargo("Mag_AK74_30Rnd");
002107 |     loadout.Chance = 1.0;
002108 |     loadout = loadout.End();
002109 |     loadout = loadout.BeginCargo("Mag_AK74_30Rnd");
002110 |     loadout.Chance = 0.15;
002111 |     loadout = loadout.End();
002112 | loadout = loadout.End();
002113 |
002114 | loadout = loadout.BeginSet("WEAPON");
002115 |     loadout = loadout.BeginAttachment("AKS74U", "Shoulder");
002116 |     loadout = loadout.BeginAttachment("Mag_AK74_30Rnd");
002117 |     loadout = loadout.End();
002118 |     loadout = loadout.BeginAttachment("AKS74U_Bttstck");
002119 |     loadout = loadout.End();
002120 |     loadout = loadout.BeginAttachment("KobraOptic");
002121 |     loadout.Chance = 0.1;
002122 |     loadout = loadout.BeginAttachment("Battery9V");
002123 |     loadout = loadout.End();
002124 |     loadout = loadout.End();
002125 | loadout = loadout.End();
002126 |
002127 |     loadout = loadout.BeginCargo("Mag_AK74_30Rnd");
002128 |     loadout.Chance = 1.0;
002129 |     loadout = loadout.End();
002130 |     loadout = loadout.BeginCargo("Mag_AK74_30Rnd");
002131 |     loadout.Chance = 0.15;
002132 |     loadout = loadout.End();
002133 | loadout = loadout.End();
```

```
002134 |
002135 |     loadout = loadout.BeginSet("WEAPON");
002136 |         loadout = loadout.BeginAttachment("AKM", "Shoulder");
002137 |             loadout = loadout.BeginAttachment("Mag_AKM_30Rnd");
002138 |             loadout.Chance = 0.9;
002139 |             loadout = loadout.End();
002140 |             loadout = loadout.BeginAttachment("Mag_AKM_Drum75Rnd");
002141 |             loadout.Chance = 0.1;
002142 |             loadout = loadout.End();
002143 |             loadout = loadout.BeginAttachment("AK_PlasticBttstck");
002144 |             loadout.Chance = 0.3;
002145 |             loadout = loadout.End();
002146 |             loadout = loadout.BeginAttachment("AK_FoldingBttstck");
002147 |             loadout.Chance = 0.3;
002148 |             loadout = loadout.End();
002149 |             loadout = loadout.BeginAttachment("AK74_WoodBttstck");
002150 |             loadout.Chance = 0.1;
002151 |             loadout = loadout.End();
002152 |             loadout = loadout.BeginAttachment("AK_WoodBttstck");
002153 |             loadout = loadout.End();
002154 |             loadout = loadout.BeginAttachment("AK_PlasticHndgrd");
002155 |             loadout = loadout.End();
002156 |             loadout = loadout.BeginAttachment("AK_WoodHndgrd");
002157 |             loadout = loadout.End();
002158 |             loadout = loadout.BeginAttachment("KashtanOptic");
002159 |             loadout.Chance = 0.1;
002160 |             loadout = loadout.End();
002161 |             loadout = loadout.BeginAttachment("KobraOptic");
002162 |             loadout.Chance = 0.2;
002163 |                 loadout = loadout.BeginAttachment("Battery9V");
002164 |                 loadout = loadout.End();
002165 |             loadout = loadout.End();
002166 |             loadout = loadout.BeginAttachment("PS010ptic");
002167 |             loadout.Chance = 0.2;
002168 |                 loadout = loadout.BeginAttachment("Battery9V");
002169 |                 loadout = loadout.End();
002170 |             loadout = loadout.End();
002171 |         loadout = loadout.End();
002172 |
002173 |         loadout = loadout.BeginCargo("Mag_AKM_30Rnd");
002174 |         loadout.Chance = 1.0;
002175 |         loadout = loadout.End();
002176 |         loadout = loadout.BeginCargo("Mag_AKM_30Rnd");
002177 |         loadout.Chance = 0.15;
002178 |         loadout = loadout.End();
002179 |     loadout = loadout.End();
002180 |
002181 |     loadout = loadout.BeginSet("WEAPON");
002182 |         loadout = loadout.BeginAttachment("SVD", "Shoulder");
002183 |             loadout = loadout.BeginAttachment("Mag_SVD_10Rnd");
002184 |             loadout = loadout.End();
002185 |             loadout = loadout.BeginAttachment("PS010ptic");
002186 |             loadout.Chance = 0.2;
002187 |                 loadout = loadout.BeginAttachment("Battery9V");
002188 |                 loadout = loadout.End();
002189 |             loadout = loadout.End();
002190 |         loadout = loadout.End();
002191 |
002192 |         loadout = loadout.BeginCargo("Mag_SVD_10Rnd");
002193 |         loadout.Chance = 1.0;
002194 |         loadout = loadout.End();
002195 |         loadout = loadout.BeginCargo("Mag_SVD_10Rnd");
```

```
002196 |         loadout.Chance = 0.15;
002197 |         loadout = loadout.End();
002198 |     loadout = loadout.End();
002199 |
002200 |     loadout = loadout.BeginSet("WEAPON");
002201 |         loadout = loadout.BeginAttachment("PP19", "Shoulder");
002202 |         loadout = loadout.BeginAttachment("Mag_PP19_64Rnd");
002203 |         loadout = loadout.End();
002204 |         loadout = loadout.BeginAttachment("PP19_Bttstck");
002205 |         loadout = loadout.End();
002206 |         loadout = loadout.BeginAttachment("PistolSuppressor");
002207 |         loadout.Chance = 0.2;
002208 |         loadout = loadout.End();
002209 |         loadout = loadout.BeginAttachment("KobraOptic");
002210 |         loadout.Chance = 0.2;
002211 |         loadout = loadout.BeginAttachment("Battery9V");
002212 |         loadout = loadout.End();
002213 |     loadout = loadout.End();
002214 |     loadout = loadout.End();
002215 |
002216 |     loadout = loadout.BeginCargo("Mag_PP19_64Rnd");
002217 |     loadout.Chance = 1.0;
002218 |     loadout = loadout.End();
002219 |     loadout = loadout.BeginCargo("Mag_PP19_64Rnd");
002220 |     loadout.Chance = 0.15;
002221 |     loadout = loadout.End();
002222 |     loadout = loadout.End();
002223 |
002224 |     loadout = loadout.BeginSet("WEAPON");
002225 |         loadout = loadout.BeginAttachment("FAL", "Shoulder");
002226 |         loadout = loadout.BeginAttachment("Mag_FAL_20Rnd");
002227 |         loadout = loadout.End();
002228 |         loadout = loadout.BeginAttachment("Fal_FoldingBttstck");
002229 |         loadout.Chance = 0.5;
002230 |         loadout = loadout.End();
002231 |         loadout = loadout.BeginAttachment("Fal_0eBttstck");
002232 |         loadout = loadout.End();
002233 |         loadout = loadout.BeginAttachment("ACOGOptic");
002234 |         loadout.Chance = 0.2;
002235 |         loadout = loadout.End();
002236 |         loadout = loadout.BeginAttachment("ReflexOptic");
002237 |         loadout.Chance = 0.2;
002238 |         loadout = loadout.BeginAttachment("Battery9V");
002239 |         loadout = loadout.End();
002240 |     loadout = loadout.End();
002241 |     loadout = loadout.End();
002242 |
002243 |     loadout = loadout.BeginCargo("Mag_FAL_20Rnd");
002244 |     loadout.Chance = 1.0;
002245 |     loadout = loadout.End();
002246 |     loadout = loadout.BeginCargo("Mag_FAL_20Rnd");
002247 |     loadout.Chance = 0.15;
002248 |     loadout = loadout.End();
002249 |     loadout = loadout.End();
002250 | }
002251 |
002252 | static void DefaultGorkaLoadout()
002253 | {
002254 |     if (FileExist(ExpansionLoadout.GetPath("GorkaLoadout")))
002255 |         return;
002256 |
002257 |     // Generate the default GorkaLoadout.json file
```

```
002258 |         auto loadout = ExpansionLoadout.Create("GorkaLoadout");
002259 |
002260 |         if (!loadout)
002261 |             return;
002262 |
002263 |             loadout = loadout.BeginAttachment("GorkaEJacket_Autumn", "Body");
002264 |             loadout.SetHealth(0.7, 1.0);
002265 |             loadout = loadout.End();
002266 |             loadout = loadout.BeginAttachment("GorkaEJacket_Flat", "Body");
002267 |             loadout.SetHealth(0.7, 1.0);
002268 |             loadout = loadout.End();
002269 |             loadout = loadout.BeginAttachment("GorkaEJacket_PautRev", "Body");
002270 |             loadout.SetHealth(0.7, 1.0);
002271 |             loadout = loadout.End();
002272 |             loadout = loadout.BeginAttachment("GorkaEJacket_Summer", "Body");
002273 |             loadout.SetHealth(0.7, 1.0);
002274 |             loadout = loadout.End();
002275 |
002276 |             loadout = loadout.BeginAttachment("GorkaPants_Autumn", "Legs");
002277 |             loadout.SetHealth(0.7, 1.0);
002278 |             loadout = loadout.End();
002279 |             loadout = loadout.BeginAttachment("GorkaPants_Flat", "Legs");
002280 |             loadout.SetHealth(0.7, 1.0);
002281 |             loadout = loadout.End();
002282 |             loadout = loadout.BeginAttachment("GorkaPants_PautRev", "Legs");
002283 |             loadout.SetHealth(0.7, 1.0);
002284 |             loadout = loadout.End();
002285 |             loadout = loadout.BeginAttachment("GorkaPants_Summer", "Legs");
002286 |             loadout.SetHealth(0.7, 1.0);
002287 |             loadout = loadout.End();
002288 |
002289 |             loadout = loadout.BeginAttachment("CombatBoots_Beige", "Feet");
002290 |             loadout.SetHealth(0.7, 1.0);
002291 |             loadout = loadout.End();
002292 |             loadout = loadout.BeginAttachment("CombatBoots_Black", "Feet");
002293 |             loadout.SetHealth(0.7, 1.0);
002294 |             loadout = loadout.End();
002295 |             loadout = loadout.BeginAttachment("CombatBoots_Brown", "Feet");
002296 |             loadout.SetHealth(0.7, 1.0);
002297 |             loadout = loadout.End();
002298 |             loadout = loadout.BeginAttachment("CombatBoots_Green", "Feet");
002299 |             loadout.SetHealth(0.7, 1.0);
002300 |             loadout = loadout.End();
002301 |             loadout = loadout.BeginAttachment("CombatBoots_Grey", "Feet");
002302 |             loadout.SetHealth(0.7, 1.0);
002303 |             loadout = loadout.End();
002304 |
002305 |             loadout = loadout.BeginAttachment("TortillaBag", "Back");
002306 |             loadout.SetHealth(0.7, 1.0);
002307 |             loadout.Chance = 0.6;
002308 |             loadout = loadout.BeginCargo("MakarovIJ70");
002309 |             loadout.Chance = 0.34;
002310 |             loadout = loadout.End();
002311 |
002312 |             loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
002313 |             loadout.Chance = 0.3;
002314 |             loadout = loadout.End();
002315 |
002316 |             loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
002317 |             loadout.Chance = 0.2;
002318 |             loadout = loadout.End();
002319 |
```

```
002320 |         loadout = loadout.BeginCargo("BandageDressing");
002321 |         loadout.Chance = 0.1;
002322 |         loadout = loadout.End();
002323 |
002324 |         loadout = loadout.BeginCargo("BandageDressing");
002325 |         loadout.Chance = 0.1;
002326 |         loadout = loadout.End();
002327 |
002328 |         loadout = loadout.BeginCargo("Chemlight_Green");
002329 |         loadout.Chance = 0.1;
002330 |         loadout = loadout.End();
002331 |
002332 |         loadout = loadout.BeginCargo("Chemlight_Green");
002333 |         loadout.Chance = 0.1;
002334 |         loadout = loadout.End();
002335 |
002336 |         loadout = loadout.BeginCargo("RDG2SmokeGrenade_Black");
002337 |         loadout.Chance = 0.1;
002338 |         loadout = loadout.End();
002339 |
002340 |         loadout = loadout.BeginCargo("RDG2SmokeGrenade_White");
002341 |         loadout.Chance = 0.1;
002342 |         loadout = loadout.End();
002343 |
002344 |         loadout = loadout.BeginCargo("Ammo_762x39");
002345 |         loadout.Chance = 0.1;
002346 |         loadout = loadout.End();
002347 |     loadout = loadout.End();
002348 |
002349 |     loadout = loadout.BeginAttachment("SmershBag", "Back");
002350 |     loadout.SetHealth(0.7, 1.0);
002351 |     loadout.Chance = 0.1;
002352 |         loadout = loadout.BeginCargo("MakarovIJ70");
002353 |         loadout.Chance = 0.34;
002354 |         loadout = loadout.End();
002355 |
002356 |         loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
002357 |         loadout.Chance = 0.3;
002358 |         loadout = loadout.End();
002359 |
002360 |         loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
002361 |         loadout.Chance = 0.2;
002362 |         loadout = loadout.End();
002363 |
002364 |         loadout = loadout.BeginCargo("BandageDressing");
002365 |         loadout.Chance = 0.1;
002366 |         loadout = loadout.End();
002367 |
002368 |         loadout = loadout.BeginCargo("BandageDressing");
002369 |         loadout.Chance = 0.1;
002370 |         loadout = loadout.End();
002371 |
002372 |         loadout = loadout.BeginCargo("Chemlight_Green");
002373 |         loadout.Chance = 0.1;
002374 |         loadout = loadout.End();
002375 |
002376 |         loadout = loadout.BeginCargo("Chemlight_Green");
002377 |         loadout.Chance = 0.1;
002378 |         loadout = loadout.End();
002379 |
002380 |         loadout = loadout.BeginCargo("RDG2SmokeGrenade_Black");
002381 |         loadout.Chance = 0.1;
```

```
002382 |         loadout = loadout.End();
002383 |
002384 |         loadout = loadout.BeginCargo("RDG2SmokeGrenade_White");
002385 |         loadout.Chance = 0.1;
002386 |         loadout = loadout.End();
002387 |
002388 |         loadout = loadout.BeginCargo("Ammo_762x39");
002389 |         loadout.Chance = 0.1;
002390 |         loadout = loadout.End();
002391 |     loadout = loadout.End();
002392 |
002393 |     loadout = loadout.BeginAttachment("SmershVest", "Vest");
002394 |     loadout.SetHealth(0.7, 1.0);
002395 |     loadout = loadout.BeginAttachment("SmershBag");
002396 |     loadout.Chance = 0.8;
002397 |     loadout = loadout.End();
002398 |     loadout = loadout.End();
002399 |     loadout = loadout.BeginAttachment("UKAssVest_Olive", "Vest");
002400 |     loadout.SetHealth(0.7, 1.0);
002401 |     loadout = loadout.End();
002402 |     loadout = loadout.BeginAttachment("HighCapacityVest_Olive", "Vest");
002403 |     loadout.SetHealth(0.7, 1.0);
002404 |     loadout = loadout.End();
002405 |
002406 |     loadout = loadout.BeginAttachment("Ssh68Helmet", "Headgear");
002407 |     loadout.SetHealth(0.7, 1.0);
002408 |     loadout = loadout.End();
002409 |     loadout = loadout.BeginAttachment("TankerHelmet", "Headgear");
002410 |     loadout.SetHealth(0.7, 1.0);
002411 |     loadout = loadout.End();
002412 |     loadout = loadout.BeginAttachment("PilotkaCap", "Headgear");
002413 |     loadout.SetHealth(0.7, 1.0);
002414 |     loadout = loadout.End();
002415 |     loadout = loadout.BeginAttachment("OfficerHat", "Headgear");
002416 |     loadout.SetHealth(0.7, 1.0);
002417 |     loadout = loadout.End();
002418 |     loadout = loadout.BeginAttachment("GorkaHelmet", "Headgear");
002419 |     loadout = loadout.BeginAttachment("GorkaHelmetVisor", "Glass");
002420 |     loadout.Chance = 0.4;
002421 |     loadout.SetHealth(0.7, 1.0);
002422 |     loadout = loadout.End();
002423 |     loadout.SetHealth(0.7, 1.0);
002424 |     loadout = loadout.End();
002425 |
002426 |     loadout = loadout.BeginAttachment("OMNOGloves_Brown", "Gloves");
002427 |     loadout.SetHealth(0.7, 1.0);
002428 |     loadout = loadout.End();
002429 |     loadout = loadout.BeginAttachment("OMNOGloves_Gray", "Gloves");
002430 |     loadout.SetHealth(0.7, 1.0);
002431 |     loadout = loadout.End();
002432 |
002433 |     loadout = loadout.BeginAttachment("MilitaryBelt", "Hips");
002434 |     loadout.SetHealth(0.7, 1.0);
002435 |     loadout = loadout.End();
002436 |
002437 |     DefaultEastWeapon(loadout);
002438 |
002439 |     loadout = loadout.BeginCargo("Apple");
002440 |     loadout.Chance = 0.1;
002441 |     loadout = loadout.End();
002442 |     loadout = loadout.BeginCargo("BandageDressing");
002443 |     loadout.Chance = 0.15;
```

```
002444 |         loadout = loadout.End();
002445 |         loadout.Save();
002446 |     }
002447 |
002448 | static void DefaultTTSK0Loadout()
002449 | {
002450 |     if (FileExist(ExpansionLoadout.GetPath("TTSK0Loadout")))
002451 |         return;
002452 |
002453 |     // Generate the default TTSK0Loadout.json file
002454 |     auto loadout = ExpansionLoadout.Create("TTSK0Loadout");
002455 |
002456 |     if (!loadout)
002457 |         return;
002458 |
002459 |     loadout = loadout.BeginAttachment("TTSK0Jacket_Camo", "Body");
002460 |     loadout.SetHealth(0.7, 1.0);
002461 |     loadout = loadout.End();
002462 |
002463 |     loadout = loadout.BeginAttachment("TTSK0Pants", "Legs");
002464 |     loadout.SetHealth(0.7, 1.0);
002465 |     loadout = loadout.End();
002466 |
002467 |     loadout = loadout.BeginAttachment("TTSK0Boots", "Feet");
002468 |     loadout.SetHealth(0.7, 1.0);
002469 |     loadout = loadout.End();
002470 |
002471 |     loadout = loadout.BeginAttachment("AssaultBag_Ttsko", "Back");
002472 |     loadout.SetHealth(0.7, 1.0);
002473 |     loadout = loadout.BeginCargo("MakarovIJ70");
002474 |     loadout.Chance = 0.34;
002475 |     loadout = loadout.End();
002476 |
002477 |     loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
002478 |     loadout.Chance = 0.3;
002479 |     loadout = loadout.End();
002480 |
002481 |     loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
002482 |     loadout.Chance = 0.2;
002483 |     loadout = loadout.End();
002484 |
002485 |     loadout = loadout.BeginCargo("BandageDressing");
002486 |     loadout.Chance = 0.1;
002487 |     loadout = loadout.End();
002488 |
002489 |     loadout = loadout.BeginCargo("BandageDressing");
002490 |     loadout.Chance = 0.1;
002491 |     loadout = loadout.End();
002492 |
002493 |     loadout = loadout.BeginCargo("Chemlight_Green");
002494 |     loadout.Chance = 0.1;
002495 |     loadout = loadout.End();
002496 |
002497 |     loadout = loadout.BeginCargo("Chemlight_Green");
002498 |     loadout.Chance = 0.1;
002499 |     loadout = loadout.End();
002500 |
002501 |     loadout = loadout.BeginCargo("RDG2SmokeGrenade_Black");
002502 |     loadout.Chance = 0.1;
002503 |     loadout = loadout.End();
002504 |
002505 |     loadout = loadout.BeginCargo("RDG2SmokeGrenade_White");
```

```
002506 |         loadout.Chance = 0.1;
002507 |         loadout = loadout.End();
002508 |
002509 |         loadout = loadout.BeginCargo("Ammo_762x39");
002510 |         loadout.Chance = 0.1;
002511 |         loadout = loadout.End();
002512 |     loadout = loadout.End();
002513 |
002514 |     loadout = loadout.BeginAttachment("UKAssVest_Camo", "Vest");
002515 |     loadout.SetHealth(0.7, 1.0);
002516 |     loadout = loadout.End();
002517 |     loadout = loadout.BeginAttachment("UKAssVest_Olive", "Vest");
002518 |     loadout.SetHealth(0.7, 1.0);
002519 |     loadout = loadout.End();
002520 |
002521 |     loadout = loadout.BeginAttachment("Ssh68Helmet", "Headgear");
002522 |     loadout.SetHealth(0.7, 1.0);
002523 |     loadout = loadout.End();
002524 |     loadout = loadout.BeginAttachment("TankerHelmet", "Headgear");
002525 |     loadout.SetHealth(0.7, 1.0);
002526 |     loadout = loadout.End();
002527 |     loadout = loadout.BeginAttachment("PilotkaCap", "Headgear");
002528 |     loadout.SetHealth(0.7, 1.0);
002529 |     loadout = loadout.End();
002530 |     loadout = loadout.BeginAttachment("OfficerHat", "Headgear");
002531 |     loadout.SetHealth(0.7, 1.0);
002532 |     loadout = loadout.End();
002533 |
002534 |     loadout = loadout.BeginAttachment("OMNOGloves_Brown", "Gloves");
002535 |     loadout.SetHealth(0.7, 1.0);
002536 |     loadout = loadout.End();
002537 |     loadout = loadout.BeginAttachment("OMNOGloves_Gray", "Gloves");
002538 |     loadout.SetHealth(0.7, 1.0);
002539 |     loadout = loadout.End();
002540 |
002541 |     loadout = loadout.BeginAttachment("MilitaryBelt", "Hips");
002542 |     loadout.SetHealth(0.7, 1.0);
002543 |     loadout = loadout.End();
002544 |
002545 |     DefaultTTsK0Weapon(loadout);
002546 |
002547 |     loadout = loadout.BeginCargo("Apple");
002548 |     loadout.Chance = 0.1;
002549 |     loadout = loadout.End();
002550 |     loadout = loadout.BeginCargo("BandageDressing");
002551 |     loadout.Chance = 0.15;
002552 |     loadout = loadout.End();
002553 |     loadout.Save();
002554 | }
002555 |
002556 | static void DefaultTTsK0Weapon(inout ExpansionPrefabObject loadout)
002557 | {
002558 |     loadout = loadout.BeginSet("WEAPON");
002559 |     loadout = loadout.BeginAttachment("AKS74U", "Shoulder");
002560 |     loadout = loadout.BeginAttachment("Mag_AK74_30Rnd");
002561 |     loadout = loadout.End();
002562 |     loadout = loadout.BeginAttachment("AKS74U_Bttstck");
002563 |     loadout = loadout.End();
002564 |     loadout = loadout.BeginAttachment("KobraOptic");
002565 |     loadout.Chance = 0.1;
002566 |     loadout = loadout.BeginAttachment("Battery9V");
002567 |     loadout = loadout.End();
```



```
002568 |         loadout = loadout.End();
002569 |     loadout = loadout.End();
002570 |
002571 |     loadout = loadout.BeginCargo("Mag_AK74_30Rnd");
002572 |     loadout.Chance = 1.0;
002573 |     loadout = loadout.End();
002574 |     loadout = loadout.BeginCargo("Mag_AK74_30Rnd");
002575 |     loadout.Chance = 0.15;
002576 |     loadout = loadout.End();
002577 | loadout = loadout.End();
002578 |
002579 | loadout = loadout.BeginSet("WEAPON");
002580 |     loadout = loadout.BeginAttachment("AKM", "Shoulder");
002581 |     loadout = loadout.BeginAttachment("Mag_AKM_30Rnd");
002582 |     loadout.Chance = 0.9;
002583 |     loadout = loadout.End();
002584 |     loadout = loadout.BeginAttachment("Mag_AKM_Drum75Rnd");
002585 |     loadout.Chance = 0.1;
002586 |     loadout = loadout.End();
002587 |     loadout = loadout.BeginAttachment("AK_PlasticBttstck");
002588 |     loadout.Chance = 0.3;
002589 |     loadout = loadout.End();
002590 |     loadout = loadout.BeginAttachment("AK_FoldingBttstck");
002591 |     loadout.Chance = 0.3;
002592 |     loadout = loadout.End();
002593 |     loadout = loadout.BeginAttachment("AK74_WoodBttstck");
002594 |     loadout.Chance = 0.1;
002595 |     loadout = loadout.End();
002596 |     loadout = loadout.BeginAttachment("AK_WoodBttstck");
002597 |     loadout = loadout.End();
002598 |     loadout = loadout.BeginAttachment("AK_PlasticHndgrd");
002599 |     loadout = loadout.End();
002600 |     loadout = loadout.BeginAttachment("AK_WoodHndgrd");
002601 |     loadout = loadout.End();
002602 |     loadout = loadout.BeginAttachment("KashtanOptic");
002603 |     loadout.Chance = 0.1;
002604 |     loadout = loadout.End();
002605 |     loadout = loadout.BeginAttachment("KobraOptic");
002606 |     loadout.Chance = 0.2;
002607 |         loadout = loadout.BeginAttachment("Battery9V");
002608 |         loadout = loadout.End();
002609 |     loadout = loadout.End();
002610 |     loadout = loadout.BeginAttachment("PS010ptic");
002611 |     loadout.Chance = 0.2;
002612 |         loadout = loadout.BeginAttachment("Battery9V");
002613 |         loadout = loadout.End();
002614 |     loadout = loadout.End();
002615 | loadout = loadout.End();
002616 |
002617 |     loadout = loadout.BeginCargo("Mag_AKM_30Rnd");
002618 |     loadout.Chance = 1.0;
002619 |     loadout = loadout.End();
002620 |     loadout = loadout.BeginCargo("Mag_AKM_30Rnd");
002621 |     loadout.Chance = 0.15;
002622 |     loadout = loadout.End();
002623 | loadout = loadout.End();
002624 |
002625 | loadout = loadout.BeginSet("WEAPON");
002626 |     loadout = loadout.BeginAttachment("PP19", "Shoulder");
002627 |     loadout = loadout.BeginAttachment("Mag_PP19_64Rnd");
002628 |     loadout = loadout.End();
002629 |     loadout = loadout.BeginAttachment("PP19_Bttstck");
```

```
002630 |         loadout = loadout.End();
002631 |         loadout = loadout.BeginAttachment("PistolSuppressor");
002632 |         loadout.Chance = 0.2;
002633 |         loadout = loadout.End();
002634 |         loadout = loadout.BeginAttachment("KobraOptic");
002635 |         loadout.Chance = 0.2;
002636 |         loadout = loadout.BeginAttachment("Battery9V");
002637 |         loadout = loadout.End();
002638 |         loadout = loadout.End();
002639 |     loadout = loadout.End();
002640 |
002641 |     loadout = loadout.BeginCargo("Mag_PP19_64Rnd");
002642 |     loadout.Chance = 1.0;
002643 |     loadout = loadout.End();
002644 |     loadout = loadout.BeginCargo("Mag_PP19_64Rnd");
002645 |     loadout.Chance = 0.15;
002646 |     loadout = loadout.End();
002647 |     loadout = loadout.End();
002648 |
002649 |     loadout = loadout.BeginSet("WEAPON");
002650 |         loadout = loadout.BeginAttachment("SKS", "Shoulder");
002651 |         loadout = loadout.End();
002652 |
002653 |         loadout = loadout.BeginCargo("Ammo_762x39");
002654 |         loadout = loadout.End();
002655 |         loadout = loadout.BeginCargo("Ammo_762x39");
002656 |         loadout.Chance = 1.0;
002657 |         loadout = loadout.End();
002658 |         loadout = loadout.BeginCargo("Ammo_762x39");
002659 |         loadout.Chance = 0.15;
002660 |         loadout = loadout.End();
002661 |     loadout = loadout.End();
002662 | }
002663 |
002664 | static void DefaultNBCLoadout()
002665 | {
002666 |     if (FileExist(ExpansionLoadout.GetPath("NBCLoadout")))
002667 |         return;
002668 |
002669 |     // Generate the default NBCLoadout.json file
002670 |     auto loadout = ExpansionLoadout.Create("NBCLoadout");
002671 |
002672 |     if (!loadout)
002673 |         return;
002674 |
002675 |     ///! NBC Gray
002676 |     loadout = loadout.BeginSet("CLOTHING");
002677 |         loadout = loadout.BeginAttachment("NBCJacketGray", "Body");
002678 |         loadout.SetHealth(0.7, 1.0);
002679 |         loadout = loadout.End();
002680 |
002681 |         loadout = loadout.BeginAttachment("NBCPantsGray", "Legs");
002682 |         loadout.SetHealth(0.7, 1.0);
002683 |         loadout = loadout.End();
002684 |
002685 |         loadout = loadout.BeginAttachment("NBCBootsGray", "Feet");
002686 |         loadout.SetHealth(0.7, 1.0);
002687 |         loadout = loadout.End();
002688 |
002689 |         loadout = loadout.BeginAttachment("NBCHoodGray", "Headgear");
002690 |         loadout.SetHealth(0.7, 1.0);
002691 |         loadout = loadout.End();
```

```
002692 |
002693 |         loadout = loadout.BeginAttachment("NBCGlovesGray", "Gloves");
002694 |         loadout.SetHealth(0.7, 1.0);
002695 |         loadout = loadout.End();
002696 |     loadout = loadout.End();
002697 |
002698 |     /// NBC Yellow
002699 |     loadout = loadout.BeginSet("CLOTHING");
002700 |         loadout = loadout.BeginAttachment("NBCJacketYellow", "Body");
002701 |         loadout.SetHealth(0.7, 1.0);
002702 |         loadout = loadout.End();
002703 |
002704 |         loadout = loadout.BeginAttachment("NBCPantsYellow", "Legs");
002705 |         loadout.SetHealth(0.7, 1.0);
002706 |         loadout = loadout.End();
002707 |
002708 |         loadout = loadout.BeginAttachment("NBCBootsYellow", "Feet");
002709 |         loadout.SetHealth(0.7, 1.0);
002710 |         loadout = loadout.End();
002711 |
002712 |         loadout = loadout.BeginAttachment("NBCHoodYellow", "Headgear");
002713 |         loadout.SetHealth(0.7, 1.0);
002714 |         loadout = loadout.End();
002715 |
002716 |         loadout = loadout.BeginAttachment("NBCGlovesYellow", "Gloves");
002717 |         loadout.SetHealth(0.7, 1.0);
002718 |         loadout = loadout.End();
002719 |     loadout = loadout.End();
002720 |
002721 |     loadout = loadout.BeginAttachment("TortillaBag", "Back");
002722 |     loadout.SetHealth(0.7, 1.0);
002723 |         loadout = loadout.BeginCargo("MakarovIJ70");
002724 |         loadout.Chance = 0.34;
002725 |         loadout = loadout.End();
002726 |
002727 |         loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
002728 |         loadout.Chance = 0.3;
002729 |         loadout = loadout.End();
002730 |
002731 |         loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
002732 |         loadout.Chance = 0.2;
002733 |         loadout = loadout.End();
002734 |
002735 |         loadout = loadout.BeginCargo("BandageDressing");
002736 |         loadout.Chance = 0.1;
002737 |         loadout = loadout.End();
002738 |
002739 |         loadout = loadout.BeginCargo("BandageDressing");
002740 |         loadout.Chance = 0.1;
002741 |         loadout = loadout.End();
002742 |
002743 |         loadout = loadout.BeginCargo("Chemlight_Green");
002744 |         loadout.Chance = 0.1;
002745 |         loadout = loadout.End();
002746 |
002747 |         loadout = loadout.BeginCargo("Chemlight_Green");
002748 |         loadout.Chance = 0.1;
002749 |         loadout = loadout.End();
002750 |
002751 |         loadout = loadout.BeginCargo("RDG2SmokeGrenade_Black");
002752 |         loadout.Chance = 0.1;
002753 |         loadout = loadout.End();
```

```
002754 |
002755 |         loadout = loadout.BeginCargo("RDG2SmokeGrenade_White");
002756 |         loadout.Chance = 0.1;
002757 |         loadout = loadout.End();
002758 |
002759 |         loadout = loadout.BeginCargo("Ammo_762x39");
002760 |         loadout.Chance = 0.1;
002761 |         loadout = loadout.End();
002762 |     loadout = loadout.End();
002763 |
002764 |     loadout = loadout.BeginAttachment("UKAssVest_Camo", "Vest");
002765 |     loadout.SetHealth(0.7, 1.0);
002766 |     loadout.Chance = 0.1;
002767 |     loadout = loadout.End();
002768 |     loadout = loadout.BeginAttachment("UKAssVest_Olive", "Vest");
002769 |     loadout.SetHealth(0.7, 1.0);
002770 |     loadout.Chance = 0.1;
002771 |     loadout = loadout.End();
002772 |
002773 |     loadout = loadout.BeginAttachment("GasMask", "Mask");
002774 |     loadout.SetHealth(0.7, 1.0);
002775 |     loadout = loadout.End();
002776 |     loadout = loadout.BeginAttachment("GP5GasMask", "Mask");
002777 |     loadout.SetHealth(0.7, 1.0);
002778 |         loadout = loadout.BeginAttachment("GasMask_Filter", "");
002779 |         loadout.SetHealth(0.7, 1.0);
002780 |         loadout = loadout.End();
002781 |     loadout = loadout.End();
002782 |     loadout = loadout.BeginAttachment("AirborneMask", "Mask");
002783 |     loadout.SetHealth(0.7, 1.0);
002784 |         loadout = loadout.BeginAttachment("GasMask_Filter", "");
002785 |         loadout.SetHealth(0.7, 1.0);
002786 |         loadout = loadout.End();
002787 |     loadout = loadout.End();
002788 |
002789 |     loadout = loadout.BeginAttachment("MilitaryBelt", "Hips");
002790 |     loadout.SetHealth(0.7, 1.0);
002791 |     loadout = loadout.End();
002792 |
002793 |     DefaultEastWeapon(loadout);
002794 |     DefaultWestWeapon(loadout);
002795 |
002796 |     loadout = loadout.BeginCargo("Apple");
002797 |     loadout.Chance = 0.1;
002798 |     loadout = loadout.End();
002799 |     loadout = loadout.BeginCargo("BandageDressing");
002800 |     loadout.Chance = 0.15;
002801 |     loadout = loadout.End();
002802 |     loadout = loadout.BeginCargo("GasMask_Filter");
002803 |     loadout.Chance = 0.15;
002804 |     loadout = loadout.End();
002805 |     loadout = loadout.BeginCargo("AntiChemInjector");
002806 |     loadout.Chance = 0.05;
002807 |     loadout = loadout.End();
002808 |     loadout.Save();
002809 | }
002810 |
002811 | static void DefaultPoliceLoadout()
002812 | {
002813 |     if (FileExist(ExpansionLoadout.GetPath("PoliceLoadout")))
002814 |         return;
002815 | }
```

```
002816 | // Generate the default PoliceLoadout.json file
002817 | auto loadout = ExpansionLoadout.Create("PoliceLoadout");
002818 |
002819 | if (!loadout)
002820 |     return;
002821 |
002822 |     loadout = loadout.BeginAttachment("PoliceJacket", "Body");
002823 |     loadout.SetHealth(0.7, 1.0);
002824 |     loadout = loadout.End();
002825 |     loadout = loadout.BeginAttachment("PoliceJacket0rel", "Body");
002826 |     loadout.SetHealth(0.7, 1.0);
002827 |     loadout = loadout.End();
002828 |
002829 |     loadout = loadout.BeginAttachment("PolicePants", "Legs");
002830 |     loadout.SetHealth(0.7, 1.0);
002831 |     loadout = loadout.End();
002832 |     loadout = loadout.BeginAttachment("PolicePants0rel", "Legs");
002833 |     loadout.SetHealth(0.7, 1.0);
002834 |     loadout = loadout.End();
002835 |
002836 |     loadout = loadout.BeginAttachment("CombatBoots_Black", "Feet");
002837 |     loadout.SetHealth(0.7, 1.0);
002838 |     loadout = loadout.End();
002839 |     loadout = loadout.BeginAttachment("CombatBoots_Brown", "Feet");
002840 |     loadout.SetHealth(0.7, 1.0);
002841 |     loadout = loadout.End();
002842 |     loadout = loadout.BeginAttachment("CombatBoots_Grey", "Feet");
002843 |     loadout.SetHealth(0.7, 1.0);
002844 |     loadout = loadout.End();
002845 |
002846 |     loadout = loadout.BeginAttachment("PoliceVest", "Vest");
002847 |     loadout.SetHealth(0.7, 1.0);
002848 |     loadout = loadout.End();
002849 |
002850 |     loadout = loadout.BeginAttachment("PoliceCap", "Headgear");
002851 |     loadout.SetHealth(0.7, 1.0);
002852 |     loadout = loadout.End();
002853 |     loadout = loadout.BeginAttachment("DirtBikeHelmet_Police", "Headgear");
002854 |     loadout.SetHealth(0.7, 1.0);
002855 |     loadout = loadout.End();
002856 |
002857 |     loadout = loadout.BeginAttachment("SurgicalGloves_Blue", "Gloves");
002858 |     loadout.SetHealth(0.7, 1.0);
002859 |     loadout = loadout.End();
002860 |
002861 |     loadout = loadout.BeginAttachment("CivilianBelt", "Hips");
002862 |     loadout.SetHealth(0.7, 1.0);
002863 |     loadout = loadout.End();
002864 |
002865 |     loadout = loadout.BeginAttachment("StunBaton", "Melee");
002866 |     loadout.SetHealth(0.7, 1.0);
002867 |     loadout.Chance = 0.8;
002868 |         loadout = loadout.BeginAttachment("Battery9V");
002869 |         loadout.Chance = 0.8;
002870 |         loadout = loadout.End();
002871 |     loadout = loadout.End();
002872 |
002873 |     DefaultPoliceWeapon(loadout);
002874 |
002875 |     loadout = loadout.BeginCargo("Apple");
002876 |     loadout.Chance = 0.1;
002877 |     loadout = loadout.End();
```

```
002878 |         loadout = loadout.BeginCargo("Handcuffs");
002879 |         loadout.Chance = 0.15;
002880 |         loadout = loadout.End();
002881 |         loadout = loadout.BeginCargo("HandcuffKeys");
002882 |         loadout.Chance = 0.15;
002883 |         loadout = loadout.End();
002884 |     loadout.Save();
002885 | }
002886 |
002887 | static void DefaultPoliceWeapon(inout ExpansionPrefabObject loadout)
002888 | {
002889 |     loadout = loadout.BeginSet("WEAPON");
002890 |     loadout = loadout.BeginAttachment("MP5K", "Shoulder");
002891 |     loadout = loadout.BeginAttachment("Mag_MP5_30Rnd");
002892 |     loadout.Chance = 0.8;
002893 |     loadout = loadout.End();
002894 |     loadout = loadout.BeginAttachment("Mag_MP5_15Rnd");
002895 |     loadout = loadout.End();
002896 |     loadout = loadout.BeginAttachment("MP5k_StockBttstck");
002897 |     loadout.Chance = 0.8;
002898 |     loadout = loadout.End();
002899 |     loadout = loadout.BeginAttachment("MP5_PlasticHndgrd");
002900 |     loadout.Chance = 0.8;
002901 |     loadout = loadout.End();
002902 |     loadout = loadout.BeginAttachment("MP5_RailHndgrd");
002903 |     loadout = loadout.End();
002904 |     loadout = loadout.BeginAttachment("MP5_Compensator");
002905 |     loadout.Chance = 0.2;
002906 |     loadout = loadout.End();
002907 |     loadout = loadout.BeginAttachment("ReflexOptic");
002908 |     loadout.Chance = 0.1;
002909 |     loadout = loadout.BeginAttachment("Battery9V");
002910 |     loadout = loadout.End();
002911 |     loadout = loadout.End();
002912 |     loadout = loadout.End();
002913 |
002914 |     loadout = loadout.BeginCargo("Mag_MP5_30Rnd");
002915 |     loadout.Chance = 0.5;
002916 |     loadout = loadout.End();
002917 |     loadout = loadout.BeginCargo("Mag_MP5_30Rnd");
002918 |     loadout.Chance = 0.5;
002919 |     loadout = loadout.End();
002920 |     loadout = loadout.BeginCargo("Mag_MP5_15Rnd");
002921 |     loadout.Chance = 0.15;
002922 |     loadout = loadout.End();
002923 |     loadout = loadout.End();
002924 |
002925 |     loadout = loadout.BeginSet("WEAPON");
002926 |     loadout = loadout.BeginAttachment("Mp133Shotgun", "Shoulder");
002927 |     loadout = loadout.End();
002928 |
002929 |     loadout = loadout.BeginCargo("Ammo_12gaRubberSlug");
002930 |     loadout = loadout.End();
002931 |     loadout = loadout.BeginCargo("Ammo_12gaRubberSlug");
002932 |     loadout.Chance = 1.0;
002933 |     loadout = loadout.End();
002934 |     loadout = loadout.BeginCargo("Ammo_12gaRubberSlug");
002935 |     loadout.Chance = 0.15;
002936 |     loadout = loadout.End();
002937 |     loadout = loadout.End();
002938 |
002939 |     loadout = loadout.BeginSet("WEAPON");
```

```
002940 |         loadout = loadout.BeginAttachment("CZ61", "Shoulder");
002941 |         loadout = loadout.BeginAttachment("Mag_CZ61_20Rnd");
002942 |         loadout = loadout.End();
002943 |         loadout = loadout.End();
002944 |
002945 |         loadout = loadout.BeginCargo("Mag_CZ61_20Rnd");
002946 |         loadout.Chance = 1.0;
002947 |         loadout = loadout.End();
002948 |         loadout = loadout.BeginCargo("Mag_CZ61_20Rnd");
002949 |         loadout.Chance = 0.15;
002950 |         loadout = loadout.End();
002951 |     loadout = loadout.End();
002952 |
002953 |     loadout = loadout.BeginSet("WEAPON");
002954 |         loadout = loadout.BeginAttachment("MakarovIJ70", "Hands");
002955 |         loadout = loadout.BeginAttachment("Mag_IJ70_8Rnd");
002956 |         loadout = loadout.End();
002957 |         loadout = loadout.End();
002958 |
002959 |         loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
002960 |         loadout.Chance = 1.0;
002961 |         loadout = loadout.End();
002962 |         loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
002963 |         loadout.Chance = 0.15;
002964 |         loadout = loadout.End();
002965 |     loadout = loadout.End();
002966 |
002967 |     loadout = loadout.BeginSet("WEAPON");
002968 |         loadout = loadout.BeginAttachment("Glock19", "Hands");
002969 |         loadout = loadout.BeginAttachment("Mag_Glock_15Rnd");
002970 |         loadout = loadout.End();
002971 |         loadout = loadout.End();
002972 |
002973 |         loadout = loadout.BeginCargo("Mag_Glock_15Rnd");
002974 |         loadout.Chance = 1.0;
002975 |         loadout = loadout.End();
002976 |         loadout = loadout.BeginCargo("Mag_Glock_15Rnd");
002977 |         loadout.Chance = 0.15;
002978 |         loadout = loadout.End();
002979 |     loadout = loadout.End();
002980 | }
002981 |
002982 | static void DefaultHumanLoadout()
002983 | {
002984 |     if (FileExist(ExpansionLoadout.GetPath("HumanLoadout")))
002985 |         return;
002986 |
002987 |     // Generate the default HumanLoadout.json file
002988 |     auto loadout = ExpansionLoadout.Create("HumanLoadout");
002989 |
002990 |     if (!loadout)
002991 |         return;
002992 |
002993 |         loadout = loadout.BeginAttachment("HikingJacket_Blue", "Body");
002994 |         loadout.SetHealth(0.7, 1.0);
002995 |         loadout = loadout.End();
002996 |         loadout = loadout.BeginAttachment("HikingJacket_Black", "Body");
002997 |         loadout.SetHealth(0.7, 1.0);
002998 |         loadout = loadout.End();
002999 |         loadout = loadout.BeginAttachment("HikingJacket_Green", "Body");
003000 |         loadout.SetHealth(0.7, 1.0);
003001 |         loadout = loadout.End();
```

```
003002 |
003003 |         loadout = loadout.BeginAttachment("SlacksPants_Blue", "Legs");
003004 |         loadout.SetHealth(0.7, 1.0);
003005 |         loadout = loadout.End();
003006 |         loadout = loadout.BeginAttachment("SlacksPants_Black", "Legs");
003007 |         loadout.SetHealth(0.7, 1.0);
003008 |         loadout = loadout.End();
003009 |         loadout = loadout.BeginAttachment("SlacksPants_DarkGrey", "Legs");
003010 |         loadout.SetHealth(0.7, 1.0);
003011 |         loadout = loadout.End();
003012 |
003013 |         loadout = loadout.BeginAttachment("HikingBootsLow_Blue", "Feet");
003014 |         loadout.SetHealth(0.7, 1.0);
003015 |         loadout = loadout.End();
003016 |         loadout = loadout.BeginAttachment("HikingBootsLow_Black", "Feet");
003017 |         loadout.SetHealth(0.7, 1.0);
003018 |         loadout = loadout.End();
003019 |         loadout = loadout.BeginAttachment("HikingBootsLow_Grey", "Feet");
003020 |         loadout.SetHealth(0.7, 1.0);
003021 |         loadout = loadout.End();
003022 |
003023 |         loadout = loadout.BeginAttachment("TaloonaBag_Blue", "Back");
003024 |         loadout.SetHealth(0.7, 1.0);
003025 |             loadout = loadout.BeginCargo("MakarovIJ70");
003026 |             loadout.Chance = 0.2;
003027 |             loadout = loadout.End();
003028 |
003029 |             loadout = loadout.BeginCargo("SodaCan_Cola");
003030 |             loadout.Chance = 0.1;
003031 |             loadout = loadout.End();
003032 |
003033 |             loadout = loadout.BeginCargo("Screwdriver");
003034 |             loadout.Chance = 0.1;
003035 |             loadout = loadout.End();
003036 |         loadout = loadout.End();
003037 |
003038 |         loadout = loadout.BeginAttachment("PressVest_Blue", "Vest");
003039 |         loadout.SetHealth(0.7, 1.0);
003040 |         loadout = loadout.End();
003041 |
003042 |         loadout = loadout.BeginAttachment("BaseballCap_Blue", "Headgear");
003043 |         loadout.SetHealth(0.7, 1.0);
003044 |         loadout = loadout.End();
003045 |         loadout = loadout.BeginAttachment("BaseballCap_Black", "Headgear");
003046 |         loadout.SetHealth(0.7, 1.0);
003047 |         loadout = loadout.End();
003048 |         loadout = loadout.BeginAttachment("BaseballCap_Olive", "Headgear");
003049 |         loadout.SetHealth(0.7, 1.0);
003050 |         loadout = loadout.End();
003051 |
003052 |         loadout = loadout.BeginAttachment("SurgicalGloves_Blue", "Gloves");
003053 |         loadout.SetHealth(0.7, 1.0);
003054 |         loadout = loadout.End();
003055 |
003056 |         loadout = loadout.BeginAttachment("CivilianBelt", "Hips");
003057 |         loadout.SetHealth(0.7, 1.0);
003058 |         loadout = loadout.End();
003059 |
003060 |         loadout = loadout.BeginAttachment("BaseballBat", "Melee");
003061 |         loadout = loadout.End();
003062 |
003063 |         loadout = loadout.BeginAttachment("AKM", "Shoulder");
```



```
003064 |         loadout = loadout.BeginAttachment("Mag_AKM_Drum75Rnd");
003065 |         loadout = loadout.End();
003066 |         loadout = loadout.BeginAttachment("AK_PlasticBttstck");
003067 |         loadout = loadout.End();
003068 |         loadout = loadout.BeginAttachment("AK_WoodBttstck");
003069 |         loadout = loadout.End();
003070 |         loadout = loadout.BeginAttachment("AK_PlasticHndgrd");
003071 |         loadout = loadout.End();
003072 |         loadout = loadout.BeginAttachment("AK_WoodHndgrd");
003073 |         loadout = loadout.End();
003074 |         loadout = loadout.BeginAttachment("KashtanOptic");
003075 |         loadout.Chance = 0.1;
003076 |         loadout = loadout.End();
003077 |         loadout = loadout.BeginAttachment("KobraOptic");
003078 |         loadout.Chance = 0.2;
003079 |         loadout = loadout.End();
003080 |     loadout = loadout.End();
003081 |
003082 |     loadout = loadout.BeginCargo("Apple");
003083 |     loadout.Chance = 0.1;
003084 |     loadout = loadout.End();
003085 |     loadout = loadout.BeginCargo("BandageDressing");
003086 |     loadout.Chance = 0.15;
003087 |     loadout = loadout.End();
003088 |     loadout.Save();
003089 | }
003090 |
003091 | static void DefaultYellowKingLoadout()
003092 | {
003093 |     if (FileExist(ExpansionLoadout.GetPath("YellowKingLoadout")))
003094 |         return;
003095 |
003096 |     // Generate the default YellowKingLoadout.json file
003097 |     auto loadout = ExpansionLoadout.Create("YellowKingLoadout");
003098 |
003099 |     if (!loadout)
003100 |         return;
003101 |
003102 |     loadout = loadout.BeginAttachment("DarkMotoHelmet_YellowScarred", "Headgear");
003103 |     loadout.SetHealth(0.7, 1.0);
003104 |     loadout = loadout.End();
003105 |
003106 |     loadout = loadout.BeginAttachment("BalaclavaMask_Black", "Mask");
003107 |     loadout.SetHealth(0.7, 1.0);
003108 |     loadout = loadout.End();
003109 |
003110 |     loadout = loadout.BeginAttachment("TacticalShirt_Black", "Body");
003111 |     loadout.SetHealth(0.7, 1.0);
003112 |     loadout = loadout.End();
003113 |
003114 |     loadout = loadout.BeginAttachment("PlateCarrierVest_Black", "Vest");
003115 |     loadout.SetHealth(0.7, 1.0);
003116 |     loadout = loadout.BeginAttachment("PlateCarrierHolster_Black");
003117 |     loadout.Chance = 1.0;
003118 |     loadout = loadout.End();
003119 |     loadout = loadout.BeginAttachment("PlateCarrierPouches_Black");
003120 |     loadout.Chance = 1.0;
003121 |     loadout = loadout.End();
003122 |     loadout = loadout.End();
003123 |
003124 |     loadout = loadout.BeginAttachment("WorkingGloves_Black", "Gloves");
003125 |     loadout.SetHealth(0.7, 1.0);
```

```
003126 |         loadout = loadout.End();
003127 |
003128 |         loadout = loadout.BeginAttachment("CargoPants_Black", "Legs");
003129 |         loadout.SetHealth(0.7, 1.0);
003130 |         loadout = loadout.End();
003131 |
003132 |         loadout = loadout.BeginAttachment("JungleBoots_Brown", "Feet");
003133 |         loadout.SetHealth(0.7, 1.0);
003134 |         loadout = loadout.End();
003135 |
003136 |     loadout.Save();
003137 | }
003138 |
003139 | static void DefaultYeetBrigadeLoadout()
003140 | {
003141 |     if (FileExist(ExpansionLoadout.GetPath("YeetBrigadeLoadout")))
003142 |         return;
003143 |
003144 |     // Generate the default YeetBrigade.json file
003145 |     auto loadout = ExpansionLoadout.Create("YeetBrigadeLoadout");
003146 |
003147 |     if (!loadout)
003148 |         return;
003149 |
003150 |     loadout = loadout.BeginAttachment("PoliceJacket", "Body");
003151 |     loadout.SetHealth(0.7, 1.0);
003152 |     loadout = loadout.End();
003153 |
003154 |     loadout = loadout.BeginAttachment("PolicePants", "Legs");
003155 |     loadout.SetHealth(0.7, 1.0);
003156 |     loadout = loadout.End();
003157 |
003158 |     loadout = loadout.BeginAttachment("CombatBoots_Black", "Feet");
003159 |     loadout.SetHealth(0.7, 1.0);
003160 |     loadout = loadout.End();
003161 |     loadout = loadout.BeginAttachment("CombatBoots_Grey", "Feet");
003162 |     loadout.SetHealth(0.7, 1.0);
003163 |     loadout = loadout.End();
003164 |
003165 |     loadout = loadout.BeginAttachment("Expansion_PlateCarrierVest_Yeet", "Vest");
003166 |     loadout.SetHealth(0.7, 1.0);
003167 |     loadout = loadout.End();
003168 |     loadout = loadout.BeginAttachment("Expansion_PressVest_Blue_Yeet", "Vest");
003169 |     loadout.SetHealth(0.7, 1.0);
003170 |     loadout = loadout.End();
003171 |
003172 |     loadout = loadout.BeginAttachment("Expansion_GorkaHelmet_Yeet", "Headgear");
003173 |     loadout = loadout.BeginAttachment("GorkaHelmetVisor", "Glass");
003174 |     loadout.Chance = 1.0;
003175 |     loadout.SetHealth(0.7, 1.0);
003176 |     loadout = loadout.End();
003177 |     loadout.SetHealth(0.7, 1.0);
003178 |     loadout = loadout.End();
003179 |
003180 |     loadout = loadout.BeginAttachment("TacticalGloves_Black", "Gloves");
003181 |     loadout.SetHealth(0.7, 1.0);
003182 |     loadout = loadout.End();
003183 |     loadout = loadout.BeginAttachment("OMNOGloves_Gray", "Gloves");
003184 |     loadout.SetHealth(0.7, 1.0);
003185 |     loadout = loadout.End();
003186 |
003187 |     loadout = loadout.BeginCargo("Apple");
```

```
003188 |         loadout.Chance = 0.1;
003189 |         loadout = loadout.End();
003190 |         loadout = loadout.BeginCargo("BandageDressing");
003191 |         loadout.Chance = 1.0;
003192 |         loadout = loadout.End();
003193 |         loadout = loadout.BeginCargo("BandageDressing");
003194 |         loadout.Chance = 0.15;
003195 |         loadout = loadout.End();
003196 |         loadout.Save();
003197 |     }
003198 |
003199 |     static bool Apply(EntityAI other, string file, bool forceReload = false)
003200 |     {
003201 |         #ifdef EXTRACE_DIAG
003202 |             auto trace = EXTrace.Start(EXTrace.LOADOUTS, ExpansionHumanLoadout);
003203 |         #endif
003204 |
003205 |         ExpansionHumanLoadout.Init();
003206 |
003207 |         string name = ExpansionString.StripExtension(file, FILETYPE);
003208 |
003209 |         ExpansionLoadout loadout = ExpansionLoadout.Load(name, forceReload);
003210 |         if (!loadout)
003211 |         {
003212 |             EXError.Error(null, "Unknown loadout requested ('" + file + "')");
003213 |             return false;
003214 |         }
003215 |
003216 |         loadout.SpawnOn(other);
003217 |         return true;
003218 |     }
003219 | };
003220 |
```

0155. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\MissionBaseWorld.c

Size bytes: 573

SHA-256: a52eb6feb66b45ea71c05c0fe27a9b24d6ded072a628c6d4299166a5df0db82c

Decoded as: utf-8-sig

Line count shown: 21

Detected class declarations: 1

 L13: modded class MissionBaseWorld

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L16: bool Expansion_CheckActionSuccess(ActionBase action, ActionData action_data)

Full file content

```
000001 | /**
000002 |  * MissionBaseWorld.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class MissionBaseWorld
000014 | {
000015 |     //! This being here allows overriding in init.c
000016 |     bool Expansion_CheckActionSuccess(ActionBase action, ActionData action_data)
000017 |     {
000018 |         return action.Expansion_CheckSuccess(action_data);
000019 |     }
000020 | }
000021 |
```

0156. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Permissions\PermissionsManager.c

Size bytes: 2753

SHA-256: d18cbd44b3a8b8ea14469b0efc9f4f718c50cc4d29e5a8e3da74c657d1b9e7cb

Decoded as: utf-8-sig

Line count shown: 118

Detected class declarations: 2

L14: class ExpansionPermissionsManager

L96: modded class JMPermissionManager

Detected enum declarations: 0

Detected function/method-like declarations: 12

L18: void ExpansionPermissionsManager()

L22: void ~ExpansionPermissionsManager()

L26: void RegisterPermission(string permission)

L30: bool HasPermission(string permission)

L36: return HasPermission(permission, player.GetIdentity());

L42: bool HasPermission(string permission, PlayerIdentity ihp)

L52: return IsAdminToolsToggledOn();

L69: bool IsAdminToolsToggledOn()

L82: ExpansionPermissionsManager GetPermissionsManager()

L98: bool IsAdminToolsToggledOn()

L100: return GetCommunityOnlineToolsBase().IsActive();

L103: void Expansion_RegisterPermission(string permission, JMPermissionType permType)

Full file content

```
000001 | /**
000002 |  * ExpansionPermissionsManager.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2021 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifndef JM_COT
000014 | class ExpansionPermissionsManager
000015 | {
000016 |     bool m_AdminToolsToggledOn;
000017 |
000018 |     void ExpansionPermissionsManager()
000019 |     {
000020 |     }
000021 |
000022 |     void ~ExpansionPermissionsManager()
000023 |     {
000024 |     }
000025 |
000026 |     void RegisterPermission( string permission )
000027 |     {
000028 |     }
000029 |
000030 |     bool HasPermission( string permission )
000031 |     {
000032 |         if ( !g_Game.IsDedicatedServer() )
000033 |         {
000034 |             Man player = g_Game.GetPlayer();
```

```
000035 |         if (player && player.GetIdentity() )
000036 |             return HasPermission( permission, player.GetIdentity() );
000037 |     }
000038 |
000039 |     return false;
000040 | }
000041 |
000042 | bool HasPermission( string permission, PlayerIdentity ihp )
000043 | {
000044 |     switch ( permission )
000045 |     {
000046 |         case "Admin.Chat":
000047 |         case "Entity.Spawn":
000048 |         case "Expansion.Territories.Edit":
000049 |         case "Expansion.DayZCreature.Lobotomize":
000050 |             #ifdef VPPADMINTOOLS
000051 |                 if (!g_Game.IsDedicatedServer())
000052 |                     return IsAdminToolsToggledOn();
000053 |                 PermissionManager pm = GetPermissionManager();
000054 |                 if (!pm)
000055 |                     return false;
000056 |                 ///! I'm lazy and so SuperAdmins as well as anyone in group Admins will get blanket permission
000057 |                 if (pm.IsSuperAdmin(ihp.GetPlainId()))
000058 |                     return true;
000059 |                 UserGroup group = pm.GetUserGroup(ihp.GetPlainId());
000060 |                 if (group && group.GetGroupName() == "Admins")
000061 |                     return true;
000062 |                 #endif
000063 |                 break;
000064 |     }
000065 |
000066 |     return false;
000067 | }
000068 |
000069 | bool IsAdminToolsToggledOn()
000070 | {
000071 |     #ifdef VPPADMINTOOLS
000072 |         MissionBaseWorld mission = MissionBaseWorld.Cast(g_Game.GetMission());
000073 |         return mission && mission.VPPAT_AdminToolsToggled();
000074 |     #endif
000075 |
000076 |     return false;
000077 | }
000078 | }
000079 |
000080 | ref ExpansionPermissionsManager g_ExpansionPermissionsManager;
000081 |
000082 | ExpansionPermissionsManager GetPermissionsManager()
000083 | {
000084 |     if ( !g_ExpansionPermissionsManager )
000085 |     {
000086 |         g_ExpansionPermissionsManager = new ExpansionPermissionsManager();
000087 |     }
000088 |
000089 |     Assert_Null( g_ExpansionPermissionsManager );
000090 |
000091 |     return g_ExpansionPermissionsManager;
000092 | }
000093 | #endif
000094 |
000095 | #ifdef JM_COT
000096 | modded class JMPPermissionManager
```

```
000097 | {
000098 |     bool IsAdminToolsToggledOn()
000099 |     {
000100 |         return GetCommunityOnlineToolsBase().IsActive();
000101 |     }
000102 |
000103 | void Expansion_RegisterPermission( string permission, JMPPermissionType permType )
000104 | {
000105 |     #ifdef JM_COT_DIAG_LOGGING
000106 |         auto trace = CF_Trace_1(this, "RegisterPermission").Add(permission);
000107 |     #endif
000108 |
000109 |     Assert_Null( RootPermission );
000110 |
000111 |     if (m_MissionLoaded)
000112 |         Error("Cannot register new permissions once mission is loaded!");
000113 |     else
000114 |         RootPermission.AddPermission( permission, permType, false );
000115 | }
000116 | }
000117 | #endif
000118 |
```

0157. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerModifiers\Modifiers\Conditions\AreaExposure.c
Size bytes: 721
SHA-256: 930f6c3a871dbf3620a0fd57c09efbe972f55a15a2f52b6561ab3fb3c525e027
Decoded as: utf-8-sig
Line count shown: 28
Detected class declarations: 1
 L14: modded class AreaExposureMdfc
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L16: override void OnActivate(PlayerBase player)
 L22: override void OnTick(PlayerBase player, float deltaT)

Full file content

```
000001 | /**
000002 |  * AreaExposureMdfc.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | //!< @brief disable effects of exposure to contaminated area in safezones
000014 | modded class AreaExposureMdfc
000015 | {
000016 |     override void OnActivate(PlayerBase player)
000017 |     {
000018 |         if (!player.Expansion_IsInSafeZone())
000019 |             super.OnActivate(player);
000020 |     }
000021 |
000022 |     override void OnTick(PlayerBase player, float deltaT)
000023 |     {
000024 |         if (!player.Expansion_IsInSafeZone())
000025 |             super.OnTick(player, deltaT);
000026 |     }
000027 | }
000028 |
```


0158. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerModifiers\ModifiersManager.c
 Size bytes: 5508
 SHA-256: a642d8d0f5f158f810d774942312cedccf25b02c8fc3a3ee0bff39b4f218509e
 Decoded as: utf-8-sig
 Line count shown: 221
 Detected class declarations: 1
 L1: modded class ModifiersManager
 Detected enum declarations: 0
 Detected function/method-like declarations: 2
 L4: void CF_OnStoreSave(CF_ModStorage ctx)
 L88: bool CF_OnStoreLoad(CF_ModStorage ctx, int version)

Full file content

```
000001 | modded class ModifiersManager
000002 | {
000003 | #ifdef EXPANSION_MODSTORAGE
000004 |     void CF_OnStoreSave(CF_ModStorage ctx)
000005 |     {
000006 |         CachedObjectsArrays.ARRAY_INT.Clear();
000007 |
000008 |         int modifierCount;
000009 |         foreach (ModifierBase modifier : m_ModifierList)
000010 |         {
000011 |             if (modifier.IsActive() && modifier.IsPersistent())
000012 |             {
000013 |                 modifierCount++;
000014 |                 CachedObjectsArrays.ARRAY_INT.Insert(modifier.GetModifierID());
000015 |                 if (modifier.IsTrackAttachedTime())
000016 |                     CachedObjectsArrays.ARRAY_INT.Insert(modifier.GetAttachedTime());
000017 |                 else
000018 |                     CachedObjectsArrays.ARRAY_INT.Insert(-1); //! Always write a value
000019 |             }
000020 |         }
000021 |
000022 |         ctx.Write(modifierCount);
000023 |
000024 |         foreach (int item: CachedObjectsArrays.ARRAY_INT)
000025 |         {
000026 |             ctx.Write(item);
000027 |         }
000028 |
000029 |         //! Unlike vanilla, we write count so we'll always be able to successfully read back what was actually saved
000030 |         ctx.Write(m_ParamList.Count());
000031 |
000032 |         foreach (auto param: m_ParamList)
000033 |         {
000034 |             typename paramType = param.Type();
000035 |             int varCount = paramType.GetVariableCount();
000036 |
000037 |             ctx.Write(varCount);
000038 |
000039 |             for (int i = 0; i < varCount; i++)
000040 |             {
000041 |                 typename varType = paramType.GetVariableType(i);
000042 |                 switch (varType)
000043 |                 {
000044 |                     case bool:
000045 |                         bool vb;
```

```
000046 |         paramType.GetVariableValue(param, i, vb);
000047 |         ctx.Write(CF_ModStorageDataType.BOOL);
000048 |         ctx.Write(vb);
000049 |         break;
000050 |
000051 |         case int:
000052 |             int vi;
000053 |             paramType.GetVariableValue(param, i, vi);
000054 |             ctx.Write(CF_ModStorageDataType.INT);
000055 |             ctx.Write(vi);
000056 |             break;
000057 |
000058 |         case float:
000059 |             float vf;
000060 |             paramType.GetVariableValue(param, i, vf);
000061 |             ctx.Write(CF_ModStorageDataType.FLOAT);
000062 |             ctx.Write(vf);
000063 |             break;
000064 |
000065 |         case string:
000066 |             string vs;
000067 |             paramType.GetVariableValue(param, i, vs);
000068 |             ctx.Write(CF_ModStorageDataType.STRING);
000069 |             ctx.Write(vs);
000070 |             break;
000071 |
000072 |         case vector:
000073 |             vector vv;
000074 |             paramType.GetVariableValue(param, i, vv);
000075 |             ctx.Write(CF_ModStorageDataType.VECTOR);
000076 |             ctx.Write(vv);
000077 |             break;
000078 |
000079 |         default:
000080 |             EXError.Error(this, "Unsupported variable type " + varType);
000081 |             ctx.Write(CF_ModStorageDataType.INVALID);
000082 |             break;
000083 |     }
000084 | }
000085 | }
000086 | }
000087 |
000088 | bool CF_OnStoreLoad(CF_ModStorage ctx, int version)
000089 | {
000090 |     int modifierCount;
000091 |     if (!ctx.Read(modifierCount))
000092 |         return false;
000093 |
000094 |     while (modifierCount--)
000095 |     {
000096 |         int modifierId;
000097 |         if (!ctx.Read(modifierId))
000098 |             return false;
000099 |
000100 |         int time = -1;
000101 |         if (!ctx.Read(time))
000102 |             return false;
000103 |
000104 |         ModifierBase modifier = GetModifier(modifierId);
000105 |         if (modifier)
000106 |         {
000107 |             if (modifier.IsTrackAttachedTime() && time > -1)
```

```
000108 |         modifier.SetAttachedTime(time);
000109 |
000110 |         ActivateModifier(modifierId, EActivationType.TRIGGER_EVENT_ON_CONNECT);
000111 |     }
000112 |     else
000113 |     {
000114 |         Debug.LogError("DB loading: non-existent modifier with id:"+modifierId.ToString());
000115 |     }
000116 | }
000117 |
000118 | int paramsCount;
000119 | if (!ctx.Read(paramsCount))
000120 |     return false;
000121 |
000122 | typename paramType;
000123 | int paramVarCount;
000124 | typename paramVarType;
000125 |
000126 | for (int x = 0; x < paramsCount; x++)
000127 | {
000128 |     int varCount = 0;
000129 |     if (!ctx.Read(varCount))
000130 |         return false;
000131 |
000132 |     auto param = m_ParamList[x];
000133 |
000134 |     if (param)
000135 |     {
000136 |         paramType = param.Type();
000137 |         paramVarCount = paramType.GetVariableCount();
000138 |     }
000139 |     else
000140 |     {
000141 |         paramVarCount = 0;
000142 |     }
000143 |
000144 |     for (int i = 0; i < varCount; i++)
000145 |     {
000146 |         int varType;
000147 |         if (!ctx.Read(varType))
000148 |             return false;
000149 |
000150 |         bool vb = false;
000151 |         int vi = 0;
000152 |         float vf = 0;
000153 |         string vs = string.Empty;
000154 |         vector vv = vector.Zero;
000155 |
000156 |         if (i < paramVarCount)
000157 |             paramVarType = paramType.GetVariableType(i);
000158 |
000159 |         int n = i + 1;
000160 |
000161 |         switch (varType)
000162 |         {
000163 |             case CF_ModStorageDataType.B00L:
000164 |                 if (!ctx.Read(vb))
000165 |                     return false;
000166 |                 if (i < paramVarCount && paramVarType == bool)
000167 |                     EnScript.SetClassVar(param, "param" + n, 0, vb);
000168 |                 else
000169 |                     EXError.Error(this, "Invalid variable index or type " + i + " " + paramVarType + ", expected bool");
```

```
000170 |         break;
000171 |
000172 |     case CF_ModStorageDataType.INT:
000173 |         if (!ctx.Read(vi))
000174 |             return false;
000175 |         if (i < paramVarCount && paramVarType == int)
000176 |             EnScript.SetClassVar(param, "param" + n, 0, vi);
000177 |         else
000178 |             EXError.Error(this, "Invalid variable index or type " + i + " " + paramVarType + ", expected int");
000179 |         break;
000180 |
000181 |     case CF_ModStorageDataType.FLOAT:
000182 |         if (!ctx.Read(vf))
000183 |             return false;
000184 |         if (i < paramVarCount && paramVarType == float)
000185 |             EnScript.SetClassVar(param, "param" + n, 0, vf);
000186 |         else
000187 |             EXError.Error(this, "Invalid variable index or type " + i + " " + paramVarType + ", expected float");
000188 |         break;
000189 |
000190 |     case CF_ModStorageDataType.STRING:
000191 |         if (!ctx.Read(vs))
000192 |             return false;
000193 |         if (i < paramVarCount && paramVarType == string)
000194 |             EnScript.SetClassVar(param, "param" + n, 0, vs);
000195 |         else
000196 |             EXError.Error(this, "Invalid variable index or type " + i + " " + paramVarType + ", expected string");
000197 |         break;
000198 |
000199 |     case CF_ModStorageDataType.VECTOR:
000200 |         if (!ctx.Read(vv))
000201 |             return false;
000202 |         if (i < paramVarCount && paramVarType == vector)
000203 |             EnScript.SetClassVar(param, "param" + n, 0, vv);
000204 |         else
000205 |             EXError.Error(this, "Invalid variable index or type " + i + " " + paramVarType + ", expected vector");
000206 |         break;
000207 |
000208 |     default:
000209 |         EXError.Error(this, "Unsupported variable type " + varType);
000210 |         break;
000211 |     }
000212 |
000213 |     n++;
000214 | }
000215 | }
000216 |
000217 | return true;
000218 | }
000219 | #endif
000220 | }
000221 |
```

0159. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerStats\PlayerStatBase.c
Size bytes: 297
SHA-256: 549950898ab3a40e1b34ca19d9f6f4e615de13ae67fb0afa9fe5871d7ad0f4b7
Decoded as: utf-8-sig
Line count shown: 21
Detected class declarations: 1
 L1: modded class PlayerStatBase
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L4: void CF_OnStoreSave(CF_ModStorage ctx)
 L9: bool CF_OnStoreLoad(CF_ModStorage ctx)

Full file content

```
000001 | modded class PlayerStatBase
000002 | {
000003 | #ifdef EXPANSION_MODSTORAGE
000004 |     void CF_OnStoreSave(CF_ModStorage ctx)
000005 |     {
000006 |         ctx.Write(Get());
000007 |     }
000008 |
000009 |     bool CF_OnStoreLoad(CF_ModStorage ctx)
000010 |     {
000011 |         float value;
000012 |         if (!ctx.Read(value))
000013 |             return false;
000014 |
000015 |         SetByFloat(value);
000016 |
000017 |         return true;
000018 |     }
000019 | #endif
000020 | }
000021 |
```

0160. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerStats\PlayerStats.c
Size bytes: 445
SHA-256: f346539c6d2aba600573314099f84c893a6ca7e5bf0e05b338b07f714be00425
Decoded as: utf-8-sig
Line count shown: 23
Detected class declarations: 1
 L1: modded class PlayerStats
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L4: void CF_SaveStats(CF_ModStorage ctx)
 L13: bool CF_LoadStats(CF_ModStorage ctx, int version)

Full file content

```
000001 | modded class PlayerStats
000002 | {
000003 | #ifdef EXPANSION_MODSTORAGE
000004 |     void CF_SaveStats(CF_ModStorage ctx)
000005 |     {
000006 |         int current_version = g_Game.SaveVersion();
000007 |         PlayerStatsPC0_Base pco = GetPC0(current_version);
000008 |
000009 |         if (pco)
000010 |             pco.CF_OnStoreSave(ctx);
000011 |     }
000012 |
000013 |     bool CF_LoadStats(CF_ModStorage ctx, int version)
000014 |     {
000015 |         PlayerStatsPC0_Base pco = GetPC0(version);
000016 |         if (pco && pco.CF_OnStoreLoad(ctx))
000017 |             return true;
000018 |
000019 |         return false;
000020 |     }
000021 | #endif
000022 | }
000023 |
```

0161. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerStats\PlayerStatsPC0.c

Size bytes: 855

SHA-256: e070a4606334fa2d419981410033bc840c47768333d7666e52b2b17544ab4473

Decoded as: utf-8-sig

Line count shown: 39

Detected class declarations: 1

L1: modded class PlayerStatsPC0_Base

Detected enum declarations: 0

Detected function/method-like declarations: 2

L4: void CF_OnStoreSave(CF_ModStorage ctx)

L15: bool CF_OnStoreLoad(CF_ModStorage ctx)

Full file content

```
000001 | modded class PlayerStatsPC0_Base
000002 | {
000003 | #ifdef EXPANSION_MODSTORAGE
000004 |     void CF_OnStoreSave(CF_ModStorage ctx)
000005 |     {
000006 |         //!< Unlike vanilla, we write count so we'll always be able to successfully read back what was actually saved
000007 |         ctx.Write(m_PlayerStats.Count());
000008 |
000009 |         foreach (PlayerStatBase playerStat: m_PlayerStats)
000010 |         {
000011 |             playerStat.CF_OnStoreSave(ctx);
000012 |         }
000013 |     }
000014 |
000015 |     bool CF_OnStoreLoad(CF_ModStorage ctx)
000016 |     {
000017 |         int count;
000018 |         if (!ctx.Read(count))
000019 |             return false;
000020 |
000021 |         for (int i = 0; i < count; i++)
000022 |         {
000023 |             auto playerStat = m_PlayerStats[i];
000024 |
000025 |             if (!playerStat)
000026 |             {
000027 |                 //!< Dummy, since stats are always either float or int, should be able to read successfully
000028 |                 playerStat = new PlayerStat<int>(float.MIN, float.MAX, 0, "", 0);
000029 |             }
000030 |
000031 |             if (!playerStat.CF_OnStoreLoad(ctx))
000032 |                 return false;
000033 |         }
000034 |
000035 |         return true;
000036 |     }
000037 | #endif
000038 | }
000039 |
```

0162. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerStomach\PlayerStomach.c

Size bytes: 1593

SHA-256: 0c15a1988fd5638d9fa39abedb7e7298ad5417118ed0bf643b05a279bb54e70e

Decoded as: utf-8-sig

Line count shown: 63

Detected class declarations: 1

L1: modded class PlayerStomach

Detected enum declarations: 0

Detected function/method-like declarations: 2

L4: void CF_OnStoreSave(CF_ModStorage ctx)

L21: bool CF_OnStoreLoad(CF_ModStorage ctx, int version)

Full file content

```

000001 | modded class PlayerStomach
000002 | {
000003 | #ifdef EXPANSION_MODSTORAGE
000004 |     void CF_OnStoreSave(CF_ModStorage ctx)
000005 |     {
000006 |         ctx.Write(PlayerStomach.CHECKSUM);
000007 |         ctx.Write(m_StomachContents.Count());
000008 |         foreach (StomachItem stomach_item: m_StomachContents)
000009 |         {
000010 |             int id = PlayerStomach.GetIDFromClassname(stomach_item.m_ClassName);
000011 |
000012 |             int write_result = stomach_item.m_FoodStage | (id << id_bit_offset);
000013 |             write_result = write_result | ((int)stomach_item.m_Amount << quantity_bit_offset);
000014 |             ctx.Write(write_result);
000015 |             ctx.Write(stomach_item.m_Agents);
000016 |
000017 |             ctx.Write((int) stomach_item.GetTemperature());
000018 |         }
000019 |     }
000020 |
000021 | bool CF_OnStoreLoad(CF_ModStorage ctx, int version)
000022 | {
000023 |     int checksum, count;
000024 |
000025 |     if (!ctx.Read(checksum))
000026 |         return false;
000027 |
000028 |     if (!ctx.Read(count))
000029 |         return false;
000030 |
000031 |     for (int i = 0; i < count; i++)
000032 |     {
000033 |         int value, agents, temperature;
000034 |
000035 |         if (!ctx.Read(value))
000036 |             return false;
000037 |
000038 |         if (!ctx.Read(agents))
000039 |             return false;
000040 |
000041 |         if (version >= 140 && !ctx.Read(temperature))
000042 |             return false;
000043 |
000044 |         if (checksum == CHECKSUM)
000045 |         {

```



```
000046 |         int amount = value >> quantity_bit_offset;//isolate amount bits
000047 |         int id_mask = Math.Pow(2, quantity_bit_offset) - 1;
000048 |         int id = (id_mask & value) >> id_bit_offset;//isolate id bits
000049 |         int food_mask = Math.Pow(2, id_bit_offset) - 1;
000050 |         int food_stage = value & food_mask;
000051 |         string classname = GetClassnameFromID(id);
000052 |         AddToStomach(classname, amount, food_stage, agents, temperature);
000053 |     }
000054 | }
000055 |
000056 | if (checksum != CHECKSUM)
000057 |     Print("Stomach checksum fail");
000058 |
000059 | return true;
000060 | }
000061 | #endif
000062 | }
000063 |
```

0163. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerSymptoms\SymptomManager.c

Size bytes: 1005

SHA-256: e88a0258d6c54b3940fdeabb05749d922a2bc7df218ad10520e3d5e9abda93a9

Decoded as: utf-8-sig

Line count shown: 51

Detected class declarations: 1

L1: modded class SymptomManager

Detected enum declarations: 0

Detected function/method-like declarations: 2

L4: void CF_OnStoreSave(CF_ModStorage ctx)

L29: bool CF_OnStoreLoad(CF_ModStorage ctx, int version)

Full file content

```

000001 | modded class SymptomManager
000002 | {
000003 | #ifdef EXPANSION_MODSTORAGE
000004 |     void CF_OnStoreSave(CF_ModStorage ctx)
000005 |     {
000006 |         TIntArray symptoms = {};
000007 |
000008 |         foreach (auto primarySymptom: m_SymptomQueuePrimary)
000009 |         {
000010 |             if (primarySymptom.IsPersistent())
000011 |                 symptoms.Insert(primarySymptom.GetType());
000012 |         }
000013 |
000014 |         foreach (auto secondarySymptom: m_SymptomQueueSecondary)
000015 |         {
000016 |             if (secondarySymptom.IsPersistent())
000017 |                 symptoms.Insert(secondarySymptom.GetType());
000018 |         }
000019 |
000020 |         //! Unlike vanilla, we write count so we'll always be able to successfully read back what was actually saved
000021 |         ctx.Write(symptoms.Count());
000022 |
000023 |         foreach (int id: symptoms)
000024 |         {
000025 |             ctx.Write(id);
000026 |         }
000027 |     }
000028 |
000029 |     bool CF_OnStoreLoad(CF_ModStorage ctx, int version)
000030 |     {
000031 |         int count;
000032 |         if (!ctx.Read(count))
000033 |             return false;
000034 |
000035 |         while (count--)
000036 |         {
000037 |             int id;
000038 |             if (!ctx.Read(id))
000039 |                 return false;
000040 |
000041 |             if (IsSymptomPrimary(id))
000042 |                 QueueUpPrimarySymptom(id);
000043 |             else
000044 |                 QueueUpSecondarySymptom(id);
000045 |         }

```

```
000046 |  
000047 |         return true;  
000048 |     }  
000049 | #endif  
000050 | }  
000051 |
```

0164. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Prefab\ExpansionPrefab.c
Size bytes: 2169
SHA-256: 75580e28d7ef6cf9499e6027fbce727f720f406ec2dc9454992b2ca3dff6c84f
Decoded as: utf-8-sig
Line count shown: 99
Detected class declarations: 1
  L1: class ExpansionPrefab : ExpansionPrefabObject
Detected enum declarations: 0
Detected function/method-like declarations: 10
  L12: static ExpansionPrefab Load(string name, bool forceReload = false, string folder = EXPANSION_LOADOUT_FOLDER)
  L43: protected static void Insert(ExpansionPrefab prefab)
  L48: override string GetPath()
  L53: static string GetPath(string name, string folder = EXPANSION_LOADOUT_FOLDER)
  L58: override void Save()
  L63: Object Spawn(vector position, vector orientation = vector.Zero, int rotationFlags = RF_DEFAULT)
  L74: return Spawn(object);
  L77: Object SpawnOn(Object other)
  L79: return Spawn(other);
  L82: static ExpansionPrefabObject Create(string name, string folder = EXPANSION_LOADOUT_FOLDER)

```

Full file content

```

000001 | class ExpansionPrefab : ExpansionPrefabObject
000002 | {
000003 |     [NonSerialized()]
000004 |     static ref array<ExpansionPrefabObject> s_Begin = new array<ExpansionPrefabObject>();
000005 |
000006 |     [NonSerialized()]
000007 |     static ref map<string, ref ExpansionPrefab> s_Prefabs = new map<string, ref ExpansionPrefab>();
000008 |
000009 |     [NonSerialized()]
000010 |     string m_Path;
000011 |
000012 |     static ExpansionPrefab Load(string name, bool forceReload = false, string folder = EXPANSION_LOADOUT_FOLDER)
000013 |     {
000014 |         #ifdef EXTRACE_DIAG
000015 |             auto trace = EXTrace.Start(EXTrace.LOADOUTS, ExpansionPrefab);
000016 |         #endif
000017 |
000018 |             string path = GetPath(name, folder);
000019 |
000020 |             ExpansionPrefab prefab;
000021 |             if (s_Prefabs.Find(path, prefab) && !forceReload)
000022 |             {
000023 |                 return prefab;
000024 |             }
000025 |
000026 |             if (!prefab)
000027 |             {
000028 |                 prefab = new ExpansionPrefab();
000029 |                 prefab.m_Name = name;
000030 |                 prefab.m_Path = path;
000031 |                 Insert(prefab);
000032 |             }
000033 |
000034 |             if (FileExist(prefab.m_Path))
000035 |             {
000036 |                 JsonFileLoader<ExpansionPrefab>.JsonLoadFile(prefab.m_Path, prefab);
000037 |                 return prefab;

```

```
000038 |     }
000039 |
000040 |     return null;
000041 | }
000042 |
000043 | protected static void Insert(ExpansionPrefab prefab)
000044 | {
000045 |     s_Prefabs.Insert(prefab.m_Path, prefab);
000046 | }
000047 |
000048 | override string GetPath()
000049 | {
000050 |     return m_Path;
000051 | }
000052 |
000053 | static string GetPath(string name, string folder = EXPANSION_LOADOUT_FOLDER)
000054 | {
000055 |     return folder + name + ".json";
000056 | }
000057 |
000058 | override void Save()
000059 | {
000060 |     JsonFileLoader<ExpansionPrefab>.JsonSaveFile(m_Path, this);
000061 | }
000062 |
000063 | Object Spawn(vector position, vector orientation = vector.Zero, int rotationFlags = RF_DEFAULT)
000064 | {
000065 |     int flags = ECE_PLACE_ON_SURFACE;
000066 |     if (g_Game.IsKindOf(ClassName, "DZ_LightAI"))
000067 |         flags |= ECE_INITAI;
000068 |
000069 |     Object object = g_Game.CreateObjectEx(ClassName, position, flags, rotationFlags);
000070 |
000071 |     if (orientation != vector.Zero)
000072 |         object.SetOrientation(orientation);
000073 |
000074 |     return Spawn(object);
000075 | }
000076 |
000077 | Object SpawnOn(Object other)
000078 | {
000079 |     return Spawn(other);
000080 | }
000081 |
000082 | static ExpansionPrefabObject Create(string name, string folder = EXPANSION_LOADOUT_FOLDER)
000083 | {
000084 |     s_Begin.Clear();
000085 |
000086 |     ExpansionPrefab prefab = new ExpansionPrefab();
000087 |
000088 |     prefab.m_Path = GetPath(name, folder);
000089 |
000090 |     if (prefab.m_Path == string.Empty)
000091 |     {
000092 |         return null;
000093 |     }
000094 |
000095 |     Insert(prefab);
000096 |     return prefab;
000097 | }
000098 | };
000099 |
```

0165. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Prefab\ExpansionPrefabObject.c
Size bytes: 15392
SHA-256: 4d61dccbf9d75efdbed0537fa2ed9fa0457a96ad14c1eb497677f82ba8d68416
Decoded as: utf-8-sig
Line count shown: 541
Detected class declarations: 2
  L1: class ExpansionPrefabObject : Managed
  L529: class ExpansionPrefabSlot : Managed
Detected enum declarations: 0
Detected function/method-like declarations: 22
  L31: ExpansionPrefabObject BeginAttachment(string className, string slotName = "")
  L49: bool FindAttachments(string slotName, out array<ref ExpansionPrefabObject> items)
  L63: void InsertAttachments(string slotName, array<ref ExpansionPrefabObject> items)
  L79: ExpansionPrefabObject BeginCargo(string className)
  L90: ExpansionPrefabObject BeginSet(string setName = "")
  L101: ExpansionPrefabObject End()
  L112: ExpansionPrefabObject SetQuantity(float quantityMin, float quantityMax = 0)
  L119: ExpansionPrefabObject SetHealth(string zone, float healthMin, float healthMax = 0.0)
  L127: ExpansionPrefabObject SetHealth(float healthMin, float healthMax = 0.0)
  L135: bool FindHealth(string zone, out ExpansionHealth health)
  L149: void InsertHealth(ExpansionHealth health)
  L162: ExpansionPrefabObject SetPartConstructed(string part)
  L169: string GetPath()
  L175: void Save()
  L180: bool CanSpawn()
  L188: Object Spawn(Object self, array<ref ExpansionPrefabObject> inventoryCargo = null)
  L313: array<ref ExpansionPrefabObject> candidates();
  L345: TStringArray setNames(); //! If set is named, will only spawn one per unique name
  L410: else if (ai)
  L418: else if (slotId == InventorySlots.HANDS && fallbackSlotId != InventorySlots.INVALID && slotTaken[InventorySlots.HANDS])
  L522: void FillCar(Car car, CarFluid fluid)
  L534: void ExpansionPrefabSlot(string slotName = "", array<ref ExpansionPrefabObject> items = null)

```

Full file content

```

000001 | class ExpansionPrefabObject : Managed
000002 | {
000003 |     // Config class name of the item
000004 |     string ClassName = "";
000005 |
000006 |     string Include;
000007 |
000008 |     float Chance = 1.0;
000009 |
000010 |     // Number of items in the stack
000011 |     autoptr ExpansionMinMax Quantity = new ExpansionMinMax(0, 0);
000012 |
000013 |     // Health of item per damage zone -> if empty string then it is global health
000014 |     autoptr array<ref ExpansionHealth> Health = new array<ref ExpansionHealth>;
000015 |
000016 |     // Inventory attachments -> if taken, won't spawn self and contents
000017 |     autoptr array<ref ExpansionPrefabSlot> InventoryAttachments = new array<ref ExpansionPrefabSlot>();
000018 |
000019 |     // Inventory Cargo -> if no free spot in cargo, won't spawn self and contents
000020 |     autoptr array<ref ExpansionPrefabObject> InventoryCargo = new array<ref ExpansionPrefabObject>();
000021 |
000022 |     // Construction parts built -> only works if object is basebuilding
000023 |     autoptr array<string> ConstructionPartsBuilt = new array<string>();
000024 |

```

```
000025 | // Sets of prefab objects (for making chance apply to whole set)
000026 | autoptr array<ref ExpansionPrefabObject> Sets = new array<ref ExpansionPrefabObject>();
000027 |
000028 | [NonSerialized()]
000029 | string m_Name;
000030 |
000031 | ExpansionPrefabObject BeginAttachment(string className, string slotName = "")
000032 | {
000033 |     ExpansionPrefabObject object = new ExpansionPrefabObject();
000034 |     object.ClassName = className;
000035 |
000036 |     ExpansionPrefab.s_Begin.Insert(this);
000037 |
000038 |     array<ref ExpansionPrefabObject> attachments;
000039 |     if (!FindAttachments(slotName, attachments))
000040 |     {
000041 |         attachments = new array<ref ExpansionPrefabObject>();
000042 |         InventoryAttachments.Insert(new ExpansionPrefabSlot(slotName, attachments));
000043 |     }
000044 |
000045 |     attachments.Insert(object);
000046 |     return object;
000047 | }
000048 |
000049 | bool FindAttachments(string slotName, out array<ref ExpansionPrefabObject> items)
000050 | {
000051 |     foreach (auto slot: InventoryAttachments)
000052 |     {
000053 |         if (slot.SlotName == slotName)
000054 |         {
000055 |             items = slot.Items;
000056 |             return true;
000057 |         }
000058 |     }
000059 |
000060 |     return false;
000061 | }
000062 |
000063 | void InsertAttachments(string slotName, array<ref ExpansionPrefabObject> items)
000064 | {
000065 |     array<ref ExpansionPrefabObject> existingItems;
000066 |     if (FindAttachments(slotName, existingItems))
000067 |     {
000068 |         foreach (auto object: items)
000069 |         {
000070 |             existingItems.Insert(object);
000071 |         }
000072 |     }
000073 |     else
000074 |     {
000075 |         InventoryAttachments.Insert(new ExpansionPrefabSlot(slotName, items));
000076 |     }
000077 | }
000078 |
000079 | ExpansionPrefabObject BeginCargo(string className)
000080 | {
000081 |     ExpansionPrefabObject object = new ExpansionPrefabObject();
000082 |     object.ClassName = className;
000083 |
000084 |     ExpansionPrefab.s_Begin.Insert(this);
000085 |
000086 |     InventoryCargo.Insert(object);
```

```
000087 |     return object;
000088 | }
000089 |
000090 | ExpansionPrefabObject BeginSet(string setName = "")
000091 | {
000092 |     ExpansionPrefabObject object = new ExpansionPrefabObject();
000093 |     object.ClassName = setName;
000094 |
000095 |     ExpansionPrefab.s_Begin.Insert(this);
000096 |
000097 |     Sets.Insert(object);
000098 |     return object;
000099 | }
000100 |
000101 | ExpansionPrefabObject End()
000102 | {
000103 |     int index = ExpansionPrefab.s_Begin.Count() - 1;
000104 |
000105 |     ExpansionPrefabObject object = ExpansionPrefab.s_Begin[index];
000106 |
000107 |     ExpansionPrefab.s_Begin.Remove(index);
000108 |
000109 |     return object;
000110 | }
000111 |
000112 | ExpansionPrefabObject SetQuantity(float quantityMin, float quantityMax = 0)
000113 | {
000114 |     Quantity.Set(quantityMin, quantityMax);
000115 |
000116 |     return this;
000117 | }
000118 |
000119 | ExpansionPrefabObject SetHealth(string zone, float healthMin, float healthMax = 0.0)
000120 | {
000121 |     ExpansionHealth health = new ExpansionHealth(healthMin, healthMax, zone);
000122 |     InsertHealth(health);
000123 |
000124 |     return this;
000125 | }
000126 |
000127 | ExpansionPrefabObject SetHealth(float healthMin, float healthMax = 0.0)
000128 | {
000129 |     ExpansionHealth health = new ExpansionHealth(healthMin, healthMax, "");
000130 |     InsertHealth(health);
000131 |
000132 |     return this;
000133 | }
000134 |
000135 | bool FindHealth(string zone, out ExpansionHealth health)
000136 | {
000137 |     foreach (auto existingHealth: Health)
000138 |     {
000139 |         if (existingHealth.Zone == zone)
000140 |         {
000141 |             health = existingHealth;
000142 |             return true;
000143 |         }
000144 |     }
000145 |
000146 |     return false;
000147 | }
000148 |
```



```
000149 | void InsertHealth(ExpansionHealth health)
000150 | {
000151 |     ExpansionHealth existingHealth;
000152 |     if (FindHealth(health.Zone, existingHealth))
000153 |     {
000154 |         existingHealth.Set(health.Min, health.Max);
000155 |     }
000156 |     else
000157 |     {
000158 |         Health.Insert(health);
000159 |     }
000160 | }
000161 |
000162 | ExpansionPrefabObject SetPartConstructed(string part)
000163 | {
000164 |     ConstructionPartsBuilt.Insert(part);
000165 |
000166 |     return this;
000167 | }
000168 |
000169 | string GetPath()
000170 | {
000171 |     CF_Log.Error("Not implemented.");
000172 |     return "";
000173 | }
000174 |
000175 | void Save()
000176 | {
000177 |     CF_Log.Error("Not implemented.");
000178 | }
000179 |
000180 | bool CanSpawn()
000181 | {
000182 |     if (!Chance || Chance < Math.RandomFloat(0.0, 1.0))
000183 |         return false;
000184 |
000185 |     return true;
000186 | }
000187 |
000188 | Object Spawn(Object self, array<ref ExpansionPrefabObject> inventoryCargo = null)
000189 | {
000190 |     #ifdef EXTRACE_DIAG
000191 |         auto trace = EXTrace.Start(EXTrace.LOADOUTS, this);
000192 |     #endif
000193 |
000194 |     if (!self)
000195 |     {
000196 |         return self;
000197 |     }
000198 |
000199 |     if (Include)
000200 |     {
000201 |         if (CF_String.EqualsIgnoreCase(Include, m_Name))
000202 |         {
000203 |             EXError.Error(this, string.Format("'%' cannot include itself", m_Name), {});
000204 |         }
000205 |         else
000206 |         {
000207 |             string folder;
000208 |
000209 |             ExpansionPrefab thisPrefab;
000210 |             if (Class.CastTo(thisPrefab, this))
```

```
000211 |         folder = ExpansionString.DirName(thisPrefab.m_Path);
000212 |
000213 |     if (!folder)
000214 |         folder = EXPANSION_LOADOUT_FOLDER;
000215 |
000216 |     ExpansionPrefab prefab = ExpansionPrefab.Load(Include, false, folder);
000217 |     if (prefab)
000218 |     {
000219 |         if (prefab.Include && CF_String.EqualsIgnoreCase(prefab.Include, m_Name))
000220 |             EXError.Error(this, string.Format("'%1' cannot include parent '%2'", prefab.m_Name, m_Name), {});
000221 |         else
000222 |             prefab.Spawn(self, inventoryCargo);
000223 |     }
000224 | }
000225 | }
000226 |
000227 | foreach (ExpansionHealth health : Health)
000228 | {
000229 |     float maxHealth = self.GetMaxHealth(health.Zone, "");
000230 |     float healthModifier = Math.RandomFloatInclusive(health.Min, health.Max);
000231 |     self.SetHealth(health.Zone, "", maxHealth * healthModifier);
000232 | }
000233 |
000234 | EntityAI entity;
000235 | if (Class.CastTo(entity, self))
000236 | {
000237 |     ExpansionVehicle vehicle;
000238 |     if (ExpansionVehicle.Get(vehicle, entity))
000239 |     {
000240 |         vehicle.FillFluids();
000241 |     }
000242 |
000243 |     ItemBase item;
000244 |     Magazine mag;
000245 |     if (Class.CastTo(item, entity) && item.HasQuantity())
000246 |     {
000247 |         float quantity = Quantity.GetRandom();
000248 |
000249 |         if (quantity > -1)
000250 |         {
000251 |             float quantityMin;
000252 |             float quantityMax;
000253 |             if (Class.CastTo(mag, entity))
000254 |             {
000255 |                 quantityMax = mag.GetAmmoMax();
000256 |                 if (mag.IsAmmoPile())
000257 |                     quantityMin = 1.0 / quantityMax; //! Make sure ammo pile has at least one bullet
000258 |             }
000259 |             else
000260 |             {
000261 |                 quantityMin = item.GetQuantityMin();
000262 |                 quantityMax = item.GetQuantityMax();
000263 |             }
000264 |
000265 |             if (quantity == 0 || quantity < quantityMin)
000266 |             {
000267 |                 if (mag)
000268 |                     quantity = 1.0;
000269 |                 else
000270 |                     quantity = item.GetQuantityInit() / quantityMax;
000271 |             }
000272 |         }
```

```
000273 |         if (quantity > 0)
000274 |         {
000275 |             float itemQuantity = quantityMax * quantity;
000276 |             if (item.Expansion_IsStackable() || mag)
000277 |                 itemQuantity = Math.Round(itemQuantity);
000278 |             if (mag)
000279 |             {
000280 |                 mag.ServerSetAmmoCount(itemQuantity);
000281 |             }
000282 |             else
000283 |             {
000284 |                 item.SetQuantity(itemQuantity);
000285 |             }
000286 |         }
000287 |     }
000288 | }
000289 |
000290 | BaseBuildingBase baseBuilding;
000291 | if (Class.CastTo(baseBuilding, entity))
000292 | {
000293 |     Construction construction = baseBuilding.GetConstruction();
000294 |
000295 |     if (construction)
000296 |     {
000297 |         foreach (string partName: ConstructionPartsBuilt)
000298 |         {
000299 |             construction.ExpansionBuildPartFull(partName);
000300 |         }
000301 |     }
000302 | }
000303 |
000304 | GameInventory inventory = entity.GetInventory();
000305 | if (inventory)
000306 | {
000307 |     HumanInventory humanInventory = HumanInventory.Cast(inventory);
000308 |
000309 | #ifdef EXPANSIONMODAI
000310 |     eAIBase ai = eAIBase.Cast(entity);
000311 | #endif
000312 |
000313 |     array<ref ExpansionPrefabObject> candidates();
000314 |     int index;
000315 |
000316 |     //! Cargo from root of any set needs to be spawned last so that cargo containers (e.g. clothing) added via attachments are already there
000317 |     bool spawnCargo;
000318 |
000319 |     array<ref ExpansionPrefabObject> inventoryCargoLocal;
000320 |     if (!inventoryCargo)
000321 |     {
000322 |         //! Cannot assign new array directly to inventoryCargo inside this conditional block,
000323 |         //! leads to nonsensical compile error ("Variable 'inventoryCargo' is not strong ref")
000324 |         inventoryCargoLocal = new array<ref ExpansionPrefabObject>;
000325 |         inventoryCargo = inventoryCargoLocal;
000326 |         spawnCargo = true;
000327 |     }
000328 |
000329 |     foreach (ExpansionPrefabObject thisCargo: InventoryCargo)
000330 |     {
000331 |         if (thisCargo.ClassName && thisCargo.CanSpawn())
000332 |             inventoryCargo.Insert(thisCargo);
000333 |     }
000334 | }
```

```

000335 |         //!< Select sets by chance
000336 |         foreach (ExpansionPrefabObject selectedSet : Sets)
000337 |         {
000338 |             if (selectedSet.CanSpawn())
000339 |             {
000340 |                 candidates.Insert(selectedSet);
000341 |             }
000342 |         }
000343 |
000344 |         //!< Spawn sets in random order
000345 |         TStringArray setNames(); //!< If set is named, will only spawn one per unique name
000346 |         while (candidates.Count())
000347 |         {
000348 |             index = candidates.GetRandomIndex();
000349 |             selectedSet = candidates[index];
000350 |             candidates.Remove(index);
000351 |
000352 |             if (!selectedSet.ClassName || setNames.Find(selectedSet.ClassName) == -1)
000353 |             {
000354 |                 selectedSet.Spawn(self, inventoryCargo);
000355 |                 if (selectedSet.ClassName)
000356 |                 {
000357 |                     setNames.Insert(selectedSet.ClassName);
000358 |                 }
000359 |             }
000360 |         }
000361 |
000362 |         Object child;
000363 |         int fallbackSlotId = InventorySlots.INVALID;
000364 |         map<int, bool> slotTaken = new map<int, bool>;
000365 |
000366 |         foreach (auto slot : InventoryAttachments)
000367 |         {
000368 |             string slotName = slot.SlotName;
000369 |             array<ref ExpansionPrefabObject> attachments = slot.Items;
000370 |
000371 |             int slotId = InventorySlots.GetSlotIdFromString(slotName);
000372 |             int currentSlotId;
000373 |
000374 |             child = null;
000375 |
000376 |             candidates.Clear();
000377 |
000378 |             //!< Select attachments by chance
000379 |             foreach (ExpansionPrefabObject attachment : attachments)
000380 |             {
000381 |                 if (attachment.ClassName && attachment.CanSpawn())
000382 |                 {
000383 |                     candidates.Insert(attachment);
000384 |                     #ifdef EXPANSION_LOADOUTS_DEBUGSPAWN
000385 |                         EXTrace.Print(EXTrace.LOADOUTS, ExpansionPrefabObject, "::Spawn - selected candidate attachment " + attachment.ClassName + " for " + e
ntity);
000386 |                     #endif
000387 |                 }
000388 |                 #ifdef EXPANSION_LOADOUTS_DEBUGSPAWN
000389 |                 else
000390 |                 {
000391 |                     EXTrace.Print(EXTrace.LOADOUTS, ExpansionPrefabObject, "::Spawn - discarded candidate attachment " + attachment.ClassName + " for " +
entity);
000392 |                 }
000393 |                 #endif
000394 |             }

```

```

000395 |
000396 |     //! Spawn candidate attachments in random order. If no valid inventory slot given, spawn all candidates.
000397 |     while (candidates.Count())
000398 |     {
000399 |         index = candidates.GetRandomIndex();
000400 |         attachment = candidates[index];
000401 |         candidates.Remove(index);
000402 |
000403 |         currentSlotId = slotId;
000404 |         if (slotId == InventorySlots.INVALID && entity.IsInherited(Weapon_Base))
000405 |         {
000406 |             if (g_Game.IsKindOf(attachment.ClassName, "Magazine_Base") && !g_Game.IsKindOf(attachment.ClassName, "Ammunition_Base"))
000407 |                 currentSlotId = InventorySlots.MAGAZINE;
000408 |         }
000409 |         #ifdef EXPANSIONMODAI
000410 |             else if (ai)
000411 |             {
000412 |                 //! Prefer hand slot for AI weapon to mitigate client sync issues
000413 |                 if ((slotId == InventorySlots.SHOULDER || slotId == InventorySlots.MELEE) && !slotTaken[InventorySlots.HANDS] && g_Game.ConfigIsExisti
ng("CfgWeapons " + attachment.ClassName))
000414 |                 {
000415 |                     currentSlotId = InventorySlots.HANDS;
000416 |                     fallbackSlotId = slotId;
000417 |                 }
000418 |                 else if (slotId == InventorySlots.HANDS && fallbackSlotId != InventorySlots.INVALID && slotTaken[InventorySlots.HANDS])
000419 |                 {
000420 |                     currentSlotId = fallbackSlotId;
000421 |                     fallbackSlotId = InventorySlots.INVALID;
000422 |                 }
000423 |             }
000424 |         #endif
000425 |
000426 |         if (currentSlotId != InventorySlots.INVALID && slotTaken[currentSlotId])
000427 |         {
000428 |             continue;
000429 |         }
000430 |
000431 |         switch (currentSlotId)
000432 |         {
000433 |             case InventorySlots.INVALID:
000434 |                 child = attachment.Spawn(inventory.CreateAttachment(attachment.ClassName));
000435 |                 #ifdef EXPANSION_LOADOUTS_DEBUGSPAWN
000436 |                     if (child)
000437 |                         EXTrace.Print(EXTrace.LOADOUTS, ExpansionPrefabObject, "::Spawn - created attachment " + attachment.ClassName + " on " + entity);
000438 |                     else
000439 |                         EXTrace.Print(EXTrace.LOADOUTS, ExpansionPrefabObject, "::Spawn - couldn't create attachment " + attachment.ClassName + " on " + e
ntity);
000440 |                 #endif
000441 |                 break;
000442 |             case InventorySlots.HANDS:
000443 |                 if (humanInventory)
000444 |                 {
000445 |                     child = attachment.Spawn(humanInventory.CreateInHands(attachment.ClassName));
000446 |                     if (child != null)
000447 |                     {
000448 |                         slotTaken[currentSlotId] = true;
000449 |                         #ifdef EXPANSION_LOADOUTS_DEBUGSPAWN
000450 |                             EXTrace.Print(EXTrace.LOADOUTS, ExpansionPrefabObject, "::Spawn - created " + attachment.ClassName + " in hands of " + entity)
;
000451 |                         #endif
000452 |                     }
000453 |                 }
                 #ifdef EXPANSION_LOADOUTS_DEBUGSPAWN

```

```
000454 |         else
000455 |         {
000456 |             EXTrace.Print(EXTrace.LOADOUTS, ExpansionPrefabObject, "::Spawn - couldn't create " + attachment.ClassName + " in hands of " +
entity);
000457 |         }
000458 |     #endif
000459 | }
000460 | break;
000461 | case InventorySlots.MAGAZINE:
000462 |     child = attachment.Spawn(item.ExpansionCreateInInventory(attachment.ClassName));
000463 |     if (child != null)
000464 |     {
000465 |         slotTaken[currentSlotId] = true;
000466 |         #ifdef EXPANSION_LOADOUTS_DEBUGSPAWN
000467 |             EXTrace.Print(EXTrace.LOADOUTS, ExpansionPrefabObject, "::Spawn - created mag " + attachment.ClassName + " on " + entity);
000468 |         #endif
000469 |     }
000470 | #ifdef EXPANSION_LOADOUTS_DEBUGSPAWN
000471 |     else
000472 |     {
000473 |         EXTrace.Print(EXTrace.LOADOUTS, ExpansionPrefabObject, "::Spawn - couldn't create mag " + attachment.ClassName + " on " + entity);
000474 |     }
000475 | #endif
000476 | break;
000477 | default:
000478 |     child = attachment.Spawn(inventory.CreateAttachmentEx(attachment.ClassName, currentSlotId));
000479 |     if (child != null)
000480 |     {
000481 |         slotTaken[currentSlotId] = true;
000482 |         #ifdef EXPANSION_LOADOUTS_DEBUGSPAWN
000483 |             EXTrace.Print(EXTrace.LOADOUTS, ExpansionPrefabObject, "::Spawn - created attachment " + attachment.ClassName + " on " + entity +
" in slot " + slotName);
000484 |         #endif
000485 |     }
000486 |     #ifdef EXPANSION_LOADOUTS_DEBUGSPAWN
000487 |     else
000488 |     {
000489 |         EXTrace.Print(EXTrace.LOADOUTS, ExpansionPrefabObject, "::Spawn - couldn't create attachment " + attachment.ClassName + " on " + e
ntity + " in slot " + slotName);
000490 |     }
000491 |     #endif
000492 |     break;
000493 | }
000494 | }
000495 | }
000496 |
000497 | if (!spawnCargo)
000498 |     return self;
000499 |
000500 | //! Spawn candidate cargo in random order
000501 | ExpansionPrefabObject cargo;
000502 | while (inventoryCargo.Count())
000503 | {
000504 |     index = inventoryCargo.GetRandomIndex();
000505 |     cargo = inventoryCargo[index];
000506 |     inventoryCargo.Remove(index);
000507 |
000508 |     child = cargo.Spawn(ExpansionItemSpawnHelper.CreateInInventoryEx(entity, cargo.ClassName));
000509 |     #ifdef EXPANSION_LOADOUTS_DEBUGSPAWN
000510 |     if (child)
000511 |         EXTrace.Print(EXTrace.LOADOUTS, ExpansionPrefabObject, "::Spawn - created " + cargo.ClassName + " on " + entity);
000512 |     else
```

```
000513 |         EXTrace.Print(EXTrace.LOADOUTS, ExpansionPrefabObject, "::Spawn - couldn't create " + cargo.ClassName + " on " + entity);
000514 |     #endif
000515 |     }
000516 | }
000517 | }
000518 |
000519 |     return self;
000520 | }
000521 |
000522 | void FillCar(Car car, CarFluid fluid)
000523 | {
000524 |     EXError.WarnOnce(this, "DEPRECATED");
000525 |     car.Fill(fluid, car.GetFluidCapacity(fluid));
000526 | }
000527 | };
000528 |
000529 | class ExpansionPrefabSlot : Managed
000530 | {
000531 |     string SlotName;
000532 |     autoptr array<ref ExpansionPrefabObject> Items = new array<ref ExpansionPrefabObject>();
000533 |
000534 |     void ExpansionPrefabSlot(string slotName = "", array<ref ExpansionPrefabObject> items = null)
000535 |     {
000536 |         SlotName = slotName;
000537 |         if (items)
000538 |             Items = items;
000539 |     }
000540 | };
000541 |
```

0166. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Scene\ExpansionScene.c
Size bytes: 114
SHA-256: 0e6b12c6e3195b1b7016d7e6817c0f956d261d70a862a2cf8f59ebc48d7a4025
Decoded as: utf-8-sig
Line count shown: 6
Detected class declarations: 1
 L2: class ExpansionScene : ExpansionSceneObject
Detected enum declarations: 0
Detected function/method-like declarations: 0

Full file content

```
000001 | //TODO: maybe continue work on this? Not really needed ATM
000002 | class ExpansionScene : ExpansionSceneObject
000003 | {
000004 |
000005 | };
000006 |
```


0167. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Scene\ExpansionSceneObject.c
Size bytes: 270
SHA-256: fe39e9a8e57de6bdc061a698bbc3b9d8357b9389b605f8b1c7ae141aa4cd33f5
Decoded as: utf-8-sig
Line count shown: 10
Detected class declarations: 1
 L2: class ExpansionSceneObject : ExpansionPrefabObject
Detected enum declarations: 0
Detected function/method-like declarations: 0

Full file content

```
000001 | //TODO: maybe continue work on this? Not really needed ATM
000002 | class ExpansionSceneObject : ExpansionPrefabObject
000003 | {
000004 |     vector Position;
000005 |     vector Orientation;
000006 |     vector Scale;
000007 |
000008 |     autoptr array<ref ExpansionSceneObject> Children = new array<ref ExpansionSceneObject>();
000009 | };
000010 |
```

0168. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\ExpansionDamageSystem.c
Size bytes: 15846
SHA-256: efd59a5b5a61f68245318d1d4d12955543e071fbca0e06d682c7f69d23a1525f
Decoded as: utf-8-sig
Line count shown: 441
Detected class declarations: 1
  L14: class ExpansionDamageSystem
Detected enum declarations: 0
Detected function/method-like declarations: 20
  L20: static bool IsEnabledForExplosionTarget(EntityAI target)
  L28: static bool GetExplosionConfigValues(EntityAI source, inout string ammoType, out float explosionRange, out float explosionDropoffRange, out
  L69: static float GetExplosionDamage(EntityAI source, EntityAI target, string ammoType = "", out float dmgNominal = 0.0)
  L87: static float GetExplosionDamageNormalized(EntityAI source, EntityAI target, float explosionRange, float explosionDropoffRange, vector positi
  L103: static void OnBeforeExplode(EntityAI source, int damageType, string ammoType = "", vector position = vector.Zero)
  L123: map<EntityAI, float> targets();
  L168: else if (Class.CastTo(player, nearest_object))
  L174: else if (ExpansionVehicle.Get(vehicle, nearest_object))
  L180: else if (!Class.CastTo(nearest_entity, nearest_object))
  L262: static bool PerformRaycast(EntityAI source, EntityAI target, vector position, out bool targetHit, out Object blockingObject)
  L267: set<Object> results();
  L286: else if (obj.IsBuilding() || obj.ConfigGetString("physLayer") == "item_large")
  L300: static void OnAfterExplode(EntityAI source, string sourceIdentifier, string sourcePosition, int damageType, string ammoType, map<EntityAI, f
  L326: static void OnExplosionHit(EntityAI source, EntityAI target, string ammoType, bool applyDamageCorrection = false, TotalDamageResult damageRe
  L330: static bool OnExplosionDamageCalculated(TotalDamageResult damageResult, EntityAI source, EntityAI target, int component, string dmgZone, str
  L371: static void ApplyExplosionDamage(EntityAI source, EntityAI target, string dmgZone, string ammoType, vector modelPos, float dmgCoef)
  L377: static int GetQueuedExplosionCount(EntityAI target, string sourceIdentifier, string ammoType)
  L388: static void QueueExplosion(EntityAI target, string sourceIdentifier, string ammoType)
  L403: static bool DequeueExplosion(EntityAI target, string sourceIdentifier, string ammoType)
  L434: static void Log(string msg)
```

Full file content

```
000001 | /**
000002 |  * ExpansionDamageSystem.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | //! Consistent explosion damage
000014 | class ExpansionDamageSystem
000015 | {
000016 |     static const float BLOCKING_ANGLE_THRESHOLD = 0.5;  //!< Math.Cos(60 * Math.DEG2RAD);
000017 |
000018 |     static ref map<EntityAI, ref map<string, ref map<string, int>>> s_ExplosionQueue = new map<EntityAI, ref map<string, ref map<string, int>>>;
000019 |
000020 |     static bool IsEnabledForExplosionTarget(EntityAI target)
000021 |     {
000022 |         if (!GetExpansionSettings().GetDamageSystem().Enabled)
000023 |             return false;
000024 |
000025 |         return ExpansionStatic.IsAnyOf(target, GetExpansionSettings().GetDamageSystem().ExplosionTargets, true);
000026 |     }
000027 | }
```

```
000028 | static bool GetExplosionConfigValues(EntityAI source, inout string ammoType, out float explosionRange, out float explosionDropoffRange, out bool directional,
000029 | out float indirectHitAngle1, out float indirectHitAngle2)
000030 | {
000031 |     if (!ammoType)
000032 |         ammoType = source.ConfigGetString("ammoType");
000033 |
000034 |     if (ammoType)
000035 |     {
000036 |         if (g_Game.ConfigIsExisting("CfgAmmo " + ammoType + " indirectHitRange"))
000037 |         {
000038 |             explosionDropoffRange = g_Game.ConfigGetFloat("CfgAmmo " + ammoType + " indirectHitRange");
000039 |         }
000040 |         else
000041 |         {
000042 |             EXError.WarnOnce(null, "WARNING: Ammo " + ammoType + " has no indirectHitRange! Assuming 1.0", {});
000043 |             explosionDropoffRange = 1.0;
000044 |         }
000045 |
000046 |         if (g_Game.ConfigIsExisting("CfgAmmo " + ammoType + " indirectHitRangeMultiplier"))
000047 |         {
000048 |             explosionRange = explosionDropoffRange * g_Game.ConfigGetFloat("CfgAmmo " + ammoType + " indirectHitRangeMultiplier");
000049 |         }
000050 |         else
000051 |         {
000052 |             EXError.WarnOnce(null, "WARNING: Ammo " + ammoType + " has no indirectHitRangeMultiplier! Assuming 1.0", {});
000053 |             explosionRange = explosionDropoffRange;
000054 |         }
000055 |
000056 |         directional = g_Game.ConfigGetTextOut("CfgAmmo " + ammoType + " explosionType") == "directional";
000057 |         indirectHitAngle1 = g_Game.ConfigGetFloat("CfgAmmo " + ammoType + " indirectHitAngle1");
000058 |         indirectHitAngle2 = g_Game.ConfigGetFloat("CfgAmmo " + ammoType + " indirectHitAngle2");
000059 |
000060 |         return true;
000061 |     }
000062 |     else
000063 |     {
000064 |         EXError.ErrorOnce(null, "ERROR: " + source.GetType() + " has no ammo!", {});
000065 |     }
000066 |
000067 |     return false;
000068 | }
000069 |
000070 | static float GetExplosionDamage(EntityAI source, EntityAI target, string ammoType = "", out float dmgNominal = 0.0)
000071 | {
000072 |     float explosionRange;
000073 |     float explosionDropoffRange;
000074 |     bool directional;
000075 |     float indirectHitAngle1;
000076 |     float indirectHitAngle2;
000077 |     GetExplosionConfigValues(source, ammoType, explosionRange, explosionDropoffRange, directional, indirectHitAngle1, indirectHitAngle2);
000078 |
000079 |     if (ammoType)
000080 |     {
000081 |         dmgNominal = g_Game.ConfigGetFloat("CfgAmmo " + ammoType + " DamageApplied Health damage");
000082 |         return dmgNominal * GetExplosionDamageNormalized(source, target, explosionRange, explosionDropoffRange);
000083 |     }
000084 |
000085 |     return 0.0;
000086 | }
000087 |
000088 | static float GetExplosionDamageNormalized(EntityAI source, EntityAI target, float explosionRange, float explosionDropoffRange, vector position = vector.Zero)
000089 | {
```

```
000089 |         if (position == vector.Zero)
000090 |             position = source.GetPosition();
000091 |
000092 |         float blastDistance = vector.Distance(position, target.GetPosition());
000093 |
000094 |         if (explosionRange > explosionDropoffRange)
000095 |             return ExpansionMath.LinearConversion(explosionRange, explosionDropoffRange, blastDistance);
000096 |
000097 |         if (blastDistance > explosionDropoffRange)
000098 |             return 0.0;
000099 |
000100 |         return 1.0;
000101 |     }
000102 |
000103 |     static void OnBeforeExplode(EntityAI source, int damageType, string ammoType = "", vector position = vector.Zero)
000104 |     {
000105 |         if (!g_Game.IsServer() || damageType != DamageType.EXPLOSION || !GetExpansionSettings().GetDamageSystem().Enabled)
000106 |             return;
000107 |
000108 |         if (position == vector.Zero)
000109 |             position = source.GetPosition();
000110 |
000111 |         array<Object> nearest_objects = new array<Object>;
000112 |         array<CargoBase> proxy_cargos = new array<CargoBase>;
000113 |
000114 |         float explosionRange;
000115 |         float explosionDropoffRange;
000116 |         bool directional;
000117 |         float indirectHitAngle1;
000118 |         float indirectHitAngle2;
000119 |         GetExplosionConfigValues(source, ammoType, explosionRange, explosionDropoffRange, directional, indirectHitAngle1, indirectHitAngle2);
000120 |
000121 |         Log("About to explode " + ammoType + " from " + source + " at " + ExpansionStatic.VectorToString(position) + " " + typename.EnumToString(DamageType, damageType) + " range " + explosionRange + " dropoff " + explosionDropoffRange);
000122 |
000123 |         map<EntityAI, float> targets();
000124 |
000125 |         if (directional)
000126 |         {
000127 |             //!< XXX: GetEntitiesInCone doesn't work very well, often includes objects that are not in cone
000128 |             //vector dir = source.GetDirection();
000129 |             //dir[1] = 0;
000130 |             //dir.Normalize();
000131 |
000132 |             //!< Using values for min/max height that are suitable for Claymore, and probably really should limit range or the search is going to be expensive
000133 |             //DayZPlayerUtils.GetEntitiesInCone(position, dir, indirectHitAngle1, explosionRange, -0.5, 2.0, nearest_objects);
000134 |
000135 |             //!< Annoyingly, GetEntitiesInCone can include the same object multiple times, so we have to deal with that
000136 |             //map<Object, bool> seen();
000137 |
000138 |             vector sourceAngles = source.GetDirection().VectorToAngles();
000139 |         }
000140 |         //else
000141 |         //{
000142 |             g_Game.GetObjectsAtPosition3D(position, explosionRange, nearest_objects, proxy_cargos);
000143 |         //}
000144 |
000145 |         ItemBase nearest_item;
000146 |         DayZPlayerImplement player;
000147 |         ExpansionVehicle vehicle;
000148 |         EntityAI nearest_entity;
000149 |     }
```

```
000150 |         bool checkForBlockingObj = GetExpansionSettings().GetDamageSystem().CheckForBlockingObjects;
000151 |         bool targetHit;
000152 |         Object blockingObject;
000153 |
000154 |         foreach (Object nearest_object: nearest_objects)
000155 |         {
000156 |             if (nearest_object == source)
000157 |                 continue;
000158 |
000159 |             if (!nearest_object.GetAllowDamage())
000160 |                 continue;
000161 |
000162 |             if (Class.CastTo(nearest_item, nearest_object))
000163 |             {
000164 |                 if (!nearest_item.CanBeDamaged())
000165 |                     continue;
000166 |                 nearest_entity = nearest_item;
000167 |             }
000168 |             else if (Class.CastTo(player, nearest_object))
000169 |             {
000170 |                 if (!player.Expansion_CanBeDamaged(ammoType))
000171 |                     continue;
000172 |                 nearest_entity = player;
000173 |             }
000174 |             else if (ExpansionVehicle.Get(vehicle, nearest_object))
000175 |             {
000176 |                 if (!vehicle.CanBeDamaged())
000177 |                     continue;
000178 |                 nearest_entity = vehicle.GetEntity();
000179 |             }
000180 |             else if (!Class.CastTo(nearest_entity, nearest_object))
000181 |             {
000182 |                 continue;
000183 |             }
000184 |
000185 |             if (!IsEnabledForExplosionTarget(nearest_entity))
000186 |                 continue;
000187 |
000188 |             if (directional)
000189 |             {
000190 |                 //if (seen.Contains(nearest_object)) //! Deal w/ GetEntitiesInCone including the same object multiple times
000191 |                     //continue;
000192 |
000193 |                 //seen[nearest_object] = true;
000194 |
000195 |                 //! @note Important: Do not use position override here, use source position
000196 |                 vector targetDir = vector.Direction(source.GetPosition(), nearest_object.GetPosition());
000197 |                 vector targetAngles = targetDir.VectorToAngles();
000198 |
000199 |                 float hitAngle1;
000200 |                 float hitAngle2;
000201 |
000202 |                 if (targetDir.LengthSq() > 1.0)
000203 |                 {
000204 |                     hitAngle1 = indirectHitAngle1 / 2.0;
000205 |                     hitAngle2 = indirectHitAngle2 / 2.0;
000206 |                 }
000207 |                 else
000208 |                 {
000209 |                     //! Just check if roughly in front
000210 |                     hitAngle1 = 90.0;
000211 |                     hitAngle2 = 90.0;
```

```
000212 |         }
000213 |
000214 |         if (Math.AbsFloat(ExpansionMath.AngleDiff2(sourceAngles[0], targetAngles[0])) > hitAngle1)
000215 |         {
000216 | #ifdef DIAG_DEVELOPER
000217 |             Log(nearest_object.ToString() + " at " + ExpansionStatic.VectorToString(nearest_object.GetPosition()) + " is NOT a target for " + source + " a
000218 | t " + ExpansionStatic.VectorToString(position) + " (not in blast direction)");
000219 | #endif
000220 |             continue;
000221 |         }
000222 |         if (Math.AbsFloat(ExpansionMath.AngleDiff2(sourceAngles[1], targetAngles[1])) > hitAngle2)
000223 |         {
000224 | #ifdef DIAG_DEVELOPER
000225 |             Log(nearest_object.ToString() + " at " + ExpansionStatic.VectorToString(nearest_object.GetPosition()) + " is NOT a target for " + source + " a
000226 | t " + ExpansionStatic.VectorToString(position) + " (not in blast direction)");
000227 | #endif
000228 |             continue;
000229 |         }
000230 |     }
000231 |     float explosionDamageNormalized = GetExplosionDamageNormalized(source, nearest_entity, explosionRange, explosionDropoffRange, position);
000232 |     if (!explosionDamageNormalized)
000233 |     {
000234 | #ifdef DIAG_DEVELOPER
000235 |         Log(nearest_object.ToString() + " at " + ExpansionStatic.VectorToString(nearest_object.GetPosition()) + " is NOT a target for " + source + " at "
000236 | + ExpansionStatic.VectorToString(position) + " (too far away)");
000237 | #endif
000238 |         continue;
000239 |     }
000240 |     if (checkForBlockingObj)
000241 |         PerformRaycast(source, nearest_entity, position, targetHit, blockingObject);
000242 |
000243 |     if (!blockingObject)
000244 |     {
000245 | #ifdef DIAG_DEVELOPER
000246 |         Log(nearest_object.ToString() + " at " + ExpansionStatic.VectorToString(nearest_object.GetPosition()) + " is a target for " + source + " at " + Ex
000247 | pansionStatic.VectorToString(position));
000248 | #endif
000249 |         targets.Insert(nearest_entity, explosionDamageNormalized);
000250 |         QueueExplosion(nearest_entity, source.ToString(), ammoType);
000251 |     }
000252 | #ifdef DIAG_DEVELOPER
000253 |     else
000254 |     {
000255 |         Log(nearest_object.ToString() + " at " + ExpansionStatic.VectorToString(nearest_object.GetPosition()) + " is NOT a target for " + source + " at "
000256 | + ExpansionStatic.VectorToString(position) + " (blocking " + blockingObject + " is in the way)");
000257 |     }
000258 | #endif
000259 |     g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(OnAfterExplode, 34, false, source, source.ToString(), ExpansionStatic.VectorToString(position), damage
000260 | Type, ammoType, targets);
000261 | }
000262 |
000263 | static bool PerformRaycast(EntityAI source, EntityAI target, vector position, out bool targetHit, out Object blockingObject)
000264 | {
000265 |     vector hitPosition;
000266 |     vector hitNormal;
000267 |     int contactComponent;
```

```

000268 |
000269 |     targetHit = false;
000270 |     blockingObject = null;
000271 |
000272 |     if (!DayZPhysics.RaycastRV(position, target.GetPosition(), hitPosition, hitNormal, contactComponent, results, null, source, true, false, ObjIntersectView,
000273 | 0.1, CollisionFlags.ALLOBJECTS))
000274 |         return false; ///! Ray didn't hit anything, but this also means nothing is in the way
000275 |
000276 |     vector offsetPos = position - source.GetDirection();
000277 |     vector targetDir = vector.Direction(position, target.GetPosition());
000278 |     vector targetDirNorm = targetDir.Normalized();
000279 |     float targetDistSq = targetDir.LengthSq();
000280 |
000281 |     foreach (Object obj: results)
000282 |     {
000283 |         if (obj == target)
000284 |         {
000285 |             targetHit = true;
000286 |         }
000287 |         else if (obj.IsBuilding() || obj.ConfigGetString("physLayer") == "item_large")
000288 |         {
000289 |             vector objDirNorm = vector.Direction(offsetPos, obj.GetPosition()).Normalized();
000290 |             if (vector.Dot(objDirNorm, targetDirNorm) > BLOCKING_ANGLE_THRESHOLD && vector.DistanceSq(position, obj.GetPosition()) < targetDistSq)
000291 |             {
000292 |                 blockingObject = obj;
000293 |                 break;
000294 |             }
000295 |         }
000296 |     }
000297 |
000298 |     return true;
000299 | }
000300 |
000301 | static void OnAfterExplode(EntityAI source, string sourceIdentifier, string sourcePosition, int damageType, string ammoType, map<EntityAI, float> targets)
000302 | {
000303 |     EntityAI directDamageSource = source;
000304 |     foreach (EntityAI target, float dmg: targets)
000305 |     {
000306 |         if (!target)
000307 |             continue;
000308 |
000309 |         if (GetQueuedExplosionCount(target, sourceIdentifier, ammoType))
000310 |         {
000311 |             Log(target.ToString() + " at " + ExpansionStatic.VectorToString(target.GetPosition()) + " (destroyed " + target.IsDamageDestroyed() + ") was not h
000312 | it by " + ammoType + " from " + sourceIdentifier + " at " + sourcePosition + " - applying direct " + typename.EnumToString(DamageType, damageType) + " damage coef
000313 | " + dmg);
000314 |
000315 |             if (!source)
000316 |             {
000317 |                 directDamageSource = target;
000318 |                 DequeueExplosion(target, sourceIdentifier, ammoType);
000319 |             }
000320 |
000321 |             if (target.IsDamageDestroyed())
000322 |                 DequeueExplosion(target, sourceIdentifier, ammoType);
000323 |             else
000324 |                 target.ProcessDirectDamage(damageType, directDamageSource, "", ammoType, "0 0 0", dmg);
000325 |         }
000326 |     }
000327 | }
000328 |
000329 | static void OnExplosionHit(EntityAI source, EntityAI target, string ammoType, bool applyDamageCorrection = false, TotalDamageResult damageResult = null, strin

```

```
000327 | g dmgZone = string.Empty)
000328 | {
000329 | }
000330 | static bool OnExplosionDamageCalculated(TotalDamageResult damageResult, EntityAI source, EntityAI target, int component, string dmgZone, string ammoType, vect
or modelPos, float speedCoef, bool applyDamageCorrection = false)
000331 | {
000332 |     if (!IsEnabledForExplosionTarget(target))
000333 |         return true;
000334 |
000335 |     if (!DequeueExplosion(target, source.ToString(), ammoType))
000336 |         return true;
000337 |
000338 |     if (applyDamageCorrection && !target.IsDamageDestroyed() && !target.GetHierarchyParent() && source && !source.GetHierarchyRootPlayer())
000339 |     {
000340 |         ///! Use our own damage system for consistent explosion damage
000341 |         ///! Note that this only works as intended if damage source root is not a player,
000342 |         ///! else won't be able to get actual source's position in relation to target
000343 |
000344 |         ///! Calling ProcessDirectDamage with source being any static/baked entity segfaults (https://feedback.bistudio.com/T192088)
000345 |         if (!source.IsItemBase() && !source.IsDayZCreature() && !source.IsMan() && !source.IsTransport())
000346 |         {
000347 |             if (!target.IsItemBase() && !target.IsDayZCreature() && !target.IsMan() && !target.IsTransport())
000348 |                 return true;
000349 |             else
000350 |                 source = target;
000351 |         }
000352 |
000353 |         float dmg = damageResult.GetDamage(dmgZone, "Health");
000354 |
000355 |         float dmgDirectHit;
000356 |         float baseDmg = GetExplosionDamage(source, target, ammoType, dmgDirectHit) * speedCoef;
000357 |         if (baseDmg > dmg && dmgDirectHit > 0.0)
000358 |         {
000359 |             Log("Overriding " + source.ToString() + " damage dealt to " + target.ToString() + " at " + target.GetPosition() + " " + dmg.ToString() + " -> " +
baseDmg.ToString() + " by dealing damage difference");
000360 |
000361 |             float dmgCoef = (baseDmg - dmg) / dmgDirectHit;
000362 |
000363 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Call(ApplyExplosionDamage, source, target, dmgZone, ammoType, modelPos, dmgCoef);
000364 |             return false;
000365 |         }
000366 |     }
000367 |
000368 |     return true;
000369 | }
000370 |
000371 | static void ApplyExplosionDamage(EntityAI source, EntityAI target, string dmgZone, string ammoType, vector modelPos, float dmgCoef)
000372 | {
000373 |     if (source && target)
000374 |         target.ProcessDirectDamage(DamageType.EXPLOSION, source, dmgZone, ammoType, modelPos, dmgCoef);
000375 | }
000376 |
000377 | static int GetQueuedExplosionCount(EntityAI target, string sourceIdentifier, string ammoType)
000378 | {
000379 |     if (!s_ExplosionQueue[target])
000380 |         return 0;
000381 |
000382 |     if (!s_ExplosionQueue[target][sourceIdentifier])
000383 |         return 0;
000384 |
000385 |     return s_ExplosionQueue[target][sourceIdentifier][ammoType];
```



```
000386 | }
000387 |
000388 | static void QueueExplosion(EntityAI target, string sourceIdentifier, string ammoType)
000389 | {
000390 |     if (!s_ExplosionQueue[target])
000391 |         s_ExplosionQueue[target] = new map<string, ref map<string, int>>;
000392 |
000393 |     if (!s_ExplosionQueue[target][sourceIdentifier])
000394 |         s_ExplosionQueue[target][sourceIdentifier] = new map<string, int>;
000395 |
000396 |     int count = s_ExplosionQueue[target][sourceIdentifier][ammoType] + 1;
000397 |
000398 |     s_ExplosionQueue[target][sourceIdentifier][ammoType] = count;
000399 |
000400 |     Log("Queued " + sourceIdentifier + " " + ammoType + " for " + target + " - count: " + count);
000401 | }
000402 |
000403 | static bool DequeueExplosion(EntityAI target, string sourceIdentifier, string ammoType)
000404 | {
000405 |     int count = GetQueuedExplosionCount(target, sourceIdentifier, ammoType);
000406 |
000407 |     if (count)
000408 |     {
000409 |         count--;
000410 |
000411 |         if (count)
000412 |         {
000413 |             s_ExplosionQueue[target][sourceIdentifier][ammoType] = count;
000414 |         }
000415 |         else
000416 |         {
000417 |             s_ExplosionQueue[target][sourceIdentifier].Remove(ammoType);
000418 |             if (!s_ExplosionQueue[target][sourceIdentifier].Count())
000419 |             {
000420 |                 s_ExplosionQueue[target].Remove(sourceIdentifier);
000421 |                 if (!s_ExplosionQueue[target].Count())
000422 |                     s_ExplosionQueue.Remove(target);
000423 |             }
000424 |         }
000425 |
000426 |         Log("Dequeued " + sourceIdentifier + " " + ammoType + " for " + target + " - count: " + count);
000427 |
000428 |         return true;
000429 |     }
000430 |
000431 |     return false;
000432 | }
000433 |
000434 | static void Log(string msg)
000435 | {
000436 |     auto settings = GetExpansionSettings().GetLog();
000437 |     if (settings.ExplosionDamageSystem)
000438 |         settings.PrintLog("[ExplosionDamageSystem] " + msg);
000439 | }
000440 | }
000441 |
```

0169. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\ExpansionItemBaseModule.c
Size bytes: 7597
SHA-256: 86ffd30601db2bc9dc0c500fcf14fc8794915ab1069c21ea845de65d53f40da1
Decoded as: utf-8-sig
Line count shown: 280
Detected class declarations: 1
  L18: class ExpansionItemBaseModule : CF_ModuleWorld
Detected enum declarations: 0
Detected function/method-like declarations: 14
  L28: void ExpansionItemBaseModule()
  L34: override void OnInit()
  L41: override void OnMissionStart(Class sender, CF_EventArgs args)
  L60: int ProcessQueuedEntityActions(EntityAI entity, int actionsFilter = int.MAX)
  L79: private void LoadQueuedEntityActions()
  L122: static string FormatQueuedEntityActions(int b1, int b2, int b3, int b4, int actions)
  L127: private void AddQueuedEntityActions(int b1, int b2, int b3, int b4, int actions)
  L156: private bool PopQueuedEntityActions(int b1, int b2, int b3, int b4, int actionsFilter, out int selectedActions = 0)
  L192: private void TruncateQueuedEntityActions(int b1, int b2, int b3, map<int, ref map<int, ref map<int, int>>> m1, map<int, ref map<int, int>>> m
  L213: void QueueEntityActions(EntityAI entity, int actions)
  L225: private void WriteQueuedEntityActions(int b1, int b2, int b3, int b4, int actions)
  L235: private void WriteQueuedEntityActions(FileSerializer file, int b1, int b2, int b3, int b4, int actions)
  L248: private void SaveQueuedEntityActions()
  L271: static void SetLootable(EntityAI entity, bool state)
```

Full file content

```
000001 | /**
000002 |  * ExpansionItemBaseModule.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionItemBaseModule
000014 |  * @brief      This module provides misc functionality like doing queued actions for an existing item on server start.
000015 |  */
000016 |
000017 | [CF_RegisterModule(ExpansionItemBaseModule)]
000018 | class ExpansionItemBaseModule : CF_ModuleWorld
000019 | {
000020 |     static const int SETUNLOOTABLE = 1;
000021 |     static const int DELETE = 2;
000022 |
000023 |     static ExpansionItemBaseModule s_Instance;
000024 |
000025 |     string m_QueuedEntityActionsFileName;
000026 |     ref map<int, ref map<int, ref map<int, ref map<int, int>>>> m_QueuedEntityActions;
000027 |
000028 |     void ExpansionItemBaseModule()
000029 |     {
000030 |         s_Instance = this;
000031 |         m_QueuedEntityActions = new map<int, ref map<int, ref map<int, ref map<int, int>>>>;
000032 |     }
000033 | }
```

```
000034 |     override void OnInit()
000035 |     {
000036 |         super.OnInit();
000037 |
000038 |         EnableMissionStart();
000039 |     }
000040 |
000041 |     override void OnMissionStart(Class sender, CF_EventArgs args)
000042 |     {
000043 | #ifdef EXTRACE
000044 |         auto trace = EXTrace.Start(ExpansionTracing.GENERAL_ITEMS, this);
000045 | #endif
000046 |         super.OnMissionStart(sender, args);
000047 |
000048 | #ifdef SERVER
000049 |         int instance_id = g_Game.ServerConfigGetInt( "instanceId" );
000050 |         string folder = "$mission:storage_" + instance_id + "\\expansion\\";
000051 |         m_QueuedEntityActionsFileName = folder + "queuedentityactions.bin";
000052 |
000053 |         if (FileExist(m_QueuedEntityActionsFileName))
000054 |             LoadQueuedEntityActions();
000055 |         else
000056 |             ExpansionStatic.MakeDirectoryRecursive(folder);
000057 | #endif
000058 |     }
000059 |
000060 |     int ProcessQueuedEntityActions(EntityAI entity, int actionsFilter = int.MAX)
000061 |     {
000062 |         int b1, b2, b3, b4;
000063 |         entity.GetPersistentID(b1, b2, b3, b4);
000064 |
000065 |         int selectedActions;
000066 |         if (!PopQueuedEntityActions(b1, b2, b3, b4, actionsFilter, selectedActions))
000067 |             return 0;
000068 |
000069 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, this, "::ProcessQueuedEntityActions " + entity.ToString() + " - do actions (bitmask) " + selectedActions);
000070 |
000071 |         if ((selectedActions & SETUNLOOTABLE) == SETUNLOOTABLE)
000072 |             SetLootable(entity, false);
000073 |         if ((selectedActions & DELETE) == DELETE)
000074 |             g_Game.ObjectDelete(entity);
000075 |
000076 |         return selectedActions;
000077 |     }
000078 |
000079 |     private void LoadQueuedEntityActions()
000080 |     {
000081 | #ifdef EXTRACE
000082 |         auto trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, this);
000083 | #endif
000084 |         if (!FileExist(m_QueuedEntityActionsFileName))
000085 |             return;
000086 |
000087 |         FileSerializer file = new FileSerializer;
000088 |         if (file.Open(m_QueuedEntityActionsFileName, FileMode.READ))
000089 |         {
000090 |             int count;
000091 |
000092 |             while (true)
000093 |             {
000094 |                 int b1 = 0, b2 = 0, b3 = 0, b4 = 0, actions = 0;
```

```
000096 |         file.Read(b1);
000097 |         file.Read(b2);
000098 |         file.Read(b3);
000099 |         file.Read(b4);
000100 |
000101 |         if (!b1 && !b2 && !b3 && !b4)
000102 |             break;
000103 |
000104 |         file.Read(actions);
000105 |
000106 |         if (actions > 0)
000107 |             AddQueuedEntityActions(b1, b2, b3, b4, actions);
000108 |         else
000109 |             PopQueuedEntityActions(b1, b2, b3, b4, -actions);
000110 |
000111 |         count++;
000112 |     }
000113 |
000114 |     file.Close();
000115 |
000116 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, this, "::LoadQueuedEntityActions " + count);
000117 | }
000118 |
000119 | DeleteFile(m_QueuedEntityActionsFileName);
000120 | }
000121 |
000122 | static string FormatQueuedEntityActions(int b1, int b2, int b3, int b4, int actions)
000123 | {
000124 |     return ExpansionStatic.IntToHex(b1) + " " + ExpansionStatic.IntToHex(b2) + " " + ExpansionStatic.IntToHex(b3) + " " + ExpansionStatic.IntToHex(b4) + " " +
actions;
000125 | }
000126 |
000127 | private void AddQueuedEntityActions(int b1, int b2, int b3, int b4, int actions)
000128 | {
000129 |     if (EXTrace.GENERAL_ITEMS)
000130 |         EXTrace.Print(true, this, "::AddQueuedEntityActions " + FormatQueuedEntityActions(b1, b2, b3, b4, actions));
000131 |
000132 |     map<int, ref map<int, ref map<int, int>>> m1 = m_QueuedEntityActions[b1];
000133 |     if (!m1)
000134 |     {
000135 |         m1 = new map<int, ref map<int, ref map<int, int>>>;
000136 |         m_QueuedEntityActions.Insert(b1, m1);
000137 |     }
000138 |
000139 |     map<int, ref map<int, int>> m2 = m1[b2];
000140 |     if (!m2)
000141 |     {
000142 |         m2 = new map<int, ref map<int, int>>;
000143 |         m1[b2] = m2;
000144 |     }
000145 |
000146 |     map<int, int> m3 = m2[b3];
000147 |     if (!m3)
000148 |     {
000149 |         m3 = new map<int, int>;
000150 |         m2[b3] = m3;
000151 |     }
000152 |
000153 |     m3[b4] = m3[b4] | actions; //! Operator '|' not supported with array accessor...
000154 | }
000155 |
000156 | private bool PopQueuedEntityActions(int b1, int b2, int b3, int b4, int actionsFilter, out int selectedActions = 0)
```

```

000157 | {
000158 |     map<int, ref map<int, ref map<int, int>>> m1 = m_QueuedEntityActions[b1];
000159 |     if (!m1)
000160 |         return false;
000161 |
000162 |     map<int, ref map<int, int>> m2 = m1[b2];
000163 |     if (!m2)
000164 |         return false;
000165 |
000166 |     map<int, int> m3 = m2[b3];
000167 |     if (!m3 || !m3.Contains(b4))
000168 |         return false;
000169 |
000170 |     int actions = m3[b4];
000171 |     selectedActions = actions & actionsFilter;
000172 |     if (!selectedActions)
000173 |         return false;
000174 |
000175 |     if (EXTrace.GENERAL_ITEMS)
000176 |         EXTrace.Print(true, this, "::PopQueuedEntityActions " + FormatQueuedEntityActions(b1, b2, b3, b4, actionsFilter));
000177 |
000178 |     int actionsRemaining = actions & ~actionsFilter;
000179 |     if (!actionsRemaining)
000180 |     {
000181 |         m3.Remove(b4);
000182 |         TruncateQueuedEntityActions(b1, b2, b3, m1, m2, m3);
000183 |     }
000184 |     else
000185 |     {
000186 |         m3[b4] = actionsRemaining;
000187 |     }
000188 |
000189 |     return true;
000190 | }
000191 |
000192 | private void TruncateQueuedEntityActions(int b1, int b2, int b3, map<int, ref map<int, ref map<int, int>>> m1, map<int, ref map<int, int>> m2, map<int, int> m
000193 | 3)
000194 | {
000195 |     if (!m3.Count())
000196 |     {
000197 |         m2.Remove(b3);
000198 |         if (!m2.Count())
000199 |         {
000200 |             m1.Remove(b2);
000201 |             if (!m1.Count())
000202 |             {
000203 |                 m_QueuedEntityActions.Remove(b1);
000204 |                 if (!m_QueuedEntityActions.Count())
000205 |                     EXTrace.Print(EXTrace.GENERAL_ITEMS, this, "::TruncateQueuedEntityActions - queue empty");
000206 |             }
000207 |         }
000208 |     }
000209 | }
000210 |
000211 | ID.
000212 | //! @brief queue entity actions for next server start.
000213 | //! @note will only work correctly if OnStoreLoad/Save has been called on the entity at least once otherwise GetPersistentID won't return an actual persistent
000214 | void QueueEntityActions(EntityAI entity, int actions)
000215 | {
000216 | #ifdef EXTRACE
    auto trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, this, entity.ToString());

```

```
000217 | #endif
000218 |
000219 |     int b1, b2, b3, b4;
000220 |     entity.GetPersistentID(b1, b2, b3, b4);
000221 |
000222 |     WriteQueuedEntityActions(b1, b2, b3, b4, actions);
000223 | }
000224 |
000225 | private void WriteQueuedEntityActions(int b1, int b2, int b3, int b4, int actions)
000226 | {
000227 |     FileSerializer file = new FileSerializer;
000228 |     if (file.Open(m_QueuedEntityActionsFileName, FileMode.APPEND))
000229 |     {
000230 |         WriteQueuedEntityActions(file, b1, b2, b3, b4, actions);
000231 |         file.Close();
000232 |     }
000233 | }
000234 |
000235 | private void WriteQueuedEntityActions(FileSerializer file, int b1, int b2, int b3, int b4, int actions)
000236 | {
000237 |     if (EXTrace.GENERAL_ITEMS)
000238 |         EXTrace.Print(true, this, "::WriteQueuedEntityActions " + FormatQueuedEntityActions(b1, b2, b3, b4, actions));
000239 |
000240 |     file.Write(b1);
000241 |     file.Write(b2);
000242 |     file.Write(b3);
000243 |     file.Write(b4);
000244 |     file.Write(actions);
000245 | }
000246 |
000247 | /*
000248 | private void SaveQueuedEntityActions()
000249 | {
000250 |     FileSerializer file = new FileSerializer;
000251 |     if (file.Open(m_QueuedEntityActionsFileName, FileMode.WRITE))
000252 |     {
000253 |         foreach (int b1, map<int, ref map<int, ref map<int, int>>> m1: m_QueuedEntityActions)
000254 |         {
000255 |             foreach (int b2, map<int, ref map<int, int>> m2: m1)
000256 |             {
000257 |                 foreach (int b3, map<int, int> m3: m2)
000258 |                 {
000259 |                     foreach (int b4, int actions: m3)
000260 |                     {
000261 |                         WriteQueuedEntityActions(file, b1, b2, b3, b4, actions);
000262 |                     }
000263 |                 }
000264 |             }
000265 |         }
000266 |         file.Close();
000267 |     }
000268 | }
000269 | */
000270 |
000271 | static void SetLootable(EntityAI entity, bool state)
000272 | {
000273 |     ItemBase item;
000274 |     if (Class.CastTo(item, entity))
000275 |         item.Expansion_SetLootable(state);
000276 |     else
000277 |         entity.SetTakeable(state);
000278 | }
```

```
000279 | };  
000280 |
```

0170. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Locator\ExpansionLocatorDeprecated.c
Size bytes: 1464
SHA-256: db250fb8a6ed28985ed08234b3e433d7e1531f9ee1bae4ca97e4ca97bc0a4f82
Decoded as: utf-8-sig
Line count shown: 65
Detected class declarations: 2
  L13: class ExpansionLocatorArray
  L27: class ExpansionLocatorStatic
Detected enum declarations: 0
Detected function/method-like declarations: 4
  L22: void ExpansionLocatorArray( vector pos, string className, string displayName, string typeName, Object obj = null, int idx = -1 )
  L31: static int GetRadius( string type )
  L38: static array<ref ExpansionLocatorArray> GetWorldLocations(int include = 0)
  L45: static void DeprecationError()

```

Full file content

```

000001 | /**
000002 |  * ExpansionLocatorDeprecated.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionLocatorArray
000014 | {
000015 |     vector position;
000016 |     string classname;
000017 |     string name;
000018 |     string type;
000019 |     Object object;
000020 |     int index;
000021 |
000022 |     void ExpansionLocatorArray( vector pos, string className, string displayName, string typeName, Object obj = null, int idx = -1 )
000023 |     {
000024 |     }
000025 | }
000026 |
000027 | class ExpansionLocatorStatic
000028 | {
000029 |     static const ref TStringArray SETTLEMENTS = {};
000030 |
000031 |     static int GetRadius( string type )
000032 |     {
000033 |         DeprecationError();
000034 |
000035 |         return 100;
000036 |     }
000037 |
000038 |     static array<ref ExpansionLocatorArray> GetWorldLocations(int include = 0)
000039 |     {
000040 |         DeprecationError();
000041 |
000042 |         return {};

```



```
000043 |     }
000044 |
000045 |     static void DeprecationError()
000046 |     {
000047 |         string tmp;
000048 |         DumpStackString(tmp);
000049 |         TStringArray lines = {};
000050 |         tmp.Split("\n", lines);
000051 |
000052 |         lines.RemoveOrdered(0);
000053 |         lines.RemoveOrdered(0);
000054 |
000055 |         tmp = lines[0];
000056 |         TStringArray path = {};
000057 |         tmp.Split("/", path);
000058 |
000059 |         if (ExpansionString.EndsWith(path[0], ") DayZExpansion"))
000060 |             EXError.ErrorOnce(null, "@DayZ-Expansion-" + path[1] + " is out-of-date! Please update.", lines);
000061 |         else
000062 |             EXError.Error(null, "DEPRECATED, use ExpansionLocation::GetWorldLocations", lines);
000063 |     }
000064 | }
000065 |
```

0171. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Monitor\ExpansionMonitorModule.c
Size bytes: 32872
SHA-256: 2d492d231f532538ffb69e2ea88558c9295d6bf1236612621dfa4ee0aa32d6b8
Decoded as: utf-8-sig
Line count shown: 1012
Detected class declarations: 1
  L21: class ExpansionMonitorModule: CF_ModuleWorld
Detected enum declarations: 0
Detected function/method-like declarations: 75
  L48: override void OnInit()
  L86: void RPC_SyncStats(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L95: void RPC_SyncStates(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L104: void RPC_RequestPlayerStats(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L109: void RPC_SendPlayerStats(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L114: void RPC_RequestPlayerStates(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L119: void RPC_SendPlayerStates(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L124: void RPC_RequestPlayerStatsAndStates(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L129: void RPC_SendPlayerStatsAndStates(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L134: override void OnClientNew(Class sender, CF_EventArgs args)
  L147: override void OnClientReady(Class sender, CF_EventArgs args)
  L156: void PlayerJoinedNotification(PlayerIdentity identity)
  L164: else if (GetExpansionSettings().GetNotification().JoinMessageType == ExpansionAnnouncementType.CHAT)
  L174: override void OnInvokeConnect(Class sender, CF_EventArgs args)
  L202: override void OnClientDisconnect(Class sender, CF_EventArgs args)
  L219: void PlayerLeftNotification(PlayerIdentity identity)
  L227: else if (GetExpansionSettings().GetNotification().LeftMessageType == ExpansionAnnouncementType.CHAT)
  L237: private void UpdateStats(string playerID)
  L259: private void UpdateStats(ExpansionSyncedPlayerStats stats, PlayerBase player, bool send = false, bool includeRegisteredStats = false, bool i
  L296: private void UpdateStates(string playerID)
  L318: private void UpdateStates(ExpansionSyncedPlayerStates states, PlayerBase player, bool send = false)
  L343: void AddPlayerStats(string playerID)
  L363: void AddPlayerStates(string playerID)
  L383: void RemovePlayerStats(string playerID)
  L400: void RemovePlayerStates(string playerID)
  L417: void ServerChatMessage(StringLocaliser tag, StringLocaliser message)
  L433: private void RPC_SendMessage(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L454: static int CalcHealth(PlayerBase player)
  L456: return Calc(player.GetHealth("", "Health"), player.GetMaxHealth("GlobalHealth", "Health"));
  L463: static int CalcBlood(PlayerBase player)
  L465: return Calc(player.GetHealth("", "Blood") - 2500, 2500);
  L472: static int CalcWater(PlayerBase player)
  L474: return CalcStat(player.GetStatWater());
  L481: static int CalcEnergy(PlayerBase player)
  L483: return CalcStat(player.GetStatEnergy());
  L490: static int CalcStamina(PlayerBase player)
  L492: return CalcStat(player.GetStatStamina());
  L499: static int Calc(float value, float max)
  L508: static int CalcStat(PlayerStat<float> stat)
  L510: return Calc(stat.Get(), stat.GetMax());
  L517: static int BonesState(PlayerBase player)
  L528: static bool IsBrainSick(PlayerBase player)
  L542: static bool HasCholera(PlayerBase player)
  L554: static bool HasInfluenza(PlayerBase player)
  L566: static bool HasSalmonella(PlayerBase player)
  L578: static bool HasFoodPoison(PlayerBase player)
  L590: static bool HasWoundInfection(PlayerBase player)
  L602: static int HasCuts(PlayerBase player)
  L606: return GetCuts(player);
```

```

L609: static int GetCuts(PlayerBase player)
L623: static ExpansionPlayerStanceStatus GetPlayerStance(PlayerBase player)
L633: else if (player.IsUnconscious())
L637: else if (ExpansionVehicle.Get(vehicle, player))
L643: else if (vehicle.IsBoat())
L658: else if (player.IsPlayerInStance(DayZPlayerConstants.STANCEMASK_CROUCH) || player.IsPlayerInStance(DayZPlayerConstants.STANCEMASK_RAISEDPROPRON)
L662: else if (player.IsPlayerInStance(DayZPlayerConstants.STANCEMASK_PRONE) || player.IsPlayerInStance(DayZPlayerConstants.STANCEMASK_RAISEDPROPRON)
L675: ExpansionSyncedPlayerStats GetClientStats()
L684: ExpansionSyncedPlayerStates GetClientStates()
L693: void RequestPlayerStats(string playerID = "", bool includeRegisteredStats = false, bool includeBaseStats = true)
L711: private void RPC_RequestPlayerStatsAndStates(ParamsReadContext ctx, PlayerIdentity sender, bool includeStats = true, bool includeStates = true)
L798: ExpansionSyncedPlayerStats GetPlayerStatsByID(string playerID)
L809: void SendPlayerStatsAndStates(ExpansionSyncedPlayerStats playerStats, ExpansionSyncedPlayerStates playerStates, string playerID, PlayerIdentity
L818: else if (playerStats)
L845: private void RPC_SendPlayerStatsAndStates(ParamsReadContext ctx, bool includeStats = true, bool includeStates = true)
L869: ExpansionSyncedPlayerStats playerStats();
L881: ExpansionSyncedPlayerStates playerStates();
L896: void RequestPlayerStates(string playerID)
L912: ExpansionSyncedPlayerStates GetPlayerStatesByID(string playerID)
L923: void RequestPlayerStatsAndStates(string playerID, bool includeRegisteredStats = false, bool includeBaseStats = true)
L941: void AddLastPlayerDeathPos(string playerUID, vector pos)
L953: vector GetLastDeathPosServer(string playerUID)
L962: void SyncLastDeathPos(PlayerIdentity identity)
L979: void SyncStatsToClient(PlayerBase player)
L994: private void RPC_SyncLastDeathPos(PlayerIdentity ident, Object target, ParamsReadContext ctx)
L1006: vector GetLastDeathPosClient()

```

Full file content

```

000001 | /**
000002 |  * ExpansionMonitorModule.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | /**@class      ExpansionMonitorModule
000014 |  * @brief      This class handle expansion monitor module
000015 |  * @note      Player identity plain (steam64) ID is used for stats and states to reduce data payload,
000016 |  *           normal (hashed) ID is used for player death position
000017 |  */
000018 |
000019 | #ifdef EXPANSIONMONITORMODULE
000020 | [CF_RegisterModule(ExpansionMonitorModule)]
000021 | class ExpansionMonitorModule: CF_ModuleWorld
000022 | {
000023 |     private const float UPDATE_TICK_TIME = 1.0; // refreshes 100 players every ten seconds
000024 |     private const int UPDATE_PLAYERS_PER_TICK = 10;
000025 |
000026 |     //Server only
000027 |     private ref map<string, ref ExpansionSyncedPlayerStats> m_Stats;
000028 |     private ref map<string, ref ExpansionSyncedPlayerStates> m_States;
000029 |
000030 |     private float m_UpdateQueueTimer;
000031 |     private int m_CurrentPlayerTick;
000032 |
000033 |     //Client only

```

```
000034 | static ref ExpansionSyncedPlayerStats m_ClientStats;
000035 | static ref ExpansionSyncedPlayerStates m_ClientStates;
000036 |
000037 | static ref ScriptInvoker m_StatsInvoker = new ScriptInvoker();
000038 | static ref ScriptInvoker m_StatesInvoker = new ScriptInvoker();
000039 |
000040 | vector m_LastDeathPos;
000041 |
000042 | // Server & Client
000043 | private ref map<string, vector> m_PlayerDeathPositions;
000044 |
000045 | // -----
000046 | // ExpansionMonitorModule OnInit
000047 | // -----
000048 | override void OnInit()
000049 | {
000050 | #ifdef EXPANSIONTRACE
000051 |     auto trace = CF_Trace_0(ExpansionTracing.PLAYER_MONITOR, this, "OnInit");
000052 | #endif
000053 |
000054 |     super.OnInit();
000055 |
000056 |     EnableClientDisconnect();
000057 |     EnableClientNew();
000058 |     EnableClientReady();
000059 |     EnableInvokeConnect();
000060 |     Expansion_EnableRPCManager();
000061 |
000062 |     //EXPrint(ToString() + "::OnInit - g_Game " + g_Game); // OK
000063 |     //EXPrint(ToString() + "::OnInit - g_Game.IsServer() " + g_Game.IsServer()); // true on client during init
000064 |     //EXPrint(ToString() + "::OnInit - g_Game.IsMultiplayer() " + g_Game.IsMultiplayer()); // false on client during init
000065 |
000066 |     m_Stats = new map<string, ref ExpansionSyncedPlayerStats>;
000067 |     m_States = new map<string, ref ExpansionSyncedPlayerStates>;
000068 |
000069 |     m_ClientStats = new ExpansionSyncedPlayerStats;
000070 |     m_ClientStates = new ExpansionSyncedPlayerStates;
000071 |
000072 |     m_PlayerDeathPositions = new map<string, vector>;
000073 |
000074 |     Expansion_RegisterServerRPC("RPC_RequestPlayerStates");
000075 |     Expansion_RegisterServerRPC("RPC_RequestPlayerStats");
000076 |     Expansion_RegisterServerRPC("RPC_RequestPlayerStatsAndStates");
000077 |     Expansion_RegisterClientRPC("RPC_SyncStats");
000078 |     Expansion_RegisterClientRPC("RPC_SyncStates");
000079 |     Expansion_RegisterClientRPC("RPC_SendMessage");
000080 |     Expansion_RegisterClientRPC("RPC_SendPlayerStates");
000081 |     Expansion_RegisterClientRPC("RPC_SendPlayerStats");
000082 |     Expansion_RegisterClientRPC("RPC_SendPlayerStatsAndStates");
000083 |     Expansion_RegisterClientRPC("RPC_SyncLastDeathPos");
000084 | }
000085 |
000086 | void RPC_SyncStats(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000087 | {
000088 |     if (!m_ClientStats)
000089 |         return;
000090 |
000091 |     m_ClientStats.OnRecieve(ctx, true, false);
000092 |     m_StatsInvoker.Invoke(m_ClientStats);
000093 | }
000094 |
000095 | void RPC_SyncStates(PlayerIdentity sender, Object target, ParamsReadContext ctx)
```

```
000096 | {
000097 |     if (!m_ClientStates)
000098 |         return;
000099 |
000100 |     m_ClientStates.OnRecieve(ctx);
000101 |     m_StatesInvoker.Invoke(m_ClientStates);
000102 | }
000103 |
000104 | void RPC_RequestPlayerStats(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000105 | {
000106 |     RPC_RequestPlayerStatsAndStates(ctx, sender, true, false);
000107 | }
000108 |
000109 | void RPC_SendPlayerStats(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000110 | {
000111 |     RPC_SendPlayerStatsAndStates(ctx, true, false);
000112 | }
000113 |
000114 | void RPC_RequestPlayerStates(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000115 | {
000116 |     RPC_RequestPlayerStatsAndStates(ctx, sender, false, true);
000117 | }
000118 |
000119 | void RPC_SendPlayerStates(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000120 | {
000121 |     RPC_SendPlayerStatsAndStates(ctx, false, true);
000122 | }
000123 |
000124 | void RPC_RequestPlayerStatsAndStates(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000125 | {
000126 |     RPC_RequestPlayerStatsAndStates(ctx, sender, true, true);
000127 | }
000128 |
000129 | void RPC_SendPlayerStatsAndStates(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000130 | {
000131 |     RPC_SendPlayerStatsAndStates(ctx, true, true);
000132 | }
000133 |
000134 | override void OnClientNew(Class sender, CF_EventArgs args)
000135 | {
000136 |     super.OnClientNew(sender, args);
000137 |
000138 |     auto cArgs = CF_EventPlayerArgs.Cast(args);
000139 |
000140 |     bool isClientRespawn = SyncEvents.s_Expansion_RespawningUIDs[cArgs.Identity.GetId()];
000141 |     EXTrace.Print(EXTrace.PLAYER_MONITOR, this, "::OnClientNew - is client respawn? " + isClientRespawn);
000142 |
000143 |     if (!isClientRespawn)
000144 |         PlayerJoinedNotification(cArgs.Identity);
000145 | }
000146 |
000147 | override void OnClientReady(Class sender, CF_EventArgs args)
000148 | {
000149 |     super.OnClientReady(sender, args);
000150 |
000151 |     auto cArgs = CF_EventPlayerArgs.Cast(args);
000152 |
000153 |     PlayerJoinedNotification(cArgs.Identity);
000154 | }
000155 |
000156 | void PlayerJoinedNotification(PlayerIdentity identity)
000157 | {
```

```
000158 |         if (GetExpansionSettings().GetNotification().ShowPlayerJoinServer && identity)
000159 |         {
000160 |             if (GetExpansionSettings().GetNotification().JoinMessageType == ExpansionAnnouncementType.NOTIFICATION)
000161 |             {
000162 |                 ExpansionNotification("STR_EXPANSION_PLAYER_JOINED_TITLE", new StringLocaliser("STR_EXPANSION_PLAYER_JOINED_TEXT", identity.GetName()), EXPANSION_
NOTIFICATION_ICON_PERSONA).Info();
000163 |             }
000164 |             else if (GetExpansionSettings().GetNotification().JoinMessageType == ExpansionAnnouncementType.CHAT)
000165 |             {
000166 |                 ServerChatMessage(new StringLocaliser("STR_EXPANSION_PLAYER_JOINED_TITLE"), new StringLocaliser("STR_EXPANSION_PLAYER_JOINED_TEXT", identity.GetNa
me()));
000167 |             }
000168 |         }
000169 |     }
000170 |
000171 |     // -----
000172 |     // ExpansionMonitorModule OnInvokeConnect
000173 |     // -----
000174 |     override void OnInvokeConnect(Class sender, CF_EventArgs args)
000175 |     {
000176 | #ifdef EXPANSIONTRACE
000177 |         auto trace = CF_Trace_0(ExpansionTracing.PLAYER_MONITOR, this, "OnInvokeConnect");
000178 | #endif
000179 |
000180 |         super.OnInvokeConnect(sender, args);
000181 |
000182 |         auto cArgs = CF_EventPlayerArgs.Cast(args);
000183 |
000184 |         if (!cArgs.Identity)
000185 |             return;
000186 |
000187 |         //! If this is a respawn, need to do nothing of the below
000188 |         if (SyncEvents.s_Expansion_RespawningUIDs[cArgs.Identity.GetId()])
000189 |             return;
000190 |
000191 |         string playerID = cArgs.Identity.GetPlainId();
000192 |         AddPlayerStats(playerID);
000193 |         AddPlayerStates(playerID);
000194 |
000195 |         SyncLastDeathPos(cArgs.Identity);
000196 |     }
000197 |
000198 |     // -----
000199 |     // ExpansionMonitorModule OnClientDisconnect
000200 |     // Called on server
000201 |     // -----
000202 |     override void OnClientDisconnect(Class sender, CF_EventArgs args)
000203 |     {
000204 | #ifdef EXPANSIONTRACE
000205 |         auto trace = CF_Trace_0(ExpansionTracing.PLAYER_MONITOR, this, "OnClientDisconnect");
000206 | #endif
000207 |
000208 |         super.OnClientDisconnect(sender, args);
000209 |
000210 |         auto cArgs = CF_EventPlayerDisconnectedArgs.Cast(args);
000211 |
000212 |         string playerID = PlayerBase.Expansion_GetPlainIDByUID(cArgs.UID);
000213 |         RemovePlayerStats(playerID);
000214 |         RemovePlayerStates(playerID);
000215 |
000216 |         PlayerLeftNotification(cArgs.Identity);
000217 |     }
```

```
000218 |
000219 |     void PlayerLeftNotification(PlayerIdentity identity)
000220 |     {
000221 |         if (GetExpansionSettings().GetNotification().ShowPlayerLeftServer && identity)
000222 |         {
000223 |             if (GetExpansionSettings().GetNotification().LeftMessageType == ExpansionAnnouncementType.NOTIFICATION)
000224 |             {
000225 |                 ExpansionNotification("STR_EXPANSION_PLAYER_LEFT_TITLE", new StringLocaliser("STR_EXPANSION_PLAYER_LEFT_TEXT", identity.GetName()), EXPANSION_NOTI
FICATION_ICON_PERSONA).Info();
000226 |             }
000227 |             else if (GetExpansionSettings().GetNotification().LeftMessageType == ExpansionAnnouncementType.CHAT)
000228 |             {
000229 |                 ServerChatMessage(new StringLocaliser("STR_EXPANSION_PLAYER_LEFT_TITLE"), new StringLocaliser("STR_EXPANSION_PLAYER_LEFT_TEXT", identity.GetName()
));
000230 |             }
000231 |         }
000232 |     }
000233 |
000234 |     // -----
000235 |     // ExpansionMonitorModule UpdateStats
000236 |     // -----
000237 |     private void UpdateStats(string playerID)
000238 |     {
000239 |         if (!g_Game.IsServer() && !g_Game.IsMultiplayer())
000240 |             return;
000241 |
000242 |         ExpansionSyncedPlayerStats stats = m_Stats.Get(playerID);
000243 |         if (!stats)
000244 |         {
000245 |             Error("ExpansionMonitorModule::UpdateStats - Could not get player stats for player with id: " + playerID);
000246 |             return;
000247 |         }
000248 |
000249 |         PlayerBase player = PlayerBase.Expansion_GetByPlainID(playerID);
000250 |         if (!player)
000251 |         {
000252 |             //! Don't error here, player will be NULL if dead
000253 |             return;
000254 |         }
000255 |
000256 |         UpdateStats(stats, player, false, false);
000257 |     }
000258 |
000259 |     private void UpdateStats(ExpansionSyncedPlayerStats stats, PlayerBase player, bool send = false, bool includeRegisteredStats = false, bool includeBaseStats =
true)
000260 |     {
000261 |         if (includeBaseStats)
000262 |         {
000263 |             stats.m_Health = CalcHealth(player);
000264 |             stats.m_Blood = CalcBlood(player);
000265 |             stats.m_Water = CalcWater(player);
000266 |             stats.m_Energy = CalcEnergy(player);
000267 |             stats.m_Position = player.GetPosition();
000268 |         }
000269 |
000270 |         if (includeRegisteredStats)
000271 |         {
000272 |             //stats.m_Stamina = CalcStamina(player);
000273 |             stats.m_Distance = player.StatGet(AnalyticsManagerServer.STAT_DISTANCE);
000274 |             stats.m_Playtime = player.StatGet(AnalyticsManagerServer.STAT_PLAYTIME);
000275 |             stats.m_PlayersKilled = player.StatGet(AnalyticsManagerServer.STAT_PLAYERS_KILLED);
000276 |             #ifdef ENFUSION_AI_PROJECT
```

```
000277 |         stats.m_AIKilled = player.StatGet(AnalyticsManagerServer.EXP_STAT_AI_PLAYERS_KILLED);
000278 |     #endif
000279 |         stats.m_InfectedKilled = player.StatGet(AnalyticsManagerServer.STAT_INFECTED_KILLED);
000280 |         stats.m_AnimalsKilled = player.StatGet(AnalyticsManagerServer.EXP_STAT_ANIMALS_KILLED);
000281 |         stats.m_LongestShot = player.StatGet(AnalyticsManagerServer.STAT_LONGEST_SURVIVOR_HIT);
000282 |     }
000283 |
000284 |     if (!send)
000285 |         return;
000286 |
000287 |     auto rpc = Expansion_CreateRPC("RPC_SyncStats");
000288 |     stats.OnSend(rpc, includeRegisteredStats, includeBaseStats);
000289 |     //! @note guaranteed = false is intentional here (performance)
000290 |     rpc.Expansion_Send(false, player.GetIdentity());
000291 | }
000292 |
000293 | // -----
000294 | // ExpansionMonitorModule UpdateStates
000295 | // -----
000296 | private void UpdateStates(string playerID)
000297 | {
000298 |     if (!g_Game.IsServer() && !g_Game.IsMultiplayer())
000299 |         return;
000300 |
000301 |     ExpansionSyncedPlayerStates states = m_States.Get(playerID);
000302 |     if (!states)
000303 |     {
000304 |         Error("ExpansionMonitorModule::UpdateStates - Could not get player states for player with id: " + playerID);
000305 |         return;
000306 |     }
000307 |
000308 |     PlayerBase player = PlayerBase.Expansion_GetByPlainID(playerID);
000309 |     if (!player)
000310 |     {
000311 |         //! Don't error here, player will be NULL if dead
000312 |         return;
000313 |     }
000314 |
000315 |     UpdateStates(states, player, false);
000316 | }
000317 |
000318 | private void UpdateStates(ExpansionSyncedPlayerStates states, PlayerBase player, bool send = false)
000319 | {
000320 |     states.m_Bones = player.GetBrokenLegs();
000321 |     states.m_Sick = IsBrainSick(player);
000322 |     states.m_Cholera = HasCholera(player);
000323 |     states.m_Influenza = HasInfluenza(player);
000324 |     states.m_Salmonella = HasSalmonella(player);
000325 |     states.m_Poison = HasFoodPoison(player);
000326 |     states.m_Infection = HasWoundInfection(player);
000327 |     states.m_Cuts = GetCuts(player);
000328 |     states.m_Stance = GetPlayerStance(player);
000329 |
000330 |     if (!send)
000331 |         return;
000332 |
000333 |     auto rpc = Expansion_CreateRPC("RPC_SyncStates");
000334 |     states.OnSend(rpc);
000335 |     //! @note guaranteed = false is intentional here (performance)
000336 |     rpc.Expansion_Send(false, player.GetIdentity());
000337 | }
000338 |
```



```
000339 | // -----
000340 | // ExpansionMonitorModule AddPlayerStats
000341 | // Called on server
000342 | // -----
000343 | void AddPlayerStats(string playerID)
000344 | {
000345 | #ifdef EXPANSIONTRACE
000346 |     auto trace = CF_Trace_0(ExpansionTracing.PLAYER_MONITOR, this, "AddPlayerStats");
000347 | #endif
000348 |
000349 |     if (!g_Game.IsServer() && !g_Game.IsMultiplayer())
000350 |         return;
000351 |
000352 |     if (!m_Stats.Contains(playerID)) //! RemovePlayerStats would never be called if AddPlayerStats was called twice (logout cancelled or reconnected in time)
000353 |     {
000354 |         auto stats = new ExpansionSyncedPlayerStats;
000355 |         m_Stats.Insert(playerID, stats);
000356 |     }
000357 | }
000358 |
000359 | // -----
000360 | // ExpansionMonitorModule AddPlayerStates
000361 | // Called on server
000362 | // -----
000363 | void AddPlayerStates(string playerID)
000364 | {
000365 | #ifdef EXPANSIONTRACE
000366 |     auto trace = CF_Trace_0(ExpansionTracing.PLAYER_MONITOR, this, "AddPlayerStates");
000367 | #endif
000368 |
000369 |     if (!g_Game.IsServer() && !g_Game.IsMultiplayer())
000370 |         return;
000371 |
000372 |     if (!m_States.Contains(playerID)) //! RemovePlayerStates would never be called if AddPlayerStats was called twice (logout cancelled or reconnected in time)
000373 | )
000374 |     {
000375 |         auto states = new ExpansionSyncedPlayerStates;
000376 |         m_States.Insert(playerID, states);
000377 |     }
000378 | }
000379 |
000380 | // -----
000381 | // ExpansionMonitorModule RemovePlayerStats
000382 | // Called on server
000383 | // -----
000384 | void RemovePlayerStats(string playerID)
000385 | {
000386 | #ifdef EXPANSIONTRACE
000387 |     auto trace = CF_Trace_0(ExpansionTracing.PLAYER_MONITOR, this, "RemovePlayerStats");
000388 | #endif
000389 |
000390 |     if (!g_Game.IsServer() && !g_Game.IsMultiplayer())
000391 |         return;
000392 |
000393 |     if (m_Stats.Contains(playerID))
000394 |         m_Stats.Remove(playerID);
000395 | }
000396 |
000397 | // -----
000398 | // ExpansionMonitorModule RemovePlayerStates
000399 | // Called on server
000399 | // -----
```

```
000400 | void RemovePlayerStates(string playerID)
000401 | {
000402 | #ifdef EXPANSIONTRACE
000403 |     auto trace = CF_Trace_0(ExpansionTracing.PLAYER_MONITOR, this, "RemovePlayerStates");
000404 | #endif
000405 |
000406 |     if (!g_Game.IsServer() && !g_Game.IsMultiplayer())
000407 |         return;
000408 |
000409 |     if (m_States.Contains(playerID))
000410 |         m_States.Remove(playerID);
000411 | }
000412 |
000413 | // -----
000414 | // ExpansionMonitorModule ServerChatMessage
000415 | // Called on server
000416 | // -----
000417 | void ServerChatMessage(StringLocaliser tag, StringLocaliser message)
000418 | {
000419 | #ifdef EXPANSIONTRACE
000420 |     auto trace = CF_Trace_0(ExpansionTracing.PLAYER_MONITOR, this, "ServerChatMessage");
000421 | #endif
000422 |
000423 |     auto message_rpc = Expansion_CreateRPC("RPC_SendMessage");
000424 |     message_rpc.Write(tag);
000425 |     message_rpc.Write(message);
000426 |     message_rpc.Expansion_Send(true);
000427 | }
000428 |
000429 | // -----
000430 | // ExpansionMonitorModule RPC_SendMessage
000431 | // Called on all Clients
000432 | // -----
000433 | private void RPC_SendMessage(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000434 | {
000435 | #ifdef EXPANSIONTRACE
000436 |     auto trace = CF_Trace_0(ExpansionTracing.PLAYER_MONITOR, this, "RPC_SendMessage");
000437 | #endif
000438 |
000439 |     StringLocaliser tag;
000440 |     if (!ctx.Read(tag))
000441 |         return;
000442 |
000443 |     StringLocaliser message;
000444 |     if (!ctx.Read(message))
000445 |         return;
000446 |
000447 |     g_Game.GetMission().OnEvent(ChatMessageEventTypeID, new ChatMessageEventParams(ExpansionChatChannels.CCSystem, "", tag.Format() + " - " + message.Format()
000448 | , ""));
000449 | }
000450 |
000451 | // -----
000452 | // ExpansionMonitorModule CalcHealth
000453 | // Called on server
000454 | // -----
000455 | static int CalcHealth(PlayerBase player)
000456 | {
000457 |     return Calc(player.GetHealth("", "Health"), player.GetMaxHealth("GlobalHealth", "Health"));
000458 | }
000459 |
000460 | // -----
000460 | // ExpansionMonitorModule CalcBlood
```

```
000461 | // Called on server
000462 | // -----
000463 | static int CalcBlood(PlayerBase player)
000464 | {
000465 |     return Calc(player.GetHealth("", "Blood") - 2500, 2500);
000466 | }
000467 |
000468 | // -----
000469 | // ExpansionMonitorModule CalcWater
000470 | // Called on server
000471 | // -----
000472 | static int CalcWater(PlayerBase player)
000473 | {
000474 |     return CalcStat(player.GetStatWater());
000475 | }
000476 |
000477 | // -----
000478 | // ExpansionMonitorModule CalcEnergy
000479 | // Called on server
000480 | // -----
000481 | static int CalcEnergy(PlayerBase player)
000482 | {
000483 |     return CalcStat(player.GetStatEnergy());
000484 | }
000485 |
000486 | // -----
000487 | // ExpansionMonitorModule CalcStamina
000488 | // Called on server
000489 | // -----
000490 | static int CalcStamina(PlayerBase player)
000491 | {
000492 |     return CalcStat(player.GetStatStamina());
000493 | }
000494 |
000495 | // -----
000496 | // ExpansionMonitorModule Calc
000497 | // Called on server
000498 | // -----
000499 | static int Calc(float value, float max)
000500 | {
000501 |     return (Math.Round(value) * 100) / max;
000502 | }
000503 |
000504 | // -----
000505 | // ExpansionMonitorModule CalcStat
000506 | // Called on server
000507 | // -----
000508 | static int CalcStat(PlayerStat<float> stat)
000509 | {
000510 |     return Calc(stat.Get(), stat.GetMax());
000511 | }
000512 |
000513 | // -----
000514 | // ExpansionMonitorModule BonesState
000515 | // Called on server
000516 | // -----
000517 | static int BonesState(PlayerBase player)
000518 | {
000519 |     EXError.Warn(null, "DEPRECATED, use player.GetBrokenLegs()");
000520 |
000521 |     return player.GetBrokenLegs();
000522 | }
```

```
000523 |
000524 | // -----
000525 | // ExpansionMonitorModule IsBrainSick
000526 | // Called on server
000527 | // -----
000528 | static bool IsBrainSick(PlayerBase player)
000529 | {
000530 |     bool brainSick = false;
000531 |
000532 |     if (player.GetSingleAgentCount(eAgents.BRAIN) >= BrainDiseaseMdfr.AGENT_THRESHOLD_ACTIVATE)
000533 |         return true;
000534 |
000535 |     return false;
000536 | }
000537 |
000538 | // -----
000539 | // ExpansionMonitorModule HasCholera
000540 | // Called on server
000541 | // -----
000542 | static bool HasCholera(PlayerBase player)
000543 | {
000544 |     if (player.GetSingleAgentCount(eAgents.CHOLERA) >= CholeraMdfr.AGENT_THRESHOLD_ACTIVATE)
000545 |         return true;
000546 |
000547 |     return false;
000548 | }
000549 |
000550 | // -----
000551 | // ExpansionMonitorModule HasInfluenza
000552 | // Called on server
000553 | // -----
000554 | static bool HasInfluenza(PlayerBase player)
000555 | {
000556 |     if (player.GetSingleAgentCount(eAgents.INFLUENZA) >= InfluenzaMdfr.AGENT_THRESHOLD_ACTIVATE)
000557 |         return true;
000558 |
000559 |     return false;
000560 | }
000561 |
000562 | // -----
000563 | // ExpansionMonitorModule HasSalmonella
000564 | // Called on server
000565 | // -----
000566 | static bool HasSalmonella(PlayerBase player)
000567 | {
000568 |     if (player.GetSingleAgentCount(eAgents.SALMONELLA) >= SalmonellaMdfr.AGENT_THRESHOLD_ACTIVATE)
000569 |         return true;
000570 |
000571 |     return false;
000572 | }
000573 |
000574 | // -----
000575 | // ExpansionMonitorModule HasFoodPoison
000576 | // Called on server
000577 | // -----
000578 | static bool HasFoodPoison(PlayerBase player)
000579 | {
000580 |     if (player.GetSingleAgentCount(eAgents.FOOD_POISON) >= PoisoningMdfr.AGENT_THRESHOLD_ACTIVATE)
000581 |         return true;
000582 |
000583 |     return false;
000584 | }
```

```
000585 |
000586 | // -----
000587 | // ExpansionMonitorModule HasWoundInfection
000588 | // Called on server
000589 | // -----
000590 | static bool HasWoundInfection(PlayerBase player)
000591 | {
000592 |     if (player.GetSingleAgentCount(eAgents.WOUND_AGENT) >= WoundInfectionMdfr.AGENT_THRESHOLD_ACTIVATE)
000593 |         return true;
000594 |
000595 |     return false;
000596 | }
000597 |
000598 | // -----
000599 | // ExpansionMonitorModule HasCuts
000600 | // Called on server
000601 | // -----
000602 | static int HasCuts(PlayerBase player)
000603 | {
000604 |     EXError.Warn(null, "DEPRECATED, use GetCuts");
000605 |
000606 |     return GetCuts(player);
000607 | }
000608 |
000609 | static int GetCuts(PlayerBase player)
000610 | {
000611 |     int cuts;
000612 |     cuts = player.GetBleedingSourceCount();
000613 |     if (player.IsBleeding() && cuts > 0)
000614 |         return cuts;
000615 |
000616 |     return 0;
000617 | }
000618 |
000619 | // -----
000620 | // ExpansionMonitorModule GetPlayerStance
000621 | // Called on server
000622 | // -----
000623 | static ExpansionPlayerStanceStatus GetPlayerStance(PlayerBase player)
000624 | {
000625 |     ExpansionPlayerStanceStatus stance = ExpansionPlayerStanceStatus.STAND;
000626 |     ExpansionVehicle vehicle;
000627 |
000628 |
000629 |     if (!player.IsAlive())
000630 |     {
000631 |         stance = ExpansionPlayerStanceStatus.DEAD;
000632 |     }
000633 |     else if (player.IsUnconscious())
000634 |     {
000635 |         stance = ExpansionPlayerStanceStatus.UNCONSCIOUS;
000636 |     }
000637 |     else if (ExpansionVehicle.Get(vehicle, player))
000638 |     {
000639 |         if (vehicle.IsHelicopter())
000640 |         {
000641 |             stance = ExpansionPlayerStanceStatus.HELICOPTER;
000642 |         }
000643 |         else if (vehicle.IsBoat())
000644 |         {
000645 |             stance = ExpansionPlayerStanceStatus.BOAT;
000646 |         }
000646 |     }
```

```
000647 |         else
000648 |         {
000649 |             stance = ExpansionPlayerStanceStatus.CAR;
000650 |         }
000651 |     }
000652 |     else
000653 |     {
000654 |         if (player.IsPlayerInStance(DayZPlayerConstants.STANCEMASK_RAISEDERECT) || player.IsPlayerInStance(DayZPlayerConstants.STANCEMASK_ERECT))
000655 |         {
000656 |             stance = ExpansionPlayerStanceStatus.STAND;
000657 |         }
000658 |         else if (player.IsPlayerInStance(DayZPlayerConstants.STANCEMASK_CROUCH) || player.IsPlayerInStance(DayZPlayerConstants.STANCEMASK_RAISED_CROUCH))
000659 |         {
000660 |             stance = ExpansionPlayerStanceStatus.CROUCH;
000661 |         }
000662 |         else if (player.IsPlayerInStance(DayZPlayerConstants.STANCEMASK_PRONE) || player.IsPlayerInStance(DayZPlayerConstants.STANCEMASK_RAISEDPRONE))
000663 |         {
000664 |             stance = ExpansionPlayerStanceStatus.PRONE;
000665 |         }
000666 |     }
000667 |
000668 |     return stance;
000669 | }
000670 |
000671 | // -----
000672 | // ExpansionMonitorModule GetClientStats
000673 | // Called on client
000674 | // -----
000675 | ExpansionSyncedPlayerStats GetClientStats()
000676 | {
000677 |     return m_ClientStats;
000678 | }
000679 |
000680 | // -----
000681 | // ExpansionMonitorModule GetClientStates
000682 | // Called on client
000683 | // -----
000684 | ExpansionSyncedPlayerStates GetClientStates()
000685 | {
000686 |     return m_ClientStates;
000687 | }
000688 |
000689 | // -----
000690 | // ExpansionMonitorModule RequestPlayerStats
000691 | // Called from client - if empty string given as playerID, use sender ID
000692 | // -----
000693 | void RequestPlayerStats(string playerID = "", bool includeRegisteredStats = false, bool includeBaseStats = true)
000694 | {
000695 | #ifdef EXTRACE
000696 |     auto trace = EXTrace.Start(ExpansionTracing.PLAYER_MONITOR, this, playerID, "" + includeRegisteredStats, "" + includeBaseStats);
000697 | #endif
000698 |
000699 |     auto rpc = Expansion_CreateRPC("RPC_RequestPlayerStats");
000700 |     rpc.Write(playerID);
000701 |     rpc.Write(includeRegisteredStats);
000702 |     rpc.Write(includeBaseStats);
000703 |     //! @note guaranteed = false is intentional here (performance)
000704 |     rpc.Expansion_Send(false);
000705 | }
000706 |
000707 | // -----
000708 | // ExpansionMonitorModule RPC_RequestPlayerStatsAndStates
```

```
000709 | // Called on server
000710 | // -----
000711 | private void RPC_RequestPlayerStatsAndStates(ParamsReadContext ctx, PlayerIdentity sender, bool includeStats = true, bool includeStates = true)
000712 | {
000713 | #ifdef EXTRACE
000714 |     auto trace = EXTrace.Start(ExpansionTracing.PLAYER_MONITOR, this, "" + includeStats, "" + includeStates);
000715 | #endif
000716 |
000717 |     string playerID;
000718 |     if (!ctx.Read(playerID))
000719 |         return;
000720 |
000721 | #ifdef EXTRACE
000722 |     EXTrace.Add(trace, playerID);
000723 | #endif
000724 |
000725 |     string originalPlayerID = playerID;
000726 |
000727 |     bool includeRegisteredStats;
000728 |     if (includeStats && !ctx.Read(includeRegisteredStats))
000729 |         return;
000730 |
000731 |     bool includeBaseStats;
000732 |     if (includeStats && !ctx.Read(includeBaseStats))
000733 |         return;
000734 |
000735 |     if (!sender)
000736 |         return;
000737 |
000738 |     PlayerBase player;
000739 |     if (playerID)
000740 |     {
000741 |         player = PlayerBase.Expansion_GetByPlainID(playerID);
000742 |
000743 |         if (!player)
000744 |         {
000745 |             //! Player instance was probably removed (e.g. gravecross deleted body)
000746 |             //EXPrint("[ExpansionMonitorModule] WARNING: Player with plain ID " + playerID + " was not found");
000747 |             return;
000748 |         }
000749 |     }
000750 |     else
000751 |     {
000752 |         playerID = sender.GetPlainId();
000753 |         player = PlayerBase.GetPlayerByUID(sender.GetId());
000754 |
000755 |         if (!player)
000756 |         {
000757 |             //! Player instance was probably removed (e.g. gravecross deleted body)
000758 |             //EXPrint("[ExpansionMonitorModule] WARNING: Player with ID " + sender.GetId() + " (plain ID " + playerID + ") was not found");
000759 |             return;
000760 |         }
000761 |     }
000762 |
000763 |     if (!playerID)
000764 |     {
000765 |         EXPrint("[ExpansionMonitorModule] WARNING: Player plain ID is empty string");
000766 |         return;
000767 |     }
000768 |
000769 |     ExpansionSyncedPlayerStats playerStats;
000770 |     if (includeStats)
```

```
000771 |     {
000772 |         playerStats = GetPlayerStatsByID(playerID);
000773 |         if (!playerStats)
000774 |         {
000775 |             return;
000776 |         }
000777 |         UpdateStats(playerStats, player, false, includeRegisteredStats, includeBaseStats);
000778 |     }
000779 |
000780 |     ExpansionSyncedPlayerStates playerStates;
000781 |     if (includeStates)
000782 |     {
000783 |         playerStates = GetPlayerStatesByID(playerID);
000784 |         if (!playerStates)
000785 |         {
000786 |             return;
000787 |         }
000788 |         UpdateStates(playerStates, player, false);
000789 |     }
000790 |
000791 |     SendPlayerStatsAndStates(playerStats, playerStates, originalPlayerID, sender, includeRegisteredStats, includeBaseStats);
000792 | }
000793 |
000794 | // -----
000795 | // ExpansionMonitorModule GetPlayerStatsByID
000796 | // Called on server
000797 | // -----
000798 | ExpansionSyncedPlayerStats GetPlayerStatsByID(string playerID)
000799 | {
000800 |     ExpansionSyncedPlayerStats playerStats;
000801 |     m_Stats.Find(playerID, playerStats);
000802 |     return playerStats;
000803 | }
000804 |
000805 | // -----
000806 | // ExpansionMonitorModule SendPlayerStatsAndStates
000807 | // Called on server
000808 | // -----
000809 | void SendPlayerStatsAndStates(ExpansionSyncedPlayerStats playerStats, ExpansionSyncedPlayerStates playerStates, string playerID, PlayerIdentity ident, bool includeRegisteredStats = false, bool includeBaseStats = true)
000810 | {
000811 | #ifdef EXTRACE
000812 |     auto trace = EXTrace.Start(ExpansionTracing.PLAYER_MONITOR, this, "" + playerStats, "" + playerStates, playerID, "" + includeRegisteredStats, "" + includeBaseStats);
000813 | #endif
000814 |
000815 |     string fn;
000816 |     if (playerStats && playerStates)
000817 |         fn = "RPC_SendPlayerStatsAndStates";
000818 |     else if (playerStats)
000819 |         fn = "RPC_SendPlayerStats";
000820 |     else
000821 |         fn = "RPC_SendPlayerStates";
000822 |
000823 |     auto rpc = Expansion_CreateRPC(fn);
000824 |
000825 |     rpc.Write(playerID);
000826 |
000827 |     if (playerStats)
000828 |     {
000829 |         rpc.Write(includeRegisteredStats);
000830 |         rpc.Write(includeBaseStats);
```



```
000831 |         playerStats.OnSend(rpc, includeRegisteredStats, includeBaseStats);
000832 |     }
000833 |
000834 |     if (playerStates)
000835 |         playerStates.OnSend(rpc);
000836 |
000837 |     //! @note guaranteed = false is intentional here (performance)
000838 |     rpc.Expansion_Send(false, ident);
000839 | }
000840 |
000841 | // -----
000842 | // ExpansionMonitorModule RPC_SendPlayerStatsAndStates
000843 | // Called on client
000844 | // -----
000845 | private void RPC_SendPlayerStatsAndStates(ParamsReadContext ctx, bool includeStats = true, bool includeStates = true)
000846 | {
000847 | #ifdef EXTRACE
000848 |     auto trace = EXTrace.Start(ExpansionTracing.PLAYER_MONITOR, this, "" + includeStats, "" + includeStates);
000849 | #endif
000850 |
000851 |     string playerID;
000852 |     if (!ctx.Read(playerID))
000853 |         return;
000854 |
000855 | #ifdef EXTRACE
000856 |     EXTrace.Add(trace, playerID);
000857 | #endif
000858 |
000859 |     bool includeRegisteredStats;
000860 |     if (includeStats && !ctx.Read(includeRegisteredStats))
000861 |         return;
000862 |
000863 |     bool includeBaseStats;
000864 |     if (includeStats && !ctx.Read(includeBaseStats))
000865 |         return;
000866 |
000867 |     if (includeStats)
000868 |     {
000869 |         ExpansionSyncedPlayerStats playerStats();
000870 |         if (!playerStats.OnRecieve(ctx, includeRegisteredStats, includeBaseStats))
000871 |             return;
000872 |
000873 |         playerStats.m_PlainID = playerID;
000874 |
000875 |         m_StatsInvoker.Invoke(playerStats);
000876 |         m_ClientStats = playerStats;
000877 |     }
000878 |
000879 |     if (includeStates)
000880 |     {
000881 |         ExpansionSyncedPlayerStates playerStates();
000882 |         if (!playerStates.OnRecieve(ctx))
000883 |             return;
000884 |
000885 |         playerStates.m_PlainID = playerID;
000886 |
000887 |         m_StatesInvoker.Invoke(playerStates);
000888 |         m_ClientStates = playerStates;
000889 |     }
000890 | }
000891 |
000892 | // -----
```

```
000893 | // ExpansionMonitorModule RequestPlayerStates
000894 | // Called from client
000895 | // -----
000896 | void RequestPlayerStates(string playerID)
000897 | {
000898 | #ifdef EXTRACE
000899 |     auto trace = EXTrace.Start(ExpansionTracing.PLAYER_MONITOR, this, playerID);
000900 | #endif
000901 |
000902 |     auto rpc = Expansion_CreateRPC("RPC_RequestPlayerStates");
000903 |     rpc.Write(playerID);
000904 |     //! @note guaranteed = false is intentional here (performance)
000905 |     rpc.Expansion_Send(false);
000906 | }
000907 |
000908 | // -----
000909 | // ExpansionMonitorModule GetPlayerStatesByID
000910 | // Called on server
000911 | // -----
000912 | ExpansionSyncedPlayerStates GetPlayerStatesByID(string playerID)
000913 | {
000914 |     ExpansionSyncedPlayerStates playerStates;
000915 |     m_States.Find(playerID, playerStates);
000916 |     return playerStates;
000917 | }
000918 |
000919 | // -----
000920 | // ExpansionMonitorModule RequestPlayerStatsAndStates
000921 | // Called from client
000922 | // -----
000923 | void RequestPlayerStatsAndStates(string playerID, bool includeRegisteredStats = false, bool includeBaseStats = true)
000924 | {
000925 | #ifdef EXTRACE
000926 |     auto trace = EXTrace.Start(ExpansionTracing.PLAYER_MONITOR, this, playerID, "" + includeRegisteredStats, "" + includeBaseStats);
000927 | #endif
000928 |
000929 |     auto rpc = Expansion_CreateRPC("RPC_RequestPlayerStatsAndStates");
000930 |     rpc.Write(playerID);
000931 |     rpc.Write(includeRegisteredStats);
000932 |     rpc.Write(includeBaseStats);
000933 |     //! @note guaranteed = false is intentional here (performance)
000934 |     rpc.Expansion_Send(false);
000935 | }
000936 |
000937 | // -----
000938 | // ExpansionMonitorModule AddLastPlayerDeathPos
000939 | // Called on server
000940 | // -----
000941 | void AddLastPlayerDeathPos(string playerUID, vector pos)
000942 | {
000943 |     if (m_PlayerDeathPositions.Get(playerUID))
000944 |         m_PlayerDeathPositions.Set(playerUID, pos);
000945 |     else
000946 |         m_PlayerDeathPositions.Insert(playerUID, pos);
000947 | }
000948 |
000949 | // -----
000950 | // ExpansionMonitorModule GetLastDeathPosServer
000951 | // Called on server
000952 | // -----
000953 | vector GetLastDeathPosServer(string playerUID)
000954 | {
```

```
000955 |         return m_PlayerDeathPositions.Get(playerUID);
000956 |     }
000957 |
000958 |     // -----
000959 |     // ExpansionMonitorModule SyncLastDeathPos
000960 |     // Called on server
000961 |     // -----
000962 |     void SyncLastDeathPos(PlayerIdentity identity)
000963 |     {
000964 |         if (!g_Game.IsServer() && !g_Game.IsMultiplayer())
000965 |             return;
000966 |
000967 |         if (!identity)
000968 |             return;
000969 |
000970 |         vector pos = GetLastDeathPosServer(identity.GetId());
000971 |         if (pos == vector.Zero)
000972 |             return;
000973 |
000974 |         auto rpc = Expansion_CreateRPC("RPC_SyncLastDeathPos");
000975 |         rpc.Write(pos);
000976 |         rpc.Expansion_Send(true, identity);
000977 |     }
000978 |
000979 |     void SyncStatsToClient(PlayerBase player)
000980 |     {
000981 |         string playerID = player.GetIdentity().GetPlainId();
000982 |
000983 |         auto playerStats = GetPlayerStatsByID(playerID);
000984 |         if (!playerStats)
000985 |             return;
000986 |
000987 |         UpdateStats(playerStats, player, true, true, false);
000988 |     }
000989 |
000990 |     // -----
000991 |     // ExpansionMonitorModule RPC_SyncLastDeathPos
000992 |     // Called on client
000993 |     // -----
000994 |     private void RPC_SyncLastDeathPos(PlayerIdentity ident, Object target, ParamsReadContext ctx)
000995 |     {
000996 |         if (!ctx.Read(m_LastDeathPos))
000997 |         {
000998 |             Error(ToString() + "::RPC_SyncLastDeathPos - Could not read last death position!");
000999 |         }
001000 |     }
001001 |
001002 |     // -----
001003 |     // ExpansionMonitorModule GetLastDeathPosClient
001004 |     // Called on client
001005 |     // -----
001006 |     vector GetLastDeathPosClient()
001007 |     {
001008 |         return m_LastDeathPos;
001009 |     }
001010 | };
001011 | #endif
001012 |
```

0172. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Monitor\ExpansionSyncedPlayerStats.c
Size bytes: 4085
SHA-256: 9d367c9ffcf0112613114349ef820378f8d7b5ce33063ce4c4480151896ca9c7
Decoded as: utf-8-sig
Line count shown: 201
Detected class declarations: 2
  L29: class ExpansionSyncedPlayerStats
  L90: class ExpansionSyncedPlayerStats
Detected enum declarations: 1
  L17: enum ExpansionPlayerStanceStatus
Detected function/method-like declarations: 5
  L44: void OnSend(ParamsWriteContext ctx)
  L57: bool OnRecieve(ParamsReadContext ctx)
  L113: void OnSend(ParamsWriteContext ctx, bool includeRegisteredStats = false, bool includeBaseStats = true)
  L139: bool OnRecieve(ParamsReadContext ctx, bool includeRegisteredStats = false, bool includeBaseStats = true )
  L195: void Acquire(PlayerBase player)
```

Full file content

```
000001 | /**
000002 |  * ExpansionSyncedPlayerStats.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionSyncedPlayerStats
000014 |  * @brief      This class handles the synchronised player stats values
000015 |  */
000016 |
000017 | enum ExpansionPlayerStanceStatus
000018 | {
000019 |     STAND,
000020 |     CROUCH,
000021 |     PRONE,
000022 |     CAR,
000023 |     HELICOPTER,
000024 |     BOAT,
000025 |     DEAD,
000026 |     UNCONSCIOUS
000027 | }
000028 |
000029 | class ExpansionSyncedPlayerStats
000030 | {
000031 |     //!< ID not synced in 'OnSend', applied in 'RPC_SendPlayerStats'
000032 |     string m_PlainID;
000033 |
000034 |     int m_Bones;
000035 |     bool m_Sick;
000036 |     bool m_Cholera;
000037 |     bool m_Influenza;
000038 |     bool m_Salmonella;
000039 |     bool m_Poison;
000040 |     bool m_Infection;
```

```
000041 |     int m_Cuts;
000042 |     ExpansionPlayerStanceStatus m_Stance;
000043 |
000044 |     void OnSend(ParamsWriteContext ctx)
000045 |     {
000046 |         ctx.Write(m_Bones);
000047 |         ctx.Write(m_Sick);
000048 |         ctx.Write(m_Cholera);
000049 |         ctx.Write(m_Influenza);
000050 |         ctx.Write(m_Salmonella);
000051 |         ctx.Write(m_Poison);
000052 |         ctx.Write(m_Infection);
000053 |         ctx.Write(m_Cuts);
000054 |         ctx.Write(m_Stance);
000055 |     }
000056 |
000057 |     bool OnRecieve(ParamsReadContext ctx)
000058 |     {
000059 |         if (!ctx.Read(m_Bones))
000060 |             return false;
000061 |
000062 |         if (!ctx.Read(m_Sick))
000063 |             return false;
000064 |
000065 |         if (!ctx.Read(m_Cholera))
000066 |             return false;
000067 |
000068 |         if (!ctx.Read(m_Influenza))
000069 |             return false;
000070 |
000071 |         if (!ctx.Read(m_Salmonella))
000072 |             return false;
000073 |
000074 |         if (!ctx.Read(m_Poison))
000075 |             return false;
000076 |
000077 |         if (!ctx.Read(m_Infection))
000078 |             return false;
000079 |
000080 |         if (!ctx.Read(m_Cuts))
000081 |             return false;
000082 |
000083 |         if (!ctx.Read(m_Stance))
000084 |             return false;
000085 |
000086 |         return true;
000087 |     }
000088 | };
000089 |
000090 | class ExpansionSyncedPlayerStats
000091 | {
000092 |     //!< ID not synced in 'OnSend', applied in 'RPC_SendPlayerStats'
000093 |     string m_PlainID;
000094 |
000095 |     bool m_HasBaseStats;
000096 |     int m_Health;
000097 |     int m_Blood;
000098 |     int m_Water;
000099 |     int m_Energy;
000100 |     vector m_Position;
000101 |     int m_Stamina; //!< @note not synced for client player (can get synced values from StaminaHandler)
000102 | }
```

```
000103 | bool m_HasRegisteredStats;
000104 | float m_Distance;
000105 | float m_Playtime;
000106 | int m_PlayersKilled;
000107 | int m_AIKilled;
000108 | int m_InfectedKilled;
000109 | int m_AnimalsKilled;
000110 | float m_LongestShot;
000111 | float m_Weight; /// @note not synced (can calculate on client)
000112 |
000113 | void OnSend(ParamsWriteContext ctx, bool includeRegisteredStats = false, bool includeBaseStats = true)
000114 | {
000115 |     if (includeBaseStats)
000116 |     {
000117 |         ctx.Write(m_Health);
000118 |         ctx.Write(m_Blood);
000119 |         ctx.Write(m_Water);
000120 |         ctx.Write(m_Energy);
000121 |         ctx.Write(m_Position);
000122 |     }
000123 |
000124 |     if (includeRegisteredStats)
000125 |     {
000126 |         //ctx.Write(m_Stamina);
000127 |         ctx.Write(m_Distance);
000128 |         ctx.Write(m_Playtime);
000129 |         ctx.Write(m_PlayersKilled);
000130 |         #ifdef ENFUSION_AI_PROJECT
000131 |         ctx.Write(m_AIKilled);
000132 |         #endif
000133 |         ctx.Write(m_InfectedKilled);
000134 |         ctx.Write(m_AnimalsKilled);
000135 |         ctx.Write(m_LongestShot);
000136 |     }
000137 | }
000138 |
000139 | bool OnRecieve(ParamsReadContext ctx, bool includeRegisteredStats = false, bool includeBaseStats = true )
000140 | {
000141 |     if (includeBaseStats)
000142 |     {
000143 |         if (!ctx.Read(m_Health))
000144 |             return false;
000145 |
000146 |         if (!ctx.Read(m_Blood))
000147 |             return false;
000148 |
000149 |         if (!ctx.Read(m_Water))
000150 |             return false;
000151 |
000152 |         if (!ctx.Read(m_Energy))
000153 |             return false;
000154 |
000155 |         if (!ctx.Read(m_Position))
000156 |             return false;
000157 |
000158 |         m_HasBaseStats = true;
000159 |     }
000160 |
000161 |     if (includeRegisteredStats)
000162 |     {
000163 |         //if (!ctx.Read(m_Stamina))
000164 |             //return false;
```

```
000165 |  
000166 |         if (!ctx.Read(m_Distance))  
000167 |             return false;  
000168 |  
000169 |         if (!ctx.Read(m_Playtime))  
000170 |             return false;  
000171 |  
000172 |         if (!ctx.Read(m_PlayersKilled))  
000173 |             return false;  
000174 |  
000175 |         #ifdef ENFUSION_AI_PROJECT  
000176 |             if (!ctx.Read(m_AIKilled))  
000177 |                 return false;  
000178 |         #endif  
000179 |  
000180 |         if (!ctx.Read(m_InfectedKilled))  
000181 |             return false;  
000182 |  
000183 |         if (!ctx.Read(m_AnimalsKilled))  
000184 |             return false;  
000185 |  
000186 |         if (!ctx.Read(m_LongestShot))  
000187 |             return false;  
000188 |  
000189 |         m_HasRegisteredStats = true;  
000190 |     }  
000191 |  
000192 |     return true;  
000193 | }  
000194 |  
000195 | void Acquire(PlayerBase player)  
000196 | {  
000197 |     m_Stamina = player.m_StaminaHandler.GetSyncedStaminaNormalized() * 100;  
000198 |     player.UpdateWeight();  
000199 |     m_Weight = player.GetWeight();  
000200 | }  
000201 | };
```

0173. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkin.c

Size bytes: 703

SHA-256: d6d33e11f5e389f65e0aabcd6c9b2aabdb4451f1faa307ad7f810dcabfba2833

Decoded as: utf-8-sig

Line count shown: 26

Detected class declarations: 1

L13: class ExpansionSkin : Managed

Detected enum declarations: 0

Detected function/method-like declarations: 1

L21: void ExpansionSkin()

Full file content

```
000001 | /**
000002 |  * ExpansionSkin.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionSkin : Managed
000014 | {
000015 |     ref array< ref ExpansionSkinHiddenSelection > HiddenSelections;
000016 |     ref array< ref ExpansionSkinDamageZone > DamageZones;
000017 |
000018 |     string HornLong;
000019 |     string HornShort;
000020 |
000021 |     void ExpansionSkin()
000022 |     {
000023 |         HiddenSelections = new array< ref ExpansionSkinHiddenSelection >;
000024 |         DamageZones = new array< ref ExpansionSkinDamageZone >;
000025 |     }
000026 | };
```


0174. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkinDamageZone.c

Size bytes: 662

SHA-256: 97e16cb7392580011f8fc926bf8d404b458d481842b996ec168dffa7a162aa16

Decoded as: utf-8-sig

Line count shown: 25

Detected class declarations: 1

L13: class ExpansionSkinDamageZone : Managed

Detected enum declarations: 0

Detected function/method-like declarations: 1

L20: void ExpansionSkinDamageZone()

Full file content

```
000001 | /**
000002 |  * ExpansionSkinDamageZone.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionSkinDamageZone : Managed
000014 | {
000015 |     string Zone;
000016 |
000017 |     ref array< string > HiddenSelections;
000018 |     ref array< ref ExpansionSkinHealthLevel > HealthLevels;
000019 |
000020 |     void ExpansionSkinDamageZone()
000021 |     {
000022 |         HiddenSelections = new array< string >;
000023 |         HealthLevels = new array< ref ExpansionSkinHealthLevel >;
000024 |     }
000025 | };
```

0175. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkinHealthLevel.c

Size bytes: 441

SHA-256: bf8f50c3691694823c9f655a944245e720c8946ea398cc34dbdf5270e44d14de

Decoded as: utf-8-sig

Line count shown: 17

Detected class declarations: 1

 L13: class ExpansionSkinHealthLevel : Managed

Detected enum declarations: 0

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionSkinHealthLevel.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionSkinHealthLevel : Managed
000014 | {
000015 |     string RVTexture;
000016 |     string RVMaterial;
000017 | };
```

0176. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkinHiddenSelection.c
Size bytes: 475
SHA-256: af3692ed1d961de97a8d57e68eebe48e9f27240ca130e68a79f56d271e39fbca
Decoded as: utf-8-sig
Line count shown: 18
Detected class declarations: 1
 L13: class ExpansionSkinHiddenSelection : Managed
Detected enum declarations: 0
Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionSkinHiddenSelection.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionSkinHiddenSelection : Managed
000014 | {
000015 |     string HiddenSelection;
000016 |     string RVTexture;
000017 |     string RVMaterial;
000018 | };
```

0177. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkinModule.c

Size bytes: 10179

SHA-256: a2d2b82a6ba2a549db0f0b7259477f61f2b1ec63fabb487dda9b5f2b2c952eb8

Decoded as: utf-8-sig

Line count shown: 380

Detected class declarations: 1

L14: class ExpansionSkinModule: CF_ModuleWorld

Detected enum declarations: 0

Detected function/method-like declarations: 15

L22: void ExpansionSkinModule()

L30: override void OnInit()

L113: private void LoadClassSkins(string folder, string rootFolder)

L147: private void LoadSkinsForObject(string file, string rootFolder)

L199: string GetConfigPath(string classname)

L227: int GetSkinIndex(string classname, string skin)

L250: string GetSkinName(string classname, int index)

L268: string GetSkinName(string classname)

L279: void RetrieveSkins(string classname, out array< ExpansionSkin > skinCopy, out string defaultSkin)

L336: string GetSkinBase(string classname)

L341: ExpansionSkins GetSkins(string classname)

L355: bool HasSkins(string classname)

L357: return GetSkins(classname) != NULL;

L363: bool HasSkin(string classname, int skinIndex)

L375: map< string, ref ExpansionSkins > GetAllSkins()

Full file content

```

000001 | /**
000002 |  * ExpansionSkinModule.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | [CF_RegisterModule(ExpansionSkinModule)]
000014 | class ExpansionSkinModule: CF_ModuleWorld
000015 | {
000016 |     static ExpansionSkinModule s_Instance;
000017 |
000018 |     private autoptr map< string, ref ExpansionSkins > m_Skins = new map< string, ref ExpansionSkins >;
000019 |     private autoptr map< string, string > m_SkinBase = new map< string, string >;
000020 |     private autoptr map< string, string > m_SkinName = new map< string, string >;
000021 |
000022 |     void ExpansionSkinModule()
000023 |     {
000024 |         s_Instance = this;
000025 |     }
000026 |
000027 |     // -----
000028 |     // ExpansionSkinModule OnInit
000029 |     // -----
000030 |     override void OnInit()
000031 |     {
000032 | #ifdef EXPANSIONTRACE

```

```
000033 | auto trace = CF_Trace_0(ExpansionTracing.SKIN, this, "OnInit");
000034 | #endif
000035 |
000036 | super.OnInit();
000037 |
000038 | int mod_count = g_Game.ConfigGetChildrenCount( "CfgMods" );
000039 |
000040 | for ( int i = 0; i < mod_count; ++i )
000041 | {
000042 |     string mod_name;
000043 |     g_Game.ConfigGetChildName( "CfgMods", i, mod_name );
000044 |
000045 |     string configSkins = "CfgMods " + mod_name + " expansionSkins";
000046 |     if ( !g_Game.ConfigIsExisting( configSkins ) )
000047 |     {
000048 |         continue;
000049 |     }
000050 |
000051 |     TStringArray folders = new TStringArray;
000052 |     g_Game.ConfigGetTextArray( configSkins, folders );
000053 |
000054 |     if ( !folders || folders.Count() == 0 )
000055 |     {
000056 |         continue;
000057 |     }
000058 |
000059 |     bool filePatching = IsCLIPParam( "filePatching" );
000060 |
000061 |     for ( int j = 0; j < folders.Count(); j++ )
000062 |     {
000063 |         string folder = folders[j];
000064 |         folder.Replace("/", "\\");
000065 |
000066 |         CF_Log.Debug( folder );
000067 |
000068 |         string folderName;
000069 |         FileAttr fileAttr;
000070 |         FindFileHandle findFileHandle = FindFile( folder + "*", folderName, fileAttr, FindFileFlags.ALL );
000071 |
000072 |         if ( findFileHandle )
000073 |         {
000074 |             if ( folderName.Length() > 0 )
000075 |             {
000076 |                 //if ( filePatching )
000077 |                 //{
000078 |                 //    LoadClassSkins( folderName, folder );
000079 |                 //} else
000080 |                 {
000081 |                     LoadSkinsForObject( folderName, folder );
000082 |                 }
000083 |             }
000084 |
000085 |             while ( FindNextFile( findFileHandle, folderName, fileAttr ) )
000086 |             {
000087 |                 if ( folderName.Length() > 0 )
000088 |                 {
000089 |                     //if ( filePatching )
000090 |                     //{
000091 |                     //    LoadClassSkins( folderName, folder );
000092 |                     //} else
000093 |                     {
000094 |                         LoadSkinsForObject( folderName, folder );
```

```
000095 |         }
000096 |     }
000097 | }
000098 |
000099 |     CloseFindFile(findFileHandle);
000100 | }
000101 | }
000102 | }
000103 |
000104 |     foreach (string classname, ExpansionSkins skins: m_Skins )
000105 |     {
000106 |         skins.Sort();
000107 |     }
000108 | }
000109 |
000110 | // -----
000111 | // ExpansionSkinModule LoadClassSkins
000112 | // -----
000113 | private void LoadClassSkins( string folder, string rootFolder )
000114 | {
000115 | #ifdef EXPANSIONTRACE
000116 |     auto trace = CF_Trace_0(ExpansionTracing.SKIN, this, "LoadClassSkins");
000117 | #endif
000118 |
000119 |     string path = rootFolder + "\\\" + folder + "\\\";
000120 |
000121 |     string fileName;
000122 |     FileAttr fileAttr;
000123 |     FindFileHandle findFileHandle = FindFile( path + "*", fileName, fileAttr, FindFileFlags.ALL );
000124 |
000125 |     if ( findFileHandle )
000126 |     {
000127 |         if ( fileName.Length() > 0 ) // && ( fileAttr & FileAttr.DIRECTORY )
000128 |         {
000129 |             LoadSkinsForObject( folder + "\\\" + fileName, rootFolder );
000130 |         }
000131 |
000132 |         while ( FindNextFile( findFileHandle, fileName, fileAttr ) )
000133 |         {
000134 |             if ( fileName.Length() > 0 ) // && ( fileAttr & FileAttr.DIRECTORY )
000135 |             {
000136 |                 LoadSkinsForObject( folder + "\\\" + fileName, rootFolder );
000137 |             }
000138 |         }
000139 |
000140 |         CloseFindFile(findFileHandle);
000141 |     }
000142 | }
000143 |
000144 | // -----
000145 | // ExpansionSkinModule LoadSkinsForObject
000146 | // -----
000147 | private void LoadSkinsForObject( string file, string rootFolder )
000148 | {
000149 | #ifdef EXPANSIONTRACE
000150 |     auto trace = CF_Trace_0(ExpansionTracing.SKIN, this, "LoadSkinsForObject");
000151 | #endif
000152 |
000153 |     int idx = file.IndexOf( "\\\" );
000154 |     if ( idx == -1 )
000155 |         idx = file.IndexOf( "/" );
000156 |     if ( idx == -1 )
```

```
000157 |         return; //! Fuck off Workbench
000158 |
000159 |         string classname = file.Substring( 0, idx );
000160 |         string skinname = file.Substring( idx + 1, file.Length() - idx - 1 );
000161 |         classname.ToLower();
000162 |
000163 |         int pos = skinname.IndexOf( "." );
000164 |         if ( pos > -1 )
000165 |         {
000166 |             skinname = skinname.Substring( 0, pos );
000167 |         }
000168 |
000169 |         skinname.ToLower();
000170 |
000171 |         string path = GetConfigPath( classname );
000172 |         if ( !path )
000173 |             return;
000174 |
000175 |         TStringArray applySkinsTo = new TStringArray;
000176 |         g_Game.ConfigGetTextArray( path + " " + classname + " applySkinsTo", applySkinsTo );
000177 |
000178 |         string defaultSkin = "";
000179 |         g_Game.ConfigGetText( path + " " + classname + " defaultSkin", defaultSkin );
000180 |
000181 |         applySkinsTo.Insert( classname );
000182 |
000183 |         for ( int i = 0; i < applySkinsTo.Count(); i++ )
000184 |         {
000185 |             classname = applySkinsTo[i];
000186 |             classname.ToLower();
000187 |
000188 |             ExpansionSkins skins = m_Skins.Get( classname );
000189 |             if ( !skins )
000190 |             {
000191 |                 m_Skins.Insert( classname, new ExpansionSkins( defaultSkin ) );
000192 |                 skins = m_Skins.Get( classname );
000193 |             }
000194 |
000195 |             skins.AddSkin( skinname, rootFolder + file );
000196 |         }
000197 |     }
000198 |
000199 |     string GetConfigPath( string classname )
000200 |     {
000201 |         string path = "cfgVehicles";
000202 |         if ( !g_Game.ConfigIsExisting( path + " " + classname ) )
000203 |         {
000204 |             path = "cfgWeapons";
000205 |             if ( !g_Game.ConfigIsExisting( path + " " + classname ) )
000206 |             {
000207 |                 path = "cfgMagazines";
000208 |                 if ( !g_Game.ConfigIsExisting( path + " " + classname ) )
000209 |                 {
000210 |                     path = "cfgNonAI Vehicles";
000211 |                     if ( !g_Game.ConfigIsExisting( path + " " + classname ) )
000212 |                     {
000213 |                         if(classname)
000214 |                             Print( "ExpansionSkinModule::GetConfigPath - [ERROR]: Invalid class name " + classname );
000215 |
000216 |                         return "";
000217 |                     }
000218 |                 }
000219 |             }
000220 |         }
000221 |     }
000222 | }
```

```
000219 |     }
000220 | }
000221 |     return path;
000222 | }
000223 |
000224 | // -----
000225 | // ExpansionSkinModule GetSkinIndex
000226 | // -----
000227 | int GetSkinIndex( string classname, string skin )
000228 | {
000229 |     string skinBase = GetSkinBase( classname );
000230 |     if ( skinBase )
000231 |         classname = skinBase;
000232 |
000233 |     classname.ToLower();
000234 |     skin.ToLower();
000235 |
000236 |     ExpansionSkins skins = m_Skins.Get( classname );
000237 |     if ( !skins || skins.Count() == 0 )
000238 |         return -1;
000239 |
000240 |     for ( int i = 0; i < skins.Count(); i++ )
000241 |         if ( skins.GetName( i ) == skin )
000242 |             return i;
000243 |
000244 |     return -1;
000245 | }
000246 |
000247 | // -----
000248 | // ExpansionSkinModule GetSkinName
000249 | // -----
000250 | string GetSkinName( string classname, int index )
000251 | {
000252 |     if ( index < 0 )
000253 |         return "";
000254 |
000255 |     string skinBase = GetSkinBase( classname );
000256 |     if ( skinBase )
000257 |         classname = skinBase;
000258 |
000259 |     classname.ToLower();
000260 |
000261 |     ExpansionSkins skins = m_Skins.Get( classname );
000262 |     if ( !skins || index >= skins.Count() )
000263 |         return "";
000264 |
000265 |     return skins.GetName( index );
000266 | }
000267 |
000268 | string GetSkinName( string classname )
000269 | {
000270 |     string path = GetConfigPath( classname );
000271 |     if ( path && g_Game.ConfigIsExisting( path + " " + classname + " skinName" ) )
000272 |         return g_Game.ConfigGetTextOut( path + " " + classname + " skinName" );
000273 |     return "";
000274 | }
000275 |
000276 | // -----
000277 | // ExpansionSkinModule RetrieveSkins
000278 | // -----
000279 | void RetrieveSkins( string classname, out array< ExpansionSkin > skinCopy, out string defaultSkin )
000280 | {
```



```
000281 | #ifdef EXPANSIONTRACE
000282 |     auto trace = CF_Trace_0(ExpansionTracing.SKIN, this, "RetrieveSkins");
000283 | #endif
000284 |
000285 |     defaultSkin = "";
000286 |
000287 |     string path;
000288 |
000289 |     string skinBase = GetSkinBase( classname );
000290 |     if ( !skinBase )
000291 |     {
000292 |         path = GetConfigPath( classname );
000293 |
000294 |         /// If it exists, use skinBase instead of given classname
000295 |         /// (so when spawning <thing>_<skinname>, it has the correct skin)
000296 |         if ( g_Game.ConfigIsExisting( path + " " + classname + " skinBase" ) )
000297 |             g_Game.ConfigGetText( path + " " + classname + " skinBase", skinBase );
000298 |
000299 |         if ( !skinBase )
000300 |             skinBase = classname;
000301 |
000302 |         m_SkinBase.Insert( classname, skinBase );
000303 |     }
000304 |
000305 |     skinBase.ToLower();
000306 |
000307 |     ExpansionSkins skins = m_Skins.Get( skinBase );
000308 |     if ( !skins )
000309 |     {
000310 |         return;
000311 |     }
000312 |
000313 |     string skinName = m_SkinName.Get( classname );
000314 |     if ( !skinName )
000315 |     {
000316 |         if ( !path )
000317 |             path = GetConfigPath( classname );
000318 |
000319 |         /// If it exists, use skinName instead of default skin
000320 |         /// (so when spawning <thing>_<skinname>, it has the correct skin)
000321 |         if ( g_Game.ConfigIsExisting( path + " " + classname + " skinName" ) )
000322 |             g_Game.ConfigGetText( path + " " + classname + " skinName", skinName );
000323 |
000324 |         if ( !skinName )
000325 |             skinName = skins.GetDefaultSkin();
000326 |
000327 |         m_SkinName.Insert( classname, skinName );
000328 |     }
000329 |
000330 |     defaultSkin = skinName;
000331 |
000332 |     for ( int i = 0; i < skins.Count(); ++i )
000333 |         skinCopy.Insert( skins.Get( i ) );
000334 | }
000335 |
000336 | string GetSkinBase( string classname )
000337 | {
000338 |     return m_SkinBase.Get( classname );
000339 | }
000340 |
000341 | ExpansionSkins GetSkins( string classname )
000342 | {
```

```
000343 |         string skinBase = GetSkinBase( classname );
000344 |         if ( skinBase )
000345 |             classname = skinBase;
000346 |
000347 |         classname.ToLower();
000348 |
000349 |         return m_Skins.Get( classname );
000350 |     }
000351 |
000352 |     // -----
000353 |     // ExpansionSkinModule HasSkins
000354 |     // -----
000355 |     bool HasSkins(string classname)
000356 |     {
000357 |         return GetSkins( classname ) != NULL;
000358 |     }
000359 |
000360 |     // -----
000361 |     // ExpansionSkinModule HasSkin
000362 |     // -----
000363 |     bool HasSkin(string classname, int skinIndex)
000364 |     {
000365 |         ExpansionSkins skins = GetSkins( classname );
000366 |         if (!skins || !skins.Get(skinIndex))
000367 |             return false;
000368 |
000369 |         return true;
000370 |     }
000371 |
000372 |     // -----
000373 |     // ExpansionSkinModule RetrieveSkins
000374 |     // -----
000375 |     map< string, ref ExpansionSkins > GetAllSkins()
000376 |     {
000377 |         return m_Skins;
000378 |     }
000379 | };
000380 |
```

0178. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkins.c

Size bytes: 2996

SHA-256: 5791d35f19bb0c9c7f6500fbc67df1087445b738184e62a786a716c139030939

Decoded as: utf-8-sig

Line count shown: 105

Detected class declarations: 1

L13: class ExpansionSkins : Managed

Detected enum declarations: 0

Detected function/method-like declarations: 9

L23: void ExpansionSkins(string defaultSkin)

L37: void AddSkin(string name, string path)

L53: int Count()

L61: int Find(string name)

L69: string GetName(int index)

L77: ExpansionSkin Get(int index)

L85: ExpansionSkin Get(string name)

L93: string GetDefaultSkin()

L101: void Sort()

Full file content

```
000001 | /**
000002 |  * ExpansionSkins.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionSkins : Managed
000014 | {
000015 |     private ref map< string, ref ExpansionSkin > m_Skins;
000016 |     private ref array< string > m_Order;
000017 |
000018 |     private string m_DefaultSkin;
000019 |
000020 |     // -----
000021 |     // ExpansionSkins Constructor
000022 |     // -----
000023 |     void ExpansionSkins( string defaultSkin )
000024 |     {
000025 | #ifdef EXPANSIONTRACE
000026 |         auto trace = CF_Trace_0(ExpansionTracing.SKIN, this, "ExpansionSkins");
000027 | #endif
000028 |
000029 |         m_DefaultSkin = defaultSkin;
000030 |         m_Skins = new map< string, ref ExpansionSkin >;
000031 |         m_Order = new array< string >;
000032 |     }
000033 |
000034 |     // -----
000035 |     // ExpansionSkins AddSkin
000036 |     // -----
000037 |     void AddSkin( string name, string path )
000038 |     {
```

```
000039 | #ifdef EXPANSIONTRACE
000040 |     auto trace = CF_Trace_0(ExpansionTracing.SKIN, this, "AddSkin");
000041 | #endif
000042 |
000043 |     ExpansionSkin skin = new ExpansionSkin;
000044 |     JsonFileLoader< ExpansionSkin >.JsonLoadFile( path, skin );
000045 |
000046 |     m_Skins.Insert( name, skin );
000047 |     m_Order.Insert( name );
000048 | }
000049 |
000050 | // -----
000051 | // ExpansionSkins Count
000052 | // -----
000053 | int Count()
000054 | {
000055 |     return m_Skins.Count();
000056 | }
000057 |
000058 | // -----
000059 | // ExpansionSkins Find
000060 | // -----
000061 | int Find( string name )
000062 | {
000063 |     return m_Order.Find( name );
000064 | }
000065 |
000066 | // -----
000067 | // ExpansionSkins GetName
000068 | // -----
000069 | string GetName( int index )
000070 | {
000071 |     return m_Order[index];
000072 | }
000073 |
000074 | // -----
000075 | // ExpansionSkins Get
000076 | // -----
000077 | ExpansionSkin Get( int index )
000078 | {
000079 |     return m_Skins[GetName(index)];
000080 | }
000081 |
000082 | // -----
000083 | // ExpansionSkins Get
000084 | // -----
000085 | ExpansionSkin Get( string name )
000086 | {
000087 |     return m_Skins[name];
000088 | }
000089 |
000090 | // -----
000091 | // ExpansionSkins GetDefaultSkin
000092 | // -----
000093 | string GetDefaultSkin()
000094 | {
000095 |     return m_DefaultSkin;
000096 | }
000097 |
000098 | // -----
000099 | // ExpansionSkins Sort
000100 | // -----
```

```
000101 | void Sort()
000102 | {
000103 |     m_Order.Sort();
000104 | }
000105 | };
```

0179. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Zone\ExpansionZoneModule.c
Size bytes: 3456
SHA-256: 80053ebe2339e67e605584631a5026bcfb5114b1f622d5f44ecc447f6f59704
Decoded as: utf-8-sig
Line count shown: 164
Detected class declarations: 1
L17: class ExpansionZoneModule : CF_ModuleWorld
Detected enum declarations: 0
Detected function/method-like declarations: 7
L27: override void OnInit()
L39: override void OnMissionLoaded(Class sender, CF_EventArgs args)
L106: override bool IsClient()
L111: static bool IsInsideSafeZone(vector position)
L117: return IsInside(position, ExpansionZoneType.SAFE);
L120: static bool IsInside(vector position, ExpansionZoneType type)
L144: override void OnUpdate(Class sender, CF_EventArgs args)

Full file content

```
000001 | /**
000002 |  * ExpansionZoneModule.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionZoneModule
000014 |  * @brief
000015 |  */
000016 | [CF_RegisterModule(ExpansionZoneModule)]
000017 | class ExpansionZoneModule : CF_ModuleWorld
000018 | {
000019 |     static const int COUNT = ExpansionZoneType.Count;
000020 |
000021 |     int m_Interval = 100;
000022 |     int m_ActorsPerTick = 10;
000023 |     static bool s_ExEnabled = false;
000024 |
000025 |     int m_TimeCounter = 0;
000026 |
000027 |     override void OnInit()
000028 |     {
000029 | #ifdef EXPANSIONTRACE
000030 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "OnInit");
000031 | #endif
000032 |
000033 |         super.OnInit();
000034 |
000035 |         EnableMissionLoaded();
000036 |         EnableUpdate();
000037 |     }
000038 |
000039 |     override void OnMissionLoaded(Class sender, CF_EventArgs args)
000040 |     {
```

```
000041 |         super.OnMissionLoaded(sender, args);
000042 |
000043 |         auto settings = GetExpansionSettings().GetSafeZone();
000044 |         if (!settings)
000045 |             return;
000046 |
000047 |         m_Interval = settings.FrameRateCheckSafeZoneInMs;
000048 |         m_ActorsPerTick = settings.ActorsPerTick;
000049 |         s_ExEnabled = settings.Enabled;
000050 |
000051 |         bool failure = false;
000052 |
000053 |         auto circleZones = settings.CircleZones;
000054 |         auto polygonZones = settings.PolygonZones;
000055 |         auto cylinderZones = settings.CylinderZones;
000056 |
000057 |         if (!circleZones || !polygonZones || !cylinderZones)
000058 |         {
000059 |             failure = true;
000060 |         }
000061 |
000062 |         if (circleZones)
000063 |         {
000064 |             foreach (ExpansionSafeZoneCircle circleZone : circleZones)
000065 |             {
000066 |                 circleZone.Center[1] = 0;
000067 |                 circleZone.Create();
000068 |             }
000069 |         }
000070 |
000071 |         if (polygonZones)
000072 |         {
000073 |             foreach (ExpansionSafeZonePolygon polyZone : polygonZones)
000074 |             {
000075 |                 polyZone.Create();
000076 |             }
000077 |         }
000078 |
000079 |         if (cylinderZones)
000080 |         {
000081 |             foreach (ExpansionSafeZoneCylinder cylinderZone : cylinderZones)
000082 |             {
000083 |                 cylinderZone.Create();
000084 |             }
000085 |         }
000086 |
000087 |         int count = 0;
000088 |
000089 |         ExpansionZone element = ExpansionZone.s_Head;
000090 |         while (element)
000091 |         {
000092 |             Print(element.ToStr());
000093 |             element = element.m_Next;
000094 |             count++;
000095 |         }
000096 |
000097 |         Print("Found " + count + " zones!");
000098 |
000099 |         if (failure)
000100 |         {
000101 |             Error("Zone setup failed.");
000102 |             return;
```

```
000103 |     }
000104 | }
000105 |
000106 |     override bool IsClient()
000107 |     {
000108 |         return false;
000109 |     }
000110 |
000111 |     static bool IsInsideSafeZone(vector position)
000112 |     {
000113 | #ifdef EXPANSIONTRACE
000114 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, "ExpansionZoneModule", "IsInsideSafeZone");
000115 | #endif
000116 |
000117 |         return IsInside(position, ExpansionZoneType.SAFE);
000118 |     }
000119 |
000120 |     static bool IsInside(vector position, ExpansionZoneType type)
000121 |     {
000122 | #ifdef EXPANSIONTRACE
000123 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, "ExpansionZoneModule", "IsInside");
000124 | #endif
000125 |
000126 |         if (type == ExpansionZoneType.SAFE && !s_ExEnabled)
000127 |             return false;
000128 |
000129 |         for (int i = 0; i < COUNT; i++)
000130 |             ExpansionZone.s_InsideBuffer[i] = false;
000131 |
000132 |         position[1] = 0;
000133 |
000134 |         ExpansionZone element = ExpansionZone.s_Head;
000135 |         while (element)
000136 |         {
000137 |             element.Check(position);
000138 |             element = element.m_Next;
000139 |         }
000140 |
000141 |         return ExpansionZone.s_InsideBuffer[type];
000142 |     }
000143 |
000144 |     override void OnUpdate(Class sender, CF_EventArgs args)
000145 |     {
000146 | #ifdef EXPANSIONTRACE
000147 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "OnUpdate");
000148 | #endif
000149 |
000150 |         if (!s_ExEnabled)
000151 |             return;
000152 |
000153 |         auto update = CF_EventUpdateArgs.Cast(args);
000154 |
000155 |         m_TimeCounter += update.DeltaTime * 1000;
000156 |         if (m_TimeCounter < m_Interval)
000157 |             return;
000158 |
000159 |         ExpansionZoneActor.UpdateAll(m_ActorsPerTick);
000160 |
000161 |         m_TimeCounter = 0;
000162 |     }
000163 | };
000164 |
```


0180. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\TransmissionAgents\PlayerAgentPool.c

Size bytes: 1510

SHA-256: 3a70a4f73fbcffb940bca800b224a451fd33c0dcc9fd8e30b492c732ac8a95db

Decoded as: utf-8-sig

Line count shown: 62

Detected class declarations: 1

L1: modded class PlayerAgentPool

Detected enum declarations: 0

Detected function/method-like declarations: 3

L3: override void AddAgent(int agent_id, float count)

L14: void CF_OnStoreSave(CF_ModStorage ctx)

L30: bool CF_OnStoreLoad(CF_ModStorage ctx, int version)

Full file content

```

000001 | modded class PlayerAgentPool
000002 | {
000003 |     override void AddAgent(int agent_id, float count)
000004 |     {
000005 |         //!< Positive count means something bad is inserted (illness etc), negative count means something bad is removed (cured)
000006 |         //!< If dmg is disabled, allow removal, but not insertion
000007 |         if (count > 0 && !m_Player.Expansion_CanBeDamaged())
000008 |             return;
000009 |
000010 |         super.AddAgent(agent_id, count);
000011 |     }
000012 |
000013 | #ifdef EXPANSION_MODSTORAGE
000014 |     void CF_OnStoreSave(CF_ModStorage ctx)
000015 |     {
000016 |         //!< Unlike vanilla, we write count so we'll always be able to successfully read back what was actually saved
000017 |         int count = m_PluginTransmissionAgents.GetAgentList().Count();
000018 |         ctx.Write(count);
000019 |
000020 |         array<int> agentList = m_PluginTransmissionAgents.GetAgentList().GetKeyArray();
000021 |         foreach (int agentId: agentList)
000022 |         {
000023 |             ctx.Write(agentId);
000024 |             ctx.Write(GetSingleAgentCount(agentId));
000025 |
000026 |             ctx.Write(GetTemporaryResistance(agentId));
000027 |         }
000028 |     }
000029 |
000030 |     bool CF_OnStoreLoad(CF_ModStorage ctx, int version)
000031 |     {
000032 |         int count;
000033 |         if (!ctx.Read(count))
000034 |             return false;
000035 |
000036 |         for (int i = 0; i < count; ++i)
000037 |         {
000038 |             int agentId;
000039 |             if (!ctx.Read(agentId))
000040 |                 return false;
000041 |
000042 |             int agentCount;
000043 |             if (!ctx.Read(agentCount))
000044 |                 return false;

```

```
000045 |  
000046 |         if (version >= 140)  
000047 |         {  
000048 |             float agentTemporaryResistanceTime;  
000049 |             if (!ctx.Read(agentTemporaryResistanceTime))  
000050 |                 return false;  
000051 |  
000052 |             SetTemporaryResistance(agentId, agentTemporaryResistanceTime);  
000053 |         }  
000054 |  
000055 |         SetAgentCount(agentId, agentCount);  
000056 |     }  
000057 |  
000058 |     return true;  
000059 | }  
000060 | #endif  
000061 | }  
000062 |
```

0181. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\ActionConstructor.c

Size bytes: 968

SHA-256: fe415886b2f7143690e5dddb0b8cf88941f664c15cb87ca0ced26ea6df99132e

Decoded as: utf-8-sig

Line count shown: 34

Detected class declarations: 1

L16: modded class ActionConstructor

Detected enum declarations: 0

Detected function/method-like declarations: 1

L21: override void RegisterActions(TTypeNameArray actions)

Full file content

```
000001 | /**
000002 |  * ActionConstructor.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ActionConstructor
000014 |  * @brief
000015 |  */
000016 | modded class ActionConstructor
000017 | {
000018 |     // -----
000019 |     // ActionConstructor RegisterActions
000020 |     // -----
000021 |     override void RegisterActions( TTypeNameArray actions )
000022 |     {
000023 |         super.RegisterActions( actions );
000024 |
000025 |         actions.Insert( ExpansionActionPaint );
000026 |
000027 |         actions.Insert( ExpansionActionDebugStoreEntity );
000028 |
000029 |         actions.Insert( ExpansionActionRestoreEntity );
000030 |         actions.Insert( ExpansionActionPlaceDebugGoat );
000031 |
000032 |         actions.Insert( ExpansionActionDebugLobotomize );
000033 |     }
000034 | };
```

0182. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\ActionBase.c

Size bytes: 1438

SHA-256: eb3a6fc9ff2824ab91fbacd9063b71f2f7953001879b50e93bad1352e215e11f

Decoded as: utf-8-sig

Line count shown: 60

Detected class declarations: 1

L13: modded class ActionBase

Detected enum declarations: 0

Detected function/method-like declarations: 6

L15: override void OnStart(ActionData action_data)

L23: override void OnUpdate(ActionData action_data)

L31: override void OnEndRequest(ActionData action_data)

L39: override void OnEndInput(ActionData action_data)

L47: override void OnEnd(ActionData action_data)

L55: bool Expansion_CheckSuccess(ActionData action_data)

Full file content

```
000001 | /**
000002 |  * ActionBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionBase
000014 | {
000015 |     override void OnStart( ActionData action_data )
000016 |     {
000017 |         super.OnStart( action_data );
000018 |
000019 |         if ( action_data.m_MainItem )
000020 |             action_data.m_MainItem.ExpansionActionOnStart( action_data );
000021 |     }
000022 |
000023 |     override void OnUpdate( ActionData action_data )
000024 |     {
000025 |         super.OnUpdate( action_data );
000026 |
000027 |         if ( action_data.m_MainItem )
000028 |             action_data.m_MainItem.ExpansionActionOnUpdate( action_data );
000029 |     }
000030 |
000031 |     override void OnEndRequest( ActionData action_data )
000032 |     {
000033 |         super.OnEndRequest( action_data );
000034 |
000035 |         if ( action_data.m_MainItem )
000036 |             action_data.m_MainItem.ExpansionActionOnEndRequest( action_data );
000037 |     }
000038 |
000039 |     override void OnEndInput( ActionData action_data )
000040 |     {
000041 |         super.OnEndInput( action_data );
```

```
000042 |  
000043 |         if ( action_data.m_MainItem )  
000044 |             action_data.m_MainItem.ExpansionActionOnEndInput( action_data );  
000045 |     }  
000046 |  
000047 |     override void OnEnd( ActionData action_data )  
000048 |     {  
000049 |         super.OnEnd( action_data );  
000050 |  
000051 |         if ( action_data.m_MainItem )  
000052 |             action_data.m_MainItem.ExpansionActionOnEnd( action_data );  
000053 |     }  
000054 |  
000055 |     bool Expansion_CheckSuccess(ActionData action_data)  
000056 |     {  
000057 |         return true;  
000058 |     }  
000059 | }  
000060 |
```

0183. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\ActionContinuousBase.c
Size bytes: 1070
SHA-256: c68860058d8cf4dead80339447122c6f94d9809362105c692ba2447d1dc662f2
Decoded as: utf-8-sig
Line count shown: 39
Detected class declarations: 1
L13: modded class ActionContinuousBase
Detected enum declarations: 0
Detected function/method-like declarations: 3
L15: override void OnStartAnimationLoop(ActionData action_data)
L23: override void OnFinishProgress(ActionData action_data)
L31: override void OnEndAnimationLoop(ActionData action_data)

Full file content

```
000001 | /**
000002 |  * ActionContinuousBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionContinuousBase
000014 | {
000015 |     override void OnStartAnimationLoop( ActionData action_data )
000016 |     {
000017 |         super.OnStartAnimationLoop( action_data );
000018 |
000019 |         if ( action_data.m_MainItem )
000020 |             action_data.m_MainItem.ExpansionActionOnStartAnimationLoop( action_data );
000021 |     }
000022 |
000023 |     override void OnFinishProgress( ActionData action_data )
000024 |     {
000025 |         super.OnFinishProgress( action_data );
000026 |
000027 |         if ( action_data.m_MainItem )
000028 |             action_data.m_MainItem.ExpansionActionOnFinishProgress( action_data );
000029 |     }
000030 |
000031 |     override void OnEndAnimationLoop( ActionData action_data )
000032 |     {
000033 |         super.OnEndAnimationLoop( action_data );
000034 |
000035 |         if ( action_data.m_MainItem )
000036 |             action_data.m_MainItem.ExpansionActionOnEndAnimationLoop( action_data );
000037 |     }
000038 | }
000039 |
```

0184. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\AnimatedActionBase.c
Size bytes: 605
SHA-256: 5ebb1c0d7ea9c85c9f85ba89e4d9b12d851cd9e8359bea329e04cd1778584a09
Decoded as: utf-8-sig
Line count shown: 23
Detected class declarations: 1
 L13: modded class AnimatedActionBase
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override void OnAnimationEvent(ActionData action_data)

Full file content

```
000001 | /**
000002 |  * AnimatedActionBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class AnimatedActionBase
000014 | {
000015 |     override void OnAnimationEvent( ActionData action_data )
000016 |     {
000017 |         super.OnAnimationEvent( action_data );
000018 |
000019 |         if ( action_data.m_MainItem )
000020 |             action_data.m_MainItem.ExpansionActionOnAnimationEvent( action_data );
000021 |     }
000022 | }
000023 |
```

0185. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionActivateTrap.c

Size bytes: 602

SHA-256: ebd2c03019cddadfbf80f409aa1a41a0ef7f639098cf779f7d96c93cf999f188

Decoded as: utf-8-sig

Line count shown: 23

Detected class declarations: 1

L13: modded class ActionActivateTrap

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionActivateTrap.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionActivateTrap
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition( player, target, item );
000021 |     }
000022 | }
000023 |
```


0186. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionArmExplosive.c

Size bytes: 600

SHA-256: a1fbc7bb0d19ad1e42695989fcc6eae7886cc1ffd96a5352c2f7a012a971297c

Decoded as: utf-8-sig

Line count shown: 22

Detected class declarations: 1

L13: modded class ActionArmExplosive

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionArmExplosive.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionArmExplosive
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition( player, target, item );
000021 |     }
000022 | }
```

0187. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionAttachExplosivesTrigger.c
Size bytes: 622
SHA-256: ee179a4dffe2270f6ca92b7356633479b1a81fcd23e35e2c5012e4f21cdd055
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L13: modded class ActionAttachExplosivesTrigger
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionAttachExplosivesTrigger.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionAttachExplosivesTrigger
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition( player, target, item );
000021 |     }
000022 | }
```

0188. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionBuildPart.c

Size bytes: 594

SHA-256: e284631f376b2f31cd88552e0000ce81d04c32984d1a48abf64e71532db9469e

Decoded as: utf-8-sig

Line count shown: 22

Detected class declarations: 1

L13: modded class ActionBuildPart

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionBuildPart.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionBuildPart
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition( player, target, item );
000021 |     }
000022 | }
```

0189. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionCoverHeadTarget.c

Size bytes: 606

SHA-256: d30e9f6af1ed2d7eef45a130256c76594686c751458b20edb6962c1860b80549

Decoded as: utf-8-sig

Line count shown: 22

Detected class declarations: 1

L13: modded class ActionCoverHeadTarget

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionCoverHeadTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionCoverHeadTarget
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition(player, target, item);
000021 |     }
000022 | };
```

0190. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionDigInStash.c
Size bytes: 598
SHA-256: 7ff6d7f058d0d901310b5454e042cd3b3476fc97fb2dc1466767acf6484cb4b4
Decoded as: utf-8-sig
Line count shown: 23
Detected class declarations: 1
 L13: modded class ActionDigInStash
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionDigInStash.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionDigInStash
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition( player, target, item );
000021 |     }
000022 | }
000023 |
```

0191. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionDismantlePart.c
Size bytes: 651
SHA-256: b52738649f5a25053874476f99c997a564c9afeddf840bdec595adfcf8fce042
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L13: modded class ActionDismantlePart
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override protected bool DismantleCondition(PlayerBase player, ActionTarget target, ItemBase item, bool camera_check)

Full file content

```
000001 | /**
000002 |  * ActionDismantlePart.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionDismantlePart
000014 | {
000015 |     override protected bool DismantleCondition( PlayerBase player, ActionTarget target, ItemBase item, bool camera_check )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.DismantleCondition( player, target, item, camera_check );
000021 |     }
000022 | }
```

0192. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionFoldBaseBuildingObject.c

Size bytes: 620

SHA-256: c302e05c914a29e20e64c5ef9be4974bdf29393e648859a926c2ffaab11d8571

Decoded as: utf-8-sig

Line count shown: 22

Detected class declarations: 1

L13: modded class ActionFoldBaseBuildingObject

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionFoldBaseBuildingObject.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionFoldBaseBuildingObject
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition( player, target, item );
000021 |     }
000022 | }
```

0193. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionForceConsume.c

Size bytes: 726

SHA-256: cee0f413b62e5c2aed16ee5cb26dc7306d43ec823f3e7925095d207e1dcf46a2

Decoded as: utf-8-sig

Line count shown: 26

Detected class declarations: 1

L13: modded class ActionForceConsume

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionForceConsume.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionForceConsume
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if (!super.ActionCondition(player, target, item))
000018 |             return false;
000019 |
000020 |         DayZPlayerImplement targetPlayer;
000021 |         if (Class.CastTo(targetPlayer, target.GetObject()) && !targetPlayer.Expansion_CanBeDamaged())
000022 |             return false;
000023 |
000024 |         return true;
000025 |     }
000026 | };
```


0194. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionGagTarget.c
Size bytes: 594
SHA-256: ab54af0864f2d83f829ec9f0c15e637124e81b7f2a74345567ddfdb147ecf419
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L13: modded class ActionGagTarget
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionGagTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionGagTarget
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition(player, target, item);
000021 |     }
000022 | };
```

0195. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionLockDoors.c
Size bytes: 593
SHA-256: 8a2ab8b4ddf081a328052a46f9a0f54097f90a8e4c5e10e75a5af731571e52a6
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L13: modded class ActionLockDoors
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionLockDoors.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class ActionLockDoors
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition(player, target, item);
000021 |     }
000022 | };
```

0196. PBO TEXT FILE

Path: core pbo files expan\core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionMineBush.c
Size bytes: 601
SHA-256: 8eda787e0f4afdde2fe582c921a22ead0736890a26c4d176d139c7a0b9b8e993
Decoded as: utf-8-sig
Line count shown: 24
Detected class declarations: 1
 L14: modded class ActionMineBush
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L16: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionMineBush.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /*
000014 | modded class ActionMineBush
000015 | {
000016 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000017 |     {
000018 |         if ( player.Expansion_IsInSafeZone() )
000019 |             return false;
000020 |
000021 |         return super.ActionCondition( player, target, item );
000022 |     }
000023 | };
000024 | */
```

0197. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionMineRock.c
Size bytes: 601
SHA-256: e2841bc6454caa6230fb8793b8cf11a6db12ada33102edd6a7c31152b97b344f
Decoded as: utf-8-sig
Line count shown: 24
Detected class declarations: 1
 L14: modded class ActionMineRock
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L16: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionMineRock.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /*
000014 | modded class ActionMineRock
000015 | {
000016 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000017 |     {
000018 |         if ( player.Expansion_IsInSafeZone() )
000019 |             return false;
000020 |
000021 |         return super.ActionCondition( player, target, item );
000022 |     }
000023 | };
000024 | */
```

0198. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionMineTree.c
Size bytes: 592
SHA-256: 52429cb63a190e37085414308edd3214a5d871811e2f4063975fbdd3a7b68d7f
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L13: modded class ActionMineTree
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionMineTree.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionMineTree
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition( player, target, item );
000021 |     }
000022 | }
```

0199. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionPackTent.c

Size bytes: 595

SHA-256: 342a5e846c351cdf1cf336a9b7afe84d229e24e9bacc4777b7941933565e4871

Decoded as: utf-8-sig

Line count shown: 22

Detected class declarations: 1

L13: modded class ActionPackTent

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionPackTent.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionPackTent
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition( player, target, item );
000021 |     }
000022 | }
```

0200. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionPushObject.c
Size bytes: 605
SHA-256: 28449ef4c73fd046534a679ef750b65a904194f71432641310bae43a1ee749ad
Decoded as: utf-8-sig
Line count shown: 23
Detected class declarations: 1
 L13: modded class ActionPushObject
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionPushObject.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2024 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionPushObject
000014 | {
000015 |     override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition( player, target, item );
000021 |     }
000022 | };
000023 |
```

0201. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionRestrainSelf.c

Size bytes: 601

SHA-256: 5afb966f9fc6055ae39226525c6ce21093ed19072b6a36965b650a20ea0113d7

Decoded as: utf-8-sig

Line count shown: 23

Detected class declarations: 1

L13: modded class ActionRestrainSelf

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionRestrainSelf.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class ActionRestrainSelf
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition(player, target, item);
000021 |     }
000022 | };
000023 |
```


0202. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionRestrainTarget.c
Size bytes: 678
SHA-256: 131a3c578be571cd39ec2b3c349609ae043aecbf7529a0904f7d98efcdff0225
Decoded as: utf-8-sig
Line count shown: 25
Detected class declarations: 1
 L13: modded class ActionRestrainTarget
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionRestrainTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionRestrainTarget
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         if (target && !PlayerBase.Cast(target.GetObject()))
000021 |             return false;
000022 |
000023 |         return super.ActionCondition(player, target, item);
000024 |     }
000025 | };
```

0203. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionShaveTarget.c

Size bytes: 597

SHA-256: d7b1040526a850c068462e58639dbcd91c3932f2189c1caeee51f9c8ff7f66ff

Decoded as: utf-8-sig

Line count shown: 22

Detected class declarations: 1

L13: modded class ActionShaveTarget

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionShaveTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class ActionShaveTarget
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition(player, target, item);
000021 |     }
000022 | };
```

0204. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionUnlockDoors.c
Size bytes: 595
SHA-256: 78da30ea06dc3d182e392db9b034a099a8fed8889aedc699c3e547e12586b426
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L13: modded class ActionUnlockDoors
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionUnlockDoors.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionUnlockDoors
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition(player, target, item);
000021 |     }
000022 | }
```

0205. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionUnMountBarbedWire.c
Size bytes: 609
SHA-256: 5de90c04f5d40c6c312946d1d2ef6abb54df5b3b413650ea44a936e4f99b29d2
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L13: modded class ActionUnmountBarbedWire
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionUnmountBarbedWire.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionUnmountBarbedWire
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition( player, target, item );
000021 |     }
000022 | }
```

0206. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionUnrestrainTarget.c
Size bytes: 620
SHA-256: a59a54c530eb3c030668c26d562ae0a3b7ba25c66d0c852a84455a391b228dac
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L13: modded class ActionUnrestrainTarget
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionUnrestrainTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionUnrestrainTarget
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if (target && !PlayerBase.Cast(target.GetObject()))
000018 |             return false;
000019 |
000020 |         return super.ActionCondition(player, target, item);
000021 |     }
000022 | };
```

0207. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionDebugLobotomize.c
Size bytes: 3894
SHA-256: b45bcc3141f144a515acb68549b75f6208cc15e1654c0e9c06633e3fe3127cb9
Decoded as: utf-8-sig
Line count shown: 143
Detected class declarations: 2
  L13: class ExpansionActionDebugLobotomizeCB: ActionContinuousBaseCB
  L21: class ExpansionActionDebugLobotomize: ActionContinuousBase
Detected enum declarations: 0
Detected function/method-like declarations: 16
  L15: override void CreateActionComponent()
  L27: void ExpansionActionDebugLobotomize()
  L36: override string GetText()
  L44: override void CreateConditionComponents()
  L50: override typename GetInputType()
  L55: override bool HasTarget()
  L60: override bool HasProgress()
  L65: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
  L67: return Expansion_ActionCondition(player, target, item);
  L70: override protected bool ActionConditionContinue( ActionData action_data )
  L72: return Expansion_ActionCondition(action_data.m_Player, action_data.m_Target, action_data.m_MainItem, true);
  L75: bool Expansion_ActionCondition(PlayerBase player, ActionTarget target, ItemBase item, bool isContinue = false)
  L97: else if (Class.CastTo(zombie, targetObject))
  L110: else if (zombie && zombie.m_Expansion_LobotomyInProgress)
  L120: override void OnFinishProgressServer(ActionData action_data)
  L134: else if (Class.CastTo(zombie, creature))
```

Full file content

```
000001 | /**
000002 |  * ExpansionActionDebugLobotomize.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2024 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionActionDebugLobotomizeCB: ActionContinuousBaseCB
000014 | {
000015 |     override void CreateActionComponent()
000016 |     {
000017 |         m_ActionData.m_ActionComponent = new CAContinuousTime(1.0);
000018 |     }
000019 | };
000020 |
000021 | class ExpansionActionDebugLobotomize: ActionContinuousBase
000022 | {
000023 |     static const ref TTypeNameArray EXPANSION_LOBOMTOMY_TOOLS = {Mosin_Bayonet, Screwdriver};
000024 |
000025 |     bool m_Expansion_IsLobotomized;  ///! Client only
000026 |
000027 |     void ExpansionActionDebugLobotomize()
000028 |     {
000029 |         m_CallbackClass = ExpansionActionDebugLobotomizeCB;
000030 |         m_CommandUID = DayZPlayerConstants.CMD_ACTIONFB_INTERACT;
```

```
000031 |         m_FullBody = true;
000032 |         m_StanceMask = DayZPlayerConstants.STANCEMASK_CROUCH | DayZPlayerConstants.STANCEMASK_ERECT;
000033 |         m_Text = "[ADMIN] Lobotomize";
000034 |     }
000035 |
000036 |     override string GetText()
000037 |     {
000038 |         if (m_Expansion_IsLobotomized)
000039 |             return "[ADMIN] Unlobotomize";
000040 |
000041 |         return m_Text;
000042 |     }
000043 |
000044 |     override void CreateConditionComponents()
000045 |     {
000046 |         m_ConditionTarget = new CCTObject;
000047 |         m_ConditionItem = new CCINone;
000048 |     }
000049 |
000050 |     override typename GetInputType()
000051 |     {
000052 |         return ContinuousInteractActionInput;
000053 |     }
000054 |
000055 |     override bool HasTarget()
000056 |     {
000057 |         return true;
000058 |     }
000059 |
000060 |     override bool HasProgress()
000061 |     {
000062 |         return true;
000063 |     }
000064 |
000065 |     override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
000066 |     {
000067 |         return Expansion_ActionCondition(player, target, item);
000068 |     }
000069 |
000070 |     override protected bool ActionConditionContinue( ActionData action_data )
000071 |     {
000072 |         return Expansion_ActionCondition(action_data.m_Player, action_data.m_Target, action_data.m_MainItem, true);
000073 |     }
000074 |
000075 |     bool Expansion_ActionCondition(PlayerBase player, ActionTarget target, ItemBase item, bool isContinue = false)
000076 |     {
000077 |         Object targetObject = target.GetObject();
000078 |
000079 |         if (!targetObject.IsDayZCreature() || !targetObject.IsAlive())
000080 |             return false;
000081 |
000082 |         auto permissionsManager = GetPermissionsManager();
000083 | #ifdef SERVER
000084 |         if (!permissionsManager.HasPermission("Expansion.Creature.Lobotomize", player.GetIdentity()))
000085 | #else
000086 |         if (!GetPermissionsManager().IsAdminToolsToggledOn() || !permissionsManager.HasPermission("Expansion.Creature.Lobotomize"))
000087 | #endif
000088 |             return false;
000089 |
000090 |         AnimalBase animal;
000091 |         ZombieBase zombie;
000092 |
```

```
000093 |         bool isLobotomized;
000094 |
000095 |         if (Class.CastTo(animal, targetObject))
000096 |             isLobotomized = animal.Expansion_IsLobotomized();
000097 |         else if (Class.CastTo(zombie, targetObject))
000098 |             isLobotomized = zombie.Expansion_IsLobotomized();
000099 |         else
000100 |             return false;
000101 |
000102 |         if (!isLobotomized && (!item || item.IsDamageDestroyed()) || !ExpansionStatic.IsAnyOf(item, EXPANSION_LOBOMTOMY_TOOLS))
000103 |             return false;
000104 |
000105 |     #ifdef SERVER
000106 |         if (!isContinue)
000107 |         {
000108 |             if (animal && animal.m_Expansion_LobotomyInProgress)
000109 |                 return false;
000110 |             else if (zombie && zombie.m_Expansion_LobotomyInProgress)
000111 |                 return false;
000112 |         }
000113 |     #else
000114 |         m_Expansion_IsLobotomized = isLobotomized;
000115 |     #endif
000116 |
000117 |         return true;
000118 |     }
000119 |
000120 |     override void OnFinishProgressServer(ActionData action_data)
000121 |     {
000122 |     #ifdef EXTRACE_DIAG
000123 |         auto trace = EXTrace.Start(EXTrace.MISC, this);
000124 |     #endif
000125 |
000126 |         auto creature = DayZCreatureAI.Cast(action_data.m_Target.GetObject());
000127 |
000128 |         bool isLobotomized;
000129 |
000130 |         AnimalBase animal;
000131 |         ZombieBase zombie;
000132 |         if (Class.CastTo(animal, creature))
000133 |             isLobotomized = animal.Expansion_IsLobotomized();
000134 |         else if (Class.CastTo(zombie, creature))
000135 |             isLobotomized = zombie.Expansion_IsLobotomized();
000136 |
000137 |         if (!isLobotomized)
000138 |             creature.ProcessDirectDamage(DT_FIRE_ARM, action_data.m_Player, "", "Bullet_Expansion_LobotomyDart", "0 0 0", 1.0);
000139 |         else
000140 |             GetDayZGame().GetExpansionGame().Lobotomize(creature);
000141 |     }
000142 | }
000143 |
```


0208. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionDebugStoreEntity.c
Size bytes: 3372
SHA-256: c2c624215315f3172b6e12863c449e79f22ea3901658a94b3733816cbc3f619f
Decoded as: utf-8-sig
Line count shown: 127
Detected class declarations: 2
 L13: class ExpansionActionDebugStoreEntityCB: ActionContinuousBaseCB
 L21: class ExpansionActionDebugStoreEntity: ActionContinuousBase
Detected enum declarations: 0
Detected function/method-like declarations: 10
 L15: override void CreateActionComponent()
 L23: void ExpansionActionDebugStoreEntity()
 L32: override void CreateConditionComponents()
 L38: override typename GetInputType()
 L43: override bool HasTarget()
 L48: override bool HasProgress()
 L53: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
 L103: override void OnStartServer(ActionData action_data)
 L109: override void OnEndServer(ActionData action_data)
 L116: override void OnFinishProgressServer(ActionData action_data)

Full file content

```
000001 | /**
000002 |  * ExpansionActionDebugStoreEntity.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionActionDebugStoreEntityCB: ActionContinuousBaseCB
000014 | {
000015 |     override void CreateActionComponent()
000016 |     {
000017 |         m_ActionData.m_ActionComponent = new CAContinuousTime(5);
000018 |     }
000019 | };
000020 |
000021 | class ExpansionActionDebugStoreEntity: ActionContinuousBase
000022 | {
000023 |     void ExpansionActionDebugStoreEntity()
000024 |     {
000025 |         m_CallbackClass = ExpansionActionDebugStoreEntityCB;
000026 |         m_CommandUID = DayZPlayerConstants.CMD_ACTIONFB_INTERACT;
000027 |         m_FullBody = true;
000028 |         m_StanceMask = DayZPlayerConstants.STANCEMASK_CROUCH | DayZPlayerConstants.STANCEMASK_ERECT;
000029 |         m_Text = "[ADMIN] Goatify";
000030 |     }
000031 |
000032 |     override void CreateConditionComponents()
000033 |     {
000034 |         m_ConditionTarget = new CCTCursor;
000035 |         m_ConditionItem = new CCINone;
000036 |     }
}
```

```
000037 |
000038 |     override typename GetInputType()
000039 |     {
000040 |         return ContinuousInteractActionInput;
000041 |     }
000042 |
000043 |     override bool HasTarget()
000044 |     {
000045 |         return true;
000046 |     }
000047 |
000048 |     override bool HasProgress()
000049 |     {
000050 |         return true;
000051 |     }
000052 |
000053 |     override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
000054 |     {
000055 |         if (item)
000056 |             return false;
000057 |
000058 |         if (!g_Game.IsMultiplayer())
000059 |             return false;
000060 |
000061 |         auto entity = EntityAI.Cast(target.GetParentOrObject());
000062 |         if (!entity)
000063 |             return false;
000064 |
000065 |         if (entity.IsInherited(ExpansionEntityStoragePlaceholder))
000066 |             return false;
000067 |
000068 |         if (entity.IsInherited(ExpansionNPCBase))
000069 |             return false;
000070 |
000071 |         #ifdef EXPANSIONMODAI
000072 |             if (entity.IsInherited(eAINPCBase))
000073 |                 return false;
000074 |         #endif
000075 |
000076 |         if (entity.ConfigGetInt("scope") != 2)
000077 |             return false;
000078 |
000079 |         auto permissionsManager = GetPermissionsManager();
000080 |         #ifdef SERVER
000081 |             if (!permissionsManager.HasPermission("Expansion.EntityStorage.Goatify", player.GetIdentity()))
000082 |                 #else
000083 |                 if (!permissionsManager.IsAdminToolsToggledOn() || !permissionsManager.HasPermission("Expansion.EntityStorage.Goatify"))
000084 |                 #endif
000085 |                     return false;
000086 |
000087 |         auto vehicle = ExpansionVehicle.Get(entity);
000088 |         if (vehicle)
000089 |         {
000090 |             if (vehicle.GetCrew().Count())
000091 |                 return false;
000092 |         }
000093 |
000094 |     #ifdef EXPANSIONMODBASEBUILDING
000095 |         ItemBase targetItem;
000096 |         if (Class.CastTo(targetItem, entity) && targetItem.Expansion_HasEntityStorage())
000097 |             return false;
000098 |     #endif
```

```
000099 |  
000100 |     return true;  
000101 | }  
000102 |  
000103 | override void OnStartServer(ActionData action_data)  
000104 | {  
000105 |     Object targetObject = action_data.m_Target.GetParentOrObject();  
000106 |     ExpansionSound.Play("cartent_deploy_SoundSet", targetObject.GetPosition());  
000107 | }  
000108 |  
000109 | override void OnEndServer(ActionData action_data)  
000110 | {  
000111 |     Object targetObject = action_data.m_Target.GetParentOrObject();  
000112 |     if (targetObject)  
000113 |         ExpansionSound.Stop("cartent_deploy_SoundSet", targetObject.GetPosition(), 0.1);  
000114 | }  
000115 |  
000116 | override void OnFinishProgressServer(ActionData action_data)  
000117 | {  
000118 |     auto entity = EntityAI.Cast(action_data.m_Target.GetParentOrObject());  
000119 |     if (!entity)  
000120 |         return;  
000121 |  
000122 |     ExpansionEntityStoragePlaceholder placeholder;  
000123 |     if (ExpansionEntityStoragePlaceholder.Expansion_StoreEntityAndReplace(entity, "ExpansionDebugGoat", entity.GetPosition(), ECE_OBJECT_SWAP, placeholder))  
000124 |         ExpansionSound.Play(placeholder.GetPlaceSoundset(), placeholder);  
000125 | }  
000126 | }  
000127 |
```

0209. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionPaint.c
 Size bytes: 3298
 SHA-256: baf047be6bd200f7a95351b9548e3f598384b3594e4ec3a8a0ef7243786e2802
 Decoded as: utf-8-sig
 Line count shown: 122
 Detected class declarations: 2
 L13: class ExpansionActionPaintCB : ActionContinuousBaseCB
 L21: class ExpansionActionPaint: ActionContinuousBase
 Detected enum declarations: 0
 Detected function/method-like declarations: 8
 L15: override void CreateActionComponent()
 L28: void ExpansionActionPaint()
 L39: override void CreateConditionComponents()
 L45: override typename GetInputType()
 L50: override string GetText()
 L55: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
 L82: override void OnStartServer(ActionData action_data)
 L116: override void OnStartClient(ActionData action_data)

Full file content

```
000001 | /**
000002 |  * ExpansionActionPaint.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionActionPaintCB : ActionContinuousBaseCB
000014 | {
000015 |     override void CreateActionComponent()
000016 |     {
000017 |         m_ActionData.m_ActionComponent = new CAContinuousTime( 0.1 );
000018 |     }
000019 | };
000020 |
000021 | class ExpansionActionPaint: ActionContinuousBase
000022 | {
000023 |     private string m_TargetName;
000024 |     private string m_TargetDisplayName;
000025 |
000026 |     private ExpansionSkinModule m_SkinModule;
000027 |
000028 |     void ExpansionActionPaint()
000029 |     {
000030 |         m_CallbackClass = ExpansionActionPaintCB;
000031 |         m_CommandUID = DayZPlayerConstants.CMD_ACTIONMOD_ATTACHITEM;
000032 |         m_FullBody = false;
000033 |         m_StanceMask = DayZPlayerConstants.STANCEMASK_ALL;
000034 |         m_SpecialtyWeight = UASoftSkillsWeight.PRECISE_LOW;
000035 |
000036 |         CF_Modules<ExpansionSkinModule>.Get(m_SkinModule);
000037 |     }
000038 | }
```

```
000039 | override void CreateConditionComponents()
000040 | {
000041 |     m_ConditionItem = new CCINonRuined;
000042 |     m_ConditionTarget = new CCTObject(UAMaxDistances.BASEBUILDING);
000043 | }
000044 |
000045 | override typename GetInputType()
000046 | {
000047 |     return ContinuousInteractActionInput;
000048 | }
000049 |
000050 | override string GetText()
000051 | {
000052 |     return "#STR_EXPANSION_PAINT " + m_TargetDisplayName;
000053 | }
000054 |
000055 | override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000056 | {
000057 |     if ( !m_SkinModule )
000058 |         return false;
000059 |
000060 |     ExpansionSpraycanBase spraycan;
000061 |
000062 |     //! Print( player.GetItemInHands() );
000063 |     if ( !Class.CastTo( spraycan, player.GetItemInHands() ) )
000064 |         return false;
000065 |
000066 |     m_TargetName = target.GetObject().GetType();
000067 |
000068 |     string spraySkin;
000069 |     g_Game.ConfigGetText( "cfgVehicles " + spraycan.GetType() + " skinName", spraySkin );
000070 |
000071 |     int skinIndex = m_SkinModule.GetSkinIndex( m_TargetName, spraySkin );
000072 |
000073 |     if ( skinIndex == -1 )
000074 |         return false;
000075 |
000076 |     m_TargetDisplayName = target.GetObject().GetDisplayName();
000077 |     //! Print( m_TargetDisplayName );
000078 |
000079 |     return true;
000080 | }
000081 |
000082 | override void OnStartServer( ActionData action_data )
000083 | {
000084 | #ifdef EXPANSIONTRACE
000085 |     auto trace = CF_Trace_0(ExpansionTracing.SKIN, this, "OnStartServer");
000086 | #endif
000087 |
000088 |     super.OnStartServer( action_data );
000089 |
000090 |     ExpansionVehicle vehicle;
000091 |     ItemBase item;
000092 |
000093 |     string spraySkin;
000094 |     g_Game.ConfigGetText( "cfgVehicles " + action_data.m_MainItem.GetType() + " skinName", spraySkin );
000095 |
000096 |     int skinIndex = m_SkinModule.GetSkinIndex( action_data.m_Target.GetObject().GetType(), spraySkin );
000097 |     if ( skinIndex == -1 )
000098 |         return;
000099 |
000100 |     if ( ExpansionVehicle.Get( vehicle, action_data.m_Target.GetObject() ) )
```

```
000101 | {
000102 |     vehicle.SetSkin( skinIndex );
000103 | } else if ( Class.CastTo( item, action_data.m_Target.GetObject() ) )
000104 | {
000105 |     item.ExpansionSetSkin( skinIndex );
000106 | }
000107 |
000108 | action_data.m_MainItem.AddQuantity( -10 );
000109 |
000110 | if ( !g_Game.IsServer() || !g_Game.IsMultiplayer() )
000111 | {
000112 |     SEffectManager.PlaySound( "Expansion_Spraying_SoundSet", action_data.m_Target.GetObject().GetPosition() );
000113 | }
000114 | }
000115 |
000116 | override void OnStartClient( ActionData action_data )
000117 | {
000118 |     super.OnStartClient( action_data );
000119 |
000120 |     SEffectManager.PlaySound("Expansion_Spraying_SoundSet", action_data.m_Target.GetObject().GetPosition() );
000121 | }
000122 | };
```

0210. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionPlaceDebugGoat.c
Size bytes: 1109
SHA-256: e7663d2f6667f6cb9d8eede6793b6054fe3dd4bf199c479173b8e51c6022eb33
Decoded as: utf-8-sig
Line count shown: 33
Detected class declarations: 1
 L1: class ExpansionActionPlaceDebugGoat: ActionPlaceObject
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L3: override void MoveEntityToFinalPosition(ActionData action_data, vector position, vector orientation)

Full file content

```
000001 | class ExpansionActionPlaceDebugGoat: ActionPlaceObject
000002 | {
000003 |     override void MoveEntityToFinalPosition(ActionData action_data, vector position, vector orientation)
000004 |     {
000005 |         EntityAI entity_for_placing = action_data.m_MainItem;
000006 |         vector rotation_matrix[3];
000007 |         float direction[4];
000008 |         InventoryLocation source = new InventoryLocation;
000009 |         InventoryLocation destination = new InventoryLocation;
000010 |
000011 |         Math3D.YawPitchRollMatrix(orientation, rotation_matrix);
000012 |         Math3D.MatrixToQuat(rotation_matrix, direction);
000013 |
000014 |         vector entityMinMax[2];
000015 |         if (!entity_for_placing.GetCollisionBox(entityMinMax))
000016 |             entity_for_placing.ClippingInfo(entityMinMax);
000017 |
000018 |         float entityOffsetY = entityMinMax[0][1];
000019 |         position[1] = position[1] - entityOffsetY;
000020 |
000021 |         if (entity_for_placing.GetInventory().GetCurrentInventoryLocation(source))
000022 |         {
000023 |             destination.SetGroundEx(entity_for_placing, position, direction);
000024 |
000025 |             if (g_Game.IsMultiplayer())
000026 |                 action_data.m_Player.ServerTakeToDst(source, destination);
000027 |             else // singleplayer
000028 |                 MoveEntityToFinalPositionSinglePlayer(action_data, source, destination);
000029 |         }
000030 |     }
000031 | }
000032 | }
000033 |
```

0211. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionRestoreEntity.c
 Size bytes: 5897
 SHA-256: 7eb7e408775dc841317e8c68dda0417fb9f0ff26154bbbcdfeea06b8e7eda636
 Decoded as: utf-8-sig
 Line count shown: 173
 Detected class declarations: 2
 L13: class ExpansionActionRestoreEntityCB: ActionContinuousBaseCB
 L21: class ExpansionActionRestoreEntity: ActionContinuousBase
 Detected enum declarations: 0
 Detected function/method-like declarations: 11
 L15: override void CreateActionComponent()
 L23: void ExpansionActionRestoreEntity()
 L32: override void CreateConditionComponents()
 L38: override typename GetInputType()
 L43: override bool HasTarget()
 L48: override bool HasProgress()
 L53: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
 L90: override void OnStartServer(ActionData action_data)
 L97: override void OnEndServer(ActionData action_data)
 L104: bool Expansion_OnFinishProgressServer(ActionData action_data, bool deletePlaceholder = true, out ExpansionEntityStoragePlaceholder placehold
 L168: override void OnFinishProgressServer(ActionData action_data)

Full file content

```
000001 | /**
000002 |  * ExpansionActionRestoreEntity.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionActionRestoreEntityCB: ActionContinuousBaseCB
000014 | {
000015 |     override void CreateActionComponent()
000016 |     {
000017 |         m_ActionData.m_ActionComponent = new CAContinuousTime(5);
000018 |     }
000019 | };
000020 |
000021 | class ExpansionActionRestoreEntity: ActionContinuousBase
000022 | {
000023 |     void ExpansionActionRestoreEntity()
000024 |     {
000025 |         m_CallbackClass = ExpansionActionRestoreEntityCB;
000026 |         m_CommandUID = DayZPlayerConstants.CMD_ACTIONFB_INTERACT;
000027 |         m_FullBody = true;
000028 |         m_StanceMask = DayZPlayerConstants.STANCEMASK_CROUCH | DayZPlayerConstants.STANCEMASK_ERECT;
000029 |         m_Text = "[ADMIN] Ungoatify";
000030 |     }
000031 |
000032 |     override void CreateConditionComponents()
000033 |     {
000034 |         m_ConditionTarget = new CCTCursor;
000035 |         m_ConditionItem = new CCINone;
```



```
000036 |     }
000037 |
000038 |     override typename GetInputType()
000039 |     {
000040 |         return ContinuousInteractActionInput;
000041 |     }
000042 |
000043 |     override bool HasTarget()
000044 |     {
000045 |         return true;
000046 |     }
000047 |
000048 |     override bool HasProgress()
000049 |     {
000050 |         return true;
000051 |     }
000052 |
000053 |     override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
000054 |     {
000055 |         auto placeholder = ExpansionEntityStoragePlaceholder.Cast(target.GetParentOrObject());
000056 |         if (!placeholder)
000057 |             return false;
000058 |
000059 |         if (placeholder.Type() == ExpansionDebugGoat)
000060 |         {
000061 |             auto permissionsManager = GetPermissionsManager();
000062 |             #ifdef SERVER
000063 |                 if (!permissionsManager.HasPermission("Expansion.EntityStorage.Goatify", player.GetIdentity()))
000064 |                     #else
000065 |                         if (!permissionsManager.IsAdminToolsToggledOn() || !permissionsManager.HasPermission("Expansion.EntityStorage.Goatify"))
000066 |                             #endif
000067 |                             return false;
000068 |         }
000069 |
000070 |         if (!placeholder.Expansion_HasStoredEntity())
000071 |         {
000072 |             if (g_Game.IsServer() && g_Game.IsMultiplayer())
000073 |             {
000074 |                 ExpansionNotification("Entity Storage", "Could not restore " + placeholder.Expansion_GetStoredEntityDisplayName() + " (missing data?).").Error(player.GetIdentity());
000075 |
000076 |                 if (GetExpansionSettings().GetLog().EntityStorage)
000077 |                 {
000078 |                     auto type = new EXString(placeholder.Expansion_GetStoredEntityType());
000079 |                     auto id = new EXString(placeholder.m_Expansion_StoredEntityGlobalID.IDToHex());
000080 |                     GetExpansionSettings().GetLog().PrintLog("[EntityStorage] ERROR: Player \"{1:name}\" (id={1:id} pos={1:position}) tried to restore entity \"{2:GlobalID={3} pos={4:position}} but it failed! (missing data?)", player, type, id, placeholder);
000081 |                 }
000082 |             }
000083 |
000084 |             return false;
000085 |         }
000086 |
000087 |         return true;
000088 |     }
000089 |
000090 |     override void OnStartServer(ActionData action_data)
000091 |     {
000092 |         Object targetObject = action_data.m_Target.GetParentOrObject();
000093 |         if (targetObject.Type() == ExpansionDebugGoat)
000094 |             ExpansionSound.Play("cartent_deploy_SoundSet", targetObject);
000095 |     }
```

```

000096 |
000097 |     override void OnEndServer(ActionData action_data)
000098 |     {
000099 |         Object targetObject = action_data.m_Target.GetParentOrObject();
000100 |         if (targetObject && targetObject.Type() == ExpansionDebugGoat)
000101 |             ExpansionSound.Stop("cartent_deploy_SoundSet", targetObject, 0.1);
000102 |     }
000103 |
000104 |     bool Expansion_OnFinishProgressServer(ActionData action_data, bool deletePlaceholder = true, out ExpansionEntityStoragePlaceholder placeholder = null, out EntityAI entity = null, bool log = true)
000105 |     {
000106 |         if (!Class.CastTo(placeholder, action_data.m_Target.GetParentOrObject()))
000107 |             return false;
000108 |
000109 |         string id = placeholder.m_Expansion_StoredEntityGlobalID.IDToHex();
000110 |
000111 |         vector position = placeholder.GetPosition();
000112 |         placeholder.SetPosition("0 0 0");
000113 |         if (ExpansionEntityStorageModule.RestoreFromFile(placeholder.Expansion_GetEntityStorageFileName(), entity, placeholder))
000114 |         {
000115 |             if (deletePlaceholder)
000116 |             {
000117 |                 ///! If we are deleting placeholder, move restored entity to placeholder position
000118 |
000119 |                 vector orientation = placeholder.GetOrientation();
000120 |
000121 |                 vector placeholderMinMax[2];
000122 |                 if (!placeholder.GetCollisionBox(placeholderMinMax))
000123 |                     placeholder.ClippingInfo(placeholderMinMax);
000124 |
000125 |                 float placeholderOffsetY = placeholderMinMax[0][1];
000126 |                 if (placeholderOffsetY > 0)
000127 |                     placeholderOffsetY = 0;
000128 |
000129 |                 vector entityMinMax[2];
000130 |                 if (!entity.GetCollisionBox(entityMinMax))
000131 |                     entity.ClippingInfo(entityMinMax);
000132 |
000133 |                 float entityOffsetY = entityMinMax[0][1];
000134 |                 if (entityOffsetY > 0)
000135 |                     entityOffsetY = 0;
000136 |
000137 |                 position[1] = position[1] + placeholderOffsetY - entityOffsetY;
000138 |
000139 |                 g_Game.ObjectDelete(placeholder);
000140 |
000141 |                 entity.SetPosition(position);
000142 |                 entity.SetOrientation(orientation);
000143 |             }
000144 |         }
000145 |         else
000146 |         {
000147 |             placeholder.SetPosition(position);
000148 |
000149 |             string type;
000150 |             placeholder.m_Expansion_NetsyncData.Get(0, type);
000151 |
000152 |             Error(ToString() + "::Expansion_OnFinishProgressServer - Could not restore vehicle " + type + " from file " + placeholder.Expansion_GetEntityStorageFileName());
000153 |
000154 |             ExpansionNotification("Entity Storage", "Could not restore " + placeholder.Expansion_GetStoredEntityDisplayName()).Error(action_data.m_Player.GetIdentity());

```

```
000155 |  
000156 |         if (log && GetExpansionSettings().GetLog().EntityStorage)  
000157 |             GetExpansionSettings().GetLog().PrintLog("[EntityStorage] ERROR: Player \"{1:name}\" (id={1:id} pos={1:position}) tried to restore entity \"{2}\""  
000158 | (GlobalID={3} pos={4:position}) but it failed!", action_data.m_Player, new EXString(type), new EXString(id), placeholder);  
000159 |         return false;  
000160 |     }  
000161 |  
000162 |     if (log && GetExpansionSettings().GetLog().EntityStorage)  
000163 |         GetExpansionSettings().GetLog().PrintLog("[EntityStorage] Player \"{1:name}\" (id={1:id} pos={1:position}) restored entity \"{2:type}\" (GlobalID={3}  
000164 | pos={2:position})", action_data.m_Player, entity, new EXString(id));  
000165 |     return true;  
000166 | }  
000167 |  
000168 | override void OnFinishProgressServer(ActionData action_data)  
000169 | {  
000170 |     Expansion_OnFinishProgressServer(action_data);  
000171 | }  
000172 | }  
000173 |
```

0212. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionCheckPulseTarget.c
Size bytes: 776
SHA-256: 681c6b6d180aa8ee72a43ee4e935c723ebba9f423d559564c3343ba31b263b2
Decoded as: utf-8-sig
Line count shown: 27
Detected class declarations: 1
L13: modded class ActionCheckPulseTarget
Detected enum declarations: 0
Detected function/method-like declarations: 1
L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionCheckPulseTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionCheckPulseTarget
000014 | {
000015 |     override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
000016 |     {
000017 |         if (!super.ActionCondition(player, target, item))
000018 |             return false;
000019 |
000020 |         //! Disable checking pulse if dmg disabled
000021 |         DayZPlayerImplement targetPlayer;
000022 |         if (Class.CastTo(targetPlayer, target.GetObject()) && !targetPlayer.Expansion_CanBeDamaged())
000023 |             return false;
000024 |
000025 |         return true;
000026 |     }
000027 | };
```

0213. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionCollectBloodTarget.c
Size bytes: 740
SHA-256: 080c7927095b4621e30160be9def27c763a079e88ac8fb33f0c9ddde12deb935
Decoded as: utf-8-sig
Line count shown: 27
Detected class declarations: 1
 L13: modded class ActionCollectBloodTarget
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionCollectBloodTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionCollectBloodTarget
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if (!super.ActionCondition(player, target, item))
000018 |             return false;
000019 |
000020 |         DayZPlayerImplement targetPlayer;
000021 |         if (Class.CastTo(targetPlayer, target.GetObject()) && !targetPlayer.Expansion_CanBeDamaged())
000022 |             return false;
000023 |
000024 |         return true;
000025 |     }
000026 | };
000027 |
```

0214. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionCollectSampleTarget.c
Size bytes: 740
SHA-256: 217e25120a3cbc55db4957353eb129ffe8984b0d93256eb9d566542f5e612261
Decoded as: utf-8-sig
Line count shown: 26
Detected class declarations: 1
 L13: modded class ActionCollectSampleTarget
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionCollectSampleTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionCollectSampleTarget
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if (!super.ActionCondition(player, target, item))
000018 |             return false;
000019 |
000020 |         DayZPlayerImplement targetPlayer;
000021 |         if (Class.CastTo(targetPlayer, target.GetObject()) && !targetPlayer.Expansion_CanBeDamaged())
000022 |             return false;
000023 |
000024 |         return true;
000025 |     }
000026 | };
```

0215. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionDefibrilateTarget.c
Size bytes: 736
SHA-256: fdf524658bfc815f1e0c2c37c286a1f18e8d8f4876554a738e27a44f32d9c067
Decoded as: utf-8-sig
Line count shown: 26
Detected class declarations: 1
 L13: modded class ActionDefibrilateTarget
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionDefibrilateTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionDefibrilateTarget
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if (!super.ActionCondition(player, target, item))
000018 |             return false;
000019 |
000020 |         DayZPlayerImplement targetPlayer;
000021 |         if (Class.CastTo(targetPlayer, target.GetObject()) && !targetPlayer.Expansion_CanBeDamaged())
000022 |             return false;
000023 |
000024 |         return true;
000025 |     }
000026 | };
```

0216. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionGiveBloodTarget.c
Size bytes: 732
SHA-256: 929f2226992c535d131497aa63ebbd3b2da32f6bba63005c6e887cab001a41db
Decoded as: utf-8-sig
Line count shown: 26
Detected class declarations: 1
 L13: modded class ActionGiveBloodTarget
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionGiveBloodTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionGiveBloodTarget
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if (!super.ActionCondition(player, target, item))
000018 |             return false;
000019 |
000020 |         DayZPlayerImplement targetPlayer;
000021 |         if (Class.CastTo(targetPlayer, target.GetObject()) && !targetPlayer.Expansion_CanBeDamaged())
000022 |             return false;
000023 |
000024 |         return true;
000025 |     }
000026 | };
```


0217. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\ExpansionActionToolBase.c
Size bytes: 5954
SHA-256: cfc0135edfb7eb2aef72d6d618506852bf8cf41bac01cdaf47fd01f4d3678170
Decoded as: utf-8-sig
Line count shown: 196
Detected class declarations: 2
  L16: class ExpansionActionToolBaseCB: ActionContinuousBaseCB
  L41: class ExpansionActionToolBase : ActionContinuousBase
Detected enum declarations: 0
Detected function/method-like declarations: 11
  L18: override void CreateActionComponent()
  L51: void ExpansionActionToolBase()
  L56: bool SetupCondition()
  L61: void Setup( PlayerBase player, ActionTarget target, ItemBase item )
  L69: override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
  L90: override void CreateAndSetupActionCallback( ActionData action_data )
  L123: override void OnStartAnimationLoopServer( ActionData action_data )
  L137: override void OnEndAnimationLoopServer( ActionData action_data )
  L148: override void OnFinishProgressServer( ActionData action_data )
  L184: ItemBase GetTargetItem( Object targetObject )
  L191: Object GetActualTargetObject( Object targetObject )
```

Full file content

```
000001 | /**
000002 |  * ExpansionActionToolBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /*! @brief Provides base classes for tool-based continuous actions with animation fitting the tool.
000014 | */
000015 |
000016 | class ExpansionActionToolBaseCB: ActionContinuousBaseCB
000017 | {
000018 |     override void CreateActionComponent()
000019 |     {
000020 |         ExpansionActionToolBase action = ExpansionActionToolBase.Cast( m_ActionData.m_Action );
000021 |
000022 |         int time;
000023 |         int cycles;
000024 |
000025 |         if ( action )
000026 |         {
000027 |             time = action.m_Time;
000028 |             cycles = action.m_Cycles;
000029 |         }
000030 |
000031 |         if ( !time )
000032 |             time = 15 * 60; //!< 15 minutes
000033 |
000034 |         if ( !cycles )
000035 |             cycles = 5;
```

```
000036 |
000037 |         m_ActionData.m_ActionComponent = new CAContinuousRepeat( time / cycles );
000038 |     }
000039 | }
000040 |
000041 | class ExpansionActionToolBase : ActionContinuousBase
000042 | {
000043 |     string m_TargetName;
000044 |
000045 |     int m_Cycles;
000046 |
000047 |     float m_Time;
000048 |     float m_ToolDamagePercent; //!< If tool damage is 100% and the tool does not consume energy, it WILL be ruined no matter what when the action finishes
000049 |     float m_MinHealth01; //!< Minimum health [0.0..1.0] at which target is considered destroyed, negative value = ignore
000050 |
000051 |     void ExpansionActionToolBase()
000052 |     {
000053 |         m_CallbackClass = ExpansionActionToolBaseCB;
000054 |     }
000055 |
000056 |     bool SetupCondition()
000057 |     {
000058 |         return true;
000059 |     }
000060 |
000061 |     void Setup( PlayerBase player, ActionTarget target, ItemBase item )
000062 |     {
000063 |         m_Time = 15 * 60; //!< 15 minutes
000064 |         m_Cycles = 1;
000065 |         m_ToolDamagePercent = 10;
000066 |         m_MinHealth01 = -1;
000067 |     }
000068 |
000069 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000070 |     {
000071 |         if ( !item || !target.GetParentOrObject() )
000072 |             return false;
000073 |
000074 |         if ( !SetupCondition() )
000075 |             return false;
000076 |
000077 |         Setup( player, target, item );
000078 |
000079 |         if ( m_Time <= 0 )
000080 |             return false;
000081 |
000082 |         if ( item.GetCompEM() && !item.GetCompEM().IsWorking() )
000083 |             return false;
000084 |
000085 |         m_TargetName = target.GetParentOrObject().GetDisplayName();
000086 |
000087 |         return true;
000088 |     }
000089 |
000090 |     override void CreateAndSetupActionCallback( ActionData action_data )
000091 |     {
000092 |         ItemBase item = action_data.m_MainItem;
000093 |
000094 |         if ( item.GetCompEM() )
000095 |         {
000096 |             //!< Powered items
000097 |             m_CommandUID = DayZPlayerConstants.CMD_ACTIONFB_FILLBOTTLEWELL;
```

```
000098 |         } else
000099 |         {
000100 |             string animClass;
000101 |             string suicideAnim;
000102 |
000103 |             if ( item.ConfigIsExisting( "animClass" ) )
000104 |                 animClass = item.ConfigGetString( "animClass" );
000105 |
000106 |             if ( item.ConfigIsExisting( "suicideAnim" ) )
000107 |                 suicideAnim = item.ConfigGetString( "suicideAnim" );
000108 |
000109 |             if ( ( suicideAnim != "" || item.KindOf( "Axe" ) || item.IsKindOf( "Hammer" ) || item.KindOf( "Knife" ) || item.KindOf( "Pickaxe" ) || item.KindOf( "SledgeHammer" ) ) && animClass != "Knife" && suicideAnim != "onehanded" )
000110 |             {
000111 |                 ///! Tools & melee weapons (excluding knives)
000112 |                 m_CommandUID = DayZPlayerConstants.CMD_ACTIONFB_DISASSEMBLE;
000113 |             } else
000114 |             {
000115 |                 ///! All other items
000116 |                 m_CommandUID = DayZPlayerConstants.CMD_ACTIONFB_INTERACT;
000117 |             }
000118 |         }
000119 |
000120 |         super.CreateAndSetupActionCallback( action_data );
000121 |     }
000122 |
000123 |     override void OnStartAnimationLoopServer( ActionData action_data )
000124 |     {
000125 |         super.OnStartAnimationLoopServer( action_data );
000126 |
000127 |         ItemBase item = action_data.m_MainItem;
000128 |         if ( item.GetCompEM() && item.HasQuantity() )
000129 |         {
000130 |             ///! Convert tool dmg pct to energy usage
000131 |             ///! (less ~10% so fully charged/filled tool will last for the configured number of raid cycles)
000132 |             float energyMax = item.GetCompEM().GetEnergyMaxPristine();
000133 |             item.GetCompEM().SetEnergyUsage( energyMax * m_ToolDamagePercent / 110.0 / m_Time );
000134 |         }
000135 |     }
000136 |
000137 |     override void OnEndAnimationLoopServer( ActionData action_data )
000138 |     {
000139 |         super.OnEndAnimationLoopServer( action_data );
000140 |
000141 |         ItemBase item = action_data.m_MainItem;
000142 |         if ( item.GetCompEM() && item.HasQuantity() )
000143 |         {
000144 |             item.GetCompEM().ResetEnergyUsage();
000145 |         }
000146 |     }
000147 |
000148 |     override void OnFinishProgressServer( ActionData action_data )
000149 |     {
000150 |         Object actualTargetObject = GetActualTargetObject( action_data.m_Target.GetParentOrObject() );
000151 |
000152 |         if ( !actualTargetObject )
000153 |             return;
000154 |
000155 |         if ( !action_data.m_MainItem.GetCompEM() || action_data.m_MainItem.HasQuantity() )
000156 |         {
000157 |             if ( !action_data.m_MainItem.HasQuantity() )
000158 |             {
```

```
000159 |         ///! Damage tool if it does not have an energy manager or quantity
000160 |
000161 |         float maxHealth = actualTargetObject.GetMaxHealth( "", "Health" );
000162 |         float minHealth = Math.Floor( maxHealth * m_MinHealth01 );
000163 |
000164 |         float toolDamage = action_data.m_MainItem.GetMaxHealth() * m_ToolDamagePercent / 100.0;
000165 |         ///! If it's the last cycle and tool damage is set to 100%, the tool will be ruined no matter what
000166 |         if ( actualTargetObject.GetHealth() > minHealth || m_ToolDamagePercent < 100.0 )
000167 |             toolDamage /= m_Cycles;
000168 |         action_data.m_MainItem.DecreaseHealth( toolDamage, false );
000169 |     } else
000170 |     {
000171 |         ///! Deplete tool by converting tool dmg to quantity
000172 |         float quantity = action_data.m_MainItem.GetQuantityMax() * m_ToolDamagePercent / 100.0;
000173 |         ///! If it's the last cycle and tool damage is set to 100%, the tool will be fully depleted no matter what
000174 |         if ( actualTargetObject.GetHealth() > minHealth || m_ToolDamagePercent < 100.0 )
000175 |             quantity /= m_Cycles;
000176 |         action_data.m_MainItem.SetQuantity( action_data.m_MainItem.GetQuantity() - quantity );
000177 |     }
000178 | }
000179 |
000180 |     action_data.m_Player.GetSoftSkillsManager().AddSpecialty( m_SpecialtyWeight / m_Cycles );
000181 | }
000182 |
000183 | ///! Just kept for compatibility with 3rd party mods
000184 | ItemBase GetTargetItem( Object targetObject )
000185 | {
000186 |     Error("DEPRECATED - please use ExpansionActionToolBase::GetActualTargetObject instead");
000187 |     return ItemBase.Cast( GetActualTargetObject( targetObject ) );
000188 | }
000189 |
000190 | ///! Override this in derived classes to return a different object than targetObject
000191 | Object GetActualTargetObject( Object targetObject )
000192 | {
000193 |     return targetObject;
000194 | }
000195 | }
000196 |
```

0218. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Interact\ActionFoldObject.c
Size bytes: 598
SHA-256: 1f3003cc806e29a427d8b9850ab8802bfdffd51677868eb6580fce4f3fe1874d
Decoded as: utf-8-sig
Line count shown: 23
Detected class declarations: 1
 L13: modded class ActionFoldObject
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionFoldObject.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionFoldObject
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition( player, target, item );
000021 |     }
000022 | }
000023 |
```

0219. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionForceConsumeSingle.c
Size bytes: 736
SHA-256: 6d920eb50931d5557e024dd50de9c30766e9b8a66b85ab3eb3e700cc5f5842ac
Decoded as: utf-8-sig
Line count shown: 26
Detected class declarations: 1
 L13: modded class ActionForceConsumeSingle
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionForceConsumeSingle.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionForceConsumeSingle
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if (!super.ActionCondition(player, target, item))
000018 |             return false;
000019 |
000020 |         DayZPlayerImplement targetPlayer;
000021 |         if (Class.CastTo(targetPlayer, target.GetObject()) && !targetPlayer.Expansion_CanBeDamaged())
000022 |             return false;
000023 |
000024 |         return true;
000025 |     }
000026 | };
```

0220. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionHandcuffTarget.c
Size bytes: 602
SHA-256: 485b647e39009c6304c32d3269e1e426ce5815bf5edac3fd5f388f2ce49404de
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L13: modded class ActionHandcuffTarget
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionHandcuffTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class ActionHandcuffTarget
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition(player, target, item);
000021 |     }
000022 | };
```

0221. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionTogglePlaceObject.c
Size bytes: 611
SHA-256: 18f49926d2e84c4d7669ffc2cfecce99cf21b6833af8b1464d61e9663cf39207
Decoded as: utf-8-sig
Line count shown: 23
Detected class declarations: 1
 L13: modded class ActionTogglePlaceObject
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionTogglePlaceObject.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionTogglePlaceObject
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition( player, target, item );
000021 |     }
000022 | }
000023 |
```


0222. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionTriggerRemotely.c
Size bytes: 605
SHA-256: cbe38bf75b966fe995870469a607b498ae8flac39af856f247ce0848bc62027c
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L13: modded class ActionTriggerRemotely
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionTriggerRemotely.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionTriggerRemotely
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition(player, target, item);
000021 |     }
000022 | };
```

0223. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionUnpin.c
Size bytes: 584
SHA-256: 108847838c79925ab4c880aedb0353284f541112a28a21d9f20fd8f47e28a5b4
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L13: modded class ActionUnpin
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionUnpin.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionUnpin
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition(player, target, item);
000021 |     }
000022 | };
```

0224. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\Medical\ActionInjectTarget.c
Size bytes: 726
SHA-256: bd3d4046a4021e6ae276584dbf006810d6c6a7ac5ccdc1443afbf16f18faeca5
Decoded as: utf-8-sig
Line count shown: 26
Detected class declarations: 1
 L13: modded class ActionInjectTarget
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionInjectTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionInjectTarget
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if (!super.ActionCondition(player, target, item))
000018 |             return false;
000019 |
000020 |         DayZPlayerImplement targetPlayer;
000021 |         if (Class.CastTo(targetPlayer, target.GetObject()) && !targetPlayer.Expansion_CanBeDamaged())
000022 |             return false;
000023 |
000024 |         return true;
000025 |     }
000026 | };
```

0225. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\ActionTargets.c
Size bytes: 840
SHA-256: 09c9d114587d6f0dba0455c977fcce70e0205cbe6d70680384625107a11e0722
Decoded as: utf-8-sig
Line count shown: 36
Detected class declarations: 1
  L16: modded class ActionTarget
Detected enum declarations: 0
Detected function/method-like declarations: 4
  L18: void ActionTarget(Object object, Object parent, int componentIndex, vector cursorHitPos, float utility, string surfaceName = "")
  L25: Object GetParentOrObject()
  L29: return GetParent();
  L33: return GetObject();
```

Full file content

```
000001 | /**
000002 |  * ActionTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | /**@class      ActionTarget
000014 |  * @brief
000015 |  **/
000016 | modded class ActionTarget
000017 | {
000018 |     void ActionTarget(Object object, Object parent, int componentIndex, vector cursorHitPos, float utility, string surfaceName = "")
000019 |     {
000020 |         ExpansionNavmeshCarver navmeshCarver;
000021 |         if (Class.CastTo(navmeshCarver, object))
000022 |             m_Object = navmeshCarver.Expansion_GetAssociatedObject();
000023 |     }
000024 |
000025 |     Object GetParentOrObject()
000026 |     {
000027 |         if ( GetParent() )
000028 |         {
000029 |             return GetParent();
000030 |         }
000031 |         else
000032 |         {
000033 |             return GetObject();
000034 |         }
000035 |     }
000036 | };
```

0226. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Creatures\Animals\AnimalBase.c
Size bytes: 6313
SHA-256: a3cb59a53efd82a8ada709fc04691c8e0cbfdb72539f443f957a977bbe1800ea
Decoded as: utf-8-sig
Line count shown: 223
Detected class declarations: 1
  L13: modded class AnimalBase
Detected enum declarations: 0
Detected function/method-like declarations: 18
  L26: override void AfterStoreLoad()
  L34: bool Expansion_IsDanger()
  L45: void OnEnterZone(ExpansionZoneType type)
  L63: void OnExitZone(ExpansionZoneType type)
  L75: bool IsInSafeZone()
  L78: return Expansion_IsInSafeZone();
  L81: bool Expansion_IsInSafeZone()
  L86: override bool NameOverride(out string output)
  L94: override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string am
  L108: override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector mo
  L116: else if (damageType == DT_FIRE_ARM && ammo == "Bullet_Expansion_LobotomyDart")
  L123: override void EEKilled(Object killer)
  L133: override bool ModCommandHandlerBefore(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
  L154: override void CommandHandler(float dt, int currentCommandID, bool currentCommandFinished)
  L165: void Expansion_StartLobotomy()
  L184: void Expansion_SetLobotomized(bool isLobotomized)
  L189: bool Expansion_IsLobotomized()
  L197: void Expansion_EndLobotomy()

```

Full file content

```

000001 | /**
000002 |  * AnimalBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class AnimalBase
000014 | {
000015 |     protected autoptr ExpansionZoneActor m_Expansion_SafeZoneInstance = new ExpansionZoneEntity<AnimalBase>(this);
000016 |
000017 |     protected bool m_Expansion_IsInSafeZone;
000018 |     protected bool m_Expansion_IsInSafeZone_DeprecationWarning;
000019 |
000020 |     ref ExpansionNetsyncData m_Expansion_NetsyncData;
000021 |     ref ExpansionRPCManager m_Expansion_RPCManager;
000022 |
000023 |     bool m_Expansion_LobotomyInProgress;
000024 |     bool m_Expansion_IsLobotomized;
000025 |
000026 |     override void AfterStoreLoad()
000027 |     {
000028 |         super.AfterStoreLoad();
000029 |

```

```
000030 |         if (!GetAIAgent())
000031 |             GetDayZGame().GetExpansionGame().LobotomySync(this);
000032 |     }
000033 |
000034 |     bool Expansion_IsDanger()
000035 |     {
000036 |         if (!IsDanger())
000037 |             return false;
000038 |
000039 |         if (!GetAIAgent() || m_Expansion_LobotomyInProgress || m_Expansion_IsLobotomized)
000040 |             return false;
000041 |
000042 |         return true;
000043 |     }
000044 |
000045 |     void OnEnterZone(ExpansionZoneType type)
000046 |     {
000047 | #ifdef EXPANSIONTRACE
000048 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "OnEnterZone");
000049 | #endif
000050 |
000051 |         if (type == ExpansionZoneType.SAFE)
000052 |         {
000053 |             m_Expansion_IsInSafeZone = true;
000054 |
000055 |             if (IsDanger())
000056 |             {
000057 |                 SetHealth(0);
000058 |                 g_Game.GetCallQueue( CALL_CATEGORY_SYSTEM ).CallLater( g_Game.ObjectDelete, 5000, false, this );
000059 |             }
000060 |         }
000061 |     }
000062 |
000063 |     void OnExitZone(ExpansionZoneType type)
000064 |     {
000065 | #ifdef EXPANSIONTRACE
000066 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "OnExitZone");
000067 | #endif
000068 |
000069 |         if (type == ExpansionZoneType.SAFE)
000070 |         {
000071 |             m_Expansion_IsInSafeZone = false;
000072 |         }
000073 |     }
000074 |
000075 |     bool IsInSafeZone()
000076 |     {
000077 |         Expansion_Error("DEPRECATED: Please use Expansion_IsInSafeZone", m_Expansion_IsInSafeZone_DeprecationWarning);
000078 |         return Expansion_IsInSafeZone();
000079 |     }
000080 |
000081 |     bool Expansion_IsInSafeZone()
000082 |     {
000083 |         return m_Expansion_IsInSafeZone;
000084 |     }
000085 |
000086 |     override bool NameOverride(out string output)
000087 |     {
000088 |         if (m_Expansion_NetsyncData && m_Expansion_NetsyncData.Get(0, output))
000089 |             return true;
000090 |         else
000091 |             return super.NameOverride(output);
```

```
000092 |     }
000093 |
000094 |     override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000095 |     {
000096 |         if (!super.EEOnDamageCalculated(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef))
000097 |             return false;
000098 |
000099 |         if (damageType == DT_EXPLOSION)
000100 |         {
000101 |             if (!ExpansionDamageSystem.OnExplosionDamageCalculated(damageResult, source, this, component, dmgZone, ammo, modelPos, speedCoef, true))
000102 |                 return false;
000103 |         }
000104 |
000105 |         return true;
000106 |     }
000107 |
000108 |     override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000109 |     {
000110 |         super.EEHitBy(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000111 |
000112 |         if (damageType == DT_EXPLOSION && ExpansionDamageSystem.IsEnabledForExplosionTarget(this))
000113 |         {
000114 |             ExpansionDamageSystem.OnExplosionHit(source, this, ammo, true, damageResult);
000115 |         }
000116 |         else if (damageType == DT_FIRE_ARM && ammo == "Bullet_Expansion_LobotomyDart")
000117 |         {
000118 |             if (GetAIAgent() && !m_Expansion_LobotomyInProgress && !m_Expansion_IsLobotomized)
000119 |                 Expansion_StartLobotomy();
000120 |         }
000121 |     }
000122 |
000123 |     override void EEKilled(Object killer)
000124 |     {
000125 |         super.EEKilled(killer);
000126 |
000127 |         //! Will CTD if targeted by another creature after health of this one is depleted while it has no AI agent,
000128 |         //! so remove the body to prevent that
000129 |         if (!GetAIAgent())
000130 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(Delete, 1500);
000131 |     }
000132 |
000133 |     override bool ModCommandHandlerBefore(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
000134 |     {
000135 |         if (m_Expansion_IsLobotomized && IsAlive())
000136 |         {
000137 |             DayZAnimalInputController controller = GetInputController();
000138 |
000139 |             if (HandleDeath(pCurrentCommandID, controller))
000140 |                 return true;
000141 |
000142 |             if (HandleDamageHit(pCurrentCommandID))
000143 |                 return true;
000144 |
000145 |             return true;
000146 |         }
000147 |
000148 |         if (super.ModCommandHandlerBefore(pDt, pCurrentCommandID, pCurrentCommandFinished))
000149 |             return true;
000150 |
000151 |         return false;
```

```
000152 | }
000153 |
000154 | override void CommandHandler(float dt, int currentCommandID, bool currentCommandFinished)
000155 | {
000156 |     super.CommandHandler(dt, currentCommandID, currentCommandFinished);
000157 |
000158 |     if (m_Expansion_LobotomyInProgress /*|| m_Expansion_IsLobotomized || !GetAIAgent()*/)
000159 |     {
000160 |         if (currentCommandFinished && !m_Expansion_IsLobotomized)
000161 |             GetDayZGame().GetExpansionGame().Lobotomize(this);
000162 |     }
000163 | }
000164 |
000165 | void Expansion_StartLobotomy()
000166 | {
000167 | #ifdef EXTRACE_DIAG
000168 |     auto trace = EXTrace.Start(EXTrace.MISC, this);
000169 | #endif
000170 |
000171 |     m_Expansion_LobotomyInProgress = true;
000172 |
000173 |     auto controller = GetInputController();
000174 |
000175 |     controller.OverrideBehaviourSlot(true, DayZAnimalBehaviourSlot.NON_SPECIFIC_THREAT);
000176 |     controller.OverrideBehaviourAction(true, DayZAnimalBehaviourAction.IDLE1_INPUT);
000177 |
000178 |     controller.OverrideTurnSpeed(true, 0.0);
000179 |     controller.OverrideMovementSpeed(true, 0.0);
000180 |     controller.OverrideHeading(true, GetOrientation()[0] * Math.DEG2RAD);
000181 |     controller.OverrideAlertLevel(true, true, 0, 0.0);
000182 | }
000183 |
000184 | void Expansion_SetLobotomized(bool isLobotomized)
000185 | {
000186 |     m_Expansion_IsLobotomized = isLobotomized;
000187 | }
000188 |
000189 | bool Expansion_IsLobotomized()
000190 | {
000191 |     if (!GetAIAgent())
000192 |         return true;
000193 |
000194 |     return m_Expansion_IsLobotomized;
000195 | }
000196 |
000197 | void Expansion_EndLobotomy()
000198 | {
000199 | #ifdef EXTRACE_DIAG
000200 |     auto trace = EXTrace.Start(EXTrace.MISC, this);
000201 | #endif
000202 |
000203 |     m_Expansion_LobotomyInProgress = false;
000204 |
000205 |     if (GetAIAgent() && !m_Expansion_IsLobotomized)
000206 |     {
000207 |         #ifdef DIAG_DEVELOPER
000208 |             EXTrace.Print(EXTrace.MISC, this, "Resetting input controller...");
000209 |         #endif
000210 |
000211 |         auto controller = GetInputController();
000212 |
000213 |         controller.OverrideBehaviourSlot(false, DayZAnimalBehaviourSlot.NON_SPECIFIC_THREAT);
```



```
000214 |         controller.OverrideBehaviourAction(false, DayZAnimalBehaviourAction.TRAVELING_INPUT);
000215 |
000216 |         controller.OverrideTurnSpeed(false, 0.0);
000217 |         controller.OverrideMovementSpeed(false, 0.0);
000218 |         controller.OverrideHeading(false, GetOrientation()[0] * Math.DEG2RAD);
000219 |         controller.OverrideAlertLevel(false, false, 0, 0.0);
000220 |     }
000221 | }
000222 | }
000223 |
```

0227. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Creatures\Infected\ZombieBase.c
Size bytes: 6455
SHA-256: 98c371721ac287dbf9a97c2a43ee07954e6f2ba4a8d9626079f4a8f7141fc882
Decoded as: utf-8-sig
Line count shown: 228
Detected class declarations: 1
  L13: modded class ZombieBase
Detected enum declarations: 0
Detected function/method-like declarations: 19
  L26: override void AfterStoreLoad()
  L34: bool Expansion_IsDanger()
  L48: void OnEnterZone(ExpansionZoneType type)
  L66: void OnExitZone(ExpansionZoneType type)
  L78: bool IsInSafeZone()
  L81: return Expansion_IsInSafeZone();
  L84: bool Expansion_IsInSafeZone()
  L89: override bool NameOverride(out string output)
  L97: override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string am
  L111: override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector mo
  L119: else if (damageType == DT_FIRE_ARM && ammo == "Bullet_Expansion_LobotomyDart")
  L126: override void EEKilled(Object killer)
  L136: override void OnVariablesSynchronized()
  L144: override bool ModCommandHandlerBefore(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
  L166: override void CommandHandler(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
  L177: void Expansion_StartLobotomy()
  L193: void Expansion_SetLobotomized(bool isLobotomized)
  L198: bool Expansion_IsLobotomized()
  L206: void Expansion_EndLobotomy()
```

Full file content

```
000001 | /**
000002 |  * ZombieBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class ZombieBase
000014 | {
000015 |     protected autoptr ExpansionZoneActor m_Expansion_SafeZoneInstance = new ExpansionZoneEntity<ZombieBase>(this);
000016 |
000017 |     protected bool m_Expansion_IsInSafeZone;
000018 |     protected bool m_Expansion_IsInSafeZone_DeprecationWarning;
000019 |
000020 |     ref ExpansionNetsyncData m_Expansion_NetsyncData;
000021 |     ref ExpansionRPCManager m_Expansion_RPCManager;
000022 |
000023 |     bool m_Expansion_LobotomyInProgress;
000024 |     bool m_Expansion_IsLobotomized;
000025 |
000026 |     override void AfterStoreLoad()
000027 |     {
000028 |         super.AfterStoreLoad();
```

```
000029 |
000030 |     if (!GetAIAgent())
000031 |         GetDayZGame().GetExpansionGame().LobotomySync(this);
000032 | }
000033 |
000034 | bool Expansion_IsDanger()
000035 | {
000036 |     if (!IsDanger())
000037 |         return false;
000038 |
000039 |     if (!GetAIAgent() || m_Expansion_LobotomyInProgress || m_Expansion_IsLobotomized)
000040 |         return false;
000041 |
000042 |     return true;
000043 | }
000044 |
000045 | // -----
000046 | // ZombieBase OnEnterZone
000047 | // -----
000048 | void OnEnterZone(ExpansionZoneType type)
000049 | {
000050 | #ifdef EXPANSIONTRACE
000051 |     auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "OnEnterZone");
000052 | #endif
000053 |
000054 |     if (type == ExpansionZoneType.SAFE)
000055 |     {
000056 |         m_Expansion_IsInSafeZone = true;
000057 |
000058 |         SetHealth(0);
000059 |         g_Game.GetCallQueue( CALL_CATEGORY_SYSTEM ).CallLater( g_Game.ObjectDelete, 5000, false, this );
000060 |     }
000061 | }
000062 |
000063 | // -----
000064 | // ZombieBase OnLeavingSafeZone
000065 | // -----
000066 | void OnExitZone(ExpansionZoneType type)
000067 | {
000068 | #ifdef EXPANSIONTRACE
000069 |     auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "OnExitZone");
000070 | #endif
000071 |
000072 |     if (type == ExpansionZoneType.SAFE)
000073 |     {
000074 |         m_Expansion_IsInSafeZone = false;
000075 |     }
000076 | }
000077 |
000078 | bool IsInSafeZone()
000079 | {
000080 |     Expansion_Error("DEPRECATED: Please use Expansion_IsInSafeZone", m_Expansion_IsInSafeZone_DeprecationWarning);
000081 |     return Expansion_IsInSafeZone();
000082 | }
000083 |
000084 | bool Expansion_IsInSafeZone()
000085 | {
000086 |     return m_Expansion_IsInSafeZone;
000087 | }
000088 |
000089 | override bool NameOverride(out string output)
000090 | {
```

```
000091 |         if (m_Expansion_NetsyncData && m_Expansion_NetsyncData.Get(0, output))
000092 |             return true;
000093 |         else
000094 |             return super.NameOverride(output);
000095 |     }
000096 |
000097 |     override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000098 |     {
000099 |         if (!super.EEOnDamageCalculated(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef))
000100 |             return false;
000101 |
000102 |         if (damageType == DT_EXPLOSION)
000103 |         {
000104 |             if (!ExpansionDamageSystem.OnExplosionDamageCalculated(damageResult, source, this, component, dmgZone, ammo, modelPos, speedCoef, true))
000105 |                 return false;
000106 |         }
000107 |
000108 |         return true;
000109 |     }
000110 |
000111 |     override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000112 |     {
000113 |         super.EEHitBy(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000114 |
000115 |         if (damageType == DT_EXPLOSION && ExpansionDamageSystem.IsEnabledForExplosionTarget(this))
000116 |         {
000117 |             ExpansionDamageSystem.OnExplosionHit(source, this, ammo, true, damageResult);
000118 |         }
000119 |         else if (damageType == DT_FIRE_ARM && ammo == "Bullet_Expansion_LobotomyDart")
000120 |         {
000121 |             if (GetAIAgent() && !m_Expansion_LobotomyInProgress && !m_Expansion_IsLobotomized)
000122 |                 Expansion_StartLobotomy();
000123 |         }
000124 |     }
000125 |
000126 |     override void EEKilled(Object killer)
000127 |     {
000128 |         super.EEKilled(killer);
000129 |
000130 |         ///! Will CTD if targeted by another creature after health of this one is depleted while it has no AI agent,
000131 |         ///! so remove the body to prevent that
000132 |         if (!GetAIAgent())
000133 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(Delete, 1500);
000134 |     }
000135 |
000136 |     override void OnVariablesSynchronized()
000137 |     {
000138 |         super.OnVariablesSynchronized();
000139 |
000140 |         if (m_Expansion_NetsyncData && !m_Expansion_NetsyncData.m_WasDataRequested)
000141 |             m_Expansion_NetsyncData.Request();
000142 |     }
000143 |
000144 |     override bool ModCommandHandlerBefore(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
000145 |     {
000146 |         if (m_Expansion_IsLobotomized && IsAlive())
000147 |         {
000148 |             if (HandleDeath(pCurrentCommandID))
000149 |                 return true;
000150 |         }
```

```
000151 |         if (HandleCrawlTransition(pCurrentCommandID))
000152 |             return true;
000153 |
000154 |         if (HandleDamageHit(pCurrentCommandID))
000155 |             return true;
000156 |
000157 |         return true;
000158 |     }
000159 |
000160 |     if (super.ModCommandHandlerBefore(pDt, pCurrentCommandID, pCurrentCommandFinished))
000161 |         return true;
000162 |
000163 |     return false;
000164 | }
000165 |
000166 | override void CommandHandler(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
000167 | {
000168 |     super.CommandHandler(pDt, pCurrentCommandID, pCurrentCommandFinished);
000169 |
000170 |     if (m_Expansion_LobotomyInProgress /*|| m_Expansion_IsLobotomized || !GetAIAgent()*/)
000171 |     {
000172 |         if (pCurrentCommandFinished && !m_Expansion_IsLobotomized)
000173 |             GetDayZGame().GetExpansionGame().Lobotomize(this);
000174 |     }
000175 | }
000176 |
000177 | void Expansion_StartLobotomy()
000178 | {
000179 | #ifdef EXTRACE_DIAG
000180 |     auto trace = EXTrace.Start(EXTrace.MISC, this);
000181 | #endif
000182 |
000183 |     m_Expansion_LobotomyInProgress = true;
000184 |
000185 |     auto controller = GetInputController();
000186 |
000187 |     controller.OverrideTurnSpeed(true, 0.0);
000188 |     controller.OverrideMovementSpeed(true, 0.0);
000189 |     controller.OverrideHeading(true, GetOrientation()[0] * Math.DEG2RAD);
000190 |     controller.OverrideAlertLevel(true, true, 0, 0.0);
000191 | }
000192 |
000193 | void Expansion_SetLobotomized(bool isLobotomized)
000194 | {
000195 |     m_Expansion_IsLobotomized = isLobotomized;
000196 | }
000197 |
000198 | bool Expansion_IsLobotomized()
000199 | {
000200 |     if (!GetAIAgent())
000201 |         return true;
000202 |
000203 |     return m_Expansion_IsLobotomized;
000204 | }
000205 |
000206 | void Expansion_EndLobotomy()
000207 | {
000208 | #ifdef EXTRACE_DIAG
000209 |     auto trace = EXTrace.Start(EXTrace.MISC, this);
000210 | #endif
000211 |
000212 |     m_Expansion_LobotomyInProgress = false;
```

```
000213 |  
000214 |         if (GetAIAgent() && !m_Expansion_IsLobotomized)  
000215 |         {  
000216 |             #ifdef DIAG_DEVELOPER  
000217 |                 EXTrace.Print(EXTrace.MISC, this, "Resetting input controller...");  
000218 |             #endif  
000219 |  
000220 |                 auto controller = GetInputController();  
000221 |  
000222 |                 controller.OverrideTurnSpeed(false, 0.0);  
000223 |                 controller.OverrideMovementSpeed(false, 0.0);  
000224 |                 controller.OverrideHeading(false, GetOrientation()[0] * Math.DEG2RAD);  
000225 |                 controller.OverrideAlertLevel(false, false, 0, 0.0);  
000226 |             }  
000227 |         }  
000228 |     }
```

0228. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Buildings\BuildingBase.c

Size bytes: 2068

SHA-256: 77678c66a886ab3ced8c6d58ed7f3bc9969a510077f80679b4b165dcc368409a

Decoded as: utf-8-sig

Line count shown: 63

Detected class declarations: 1

L13: modded class BuildingBase

Detected enum declarations: 0

Detected function/method-like declarations: 5

L18: override bool NameOverride(out string output)

L26: override void Explode(int damageType, string ammoType = "")

L33: override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string am

L47: override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector mo

L55: override void OnVariablesSynchronized()

Full file content

```
000001 | /**
000002 |  * BuildingBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class BuildingBase
000014 | {
000015 |     ref ExpansionNetsyncData m_Expansion_NetsyncData;
000016 |     ref ExpansionRPCManager m_Expansion_RPCManager;
000017 |
000018 |     override bool NameOverride(out string output)
000019 |     {
000020 |         if (m_Expansion_NetsyncData && m_Expansion_NetsyncData.Get(0, output))
000021 |             return true;
000022 |         else
000023 |             return super.NameOverride(output);
000024 |     }
000025 |
000026 |     override void Explode(int damageType, string ammoType = "")
000027 |     {
000028 |         ExpansionDamageSystem.OnBeforeExplode(this, damageType, ammoType);
000029 |
000030 |         super.Explode(damageType, ammoType);
000031 |     }
000032 |
000033 |     override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000034 |     {
000035 |         if (!super.EEOnDamageCalculated(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef))
000036 |             return false;
000037 |
000038 |         if (damageType == DT_EXPLOSION)
000039 |         {
000040 |             if (!ExpansionDamageSystem.OnExplosionDamageCalculated(damageResult, source, this, component, dmgZone, ammo, modelPos, speedCoef, true))
000041 |                 return false;
```

```
000042 |     }
000043 |
000044 |     return true;
000045 | }
000046 |
000047 | override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000048 | {
000049 |     super.EEHitBy(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000050 |
000051 |     if (damageType == DT_EXPLOSION && ExpansionDamageSystem.IsEnabledForExplosionTarget(this))
000052 |         ExpansionDamageSystem.OnExplosionHit(source, this, ammo, true, damageResult);
000053 | }
000054 |
000055 | override void OnVariablesSynchronized()
000056 | {
000057 |     super.OnVariablesSynchronized();
000058 |
000059 |     if (m_Expansion_NetsyncData && !m_Expansion_NetsyncData.m_WasDataRequested)
000060 |         m_Expansion_NetsyncData.Request();
000061 | }
000062 | }
000063 |
```


0229. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Collision\ExpansionBakedMapObject.c
Size bytes: 688
SHA-256: 9d556dc37cbdd4a2ec23651ef9bcd17fb5ea9dca8f82de88cb2b1efdcc158b91
Decoded as: utf-8-sig
Line count shown: 34
Detected class declarations: 1
 L1: class ExpansionBakedMapObject : House
Detected enum declarations: 0
Detected function/method-like declarations: 3
 L5: void ExpansionBakedMapObject()
 L10: void Create(EntityAI other, vector position, Contact data)
 L29: string ExpansionGetPhysicsType()

Full file content

```
000001 | class ExpansionBakedMapObject : House
000002 | {
000003 |     float m_ImpulseRequired;
000004 |
000005 |     void ExpansionBakedMapObject()
000006 |     {
000007 |         m_ImpulseRequired = 100.0;
000008 |     }
000009 |
000010 |     void Create(EntityAI other, vector position, Contact data)
000011 |     {
000012 |         if (data.Impulse < m_ImpulseRequired)
000013 |             return;
000014 |
000015 |         ItemBase.ExpansionPhaseObject(other);
000016 |
000017 |         if (g_Game.IsClient())
000018 |             return;
000019 |
000020 |         Object object = g_Game.CreateObjectEx(ExpansionGetPhysicsType(), GetPosition(), ECE_IN_INVENTORY);
000021 |
000022 |         ExpansionPhysicsStructure structure;
000023 |         if (Class.CastTo(structure, object))
000024 |         {
000025 |             structure.Create(this, other, position, data);
000026 |         }
000027 |     }
000028 |
000029 |     string ExpansionGetPhysicsType()
000030 |     {
000031 |         return "ExpansionPhysics_" + GetType();
000032 |     }
000033 | };
000034 |
```

0230. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Collision\ExpansionLampLightBase.c
Size bytes: 66
SHA-256: 72c0054b8d570895c4001538d8ed7401fba2d3c813bcb70e0aa520efd27fb9cf
Decoded as: utf-8-sig
Line count shown: 5
Detected class declarations: 1
 L1: class ExpansionLampLightBase : ExpansionStaticMapObject
Detected enum declarations: 0
Detected function/method-like declarations: 0

Full file content

```
000001 | class ExpansionLampLightBase : ExpansionStaticMapObject
000002 | {
000003 |
000004 | };
000005 |
```

0231. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Collision\ExpansionNavmeshCarver.c

Size bytes: 2029

SHA-256: 2a94704a12235e224360c419e940466adbe4a83252e0ed639ea20c3fae92488b

Decoded as: utf-8-sig

Line count shown: 69

Detected class declarations: 2

L1: class ExpansionNavmeshCarver: House

L62: class ExpansionLargeAnimalNavmeshCarver: ExpansionNavmeshCarver

Detected enum declarations: 0

Detected function/method-like declarations: 7

L7: void ExpansionNavmeshCarver()

L16: override void EEDelete(EntityAI parent)

L31: void Expansion_SetAssociatedObject(Object obj)

L43: Object Expansion_GetAssociatedObject()

L48: override bool IsBuilding()

L53: override void OnVariablesSynchronized()

L64: override void OnReceivedHit(ImpactEffectsData hitData)

Full file content

```
000001 | class ExpansionNavmeshCarver: House
000002 | {
000003 |     protected Object m_Expansion_AssociatedObject;
000004 |     protected int m_Expansion_AssociatedObjectNetIdLow;
000005 |     protected int m_Expansion_AssociatedObjectNetIdHigh;
000006 |
000007 |     void ExpansionNavmeshCarver()
000008 |     {
000009 |         RegisterNetSyncVariableInt("m_Expansion_AssociatedObjectNetIdLow");
000010 |         RegisterNetSyncVariableInt("m_Expansion_AssociatedObjectNetIdHigh");
000011 |
000012 |         if (g_Game.IsServer())
000013 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(g_Game.UpdatePathgraphRegionByObject, 100, false, this);
000014 |     }
000015 |
000016 |     override void EEDelete(EntityAI parent)
000017 |     {
000018 |         super.EEDelete(parent);
000019 |
000020 |         if (g_Game && g_Game.IsServer())
000021 |         {
000022 |             vector pos = GetPosition();
000023 |             vector minMax[2];
000024 |             float radius = ClippingInfo(minMax);
000025 |             vector min = Vector(pos[0] - radius, pos[1], pos[2] - radius);
000026 |             vector max = Vector(pos[0] + radius, pos[1], pos[2] + radius);
000027 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(g_Game.UpdatePathgraphRegion, 100, false, min, max);
000028 |         }
000029 |     }
000030 |
000031 |     void Expansion_SetAssociatedObject(Object obj)
000032 |     {
000033 |         EXTrace.Print(EXTrace.MISC, this, "Expansion_SetAssociatedObject - " + obj);
000034 |
000035 |         m_Expansion_AssociatedObject = obj;
000036 |
000037 |     #ifdef SERVER
000038 |         m_Expansion_AssociatedObject.GetNetworkID(m_Expansion_AssociatedObjectNetIdLow, m_Expansion_AssociatedObjectNetIdHigh);
000039 |         SetSynchDirty();
```

```
000040 | #endif
000041 | }
000042 |
000043 | Object Expansion_GetAssociatedObject()
000044 | {
000045 |     return m_Expansion_AssociatedObject;
000046 | }
000047 |
000048 | override bool IsBuilding()
000049 | {
000050 |     return false;
000051 | }
000052 |
000053 | override void OnVariablesSynchronized()
000054 | {
000055 |     super.OnVariablesSynchronized();
000056 |
000057 |     if (!m_Expansion_AssociatedObject && (m_Expansion_AssociatedObjectNetIdLow != 0 || m_Expansion_AssociatedObjectNetIdHigh != 0))
000058 |         Expansion_SetAssociatedObject(g_Game.GetObjectByNetworkId(m_Expansion_AssociatedObjectNetIdLow, m_Expansion_AssociatedObjectNetIdHigh));
000059 | }
000060 | }
000061 |
000062 | class ExpansionLargeAnimalNavmeshCarver: ExpansionNavmeshCarver
000063 | {
000064 |     override void OnReceivedHit(ImpactEffectsData hitData)
000065 |     {
000066 |         hitData.m_Surface = "Hit_MeatBones";
000067 |     }
000068 | }
000069 |
```

0232. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Collision\ExpansionPhysicsStructure.c

Size bytes: 3496

SHA-256: 20711bcf06245967968f626a91d6e79898a5782665b2b7569096e24fa05f84ea

Decoded as: utf-8-sig

Line count shown: 157

Detected class declarations: 1

L3: class ExpansionPhysicsStructure : ItemBase

Detected enum declarations: 0

Detected function/method-like declarations: 10

L13: void ExpansionPhysicsStructure()

L22: void ~ExpansionPhysicsStructure()

L27: void Create(Object bakedObject, EntityAI other, vector position, Contact data)

L60: void AdjustPosition(float yPos, vector position)

L75: void OnCreate()

L83: void OnDestroy()

L91: string ExpansionGetPhysicsType()

L98: override bool Expansion_CarContactActivates()

L103: override void OnVariablesSynchronized()

L136: override void EOnContact IEntity other, Contact extra)

Full file content

```
000001 | static bool s_ExpansionPhysicsStructure_Enabled = false;
000002 |
000003 | class ExpansionPhysicsStructure : ItemBase
000004 | {
000005 |     vector m_Transform[4];
000006 |
000007 |     float m_PosX;
000008 |     float m_PosY;
000009 |     float m_PosZ;
000010 |
000011 |     Object m_BakedMapObject;
000012 |
000013 |     void ExpansionPhysicsStructure()
000014 |     {
000015 |         SetEventMask(EntityEvent.CONTACT);
000016 |
000017 |         RegisterNetSyncVariableFloat("m_PosX", 0, 0, 8);
000018 |         RegisterNetSyncVariableFloat("m_PosY", 0, 0, 8);
000019 |         RegisterNetSyncVariableFloat("m_PosZ", 0, 0, 8);
000020 |     }
000021 |
000022 |     void ~ExpansionPhysicsStructure()
000023 |     {
000024 |         OnDestroy();
000025 |     }
000026 |
000027 |     void Create(Object bakedObject, EntityAI other, vector position, Contact data)
000028 |     {
000029 |         m_BakedMapObject = bakedObject;
000030 |
000031 |         m_PosX = m_BakedMapObject.GetPosition()[0];
000032 |         m_PosY = m_BakedMapObject.GetPosition()[1];
000033 |         m_PosZ = m_BakedMapObject.GetPosition()[2];
000034 |
000035 |         vector boundingBox[2];
000036 |         GetCollisionBox(boundingBox);
000037 |         float height = -boundingBox[0][1];
```

```
000038 |
000039 |     SetPosition(m_BakedMapObject.GetPosition());
000040 |     vector ori = m_BakedMapObject.GetOrientation();
000041 |     SetOrientation(Vector(180.0 - ori[0], ori[1], ori[2]));
000042 |     GetTransform(m_Transform);
000043 |
000044 |     // Call 'AdjustPosition' here only
000045 |     AdjustPosition(g_Game.SurfaceY(m_Transform[3][0], m_Transform[3][2]) + height, vector.Zero);
000046 |
000047 |     SetTransform(m_Transform);
000048 |     SetAffectPathgraph(false, false);
000049 |
000050 |     ExpansionCreateDynamicFromContact(other, position, data);
000051 |
000052 |     OnCreate();
000053 |
000054 |     if (g_Game.IsMultiplayer())
000055 |     {
000056 |         SetSynchDirty();
000057 |     }
000058 | }
000059 |
000060 | void AdjustPosition(float yPos, vector position)
000061 | {
000062 |     float yDiff = yPos - m_Transform[3][1];
000063 |     if (yDiff < 0)
000064 |         return;
000065 |
000066 |     vector adjust = Vector(0, yDiff, 0);
000067 |
000068 |     m_Transform[3] = m_Transform[3] + adjust;
000069 |
000070 |     //vector dir = position * adjust;
000071 |
000072 |     //Math3D.YawPitchRollMatrix();
000073 | }
000074 |
000075 | void OnCreate()
000076 | {
000077 |     if (!m_BakedMapObject)
000078 |         return;
000079 |
000080 |     CF_ObjectManager.HideMapObject(m_BakedMapObject, true);
000081 | }
000082 |
000083 | void OnDestroy()
000084 | {
000085 |     if (!m_BakedMapObject)
000086 |         return;
000087 |
000088 |     CF_ObjectManager.UnhideMapObject(m_BakedMapObject, true);
000089 | }
000090 |
000091 | string ExpansionGetPhysicsType()
000092 | {
000093 |     string type = GetType();
000094 |     type.Replace("ExpansionPhysics_", "");
000095 |     return type;
000096 | }
000097 |
000098 | override bool Expansion_CarContactActivates()
000099 | {
```

```
000100 |     return true;
000101 | }
000102 |
000103 | override void OnVariablesSynchronized()
000104 | {
000105 |     super.OnVariablesSynchronized();
000106 |
000107 |     if (m_BakedMapObject)
000108 |         return;
000109 |
000110 |     IEntity entity;
000111 |
000112 |     float minDistance = 1.0f;
000113 |
000114 |     array<Object> objects = new array<Object>;
000115 |     vector position = Vector(m_PosX, m_PosY, m_PosZ);
000116 |     g_Game.GetObjectsAtPosition3D(position, minDistance, objects, NULL);
000117 |     for (int i = 0; i < objects.Count(); i++)
000118 |     {
000119 |         if (objects[i].GetType() == ExpansionGetPhysicsType())
000120 |         {
000121 |             float distance = vector.DistanceSq(GetPosition(), position);
000122 |             if (distance < minDistance)
000123 |             {
000124 |                 minDistance = distance;
000125 |                 entity = objects[i];
000126 |             }
000127 |         }
000128 |     }
000129 |
000130 |     if (Class.CastTo(m_BakedMapObject, entity))
000131 |     {
000132 |         OnCreate();
000133 |     }
000134 | }
000135 |
000136 | override void EOnContact(IEntity other, Contact extra)
000137 | {
000138 |     auto item = ItemBase.Cast(other);
000139 |     if (item && !dBodyIsDynamic(item) && item.Expansion_CarContactActivates() && !item.GetHierarchyParent())
000140 |     {
000141 |         item.ExpansionCreateDynamicFromContact(this, extra.Position, extra);
000142 |     }
000143 |
000144 |     auto bakedObject = ExpansionBakedMapObject.Cast(other);
000145 |     if (bakedObject)
000146 |     {
000147 |         bakedObject.Create(this, extra.Position, extra);
000148 |     }
000149 |
000150 |     auto staticObject = ExpansionStaticMapObject.Cast(other);
000151 |     if (staticObject)
000152 |     {
000153 |         staticObject.Create(this, extra.Position, extra);
000154 |     }
000155 | }
000156 | };
000157 |
```

0233. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Collision\ExpansionStaticMapObject.c
Size bytes: 691
SHA-256: 83ef91db2d649afd0ddd93182234c503c6ebe6504d67a6786e923912782c4238
Decoded as: utf-8-sig
Line count shown: 34
Detected class declarations: 1
 L1: class ExpansionStaticMapObject : Static
Detected enum declarations: 0
Detected function/method-like declarations: 3
 L5: void ExpansionStaticMapObject()
 L10: void Create(EntityAI other, vector position, Contact data)
 L29: string ExpansionGetPhysicsType()

Full file content

```
000001 | class ExpansionStaticMapObject : Static
000002 | {
000003 |     float m_ImpulseRequired;
000004 |
000005 |     void ExpansionStaticMapObject()
000006 |     {
000007 |         m_ImpulseRequired = 100.0;
000008 |     }
000009 |
000010 |     void Create(EntityAI other, vector position, Contact data)
000011 |     {
000012 |         if (data.Impulse < m_ImpulseRequired)
000013 |             return;
000014 |
000015 |         ItemBase.ExpansionPhaseObject(other);
000016 |
000017 |         if (g_Game.IsClient())
000018 |             return;
000019 |
000020 |         Object object = g_Game.CreateObjectEx(ExpansionGetPhysicsType(), GetPosition(), ECE_IN_INVENTORY);
000021 |
000022 |         ExpansionPhysicsStructure structure;
000023 |         if (Class.CastTo(structure, object))
000024 |         {
000025 |             structure.Create(this, other, position, data);
000026 |         }
000027 |     }
000028 |
000029 |     string ExpansionGetPhysicsType()
000030 |     {
000031 |         return "ExpansionPhysics_" + GetType();
000032 |     }
000033 | };
000034 |
```


0234. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\DayZPlayerImplementFallDamage.c

Size bytes: 425

SHA-256: 70669e0875887cb00de688b77a4073c1683e840e4824e4be5a2c84f8f9fbde33

Decoded as: utf-8-sig

Line count shown: 16

Detected class declarations: 1

L1: modded class DayZPlayerImplementFallDamage

Detected enum declarations: 0

Detected function/method-like declarations: 1

L3: override void HandleFallDamage(FallDamageData pData)

Full file content

```
000001 | modded class DayZPlayerImplementFallDamage
000002 | {
000003 |     override void HandleFallDamage(FallDamageData pData)
000004 |     {
000005 |         if (g_Game.IsServer())
000006 |         {
000007 |             DayZPlayerImplement player;
000008 |             //! @note `FallDamage` is just a placeholder we use, it doesn't actually exist as ammo since DayZ 1.21
000009 |             if (Class.CastTo(player, m_Player) && !player.Expansion_CanBeDamaged("FallDamage"))
000010 |                 return;
000011 |         }
000012 |
000013 |         super.HandleFallDamage(pData);
000014 |     }
000015 | }
000016 |
```

0235. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ExpansionBaseBuilding.c

Size bytes: 399

SHA-256: 6ec255c6aee2e2cce5ea04802183f95e593ac4500fab967f4441a947da761f5e

Decoded as: utf-8-sig

Line count shown: 13

Detected class declarations: 1

 L13: class ExpansionBaseBuilding: BaseBuildingBase {};

Detected enum declarations: 0

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionBaseBuilding.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionBaseBuilding: BaseBuildingBase {};
```

0236. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ExpansionDebugObjects.c

Size bytes: 3015

SHA-256: 1b247830ac3950959721e3966528ec0ebbe16769c0dac0314c21c7da89535804

Decoded as: utf-8-sig

Line count shown: 118

Detected class declarations: 1

L13: class ExpansionDebugObject: Building

Detected enum declarations: 0

Detected function/method-like declarations: 15

L24: void ExpansionDebugObject()

L37: else if (es.EndsWith("_Orange"))

L39: else if (es.EndsWith("_Yellow"))

L41: else if (es.EndsWith("_Blue"))

L43: else if (es.EndsWith("_Cyan"))

L45: else if (es.EndsWith("_Purple"))

L47: else if (es.EndsWith("_White"))

L49: else if (es.EndsWith("_Black"))

L56: override void EEInit()

L64: void ~ExpansionDebugObject()

L71: override void OnCEUpdate()

L79: override bool CanObstruct()

L84: override void OnVariablesSynchronized()

L93: void Expansion_SetDebugLineFlags(int flags)

L100: void Expansion_DrawDebugLine(vector origin)

Full file content

```
000001 | /**
000002 |  * ExpansionDebugObjects.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionDebugObject: Building
000014 | {
000015 |     float m_Expansion_DebugOriginX;
000016 |     float m_Expansion_DebugOriginY;
000017 |     float m_Expansion_DebugOriginZ;
000018 |     vector m_Expansion_DebugOrigin;
000019 |     bool m_Expansion_DrawDebugSignal;
000020 |     int m_Expansion_DebugColor;
000021 |     Shape m_Expansion_DebugLine;
000022 |     int m_Expansion_DebugLineFlags;
000023 |
000024 |     void ExpansionDebugObject()
000025 |     {
000026 |         RegisterNetSyncVariableFloat("m_Expansion_DebugOriginX", 0, 0, 2);
000027 |         RegisterNetSyncVariableFloat("m_Expansion_DebugOriginY", 0, 0, 2);
000028 |         RegisterNetSyncVariableFloat("m_Expansion_DebugOriginZ", 0, 0, 2);
000029 |         RegisterNetSyncVariableInt("m_Expansion_DebugLineFlags");
000030 |         RegisterNetSyncVariableBool("m_Expansion_DrawDebugSignal");
000031 |
000032 | #ifndef SERVER
```

```
000033 |         ExpansionString es = GetType();
000034 |
000035 |         if (es.EndsWith("_Red"))
000036 |             m_Expansion_DebugColor = 0xFFFF0000;
000037 |         else if (es.EndsWith("_Orange"))
000038 |             m_Expansion_DebugColor = 0xFFFF8000;
000039 |         else if (es.EndsWith("_Yellow"))
000040 |             m_Expansion_DebugColor = 0FFFFFF00;
000041 |         else if (es.EndsWith("_Blue"))
000042 |             m_Expansion_DebugColor = 0xFF0000FF;
000043 |         else if (es.EndsWith("_Cyan"))
000044 |             m_Expansion_DebugColor = 0xFF00FFFF;
000045 |         else if (es.EndsWith("_Purple"))
000046 |             m_Expansion_DebugColor = 0xFF8000FF;
000047 |         else if (es.EndsWith("_White"))
000048 |             m_Expansion_DebugColor = 0xFFFFFFFF;
000049 |         else if (es.EndsWith("_Black"))
000050 |             m_Expansion_DebugColor = 0xFF000000;
000051 |         else
000052 |             m_Expansion_DebugColor = 0xFF00FF00;
000053 | #endif
000054 |     }
000055 |
000056 |     override void EEInit()
000057 |     {
000058 |         super.EEInit();
000059 |
000060 |         if (dBodyIsSet(this))
000061 |             dBodyDestroy(this); //! Remove physics
000062 |     }
000063 |
000064 |     void ~ExpansionDebugObject()
000065 |     {
000066 | #ifndef SERVER
000067 |         Debug.RemoveShape(m_Expansion_DebugLine);
000068 | #endif
000069 |     }
000070 |
000071 |     override void OnCEUUpdate()
000072 |     {
000073 |         super.OnCEUUpdate();
000074 |
000075 |         if (GetLifetime() <= 0)
000076 |             Delete();
000077 |     }
000078 |
000079 |     override bool CanObstruct()
000080 |     {
000081 |         return false;
000082 |     }
000083 |
000084 |     override void OnVariablesSynchronized()
000085 |     {
000086 |         super.OnVariablesSynchronized();
000087 |
000088 |         m_Expansion_DebugOrigin = Vector(m_Expansion_DebugOriginX, m_Expansion_DebugOriginY, m_Expansion_DebugOriginZ);
000089 |
000090 |         Expansion_DrawDebugLine(m_Expansion_DebugOrigin);
000091 |     }
000092 |
000093 |     void Expansion_SetDebugLineFlags(int flags)
000094 |     {
```

```
000095 |         m_Expansion_DebugLineFlags = flags;
000096 |
000097 |         SetSynchDirty();
000098 |     }
000099 |
000100 |     void Expansion_DrawDebugLine(vector origin)
000101 |     {
000102 | #ifdef SERVER
000103 |         m_Expansion_DebugOriginX = origin[0];
000104 |         m_Expansion_DebugOriginY = origin[1];
000105 |         m_Expansion_DebugOriginZ = origin[2];
000106 |
000107 |         m_Expansion_DrawDebugSignal = !m_Expansion_DrawDebugSignal;
000108 |
000109 |         SetSynchDirty();
000110 | #else
000111 |         Debug.RemoveShape(m_Expansion_DebugLine);
000112 |
000113 |         if (origin != vector.Zero)
000114 |             m_Expansion_DebugLine = Debug.DrawLine(origin, GetPosition(), m_Expansion_DebugColor, m_Expansion_DebugLineFlags);
000115 | #endif
000116 |     }
000117 | }
000118 |
```

0237. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ExpansionEntityStoragePlaceholder.c
Size bytes: 9401
SHA-256: dd79b78cc575556a7b66ba446af8b6b72341b36985664b0f9ba07c146a384f8a
Decoded as: utf-8-sig
Line count shown: 358
Detected class declarations: 2
  L13: class ExpansionEntityStoragePlaceholder: InventoryItemSuper
  L301: class ExpansionDebugGoat: ExpansionEntityStoragePlaceholder
Detected enum declarations: 0
Detected function/method-like declarations: 30
  L19: void ExpansionEntityStoragePlaceholder()
  L25: void ~ExpansionEntityStoragePlaceholder()
  L31: override void EEDelete(EntityAI parent)
  L44: override string Expansion_GetEntityStorageFileName()
  L49: static ExpansionEntityStoragePlaceholder GetByStoredEntityGlobalID(TIntArray id)
  L72: override string GetDisplayName()
  L75: return Expansion_GetStoredEntityDisplayName();
  L79: static bool Expansion_HasPlaceholder(ExpansionVehicle vehicle, bool includeGarage = false)
  L105: bool Expansion_HasStoredEntity()
  L131: override bool CanDisplayAttachmentSlot(int slot_id)
  L136: override bool CanDisplayCargo()
  L141: override bool CanPutAsAttachment(EntityAI parent)
  L146: override bool CanPutInCargo(EntityAI parent)
  L151: override bool CanPutIntoHands(EntityAI parent)
  L156: override bool IsInventoryVisible()
  L162: override void CF_OnStoreSave(CF_ModStorageMap storage)
  L176: override bool CF_OnStoreLoad(CF_ModStorageMap storage)
  L213: override void AfterStoreLoad()
  L224: string Expansion_GetStoredEntityDisplayName()
  L231: string Expansion_GetStoredEntityType()
  L238: void Expansion_SetStoredEntityData(string type, TIntArray entityGlobalID)
  L245: static bool Expansion_StoreEntityAndReplace(EntityAI entity, string placeholderType, vector position, int iFlags = ECE_OBJECT_SWAP, out Expa
  L266: else if (Class.CastTo(item, entity))
  L303: override void EEInit()
  L311: override void SetActions()
  L321: override bool CanPutIntoHands(EntityAI parent)
  L326: override void OnPlacementComplete(Man player, vector position = "0 0 0", vector orientation = "0 0 0")
  L335: override string GetPlaceSoundset()
  L347: override string GetLoopDeploySoundset()
  L352: void Expansion_CreateGoatAttachment()
```

Full file content

```
000001 | /**
000002 |  * ExpansionEntityStoragePlaceholder.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionEntityStoragePlaceholder: InventoryItemSuper
000014 | {
000015 |     static ref array<ExpansionEntityStoragePlaceholder> s_Expansion_AllPlaceholders = new array<ExpansionEntityStoragePlaceholder>;
000016 | }
```

```
000017 |     ref ExpansionGlobalID m_Expansion_StoredEntityGlobalID = new ExpansionGlobalID();
000018 |
000019 |     void ExpansionEntityStoragePlaceholder()
000020 |     {
000021 |         m_Expansion_NetsyncData = new ExpansionNetsyncData(this);
000022 |         s_Expansion_AllPlaceholders.Insert(this);
000023 |     }
000024 |
000025 |     void ~ExpansionEntityStoragePlaceholder()
000026 |     {
000027 |         if (s_Expansion_AllPlaceholders)
000028 |             s_Expansion_AllPlaceholders.RemoveItemUnOrdered(this);
000029 |     }
000030 |
000031 |     override void EEDelete(EntityAI parent)
000032 |     {
000033 |         if (g_Game.IsServer() && g_Game.IsMultiplayer())
000034 |         {
000035 |             if (HasAnyCargo())
000036 |                 EXPrint("WARNING: " + GetType() + " " + GetPosition() + " with cargo is about to be deleted!");
000037 |
000038 |             ExpansionEntityStorageModule.DeleteFiles(m_Expansion_StoredEntityGlobalID.IDToHex());
000039 |         }
000040 |
000041 |         super.EEDelete(parent);
000042 |     }
000043 |
000044 |     override string Expansion_GetEntityStorageFileName()
000045 |     {
000046 |         return ExpansionEntityStorageModule.GetFileName(m_Expansion_StoredEntityGlobalID.IDToHex());
000047 |     }
000048 |
000049 |     static ExpansionEntityStoragePlaceholder GetByStoredEntityGlobalID(TIntArray id)
000050 |     {
000051 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Looking for entity storage placeholder with ID " + id[0].ToString() + " " + id[1].ToString() + " " + id[2].ToS
tring() + " " + id[3].ToString());
000052 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Number of placeholders: " + s_Expansion_AllPlaceholders.Count());
000053 |
000054 |         foreach (auto placeholder: s_Expansion_AllPlaceholders)
000055 |         {
000056 |             if (placeholder.m_Expansion_StoredEntityGlobalID.IsZero())
000057 |             {
000058 |                 EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Skipping placeholder with zero ID " + placeholder.GetType() + " " + placeholder.GetPosition());
000059 |                 continue;
000060 |             }
000061 |
000062 |             if (placeholder.m_Expansion_StoredEntityGlobalID.IsEqual(id))
000063 |             {
000064 |                 EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Found matching placeholder " + placeholder.GetType() + " " + placeholder.GetPosition());
000065 |                 return placeholder;
000066 |             }
000067 |         }
000068 |
000069 |         return null;
000070 |     }
000071 |
000072 |     override string GetDisplayName()
000073 |     {
000074 |         if (m_Expansion_NetsyncData)
000075 |             return Expansion_GetStoredEntityDisplayName();
000076 |         return super.GetDisplayName();
000077 |     }
```

```
000078 |
000079 |     static bool Expansion_HasPlaceholder(ExpansionVehicle vehicle, bool includeGarage = false)
000080 |     {
000081 |         if (vehicle.GetGlobalID().IsZero())
000082 |             return false;
000083 |
000084 |         foreach (auto placeholder: s_Expansion_AllPlaceholders)
000085 |         {
000086 |             #ifdef DZ_Expansion_Garage
000087 |                 //! Dealt with by garage module
000088 |                 if (!includeGarage && placeholder.IsInherited(ExpansionGarageVehicle))
000089 |                     continue;
000090 |             #endif
000091 |
000092 |             if (vehicle.GetGlobalID().IsEqual(placeholder.m_Expansion_StoredEntityGlobalID.m_ID))
000093 |             {
000094 |                 string type;
000095 |                 placeholder.m_Expansion_NetsyncData.Get(0, type);
000096 |                 EXPrint("ExpansionEntityStoragePlaceholder::Expansion_HasPlaceholder " + vehicle.GetType() + " " + vehicle.GetPosition() + " has identical global
ID to placeholder " + type + " " + placeholder.GetPosition());
000097 |                 if (vehicle.GetType() == type)
000098 |                     return true;
000099 |             }
000100 |         }
000101 |
000102 |         return false;
000103 |     }
000104 |
000105 |     bool Expansion_HasStoredEntity()
000106 |     {
000107 |         string type;
000108 |         bool hasNetsyncData = m_Expansion_NetsyncData.Get(0, type);
000109 |
000110 |         if (g_Game.IsClient())
000111 |         {
000112 |             return hasNetsyncData;
000113 |         }
000114 |
000115 |         if (m_Expansion_StoredEntityGlobalID.IsZero())
000116 |         {
000117 |             EXPrint("[EntityStorage] ERROR: Global ID for " + GetType() + " (stored entity " + type + ") is zero!");
000118 |             return false;
000119 |         }
000120 |
000121 |         string fileName = Expansion_GetEntityStorageFileName();
000122 |         if (!FileExist(fileName))
000123 |         {
000124 |             EXPrint("[EntityStorage] ERROR: Storage file \"" + fileName + "\" for " + GetType() + " (stored entity " + type + ") does not exist!");
000125 |             return false;
000126 |         }
000127 |
000128 |         return true;
000129 |     }
000130 |
000131 |     override bool CanDisplayAttachmentSlot(int slot_id)
000132 |     {
000133 |         return false;
000134 |     }
000135 |
000136 |     override bool CanDisplayCargo()
000137 |     {
000138 |         return false;
```



```
000139 |     }
000140 |
000141 |     override bool CanPutAsAttachment(EntityAI parent)
000142 |     {
000143 |         return false;
000144 |     }
000145 |
000146 |     override bool CanPutInCargo(EntityAI parent)
000147 |     {
000148 |         return false;
000149 |     }
000150 |
000151 |     override bool CanPutIntoHands(EntityAI parent)
000152 |     {
000153 |         return false;
000154 |     }
000155 |
000156 |     override bool IsInventoryVisible()
000157 |     {
000158 |         return false;
000159 |     }
000160 |
000161 | #ifdef EXPANSION_MODSTORAGE
000162 |     override void CF_OnStoreSave(CF_ModStorageMap storage)
000163 |     {
000164 |         super.CF_OnStoreSave(storage);
000165 |
000166 |         auto ctx = storage[DZ_Expansion_Core];
000167 |         if (!ctx) return;
000168 |
000169 |         string type;
000170 |         m_Expansion_NetsyncData.Get(0, type);
000171 |         ctx.Write(type);
000172 |
000173 |         m_Expansion_StoredEntityGlobalID.OnStoreSave(ctx);
000174 |     }
000175 |
000176 |     override bool CF_OnStoreLoad(CF_ModStorageMap storage)
000177 |     {
000178 |         if (!super.CF_OnStoreLoad(storage))
000179 |             return false;
000180 |
000181 |         auto ctx = storage[DZ_Expansion_Core];
000182 |         if (!ctx) return true;
000183 |
000184 |         int version = ctx.GetVersion();
000185 |
000186 |         int storedEntityStorageID;
000187 |         if (version < 43)
000188 |         {
000189 |             if (!ctx.Read(storedEntityStorageID))
000190 |                 return false;
000191 |         }
000192 |
000193 |         string type;
000194 |         if (!ctx.Read(type))
000195 |             return false;
000196 |
000197 |         m_Expansion_NetsyncData.Set(0, type);
000198 |
000199 |         if (!m_Expansion_StoredEntityGlobalID.OnStoreLoad(ctx))
000200 |             return false;
```

```
000201 |
000202 |     if (version < 43)
000203 |     {
000204 |         string oldFileName = ExpansionEntityStorageModule.GetFileName(storedEntityStorageID);
000205 |         if (FileExist(oldFileName) && CopyFile(oldFileName, Expansion_GetEntityStorageFileName()))
000206 |             DeleteFile(oldFileName);
000207 |     }
000208 |
000209 |     return true;
000210 | }
000211 | #endif
000212 |
000213 | override void AfterStoreLoad()
000214 | {
000215 |     super.AfterStoreLoad();
000216 |
000217 |     if (!Expansion_HasStoredEntity())
000218 |     {
000219 |         EXPrint(ToString() + " Deleting placeholder");
000220 |         Delete();
000221 |     }
000222 | }
000223 |
000224 | string Expansion_GetStoredEntityDisplayName()
000225 | {
000226 |     string type;
000227 |     m_Expansion_NetsyncData.Get(0, type);
000228 |     return ExpansionStatic.GetItemDisplayNameWithType(type);
000229 | }
000230 |
000231 | string Expansion_GetStoredEntityType()
000232 | {
000233 |     string type;
000234 |     m_Expansion_NetsyncData.Get(0, type);
000235 |     return type;
000236 | }
000237 |
000238 | void Expansion_SetStoredEntityData(string type, TIntArray entityGlobalID)
000239 | {
000240 |     m_Expansion_NetsyncData.Set(0, type);
000241 |     for (int i = 0; i < 4; i++)
000242 |         m_Expansion_StoredEntityGlobalID.m_ID[i] = entityGlobalID[i];
000243 | }
000244 |
000245 | static bool Expansion_StoreEntityAndReplace(EntityAI entity, string placeholderType, vector position, int iFlags = ECE_OBJECT_SWAP, out ExpansionEntityStorage
Placeholder placeholder = null, bool storeCargo = false, array<EntityAI> transferAttachments = null)
000246 | {
000247 |     string type = entity.GetType();
000248 |
000249 |     float lifetime = entity.GetLifetimeMax();
000250 |
000251 |     ExpansionGlobalID gid;
000252 |     TIntArray entityGlobalID = new TIntArray;
000253 |
000254 |     ExpansionVehicle vehicle;
000255 |     ItemBase item;
000256 |     if (ExpansionVehicle.Get(vehicle, entity))
000257 |     {
000258 |         gid = vehicle.GetGlobalID();
000259 |
000260 |         if (!gid)
000261 |         {
```

```
000262 |         Error("Vehicle doesn't have global ID: " + entity);
000263 |         return false;
000264 |     }
000265 | }
000266 | else if (Class.CastTo(item, entity))
000267 | {
000268 |     if (!item.m_Expansion_GlobalID)
000269 |         item.m_Expansion_GlobalID = new ExpansionGlobalID();
000270 |
000271 |     gid = item.m_Expansion_GlobalID;
000272 | }
000273 | else
000274 | {
000275 |     EXError.Warn(null, "Entity doesn't have trackable global ID: " + entity);
000276 |     gid = new ExpansionGlobalID();
000277 | }
000278 |
000279 | if (!gid.m_IsSet)
000280 |     gid.Acquire();
000281 |
000282 | for (int i = 0; i < 4; i++)
000283 |     entityGlobalID.Insert(gid.m_ID[i]);
000284 |
000285 | EntityAI placeholderEntity;
000286 | if (!ExpansionEntityStorageModule.SaveToFileAndReplace(entity, ExpansionEntityStorageModule.GetFileName(ExpansionStatic.IntToHex(entityGlobalID)), placeholderType, position, iFlags, placeholderEntity, storeCargo, transferAttachments))
000287 |     return false;
000288 |
000289 | if (Class.CastTo(placeholder, placeholderEntity))
000290 |     placeholder.Expansion_SetStoredEntityData(type, entityGlobalID);
000291 | else
000292 |     EXPrint("Expansion_StoreEntityAndReplace - WARNING: Couldn't cast to ExpansionEntityStoragePlaceholder " + placeholderEntity);
000293 |
000294 | if (lifetime > placeholderEntity.GetLifetimeMax())
000295 |     placeholderEntity.SetLifetimeMax(lifetime);
000296 |
000297 | return true;
000298 | }
000299 | }
000300 |
000301 | class ExpansionDebugGoat: ExpansionEntityStoragePlaceholder
000302 | {
000303 |     override void EEInit()
000304 |     {
000305 |         super.EEInit();
000306 |
000307 |         if (g_Game.IsServer())
000308 |             g_Game.GetCallQueue(CALL_CATEGORY_GAMEPLAY).Call(Expansion_CreateGoatAttachment);
000309 |     }
000310 |
000311 |     override void SetActions()
000312 |     {
000313 |         super.SetActions();
000314 |
000315 |         AddAction(ExpansionActionRestoreEntity);
000316 |
000317 |         AddAction(ActionTogglePlaceObject);
000318 |         AddAction(ExpansionActionPlaceDebugGoat);
000319 |     }
000320 |
000321 |     override bool CanPutIntoHands(EntityAI parent)
000322 |     {
```

```
000323 |         return true;
000324 |     }
000325 |
000326 |     override void OnPlacementComplete(Man player, vector position = "0 0 0", vector orientation = "0 0 0")
000327 |     {
000328 |         super.OnPlacementComplete(player, position, orientation);
000329 |
000330 |     #ifndef SERVER
000331 |         ExpansionSound.Play(GetPlaceSoundset(), this);
000332 |     #endif
000333 |     }
000334 |
000335 |     override string GetPlaceSoundset()
000336 |     {
000337 |         string bleat;
000338 |
000339 |         if (Math.RandomIntInclusive(0, 1))
000340 |             bleat = "GoatBleat_A_SoundSet";
000341 |         else
000342 |             bleat = "GoatBleat_E_SoundSet";
000343 |
000344 |         return bleat;
000345 |     }
000346 |
000347 |     override string GetLoopDeploySoundset()
000348 |     {
000349 |         return "mediumtent_deploy_SoundSet";
000350 |     }
000351 |
000352 |     void Expansion_CreateGoatAttachment()
000353 |     {
000354 |         if (!FindAttachmentBySlotName("ExpansionGoat_Attachment"))
000355 |             GetInventory().CreateAttachment("ExpansionGoat_Attachment");
000356 |     }
000357 | };
000358 |
```

0238. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ExplosivesBase.c

Size bytes: 301

SHA-256: f25a4648537aadf8182de2fc5c81fc05da5fa187d95eac9d8f51a05a06aa208a

Decoded as: utf-8-sig

Line count shown: 21

Detected class declarations: 1

 L1: modded class ExplosivesBase

Detected enum declarations: 0

Detected function/method-like declarations: 4

 L3: override TStringArray Expansion_GetAmmoTypes()

 L8: override bool Expansion_IsDanger()

 L10: return Expansion_IsLive();

 L13: bool Expansion_IsLive()

Full file content

```
000001 | modded class ExplosivesBase
000002 | {
000003 |     override TStringArray Expansion_GetAmmoTypes()
000004 |     {
000005 |         return m_AmmoTypes;
000006 |     }
000007 |
000008 |     override bool Expansion_IsDanger()
000009 |     {
000010 |         return Expansion_IsLive();
000011 |     }
000012 |
000013 |     bool Expansion_IsLive()
000014 |     {
000015 |         if (GetArmed() && !GetDefused())
000016 |             return true;
000017 |
000018 |         return false;
000019 |     }
000020 | };
000021 |
```

0239. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Firearms\Expansion_LobotomyDartGun.c

Size bytes: 1458

SHA-256: 1b009c07fcfa1ccd192a06945f4393b7494310bc bdf4e9e6227a2c1ae71f4064

Decoded as: utf-8-sig

Line count shown: 61

Detected class declarations: 3

L13: class Expansion_LobotomyDartGun: FNX45_Base

L29: class Expansion_LobotomyDartGun_Debug: Expansion_LobotomyDartGun

L58: class Mag_Expansion_LobotomyDart: Mag_FNX45_15Rnd

Detected enum declarations: 0

Detected function/method-like declarations: 4

L15: override void SetActions()

L23: override void OnDebugSpawn()

L32: void Expansion_LobotomyDartGun_Debug()

L38: override void EEFired(int muzzleType, int mode, string ammoType)

Full file content

```
000001 | /**
000002 |  * Expansion_LobotomyDartGun.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2024 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class Expansion_LobotomyDartGun: FNX45_Base
000014 | {
000015 |     override void SetActions()
000016 |     {
000017 |         super.SetActions();
000018 |         RemoveAction(FirearmActionMechanicManipulate);
000019 |         RemoveAction(ActionTurnOnWeaponFlashlight);
000020 |         RemoveAction(ActionTurnOffWeaponFlashlight);
000021 |     }
000022 |
000023 |     override void OnDebugSpawn()
000024 |     {
000025 |         SpawnAttachedMagazine("Mag_Expansion_LobotomyDart");
000026 |     }
000027 | };
000028 |
000029 | class Expansion_LobotomyDartGun_Debug: Expansion_LobotomyDartGun
000030 | {
000031 |     #ifndef DIAG_DEVELOPER
000032 |         void Expansion_LobotomyDartGun_Debug()
000033 |         {
000034 |             if (g_Game.IsServer())
000035 |                 SetAllowDamage(false);
000036 |         }
000037 |
000038 |         override void EEFired(int muzzleType, int mode, string ammoType)
000039 |         {
000040 |             super.EEFired(muzzleType, mode, ammoType);
000041 |         }
000041 |     }
```

```
000042 |      //!< Always have unlimited ammo, even if vanilla debug option is disabled
000043 |      if ((ItemBase.GetDebugActionsMask() & DebugActionType.UNLIMITED_AMMO) == 0)
000044 |      {
000045 |          Magazine magazine = GetMagazine(GetCurrentMuzzle());
000046 |          if (magazine)
000047 |          {
000048 |              if (g_Game.IsServer())
000049 |                  magazine.ServerSetAmmoMax();
000050 |              else
000051 |                  magazine.LocalSetAmmoMax();
000052 |          }
000053 |      }
000054 |  }
000055 | #endif
000056 | }
000057 |
000058 | class Mag_Expansion_LobotomyDart: Mag_FNX45_15Rnd
000059 | {
000060 | }
000061 |
```

0240. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Firearms\FSM\States\WeaponStableState.c

Size bytes: 1459

SHA-256: 1be78f37812e23682b2629ea52708a46f2d1557c6434c92c8830127a3794c04d

Decoded as: utf-8-sig

Line count shown: 37

Detected class declarations: 1

L1: modded class WeaponStableState

Detected enum declarations: 0

Detected function/method-like declarations: 1

L3: override void SyncAnimState()

Full file content

```

000001 | modded class WeaponStableState
000002 | {
000003 |     override void SyncAnimState()
000004 |     {
000005 |         //!< DayZ 1.24 changed p from DayZPlayer to PlayerBase
000006 |         ExpansionNotPlayerBase p;
000007 |         if (Class.CastTo(p, m_weapon.GetHierarchyParent()))
000008 |         {
000009 |             //!< Almost verbatim copy of vanilla except we use GetHumanInventory().GetEntityInHands() instead of GetItemInHands()
000010 |             int curr = m_weapon.GetWeaponAnimState();
000011 |             if (curr != m_animState)
000012 |             {
000013 |                 if (p.GetHumanInventory().GetEntityInHands() == m_weapon)
000014 |                 {
000015 |                     HumanCommandWeapons hcw = p.GetCommandModifier_Weapons();
000016 |                     if (hcw)
000017 |                     {
000018 |                         hcw.SetInitState(m_animState);
000019 |                         if (LogManager.IsWeaponLogEnable()) fsmDebugSpam("[wpnfsm] " + Object.GetDebugName(m_weapon) + " state=" + m_weapon.GetCurrentState().Type
() + " synchronized anim state: " + typename.EnumToString(PistolAnimState, curr) + " --> " + typename.EnumToString(PistolAnimState, m_animState));
000020 |                     }
000021 |                     else
000022 |                     {
000023 |                         Human wpnOwner = Human.Cast(m_weapon.GetHierarchyRootPlayer());
000024 |                         HumanCommandWeapons.StaticSetInitState(wpnOwner, m_animState);
000025 |                         if (LogManager.IsWeaponLogEnable()) fsmDebugSpam("[wpnfsm] " + Object.GetDebugName(m_weapon) + " state=" + m_weapon.GetCurrentState().Type
() + " synchronized remote anim state: " + typename.EnumToString(PistolAnimState, curr) + " --> " + typename.EnumToString(PistolAnimState, m_animState));
000026 |                     }
000027 |                 }
000028 |                 m_weapon.SetWeaponAnimState(m_animState);
000029 |             }
000030 |
000031 |             return;
000032 |         }
000033 |
000034 |         super.SyncAnimState();
000035 |     }
000036 | }
000037 |

```


0241. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Firearms\Weapon_Base.c
Size bytes: 14677
SHA-256: 74a7680803674315d8d90d63ee29e98f71075f4573b365e72621895213e05c98
Decoded as: utf-8-sig
Line count shown: 539
Detected class declarations: 2
  L25: class ExpansionWeaponInfo
  L143: modded class Weapon_Base
Detected enum declarations: 1
  L13: enum ExpansionWeaponType
Detected function/method-like declarations: 41
  L38: void ExpansionWeaponInfo(Weapon_Base weapon)
  L108: else if (weapon.IsKindOf("Pistol_Base"))
  L112: else if (weapon.IsKindOf("Shotgun_Base") || m_ChamberableFrom.Find("Ammo_12gaPellets") > -1)
  L116: else if (m_ReloadTimeMin < 0.1 && (m_FireModes.Contains(ExpansionFireMode.FullAuto) || m_FireModes.Contains(ExpansionFireMode.Burst)))
  L123: else if (weapon.ShootsExplosiveAmmo())
  L127: else if (m_AvgDmg >= 110 && weapon.GetMuzzleCount() == 1 && weapon.Expansion_HasAttachmentSlot(OPTICS))
  L150: void Weapon_Base()
  L163: void ~Weapon_Base()
  L177: override void AfterStoreLoad()
  L185: override void OnVariablesSynchronized()
  L192: override void EEItemAttached(EntityAI item, string slot_name)
  L200: override void EEItemDetached(EntityAI item, string slot_name)
  L208: bool Expansion_IsDelayedValidationTimerRunning()
  L216: void Expansion_CheckDelayedValidateAndRepair(string name)
  L232: void Expansion_DelayedValidateAndRepair(string name)
  L245: void Expansion_ValidateAndRepair(string name)
  L251: void Expansion_UpdateFireMode()
  L276: override float Expansion_GetDPS()
  L284: float Expansion_GetCurrentDPS()
  L294: float Expansion_GetAvgDmgPerShot()
  L299: ExpansionWeaponType Expansion_GetWeaponType()
  L307: bool Expansion_IsCompatibleMag(int muzzleIndex, Magazine mag)
  L314: else if (TestAttachMagazine(muzzleIndex, mag, false, true))
  L323: int ExpansionGetMagAttachedFSMStateID()
  L351: else if ( IsChamberJammed( mi ) )
  L361: else if ( IsChamberJammed( mi ) )
  L363: else if ( IsChamberFiredOut( mi ) )
  L374: else if ( IsChamberJammed( mi ) )
  L383: else if ( IsChamberJammed( mi ) )
  L397: bool Expansion_IsChambered()
  L401: return Expansion_IsChambered(mi);
  L404: bool Expansion_IsChambered(int mi)
  L412: bool Expansion_HasAmmo(out Magazine mag = null)
  L427: int Expansion_GetMagazineAmmoCount(out Magazine mag = null)
  L431: return Expansion_GetMagazineAmmoCount(mi, mag);
  L434: int Expansion_GetMagazineAmmoCount(int mi, out Magazine mag = null)
  L437: return GetInternalMagazineCartridgeCount(mi);
  L457: bool Expansion_SetFireMode(ExpansionFireMode fireMode, out bool changed = false)
  L491: override void OnFireModeChange(int fireMode)
  L512: ExpansionFireMode Expansion_GetFireMode()
  L529: void Expansion_ResetMuzzleModes()
```

Full file content

```
000001 | /**
000002 |  * Weapon_Base.c
000003 |  *
000004 |  * DayZ Expansion Mod
```

```
000005 | * www.dayzexpansion.com
000006 | * © 2022 DayZ Expansion Mod Team
000007 | *
000008 | * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 | * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 | *
000011 | */
000012 |
000013 | enum ExpansionWeaponType
000014 | {
000015 |     Handgun,
000016 |     Shotgun,
000017 |     Submachinegun,
000018 |     Assault,
000019 |     Marksman,
000020 |     GenericRifle,
000021 |     Launcher,
000022 |     Archery
000023 | };
000024 |
000025 | class ExpansionWeaponInfo
000026 | {
000027 |     static ref TStringArray OPTICS = {"weaponOptics", "weaponOpticsAK", "weaponOpticsAug", "weaponOpticsHunting", "weaponOpticsMosin", "ExpansionSniperOptics"};
000028 |
000029 |     ref map<ExpansionFireMode, int> m_FireModes = new map<ExpansionFireMode, int>();
000030 |     ref TStringArray m_ChamberableFrom = {};
000031 |     float m_AvgDmg;
000032 |     float m_ReloadTimeMin = float.MAX;
000033 |     float m_DPS;
000034 |     int m_FireRate; //! rounds per second
000035 |     bool m_AutoReload;
000036 |     ExpansionWeaponType m_WeaponType;
000037 |
000038 |     void ExpansionWeaponInfo(Weapon_Base weapon)
000039 |     {
000040 |         string type = weapon.GetType();
000041 |
000042 |         //! Fire modes
000043 |         TStringArray modes = {};
000044 |         weapon.ConfigGetTextArray("modes", modes);
000045 |         foreach (int i, string mode: modes)
000046 |         {
000047 |             ExpansionFireMode fireMode = typename.StringToEnum(ExpansionFireMode, mode);
000048 |             if (fireMode != -1)
000049 |             {
000050 |                 float reloadTime = g_Game.ConfigGetFloat(CFG_WEAPONSPATH + " " + type + " " + mode + " reloadTime");
000051 |                 if (reloadTime > 0.0 && reloadTime < m_ReloadTimeMin)
000052 |                     m_ReloadTimeMin = reloadTime;
000053 |                 #ifdef DIAG_DEVELOPER
000054 |                     EXTrace.Print(EXTrace.WEAPONS, null, type + " mode " + mode + " reload time " + reloadTime);
000055 |                 #endif
000056 |                 m_FireModes[fireMode] = i;
000057 |
000058 |                 switch (fireMode)
000059 |                 {
000060 |                     case ExpansionFireMode.Burst:
000061 |                     case ExpansionFireMode.FullAuto:
000062 |                     case ExpansionFireMode.SemiAuto:
000063 |                         m_AutoReload = true;
000064 |                         break;
000065 |                 }
000066 |             }
000067 |         }
000068 |     }
000069 | }
```

```
000067 |     }
000068 |
000069 |     //! Compatible ammo
000070 |     weapon.ConfigGetTextArray("chamberableFrom", m_ChamberableFrom);
000071 |
000072 |     //! Avg dmg
000073 |     string bulletType;
000074 |     float dmg;
000075 |     int count;
000076 |     foreach (string ammoType: m_ChamberableFrom)
000077 |     {
000078 |         if (g_Game.ConfigGetText(CFG_MAGAZINESPATH + " " + ammoType + " ammo", bulletType))
000079 |         {
000080 |             dmg = g_Game.ConfigGetFloat(CFG_AMMO + " " + bulletType + " DamageApplied Health damage");
000081 |             if (dmg > 0.0)
000082 |             {
000083 |                 m_AvgDmg += dmg;
000084 |                 count++;
000085 |             }
000086 |         }
000087 |     }
000088 |     if (count > 0)
000089 |         m_AvgDmg /= count;
000090 |
000091 |     //! DPS
000092 |     if (m_AvgDmg > 0 && m_ReloadTimeMin < float.MAX && m_AutoReload)
000093 |     {
000094 |         m_DPS = m_AvgDmg / m_ReloadTimeMin;
000095 |         m_FireRate = m_DPS / m_AvgDmg;
000096 |     }
000097 |     else
000098 |     {
000099 |         m_DPS = m_AvgDmg;
000100 |         m_FireRate = 1;
000101 |     }
000102 |
000103 |     //! Weapon type
000104 |     if (weapon.IsInherited(Archery_Base))
000105 |     {
000106 |         m_WeaponType = ExpansionWeaponType.Archery;
000107 |     }
000108 |     else if (weapon.IsKindOf("Pistol_Base"))
000109 |     {
000110 |         m_WeaponType = ExpansionWeaponType.Handgun;
000111 |     }
000112 |     else if (weapon.IsKindOf("Shotgun_Base") || m_ChamberableFrom.Find("Ammo_12gaPellets") > -1)
000113 |     {
000114 |         m_WeaponType = ExpansionWeaponType.Shotgun;
000115 |     }
000116 |     else if (m_ReloadTimeMin < 0.1 && (m_FireModes.Contains(ExpansionFireMode.FullAuto) || m_FireModes.Contains(ExpansionFireMode.Burst)))
000117 |     {
000118 |         if (m_AvgDmg < 75) //! Use Bullet_9x39 health dmg as threshold
000119 |             m_WeaponType = ExpansionWeaponType.Submachinegun;
000120 |         else
000121 |             m_WeaponType = ExpansionWeaponType.Assault;
000122 |     }
000123 |     else if (weapon.ShootsExplosiveAmmo())
000124 |     {
000125 |         m_WeaponType = ExpansionWeaponType.Launcher;
000126 |     }
000127 |     else if (m_AvgDmg >= 110 && weapon.GetMuzzleCount() == 1 && weapon.Expansion_HasAttachmentSlot(OPTICS))
000128 |     {
```

```
000129 |         //! @note SSG-82 creates SSG820ptic on weaponOpticsAug slot during init
000130 |         m_WeaponType = ExpansionWeaponType.Marksman;
000131 |     }
000132 |     else
000133 |     {
000134 |         m_WeaponType = ExpansionWeaponType.GenericRifle;
000135 |     }
000136 |
000137 | #ifdef DIAG_DEVELOPER
000138 |     EXTrace.Print(EXTrace.WEAPONS, null, type + " " + typename.EnumToString(ExpansionWeaponType, m_WeaponType) + " avg dmg " + m_AvgDmg + " DPS " + m_DPS);
000139 | #endif
000140 | }
000141 | }
000142 |
000143 | modded class Weapon_Base
000144 | {
000145 |     static ref map<string, ref ExpansionWeaponInfo> s_Expansion_WeaponInfo = new map<string, ref ExpansionWeaponInfo>();
000146 |     ref ExpansionWeaponInfo m_Expansion_WeaponInfo;
000147 |
000148 |     int m_Expansion_FireModeIndexSync;
000149 |
000150 |     void Weapon_Base()
000151 |     {
000152 |         string type = GetType();
000153 |
000154 |         if (!s_Expansion_WeaponInfo.Find(type, m_Expansion_WeaponInfo))
000155 |         {
000156 |             m_Expansion_WeaponInfo = new ExpansionWeaponInfo(this);
000157 |             s_Expansion_WeaponInfo[type] = m_Expansion_WeaponInfo;
000158 |         }
000159 |
000160 |         RegisterNetSyncVariableInt("m_Expansion_FireModeIndexSync", 0, 15);
000161 |     }
000162 |
000163 |     void ~Weapon_Base()
000164 |     {
000165 |         if (!g_Game)
000166 |             return;
000167 |
000168 |         //! MagDetached also fires if the weapon is deleted; we cannot detect that beforehand on client, only after-the-fact
000169 |         //! and remove the queued call to Expansion_ValidateAndRepair
000170 |         if (m_fsm && m_fsm.m_Expansion_ValidateAndRepairQueued)
000171 |         {
000172 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Remove(Expansion_ValidateAndRepair);
000173 |             m_fsm.m_Expansion_ValidateAndRepairQueued = "";
000174 |         }
000175 |     }
000176 |
000177 |     override void AfterStoreLoad()
000178 |     {
000179 |         super.AfterStoreLoad();
000180 |
000181 |         m_Expansion_FireModeIndexSync = GetCurrentMode(GetCurrentMuzzle());
000182 |         SetSynchDirty();
000183 |     }
000184 |
000185 |     override void OnVariablesSynchronized()
000186 |     {
000187 |         super.OnVariablesSynchronized();
000188 |
000189 |         Expansion_UpdateFireMode();
000190 |     }
```

```
000191 |
000192 | override void EEItemAttached(EntityAI item, string slot_name)
000193 | {
000194 |     super.EEItemAttached(item, slot_name);
000195 |
000196 |     if (item.IsMagazine())
000197 |         Expansion_CheckDelayedValidateAndRepair("MagAttached");
000198 | }
000199 |
000200 | override void EEItemDetached(EntityAI item, string slot_name)
000201 | {
000202 |     super.EEItemDetached(item, slot_name);
000203 |
000204 |     if (item.IsMagazine())
000205 |         Expansion_CheckDelayedValidateAndRepair("MagDetached");
000206 | }
000207 |
000208 | bool Expansion_IsDelayedValidationTimerRunning()
000209 | {
000210 |     if (m_DelayedValidationTimer)
000211 |         return m_DelayedValidationTimer.IsRunning();
000212 |
000213 |     return false;
000214 | }
000215 |
000216 | void Expansion_CheckDelayedValidateAndRepair(string name)
000217 | {
000218 |     if (!g_Game.IsDedicatedServer() && IsInitialized() && !IsSetForDeletion())
000219 |     {
000220 |         ///! Delayed validate and repair for AI - fixes occasional state mismatch that vanilla doesn't deal with
000221 |         PlayerBase player;
000222 |         if (Class.CastTo(player, GetHierarchyRootPlayer()) && player.GetInstanceType() == DayZPlayerInstanceType.INSTANCETYPE_AI_REMOTE)
000223 |         {
000224 |             ///! MagAttached also fires if the gun was newly created in inventory; we can detect that by checking if the vanilla
000225 |             ///! validation timer is running which fires OnInventoryEnter
000226 |             if (!Expansion_IsDelayedValidationTimerRunning())
000227 |                 Expansion_DelayedValidateAndRepair(name);
000228 |         }
000229 |     }
000230 | }
000231 |
000232 | void Expansion_DelayedValidateAndRepair(string name)
000233 | {
000234 |     if (m_fsm)
000235 |     {
000236 |         ///! Always remove any existing queued call and queue new call
000237 |         if (m_fsm.m_Expansion_ValidateAndRepairQueued)
000238 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Remove(Expansion_ValidateAndRepair);
000239 |
000240 |         m_fsm.m_Expansion_ValidateAndRepairQueued = name;
000241 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(Expansion_ValidateAndRepair, 3000, false, name);
000242 |     }
000243 | }
000244 |
000245 | void Expansion_ValidateAndRepair(string name)
000246 | {
000247 |     if (m_fsm)
000248 |         m_fsm.Expansion_ValidateAndRepair(name);
000249 | }
000250 |
000251 | void Expansion_UpdateFireMode()
000252 | {
```

```
000253 |         int muzzleCount = GetMuzzleCount();
000254 |         bool changed;
000255 |
000256 |         for (int muzzleIndex = 0; muzzleIndex < muzzleCount; muzzleIndex++)
000257 |         {
000258 |             int mode = GetCurrentMode(muzzleIndex);
000259 |
000260 |             #ifdef DIAG_DEVELOPER
000261 |                 EXTrace.Print(EXTrace.WEAPONS, this, "Expansion_UpdateFireMode muzzle=" + muzzleIndex + " mode=" + mode + " m_Expansion_FireModeIndexSync=" + m_Expansion_FireModeIndexSync);
000262 |             #endif
000263 |
000264 |             //! @note there will only ever be mismatch if firemode wasn't changed by a player (e.g. AI)
000265 |             if (mode != m_Expansion_FireModeIndexSync)
000266 |             {
000267 |                 SetCurrentMode(muzzleIndex, m_Expansion_FireModeIndexSync);
000268 |                 changed = true;
000269 |             }
000270 |         }
000271 |
000272 |         if (changed)
000273 |             OnFireModeChange(m_Expansion_FireModeIndexSync);
000274 |     }
000275 |
000276 |     override float Expansion_GetDPS()
000277 |     {
000278 |         return m_Expansion_WeaponInfo.m_DPS;
000279 |     }
000280 |
000281 |     /**
000282 |     * @brief return current DPS capability of the weapon (depending on presence of mag)
000283 |     */
000284 |     float Expansion_GetCurrentDPS()
000285 |     {
000286 |         int mi = GetCurrentMuzzle();
000287 |
000288 |         if (!HasInternalMagazine(mi) && !GetMagazine(mi))
000289 |             return m_Expansion_WeaponInfo.m_AvgDmg;
000290 |
000291 |         return m_Expansion_WeaponInfo.m_DPS;
000292 |     }
000293 |
000294 |     float Expansion_GetAvgDmgPerShot()
000295 |     {
000296 |         return m_Expansion_WeaponInfo.m_AvgDmg;
000297 |     }
000298 |
000299 |     ExpansionWeaponType Expansion_GetWeaponType()
000300 |     {
000301 |         return m_Expansion_WeaponInfo.m_WeaponType;
000302 |     }
000303 |
000304 |     /**
000305 |     * @brief check if mag or ammo pile is compatible with weapon
000306 |     */
000307 |     bool Expansion_IsCompatibleMag(int muzzleIndex, Magazine mag)
000308 |     {
000309 |         if (mag.IsAmmoPile())
000310 |         {
000311 |             if (CanChamberFromMag(muzzleIndex, mag))
000312 |                 return true;
000313 |         }
```

```
000314 |         else if (TestAttachMagazine(muzzleIndex, mag, false, true))
000315 |         {
000316 |             return true;
000317 |         }
000318 |
000319 |         return false;
000320 |     }
000321 |
000322 |     ///! Return -1 on unknown state
000323 |     int ExpansionGetMagAttachedFSMStateID()
000324 |     {
000325 |         ///! https://feedback.bistudio.com/T149240
000326 |
000327 |         ///! BU0 = no bullet
000328 |         ///! BU1 = bullet in chamber
000329 |         ///! BUF = fired out bullet cartridge in chamber
000330 |         ///! MA0 = no magazine present
000331 |         ///! MA1 = magazine present
000332 |
000333 |         int stateId = -1;
000334 |
000335 |         int mi = GetCurrentMuzzle();
000336 |
000337 |         if ( IsInherited( SKS_Base ) )
000338 |         {
000339 |         } else if ( IsInherited( BoltActionRifle_InnerMagazine_Base ) )
000340 |         {
000341 |             ///! E.g. Mosin, Winchester 70
000342 |         } else if ( IsInherited( DoubleBarrel_Base ) )
000343 |         {
000344 |         } else if ( IsInherited( Magnum_Base ) )
000345 |         {
000346 |             //stateId = MagnumStableStateID.DEFAULT;
000347 |         } else if ( IsInherited( Pistol_Base ) )
000348 |         {
000349 |             if ( IsChamberEmpty( mi ) )
000350 |                 stateId = PistolStableStateID.CLO_DIS_BU0_MA1;
000351 |             else if ( IsChamberJammed( mi ) )
000352 |                 stateId = PistolStableStateID.CLO_JAM_BU1_MA1;
000353 |             else
000354 |                 stateId = PistolStableStateID.CLO_CHG_BU1_MA1;
000355 |             ///! DayZ 1.16 or above
000356 |         } else if ( IsInherited( BoltActionRifle_ExternalMagazine_Base ) )
000357 |         {
000358 |             ///! E.g. CZ527, Scout
000359 |             if ( IsChamberEmpty( mi ) )
000360 |                 stateId = BAREMStableStateID.BAREM_CLO_BU0_MA1;
000361 |             else if ( IsChamberJammed( mi ) )
000362 |                 stateId = BAREMStableStateID.BAREM_JAM_BU1_MA1;
000363 |             else if ( IsChamberFiredOut( mi ) )
000364 |                 stateId = BAREMStableStateID.BAREM_CLO_BUF_MA1;
000365 |             else
000366 |                 stateId = BAREMStableStateID.BAREM_CLO_BU1_MA1;
000367 |         } else if ( IsInherited( Repeater_Base ) )
000368 |         {
000369 |         } else if ( IsInherited( RifleBoltFree_Base ) )
000370 |         {
000371 |             ///! E.g. AKM, Sporter 22, Saiga, MP5, VSS
000372 |             if ( IsChamberEmpty( mi ) )
000373 |                 stateId = RBFStableStateID.RBF_CLO_BU0_MA1;
000374 |             else if ( IsChamberJammed( mi ) )
000375 |                 stateId = RBFStableStateID.RBF_JAM_BU1_MA1;
```

```
000376 |         else
000377 |             stateId = RBFStableStateID.RBF_CLO_BU1_MA1;
000378 |     } else if ( IsInherited( RifleBoltLock_Base ) )
000379 |     {
000380 |         ///! E.g. FAL, M4A1, SVD, CZ61, UMP-45
000381 |         if ( IsChamberEmpty( mi ) )
000382 |             stateId = RBLStableStateID.RBL_CLO_BU0_MA1;
000383 |         else if ( IsChamberJammed( mi ) )
000384 |             stateId = RBLStableStateID.RBL_JAM_BU1_MA1;
000385 |         else
000386 |             stateId = RBLStableStateID.RBL_CLO_BU1_MA1;
000387 |     } else if ( IsInherited( RifleSingleShot_Base ) )
000388 |     {
000389 |         ///! e.g. Izh-18
000390 |     } else if ( IsInherited( Mp133Shotgun_Base ) )
000391 |     {
000392 |     }
000393 |
000394 |     return stateId;
000395 | }
000396 |
000397 | bool Expansion_IsChambered()
000398 | {
000399 |     int mi = GetCurrentMuzzle();
000400 |
000401 |     return Expansion_IsChambered(mi);
000402 | }
000403 |
000404 | bool Expansion_IsChambered(int mi)
000405 | {
000406 |     if (!IsChamberEmpty(mi) && !IsChamberFiredOut(mi))
000407 |         return true;
000408 |
000409 |     return false;
000410 | }
000411 |
000412 | bool Expansion_HasAmmo(out Magazine mag = null)
000413 | {
000414 |     mag = null;
000415 |
000416 |     int mi = GetCurrentMuzzle();
000417 |
000418 |     if (!IsChamberEmpty(mi) && !IsChamberFiredOut(mi))
000419 |         return true;
000420 |
000421 |     if (Expansion_GetMagazineAmmoCount(mi, mag) > 0)
000422 |         return true;
000423 |
000424 |     return false;
000425 | }
000426 |
000427 | int Expansion_GetMagazineAmmoCount(out Magazine mag = null)
000428 | {
000429 |     int mi = GetCurrentMuzzle();
000430 |
000431 |     return Expansion_GetMagazineAmmoCount(mi, mag);
000432 | }
000433 |
000434 | int Expansion_GetMagazineAmmoCount(int mi, out Magazine mag = null)
000435 | {
000436 |     if (HasInternalMagazine(mi))
000437 |         return GetInternalMagazineCartridgeCount(mi);
```



```

000438 |
000439 |     mag = GetMagazine(mi);
000440 |     if (mag)
000441 |         return mag.GetAmmoCount();
000442 |
000443 |     return 0;
000444 | }
000445 |
000446 | /**
000447 |  * @brief Set fire mode for all muzzles
000448 |  *
000449 |  * @param fireMode
000450 |  * @param [out] changed true if fire mode was changed on at least one muzzle
000451 |  *
000452 |  * @return true if fire mode is valid
000453 |  *
000454 |  * @note Expansion fire mode enum is NOT the same as fire mode index used by SetCurrentMode/GetCurrentMode,
000455 |  * so translation between the two is handled.
000456 |  */
000457 | bool Expansion_SetFireMode(ExpansionFireMode fireMode, out bool changed = false)
000458 | {
000459 |     int fireModeIndex;
000460 |     if (!m_Expansion_WeaponInfo.m_FireModes.Find(fireMode, fireModeIndex))
000461 |         return false;
000462 |
000463 |     int muzzleCount = GetMuzzleCount();
000464 |
000465 |     for (int muzzleIndex = 0; muzzleIndex < muzzleCount; muzzleIndex++)
000466 |     {
000467 |         if (GetCurrentMode(muzzleIndex) != fireModeIndex)
000468 |         {
000469 |             #ifdef DIAG_DEVELOPER
000470 |                 EXTrace.Print(EXTrace.WEAPONS, this, "::Expansion_SetFireMode - setting muzzle " + muzzleIndex + " mode " + typename.EnumToString(ExpansionFireMod
000471 | e, fireMode));
000472 |             #endif
000473 |             SetCurrentMode(muzzleIndex, fireModeIndex);
000474 |             changed = true;
000475 |         }
000476 |     }
000477 |
000478 |     if (changed)
000479 |     {
000480 |         OnFireModeChange(fireModeIndex);
000481 |         #ifdef SERVER
000482 |             Synchronize();
000483 |         #endif
000484 |     }
000485 |
000486 |     return true;
000487 | }
000488 |
000489 | /// @note called by engine when changing mode with SetNextMuzzleMode, on both client+server if player was initiating (client gets called first),
000490 | /// but needs to be called explicitly if firemode is changed in other ways.
000491 | /// We also need to make sure to always sync firemode index to client.
000492 | override void OnFireModeChange(int fireMode)
000493 | {
000494 |     #ifdef EXTRACE_DIAG
000495 |         auto trace = EXTrace.StartStack(EXTrace.WEAPONS, this, "fireMode=" + fireMode);
000496 |     #endif
000497 |
000498 |     super.OnFireModeChange(fireMode);
000499 | }

```

```
000499 |         m_Expansion_FireModeIndexSync = fireMode;
000500 |
000501 |     #ifdef SERVER
000502 |         SetSynchDirty();
000503 |     #else
000504 |     #ifdef DIAG_DEVELOPER
000505 |         Man player = GetHierarchyRootPlayer();
000506 |         string msg = string.Format("%1 %2<%3> fireMode %4", player, GetType(), ExpansionStatic.GetInstanceID(this), fireMode);
000507 |         g_Game.Chat(msg, "colorAction");
000508 |     #endif
000509 |     #endif
000510 | }
000511 |
000512 | ExpansionFireMode Expansion_GetFireMode()
000513 | {
000514 |     int muzzleIndex = GetCurrentMuzzle();
000515 |     int mode = GetCurrentMode(muzzleIndex);
000516 |     foreach (ExpansionFireMode fireMode, int i: m_Expansion_WeaponInfo.m_FireModes)
000517 |     {
000518 |         if (mode == i)
000519 |         {
000520 |             #ifdef DIAG_DEVELOPER
000521 |                 EXTrace.Print(EXTrace.WEAPONS, this, "::Expansion_GetFireMode - current mode " + typename.EnumToString(ExpansionFireMode, fireMode));
000522 |             #endif
000523 |             return fireMode;
000524 |         }
000525 |     }
000526 |     return ExpansionFireMode.INVALID;
000527 | }
000528 |
000529 | void Expansion_ResetMuzzleModes()
000530 | {
000531 |     int muzzleCount = GetMuzzleCount();
000532 |
000533 |     for (int i = 0; i < muzzleCount; i++)
000534 |     {
000535 |         SetCurrentMode(i, 0);
000536 |     }
000537 | }
000538 | }
000539 |
```

0242. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Firearms\WeaponFSM.c
Size bytes: 4728
SHA-256: dc0d5d97890259c5c556c197cee66304105a277cee62c088319d54e706038d76
Decoded as: utf-8-sig
Line count shown: 138
Detected class declarations: 1
  L13: modded class WeaponFSM
Detected enum declarations: 0
Detected function/method-like declarations: 3
  L20: override protected bool ValidateAndRepairHelper(Weapon_Base weapon, string name, bool stateCondition, bool gunCondition, WeaponEventBase e1,
  L93: bool Expansion_ValidateAndRepair(string name)
  L111: else if (state.IsRepairEnabled())
```

Full file content

```
000001 | /**
000002 |  * WeaponFSM.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class WeaponFSM
000014 | {
000015 |     string m_Expansion_ValidateAndRepairQueued;
000016 |
000017 |     //! This is just here so that our custom ErrorEx string including owner is used,
000018 |     //! and queued calls to Expansion_ValidateAndRepair are removed.
000019 |     //! Other than that, this is exactly equivalent to vanilla ValidateAndRepairHelper
000020 |     override protected bool ValidateAndRepairHelper(Weapon_Base weapon, string name, bool stateCondition, bool gunCondition, WeaponEventBase e1, WeaponEventBase e
2, out WeaponStableState state)
000021 |     {
000022 |         if (LogManager.IsWeaponLogEnable()) { wpnDebugPrint("[wpnfsm] " + weapon.GetDebugName(weapon) + " ValidateAndRepair - " + name + " - " + m_State + " - sta
te: " + stateCondition + " & weapon: " + gunCondition); }
000023 |
000024 |         if (m_Expansion_ValidateAndRepairQueued)
000025 |         {
000026 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Remove(weapon.Expansion_ValidateAndRepair);
000027 |             m_Expansion_ValidateAndRepairQueued = "";
000028 |         }
000029 |
000030 |         if (stateCondition != gunCondition)
000031 |         {
000032 |             WeaponStableState repairedState;
000033 |
000034 |             // Seeing this message is not TOO bad, it is mostly informative
000035 |             // It is simply being listed in the logs to identify how much the FSM state and weapon state still desyncs
000036 |             // Which can be because of a myriad of causes, such as incorrectly set up transitions
000037 |             // Or simply certain timings of certain actions or interrupts lined up perfectly, which can have repro rates such as 1/300
000038 |             ErrorEx(string.Format("[wpnfsm] ValidateAndRepair Attempting to repair: %1 (owner %2) - %3 - %4 - state: %5 != weapon: %6",
000039 |                 weapon.GetDebugName(weapon), weapon.GetHierarchyRootPlayer(), name, m_State, stateCondition, gunCondition), ErrorExSeverity.INFO);
000040 |
000041 |             if (e1 && e2)
000042 |                 repairedState = ValidateAndRepairStateFinder(gunCondition, e1, e2, state);
```

```
000043 |
000044 |         if (repairedState)
000045 |         {
000046 |             Terminate();
000047 |             m_State = repairedState;
000048 |             Start(null, true);
000049 |             state = repairedState;
000050 |             weapon.SyncSelectionState(state.HasBullet(), state.HasMagazine());
000051 |             repairedState.SyncAnimState();
000052 |
000053 |             if (LogManager.IsWeaponLogEnable()) { wpnDebugPrint("[wpnfsm] " + weapon.GetDebugName(weapon) + " ValidateAndRepair - " + name + " - Result - " +
m_State); }
000054 |             return true;
000055 |         }
000056 |     else
000057 |     {
000058 |         // Last ditch effort
000059 |         if (m_SynchronizeAttempts < MAX_SYNCHRONIZE_ATTEMPTS)
000060 |         {
000061 |             int currentTime = g_Game.GetTime();
000062 |             int timeDiff = currentTime - m_LastSynchronizeTime;
000063 |
000064 |             // Careful with calling synchronize
000065 |             if (timeDiff > MIN_SYNCHRONIZE_INTERVAL)
000066 |             {
000067 |                 // If a lot of time passed since last attempt
000068 |                 // There is a possibility the weapon was fixed for a period
000069 |                 if (timeDiff > RESET_SYNCHRONIZE_THRESHOLD)
000070 |                     m_SynchronizeAttempts = 0;
000071 |
000072 |                 // Only call this on server or in SP
000073 |                 // Synchronize will ask the server for its FSM state anyways
000074 |                 if (g_Game.IsServer())
000075 |                     weapon.RandomizeFSMState();
000076 |
000077 |                 weapon.Synchronize();
000078 |
000079 |                 ++m_SynchronizeAttempts;
000080 |                 m_LastSynchronizeTime = currentTime;
000081 |             }
000082 |         }
000083 |     else
000084 |     {
000085 |         OnFailThresholdBreachd(weapon, name, stateCondition, gunCondition);
000086 |     }
000087 | }
000088 | }
000089 |
000090 | return false;
000091 | }
000092 |
000093 | bool Expansion_ValidateAndRepair(string name)
000094 | {
000095 |     m_Expansion_ValidateAndRepairQueued = "";
000096 |
000097 |     WeaponStableState state = WeaponStableState.Cast(m_State);
000098 |     Weapon_Base weapon;
000099 |     Man owner;
000100 |     if (state)
000101 |     {
000102 |         weapon = state.m_weapon;
000103 |         owner = weapon.GetHierarchyRootPlayer();
```

```
000104 |  
000105 |         if (super.Internal_ValidateAndRepair())  
000106 |         {  
000107 |             EXError.Info(this, string.Format("Repaired state %1 of %2 (owner %3) - %4", m_State, weapon, owner, name));  
000108 |             return true;  
000109 |         }  
000110 |     #ifdef DIAG_DEVELOPER  
000111 |         else if (state.IsRepairEnabled())  
000112 |         {  
000113 |             EXError.Info(this, string.Format("Validated state %1 of %2 (owner %3) - %4", m_State, weapon, owner, name));  
000114 |         }  
000115 |         else  
000116 |         {  
000117 |             EXError.Info(this, string.Format("Skipped validating state %1 of %2 (owner %3) - %4", m_State, weapon, owner, name));  
000118 |         }  
000119 |     #endif  
000120 |     }  
000121 | #ifdef DIAG_DEVELOPER  
000122 |     else  
000123 |     {  
000124 |         WeaponStateBase baseState = WeaponStateBase.Cast(m_State);  
000125 |         if (baseState)  
000126 |         {  
000127 |             weapon = baseState.m_weapon;  
000128 |             owner = weapon.GetHierarchyRootPlayer();  
000129 |         }  
000130 |  
000131 |         EXError.Info(this, string.Format("Skipped validating unstable state %1 of %2 (owner %3) - %4", m_State, weapon, owner, name));  
000132 |     }  
000133 | #endif  
000134 |  
000135 |     return false;  
000136 | }  
000137 | }  
000138 |
```

0243. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Grenade_Base\SmokeGrenadeBase.c
Size bytes: 412
SHA-256: c39c93c0ff130e9d937449f7678319fbc46a94e84e98f5530cf70eef2b59efcf
Decoded as: utf-8-sig
Line count shown: 24
Detected class declarations: 1
 L1: modded class SmokeGrenadeBase
Detected enum declarations: 0
Detected function/method-like declarations: 3
 L4: override void OnWorkStart()
 L12: override void OnWorkStop()
 L19: override bool Expansion_IsExplosive()

Full file content

```
000001 | modded class SmokeGrenadeBase
000002 | {
000003 |     //! Vanilla SmokeGrenadeBase::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla SmokeGrenadeBase::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 |
000019 |     override bool Expansion_IsExplosive()
000020 |     {
000021 |         return false;
000022 |     }
000023 | }
000024 |
```

0244. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase.c
Size bytes: 49239
SHA-256: aee226cf58b160133225dcc48e314e99b513a006bc33b3a1f1d9a675b85bf999
Decoded as: utf-8-sig
Line count shown: 1862
Detected class declarations: 1
  L13: modded class ItemBase
Detected enum declarations: 0
Detected function/method-like declarations: 80
  L58: void ItemBase()
  L82: override string GetDisplayName()
  L92: ExpansionGlobalID Expansion_GetGlobalID()
  L100: int GetExpansionSaveVersion()
  L108: override bool OnStoreLoad( ParamsReadContext ctx, int version )
  L120: override void CF_OnStoreSave(CF_ModStorageMap storage)
  L146: override bool CF_OnStoreLoad(CF_ModStorageMap storage)
  L181: bool Expansion_IsStoreLoaded()
  L186: bool Expansion_IsStoreSaved()
  L191: bool ExpansionIsLocked()
  L196: static void ExpansionPhaseObject(EntityAI other)
  L207: else if (Class.CastTo(evb, other))
  L218: void ExpansionCreateDynamicFromContact(EntityAI other, vector position, Contact data)
  L226: void ExpansionHandleCollision(EntityAI other, vector position)
  L250: else if (Class.CastTo(evb, other))
  L276: bool ExpansionIsLiquidItem()
  L278: return IsLiquidContainer() || IsKindOf("SodaCan_ColorBase");
  L281: void Expansion_SetIsMeleeWeapon()
  L290: TStringArray inventorySlot();
  L308: bool Expansion_IsMeleeWeapon()
  L313: bool Expansion_IsMechanicalTrap()
  L318: bool Expansion_IsDanger()
  L323: bool Expansion_IsExplosive()
  L325: return IsExplosive();
  L328: bool Expansion_IsLiveExplosive()
  L337: TStringArray Expansion_GetAmmoTypes()
  L348: void ExpansionActionOnStart( ActionData action_data )
  L352: void ExpansionActionOnAnimationEvent( ActionData action_data )
  L356: void ExpansionActionOnStartAnimationLoop( ActionData action_data )
  L360: void ExpansionActionOnUpdate( ActionData action_data )
  L364: void ExpansionActionOnFinishProgress( ActionData action_data )
  L368: void ExpansionActionOnEndRequest( ActionData action_data )
  L372: void ExpansionActionOnEndInput( ActionData action_data )
  L376: void ExpansionActionOnEndAnimationLoop( ActionData action_data )
  L380: void ExpansionActionOnEnd( ActionData action_data )
  L384: void ExpansionActionOnStageStart( SequentialActionData action_data )
  L388: void ExpansionActionOnStageEnd( SequentialActionData action_data )
  L393: bool CanBeDamaged()
  L395: return GetAllowDamage();
  L398: protected string GetDestroySound()
  L403: override void OnVariablesSynchronized()
  L434: protected void ExpansionSetupSkins()
  L469: array< ExpansionSkin > ExpansionGetSkins()
  L474: bool ExpansionHasSkin( int skinIndex )
  L482: override void EEHealthLevelChanged( int oldLevel, int newLevel, string zone )
  L511: void ExpansionSetSkin( int skinIndex )
  L563: void ExpansionOnSkinDamageZoneUpdate( ExpansionSkinDamageZone zone, int level )
  L601: void ExpansionOnSkinUpdate()
  L635: ExpansionSkin ExpansionGetCurrentSkin()
```

```

L640: string ExpansionGetCurrentSkinName()
L645: int ExpansionGetCurrentSkinIndex()
L650: override void Explode(int damageType, string ammoType = "")
L657: override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector mo
L711: override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string am
L749: void RaidLog( EntityAI source, string damageZone, float health, float dmg, float damageMultiplier )
L754: void RaidLog( EntityAI source, string damageZone, string ammo, float health, float dmg, float damageMultiplier )
L790: override void EEKilled( Object killer )
L800: void ExpansionOnDestroyed( Object killer )
L805: EntityAI ExpansionCreateInInventory(string className, bool attachOnly = false, int slotId = InventorySlots.INVALID)
L858: return GetInventory().CreateAttachment(className);
L860: return GetInventory().CreateAttachmentEx(className, slotId);
L863: return GetInventory().CreateInInventory(className);
L866: EntityAI ExpansionCreateAttachment(string className, int slotId = InventorySlots.INVALID)
L868: return ExpansionCreateInInventory(className, true, slotId);
L871: void OnEnterZone(ExpansionZoneType type)
L875: void OnExitZone(ExpansionZoneType type)
L879: override void EEItemLocationChanged(notnull InventoryLocation oldLoc, notnull InventoryLocation newLoc)
L937: else if (oldLoc.GetType() == InventoryLocationType.GROUND)
L957: void Expansion_UpdateParentCargoCount(InventoryLocation loc, int delta)
L962: void Expansion_UpdateParentCargoCountEx(EntityAI parent, int delta)
L972: override void OnInventoryEnter(Man player)
L979: void Expansion_OnInventoryEnter(Man player)
L991: override void OnInventoryExit(Man player)
L998: void Expansion_OnInventoryExit(Man player)
L1008: override void OnWorkStart()
L1015: void Expansion_OnWorkStart()
L1024: override void OnWorkStop()
L1031: void Expansion_OnWorkStop()
L1046: EntityAI Expansion_GetAttachmentRoot()
L1065: ItemBase Expansion_GetHierarchyRootItem()
... detector capped this preview at 80 entries; full code follows.

```

Full file content

```

000001 | /**
000002 |  * ItemBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class ItemBase
000014 | {
000015 |     static ref ScriptInvoker s_Expansion_UpdateTidyPanelVisibilityExSI = new ScriptInvoker();
000016 |
000017 |     protected int m_ExpansionSaveVersion;
000018 |
000019 |     //! Skinning
000020 |     protected ExpansionSkinModule m_SkinModule;
000021 |     protected ExpansionSkin m_CurrentSkin;
000022 |
000023 |     protected string m_CurrentSkinName;
000024 |     protected int m_CurrentSkinIndex;
000025 |     protected int m_CurrentSkinSynchRemote;
000026 |
000027 |     protected bool m_CanBeSkinned;

```



```
000028 | protected autoptr array< ExpansionSkin > m_Skins;
000029 | protected bool m_Expansion_SZCleanup;
000030 | protected bool m_Expansion_IsStoreLoaded;
000031 | protected bool m_Expansion_IsStoreSaved;
000032 |
000033 | protected ref map<string, float> m_Expansion_HealthBeforeHit;
000034 | protected float m_Expansion_DamageMultiplier = 1.0;
000035 |
000036 | bool m_Expansion_AcceptingAttachment;
000037 | bool m_Expansion_CanPlayerAttach;
000038 |
000039 | bool m_Expansion_IsAdminTool;
000040 | bool m_Expansion_IsMeleeWeapon;
000041 |
000042 | bool m_Expansion_IsWorking;
000043 | Man m_Expansion_PreviousOwner;
000044 | Man m_Expansion_CurrentOwner;
000045 |
000046 | protected bool m_Expansion_SuppressDelete;
000047 |
000048 | protected int m_Expansion_QueuedActions;
000049 | protected bool m_Expansion_IsLootable = true;
000050 |
000051 | ref ExpansionNetsyncData m_Expansion_NetsyncData;
000052 | ref ExpansionRPCManager m_Expansion_RPCManager;
000053 |
000054 | ref ExpansionSoundSet m_Expansion_DestroySound_SoundSet;
000055 |
000056 | ref ExpansionGlobalID m_Expansion_GlobalID;
000057 |
000058 | void ItemBase()
000059 | {
000060 |     m_Expansion_IsAdminTool = ConfigGetBool("expansionIsAdminTool");
000061 |
000062 |     Expansion_SetIsMeleeWeapon();
000063 |
000064 |     ExpansionSetupSkins();
000065 |
000066 |     RegisterNetSyncVariableInt( "m_CurrentSkinSynchRemote", 0, m_Skins.Count() );
000067 |
000068 |     //! TODO: Once vanilla makes up its mind that untakeable items should not show in vicinity (they have code for it in VicinityItemManager,
000069 |     //! it just doesn't seem to work), could get rid of the netsync (but not the variable itself)
000070 |     RegisterNetSyncVariableBool("m_Expansion_IsLootable");
000071 |
000072 |     if (IsMissionHost())
000073 |     {
000074 |         m_Expansion_HealthBeforeHit = new map<string, float>;
000075 |     }
000076 |
000077 |     string destroySound = GetDestroySound();
000078 |     if (destroySound)
000079 |         m_Expansion_DestroySound_SoundSet = ExpansionSoundSet.Register(destroySound);
000080 | }
000081 |
000082 | override string GetDisplayName()
000083 | {
000084 |     string displayName = super.GetDisplayName();
000085 |
000086 |     if (displayName.IndexOf("$UNT$") == 0)
000087 |         displayName.Replace("$UNT$", "");
000088 |
000089 |     return displayName;
```

```
000090 |     }
000091 |
000092 |     ExpansionGlobalID Expansion_GetGlobalID()
000093 |     {
000094 |         return m_Expansion_GlobalID;
000095 |     }
000096 |
000097 |     //=====
000098 |     // GetExpansionSaveVersion
000099 |     //=====
000100 |     int GetExpansionSaveVersion()
000101 |     {
000102 |         return m_ExpansionSaveVersion;
000103 |     }
000104 |
000105 |     //=====
000106 |     // OnStoreLoad
000107 |     //=====
000108 |     override bool OnStoreLoad( ParamsReadContext ctx, int version )
000109 |     {
000110 | #ifdef EXPANSIONTRACE
000111 |         auto trace = CF_Trace_0(ExpansionTracing.GENERAL_ITEMS, this, "OnStoreLoad");
000112 | #endif
000113 |
000114 |         m_Expansion_IsStoreLoaded = true;
000115 |
000116 |         return super.OnStoreLoad( ctx, version );
000117 |     }
000118 |
000119 | #ifdef EXPANSION_MODSTORAGE
000120 |     override void CF_OnStoreSave(CF_ModStorageMap storage)
000121 |     {
000122 |         super.CF_OnStoreSave(storage);
000123 |
000124 |         //! Queue world untakeable items for next server start
000125 |         if (!m_Expansion_IsLootable && !m_Expansion_IsStoreSaved && !GetHierarchyParent() && GetLifetime())
000126 |             Expansion_QueueEntityActions(ExpansionItemBaseModule.SETUNLOOTABLE);
000127 |
000128 |         m_Expansion_IsStoreSaved = true;
000129 |
000130 |         auto ctx = storage[DZ_Expansion_Core];
000131 |         if (!ctx) return;
000132 |
000133 |         ctx.Write(m_CurrentSkinName);
000134 |
000135 |         if (m_Expansion_GlobalID && m_Expansion_GlobalID.m_IsSet)
000136 |         {
000137 |             ctx.Write(true);
000138 |             m_Expansion_GlobalID.OnStoreSave(ctx);
000139 |         }
000140 |         else
000141 |         {
000142 |             ctx.Write(false);
000143 |         }
000144 |     }
000145 |
000146 |     override bool CF_OnStoreLoad(CF_ModStorageMap storage)
000147 |     {
000148 |         if (!super.CF_OnStoreLoad(storage))
000149 |             return false;
000150 |
000151 |         auto ctx = storage[DZ_Expansion_Core];
```

```
000152 |         if (!ctx) return true;
000153 |
000154 |         /// @note needed so we can sucessfully load player inventory when they haven't connected in the transition period
000155 |         /// as well as menu character inventory (can cause client CTD otherwise)
000156 |         m_ExpansionSaveVersion = ctx.GetVersion();
000157 |
000158 |         if (!ctx.Read(m_CurrentSkinName))
000159 |             return false;
000160 |
000161 |         if (ctx.GetVersion() < 52)
000162 |             return true;
000163 |
000164 |         bool hasGlobalID;
000165 |         if (!ctx.Read(hasGlobalID))
000166 |             return false;
000167 |
000168 |         if (hasGlobalID)
000169 |         {
000170 |             if (!m_Expansion_GlobalID)
000171 |                 m_Expansion_GlobalID = new ExpansionGlobalID();
000172 |
000173 |             if (!m_Expansion_GlobalID.OnStoreLoad(ctx))
000174 |                 return false;
000175 |         }
000176 |
000177 |         return true;
000178 |     }
000179 | #endif
000180 |
000181 |     bool Expansion_IsStoreLoaded()
000182 |     {
000183 |         return m_Expansion_IsStoreLoaded;
000184 |     }
000185 |
000186 |     bool Expansion_IsStoreSaved()
000187 |     {
000188 |         return m_Expansion_IsStoreSaved;
000189 |     }
000190 |
000191 |     bool ExpansionIsLocked()
000192 |     {
000193 |         return false;
000194 |     }
000195 |
000196 |     static void ExpansionPhaseObject(EntityAI other)
000197 |     {
000198 | #ifdef EXPANSIONMODVEHICLE
000199 |         ExpansionVehicleBase evb;
000200 |         CarScript car;
000201 |
000202 |         if (Class.CastTo(car, other))
000203 |         {
000204 |             SetVelocity(other, car.m_State.m_LinearVelocity);
000205 |             dBodySetAngularVelocity(other, car.m_State.m_AngularVelocity);
000206 |         }
000207 |         else if (Class.CastTo(evb, other))
000208 |         {
000209 |             SetVelocity(other, evb.m_State.m_LinearVelocity);
000210 |             dBodySetAngularVelocity(other, evb.m_State.m_AngularVelocity);
000211 |         }
000212 |         else
000213 | #endif
```

```
000214 |     {
000215 |     }
000216 | }
000217 |
000218 | void ExpansionCreateDynamicFromContact(EntityAI other, vector position, Contact data)
000219 | {
000220 |     CreateDynamicPhysics(PhxInteractionLayers.DYNAMICITEM);
000221 |     EnableDynamicCCD(false);
000222 |
000223 |     ExpansionHandleCollision(other, position);
000224 | }
000225 |
000226 | void ExpansionHandleCollision(EntityAI other, vector position)
000227 | {
000228 |     vector transform[4];
000229 |     GetTransform(transform);
000230 |
000231 |     vector otherTransform[4];
000232 |     other.GetTransform(otherTransform);
000233 |
000234 |     vector hitVelocity;
000235 |     float massA = dBodyGetMass(this);
000236 |     float massB = dBodyGetMass(other);
000237 |     float massNorm = 0.0;
000238 |     if (massA < massB)
000239 |         massNorm = (0.5 * massA / massB);
000240 |     else
000241 |         massNorm = 1.0 - (0.5 * massB / massA);
000242 |
000243 | #ifdef EXPANSIONMODVEHICLE
000244 |     CarScript car;
000245 |     ExpansionVehicleBase evb;
000246 |     if (Class.CastTo(car, other))
000247 |     {
000248 |         hitVelocity = car.m_State.GetWorldVelocityAt(position.InvMultiply4(otherTransform)).Multiply3(transform);
000249 |     }
000250 |     else if (Class.CastTo(evb, other))
000251 |     {
000252 |         hitVelocity = evb.m_State.GetWorldVelocityAt(position.InvMultiply4(otherTransform)).Multiply3(transform);
000253 |     }
000254 |     else
000255 | #endif
000256 |     {
000257 |     }
000258 |
000259 |     vector linearVelocity;
000260 |     vector angularVelocity;
000261 |
000262 |     linearVelocity = -hitVelocity * (1.0 - massNorm);
000263 |     angularVelocity = position.InvMultiply4(otherTransform) * linearVelocity;
000264 |
000265 |     SetVelocity(other, linearVelocity.InvMultiply3(otherTransform));
000266 |     dBodySetAngularVelocity(other, angularVelocity.InvMultiply3(otherTransform));
000267 |
000268 |     linearVelocity = hitVelocity * massNorm;
000269 |     angularVelocity = position.InvMultiply4(transform) * linearVelocity;
000270 |
000271 |     SetVelocity(this, linearVelocity.InvMultiply3(transform));
000272 |     dBodySetAngularVelocity(this, angularVelocity.InvMultiply3(transform));
000273 | }
000274 |
000275 | //! Return true if the item contains liquid
```

```
000276 | bool ExpansionIsLiquidItem()
000277 | {
000278 |     return IsLiquidContainer() || IsKindOf("SodaCan_ColorBase");
000279 | }
000280 |
000281 | void Expansion_SetIsMeleeWeapon()
000282 | {
000283 |     if (IsWeapon())
000284 |         return;
000285 |
000286 |     if (IsMeleeWeapon())
000287 |     {
000288 |         ///! basically any item has isMeleeWeapon=1 in config, but we only want actual viable melee options
000289 |         ///! (axes, knives, sickles...)
000290 |         TStringArray inventorySlot();
000291 |         ConfigGetTextArray("inventorySlot", inventorySlot);
000292 |         if (inventorySlot.Find("Shoulder") == -1 && inventorySlot.Find("Melee") == -1 && inventorySlot.Find("Knife") == -1)
000293 |         {
000294 |             TStringArray itemInfo = {};
000295 |             ConfigGetTextArray("itemInfo", itemInfo);
000296 |             if (itemInfo.Find("Knife") == -1 && itemInfo.Find("Axe") == -1)
000297 |             {
000298 |                 string suicideAnim = ConfigGetString("suicideAnim");
000299 |                 if (!suicideAnim || suicideAnim != "woodaxe")
000300 |                     return;
000301 |             }
000302 |         }
000303 |
000304 |         m_Expansion_IsMeleeWeapon = true;
000305 |     }
000306 | }
000307 |
000308 | bool Expansion_IsMeleeWeapon()
000309 | {
000310 |     return m_Expansion_IsMeleeWeapon;
000311 | }
000312 |
000313 | bool Expansion_IsMechanicalTrap()
000314 | {
000315 |     return false;
000316 | }
000317 |
000318 | bool Expansion_IsDanger()
000319 | {
000320 |     return false;
000321 | }
000322 |
000323 | bool Expansion_IsExplosive()
000324 | {
000325 |     return IsExplosive();
000326 | }
000327 |
000328 | bool Expansion_IsLiveExplosive()
000329 | {
000330 |     ExplosivesBase explosive;
000331 |     if (Class.CastTo(explosive, this) && explosive.Expansion_IsLive())
000332 |         return true;
000333 |
000334 |     return false;
000335 | }
000336 |
000337 | TStringArray Expansion_GetAmmoTypes()
```

```
000338 | {
000339 |     return {ConfigGetString("ammoType")};
000340 | }
000341 |
000342 | /*! ExpansionActionOn<...>
000343 |
000344 |     Override these in inherited items and call them from within an action
000345 |     if you want the item to react to different phases of the action.
000346 | */
000347 |
000348 | void ExpansionActionOnStart( ActionData action_data )
000349 | {
000350 | }
000351 |
000352 | void ExpansionActionOnAnimationEvent( ActionData action_data )
000353 | {
000354 | }
000355 |
000356 | void ExpansionActionOnStartAnimationLoop( ActionData action_data )
000357 | {
000358 | }
000359 |
000360 | void ExpansionActionOnUpdate( ActionData action_data )
000361 | {
000362 | }
000363 |
000364 | void ExpansionActionOnFinishProgress( ActionData action_data )
000365 | {
000366 | }
000367 |
000368 | void ExpansionActionOnEndRequest( ActionData action_data )
000369 | {
000370 | }
000371 |
000372 | void ExpansionActionOnEndInput( ActionData action_data )
000373 | {
000374 | }
000375 |
000376 | void ExpansionActionOnEndAnimationLoop( ActionData action_data )
000377 | {
000378 | }
000379 |
000380 | void ExpansionActionOnEnd( ActionData action_data )
000381 | {
000382 | }
000383 |
000384 | void ExpansionActionOnStageStart( SequentialActionData action_data )
000385 | {
000386 | }
000387 |
000388 | void ExpansionActionOnStageEnd( SequentialActionData action_data )
000389 | {
000390 | }
000391 |
000392 | // This is just here so it can be overridden in derived classes, but should return a useful default.
000393 | bool CanBeDamaged()
000394 | {
000395 |     return GetAllowDamage();
000396 | }
000397 |
000398 | protected string GetDestroySound()
000399 | {
```

```
000400 |         return "";
000401 |     }
000402 |
000403 |     override void OnVariablesSynchronized()
000404 |     {
000405 | #ifdef EXPANSIONTRACE
000406 |         auto trace = CF_Trace_0(ExpansionTracing.GENERAL_ITEMS, this, "OnVariablesSynchronized");
000407 | #endif
000408 |
000409 |         super.OnVariablesSynchronized();
000410 |
000411 |         if ( m_CanBeSkinned && m_CurrentSkinSynchRemote != m_CurrentSkinIndex )
000412 |         {
000413 |             m_CurrentSkinIndex = m_CurrentSkinSynchRemote;
000414 |             if ( m_CurrentSkinIndex >= 0 && m_CurrentSkinIndex < m_Skins.Count() )
000415 |             {
000416 |                 m_CurrentSkinName = m_SkinModule.GetSkinName( GetType(), m_CurrentSkinIndex );
000417 |                 m_CurrentSkin = m_Skins[ m_CurrentSkinIndex ];
000418 |             } else
000419 |             {
000420 |                 m_CurrentSkinName = "";
000421 |                 m_CurrentSkin = NULL;
000422 |             }
000423 |
000424 |             ExpansionOnSkinUpdate();
000425 |         }
000426 |
000427 |         if ( m_Expansion_NetsyncData && !m_Expansion_NetsyncData.m_WasDataRequested )
000428 |             m_Expansion_NetsyncData.Request();
000429 |     }
000430 |
000431 | //=====
000432 | // ExpansionSetupSkins
000433 | //=====
000434 | protected void ExpansionSetupSkins()
000435 | {
000436 | #ifdef EXPANSIONTRACE
000437 |     auto trace = CF_Trace_0(ExpansionTracing.SKIN, this, "ExpansionSetupSkins");
000438 | #endif
000439 |
000440 |     m_Skins = new array< ExpansionSkin >;
000441 |
000442 |     if ( CF_Modules<ExpansionSkinModule>.Get(m_SkinModule) )
000443 |     {
000444 |         m_SkinModule.RetrieveSkins( GetType(), m_Skins, m_CurrentSkinName );
000445 |     }
000446 |
000447 |     if ( m_Skins.Count() != 0 )
000448 |         m_CanBeSkinned = true;
000449 |
000450 |     if ( m_CanBeSkinned )
000451 |     {
000452 |         if ( m_CurrentSkinName != "" )
000453 |         {
000454 |             m_CurrentSkinIndex = m_SkinModule.GetSkinIndex( GetType(), m_CurrentSkinName );
000455 |         } else
000456 |         {
000457 |             m_CurrentSkinIndex = 0;
000458 |
000459 |             m_CurrentSkinName = m_SkinModule.GetSkinName( GetType(), m_CurrentSkinIndex );
000460 |         }
000461 |     }
```

```
000462 |         m_CurrentSkinSynchRemote = m_CurrentSkinIndex;
000463 |         m_CurrentSkin = m_Skins[ m_CurrentSkinIndex ];
000464 |
000465 |         ExpansionOnSkinUpdate();
000466 |     }
000467 | }
000468 |
000469 | array< ExpansionSkin > ExpansionGetSkins()
000470 | {
000471 |     return m_Skins;
000472 | }
000473 |
000474 | bool ExpansionHasSkin( int skinIndex )
000475 | {
000476 |     return skinIndex > -1 && skinIndex < m_Skins.Count();
000477 | }
000478 |
000479 | //=====
000480 | // EEHealthLevelChanged
000481 | //=====
000482 | override void EEHealthLevelChanged( int oldLevel, int newLevel, string zone )
000483 | {
000484 | #ifdef EXPANSIONTRACE
000485 |     auto trace = CF_Trace_0(ExpansionTracing.GENERAL_ITEMS, this, "EEHealthLevelChanged");
000486 | #endif
000487 |
000488 |     super.EEHealthLevelChanged( oldLevel, newLevel, zone );
000489 |
000490 |     if ( m_CanBeSkinned && m_CurrentSkin )
000491 |     {
000492 |         string sZone = zone;
000493 |         sZone.ToLower();
000494 |
000495 |         for ( int i = 0; i < m_CurrentSkin.DamageZones.Count(); i++ )
000496 |         {
000497 |             string cZone = m_CurrentSkin.DamageZones[i].Zone;
000498 |             cZone.ToLower();
000499 |
000500 |             if ( cZone == sZone )
000501 |             {
000502 |                 ExpansionOnSkinDamageZoneUpdate( m_CurrentSkin.DamageZones[i], newLevel );
000503 |             }
000504 |         }
000505 |     }
000506 | }
000507 |
000508 | //=====
000509 | // ExpansionSetSkin
000510 | //=====
000511 | void ExpansionSetSkin( int skinIndex )
000512 | {
000513 | #ifdef EXPANSIONTRACE
000514 |     auto trace = CF_Trace_0(ExpansionTracing.SKIN, this, "ExpansionSetSkin");
000515 | #endif
000516 |
000517 |     #ifdef EXPANSION_SKIN_LOGGING
000518 |     Print( m_CanBeSkinned );
000519 |     Print( skinIndex );
000520 |     #endif
000521 |
000522 |     if ( !m_CanBeSkinned )
000523 |     {
```



```
000524 |         m_CurrentSkinName = "";
000525 |
000526 |         return;
000527 |     }
000528 |
000529 |     m_CurrentSkinIndex = skinIndex;
000530 |
000531 |     if ( m_CurrentSkinIndex < 0 )
000532 |     {
000533 |         m_CurrentSkinIndex = 0;
000534 |     }
000535 |
000536 |     if ( m_CurrentSkinIndex >= m_Skins.Count() )
000537 |     {
000538 |         m_CurrentSkinIndex = 0;
000539 |     }
000540 |
000541 |     #ifdef EXPANSION_SKIN_LOGGING
000542 |     Print( m_CurrentSkinIndex );
000543 |     #endif
000544 |
000545 |     m_CurrentSkinName = m_SkinModule.GetSkinName( GetType(), m_CurrentSkinIndex );
000546 |     m_CurrentSkinSynchRemote = m_CurrentSkinIndex;
000547 |     m_CurrentSkin = m_Skins[ m_CurrentSkinIndex ];
000548 |
000549 |     #ifdef EXPANSION_SKIN_LOGGING
000550 |     Print( m_CurrentSkinName );
000551 |     Print( m_CurrentSkinSynchRemote );
000552 |     Print( m_CurrentSkin );
000553 |     #endif
000554 |
000555 |     ExpansionOnSkinUpdate();
000556 |
000557 |     SetSynchDirty();
000558 | }
000559 |
000560 | //=====
000561 | // ExpansionOnSkinDamageZoneUpdate
000562 | //=====
000563 | void ExpansionOnSkinDamageZoneUpdate( ExpansionSkinDamageZone zone, int level )
000564 | {
000565 |     #ifdef EXPANSIONTRACE
000566 |         auto trace = CF_Trace_0(ExpansionTracing.SKIN, this, "ExpansionOnSkinDamageZoneUpdate");
000567 |     #endif
000568 |
000569 |     #ifdef EXPANSION_SKIN_LOGGING
000570 |     Print( zone );
000571 |     Print( level );
000572 |     #endif
000573 |
000574 |     for ( int i = 0; i < zone.HiddenSelections.Count(); i++ )
000575 |     {
000576 |         int selectionIndex = GetHiddenSelectionIndex( zone.HiddenSelections[i] );
000577 |
000578 |         #ifdef EXPANSION_SKIN_LOGGING
000579 |         Print( "HiddenSelection: " + zone.HiddenSelections[i] );
000580 |         Print( "SelectionIndex: " + selectionIndex );
000581 |         #endif
000582 |
000583 |         if ( level >= 0 && level < zone.HealthLevels.Count() )
000584 |         {
000585 |             ExpansionSkinHealthLevel healthLevel = zone.HealthLevels[level];
```

```
000586 |
000587 |         #ifdef EXPANSION_SKIN_LOGGING
000588 |         Print( "RVTexture: " + healthLevel.RVTexture );
000589 |         Print( "RVMaterial: " + healthLevel.RVMaterial );
000590 |         #endif
000591 |
000592 |         SetObjectTexture( selectionIndex, healthLevel.RVTexture );
000593 |         SetObjectMaterial( selectionIndex, healthLevel.RVMaterial );
000594 |     }
000595 | }
000596 |
000597 |
000598 | //=====
000599 | // ExpansionOnSkinUpdate
000600 | //=====
000601 | void ExpansionOnSkinUpdate()
000602 | {
000603 | #ifdef EXPANSIONTRACE
000604 |     auto trace = CF_Trace_0(ExpansionTracing.SKIN, this, "ExpansionOnSkinUpdate");
000605 | #endif
000606 |
000607 |     if ( !m_CurrentSkin )
000608 |     {
000609 |         return;
000610 |     }
000611 |
000612 |     for ( int i = 0; i < m_CurrentSkin.HiddenSelections.Count(); i++ )
000613 |     {
000614 |         ExpansionSkinHiddenSelection selection = m_CurrentSkin.HiddenSelections[ i ];
000615 |
000616 |         int selectionIndex = GetHiddenSelectionIndex( selection.HiddenSelection );
000617 |
000618 |         #ifdef EXPANSION_SKIN_LOGGING
000619 |         Print( "HiddenSelection: " + selection.HiddenSelection );
000620 |         Print( "SelectionIndex: " + selectionIndex );
000621 |         Print( "RVTexture: " + selection.RVTexture );
000622 |         Print( "RVMaterial: " + selection.RVMaterial );
000623 |         #endif
000624 |
000625 |         SetObjectTexture( selectionIndex, selection.RVTexture );
000626 |         SetObjectMaterial( selectionIndex, selection.RVMaterial );
000627 |     }
000628 |
000629 |     for ( i = 0; i < m_CurrentSkin.DamageZones.Count(); i++ )
000630 |     {
000631 |         ExpansionOnSkinDamageZoneUpdate( m_CurrentSkin.DamageZones[i], GetHealthLevel( m_CurrentSkin.DamageZones[i].Zone ) );
000632 |     }
000633 | }
000634 |
000635 | ExpansionSkin ExpansionGetCurrentSkin()
000636 | {
000637 |     return m_CurrentSkin;
000638 | }
000639 |
000640 | string ExpansionGetCurrentSkinName()
000641 | {
000642 |     return m_CurrentSkinName;
000643 | }
000644 |
000645 | int ExpansionGetCurrentSkinIndex()
000646 | {
000647 |     return m_CurrentSkinIndex;
```

```
000648 |     }
000649 |
000650 |     override void Explode(int damageType, string ammoType = "")
000651 |     {
000652 |         ExpansionDamageSystem.OnBeforeExplode(this, damageType, ammoType);
000653 |
000654 |         super.Explode(damageType, ammoType);
000655 |     }
000656 |
000657 |     override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000658 |     {
000659 |         super.EEHitBy(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000660 |
000661 | #ifdef DIAG_DEVELOPER
000662 |     EXTrace.PrintHit(EXTrace.GENERAL_ITEMS, this, "EEHitBy", damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000663 | #endif
000664 |
000665 |         string damageZone = dmgZone;
000666 |         if (damageZone == "")
000667 |             damageZone = "GlobalHealth";
000668 |
000669 |         float health = m_Expansion_HealthBeforeHit[dmgZone];
000670 |         float dmg = damageResult.GetDamage(damageZone, "Health");
000671 |
000672 |         bool applyDamageCorrection;
000673 |         if ((damageType == DT_EXPLOSION || damageType == DT_FIRE_ARM) && m_Expansion_DamageMultiplier != 1.0)
000674 |             applyDamageCorrection = true;
000675 |
000676 |         if (damageType == DT_EXPLOSION && ExpansionDamageSystem.IsEnabledForExplosionTarget(this))
000677 |         {
000678 |             ExpansionDamageSystem.OnExplosionHit(source, this, ammo);
000679 |
000680 |             ///! Use our own damage system for consistent explosion damage
000681 |             ///! Note that this only works as intended if damage source root is not a player,
000682 |             ///! else won't be able to get actual source's position in relation to target
000683 |
000684 |             if (!GetHierarchyParent() && source && !source.GetHierarchyRootPlayer())
000685 |             {
000686 |                 float baseDmg = ExpansionDamageSystem.GetExplosionDamage(source, this, ammo);
000687 |                 if (baseDmg > dmg)
000688 |                 {
000689 |                     ExpansionDamageSystem.Log("Overriding " + source.ToString() + " damage dealt to " + ToString() + " at " + GetPosition() + " " + dmg.ToString()
+ " -> " + baseDmg.ToString());
000690 |                     dmg = baseDmg;
000691 |                     applyDamageCorrection = true;
000692 |                 }
000693 |             }
000694 |         }
000695 |
000696 |         if (applyDamageCorrection)
000697 |         {
000698 |             ///! damageMultiplier > 1 applies bonus damage
000699 |             ///! damageMultiplier < 1 negates damage (partly if multiplier > 0 or fully if 0)
000700 |             ///! damageMultiplier == 1 effectively does nothing
000701 |             if (health > 0)
000702 |                 SetHealth(damageZone, "Health", Math.Max(health - (dmg * m_Expansion_DamageMultiplier), 0));
000703 |         }
000704 |
000705 | #ifdef EXPANSIONMODBASEBUILDING
000706 |         if (IsInherited(BaseBuildingBase) || IsInherited(ExpansionSafeBase))
000707 |             RaidLog(source, damageZone, ammo, health, dmg, m_Expansion_DamageMultiplier);
```

```
000708 | #endif
000709 | }
000710 |
000711 |     override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPo
000712 | s, float speedCoef)
000713 | {
000714 |     if (!super.EEOnDamageCalculated( damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef))
000715 |         return false;
000716 |
000717 |     EntityAI root = GetHierarchyRoot();
000718 |
000719 |     if (root != this)
000720 |     {
000721 |         DayZPlayerImplement player;
000722 |         if (Class.CastTo(player, root))
000723 |         {
000724 |             if (!player.Expansion_CanBeDamaged(ammo))
000725 |                 return false;
000726 |         }
000727 |         else
000728 |         {
000729 |             ExpansionVehicle vehicle;
000730 |             if (ExpansionVehicle.Get(vehicle, root))
000731 |             {
000732 |                 if (!vehicle.CanBeDamaged())
000733 |                     return false;
000734 |             }
000735 |         }
000736 |     }
000737 |
000738 |     if (damageType == DT_EXPLOSION)
000739 |     {
000740 |         if (!ExpansionDamageSystem.OnExplosionDamageCalculated(damageResult, source, this, component, dmgZone, ammo, modelPos, speedCoef, false))
000741 |             return false;
000742 |     }
000743 |
000744 |     m_Expansion_HealthBeforeHit[dmgZone] = GetHealth(dmgZone, "Health");
000745 |
000746 |     return true;
000747 | }
000748 | #ifdef EXPANSIONMODBASEBUILDING
000749 | void RaidLog( EntityAI source, string damageZone, float health, float dmg, float damageMultiplier )
000750 | {
000751 |     RaidLog( source, damageZone, "", health, dmg, damageMultiplier );
000752 | }
000753 |
000754 | void RaidLog( EntityAI source, string damageZone, string ammo, float health, float dmg, float damageMultiplier )
000755 | {
000756 |     if ( !GetExpansionSettings().GetLog().BaseBuildingRaiding )
000757 |         return;
000758 |
000759 |     if ( ( dmg * damageMultiplier ) == 0 )
000760 |         return;
000761 |
000762 |     PlayerBase player;
000763 |
000764 |     string sourceDesc;
000765 |
000766 |     if (source)
000767 |         sourceDesc = source.GetType();
000768 |     else
```

```

000769 |         sourceDesc = "<unknown source>";
000770 |
000771 |         if (ammo)
000772 |             sourceDesc = ammo + " from " + sourceDesc;
000773 |
000774 |         GetExpansionSettings().GetLog().PrintLog( "[BaseBuildingRaiding] ----- Expansion Base Raiding Damage Report -----"
000775 | );
000776 |         if ( source && Class.CastTo( player, source.GetHierarchyRootPlayer() ) )
000777 |             GetExpansionSettings().GetLog().PrintLog( "[BaseBuildingRaiding] Player \"{1:name}\" (id={1:id} pos={1:position}) damaged {2:type} at {2:position}", p
000778 | layer, this );
000779 |         else
000780 |             GetExpansionSettings().GetLog().PrintLog( "[BaseBuildingRaiding] A player damaged {1:type} at {1:position}", this );
000781 |         GetExpansionSettings().GetLog().PrintLog( "[BaseBuildingRaiding] They dealt " + dmg + " * " + damageMultiplier + " = " + ( dmg * damageMultiplier ) + " d
000782 | amage with " + sourceDesc );
000783 |         GetExpansionSettings().GetLog().PrintLog( "[BaseBuildingRaiding] " + damageZone + " hitpoints decreased from " + health + " to " + GetHealth( damageZone,
000784 | "Health" ) );
000785 |         GetExpansionSettings().GetLog().PrintLog( "[BaseBuildingRaiding] -----"
000786 | );
000787 |     }
000788 | #endif
000789 |
000790 | // -----
000791 | // EEKilled
000792 | // -----
000793 | override void EEKilled( Object killer )
000794 | {
000795 |     super.EEKilled( killer );
000796 |
000797 |     if ( m_Expansion_DestroySound_SoundSet )
000798 |         m_Expansion_DestroySound_SoundSet.Play(GetPosition());
000799 |
000800 |     ExpansionOnDestroyed( killer );
000801 | }
000802 |
000803 | void ExpansionOnDestroyed( Object killer )
000804 | {
000805 | }
000806 |
000807 | //! This deals with spawning magazines on weapons correctly and should be used as a replacement for vanilla CreateInInventory
000808 | EntityAI ExpansionCreateInInventory(string className, bool attachOnly = false, int slotId = InventorySlots.INVALID)
000809 | {
000810 |     if (!GetInventory())
000811 |         return NULL;
000812 |
000813 |     //! NOTE: Both actual magazines and ammo inherit from Magazine_Base
000814 |     if (IsInherited(Weapon_Base) && g_Game.IsKindOf(className, "Magazine_Base") && !g_Game.IsKindOf(className, "Ammunition_Base"))
000815 |     {
000816 |         //! It's an actual magazine
000817 |         Weapon_Base weapon = Weapon_Base.Cast(this);
000818 |
000819 |         InventoryLocation il = new InventoryLocation;
000820 |         if (slotId == InventorySlots.INVALID)
000821 |             slotId = InventorySlots.MAGAZINE;
000822 |         il.SetAttachment(weapon, NULL, slotId);
000823 |
000824 |         EntityAI magazine = SpawnEntity(className, il, ECE_IN_INVENTORY, RF_DEFAULT);
000825 |         if (!magazine)
000826 |             return NULL;
000827 |
000828 |         //! Important: Needs to be called BEFORE pushing bullet to chamber, otherwise save will occur in FSM transition

```

```
000826 |         int stateId = weapon.ExpansionGetMagAttachedFSMStateID();
000827 |
000828 |         int muzzleIndex = weapon.GetCurrentMuzzle();
000829 |         if (!weapon.IsChamberFull(muzzleIndex) || weapon.IsChamberFiredOut(muzzleIndex))
000830 |         {
000831 |             #ifdef EXPANSIONEXPRINT
000832 |                 EXPrint("ExpansionCreateInInventory - pushing to chamber " + weapon);
000833 |             #endif
000834 |             pushToChamberFromAttachedMagazine(weapon, muzzleIndex);
000835 |         }
000836 |
000837 |         if (stateId > -1)
000838 |         {
000839 |             ScriptReadWriteContext ctx = new ScriptReadWriteContext();
000840 |             ctx.GetWriteContext().Write(stateId);
000841 |             weapon.LoadCurrentFSMState(ctx.GetReadContext(), g_Game.SaveVersion());
000842 |         }
000843 |
000844 |         #ifdef SERVER
000845 |             weapon.Synchronize();
000846 |         #else
000847 |             weapon.ShowMagazine();
000848 |         #endif
000849 |
000850 |         ///! We are done
000851 |         return magazine;
000852 |     }
000853 |
000854 |     ///! Any other item
000855 |     if (attachOnly)
000856 |     {
000857 |         if (slotId == InventorySlots.INVALID)
000858 |             return GetInventory().CreateAttachment(className);
000859 |         else
000860 |             return GetInventory().CreateAttachmentEx(className, slotId);
000861 |     }
000862 |
000863 |     return GetInventory().CreateInInventory(className);
000864 | }
000865 |
000866 | EntityAI ExpansionCreateAttachment(string className, int slotId = InventorySlots.INVALID)
000867 | {
000868 |     return ExpansionCreateInInventory(className, true, slotId);
000869 | }
000870 |
000871 | void OnEnterZone(ExpansionZoneType type)
000872 | {
000873 | }
000874 |
000875 | void OnExitZone(ExpansionZoneType type)
000876 | {
000877 | }
000878 |
000879 | override void EEItemLocationChanged(notnull InventoryLocation oldLoc, notnull InventoryLocation newLoc)
000880 | {
000881 |     EntityAI oldParent = oldLoc.GetParent();
000882 |     EntityAI newParent = newLoc.GetParent();
000883 |
000884 |     Man oldOwner;
000885 |     Man newOwner;
000886 |
000887 |     if (oldParent)
```

```
000888 |         oldOwner = oldParent.GetHierarchyRootPlayer();
000889 |
000890 |     if (newParent)
000891 |         newOwner = newParent.GetHierarchyRootPlayer();
000892 |
000893 |     //! Vanilla ItemBase::EEItemLocationChanged wants PlayerBase class,
000894 |     //! NPCs are not PlayerBase so this is to prevent the super method from being called and causing NULL ptrs
000895 |     if ((!oldOwner || oldOwner.IsInherited(PlayerBase)) && (!newOwner || newOwner.IsInherited(PlayerBase)))
000896 |         super.EEItemLocationChanged(oldLoc, newLoc);
000897 |
000898 | #ifndef SERVER
000899 |     DayZPlayer player = g_Game.GetPlayer();
000900 |     if (player)
000901 |     {
000902 |         if (oldParent && oldLoc.GetType() == InventoryLocationType.CARGO)
000903 |         {
000904 |             if (oldParent.GetHierarchyRootPlayer() == player || vector.DistanceSq(player.GetPosition(), oldParent.GetPosition()) <= UAMaxDistances.DEFAULT * U
AMaxDistances.DEFAULT)
000905 |                 s_Expansion_UpdateTidyPanelVisibilityExSI.Invoke(oldParent);
000906 |         }
000907 |
000908 |         if (newParent && newLoc.GetType() == InventoryLocationType.CARGO && newParent != oldParent)
000909 |         {
000910 |             if (newParent.GetHierarchyRootPlayer() == player || vector.DistanceSq(player.GetPosition(), newParent.GetPosition()) <= UAMaxDistances.DEFAULT * U
AMaxDistances.DEFAULT)
000911 |                 s_Expansion_UpdateTidyPanelVisibilityExSI.Invoke(newParent);
000912 |         }
000913 |     }
000914 |
000915 |     if (!g_Game.IsServer())
000916 |         return;
000917 | #endif
000918 |
000919 |     if (!GetExpansionSettings().GetSafeZone().Enabled)
000920 |         return;
000921 |
000922 |     if (!GetExpansionSettings().GetSafeZone().EnableForceSZCleanup)
000923 |         return;
000924 |
000925 |     //! Ignore unknown old location (item loaded from storage or newly created by CE or script)
000926 |     if (oldLoc.GetType() == InventoryLocationType.UNKNOWN)
000927 |         return;
000928 |
000929 | #ifdef EXPANSION_SAFEZONE_DEBUG
000930 |     EXPrint("[CORE][Expansion_SZCleanup] " + ToString() + " " + GetPosition() + " location changed " + typename.EnumToString(InventoryLocationType, oldLoc.Get
Type()) + " -> " + typename.EnumToString(InventoryLocationType, newLoc.GetType()));
000931 | #endif
000932 |
000933 |     if (newLoc.GetType() == InventoryLocationType.GROUND)
000934 |     {
000935 |         ExpansionCreateCleanup();
000936 |     }
000937 |     else if (oldLoc.GetType() == InventoryLocationType.GROUND)
000938 |     {
000939 |         float lifetime;
000940 |         if (GetEconomyProfile())
000941 |             lifetime = GetEconomyProfile().GetLifetime();
000942 |         if (m_Expansion_SZCleanup || GetLifetimeMax() < lifetime)
000943 |         {
000944 |             m_Expansion_SZCleanup = false;
000945 |
000946 |             //! Make sure to reset max lifetime to value from CE
```

```
000947 |         SetLifetimeMax(lifetime);
000948 |
000949 |         #ifdef EXPANSION_SAFEZONE_DEBUG
000950 |         EXPrint("[CORE][Expansion_SZCleanup] " + ToString() + " " + GetPosition() + " unmarked for cleanup - lifetime " + GetLifetime());
000951 |         #endif
000952 |     }
000953 | }
000954 | }
000955 |
000956 | //! Workaround for vanilla not initializing vehicle inv on client if not close to player (cargo count is used by e.g. market to show unsellable items)
000957 | void Expansion_UpdateParentCargoCount(InventoryLocation loc, int delta)
000958 | {
000959 |     Expansion_UpdateParentCargoCountEx(loc.GetParent(), delta);
000960 | }
000961 |
000962 | void Expansion_UpdateParentCargoCountEx(EntityAI parent, int delta)
000963 | {
000964 |     auto vehicle = ExpansionVehicle.Get(parent);
000965 |     if (vehicle)
000966 |     {
000967 |         delta *= GetInventory().CountInventory();
000968 |         vehicle.UpdateCargoCount(delta);
000969 |     }
000970 | }
000971 |
000972 | override void OnInventoryEnter(Man player)
000973 | {
000974 |     super.OnInventoryEnter(player);
000975 |
000976 |     Expansion_OnInventoryEnter(player);
000977 | }
000978 |
000979 | void Expansion_OnInventoryEnter(Man player)
000980 | {
000981 |     m_Expansion_CurrentOwner = player;
000982 |
000983 |     PlayerBase pb;
000984 |     if (Class.CastTo(pb, player))
000985 |         pb.Expansion_OnInventoryUpdate(this, true);
000986 |
000987 |     if (GetCompEM())
000988 |         m_Expansion_IsWorking = GetCompEM().IsWorking();
000989 | }
000990 |
000991 | override void OnInventoryExit(Man player)
000992 | {
000993 |     super.OnInventoryExit(player);
000994 |
000995 |     Expansion_OnInventoryExit(player);
000996 | }
000997 |
000998 | void Expansion_OnInventoryExit(Man player)
000999 | {
001000 |     m_Expansion_PreviousOwner = m_Expansion_CurrentOwner;
001001 |     m_Expansion_CurrentOwner = null;
001002 |
001003 |     PlayerBase pb;
001004 |     if (Class.CastTo(pb, player))
001005 |         pb.Expansion_OnInventoryUpdate(this, false);
001006 | }
001007 |
001008 | override void OnWorkStart()
```



```
001009 | {
001010 |     super.OnWorkStart();
001011 |
001012 |     Expansion_OnWorkStart();
001013 | }
001014 |
001015 | void Expansion_OnWorkStart()
001016 | {
001017 |     PlayerBase pb;
001018 |     if (!m_Expansion_IsWorking && Class.CastTo(pb, GetHierarchyRootPlayer()))
001019 |         pb.Expansion_OnInventoryUpdate(this, true, true);
001020 |
001021 |     m_Expansion_IsWorking = true;
001022 | }
001023 |
001024 | override void OnWorkStop()
001025 | {
001026 |     super.OnWorkStop();
001027 |
001028 |     Expansion_OnWorkStop();
001029 | }
001030 |
001031 | void Expansion_OnWorkStop()
001032 | {
001033 |     PlayerBase pb;
001034 |     if (m_Expansion_IsWorking && Class.CastTo(pb, GetHierarchyRootPlayer()))
001035 |         pb.Expansion_OnInventoryUpdate(this, true, true);
001036 |
001037 |     m_Expansion_IsWorking = false;
001038 | }
001039 |
001040 | /**
001041 |  * @brief return the root the item is attached to
001042 |  *
001043 |  * I.e. if this item is a scope attached to a gun in cargo, return the gun.
001044 |  * If the item isn't attached to anything, return the item itself.
001045 |  */
001046 | EntityAI Expansion_GetAttachmentRoot()
001047 | {
001048 |     EntityAI root = this;
001049 |     EntityAI parent = GetHierarchyParent();
001050 |
001051 |     while (parent && root.GetInventory().IsAttachment())
001052 |     {
001053 |         root = parent;
001054 |         parent = parent.GetHierarchyParent();
001055 |     }
001056 |
001057 |     return root;
001058 | }
001059 |
001060 | /**
001061 |  * @brief return the root item of the hierarchy
001062 |  *
001063 |  * I.e. if this item is a scope attached to a gun on a player's shoulder, return the gun.
001064 |  */
001065 | ItemBase Expansion_GetHierarchyRootItem()
001066 | {
001067 |     ItemBase rootItem = this;
001068 |     ItemBase parentItem;
001069 |
001070 |     while (rootItem.GetHierarchyParent() && Class.CastTo(parentItem, rootItem.GetHierarchyParent()))
```

```
001071 |     {
001072 |         rootItem = parentItem;
001073 |     }
001074 |
001075 |     return rootItem;
001076 | }
001077 |
001078 | /**
001079 |  * @brief return the root of the hierarchy that is not a player
001080 |  *
001081 |  * I.e. if this item is a scope attached to a gun on a player's shoulder, return the gun,
001082 |  * but if the item is a scope attached to a gun inside a vehicle, return the vehicle.
001083 |  */
001084 | EntityAI Expansion_GetHierarchyRootExcludingPlayer()
001085 | {
001086 |     EntityAI root = this;
001087 |     EntityAI parent = GetHierarchyParent();
001088 |
001089 |     while (parent && !parent.IsMan())
001090 |     {
001091 |         root = parent;
001092 |         parent = parent.GetHierarchyParent();
001093 |     }
001094 |
001095 |     return root;
001096 | }
001097 |
001098 | /**
001099 |  * @brief checks whether this item is contained in other or any of it's children
001100 |  */
001101 | bool Expansion_IsContainedIn(EntityAI other)
001102 | {
001103 |     EntityAI parent = GetHierarchyParent();
001104 |
001105 |     while (parent)
001106 |     {
001107 |         if (parent == other)
001108 |             return true;
001109 |
001110 |         parent = parent.GetHierarchyParent();
001111 |     }
001112 |
001113 |     return false;
001114 | }
001115 |
001116 | typename Expansion_GetFamilyType()
001117 | {
001118 |     if (IsInherited(ItemCompass))
001119 |     {
001120 |         return ItemCompass;
001121 |     }
001122 |     else if (IsInherited(ItemMap))
001123 |     {
001124 |         return ItemMap;
001125 |     }
001126 |     else if (IsInherited(Pen_ColorBase))
001127 |     {
001128 |         return Pen_ColorBase;
001129 |     }
001130 |
001131 |     return Type();
001132 | }
```

```
001133 |
001134 | string Expansion_GetTypeLower()
001135 | {
001136 |     string type = GetType();
001137 |     type.ToLower();
001138 |     return type;
001139 | }
001140 |
001141 | /**
001142 |  * @brief Get raw (untranslated) display name of item
001143 |  *
001144 |  * This is useful (e.g.) to send over network so client can do translation in their locale
001145 |  */
001146 | string Expansion_GetDisplayNameRaw()
001147 | {
001148 |     string displayName = ConfigGetStringRaw("displayName");
001149 |     g_Game.FormatRawConfigStringKeys(displayName);
001150 |     return displayName;
001151 | }
001152 |
001153 | override void DeferredInit()
001154 | {
001155 |     super.DeferredInit();
001156 |
001157 |     //! Skin
001158 |
001159 |     if ( g_Game.IsServer() && m_CanBeSkinned )
001160 |     {
001161 |         m_CurrentSkinIndex = m_SkinModule.GetSkinIndex( GetType(), m_CurrentSkinName );
001162 |         m_CurrentSkinSynchRemote = m_CurrentSkinIndex;
001163 |         m_CurrentSkin = m_Skins[ m_CurrentSkinIndex ];
001164 |
001165 |         ExpansionOnSkinUpdate();
001166 |     }
001167 |
001168 |     if (!m_Expansion_IsStoreLoaded)
001169 |         return;
001170 |
001171 |     //! Ideally would do the following in AfterStoreLoad, but vanilla doesn't always call super >:(
001172 |
001173 |     ExpansionDeferredCreateCleanup();
001174 |
001175 |     int actions = ExpansionItemBaseModule.s_Instance.ProcessQueuedEntityActions(this);
001176 |     if ((actions & ExpansionItemBaseModule.SETUNLOOTABLE) == ExpansionItemBaseModule.SETUNLOOTABLE && GetLifetime())
001177 |         Expansion_QueueEntityActions(ExpansionItemBaseModule.SETUNLOOTABLE);
001178 | }
001179 |
001180 | void ExpansionDeferredCreateCleanup()
001181 | {
001182 |     if (!GetExpansionSettings().GetSafeZone().Enabled)
001183 |         return;
001184 |
001185 |     if (!GetExpansionSettings().GetSafeZone().EnableForceSZCleanup)
001186 |         return;
001187 |
001188 |     ExpansionCreateCleanup();
001189 | }
001190 |
001191 | void Expansion_SetLootable(bool pState)
001192 | {
001193 |     m_Expansion_IsLootable = pState;
001194 | }
```

```
001195 |         SetTakeable(pState);
001196 |
001197 |         if (GetInventory())
001198 |         {
001199 |             //! 10134 = 2 | 4 | 16 | 128 | 256 | 512 | 1024 | 8192
001200 |             if (pState)
001201 |                 ExpansionStatic.UnlockInventoryRecursive(this, 10134);
001202 |             else
001203 |                 ExpansionStatic.LockInventoryRecursive(this, 10134);
001204 |         }
001205 |
001206 |         if (!m_Expansion_QueuedActions || GetHierarchyParent())
001207 |             return;
001208 |
001209 |         if (pState)
001210 |         {
001211 |             //! Deferred removal of setuntakeable entity action from queue
001212 |             Expansion_DequeueEntityActions(ExpansionItemBaseModule.SETUNLOOTABLE);
001213 |         }
001214 |     }
001215 |
001216 |     bool Expansion_IsLootable()
001217 |     {
001218 |         return m_Expansion_IsLootable;
001219 |     }
001220 |
001221 |     override bool IsInventoryVisible()
001222 |     {
001223 |         if (!super.IsInventoryVisible())
001224 |             return false;
001225 |
001226 |         return m_Expansion_IsLootable;
001227 |     }
001228 |
001229 |     //! Prevent pickup if it's set to unlootable
001230 |     override bool CanPutAsAttachment( EntityAI parent )
001231 |     {
001232 |         if (!super.CanPutAsAttachment(parent))
001233 |             return false;
001234 |
001235 |         if (parent)
001236 |         {
001237 |             DayZPlayerImplement player;
001238 |             if (Class.CastTo(player, parent.GetHierarchyRoot()) && player.Expansion_IsAI())
001239 |                 return true; //! AI can always take
001240 |         }
001241 |
001242 |         return m_Expansion_IsLootable;
001243 |     }
001244 |
001245 |     //! Prevent pickup if it's set to unlootable
001246 |     override bool CanPutInCargo(EntityAI parent)
001247 |     {
001248 |         if (!super.CanPutInCargo(parent))
001249 |             return false;
001250 |
001251 |         if (parent)
001252 |         {
001253 |             DayZPlayerImplement player;
001254 |             if (Class.CastTo(player, parent.GetHierarchyRoot()) && player.Expansion_IsAI())
001255 |                 return true; //! AI can always take
001256 |         }
001256 |     }
```

```
001257 |
001258 |     return m_Expansion_IsLootable;
001259 | }
001260 |
001261 | //! Prevent pickup if it's set to unlootable
001262 | override bool CanPutIntoHands(EntityAI parent)
001263 | {
001264 |     if (!super.CanPutIntoHands(parent))
001265 |         return false;
001266 |
001267 |     if (parent)
001268 |     {
001269 |         DayZPlayerImplement player;
001270 |         if (Class.CastTo(player, parent.GetHierarchyRoot()) && player.Expansion_IsAI())
001271 |             return true; //! AI can always take
001272 |     }
001273 |
001274 |     return m_Expansion_IsLootable;
001275 | }
001276 |
001277 | override void Delete()
001278 | {
001279 |     if (!m_Expansion_SuppressDelete)
001280 |         super.Delete();
001281 | }
001282 |
001283 | void Expansion_SuppressDelete(bool suppress)
001284 | {
001285 |     m_Expansion_SuppressDelete = suppress;
001286 | }
001287 |
001288 | override void EEDelete(EntityAI parent)
001289 | {
001290 |     super.EEDelete(parent);
001291 |
001292 |     if (!parent && m_Expansion_QueuedActions)
001293 |     {
001294 |         //! Deferred removal of all entity actions from queue
001295 |         ExpansionItemBaseModule.s_Instance.QueueEntityActions(this, -int.MAX);
001296 |         m_Expansion_QueuedActions = 0;
001297 |     }
001298 | }
001299 |
001300 | override void OnCEUpdate()
001301 | {
001302 |     super.OnCEUpdate();
001303 |
001304 |     if (m_Expansion_SZCleanup && GetLifetime() < 0)
001305 |     {
001306 |         if (!GetHierarchyParent())
001307 |         {
001308 |             g_Game.ObjectDelete(this);
001309 |
001310 |             #ifdef EXPANSION_SAFEZONE_DEBUG
001311 |             EXPrint("[CORE][Expansion_SZCleanup] " + ToString() + " " + GetPosition() + " deleted");
001312 |             #endif
001313 |         }
001314 |         else
001315 |         {
001316 |             //! Failsafe - this should not be able to happen
001317 |             m_Expansion_SZCleanup = false;
001318 |         }
```

```
001319 |         EXPrint("[CORE][Expansion_SZCleanup] " + ToString() + " " + GetPosition() + " unmarked for cleanup - object has parent");
001320 |     }
001321 | }
001322 | }
001323 |
001324 | void ExpansionCreateCleanup()
001325 | {
001326 |     if (IsInherited(ExpansionTemporaryOwnedContainer))
001327 |         return;
001328 |
001329 |     if (m_Expansion_SZCleanup)
001330 |         return;
001331 |
001332 |     if (GetHierarchyParent())
001333 |         return;
001334 |
001335 |     if (!ExpansionZoneModule.IsInsideSafeZone(GetPosition()))
001336 |         return;
001337 |
001338 |     if (ExpansionStatic.IsAnyOf(this, GetExpansionSettings().GetSafeZone().ForceSZCleanup_ExcludedItems, true))
001339 |         return;
001340 |
001341 |     m_Expansion_SZCleanup = true;
001342 |
001343 |     ///! Using SetLifetimeMax here prevents the lifetime resetting to the value from CE
001344 |     ///! if this item can receive attachments/cargo and something is attached/put in cargo
001345 |     ///! while the item is on ground
001346 |     SetLifetimeMax(GetExpansionSettings().GetSafeZone().ItemLifetimeInSafeZone);
001347 |
001348 |     #ifdef EXPANSION_SAFEZONE_DEBUG
001349 |     EXPrint("[CORE][Expansion_SZCleanup] " + ToString() + " " + GetPosition() + " marked for cleanup - lifetime " + GetLifetime());
001350 |     #endif
001351 | }
001352 |
001353 | bool Expansion_CanObjectAttach(Object obj)
001354 | {
001355 |     if (obj.IsMan())
001356 |         return Expansion_CanPlayerAttach();
001357 |
001358 |     return false;
001359 | }
001360 |
001361 | bool Expansion_CanPlayerAttach()
001362 | {
001363 |     #ifdef EXPANSION_PLAYER_ATTACHMENT_CANATTACH_OVERRIDE
001364 |     m_Expansion_CanPlayerAttach = true;
001365 |     #endif
001366 |
001367 |     return m_Expansion_CanPlayerAttach;
001368 | }
001369 |
001370 | bool Expansion_CarContactActivates()
001371 | {
001372 |     if (IsInherited(CarWheel))
001373 |         return true;
001374 |
001375 |     return false;
001376 | }
001377 |
001378 | TStringArray Expansion_GetAttachmentSlots()
001379 | {
001380 |     TStringArray attachments = {};
```

```
001381 |         ConfigGetTextArray("attachments", attachments);
001382 |         return attachments;
001383 |     }
001384 |
001385 |     TStringArray Expansion_GetInventorySlots()
001386 |     {
001387 |         TStringArray inventorySlots = {};
001388 |         ConfigGetTextArray("inventorySlot", inventorySlots);
001389 |         return inventorySlots;
001390 |     }
001391 |
001392 |     bool Expansion_HasAttachmentSlot(string slotName)
001393 |     {
001394 |         //! @note inventory is not available in constructor
001395 |         if (GetInventory())
001396 |         {
001397 |             int slotID = InventorySlots.GetSlotIdFromString(slotName);
001398 |
001399 |             if (!InventorySlots.IsSlotIdValid(slotID))
001400 |                 return false;
001401 |
001402 |             if (!GetInventory().HasAttachmentSlot(slotID))
001403 |                 return false;
001404 |         }
001405 |         else
001406 |         {
001407 |             TStringArray attachments = Expansion_GetAttachmentSlots();
001408 |
001409 |             return ExpansionStatic.StringArrayContainsIgnoreCase(attachments, slotName);
001410 |         }
001411 |
001412 |         return true;
001413 |     }
001414 |
001415 |     bool Expansion_HasAttachmentSlot(TStringArray slotNames)
001416 |     {
001417 |         foreach (string slotName: slotNames)
001418 |         {
001419 |             if (Expansion_HasAttachmentSlot(slotName))
001420 |                 return true;
001421 |         }
001422 |
001423 |         return false;
001424 |     }
001425 |
001426 |     bool Expansion_HasInventorySlot(string slotName)
001427 |     {
001428 |         //! @note inventory is not available in constructor
001429 |         if (GetInventory())
001430 |         {
001431 |             int slotID = InventorySlots.GetSlotIdFromString(slotName);
001432 |
001433 |             if (!InventorySlots.IsSlotIdValid(slotID))
001434 |                 return false;
001435 |
001436 |             if (!GetInventory().HasInventorySlot(slotID))
001437 |                 return false;
001438 |         }
001439 |         else
001440 |         {
001441 |             TStringArray inventorySlots = Expansion_GetInventorySlots();
001442 |
```

```
001443 |         return ExpansionStatic.StringArrayContainsIgnoreCase(inventorySlots, slotName);
001444 |     }
001445 |
001446 |     return true;
001447 | }
001448 |
001449 | bool Expansion_HasInventorySlot(TStringArray slotNames)
001450 | {
001451 |     foreach (string slotName: slotNames)
001452 |     {
001453 |         if (Expansion_HasInventorySlot(slotName))
001454 |             return true;
001455 |     }
001456 |
001457 |     return false;
001458 | }
001459 |
001460 | bool Expansion_IsAdminTool()
001461 | {
001462 |     return m_Expansion_IsAdminTool;
001463 | }
001464 |
001465 | bool Expansion_IsSelectionRuined(string selection)
001466 | {
001467 |     string zone;
001468 |     DamageSystem.GetDamageZoneFromComponentName(this, selection, zone);
001469 |     return GetHealthLevel(zone) == GameConstants.STATE_RUINED;
001470 | }
001471 |
001472 | int Expansion_GetItemSize()
001473 | {
001474 |     vector itemSize = ConfigGetVector("itemSize");
001475 |     return itemSize[0] * itemSize[1];
001476 | }
001477 |
001478 | bool Expansion_IsStackable()
001479 | {
001480 |     return m_CanThisBeSplit && !ConfigGetBool("quantityBar");
001481 | }
001482 |
001483 | /// @brief Attempt to set stack amount if item is stackable. Return true if operation was performed, false if not.
001484 | /// Giving a negative amount is allowed (treated the same as an amount of zero) if deleteIfZero = true.
001485 | /// @note Valid to call on non-stackable items only if amount = 1 (no-op) or amount <= 0 and deleteIfZero = true
001486 | bool Expansion_SetStackAmount(int amount, bool deleteIfZero = false)
001487 | {
001488 |     if (amount <= 0 && deleteIfZero)
001489 |     {
001490 |         Delete();
001491 |         return true;
001492 |     }
001493 |
001494 |     if (!Expansion_IsStackable())
001495 |     {
001496 |         if (amount != 1)
001497 |             Error(ToString() + " is not a stackable item, cannot set stack amount to " + amount + "!");
001498 |         return false;
001499 |     }
001500 |
001501 |     if (amount < 0)
001502 |     {
001503 |         Error(ToString() + " cannot set stack amount to negative!");
001504 |         return false;
001505 |     }
```



```
001505 |     }
001506 |
001507 |     if (IsAmmoPile())
001508 |     {
001509 |         auto mag = Magazine.Cast(this);
001510 |         int ammoMax = mag.GetAmmoMax();
001511 |         if (amount > ammoMax)
001512 |             amount = ammoMax;
001513 |         if (g_Game.IsServer())
001514 |             mag.ServerSetAmmoCount(amount);
001515 |         else
001516 |             mag.LocalSetAmmoCount(amount);
001517 |     }
001518 |     else
001519 |     {
001520 |         ///! No max check needed since it's handled by SetQuantity
001521 |         SetQuantity(amount);
001522 |     }
001523 |
001524 |     return true;
001525 | }
001526 |
001527 | ///! @brief Attempt to decrease stack by amount. Return true if operation was performed, false if not.
001528 | ///! @note Changes amountToDelete in-place.
001529 | bool Expansion_DecreaseStackAmount(inout int amountToDelete, bool deleteIfZero = false)
001530 | {
001531 |     int amount = Expansion_GetStackAmount();
001532 |     if (!Expansion_SetStackAmount(amount - amountToDelete, deleteIfZero))
001533 |         return false;
001534 |     if (amount >= amountToDelete)
001535 |         amountToDelete = 0;
001536 |     else
001537 |         amountToDelete -= amount;
001538 |     return true;
001539 | }
001540 |
001541 | ///! @brief Get stack amount of item.
001542 | ///! @note Valid to call on non-stackable items (will return 1)
001543 | int Expansion_GetStackAmount()
001544 | {
001545 |     if (IsAmmoPile())
001546 |     {
001547 |         auto mag = Magazine.Cast(this);
001548 |         return mag.GetAmmoCount();
001549 |     }
001550 |     else if (Expansion_IsStackable())
001551 |     {
001552 |         return GetQuantity();
001553 |     }
001554 |
001555 |     return 1;
001556 | }
001557 |
001558 | int Expansion_GetStackMin()
001559 | {
001560 |     if (IsAmmoPile())
001561 |     {
001562 |         return 0;
001563 |     }
001564 |     else if (Expansion_IsStackable())
001565 |     {
001566 |         return GetQuantityMin();
```

```
001567 |     }
001568 |
001569 |     return 1;
001570 | }
001571 |
001572 | int Expansion_GetStackMax()
001573 | {
001574 |     if (IsAmmoPile())
001575 |     {
001576 |         auto mag = Magazine.Cast(this);
001577 |         return mag.GetAmmoMax();
001578 |     }
001579 |     else if (Expansion_IsStackable())
001580 |     {
001581 |         return GetQuantityMax();
001582 |     }
001583 |
001584 |     return 1;
001585 | }
001586 |
001587 | float Expansion_GetQuantity(inout int quantityType)
001588 | {
001589 |     float item_quantity = GetQuantity();
001590 |     int max_quantity = GetQuantityMax();
001591 |
001592 |     float quantity_ratio;
001593 |     float quantity_output;
001594 |
001595 |     if (max_quantity > 0) // Some items, like books, have max_quantity set to 0 => division by ZERO error in quantity_ratio
001596 |     {
001597 |         quantity_ratio = Math.Round((item_quantity / max_quantity) * 100);
001598 |         string stackedUnit = ConfigGetString("stackedUnit");
001599 |         if (stackedUnit == "pc." || stackedUnit == "pills")
001600 |         {
001601 |             quantity_output = item_quantity;
001602 |             quantityType = ExpansionItemQuantityType.PC;
001603 |         }
001604 |         else if (stackedUnit == "percentage")
001605 |         {
001606 |             quantity_output = quantity_ratio;
001607 |             quantityType = ExpansionItemQuantityType.PERCENTAGE;
001608 |         }
001609 |         else if (stackedUnit == "g")
001610 |         {
001611 |             quantity_output = quantity_ratio;
001612 |             quantityType = ExpansionItemQuantityType.GRAM;
001613 |         }
001614 |         else if (stackedUnit == "ml")
001615 |         {
001616 |             quantity_output = quantity_ratio;
001617 |             quantityType = ExpansionItemQuantityType.MILLILITER;
001618 |         }
001619 |         else if (stackedUnit == "w" || HasEnergyManager())
001620 |         {
001621 |             quantity_output = quantity_ratio;
001622 |             quantityType = ExpansionItemQuantityType.POWER;
001623 |         }
001624 |         else if (IsInherited(Magazine))
001625 |         {
001626 |             Magazine magazine_item;
001627 |             Class.CastTo(magazine_item, this);
001628 |             quantity_output = magazine_item.GetAmmoCount();
```

```
001629 |         quantityType = ExpansionItemQuantityType.MAGAZINE;
001630 |     }
001631 |     else
001632 |     {
001633 |         quantity_output = 0;
001634 |     }
001635 | }
001636 | else
001637 | {
001638 |     if (IsInherited(ClothingBase))
001639 |     {
001640 |         float heatIsolation = MiscGameplayFunctions.GetCurrentItemHeatIsolation(this);
001641 |         quantity_output = heatIsolation;
001642 |         quantityType = ExpansionItemQuantityType.HEATISOLATION;
001643 |     }
001644 | }
001645 |
001646 | return quantity_output;
001647 | }
001648 |
001649 | /// @brief if item is 9V battery or has one attached, return battery energy in range [0, 100], else 0
001650 | /// @note this uses quantity so works on client as well since Battery9V has convertEnergyToQuantity=1 (quantity, unlike energy, is netsynced by the game)
001651 | int Expansion_GetBatteryEnergy()
001652 | {
001653 |     Battery9V battery;
001654 |     if (Class.CastTo(battery, this) || Class.CastTo(battery, FindAttachmentBySlotName("BatteryD")))
001655 |         return Math.Ceil(battery.GetQuantity() / battery.GetQuantityMax() * 100);
001656 |
001657 |     return 0;
001658 | }
001659 |
001660 | float Expansion_GetDPS()
001661 | {
001662 |     if (m_Expansion_IsMeleeWeapon)
001663 |     {
001664 |         string ammoType;
001665 |         if (g_Game.ConfigGetText(CFG_VEHICLESPATH + " " + GetType() + " MeleeModes Default ammo", ammoType))
001666 |             return g_Game.ConfigGetFloat(CFG_AMMO + " " + ammoType + " DamageApplied Health damage");
001667 |     }
001668 |
001669 |     return 0.0;
001670 | }
001671 |
001672 | /**
001673 |  * @brief compare DPS (dmg per second) of weapons.
001674 |  *
001675 |  * @return -1 if this weapon's DPS is lower than the other's, 1 if higher, 0 if equal
001676 |  */
001677 | int Expansion_CompareDPS(ItemBase weapon)
001678 | {
001679 |     float dpsA = Expansion_GetDPS();
001680 |     float dpsB = weapon.Expansion_GetDPS();
001681 |
001682 |     if (dpsA < dpsB)
001683 |         return -1;
001684 |
001685 |     if (dpsA > dpsB)
001686 |         return 1;
001687 |
001688 |     return 0;
001689 | }
001690 |
```

```
001691 | void Expansion_DropAllCargo(float lifetime = -1)
001692 | {
001693 |     array<EntityAI> items = MiscGameplayFunctions.Expansion_GetCargoItems(this);
001694 |
001695 |     float angle = Math.Acos(Math.RandomFloat(-1.0, 1.0));
001696 |
001697 |     float cos = Math.Cos(angle);
001698 |     float sin = Math.Sin(angle);
001699 |
001700 |     vector halfExtents = "0.5 0 0.5";
001701 |     foreach (EntityAI item: items)
001702 |     {
001703 |         GetInventory().DropEntityInBounds(InventoryMode.SERVER, this, item, halfExtents, angle, cos, sin);
001704 |         if (lifetime > -1)
001705 |             item.SetLifetime(lifetime);
001706 |     }
001707 | }
001708 |
001709 | void Expansion_QueueEntityActions(int actions)
001710 | {
001711 |     if ((m_Expansion_QueuedActions & actions) == actions) //! Already queued
001712 |         return;
001713 |
001714 |     ExpansionItemBaseModule.s_Instance.QueueEntityActions(this, actions);
001715 |
001716 |     m_Expansion_QueuedActions |= actions;
001717 | }
001718 |
001719 | void Expansion_DequeueEntityActions(int actions)
001720 | {
001721 |     if ((m_Expansion_QueuedActions & actions) == 0) //! Not queued
001722 |         return;
001723 |
001724 |     ExpansionItemBaseModule.s_Instance.QueueEntityActions(this, -actions);
001725 |
001726 |     m_Expansion_QueuedActions &= ~actions;
001727 | }
001728 |
001729 | void Expansion_PlaceOnSurfaceProper(vector position)
001730 | {
001731 |     #ifdef EXTRACE_DIAG
001732 |         auto trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, this, position.ToString());
001733 |     #endif
001734 |
001735 |     vector pos = GetPosition();
001736 |     vector ori = GetOrientation();
001737 |
001738 |     //! -----
001739 |
001740 |     //! See hologram.c, AlignProjectionOnTerrain
001741 |
001742 |     vector yaw = Vector(ori[0], 0.0, 0.0);
001743 |     vector mat0[3];
001744 |     vector mat1[3];
001745 |     vector mat2[3];
001746 |     vector normal = g_Game.SurfaceGetNormal(position[0], position[2]);
001747 |
001748 |     vector angles = normal.VectorToAngles();
001749 |     angles[1] = angles[1] + 270;
001750 |
001751 |     angles[0] = Math.Clamp(angles[0], 0, 360);
001752 |     angles[1] = Math.Clamp(angles[1], 0, 360);
```

```
001753 |         angles[2] = Math.Clamp(angles[2], 0, 360);
001754 |
001755 |         yaw[0] = yaw[0] + (360 - angles[0]);
001756 |
001757 |         Math3D.YawPitchRollMatrix(yaw, mat0);
001758 |         Math3D.YawPitchRollMatrix(angles, mat1);
001759 |         Math3D.MatrixMultiply3(mat1, mat0, mat2);
001760 |
001761 |         //! -----
001762 |
001763 |         vector m4[4];
001764 |         m4[0] = mat2[0];
001765 |         m4[1] = mat2[1];
001766 |         m4[2] = mat2[2];
001767 |         m4[3] = position;
001768 |
001769 |         PlaceOnSurfaceRotated(m4, m4[3]);
001770 |
001771 |         //! -----
001772 |
001773 |     /*
001774 |     vector minMax[2];
001775 |     float offsetY;
001776 |     if (GetCollisionBox(minMax))
001777 |     {
001778 |         vector p1 = minMax[0].Multiply4(m4);
001779 |         vector p2 = minMax[1].Multiply4(m4);
001780 |         vector center = vector.Zero.Multiply4(m4);
001781 |         if (p2[1] < center[1])
001782 |             offsetY = center[1] - p2[1];
001783 |         else
001784 |             offsetY = center[1] - p1[1];
001785 |     }
001786 |
001787 | #ifdef DIAG_DEVELOPER
001788 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, this, "" + pos + " " + ori + " -> " + m4[3] + " " + <0 " + offsetY + " 0> " + Math3D.MatrixToAngles(m4));
001789 | #endif
001790 |
001791 |     m4[3][1] = m4[3][1] + offsetY;
001792 | */
001793 |
001794 | #ifdef DIAG_DEVELOPER
001795 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, this, "" + pos + " " + ori + " -> " + m4[3] + " " + Math3D.MatrixToAngles(m4));
001796 | #endif
001797 |
001798 |     SetTransform(m4);
001799 | }
001800 |
001801 |     //! Process wetness/temperature/decay like vanilla does
001802 | void Expansion_ProcessWTD(float elapsed)
001803 | {
001804 |     bool hasParent = false, hasRootAsPlayer = false;
001805 |     ItemBase refParentIB;
001806 |
001807 |     bool wwtu = g_Game.IsWorldWetTempUpdateEnabled();
001808 |     bool foodDecay = g_Game.IsFoodDecayEnabled();
001809 |
001810 |     if ( wwtu || foodDecay )
001811 |     {
001812 |         bool processWetness;
001813 |         //! https://feedback.bistudio.com/T173348
001814 |         if (wwtu && CanHaveWetness())
```

```
001815 |         processWetness = true;
001816 |     bool processTemperature;
001817 |     if (wwtu && CanHaveTemperature())
001818 |         processTemperature = true;
001819 |     bool processDecay;
001820 |     if (foodDecay && CanDecay() && CanProcessDecay())
001821 |         processDecay = true;
001822 |
001823 |     if ( processWetness || processTemperature || processDecay)
001824 |     {
001825 |         HierarchyCheck( hasParent, hasRootAsPlayer, refParentIB );
001826 |
001827 |         if ( processWetness )
001828 |             ProcessItemWetness( elapsed, hasParent, hasRootAsPlayer, refParentIB );
001829 |
001830 |         if ( processTemperature )
001831 |             ProcessItemTemperature( elapsed, hasParent, hasRootAsPlayer, refParentIB );
001832 |
001833 |         if ( processDecay )
001834 |             ProcessDecay( elapsed, hasRootAsPlayer );
001835 |     }
001836 | }
001837 | }
001838 |
001839 | string Expansion_GetEntityStorageFileName()
001840 | {
001841 |     return string.Empty;
001842 | }
001843 |
001844 | bool Expansion_CanBeUsedToBandage()
001845 | {
001846 |     return IsInherited(Rag) || IsInherited(BandageDressing) || IsInherited(Bandana_ColorBase) || IsInherited(Shemag_ColorBase);
001847 | }
001848 |
001849 | bool Expansion_CanUseVirtualStorage(bool restoreOverride = false)
001850 | {
001851 |     return false;
001852 | }
001853 |
001854 | bool Expansion_StoreContents();
001855 |
001856 | bool Expansion_RestoreContents(PlayerBase player = null);
001857 |
001858 | void Expansion_SwitchItemSelectionTextureEx(EItemManipulationContext context, Param par = null)
001859 | {
001860 | }
001861 | };
001862 |
```

0245. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\BaseBuildingBase.c

Size bytes: 985

SHA-256: 5a93497fa73cd512e3075b181bcd8ecb46eee721a3d71a1f6236e3159586c48b

Decoded as: utf-8-sig

Line count shown: 31

Detected class declarations: 1

L13: modded class BaseBuildingBase

Detected enum declarations: 0

Detected function/method-like declarations: 2

L15: void ExpansionUpdateBaseBuildingStateFromPartBuilt(string part_name) {};

L17: void Expansion_OnPartBuiltServer(ConstructionPart constructionPart)

Full file content

```
000001 | /**
000002 |  * BaseBuildingBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class BaseBuildingBase
000014 | {
000015 |     void ExpansionUpdateBaseBuildingStateFromPartBuilt(string part_name) {};
000016 |
000017 |     void Expansion_OnPartBuiltServer(ConstructionPart constructionPart)
000018 |     {
000019 |         //! Equivalent to vanilla BaseBuildingBase::OnPartBuiltServer (minus creating construction kit and requirement for player)
000020 |
000021 |         RegisterPartForSync(constructionPart.GetId());
000022 |         RegisterActionForSync(constructionPart.GetId(), AT_BUILD_PART);
000023 |         SynchronizeBaseState();
000024 |         SetPartFromSyncData(constructionPart);
000025 |         UpdateNavmesh();
000026 |         UpdateVisuals();
000027 |
000028 |         g_Game.GetCallQueue(CALL_CATEGORY_GAMEPLAY).CallLater(ResetActionSyncData, 100, false);
000029 |     }
000030 | };
000031 |
```

0246. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\BaseBuildingBase\Fence.c
Size bytes: 315
SHA-256: 4cc9865125f11017646b35564c86e890188a499de4bace4d63f72b1923d3f258
Decoded as: utf-8-sig
Line count shown: 14
Detected class declarations: 1
 L1: modded class Fence
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L3: override void Expansion_OnPartBuiltServer(ConstructionPart constructionPart)

Full file content

```
000001 | modded class Fence
000002 | {
000003 |     override void Expansion_OnPartBuiltServer(ConstructionPart constructionPart)
000004 |     {
000005 |         //!< Equivalent to vanilla Fence::OnPartBuiltServer (minus requirement for player)
000006 |
000007 |         super.Expansion_OnPartBuiltServer(constructionPart);
000008 |
000009 |         SetGateState(CheckGateState());
000010 |
000011 |         UpdateVisuals();
000012 |     }
000013 | }
000014 |
```


0247. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\BatteryCharger.c

Size bytes: 339

SHA-256: 47edf8c1750027bfe70b2e7de385dd975a13e7e5a1cebfca3904a661e8fbdbe2

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class BatteryCharger

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class BatteryCharger
000002 | {
000003 |     //! Vanilla BatteryCharger::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla BatteryCharger::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0248. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Blowtorch.c

Size bytes: 174

SHA-256: 4449bbcd107e642824aacf3cff63f0a84154a480db555924bed565c4694217a5

Decoded as: utf-8-sig

Line count shown: 11

Detected class declarations: 1

 L1: modded class Blowtorch

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L4: override void OnWorkStop()

Full file content

```
000001 | modded class Blowtorch
000002 | {
000003 |     //! Vanilla Blowtorch::OnWorkStop doesn't call super
000004 |     override void OnWorkStop()
000005 |     {
000006 |         super.OnWorkStop();
000007 |
000008 |         Expansion_OnWorkStop();
000009 |     }
000010 | }
000011 |
```

0249. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\CattleProd.c
Size bytes: 327
SHA-256: 2074499066df925996d1092b9baf6145b598a5524b522d61478adf006faae6af
Decoded as: utf-8-sig
Line count shown: 19
Detected class declarations: 1
 L1: modded class CattleProd
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L4: override void OnWorkStart()
 L12: override void OnWorkStop()

Full file content

```
000001 | modded class CattleProd
000002 | {
000003 |     //! Vanilla CattleProd::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla CattleProd::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0250. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ChemLight.c

Size bytes: 354

SHA-256: d782128eee3d011e6a9a9c4c6f8180c27721b9067b885cbeaafe9c2ed31e352

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class Chemlight_ColorBase

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class Chemlight_ColorBase
000002 | {
000003 |     //! Vanilla Chemlight_ColorBase::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla Chemlight_ColorBase::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0251. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Clothing\Armband_ColorBase.c
Size bytes: 2047
SHA-256: 4b04ac3ce2b0ac785921bab9336a2327891f231f7306aed41239ada096a94476
Decoded as: utf-8-sig
Line count shown: 66
Detected class declarations: 1
 L1: modded class Armband_ColorBase
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L3: override void Expansion_SwitchItemSelectionTextureEx(EItemManipulationContext context, Param par = null)

Full file content

```
000001 | modded class Armband_ColorBase
000002 | {
000003 |     override void Expansion_SwitchItemSelectionTextureEx(EItemManipulationContext context, Param par = null)
000004 |     {
000005 |         super.Expansion_SwitchItemSelectionTextureEx(context, par);
000006 |
000007 |         if (context == EItemManipulationContext.ATTACHING || context == EItemManipulationContext.UPDATE)
000008 |         {
000009 |             Param1<ExpansionNotPlayerBase> data = Param1<ExpansionNotPlayerBase>.Cast(par);
000010 |             if (!data)
000011 |             {
000012 |                 return;
000013 |             }
000014 |
000015 |             ExpansionNotPlayerBase player = data.param1;
000016 |
000017 |             int selection_idx = -1;
000018 |             string texture;
000019 |
000020 |             array<string> show_selections = new array<string>;
000021 |             array<string> hide_selections = new array<string>;
000022 |
000023 |             //has top
000024 |             if (player.FindAttachmentBySlotName("Body"))
000025 |             {
000026 |                 show_selections.Insert("camoMale_big_a");
000027 |                 show_selections.Insert("camoMale_big_b");
000028 |                 show_selections.Insert("camoFemale_big_a");
000029 |                 show_selections.Insert("camoFemale_big_b");
000030 |
000031 |                 hide_selections.Insert("camoMale_small_a");
000032 |                 hide_selections.Insert("camoMale_small_b");
000033 |                 hide_selections.Insert("camoFemale_small_a");
000034 |                 hide_selections.Insert("camoFemale_small_b");
000035 |             }
000036 |             //has no top
000037 |             else
000038 |             {
000039 |                 hide_selections.Insert("camoMale_big_a");
000040 |                 hide_selections.Insert("camoMale_big_b");
000041 |                 hide_selections.Insert("camoFemale_big_a");
000042 |                 hide_selections.Insert("camoFemale_big_b");
000043 |
000044 |                 show_selections.Insert("camoMale_small_a");
000045 |                 show_selections.Insert("camoMale_small_b");
000046 |                 show_selections.Insert("camoFemale_small_a");
```

```
000047 |         show_selections.Insert("camoFemale_small_b");
000048 |     }
000049 |
000050 |     int i;
000051 |     for (i = 0; i < show_selections.Count(); i++)
000052 |     {
000053 |         selection_idx = GetHiddenSelectionIndex(show_selections[i]);
000054 |         texture = GetHiddenSelectionsData().GetHiddenSelectionsTextures()[selection_idx];
000055 |         SetObjectTexture( selection_idx, texture );
000056 |     }
000057 |
000058 |     for (i = 0; i < hide_selections.Count(); i++)
000059 |     {
000060 |         selection_idx = GetHiddenSelectionIndex(hide_selections[i]);
000061 |         SetObjectTexture( selection_idx, "" );
000062 |     }
000063 | }
000064 | }
000065 | }
000066 |
```

0252. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Clothing_Base.c
 Size bytes: 1037
 SHA-256: 36c1bc223097f4f7a4b7693daa056fbe0e2f07b62belac27ff00b1417d2a4929
 Decoded as: utf-8-sig
 Line count shown: 36
 Detected class declarations: 1
 L1: modded class Clothing
 Detected enum declarations: 0
 Detected function/method-like declarations: 1
 L4: override void Expansion_SwitchItemSelectionTextureEx(EItemManipulationContext context, Param par = null)

Full file content

```
000001 | modded class Clothing
000002 | {
000003 |     //! This controls arms/legs texture for ExpansionNotPlayerBase and inheriting classes (e.g. static Expansion NPCs)
000004 |     override void Expansion_SwitchItemSelectionTextureEx(EItemManipulationContext context, Param par = null)
000005 |     {
000006 |         super.Expansion_SwitchItemSelectionTextureEx(context, par);
000007 |
000008 |         Param1<ExpansionNotPlayerBase> data = Param1<ExpansionNotPlayerBase>.Cast(par);
000009 |         if (!data)
000010 |         {
000011 |             return;
000012 |         }
000013 |
000014 |         ExpansionNotPlayerBase player = data.param1;
000015 |
000016 |         int personality = GetHiddenSelectionIndex("personality");
000017 |         if (personality >= 0)
000018 |         {
000019 |             string tone_mat = player.m_EmptyGloves.GetHiddenSelectionsMaterials().Get(0);
000020 |             string tone_texture;
000021 |
000022 |             if (player.m_CorpseState > PlayerConstants.CORPSE_STATE_FRESH)
000023 |             {
000024 |                 tone_texture = player.m_DecayedTexture;
000025 |             }
000026 |             else
000027 |             {
000028 |                 tone_texture = player.m_EmptyGloves.GetHiddenSelectionsTextures().Get(0);
000029 |             }
000030 |
000031 |             SetObjectMaterial( personality, tone_mat );
000032 |             SetObjectTexture( personality, tone_texture );
000033 |         }
000034 |     }
000035 | }
000036 |
```

0253. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Defibrillator.c
Size bytes: 336
SHA-256: 664778b0a1a58651494accf3ff13ea81348962e591d8164dd293eacfb361e44
Decoded as: utf-8-sig
Line count shown: 19
Detected class declarations: 1
 L1: modded class Defibrillator
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L4: override void OnWorkStart()
 L12: override void OnWorkStop()

Full file content

```
000001 | modded class Defibrillator
000002 | {
000003 |     //! Vanilla Defibrillator::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla Defibrillator::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```


0254. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Edible_Base.c

Size bytes: 6041

SHA-256: c732a9d624e04ee83000b83ddb56d0fcf8d4865c52d3a27cb46d54618e54bcc9

Decoded as: utf-8-sig

Line count shown: 177

Detected class declarations: 1

L13: modded class Edible_Base

Detected enum declarations: 0

Detected function/method-like declarations: 3

L17: FoodStageType Expansion_GetProcessedFoodStageDecay(float delta, bool hasRootAsPlayer)

L90: else if (IsMeat())

L136: else if (IsCorpse())

Full file content

```
000001 | /**
000002 |  * Edible_Base.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class Edible_Base
000014 | {
000015 |     //! Similar to vanilla ProcessDecay, but call to GetHealth01 has been replaced with GetHealthLevelValue so it works on client (used in P2P market and personal
000016 |     storage previews)
000017 |     //! @note due to some intended randomness in the decay values, computed state may be different on client than actual state on server
000018 |     FoodStageType Expansion_GetProcessedFoodStageDecay( float delta, bool hasRootAsPlayer )
000019 |     {
000020 |         int decayTimer;
000021 |         FoodStageType processedFoodStage = FoodStageType.NONE;
000022 |         FoodStageType lastDecayStage;
000023 |         float decayDelta = 0.0;
000024 |         decayDelta *= DayZGame.Cast(g_Game).GetFoodDecayModifier();
000025 |         decayDelta += ( 1 + ( 1 - GetHealthLevelValue(GetHealthLevel()) ) );
000026 |         if ( hasRootAsPlayer )
000027 |             decayDelta += GameConstants.DECAY_RATE_ON_PLAYER;
000028 |
000029 |         if ( IsFruit() || IsMushroom() )
000030 |         {
000031 |             switch ( GetFoodStageType() )
000032 |             {
000033 |                 case FoodStageType.RAW:
000034 |                     decayTimer = ( GameConstants.DECAY_FOOD_RAW_FRVG + ( Math.RandomFloat01() * ( GameConstants.DECAY_FOOD_RAW_FRVG * ( GameConstants.DECAY_TIMER_
000035 |                     RANDOM_PERCENTAGE / 100.0 ) ) ) );
000036 |                     lastDecayStage = FoodStageType.RAW;
000037 |                     break;
000038 |
000039 |                 case FoodStageType.BOILED:
000040 |                     decayTimer = ( GameConstants.DECAY_FOOD_BOILED_FRVG + ( Math.RandomFloat01() * ( GameConstants.DECAY_FOOD_BOILED_FRVG * ( GameConstants.DECAY_
000041 |                     TIMER_RANDOM_PERCENTAGE / 100.0 ) ) ) );
000042 |                     lastDecayStage = FoodStageType.BOILED;
000043 |                     break;
000044 |             }
000045 |         }
000046 |     }
000047 | }
```

```
000042 |         case FoodStageType.BAKED:
000043 |             decayTimer = ( GameConstants.DECAY_FOOD_BAKED_FRVG + ( Math.RandomFloat01() * ( GameConstants.DECAY_FOOD_BAKED_FRVG * ( GameConstants.DECAY_TI
MER_RANDOM_PERCENTAGE / 100.0 ) ) ) );
000044 |             lastDecayStage = FoodStageType.BAKED;
000045 |             break;
000046 |
000047 |         case FoodStageType.DRIED:
000048 |         case FoodStageType.BURNED:
000049 |         case FoodStageType.ROTTEN:
000050 |         default:
000051 |             decayTimer = -1;
000052 |             lastDecayStage = FoodStageType.NONE;
000053 |             break;
000054 |     }
000055 |
000056 |     decayTimer -= ( delta * decayDelta );
000057 |
000058 |     if ( decayTimer <= 0 )
000059 |     {
000060 |         if ( lastDecayStage != FoodStageType.NONE )
000061 |         {
000062 |             // switch to decayed stage
000063 |             if ( ( lastDecayStage == FoodStageType.BOILED ) || ( lastDecayStage == FoodStageType.BAKED ) )
000064 |             {
000065 |                 processedFoodStage = FoodStageType.ROTTEN;
000066 |             }
000067 |             if ( lastDecayStage == FoodStageType.RAW )
000068 |             {
000069 |                 int rng = Math.RandomIntInclusive( 0, 100 );
000070 |                 if ( rng > GameConstants.DECAY_FOOD_FRVG_DRIED_CHANCE )
000071 |                 {
000072 |                     processedFoodStage = FoodStageType.ROTTEN;
000073 |                 }
000074 |                 else
000075 |                 {
000076 |                     if ( CanChangeToNewStage( FoodStageType.DRIED ) )
000077 |                     {
000078 |                         processedFoodStage = FoodStageType.DRIED;
000079 |                     }
000080 |                     else
000081 |                     {
000082 |                         processedFoodStage = FoodStageType.ROTTEN;
000083 |                     }
000084 |                 }
000085 |             }
000086 |         }
000087 |     }
000088 |
000089 | }
000090 | else if ( IsMeat() )
000091 | {
000092 |     switch ( GetFoodStageType() )
000093 |     {
000094 |         case FoodStageType.RAW:
000095 |             decayTimer = ( GameConstants.DECAY_FOOD_RAW_MEAT + ( Math.RandomFloat01() * ( GameConstants.DECAY_FOOD_RAW_MEAT * ( GameConstants.DECAY_TIMER_
RANDOM_PERCENTAGE / 100.0 ) ) ) );
000096 |             lastDecayStage = FoodStageType.RAW;
000097 |             break;
000098 |
000099 |         case FoodStageType.BOILED:
000100 |             decayTimer = ( GameConstants.DECAY_FOOD_BOILED_MEAT + ( Math.RandomFloat01() * ( GameConstants.DECAY_FOOD_BOILED_MEAT * ( GameConstants.DECAY_
TIMER_RANDOM_PERCENTAGE / 100.0 ) ) ) );
```

```
000101 |         lastDecayStage = FoodStageType.BOILED;
000102 |         break;
000103 |
000104 |         case FoodStageType.BAKED:
000105 |             decayTimer = ( GameConstants.DECAY_FOOD_BAKED_MEAT + ( Math.RandomFloat01() * ( GameConstants.DECAY_FOOD_BAKED_MEAT * ( GameConstants.DECAY_TI
MER_RANDOM_PERCENTAGE / 100.0 ) ) ) );
000106 |             lastDecayStage = FoodStageType.BAKED;
000107 |             break;
000108 |
000109 |         case FoodStageType.DRIED:
000110 |             decayTimer = ( GameConstants.DECAY_FOOD_DRIED_MEAT + ( Math.RandomFloat01() * ( GameConstants.DECAY_FOOD_DRIED_MEAT * ( GameConstants.DECAY_TI
MER_RANDOM_PERCENTAGE / 100.0 ) ) ) );
000111 |             lastDecayStage = FoodStageType.DRIED;
000112 |             break;
000113 |
000114 |         case FoodStageType.BURNED:
000115 |         case FoodStageType.ROTTEN:
000116 |         default:
000117 |             decayTimer = -1;
000118 |             lastDecayStage = FoodStageType.NONE;
000119 |             break;
000120 |     }
000121 |
000122 |     decayTimer -= ( delta * decayDelta );
000123 |
000124 |     if ( decayTimer <= 0 )
000125 |     {
000126 |         if ( lastDecayStage != FoodStageType.NONE )
000127 |         {
000128 |             // switch to decayed stage
000129 |             if ( ( lastDecayStage == FoodStageType.DRIED ) || ( lastDecayStage == FoodStageType.RAW ) || ( lastDecayStage == FoodStageType.BOILED ) || ( l
astDecayStage == FoodStageType.BAKED ) )
000130 |             {
000131 |                 processedFoodStage = FoodStageType.ROTTEN;
000132 |             }
000133 |         }
000134 |     }
000135 | }
000136 | else if ( IsCorpse() )
000137 | {
000138 |     // corpse
000139 |     if ( lastDecayStage != GetFoodStageType() )
000140 |     {
000141 |         switch ( GetFoodStageType() )
000142 |         {
000143 |             case FoodStageType.RAW:
000144 |                 decayTimer = ( GameConstants.DECAY_FOOD_RAW_CORPSE + ( Math.RandomFloat01() * ( GameConstants.DECAY_FOOD_RAW_CORPSE * ( GameConstants.DECA
Y_TIMER_RANDOM_PERCENTAGE / 100.0 ) ) ) );
000145 |                 lastDecayStage = FoodStageType.RAW;
000146 |                 break;
000147 |
000148 |             case FoodStageType.BURNED:
000149 |             case FoodStageType.ROTTEN:
000150 |             default:
000151 |                 decayTimer = -1;
000152 |                 lastDecayStage = FoodStageType.NONE;
000153 |                 break;
000154 |         }
000155 |     }
000156 |
000157 |     decayTimer -= ( delta * decayDelta );
000158 |
```

```
000159 |         if ( decayTimer <= 0 )
000160 |         {
000161 |             if ( lastDecayStage != FoodStageType.NONE )
000162 |             {
000163 |                 // switch to decayed stage
000164 |                 if ( ( lastDecayStage == FoodStageType.DRIED ) || ( lastDecayStage == FoodStageType.RAW ) || ( lastDecayStage == FoodStageType.BOILED ) || ( l
astDecayStage == FoodStageType.BAKED ) )
000165 |                 {
000166 |                     processedFoodStage = FoodStageType.ROTTEN;
000167 |                 }
000168 |             }
000169 |         }
000170 |     }
000171 |
000172 |     if (processedFoodStage == FoodStageType.NONE && m_FoodStage)
000173 |         processedFoodStage = GetFoodStageType();
000174 |
000175 |     return processedFoodStage;
000176 | }
000177 | };
```

0255. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ExpansionAdminChest.c

Size bytes: 2384

SHA-256: 2ec0b049d3edd8e17dc2dc13baf438a25482bea1b2a45e1aca757b8ba9bfdd44

Decoded as: utf-8-sig

Line count shown: 103

Detected class declarations: 1

L13: class ExpansionAdminChest: SeaChest

Detected enum declarations: 0

Detected function/method-like declarations: 16

```
L15: void ExpansionAdminChest()
L21: override bool CanDisplayAttachmentSlot(int slot_id)
L26: return Expansion_HasPermission();
L29: override bool CanDisplayCargo()
L34: return Expansion_HasPermission();
L37: override bool CanPutInCargo(EntityAI parent)
L45: override bool CanPutIntoHands(EntityAI parent)
L53: override bool CanReceiveAttachment(EntityAI attachment, int slotId)
L61: override bool CanReceiveItemIntoCargo(EntityAI item)
L69: override bool CanReleaseAttachment(EntityAI attachment)
L77: override bool CanReleaseCargo(EntityAI cargo)
L85: override bool CanSwapItemInCargo(EntityAI child_entity, EntityAI new_entity)
L93: override bool IsInventoryVisible()
L95: return Expansion_HasPermission();
L98: bool Expansion_HasPermission()
L100: return GetPermissionsManager().HasPermission("Entity.Spawn");
```

Full file content

```
000001 | /**
000002 |  * ExpansionAdminChest.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2024 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionAdminChest: SeaChest
000014 | {
000015 |     void ExpansionAdminChest()
000016 |     {
000017 |         if (g_Game.IsServer())
000018 |             SetAllowDamage(false);
000019 |     }
000020 |
000021 |     override bool CanDisplayAttachmentSlot(int slot_id)
000022 |     {
000023 |         if (!super.CanDisplayAttachmentSlot(slot_id))
000024 |             return false;
000025 |
000026 |         return Expansion_HasPermission();
000027 |     }
000028 |
000029 |     override bool CanDisplayCargo()
000030 |     {
000031 |         if (!super.CanDisplayCargo())
```

```
000032 |         return false;
000033 |
000034 |         return Expansion_HasPermission();
000035 |     }
000036 |
000037 |     override bool CanPutInCargo(EntityAI parent)
000038 |     {
000039 |         if (!super.CanPutInCargo(parent))
000040 |             return false;
000041 |
000042 |         return g_Game.IsDedicatedServer() || Expansion_HasPermission();
000043 |     }
000044 |
000045 |     override bool CanPutIntoHands(EntityAI parent)
000046 |     {
000047 |         if (!super.CanPutIntoHands(parent))
000048 |             return false;
000049 |
000050 |         return g_Game.IsDedicatedServer() || Expansion_HasPermission();
000051 |     }
000052 |
000053 |     override bool CanReceiveAttachment(EntityAI attachment, int slotId)
000054 |     {
000055 |         if (!super.CanReceiveAttachment(attachment, slotId))
000056 |             return false;
000057 |
000058 |         return g_Game.IsDedicatedServer() || Expansion_HasPermission();
000059 |     }
000060 |
000061 |     override bool CanReceiveItemIntoCargo(EntityAI item)
000062 |     {
000063 |         if (!super.CanReceiveItemIntoCargo(item))
000064 |             return false;
000065 |
000066 |         return g_Game.IsDedicatedServer() || Expansion_HasPermission();
000067 |     }
000068 |
000069 |     override bool CanReleaseAttachment(EntityAI attachment)
000070 |     {
000071 |         if (!super.CanReleaseAttachment(attachment))
000072 |             return false;
000073 |
000074 |         return g_Game.IsDedicatedServer() || Expansion_HasPermission();
000075 |     }
000076 |
000077 |     override bool CanReleaseCargo(EntityAI cargo)
000078 |     {
000079 |         if (!super.CanReleaseCargo(cargo))
000080 |             return false;
000081 |
000082 |         return g_Game.IsDedicatedServer() || Expansion_HasPermission();
000083 |     }
000084 |
000085 |     override bool CanSwapItemInCargo(EntityAI child_entity, EntityAI new_entity)
000086 |     {
000087 |         if (!super.CanSwapItemInCargo(child_entity, new_entity))
000088 |             return false;
000089 |
000090 |         return g_Game.IsDedicatedServer() || Expansion_HasPermission();
000091 |     }
000092 |
000093 |     override bool IsInventoryVisible()
```

```
000094 | {
000095 |     return Expansion_HasPermission();
000096 | }
000097 |
000098 | bool Expansion_HasPermission()
000099 | {
000100 |     return GetPermissionsManager().HasPermission("Entity.Spawn");
000101 | }
000102 | }
000103 |
```

0256. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ExpansionBriefcase.c

Size bytes: 823

SHA-256: ad327ca3a599e3a14c9617f754b60c1f325ea38fdb5c3a7363250696f77fb706

Decoded as: utf-8-sig

Line count shown: 35

Detected class declarations: 1

L13: class ExpansionBriefcase : Container_Base

Detected enum declarations: 0

Detected function/method-like declarations: 3

L15: override int GetDamageSystemVersionChange()

L19: override bool CanReceiveItemIntoCargo(EntityAI item)

L27: override bool CanLoadItemIntoCargo(EntityAI item)

Full file content

```
000001 | /**
000002 |  * ExpansionBriefcase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionBriefcase : Container_Base
000014 | {
000015 |     override int GetDamageSystemVersionChange()
000016 |     {
000017 |         return 110;
000018 |     }
000019 |     override bool CanReceiveItemIntoCargo( EntityAI item )
000020 |     {
000021 |         if (!super.CanReceiveItemIntoCargo(item))
000022 |             return false;
000023 |
000024 |         return item.IsKindOf("ExpansionMoneyBase");
000025 |     }
000026 |
000027 |     override bool CanLoadItemIntoCargo( EntityAI item )
000028 |     {
000029 |         if (!super.CanLoadItemIntoCargo(item))
000030 |             return false;
000031 |
000032 |         return item.IsKindOf("ExpansionMoneyBase");
000033 |     }
000034 | };
000035 |
```


0257. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ExpansionCircuitBoardBase.c

Size bytes: 820

SHA-256: d16e61bf0d9bd56ff600df248b7ba9efdf318cccd949de6ca1e87724c4f2e008

Decoded as: utf-8-sig

Line count shown: 41

Detected class declarations: 4

L13: class ExpansionCircuitBoardBase: ItemBase

L21: class ExpansionCircuitBoard_MK1: ExpansionCircuitBoardBase

L28: class ExpansionCircuitBoard_MK2: ExpansionCircuitBoardBase

L35: class ExpansionCircuitBoard_MK3: ExpansionCircuitBoardBase

Detected enum declarations: 0

Detected function/method-like declarations: 4

L15: int Expansion_GetTier()

L23: override int Expansion_GetTier()

L30: override int Expansion_GetTier()

L37: override int Expansion_GetTier()

Full file content

```
000001 | /**
000002 |  * ExpansionCircuitBoardBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionCircuitBoardBase: ItemBase
000014 | {
000015 |     int Expansion_GetTier()
000016 |     {
000017 |         return -1;
000018 |     }
000019 | };
000020 |
000021 | class ExpansionCircuitBoard_MK1: ExpansionCircuitBoardBase
000022 | {
000023 |     override int Expansion_GetTier()
000024 |     {
000025 |         return 1;
000026 |     }
000027 | };
000028 | class ExpansionCircuitBoard_MK2: ExpansionCircuitBoardBase
000029 | {
000030 |     override int Expansion_GetTier()
000031 |     {
000032 |         return 2;
000033 |     }
000034 | };
000035 | class ExpansionCircuitBoard_MK3: ExpansionCircuitBoardBase
000036 | {
000037 |     override int Expansion_GetTier()
000038 |     {
000039 |         return 3;
000040 |     }
000040 | }
```

000041 | };

0258. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ExpansionOwnedContainer.c

Size bytes: 12666

SHA-256: 26d88799dc939aab96f674df8a972ab342c99ed3c30805f9134df58d0b12c1ce

Decoded as: utf-8-sig

Line count shown: 478

Detected class declarations: 2

L14: class ExpansionOwnedContainer: Container_Base

L318: class ExpansionTemporaryOwnedContainer: ExpansionOwnedContainer

Detected enum declarations: 0

Detected function/method-like declarations: 55

L21: void ExpansionOwnedContainer()

L27: override void DeferredInit()

L34: override void OnVariablesSynchronized()

L41: protected void Expansion_UpdateOwner()

L63: void Expansion_OnOwnerSync()

L67: override bool CanCombineAttachment(notnull EntityAI e, int slot, bool stack_max_limit = false)

L75: override bool CanDisplayAttachmentSlot(int slot_id)

L80: return ExpansionIsContainerOwner();

L85: override bool CanDisplayCargo()

L87: return ExpansionIsContainerOwner();

L90: override bool CanLoadAttachment(EntityAI attachment)

L95: override bool CanLoadItemIntoCargo(EntityAI item)

L100: override bool CanPutInCargo(EntityAI parent)

L105: override bool CanPutIntoHands(EntityAI parent)

L107: return ExpansionIsContainerOwner(Man.Cast(parent));

L110: override bool CanReceiveAttachment(EntityAI attachment, int slotId)

L115: override bool CanReceiveItemIntoCargo(EntityAI item)

L123: override bool CanReleaseAttachment(EntityAI attachment)

L131: override bool CanReleaseCargo(EntityAI cargo)

L136: override bool CanSwapItemInCargo(EntityAI child_entity, EntityAI new_entity)

L145: override bool IsInventoryVisible()

L147: return ExpansionIsContainerOwner();

L150: override bool IsHealthVisible()

L155: override bool NameOverride(out string output)

L171: void ExpansionSetContainerOwner(Man player)

L176: void ExpansionSetContainerOwner(PlayerIdentity identity)

L199: void ExpansionSetContainerOwner(string uid)

L222: PlayerBase ExpansionGetContainerOwner()

L227: string ExpansionGetContainerOwnerUID()

L233: bool ExpansionIsContainerOwner()

L235: return ExpansionIsContainerOwner(g_Game.GetPlayer());

L239: bool ExpansionIsContainerOwner(Man player)

L244: return ExpansionIsContainerOwner(player.GetIdentity());

L248: bool ExpansionIsContainerOwner(PlayerIdentity identity)

L253: return ExpansionIsContainerOwner(identity.GetId());

L257: bool ExpansionIsContainerOwner(string uid)

L264: override void CF_OnStoreSave(CF_ModStorageMap storage)

L278: override bool CF_OnStoreLoad(CF_ModStorageMap storage)

L311: bool Expansion_PersistOwner()

L322: void ExpansionTemporaryOwnedContainer()

L341: void ~ExpansionTemporaryOwnedContainer()

L354: override void Expansion_OnOwnerSync()

L362: void ExpansionCheckContainerOwner()

L377: override void EEItemLocationChanged(notnull InventoryLocation oldLoc, notnull InventoryLocation newLoc)

L394: void Expansion_SetInvisible(EntityAI item, bool invisible = true)

L406: override void EECargoOut(EntityAI item)

L416: override void EEItemDetached(EntityAI item, string slot_name)

L426: override bool CanCombineAttachment(notnull EntityAI e, int slot, bool stack_max_limit = false)

```

L431: override bool CanReceiveAttachment(EntityAI attachment, int slotId)
L436: override bool CanReceiveItemIntoCargo(EntityAI item)
L441: override bool CanSwapItemInCargo(EntityAI child_entity, EntityAI new_entity)
L446: void ExpansionSetCanReceiveItems(bool state)
L451: void ExpansionStorageNotification(string msg)
L466: void ExpansionDeleteStorage()
L473: override bool Expansion_CanUseVirtualStorage(bool restoreOverride = false)

```

Full file content

```

000001 | /**
000002 |  * ExpansionOwnedContainer.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | //! Cargo container that's only accessible by the designated owner
000014 | class ExpansionOwnedContainer: Container_Base
000015 | {
000016 |     protected string m_Expansion_OwnerUID; //! Server only
000017 |     protected int m_Expansion_OwnerPlainID[2]; //! Server + client (temp)
000018 |     protected int m_Expansion_OwnerPlainID0; //! Server + client (netsynced)
000019 |     protected int m_Expansion_OwnerPlainID1; //! Server + client (netsynced)
000020 |
000021 |     void ExpansionOwnedContainer()
000022 |     {
000023 |         RegisterNetSyncVariableInt("m_Expansion_OwnerPlainID0");
000024 |         RegisterNetSyncVariableInt("m_Expansion_OwnerPlainID1");
000025 |     }
000026 |
000027 |     override void DeferredInit()
000028 |     {
000029 |         super.DeferredInit();
000030 |
000031 |         Expansion_UpdateOwner();
000032 |     }
000033 |
000034 |     override void OnVariablesSynchronized()
000035 |     {
000036 |         super.OnVariablesSynchronized();
000037 |
000038 |         Expansion_UpdateOwner();
000039 |     }
000040 |
000041 |     protected void Expansion_UpdateOwner()
000042 |     {
000043 |         if (m_Expansion_OwnerPlainID[0] != m_Expansion_OwnerPlainID0 || m_Expansion_OwnerPlainID[1] != m_Expansion_OwnerPlainID1)
000044 |         {
000045 |             m_Expansion_OwnerPlainID[0] = m_Expansion_OwnerPlainID0;
000046 |             m_Expansion_OwnerPlainID[1] = m_Expansion_OwnerPlainID1;
000047 |
000048 |             string steamId = PlayerIdentity.Expansion_PlainIdToString(m_Expansion_OwnerPlainID);
000049 |
000050 |             m_Expansion_OwnerUID = PlayerIdentity.Expansion_PlainIdToId(steamId);
000051 |
000052 |             #ifdef DIAG_DEVELOPER

```

```
000053 |         EXTrace.Print(EXTrace.MISC, this, "::Expansion_UpdateOwner - owner " + m_Expansion_OwnerUID);
000054 |         EXTrace.Print(EXTrace.MISC, this, "::Expansion_UpdateOwner - owner steam64 " + steamId);
000055 |     #endif
000056 |
000057 |     #ifndef SERVER
000058 |         Expansion_OnOwnerSync();
000059 |     #endif
000060 | }
000061 |
000062 |
000063 | void Expansion_OnOwnerSync()
000064 | {
000065 | }
000066 |
000067 | override bool CanCombineAttachment(notnull EntityAI e, int slot, bool stack_max_limit = false)
000068 | {
000069 |     if (!super.CanCombineAttachment(e, slot, stack_max_limit))
000070 |         return false;
000071 |
000072 |     return g_Game.IsDedicatedServer() || ExpansionIsContainerOwner();
000073 | }
000074 |
000075 | override bool CanDisplayAttachmentSlot(int slot_id)
000076 | {
000077 |     if (!super.CanDisplayAttachmentSlot(slot_id))
000078 |         return false;
000079 |
000080 |     return ExpansionIsContainerOwner();
000081 | }
000082 |
000083 | //! NOTE: Despite being a vanilla method, nothing in vanilla checks CanDisplayCargo.
000084 | //! We implement this ourself in 5_Mission/GUI/InventoryNew/Inherited/ContainerWithCargoAndAttachments.
000085 | override bool CanDisplayCargo()
000086 | {
000087 |     return ExpansionIsContainerOwner();
000088 | }
000089 |
000090 | override bool CanLoadAttachment(EntityAI attachment)
000091 | {
000092 |     return true;
000093 | }
000094 |
000095 | override bool CanLoadItemIntoCargo(EntityAI item)
000096 | {
000097 |     return true;
000098 | }
000099 |
000100 | override bool CanPutInCargo(EntityAI parent)
000101 | {
000102 |     return false;
000103 | }
000104 |
000105 | override bool CanPutIntoHands(EntityAI parent)
000106 | {
000107 |     return ExpansionIsContainerOwner(Man.Cast(parent));
000108 | }
000109 |
000110 | override bool CanReceiveAttachment(EntityAI attachment, int slotId)
000111 | {
000112 |     return g_Game.IsDedicatedServer() || ExpansionIsContainerOwner();
000113 | }
000114 |
```

```
000115 | override bool CanReceiveItemIntoCargo(EntityAI item)
000116 | {
000117 |     if (!super.CanReceiveItemIntoCargo(item))
000118 |         return false;
000119 |
000120 |     return g_Game.IsDedicatedServer() || ExpansionIsContainerOwner();
000121 | }
000122 |
000123 | override bool CanReleaseAttachment(EntityAI attachment)
000124 | {
000125 |     if (!super.CanReleaseAttachment(attachment))
000126 |         return false;
000127 |
000128 |     return g_Game.IsDedicatedServer() || ExpansionIsContainerOwner();
000129 | }
000130 |
000131 | override bool CanReleaseCargo(EntityAI cargo)
000132 | {
000133 |     return g_Game.IsDedicatedServer() || ExpansionIsContainerOwner();
000134 | }
000135 |
000136 | override bool CanSwapItemInCargo(EntityAI child_entity, EntityAI new_entity)
000137 | {
000138 |     if (!super.CanSwapItemInCargo(child_entity, new_entity))
000139 |         return false;
000140 |
000141 |     return g_Game.IsDedicatedServer() || ExpansionIsContainerOwner();
000142 | }
000143 |
000144 | //! This hides the container from vicinity completely
000145 | override bool IsInventoryVisible()
000146 | {
000147 |     return ExpansionIsContainerOwner();
000148 | }
000149 |
000150 | override bool IsHealthVisible()
000151 | {
000152 |     return false;
000153 | }
000154 |
000155 | override bool NameOverride(out string output)
000156 | {
000157 |     if (!g_Game.GetPlayer())
000158 |         return false;
000159 |
000160 |     PlayerIdentity identity = g_Game.GetPlayer().GetIdentity();
000161 |
000162 |     if (!ExpansionIsContainerOwner(identity))
000163 |         return false;
000164 |
000165 |     g_Game.ObjectGetDisplayName(this, output);
000166 |     output += " - " + identity.GetName();
000167 |
000168 |     return true;
000169 | }
000170 |
000171 | void ExpansionSetContainerOwner(Man player)
000172 | {
000173 |     ExpansionSetContainerOwner(player.GetIdentity());
000174 | }
000175 |
000176 | void ExpansionSetContainerOwner(PlayerIdentity identity)
```

```
000177 | {
000178 |     if (identity)
000179 |     {
000180 |         m_Expansion_OwnerUID = identity.GetId();
000181 |
000182 |         identity.Expansion_PlainIdToInt(m_Expansion_OwnerPlainID);
000183 |
000184 |         m_Expansion_OwnerPlainID0 = m_Expansion_OwnerPlainID[0];
000185 |         m_Expansion_OwnerPlainID1 = m_Expansion_OwnerPlainID[1];
000186 |
000187 |         #ifdef DIAG_DEVELOPER
000188 |             EXTrace.Print(EXTrace.MISC, this, "::ExpansionSetContainerOwner - owner " + m_Expansion_OwnerUID);
000189 |             EXTrace.Print(EXTrace.MISC, this, "::ExpansionSetContainerOwner - owner steam64 " + identity.GetPlainId());
000190 |         #endif
000191 |
000192 |         #ifdef SERVER
000193 |             SetSynchDirty();
000194 |         #endif
000195 |     }
000196 | }
000197 |
000198 | //! DEPRECATED, use ExpansionSetContainerOwner(PlayerIdentity identity)
000199 | void ExpansionSetContainerOwner(string uid)
000200 | {
000201 |     m_Expansion_OwnerUID = uid;
000202 |
000203 |     string steamId = PlayerBase.Expansion_GetPlainIDByUID(uid);
000204 |     int idLen = steamId.Length();
000205 |
000206 |     m_Expansion_OwnerPlainID0 = steamId.Substring(0, 9).ToInt();
000207 |     m_Expansion_OwnerPlainID1 = steamId.Substring(9, idLen - 9).ToInt();
000208 |
000209 |     m_Expansion_OwnerPlainID[0] = m_Expansion_OwnerPlainID0;
000210 |     m_Expansion_OwnerPlainID[1] = m_Expansion_OwnerPlainID1;
000211 |
000212 |     #ifdef DIAG_DEVELOPER
000213 |         EXTrace.Print(EXTrace.MISC, this, "::ExpansionSetContainerOwner - owner " + m_Expansion_OwnerUID);
000214 |         EXTrace.Print(EXTrace.MISC, this, "::ExpansionSetContainerOwner - owner steam64 " + steamId);
000215 |     #endif
000216 |
000217 |     #ifdef SERVER
000218 |         SetSynchDirty();
000219 |     #endif
000220 | }
000221 |
000222 | PlayerBase ExpansionGetContainerOwner()
000223 | {
000224 |     return PlayerBase.GetPlayerByUID(ExpansionGetContainerOwnerUID());
000225 | }
000226 |
000227 | string ExpansionGetContainerOwnerUID()
000228 | {
000229 |     return m_Expansion_OwnerUID;
000230 | }
000231 |
000232 | //! Callable client only
000233 | bool ExpansionIsContainerOwner()
000234 | {
000235 |     return ExpansionIsContainerOwner(g_Game.GetPlayer());
000236 | }
000237 |
000238 | //! Callable client/server
```

```
000239 | bool ExpansionIsContainerOwner(Man player)
000240 | {
000241 |     if (!player)
000242 |         return false;
000243 |
000244 |     return ExpansionIsContainerOwner(player.GetIdentity());
000245 | }
000246 |
000247 | //! Callable client/server
000248 | bool ExpansionIsContainerOwner(PlayerIdentity identity)
000249 | {
000250 |     if (!identity)
000251 |         return false;
000252 |
000253 |     return ExpansionIsContainerOwner(identity.GetId());
000254 | }
000255 |
000256 | //! Callable client/server
000257 | bool ExpansionIsContainerOwner(string uid)
000258 | {
000259 |     string owner = ExpansionGetContainerOwnerUID();
000260 |     return owner != string.Empty && owner == uid;
000261 | }
000262 |
000263 | #ifdef EXPANSION_MODSTORAGE
000264 | override void CF_OnStoreSave(CF_ModStorageMap storage)
000265 | {
000266 |     super.CF_OnStoreSave(storage);
000267 |
000268 |     if (!Expansion_PersistOwner())
000269 |         return;
000270 |
000271 |     auto ctx = storage[DZ_Expansion_Core];
000272 |     if (!ctx) return;
000273 |
000274 |     ctx.Write(m_Expansion_OwnerPlainID0);
000275 |     ctx.Write(m_Expansion_OwnerPlainID1);
000276 | }
000277 |
000278 | override bool CF_OnStoreLoad(CF_ModStorageMap storage)
000279 | {
000280 |     if (!super.CF_OnStoreLoad(storage))
000281 |         return false;
000282 |
000283 |     if (!Expansion_PersistOwner())
000284 |         return true;
000285 |
000286 |     auto ctx = storage[DZ_Expansion_Core];
000287 |     if (!ctx) return true;
000288 |
000289 |     if (ctx.GetVersion() < 50)
000290 |     {
000291 |         string uid;
000292 |         if (!ctx.Read(uid))
000293 |             return false;
000294 |
000295 |         ExpansionSetContainerOwner(uid);
000296 |     }
000297 |     else
000298 |     {
000299 |         if (!ctx.Read(m_Expansion_OwnerPlainID0))
000300 |             return false;
```



```
000301 |
000302 |         if (!ctx.Read(m_Expansion_OwnerPlainID1))
000303 |             return false;
000304 |
000305 |         Expansion_UpdateOwner();
000306 |     }
000307 |
000308 |     return true;
000309 | }
000310 |
000311 | bool Expansion_PersistOwner()
000312 | {
000313 |     return true;
000314 | }
000315 | #endif
000316 | }
000317 |
000318 | class ExpansionTemporaryOwnedContainer: ExpansionOwnedContainer
000319 | {
000320 |     protected bool m_ExpansionCanReceiveItems;
000321 |
000322 |     void ExpansionTemporaryOwnedContainer()
000323 |     {
000324 |         if (g_Game.IsServer()) //! Server or SP
000325 |         {
000326 |             SetAllowDamage(false);
000327 |
000328 |             //! Delete after 20 minutes
000329 |             g_Game.GetCallQueue(CALL_CATEGORY_GAMEPLAY).CallLater(ExpansionDeleteStorage, 1000 * 60 * 20, false);
000330 |         }
000331 |
000332 |         if (!g_Game.IsDedicatedServer()) //! Client or SP
000333 |         {
000334 |             //! Warn about pending deletion after 15 minutes
000335 |             g_Game.GetCallQueue(CALL_CATEGORY_GAMEPLAY).CallLater(ExpansionStorageNotification, 1000 * 60 * 15, false, "STR_EXPANSION_TEMPORARY_STORAGE_EXPIRATION
_WARNING");
000336 |
000337 |             Expansion_SetInvisible(this);
000338 |         }
000339 |     }
000340 |
000341 |     void ~ExpansionTemporaryOwnedContainer()
000342 |     {
000343 |         if (!g_Game)
000344 |             return;
000345 |
000346 |         if (!g_Game.IsDedicatedServer())
000347 |         {
000348 |             ScriptCallQueue callQueue = g_Game.GetCallQueue(CALL_CATEGORY_GAMEPLAY);
000349 |             callQueue.Remove(ExpansionCheckContainerOwner);
000350 |             callQueue.Remove(Expansion_SetInvisible);
000351 |         }
000352 |     }
000353 |
000354 |     override void Expansion_OnOwnerSync()
000355 |     {
000356 |         super.Expansion_OnOwnerSync();
000357 |
000358 |         //! @note g_Game.GetPlayer() will only be non-NULL after player has fully loaded in
000359 |         g_Game.GetCallQueue(CALL_CATEGORY_GAMEPLAY).CallLater(ExpansionCheckContainerOwner, 1000, true);
000360 |     }
000361 | }
```

```
000362 | void ExpansionCheckContainerOwner()
000363 | {
000364 |     if (!g_Game.GetPlayer())
000365 |         return;
000366 |
000367 |     g_Game.GetCallQueue(CALL_CATEGORY_GAMEPLAY).Remove(ExpansionCheckContainerOwner);
000368 |
000369 |     EXTrace.Print(EXTrace.MISC, this, "ExpansionTemporaryOwnedContainer::Expansion_OnOwnerSync - is owner? " + ExpansionIsContainerOwner());
000370 |
000371 |     if (ExpansionIsContainerOwner())
000372 |         Expansion_SetInvisible(this, false);
000373 | }
000374 |
000375 | // default to visible unless on ground, owner will always see it once netsync received
000376 | // allow other players to see the container while it's being carried (no more mimes!)
000377 | override void EEItemLocationChanged(notnull InventoryLocation oldLoc, notnull InventoryLocation newLoc)
000378 | {
000379 |     EXTrace.Print(EXTrace.MISC, this, "EEItemLocationChanged " + typename.EnumToString(InventoryLocationType, oldLoc.GetType()) + " -> " + typename.EnumToString(InventoryLocationType, newLoc.GetType()));
000380 |
000381 |     super.EEItemLocationChanged(oldLoc, newLoc);
000382 |
000383 |     if (g_Game.IsDedicatedServer())
000384 |         return;
000385 |
000386 |     //! @note call to ClearFlags needs to be delayed one frame, else other clients won't see other items taken to hand afterwards
000387 |     //! Can't use ScriptCallQueue::Call to call ClearFlags directly, CTDs other clients
000388 |     if (!ExpansionIsContainerOwner() && newLoc.GetType() == InventoryLocationType.GROUND)
000389 |         g_Game.GetCallQueue(CALL_CATEGORY_GAMEPLAY).Call(Expansion_SetInvisible, this, true);
000390 |     else
000391 |         g_Game.GetCallQueue(CALL_CATEGORY_GAMEPLAY).Call(Expansion_SetInvisible, this, false);
000392 | }
000393 |
000394 | void Expansion_SetInvisible(EntityAI item, bool invisible = true)
000395 | {
000396 |     //! Client or SP
000397 |     if (!g_Game.IsDedicatedServer())
000398 |     {
000399 |         if (invisible)
000400 |             item.ClearFlags(EntityFlags.VISIBLE, false);
000401 |         else
000402 |             item.SetFlags(EntityFlags.VISIBLE, false);
000403 |     }
000404 | }
000405 |
000406 | override void EECargoOut(EntityAI item)
000407 | {
000408 |     super.EECargoOut(item);
000409 |
000410 |     if (IsEmpty())
000411 |         ExpansionDeleteStorage();
000412 |
000413 |     g_Game.GetCallQueue(CALL_CATEGORY_GAMEPLAY).Call(Expansion_SetInvisible, this, false);
000414 | }
000415 |
000416 | override void EEItemDetached(EntityAI item, string slot_name)
000417 | {
000418 |     super.EEItemDetached(item, slot_name);
000419 |
000420 |     if (IsEmpty())
000421 |         ExpansionDeleteStorage();
000422 | }
```

```
000423 |         g_Game.GetCallQueue(CALL_CATEGORY_GAMEPLAY).Call(Expansion_SetInvisible, this, false);
000424 |     }
000425 |
000426 |     override bool CanCombineAttachment(notnull EntityAI e, int slot, bool stack_max_limit = false)
000427 |     {
000428 |         return false;
000429 |     }
000430 |
000431 |     override bool CanReceiveAttachment(EntityAI attachment, int slotId)
000432 |     {
000433 |         return m_ExpansionCanReceiveItems;
000434 |     }
000435 |
000436 |     override bool CanReceiveItemIntoCargo(EntityAI item)
000437 |     {
000438 |         return m_ExpansionCanReceiveItems;
000439 |     }
000440 |
000441 |     override bool CanSwapItemInCargo(EntityAI child_entity, EntityAI new_entity)
000442 |     {
000443 |         return false;
000444 |     }
000445 |
000446 |     void ExpansionSetCanReceiveItems(bool state)
000447 |     {
000448 |         m_ExpansionCanReceiveItems = state;
000449 |     }
000450 |
000451 |     void ExpansionStorageNotification(string msg)
000452 |     {
000453 |         if (IsEmpty())
000454 |             return;
000455 |
000456 |         PlayerBase player = PlayerBase.GetPlayerByUID(m_Expansion_OwnerUID);
000457 |         if (!player || !player.GetIdentity())
000458 |             return;
000459 |
000460 |         StringLocaliser title = new StringLocaliser("STR_EXPANSION_TEMPORARY_STORAGE");
000461 |         StringLocaliser text = new StringLocaliser(msg);
000462 |
000463 |         ExpansionNotification(title, text, EXPANSION_NOTIFICATION_ICON_TRADER, COLOR_EXPANSION_NOTIFICATION_ORANGE).Create(player.GetIdentity());
000464 |     }
000465 |
000466 |     void ExpansionDeleteStorage()
000467 |     {
000468 |         ExpansionStorageNotification("STR_EXPANSION_TEMPORARY_STORAGE_EXPIRED");
000469 |
000470 |         Delete();
000471 |     }
000472 |
000473 |     override bool Expansion_CanUseVirtualStorage(bool restoreOverride = false)
000474 |     {
000475 |         return false;
000476 |     }
000477 | }
000478 |
```

0259. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ExpansionSpraycanBase.c

Size bytes: 1638

SHA-256: e9d6fe58d73f66939c84a3d233588d95145c7c06b66b2d6b99b0ae34c1bccf2a

Decoded as: utf-8-sig

Line count shown: 52

Detected class declarations: 1

L16: class ExpansionSpraycanBase: ItemBase

Detected enum declarations: 0

Detected function/method-like declarations: 4

L21: override bool DescriptionOverride(out string output)

L32: override void SetActions()

L40: override bool CanExplodeInFire()

L48: ExpansionSkinModule GetSkinModule()

Full file content

```
000001 | /**
000002 |  * ExpansionSpraycanBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionSpraycanBase
000014 |  * @brief
000015 |  */
000016 | class ExpansionSpraycanBase: ItemBase
000017 | {
000018 |     // -----
000019 |     // ExpansionSpraycanBase DescriptionOverride
000020 |     // -----
000021 |     override bool DescriptionOverride(out string output)
000022 |     {
000023 |         output = ConfigGetString("descriptionShort");
000024 |         if (output.IndexOf("STR_EXPANSION_SPRAYCAN_") == 0)
000025 |             output = "#STR_EXPANSION_SPRAYCAN_BASE_DESC";
000026 |         return true;
000027 |     }
000028 |
000029 |     // -----
000030 |     // ExpansionSpraycanBase SetActions
000031 |     // -----
000032 |     override void SetActions()
000033 |     {
000034 |         super.SetActions();
000035 |     }
000036 |
000037 |     // -----
000038 |     // ExpansionSpraycanBase CanExplodeInFire
000039 |     // -----
000040 |     override bool CanExplodeInFire()
000041 |     {
000042 |         return true;
000043 |     }
```

```
000044 |  
000045 | // -----  
000046 | // ExpansionSpraycanBase CanExplodeInFire  
000047 | // -----  
000048 | ExpansionSkinModule GetSkinModule()  
000049 | {  
000050 |     return ExpansionSkinModule.Cast(CF_ModuleCoreManager.Get(ExpansionSkinModule));  
000051 | }  
000052 | };
```

0260. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Flashlight.c

Size bytes: 327

SHA-256: 7ea6b692b9a633a11e3b3041058f0ca92855d361dea0feale454b94e0483cb2e

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class Flashlight

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class Flashlight
000002 | {
000003 |     //! Vanilla Flashlight::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla Flashlight::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0261. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Gear\Navigation\GPSReceiver.c
Size bytes: 330
SHA-256: 2e3310cf43f1325a9861d0bd54be0b283c9626be556e53b1ba2b5cbea9424a51
Decoded as: utf-8-sig
Line count shown: 19
Detected class declarations: 1
 L1: modded class GPSReceiver
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L4: override void OnWorkStart()
 L12: override void OnWorkStop()

Full file content

```
000001 | modded class GPSReceiver
000002 | {
000003 |     //! Vanilla GPSReceiver::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla GPSReceiver::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0262. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Grenade_Base.c

Size bytes: 172

SHA-256: 0db4c940f985f8d3a358e17c38462d4e054f3af060ea357f0a9e16ea3221b40e

Decoded as: utf-8-sig

Line count shown: 11

Detected class declarations: 1

 L1: modded class Grenade_Base

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L3: override bool Expansion_IsLive()

Full file content

```
000001 | modded class Grenade_Base
000002 | {
000003 |     override bool Expansion_IsLive()
000004 |     {
000005 |         if (!m_Pinnable && !dBodyIsActive(this)) || IsPinned())
000006 |             return false;
000007 |
000008 |         return true;
000009 |     }
000010 | }
000011 |
```


0263. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Heatpack.c

Size bytes: 321

SHA-256: 4e3cb36ad7ca57d182dae8a18f1981f80893cdf23c78e7e013c37f5a68a655b1

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class Heatpack

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class Heatpack
000002 | {
000003 |     //! Vanilla Heatpack::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla Heatpack::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0264. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Magazine\AmmunitionPiles.c
Size bytes: 733
SHA-256: 08ed7873a6eeb0bf824821631c0e384a74d6e522edb5a2b4ed52eb55cce50791
Decoded as: utf-8-sig
Line count shown: 18
Detected class declarations: 1
 L1: modded class Ammunition_Base
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L13: int Expansion_TransferCartridges(Magazine dst, int amount, bool resetDstAmmoCount = true, out float totalDamage = 0.0)

Full file content

```
000001 | modded class Ammunition_Base
000002 | {
000003 |     /**
000004 |      * @brief Transfer <amount> catridges from this ammo pile to destination pile
000005 |      *
000006 |      * @param dst Ammo pile to transfer cartridges to
000007 |      * @param amount Number of cartridges to transfer
000008 |      * @param resetDstAmmoCount Reset destination ammo count to zero before transfer
000009 |      * @param totalDamage Will be set to total cartridge damage of all successfully transferred cartridges
000010 |      *
000011 |      * @return Number of successfully transferred cartridges
000012 |      */
000013 |     int Expansion_TransferCartridges(Magazine dst, int amount, bool resetDstAmmoCount = true, out float totalDamage = 0.0)
000014 |     {
000015 |         return MiscGameplayFunctions.Expansion_TransferCartridges(this, dst, amount, resetDstAmmoCount, totalDamage);
000016 |     }
000017 | }
000018 |
```

0265. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Magazine\Magazine.c
Size bytes: 720
SHA-256: 8a5f5bd46c8563ce019b98cbb2c871eb0dc131788e1550711cbb21cf586159a2
Decoded as: utf-8-sig
Line count shown: 18
Detected class declarations: 1
 L1: modded class MagazineStorage
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L13: int Expansion_TransferCartridges(Magazine dst, int amount, bool resetDstAmmoCount = true, out float totalDamage = 0.0)

Full file content

```
000001 | modded class MagazineStorage
000002 | {
000003 |     /**
000004 |      * @brief Transfer <amount> catridges from this mag to destination mag
000005 |      *
000006 |      * @param dst mag to transfer cartridges to
000007 |      * @param amount Number of cartridges to transfer
000008 |      * @param resetDstAmmoCount Reset destination ammo count to zero before transfer
000009 |      * @param totalDamage Will be set to total cartridge damage of all successfully transferred cartridges
000010 |      *
000011 |      * @return Number of successfully transferred cartridges
000012 |      */
000013 |     int Expansion_TransferCartridges(Magazine dst, int amount, bool resetDstAmmoCount = true, out float totalDamage = 0.0)
000014 |     {
000015 |         return MiscGameplayFunctions.Expansion_TransferCartridges(this, dst, amount, resetDstAmmoCount, totalDamage);
000016 |     }
000017 | }
000018 |
```

0266. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Megaphone.c

Size bytes: 324

SHA-256: edcbf10b3634aec1c8f01bceb7ee37413f638c4e6d69312ad32450cf53c753e2

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class Megaphone

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class Megaphone
000002 | {
000003 |     //! Vanilla Megaphone::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla Megaphone::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0267. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\PortableGasLamp.c
Size bytes: 342
SHA-256: 7c17f3da25fd5d2d96c9c43033fd4866661f3488e7588c830b61a8408548ff2b
Decoded as: utf-8-sig
Line count shown: 19
Detected class declarations: 1
 L1: modded class PortableGasLamp
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L4: override void OnWorkStart()
 L12: override void OnWorkStop()

Full file content

```
000001 | modded class PortableGasLamp
000002 | {
000003 |     //! Vanilla PortableGasLamp::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla PortableGasLamp::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0268. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\PortableGasStove.c

Size bytes: 188

SHA-256: e96ecfdf5dca65ec525419175907deb339182f2fc22dce9623dbaa2157899b32

Decoded as: utf-8-sig

Line count shown: 11

Detected class declarations: 1

 L1: modded class PortableGasStove

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L4: override void OnWorkStop()

Full file content

```
000001 | modded class PortableGasStove
000002 | {
000003 |     //! Vanilla PortableGasStove::OnWorkStop doesn't call super
000004 |     override void OnWorkStop()
000005 |     {
000006 |         super.OnWorkStop();
000007 |
000008 |         Expansion_OnWorkStop();
000009 |     }
000010 | }
000011 |
```

0269. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\PoweredOptic_Base.c

Size bytes: 374

SHA-256: d1814973ff2cbe650aefe395ba394ac221e973ee53a4f360d87a4e000e4554c2

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class PoweredOptic_Base

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class PoweredOptic_Base
000002 | {
000003 |     //! Vanilla ItemOptics::OnWorkStart doesn't call super and is not moddable
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla ItemOptics::OnWorkStop doesn't call super and is not moddable
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0270. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\PowerGenerator.c

Size bytes: 351

SHA-256: f69f9d19a004a1873f3f9d5acf080da271b0f9c4b1c3efccb078749a0780bff1

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class PowerGeneratorBase

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class PowerGeneratorBase
000002 | {
000003 |     //! Vanilla PowerGeneratorBase::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla PowerGeneratorBase::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```


0271. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Radio.c
Size bytes: 166
SHA-256: 5a23f1316cecb3dfe1051678c8c07795051ac1a8394f925e7dd8774a60b5b8c6
Decoded as: utf-8-sig
Line count shown: 11
Detected class declarations: 1
 L1: modded class Radio
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L4: override void OnWorkStop()

Full file content

```
000001 | modded class Radio
000002 | {
000003 |     //! Vanilla Radio::OnWorkStop doesn't call super
000004 |     override void OnWorkStop()
000005 |     {
000006 |         super.OnWorkStop();
000007 |
000008 |         Expansion_OnWorkStop();
000009 |     }
000010 | }
000011 |
```

0272. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Rangefinder.c

Size bytes: 330

SHA-256: 5753b1299fe2aa160dbfb54b20ca10baa2332f2a8b9777f31263cfc3492818f4

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class Rangefinder

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class Rangefinder
000002 | {
000003 |     //! Vanilla Rangefinder::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla Rangefinder::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0273. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Raycaster.c

Size bytes: 324

SHA-256: f6018d217f481ea24454b4e735b5f17bdbd5154eecf0d69038d11cf5b7bc1042

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class Raycaster

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class Raycaster
000002 | {
000003 |     //! Vanilla Raycaster::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla Raycaster::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0274. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Refridgerator.c

Size bytes: 336

SHA-256: 004b2b82478b9535d9cb6dc703f1a7c16373e0cb02a9da1873ec60ad8ba2bf99

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class Refridgerator

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class Refridgerator
000002 | {
000003 |     //! Vanilla Refridgerator::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla Refridgerator::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0275. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Roadflare.c

Size bytes: 324

SHA-256: 693854d7c72ecaa4e17d63bab9229819b412fc3f0aa920b21a567610fd2647a

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class Roadflare

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class Roadflare
000002 | {
000003 |     //! Vanilla Roadflare::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla Roadflare::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0276. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Spotlight.c

Size bytes: 324

SHA-256: b544af9e2d85249714daf5dec18f3c4a6f5007990b93586915b8c90f8c3820da

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class Spotlight

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class Spotlight
000002 | {
000003 |     //! Vanilla Spotlight::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla Spotlight::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0277. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\StunBaton.c

Size bytes: 324

SHA-256: 7dca289059b271a650ebd719299501189d0bb7a38d855d3ad435db3a50f3c7be

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class StunBaton

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class StunBaton
000002 | {
000003 |     //! Vanilla StunBaton::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla StunBaton::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0278. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Switchable_Base\TLRLight.c

Size bytes: 321

SHA-256: 922dc6ff0bc994e64cab3b54d2124163538a044e346cec56e8cbd14cc1e4a5dc

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class TLRLight

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class TLRLight
000002 | {
000003 |     //! Vanilla TLRLight::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla TLRLight::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```


0279. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Switchable_Base\UniversalLight.c
Size bytes: 339
SHA-256: 950fa02b733c8b5b11f21275d72108f6a54acbbb51f7e238cc4946958253340a
Decoded as: utf-8-sig
Line count shown: 19
Detected class declarations: 1
 L1: modded class UniversalLight
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L4: override void OnWorkStart()
 L12: override void OnWorkStop()

Full file content

```
000001 | modded class UniversalLight
000002 | {
000003 |     //! Vanilla UniversalLight::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla UniversalLight::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0280. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Torch.c
Size bytes: 312
SHA-256: 11a3a9659c2929bc5b366454d38962f6cae3c5b583c2942dc3764eb05d6ae398
Decoded as: utf-8-sig
Line count shown: 19
Detected class declarations: 1
 L1: modded class Torch
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L4: override void OnWorkStart()
 L12: override void OnWorkStop()

Full file content

```
000001 | modded class Torch
000002 | {
000003 |     //! Vanilla Torch::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla Torch::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0281. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\TransmitterBase.c

Size bytes: 342

SHA-256: 4eb1a0372e98f73b9b276bdad30644102af40d46f1e5c4432ed446212cc2a025

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class TransmitterBase

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class TransmitterBase
000002 | {
000003 |     //! Vanilla TransmitterBase::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla TransmitterBase::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0282. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\XmasLights.c

Size bytes: 327

SHA-256: 927b5003989d7016bab67e7910a10b36d4d020b0ab2ea7a0b36a6ed809f8a34e

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class XmasLights

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class XmasLights
000002 | {
000003 |     //! Vanilla XmasLights::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla XmasLights::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0283. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayer\DayZPlayerMeleeFightLogic_LightHeavy.c
 Size bytes: 1031
 SHA-256: fd2c496140ddc0d85e9f32e75641991c0ab12f4a8963383ff44461c3daf49749
 Decoded as: utf-8-sig
 Line count shown: 32
 Detected class declarations: 1
 L13: modded class DayZPlayerMeleeFightLogic_LightHeavy
 Detected enum declarations: 0
 Detected function/method-like declarations: 2
 L15: override void Init(DayZPlayerImplement player)
 L21: override bool HandleFightLogic(int pCurrentCommandID, HumanInputController pInputs, EntityAI pEntityInHands, HumanMovementState pMovementSta

Full file content

```

000001 | /**
000002 |  * DayZPlayerMeleeFightLogic_LightHeavy.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class DayZPlayerMeleeFightLogic_LightHeavy
000014 | {
000015 |     override void Init(DayZPlayerImplement player)
000016 |     {
000017 |         if (!player.IsInherited(ExpansionNotPlayerBase))
000018 |             super.Init(player);
000019 |     }
000020 |
000021 |     override bool HandleFightLogic(int pCurrentCommandID, HumanInputController pInputs, EntityAI pEntityInHands, HumanMovementState pMovementState, out bool pContinueAttack)
000022 |     {
000023 |         #ifdef EXPANSIONTRACE
000024 |             auto trace = CF_Trace_0(ExpansionTracing.PLAYER, this, "HandleFightLogic");
000025 |         #endif
000026 |
000027 |         if (m_Player && m_Player.Expansion_IsInSafeZone())
000028 |             return false;
000029 |
000030 |         return super.HandleFightLogic(pCurrentCommandID, pInputs, pEntityInHands, pMovementState, pContinueAttack);
000031 |     }
000032 | }
```

0284. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayerImplement.c
Size bytes: 17975
SHA-256: a0e3466a7ee7699259b87d892f526edacaa4cb17958e21354bbccd57f782cdaa
Decoded as: utf-8-sig
Line count shown: 684
Detected class declarations: 2
  L13: modded class DayZPlayerImplement
  L667: modded class DayZPlayerCommandDeathCallback
Detected enum declarations: 0
Detected function/method-like declarations: 48
  L59: void DayZPlayerImplement()
  L66: void ~DayZPlayerImplement()
  L73: override bool IsInventoryVisible()
  L81: void Expansion_Init()
  L86: bool Expansion_HasAdminToolGodMode()
  L91: bool Expansion_HasAdminToolInvisibility()
  L96: bool Expansion_IsAI()
  L101: void OnEnterZone(ExpansionZoneType type)
  L118: void OnExitZone(ExpansionZoneType type)
  L138: override void OnVariablesSynchronized()
  L153: else if ( !m_Expansion_IsInSafeZoneSynchRemote && m_Expansion_IsInSafeZone )
  L162: bool IsInSafeZone()
  L165: return Expansion_IsInSafeZone();
  L168: bool Expansion_IsInSafeZone()
  L174: void Expansion_SetAllowDamage(bool state)
  L182: void Expansion_SetAllowDamageEx(string ammoType, bool state)
  L188: bool Expansion_CanBeDamaged(string ammo = string.Empty)
  L198: void Expansion_SetCanBeLooted(bool canBeLooted)
  L203: bool Expansion_CanBeLooted()
  L208: override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string am
  L225: override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector mo
  L233: override void EEKilled(Object killer)
  L244: override bool CanBeSkinned()
  L252: override bool NameOverride(out string output)
  L260: override void CommandHandler(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
  L282: override void OnSyncJuncture(int pJunctureID, ParamsReadContext pCtx)
  L303: void Expansion_OnSyncJuncture(int pJunctureID, ParamsReadContext pCtx)
  L331: void Expansion_UpdateActualVelocity(float pDt)
  L357: vector Expansion_GetActualVelocity()
  L363: float Expansion_GetHeadingAngle()
  L365: return GetInputController().GetHeadingAngle();
  L368: vector Expansion_GetHeadingVector()
  L377: float Expansion_GetMovementSpeed()
  L386: float Expansion_GetMovementAngle()
  L398: IEntity Expansion_GetParent()
  L408: bool Expansion_IsAttached()
  L420: bool Expansion_IsInVehicleCmd()
  L428: void Expansion_DebugObject_Deferred(int i, vector position, string type = "ExpansionDebugBox", vector direction = vector.Zero, vector origin
  L436: Object Expansion_DebugObject(int i, vector position, string type = "ExpansionDebugBox", vector direction = vector.Zero, vector origin = vect
  L506: void Expansion_DeleteDebugObject(int i)
  L518: void Expansion_DeleteDebugObjects()
  L531: vector Expansion_GetAimDirection()
  L580: void Expansion_UpdateBonePositionTimes(float pDt)
  L634: bool Expansion_IsAnimationIdle()
  L652: int Expansion_GetEntityStorageAdditionalDataVersion()
  L657: void Expansion_OnEntityStorageAdditionalDataSave(ParamsWriteContext ctx)
  L661: bool Expansion_OnEntityStorageAdditionalDataLoad(ParamsWriteContext ctx, int version)
  L669: override void OnSimulationEnd()
```

Full file content

```
000001 | /**
000002 |  * DayZPlayerImplement.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class DayZPlayerImplement
000014 | {
000015 |     static bool s_Expansion_DebugObjects_Enabled;
000016 |
000017 |     ref ExpansionHumanST m_ExpansionST;
000018 |
000019 |     //#ifdef EXPANSIONMODAI
000020 |         //[eAIAttribute<bool>.Register("m_Expansion_CanBeLooted")]
000021 |     //#endif
000022 |     protected bool m_Expansion_CanBeLooted = true;
000023 |
000024 |     protected autoptr ExpansionZoneActor m_Expansion_SafeZoneInstance = new ExpansionZoneEntity<DayZPlayerImplement>(this);
000025 |
000026 |     protected bool m_Expansion_IsInSafeZone;
000027 |     protected bool m_Expansion_IsInSafeZone_DeprecationWarning;
000028 |     protected bool m_Expansion_IsInSafeZoneSynchRemote;
000029 |
000030 |     ref ExpansionNetsyncData m_Expansion_NetsyncData;
000031 |     ref ExpansionRPCManager m_Expansion_RPCManager;
000032 |
000033 |     ref map<string, bool> m_Expansion_DisabledAmmoDamage = new map<string, bool>;
000034 |     bool m_Expansion_AllowDamage = true;
000035 |
000036 |     vector m_Expansion_HeadBonePositionMS;
000037 |     float m_Expansion_HeadBoneIdleTime;
000038 |     vector m_Expansion_LHandBonePositionMS;
000039 |     float m_Expansion_LHandBoneIdleTime;
000040 |     vector m_Expansion_RHandBonePositionMS;
000041 |     float m_Expansion_RHandBoneIdleTime;
000042 |     vector m_Expansion_LFootBonePositionMS;
000043 |     float m_Expansion_LFootBoneIdleTime;
000044 |     vector m_Expansion_RFootBonePositionMS;
000045 |     float m_Expansion_RFootBoneIdleTime;
000046 |
000047 |     bool m_Expansion_EnableBonePositionUpdate;
000048 |
000049 |     int m_Expansion_CurrentPhxInteractionLayer;
000050 |
000051 |     float m_Expansion_ActualVelocityUpdateDT;
000052 |     vector m_Expansion_PreviousPosition;
000053 |     vector m_Expansion_ActualVelocity;
000054 |
000055 |     ref map<int, Object> m_Expansion_DebugObjects = new map<int, Object>();
000056 |
000057 |     ref SHumanCommandClimbResult m_ExClimbResult;
000058 |
000059 |     void DayZPlayerImplement()
```

```
000060 | {
000061 |     m_ExClimbResult = new SHumanCommandClimbResult;
000062 |
000063 |     Expansion_Init();
000064 | }
000065 |
000066 | void ~DayZPlayerImplement()
000067 | {
000068 |     if (g_Game)
000069 |         Expansion_DeleteDebugObjects();
000070 | }
000071 |
000072 | //! For NPCs that don't inherit from PlayerBase
000073 | override bool IsInventoryVisible()
000074 | {
000075 |     if (!super.IsInventoryVisible())
000076 |         return false;
000077 |
000078 |     return m_Expansion_CanBeLooted;
000079 | }
000080 |
000081 | void Expansion_Init()
000082 | {
000083 |     RegisterNetSyncVariableBool("m_Expansion_IsInSafeZoneSynchRemote");
000084 | }
000085 |
000086 | bool Expansion_HasAdminToolGodMode()
000087 | {
000088 |     return false;
000089 | }
000090 |
000091 | bool Expansion_HasAdminToolInvisibility()
000092 | {
000093 |     return false;
000094 | }
000095 |
000096 | bool Expansion_IsAI()
000097 | {
000098 |     return false;
000099 | }
000100 |
000101 | void OnEnterZone(ExpansionZoneType type)
000102 | {
000103 | #ifdef EXPANSIONTRACE
000104 |     auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "OnEnterZone");
000105 | #endif
000106 |
000107 |     if (type == ExpansionZoneType.SAFE)
000108 |     {
000109 |         m_Expansion_IsInSafeZone = true;
000110 |
000111 |         #ifdef SERVER
000112 |             m_Expansion_IsInSafeZoneSynchRemote = true;
000113 |             SetSynchDirty();
000114 |         #endif
000115 |     }
000116 | }
000117 |
000118 | void OnExitZone(ExpansionZoneType type)
000119 | {
000120 | #ifdef EXPANSIONTRACE
000121 |     auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "OnExitZone");
```



```
000122 | #endif
000123 |
000124 |         if (type == ExpansionZoneType.SAFE)
000125 |         {
000126 |             m_Expansion_IsInSafeZone = false;
000127 |
000128 |             #ifdef SERVER
000129 |                 m_Expansion_IsInSafeZoneSynchRemote = false;
000130 |                 SetSynchDirty();
000131 |             #endif
000132 |         }
000133 |     }
000134 |
000135 |     // -----
000136 |     // Expansion OnVariablesSynchronized
000137 |     // -----
000138 |     override void OnVariablesSynchronized()
000139 |     {
000140 |     #ifdef EXPANSIONTRACE
000141 |         auto trace = CF_Trace_0(ExpansionTracing.PLAYER, this, "OnVariablesSynchronized");
000142 |     #endif
000143 |
000144 |         super.OnVariablesSynchronized();
000145 |
000146 |         if (!g_Game.IsClient())
000147 |             return;
000148 |
000149 |         if ( m_Expansion_IsInSafeZoneSynchRemote && !m_Expansion_IsInSafeZone )
000150 |         {
000151 |             OnEnterZone(ExpansionZoneType.SAFE);
000152 |         }
000153 |         else if ( !m_Expansion_IsInSafeZoneSynchRemote && m_Expansion_IsInSafeZone )
000154 |         {
000155 |             OnExitZone(ExpansionZoneType.SAFE);
000156 |         }
000157 |
000158 |         if (m_Expansion_NetsyncData && !m_Expansion_NetsyncData.m_WasDataRequested)
000159 |             m_Expansion_NetsyncData.Request();
000160 |     }
000161 |
000162 |     bool IsInSafeZone()
000163 |     {
000164 |         Expansion_Error("DEPRECATED: Please use Expansion_IsInSafeZone", m_Expansion_IsInSafeZone_DeprecationWarning);
000165 |         return Expansion_IsInSafeZone();
000166 |     }
000167 |
000168 |     bool Expansion_IsInSafeZone()
000169 |     {
000170 |         return m_Expansion_IsInSafeZone;
000171 |     }
000172 |
000173 |     //! Netsynced version of SetAllowDamage
000174 |     void Expansion_SetAllowDamage(bool state)
000175 |     {
000176 |         if (g_Game.IsServer())
000177 |             SetAllowDamage(state);
000178 |         else
000179 |             m_Expansion_AllowDamage = state;
000180 |     }
000181 |
000182 |     void Expansion_SetAllowDamageEx(string ammoType, bool state)
000183 |     {
```

```
000184 |      //!< @note State is inverted so we can easily check m_Expansion_DisabledAmmoDamage[ammoType] to see whether it's disabled
000185 |      m_Expansion_DisabledAmmoDamage[ammoType] = !state;
000186 |  }
000187 |
000188 |  bool Expansion_CanBeDamaged(string ammo = string.Empty)
000189 |  {
000190 |      bool canBeDamaged;
000191 |      if (g_Game.IsServer())
000192 |          canBeDamaged = GetAllowDamage();
000193 |      else
000194 |          canBeDamaged = m_Expansion_AllowDamage;
000195 |      return canBeDamaged && !m_Expansion_IsInSafeZone && !m_Expansion_DisabledAmmoDamage[ammo];
000196 |  }
000197 |
000198 |  void Expansion_SetCanBeLooted(bool canBeLooted)
000199 |  {
000200 |      m_Expansion_CanBeLooted = canBeLooted;
000201 |  }
000202 |
000203 |  bool Expansion_CanBeLooted()
000204 |  {
000205 |      return m_Expansion_CanBeLooted;
000206 |  }
000207 |
000208 |  override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000209 |  {
000210 |      if (!super.EEOnDamageCalculated(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef))
000211 |          return false;
000212 |
000213 |      if (!Expansion_CanBeDamaged(ammo))
000214 |          return false;
000215 |
000216 |      if (damageType == DT_EXPLOSION)
000217 |      {
000218 |          if (!ExpansionDamageSystem.OnExplosionDamageCalculated(damageResult, source, this, component, dmgZone, ammo, modelPos, speedCoef, true))
000219 |              return false;
000220 |      }
000221 |
000222 |      return true;
000223 |  }
000224 |
000225 |  override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000226 |  {
000227 |      super.EEHitBy(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000228 |
000229 |      if (damageType == DT_EXPLOSION && ExpansionDamageSystem.IsEnabledForExplosionTarget(this))
000230 |          ExpansionDamageSystem.OnExplosionHit(source, this, ammo, true, damageResult);
000231 |  }
000232 |
000233 |  override void EEKilled(Object killer)
000234 |  {
000235 |      super.EEKilled(killer);
000236 |
000237 |      if (!m_Expansion_CanBeLooted)
000238 |          //!< 10134 = 2 | 4 | 16 | 128 | 256 | 512 | 1024 | 8192
000239 |          ExpansionStatic.LockInventoryRecursive(this, 10134);
000240 |
000241 |      Expansion_DeleteDebugObjects();
000242 |  }
000243 |
```

```
000244 |     override bool CanBeSkinned()
000245 |     {
000246 |         if (!m_Expansion_CanBeLooted)
000247 |             return false;
000248 |
000249 |         return super.CanBeSkinned();
000250 |     }
000251 |
000252 |     override bool NameOverride(out string output)
000253 |     {
000254 |         if (m_Expansion_NetsyncData && m_Expansion_NetsyncData.Get(0, output))
000255 |             return true;
000256 |         else
000257 |             return super.NameOverride(output);
000258 |     }
000259 |
000260 |     override void CommandHandler(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
000261 |     {
000262 | #ifdef DIAG_DEVELOPER
000263 |         int interactionLayer = dBodyGetInteractionLayer(this);
000264 | #endif
000265 |
000266 |         super.CommandHandler(pDt, pCurrentCommandID, pCurrentCommandFinished);
000267 |
000268 |         if (m_Expansion_EnableBonePositionUpdate)
000269 |             Expansion_UpdateBonePositionTimes(pDt);
000270 |
000271 | #ifdef DIAG_DEVELOPER
000272 |         if (interactionLayer != m_Expansion_CurrentPhxInteractionLayer)
000273 |         {
000274 |             m_Expansion_CurrentPhxInteractionLayer = interactionLayer;
000275 |             EXTrace.Print(EXTrace.PLAYER, this, "::CommandHandler current interaction layer " + ExpansionStatic.BitmaskEnumToString(PhxInteractionLayers, interact
ionLayer));
000276 |         }
000277 | #endif
000278 |
000279 |         Expansion_UpdateActualVelocity(pDt);
000280 |     }
000281 |
000282 |     override void OnSyncJuncture(int pJunctureID, ParamsReadContext pCtx)
000283 |     {
000284 | #ifdef EXTRACE_DIAG
000285 |         CF_Trace trace;
000286 | #endif
000287 |
000288 |         super.OnSyncJuncture(pJunctureID, pCtx);
000289 |
000290 |         switch (pJunctureID)
000291 |         {
000292 |             case DayZPlayerSyncJunctures.EXPANSION_SJ:
000293 | #ifdef EXTRACE_DIAG
000294 |                 trace = CF_Trace_1(EXTrace.PLAYER, this).Add("EXPANSION_SJ");
000295 | #endif
000296 |                 int id;
000297 |                 pCtx.Read(id);
000298 |                 Expansion_OnSyncJuncture(id, pCtx);
000299 |                 break;
000300 |         }
000301 |     }
000302 |
000303 |     void Expansion_OnSyncJuncture(int pJunctureID, ParamsReadContext pCtx)
000304 |     {
```

```
000305 | #ifdef EXTRACE_DIAG
000306 |     EXTrace trace;
000307 | #endif
000308 |
000309 |     switch (pJunctureID)
000310 |     {
000311 |     case DayZPlayerSyncJunctures.EXPANSION_SJ_TELEPORT:
000312 |     #ifdef EXTRACE_DIAG
000313 |         trace = EXTrace.Start(EXTrace.PLAYER, this, "EXPANSION_SJ_TELEPORT");
000314 |     #endif
000315 |
000316 |         if (pCtx)
000317 |         {
000318 |             vector position;
000319 |             vector orientation;
000320 |
000321 |             DayZPlayerSyncJunctures.ExpansionReadTeleport(pCtx, position, orientation);
000322 |
000323 |             SetPosition(position);
000324 |             SetOrientation(orientation);
000325 |
000326 |             break;
000327 |         }
000328 |     }
000329 | }
000330 |
000331 | void Expansion_UpdateActualVelocity(float pDt)
000332 | {
000333 |     vector position = GetPosition();
000334 |
000335 |     if (m_Expansion_PreviousPosition == vector.Zero)
000336 |         m_Expansion_PreviousPosition = position;
000337 |
000338 |     m_Expansion_ActualVelocityUpdateDT += pDt;
000339 |
000340 |     if (m_Expansion_ActualVelocityUpdateDT < 0.333333)
000341 |         return;
000342 |
000343 |     m_Expansion_ActualVelocity = (position - m_Expansion_PreviousPosition) * (1.0 / m_Expansion_ActualVelocityUpdateDT);
000344 |
000345 |     m_Expansion_ActualVelocityUpdateDT = 0.0;
000346 |
000347 |     m_Expansion_PreviousPosition = position;
000348 | }
000349 |
000350 | /**
000351 |  * @brief return actual velocity of player
000352 |  *
000353 |  * @note vanilla GetVelocity does not return actual velocity in case player is stuck
000354 |  * (actual velocity will be close to zero, while GetVelocity will return a wrong, much higher value,
000355 |  * probably because it only takes the animation into account and not whether the player is actually moving from the position)
000356 |  */
000357 | vector Expansion_GetActualVelocity()
000358 | {
000359 |     return m_Expansion_ActualVelocity;
000360 | }
000361 |
000362 | //! Radians!
000363 | float Expansion_GetHeadingAngle()
000364 | {
000365 |     return GetInputController().GetHeadingAngle();
000366 | }
```

```
000367 |
000368 | vector Expansion_GetHeadingVector()
000369 | {
000370 |     vector dir = vector.Zero;
000371 |     float headingAngle = GetInputController().GetHeadingAngle();
000372 |     dir[0] = Math.Cos(headingAngle + Math.PI_HALF);
000373 |     dir[2] = Math.Sin(headingAngle + Math.PI_HALF);
000374 |     return dir.Normalized();
000375 | }
000376 |
000377 | float Expansion_GetMovementSpeed()
000378 | {
000379 |     HumanCommandMove hcm = GetCommand_Move();
000380 |     if (hcm)
000381 |         return hcm.GetCurrentMovementSpeed();
000382 |
000383 |     return 0.0;
000384 | }
000385 |
000386 | float Expansion_GetMovementAngle()
000387 | {
000388 |     HumanCommandMove hcm = GetCommand_Move();
000389 |     if (hcm)
000390 |         return hcm.GetCurrentMovementAngle();
000391 |
000392 |     return 0.0;
000393 | }
000394 |
000395 | /**
000396 |  * @brief return entity player is parented to (e.g. if sitting in or attached to vehicle)
000397 |  */
000398 | IEntity Expansion_GetParent()
000399 | {
000400 |     IEntity parent = GetParent();
000401 |
000402 |     if (!parent)
000403 |         parent = PhysicsGetLinkedEntity();
000404 |
000405 |     return parent;
000406 | }
000407 |
000408 | bool Expansion_IsAttached()
000409 | {
000410 |     if (PhysicsGetLinkedEntity())
000411 |         return true;
000412 |
000413 |     return false;
000414 | }
000415 |
000416 | /**
000417 |  * @brief meant as a reliable way to check if player is sitting in vehicle seat as GetParent()
000418 |  * will also return attached players if not using vanilla DayZ 1.26 attachment system
000419 |  */
000420 | bool Expansion_IsInVehicleCmd()
000421 | {
000422 |     if (GetCommand_Vehicle())
000423 |         return true;
000424 |
000425 |     return false;
000426 | }
000427 |
000428 | void Expansion_DebugObject_Deferred(int i, vector position, string type = "ExpansionDebugBox", vector direction = vector.Zero, vector origin = vector.Zero, fl
```

```
000429 | oat lifetime = 300.0, int flags = 0)
000430 | {
000431 | #ifdef DIAG_DEVELOPER
000432 |     if (s_Expansion_DebugObjects_Enabled)
000433 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(Expansion_DebugObject, 1, false, i, position, type, direction, origin, lifetime, flags);
000434 | #endif
000435 | }
000436 | Object Expansion_DebugObject(int i, vector position, string type = "ExpansionDebugBox", vector direction = vector.Zero, vector origin = vector.Zero, float lifetime = 300.0, int flags = 0)
000437 | {
000438 | #ifdef DIAG_DEVELOPER
000439 |     if (!s_Expansion_DebugObjects_Enabled)
000440 |         return null;
000441 |
000442 |     Object obj = m_Expansion_DebugObjects[i];
000443 |
000444 |     bool createObject;
000445 |     if (!obj || obj.GetType() != type)
000446 |         createObject = true;
000447 |
000448 |     bool hideObject;
000449 |
000450 |     if (createObject)
000451 |     {
000452 |         if (obj)
000453 |             g_Game.ObjectDelete(obj);
000454 |         if (position == vector.Zero)
000455 |             return null;
000456 |         int iFlags;
000457 |         #ifdef SERVER
000458 |             iFlags = ECE_NOLIFETIME;
000459 |         #else
000460 |             iFlags = ECE_LOCAL;
000461 |         #endif
000462 |         obj = g_Game.CreateObjectEx(type, position, iFlags);
000463 |         if (!obj)
000464 |             return null;
000465 |         m_Expansion_DebugObjects[i] = obj;
000466 |         #ifdef SERVER
000467 |             EntityAI ent;
000468 |             if (Class.CastTo(ent, obj))
000469 |                 ent.SetLifetime(lifetime);
000470 |         #endif
000471 |     }
000472 |     else
000473 |     {
000474 |         if (position == vector.Zero)
000475 |         {
000476 |             //! Move below ground to hide instead of <0,0,0> so object stays in netbubble
000477 |             position = obj.GetPosition();
000478 |             position[1] = position[1] - 1000;
000479 |             hideObject = true;
000480 |         }
000481 |
000482 |         obj.SetPosition(position);
000483 |     }
000484 |
000485 |     if (direction != vector.Zero)
000486 |     {
000487 |         obj.SetDirection(direction);
000488 |     }
```

```
000489 |
000490 |     if (origin != vector.Zero || hideObject)
000491 |     {
000492 |         ExpansionDebugObject dbgObj;
000493 |         if (Class.CastTo(dbgObj, obj))
000494 |         {
000495 |             dbgObj.Expansion_DrawDebugLine(origin);
000496 |             dbgObj.Expansion_SetDebugLineFlags(flags);
000497 |         }
000498 |     }
000499 |
000500 |     return obj;
000501 | #else
000502 |     return null;
000503 | #endif
000504 | }
000505 |
000506 | void Expansion_DeleteDebugObject(int i)
000507 | {
000508 |     Object obj;
000509 |     if (m_Expansion_DebugObjects.Find(i, obj))
000510 |     {
000511 |         if (obj)
000512 |             g_Game.ObjectDelete(obj);
000513 |
000514 |         m_Expansion_DebugObjects.Remove(i);
000515 |     }
000516 | }
000517 |
000518 | void Expansion_DeleteDebugObjects()
000519 | {
000520 |     foreach (Object obj: m_Expansion_DebugObjects)
000521 |     {
000522 |         if (obj)
000523 |             g_Game.ObjectDelete(obj);
000524 |     }
000525 |
000526 |     m_Expansion_DebugObjects.Clear();
000527 | }
000528 |
000529 | //! Uses head/barrel to determine direction, can be used on server
000530 | //! @note on server, aim direction is always an approximation
000531 | vector Expansion_GetAimDirection()
000532 | {
000533 |     vector headTransform[4];
000534 |     GetBoneTransformWS(GetBoneIndexByName("head"), headTransform);
000535 |
000536 |     auto hands = GetHumanInventory().GetEntityInHands();
000537 |
000538 |     vector dir;
000539 |
000540 |     if (hands && IsRaised() && hands.IsWeapon())
000541 |     {
000542 | #ifdef SERVER
000543 |         vector ori = GetOrientation();
000544 |         vector headOri = headTransform[1].VectorToAngles();
000545 |         ori[0] = headOri[0] + 5;
000546 |         if (ori[0] > 360)
000547 |             ori[0] = ori[0] - 360;
000548 |         ori[2] = headOri[2];
000549 |         //! @note pitch will only be accurate if looking straight ahead while ADS since it can't follow the barrel,
000550 |         //! and would need different adjustment if not ADS
```

```
000551 |         ori[1] = headOri[1] + 12.5;
000552 |         if (ori[1] > 360)
000553 |             ori[1] = ori[1] - 360;
000554 |         dir = ori.AnglesToVector();
000555 | #else
000556 |         //!< Can only follow barrel on client, selection positions on server are completely off base
000557 |         vector weaponTransform[4];
000558 |         hands.GetTransform(weaponTransform);
000559 |         vector barrel_start = hands.GetSelectionPositionLS("konec hlavne").Multiply4(weaponTransform);
000560 |         vector barrel_end = hands.GetSelectionPositionLS("usti hlavne").Multiply4(weaponTransform);
000561 |         dir = vector.Direction(barrel_start, barrel_end).Normalized();
000562 | #endif
000563 |     }
000564 |     else
000565 |     {
000566 |         dir = headTransform[1];
000567 |     }
000568 |
000569 | #ifdef SERVER
000570 | #ifdef DIAG_DEVELOPER
000571 |     vector neckPosition = GetBonePositionWS(GetBoneIndexByName("neck"));
000572 |     //!
```



```
000613 |         if (vector.DistanceSq(lFootPosition, m_Expansion_LFootBonePositionMS) < 0.0004)
000614 |         {
000615 |             m_Expansion_LFootBoneIdleTime += pDt;
000616 |         }
000617 |     else
000618 |     {
000619 |         m_Expansion_LFootBonePositionMS = lFootPosition;
000620 |         m_Expansion_LFootBoneIdleTime = 0;
000621 |     }
000622 |     vector rFootPosition = GetBonePositionMS(GetBoneIndexByName("RightFoot"));
000623 |     if (vector.DistanceSq(rFootPosition, m_Expansion_RFootBonePositionMS) < 0.0004)
000624 |     {
000625 |         m_Expansion_RFootBoneIdleTime += pDt;
000626 |     }
000627 |     else
000628 |     {
000629 |         m_Expansion_RFootBonePositionMS = rFootPosition;
000630 |         m_Expansion_RFootBoneIdleTime = 0;
000631 |     }
000632 | }
000633 |
000634 | bool Expansion_IsAnimationIdle()
000635 | {
000636 |     HumanCommandAdditives ad = GetCommandModifier_Additives();
000637 |     if (ad.IsModifierActive())
000638 |         return false;
000639 |     if (m_Expansion_HeadBoneIdleTime < 0.25)
000640 |         return false;
000641 |     if (m_Expansion_LHandBoneIdleTime < 0.25)
000642 |         return false;
000643 |     if (m_Expansion_RHandBoneIdleTime < 0.25)
000644 |         return false;
000645 |     if (m_Expansion_LFootBoneIdleTime < 0.25)
000646 |         return false;
000647 |     if (m_Expansion_RFootBoneIdleTime < 0.25)
000648 |         return false;
000649 |     return true;
000650 | }
000651 |
000652 | int Expansion_GetEntityStorageAdditionalDataVersion()
000653 | {
000654 |     return 0;
000655 | }
000656 |
000657 | void Expansion_OnEntityStorageAdditionalDataSave(ParamsWriteContext ctx)
000658 | {
000659 | }
000660 |
000661 | bool Expansion_OnEntityStorageAdditionalDataLoad(ParamsWriteContext ctx, int version)
000662 | {
000663 |     return true;
000664 | }
000665 | };
000666 |
000667 | modded class DayZPlayerCommandDeathCallback
000668 | {
000669 |     override void OnSimulationEnd()
000670 |     {
000671 |         EntityAI itemInHands;
000672 |         if (g_Game.IsServer())
000673 |             itemInHands = m_pPlayer.GetHumanInventory().GetEntityInHands();
000674 |     }
```

```
000675 |         super.OnSimulationEnd();
000676 |
000677 |         if (itemInHands && !m_pPlayer.Expansion_CanBeLooted())
000678 |         {
000679 |             ExpansionItemBaseModule.SetLootable(itemInHands, false);
000680 |             itemInHands.SetLifetimeMax(120); //! Make sure it despawns quickly when left alone
000681 |         }
000682 |     }
000683 | };
000684 |
```

0285. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayerImplementJumpClimb.c

Size bytes: 1167

SHA-256: 0ed9a1cc7114c17652053a615c1b5d1675d76bc771cc29f484b7375d925f1a81

Decoded as: utf-8-sig

Line count shown: 43

Detected class declarations: 1

L13: modded class DayZPlayerImplementJumpClimb

Detected enum declarations: 0

Detected function/method-like declarations: 2

L15: bool Expansion_Climb()

L33: else if (climbType == 2)

Full file content

```
000001 | /**
000002 |  * DayZPlayerImplementJumpClimb.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class DayZPlayerImplementJumpClimb
000014 | {
000015 |     bool Expansion_Climb()
000016 |     {
000017 | #ifdef EXPANSIONTRACE
000018 |         auto trace = CF_Trace_1(EXTrace.PLAYER, this).Add(m_Player);
000019 | #endif
000020 |
000021 |         if (m_Player.m_ExClimbResult.m_bIsClimb || m_Player.m_ExClimbResult.m_bIsClimbOver)
000022 |         {
000023 |             int climbType = GetClimbType(m_Player.m_ExClimbResult.m_fClimbHeight);
000024 |
000025 |             if (climbType != -1 && m_Player.CanClimb(climbType, m_Player.m_ExClimbResult))
000026 |             {
000027 |                 //m_Player.Expansion_OnClimbStart(climbType);
000028 |                 m_Player.StartCommand_Climb(m_Player.m_ExClimbResult, climbType);
000029 |                 m_Player.StopHandEvent();
000030 |
000031 |                 if (climbType == 1)
000032 |                     m_Player.DepleteStamina(ESTaminaModifiers.VAULT);
000033 |                 else if (climbType == 2)
000034 |                     m_Player.DepleteStamina(ESTaminaModifiers.CLIMB);
000035 |
000036 |                 return true;
000037 |             }
000038 |         }
000039 |
000040 |         return false;
000041 |     }
000042 | };
000043 |
```

0286. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayerImplementThrowing.c

Size bytes: 1024

SHA-256: 607407f9b15551fb8cee51101e41e8169c52bfcca2dedd6d9fe2204e38cdb2c5

Decoded as: utf-8-sig

Line count shown: 39

Detected class declarations: 1

L13: modded class DayZPlayerImplementThrowing

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: override void HandleThrowing(HumanInputController pHic, HumanCommandWeapons pHcw, EntityAI pEntityInHands, float pDt)

Full file content

```

000001 | /**
000002 |  * DayZPlayerImplementThrowing.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class DayZPlayerImplementThrowing
000014 | {
000015 |     override void HandleThrowing(HumanInputController pHic, HumanCommandWeapons pHcw, EntityAI pEntityInHands, float pDt)
000016 |     {
000017 | #ifdef EXPANSIONTRACE
000018 |         auto trace = CF_Trace_0(ExpansionTracing.PLAYER, this, "HandleThrowing");
000019 | #endif
000020 |
000021 |         if ( m_bThrowingModeEnabled )
000022 |         {
000023 |             PlayerBase player = PlayerBase.Cast(m_Player);
000024 |             if ( player && player.Expansion_IsInSafeZone() )
000025 |             {
000026 |                 m_bThrowingModeEnabled = false;
000027 |                 ResetState();
000028 |
000029 |                 pHcw.SetActionProgressParams( 0, 0 );
000030 |                 pHcw.SetThrowingMode( false );
000031 |
000032 |                 return;
000033 |             }
000034 |         }
000035 |
000036 |         super.HandleThrowing( pHic, pHcw, pEntityInHands, pDt );
000037 |     }
000038 | };
000039 |

```

0287. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayerSyncJunctures.c
Size bytes: 1446
SHA-256: 34826a30329450114435715c7d67daf75539f446008932b247623d18a364fb4a
Decoded as: utf-8-sig
Line count shown: 53
Detected class declarations: 1
 L13: modded class DayZPlayerSyncJunctures
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L19: static void ExpansionTeleport(DayZPlayer pPlayer, vector position, vector orientation = "0 0 0")
 L41: static bool ExpansionReadTeleport(ParamsReadContext pCtx, out vector position, out vector orientation)

Full file content

```
000001 | /**
000002 |  * DayZPlayerSyncJunctures.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class DayZPlayerSyncJunctures
000014 | {
000015 |     static const int EXPANSION_SJ = 100;
000016 |
000017 |     static const int EXPANSION_SJ_TELEPORT = 0;
000018 |
000019 |     static void ExpansionTeleport(DayZPlayer pPlayer, vector position, vector orientation = "0 0 0")
000020 |     {
000021 |         #ifdef EXTRACE
000022 |             auto trace = EXTrace.Start(EXTrace.PLAYER, DayZPlayerSyncJunctures, "" + pPlayer, "" + position, "" + orientation);
000023 |         #endif
000024 |
000025 |         auto rpc = new ScriptRPC;
000026 |         rpc.Write(EXPANSION_SJ_TELEPORT);
000027 |
000028 |         rpc.Write(position);
000029 |         rpc.Write(orientation);
000030 |
000031 |         rpc.Send(pPlayer, ExpansionScriptRPC.EXPANSION_RPC_SJ, true, pPlayer.GetIdentity());
000032 |
000033 |         pPlayer.SetPosition(position);
000034 |         pPlayer.SetOrientation(orientation);
000035 |
000036 |         DayZPlayerImplement player;
000037 |         if (Class.CastTo(player, pPlayer))
000038 |             player.Expansion_OnSyncJuncture(EXPANSION_SJ_TELEPORT, null);
000039 |     }
000040 |
000041 |     static bool ExpansionReadTeleport(ParamsReadContext pCtx, out vector position, out vector orientation)
000042 |     {
000043 |         #ifdef EXTRACE
000044 |             auto trace = EXTrace.Start(EXTrace.PLAYER, DayZPlayerSyncJunctures);
000045 |         #endif
```

```
000046 |  
000047 |         pCtx.Read(position);  
000048 |         pCtx.Read(orientation);  
000049 |  
000050 |         return true;  
000051 |     }  
000052 | };  
000053 |
```

0288. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\ExpansionNotPlayerBase.c

Size bytes: 18694

SHA-256: b61fe123b9fcdc82a401c048ff99279e87d19971490977c6187891887325830c

Decoded as: utf-8-sig

Line count shown: 692

Detected class declarations: 1

L16: class ExpansionNotPlayerBase: ManBase

Detected enum declarations: 0

Detected function/method-like declarations: 33

L46: void ExpansionNotPlayerBase()

L52: void Init()

L65: override void EEItemAttached(EntityAI item, string slot_name)

L103: else if (g_Game.IsServer())

L120: override void EEItemDetached(EntityAI item, string slot_name)

L167: void UpdateShoulderProxyVisibility(EntityAI item, string slot_name)

L178: else if (slot == "Shoulder")

L186: override void SwitchItemSelectionTexture(EntityAI item, string slot_name)

L200: bool IsMale()

L210: void SetActions()

L215: void InitializeActions()

L222: override void GetActions(typename action_input_type, out array<ActionBase_Basic> actions)

L234: void AddAction(typename actionName)

L257: void RemoveAction(typename actionName)

L279: void OnPlayerLoaded()

L291: void UpdateCorpseState()

L302: override void EEHealthLevelChanged(int oldLevel, int newLevel, string zone)

L315: override void OnVariablesSynchronized()

L332: void SetLifeSpanStateVisible(int show_state)

L349: int GetLifeSpanState()

L355: bool IsPlayerLoaded()

L362: void SetHairLevelToHide(int level, bool state, bool was_debug = false)

L415: void HideHairSelections(ItemBase item, bool state)

L465: void UpdateHairSelectionVisibility(bool was_debug = false)

L516: void UpdateTranslatedSelections(SelectionTranslation stt)

L530: void CheckHairClippingOnCharacterLoad()

L540: void AdjustBandana(EntityAI item, string slot_name)

L549: else if (slot_name == "Mask")

L557: void AdjustShemag(EntityAI item, string slot_name)

L566: else if (slot_name == "Mask")

L576: void UpdateCorpseStateVisual()

L622: void SetDecayEffects(int effect = -1)

L675: void PreloadDecayTexture()

Full file content

```
000001 | /**
000002 |  * ExpansionNotPlayerBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /// Lightweight base class for NPCs etc without additional overhead from PlayerBase
000014 | /// Minimum amount of stuff mostly copied verbatim from vanilla PlayerBase to make character work properly visually (textures/clipping)
```

```
000015 | //! + ability to set actions (always as target, so no need for separate action maps like in PlayerBase)
000016 | class ExpansionNotPlayerBase: ManBase
000017 | {
000018 |     // 5
000019 |     private int m_LifeSpanState;
000020 |     // 14
000021 |     protected bool m_PlayerLoaded;
000022 |     // 21
000023 |     protected int m_LifespanLevelLocal; //control variable for change calls
000024 |     // 58
000025 |     int m_FliesIndex;
000026 |     // 70
000027 |     ref EffectParticle m_FliesEff;
000028 |     // 71
000029 |     protected ref TInputActionMap m_InputActionMap;
000030 |     // 74
000031 |     bool m_ActionsInitialize;
000032 |     // 76
000033 |     ref HiddenSelectionsData m_EmptyGloves;
000034 |     // 85
000035 |     ref EffectSound m_SoundFliesEffect;
000036 |     // 97
000037 |     int m_CorpseState;
000038 |     protected int m_CorpseStateLocal;
000039 |     // 130
000040 |     Head_Default m_CharactersHead;
000041 |     // 135
000042 |     bool m_HideHairAnimated;
000043 |     // 136
000044 |     string m_DecayedTexture;
000045 |
000046 |     void ExpansionNotPlayerBase()
000047 |     {
000048 |         Init();
000049 |     }
000050 |
000051 |     // 295
000052 |     void Init()
000053 |     {
000054 |         m_EmptyGloves = new HiddenSelectionsData(ConfigGetString("emptyGloves"));
000055 |
000056 |         RegisterNetSyncVariableInt("m_LifeSpanState", LifeSpanState.BEARD_NONE, LifeSpanState.COUNT);
000057 |         RegisterNetSyncVariableInt("m_CorpseState", -PlayerConstants.CORPSE_STATE_DECAYED, PlayerConstants.CORPSE_STATE_DECAYED);
000058 |
000059 |         m_DecayedTexture = ConfigGetString("decayedTexture");
000060 |
000061 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Call(OnPlayerLoaded);
000062 |     }
000063 |
000064 |     // 1137
000065 |     override void EEItemAttached(EntityAI item, string slot_name)
000066 |     {
000067 |         super.EEItemAttached(item, slot_name);
000068 |
000069 |         ItemBase itemIB = ItemBase.Cast(item);
000070 |         SwitchItemSelectionTexture(item, slot_name);
000071 |         Param1<ExpansionNotPlayerBase> p = new Param1<ExpansionNotPlayerBase>(this);
000072 |         itemIB.Expansion_SwitchItemSelectionTextureEx(EItemManipulationContext.ATTACHING, p);
000073 |         /*
000074 |         m_QuickBarBase.updateSlotsCount();
000075 |         CalculateVisibilityForAI();
000076 |         */
000077 |     }
```



```
000077 |         UpdateShoulderProxyVisibility(item, slot_name);
000078 |
000079 |         HideHairSelections(itemIB,true);
000080 |
000081 |         g_Game.GetAnalyticsClient().OnItemAttachedAtPlayer(item, slot_name);
000082 |         Clothing clothing = Clothing.Cast(item);
000083 |         if (clothing)
000084 |         {
000085 |             if (!g_Game.IsDedicatedServer())
000086 |             {
000087 |                 /*
000088 |                 if (clothing.GetEffectWidgetTypes())
000089 |                 {
000090 |                     QueueAddEffectWidget(clothing.GetEffectWidgetTypes());
000091 |                 }
000092 |
000093 |                 if (clothing.GetGlassesEffectID() > -1)
000094 |                 {
000095 |                     QueueAddGlassesEffect(clothing.GetGlassesEffectID());
000096 |                 }
000097 |                 */
000098 |
000099 |                 g_Game.GetCallQueue(CALL_CATEGORY_GUI).CallLater(UpdateCorpseStateVisual, 200, false);//sometimes it takes a while to load in
000100 |                 UpdateCorpseStateVisual();//....but if possible, we don't want a delay
000101 |             }
000102 |             /*
000103 |             else if (g_Game.IsServer())
000104 |             {
000105 |                 if (clothing.IsGasMask())
000106 |                 {
000107 |                     GetModifiersManager().ActivateModifier(eModifiers.MDF_MASK);
000108 |                 }
000109 |             }
000110 |
000111 |             clothing.UpdateNVGStatus(this,true);
000112 |             */
000113 |         }
000114 |
000115 |         AdjustBandana(item,slot_name);
000116 |         AdjustShemag(item,slot_name);
000117 |     }
000118 |
000119 | // 1184
000120 | override void EEItemDetached(EntityAI item, string slot_name)
000121 | {
000122 |     super.EEItemDetached(item, slot_name);
000123 |     ItemBase item_base = ItemBase.Cast(item);
000124 |     SwitchItemSelectionTexture(item, slot_name);
000125 |     item.SwitchItemSelectionTextureEx(EItemManipulationContext.DETACHING);
000126 |     /*
000127 |     m_QuickBarBase.updateSlotsCount();
000128 |     CalculateVisibilityForAI();
000129 |     */
000130 |
000131 |     HideHairSelections(item_base,false);
000132 |
000133 |     Clothing clothing = Clothing.Cast(item);
000134 |
000135 |     if (clothing)
000136 |     {
000137 |         /*
000138 |         if (!g_Game.IsDedicatedServer())
```

```
000139 |         {
000140 |             if (clothing.GetEffectWidgetTypes())
000141 |             {
000142 |                 QueueRemoveEffectWidget(clothing.GetEffectWidgetTypes());
000143 |             }
000144 |
000145 |             if (clothing.GetGlassesEffectID() > -1)
000146 |             {
000147 |                 QueueRemoveGlassesEffect(clothing.GetGlassesEffectID());
000148 |             }
000149 |         }
000150 |
000151 |         if (g_Game.IsServer())
000152 |         {
000153 |             if (clothing.IsGasMask())
000154 |             {
000155 |                 GetModifiersManager().DeactivateModifier(eModifiers.MDF_MASK);
000156 |             }
000157 |         }
000158 |
000159 |         clothing.UpdateNVGStatus(this);
000160 |         */
000161 |         g_Game.GetCallQueue(CALL_CATEGORY_GUI).CallLater(UpdateCorpseStateVisual, 200, false); //sometimes it takes a while to load in
000162 |         UpdateCorpseStateVisual(); //...but if possible, we don't want a delay
000163 |     }
000164 | }
000165 |
000166 | // 1252
000167 | void UpdateShoulderProxyVisibility(EntityAI item, string slot_name)
000168 | {
000169 |     string slot = slot_name;
000170 |     bool boo;
000171 |     boo = item.IsWeapon();
000172 |
000173 |     if (slot == "Melee")
000174 |     {
000175 |         SetSimpleHiddenSelectionState(SIMPLE_SELECTION_MELEE_RIFLE, boo);
000176 |         SetSimpleHiddenSelectionState(SIMPLE_SELECTION_MELEE_MELEE, !boo);
000177 |     }
000178 |     else if (slot == "Shoulder")
000179 |     {
000180 |         SetSimpleHiddenSelectionState(SIMPLE_SELECTION_SHOULDER_RIFLE, boo);
000181 |         SetSimpleHiddenSelectionState(SIMPLE_SELECTION_SHOULDER_MELEE, !boo);
000182 |     }
000183 | }
000184 |
000185 | // 1270
000186 | override void SwitchItemSelectionTexture(EntityAI item, string slot_name)
000187 | {
000188 |     super.SwitchItemSelectionTexture(item, slot_name);
000189 |
000190 |     //shirt + armband
000191 |     ItemBase armband = ItemBase.Cast(FindAttachmentBySlotName("Armband"));
000192 |     if (slot_name == "Body" && armband)
000193 |     {
000194 |         Param1<ExpansionNotPlayerBase> p = new Param1<ExpansionNotPlayerBase>(this);
000195 |         armband.Expansion_SwitchItemSelectionTextureEx(EItemManipulationContext.UPDATE, p);
000196 |     }
000197 | }
000198 |
000199 | // 1306
000200 | bool IsMale()
```

```
000201 | {
000202 |     if (ConfigGetBool("woman") != 1)
000203 |     {
000204 |         return true;
000205 |     }
000206 |     return false;
000207 | }
000208 |
000209 | // 1350
000210 | void SetActions()
000211 | {
000212 | }
000213 |
000214 | // 1395
000215 | void InitializeActions()
000216 | {
000217 |     m_InputActionMap = new TInputActionMap;
000218 |     SetActions();
000219 | }
000220 |
000221 | // 1417
000222 | override void GetActions(typename action_input_type, out array<ActionBase_Basic> actions)
000223 | {
000224 |     if (!m_ActionsInitialize)
000225 |     {
000226 |         m_ActionsInitialize = true;
000227 |         InitializeActions();
000228 |     }
000229 |
000230 |     actions = m_InputActionMap.Get(action_input_type);
000231 | }
000232 |
000233 | // 1448
000234 | void AddAction(typename actionName)
000235 | {
000236 |     ActionBase action = ActionManagerBase.GetAction(actionName);
000237 |
000238 |     typename ai = action.GetInputType();
000239 |     if (!ai)
000240 |     {
000241 |         m_ActionsInitialize = false;
000242 |         return;
000243 |     }
000244 |
000245 |     array<ActionBase_Basic> action_array = m_InputActionMap.Get(ai);
000246 |
000247 |     if (!action_array)
000248 |     {
000249 |         action_array = new array<ActionBase_Basic>;
000250 |         m_InputActionMap.Insert(ai, action_array);
000251 |     }
000252 |
000253 |     action_array.Insert(action);
000254 | }
000255 |
000256 | // 1474
000257 | void RemoveAction(typename actionName)
000258 | {
000259 |     ActionBase action = ActionManagerBase.GetAction(actionName);
000260 |     typename ai = action.GetInputType();
000261 |     array<ActionBase_Basic> action_array = m_InputActionMap.Get(ai);
000262 | }
```

```
000263 |         if (action_array)
000264 |         {
000265 |             for (int i = 0; i < action_array.Count(); i++)
000266 |             {
000267 |                 if (action == action_array.Get(i))
000268 |                 {
000269 |                     action_array.Remove(i);
000270 |                 }
000271 |             }
000272 |             action_array = new array<ActionBase_Basic>;
000273 |             m_InputActionMap.Insert(ai, action_array);
000274 |         }
000275 |         action_array.Insert(action);
000276 |     }
000277 |
000278 |     // 2063
000279 |     void OnPlayerLoaded()
000280 |     {
000281 |         int slot_id = InventorySlots.GetSlotIdFromString("Head");
000282 |         m_CharactersHead = Head_Default.Cast(GetInventory().FindPlaceholderForSlot(slot_id));
000283 |         CheckHairClippingOnCharacterLoad();
000284 |         UpdateHairSelectionVisibility();
000285 |         PreloadDecayTexture();
000286 |
000287 |         m_PlayerLoaded = true;
000288 |     }
000289 |
000290 |     // 5577
000291 |     void UpdateCorpseState()
000292 |     {
000293 |         UpdateCorpseStateVisual();
000294 |         if (m_CorpseState > 0 && !GetIsFrozen())
000295 |             SetDecayEffects(Math.AbsInt(m_CorpseState));
000296 |         else
000297 |             SetDecayEffects();//no params means remove the effects
000298 |         m_CorpseStateLocal = m_CorpseState;
000299 |     }
000300 |
000301 |     // 5588
000302 |     override void EEHealthLevelChanged(int oldLevel, int newLevel, string zone)
000303 |     {
000304 |         super.EEHealthLevelChanged(oldLevel, newLevel, zone);
000305 |         if (!g_Game.IsDedicatedServer())
000306 |         {
000307 |             if (m_CorpseState != 0)
000308 |             {
000309 |                 g_Game.GetCallQueue(CALL_CATEGORY_GUI).CallLater(UpdateCorpseState, 0, false);
000310 |             }
000311 |         }
000312 |     }
000313 |
000314 |     // 5607
000315 |     override void OnVariablesSynchronized()
000316 |     {
000317 |         super.OnVariablesSynchronized();
000318 |
000319 |         if (m_LifespanLevelLocal != m_LifeSpanState) //client solution, lifespan level changed
000320 |         {
000321 |             m_LifespanLevelLocal = m_LifeSpanState;
000322 |             UpdateHairSelectionVisibility();
000323 |         }
000324 |     }
```

```
000325 |         if (m_CorpseStateLocal != m_CorpseState && (IsPlayerLoaded() || IsControlledPlayer()))
000326 |         {
000327 |             UpdateCorpseState();
000328 |         }
000329 |     }
000330 |
000331 |     // 6569
000332 | void SetLifeSpanStateVisible(int show_state)
000333 | {
000334 |     bool state_changed;
000335 |     if (show_state != m_LifeSpanState)
000336 |         state_changed = true;
000337 |     m_LifeSpanState = show_state;
000338 |     SetSynchDirty();
000339 |
000340 |     if (state_changed) //server only, client solution in OnVariablesSynchronized()
000341 |     {
000342 |         //SendLifespanSyncEvent(m_LifeSpanState);
000343 |
000344 |         UpdateHairSelectionVisibility();
000345 |     }
000346 | }
000347 |
000348 | // 6585
000349 | int GetLifeSpanState()
000350 | {
000351 |     return m_LifeSpanState;
000352 | }
000353 |
000354 | // 8182
000355 | bool IsPlayerLoaded()
000356 | {
000357 |     return m_PlayerLoaded;
000358 | }
000359 |
000360 | // 8479
000361 | ///! Dynamic hair hiding
000362 | void SetHairLevelToHide(int level, bool state, bool was_debug = false)
000363 | {
000364 |     if (was_debug && GetInstanceType() != DayZPlayerInstanceType.INSTANCETYPE_CLIENT)
000365 |         return;
000366 |
000367 |     if (!m_CharactersHead)
000368 |     {
000369 |         ErrorEx("No valid head detected on character!");
000370 |         return;
000371 |     }
000372 |
000373 |     if (level == -1) //hide/show ALL
000374 |     {
000375 |         m_HideHairAnimated = !m_HideHairAnimated;
000376 |         for (int i = 0; i < m_CharactersHead.m_HeadHairSelectionArray.Count(); ++i)
000377 |         {
000378 |             //m_CharactersHead.SetSimpleHiddenSelectionState(i,m_HideHairAnimated);
000379 |             SelectionTranslation stt = SelectionTranslation.Cast(m_CharactersHead.m_HeadHairHidingStateMap.Get(i));
000380 |             stt.SetSelectionState(m_HideHairAnimated);
000381 |             m_CharactersHead.m_HeadHairHidingStateMap.Set(i, stt);
000382 | #ifdef DIAG_DEVELOPER
000383 | #ifndef SERVER
000384 |             PluginDiagMenuClient diagmenu = PluginDiagMenuClient.Cast(GetPlugin(PluginDiagMenuClient));
000385 |             diagmenu.m_HairHidingStateMap.Set(i, m_HideHairAnimated);
000386 | #endif
```

```

000387 | #endif
000388 |         }
000389 |     }
000390 |     else //hide/show selected level only
000391 |     {
000392 |         bool switchState;
000393 |         if (was_debug)
000394 |         {
000395 |             #ifdef DIAG_DEVELOPER
000396 |             #ifndef SERVER
000397 |                 PluginDiagMenuClient diagmenuu = PluginDiagMenuClient.Cast(GetPlugin(PluginDiagMenuClient));
000398 |                 switchState = !diagmenuu.m_HairHidingStateMap.Get(level);
000399 |                 diagmenuu.m_HairHidingStateMap.Set(level, switchState);
000400 |             #endif
000401 |             #endif
000402 |         }
000403 |         else
000404 |         {
000405 |             switchState = !state;
000406 |         }
000407 |         //m_CharactersHead.SetSimpleHiddenSelectionState(level,switchState);
000408 |         stt = SelectionTranslation.Cast(m_CharactersHead.m_HeadHairHidingStateMap.Get(level));
000409 |         stt.SetSelectionState(switchState);
000410 |         m_CharactersHead.m_HeadHairHidingStateMap.Set(level, stt); //nescessary?
000411 |     }
000412 | }
000413 |
000414 | // 8531
000415 | void HideHairSelections(ItemBase item, bool state)
000416 | {
000417 |     if (!item || !item.GetHeadHidingSelection() || !m_CharactersHead)
000418 |         return;
000419 |
000420 |     int slot_id; //item currently attached (or detaching from) here
000421 |     string slot_name; //item currently attached (or detaching from) here
000422 |     string str
000423 |     int idx = 0;
000424 |     int i;
000425 |     int count;
000426 |     item.GetInventory().GetCurrentAttachmentSlotInfo(slot_id,slot_name);
000427 |
000428 |     if (item.HidesSelectionBySlot())
000429 |     {
000430 |         count = item.GetInventory().GetSlotIdCount();
000431 |         for (i = 0; i < count; i++)
000432 |         {
000433 |             if (item.GetInventory().GetSlotId(i) == slot_id)
000434 |             {
000435 |                 str = item.GetHeadHidingSelection().Get(i);
000436 |                 idx = m_CharactersHead.m_HeadHairSelectionArray.Find(str);
000437 |                 if (idx != -1)
000438 |                     SetHairLevelToHide(idx,state);
000439 |                 #ifdef DEVELOPER
000440 |                 else
000441 |                     Debug.Log("No valid selection '" + str + "' found on head of " + GetType() + ". Verify the p3d, model config, and the 'HAIR_HIDING_SELECTI
000442 | ONS' macro in basicDefines.");
000443 |                 #endif
000444 |             }
000445 |         }
000446 |     }
000447 |     else
000448 |     {

```

```
000448 |         count = item.GetHeadHidingSelection().Count();
000449 |         for (i = 0; i < count; i++)
000450 |         {
000451 |             str = item.GetHeadHidingSelection().Get(i);
000452 |             idx = m_CharactersHead.m_HeadHairSelectionArray.Find(str);
000453 |             if (idx != -1)
000454 |                 SetHairLevelToHide(idx,state);
000455 |             #ifdef DEVELOPER
000456 |             else
000457 |                 Debug.Log("No valid selection '" + str + "' found on head of " + GetType() + ". Verify the p3d, model config, and the 'HAIR_HIDING_SELECTIONS'
macro in basicDefines.");
000458 |             #endif
000459 |         }
000460 |     }
000461 |     UpdateHairSelectionVisibility();
000462 | }
000463 |
000464 | // 8580
000465 | void UpdateHairSelectionVisibility(bool was_debug = false)
000466 | {
000467 |     if (!m_CharactersHead)
000468 |         return;
000469 |     bool shown;
000470 |     bool exception_hidden = false;
000471 |     int i;
000472 |     int count = m_CharactersHead.m_HeadHairHidingStateMap.Count();
000473 |     SelectionTranslation stt;
000474 |
000475 |     //hide/show beard
000476 |     if (IsMale() && m_CharactersHead.GetBeardIndex() > -1 && !was_debug)
000477 |     {
000478 |         SetHairLevelToHide(m_CharactersHead.GetBeardIndex(),GetLifeSpanState() != LifeSpanState.BEARD_EXTRA);
000479 |     }
000480 |
000481 |     //show all first
000482 |     for (i = 0; i < count; i++)
000483 |     {
000484 |         m_CharactersHead.SetSimpleHiddenSelectionState(i,true);
000485 |     }
000486 |     //then carve it up
000487 |     for (i = 0; i < count; i++)
000488 |     {
000489 |         stt = m_CharactersHead.m_HeadHairHidingStateMap.Get(i);
000490 |         shown = stt.GetSelectionState();
000491 |         if (!shown)
000492 |         {
000493 |             if (!IsMale() && !m_CharactersHead.IsHandlingException())
000494 |             {
000495 |                 m_CharactersHead.SetSimpleHiddenSelectionState(i,shown);
000496 |                 UpdateTranslatedSelections(stt);
000497 |                 //Print("hidden idx: " + i);
000498 |             }
000499 |             else
000500 |             {
000501 |                 exception_hidden = true;
000502 |             }
000503 |         }
000504 |     }
000505 | }
000506 |
000507 | //exceptions handled differently; hides hair
000508 | if (exception_hidden)
000509 | {
```

```
000509 |         m_CharactersHead.SetSimpleHiddenSelectionState(m_CharactersHead.GetHairIndex(), false);
000510 |         if (IsMale())
000511 |             m_CharactersHead.SetSimpleHiddenSelectionState(m_CharactersHead.GetBeardIndex(), false);
000512 |     }
000513 | }
000514 |
000515 | // 8630
000516 | void UpdateTranslatedSelections(SelectionTranslation stt)
000517 | {
000518 |     int index;
000519 |     array<int> translatedSelectinosArray = stt.GetTranslatedSelections();
000520 |     for (int i = 0; i < translatedSelectinosArray.Count(); i++)
000521 |     {
000522 |         index = translatedSelectinosArray.Get(i);
000523 |         //if (index > -1)
000524 |             m_CharactersHead.SetSimpleHiddenSelectionState(index, false); //safe this way, only hiding/carving from shown parts
000525 |     }
000526 | }
000527 |
000528 | // 8643
000529 | ///! helper method for re-checking hairhiding on character load
000530 | void CheckHairClippingOnCharacterLoad()
000531 | {
000532 |     ItemBase headgear = ItemBase.Cast(GetInventory().FindAttachment(InventorySlots.HEADGEAR));
000533 |     ItemBase mask = ItemBase.Cast(GetInventory().FindAttachment(InventorySlots.MASK));
000534 |
000535 |     HideHairSelections(headgear, true);
000536 |     HideHairSelections(mask, true);
000537 | }
000538 |
000539 | // 8766
000540 | void AdjustBandana(EntityAI item, string slot_name)
000541 | {
000542 |     if (Bandana_ColorBase.Cast(item))
000543 |     {
000544 |         if (slot_name == "Headgear")
000545 |         {
000546 |             item.SetSimpleHiddenSelectionState(0, 1);
000547 |             item.SetSimpleHiddenSelectionState(1, 0);
000548 |         }
000549 |         else if (slot_name == "Mask")
000550 |         {
000551 |             item.SetSimpleHiddenSelectionState(0, 0);
000552 |             item.SetSimpleHiddenSelectionState(1, 1);
000553 |         }
000554 |     }
000555 | }
000556 |
000557 | void AdjustShemag(EntityAI item, string slot_name)
000558 | {
000559 |     if (Shemag_ColorBase.Cast(item))
000560 |     {
000561 |         if (slot_name == "Headgear")
000562 |         {
000563 |             item.SetSimpleHiddenSelectionState(0, 1);
000564 |             item.SetSimpleHiddenSelectionState(1, 0);
000565 |         }
000566 |         else if (slot_name == "Mask")
000567 |         {
000568 |             item.SetSimpleHiddenSelectionState(0, 0);
000569 |             item.SetSimpleHiddenSelectionState(1, 1);
000570 |         }
000570 |     }
```



```
000571 |     }
000572 | }
000573 |
000574 | // 8784
000575 | // client-side
000576 | void UpdateCorpseStateVisual()
000577 | {
000578 |     //Print("---Prettying up corpses... | " + g_Game.GetTime() + " | " + this + " | " + GetType() + "---");
000579 |     //Print("m_DecayedTexture = " + m_DecayedTexture);
000580 |     int state = Math.AbsInt(m_CorpseState); //negative sign denotes a special meaning(state was forced to a live player), but we are only intetested in the pos
itive value here
000581 |     if (state == PlayerConstants.CORPSE_STATE_DECAYED)
000582 |     {
000583 |         EntityAI bodypart;
000584 |         ItemBase item;
000585 |
000586 |         string path;
000587 |         int idx;
000588 |         int slot_id;
000589 |         array<string> bodyparts = {"Gloves","Body","Legs","Feet"};
000590 |
000591 |         for (int i = 0; i < bodyparts.Count(); i++)
000592 |         {
000593 |             slot_id = InventorySlots.GetSlotIdFromString(bodyparts.Get(i));
000594 |             bodypart = GetInventory().FindPlaceholderForSlot(slot_id);
000595 |             item = ItemBase.Cast(GetInventory().FindAttachment(slot_id));
000596 |
000597 |             if (bodypart)
000598 |             {
000599 |                 path = "cfgVehicles " + bodypart.GetType();
000600 |                 idx = bodypart.GetHiddenSelectionIndex("personality");
000601 |                 if (idx > -1)
000602 |                 {
000603 |                     bodypart.SetObjectTexture(idx,m_DecayedTexture);
000604 |                 }
000605 |             }
000606 |             if (item)
000607 |             {
000608 |                 path = "cfgVehicles " + item.GetType();
000609 |                 idx = item.GetHiddenSelectionIndex("personality");
000610 |                 if (idx > -1)
000611 |                 {
000612 |                     item.SetObjectTexture(idx,m_DecayedTexture);
000613 |                 }
000614 |             }
000615 |         }
000616 |         SetFaceTexture(m_DecayedTexture);
000617 |     }
000618 | }
000619 |
000620 |
000621 | // 8829
000622 | void SetDecayEffects(int effect = -1)
000623 | {
000624 |     int boneIdx = GetBoneIndexByName("Spine2");
000625 |     Particle p;
000626 |
000627 |     switch (effect)
000628 |     {
000629 |         case PlayerConstants.CORPSE_STATE_MEDIUM :
000630 |             //play medium sound/flies particle
000631 |             if (!m_FliesEff)
```

```
000632 |         m_FliesEff = new EffSwarmingFlies();
000633 |
000634 |     if (m_FliesEff && !SEffectManager.IsEffectExist(m_FliesIndex))
000635 |     {
000636 |         m_FliesEff.SetDecalOwner(this);
000637 |         m_FliesIndex = SEffectManager.PlayOnObject(m_FliesEff, this, "0 0.25 0");
000638 |         p = m_FliesEff.GetParticle();
000639 |         AddChild(p, boneIdx);
000640 |         if (!m_SoundFliesEffect)
000641 |         {
000642 |             PlaySoundSetLoop(m_SoundFliesEffect, "Flies_SoundSet", 1.0, 1.0);
000643 |             //      ErrorEx("DbgFlies | CORPSE_STATE_MEDIUM | m_SoundFliesEffect created! " + m_SoundFliesEffect,ErrorExSeverity.INFO);
000644 |         }
000645 |     }
000646 |     break;
000647 |     case PlayerConstants.CORPSE_STATE_DECAYED :
000648 |         //play serious sound/flies particle
000649 |         if (!m_FliesEff)
000650 |             m_FliesEff = new EffSwarmingFlies();
000651 |
000652 |         if (m_FliesEff && !SEffectManager.IsEffectExist(m_FliesIndex))
000653 |         {
000654 |             m_FliesEff.SetDecalOwner(this);
000655 |             m_FliesIndex = SEffectManager.PlayOnObject(m_FliesEff, this, "0 0.25 0");
000656 |             p = m_FliesEff.GetParticle();
000657 |             AddChild(p, boneIdx);
000658 |             if (!m_SoundFliesEffect)
000659 |             {
000660 |                 PlaySoundSetLoop(m_SoundFliesEffect, "Flies_SoundSet", 1.0, 1.0);
000661 |                 //      ErrorEx("DbgFlies | CORPSE_STATE_DECAYED | m_SoundFliesEffect created! " + m_SoundFliesEffect,ErrorExSeverity.INFO);
000662 |             }
000663 |         }
000664 |         break;
000665 |         //remove
000666 |         default:
000667 |             SEffectManager.DestroyEffect(m_FliesEff);
000668 |             //      ErrorEx("DbgFlies | StopSoundSet | exit 3 ",ErrorExSeverity.INFO);
000669 |             StopSoundSet(m_SoundFliesEffect);
000670 |             break;
000671 |     }
000672 | }
000673 |
000674 | // 8881
000675 | void PreloadDecayTexture()
000676 | {
000677 |     int idx;
000678 |     int slot_id;
000679 |
000680 |     idx = GetHiddenSelectionIndex("decay_preload");
000681 |     if (idx > -1)
000682 |     {
000683 |         SetObjectTexture(idx,m_DecayedTexture);
000684 |         //Print("'decay_preload'" + m_DecayedTexture +" loaded on " + GetModelName());
000685 |     }
000686 |     else
000687 |     {
000688 |         //Print("No 'decay_preload' selection found on " + this);
000689 |     }
000690 | }
000691 | }
000692 |
```

0289. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\ExpansionNPCBase.c

Size bytes: 2751

SHA-256: 3f45ceebb22f8c927eb7511856f6f73c46c95d1ce4cda30718f6cf104bd58103

Decoded as: utf-8-sig

Line count shown: 90

Detected class declarations: 32

```
L13: class ExpansionNPCBase: ExpansionNotPlayerBase
L59: class ExpansionNPCMirek: ExpansionNPCBase {};
L60: class ExpansionNPCDenis: ExpansionNPCBase {};
L61: class ExpansionNPCBoris: ExpansionNPCBase {};
L62: class ExpansionNPCCyril: ExpansionNPCBase {};
L63: class ExpansionNPCElias: ExpansionNPCBase {};
L64: class ExpansionNPCFrancis: ExpansionNPCBase {};
L65: class ExpansionNPCGuo: ExpansionNPCBase {};
L66: class ExpansionNPCHassan: ExpansionNPCBase {};
L67: class ExpansionNPCIndar: ExpansionNPCBase {};
L68: class ExpansionNPCJose: ExpansionNPCBase {};
L69: class ExpansionNPCKaito: ExpansionNPCBase {};
L70: class ExpansionNPCLewis: ExpansionNPCBase {};
L71: class ExpansionNPCManua: ExpansionNPCBase {};
L72: class ExpansionNPCNiki: ExpansionNPCBase {};
L73: class ExpansionNPCOliver: ExpansionNPCBase {};
L74: class ExpansionNPCPeter: ExpansionNPCBase {};
L75: class ExpansionNPCQuinn: ExpansionNPCBase {};
L76: class ExpansionNPCRolf: ExpansionNPCBase {};
L77: class ExpansionNPCSeth: ExpansionNPCBase {};
L78: class ExpansionNPCTaiki: ExpansionNPCBase {};
L79: class ExpansionNPCLinda: ExpansionNPCBase {};
L80: class ExpansionNPCMaria: ExpansionNPCBase {};
L81: class ExpansionNPCFrida: ExpansionNPCBase {};
L82: class ExpansionNPCGabi: ExpansionNPCBase {};
L83: class ExpansionNPCHelga: ExpansionNPCBase {};
L84: class ExpansionNPCIrena: ExpansionNPCBase {};
L85: class ExpansionNPCJudy: ExpansionNPCBase {};
L86: class ExpansionNPCKeiko: ExpansionNPCBase {};
L87: class ExpansionNPCEva: ExpansionNPCBase {};
L88: class ExpansionNPCNaomi: ExpansionNPCBase {};
L89: class ExpansionNPCBaty: ExpansionNPCBase {};
```

Detected enum declarations: 0

Detected function/method-like declarations: 6

```
L15: override void Expansion_Init()
L32: override bool IsInventoryVisible()
L37: override bool CanDisplayCargo()
L42: override bool CanPutIntoHands(EntityAI parent)
L47: override void CommandHandler(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
L53: override bool CanBeTargetedByAI(EntityAI ai)
```

Full file content

```
000001 | /**
000002 |  * ExpansionNPCBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
```

```
000011 | */
000012 |
000013 | class ExpansionNPCBase: ExpansionNotPlayerBase
000014 | {
000015 |     override void Expansion_Init()
000016 |     {
000017 |         Expansion_SetAllowDamage(false);
000018 |
000019 |         #ifdef EXPANSIONMODAI
000020 |         if (g_Game.IsServer())
000021 |         {
000022 |             m_eAI_FactionType = eAIFactionPassive;
000023 |             eAI_SetPassive(); //! In case this NPC joins another group that's part of a non-passive faction, we still want the NPC to be passive
000024 |         }
000025 |         #endif
000026 |
000027 |         super.Expansion_Init();
000028 |
000029 |         m_Expansion_NetsyncData = new ExpansionNetsyncData(this);
000030 |     }
000031 |
000032 |     override bool IsInventoryVisible()
000033 |     {
000034 |         return false;
000035 |     }
000036 |
000037 |     override bool CanDisplayCargo()
000038 |     {
000039 |         return false;
000040 |     }
000041 |
000042 |     override bool CanPutIntoHands(EntityAI parent)
000043 |     {
000044 |         return false;
000045 |     }
000046 |
000047 |     override void CommandHandler(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
000048 |     {
000049 |         dBodyActive(this, ActiveState.INACTIVE);
000050 |     }
000051 |
000052 |     //! Vanilla, prevent being targeted by Zs/animals
000053 |     override bool CanBeTargetedByAI(EntityAI ai)
000054 |     {
000055 |         return false;
000056 |     }
000057 | }
000058 |
000059 | class ExpansionNPCMirek: ExpansionNPCBase {};
000060 | class ExpansionNPCDenis: ExpansionNPCBase {};
000061 | class ExpansionNPCBoris: ExpansionNPCBase {};
000062 | class ExpansionNPCCyril: ExpansionNPCBase {};
000063 | class ExpansionNPCElia: ExpansionNPCBase {};
000064 | class ExpansionNPCFrancis: ExpansionNPCBase {};
000065 | class ExpansionNPCGuo: ExpansionNPCBase {};
000066 | class ExpansionNPCHassan: ExpansionNPCBase {};
000067 | class ExpansionNPCIndar: ExpansionNPCBase {};
000068 | class ExpansionNPCJose: ExpansionNPCBase {};
000069 | class ExpansionNPCKaito: ExpansionNPCBase {};
000070 | class ExpansionNPCLewis: ExpansionNPCBase {};
000071 | class ExpansionNPCManua: ExpansionNPCBase {};
000072 | class ExpansionNPCNiki: ExpansionNPCBase {};
```

```
000073 | class ExpansionNPCOliver: ExpansionNPCBase {};  
000074 | class ExpansionNPCPeter: ExpansionNPCBase {};  
000075 | class ExpansionNPCQuinn: ExpansionNPCBase {};  
000076 | class ExpansionNPCRolf: ExpansionNPCBase {};  
000077 | class ExpansionNPCSeth: ExpansionNPCBase {};  
000078 | class ExpansionNPCTaiki: ExpansionNPCBase {};  
000079 | class ExpansionNPCLinda: ExpansionNPCBase {};  
000080 | class ExpansionNPCMaria: ExpansionNPCBase {};  
000081 | class ExpansionNPCFrida: ExpansionNPCBase {};  
000082 | class ExpansionNPCGabi: ExpansionNPCBase {};  
000083 | class ExpansionNPCHelga: ExpansionNPCBase {};  
000084 | class ExpansionNPCIrena: ExpansionNPCBase {};  
000085 | class ExpansionNPCJudy: ExpansionNPCBase {};  
000086 | class ExpansionNPCKeiko: ExpansionNPCBase {};  
000087 | class ExpansionNPCEva: ExpansionNPCBase {};  
000088 | class ExpansionNPCNaomi: ExpansionNPCBase {};  
000089 | class ExpansionNPCBaty: ExpansionNPCBase {};  
000090 |
```

0290. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\PlayerBase.c
Size bytes: 38620
SHA-256: ecb3b940a9908792d436ad6649ed7d0db7c92083eb887248850148949ba1becd
Decoded as: utf-8-sig
Line count shown: 1334
Detected class declarations: 2
  L13: class ExpansionInventoryItemType
  L31: modded class PlayerBase
Detected enum declarations: 0
Detected function/method-like declarations: 80
  L18: int GetStackAmount()
  L63: void PlayerBase()
  L71: void ~PlayerBase()
  L87: static void Expansion_SendNear(ExpansionScriptRPC rpc, vector position, float distance, Object target = null, bool guaranteed = false)
  L107: static void Expansion_SendNear(ExpansionScriptRPC rpc, vector position, Object target = null, bool guaranteed = false)
  L124: static void Expansion_SendClose(ExpansionScriptRPC rpc, vector position, Object target = null, bool guaranteed = false)
  L141: static void Expansion_SendFar(ExpansionScriptRPC rpc, vector position, Object target = null, bool guaranteed = false)
  L159: static void Expansion_Send(ExpansionScriptRPC rpc, notnull Object target, bool guaranteed = false)
  L171: else if (root != target)
  L178: void Expansion_SetTemporaryOwnedContainer(ExpansionTemporaryOwnedContainer container)
  L189: ExpansionTemporaryOwnedContainer Expansion_GetTemporaryOwnedContainer(bool vicinity = true)
  L200: ItemBase Expansion_GetNVItem()
  L218: else if (Class.CastTo(optic, entityInHands) || (Class.CastTo(weapon, entityInHands) && Class.CastTo(optic, weapon.GetAttachedOptics())))
  L227: else if (!nvItem)
  L251: string GetIdentitySteam()
  L256: return GetIdentity().Expansion_GetPlainId();
  L257: else if ( IsMissionOffline() )
  L267: string GetIdentityName()
  L272: return GetIdentity().GetName();
  L273: else if ( IsMissionOffline() )
  L280: string Expansion_GetSurvivorName()
  L290: static set<PlayerBase> Expansion_GetInSphere(vector position, int radius)
  L293: set<PlayerBase> players();
  L329: static PlayerBase GetPlayerByUID( string id )
  L356: static PlayerBase Expansion_GetByPlainID(string id)
  L369: else if (ClientData.m_PlayerList && ClientData.m_PlayerList.m_PlayerList)
  L380: return GetPlayerByUID(syncPlayer.m_RUID);
  L387: static string Expansion_GetPlainIDByUID(string id)
  L392: static PlayerBase ExpansionGetPlayerByIdentity( PlayerIdentity identity )
  L400: static bool Expansion_IsOnline(string uid)
  L406: else if (ClientData.m_PlayerList && ClientData.m_PlayerList.m_PlayerList)
  L421: static int Expansion_GetOnlinePlayersCount()
  L431: static bool Expansion_IsPlayerInSphere(vector center, float outerRadius, float innerRadius = 0.0)
  L454: string GetIdentityUID()
  L459: return GetIdentity().GetId();
  L460: else if ( IsMissionOffline() )
  L471: static void Expansion_AddPlayer( PlayerBase player, PlayerIdentity identity )
  L494: static void RemovePlayer( string id )
  L499: static void Expansion_RemovePlayerPlainID(string id)
  L507: void DeferredClientInit()
  L511: override void SetActions( out TInputActionMap InputActionMap )
  L526: override bool DropItem(ItemBase item)
  L545: override void OnUnconsciousStart()
  L559: override void OnUnconsciousStop(int pCurrentCommandID)
  L568: override void OnRestrainedStart()
  L579: override bool IsInventoryVisible()
  L587: override void OnConnect()
  L596: override void OnReconnect()
```

```

L608: override void OnEnterZone(ExpansionZoneType type)
L621: protected eAIGroup ExpansionGetEAIGroup(bool createIfNoneExists = true)
L654: override void OnExitZone(ExpansionZoneType type)
L684: override bool Expansion_HasAdminToolGodMode()
L696: override bool Expansion_HasAdminToolInvisibility()
L711: bool Expansion_IsHelper(PlayerBase other, bool checkIfWeAreHelper = false)
L719: bool Expansion_IsFriendly(PlayerBase other)
L730: void OnEnterSafeZone()
L786: void OnLeftSafeZone()
L833: void SetCanRaise(bool mode)
L845: override void EEKilled( Object killer )
L861: override void OnVehicleSeatDriverEnter()
L874: static void Expansion_RegisterInventoryItemType(typename type)
L880: static void Expansion_RegisterInventoryItemType(string type)
L904: static bool Expansion_IsInventoryItemTypeRegistered(ItemBase item, out string registeredType)
L944: static bool Expansion_IsInventoryItemTypeRegistered(string type, out string registeredType)
L956: void Expansion_OnInventoryUpdate(ItemBase item, bool inInventory = true, bool checkOnlyIfWorking = false)
L988: protected ExpansionInventoryItemType Expansion_OnInventoryUpdateEx(string registeredType, ItemBase item, bool inInventory = true, bool check
L1012: else if (found && checkOnlyIfWorking && itemType.WorkingCount > 0)
L1017: else if (found)
L1037: int Expansion_GetInventoryCount(typename type, bool working = false)
L1039: return Expansion_GetInventoryCount(Expansion_GetInventoryItemType(type), working);
L1042: int Expansion_GetInventoryCount(string type, bool working = false)
L1044: return Expansion_GetInventoryCount(Expansion_GetInventoryItemType(type), working);
L1047: int Expansion_GetInventoryCount(ExpansionInventoryItemType itemType, bool working = false)
L1060: ExpansionInventoryItemType Expansion_GetInventoryItemType(typename type)
L1062: return Expansion_GetInventoryItemType(type.ToString());
L1065: ExpansionInventoryItemType Expansion_GetInventoryItemType(string type)
L1071: bool Expansion_PrepareTakeEntityToHands(EntityAI entity)
L1085: override void EEItemIntoHands(EntityAI item)
L1093: override void OnRestrainedChangeClient()
L1101: ScriptInvoker Expansion_GetOnRestrainedStateChaged()
... detector capped this preview at 80 entries; full code follows.

```

Full file content

```

000001 | /**
000002 |  * ExpansionPlayerBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionInventoryItemType
000014 | {
000015 |     ref array<ItemBase> Items = new array<ItemBase>;
000016 |     int WorkingCount;
000017 |
000018 |     int GetStackAmount()
000019 |     {
000020 |         int amount;
000021 |
000022 |         foreach (ItemBase item: Items)
000023 |         {
000024 |             amount += item.Expansion_GetStackAmount();
000025 |         }
000026 |     }

```

```
000027 |         return amount;
000028 |     }
000029 | }
000030 |
000031 | modded class PlayerBase
000032 | {
000033 |     static ref ScriptInvoker s_Expansion_SI_OnPlayerConnected = new ScriptInvoker;
000034 |
000035 |     protected string m_PlayerUID;
000036 |     protected string m_PlayerSteam;
000037 |     protected string m_PlayerName;
000038 |
000039 |     private static autoptr map< string, PlayerBase > s_Expansion_AllPlayersUID = new map< string, PlayerBase >;
000040 |     private static autoptr map< string, string > s_Expansion_AllPlayersUID2PlainID = new map< string, string >;
000041 |
000042 |     static ref CF_DoublyLinkedNodes_WeakRef<PlayerBase> s_Expansion_AllPlayers = new CF_DoublyLinkedNodes_WeakRef<PlayerBase>();
000043 |
000044 |     ref CF_DoublyLinkedNode_WeakRef<PlayerBase> m_Expansion_Node;
000045 |
000046 |     PlayerBase m_Expansion_NextPlayer;
000047 |     PlayerBase m_Expansion_PrevPlayer;
000048 |
000049 |     protected bool m_Expansion_LeavingSafeZone;
000050 |
000051 |     static ref map<string, bool> s_Expansion_RegisteredInventoryItemTypes = new map<string, bool>;
000052 |     static ref set<typename> s_Expansion_RegisteredInventoryItemTypenames = new set<typename>;
000053 |     ref map<string, ref ExpansionInventoryItemType> m_Expansion_InventoryItemTypes = new map<string, ref ExpansionInventoryItemType>;
000054 |
000055 |     ExpansionTemporaryOwnedContainer m_Expansion_TemporaryOwnedContainer;
000056 |
000057 |     ref ExpansionEntity m_Expansion_Entity;
000058 |
000059 |     EntityAI m_Expansion_EntityToBeTakenToHands;
000060 |
000061 |     protected ref ScriptInvoker m_Expansion_OnRestrainedStateChaged;
000062 |
000063 |     void PlayerBase()
000064 |     {
000065 |         m_Expansion_Node = s_Expansion_AllPlayers.Add(this);
000066 |
000067 |         if ( IsMissionClient() && g_Game && g_Game.GetCallQueue( CALL_CATEGORY_SYSTEM ) )
000068 |             g_Game.GetCallQueue( CALL_CATEGORY_SYSTEM ).CallLater( DeferredClientInit, 100, false );
000069 |     }
000070 |
000071 |     void ~PlayerBase()
000072 |     {
000073 |     #ifndef DIAG_DEVELOPER
000074 |         if (!g_Game)
000075 |             return;
000076 |     #endif
000077 |
000078 |         if ( m_PlayerUID && s_Expansion_AllPlayersUID.Get( m_PlayerUID ) == this )
000079 |         {
000080 |             RemovePlayer( m_PlayerUID );
000081 |         }
000082 |
000083 |         if (s_Expansion_AllPlayers)
000084 |             s_Expansion_AllPlayers.Remove(m_Expansion_Node);
000085 |     }
000086 |
000087 |     static void Expansion_SendNear(ExpansionScriptRPC rpc, vector position, float distance, Object target = null, bool guaranteed = false)
000088 |     {
```



```
000089 |         float distanceSq = distance * distance;
000090 |         foreach (string uid, PlayerBase player: s_Expansion_AllPlayersUID)
000091 |         {
000092 |             if (player.GetIdentity() && vector.DistanceSq(player.GetPosition(), position) <= distanceSq)
000093 |             {
000094 |                 rpc.Expansion_Send(target, guaranteed, player.GetIdentity());
000095 |             }
000096 |         }
000097 |     }
000098 |
000099 | /**
000100 |  * @brief Send RPC to players in near network range
000101 |  *
000102 |  * @param rpc ExpansionScriptRPC instance
000103 |  * @param position Center position to determine radius
000104 |  * @param target Target object (or null)
000105 |  * @param guaranteed
000106 |  */
000107 | static void Expansion_SendNear(ExpansionScriptRPC rpc, vector position, Object target = null, bool guaranteed = false)
000108 | {
000109 |     float distance = g_Game.ServerConfigGetInt("networkRangeNear");
000110 |     if (distance == 0.0)
000111 |         distance = 150; //! default as per https://community.bistudio.com/wiki/DayZ:Server_Configuration
000112 |     //! @note verified that items have to be in network range + 10% for them to exist in client bubble
000113 |     Expansion_SendNear(rpc, position, distance * 1.10, target, guaranteed);
000114 | }
000115 |
000116 | /**
000117 |  * @brief Send RPC to players in close network range
000118 |  *
000119 |  * @param rpc ExpansionScriptRPC instance
000120 |  * @param position Center position to determine radius
000121 |  * @param target Target object (or null)
000122 |  * @param guaranteed
000123 |  */
000124 | static void Expansion_SendClose(ExpansionScriptRPC rpc, vector position, Object target = null, bool guaranteed = false)
000125 | {
000126 |     float distance = g_Game.ServerConfigGetInt("networkRangeClose");
000127 |     if (distance == 0.0)
000128 |         distance = 20; //! default as per https://community.bistudio.com/wiki/DayZ:Server_Configuration
000129 |     //! @note verified that items have to be in network range + 10% for them to exist in client bubble
000130 |     Expansion_SendNear(rpc, position, distance * 1.10, target, guaranteed);
000131 | }
000132 |
000133 | /**
000134 |  * @brief Send RPC to players in far network range
000135 |  *
000136 |  * @param rpc ExpansionScriptRPC instance
000137 |  * @param position Center position to determine radius
000138 |  * @param target Target object (or null)
000139 |  * @param guaranteed
000140 |  */
000141 | static void Expansion_SendFar(ExpansionScriptRPC rpc, vector position, Object target = null, bool guaranteed = false)
000142 | {
000143 |     float distance = g_Game.ServerConfigGetInt("networkRangeFar");
000144 |     if (distance == 0.0)
000145 |         distance = 1000; //! default as per https://community.bistudio.com/wiki/DayZ:Server_Configuration
000146 |     //! @note verified that items have to be in network range + 10% for them to exist in client bubble
000147 |     Expansion_SendNear(rpc, position, distance * 1.10, target, guaranteed);
000148 | }
000149 |
000150 | /**
```

```
000151 | * @brief Send RPC to players in network range of target object
000152 | *
000153 | * @param rpc ExpansionScriptRPC instance
000154 | * @param target Target object (non-null)
000155 | * @param guaranteed
000156 | *
000157 | * Appropriate network range is automatically chosen based on target hierarchy root.
000158 | */
000159 | static void Expansion_Send(ExpansionScriptRPC rpc, notnull Object target, bool guaranteed = false)
000160 | {
000161 |     Object root = target;
000162 |
000163 |     EntityAI targetEntity;
000164 |     if (Class.CastTo(targetEntity, target))
000165 |         root = targetEntity.GetHierarchyRoot();
000166 |
000167 |     //! Target is man or is in inventory of man, or target is transport, or root has forceFarBubble
000168 |     if (root.IsMan() || target.IsTransport() || root.ConfigGetString("forceFarBubble") == "true")
000169 |         Expansion_SendFar(rpc, root.GetPosition(), target, guaranteed);
000170 |     //! Target is in inventory of root (might be transport or non-man object)
000171 |     else if (root != target)
000172 |         Expansion_SendClose(rpc, root.GetPosition(), target, guaranteed);
000173 |     //! Target has no parent
000174 |     else
000175 |         Expansion_SendNear(rpc, target.GetPosition(), target, guaranteed);
000176 | }
000177 |
000178 | void Expansion_SetTemporaryOwnedContainer(ExpansionTemporaryOwnedContainer container)
000179 | {
000180 |     container.ExpansionSetContainerOwner(this);
000181 |     m_Expansion_TemporaryOwnedContainer = container;
000182 | }
000183 |
000184 | /**
000185 | * @brief Get temporary owned container previously set, or null.
000186 | *
000187 | * @param vicinity If true (default), previously set container must be in vicinity (within 2 m of player), else null is returned.
000188 | */
000189 | ExpansionTemporaryOwnedContainer Expansion_GetTemporaryOwnedContainer(bool vicinity = true)
000190 | {
000191 |     if (m_Expansion_TemporaryOwnedContainer)
000192 |     {
000193 |         if (!vicinity || vector.DistanceSq(GetPosition(), m_Expansion_TemporaryOwnedContainer.GetPosition()) <= 4.0)
000194 |             return m_Expansion_TemporaryOwnedContainer;
000195 |     }
000196 |
000197 |     return null;
000198 | }
000199 |
000200 | ItemBase Expansion_GetNVItem()
000201 | {
000202 |     NVGoggles goggles;
000203 |     ItemBase nvItem;
000204 |
000205 |     if (IsInOptics())
000206 |     {
000207 |         //! In hands check - priority since when in optics, NVG in hands or NV optics take precedence over NVG attached to headgear/eyewear
000208 |         EntityAI entityInHands = GetHumanInventory().GetEntityInHands();
000209 |         if (entityInHands)
000210 |         {
000211 |             Weapon weapon;
000212 |             ItemOptics optic;
```

```
000213 |
000214 |         if (Class.CastTo(goggles, entityInHands))
000215 |         {
000216 |             nvItem = goggles;
000217 |         }
000218 |         else if (Class.CastTo(optic, entityInHands) || (Class.CastTo(weapon, entityInHands) && Class.CastTo(optic, weapon.GetAttachedOptics())))
000219 |         {
000220 |             if (optic.GetCurrentNVType() != NVTypes.NONE)
000221 |             {
000222 |                 nvItem = optic;
000223 |             }
000224 |         }
000225 |     }
000226 | }
000227 | else if (!nvItem)
000228 | {
000229 |     //!< Headgear/eyewear check - eyewear (e.g. NVG headstrap) takes precedence over headgear (e.g. helmet)
000230 |     EntityAI headgear = FindAttachmentBySlotName("Eyewear");
000231 |     if (headgear && Class.CastTo(goggles, headgear.FindAttachmentBySlotName("NVG")))
000232 |     {
000233 |         nvItem = goggles;
000234 |     }
000235 |     else
000236 |     {
000237 |         headgear = FindAttachmentBySlotName("Headgear");
000238 |         if (headgear && Class.CastTo(goggles, headgear.FindAttachmentBySlotName("NVG")))
000239 |         {
000240 |             nvItem = goggles;
000241 |         }
000242 |     }
000243 | }
000244 |
000245 | return nvItem;
000246 | }
000247 |
000248 | // -----
000249 | // PlayerBase GetIdentitySteam
000250 | // -----
000251 | string GetIdentitySteam()
000252 | {
000253 |     if ( IsMissionClient() )
000254 |     {
000255 |         if ( GetIdentity() )
000256 |             return GetIdentity().Expansion_GetPlainId();
000257 |         else if ( IsMissionOffline() )
000258 |             return "OFFLINE";
000259 |     }
000260 |
000261 |     return m_PlayerSteam;
000262 | }
000263 |
000264 | // -----
000265 | // PlayerBase GetIdentityName
000266 | // -----
000267 | string GetIdentityName()
000268 | {
000269 |     if ( IsMissionClient() )
000270 |     {
000271 |         if ( GetIdentity() )
000272 |             return GetIdentity().GetName();
000273 |         else if ( IsMissionOffline() )
000274 |             return "OFFLINE";
```

```
000275 |     }
000276 |
000277 |     return m_PlayerName;
000278 | }
000279 |
000280 | string Expansion_GetSurvivorName()
000281 | {
000282 |     string name = GetType();
000283 |     int index = ExpansionString.LastIndexOf(name, "_");
000284 |     if (index > -1)
000285 |         name = name.Substring(index + 1, name.Length() - index - 1);
000286 |
000287 |     return name;
000288 | }
000289 |
000290 | static set<PlayerBase> Expansion_GetInSphere(vector position, int radius)
000291 | {
000292 |     int radiusSq = radius * radius;
000293 |     set<PlayerBase> players();
000294 |
000295 |     if ( IsMissionHost() )
000296 |     {
000297 |         foreach (PlayerBase pb: s_Expansion_AllPlayersUID)
000298 |         {
000299 |             if (vector.DistanceSq(position, pb.GetPosition()) > radiusSq)
000300 |                 continue;
000301 |
000302 |             players.Insert(pb);
000303 |         }
000304 |     }
000305 |     else
000306 |     {
000307 |         PlayerBase pbc;
000308 |         //! @note ClientData.m_PlayerBaseList only contains players in network bubble
000309 |         foreach (Man player: ClientData.m_PlayerBaseList)
000310 |         {
000311 |             if (!Class.CastTo( pbc, player ))
000312 |                 continue;
000313 |
000314 |             if (vector.DistanceSq(position, pbc.GetPosition()) > radiusSq)
000315 |                 continue;
000316 |
000317 |             players.Insert(pbc);
000318 |         }
000319 |     }
000320 |
000321 |     return players;
000322 | }
000323 |
000324 | // -----
000325 | // PlayerBase GetPlayerByUID
000326 | // string id = PlayerIdentity::GetId()
000327 | // Can be used on server/client side (note that on client, will only see players in network bubble)
000328 | // -----
000329 | static PlayerBase GetPlayerByUID( string id )
000330 | {
000331 |     if ( IsMissionHost() )
000332 |     {
000333 |         return s_Expansion_AllPlayersUID.Get( id );
000334 |     }
000335 |     else
000336 |     {
```

```
000337 |         PlayerBase pbc;
000338 |         ///! @note ClientData.m_PlayerBaseList only contains players in network bubble
000339 |         foreach (Man player: ClientData.m_PlayerBaseList)
000340 |         {
000341 |             if ( !Class.CastTo( pbc, player ) || !pbc.GetIdentity() )
000342 |                 continue;
000343 |
000344 |             if ( pbc.GetIdentity().GetId() == id )
000345 |                 return pbc;
000346 |         }
000347 |     }
000348 |
000349 |     return NULL;
000350 | }
000351 |
000352 | // -----
000353 | // PlayerBase Expansion_GetByPlainID
000354 | // string id = PlayerIdentity::GetPlainId()
000355 | // Can be used on server/client side (note that on client, will only see players in network bubble)
000356 | static PlayerBase Expansion_GetByPlainID(string id)
000357 | {
000358 |     if ( IsMissionHost() )
000359 |     {
000360 |         foreach (PlayerBase pb: s_Expansion_AllPlayersUID)
000361 |         {
000362 |             if (!pb.GetIdentity())
000363 |                 continue;
000364 |
000365 |             if ( pb.GetIdentity().GetPlainId() == id )
000366 |                 return pb;
000367 |         }
000368 |     }
000369 |     else if (ClientData.m_PlayerList && ClientData.m_PlayerList.m_PlayerList)
000370 |     {
000371 |         ///! @note on client, PlayerIdentity::GetPlainId() will return empty string,
000372 |         ///! so we have to find corresponding SyncPlayer and can then match with associated player using normal (hashed) ID.
000373 |         ///! While ClientData.m_PlayerList.m_PlayerList contains ALL players, ClientData.m_PlayerBaseList only contains players in network bubble
000374 |         foreach (SyncPlayer syncPlayer: ClientData.m_PlayerList.m_PlayerList)
000375 |         {
000376 |             if (!syncPlayer)
000377 |                 continue;
000378 |
000379 |             if (syncPlayer.m_UID == id)
000380 |                 return GetPlayerByUID(syncPlayer.m_RUID);
000381 |         }
000382 |     }
000383 |
000384 |     return NULL;
000385 | }
000386 |
000387 | static string Expansion_GetPlainIDByUID(string id)
000388 | {
000389 |     return s_Expansion_AllPlayersUID2PlainID[id];
000390 | }
000391 |
000392 | static PlayerBase ExpansionGetPlayerByIdentity( PlayerIdentity identity )
000393 | {
000394 |     if ( !g_Game.IsMultiplayer() )
000395 |         return PlayerBase.Cast( g_Game.GetPlayer() );
000396 |
000397 |     return PlayerBase.Cast( identity.GetPlayer() );
000398 | }
```

```
000399 |
000400 | static bool Expansion_IsOnline(string uid)
000401 | {
000402 |     if ( IsMissionHost() )
000403 |     {
000404 |         return s_Expansion_AllPlayersUID.Contains(uid);
000405 |     }
000406 |     else if (ClientData.m_PlayerList && ClientData.m_PlayerList.m_PlayerList)
000407 |     {
000408 |         foreach (SyncPlayer syncPlayer: ClientData.m_PlayerList.m_PlayerList)
000409 |         {
000410 |             if (!syncPlayer)
000411 |                 continue;
000412 |
000413 |             if (syncPlayer.m_RUID == uid)
000414 |                 return true;
000415 |         }
000416 |     }
000417 |
000418 |     return false;
000419 | }
000420 |
000421 | static int Expansion_GetOnlinePlayersCount()
000422 | {
000423 |     return s_Expansion_AllPlayersUID.Count();
000424 | }
000425 |
000426 | /**
000427 |  * @brief Check whether any player is in sphere specified by outer and inner radius and centered at given position
000428 |  *
000429 |  * @note sphere is hollow if innerRadius > 0.0 and solid if innerRadius = 0.0 (default)
000430 |  */
000431 | static bool Expansion_IsPlayerInSphere(vector center, float outerRadius, float innerRadius = 0.0)
000432 | {
000433 |     float distanceSq;
000434 |     float outerRadiusSq = outerRadius * outerRadius;
000435 |     float innerRadiusSq = innerRadius * innerRadius;
000436 |
000437 |     foreach (string uid, PlayerBase player: s_Expansion_AllPlayersUID)
000438 |     {
000439 |         if (!player.IsAlive() || !player.GetIdentity())
000440 |             continue;
000441 |
000442 |         distanceSq = vector.DistanceSq(center, player.GetPosition());
000443 |
000444 |         if (distanceSq <= outerRadiusSq && distanceSq >= innerRadiusSq)
000445 |             return true;
000446 |     }
000447 |
000448 |     return false;
000449 | }
000450 |
000451 | // -----
000452 | // PlayerBase GetIdentityUID
000453 | // -----
000454 | string GetIdentityUID()
000455 | {
000456 |     if ( IsMissionClient() )
000457 |     {
000458 |         if ( GetIdentity() )
000459 |             return GetIdentity().GetId();
000460 |         else if ( IsMissionOffline() )
```

```
000461 |         return "OFFLINE";
000462 |     }
000463 |
000464 |     return m_PlayerUID;
000465 | }
000466 |
000467 | // -----
000468 | // PlayerBase Expansion_AddPlayer
000469 | // Only called server side, to get only alive players
000470 | // -----
000471 | static void Expansion_AddPlayer( PlayerBase player, PlayerIdentity identity )
000472 | {
000473 |     if ( !player )
000474 |         return;
000475 |
000476 |     if ( identity )
000477 |     {
000478 |         player.m_PlayerUID = identity.GetId();
000479 |         player.m_PlayerSteam = identity.GetPlainId();
000480 |         player.m_PlayerName = identity.GetName();
000481 |     }
000482 |
000483 |     if ( player.m_PlayerUID != "" )
000484 |     {
000485 |         s_Expansion_AllPlayersUID.Set( player.m_PlayerUID, player );
000486 |         s_Expansion_AllPlayersUID2PlainID.Set( player.m_PlayerUID, player.m_PlayerSteam );
000487 |     }
000488 | }
000489 |
000490 | // -----
000491 | // PlayerBase RemovePlayer
000492 | // Only called server side, to get only alive players
000493 | // -----
000494 | static void RemovePlayer( string id )
000495 | {
000496 |     s_Expansion_AllPlayersUID.Remove( id );
000497 | }
000498 |
000499 | static void Expansion_RemovePlayerPlainID(string id)
000500 | {
000501 |     s_Expansion_AllPlayersUID2PlainID.Remove( id );
000502 | }
000503 |
000504 | // -----
000505 | // PlayerBase DeferredClientInit
000506 | // -----
000507 | void DeferredClientInit()
000508 | {
000509 | }
000510 |
000511 | override void SetActions( out TInputActionMap InputActionMap )
000512 | {
000513 | #ifdef EXPANSIONTRACE
000514 |     auto trace = CF_Trace_0(ExpansionTracing.PLAYER, this, "SetActions");
000515 | #endif
000516 |
000517 |     super.SetActions( InputActionMap );
000518 |
000519 |     AddAction( ExpansionActionPaint, InputActionMap );
000520 |
000521 |     AddAction(ExpansionActionDebugStoreEntity, InputActionMap);
000522 | }
```

```
000523 |     AddAction(ExpansionActionDebugLobotomize, InputActionMap);
000524 | }
000525 |
000526 | override bool DropItem(ItemBase item)
000527 | {
000528 |     if (super.DropItem(item))
000529 |     {
000530 |         if (!m_Expansion_CanBeLooted)
000531 |         {
000532 |             item.Expansion_SetLootable(false);
000533 |             item.SetLifetimeMax(120);    //!< Make sure it despawns quickly when left alone
000534 |         }
000535 |
000536 |         return true;
000537 |     }
000538 |
000539 |     return false;
000540 | }
000541 |
000542 | // -----
000543 | // Expansion OnUnconsciousStart
000544 | // -----
000545 | override void OnUnconsciousStart()
000546 | {
000547 | #ifdef EXPANSIONUI
000548 |     if (IsMissionClient())
000549 |         GetDayZGame().GetExpansionGame().GetExpansionUIManager().CloseAll();
000550 | #endif
000551 |
000552 |     super.OnUnconsciousStart();
000553 |
000554 |     if (!m_Expansion_CanBeLooted)
000555 |         //!< 10134 = 2 | 4 | 16 | 128 | 256 | 512 | 1024 | 8192
000556 |         ExpansionStatic.LockInventoryRecursive(this, 10134);
000557 | }
000558 |
000559 | override void OnUnconsciousStop(int pCurrentCommandID)
000560 | {
000561 |     super.OnUnconsciousStop(pCurrentCommandID);
000562 |
000563 |     if (IsAlive() && !m_Expansion_CanBeLooted)
000564 |         //!< 10134 = 2 | 4 | 16 | 128 | 256 | 512 | 1024 | 8192
000565 |         ExpansionStatic.UnlockInventoryRecursive(this, 10134);
000566 | }
000567 |
000568 | override void OnRestrainedStart()
000569 | {
000570 | #ifdef EXPANSIONUI
000571 |     if (IsMissionClient())
000572 |         GetDayZGame().GetExpansionGame().GetExpansionUIManager().CloseAll();
000573 | #endif
000574 |
000575 |     super.OnRestrainedStart();
000576 | }
000577 |
000578 | //!< Need to override vanilla PlayerBase::IsInventoryVisible
000579 | override bool IsInventoryVisible()
000580 | {
000581 |     if (!super.IsInventoryVisible())
000582 |         return false;
000583 |
000584 |     return m_Expansion_CanBeLooted;
```



```
000585 | }
000586 |
000587 | override void OnConnect()
000588 | {
000589 |     super.OnConnect();
000590 |
000591 |     ///! Make sure we check straight away if player connects in a safezone
000592 |     if (!Expansion_IsInSafeZone() && GetExpansionSettings().GetSafeZone().Enabled)
000593 |         m_Expansion_SafeZoneInstance.Update();
000594 | }
000595 |
000596 | override void OnReconnect()
000597 | {
000598 |     super.OnReconnect();
000599 |
000600 |     ///! Make sure we check straight away if player reconnects in a safezone
000601 |     if (!Expansion_IsInSafeZone() && GetExpansionSettings().GetSafeZone().Enabled)
000602 |         m_Expansion_SafeZoneInstance.Update();
000603 | }
000604 |
000605 | // -----
000606 | // PlayerBase OnEnterZone, server + client
000607 | // -----
000608 | override void OnEnterZone(ExpansionZoneType type)
000609 | {
000610 | #ifdef EXPANSIONTRACE
000611 |     auto trace = CF_Trace_0(ExpansionTracing.PLAYER, this, "OnEnterZone");
000612 | #endif
000613 |
000614 |     if (type == ExpansionZoneType.SAFE)
000615 |     {
000616 |         OnEnterSafeZone();
000617 |     }
000618 | }
000619 |
000620 | #ifdef ENFUSION_AI_PROJECT
000621 | protected eAIGroup ExpansionGetEAIGroup(bool createIfNoneExists = true)
000622 | {
000623 |     #ifdef EXPANSIONMODAI
000624 |     eAIGroup group = eAIGroup.GetGroupByLeader(this, false);
000625 |     if (group)
000626 |         return group;
000627 |     #else
000628 |     for (int i = 0; i < eAIGroup.GROUPS.Count(); i++) {
000629 |         if (!eAIGroup.GROUPS[i]) continue;
000630 |         eAIBase GrpLeader = eAIGroup.GROUPS[i].GetLeader();
000631 |         if (GrpLeader && GrpLeader == this)
000632 |             return eAIGroup.GROUPS[i];
000633 |     }
000634 |     #endif
000635 |
000636 |     if (!createIfNoneExists) return null;
000637 |
000638 |     #ifdef EXPANSIONMODAI
000639 |     eAIGroup newGroup = eAIGroup.CreateGroup();
000640 |     SetGroup(newGroup);
000641 |     #else
000642 |     eAIGroup newGroup = new eAIGroup();
000643 |     newGroup.SetLeader(this);
000644 |     eAIBase eAI_PB = eAIBase.Cast(this);
000645 |     eAI_PB.SetGroup(newGroup);
000646 |     #endif
```

```
000647 |         return newGroup;
000648 |     }
000649 | #endif
000650 |
000651 | // -----
000652 | // PlayerBase OnExitZone, only server side
000653 | // -----
000654 | override void OnExitZone(ExpansionZoneType type)
000655 | {
000656 | #ifdef EXPANSIONTRACE
000657 |     auto trace = CF_Trace_0(ExpansionTracing.PLAYER, this, "OnExitZone");
000658 | #endif
000659 |
000660 |     if (type == ExpansionZoneType.SAFE)
000661 |     {
000662 |         if (g_Game.IsClient())
000663 |         {
000664 |             // OnLeftSafeZone needs to be called on client
000665 |             OnLeftSafeZone();
000666 |             return;
000667 |         }
000668 |
000669 |         m_Expansion_LeavingSafeZone = true;
000670 |
000671 |         if ( GetIdentity() )
000672 |             ExpansionNotification("STR_EXPANSION_SAFEZONE_TITLE", "STR_EXPANSION_SAFEZONE_LEAVING", EXPANSION_NOTIFICATION_ICON_INFO, COLOR_EXPANSION_NOTIFICATION_AMETHYST).Create(GetIdentity());
000673 |
000674 |         //TODO: expose to settings
000675 |
000676 |         //! Remove any previous call to OnLeftSafeZone from the queue
000677 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Remove(OnLeftSafeZone);
000678 |
000679 |         //! Delay actually leaving the safezone by 10 seconds
000680 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(OnLeftSafeZone, 10000, false);
000681 |     }
000682 | }
000683 |
000684 | override bool Expansion_HasAdminToolGodMode()
000685 | {
000686 |     bool godMode;
000687 | #ifdef JM_COT
000688 |     godMode |= COTHasGodMode();
000689 | #endif
000690 | #ifdef VPPADMINTOOLS
000691 |     godMode |= GodModeStatus();
000692 | #endif
000693 |     return godMode;
000694 | }
000695 |
000696 | override bool Expansion_HasAdminToolInvisibility()
000697 | {
000698 |     bool invisibility;
000699 | #ifdef JM_COT_INVISIBILITY
000700 |     invisibility |= COTIsInvisible();
000701 | #endif
000702 | #ifdef VPPADMINTOOLS
000703 |     invisibility |= InvisibilityStatus();
000704 | #endif
000705 |     return invisibility;
000706 | }
000707 |
```

```
000708 | /**
000709 |  * @brief Check if other player is considered a helper.
000710 |  */
000711 | bool Expansion_IsHelper(PlayerBase other, bool checkIfWeAreHelper = false)
000712 | {
000713 |     return false;
000714 | }
000715 |
000716 | /**
000717 |  * @brief Check if other player is considered friendly.
000718 |  */
000719 | bool Expansion_IsFriendly(PlayerBase other)
000720 | {
000721 |     if (Expansion_IsHelper(other, true))
000722 |         return true;
000723 |
000724 |     return false;
000725 | }
000726 |
000727 | // -----
000728 | // PlayerBase OnEnterSafeZone, server + client
000729 | // -----
000730 | void OnEnterSafeZone()
000731 | {
000732 |     //! Avoid exploit where you are just outside safezone, get shot uncon, fall backwards into safezone,
000733 |     //! then disconnect and reconnect to dupe your character
000734 |     //! (your other unconscious body will still be on the ground inside safezone due to having gained godmode from it)
000735 |     if (IsUnconscious())
000736 |         return;
000737 |
000738 |     EXPrint(ToString() + "::OnEnterSafeZone");
000739 |     Print(m_Expansion_LeavingSafeZone);
000740 |     Print(m_Expansion_IsInSafeZone);
000741 |     Print(m_Expansion_IsInSafeZoneSynchRemote);
000742 |
000743 |     m_Expansion_IsInSafeZone = true;
000744 |     m_Expansion_LeavingSafeZone = false;
000745 |
000746 |     #ifdef SERVER
000747 |     m_Expansion_IsInSafeZoneSynchRemote = true;
000748 |     SetSynchDirty();
000749 |     #endif
000750 |
000751 |     if (!GetIdentity())
000752 |     {
000753 |         //! If this is AI, we still want it to be able to raise hands in safezones so it can reload its weapon
000754 |         return;
000755 |     }
000756 |
000757 |     SetCanRaise(false);
000758 |
000759 |     if (g_Game.IsClient())
000760 |         return;
000761 |
000762 |     if (GetExpansionSettings().GetSafeZone().DisablePlayerCollision)
000763 |         PhysicsSetSolid(false);
000764 |
000765 |     if (IsRestrained())
000766 |     {
000767 |         SetRestrained(false);
000768 |
000769 |         EntityAI item_in_hands = GetItemInHands();
```

```
000770 |         if (item_in_hands)
000771 |             MiscGameplayFunctions.TransformRestrainedItem(item_in_hands, null, null, this);
000772 |     }
000773 |
000774 |     if ( GetIdentity() )
000775 |     {
000776 |         ExpansionNotification("STR_EXPANSION_SAFEZONE_TITLE", "STR_EXPANSION_SAFEZONE_ENTER", EXPANSION_NOTIFICATION_ICON_INFO, COLOR_EXPANSION_NOTIFICATION_A
METHYST).Create(GetIdentity());
000777 |
000778 |         if ( GetExpansionSettings().GetLog().Safezone )
000779 |             GetExpansionSettings().GetLog().PrintLog("[Safezone] Player \"{1:name}\" (id={1:id} pos={1:position}) entered the safezone", this);
000780 |     }
000781 | }
000782 |
000783 | // -----
000784 | // PlayerBase OnLeftSafeZone, server + client
000785 | // -----
000786 | void OnLeftSafeZone()
000787 | {
000788 | #ifdef EXPANSIONTRACE
000789 |     auto trace = CF_Trace_0(ExpansionTracing.PLAYER, this, "OnLeftSafeZone");
000790 | #endif
000791 |
000792 |     if (g_Game.IsClient())
000793 |     {
000794 |         m_Expansion_IsInSafeZone = false;
000795 |         SetCanRaise(true);
000796 |         return;
000797 |     }
000798 |
000799 |     if (!m_Expansion_LeavingSafeZone)
000800 |         return;
000801 |
000802 |     m_Expansion_LeavingSafeZone = false;
000803 |
000804 |     m_Expansion_IsInSafeZone = false;
000805 |
000806 |     #ifdef SERVER
000807 |         m_Expansion_IsInSafeZoneSynchRemote = false;
000808 |         SetSynchDirty();
000809 |     #endif
000810 |
000811 |     if (!GetIdentity())
000812 |     {
000813 |         return;
000814 |     }
000815 |
000816 |     SetCanRaise(true);
000817 |
000818 |     if (GetExpansionSettings().GetSafeZone().DisablePlayerCollision)
000819 |         PhysicsSetSolid(true);
000820 |
000821 |     if ( GetIdentity() )
000822 |     {
000823 |         ExpansionNotification("STR_EXPANSION_SAFEZONE_TITLE", "STR_EXPANSION_SAFEZONE_LEFT", EXPANSION_NOTIFICATION_ICON_INFO, COLOR_EXPANSION_NOTIFICATION_AM
ETHYST).Create(GetIdentity());
000824 |
000825 |         if ( GetExpansionSettings().GetLog().Safezone )
000826 |             GetExpansionSettings().GetLog().PrintLog("[Safezone] Player \"{1:name}\" (id={1:id} pos={1:position}) left the safezone", this);
000827 |     }
000828 | }
000829 |
```

```
000830 | // -----
000831 | // PlayerBase SetCanRaise
000832 | // -----
000833 | void SetCanRaise(bool mode)
000834 | {
000835 |     HumanInputController hic = GetInputController();
000836 |     if (hic)
000837 |     {
000838 |         hic.OverrideRaise(!mode, false);
000839 |     }
000840 | }
000841 |
000842 | // -----
000843 | // PlayerBase EEKilled
000844 | // -----
000845 | override void EEKilled( Object killer )
000846 | {
000847 | #ifdef EXPANSIONMONITORMODULE
000848 |     ExpansionMonitorModule monitorModule = ExpansionMonitorModule.Cast(CF_ModuleCoreManager.Get(ExpansionMonitorModule));
000849 |     if (monitorModule && GetIdentity() != NULL)
000850 |     {
000851 |         string playerUID = GetIdentity().GetId();
000852 |         vector pos = GetPosition();
000853 |         monitorModule.AddLastPlayerDeathPos(playerUID, pos);
000854 |         if (g_Game.IsServer())
000855 |             monitorModule.SyncStatsToClient(this);
000856 |     }
000857 | #endif
000858 |     super.EEKilled(killer);
000859 | }
000860 |
000861 | override void OnVehicleSeatDriverEnter()
000862 | {
000863 |     super.OnVehicleSeatDriverEnter();
000864 |
000865 |     auto vehicle = ExpansionVehicle.Get(this);
000866 |     if (vehicle)
000867 |     {
000868 |         vehicle.SetLastDriverUID(this);
000869 |         if (IsMissionHost())
000870 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(vehicle.ResetLastDriverUIDSynch, 1000, false);
000871 |     }
000872 | }
000873 |
000874 | static void Expansion_RegisterInventoryItemType(typename type)
000875 | {
000876 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "PlayerBase::Expansion_RegisterInventoryItemType " + type.ToString());
000877 |     s_Expansion_RegisteredInventoryItemTypenames.Insert(type);
000878 | }
000879 |
000880 | static void Expansion_RegisterInventoryItemType(string type)
000881 | {
000882 |     typename typeName = type.ToType();
000883 |     if (typeName)
000884 |     {
000885 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "PlayerBase::Expansion_RegisterInventoryItemType " + typeName);
000886 |         s_Expansion_RegisteredInventoryItemTypenames.Insert(typeName);
000887 |     }
000888 |     else
000889 |     {
000890 |         type.ToLower();
000891 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "PlayerBase::Expansion_RegisterInventoryItemType " + type);
```

```
000892 |         s_Expansion_RegisteredInventoryItemTypes[type] = true;
000893 |     }
000894 | }
000895 |
000896 | /**
000897 |  * @brief Check if item class or any parent class is registered.
000898 |  *
000899 |  * @param item The item to be checked if its type name matches or inherits from any registered item type
000900 |  * @param registeredType Will be set to all lowercase item type name if registered
000901 |  *
000902 |  * @return bool True if registered, false if not
000903 |  */
000904 | static bool Expansion_IsInventoryItemTypeRegistered(ItemBase item, out string registeredType)
000905 | {
000906 |     //if (Expansion_IsInventoryItemTypeRegistered(item.Type(), registeredType))
000907 |         //return true;
000908 |
000909 |     if (Expansion_IsInventoryItemTypeRegistered(item.GetType(), registeredType))
000910 |         return true;
000911 |
000912 |     foreach (typename typeName: s_Expansion_RegisteredInventoryItemTypenames)
000913 |     {
000914 |         if (item.IsInherited(typeName))
000915 |         {
000916 |             registeredType = typeName.ToString();
000917 |             registeredType.ToLower();
000918 |             return true;
000919 |         }
000920 |     }
000921 |
000922 |     return false;
000923 | }
000924 |
000925 | //protected static bool Expansion_IsInventoryItemTypeRegistered(typename type, out string registeredType)
000926 | //{
000927 |     //if (s_Expansion_RegisteredInventoryItemTypenames.Find(type) > -1)
000928 |     //{
000929 |         //registeredType = type.ToString();
000930 |         //return true;
000931 |     //}
000932 |
000933 |     //return false;
000934 | //}
000935 |
000936 | /**
000937 |  * @brief Check if type name is registered.
000938 |  *
000939 |  * @param type Type name (case insensitive)
000940 |  * @param registeredType Will be set to all lowercase item type name if registered
000941 |  *
000942 |  * @return bool True if registered, false if not
000943 |  */
000944 | static bool Expansion_IsInventoryItemTypeRegistered(string type, out string registeredType)
000945 | {
000946 |     type.ToLower();
000947 |     if (s_Expansion_RegisteredInventoryItemTypes.Contains(type))
000948 |     {
000949 |         registeredType = type;
000950 |         return true;
000951 |     }
000952 |
000953 |     return false;
```

```
000954 |     }
000955 |
000956 |     void Expansion_OnInventoryUpdate(ItemBase item, bool inInventory = true, bool checkOnlyIfWorking = false)
000957 |     {
000958 | #ifdef EXTRACE_DIAG
000959 |         auto trace = EXTrace.Start0(ExpansionTracing.GENERAL_ITEMS, this, "Expansion_OnInventoryUpdate");
000960 |         EXTrace.Add(trace, item.ToString());
000961 |         EXTrace.Add(trace, inInventory);
000962 |         EXTrace.Add(trace, checkOnlyIfWorking);
000963 | #endif
000964 |
000965 |         string registeredType;
000966 |         ExpansionInventoryItemType itemType;
000967 |
000968 |         if (Expansion_IsInventoryItemTypeRegistered(item, registeredType))
000969 |             itemType = Expansion_OnInventoryUpdateEx(registeredType, item, inInventory, checkOnlyIfWorking);
000970 |
000971 | #ifdef EXTRACE_DIAG
000972 |         if (itemType)
000973 |         {
000974 |             EXTrace.Add(trace, itemType.Items.Count());
000975 |             EXTrace.Add(trace, itemType.WorkingCount);
000976 |         }
000977 | #endif
000978 |     }
000979 |
000980 | /**
000981 |  * @brief Update inventory item type name to inventory item type instance mapping and return new or existing instance.
000982 |  *
000983 |  * @param registeredType Type name. Needs to be lowercase!
000984 |  * @param item Item the item to add or remove
000985 |  * @param inInventory Whether the item is in inventory
000986 |  * @param checkOnlyIfWorking If in inventory, only update whether the item's energy manager is currently working
000987 |  */
000988 | protected ExpansionInventoryItemType Expansion_OnInventoryUpdateEx(string registeredType, ItemBase item, bool inInventory = true, bool checkOnlyIfWorking = fa
lse)
000989 | {
000990 |     ExpansionInventoryItemType itemType;
000991 |
000992 |     bool found = m_Expansion_InventoryItemTypes.Find(registeredType, itemType);
000993 |
000994 |     if (inInventory)
000995 |     {
000996 |         if (!found)
000997 |         {
000998 |             itemType = new ExpansionInventoryItemType;
000999 |             m_Expansion_InventoryItemTypes[registeredType] = itemType;
001000 |         }
001001 |
001002 |         if (!checkOnlyIfWorking || !found)
001003 |         {
001004 |             ///! Item entered inventory
001005 |             itemType.Items.Insert(item);
001006 |         }
001007 |
001008 |         if (item.GetCompEM())
001009 |         {
001010 |             if (item.GetCompEM().IsWorking())
001011 |                 itemType.WorkingCount++;
001012 |             else if (found && checkOnlyIfWorking && itemType.WorkingCount > 0)
001013 |                 ///! Item already in inventory
001014 |                 itemType.WorkingCount--;
```

```
001015 |     }
001016 | }
001017 | else if (found)
001018 | {
001019 |     //! Item exited inventory
001020 |     if (itemType.Items.Count() > 1)
001021 |     {
001022 |         itemType.Items.RemoveItem(item);
001023 |
001024 |         if (item.GetCompEM() && item.GetCompEM().IsWorking() && itemType.WorkingCount > 0)
001025 |             itemType.WorkingCount--;
001026 |     }
001027 |     else
001028 |     {
001029 |         m_Expansion_InventoryItemTypes.Remove(registeredType);
001030 |         return null;
001031 |     }
001032 | }
001033 |
001034 | return itemType;
001035 | }
001036 |
001037 | int Expansion_GetInventoryCount(typename type, bool working = false)
001038 | {
001039 |     return Expansion_GetInventoryCount(Expansion_GetInventoryItemType(type), working);
001040 | }
001041 |
001042 | int Expansion_GetInventoryCount(string type, bool working = false)
001043 | {
001044 |     return Expansion_GetInventoryCount(Expansion_GetInventoryItemType(type), working);
001045 | }
001046 |
001047 | int Expansion_GetInventoryCount(ExpansionInventoryItemType itemType, bool working = false)
001048 | {
001049 |     if (itemType)
001050 |     {
001051 |         if (working)
001052 |             return itemType.WorkingCount;
001053 |         else
001054 |             return itemType.Items.Count();
001055 |     }
001056 |
001057 |     return 0;
001058 | }
001059 |
001060 | ExpansionInventoryItemType Expansion_GetInventoryItemType(typename type)
001061 | {
001062 |     return Expansion_GetInventoryItemType(type.ToString());
001063 | }
001064 |
001065 | ExpansionInventoryItemType Expansion_GetInventoryItemType(string type)
001066 | {
001067 |     type.ToLower();
001068 |     return m_Expansion_InventoryItemTypes[type];
001069 | }
001070 |
001071 | bool Expansion_PrepareTakeEntityToHands(EntityAI entity)
001072 | {
001073 |     if (!GetHumanInventory().CanAddEntityInHands(entity))
001074 |         return false;
001075 |
001076 |     if (!m_Expansion_EntityToBeTakenToHands)
```



```
001077 |         m_Expansion_EntityToBeTakenToHands = entity;
001078 |
001079 |         if (m_Expansion_EntityToBeTakenToHands == entity)
001080 |             return true;
001081 |
001082 |         return false;
001083 |     }
001084 |
001085 |     override void EEItemIntoHands(EntityAI item)
001086 |     {
001087 |         super.EEItemIntoHands(item);
001088 |
001089 |         if (m_Expansion_EntityToBeTakenToHands == item)
001090 |             m_Expansion_EntityToBeTakenToHands = null;
001091 |     }
001092 |
001093 |     override void OnRestrainedChangeClient()
001094 |     {
001095 |         super.OnRestrainedChangeClient();
001096 |
001097 |         if (m_Expansion_OnRestrainedStateChaged)
001098 |             m_Expansion_OnRestrainedStateChaged.Invoke(m_IsRestrained);
001099 |     }
001100 |
001101 |     ScriptInvoker Expansion_GetOnRestrainedStateChaged()
001102 |     {
001103 |         if (!m_Expansion_OnRestrainedStateChaged)
001104 |             m_Expansion_OnRestrainedStateChaged = new ScriptInvoker();
001105 |
001106 |         return m_Expansion_OnRestrainedStateChaged;
001107 |     }
001108 |
001109 | #ifdef EXPANSION_MODSTORAGE
001110 |     override void CF_OnStoreSave(CF_ModStorageMap storage)
001111 |     {
001112 |         super.CF_OnStoreSave(storage);
001113 |
001114 |         auto ctx = storage[DZ_Expansion_Core];
001115 |         if (!ctx) return;
001116 |
001117 |         if (ExpansionEntityStorageModule.IsCurrentRootEntity(this))
001118 |             Expansion_OnEntityStorageSave(ctx);
001119 |     }
001120 |
001121 |     override bool CF_OnStoreLoad(CF_ModStorageMap storage)
001122 |     {
001123 |         if (!super.CF_OnStoreLoad(storage))
001124 |         {
001125 |             EXPrint(this, "---- PlayerBase::CF_OnStoreLoad super failed ----");
001126 |             return false;
001127 |         }
001128 |
001129 |         auto ctx = storage[DZ_Expansion_Core];
001130 |         if (!ctx) return true;
001131 |
001132 |         if (ExpansionEntityStorageModule.IsCurrentRootEntity(this) && !Expansion_OnEntityStorageLoad(ctx))
001133 |             return false;
001134 |
001135 |         return true;
001136 |     }
001137 |
001138 |     void Expansion_OnEntityStorageSave(CF_ModStorage ctx)
```

```
001139 | {
001140 | #ifdef EXTRACE
001141 |     auto trace = EXTrace.Start(EXTrace.PLAYER, this);
001142 | #endif
001143 |
001144 |     if (!m_Expansion_Entity)
001145 |         m_Expansion_Entity = new ExpansionEntity(this);
001146 |
001147 |     m_Expansion_Entity.CF_OnStoreSave(ctx);
001148 |
001149 |     //! HumanInventory is not moddable, but its OnStoreSave is a no-op in vanilla anyway (writes no data)
001150 |     //GetHumanInventory().OnStoreSave(ctx);
001151 |     CF_OnStoreSaveLifespan(ctx);
001152 |
001153 | #ifdef SERVER
001154 |     GetPlayerStats().CF_SaveStats(ctx);
001155 |     m_ModifiersManager.CF_OnStoreSave(ctx);
001156 |     m_AgentPool.CF_OnStoreSave(ctx);
001157 |     GetSymptomManager().CF_OnStoreSave(ctx);
001158 |     GetBleedingManagerServer().CF_OnStoreSave(ctx);
001159 |     m_PlayerStomach.CF_OnStoreSave(ctx);
001160 |     ctx.Write(GetBrokenLegs());
001161 |     CF_SaveAreaPersistenceFlag(ctx);
001162 |
001163 |     HumanCommandLadder ladder = GetCommand_Ladder();
001164 |     if (ladder)
001165 |     {
001166 |         ctx.Write(true);
001167 |         ctx.Write(ladder.GetLogoutPosition());
001168 |     }
001169 |     else
001170 |     {
001171 |         ctx.Write(false);
001172 |     }
001173 |
001174 |     ArrowManagerPlayer arrowManager = ArrowManagerPlayer.Cast(GetArrowManager());
001175 |     arrowManager.CF_Save(ctx);
001176 | #endif
001177 | }
001178 |
001179 | bool Expansion_OnEntityStorageLoad(CF_ModStorage ctx)
001180 | {
001181 |     if (!m_Expansion_Entity)
001182 |         m_Expansion_Entity = new ExpansionEntity(this);
001183 |
001184 |     if (!m_Expansion_Entity.CF_OnStoreLoad(ctx, m_Expansion_StoreLoadedVersion))
001185 |     {
001186 |         EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load entity state ----");
001187 |         return false;
001188 |     }
001189 |
001190 |     //! HumanInventory is not moddable, but its OnStoreLoad is a no-op in vanilla anyway (reads no data)
001191 |     //if (!GetHumanInventory().OnStoreLoad(ctx, m_Expansion_StoreLoadedVersion))
001192 |     //{
001193 |         //EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load inventory state ----");
001194 |         //return false;
001195 |     //}
001196 |
001197 |     if (!CF_OnStoreLoadLifespan(ctx, m_Expansion_StoreLoadedVersion))
001198 |     {
001199 |         EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load lifespan state ----");
001200 |         return false;
```

```
001201 |     }
001202 |
001203 |     #ifdef SERVER
001204 |     if (!GetPlayerStats().CF_LoadStats(ctx, m_Expansion_StoreLoadedVersion)) // load stats
001205 |     {
001206 |         EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load PlayerStats ----");
001207 |         return false;
001208 |     }
001209 |
001210 |     if (!m_ModifiersManager.CF_OnStoreLoad(ctx, m_Expansion_StoreLoadedVersion))
001211 |     {
001212 |         EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load ModifiersManager, read fail ----");
001213 |         return false;
001214 |     }
001215 |
001216 |     if (!m_AgentPool.CF_OnStoreLoad(ctx, m_Expansion_StoreLoadedVersion))
001217 |     {
001218 |         EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load AgentPool, read fail ----");
001219 |         return false;
001220 |     }
001221 |
001222 |
001223 |     if (!GetSymptomManager().CF_OnStoreLoad(ctx, m_Expansion_StoreLoadedVersion))
001224 |     {
001225 |         EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load SymptomManager, read fail ----");
001226 |         return false;
001227 |     }
001228 |
001229 |     if (!GetBleedingManagerServer().CF_OnStoreLoad(ctx, m_Expansion_StoreLoadedVersion))
001230 |     {
001231 |         EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load BleedingManagerServer, read fail ----");
001232 |         return false;
001233 |     }
001234 |
001235 |     if (!m_PlayerStomach.CF_OnStoreLoad(ctx, m_Expansion_StoreLoadedVersion))
001236 |     {
001237 |         EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load PlayerStomach, read fail ----");
001238 |         return false;
001239 |     }
001240 |
001241 |     if (!ctx.Read(m_BrokenLegState))
001242 |     {
001243 |         EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load broken legs state ----");
001244 |         return false;
001245 |     }
001246 |
001247 |     if (!ctx.Read(m_PersistentFlags))
001248 |     {
001249 |         EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load Persistent Flags, read fail ----");
001250 |         return false;
001251 |     }
001252 |
001253 |     bool onLadder;
001254 |     if (!ctx.Read(onLadder))
001255 |     {
001256 |         EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load ladder state ----");
001257 |         return false;
001258 |     }
001259 |
001260 |     if (onLadder)
001261 |     {
001262 |         vector position;
```

```
001263 |         if (!ctx.Read(position))
001264 |         {
001265 |             EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load position on ladder ----");
001266 |             return false;
001267 |         }
001268 |
001269 |         Hive hive = GetHive();
001270 |         if (!hive || !hive.CharacterIsLoginPositionChanged(this))
001271 |             SetPosition(position);
001272 |     }
001273 |
001274 |     ArrowManagerPlayer arrowManager = ArrowManagerPlayer.Cast(GetArrowManager());
001275 |     if (!arrowManager.CF_Load(ctx))
001276 |     {
001277 |         EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load arrow manager state ----");
001278 |         return false;
001279 |     }
001280 | #endif
001281 |
001282 |     EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad SUCCESS ----");
001283 |
001284 |     return true;
001285 | }
001286 |
001287 | void CF_OnStoreSaveLifespan(CF_ModStorage ctx)
001288 | {
001289 |     ctx.Write(m_LifeSpanState);
001290 |     ctx.Write(m_LastShavedSeconds);
001291 |     ctx.Write(m_HasBloodyHandsVisible);
001292 |     ctx.Write(m_HasBloodTypeVisible);
001293 |     ctx.Write(m_BloodType);
001294 | }
001295 |
001296 | bool CF_OnStoreLoadLifespan(CF_ModStorage ctx, int version)
001297 | {
001298 |     int lifespan_state = 0;
001299 |     if (!ctx.Read(lifespan_state))
001300 |         return false;
001301 |     m_LifeSpanState = lifespan_state;
001302 |
001303 |     int last_shaved = 0;
001304 |     if (!ctx.Read(last_shaved))
001305 |         return false;
001306 |     m_LastShavedSeconds = last_shaved;
001307 |
001308 |     int bloody_hands = 0;
001309 |     if (!ctx.Read(bloody_hands))
001310 |         return false;
001311 |     m_HasBloodyHandsVisible = bloody_hands;
001312 |
001313 |     bool blood_visible = false;
001314 |     if (!ctx.Read(blood_visible))
001315 |         return false;
001316 |     m_HasBloodTypeVisible = blood_visible;
001317 |
001318 |     int blood_type = 0;
001319 |     if (!ctx.Read(blood_type))
001320 |         return false;
001321 |     m_BloodType = blood_type;
001322 |
001323 |     return true;
001324 | }
```

```
001325 |  
001326 |     void CF_SaveAreaPersistenceFlag(CF_ModStorage ctx)  
001327 |     {  
001328 |         if (GetModifiersManager())  
001329 |             SetPersistentFlag(PersistentFlag.AREA_PRESENCE, GetModifiersManager().IsModifierActive(eModifiers.MDF_AREAEXPOSURE)); //set the flag for player's prese  
001330 |     nce in contaminated area  
001331 |         ctx.Write(m_PersistentFlags);  
001332 |     }  
001333 | #endif  
001334 | }
```

0291. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Players\Cameras\DayZPlayerCamera3rdPerson.c
Size bytes: 851
SHA-256: 46107fbf10cc43f017c4fe1ff1a5c710734f4c8d7176ba27db0222cfa523487c
Decoded as: utf-8-sig
Line count shown: 29
Detected class declarations: 1
 L14: modded class DayZPlayerCamera3rdPerson
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L16: override void OnUpdate(float pDt, out DayZPlayerCameraResult pOutResult)

Full file content

```
000001 | /**
000002 |  * DayzPlayerCamera3rdPerson.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | modded class DayZPlayerCamera3rdPerson
000015 | {
000016 |     override void OnUpdate( float pDt, out DayZPlayerCameraResult pOutResult )
000017 |     {
000018 |         ExpansionScriptViewMenuBase viewMenu = GetDayZGame().GetExpansionGame().GetExpansionUIManager().GetMenu();
000019 |         //!< https://feedback.bistudio.com/T173348
000020 |         if (viewMenu && viewMenu.IsVisible())
000021 |             m_ExpansionIsScriptViewMenuVisible = true;
000022 |         else
000023 |             m_ExpansionIsScriptViewMenuVisible = false;
000024 |
000025 |         super.OnUpdate( pDt, pOutResult );
000026 |     }
000027 | }
000028 | #endif
000029 |
```

0292. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Players\Cameras\DayzPlayerCameraBase.c

Size bytes: 1307

SHA-256: 3719aa1197f81410bc4a5d035f21510f85a1c37e02418b7579d2cfb29dd5b7aa

Decoded as: utf-8-sig

Line count shown: 46

Detected class declarations: 1

L13: modded class DayZPlayerCameraBase

Detected enum declarations: 0

Detected function/method-like declarations: 3

L17: override float UpdateUDAngle(out float pAngle, out float pAngleAdd, float pMin, float pMax, float pDt)

L25: override float UpdateLRAngle(float pAngle, float pMin, float pMax, float pDt)

L34: override void OnUpdate(float pDt, out DayZPlayerCameraResult pOutResult)

Full file content

```
000001 | /**
000002 |  * DayZPlayerCameraBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class DayZPlayerCameraBase
000014 | {
000015 |     protected bool m_ExpansionIsScriptViewMenuVisible;
000016 |
000017 |     override float UpdateUDAngle(out float pAngle, out float pAngleAdd, float pMin, float pMax, float pDt)
000018 |     {
000019 |         if (m_ExpansionIsScriptViewMenuVisible)
000020 |             return pAngle;
000021 |
000022 |         return super.UpdateUDAngle(pAngle, pAngleAdd, pMin, pMax, pDt);
000023 |     }
000024 |
000025 |     override float UpdateLRAngle(float pAngle, float pMin, float pMax, float pDt)
000026 |     {
000027 |         if (m_ExpansionIsScriptViewMenuVisible)
000028 |             return pAngle;
000029 |
000030 |         return super.UpdateLRAngle(pAngle, pMin, pMax, pDt);
000031 |     }
000032 |
000033 | #ifdef EXPANSIONUI
000034 |     override void OnUpdate( float pDt, out DayZPlayerCameraResult pOutResult )
000035 |     {
000036 |         ExpansionScriptViewMenuBase viewMenu = GetDayZGame().GetExpansionGame().GetExpansionUIManager().GetMenu();
000037 |         if (viewMenu && viewMenu.IsVisible())
000038 |             m_ExpansionIsScriptViewMenuVisible = true;
000039 |         else
000040 |             m_ExpansionIsScriptViewMenuVisible = false;
000041 |
000042 |         super.OnUpdate( pDt, pOutResult );
000043 |     }
000044 | #endif
```

000045 | }
000046 |

0293. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\TrapBase.c

Size bytes: 97

SHA-256: 111bfb284ae398c146e4b887ebe7cf7e38fa5e11540ec41e2f2c9425b30c722e

Decoded as: utf-8-sig

Line count shown: 8

Detected class declarations: 1

 L1: modded class TrapBase

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L3: override bool Expansion_IsDanger()

 L5: return IsActive();

Full file content

```
000001 | modded class TrapBase
000002 | {
000003 |     override bool Expansion_IsDanger()
000004 |     {
000005 |         return IsActive();
000006 |     }
000007 | };
000008 |
```

0294. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\TrapBase\Trap_Bear.c

Size bytes: 184

SHA-256: 5aa0924d4345a7ec01b41c8c72140742bbe7d155e6b566c3b044abc2e44f6606

Decoded as: utf-8-sig

Line count shown: 13

Detected class declarations: 1

 L1: modded class BearTrap

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L3: override TStringArray Expansion_GetAmmoTypes()

 L8: override bool Expansion_IsMechanicalTrap()

Full file content

```
000001 | modded class BearTrap
000002 | {
000003 |     override TStringArray Expansion_GetAmmoTypes()
000004 |     {
000005 |         return {"BearTrapHit"};
000006 |     }
000007 |
000008 |     override bool Expansion_IsMechanicalTrap()
000009 |     {
000010 |         return true;
000011 |     }
000012 | }
000013 |
```

0295. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\TrapBase\Trap_LandMine.c

Size bytes: 153

SHA-256: 2a82ffd869e40cc8ee42dd40c9851e74abe05f91fb825c243bb6ba12c5ea987b

Decoded as: utf-8-sig

Line count shown: 9

Detected class declarations: 1

 L1: modded class LandMineTrap

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L4: override bool Expansion_IsExplosive()

Full file content

```
000001 | modded class LandMineTrap
000002 | {
000003 |     //! Vanilla IsExplosive is only for Explosive_Base...
000004 |     override bool Expansion_IsExplosive()
000005 |     {
000006 |         return true;
000007 |     }
000008 | }
000009 |
```

0296. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\TrapBase\Trap_Tripwire.c
Size bytes: 1085
SHA-256: 88375a116d8cfe97cad2170aa282dcc105e98fa9b2c4dad35cc0324fbc313042
Decoded as: utf-8-sig
Line count shown: 44
Detected class declarations: 1
  L1: modded class TripwireTrap
Detected enum declarations: 0
Detected function/method-like declarations: 5
  L5: override void EEItemAttached(EntityAI item, string slot_name)
  L14: override void EEItemDetached(EntityAI item, string slot_name)
  L23: override TStringArray Expansion_GetAmmoTypes()
  L31: override bool Expansion_IsMechanicalTrap()
  L36: override bool Expansion_IsExplosive()
```

Full file content

```
000001 | modded class TripwireTrap
000002 | {
000003 |     ItemBase m_Expansion_AttachedExplosive;
000004 |
000005 |     override void EEItemAttached(EntityAI item, string slot_name)
000006 |     {
000007 |         super.EEItemAttached(item, slot_name);
000008 |
000009 |         ItemBase itemBase;
000010 |         if (Class.CastTo(itemBase, item) && itemBase.Expansion_IsExplosive())
000011 |             m_Expansion_AttachedExplosive = itemBase;
000012 |     }
000013 |
000014 |     override void EEItemDetached(EntityAI item, string slot_name)
000015 |     {
000016 |         super.EEItemDetached(item, slot_name);
000017 |
000018 |         ItemBase itemBase;
000019 |         if (Class.CastTo(itemBase, item) && itemBase.Expansion_IsExplosive())
000020 |             m_Expansion_AttachedExplosive = null;
000021 |     }
000022 |
000023 |     override TStringArray Expansion_GetAmmoTypes()
000024 |     {
000025 |         if (m_Expansion_AttachedExplosive && !m_Expansion_AttachedExplosive.IsDamageDestroyed())
000026 |             return m_Expansion_AttachedExplosive.Expansion_GetAmmoTypes();
000027 |
000028 |         return {"TripWireHit"};
000029 |     }
000030 |
000031 |     override bool Expansion_IsMechanicalTrap()
000032 |     {
000033 |         return true;
000034 |     }
000035 |
000036 |     override bool Expansion_IsExplosive()
000037 |     {
000038 |         if (m_Expansion_AttachedExplosive && !m_Expansion_AttachedExplosive.IsDamageDestroyed())
000039 |             return true;
000040 |
000041 |         return false;
000042 |     }
```

000043 | }
000044 |

0297. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Vehicles\BoatScript.c
Size bytes: 7186
SHA-256: 4be2e307fa01cc028512b98ae6e25c9fb0a07b9df63dee34dd1bbf5d8e99befa
Decoded as: utf-8-sig
Line count shown: 337
Detected class declarations: 1
  L1: modded class BoatScript
Detected enum declarations: 0
Detected function/method-like declarations: 47
  L20: void BoatScript()
  L29: void ~BoatScript()
  L40: override void EEInit()
  L48: override void EECargoIn(EntityAI item)
  L55: override void EECargoOut(EntityAI item)
  L62: override void DeferredInit()
  L69: override void EEDelete(EntityAI parent)
  L76: override void EEKilled( Object killer )
  L83: override bool OnStoreLoad( ParamsReadContext ctx, int version )
  L91: override void CF_OnStoreSave(CF_ModStorageMap storage)
  L110: override bool CF_OnStoreLoad(CF_ModStorageMap storage)
  L128: bool Expansion_IsStoreLoaded()
  L133: bool Expansion_IsStoreSaved()
  L138: override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string am
  L155: override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector mo
  L163: override void OnCEUpdate()
  L171: override void SetActions()
  L178: void Expansion_AddAction(typename actionName)
  L183: ExpansionVehicle GetExpansionVehicle()
  L188: bool Expansion_IsBike()
  L193: bool Expansion_IsBoat()
  L198: bool Expansion_IsCar()
  L203: bool Expansion_IsHelicopter()
  L208: bool Expansion_IsPlane()
  L213: bool Expansion_IsDuck()
  L218: bool Expansion_CanGetInSeat(PlayerBase player, int seatIdx)
  L223: bool Expansion_CanObjectAttach(Object obj)
  L226: return Expansion_CanPlayerAttach();
  L231: bool Expansion_CanPlayerAttach()
  L233: return ConfigGetFloat("animPhysDetachSpeed") > 0;
  L236: bool Expansion_EngineIsOn()
  L238: return EngineIsOn();
  L241: void Expansion_EngineStop()
  L246: float Expansion_GetThrottle()
  L248: return GetThrottle();
  L251: bool Expansion_IsVehicleFunctional(bool checkOptionalParts = false, set<typename> missingComponents = null)
  L280: string Expansion_GetAnimSourceFromSelection(string selection)
  L286: string Expansion_GetDoorInvSlotNameFromSeatPos(int posIdx)
  L292: string Expansion_GetDoorSelectionNameFromSeatPos(int posIdx)
  L298: int Expansion_GetCarDoorsState(string slotType)
  L303: void OnEnterZone(ExpansionZoneType type)
  L308: void OnExitZone(ExpansionZoneType type)
  L313: void Expansion_CloseAllDoors()
  L318: void ExpansionSetSkin(int skinIndex)
  L322: bool ExpansionHasSkin(int skinIndex)
  L327: string ExpansionGetCurrentSkinName()
  L332: int ExpansionGetCurrentSkinIndex()
```

Full file content

```
000001 | modded class BoatScript
000002 | {
000003 |     static ref CF_DoublyLinkedNodes_WeakRef<BoatScript> s_Expansion_AllVehicles = new CF_DoublyLinkedNodes_WeakRef<BoatScript>();
000004 |
000005 |     ref CF_DoublyLinkedNode_WeakRef<BoatScript> m_Expansion_Node;
000006 |
000007 |     protected autoptr ExpansionZoneActor m_Expansion_SafeZoneInstance = new ExpansionZoneEntity<BoatScript>(this);
000008 |
000009 |     protected string m_Expansion_CurrentSkinName;
000010 |
000011 |     protected bool m_Expansion_IsStoreLoaded;
000012 |     protected bool m_Expansion_IsStoreSaved;
000013 |
000014 |     ref ExpansionGlobalID m_Expansion_GlobalID = new ExpansionGlobalID();
000015 |
000016 |     ref ExpansionRPCManager m_Expansion_RPCManager;
000017 |
000018 |     ref ExpansionVehicle m_ExpansionVehicle = new ExpansionVehicleT<BoatScript>(this);
000019 |
000020 |     void BoatScript()
000021 |     {
000022 |         m_Expansion_Node = s_Expansion_AllVehicles.Add(this);
000023 |
000024 |         m_Expansion_RPCManager = new ExpansionRPCManager(this, BoatScript);
000025 |
000026 |         m_ExpansionVehicle.Init();
000027 |     }
000028 |
000029 |     void ~BoatScript()
000030 |     {
000031 |         #ifndef DIAG_DEVELOPER
000032 |             if (!g_Game)
000033 |                 return;
000034 |         #endif
000035 |
000036 |         if (s_Expansion_AllVehicles)
000037 |             s_Expansion_AllVehicles.Remove(m_Expansion_Node);
000038 |     }
000039 |
000040 |     override void EEInit()
000041 |     {
000042 |         super.EEInit();
000043 |
000044 |         if (g_Game.IsServer() && GetExpansionSettings().GetSafeZone().Enabled)
000045 |             m_Expansion_SafeZoneInstance.Update();
000046 |     }
000047 |
000048 |     override void EECargoIn(EntityAI item)
000049 |     {
000050 |         super.EECargoIn(item);
000051 |
000052 |         m_ExpansionVehicle.UpdateCargoCount(1);
000053 |     }
000054 |
000055 |     override void EECargoOut(EntityAI item)
000056 |     {
000057 |         super.EECargoOut(item);
000058 |
000059 |         m_ExpansionVehicle.UpdateCargoCount(-1);
```

```
000060 | }
000061 |
000062 | override void DeferredInit()
000063 | {
000064 |     super.DeferredInit();
000065 |
000066 |     m_ExpansionVehicle.DeferredInit();
000067 | }
000068 |
000069 | override void EEDelete(EntityAI parent)
000070 | {
000071 |     super.EEDelete(parent);
000072 |
000073 |     m_ExpansionVehicle.OnDelete();
000074 | }
000075 |
000076 | override void EEKilled( Object killer )
000077 | {
000078 |     super.EEKilled( killer );
000079 |
000080 |     m_ExpansionVehicle.OnDestroyed(killer);
000081 | }
000082 |
000083 | override bool OnStoreLoad( ParamsReadContext ctx, int version )
000084 | {
000085 |     m_Expansion_IsStoreLoaded = true;
000086 |
000087 |     return super.OnStoreLoad( ctx, version );
000088 | }
000089 |
000090 | #ifdef EXPANSION_MODSTORAGE
000091 | override void CF_OnStoreSave(CF_ModStorageMap storage)
000092 | {
000093 |     super.CF_OnStoreSave(storage);
000094 |
000095 |     m_Expansion_IsStoreSaved = true;
000096 |
000097 |     auto ctx = storage[DZ_Expansion_Core];
000098 |     if (!ctx) return;
000099 |
000100 |     ctx.Write(m_Expansion_CurrentSkinName);
000101 |
000102 | #ifdef SERVER
000103 |     if (!m_Expansion_GlobalID.m_IsSet)
000104 |         m_Expansion_GlobalID.Acquire();
000105 | #endif
000106 |
000107 |     m_Expansion_GlobalID.OnStoreSave(ctx);
000108 | }
000109 |
000110 | override bool CF_OnStoreLoad(CF_ModStorageMap storage)
000111 | {
000112 |     if (!super.CF_OnStoreLoad(storage))
000113 |         return false;
000114 |
000115 |     auto ctx = storage[DZ_Expansion_Core];
000116 |     if (!ctx) return true;
000117 |
000118 |     if (!ctx.Read(m_Expansion_CurrentSkinName))
000119 |         return false;
000120 |
000121 |     if (!m_Expansion_GlobalID.OnStoreLoad(ctx))
```



```
000122 |         return false;
000123 |
000124 |         return true;
000125 |     }
000126 | #endif
000127 |
000128 |     bool Expansion_IsStoreLoaded()
000129 |     {
000130 |         return m_Expansion_IsStoreLoaded;
000131 |     }
000132 |
000133 |     bool Expansion_IsStoreSaved()
000134 |     {
000135 |         return m_Expansion_IsStoreSaved;
000136 |     }
000137 |
000138 |     override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos
s, float speedCoef)
000139 |     {
000140 |         if (!super.EEOnDamageCalculated(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef))
000141 |             return false;
000142 |
000143 |         if (!m_ExpansionVehicle.CanBeDamaged())
000144 |             return false;
000145 |
000146 |         if (damageType == DT_EXPLOSION)
000147 |         {
000148 |             if (!ExpansionDamageSystem.OnExplosionDamageCalculated(damageResult, source, this, component, dmgZone, ammo, modelPos, speedCoef, true))
000149 |                 return false;
000150 |         }
000151 |
000152 |         return true;
000153 |     }
000154 |
000155 |     override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float spee
dCoef)
000156 |     {
000157 |         super.EEHitBy(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000158 |
000159 |         if (damageType == DT_EXPLOSION && ExpansionDamageSystem.IsEnabledForExplosionTarget(this))
000160 |             ExpansionDamageSystem.OnExplosionHit(source, this, ammo);
000161 |     }
000162 |
000163 |     override void OnCEUpdate()
000164 |     {
000165 |         super.OnCEUpdate();
000166 |
000167 |         m_ExpansionVehicle.SafeZoneCleanup(m_ElapsedSinceLastUpdate);
000168 |         m_ExpansionVehicle.OnCEUpdate();
000169 |     }
000170 |
000171 |     override void SetActions()
000172 |     {
000173 |         super.SetActions();
000174 |
000175 |         m_ExpansionVehicle.SetActions();
000176 |     }
000177 |
000178 |     void Expansion_AddAction(typename actionName)
000179 |     {
000180 |         AddAction(actionName);
000181 |     }
```

```
000182 |
000183 | ExpansionVehicle GetExpansionVehicle()
000184 | {
000185 |     return m_ExpansionVehicle;
000186 | }
000187 |
000188 | bool Expansion_IsBike()
000189 | {
000190 |     return false;
000191 | }
000192 |
000193 | bool Expansion_IsBoat()
000194 | {
000195 |     return true;
000196 | }
000197 |
000198 | bool Expansion_IsCar()
000199 | {
000200 |     return false;
000201 | }
000202 |
000203 | bool Expansion_IsHelicopter()
000204 | {
000205 |     return false;
000206 | }
000207 |
000208 | bool Expansion_IsPlane()
000209 | {
000210 |     return false;
000211 | }
000212 |
000213 | bool Expansion_IsDuck()
000214 | {
000215 |     return false;
000216 | }
000217 |
000218 | bool Expansion_CanGetInSeat(PlayerBase player, int seatIdx)
000219 | {
000220 |     return true;
000221 | }
000222 |
000223 | bool Expansion_CanObjectAttach(Object obj)
000224 | {
000225 |     if (obj.IsMan())
000226 |         return Expansion_CanPlayerAttach();
000227 |
000228 |     return false;
000229 | }
000230 |
000231 | bool Expansion_CanPlayerAttach()
000232 | {
000233 |     return ConfigGetFloat("animPhysDetachSpeed") > 0;
000234 | }
000235 |
000236 | bool Expansion_EngineIsOn()
000237 | {
000238 |     return EngineIsOn();
000239 | }
000240 |
000241 | void Expansion_EngineStop()
000242 | {
000243 |     EngineStop();
```

```
000244 | }
000245 |
000246 | float Expansion_GetThrottle()
000247 | {
000248 |     return GetThrottle();
000249 | }
000250 |
000251 | bool Expansion_IsVehicleFunctional(bool checkOptionalParts = false, set<typename> missingComponents = null)
000252 | {
000253 |     if (IsDamageDestroyed())
000254 |         return false;
000255 |
000256 |     if (GetFluidFraction(BoatFluid.FUEL) <= 0)
000257 |     {
000258 |         if (missingComponents)
000259 |             missingComponents.Insert(BoatFluid);
000260 |         return false;
000261 |     }
000262 |
000263 |     EntityAI item;
000264 |
000265 |     if (IsVitalSparkPlug())
000266 |     {
000267 |         item = FindAttachmentBySlotName("SparkPlug");
000268 |         if (!item || item.IsRuined())
000269 |         {
000270 |             if (missingComponents)
000271 |                 missingComponents.Insert(SparkPlug);
000272 |             return false;
000273 |         }
000274 |     }
000275 |
000276 |     return true;
000277 | }
000278 |
000279 | ///! @note if GetAnimSourceFromSelection is ever added to BoatScript in vanilla, this should call it and return the result
000280 | string Expansion_GetAnimSourceFromSelection(string selection)
000281 | {
000282 |     return "";
000283 | }
000284 |
000285 | ///! @note if GetDoorInvSlotNameFromSeatPos is ever added to BoatScript in vanilla, this should call it and return the result
000286 | string Expansion_GetDoorInvSlotNameFromSeatPos(int posIdx)
000287 | {
000288 |     return "";
000289 | }
000290 |
000291 | ///! @note if GetDoorSelectionNameFromSeatPos is ever added to BoatScript in vanilla, this should call it and return the result
000292 | string Expansion_GetDoorSelectionNameFromSeatPos(int posIdx)
000293 | {
000294 |     return "";
000295 | }
000296 |
000297 | ///! @note if GetCarDoorsState is ever added to BoatScript in vanilla, this should call it and return the result
000298 | int Expansion_GetCarDoorsState(string slotType)
000299 | {
000300 |     return 0;
000301 | }
000302 |
000303 | void OnEnterZone(ExpansionZoneType type)
000304 | {
000305 |     m_ExpansionVehicle.OnEnterZone(type);
```

```
000306 |     }
000307 |
000308 |     void OnExitZone(ExpansionZoneType type)
000309 |     {
000310 |         m_ExpansionVehicle.OnExitZone(type);
000311 |     }
000312 |
000313 |     void Expansion_CloseAllDoors()
000314 |     {
000315 |         m_ExpansionVehicle.SetAllDoorsAnimationPhase(0.0);
000316 |     }
000317 |
000318 |     void ExpansionSetSkin(int skinIndex)
000319 |     {
000320 |     }
000321 |
000322 |     bool ExpansionHasSkin(int skinIndex)
000323 |     {
000324 |         return false;
000325 |     }
000326 |
000327 |     string ExpansionGetCurrentSkinName()
000328 |     {
000329 |         return m_Expansion_CurrentSkinName;
000330 |     }
000331 |
000332 |     int ExpansionGetCurrentSkinIndex()
000333 |     {
000334 |         return 0;
000335 |     }
000336 | }
000337 |
```

0298. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Vehicles\CarScript.c
Size bytes: 12388
SHA-256: 6adc5b803558049e14413752f077a45ca5968854cbf50fe22544adfe83b6af8c
Decoded as: utf-8-sig
Line count shown: 533
Detected class declarations: 1
  L16: modded class CarScript
Detected enum declarations: 0
Detected function/method-like declarations: 66
  L38: void CarScript()
  L50: void ~CarScript()
  L61: override void SetActions()
  L68: void Expansion_AddAction(typename actionName)
  L73: ExpansionVehicle GetExpansionVehicle()
  L78: bool Expansion_IsBike()
  L83: bool Expansion_IsBoat()
  L88: bool Expansion_IsCar()
  L93: bool Expansion_IsHelicopter()
  L98: bool Expansion_IsPlane()
  L103: bool Expansion_IsDuck()
  L108: override void DeferredInit()
  L115: override bool OnStoreLoad( ParamsReadContext ctx, int version )
  L126: static set< CarScript > GetAll()
  L139: array< ExpansionSkin > ExpansionGetSkins()
  L144: bool ExpansionHasSkin( int skinIndex )
  L149: void ExpansionSetSkin( int skinIndex )
  L153: string ExpansionGetCurrentSkinName()
  L158: int ExpansionGetCurrentSkinIndex()
  L163: bool IsInSafeZone()
  L170: bool Expansion_IsInSafeZone()
  L177: bool CanBeDamaged()
  L185: void OnEnterZone(ExpansionZoneType type)
  L190: override void OnCEUpdate()
  L198: void ExpansionCreateCleanup()
  L206: void OnExitZone(ExpansionZoneType type)
  L211: void Expansion_ResetSZParkingTime()
  L216: void SetLockedState(ExpansionVehicleLockState newLockState)
  L222: ExpansionVehicleLockState GetLockedState()
  L228: void Expansion_SetAllDoorsAnimationPhase(float phase)
  L234: void Expansion_CloseAllDoors()
  L241: override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string am
  L258: bool Expansion_CanGetInSeat(PlayerBase player, int seatIdx)
  L263: bool Expansion_CanObjectAttach(Object obj)
  L266: return Expansion_CanPlayerAttach();
  L271: bool Expansion_CanPlayerAttach()
  L273: return ConfigGetFloat("animPhysDetachSpeed") > 0;
  L276: float Expansion_GetThrottle()
  L278: return GetThrottle();
  L281: bool Expansion_IsVehicleFunctional(bool checkOptionalParts = false, set<typename> missingComponents = null)
  L342: string Expansion_GetAnimSourceFromSelection(string selection)
  L344: return GetAnimSourceFromSelection(selection);
  L347: string Expansion_GetDoorInvSlotNameFromSeatPos(int posIdx)
  L349: return GetDoorInvSlotNameFromSeatPos(posIdx);
  L352: string Expansion_GetDoorSelectionNameFromSeatPos(int posIdx)
  L354: return GetDoorSelectionNameFromSeatPos(posIdx);
  L357: int Expansion_GetCarDoorsState(string slotType)
  L359: return GetCarDoorsState(slotType);
  L362: override void EEInit()
```

```
L370: override void EECargoIn(EntityAI item)
L377: override void EECargoOut(EntityAI item)
L384: override void EEDelete(EntityAI parent)
L391: override void DamageCrew(float dmg)
L400: override void CF_OnStoreSave(CF_ModStorageMap storage)
L419: override bool CF_OnStoreLoad(CF_ModStorageMap storage)
L440: bool Expansion_IsStoreLoaded()
L445: bool Expansion_IsStoreSaved()
L450: override void OnVariablesSynchronized()
L457: void ExpansionSetLastDriverUID(PlayerBase player)
L463: void ExpansionResetLastDriverUIDSynch()
L469: string ExpansionGetLastDriverUID()
L475: set<Human> Expansion_GetVehicleCrew(bool playersOnly = true, bool includeAttached = true)
L481: void Expansion_ForceCrewGetOut()
L487: float Expansion_GetFuelAmmount()
L492: void Expansion_EstimateTransform(float pDt, inout vector mat[4])
L526: override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector mo
```

Full file content

```
000001 | /*
000002 |  * CarScript.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      CarScript
000014 |  * @brief
000015 |  */
000016 | modded class CarScript
000017 | {
000018 |     static ref CF_DoublyLinkedNodes_WeakRef<CarScript> s_Expansion_AllVehicles = new CF_DoublyLinkedNodes_WeakRef<CarScript>();
000019 |
000020 |     ref CF_DoublyLinkedNode_WeakRef<CarScript> m_Expansion_Node;
000021 |
000022 |     protected autoptr ExpansionZoneActor m_Expansion_SafeZoneInstance = new ExpansionZoneEntity<CarScript>(this);
000023 |
000024 |     protected string m_CurrentSkinName;
000025 |
000026 |     protected bool m_Expansion_IsStoreLoaded;
000027 |     protected bool m_Expansion_IsStoreSaved;
000028 |
000029 |     ref ExpansionGlobalID m_Expansion_GlobalID = new ExpansionGlobalID();
000030 |
000031 |     ref ExpansionRPCManager m_Expansion_RPCManager;
000032 |
000033 |     ref ExpansionVehicle m_ExpansionVehicle = new ExpansionVehicleT<CarScript>(this);
000034 |
000035 |     // -----
000036 |     // Constructor
000037 |     // -----
000038 |     void CarScript()
000039 |     {
000040 |         m_Expansion_Node = s_Expansion_AllVehicles.Add(this);
000041 |
000042 |         m_Expansion_RPCManager = new ExpansionRPCManager(this, CarScript);
```

```
000043 |  
000044 |     m_ExpansionVehicle.Init();  
000045 | }  
000046 |  
000047 | // -----  
000048 | // Destructor  
000049 | // -----  
000050 | void ~CarScript()  
000051 | {  
000052 |     #ifndef DIAG_DEVELOPER  
000053 |         if (!g_Game)  
000054 |             return;  
000055 |     #endif  
000056 |  
000057 |     if (s_Expansion_AllVehicles)  
000058 |         s_Expansion_AllVehicles.Remove(m_Expansion_Node);  
000059 | }  
000060 |  
000061 | override void SetActions()  
000062 | {  
000063 |     super.SetActions();  
000064 |  
000065 |     m_ExpansionVehicle.SetActions();  
000066 | }  
000067 |  
000068 | void Expansion_AddAction(typename actionName)  
000069 | {  
000070 |     AddAction(actionName);  
000071 | }  
000072 |  
000073 | ExpansionVehicle GetExpansionVehicle()  
000074 | {  
000075 |     return m_ExpansionVehicle;  
000076 | }  
000077 |  
000078 | bool Expansion_IsBike()  
000079 | {  
000080 |     return false;  
000081 | }  
000082 |  
000083 | bool Expansion_IsBoat()  
000084 | {  
000085 |     return false;  
000086 | }  
000087 |  
000088 | bool Expansion_IsCar()  
000089 | {  
000090 |     return true;  
000091 | }  
000092 |  
000093 | bool Expansion_IsHelicopter()  
000094 | {  
000095 |     return false;  
000096 | }  
000097 |  
000098 | bool Expansion_IsPlane()  
000099 | {  
000100 |     return false;  
000101 | }  
000102 |  
000103 | bool Expansion_IsDuck()  
000104 | {
```

```
000105 |         return false;
000106 |     }
000107 |
000108 |     override void DeferredInit()
000109 |     {
000110 |         super.DeferredInit();
000111 |
000112 |         m_ExpansionVehicle.DeferredInit();
000113 |     }
000114 |
000115 |     override bool OnStoreLoad( ParamsReadContext ctx, int version )
000116 |     {
000117 | #ifdef EXPANSIONTRACE
000118 |         auto trace = EXTrace.Start(ExpansionTracing.VEHICLES, this);
000119 | #endif
000120 |
000121 |         m_Expansion_IsStoreLoaded = true;
000122 |
000123 |         return super.OnStoreLoad( ctx, version );
000124 |     }
000125 |
000126 |     static set< CarScript > GetAll()
000127 |     {
000128 |         Error("DEPRECATED - please use linked list s_Expansion_AllVehicles");
000129 |         set<CarScript> allVehicles = new set<CarScript>;
000130 |         auto node = s_Expansion_AllVehicles.m_Head;
000131 |         while (node)
000132 |         {
000133 |             allVehicles.Insert(node.m_Value);
000134 |             node = node.m_Next;
000135 |         }
000136 |         return allVehicles;
000137 |     }
000138 |
000139 |     array< ExpansionSkin > ExpansionGetSkins()
000140 |     {
000141 |         return NULL;
000142 |     }
000143 |
000144 |     bool ExpansionHasSkin( int skinIndex )
000145 |     {
000146 |         return false;
000147 |     }
000148 |
000149 |     void ExpansionSetSkin( int skinIndex )
000150 |     {
000151 |     }
000152 |
000153 |     string ExpansionGetCurrentSkinName()
000154 |     {
000155 |         return "";
000156 |     }
000157 |
000158 |     int ExpansionGetCurrentSkinIndex()
000159 |     {
000160 |         return 0;
000161 |     }
000162 |
000163 |     bool IsInSafeZone()
000164 |     {
000165 |         EXError.Error(this, "DEPRECATED, use GetExpansionVehicle().IsInSafeZone");
000166 |         return m_ExpansionVehicle.IsInSafeZone();
```



```
000167 | }
000168 |
000169 | // -----
000170 | bool Expansion_IsInSafeZone()
000171 | {
000172 |     EXError.Error(this, "DEPRECATED, use GetExpansionVehicle().IsInSafeZone");
000173 |     return m_ExpansionVehicle.IsInSafeZone();
000174 | }
000175 |
000176 | // -----
000177 | bool CanBeDamaged()
000178 | {
000179 |     return m_ExpansionVehicle.CanBeDamaged();
000180 | }
000181 |
000182 | // -----
000183 | // Called only server side
000184 | // -----
000185 | void OnEnterZone(ExpansionZoneType type)
000186 | {
000187 |     m_ExpansionVehicle.OnEnterZone(type);
000188 | }
000189 |
000190 | override void OnCEUpdate()
000191 | {
000192 |     super.OnCEUpdate();
000193 |
000194 |     m_ExpansionVehicle.SafeZoneCleanup(m_ElapsedSinceLastUpdate);
000195 |     m_ExpansionVehicle.OnCEUpdate();
000196 | }
000197 |
000198 | void ExpansionCreateCleanup()
000199 | {
000200 |     EXError.Error(this, "DEPRECATED");
000201 | }
000202 |
000203 | // -----
000204 | // Called only server side
000205 | // -----
000206 | void OnExitZone(ExpansionZoneType type)
000207 | {
000208 |     m_ExpansionVehicle.OnExitZone(type);
000209 | }
000210 |
000211 | void Expansion_ResetSZParkingTime()
000212 | {
000213 |     EXError.Error(this, "DEPRECATED");
000214 | }
000215 |
000216 | void SetLockedState(ExpansionVehicleLockState newLockState)
000217 | {
000218 |     EXError.Error(this, "DEPRECATED, use GetExpansionVehicle().SetLockState");
000219 |     m_ExpansionVehicle.SetLockState(newLockState);
000220 | }
000221 |
000222 | ExpansionVehicleLockState GetLockedState()
000223 | {
000224 |     EXError.Error(this, "DEPRECATED, use GetExpansionVehicle().GetLockState");
000225 |     return m_ExpansionVehicle.GetLockState();
000226 | }
000227 |
000228 | void Expansion_SetAllDoorsAnimationPhase(float phase)
```

```
000229 | {
000230 |     EXError.Error(this, "DEPRECATED, use GetExpansionVehicle().SetAllDoorsAnimationPhase");
000231 |     m_ExpansionVehicle.SetAllDoorsAnimationPhase(phase);
000232 | }
000233 |
000234 | void Expansion_CloseAllDoors()
000235 | {
000236 |     ForceUpdateLightsStart();
000237 |     m_ExpansionVehicle.SetAllDoorsAnimationPhase(0.0);
000238 |     g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(ForceUpdateLightsEnd, 500);
000239 | }
000240 |
000241 | override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000242 | {
000243 |     if (!super.EEOnDamageCalculated(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef))
000244 |         return false;
000245 |
000246 |     if (!m_ExpansionVehicle.CanBeDamaged())
000247 |         return false;
000248 |
000249 |     if (damageType == DT_EXPLOSION)
000250 |     {
000251 |         if (!ExpansionDamageSystem.OnExplosionDamageCalculated(damageResult, source, this, component, dmgZone, ammo, modelPos, speedCoef, true))
000252 |             return false;
000253 |     }
000254 |
000255 |     return true;
000256 | }
000257 |
000258 | bool Expansion_CanGetInSeat(PlayerBase player, int seatIdx)
000259 | {
000260 |     return true;
000261 | }
000262 |
000263 | bool Expansion_CanObjectAttach(Object obj)
000264 | {
000265 |     if (obj.IsMan())
000266 |         return Expansion_CanPlayerAttach();
000267 |
000268 |     return false;
000269 | }
000270 |
000271 | bool Expansion_CanPlayerAttach()
000272 | {
000273 |     return ConfigGetFloat("animPhysDetachSpeed") > 0;
000274 | }
000275 |
000276 | float Expansion_GetThrottle()
000277 | {
000278 |     return GetThrottle();
000279 | }
000280 |
000281 | bool Expansion_IsVehicleFunctional(bool checkOptionalParts = false, set<typename> missingComponents = null)
000282 | {
000283 |     if (IsDamageDestroyed())
000284 |         return false;
000285 |
000286 |     if (GetFluidFraction(CarFluid.FUEL) <= 0)
000287 |     {
000288 |         if (missingComponents)
000289 |             missingComponents.Insert(CarFluid);
```

```
000290 |         return false;
000291 |     }
000292 |
000293 |     EntityAI item;
000294 |
000295 |     if (IsVitalCarBattery() || IsVitalTruckBattery())
000296 |     {
000297 |         item = GetBattery();
000298 |         if (!item || item.IsRuined() || item.GetCompEM().GetEnergy() < m_BatteryEnergyStartMin)
000299 |         {
000300 |             if (missingComponents)
000301 |                 missingComponents.Insert(VehicleBattery);
000302 |             return false;
000303 |         }
000304 |     }
000305 |
000306 |     TStringArray plugSlotsToCheck = {};
000307 |
000308 |     if (IsVitalSparkPlug())
000309 |         plugSlotsToCheck.Insert("SparkPlug");
000310 |
000311 |     if (IsVitalGlowPlug())
000312 |         plugSlotsToCheck.Insert("GlowPlug");
000313 |
000314 |     foreach (string plugSlotName: plugSlotsToCheck)
000315 |     {
000316 |         item = FindAttachmentBySlotName(plugSlotName);
000317 |         if (!item || item.IsRuined())
000318 |         {
000319 |             if (missingComponents)
000320 |                 missingComponents.Insert(SparkPlug);
000321 |             return false;
000322 |         }
000323 |     }
000324 |
000325 |     if (checkOptionalParts)
000326 |     {
000327 |         if (IsVitalRadiator())
000328 |         {
000329 |             item = GetRadiator();
000330 |             if (!item || item.IsRuined())
000331 |             {
000332 |                 if (missingComponents)
000333 |                     missingComponents.Insert(CarRadiator);
000334 |                 return false;
000335 |             }
000336 |         }
000337 |     }
000338 |
000339 |     return true;
000340 | }
000341 |
000342 | string Expansion_GetAnimSourceFromSelection(string selection)
000343 | {
000344 |     return GetAnimSourceFromSelection(selection);
000345 | }
000346 |
000347 | string Expansion_GetDoorInvSlotNameFromSeatPos(int posIdx)
000348 | {
000349 |     return GetDoorInvSlotNameFromSeatPos(posIdx);
000350 | }
000351 |
```

```
000352 | string Expansion_GetDoorSelectionNameFromSeatPos(int posIdx)
000353 | {
000354 |     return GetDoorSelectionNameFromSeatPos(posIdx);
000355 | }
000356 |
000357 | int Expansion_GetCarDoorsState(string slotType)
000358 | {
000359 |     return GetCarDoorsState(slotType);
000360 | }
000361 |
000362 | override void EEInit()
000363 | {
000364 |     super.EEInit();
000365 |
000366 |     if (IsMissionHost() && GetExpansionSettings().GetSafeZone().Enabled)
000367 |         m_Expansion_SafeZoneInstance.Update();
000368 | }
000369 |
000370 | override void EECargoIn(EntityAI item)
000371 | {
000372 |     super.EECargoIn(item);
000373 |
000374 |     m_ExpansionVehicle.UpdateCargoCount(1);
000375 | }
000376 |
000377 | override void EECargoOut(EntityAI item)
000378 | {
000379 |     super.EECargoOut(item);
000380 |
000381 |     m_ExpansionVehicle.UpdateCargoCount(-1);
000382 | }
000383 |
000384 | override void EEDelete(EntityAI parent)
000385 | {
000386 |     super.EEDelete(parent);
000387 |
000388 |     m_ExpansionVehicle.OnDelete();
000389 | }
000390 |
000391 | override void DamageCrew(float dmg)
000392 | {
000393 |     if (m_ExpansionVehicle.IsInSafeZone())
000394 |         return;
000395 |
000396 |     super.DamageCrew(dmg);
000397 | }
000398 |
000399 | #ifdef EXPANSION_MODSTORAGE
000400 | override void CF_OnStoreSave(CF_ModStorageMap storage)
000401 | {
000402 |     super.CF_OnStoreSave(storage);
000403 |
000404 |     m_Expansion_IsStoreSaved = true;
000405 |
000406 |     auto ctx = storage[DZ_Expansion_Core];
000407 |     if (!ctx) return;
000408 |
000409 |     ctx.Write(m_CurrentSkinName);
000410 |
000411 |     #ifdef SERVER
000412 |     if (!m_Expansion_GlobalID.m_IsSet)
000413 |         m_Expansion_GlobalID.Acquire();
```

```
000414 |         #endif
000415 |
000416 |         m_Expansion_GlobalID.OnStoreSave(ctx);
000417 |     }
000418 |
000419 |     override bool CF_OnStoreLoad(CF_ModStorageMap storage)
000420 |     {
000421 |         if (!super.CF_OnStoreLoad(storage))
000422 |             return false;
000423 |
000424 |         auto ctx = storage[DZ_Expansion_Core];
000425 |         if (!ctx) return true;
000426 |
000427 |         if (!ctx.Read(m_CurrentSkinName))
000428 |             return false;
000429 |
000430 |         if (ctx.GetVersion() < 41)
000431 |             return true;
000432 |
000433 |         if (!m_Expansion_GlobalID.OnStoreLoad(ctx))
000434 |             return false;
000435 |
000436 |         return true;
000437 |     }
000438 | #endif
000439 |
000440 | bool Expansion_IsStoreLoaded()
000441 | {
000442 |     return m_Expansion_IsStoreLoaded;
000443 | }
000444 |
000445 | bool Expansion_IsStoreSaved()
000446 | {
000447 |     return m_Expansion_IsStoreSaved;
000448 | }
000449 |
000450 | override void OnVariablesSynchronized()
000451 | {
000452 |     super.OnVariablesSynchronized();
000453 |
000454 |     m_ExpansionVehicle.OnVariablesSynchronized();
000455 | }
000456 |
000457 | void ExpansionSetLastDriverUID(PlayerBase player)
000458 | {
000459 |     EXError.Error(this, "DEPRECATED, use GetExpansionVehicle().SetLastDriverUID");
000460 |     m_ExpansionVehicle.SetLastDriverUID(player);
000461 | }
000462 |
000463 | void ExpansionResetLastDriverUIDSynch()
000464 | {
000465 |     EXError.Error(this, "DEPRECATED, use GetExpansionVehicle().ResetLastDriverUIDSynch");
000466 |     m_ExpansionVehicle.ResetLastDriverUIDSynch();
000467 | }
000468 |
000469 | string ExpansionGetLastDriverUID()
000470 | {
000471 |     EXError.Error(this, "DEPRECATED, use GetExpansionVehicle().GetLastDriverUID");
000472 |     return m_ExpansionVehicle.GetLastDriverUID();
000473 | }
000474 |
000475 | set<Human> Expansion_GetVehicleCrew(bool playersOnly = true, bool includeAttached = true)
```

```
000476 | {
000477 |     EXError.Error(this, "DEPRECATED, use GetExpansionVehicle().GetCrew");
000478 |     return m_ExpansionVehicle.GetCrew(playersOnly, includeAttached);
000479 | }
000480 |
000481 | void Expansion_ForceCrewGetOut()
000482 | {
000483 |     EXError.Error(this, "DEPRECATED, use GetExpansionVehicle().ForceCrewGetOut");
000484 |     m_ExpansionVehicle.ForceCrewGetOut();
000485 | }
000486 |
000487 | float Expansion_GetFuelAmmount()
000488 | {
000489 |     return m_FuelAmmount;
000490 | }
000491 |
000492 | void Expansion_EstimateTransform(float pDt, inout vector mat[4])
000493 | {
000494 |     vector transform[4];
000495 |     GetTransform(transform);
000496 |
000497 |     vector velocity = GetVelocity(this);
000498 |     vector angularVelocity = dBodyGetAngularVelocity(this);
000499 |
000500 |     vector futureAngularVelocity = (angularVelocity * pDt);
000501 |
000502 |     mat[0][0] = 0.0;
000503 |     mat[1][1] = 0.0;
000504 |     mat[2][2] = 0.0;
000505 |
000506 |     mat[0][1] = -futureAngularVelocity[2];
000507 |     mat[1][0] = futureAngularVelocity[2];
000508 |     mat[2][0] = -futureAngularVelocity[1];
000509 |     mat[0][2] = futureAngularVelocity[1];
000510 |     mat[1][2] = -futureAngularVelocity[0];
000511 |     mat[2][1] = futureAngularVelocity[0];
000512 |
000513 |     Math3D.MatrixInvMultiply3(mat, transform, mat);
000514 |
000515 |     mat[0] = transform[0] + mat[0];
000516 |     mat[1] = transform[1] + mat[1];
000517 |     mat[2] = transform[2] + mat[2];
000518 |
000519 |     mat[0].Normalize();
000520 |     mat[1].Normalize();
000521 |     mat[2].Normalize();
000522 |
000523 |     mat[3] = transform[3] + (velocity * pDt);
000524 | }
000525 |
000526 | override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000527 | {
000528 |     super.EEHitBy(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000529 |
000530 |     if (damageType == DT_EXPLOSION && ExpansionDamageSystem.IsEnabledForExplosionTarget(this))
000531 |         ExpansionDamageSystem.OnExplosionHit(source, this, ammo);
000532 | }
000533 | };
```

0299. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\ExpansionObjectSet.c

Size bytes: 1326

SHA-256: c5d3e07e88a177019eef09ad2d6210c2c556197b95a1599085207cd3ef753b76

Decoded as: utf-8-sig

Line count shown: 62

Detected class declarations: 1

L13: class ExpansionObjectSet

Detected enum declarations: 0

Detected function/method-like declarations: 5

L20: void ExpansionObjectSet(string filePath, string fileName)

L26: void ~ExpansionObjectSet()

L31: void Delete()

L41: void SpawnObjects()

L51: string GetFilePath()

Full file content

```
000001 | /**
000002 |  * ExpansionObjectSet.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionObjectSet
000014 | {
000015 |     private string m_FileName;
000016 |     private string m_FilePath;
000017 |     //! All objects from the loaded file that got created
000018 |     private ref array<Object> m_Objects = new array<Object>;
000019 |
000020 |     void ExpansionObjectSet(string filePath, string fileName)
000021 |     {
000022 |         m_FilePath = filePath;
000023 |         m_FileName = fileName;
000024 |     }
000025 |
000026 |     void ~ExpansionObjectSet()
000027 |     {
000028 |         Delete();
000029 |     }
000030 |
000031 |     void Delete()
000032 |     {
000033 |         foreach (Object obj: m_Objects)
000034 |         {
000035 |             g_Game.ObjectDelete(obj);
000036 |         }
000037 |
000038 |         m_Objects.Clear();
000039 |     }
000040 |
000041 |     void SpawnObjects()
000042 |     {
```

```
000043 |         string filePath = GetFilePath();
000044 |
000045 |         if (!FileExist(filePath))
000046 |             return;
000047 |
000048 |         ExpansionObjectSpawnTools.LoadObjectsFile(filePath, m_Objects);
000049 |     }
000050 |
000051 |     string GetFilePath()
000052 |     {
000053 |         int trimSize = m_FileName.Length() - EXPANSION_MAPPING_EXT.Length();
000054 |         string fileformat = EXPANSION_MAPPING_EXT;
000055 |
000056 |         if( m_FileName.IndexOf(EXPANSION_MAPPING_EXT) == trimSize )
000057 |             fileformat = "";
000058 |
000059 |         return m_FilePath + m_FileName + fileformat;
000060 |     }
000061 | };
000062 |
```


0300. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\ExpansionStaticObjectBase.c

Size bytes: 605

SHA-256: e7684b9e6bfb04d87a6648eff3d69c2d7a4880aa08de54ec83f460cfcf0d3e5c

Decoded as: utf-8-sig

Line count shown: 24

Detected class declarations: 1

L16: class ExpansionStaticObjectBase: BuildingSuper

Detected enum declarations: 0

Detected function/method-like declarations: 1

L18: void ExpansionStaticObjectBase()

Full file content

```
000001 | /**
000002 |  * ExpansionStaticObjectBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionStaticObjectBase
000014 |  * @brief      This class handles static interactable objects
000015 |  */
000016 | class ExpansionStaticObjectBase: BuildingSuper
000017 | {
000018 |     void ExpansionStaticObjectBase()
000019 |     {
000020 |         if (IsMissionHost())
000021 |             SetAllowDamage(false);
000022 |     }
000023 | };
000024 |
```

0301. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\ExpansionWorld.c
Size bytes: 13398
SHA-256: 354ce679084fd4c24af17ef8269b20de8d8455625d503d77165d5144222288
Decoded as: utf-8-sig
Line count shown: 469
Detected class declarations: 1
  L13: class ExpansionWorld: ExpansionGame
Detected enum declarations: 0
Detected function/method-like declarations: 34
  L20: void ExpansionWorld()
  L40: void ~ExpansionWorld()
  L50: override string GetPlayerID(Man player)
  L63: override string GetPlayerName(Man player)
  L76: override void FirearmEffects(Object source, Object directHit, int componentIndex, string surface, vector pos, vector surfNormal, vector exit
  L114: override void WriteRemovedWorldObjects(ParamsReadContext ctx)
  L119: override void ReadRemovedWorldObjects(ParamsReadContext ctx)
  L124: override void Expansion_SendFar(ExpansionScriptRPC rpc, vector position, Object target = null, bool guaranteed = false)
  L129: override void Expansion_SendNear(ExpansionScriptRPC rpc, vector position, float distance, Object target = null, bool guaranteed = false)
  L134: static void CheckTreeContact IEntity other, float impulse, bool sendToClient = false)
  L174: static void FellPlant(Plant plant, bool sendToClient = false)
  L183: static void PlayFellPlantSound(Object plant, bool sendToClient = false)
  L196: else if (plant.IsInherited(TreeSoft))
  L198: else if (plant.IsInherited(BushHard))
  L200: else if (plant.IsInherited(BushSoft))
  L211: static typename GetModdableRootType(EntityAI entity)
  L215: else if (entity.IsInherited(AnimalBase))
  L217: else if (entity.IsInherited(BuildingBase))
  L219: else if (entity.IsInherited(CarScript))
  L221: else if (entity.IsInherited(BoatScript))
  L223: else if (entity.IsInherited(DayZPlayerImplement))
  L227: else if (entity.IsInherited(ItemBase))
  L229: else if (entity.IsInherited(ZombieBase))
  L238: static string GetLiquidDisplayName(int liquidType, bool upperCase = true, out int color = 0)
  L332: override void Lobotomize(DayZCreatureAI creature)
  L352: else if (Class.CastTo(zombie, creature))
  L398: else if (zombie)
  L407: override void LobotomySync(DayZCreatureAI creature, bool isLobotomized = false)
  L423: void RPC_LobotomySync(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L441: else if (Class.CastTo(zombie, target))
  L445: static bool IsStoreLoaded(EntityAI entity)
  L451: else if (ExpansionVehicle.Get(vehicle, entity))
  L457: static bool IsStoreSaved(EntityAI entity)
  L463: else if (ExpansionVehicle.Get(vehicle, entity))
```

Full file content

```
000001 | /**
000002 |  * ExpansionWorld.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionWorld: ExpansionGame
```

```
000014 | {
000015 |     static ref ExpansionSoundSet s_Expansion_BushFallHard_SoundSet;
000016 |     static ref ExpansionSoundSet s_Expansion_BushFallSoft_SoundSet;
000017 |     static ref ExpansionSoundSet s_Expansion_TreeFallHard_SoundSet;
000018 |     static ref ExpansionSoundSet s_Expansion_TreeFallSoft_SoundSet;
000019 |
000020 |     void ExpansionWorld()
000021 |     {
000022 | #ifdef EXTRACE_DIAG
000023 |         auto trace = EXTrace.Start(EXTrace.MISC, this);
000024 | #endif
000025 |
000026 |         s_Expansion_BushFallHard_SoundSet = ExpansionSoundSet.Register("hardBushFall_SoundSet");
000027 |         s_Expansion_BushFallSoft_SoundSet = ExpansionSoundSet.Register("softBushFall_SoundSet");
000028 |         s_Expansion_TreeFallHard_SoundSet = ExpansionSoundSet.Register("hardTreeFall_SoundSet");
000029 |         s_Expansion_TreeFallSoft_SoundSet = ExpansionSoundSet.Register("softTreeFall_SoundSet");
000030 |
000031 |         ExpansionSoundSet.Register("cartent_deploy_SoundSet");
000032 |         ExpansionSoundSet.Register("GoatBleat_A_SoundSet");
000033 |         ExpansionSoundSet.Register("GoatBleat_E_SoundSet");
000034 |
000035 |         GetPermissionsManager().RegisterPermission("Expansion.Creature.Lobotomize");
000036 |
000037 |         m_RPCManager.RegisterClient("RPC_LobotomySync");
000038 |     }
000039 |
000040 |     void ~ExpansionWorld()
000041 |     {
000042 |         if (!g_Game)
000043 |             return;
000044 |
000045 | #ifdef DIAG_DEVELOPER
000046 |         Print("~ExpansionWorld");
000047 | #endif
000048 |     }
000049 |
000050 |     override string GetPlayerID(Man player)
000051 |     {
000052 |         PlayerIdentity identity = player.GetIdentity();
000053 |         if (identity)
000054 |             return identity.GetId();
000055 |
000056 |         PlayerBase pb;
000057 |         if (Class.CastTo(pb, player))
000058 |             return pb.GetCachedID();
000059 |
000060 |         return string.Empty;
000061 |     }
000062 |
000063 |     override string GetPlayerName(Man player)
000064 |     {
000065 |         PlayerIdentity identity = player.GetIdentity();
000066 |         if (identity)
000067 |             return identity.GetName();
000068 |
000069 |         PlayerBase pb;
000070 |         if (Class.CastTo(pb, player))
000071 |             return pb.GetCachedName();
000072 |
000073 |         return string.Empty;
000074 |     }
000075 | }
```

```
000076 |     override void FirearmEffects(Object source, Object directHit, int componentIndex, string surface, vector pos, vector surfNormal, vector exitPos, vector inSpee
000077 |     d, vector outSpeed, bool isWater, bool deflected, string ammoType)
000078 |     {
000079 |     #ifdef DIAG_DEVELOPER
000080 |         if (EXTrace.WEAPONS)
000081 |         {
000082 |             string msg = "::FirearmEffects ";
000083 |             msg += "" + source + " ";
000084 |             msg += "" + directHit + " ";
000085 |             msg += "" + componentIndex + " ";
000086 |             msg += "" + surface + " ";
000087 |             msg += "" + pos + " ";
000088 |             msg += "" + surfNormal + " ";
000089 |             msg += "" + exitPos + " ";
000090 |             msg += "" + inSpeed.Length() + " ";
000091 |             msg += "" + outSpeed.Length() + " ";
000092 |             msg += "" + isWater + " ";
000093 |             msg += "" + deflected + " ";
000094 |             msg += "" + ammoType;
000095 |             EXTrace.Print(true, this, msg);
000096 |         }
000097 |     #endif
000098 |
000099 |     if (g_Game.IsServer())
000100 |     {
000101 |         if (source && source.ShootsExplosiveAmmo() && !deflected && outSpeed == vector.Zero)
000102 |         {
000103 |             if (GetExpansionSettings().GetDamageSystem().Enabled)
000104 |             {
000105 |                 string explosionAmmoType = GetExpansionSettings().GetDamageSystem().ExplosiveProjectiles[ammoType];
000106 |                 if (explosionAmmoType)
000107 |                     ExpansionDamageSystem.OnBeforeExplode(EntityAI.Cast(source), DT_EXPLOSION, explosionAmmoType, pos);
000108 |             }
000109 |         }
000110 |
000111 |         super.FirearmEffects(source, directHit, componentIndex, surface, pos, surfNormal, exitPos, inSpeed, outSpeed, isWater, deflected, ammoType);
000112 |     }
000113 |
000114 |     override void WriteRemovedWorldObjects(ParamsReadContext ctx)
000115 |     {
000116 |         ExpansionWorldObjectsModule.WriteRemovedObjects(ctx);
000117 |     }
000118 |
000119 |     override void ReadRemovedWorldObjects(ParamsReadContext ctx)
000120 |     {
000121 |         ExpansionWorldObjectsModule.RPC_RemoveObjects(null, null, ctx);
000122 |     }
000123 |
000124 |     override void Expansion_SendFar(ExpansionScriptRPC rpc, vector position, Object target = null, bool guaranteed = false)
000125 |     {
000126 |         PlayerBase.Expansion_SendFar(rpc, position, target, guaranteed);
000127 |     }
000128 |
000129 |     override void Expansion_SendNear(ExpansionScriptRPC rpc, vector position, float distance, Object target = null, bool guaranteed = false)
000130 |     {
000131 |         PlayerBase.Expansion_SendNear(rpc, position, distance, target, guaranteed);
000132 |     }
000133 |
000134 |     static void CheckTreeContact(IEntity other, float impulse, bool sendToClient = false)
000135 |     {
000136 |         //! Impulse examples:
```

```
000137 |      //!< ~15000 = Offroadhatchback at ~40 km/h
000138 |      //!< ~24000 = OffroadHatchback at ~70 km/h
000139 |      //!< ~75000 = MH6 at ~160 km/h
000140 |      //!< ~200000-300000 = Merlin at ~160 km/h
000141 |
000142 |      if (impulse < 7500)
000143 |          return;
000144 |
000145 |      Plant plant;
000146 |      if (!Plant.CastTo(plant, other) || plant.IsDamageDestroyed())
000147 |          return;
000148 |
000149 |      vector minMax[2];
000150 |      if (plant.GetCollisionBox(minMax))
000151 |      {
000152 |          float height = minMax[1][1] - minMax[0][1];
000153 |
000154 |          //!< Tree tiers:
000155 |          //!< _1s/_1sb ~4 m
000156 |          //!< _1f ~8 m
000157 |          //!< _2d ~16 m
000158 |          //!< _2s ~17 m
000159 |          //!< _2sb ~18 m
000160 |          //!< _3d ~24 m
000161 |          //!< _3s ~26 m
000162 |          //!< _3f ~28 m
000163 |
000164 |          //!< Require a minimum impulse based on tree height. E.g. a 5 m tree will require an impulse of 15k to be felled.
000165 |          if (impulse < height * 3000)
000166 |              return;
000167 |      }
000168 |
000169 |      //!< @note server segfault under DayZ 1.28 Experimental if setting plant health to zero in same frame as contact event, so defer using Call
000170 |      if (g_Game.IsServer())
000171 |          g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Call(FellPlant, plant, sendToClient);
000172 |  }
000173 |
000174 |  static void FellPlant(Plant plant, bool sendToClient = false)
000175 |  {
000176 |      if (plant && !plant.IsDamageDestroyed())
000177 |      {
000178 |          PlayFellPlantSound(plant, sendToClient);
000179 |          plant.SetHealth(0);
000180 |      }
000181 |  }
000182 |
000183 |  static void PlayFellPlantSound(Object plant, bool sendToClient = false)
000184 |  {
000185 |      #ifdef TRACE_DIAG
000186 |          auto trace = EXTrace.Start(EXTrace.SOUND, ExpansionWorld, "" + sendToClient);
000187 |      #endif
000188 |
000189 |      #ifdef SERVER
000190 |          if (!sendToClient)
000191 |              return;
000192 |      #endif
000193 |
000194 |      if (plant.IsInherited(TreeHard))
000195 |          s_Expansion_TreeFallHard_SoundSet.Play(plant.GetPosition());
000196 |      else if (plant.IsInherited(TreeSoft))
000197 |          s_Expansion_TreeFallSoft_SoundSet.Play(plant.GetPosition());
000198 |      else if (plant.IsInherited(BushHard))
```

```
000199 |         s_Expansion_BushFallHard_SoundSet.Play(plant.GetPosition());
000200 |     else if (plant.IsInherited(BushSoft))
000201 |         s_Expansion_BushFallSoft_SoundSet.Play(plant.GetPosition());
000202 | }
000203 |
000204 | /**
000205 |  * @brief get moddable root type of entity
000206 |  *
000207 |  * @param entity Entity to get moddable root type of
000208 |  *
000209 |  * @return typename
000210 |  */
000211 | static typename GetModdableRootType(EntityAI entity)
000212 | {
000213 |     if (entity.IsInherited(AdvancedCommunication))
000214 |         return AdvancedCommunication;
000215 |     else if (entity.IsInherited(AnimalBase))
000216 |         return AnimalBase;
000217 |     else if (entity.IsInherited(BuildingBase))
000218 |         return BuildingBase;
000219 |     else if (entity.IsInherited(CarScript))
000220 |         return CarScript;
000221 |     else if (entity.IsInherited(BoatScript))
000222 |         return BoatScript;
000223 |     else if (entity.IsInherited(DayZPlayerImplement))
000224 |         return DayZPlayerImplement;
000225 |     //else if (entity.IsInherited(HelicopterScript))
000226 |         //return HelicopterScript;
000227 |     else if (entity.IsInherited(ItemBase))
000228 |         return ItemBase;
000229 |     else if (entity.IsInherited(ZombieBase))
000230 |         return ZombieBase;
000231 |
000232 |     typename type;
000233 |     return type;
000234 | }
000235 |
000236 | ///! @note would make more sense to have this on `Liquid` but due to `GetLiquidConfigProperty` being private
000237 | ///! (although it's not used directly by this) it would result in a compile error :-(
000238 | static string GetLiquidDisplayName(int liquidType, bool upperCase = true, out int color = 0)
000239 | {
000240 |     auto nutritionalProfile = Liquid.GetNutritionalProfileByType(liquidType);
000241 |     if (!nutritionalProfile || !nutritionalProfile.IsLiquid())
000242 |         return "ERROR";
000243 |
000244 |     string clsName = nutritionalProfile.GetLiquidClassname();
000245 |     string underscored = ExpansionString.CamelCaseToWords(clsName, "_");
000246 |     string displayName;
000247 |     g_Game.ConfigGetTextRaw("CfgLiquidDefinitions " + clsName + " displayName", displayName);
000248 |     g_Game.FormatRawConfigStringKeys(displayName);
000249 |
000250 |     string translated;
000251 |     if (displayName.IndexOf("#") == 0)
000252 |         translated = Widget.TranslateString(displayName);
000253 |     else
000254 |         translated = displayName;
000255 |
000256 |     ///! Fix up vanilla liquid display name
000257 |     if (displayName.IndexOf("#STR_cfgLiquidDefinitions_") == 0 && translated.IndexOf("$UNT$") == 0)
000258 |         translated = Widget.TranslateString("#inv_inspect_" + underscored);
000259 |
000260 |     if (upperCase)
```

```
000261 |         translated.ToUpper();
000262 |
000263 |         color = Colors.COLOR_LIQUID;
000264 |
000265 |     #ifdef EXPANSION_INSPECT_MENU_NEW_ENABLE
000266 |     if (GetExpansionClientSettings().EnableLiquidTypeColors)
000267 |     {
000268 |         string colorPath = "CfgLiquidDefinitions " + clsName + " color";
000269 |
000270 |         color = g_Game.ConfigGetInt(colorPath);
000271 |
000272 |         if (!color)
000273 |         {
000274 |             string colorConstantName;
000275 |             g_Game.ConfigGetTextRaw(colorPath, colorConstantName);
000276 |
000277 |             if (!colorConstantName)
000278 |             {
000279 |                 //! Fallback to liquid classname, all uppercase
000280 |                 colorConstantName = clsName;
000281 |                 colorConstantName.ToUpper();
000282 |             }
000283 |
000284 |             bool found = ExpansionStatic.StringToEnumEx(Colors, colorConstantName, color);
000285 |
000286 |             if (!found)
000287 |             {
000288 |                 if (!colorConstantName.Contains("LIQUID"))
000289 |                 {
000290 |                     colorConstantName += "LIQUID"; //! e.g. RaG_Liquid_Framework
000291 |                     found = ExpansionStatic.StringToEnumEx(Colors, colorConstantName, color);
000292 |                 }
000293 |
000294 |                 if (!found)
000295 |                 {
000296 |                     //! Fallback to liquid classname, all uppercase, words delimited by underscore
000297 |                     colorConstantName = underscored;
000298 |                     colorConstantName.ToUpper();
000299 |
000300 |                     if (!ExpansionStatic.StringToEnumEx(Colors, colorConstantName, color))
000301 |                     {
000302 |                         switch (liquidType)
000303 |                         {
000304 |                             case LIQUID_BEER:
000305 |                                 color = Colors.ORANGE;
000306 |                                 break;
000307 |                             case LIQUID_DIESEL:
000308 |                             case LIQUID_GASOLINE:
000309 |                                 color = Colors.YELLOW;
000310 |                                 break;
000311 |                             case LIQUID_DISINFECTANT:
000312 |                             case LIQUID_VODKA:
000313 |                                 color = Colors.GRAY;
000314 |                                 break;
000315 |                             default:
000316 |                                 color = Colors.COLOR_LIQUID;
000317 |                                 break;
000318 |                         }
000319 |                     }
000320 |                 }
000321 |             }
000322 |         }
```

```
000323 |     }
000324 | #endif
000325 |
000326 |     return translated;
000327 | }
000328 |
000329 | /**
000330 |  * @brief Lobotomize/unlobotomize creature
000331 |  */
000332 | override void Lobotomize(DayZCreatureAI creature)
000333 | {
000334 | #ifdef EXTRACE_DIAG
000335 |     auto trace = EXTrace.Start(EXTrace.MISC, this, "" + creature, "" + creature.GetAIAgent());
000336 | #endif
000337 |
000338 |     if (!creature || !creature.IsAlive())
000339 |         return;
000340 |
000341 |     bool isLobotomyInProgress;
000342 |     bool isLobotomized;
000343 |
000344 |     AnimalBase animal;
000345 |     ZombieBase zombie;
000346 |
000347 |     if (Class.CastTo(animal, creature))
000348 |     {
000349 |         isLobotomyInProgress = animal.m_Expansion_LobotomyInProgress;
000350 |         isLobotomized = animal.Expansion_IsLobotomized();
000351 |     }
000352 |     else if (Class.CastTo(zombie, creature))
000353 |     {
000354 |         isLobotomyInProgress = zombie.m_Expansion_LobotomyInProgress;
000355 |         isLobotomized = zombie.Expansion_IsLobotomized();
000356 |     }
000357 |
000358 |     if (creature.GetAIAgent() && !isLobotomized)
000359 |     {
000360 |         if (!isLobotomyInProgress)
000361 |         {
000362 |             Error(string.Format("Cannot lobotomize, use %1::Expansion_StartLobotomy first", creature));
000363 |             return;
000364 |         }
000365 |
000366 |         #ifdef DIAG_DEVELOPER
000367 |             EXTrace.Print(EXTrace.MISC, this, "Lobotomizing " + creature);
000368 |         #endif
000369 |
000370 |         creature.GetAIAgent().SetKeepInIdle(true);
000371 |     }
000372 |     else
000373 |     {
000374 |         if (!creature.GetAIAgent())
000375 |         {
000376 |             string templateName = creature.ConfigGetString("aiAgentTemplate");
000377 |             AIWorld aiWorld = g_Game.GetWorld().GetAIWorld();
000378 |             #ifdef DIAG_DEVELOPER
000379 |                 EXTrace.Print(EXTrace.MISC, this, "Creating AI group " + templateName);
000380 |             #endif
000381 |             AIGroup aiGroup = aiWorld.CreateGroup(templateName);
000382 |             #ifdef DIAG_DEVELOPER
000383 |                 EXTrace.Print(EXTrace.MISC, this, "Initializing AI agent " + aiGroup);
000384 |             #endif
```



```
000385 |         creature.InitAIAgent(aiGroup);
000386 |     }
000387 |     else
000388 |     {
000389 |         creature.GetAIAgent().SetKeepInIdle(false);
000390 |     }
000391 | }
000392 |
000393 | if (animal)
000394 | {
000395 |     animal.Expansion_SetLobotomized(!isLobotomized);
000396 |     animal.Expansion_EndLobotomy();
000397 | }
000398 | else if (zombie)
000399 | {
000400 |     zombie.Expansion_SetLobotomized(!isLobotomized);
000401 |     zombie.Expansion_EndLobotomy();
000402 | }
000403 |
000404 | LobotomySync(creature, !isLobotomized);
000405 | }
000406 |
000407 | override void LobotomySync(DayZCreatureAI creature, bool isLobotomized = false)
000408 | {
000409 | #ifdef EXTRACE_DIAG
000410 |     auto trace = EXTrace.Start(EXTrace.MISC, this, "" + creature, "" + creature.GetAIAgent());
000411 | #endif
000412 |
000413 |     auto rpc = m_RPCManager.CreateRPC("RPC_LobotomySync");
000414 |
000415 |     if (!creature.GetAIAgent())
000416 |         isLobotomized = true;
000417 |
000418 |     rpc.Write(isLobotomized);
000419 |
000420 |     Expansion_SendFar(rpc, creature.GetPosition(), creature, true);
000421 | }
000422 |
000423 | void RPC_LobotomySync(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000424 | {
000425 | #ifdef EXTRACE_DIAG
000426 |     auto trace = EXTrace.Start(EXTrace.MISC, this);
000427 | #endif
000428 |
000429 |     bool isLobotomized;
000430 |     if (!ctx.Read(isLobotomized))
000431 |         return;
000432 |
000433 | #ifdef EXTRACE_DIAG
000434 |     EXTrace.Add(trace, isLobotomized);
000435 | #endif
000436 |
000437 |     AnimalBase animal;
000438 |     ZombieBase zombie;
000439 |     if (Class.CastTo(animal, target))
000440 |         animal.Expansion_SetLobotomized(isLobotomized);
000441 |     else if (Class.CastTo(zombie, target))
000442 |         zombie.Expansion_SetLobotomized(isLobotomized);
000443 | }
000444 |
000445 | static bool IsStoreLoaded(EntityAI entity)
000446 | {
```

```
000447 |         ItemBase item;
000448 |         ExpansionVehicle vehicle;
000449 |         if (Class.CastTo(item, entity))
000450 |             return item.Expansion_IsStoreLoaded();
000451 |         else if (ExpansionVehicle.Get(vehicle, entity))
000452 |             return vehicle.IsStoreLoaded();
000453 |
000454 |         return false;
000455 |     }
000456 |
000457 |     static bool IsStoreSaved(EntityAI entity)
000458 |     {
000459 |         ItemBase item;
000460 |         ExpansionVehicle vehicle;
000461 |         if (Class.CastTo(item, entity))
000462 |             return item.Expansion_IsStoreSaved();
000463 |         else if (ExpansionVehicle.Get(vehicle, entity))
000464 |             return vehicle.IsStoreSaved();
000465 |
000466 |         return false;
000467 |     }
000468 | };
000469 |
```

0302. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\ExpansionWorldObjectsModule.c
Size bytes: 27526
SHA-256: f34df624638b42470a964fe47a843d3f67ed1b822ea74d3099ed0acce19a290
Decoded as: utf-8-sig
Line count shown: 997
Detected class declarations: 3
  L13: class ExpansionRemovedObject: OLinkT
  L78: class ExpansionRemovedObjects
  L114: class ExpansionWorldObjectsModule: CF_ModuleWorld
Detected enum declarations: 0
Detected function/method-like declarations: 48
  L19: void ExpansionRemovedObject(Object init)
  L51: void ~ExpansionRemovedObject()
  L71: override void Release()
  L82: void Set(Object obj, ExpansionRemovedObject removedObject)
  L87: bool Get(Object obj)
  L102: int Count()
  L107: void Clear()
  L121: override void OnInit()
  L137: override void OnMissionStart(Class sender, CF_EventArgs args)
  L157: override void OnMissionFinish(Class sender, CF_EventArgs args)
  L169: static void RestoreRemovedObjects()
  L178: override void OnInvokeConnect(Class sender, CF_EventArgs args)
  L208: static void WriteRemovedObjects(ParamsWriteContext ctx)
  L223: static void RPC_RemoveObjects(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L243: static void DeleteFireplaces()
  L254: static void FindMissionFiles(string missionFolder, bool loadObjects, bool loadTraders)
  L259: static void FindMissionFiles(bool loadObjects, bool loadTraders)
  L302: static void LoadMissionObjects( array<string> files )
  L313: static void LoadMissionObjectsFile( string name )
  L321: static void LoadObjects(array<string> files, bool addExtension = false)
  L331: static void LoadObjectsFile(string filePath, array<Object> createdObjects = NULL)
  L382: static Object SpawnObject(string className, vector position, vector rotation, bool special = false, bool takeable = true)
  L414: static array<Object> FindObjects(string className, vector position, float radius = 0.1)
  L438: else if (index == className.Length() - 1)
  L489: static Object FindObject(ExpansionHash hash, vector position, float radius = 0.1)
  L509: static void RemoveObjects(string className, vector position, float radius = 0.1)
  L524: static void RemoveObject(ExpansionHash hash, vector position, float radius = 0.1)
  L533: static void RemoveObject(Object obj)
  L545: static void ProcessObject(Object obj)
  L563: else if (obj.IsInherited(FireplaceBase))
  L569: else if (obj.IsInherited(Roadflare))
  L582: else if (obj.IsInherited(BuildingWithFireplace))
  L592: else if (Class.CastTo(barel_2, obj))
  L594: else if (Class.CastTo(barel_3, obj))
  L596: else if (Class.CastTo(barel_4, obj))
  L627: static void ProcessFireplace(Object obj, bool addStones = true)
  L661: static void ProcessGear(EntityAI entity, string gear)
  L719: else if (Class.CastTo(building, entity))
  L726: else if (Class.CastTo(zombie, entity))
  L733: else if (Class.CastTo(animal, entity))
  L769: static bool GetObjectFromFile( FileHandle file, out string name, out vector position, out vector rotation, out bool special = false, out boo
  L811: static void LoadMissionTraders( array<string> files )
  L822: static void LoadMissionTradersFile( string name )
  L836: static void LoadTradersFile( string filePath )
  L908: else if ( Class.CastTo( traderStatic, obj ) )
  L910: else if ( Class.CastTo( traderZombie, obj ) )
  L913: else if ( Class.CastTo( traderAI, obj ) )
```

```
L954: static bool GetTraderFromMissionFile( FileHandle file, out string name, out array<vector> positions, out vector rotation, out string gear )
```

Full file content

```
000001 | /**
000002 |  * ExpansionWorldObjectsModule.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionRemovedObject: OLinkT
000014 | {
000015 |     ref ExpansionHash m_Expansion_Hash;
000016 |     vector m_Position;
000017 |     bool m_IsSolid;
000018 |
000019 |     void ExpansionRemovedObject(Object init)
000020 |     {
000021 |         string type = init.GetType();
000022 |         if (!type)
000023 |             type = init.GetShapeName();
000024 |         type.ToLower();
000025 |
000026 |         m_Expansion_Hash = new ExpansionHash(type);
000027 |
000028 |         m_Position = init.GetPosition();
000029 |
000030 |         init.SetPosition(m_Position - Vector(0, 1000, 0));
000031 |
000032 |         init.Update();
000033 |
000034 |         m_IsSolid = dBodyIsSolid(init);
000035 |         if (m_IsSolid)
000036 |         {
000037 |             dBodySetSolid(init, false);
000038 |
000039 |             #ifdef DIAG_DEVELOPER
000040 |                 EXTrace.Print(EXTrace.MAPPING, this, init.GetDebugName() + " solid true -> false");
000041 |             #endif
000042 |         }
000043 |
000044 |         //! Use of IsServer is intended here, makes it work in offline/SP as well
000045 |         if (g_Game.IsServer() && init.CanAffectPathgraph())
000046 |             g_Game.GetWorld().MarkObjectForPathgraphUpdate(init);
000047 |
000048 |         EXTrace.Print(EXTrace.MAPPING, this, "Removed object " + init.GetDebugName() + " at " + m_Position);
000049 |     }
000050 |
000051 |     void ~ExpansionRemovedObject()
000052 |     {
000053 |         Object obj = Get();
000054 |         if (obj)
000055 |         {
000056 |             obj.SetPosition(m_Position);
000057 |
000058 |             obj.Update();
```

```
000059 |
000060 |         if (m_IsSolid)
000061 |             dBodySetSolid(obj, true);
000062 |
000063 |         ///! Use of IsDedicatedServer is intended here, no need to do anything in offline/SP
000064 |         if (g_Game.IsDedicatedServer() && obj.CanAffectPathgraph())
000065 |             g_Game.GetWorld().MarkObjectForPathgraphUpdate(obj);
000066 |
000067 |         EXTrace.Print(EXTrace.MAPPING, this, "Restored object " + obj.GetDebugName() + " at " + m_Position);
000068 |     }
000069 | }
000070 |
000071 | override void Release()
000072 | {
000073 |     super.Release();
000074 |     EXTrace.Print(EXTrace.MAPPING, this, "Released");
000075 | }
000076 | }
000077 |
000078 | class ExpansionRemovedObjects
000079 | {
000080 |     ref map<Object, ref ExpansionRemovedObject> m_RemovedObjects = new map<Object, ref ExpansionRemovedObject>;
000081 |
000082 |     void Set(Object obj, ExpansionRemovedObject removedObject)
000083 |     {
000084 |         m_RemovedObjects[obj] = removedObject;
000085 |     }
000086 |
000087 |     bool Get(Object obj)
000088 |     {
000089 |         ///! Check if object has been removed by Expansion
000090 |         if (m_RemovedObjects.Contains(obj))
000091 |             return true;
000092 |
000093 |         ///! Check if object has been hidden by zeroing first three transform vectors
000094 |         vector transform[4];
000095 |         obj.GetTransform(transform);
000096 |         if (transform[0] == vector.Zero && transform[1] == vector.Zero && transform[2] == vector.Zero)
000097 |             return true;
000098 |
000099 |         return false;
000100 |     }
000101 |
000102 |     int Count()
000103 |     {
000104 |         return m_RemovedObjects.Count();
000105 |     }
000106 |
000107 |     void Clear()
000108 |     {
000109 |         m_RemovedObjects.Clear();
000110 |     }
000111 | }
000112 |
000113 | [CF_RegisterModule(ExpansionWorldObjectsModule)]
000114 | class ExpansionWorldObjectsModule: CF_ModuleWorld
000115 | {
000116 |     static ref array<Object> s_FirePlacesToDelete = new array<Object>;
000117 |
000118 |     static ref ExpansionRemovedObjects s_RemovedObjects = new ExpansionRemovedObjects;
000119 |     static bool s_RemovedObjectsReceived;
000120 | }
```

```
000121 |         override void OnInit()
000122 |         {
000123 | #ifdef EXTRACE
000124 |         auto trace = EXTrace.Start(ExpansionTracing.MAPPING, this);
000125 | #endif
000126 |
000127 |         super.OnInit();
000128 |
000129 |         EnableMissionStart();
000130 |         EnableMissionFinish();
000131 |         EnableInvokeConnect();
000132 |         Expansion_EnableRPCManager();
000133 |
000134 |         Expansion_RegisterClientRPC("RPC_RemoveObjects");
000135 |     }
000136 |
000137 |     override void OnMissionStart(Class sender, CF_EventArgs args)
000138 |     {
000139 | #ifdef EXTRACE
000140 |         auto trace = EXTrace.Start(ExpansionTracing.MAPPING, this);
000141 | #endif
000142 |
000143 |         super.OnMissionStart(sender, args);
000144 |
000145 |         if (!g_Game.IsServer())
000146 |             return;
000147 |
000148 |         bool loadTraderNPCs;
000149 |
000150 |         #ifdef EXPANSIONMODMARKET
000151 |         loadTraderNPCs = GetExpansionSettings().GetMarket().MarketSystemEnabled;
000152 |         #endif
000153 |
000154 |         FindMissionFiles(true, loadTraderNPCs);
000155 |     }
000156 |
000157 |     override void OnMissionFinish(Class sender, CF_EventArgs args)
000158 |     {
000159 | #ifdef EXTRACE
000160 |         auto trace = EXTrace.Start(ExpansionTracing.MAPPING, this);
000161 | #endif
000162 |
000163 |         super.OnMissionFinish(sender, args);
000164 |
000165 |         RestoreRemovedObjects();
000166 |         DeleteFireplaces();
000167 |     }
000168 |
000169 |     static void RestoreRemovedObjects()
000170 |     {
000171 | #ifdef EXTRACE
000172 |         auto trace = EXTrace.Start(ExpansionTracing.MAPPING, ExpansionWorldObjectsModule);
000173 | #endif
000174 |
000175 |         s_RemovedObjects.Clear();
000176 |     }
000177 |
000178 |     override void OnInvokeConnect(Class sender, CF_EventArgs args)
000179 |     {
000180 | #ifdef EXTRACE
000181 |         auto trace = EXTrace.Start(ExpansionTracing.MAPPING, this);
000182 | #endif
```

```
000183 |
000184 |         super.OnInvokeConnect(sender, args);
000185 |
000186 |     ///! If Expansion Main is loaded, removed objects are sent as part of general settings RPC to avoid race conditions (building interiors checks if object was remove
d)
000187 |     #ifndef EXPANSIONMOD
000188 |         if (!g_Game.IsServer())
000189 |             return;
000190 |
000191 |         auto cArgs = CF_EventPlayerArgs.Cast(args);
000192 |
000193 |         if (!cArgs.Identity)
000194 |             return;
000195 |
000196 |         ///! If this is a respawn, need to do nothing of the below
000197 |         if (SyncEvents.s_Expansion_RespawningUIDs[cArgs.Identity.GetId()])
000198 |             return;
000199 |
000200 |         EXTrace.Add(trace, cArgs.Identity.GetId());
000201 |
000202 |         auto rpc = Expansion_CreateRPC("RPC_RemoveObjects");
000203 |         WriteRemovedObjects(rpc);
000204 |         rpc.Expansion_Send(true, cArgs.Identity);
000205 |     #endif
000206 |     }
000207 |
000208 |     static void WriteRemovedObjects(ParamsWriteContext ctx)
000209 |     {
000210 |     #ifdef EXTRACE
000211 |         auto trace = EXTrace.Start(ExpansionTracing.MAPPING, ExpansionWorldObjectsModule);
000212 |     #endif
000213 |
000214 |         ctx.Write(s_RemovedObjects.Count());
000215 |         foreach (Object obj, ExpansionRemovedObject removedObj: s_RemovedObjects.m_RemovedObjects)
000216 |         {
000217 |             removedObj.m_Expansion_Hash.Write(ctx);
000218 |             ctx.Write(removedObj.m_Position);
000219 |         }
000220 |     }
000221 |
000222 |     ///! Client only!
000223 |     static void RPC_RemoveObjects(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000224 |     {
000225 |     #ifdef EXTRACE
000226 |         auto trace = EXTrace.Start(ExpansionTracing.MAPPING, ExpansionWorldObjectsModule);
000227 |     #endif
000228 |
000229 |         int count;
000230 |         ctx.Read(count);
000231 |         while (count-->0)
000232 |         {
000233 |             ExpansionHash hash = new ExpansionHash();
000234 |             if (!hash.Read(ctx))
000235 |                 break;
000236 |             vector position;
000237 |             if (!ctx.Read(position))
000238 |                 break;
000239 |             RemoveObject(hash, position);
000240 |         }
000241 |     }
000242 |
000243 |     static void DeleteFireplaces()
```

```
000244 | {
000245 |     Print("Clear up static fireplaces: " + s_FirePlacesToDelete.Count());
000246 |     foreach (Object fireplace: s_FirePlacesToDelete)
000247 |     {
000248 |         g_Game.ObjectDelete(fireplace);
000249 |     }
000250 |     s_FirePlacesToDelete.Clear();
000251 | }
000252 |
000253 | //! @note No-op, only kept for backwards compat with old init files
000254 | static void FindMissionFiles(string missionFolder, bool loadObjects, bool loadTraders)
000255 | {
000256 |     Print("DEPRECATED - calling FindMissionFiles from init.c is no longer needed");
000257 | }
000258 |
000259 | static void FindMissionFiles(bool loadObjects, bool loadTraders)
000260 | {
000261 |     array<string> objectFiles;
000262 |     array<string> traderFiles;
000263 |
000264 |     if ( loadObjects )
000265 |     {
000266 |         if (FileExist( EXPANSION_MISSION_OBJECTS_FOLDER ))
000267 |         {
000268 |             objectFiles = ExpansionStatic.FindFilesInLocation(EXPANSION_MISSION_OBJECTS_FOLDER, EXPANSION_MAPPING_EXT);
000269 |             if (objectFiles.Count() >= 0)
000270 |             {
000271 |                 LoadMissionObjects(objectFiles);
000272 |             }
000273 |         }
000274 |         else
000275 |         {
000276 |             ExpansionStatic.MakeDirectoryRecursive(EXPANSION_MISSION_OBJECTS_FOLDER);
000277 |         }
000278 |     }
000279 |
000280 | #ifdef EXPANSIONMODMARKET
000281 |     if ( loadTraders )
000282 |     {
000283 |         if (FileExist( EXPANSION_MISSION_TRADERS_FOLDER ))
000284 |         {
000285 |             traderFiles = ExpansionStatic.FindFilesInLocation(EXPANSION_MISSION_TRADERS_FOLDER, EXPANSION_MAPPING_EXT);
000286 |             if (traderFiles.Count() >= 0)
000287 |             {
000288 |                 LoadMissionTraders(traderFiles);
000289 |             }
000290 |         }
000291 |         else
000292 |         {
000293 |             ExpansionStatic.MakeDirectoryRecursive(EXPANSION_MISSION_TRADERS_FOLDER);
000294 |         }
000295 |     }
000296 | #endif
000297 | }
000298 |
000299 | // -----
000300 | // Expansion LoadMissionObjects
000301 | // -----
000302 | static void LoadMissionObjects( array<string> files )
000303 | {
000304 |     for ( int i = 0; i < files.Count(); i++ )
000305 |     {
```



```
000306 |         LoadMissionObjectsFile( files[i] );
000307 |     }
000308 | }
000309 |
000310 | // -----
000311 | // Expansion LoadMissionObjectsFile
000312 | // -----
000313 | static void LoadMissionObjectsFile( string name )
000314 | {
000315 |     string filePath = EXPANSION_MISSION_OBJECTS_FOLDER + name;
000316 |     LoadObjectsFile(filePath);
000317 |
000318 |     CF_Log.Debug( "Created all objects from mission object file: " + filePath );
000319 | }
000320 |
000321 | static void LoadObjects(array<string> files, bool addExtension = false)
000322 | {
000323 |     foreach (string filePath: files)
000324 |     {
000325 |         if (addExtension && !ExpansionString.EndsWithIgnoreCase(filePath, EXPANSION_MAPPING_EXT))
000326 |             filePath += EXPANSION_MAPPING_EXT;
000327 |         LoadObjectsFile(filePath);
000328 |     }
000329 | }
000330 |
000331 | static void LoadObjectsFile(string filePath, array<Object> createdObjects = NULL)
000332 | {
000333 | #ifdef EXTRACE
000334 |     auto trace = EXTrace.Start(ExpansionTracing.MAPPING, ExpansionWorldObjectsModule, filePath);
000335 | #endif
000336 |
000337 |     FileHandle file = OpenFile( filePath, FileMode.READ );
000338 |     if ( !file )
000339 |         return;
000340 |
000341 |     Object obj;
000342 |     string className;
000343 |     vector position;
000344 |     vector rotation;
000345 |     bool special;
000346 |     bool takeable;
000347 |     bool shouldRemove;
000348 |     float radius;
000349 |     string attachments;
000350 |
000351 |     while ( GetObjectFromFile( file, className, position, rotation, special, takeable, shouldRemove, radius, attachments ) )
000352 |     {
000353 |         if (shouldRemove)
000354 |         {
000355 |             CF_Log.Debug( "Attempt to remove object " + className + " at " + position + " from file:" + filePath + ".");
000356 |
000357 |             RemoveObjects(className, position, radius);
000358 |         }
000359 |         else
000360 |         {
000361 |             CF_Log.Debug( "Attempt to create object " + className + " at " + position + " from file:" + filePath + ".");
000362 |
000363 |             obj = SpawnObject(className, position, rotation, special, takeable);
000364 |
000365 |             if (attachments)
000366 |             {
000367 |                 EntityAI itemWithAttachment = EntityAI.Cast(obj);
```

```
000368 |         if (itemWithAttachment)
000369 |             ProcessGear(itemWithAttachment, attachments);
000370 |     }
000371 |
000372 |     if (obj && createdObjects)
000373 |         createdObjects.Insert(obj);
000374 |     }
000375 | }
000376 |
000377 | CloseFile( file );
000378 |
000379 | g_Game.GetWorld().ProcessMarkedObjectsForPathgraphUpdate();
000380 | }
000381 |
000382 | static Object SpawnObject(string className, vector position, vector rotation, bool special = false, bool takeable = true)
000383 | {
000384 |     int flags = ECE_CREATEPHYSICS | ECE_NOLIFETIME | ECE_KEEPEIGHT | ECE_DYNAMIC_PERSISTENCY;
000385 |
000386 |     Object obj = g_Game.CreateObjectEx( className, position, flags );
000387 |     if ( !obj )
000388 |         return NULL;
000389 |
000390 |     obj.SetFlags(EntityFlags.STATIC, false);
000391 |
000392 |     obj.SetOrientation( rotation );
000393 |     obj.SetAffectPathgraph( true, false );
000394 |     obj.Update();
000395 |
000396 |     if ( obj.CanAffectPathgraph() )
000397 |     {
000398 |         g_Game.GetWorld().MarkObjectForPathgraphUpdate(obj);
000399 |     }
000400 |
000401 |     if (!takeable)
000402 |     {
000403 |         ItemBase item = ItemBase.Cast( obj );
000404 |         if (item)
000405 |             item.Expansion_SetLootable(false);
000406 |     }
000407 |
000408 |     if (special)
000409 |         ProcessObject( obj );
000410 |
000411 |     return obj;
000412 | }
000413 |
000414 | static array<Object> FindObjects(string className, vector position, float radius = 0.1)
000415 | {
000416 |     array<Object> objects = {};
000417 |     g_Game.GetObjectsAtPosition3D(position, radius, objects, null);
000418 |
000419 |     if (className == "")
000420 |         return objects;
000421 |
000422 |     className.ToLower();
000423 |
000424 |     int doPartialMatch;
000425 |     string classNameStart;
000426 |     string classNameEnd;
000427 |
000428 |     int index = className.IndexOf("");
000429 | }
```

```
000430 |         if (index > -1)
000431 |         {
000432 |             if (index == 0)
000433 |             {
000434 |                 //! Ends with
000435 |                 doPartialMatch = 1;
000436 |                 className = className.Substring(1, className.Length() - 1);
000437 |             }
000438 |             else if (index == className.Length() - 1)
000439 |             {
000440 |                 //! Starts with
000441 |                 doPartialMatch = 2;
000442 |                 className = className.Substring(0, index);
000443 |             }
000444 |             else
000445 |             {
000446 |                 //! Starts/ends with
000447 |                 doPartialMatch = 3;
000448 |                 classNameStart = className.Substring(0, index);
000449 |                 classNameEnd = className.Substring(index + 1, className.Length() - 1 - index);
000450 |             }
000451 |         }
000452 |
000453 |         array<Object> filteredObjects = {};
000454 |         foreach (Object obj: objects)
000455 |         {
000456 |             string type;
000457 |             g_Game.ObjectGetType(obj, type);
000458 |             if (!type)
000459 |                 type = obj.GetShapeName();
000460 |             type.ToLower();
000461 |             ExpansionString exType = type;
000462 |             bool match = false;
000463 |             switch (doPartialMatch)
000464 |             {
000465 |                 case 0:
000466 |                     if (type == className)
000467 |                         match = true;
000468 |                     break;
000469 |                 case 1:
000470 |                     if (exType.EndsWith(className))
000471 |                         match = true;
000472 |                     break;
000473 |                 case 2:
000474 |                     if (exType.StartsWith(className))
000475 |                         match = true;
000476 |                     break;
000477 |                 case 3:
000478 |                     if (exType.StartsWith(classNameStart) && exType.EndsWith(classNameEnd))
000479 |                         match = true;
000480 |                     break;
000481 |             }
000482 |             if (match)
000483 |                 filteredObjects.Insert(obj);
000484 |         }
000485 |
000486 |         return filteredObjects;
000487 |     }
000488 |
000489 |     static Object FindObject(ExpansionHash hash, vector position, float radius = 0.1)
000490 |     {
000491 |         array<Object> objects = {};
```

```
000492 |         g_Game.GetObjectsAtPosition3D(position, radius, objects, null);
000493 |
000494 |         foreach (Object obj: objects)
000495 |         {
000496 |             string type;
000497 |             g_Game.ObjectGetType(obj, type);
000498 |             if (!type)
000499 |                 type = obj.GetShapeName();
000500 |             type.ToLower();
000501 |
000502 |             if (hash.IsEqual(new ExpansionHash(type)))
000503 |                 return obj;
000504 |         }
000505 |
000506 |         return null;
000507 |     }
000508 |
000509 |     static void RemoveObjects(string className, vector position, float radius = 0.1)
000510 |     {
000511 |         array<Object> objects = FindObjects(className, position, radius);
000512 |         if (!objects.Count())
000513 |         {
000514 |             EXPrint("[ExpansionWorldObjectsModule::RemoveObject] Warning: Object " + className + " not found at " + position);
000515 |             return;
000516 |         }
000517 |
000518 |         foreach (Object obj: objects)
000519 |         {
000520 |             RemoveObject(obj);
000521 |         }
000522 |     }
000523 |
000524 |     static void RemoveObject(ExpansionHash hash, vector position, float radius = 0.1)
000525 |     {
000526 |         Object obj = FindObject(hash, position, radius);
000527 |         if (!obj)
000528 |             EXPrint("[ExpansionWorldObjectsModule::RemoveObject] Warning: Object with hash {" + hash.m_HashA + ", " + hash.m_HashB + "} not found at " + position);
000529 |     };
000530 |     else
000531 |         RemoveObject(obj);
000532 | }
000533 |
000534 | static void RemoveObject(Object obj)
000535 | {
000536 |     if (!s_RemovedObjects[obj])
000537 |     {
000538 |         s_RemovedObjects[obj] = new ExpansionRemovedObject(obj);
000539 |     }
000540 |     else
000541 |     {
000542 |         EXError.Warn(null, "RemoveObject called on already removed object " + obj.GetDebugName() + " at " + obj.GetPosition());
000543 |     }
000544 | }
000545 |
000546 | static void ProcessObject(Object obj)
000547 | {
000548 | #ifdef EXTRACE
000549 |     auto trace = EXTrace.Start(ExpansionTracing.MAPPING, ExpansionWorldObjectsModule);
000550 | #endif
000551 |     CF_Log.Debug("Try to process mapping object: " + obj.ClassName());
000552 | }
```

```
000553 |         if (obj.IsInherited(ExpansionPointLight))
000554 |         {
000555 |             ExpansionPointLight light = ExpansionPointLight.Cast(obj);
000556 |             if (light)
000557 |             {
000558 |                 light.SetDiffuseColor(1,0,0);
000559 |             }
000560 |
000561 |             CF_Log.Debug("Processed mapping object: " + obj.ClassName() + "!");
000562 |         }
000563 |     else if (obj.IsInherited(FireplaceBase))
000564 |     {
000565 |         ProcessFireplace(obj);
000566 |
000567 |         CF_Log.Debug("Processed mapping object: " + obj.ClassName() + "!");
000568 |     }
000569 |     else if (obj.IsInherited(Roadflare))
000570 |     {
000571 |         Roadflare flare = Roadflare.Cast( obj );
000572 |         if (flare)
000573 |         {
000574 |             flare.GetCompEM().SetEnergy(999999);
000575 |             flare.GetCompEM().SwitchOn();
000576 |             flare.SwitchLight(false); //! Flickering
000577 |         }
000578 |
000579 |         CF_Log.Debug( "Processed mapping object: " + obj.ClassName() + "!" );
000580 |     }
000581 | #ifdef EXPANSIONMODMAPASSETS
000582 |     else if (obj.IsInherited(BuildingWithFireplace))
000583 |     {
000584 |         BuildingWithFireplace buildingWithFireplace;
000585 |         bldr_land_misc_barel_fire_1 barel_1;
000586 |         bldr_land_misc_barel_fire_2 barel_2;
000587 |         bldr_land_misc_barel_fire_3 barel_3;
000588 |         bldr_land_misc_barel_fire_4 barel_4;
000589 |
000590 |         if (Class.CastTo(barel_1, obj))
000591 |             buildingWithFireplace = barel_1;
000592 |         else if (Class.CastTo(barel_2, obj))
000593 |             buildingWithFireplace = barel_2;
000594 |         else if (Class.CastTo(barel_3, obj))
000595 |             buildingWithFireplace = barel_3;
000596 |         else if (Class.CastTo(barel_4, obj))
000597 |             buildingWithFireplace = barel_4;
000598 |
000599 |         if (buildingWithFireplace)
000600 |         {
000601 |             int fire_point_index = 1;
000602 |             vector fire_place_pos = buildingWithFireplace.GetSelectionPositionMS(FireplaceIndoor.FIREPOINT_FIRE_POSITION + fire_point_index.ToString());
000603 |             vector fire_place_pos_world = buildingWithFireplace.ModelToWorld(fire_place_pos);
000604 |             vector smoke_point_pos = buildingWithFireplace.GetSelectionPositionMS(FireplaceIndoor.FIREPOINT_SMOKE_POSITION + fire_point_index.ToString());
000605 |             vector smoke_point_pos_world = buildingWithFireplace.ModelToWorld(smoke_point_pos);
000606 |             vector smokePos = smoke_point_pos_world;
000607 |
000608 |             int flags = ECE_PLACE_ON_SURFACE | ECE_NOLIFETIME | ECE_NOPERSISTENCY_WORLD;
000609 |             Object obj_fireplace = g_Game.CreateObjectEx("bldr_fireplace", fire_place_pos_world, flags);
000610 |             s_FirePlacesToDelete.Insert(obj_fireplace);
000611 |
000612 |             ProcessFireplace(obj_fireplace, false);
000613 |         }
000614 |     }
```

```
000615 |         CF_Log.Debug("Processed mapping object: " + obj.ClassName() + "!");
000616 |     }
000617 | #endif
000618 | #ifdef NAMALSK_SURVIVAL
000619 | vfx_the_thing theThing;
000620 | if (Class.CastTo(theThing, obj))
000621 | {
000622 |     theThing.SetStable(true);
000623 | }
000624 | #endif
000625 | }
000626 |
000627 | static void ProcessFireplace(Object obj, bool addStones = true)
000628 | {
000629 |     FireplaceBase fireplace = FireplaceBase.Cast(obj);
000630 |     if (fireplace)
000631 |     {
000632 |         ItemBase item;
000633 |
000634 |         ///! Need to open barrel first, otherwise can't add items
000635 |         if (fireplace.IsInherited(BarrelHoles_ColorBase))
000636 |             fireplace.Open();
000637 |
000638 |         if (fireplace.GetType() == "bldr_fireplace" && addStones)
000639 |         {
000640 |             ///! Add stones
000641 |             item = ItemBase.Cast(fireplace.GetInventory().CreateAttachment("Stone"));
000642 |             item.SetQuantity(16);
000643 |             fireplace.SetStoneCircleState(true);
000644 |         }
000645 |
000646 |         ///! Add bark
000647 |         item = ItemBase.Cast(fireplace.GetInventory().CreateAttachment("Bark_Oak"));
000648 |         item.SetQuantity(8);
000649 |         ///! Add firewood
000650 |         item = ItemBase.Cast(fireplace.GetInventory().CreateAttachment("Firewood"));
000651 |         item.SetQuantity(6); ///! Can only increase stack over 1 AFTER it has been attached because stack max depends on slot!
000652 |         ///! Add sticks
000653 |         item = ItemBase.Cast(fireplace.GetInventory().CreateAttachment("WoodenStick"));
000654 |         item.SetQuantity(10); ///! Can only increase stack over 5 AFTER it has been attached because stack max depends on slot!
000655 |
000656 |         fireplace.StartFire();
000657 |         fireplace.RefreshFireplaceVisuals();
000658 |     }
000659 | }
000660 |
000661 | static void ProcessGear(EntityAI entity, string gear)
000662 | {
000663 |     TStringArray tokens = {};
000664 |     gear.Split(",", tokens);
000665 |
000666 |     DayZPlayerImplement ai;
000667 |     BuildingBase building;
000668 |     ZombieBase zombie;
000669 |     AnimalBase animal;
000670 |
000671 |     foreach (string token: tokens)
000672 |     {
000673 | #ifdef EXPANSIONMODAI
000674 |         if (token.IndexOf("faction:") == 0)
000675 |         {
000676 |             if (Class.CastTo(ai, entity))
```

```
000677 |         {
000678 |             string factionName = token.Substring(8, token.Length() - 8);
000679 |             eAIFaction faction = eAIFaction.Create(factionName);
000680 |             if (faction)
000681 |             {
000682 |                 EXTrace.Print(EXTrace.AI, ai, "Setting faction " + faction.ToString());
000683 |                 eAIGroup group = eAIGroup.GetGroupByLeader(ai, true, faction);
000684 |                 if (group.GetFaction().Type() != faction.Type())
000685 |                     group.SetFaction(faction);
000686 |                 ai.eAI_SetPassive(false);
000687 |             }
000688 |         }
000689 |         continue;
000690 |     }
000691 | #endif
000692 |
000693 |     if (token == "canbelooted:false" || token == "canbelooted:0")
000694 |     {
000695 |         if (Class.CastTo(ai, entity))
000696 |         {
000697 |             ai.Expansion_SetCanBeLooted(false);
000698 |         }
000699 |         continue;
000700 |     }
000701 |
000702 |     if (token.IndexOf("loadout:") == 0)
000703 |     {
000704 |         string loadout = token.Substring(8, token.Length() - 8);
000705 |         ExpansionHumanLoadout.Apply(entity, loadout);
000706 |         continue;
000707 |     }
000708 |
000709 |     if (token.IndexOf("name:") == 0)
000710 |     {
000711 |         string name = token.Substring(5, token.Length() - 5);
000712 |         if (Class.CastTo(ai, entity))
000713 |         {
000714 |             if (!ai.m_Expansion_NetsyncData)
000715 |                 ai.m_Expansion_NetsyncData = new ExpansionNetsyncData(ai);
000716 |
000717 |             ai.m_Expansion_NetsyncData.Set(0, name);
000718 |         }
000719 |         else if (Class.CastTo(building, entity))
000720 |         {
000721 |             if (!building.m_Expansion_NetsyncData)
000722 |                 building.m_Expansion_NetsyncData = new ExpansionNetsyncData(building);
000723 |
000724 |             building.m_Expansion_NetsyncData.Set(0, name);
000725 |         }
000726 |         else if (Class.CastTo(zombie, entity))
000727 |         {
000728 |             if (!zombie.m_Expansion_NetsyncData)
000729 |                 zombie.m_Expansion_NetsyncData = new ExpansionNetsyncData(zombie);
000730 |
000731 |             zombie.m_Expansion_NetsyncData.Set(0, name);
000732 |         }
000733 |         else if (Class.CastTo(animal, entity))
000734 |         {
000735 |             if (!animal.m_Expansion_NetsyncData)
000736 |                 animal.m_Expansion_NetsyncData = new ExpansionNetsyncData(animal);
000737 |
000738 |             animal.m_Expansion_NetsyncData.Set(0, name);
000738 |         }
000738 |     }
```

```
000739 |         }
000740 |         continue;
000741 |     }
000742 |
000743 |     array<string> items = new array<string>;
000744 |     token.Split("+", items);
000745 |     EntityAI itemEnt = NULL;
000746 |     //! Spawn weapon in hands
000747 |     if ( entity.IsInherited( Man ) && g_Game.ConfigIsExisting( "CfgVehicles " + items[0] + " suicideAnim" ) || g_Game.IsKindOf( items[0], "Rifle_Base" ) |
| g_Game.IsKindOf( items[0], "Pistol_Base" ) || g_Game.IsKindOf( items[0], "Archery_Base" ) || g_Game.IsKindOf( items[0], "Launcher_Base" ) )
000748 |         itemEnt = Man.Cast( entity ).GetHumanInventory().CreateInHands( items[0] );
000749 |     //! Spawn everything else in inventory
000750 |     if ( !itemEnt )
000751 |         itemEnt = ExpansionItemSpawnHelper.CreateInInventoryEx(entity, items[0] );
000752 |     ItemBase itemBase = ItemBase.Cast( itemEnt );
000753 |     if ( itemEnt )
000754 |     {
000755 |         for ( int j = 1; j < items.Count(); j++ )
000756 |         {
000757 |             if ( itemBase )
000758 |                 itemBase.ExpansionCreateInInventory( items[j] );
000759 |             else
000760 |                 itemEnt.GetInventory().CreateInInventory( items[j] );
000761 |         }
000762 |     }
000763 | }
000764 | }
000765 |
000766 | // -----
000767 | // Expansion GetObjectFromFile
000768 | // -----
000769 | static bool GetObjectFromFile( FileHandle file, out string name, out vector position, out vector rotation, out bool special = false, out bool takeable = true,
| out bool shouldRemove = false, out float radius = 0.1, out string attachments = "" )
000770 | {
000771 |     string line;
000772 |     int lineSize = FGets( file, line );
000773 |
000774 |     if ( lineSize < 1 )
000775 |         return false;
000776 |
000777 |     TStringArray tokens = new TStringArray;
000778 |     line.Split( "|", tokens );
000779 |
000780 |     name = tokens.Get( 0 );
000781 |     position = tokens.Get( 1 ).ToVector();
000782 |     shouldRemove = name[0] == "-";
000783 |     if (shouldRemove)
000784 |     {
000785 |         name = name.Substring(1, name.Length() - 1);
000786 |         radius = tokens.Get( 2 ).ToFloat();
000787 |         if (!radius)
000788 |             radius = 0.1;
000789 |     }
000790 |     else
000791 |     {
000792 |         rotation = tokens.Get( 2 ).ToVector();
000793 |         special = tokens.Get( 3 ) == "true";
000794 |         string token = tokens[4];
000795 |         takeable = token != "false";
000796 |         if (token == "false" || token == "true")
000797 |             token = token[5];
000798 |         if (token)
```



```
000799 |         attachments = token;
000800 |     else
000801 |         attachments = "";
000802 |     }
000803 |
000804 |     return true;
000805 | }
000806 |
000807 | #ifdef EXPANSIONMODMARKET
000808 | // -----
000809 | // Expansion LoadMissionTraders
000810 | // -----
000811 | static void LoadMissionTraders( array<string> files )
000812 | {
000813 |     for ( int i = 0; i < files.Count(); i++ )
000814 |     {
000815 |         LoadMissionTradersFile( files[i] );
000816 |     }
000817 | }
000818 |
000819 | // -----
000820 | // Expansion LoadMissionTradersFile
000821 | // -----
000822 | static void LoadMissionTradersFile( string name )
000823 | {
000824 | #ifdef EXTRACE
000825 |     auto trace = EXTrace.Start(ExpansionTracing.MAPPING, ExpansionWorldObjectsModule);
000826 | #endif
000827 |
000828 |     CF_Log.Debug( "Attempting to load mission trader file: " + name );
000829 |
000830 |     string filePath = EXPANSION_MISSION_TRADERS_FOLDER + name;
000831 |     LoadTradersFile(filePath);
000832 |
000833 |     CF_Log.Debug( "Created all traders from mission trader file: " + filePath );
000834 | }
000835 |
000836 | static void LoadTradersFile( string filePath )
000837 | {
000838 | #ifdef EXTRACE
000839 |     auto trace = EXTrace.Start(ExpansionTracing.MAPPING, ExpansionWorldObjectsModule, filePath);
000840 | #endif
000841 |
000842 |     FileHandle file = OpenFile( filePath, FileMode.READ );
000843 |     if ( !file )
000844 |         return;
000845 |
000846 |     Object obj;
000847 |     EntityAI trader;
000848 |     string traderName;
000849 |     string className;
000850 |     string fileName;
000851 |     array<vector> positions;
000852 |     vector position;
000853 |     vector rotation;
000854 |     string gear;
000855 |
000856 |     int i, j;
000857 |
000858 |     while ( GetTraderFromMissionFile( file, traderName, positions, rotation, gear ) )
000859 |     {
000860 |         array<string> parts = new array<string>;
```

```
000861 |         traderName.Split(".", parts);
000862 |         className = parts[0];
000863 |         fileName = parts[1];
000864 |         position = positions[0];
000865 |
000866 |         CF_Log.Debug( "Attempt to create mission trader " + className + " at " + position + " from file:" + filePath + ".");
000867 |
000868 |         int flags = ECE_CREATEPHYSICS;
000869 |
000870 |         if (g_Game.IsKindOf(className, "DZ_LightAI"))
000871 |             flags |= ECE_INITAI;
000872 |         else
000873 |             flags |= ECE_NOLIFETIME | ECE_DYNAMIC_PERSISTENCY;
000874 |
000875 |         obj = ExpansionGame.CreateObjectExSafe(className, position, flags);
000876 |         if (!obj)
000877 |             continue;
000878 |
000879 |         obj.SetOrientation( rotation );
000880 |         obj.SetAffectPathgraph( true, false );
000881 |         obj.Update();
000882 |
000883 |         if ( obj.CanAffectPathgraph() )
000884 |         {
000885 |             g_Game.GetWorld().MarkObjectForPathgraphUpdate(obj);
000886 |         }
000887 |
000888 |         trader = EntityAI.Cast( obj );
000889 |         if ( trader )
000890 |         {
000891 |             if ( gear )
000892 |             {
000893 |                 ProcessGear(trader, gear);
000894 |             }
000895 |
000896 |             ExpansionTraderNPCBase traderNPC;
000897 |             ExpansionTraderStaticBase traderStatic;
000898 |             ExpansionTraderZombieBase traderZombie;
000899 |             #ifdef ENFUSION_AI_PROJECT
000900 |             ExpansionTraderAIBase traderAI;
000901 |             #endif
000902 |             if (fileName == string.Empty)
000903 |                 EXError.Warn(null, string.Format("Entity %1 from file %2 has no associated trader filename", className, filePath), {});
000904 |             else
000905 |                 EXPrint("LoadMissionTradersFile trader " + trader + " fileName " + fileName);
000906 |             if ( Class.CastTo( traderNPC, obj ) )
000907 |                 traderNPC.LoadTrader(fileName);
000908 |             else if ( Class.CastTo( traderStatic, obj ) )
000909 |                 traderStatic.LoadTrader(fileName);
000910 |             else if ( Class.CastTo( traderZombie, obj ) )
000911 |                 traderZombie.LoadTrader(fileName);
000912 |             #ifdef ENFUSION_AI_PROJECT
000913 |             else if ( Class.CastTo( traderAI, obj ) )
000914 |             {
000915 |                 traderAI.LoadTrader(fileName);
000916 |
000917 |                 eAIGroup ownerGrp = traderAI.GetGroup();
000918 |                 for ( j = 0; j < positions.Count(); j++ )
000919 |                 {
000920 |                     EXPrint("Adding waypoint " + positions[j]);
000921 |                     ownerGrp.AddWaypoint( positions[j] );
000922 |                 }
000922 |             }
```

```
000923 |
000924 |         ownerGrp.SetWaypointBehaviour(eAIWaypointBehavior.ALTERNATE);
000925 |     }
000926 | #endif
000927 | else
000928 | {
000929 |     ExpansionMarketModule.s_Instance.AddCustomTrader(trader, fileName); //! Support any networked entity as trader
000930 |
000931 |     trader.SetAllowDamage(false);
000932 |
000933 |     ItemBase item = ItemBase.Cast(trader);
000934 |     if (item)
000935 |         item.Expansion_SetLootable(false);
000936 | }
000937 |
000938 | CF_Log.Debug( "   Created" );
000939 | }
000940 | else
000941 | {
000942 |     EXError.Error(null, string.Format("Object %1 from file %2 is not a valid trader classname", className, filePath), {});
000943 | }
000944 | }
000945 |
000946 | CloseFile( file );
000947 |
000948 | g_Game.GetWorld().ProcessMarkedObjectsForPathgraphUpdate();
000949 | }
000950 |
000951 | // -----
000952 | // Expansion GetTraderFromMissionFile
000953 | // -----
000954 | static bool GetTraderFromMissionFile( FileHandle file, out string name, out array<vector> positions, out vector rotation, out string gear )
000955 | {
000956 |     string line;
000957 |     int lineSize = FGets( file, line );
000958 |
000959 |     if ( lineSize < 1 )
000960 |         return false;
000961 |
000962 |     TStringArray tokens = new TStringArray;
000963 |     line.Split( "|", tokens );
000964 |
000965 |     name = tokens.Get( 0 );
000966 |     TStringArray positionTokens = new TStringArray;
000967 |     tokens.Get( 1 ).Split( ",", positionTokens );
000968 |     positions = new array<vector>;
000969 |     vector coordinate;
000970 |     foreach (string positionToken : positionTokens)
000971 |     {
000972 |         TStringArray coordinateTokens = new TStringArray;
000973 |         positionToken.Split( " ", coordinateTokens );
000974 |         if ( coordinateTokens.Count() == 2 )
000975 |         {
000976 |             coordinate = Vector( 0, 0, 0 );
000977 |             coordinate[0] = coordinateTokens[0].ToFloat();
000978 |             coordinate[2] = coordinateTokens[1].ToFloat();
000979 |             coordinate[1] = g_Game.SurfaceY( coordinate[0], coordinate[2] );
000980 |         }
000981 |         else
000982 |         {
000983 |             coordinate = positionToken.ToVector();
000984 |         }
000985 |     }
000986 | }
```

```
000985 |         positions.Insert( coordinate );
000986 |     }
000987 |     rotation = tokens.Get( 2 ).ToVector();
000988 |
000989 |     gear = tokens.Get( 3 );
000990 |
000991 |     return true;
000992 | }
000993 | #endif
000994 | }
000995 |
000996 | typedef ExpansionWorldObjectsModule ExpansionObjectSpawnTools;
000997 |
```

0303. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Lights\ExpansionBlinkLight.c

Size bytes: 519

SHA-256: 7aab194218ecdd772c5849c0eae4ef9ae3f9c47218276e70f85fb96004d7f6d6

Decoded as: utf-8-sig

Line count shown: 23

Detected class declarations: 1

L16: class ExpansionBlinkLight: ExpansionPointLight

Detected enum declarations: 0

Detected function/method-like declarations: 1

L18: void ExpansionBlinkLight()

Full file content

```
000001 | /**
000002 |  * ExpansionBlinkLight.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionBlinkingLight
000014 |  * @brief
000015 |  */
000016 | class ExpansionBlinkLight: ExpansionPointLight
000017 | {
000018 |     void ExpansionBlinkLight()
000019 |     {
000020 |         SetBlinkingSpeed(3.0);
000021 |     }
000022 | };
000023 |
```

0304. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Lights\ExpansionLighthouseLampLight.c

Size bytes: 1417

SHA-256: 3e8ebd067287adc1be7059d49c642786a34567fa3ab78c840cd783b2516f2f62

Decoded as: utf-8-sig

Line count shown: 63

Detected class declarations: 3

L13: class ExpansionLighthouseLampLight_Base: SpotLightBase

L44: class ExpansionLighthouseLampLight_Inner: ExpansionLighthouseLampLight_Base

L54: class ExpansionLighthouseLampLight_Outer: ExpansionLighthouseLampLight_Base

Detected enum declarations: 0

Detected function/method-like declarations: 5

L15: void ExpansionLighthouseLampLight_Base()

L31: void ~ExpansionLighthouseLampLight_Base()

L39: override void CheckIfParentIsInCargo()

L46: void ExpansionLighthouseLampLight_Inner()

L56: void ExpansionLighthouseLampLight_Outer()

Full file content

```
000001 | /**
000002 |  * ExpansionLighthouseLampLight.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionLighthouseLampLight_Base: SpotLightBase
000014 | {
000015 |     void ExpansionLighthouseLampLight_Base()
000016 |     {
000017 | #ifdef EXPANSIONTRACE
000018 |         auto trace = EXTrace.Start(ExpansionTracing.LIGHTHOUSE, this);
000019 | #endif
000020 |
000021 |         SetVisibleDuringDaylight( false );
000022 |         SetCastShadow( false );
000023 |         SetDiffuseColor( 1, 1, 0.8 );
000024 |         SetAmbientColor( 1, 1, 0.8 );
000025 |         SetAmbientAlpha( 1 );
000026 |         SetEnabled( true );
000027 |         SetFlareVisible( true );
000028 |         FadeIn(0.3);
000029 |     }
000030 |
000031 |     void ~ExpansionLighthouseLampLight_Base()
000032 |     {
000033 | #ifdef EXPANSIONTRACE
000034 |         auto trace = EXTrace.Start(ExpansionTracing.LIGHTHOUSE, this);
000035 | #endif
000036 |
000037 |     }
000038 |
000039 |     override void CheckIfParentIsInCargo()
000040 |     {
```

```
000041 |     }
000042 | }
000043 |
000044 | class ExpansionLighthouseLampLight_Inner: ExpansionLighthouseLampLight_Base
000045 | {
000046 |     void ExpansionLighthouseLampLight_Inner()
000047 |     {
000048 |         SetRadiusTo(2);
000049 |         SetSpotLightAngle(100);
000050 |         SetBrightnessTo(20);
000051 |     }
000052 | };
000053 |
000054 | class ExpansionLighthouseLampLight_Outer: ExpansionLighthouseLampLight_Base
000055 | {
000056 |     void ExpansionLighthouseLampLight_Outer()
000057 |     {
000058 |         SetRadiusTo(500);
000059 |         SetSpotLightAngle(50);
000060 |         SetBrightnessTo(1.2);
000061 |     }
000062 | };
000063 |
```

0305. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Lights\ExpansionPointLight.c

Size bytes: 1563

SHA-256: ef226b528cf0e1522e9bda217bb09beb096981a53d9d0e23f6d63a79225ca6b0

Decoded as: utf-8-sig

Line count shown: 65

Detected class declarations: 1

L16: class ExpansionPointLight: PointLightBase

Detected enum declarations: 0

Detected function/method-like declarations: 4

L25: void ExpansionPointLight()

L45: void ~ExpansionPointLight()

L54: bool ExpansionGetEnabled()

L59: void ExpansionSetEnabled(bool enabled)

Full file content

```
000001 | /**
000002 |  * ExpansionPointLight.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | /**@class      ExpansionPointLight
000014 |  * @brief
000015 |  */
000016 | class ExpansionPointLight: PointLightBase
000017 | {
000018 |     float m_Val;
000019 |
000020 |     bool m_Enabled = true;
000021 |
000022 |     // -----
000023 |     // Constructor
000024 |     // -----
000025 |     void ExpansionPointLight()
000026 |     {
000027 | #ifdef EXPANSIONTRACE
000028 |         auto trace = CF_Trace_0(ExpansionTracing.LIGHTS, this, "ExpansionPointLight");
000029 | #endif
000030 |
000031 |         SetVisibleDuringDaylight(false);
000032 |         SetCastShadow(false);
000033 |         SetFlareVisible(true);
000034 |         SetRadiusTo( 10 );
000035 |         SetBrightnessTo(1);
000036 |         SetDiffuseColor(1,1,0.5);
000037 |
000038 |         EnableSpecular(false);
000039 |         EnableLinear(true);
000040 |     }
000041 |
000042 |     // -----
000043 |     // Destructor
```



```
000044 | // -----
000045 | void ~ExpansionPointLight()
000046 | {
000047 | #ifdef EXPANSIONTRACE
000048 |     auto trace = CF_Trace_0(ExpansionTracing.LIGHTS, this, "~ExpansionPointLight");
000049 | #endif
000050 |
000051 | }
000052 |
000053 | //! @note this exists because EntityLightSource::IsEnabled always return true...
000054 | bool ExpansionGetEnabled()
000055 | {
000056 |     return m_Enabled;
000057 | }
000058 |
000059 | void ExpansionSetEnabled( bool enabled )
000060 | {
000061 |     m_Enabled = enabled;
000062 |
000063 |     SetEnabled( enabled );
000064 | }
000065 | }
```

0306. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Lights\ExpansionStreetLight.c

Size bytes: 1457

SHA-256: 6ed799d8ae14bb4f194b8f95fe160d5601678b5dc63b965ea452256b01314aa0

Decoded as: utf-8-sig

Line count shown: 56

Detected class declarations: 1

L16: class ExpansionStreetLight: SpotLightBase

Detected enum declarations: 0

Detected function/method-like declarations: 3

L21: void ExpansionStreetLight()

L47: void ~ExpansionStreetLight()

L55: override void CheckIfParentIsInCargo() {};

Full file content

```
000001 | /**
000002 |  * ExpansionStreetLight.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionStreetLight
000014 |  * @brief
000015 |  */
000016 | class ExpansionStreetLight: SpotLightBase
000017 | {
000018 |     // -----
000019 |     // Constructor
000020 |     // -----
000021 |     void ExpansionStreetLight()
000022 |     {
000023 | #ifdef EXPANSIONTRACE
000024 |         auto trace = CF_Trace_0(ExpansionTracing.LIGHTS, this, "ExpansionStreetLight");
000025 | #endif
000026 |
000027 |         SetVisibleDuringDaylight( false );
000028 |
000029 |         SetSpotLightAngle(120);
000030 |         SetCastShadow( true );
000031 |         SetFlareVisible( true );
000032 |         SetFadeOutTime(0.15);
000033 |
000034 |         SetRadiusTo( 15 );
000035 |         SetBrightnessTo( 2.5 );
000036 |         SetFadeOutTime( 0.15 );
000037 |         SetAmbientColor( 1.0, 0.85, 0.75 );
000038 |         SetDiffuseColor( 1, 1, 0.5 );
000039 |
000040 |         EnableSpecular( true );
000041 |         EnableLinear(true);
000042 |     }
000043 |
000044 |     // -----
```

```
000045 | // Destructor
000046 | // -----
000047 | void ~ExpansionStreetLight()
000048 | {
000049 | #ifdef EXPANSIONTRACE
000050 |     auto trace = CF_Trace_0(ExpansionTracing.LIGHTS, this, "~ExpansionStreetLight");
000051 | #endif
000052 |
000053 | }
000054 |
000055 | override void CheckIfParentIsInCargo() {};
000056 | }
```

0307. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Static\ExpansionItemSpawnHelper.c
Size bytes: 26147
SHA-256: 095c97a6a4ebc121cdb89d8048233a8c3d34cd447fb4d4ef896a1012126fd6a2
Decoded as: utf-8-sig
Line count shown: 766
Detected class declarations: 1
  L13: class ExpansionItemSpawnHelper
Detected enum declarations: 0
Detected function/method-like declarations: 29
  L20: static Object SpawnOnParent(string className, PlayerBase player, inout EntityAI parent, out int remainingAmount, int quantityPercent = -1, T
  L64: else if (remainingAmount == -1)
  L68: else if (item.IsAmmoPile())
  L79: else if (!maxAmmo)
  L90: else if (item.IsMagazine())
  L102: else if (!item.IsInherited(Edible_Base) && item.Expansion_IsStackable())
  L112: else if (!max)
  L151: static EntityAI SpawnInInventorySecure(string className, notnull PlayerBase player, inout EntityAI parent, int skinIndex = -1, bool forceChe
  L221: static void TemporaryStorageNotification(notnull PlayerIdentity identity)
  L230: static void SpawnAttachments(TStringArray attachments, EntityAI parent, int skinIndex = -1)
  L239: static void SpawnAttachments(TStringArray attachments, PlayerBase player, EntityAI parent, int quantityPercent = -1, int skinIndex = -1, boo
  L254: static EntityAI SpawnInInventory(string name, EntityAI parent, int skinIndex = -1, bool attachOnly = false, bool forceCheckCanReceiveItem =
  L264: else if (attachOnly)
  L281: static EntityAI CreateInInventoryEx(EntityAI parent, string type, bool forceCheckCanReceiveItem = false)
  L308: else if (g_Game.ConfigIsExisting(CFG_WEAPONSPATH + " " + type))
  L310: else if (g_Game.ConfigIsExisting(CFG_VEHICLESPATH + " " + type))
  L360: static EntityAI CreateAndMoveToInventory(EntityAI parent, string type)
  L391: else if (obj)
  L401: static EntityAI SpawnAttachment(string name, EntityAI parent, int skinIndex = -1)
  L403: return SpawnInInventory(name, parent, skinIndex, true);
  L406: static bool IsSpawnPositionFree(vector position, vector orientation, string className, out Object blockingObject = NULL)
  L465: static Object GetObjectBlockingPosition(vector position, vector orientation, vector size, array<Object> excluded_objects = null)
  L493: static Object SpawnVehicle( string className, PlayerBase player, inout EntityAI parent, vector position, vector orientation, out int remaini
  L547: else if (Class.CastTo(hypeTrain, obj))
  L581: protected static void ISHDebugPrint(string text)
  L585: static string DumpLocationToString(InventoryLocation loc)
  L593: static EntityAI Clone(EntityAI src, bool recursively = true, InventoryLocation location = null, bool keepUnlootable = false)
  L645: InventoryLocation cLocation();
  L646: InventoryLocation dLocation();

```

Full file content

```

000001 | /**
000002 |  * ExpansionItemSpawnHelper.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionItemSpawnHelper
000014 | {
000015 |     static ref map<string, vector> s_VehicleSizes = new map<string, vector>;
000016 |
000017 |     // -----
000018 |     // Expansion Object SpawnOnParent

```

```
000019 | // -----
000020 | static Object SpawnOnParent(string className, PlayerBase player, inout EntityAI parent, out int remainingAmount, int quantityPercent = -1, TStringArray attach
ments = NULL, int skinIndex = -1, bool magFillAmmo = true, inout bool attachmentNotAttached = false)
000021 | {
000022 | #ifdef EXPANSIONTRACE
000023 |     auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, "ExpansionItemSpawnHelper", "SpawnOnParent");
000024 | #endif
000025 |
000026 |     if (quantityPercent < 0)
000027 |         quantityPercent = 100;
000028 |
000029 |     ///! Try to spawn in inventory first
000030 |     Object obj = SpawnInInventorySecure(className, player, parent, skinIndex, true);
000031 |
000032 |     ItemBase item;
000033 |     if (!Class.CastTo(item, obj))
000034 |     {
000035 |         ///! NULL or not an item
000036 |
000037 |         remainingAmount--;
000038 |
000039 |         if (obj)
000040 |         {
000041 |             ///! Not an item, but was spawned in inventory. Get rid of it.
000042 |             ///! TODO: This is just here for historical reasons, do we really need it?
000043 |
000044 |             g_Game.ObjectDelete(obj);
000045 |
000046 |             return NULL;
000047 |         }
000048 |
000049 |         ///! Spawn on ground
000050 |         obj = g_Game.CreateObject(className, parent.GetPosition(), false, g_Game.IsKindOf(className, "DZ_LightAI"));
000051 |         if (!Class.CastTo(item, obj))
000052 |         {
000053 |             if (obj)
000054 |             {
000055 |                 return obj;
000056 |             }
000057 |
000058 |             return NULL;
000059 |         }
000060 |
000061 |         if (skinIndex > -1 && item.ExpansionHasSkin(skinIndex))
000062 |             item.ExpansionSetSkin(skinIndex);
000063 |     }
000064 |     else if (remainingAmount == -1)
000065 |     {
000066 |         ///! Ignore remaining amount
000067 |     }
000068 |     else if (item.IsAmmoPile())
000069 |     {
000070 |         ///! Ammo/Bullets
000071 |         Ammunition_Base ammo = Ammunition_Base.Cast(item);
000072 |         int maxAmmo = ammo.GetAmmoMax();
000073 |
000074 |         if (remainingAmount < maxAmmo)
000075 |         {
000076 |             ammo.ServerSetAmmoCount(remainingAmount);
000077 |             remainingAmount = 0;
000078 |         }
000079 |         else if (!maxAmmo)
```

```
000080 |         {
000081 |             Error("Error: " + className + " max ammo count is zero! Faulty config.cpp");
000082 |             remainingAmount = 0;
000083 |         }
000084 |     else
000085 |     {
000086 |         ammo.ServerSetAmmoCount(maxAmmo);
000087 |         remainingAmount -= maxAmmo;
000088 |     }
000089 | }
000090 | else if (item.IsMagazine())
000091 | {
000092 |     //! Magazines
000093 |     Magazine mag = Magazine.Cast(item);
000094 |
000095 |     remainingAmount--;
000096 |
000097 |     if (mag.FillAmmo)
000098 |         mag.ServerSetAmmoCount(Math.Round(mag.GetAmmoMax() * quantityPercent / 100));
000099 |     else
000100 |         mag.ServerSetAmmoCount(0);
000101 | }
000102 | else if (!item.IsInherited(Edible_Base) && item.Expansion_IsStackable())
000103 | {
000104 |     //! Stackable items
000105 |     int max = item.GetQuantityMax();
000106 |
000107 |     if (remainingAmount < max)
000108 |     {
000109 |         item.SetQuantity(remainingAmount);
000110 |         remainingAmount = 0;
000111 |     }
000112 |     else if (!max)
000113 |     {
000114 |         Error("Error: " + className + " max quantity/stack is zero! Faulty config.cpp");
000115 |         remainingAmount = 0;
000116 |     }
000117 |     else
000118 |     {
000119 |         item.SetQuantity(max);
000120 |         remainingAmount -= max;
000121 |     }
000122 | }
000123 | else
000124 | {
000125 |     //! Everything else
000126 |
000127 |     remainingAmount--;
000128 |
000129 |     if (item.HasQuantity())
000130 |     {
000131 |         float itemQuantity = item.GetQuantityMax() * quantityPercent / 100;
000132 |         if (item.Expansion_IsStackable())
000133 |             itemQuantity = Math.Round(itemQuantity);
000134 |         item.SetQuantity(itemQuantity);
000135 |
000136 |         if (item.GetCompEM())
000137 |             item.GetCompEM().SetEnergy0To1(quantityPercent / 100);
000138 |     }
000139 | }
000140 |
000141 | if (item.CanBeDisinfected())
```

```
000142 |         item.SetCleanness(1);
000143 |
000144 |         if (attachments)
000145 |             SpawnAttachments( attachments, player, item, quantityPercent, skinIndex, magFillAmmo, attachmentNotAttached );
000146 |
000147 |         return obj;
000148 |     }
000149 |
000150 |     ///! Spawn in parent inventory, use player-owned temporary storage container if inventory full
000151 |     static EntityAI SpawnInInventorySecure(string className, notnull PlayerBase player, inout EntityAI parent, int skinIndex = -1, bool forceCheckCanReceiveItem =
false)
000152 |     {
000153 |     #ifdef EXPANSIONTRACE
000154 |         auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, "ExpansionItemSpawnHelper", "SpawnInInventorySecure");
000155 |     #endif
000156 |
000157 |         bool canSpawnInInventory = ExpansionStatic.IsInventoryItem(className);
000158 |
000159 |         if (!canSpawnInInventory)
000160 |         {
000161 |             Error("Not an inventory item: " + className);
000162 |             return NULL;
000163 |         }
000164 |
000165 |         EntityAI entity;
000166 |         ExpansionTemporaryOwnedContainer newStorage;
000167 |         ExpansionTemporaryOwnedContainer existingPlayerStorage = player.Expansion_GetTemporaryOwnedContainer();
000168 |         ExpansionTemporaryOwnedContainer playerStorage = existingPlayerStorage;
000169 |         ExpansionTemporaryOwnedContainer storage;
000170 |
000171 |         /**
000172 |          * To spawn in inventory, we try in order:
000173 |          *
000174 |          * 1. In parent inventory
000175 |          * 2. In player's existing temporary container, if any
000176 |          * 3. In new temporary container
000177 |          */
000178 |         while (true)
000179 |         {
000180 |             if (Class.CastTo(storage, parent))
000181 |                 storage.ExpansionSetCanReceiveItems(true);
000182 |
000183 |             entity = SpawnInInventory(className, parent, skinIndex, false, forceCheckCanReceiveItem);
000184 |
000185 |             if (storage)
000186 |                 storage.ExpansionSetCanReceiveItems(false);
000187 |
000188 |             ///! If entity couldn't be spawned but we have a new temporary container, sth definitely is wrong and we need to abort
000189 |             if (entity || newStorage)
000190 |                 break;
000191 |
000192 |             ///! If it's an inventory item and couldn't be spawned in parent inventory (likely because it's full),
000193 |             ///! use existing player temporary container or create new temporary storage container and set as parent
000194 |             if (playerStorage)
000195 |             {
000196 |                 parent = playerStorage;
000197 |                 playerStorage = null; ///! null it so next iteration of the while loop we create a new one
000198 |             }
000199 |             else
000200 |             {
000201 |                 if (!Class.CastTo(newStorage, g_Game.CreateObjectEx("ExpansionTemporaryOwnedContainer", player.GetPosition(), ECE_PLACE_ON_SURFACE)))
000202 |                 {
```

```
000203 |         Error("Failed to create temporary storage container!");
000204 |
000205 |         return NULL;
000206 |     }
000207 |
000208 |     player.Expansion_SetTemporaryOwnedContainer(newStorage);
000209 |
000210 |     parent = newStorage;
000211 |     playerStorage = newStorage;
000212 | }
000213 |
000214 |
000215 | if (storage && !existingPlayerStorage)
000216 |     g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Call(TemporaryStorageNotification, player.GetIdentity());
000217 |
000218 |     return entity;
000219 | }
000220 |
000221 | static void TemporaryStorageNotification(notnull PlayerIdentity identity)
000222 | {
000223 |     ExpansionNotification("STR_EXPANSION_TEMPORARY_STORAGE", "STR_EXPANSION_TEMPORARY_STORAGE_INFO", EXPANSION_NOTIFICATION_ICON_INFO, COLOR_EXPANSION_NOTIFIC
000224 | ATION_SUCCESS, 6, ExpansionNotificationType.TOAST).Create(identity);
000225 | }
000226 | // -----
000227 | // Expansion SpawnAttachments
000228 | // -----
000229 | //! Use this form when spawning locally (e.g. only client-side)
000230 | static void SpawnAttachments(TStringArray attachments, EntityAI parent, int skinIndex = -1)
000231 | {
000232 |     foreach (string attachmentName: attachments)
000233 |     {
000234 |         SpawnInInventory(attachmentName, parent, skinIndex);
000235 |     }
000236 | }
000237 |
000238 | //! Use this form when spawning normally (makes sure items get spawned when they don't fit in inventory)
000239 | static void SpawnAttachments(TStringArray attachments, PlayerBase player, EntityAI parent, int quantityPercent = -1, int skinIndex = -1, bool magFillAmmo = tr
000240 | ue, inout bool attachmentNotAttached = false)
000241 | {
000242 |     int remainingAmount = -1;
000243 |     foreach (string attachmentName: attachments)
000244 |     {
000245 |         EntityAI attachmentParent = parent;
000246 |         SpawnOnParent(attachmentName, player, attachmentParent, remainingAmount, quantityPercent, NULL, skinIndex, magFillAmmo);
000247 |         if (attachmentParent != parent)
000248 |             attachmentNotAttached = true;
000249 |     }
000250 | }
000251 | // -----
000252 | // Expansion EntityAI SpawnInInventory
000253 | // -----
000254 | static EntityAI SpawnInInventory(string name, EntityAI parent, int skinIndex = -1, bool attachOnly = false, bool forceCheckCanReceiveItem = false)
000255 | {
000256 |     EntityAI entity;
000257 |
000258 |     if (parent.GetInventory())
000259 |     {
000260 |         ItemBase parentItem = ItemBase.Cast(parent);
000261 |
000262 |         if (parentItem)
```



```
000263 |         entity = parentItem.ExpansionCreateInInventory(name, attachOnly);
000264 |     else if (attachOnly)
000265 |         entity = parent.GetInventory().CreateAttachment(name);
000266 |     else
000267 |         entity = CreateInInventoryEx(parent, name, forceCheckCanReceiveItem);
000268 |
000269 |     if (entity)
000270 |     {
000271 |         ItemBase item = ItemBase.Cast(entity);
000272 |
000273 |         if (item && skinIndex > -1 && item.ExpansionHasSkin(skinIndex))
000274 |             item.ExpansionSetSkin(skinIndex);
000275 |     }
000276 | }
000277 |
000278 |     return entity;
000279 | }
000280 |
000281 | static EntityAI CreateInInventoryEx(EntityAI parent, string type, bool forceCheckCanReceiveItem = false)
000282 | {
000283 |     EntityAI newEntity;
000284 |
000285 |     ///! First, we try to spawn item in parent inventory directly.
000286 |     ///! This can fail if parent is player even if player has clothing that still has enough space, so, ...
000287 |     if (forceCheckCanReceiveItem)
000288 |         newEntity = CreateAndMoveToInventory(parent, type);
000289 |     else
000290 |         newEntity = parent.GetInventory().CreateInInventory(type);
000291 |
000292 |     if (!newEntity)
000293 |     {
000294 |         ///! ...second, we check if the item would fit in cargo by creating it locally
000295 |         ///! (unlike CreateInInventory/FindFirstFreeLocationForNewEntity, this deals with rotating the item if it doesn't fit otherwise)
000296 |         ///! @note since this uses CreateAndMoveToInventory, we only need to do this if forceCheckCanReceiveItem is false,
000297 |         ///! else it will already have been done above
000298 |         if (!forceCheckCanReceiveItem)
000299 |         {
000300 |             CargoBase cargo = parent.GetInventory().GetCargo();
000301 |             if (cargo)
000302 |             {
000303 |                 TIntArray itemSize = {};
000304 |
000305 |                 string path;
000306 |                 if (g_Game.ConfigIsExisting(CFG_MAGAZINESPATH + " " + type))
000307 |                     path = CFG_MAGAZINESPATH;
000308 |                 else if (g_Game.ConfigIsExisting(CFG_WEAPONSPATH + " " + type))
000309 |                     path = CFG_WEAPONSPATH;
000310 |                 else if (g_Game.ConfigIsExisting(CFG_VEHICLESPATH + " " + type))
000311 |                     path = CFG_VEHICLESPATH;
000312 |                 else
000313 |                     return null;
000314 |
000315 |                 g_Game.ConfigGetIntArray(path + " " + type + " itemSize", itemSize);
000316 |
000317 |                 int cargoMax = Math.Max(cargo.GetWidth(), cargo.GetHeight());
000318 |                 int cargoMin = Math.Min(cargo.GetWidth(), cargo.GetHeight());
000319 |                 int itemMax = Math.Max(itemSize[0], itemSize[1]);
000320 |                 int itemMin = Math.Min(itemSize[0], itemSize[1]);
000321 |
000322 |                 ///! We don't even attempt to create the item if it wouldn't fit anyway due to size
000323 |                 if (cargoMax >= itemMax && cargoMin >= itemMin)
000324 |                 {
```

```

000325 |         newEntity = CreateAndMoveToInventory(parent, type);
000326 |         if (newEntity)
000327 |             return newEntity;
000328 |     }
000329 | }
000330 | }
000331 |
000332 |     ///! ...third, if all else failed, we look through all attachments manually to see if item can be created.
000333 |     ///! We deliberately ignore items in cargo even if they could receive items because having to dig through
000334 |     ///! inventories of items in clothing to find (e.g.) sth you have just purchased at a trader is annoying for players.
000335 |     for (int i = 0; i < parent.GetInventory().AttachmentCount(); i++)
000336 |     {
000337 |         EntityAI att = parent.GetInventory().GetAttachmentFromIndex(i);
000338 |         newEntity = CreateInInventoryEx(att, type, forceCheckCanReceiveItem);
000339 |         if (newEntity)
000340 |         {
000341 |             #ifdef DIAG_DEVELOPER
000342 |                 EXTrace.Print(EXTrace.GENERAL_ITEMS, ExpansionItemSpawnHelper, "::CreateInInventoryEx - created " + newEntity + " on " + parent);
000343 |             #endif
000344 |             break;
000345 |         }
000346 |     }
000347 | }
000348 |
000349 |     return newEntity;
000350 | }
000351 |
000352 |     ///! Unlike GameInventory::CreateInInventory, this deals with rotating the item if it doesn't fit otherwise
000353 |     ///! and checks if parent can actually receive the created item
000354 |     ///! @note Implementation notes:
000355 |     ///! Moving the created temporary entity to the found inventory location (using TakeToDst) WILL NOT WORK because it's buggy as hell when
000356 |     ///! called several times in the same server tick with different entities, because FindFreeLocationFor will find the same location and the
000357 |     ///! entities created after the 1st one will just fail to be moved silently (TakeToDst will still return true).
000358 |     ///! Instead, we just discard the temporary entity, and create a fresh one directly at the found location. This works even if called
000359 |     ///! multiple times in the same server tick (e.g. in market).
000360 |     static EntityAI CreateAndMoveToInventory(EntityAI parent, string type)
000361 |     {
000362 |         EntityAI tmpEntity;
000363 |         EntityAI newEntity;
000364 |
000365 |         Object obj = g_Game.CreateObjectEx(type, "0 0 0", ECE_LOCAL);
000366 |         if (Class.CastTo(tmpEntity, obj))
000367 |         {
000368 |             auto src = new InventoryLocation();
000369 |             auto dst = new InventoryLocation();
000370 |
000371 |             if (tmpEntity.GetInventory().GetCurrentInventoryLocation(src) && parent.GetInventory().FindFreeLocationFor(tmpEntity, FindInventoryLocationType.ATTACH
MENT | FindInventoryLocationType.CARGO | FindInventoryLocationType.HANDS, dst))
000372 |             {
000373 |                 ///! @note for ATTACHMENT and CARGO, dst.GetParent() will be whatever item on parent (or parent itself) can receive the tmp entity
000374 |                 ///! Only for HANDS will parent and dst.GetParent() always be the same (i.e. the player)
000375 |                 switch (dst.GetType())
000376 |                 {
000377 |                     case InventoryLocationType.ATTACHMENT:
000378 |                         newEntity = GameInventory.LocationCreateEntity(dst, type, ECE_IN_INVENTORY, RF_DEFAULT);
000379 |                         break;
000380 |
000381 |                     case InventoryLocationType.CARGO:
000382 |                         newEntity = dst.GetParent().GetInventory().CreateEntityInCargoEx(type, dst.GetIdx(), dst.GetRow(), dst.GetCol(), dst.GetFlip()); ///! Only
way to get flip correct
000383 |                         break;
000384 |

```

```
000385 |         case InventoryLocationType.HANDS:
000386 |             newEntity = GameInventory.LocationCreateEntity(dst, type, ECE_IN_INVENTORY, RF_DEFAULT);
000387 |             break;
000388 |         }
000389 |     }
000390 | }
000391 | else if (obj)
000392 | {
000393 |     Error(obj.ToString() + " is not EntityAI");
000394 | }
000395 |
000396 | g_Game.ObjectDelete(obj);
000397 |
000398 | return newEntity;
000399 | }
000400 |
000401 | static EntityAI SpawnAttachment(string name, EntityAI parent, int skinIndex = -1)
000402 | {
000403 |     return SpawnInInventory(name, parent, skinIndex, true);
000404 | }
000405 |
000406 | static bool IsSpawnPositionFree(vector position, vector orientation, string className, out Object blockingObject = NULL)
000407 | {
000408 | #ifdef EXPANSIONTRACE
000409 |     auto trace = EXTrace.Start(ExpansionTracing.GENERAL_ITEMS, ExpansionItemSpawnHelper);
000410 | #endif
000411 |
000412 |     //className.ToLower();
000413 |
000414 |     vector size;
000415 |     if (!s_VehicleSizes.Find(className, size))
000416 |     {
000417 |         vector minMax[2];
000418 |         if (ExpansionStatic.GetCollisionBox(className, minMax))
000419 |         {
000420 |             size = Vector(minMax[1][0] - minMax[0][0], minMax[1][1] - minMax[0][1], minMax[1][2] - minMax[0][2]);
000421 |
000422 |             #ifdef DIAG_DEVELOPER
000423 |             Object debugBox;
000424 |
000425 |             //! Bottom left
000426 |             debugBox = g_Game.CreateObjectEx("ExpansionDebugBox_Blue", position, ECE_NOLIFETIME);
000427 |             debugBox.SetOrientation(orientation);
000428 |             debugBox.SetPosition(debugBox.ModelToWorld(Vector(-size[0] / 2, 0, -size[2] / 2)));
000429 |
000430 |             //! Bottom right
000431 |             debugBox = g_Game.CreateObjectEx("ExpansionDebugBox_Orange", position, ECE_NOLIFETIME);
000432 |             debugBox.SetOrientation(orientation);
000433 |             debugBox.SetPosition(debugBox.ModelToWorld(Vector(size[0] / 2, 0, -size[2] / 2)));
000434 |
000435 |             //! Top right
000436 |             debugBox = g_Game.CreateObjectEx("ExpansionDebugBox_Red", position, ECE_NOLIFETIME);
000437 |             debugBox.SetOrientation(orientation);
000438 |             debugBox.SetPosition(debugBox.ModelToWorld(Vector(size[0] / 2, size[1], size[2] / 2)));
000439 |
000440 |             //! Top left
000441 |             debugBox = g_Game.CreateObjectEx("ExpansionDebugBox_Purple", position, ECE_NOLIFETIME);
000442 |             debugBox.SetOrientation(orientation);
000443 |             debugBox.SetPosition(debugBox.ModelToWorld(Vector(-size[0] / 2, size[1], size[2] / 2)));
000444 |             #endif
000445 |         }
000446 |     }
    else
```

```
000447 |         {
000448 |             //! Fallback just in case
000449 |             size = "5 5 10";
000450 |         }
000451 |         s_VehicleSizes.Insert(className, size);
000452 |     }
000453 |
000454 |     //! Reduce check dimensions by 5% so we don't get blocked by objects the vehicle may stand on
000455 |     vector checkDimensions = Vector(size[0] * 0.95, size[1] * 0.95, size[2] * 0.95);
000456 |     vector checkPosition = Vector(position[0], position[1] + size[1] * 0.05, position[2]);
000457 |
000458 |     blockingObject = GetObjectBlockingPosition(checkPosition, orientation, checkDimensions);
000459 |
000460 |     CF_Log.Debug("IsVehicleSpawnPositionFree " + className + " size " + size + " pos " + position + " ori " + orientation + " blocking " + blockingObject);
000461 |
000462 |     return blockingObject == NULL;
000463 | }
000464 |
000465 | static Object GetObjectBlockingPosition(vector position, vector orientation, vector size, array<Object> excluded_objects = null)
000466 | {
000467 | #ifdef EXPANSIONTRACE
000468 |     auto trace = EXTrace.Start(ExpansionTracing.GENERAL_ITEMS, ExpansionItemSpawnHelper);
000469 | #endif
000470 |
000471 |     array<Object> objects = new array<Object>;
000472 |
000473 |     if (!g_Game.IsBoxColliding( position + Vector(0, size[1] / 2, 0), orientation, size, excluded_objects, objects))
000474 |         return NULL;
000475 |
000476 |     foreach (Object obj: objects)
000477 |     {
000478 |         bool match = false;
000479 |         //! https://feedback.bistudio.com/T173348
000480 |         if (obj.IsInherited(Man) || (obj.IsInherited(ItemBase) && obj.ConfigGetString("physLayer") == "item_large") || ExpansionVehicle.Get(obj))
000481 |             match = true;
000482 |
000483 |         if (match)
000484 |             return obj;
000485 |     }
000486 |
000487 |     return NULL;
000488 | }
000489 |
000490 | // -----
000491 | // Expansion Object SpawnVehicle
000492 | // -----
000493 | static Object SpawnVehicle( string className, PlayerBase player, inout EntityAI parent, vector position, vector orientation, out int remainingAmount, TStringA
rray attachments = NULL, int skinIndex = -1, string carKeyName = "", inout bool attachmentNotAttached = false )
000494 | {
000495 | #ifdef EXPANSIONTRACE
000496 |     auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, "ExpansionItemSpawnHelper", "SpawnVehicle");
000497 | #endif
000498 |
000499 |     int flags = ECE_CREATEPHYSICS|ECE_UPDATEPATHGRAPH;
000500 |
000501 |     bool placeOnSurface;
000502 |     //! https://feedback.bistudio.com/T173348
000503 |     if (!g_Game.IsKindOf(className, "ExpansionBoatScript") && !g_Game.IsKindOf(className, "ExpansionVehicleBoatBase"))
000504 |         placeOnSurface = true;
000505 |     if (placeOnSurface)
000506 |         flags |= ECE_TRACE;
000507 | }
```

```
000508 |         Object obj = g_Game.CreateObjectEx(className, position, flags);
000509 |
000510 |         remainingAmount--;
000511 |
000512 |         ExpansionVehicle vehicle;
000513 |         ItemBase keyb;
000514 |         #ifdef EXPANSIONMODVEHICLE
000515 |         ExpansionCarKey expkey;
000516 |         #endif
000517 |         #ifdef HypeTrain
000518 |         HypeTrain_PartBase hypeTrain;
000519 |         #endif
000520 |         if (ExpansionVehicle.Get(vehicle, obj))
000521 |         {
000522 |             vehicle.FillFluids();
000523 |
000524 |             if (skinIndex > -1)
000525 |                 vehicle.SetSkin(skinIndex);
000526 |
000527 |             if (carKeyName != "")
000528 |             {
000529 |                 Class.CastTo(keyb, SpawnInInventorySecure(carKeyName, player, parent));
000530 |
000531 |                 #ifdef EXPANSIONMODVEHICLE
000532 |                 if (Class.CastTo(expkey, keyb) && vehicle.CanBeLocked())
000533 |                 {
000534 |                     vehicle.PairKey(expkey);
000535 |                     vehicle.Lock(expkey);
000536 |                 }
000537 |                 #endif
000538 |             }
000539 |
000540 |             #ifdef EXPANSIONMODVEHICLE
000541 |             float dist = vehicle.GetModelZeroPointDistanceFromGround();
000542 |             if (placeOnSurface && position[1] + dist > vehicle.GetPosition()[1])
000543 |                 vehicle.GetEntity().SetPosition(position + Vector(0, dist, 0));
000544 |             #endif
000545 |         }
000546 |         #ifdef HypeTrain
000547 |         else if (Class.CastTo(hypeTrain, obj))
000548 |         {
000549 |             if (hypeTrain.GetLiquidQuantityMax())
000550 |                 hypeTrain.SetLiquidQuantity(hypeTrain.GetLiquidQuantityMax());
000551 |         }
000552 |         #endif
000553 |         else
000554 |         {
000555 |             if (obj)
000556 |             {
000557 |                 g_Game.ObjectDelete(obj);
000558 |             }
000559 |
000560 |             return NULL;
000561 |         }
000562 |
000563 |         #ifdef EXPANSIONMODVEHICLE
000564 |         //! Prevent boat getting flung in the air or stuck on ground due to random physics interaction
000565 |         if (obj.IsInherited(ExpansionBoatScript))
000566 |         {
000567 |             SetVelocity( obj, Vector( 0, 0, 0 ) );
000568 |             dBodySetAngularVelocity( obj, Vector( 0, 0, 0 ) );
000569 |             dBodyActive( obj, ActiveState.INACTIVE ); //! Boat physics will get reactivated by its DeferredInit
```

```
000570 |     }
000571 |     #endif
000572 |
000573 |     obj.SetOrientation(orientation);
000574 |
000575 |     if (attachments)
000576 |         SpawnAttachments(attachments, player, EntityAI.Cast(obj), skinIndex, false, attachmentNotAttached);
000577 |
000578 |     return obj;
000579 | }
000580 |
000581 | protected static void ISHDebugPrint(string text)
000582 | {
000583 | }
000584 |
000585 | static string DumpLocationToString(InventoryLocation loc)
000586 | {
000587 |     EXError.WarnOnce(null, "DEPRECATED, use ExpansionStatic::DumpToString");
000588 |
000589 |     return ExpansionStatic.DumpToString(loc);
000590 | }
000591 |
000592 | //! https://pastebin.com/FFuaPFiT, except without bugs :P
000593 | static EntityAI Clone(EntityAI src, bool recursively = true, InventoryLocation location = null, bool keepUnlootable = false)
000594 | {
000595 |     int i;
000596 |
000597 |     //! 1\) create entity at location
000598 |     EntityAI dst;
000599 |     switch (location.GetType())
000600 |     {
000601 |         case InventoryLocationType.GROUND:
000602 |             int flags = ECE_OBJECT_SWAP;
000603 |             if (src.IsKindOf("DZ_LightAI"))
000604 |                 flags |= ECE_INITAI;
000605 |             //! XXX: LocationCreateEntity with ECE\_PLACE\_ON\_SURFACE broke somewhere around 1.20 \(object rotation isn't applied\)
000606 |             //dst = GameInventory.LocationCreateEntity\(location, src.GetType\(\), flags, RF\_DEFAULT\);
000607 |             dst = EntityAI.Cast(g_Game.CreateObjectEx(src.GetType(), location.GetPos(), flags));
000608 |             if (dst && !src.GetHierarchyParent())
000609 |                 dst.SetOrientation(src.GetOrientation());
000610 |             break;
000611 |         case InventoryLocationType.ATTACHMENT:
000612 |             dst = GameInventory.LocationCreateEntity(location, src.GetType(), ECE_IN_INVENTORY, RF_DEFAULT);
000613 |             int slotId = location.GetSlot();
000614 |             if (location.GetParent() && src.GetHierarchyParent())
000615 |                 location.GetParent().GetInventory().SetSlotLock(slotId, src.GetHierarchyParent().GetInventory().GetSlotLock(slotId));
000616 |             break;
000617 |         case InventoryLocationType.HANDS:
000618 |             dst = GameInventory.LocationCreateEntity(location, src.GetType(), ECE_IN_INVENTORY, RF_DEFAULT);
000619 |             break;
000620 |         case InventoryLocationType.CARGO:
000621 |             case InventoryLocationType.PROXYCARGO:
000622 |                 dst = location.GetParent().GetInventory().CreateEntityInCargoEx(src.GetType(), location.GetIdx(), location.GetRow(), location.GetCol(), location.G
000623 | etFlip()); //! Only way to get flip correct
000624 |                 break;
000625 |             default:
000626 |                 EXTrace.Print(EXTrace.GENERAL_ITEMS, ExpansionItemSpawnHelper, "::Clone - unknown location type " + location.GetType());
000627 |                 return null;
000628 |     }
000629 |     if (!dst)
000630 |     {
```

```
000631 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, ExpansionItemSpawnHelper, "::Clone - failed to create " + src.GetType() + " at location " + ExpansionStatic.DumpT
oString(location));
000632 |             return null;
000633 |         }
000634 |
000635 |         location.SetItem(dst);
000636 |
000637 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, ExpansionItemSpawnHelper, "::Clone - created " + Object.GetDebugName(dst) + " at location " + ExpansionStatic.DumpToS
tring(location));
000638 |
000639 |         ///! @note order of operations matters! DO NOT CHANGE!
000640 |
000641 |         ///! 2) attachments + cargo
000642 |         if (recursively)
000643 |         {
000644 |             EntityAI cSrc;
000645 |             InventoryLocation cLocation();
000646 |             InventoryLocation dLocation();
000647 |             for (i = 0; i < src.GetInventory().AttachmentCount(); i++)
000648 |             {
000649 |                 cSrc = src.GetInventory().GetAttachmentFromIndex(i);
000650 |                 cSrc.GetInventory().GetCurrentInventoryLocation(cLocation);
000651 |                 dLocation.SetAttachment(dst, null, cLocation.GetSlot());
000652 |                 Clone(cSrc, recursively, dLocation);
000653 |             }
000654 |
000655 |             if (src.GetInventory().GetCargo())
000656 |             {
000657 |                 for (i = 0; i < src.GetInventory().GetCargo().GetItemCount(); i++)
000658 |                 {
000659 |                     cSrc = src.GetInventory().GetCargo().GetItem(i);
000660 |                     cSrc.GetInventory().GetCurrentInventoryLocation(cLocation);
000661 |                     dLocation.SetCargo(dst, null, cLocation.GetIdx(), cLocation.GetRow(), cLocation.GetCol(), cLocation.GetFlip());
000662 |                     Clone(cSrc, recursively, dLocation);
000663 |                 }
000664 |             }
000665 |
000666 |             if (src.IsMan())
000667 |             {
000668 |                 Man player = Man.Cast(src);
000669 |                 EntityAI entityInHands = player.GetHumanInventory().GetEntityInHands();
000670 |                 if (entityInHands)
000671 |                 {
000672 |                     dLocation.SetHands(dst, null);
000673 |                     Clone(entityInHands, recursively, dLocation);
000674 |                 }
000675 |             }
000676 |         }
000677 |
000678 |         ///! 3) special treatment for weapons
000679 |         Weapon_Base srcWeapon;
000680 |         Weapon_Base dstWeapon;
000681 |         if (Class.CastTo(srcWeapon, src) && Class.CastTo(dstWeapon, dst))
000682 |         {
000683 |             float ammoDamage;
000684 |             string ammoTypeName;
000685 |
000686 |             for (int mi = 0; mi < srcWeapon.GetMuzzleCount(); ++mi)
000687 |             {
000688 |                 if (!srcWeapon.IsChamberEmpty(mi))
000689 |                 {
000690 |                     if (srcWeapon.GetCartridgeInfo(mi, ammoDamage, ammoTypeName))
```

```
000691 |         {
000692 |             dstWeapon.PushCartridgeToChamber(mi, ammoDamage, ammoTypeName);
000693 |         }
000694 |     }
000695 |
000696 |     for (int ci = 0; ci < srcWeapon.GetInternalMagazineCartridgeCount(mi); ++ci)
000697 |     {
000698 |         if (srcWeapon.GetInternalMagazineCartridgeInfo(mi, ci, ammoDamage, ammoTypeName))
000699 |         {
000700 |             dstWeapon.PushCartridgeToInternalMagazine(mi, ammoDamage, ammoTypeName);
000701 |         }
000702 |     }
000703 | }
000704 | }
000705 |
000706 | //! 4) storesave/storeload
000707 | ScriptReadWriteContext ctx = new ScriptReadWriteContext;
000708 | src.OnStoreSave(ctx.GetWriteContext());
000709 | dst.OnStoreLoad(ctx.GetReadContext(), g_Game.SaveVersion());
000710 |
000711 | if (dstWeapon)
000712 |     dstWeapon.Expansion_ResetMuzzleModes();
000713 |
000714 | //! 4b) Volatile variables
000715 | ItemBase srcItem;
000716 | ItemBase dstItem;
000717 | if (Class.CastTo(srcItem, src) && Class.CastTo(dstItem, dst))
000718 | {
000719 |     if (!srcItem.Expansion_IsLootable() && keepUnlootable)
000720 |         dstItem.Expansion_SetLootable(false);
000721 |     dstItem.m_Expansion_PreviousOwner = srcItem.m_Expansion_CurrentOwner;
000722 | }
000723 |
000724 | //! 5) special treatment for mags
000725 | Magazine srcMag;
000726 | Magazine dstMag;
000727 | if (Class.CastTo(srcMag, src) && Class.CastTo(dstMag, dst))
000728 | {
000729 |     float damage; //! @note damage is the damage of the cartridge itself (0..1), NOT the damage it inflicts!
000730 |     string cartTypeName;
000731 |     dstMag.ServerSetAmmoCount(0);
000732 |     for (i = 0; i < srcMag.GetAmmoCount(); i++)
000733 |     {
000734 |         srcMag.GetCartridgeAtIndex(i, damage, cartTypeName);
000735 |         dstMag.ServerStoreCartridge(damage, cartTypeName);
000736 |     }
000737 | }
000738 |
000739 | //! 6) Special treatment for vehicles (no special treatment needed for ExpansionVehicleBase since it inherits from ItemBase)
000740 | ExpansionVehicle srcVehicle;
000741 | ExpansionVehicle dstVehicle;
000742 | if (ExpansionVehicle.Get(srcVehicle, src) && ExpansionVehicle.Get(dstVehicle, dst))
000743 | {
000744 |     srcVehicle.CloneFluidsTo(dstVehicle);
000745 | }
000746 |
000747 | //! 7) global health and damage zones
000748 | TStringArray dmgZones = {};
000749 | src.GetDamageZones(dmgZones);
000750 | dst.SetHealth(src.GetHealth());
000751 | foreach (string dmgZone: dmgZones)
000752 | {
```



```
000753 |         dst.SetHealth(dmgZone, "Health", src.GetHealth(dmgZone, "Health"));
000754 |     }
000755 |
000756 |     //! FINAL
000757 |     dst.AfterStoreLoad();
000758 |     dst.SetSynchDirty();
000759 |     if (dstWeapon)
000760 |         dstWeapon.Synchronize();
000761 |     g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Call(dst.EE0nAfterLoad);  //! Make sure EE0nAfterLoad gets called AFTER whole hierarchy has loaded
000762 |
000763 |     return dst;
000764 | }
000765 | }
000766 |
```

0308. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Static\ExpansionTransferInventory.c
Size bytes: 4483
SHA-256: 333420fa48aacd016057e7c0d74c30518257341d7bdb237b7199808a39d61eb6
Decoded as: utf-8-sig
Line count shown: 161
Detected class declarations: 0
Detected enum declarations: 0
Detected function/method-like declarations: 2
  L13: static TransferInventoryResult ExpansionTransferInventory(EntityAI sourceItem, EntityAI targetItem, bool dropUsingPhysics = false)
  L87: static void Expansion_PhysicsDropAttachments(EntityAI parent)

```

Full file content

```

000001 | /**
000002 |  * ExpansionTransferInventory.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | static TransferInventoryResult ExpansionTransferInventory(EntityAI sourceItem, EntityAI targetItem, bool dropUsingPhysics = false)
000014 | {
000015 |     TransferInventoryResult result = TransferInventoryResult.Ok;
000016 |
000017 |     array<EntityAI> children = new array<EntityAI>;
000018 |     children.Reserve(sourceItem.GetInventory().CountInventory());
000019 |
000020 |     sourceItem.GetInventory().EnumerateInventory(InventoryTraversalType.LEVELORDER, children);
000021 |
000022 |     for (int i = 0; i < children.Count(); i++)
000023 |     {
000024 |         auto child = children[i];
000025 |         if (!child)
000026 |             continue;
000027 |
000028 |         InventoryLocation child_src = new InventoryLocation;
000029 |         child.GetInventory().GetCurrentInventoryLocation(child_src);
000030 |
000031 |         InventoryLocation child_dst = new InventoryLocation;
000032 |         if (child_src.GetType() != InventoryLocationType.HANDS)
000033 |         {
000034 |             child_dst.Copy(child_src);
000035 |             child_dst.SetParent(targetItem);
000036 |         }
000037 |
000038 |         float health;
000039 |
000040 |         if (g_Game.IsServer())
000041 |         {
000042 |             health = child.GetHealth();
000043 |             child.SetHealth(child.GetMaxHealth()); //! Set item to max health, so we can move ruined items
000044 |         }
000045 |
000046 |         if (child_src.GetType() != InventoryLocationType.HANDS && GameInventory.LocationCanAddEntity(child_dst))

```

```
000047 | {
000048 |     if (g_Game.IsMultiplayer())
000049 |         sourceItem.GetInventory().TakeToDst(InventoryMode.SERVER, child_src, child_dst);
000050 |     else
000051 |         sourceItem.GetInventory().TakeToDst(InventoryMode.LOCAL, child_src, child_dst);
000052 | }
000053 | else
000054 | {
000055 |     if (dropUsingPhysics)
000056 |     {
000057 |         vector mat[4];
000058 |         child.GetTransform(mat);
000059 |         child_dst.SetGround(child, mat);
000060 |
000061 |         if (g_Game.IsMultiplayer())
000062 |             sourceItem.GetInventory().TakeToDst(InventoryMode.SERVER, child_src, child_dst);
000063 |         else
000064 |             sourceItem.GetInventory().TakeToDst(InventoryMode.LOCAL, child_src, child_dst);
000065 |
000066 |         child.CreateDynamicPhysics(PhxInteractionLayers.DYNAMICITEM);
000067 |         child.EnableDynamicCCD(true);
000068 |         child.SetDynamicPhysicsLifeTime(20);
000069 |     }
000070 |     else
000071 |     {
000072 |         if (g_Game.IsMultiplayer())
000073 |             sourceItem.GetInventory().DropEntity(InventoryMode.SERVER, sourceItem, child);
000074 |         else
000075 |             sourceItem.GetInventory().DropEntity(InventoryMode.LOCAL, sourceItem, child);
000076 |     }
000077 |
000078 |     result = TransferInventoryResult.DroppedSome;
000079 | }
000080 |
000081 | if (g_Game.IsServer())
000082 |     child.SetHealth(health);
000083 | }
000084 | return result;
000085 | }
000086 |
000087 | static void Expansion_PhysicsDropAttachments(EntityAI parent)
000088 | {
000089 |     if (!g_Game.IsServer())
000090 |         return;
000091 |
000092 |     InventoryMode invMode = InventoryMode.SERVER;
000093 |     if (!g_Game.IsMultiplayer())
000094 |         invMode = InventoryMode.LOCAL;
000095 |
000096 |     bool exploded;
000097 |     bool hasFakeWheels;
000098 |     #ifdef EXPANSIONMODVEHICLE
000099 |         ExpansionVehicle vehicle;
000100 |         if (ExpansionVehicle.Get(vehicle, parent))
000101 |         {
000102 |             if (vehicle.IsExploded())
000103 |                 exploded = true;
000104 |
000105 |             if (!vehicle.IsCar() && !vehicle.IsDuck())
000106 |                 hasFakeWheels = true;
000107 |         }
000108 |     #endif
```

```
000109 |  
000110 |    /// Popping attachments off changes attachment count, so do this in reverse order  
000111 |    for (int i = parent.GetInventory().AttachmentCount() - 1; i >= 0; i--)  
000112 |    {  
000113 |        EntityAI entity = parent.GetInventory().GetAttachmentFromIndex(i);  
000114 |  
000115 |        if (entity.Type() == HatchbackWheel && hasFakeWheels)  
000116 |            continue;  
000117 |  
000118 |        vector transform[4];  
000119 |        entity.GetTransform(transform);  
000120 |  
000121 |        ItemBase ib;  
000122 |        Class.CastTo(ib, entity);  
000123 |  
000124 |        vector velocity = dBodyGetVelocityAt(parent, transform[3]);  
000125 |        float mass = dBodyGetMass(entity);  
000126 |        if (!mass && ib)  
000127 |            mass = ib.GetWeight() / 1000;  
000128 |        vector force = velocity * mass;  
000129 |  
000130 |    #ifdef EXPANSIONMODVEHICLE  
000131 |        /// If parent is exploded vehicle, make parts fly off violently  
000132 |        if (exploded)  
000133 |        {  
000134 |            if (!force.Length())  
000135 |                force = entity.GetDirection(); /// If vehicle is standing still, use direction vector instead of velocity  
000136 |            force = force.Normalized() * 500;  
000137 |        }  
000138 |    #endif  
000139 |  
000140 |        if (ib)  
000141 |        {  
000142 |            InventoryLocation src = new InventoryLocation;  
000143 |            ib.GetInventory().GetCurrentInventoryLocation(src);  
000144 |            InventoryLocation dst = new InventoryLocation;  
000145 |            dst.SetGround(ib, transform);  
000146 |  
000147 |            if (ib.GetInventory().TakeToDst(invMode, src, dst))  
000148 |            {  
000149 |                ib.ThrowPhysically(null, force);  
000150 |            }  
000151 |        }  
000152 |    else  
000153 |    {  
000154 |        if (entity.GetInventory().DropEntity(invMode, entity.GetHierarchyRoot(), entity))  
000155 |        {  
000156 |            dBodyApplyImpulse(entity, force);  
000157 |        }  
000158 |    }  
000159 | }  
000160 | }  
000161 |
```

0309. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Static\MiscGameplayFunctions.c
 Size bytes: 9515
 SHA-256: 6ca457bc22dc6c7ccb1c7c463cc0d003d545fb6f42e4491f7e7ce2efb22066a6
 Decoded as: utf-8-sig
 Line count shown: 342
 Detected class declarations: 1
 L13: modded class MiscGameplayFunctions
 Detected enum declarations: 0
 Detected function/method-like declarations: 9
 L18: static bool Expansion_IsLooseEntity(EntityAI item, bool checkIfRuined = false)
 L72: static bool Expansion_ItemCheck(EntityAI item, TStringArray excludedClassNames = null)
 L124: static array<EntityAI> Expansion_GetItems(EntityAI item)
 L154: static bool Expansion_HasAnyCargo(EntityAI item)
 L185: static int Expansion_CountCargo(EntityAI entity)
 L215: static array<EntityAI> Expansion_GetCargoItems(EntityAI entity, bool includeAttachments = false)
 L245: static bool Expansion_MoveCargo(EntityAI src, EntityAI dst, InventoryMode mode = InventoryMode.SERVER)
 L304: static int Expansion_TransferCartridges(Magazine src, Magazine dst, int amount, bool resetDstAmmoCount = true, out float totalDamage = 0.0)
 L329: static array<EntityAI> Expansion_GetAttachments(EntityAI entity)

Full file content

```
000001 | /**
000002 |  * MiscGameplayFunctions.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class MiscGameplayFunctions
000014 | {
000015 |     ///! @brief generic function to check if entity is "loose", i.e. has no cargo, can be released/removed if attached,
000016 |     ///! has no crew if it's a vehicle, and is not a master key.
000017 |     ///! @note if checkIfRuined is set to true, will return false if entity is ruined.
000018 |     static bool Expansion_IsLooseEntity(EntityAI item, bool checkIfRuined = false)
000019 |     {
000020 |         if (checkIfRuined && item.IsRuined())
000021 |             return false;
000022 |
000023 |         #ifdef EXPANSIONMODVEHICLE
000024 |             ///! If this is a master key of a vehicle, don't allow to be included
000025 |             ExpansionCarKey key;
000026 |             if (Class.CastTo(key, item) && key.IsMaster())
000027 |                 return false;
000028 |         #endif
000029 |
000030 |         #ifdef EXPANSIONMODQUESTS
000031 |             ItemBase itemBase;
000032 |             if (Class.CastTo(itemBase, item))
000033 |             {
000034 |                 if (itemBase.Expansion_IsQuestItem())
000035 |                     return false;
000036 |             }
000037 |         #endif
000038 |     }
```

```
000039 |         if (item.GetInventory())
000040 |         {
000041 |             //! Check if the item has a container and any items in it
000042 |             if (Expansion_HasAnyCargo(item))
000043 |                 return false;
000044 |
000045 |             //! Check if item is attachment that can be released
000046 |             if (item.GetInventory().IsAttachment())
000047 |             {
000048 |                 if (item.IsMagazine())
000049 |                     return false;
000050 |                 EntityAI parent = item.GetHierarchyParent();
000051 |                 if (!item.CanDetachAttachment(parent))
000052 |                     return false;
000053 |                 if (!parent.CanReleaseAttachment(item))
000054 |                     return false;
000055 |                 if (!parent.GetInventory().CanRemoveAttachment(item))
000056 |                     return false;
000057 |                 return true;
000058 |             }
000059 |         }
000060 |
000061 |         ExpansionVehicle vehicle = ExpansionVehicle.Get(item);
000062 |         if (vehicle)
000063 |         {
000064 |             if (vehicle.GetCrew().Count() > 0)
000065 |                 return false;
000066 |         }
000067 |
000068 |         return true;
000069 |     }
000070 |
000071 |     //! Used by p2p market and personal storage, couldn't think of a better name/place for it
000072 |     static bool Expansion_ItemCheck(EntityAI item, TStringArray excludedClassNames = null)
000073 |     {
000074 |     #ifdef EXTRACE_DIAG
000075 |         auto trace = EXTrace.StartStack(EXTrace.GENERAL_ITEMS, MiscGameplayFunctions);
000076 |     #endif
000077 |
000078 |         if (item.IsRuined())
000079 |             return false;
000080 |
000081 |         if (!item.CanPutInCargo(null))
000082 |             return false;
000083 |
000084 |         if (excludedClassNames && ExpansionStatic.IsAnyOf(item, excludedClassNames))
000085 |             return false;
000086 |
000087 |         //! Don't add rotten food items
000088 |         Edible_Base foodItem;
000089 |         if (Class.CastTo(foodItem, item) && foodItem.HasFoodStage())
000090 |         {
000091 |             FoodStage foodStage = foodItem.GetFoodStage();
000092 |             FoodStageType foodStageType = foodStage.GetFoodStageType();
000093 |             if (foodStageType == FoodStageType.ROTTEN || foodStageType == FoodStageType.BURNED)
000094 |                 return false;
000095 |         }
000096 |
000097 |         ExplosivesBase explosive;
000098 |         if (Class.CastTo(explosive, item) && explosive.Expansion_IsLive())
000099 |             return false;
000100 |     }
```

```
000101 |     #ifdef WRDG_DOGTAGS
000102 |     //! Don't add players own dogtag
000103 |     if (item.IsInherited(Dogtag_Base))
000104 |     {
000105 |         if (!Expansion_IsLooseEntity(item, true))
000106 |             return false;
000107 |     }
000108 |     #endif
000109 |
000110 |     #ifdef EXPANSIONMODQUESTS
000111 |     //! Don't add quest items
000112 |     ItemBase itemIB;
000113 |     if (Class.CastTo(itemIB, item))
000114 |     {
000115 |         if (itemIB.Expansion_IsQuestItem() || itemIB.Expansion_IsQuestGiver())
000116 |             return false;
000117 |     }
000118 |     #endif
000119 |
000120 |     return true;
000121 | }
000122 |
000123 | //! @brief returns the direct children (attachments/cargo)
000124 | static array<EntityAI> Expansion_GetItems(EntityAI item)
000125 | {
000126 |     array<EntityAI> items = {};
000127 |     GameInventory inventory = item.GetInventory();
000128 |
000129 |     if (inventory)
000130 |     {
000131 |         int i;
000132 |
000133 |         for (i = 0; i < inventory.AttachmentCount(); ++i)
000134 |         {
000135 |             items.Insert(inventory.GetAttachmentFromIndex(i));
000136 |         }
000137 |
000138 |         CargoBase cargo = inventory.GetCargo();
000139 |         if (cargo)
000140 |         {
000141 |             for (i = 0; i < cargo.GetItemCount(); ++i)
000142 |             {
000143 |                 items.Insert(cargo.GetItem(i));
000144 |             }
000145 |         }
000146 |     }
000147 |
000148 |     return items;
000149 | }
000150 |
000151 | //! @brief check if entity or any attachment has cargo, use this instead of entity.HasAnyCargo()
000152 | //! because the latter will return false on client if inventory has not been initialized yet
000153 | //! @note uninitialized inventory currently only dealt with if entity is a vehicle
000154 | static bool Expansion_HasAnyCargo(EntityAI item)
000155 | {
000156 |     if (item.HasAnyCargo())
000157 |         return true;
000158 |
000159 |     if (!item.GetHierarchyParent())
000160 |     {
000161 |         auto vehicle = ExpansionVehicle.Get(item);
000162 |         if (vehicle)
```

```
000163 |         {
000164 |             if (vehicle.GetCargoCount() > 0)
000165 |                 return true;
000166 |         }
000167 |     }
000168 |
000169 |     //! Check if any of the item's attachments has any cargo
000170 |     for (int i = 0; i < item.GetInventory().AttachmentCount(); i++)
000171 |     {
000172 |         EntityAI attachment = item.GetInventory().GetAttachmentFromIndex(i);
000173 |         if (attachment && attachment.HasAnyCargo())
000174 |             return true;
000175 |     }
000176 |
000177 |     return false;
000178 | }
000179 |
000180 | /**
000181 |  * @brief count items in cargo of entity and in cargo of attachments
000182 |  *
000183 |  * @note does NOT include count of items in cargo of items that are themselves in cargo
000184 |  */
000185 | static int Expansion_CountCargo(EntityAI entity)
000186 | {
000187 |     int cargoCount;
000188 |
000189 |     ExpansionVehicle vehicle;
000190 |     if (!entity.GetHierarchyParent() && ExpansionVehicle.Get(vehicle, entity))
000191 |     {
000192 |         cargoCount = vehicle.GetCargoCount();
000193 |     }
000194 |     else
000195 |     {
000196 |         CargoBase cargo = entity.GetInventory().GetCargo();
000197 |         if (cargo)
000198 |             cargoCount = cargo.GetItemCount();
000199 |     }
000200 |
000201 |     for (int i = 0; i < entity.GetInventory().AttachmentCount(); i++)
000202 |     {
000203 |         EntityAI attachment = entity.GetInventory().GetAttachmentFromIndex(i);
000204 |         cargoCount += Expansion_CountCargo(attachment);
000205 |     }
000206 |
000207 |     return cargoCount;
000208 | }
000209 |
000210 | /**
000211 |  * @brief recursively get items in cargo of entity, in cargo of items in cargo, and in cargo of attachments
000212 |  *
000213 |  * @param includeAttachments if true, includes attachments themselves as well, not just their cargo
000214 |  */
000215 | static array<EntityAI> Expansion_GetCargoItems(EntityAI entity, bool includeAttachments = false)
000216 | {
000217 |     array<EntityAI> cargoItems = {};
000218 |
000219 |     int i;
000220 |
000221 |     CargoBase cargo = entity.GetInventory().GetCargo();
000222 |
000223 |     if (cargo)
000224 |     {
```



```
000225 |         int cargoCount = cargo.GetItemCount();
000226 |         for (i = 0; i < cargoCount; i++)
000227 |         {
000228 |             EntityAI cargoItem = cargo.GetItem(i);
000229 |             cargoItems.Insert(cargoItem);
000230 |             cargoItems.InsertAll(Expansion_GetCargoItems(cargoItem));
000231 |         }
000232 |     }
000233 |
000234 |     for (i = 0; i < entity.GetInventory().AttachmentCount(); i++)
000235 |     {
000236 |         EntityAI attachment = entity.GetInventory().GetAttachmentFromIndex(i);
000237 |         if (includeAttachments)
000238 |             cargoItems.Insert(attachment);
000239 |         cargoItems.InsertAll(Expansion_GetCargoItems(attachment));
000240 |     }
000241 |
000242 |     return cargoItems;
000243 | }
000244 |
000245 | static bool Expansion_MoveCargo(EntityAI src, EntityAI dst, InventoryMode mode = InventoryMode.SERVER)
000246 | {
000247 | #ifdef EXTRACE_DIAG
000248 |     auto trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, MiscGameplayFunctions);
000249 | #endif
000250 |
000251 |     if (!src.GetInventory() || !dst.GetInventory())
000252 |         return false;
000253 |
000254 |     CargoBase cargo = src.GetInventory().GetCargo();
000255 |     if (!cargo)
000256 |         return false;
000257 |
000258 |     int cargoCount = cargo.GetItemCount();
000259 |     if (!cargoCount)
000260 |         return false;
000261 |
000262 |     CargoBase dstCargo = dst.GetInventory().GetCargo();
000263 |     if (!dstCargo)
000264 |         return false;
000265 |
000266 | #ifdef DIAG_DEVELOPER
000267 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Moving " + cargoCount + " cargo items to " + dst);
000268 | #endif
000269 |
000270 |     auto srcLoc = new InventoryLocation;
000271 |     auto dstLoc = new InventoryLocation;
000272 |
000273 |     int moved;
000274 |     for (int i = cargoCount - 1; i >= 0; i--)
000275 |     {
000276 |         EntityAI item = cargo.GetItem(i);
000277 |         item.GetInventory().GetCurrentInventoryLocation(srcLoc);
000278 |         dstLoc.SetCargo(dst, item, srcLoc.GetIdx(), srcLoc.GetRow(), srcLoc.GetCol(), srcLoc.GetFlip());
000279 |         if (!dstLoc.IsValid() || !item.GetInventory().TakeToDst(mode, srcLoc, dstLoc))
000280 |             break;
000281 |         moved++;
000282 | #ifdef DIAG_DEVELOPER
000283 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Moved " + item + " to " + dst);
000284 | #endif
000285 |     }
000286 | }
```

```
000287 |     #ifdef DIAG_DEVELOPER
000288 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Moved " + moved + "/" + cargoCount + " cargo items to " + dst);
000289 |     #endif
000290 |
000291 |     return true;
000292 | }
000293 |
000294 | /**
000295 |  * @brief Transfer <amount> catridges from this mag to destination mag
000296 |  *
000297 |  * @param dst mag to transfer cartridges to
000298 |  * @param amount Number of cartridges to transfer
000299 |  * @param resetDstAmmoCount Reset destination ammo count to zero before transfer
000300 |  * @param totalDamage Will be set to total cartridge damage of all successfully transferred cartridges
000301 |  *
000302 |  * @return Number of successfully transferred cartridges
000303 |  */
000304 | static int Expansion_TransferCartridges(Magazine src, Magazine dst, int amount, bool resetDstAmmoCount = true, out float totalDamage = 0.0)
000305 | {
000306 |     if (resetDstAmmoCount)
000307 |         dst.ServerSetAmmoCount(0);
000308 |
000309 |     amount = Math.Min(amount, Math.Min(src.GetAmmoCount(), dst.GetAmmoMax() - dst.GetAmmoCount()));
000310 |
000311 |     int numberOfTransferredCartridges;
000312 |     for (int i = 0; i < amount; ++i)
000313 |     {
000314 |         float damage;
000315 |         string cartrige_name;
000316 |         if (src.ServerAcquireCartridge(damage, cartrige_name) && dst.ServerStoreCartridge(damage, cartrige_name))
000317 |         {
000318 |             numberOfTransferredCartridges++;
000319 |             totalDamage += damage;
000320 |         }
000321 |     }
000322 |
000323 |     dst.SetSynchDirty();
000324 |     src.SetSynchDirty();
000325 |
000326 |     return numberOfTransferredCartridges;
000327 | }
000328 |
000329 | static array<EntityAI> Expansion_GetAttachments(EntityAI entity)
000330 | {
000331 |     array<EntityAI> attachments = {};
000332 |     for (int i = 0; i < entity.GetInventory().AttachmentCount(); ++i)
000333 |     {
000334 |         EntityAI attachment = entity.GetInventory().GetAttachmentFromIndex(i);
000335 |         if (attachment)
000336 |             attachments.Insert(attachment);
000337 |     }
000338 |
000339 |     return attachments;
000340 | }
000341 | }
000342 |
```

0310. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\ExpansionInventoryTools.c
Size bytes: 13241
SHA-256: f97b7b8ae1ecf33cc9de688990dc29b2a9860707ca7482a155e837165cc3eb60
Decoded as: utf-8-sig
Line count shown: 514
Detected class declarations: 1
  L1: class ExpansionInventoryTools
Detected enum declarations: 0
Detected function/method-like declarations: 16
  L9: private void ExpansionInventoryTools()
  L15: static ExpansionInventoryTools GetInstance()
  L20: static bool IsTidyInProgress(EntityAI entity)
  L34: static bool Tidy(notnull EntityAI owner, bool recursive = false, bool sync = true)
  L64: static bool Tidy(notnull GameInventory inventory, bool recursive = false, bool sync = true)
  L94: static bool Tidy(notnull CargoBase cargo, bool recursive = false, bool sync = true)
  L134: return Tidy(cargo.GetCargoOwner(), items, recursive, sync);
  L145: static bool Tidy(EntityAI parent, array<ItemBase> items, bool recursive = false, bool sync = true)
  L224: else if (!GameInventory.LocationAddEntity(srcLoc))
  L269: static void CombineStacks(TStringArray types, map<string, ref array<ItemBase>> stacks, array<ItemBase> items)
  L287: static void CombineStacks(array<ItemBase> stacks, array<ItemBase> items)
  L316: else if (other.Expansion_GetStackAmount() == other.Expansion_GetStackMin())
  L339: protected static void SyncLocations(EntityAI parent, TIntArray srcIndexes, array<ref InventoryLocation> locs)
  L366: protected void RPC_SyncLocations(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L464: static void RequestTidy(EntityAI parent, bool recursive = false)
  L475: void RPC_Tidy(PlayerIdentity sender, Object target, ParamsReadContext ctx)

```

Full file content

```

000001 | class ExpansionInventoryTools
000002 | {
000003 |     protected static ref ExpansionInventoryTools s_Instance = new ExpansionInventoryTools();
000004 |
000005 |     protected static EntityAI s_TidyInProgress;
000006 |
000007 |     protected ref ExpansionRPCManager m_RPCManager = new ExpansionRPCManager(this);
000008 |
000009 |     private void ExpansionInventoryTools()
000010 |     {
000011 |         m_RPCManager.RegisterClient("RPC_SyncLocations");
000012 |         m_RPCManager.RegisterBoth("RPC_Tidy");
000013 |     }
000014 |
000015 |     static ExpansionInventoryTools GetInstance()
000016 |     {
000017 |         return s_Instance;
000018 |     }
000019 |
000020 |     static bool IsTidyInProgress(EntityAI entity)
000021 |     {
000022 |         return s_TidyInProgress == entity;
000023 |     }
000024 |
000025 | /**
000026 |  * @brief Tidy cargo to maximize free space and combine stacks
000027 |  *
000028 |  * @param owner
000029 |  * @param recursive
000030 |  * @param sync sync to client
000031 |  *

```

```
000032 | * @return true if successful
000033 | */
000034 | static bool Tidy(notnull EntityAI owner, bool recursive = false, bool sync = true)
000035 | {
000036 |     if (s_TidyInProgress == owner)
000037 |         return false;
000038 |
000039 |     GameInventory inventory = owner.GetInventory();
000040 |
000041 |     if (!inventory)
000042 |         return false;
000043 |
000044 |     if (!s_TidyInProgress)
000045 |         s_TidyInProgress = owner;
000046 |
000047 |     bool result = Tidy(inventory, recursive, sync);
000048 |
000049 |     if (s_TidyInProgress == owner)
000050 |         s_TidyInProgress = null;
000051 |
000052 |     return result;
000053 | }
000054 |
000055 | /**
000056 |  * @brief Tidy cargo to maximize free space and combine stacks
000057 |  *
000058 |  * @param inventory
000059 |  * @param recursive
000060 |  * @param sync sync to client
000061 |  *
000062 |  * @return true if successful
000063 |  */
000064 | static bool Tidy(notnull GameInventory inventory, bool recursive = false, bool sync = true)
000065 | {
000066 |     bool result;
000067 |
000068 |     CargoBase cargo = inventory.GetCargo();
000069 |
000070 |     if (cargo)
000071 |         result |= Tidy(cargo, recursive, sync);
000072 |
000073 |     if (recursive)
000074 |     {
000075 |         for (int i = 0; i < inventory.AttachmentCount(); ++i)
000076 |         {
000077 |             EntityAI attachment = inventory.GetAttachmentFromIndex(i);
000078 |             result |= Tidy(attachment, true, sync);
000079 |         }
000080 |     }
000081 |
000082 |     return result;
000083 | }
000084 |
000085 | /**
000086 |  * @brief Tidy cargo to maximize free space and combine stacks
000087 |  *
000088 |  * @param cargo
000089 |  * @param recursive
000090 |  * @param sync sync to client
000091 |  *
000092 |  * @return true if successful
000093 |  */
```

```
000094 | static bool Tidy(notnull CargoBase cargo, bool recursive = false, bool sync = true)
000095 | {
000096 |     #ifdef EXTRACE
000097 |         auto trace = EXTrace.Start0(EXTrace.GENERAL_ITEMS, ExpansionInventoryTools, string.Format("Tidy(%1, recursive = %2, sync = %3)", cargo, recursive.ToString
000098 |         ()), sync.ToString());
000099 |     #endif
000100 |
000101 |     TStringArray types = {};
000102 |     map<string, ref array<ItemBase>> stacks = new map<string, ref array<ItemBase>>;
000103 |     array<ItemBase> items = {};
000104 |     bool isServer = g_Game.IsServer();
000105 |
000106 |     for (int i = 0; i < cargo.GetItemCount(); ++i)
000107 |     {
000108 |         ItemBase item;
000109 |         if (Class.CastTo(item, cargo.GetItem(i)))
000110 |         {
000111 |             if (isServer && item.Expansion_GetStackAmount() < item.Expansion_GetStackMax())
000112 |             {
000113 |                 string type = item.GetType();
000114 |                 array<ItemBase> typeStacks;
000115 |
000116 |                 if (!stacks.Find(type, typeStacks))
000117 |                 {
000118 |                     types.Insert(type);
000119 |                     typeStacks = {};
000120 |                     stacks[type] = typeStacks;
000121 |                 }
000122 |                 typeStacks.Insert(item);
000123 |             }
000124 |             else
000125 |             {
000126 |                 items.Insert(item);
000127 |             }
000128 |         }
000129 |     }
000130 |
000131 |     if (isServer)
000132 |         CombineStacks(types, stacks, items);
000133 |
000134 |     return Tidy(cargo.GetCargoOwner(), items, recursive, sync);
000135 | }
000136 |
000137 | /**
000138 |  * @brief Tidy cargo to maximize free space
000139 |  *
000140 |  * @param parent
000141 |  * @param items
000142 |  * @param recursive
000143 |  * @param sync sync to client
000144 |  */
000145 | static bool Tidy(EntityAI parent, array<ItemBase> items, bool recursive = false, bool sync = true)
000146 | {
000147 |     #ifdef EXTRACE
000148 |         auto trace = EXTrace.Start0(EXTrace.GENERAL_ITEMS, ExpansionInventoryTools, string.Format("Tidy(%1, items(%2), recursive = %3, sync = %4)", parent, items.
000149 |         Count(), recursive.ToString(), sync.ToString()));
000150 |     #endif
000151 |
000152 |     bool result;
000153 |
000154 |     map<int, ref array<ref InventoryLocation>> largestDimensionToLocs = new map<int, ref array<ref InventoryLocation>>;
```

```
000154 | TIntArray largestDimensions = {};
000155 | int largestDimension;
000156 | array<ref InventoryLocation> srcLocs;
000157 |
000158 | foreach (ItemBase item: items)
000159 | {
000160 |     InventoryLocation currentLoc = new InventoryLocation();
000161 |
000162 |     if (item.GetInventory().GetCurrentInventoryLocation(currentLoc))
000163 |     {
000164 |         if (GameInventory.LocationRemoveEntity(currentLoc))
000165 |         {
000166 |             vector itemSize = item.ConfigGetVector("itemSize");
000167 |             largestDimension = itemSize[0] * itemSize[1];
000168 |
000169 |             if (!largestDimensionToLocs.Find(largestDimension, srcLocs))
000170 |             {
000171 |                 srcLocs = {};
000172 |                 largestDimensionToLocs[largestDimension] = srcLocs;
000173 |                 largestDimensions.Insert(largestDimension);
000174 |             }
000175 |
000176 |             srcLocs.Insert(currentLoc);
000177 |         }
000178 |         else
000179 |         {
000180 |             CF.FormatError("Couldn't remove %1", item.ToString());
000181 |         }
000182 |     }
000183 |     else
000184 |     {
000185 |         CF.FormatError("Couldn't get current inventory location %1", item.ToString());
000186 |     }
000187 | }
000188 |
000189 | largestDimensions.Sort();
000190 |
000191 | GameInventory parentInventory = parent.GetInventory();
000192 | TIntArray srcIndexes;
000193 | array<ref InventoryLocation> locsToSync;
000194 |
000195 | if (g_Game.IsDedicatedServer() && sync)
000196 | {
000197 |     //srcIndexes = {};
000198 |     locsToSync = {};
000199 | }
000200 |
000201 | for (int i = largestDimensions.Count() - 1; i >= 0; --i)
000202 | {
000203 |     largestDimension = largestDimensions[i];
000204 |     srcLocs = largestDimensionToLocs[largestDimension];
000205 |
000206 |     foreach (InventoryLocation srcLoc: srcLocs)
000207 |     {
000208 |         EntityAI entity = srcLoc.GetItem();
000209 |
000210 |         InventoryLocation newLoc = new InventoryLocation();
000211 |         bool foundFreeLoc = parentInventory.FindFreeLocationFor(entity, FindInventoryLocationType.CARGO, newLoc);
000212 |         bool moveEntity = foundFreeLoc && (!srcLoc.CompareLocationOnly(newLoc) || srcLoc.GetFlip() != newLoc.GetFlip());
000213 |
000214 |         if (moveEntity && GameInventory.LocationAddEntity(newLoc))
000215 |         {
```

```
000216 |         if (locsToSync)
000217 |         {
000218 |             //srcIndexes.Insert(srcLoc.GetIdx());
000219 |             locsToSync.Insert(newLoc);
000220 |         }
000221 |
000222 |         result |= true;
000223 |     }
000224 |     else if (!GameInventory.LocationAddEntity(srcLoc))
000225 |     {
000226 |         if (GameInventory.SetGroundPosByOwner(entity.GetHierarchyRoot(), entity, newLoc))
000227 |         {
000228 |             if (GameInventory.LocationAddEntity(newLoc))
000229 |             {
000230 |                 if (locsToSync)
000231 |                 {
000232 |                     //srcIndexes.Insert(srcLoc.GetIdx());
000233 |                     locsToSync.Insert(newLoc);
000234 |                 }
000235 |             }
000236 |             else
000237 |             {
000238 |                 CF.FormatError("Couldn't drop %1", entity.ToString());
000239 |             }
000240 |         }
000241 |         else
000242 |         {
000243 |             CF.FormatError("Couldn't set ground pos by owner for %1", entity.ToString());
000244 |         }
000245 |     }
000246 |
000247 |     if (recursive)
000248 |         result |= Tidy(entity, true, sync);
000249 | }
000250 |
000251 |
000252 | if (locsToSync && locsToSync.Count() > 0)
000253 |     SyncLocations(parent, srcIndexes, locsToSync);
000254 | //else if (result && sync && g_Game.IsClient())
000255 |     //RequestTidy(parent, recursive);
000256 |
000257 | //if (result && sync && g_Game.IsMultiplayer())
000258 |     //RequestTidy(parent, recursive);
000259 |
000260 | return result;
000261 | }
000262 |
000263 | /**
000264 | * @brief Combine stacks
000265 | *
000266 | * @param stacks lookup table of item type to stackable items
000267 | * @param items array to insert combined items into
000268 | */
000269 | static void CombineStacks(TStringArray types, map<string, ref array<ItemBase>> stacks, array<ItemBase> items)
000270 | {
000271 | #ifdef EXTRACE
000272 |     auto trace = EXTrace.Start0(EXTrace.GENERAL_ITEMS, ExpansionInventoryTools, "CombineStacks(stacks, items)");
000273 | #endif
000274 |
000275 |     foreach (string type: types)
000276 |     {
000277 |         CombineStacks(stacks[type], items);
```

```
000278 |     }
000279 | }
000280 |
000281 | /**
000282 |  * @brief Combine stacks
000283 |  *
000284 |  * @param stacks  stackable items
000285 |  * @param items  array to insert combined items into
000286 |  */
000287 | static void CombineStacks(array<ItemBase> stacks, array<ItemBase> items)
000288 | {
000289 | #ifdef EXTRACE
000290 |     auto trace = EXTrace.Start0(EXTrace.GENERAL_ITEMS, ExpansionInventoryTools, "CombineStacks(typeStacks, items)");
000291 |     int n;
000292 | #endif
000293 |
000294 |     for (int i = 0; i < stacks.Count(); ++i)
000295 |     {
000296 |         ItemBase item = stacks[i];
000297 |
000298 |         for (int j = i + 1; j < stacks.Count(); ++j)
000299 |         {
000300 |             ItemBase other = stacks[j];
000301 |
000302 |             other.Expansion_SuppressDelete(true);
000303 |             item.CombineItems(other);
000304 |             if (other)
000305 |                 other.Expansion_SuppressDelete(false);
000306 |
000307 | #ifdef EXTRACE
000308 |                 ++n;
000309 | #endif
000310 |
000311 |             //! Ammo stack deletion when count reaches zero is handled by the game engine, other stacks we handle ourselves
000312 |             if (!other || other.ToDelete())
000313 |             {
000314 |                 ++i;
000315 |             }
000316 |             else if (other.Expansion_GetStackAmount() == other.Expansion_GetStackMin())
000317 |             {
000318 |                 ++i;
000319 |
000320 |                 if (other.ConfigGetBool("varQuantityDestroyOnMin"))
000321 |                 {
000322 |                     //! Instantly remove item from location to free up space for tidy
000323 |                     g_Game.ObjectDelete(other);
000324 |                 }
000325 |             }
000326 |
000327 |             if (item.Expansion_GetStackAmount() == item.Expansion_GetStackMax())
000328 |                 break;
000329 |         }
000330 |
000331 |         items.Insert(item);
000332 |     }
000333 |
000334 | #ifdef EXTRACE
000335 |     EXTrace.Add(trace, n);
000336 | #endif
000337 | }
000338 |
000339 | protected static void SyncLocations(EntityAI parent, TIntArray srcIndexes, array<ref InventoryLocation> locs)
```



```
000340 | {
000341 | #ifdef EXTRACE
000342 |     auto trace = EXTrace.Start0(EXTrace.GENERAL_ITEMS, ExpansionInventoryTools, "SyncLocations");
000343 | #endif
000344 |
000345 |     auto rpc = s_Instance.m_RPCManager.CreateRPC("RPC_SyncLocations");
000346 |
000347 |     rpc.WriteUInt(locs.Count(), 16);
000348 |     foreach (int i, InventoryLocation loc: locs)
000349 |     {
000350 |         //PrintFormat("srcIndex %1 %2", srcIndexes[i], loc.GetItem());
000351 |         //rpc.WriteUInt(srcIndexes[i], 16);
000352 |         int low, high;
000353 |         loc.GetItem().GetNetworkID(low, high);
000354 |         rpc.Write(low, 32);
000355 |         rpc.Write(high, 32);
000356 |         //PrintFormat("dstIndex %1 %2", loc.GetIdx(), loc.GetItem());
000357 |         //rpc.WriteUInt(loc.GetIdx(), 16);
000358 |         rpc.WriteUInt(loc.GetRow(), 16);
000359 |         rpc.WriteUInt(loc.GetCol(), 4);
000360 |         rpc.WriteBool(loc.GetFlip());
000361 |     }
000362 |
000363 |     PlayerBase.Expansion_Send(rpc, parent, true);
000364 | }
000365 |
000366 | protected void RPC_SyncLocations(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000367 | {
000368 | #ifdef EXTRACE
000369 |     auto trace = EXTrace.Start0(EXTrace.GENERAL_ITEMS, ExpansionInventoryTools, "RPC_SyncLocations");
000370 | #endif
000371 |
000372 |     EntityAI parent;
000373 |     if (!Class.CastTo(parent, target))
000374 |         return;
000375 |
000376 |     GameInventory inventory = parent.GetInventory();
000377 |     if (!inventory)
000378 |         return;
000379 |
000380 |     CargoBase cargo = inventory.GetCargo();
000381 |     if (!cargo)
000382 |         return;
000383 |
000384 |     ExpansionBitStreamReader reader = m_RPCManager.GetReader(ctx);
000385 |
000386 |     int count;
000387 |     if (!reader.ReadUInt(count, 16) || count < 0)
000388 |         return;
000389 |
000390 |     array<ref InventoryLocation> newLocs = {};
000391 |
000392 |     while (count--)
000393 |     {
000394 |         //int srcIdx;
000395 |         //if (!reader.ReadUInt(srcIdx, 16))
000396 |             //return;
000397 |
000398 |         int low, high;
000399 |         if (!reader.Read(low, 32))
000400 |             return;
000401 |         if (!reader.Read(high, 32))
```

```
000402 |         return;
000403 |
000404 |         int idx;
000405 |         //if (!reader.ReadUInt(idx, 16))
000406 |             //return;
000407 |
000408 |         int row;
000409 |         if (!reader.ReadUInt(row, 16))
000410 |             return;
000411 |
000412 |         int col;
000413 |         if (!reader.ReadUInt(col, 4))
000414 |             return;
000415 |
000416 |         bool flip;
000417 |         if (!reader.ReadBool(flip))
000418 |             return;
000419 |
000420 |         //EntityAI item = cargo.GetItem(srcIdx);
000421 |         //if (!item)
000422 |             //continue;
000423 |
000424 |         //PrintFormat("srcIndex %1 %2", srcIdx, item);
000425 |
000426 |         EntityAI item;
000427 |         if (!Class.CastTo(item, g_Game.GetObjectByNetworkId(low, high)))
000428 |             continue;
000429 |
000430 |         InventoryLocation currentLoc = new InventoryLocation();
000431 |         if (!item.GetInventory().GetCurrentInventoryLocation(currentLoc))
000432 |         {
000433 |             CF.FormatError("Couldn't get current inventory location %1", item.ToString());
000434 |             continue;
000435 |         }
000436 |
000437 |         if (!GameInventory.LocationRemoveEntity(currentLoc))
000438 |         {
000439 |             CF.FormatError("Couldn't remove %1", item.ToString());
000440 |             continue;
000441 |         }
000442 |
000443 |         InventoryLocation newLoc = new InventoryLocation();
000444 |         newLoc.SetCargo(parent, item, idx, row, col, flip);
000445 |         newLocs.Insert(newLoc);
000446 |     }
000447 |
000448 |     foreach (InventoryLocation loc: newLocs)
000449 |     {
000450 |         if (!GameInventory.LocationAddEntity(loc))
000451 |         {
000452 |             CF.FormatError("Couldn't move %1", loc.GetItem().ToString());
000453 |             continue;
000454 |         }
000455 |         #ifdef DIAG_DEVELOPER
000456 |             else
000457 |             {
000458 |                 EXTrace.Print(EXTrace.GENERAL_ITEMS, ExpansionInventoryTools, "Moved " + loc.GetItem());
000459 |             }
000460 |         #endif
000461 |     }
000462 | }
000463 |
```

```
000464 | static void RequestTidy(EntityAI parent, bool recursive = false)
000465 | {
000466 |     #ifdef EXTRACE
000467 |         auto trace = EXTrace.Start0(EXTrace.GENERAL_ITEMS, ExpansionInventoryTools, "RequestTidy", "" + parent);
000468 |     #endif
000469 |
000470 |         auto rpc = s_Instance.m_RPCManager.CreateRPC("RPC_Tidy");
000471 |         rpc.Write(recursive);
000472 |         rpc.Expansion_Send(parent, true);
000473 |     }
000474 |
000475 | void RPC_Tidy(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000476 | {
000477 |     #ifdef EXTRACE
000478 |         auto trace = EXTrace.Start0(EXTrace.GENERAL_ITEMS, ExpansionInventoryTools, "RPC_Tidy", "" + target);
000479 |     #endif
000480 |
000481 |     EntityAI parent;
000482 |     if (!Class.CastTo(parent, target))
000483 |         return;
000484 |
000485 |     if (g_Game.IsDedicatedServer())
000486 |     {
000487 |         Man senderPlayer = sender.GetPlayer();
000488 |         Man rootPlayer = parent.GetHierarchyRootPlayer();
000489 |
000490 |         if (senderPlayer != rootPlayer)
000491 |         {
000492 |             //! Do not allow tidying other player's inventory unless restrained or uncon
000493 |             DayZPlayerImplement rootPlayerImpl;
000494 |             if (Class.CastTo(rootPlayerImpl, rootPlayer))
000495 |             {
000496 |                 if (!rootPlayerImpl.IsRestrained() && !rootPlayerImpl.IsUnconscious() && !rootPlayerImpl.Expansion_IsAI())
000497 |                     return;
000498 |             }
000499 |
000500 |             //! Do not allow tidying inventory if not in vicinity
000501 |             float maxDistSq = UAMaxDistances.DEFAULT * UAMaxDistances.DEFAULT;
000502 |             if (vector.DistanceSq(senderPlayer.GetPosition(), parent.GetPosition()) > maxDistSq)
000503 |                 return;
000504 |         }
000505 |     }
000506 |
000507 |     bool recursive;
000508 |     if (!ctx.Read(recursive))
000509 |         return;
000510 |
000511 |     Tidy(parent, recursive, g_Game.IsDedicatedServer());
000512 | }
000513 | }
000514 |
```

0311. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\Loot\ExpansionLootSpawner.c
Size bytes: 8235
SHA-256: 9315a215b3cb9dccc40c87974f2886a7a1fb68aa42b0f45dd2d5a5bf2903fa3c
Decoded as: utf-8-sig
Line count shown: 274
Detected class declarations: 1
  L13: class ExpansionLootSpawner
Detected enum declarations: 0
Detected function/method-like declarations: 8
  L15: static void AddItem(EntityAI container, ExpansionLoot loot, array<EntityAI> spawnedEntities = null, map<string, int> spawnedEntitiesMap = nu
  L68: static void Spawn( string className, EntityAI parent, int quantityPercent, array<ref ExpansionLootVariant> attachments = null, array<EntityA
  L101: else if (quantityPercent == -2)
  L131: else if ( item.HasQuantity() )
  L188: static void SpawnLoot(EntityAI container, array < ref ExpansionLoot > loot, int itemCount, array<EntityAI> spawnedEntities = null, map<strin
  L243: static bool IsPlayerNearby(EntityAI container, float radius)
  L245: return IsPlayerNearby(container.GetPosition(), radius);
  L248: static bool IsPlayerNearby(vector pos, float radius)
```

Full file content

```
000001 | /**
000002 |  * ExpansionLootSpawner.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionLootSpawner
000014 | {
000015 |     static void AddItem(EntityAI container, ExpansionLoot loot, array<EntityAI> spawnedEntities = null, map<string, int> spawnedEntitiesMap = null, bool spawnOnGr
ound = false, float damagePercentMin = 0, float damagePercentMax = 0)
000016 |     {
000017 |         string className = loot.Name;
000018 |
000019 |         array<ref ExpansionLootVariant> attachments = loot.Attachments;
000020 |
000021 |         if ( loot.Variants && loot.Variants.Count() > 0 )
000022 |         {
000023 |             array< float > chances = new array< float >;
000024 |
000025 |             int count = loot.Variants.Count();
000026 |             float chance;
000027 |             float chancesSum;
000028 |
000029 |             foreach (ExpansionLootVariant variant: loot.Variants)
000030 |             {
000031 |                 chance = variant.Chance;
000032 |                 chances.Insert( chance );
000033 |                 chancesSum += chance;
000034 |             }
000035 |
000036 |             //! Determine chance for parent item
000037 |             if ( chancesSum < 1.0 )
000038 |             {
```

```
000039 |         //!< Chances are treated as actual chances here, i.e. total sum is 1.0
000040 |         chance = 1.0 - chancesSum;
000041 |     } else
000042 |     {
000043 |         //!< Just give parent item a 1.0 chance
000044 |         chance = 1.0;
000045 |     }
000046 |
000047 |     chances.Insert( chance );
000048 |
000049 |     int index = ExpansionStatic.GetWeightedRandom( chances );
000050 |
000051 |     if ( index > -1 && index < count )
000052 |     {
000053 |         className = loot.Variants[index].Name;
000054 |         if ( loot.Variants[index].Attachments && loot.Variants[index].Attachments.Count() > 0 )
000055 |             attachments = loot.Variants[index].Attachments;
000056 |     }
000057 | }
000058 |
000059 | if ( loot.m_Remaining > 0 )
000060 |     loot.m_Remaining--;
000061 |
000062 | if ( loot.m_Remaining == 0 )
000063 |     loot.m_RemainingChance = 0;
000064 |
000065 | Spawn( className, container, loot.QuantityPercent, attachments, spawnedEntities, spawnedEntitiesMap, spawnOnGround, damagePercentMin, damagePercentMax );
000066 | }
000067 |
000068 | static void Spawn( string className, EntityAI parent, int quantityPercent, array<ref ExpansionLootVariant> attachments = null, array<EntityAI> spawnedEntities
= null, map<string, int> spawnedEntitiesMap = null, bool spawnOnGround = false, float damagePercentMin = 0, float damagePercentMax = 0 )
000069 | {
000070 |     ItemBase itemParent;
000071 |     ItemBase item;
000072 |
000073 |     if ( !spawnOnGround )
000074 |     {
000075 |         if ( Class.CastTo( itemParent, parent ) )
000076 |         {
000077 |             item = ItemBase.Cast( itemParent.ExpansionCreateInInventory( className ) );
000078 |         }
000079 |         else
000080 |         {
000081 |             item = ItemBase.Cast( parent.GetInventory().CreateInInventory( className ) );
000082 |         }
000083 |     }
000084 |     else
000085 |     {
000086 |         vector spawnPos = ExpansionMath.GetRandomPointInRing(parent.GetWorldPosition(), 3, 5);
000087 |         item = ItemBase.Cast(g_Game.CreateObjectEx(className, spawnPos, ECE_PLACE_ON_SURFACE));
000088 |     }
000089 |
000090 |     if ( item )
000091 |     {
000092 |         Magazine_Base mag;
000093 |
000094 |         float quantity;
000095 |         float quantity01;
000096 |
000097 |         if (quantityPercent > 0)
000098 |         {
000099 |             quantity01 = quantityPercent / 100;
```

```
000100 |     }
000101 |     else if (quantityPercent == -2)
000102 |     {
000103 |         CEItemProfile profile = item.GetEconomyProfile();
000104 |
000105 |         if (profile)
000106 |         {
000107 |             float quantityMin01 = profile.GetQuantityMin();
000108 |             float quantityMax01 = profile.GetQuantityMax();
000109 |
000110 |             if (quantityMin01 >= 0 && quantityMax01 > 0)
000111 |                 quantity01 = Math.RandomFloatInclusive( quantityMin01, quantityMax01 );
000112 |             else
000113 |                 quantityPercent = -1;
000114 |         }
000115 |     }
000116 |
000117 |     if ( Class.CastTo( mag, item ) )
000118 |     {
000119 |         //! Ammo/magazines
000120 |
000121 |         if (quantityPercent == -1)
000122 |             quantity = mag.GetAmmoMax();
000123 |         else
000124 |             quantity = Math.Round( mag.GetAmmoMax() * quantity01 );
000125 |
000126 |         if (!quantity && item.IsAmmoPile())
000127 |             quantity = 1;
000128 |
000129 |         mag.ServerSetAmmoCount( quantity );
000130 |     }
000131 |     else if ( item.HasQuantity() )
000132 |     {
000133 |         if (quantityPercent == -1)
000134 |             quantity = item.GetQuantityInit();
000135 |         else
000136 |             quantity = Math.Round( item.GetQuantityMax() * quantity01 );
000137 |
000138 |         item.SetQuantity( quantity );
000139 |     }
000140 |
000141 |     if ( attachments )
000142 |     {
000143 |         //! Need to copy the attachments array because passing in NULL in the recursive call below
000144 |         //! nulls our original attachments array in caller :-(
000145 |         //! https://feedback.bistudio.com/T173458
000146 |         array<ref ExpansionLootVariant> attachmentsTmp = {};
000147 |         foreach (ExpansionLootVariant attachment: attachments)
000148 |         {
000149 |             if ( Math.AbsFloat(attachment.Chance) == 1.0 || attachment.Chance > Math.RandomFloat(0.0, 1.0) )
000150 |                 attachmentsTmp.Insert(attachment);
000151 |         }
000152 |
000153 |         foreach ( ExpansionLootVariant attachmentTmp: attachmentsTmp )
000154 |         {
000155 |             //! Need to pass in spawnedEntities and spawnedEntitiesMap due to T173458 as well
000156 |             Spawn( attachmentTmp.Name, item, quantityPercent, NULL, spawnedEntities, spawnedEntitiesMap, false, damagePercentMin, damagePercentMax );
000157 |         }
000158 |     }
000159 |
000160 |     if (damagePercentMin > 0 || damagePercentMax > 0)
000161 |     {
```

```
000162 |         float maxHealth = item.GetMaxHealth("", "");
000163 |         float healthModifier = Math.RandomFloatInclusive(damagePercentMin, damagePercentMax);
000164 |         item.SetHealth("", "", maxHealth * healthModifier);
000165 |     }
000166 |
000167 |     if (spawnedEntitiesMap)
000168 |     {
000169 |         int current;
000170 |         if (spawnedEntitiesMap.Find(className, current))
000171 |             spawnedEntitiesMap.Set(className, current + item.Expansion_GetStackAmount());
000172 |         else
000173 |             spawnedEntitiesMap.Insert(className, item.Expansion_GetStackAmount());
000174 |     }
000175 |
000176 |     if (spawnedEntities)
000177 |         spawnedEntities.Insert(item);
000178 | }
000179 | else
000180 | {
000181 |     if (ExpansionStatic.ItemExists(className))
000182 |         EXPrint("ExpansionLootSpawner::Spawn - WARNING: Couldn't spawn " + className + " on " + parent);
000183 |     else
000184 |         Error("ExpansionLootSpawner::Spawn - ERROR: Couldn't spawn " + className + " - item with that classname does not exist!");
000185 | }
000186 | }
000187 |
000188 | static void SpawnLoot(EntityAI container, array < ref ExpansionLoot > loot, int itemCount, array<EntityAI> spawnedEntities = null, map<string, int> spawnedEnt
itiesMap = null, bool spawnOnGround = false, float damagePercentMin = 0, float damagePercentMax = 0 )
000189 | {
000190 |     #ifdef EXTRACE
000191 |         auto trace = EXTrace.Start(EXTrace.MISSIONS, ExpansionLootSpawner);
000192 |     #endif
000193 |
000194 |     if (itemCount < 0)
000195 |         itemCount = Math.RandomInt(1, -itemCount);
000196 |
000197 |     array< float > chances = new array< float >;
000198 |
000199 |     int lootItemsSpawned = 0;
000200 |
000201 |     //! Spawn min number of items first
000202 |     foreach (ExpansionLoot lootItem: loot)
000203 |     {
000204 |         lootItem.m_RemainingChance = lootItem.Chance;
000205 |         lootItem.m_Remaining = lootItem.Max;
000206 |
000207 |         int min = lootItem.Min;
000208 |         while (min > 0 && lootItemsSpawned < itemCount)
000209 |         {
000210 |             lootItemsSpawned++;
000211 |             min--;
000212 |
000213 |             AddItem( container, lootItem, spawnedEntities, spawnedEntitiesMap, spawnOnGround, damagePercentMin, damagePercentMax );
000214 |         }
000215 |
000216 |         chances.Insert(lootItem.m_RemainingChance);
000217 |     }
000218 |
000219 |     //! Spawn remaining items randomly (if any)
000220 |     while ( lootItemsSpawned < itemCount )
000221 |     {
000222 |         //! Chances are treated as weights here, otherwise it wouldn't make sense as we always want a fixed number of items
```

```
000223 |         int index = ExpansionStatic.GetWeightedRandom( chances );
000224 |
000225 |         if ( index > -1 )
000226 |         {
000227 |             lootItemsSpawned++;
000228 |
000229 |             ExpansionLoot randomLootItem = loot[index];
000230 |
000231 |             AddItem( container, randomLootItem, spawnedEntities, spawnedEntitiesMap, spawnOnGround, damagePercentMin, damagePercentMax );
000232 |
000233 |             if ( randomLootItem.m_Remaining == 0 )
000234 |                 chances[index] = 0;
000235 |         } else
000236 |         {
000237 |             Print("ExpansionLootSpawner::SpawnLoot couldn't select a loot item to spawn (all chances zero?) - items spawned : " + lootItemsSpawned);
000238 |             break;
000239 |         }
000240 |     }
000241 | }
000242 |
000243 | static bool IsPlayerNearby(EntityAI container, float radius)
000244 | {
000245 |     return IsPlayerNearby(container.GetPosition(), radius);
000246 | }
000247 |
000248 | static bool IsPlayerNearby(vector pos, float radius)
000249 | {
000250 |     if (GetCEApi())
000251 |         return !GetCEApi().AvoidPlayer(pos, radius);
000252 |
000253 |     array<Man> players = new array<Man>;
000254 |     g_Game.GetWorld().GetPlayerList(players);
000255 |     float distanceSq;
000256 |     float radiusSq = radius * radius;
000257 |
000258 |     for ( int i = 0; i < players.Count(); i++ )
000259 |     {
000260 |         Man player = players[i];
000261 |         if (!player) continue;
000262 |
000263 |         distanceSq = vector.DistanceSq( pos, player.GetPosition() );
000264 |
000265 |         if ( distanceSq <= radiusSq )
000266 |         {
000267 |             return true;
000268 |         }
000269 |     }
000270 |
000271 |     return false;
000272 | }
000273 | };
000274 |
```


0312. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\Notifications\ExpansionNotificationHUD.c
Size bytes: 6738
SHA-256: c8e7f099bd326d6a5348c3bd1b2b409905d903dc3860950ad40a3ece9c0737a9
Decoded as: utf-8-sig
Line count shown: 214
Detected class declarations: 2
  L14: class ExpansionNotificationHUD: ExpansionScriptViewBase
  L205: class ExpansionNotificationHUDController: ExpansionViewController
Detected enum declarations: 0
Detected function/method-like declarations: 18
  L21: void ExpansionNotificationHUD()
  L27: void ~ExpansionNotificationHUD()
  L32: override typename GetControllerType()
  L37: override string GetLayoutFile()
  L42: void AddNotificationToastsElement(ExpansionNotificationViewToast element)
  L50: void RemoveNotificationToastElement(ExpansionNotificationViewToast element)
  L61: void AddNotificationBaguetteElement(ExpansionNotificationViewBaguette element)
  L69: void RemoveNotificationBaguetteElement(ExpansionNotificationViewBaguette element)
  L80: void HideBaguetteElements()
  L92: void AddNotificationActivityElement(ExpansionNotificationViewActivity element)
  L100: void RemoveNotificationActivityElement(ExpansionNotificationViewActivity element)
  L111: void HideActivityElements()
  L123: void AddNotificationKillfeedElement(ExpansionNotificationViewKillfeed element)
  L131: void RemoveNotificationKillfeedElement(ExpansionNotificationViewKillfeed element)
  L142: void AddNotificationMarketElement(ExpansionNotificationViewMarket element)
  L150: void RemoveNotificationMarketElement(ExpansionNotificationViewMarket element)
  L161: void AddNotificationGarageElement(ExpansionNotificationViewGarage element)
  L181: void RemoveNotificationGarageElement(ExpansionNotificationViewGarage element)
```

Full file content

```
000001 | /**
000002 |  * ExpansionNotificationHUD.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionNotificationHUD: ExpansionScriptViewBase
000015 | {
000016 |     protected ExpansionNotificationHUDController m_NotificationHUDController;
000017 |
000018 |     protected Widget MarketContent;
000019 |     protected bool m_ElementPosAdjustment = false;
000020 |
000021 |     void ExpansionNotificationHUD()
000022 |     {
000023 |         if (!m_NotificationHUDController)
000024 |             m_NotificationHUDController = ExpansionNotificationHUDController.Cast(GetController());
000025 |     }
000026 |
000027 |     void ~ExpansionNotificationHUD()
000028 |     {
```

```
000029 |  
000030 | }  
000031 |  
000032 | override typename GetControllerType()  
000033 | {  
000034 |     return ExpansionNotificationHUDController;  
000035 | }  
000036 |  
000037 | override string GetLayoutFile()  
000038 | {  
000039 |     return "DayZExpansion/Core/GUI/layouts/expansion_notification_hud.layout";  
000040 | }  
000041 |  
000042 | void AddNotificationToastsElement(ExpansionNotificationViewToast element)  
000043 | {  
000044 |     if (!m_NotificationHUDController)  
000045 |         return;  
000046 |  
000047 |     m_NotificationHUDController.NotificationToastElements.Insert(element);  
000048 | }  
000049 |  
000050 | void RemoveNotificationToastElement(ExpansionNotificationViewToast element)  
000051 | {  
000052 |     if (!m_NotificationHUDController)  
000053 |         return;  
000054 |  
000055 |     int index = -1;  
000056 |     index = m_NotificationHUDController.NotificationToastElements.Find(element);  
000057 |     if (index > -1)  
000058 |         m_NotificationHUDController.NotificationToastElements.Remove(index);  
000059 | }  
000060 |  
000061 | void AddNotificationBaguetteElement(ExpansionNotificationViewBaguette element)  
000062 | {  
000063 |     if (!m_NotificationHUDController)  
000064 |         return;  
000065 |  
000066 |     m_NotificationHUDController.NotificationBaguetteElements.Insert(element);  
000067 | }  
000068 |  
000069 | void RemoveNotificationBaguetteElement(ExpansionNotificationViewBaguette element)  
000070 | {  
000071 |     if (!m_NotificationHUDController)  
000072 |         return;  
000073 |  
000074 |     int index = -1;  
000075 |     index = m_NotificationHUDController.NotificationBaguetteElements.Find(element);  
000076 |     if (index > -1)  
000077 |         m_NotificationHUDController.NotificationBaguetteElements.Remove(index);  
000078 | }  
000079 |  
000080 | void HideBaguetteElements()  
000081 | {  
000082 |     if (!m_NotificationHUDController)  
000083 |         return;  
000084 |  
000085 |     for (int i = 0; i < m_NotificationHUDController.NotificationBaguetteElements.Count(); i++)  
000086 |     {  
000087 |         ExpansionNotificationViewBaguette view = m_NotificationHUDController.NotificationBaguetteElements[i];  
000088 |         view.GetLayoutRoot().Show(false);  
000089 |     }  
000090 | }
```

```
000091 |
000092 | void AddNotificationActivityElemement(ExpansionNotificationViewActivity element)
000093 | {
000094 |     if (!m_NotificationHUDController)
000095 |         return;
000096 |
000097 |     m_NotificationHUDController.NotificationActivityElements.Insert(element);
000098 | }
000099 |
000100 | void RemoveNotificationActivityElemement(ExpansionNotificationViewActivity element)
000101 | {
000102 |     if (!m_NotificationHUDController)
000103 |         return;
000104 |
000105 |     int index = -1;
000106 |     index = m_NotificationHUDController.NotificationActivityElements.Find(element);
000107 |     if (index > -1)
000108 |         m_NotificationHUDController.NotificationActivityElements.Remove(index);
000109 | }
000110 |
000111 | void HideActivityElements()
000112 | {
000113 |     if (!m_NotificationHUDController)
000114 |         return;
000115 |
000116 |     for (int i = 0; i < m_NotificationHUDController.NotificationActivityElements.Count(); i++)
000117 |     {
000118 |         ExpansionNotificationViewActivity view = m_NotificationHUDController.NotificationActivityElements[i];
000119 |         view.GetLayoutRoot().Show(false);
000120 |     }
000121 | }
000122 |
000123 | void AddNotificationKillfeedElemement(ExpansionNotificationViewKillfeed element)
000124 | {
000125 |     if (!m_NotificationHUDController)
000126 |         return;
000127 |
000128 |     m_NotificationHUDController.NotificationKillfeedElements.Insert(element);
000129 | }
000130 |
000131 | void RemoveNotificationKillfeedElemement(ExpansionNotificationViewKillfeed element)
000132 | {
000133 |     if (!m_NotificationHUDController)
000134 |         return;
000135 |
000136 |     int index = -1;
000137 |     index = m_NotificationHUDController.NotificationKillfeedElements.Find(element);
000138 |     if (index > -1)
000139 |         m_NotificationHUDController.NotificationKillfeedElements.Remove(index);
000140 | }
000141 |
000142 | void AddNotificationMarketElemement(ExpansionNotificationViewMarket element)
000143 | {
000144 |     if (!m_NotificationHUDController)
000145 |         return;
000146 |
000147 |     m_NotificationHUDController.NotificationMarketElements.Insert(element);
000148 | }
000149 |
000150 | void RemoveNotificationMarketElemement(ExpansionNotificationViewMarket element)
000151 | {
000152 |     if (!m_NotificationHUDController)
```

```
000153 |         return;
000154 |
000155 |         int index = -1;
000156 |         index = m_NotificationHUDController.NotificationMarketElements.Find(element);
000157 |         if (index > -1)
000158 |             m_NotificationHUDController.NotificationMarketElements.Remove(index);
000159 |     }
000160 |
000161 |     void AddNotificationGarageElemement(ExpansionNotificationViewGarage element)
000162 |     {
000163 |         if (!m_NotificationHUDController)
000164 |             return;
000165 |
000166 |         if (!m_ElementPosAdjustment)
000167 |         {
000168 |             Print(ToString() + "::AddNotificationGarageElemement - Adjust element position!");
000169 |
000170 |             float x1, y1;
000171 |             Widget content = Widget.Cast(GetLayoutRoot().FindAnyWidget("MarketContent"));
000172 |             content.GetPos(x1, y1);
000173 |             float yNew1 = y1 + 80.0;
000174 |             content.SetPos(x1, yNew1);
000175 |             m_ElementPosAdjustment = true;
000176 |         }
000177 |
000178 |         m_NotificationHUDController.NotificationMarketElements.Insert(element);
000179 |     }
000180 |
000181 |     void RemoveNotificationGarageElemement(ExpansionNotificationViewGarage element)
000182 |     {
000183 |         if (!m_NotificationHUDController)
000184 |             return;
000185 |
000186 |         int index = -1;
000187 |         index = m_NotificationHUDController.NotificationMarketElements.Find(element);
000188 |         if (index > -1)
000189 |             m_NotificationHUDController.NotificationMarketElements.Remove(index);
000190 |
000191 |         if (m_ElementPosAdjustment)
000192 |         {
000193 |             Print(ToString() + "::RemoveNotificationGarageElemement - Adjust element position!");
000194 |
000195 |             float x1, y1;
000196 |             Widget content = Widget.Cast(GetLayoutRoot().FindAnyWidget("MarketContent"));
000197 |             content.GetPos(x1, y1);
000198 |             float yNew1 = y1 - 80.0;
000199 |             content.SetPos(x1, yNew1);
000200 |             m_ElementPosAdjustment = false;
000201 |         }
000202 |     }
000203 | }
000204 |
000205 | class ExpansionNotificationHUDController: ExpansionViewController
000206 | {
000207 |     ref ObservableCollection<ref ExpansionNotificationViewToast> NotificationToastElements = new ObservableCollection<ref ExpansionNotificationViewToast>(this);
000208 |     ref ObservableCollection<ref ExpansionNotificationViewBaguette> NotificationBaguetteElements = new ObservableCollection<ref ExpansionNotificationViewBaguette>
000209 | (this);
000209 |     ref ObservableCollection<ref ExpansionNotificationViewActivity> NotificationActivityElements = new ObservableCollection<ref ExpansionNotificationViewActivity>
000210 | (this);
000210 |     ref ObservableCollection<ref ExpansionNotificationViewKillfeed> NotificationKillfeedElements = new ObservableCollection<ref ExpansionNotificationViewKillfeed>
000211 | (this);
000211 |     ref ObservableCollection<ref ExpansionNotificationViewMarket> NotificationMarketElements = new ObservableCollection<ref ExpansionNotificationViewMarket>(this)
```

```
000212 | ;  
000212 | }  
000213 | #endif  
000214 |
```

0313. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\Notifications\ExpansionNotificationModule.c
Size bytes: 8214
SHA-256: 6724c60e6a6e814c2805973464092f29001f481d01bf059e4c536bed000089f6
Decoded as: utf-8-sig
Line count shown: 273
Detected class declarations: 1
  L18: class ExpansionNotificationModule: CF_ModuleWorld
Detected enum declarations: 0
Detected function/method-like declarations: 15
  L26: void ExpansionNotificationModule()
  L37: void ~ExpansionNotificationModule()
  L49: override void OnInit()
  L62: override bool IsServer()
  L68: int GetNotificationsCount()
  L74: void AddNotification(NotificationRuntimeData data)
  L123: void AddNotificationElement(ExpansionNotificationView notificationElement, ExpansionNotificationType type)
  L156: void RemoveNotification(NotificationRuntimeData data)
  L172: void HideNotification(int index)
  L193: void RemovingNotification(ExpansionNotificationView notif)
  L204: void RemoveNotificationView(ExpansionNotificationView notif)
  L223: override void OnUpdate(Class sender, CF_EventArgs args)
  L243: void SetExpansionNotificationHUD(ExpansionNotificationHUD notificationHUD)
  L248: override void OnMissionStart(Class sender, CF_EventArgs args)
  L261: override void OnMissionLoaded(Class sender, CF_EventArgs args)
```

Full file content

```
000001 | /**
000002 |  * ExpansionNotificationModule.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionNotificationModule
000014 |  * @brief      This class handle notification toasts system
000015 |  */
000016 | #ifndef EXPANSIONUI
000017 | [CF_RegisterModule(ExpansionNotificationModule)]
000018 | class ExpansionNotificationModule: CF_ModuleWorld
000019 | {
000020 |     ref array<ref ExpansionNotificationView> m_Notifications;
000021 |     ref array<ref NotificationRuntimeData> m_NotificationData;
000022 |     ref ExpansionNotificationHUD m_NotificationHUD;
000023 |     bool m_Expansion_Bind;
000024 |
000025 |     // -----
000026 |     void ExpansionNotificationModule()
000027 |     {
000028 | #ifdef EXPANSIONTRACE
000029 |         auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "ExpansionNotificationModule");
000030 | #endif
000031 |
000032 |         m_Notifications = new array<ref ExpansionNotificationView>;
```

```
000033 |         m_NotificationData = new array<ref NotificationRuntimeData>;
000034 |     }
000035 |
000036 |     // -----
000037 |     void ~ExpansionNotificationModule()
000038 |     {
000039 | #ifdef EXPANSIONTRACE
000040 |         auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "~ExpansionNotificationModule");
000041 | #endif
000042 |
000043 |         if (IsMissionClient())
000044 |         {
000045 |             m_NotificationHUD = NULL;
000046 |         }
000047 |     }
000048 |
000049 |     override void OnInit()
000050 |     {
000051 | #ifdef EXPANSIONTRACE
000052 |         auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "OnInit");
000053 | #endif
000054 |
000055 |         super.OnInit();
000056 |
000057 |         EnableMissionLoaded();
000058 |         EnableMissionStart();
000059 |         EnableUpdate();
000060 |     }
000061 |
000062 |     override bool IsServer()
000063 |     {
000064 |         return false;
000065 |     }
000066 |
000067 |     // -----
000068 |     int GetNotificationsCount()
000069 |     {
000070 |         return m_Notifications.Count();
000071 |     }
000072 |
000073 |     // -----
000074 |     void AddNotification(NotificationRuntimeData data)
000075 |     {
000076 | #ifdef EXPANSIONTRACE
000077 |         auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "AddNotification");
000078 | #endif
000079 |
000080 |         if (GetExpansionClientSettings() && GetExpansionClientSettings().ShowNotifications)
000081 |         {
000082 |             if (!data)
000083 |                 return;
000084 |
000085 |             if (!m_NotificationHUD)
000086 |                 return;
000087 |
000088 |             ExpansionNotificationView notificationElement;
000089 |             switch (data.GetType())
000090 |             {
000091 |                 case ExpansionNotificationType.TOAST:
000092 |                     notificationElement = new ExpansionNotificationViewToast(data, this, m_NotificationHUD);
000093 |                     break;
000094 |                 case ExpansionNotificationType.BAGUETTE:
```

```
000095 |         notificationElement = new ExpansionNotificationViewBaguette(data, this, m_NotificationHUD);
000096 |         break;
000097 |     case ExpansionNotificationType.ACTIVITY:
000098 |         notificationElement = new ExpansionNotificationViewActivity(data, this, m_NotificationHUD);
000099 |         break;
000100 |     case ExpansionNotificationType.KILLFEED:
000101 |         notificationElement = new ExpansionNotificationViewKillfeed(data, this, m_NotificationHUD);
000102 |         break;
000103 |     case ExpansionNotificationType.MARKET:
000104 |         notificationElement = new ExpansionNotificationViewMarket(data, this, m_NotificationHUD);
000105 |         break;
000106 |     case ExpansionNotificationType.GARAGE:
000107 |         notificationElement = new ExpansionNotificationViewGarage(data, this, m_NotificationHUD);
000108 |         break;
000109 |     default:
000110 |         notificationElement = new ExpansionNotificationViewToast(data, this, m_NotificationHUD);
000111 |         break;
000112 |     }
000113 |
000114 |     AddNotificationElement(notificationElement, data.GetType());
000115 |     m_Notifications.InsertAt(notificationElement, 0);
000116 |
000117 |     m_NotificationData.InsertAt(data, 0);
000118 |     m_Notifications[0].ShowNotification();
000119 | }
000120 | }
000121 |
000122 | // -----
000123 | void AddNotificationElement(ExpansionNotificationView notificationElement, ExpansionNotificationType type)
000124 | {
000125 | #ifdef EXPANSIONTRACE
000126 |     auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "AddNotificationElement");
000127 | #endif
000128 |
000129 |     switch (type)
000130 |     {
000131 |     case ExpansionNotificationType.TOAST:
000132 |         m_NotificationHUD.AddNotificationToastsElement(ExpansionNotificationViewToast.Cast(notificationElement));
000133 |         break;
000134 |     case ExpansionNotificationType.BAGUETTE:
000135 |         m_NotificationHUD.AddNotificationBaguetteElement(ExpansionNotificationViewBaguette.Cast(notificationElement));
000136 |         break;
000137 |     case ExpansionNotificationType.ACTIVITY:
000138 |         m_NotificationHUD.AddNotificationActivityElement(ExpansionNotificationViewActivity.Cast(notificationElement));
000139 |         break;
000140 |     case ExpansionNotificationType.KILLFEED:
000141 |         m_NotificationHUD.AddNotificationKillfeedElement(ExpansionNotificationViewKillfeed.Cast(notificationElement));
000142 |         break;
000143 |     case ExpansionNotificationType.MARKET:
000144 |         m_NotificationHUD.AddNotificationMarketElement(ExpansionNotificationViewMarket.Cast(notificationElement));
000145 |         break;
000146 |     case ExpansionNotificationType.GARAGE:
000147 |         m_NotificationHUD.AddNotificationGarageElement(ExpansionNotificationViewGarage.Cast(notificationElement));
000148 |         break;
000149 |     default:
000150 |         m_NotificationHUD.AddNotificationToastsElement(ExpansionNotificationViewToast.Cast(notificationElement));
000151 |         break;
000152 |     }
000153 | }
000154 |
000155 | // -----
000156 | void RemoveNotification(NotificationRuntimeData data)
```



```
000157 | {
000158 | #ifdef EXPANSIONTRACE
000159 |     auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "RemoveNotification");
000160 | #endif
000161 |
000162 |     if (!data)
000163 |         return;
000164 |
000165 |     int index = m_NotificationData.Find(data);
000166 |
000167 |     if (index >= 0)
000168 |         HideNotification( index );
000169 | }
000170 |
000171 | // -----
000172 | void HideNotification(int index)
000173 | {
000174 | #ifdef EXPANSIONTRACE
000175 |     auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "HideNotification");
000176 | #endif
000177 |
000178 |     if (g_Game.IsMultiplayer() && g_Game.IsServer())
000179 |         return;
000180 |
000181 |     if (index < 0)
000182 |         return;
000183 |
000184 |     if (index >= m_Notifications.Count())
000185 |         return;
000186 |
000187 |     m_Notifications[index].HideNotification();
000188 | }
000189 |
000190 | // -----
000191 | // DEPRECATED
000192 | // -----
000193 | void RemovingNotification(ExpansionNotificationView notif)
000194 | {
000195 | #ifdef EXPANSIONTRACE
000196 |     auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "RemovingNotification");
000197 | #endif
000198 |
000199 |     if (!notif)
000200 |         return;
000201 | }
000202 |
000203 | // -----
000204 | void RemoveNotificationView(ExpansionNotificationView notif)
000205 | {
000206 | #ifdef EXPANSIONTRACE
000207 |     auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "RemoveNotificationView");
000208 | #endif
000209 |
000210 |     if (!notif)
000211 |         return;
000212 |
000213 |     int index = m_Notifications.Find(notif);
000214 |
000215 |     if (index > -1)
000216 |     {
000217 |         m_Notifications.RemoveOrdered(index);
000218 |         m_NotificationData.RemoveOrdered(index);
```

```
000219 |     }
000220 | }
000221 |
000222 | // -----
000223 | override void OnUpdate(Class sender, CF_EventArgs args)
000224 | {
000225 | #ifdef EXPANSIONTRACE
000226 |     auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "OnUpdate");
000227 | #endif
000228 |
000229 |     super.OnUpdate(sender, args);
000230 |
000231 |     auto update = CF_EventUpdateArgs.Cast(args);
000232 |
000233 |     for (int i = 0; i < m_Notifications.Count(); i++)
000234 |     {
000235 |         if (!m_Notifications[i])
000236 |             continue;
000237 |
000238 |         m_Notifications[i].AnimateNotification(update.DeltaTime);
000239 |     }
000240 | }
000241 |
000242 | // -----
000243 | void SetExpansionNotificationHUD(ExpansionNotificationHUD notificationHUD)
000244 | {
000245 |     m_NotificationHUD = notificationHUD;
000246 | }
000247 |
000248 | override void OnMissionStart(Class sender, CF_EventArgs args)
000249 | {
000250 |     super.OnMissionStart(sender, args);
000251 |
000252 |     if (!m_Expansion_Bind)
000253 |     {
000254 |         m_Expansion_Bind = true;
000255 |         NotificationSystem.GetInstance().m_OnNotificationAdded.Insert(AddNotification);
000256 |         NotificationSystem.GetInstance().m_OnNotificationRemoved.Insert(RemoveNotification);
000257 |     }
000258 | }
000259 |
000260 | // -----
000261 | override void OnMissionLoaded(Class sender, CF_EventArgs args)
000262 | {
000263 |     super.OnMissionLoaded(sender, args);
000264 |
000265 |     //! TODO: Why not use existing one?
000266 |     if (m_NotificationHUD)
000267 |         m_NotificationHUD.Destroy();
000268 |
000269 |     m_NotificationHUD = new ExpansionNotificationHUD;
000270 | }
000271 | };
000272 | #endif
000273 |
```

0314. PBO TEXT FILE

```
Path: core pbo files expan\core_scripts.pbo :: 4_World\DayZExpansion_Core\System\Notifications\ExpansionNotificationView.c
Size bytes: 9777
SHA-256: 14248a86ea8271bbae6d9d1fe8a07ff241596904fbf9fe65b76ef5c3d62a8c16
Decoded as: utf-8-sig
Line count shown: 357
Detected class declarations: 13
  L14: class ExpansionNotificationView: ScriptView
  L272: class ExpansionNotificationViewController: ExpansionViewController
  L279: class ExpansionNotificationViewToast: ExpansionNotificationView
  L291: class ExpansionNotificationViewToastController: ExpansionNotificationViewController {};
  L293: class ExpansionNotificationViewBaguette: ExpansionNotificationView
  L305: class ExpansionNotificationViewBaguetteController: ExpansionNotificationViewController {};
  L307: class ExpansionNotificationViewActivity: ExpansionNotificationView
  L321: class ExpansionNotificationViewActivityController: ExpansionNotificationViewController {};
  L323: class ExpansionNotificationViewKillfeed: ExpansionNotificationView
  L337: class ExpansionNotificationViewKillfeedController: ExpansionNotificationViewController {};
  L339: class ExpansionNotificationViewMarket: ExpansionNotificationView
  L351: class ExpansionNotificationViewMarketController: ExpansionNotificationViewController {};
  L353: class ExpansionNotificationViewGarage: ExpansionNotificationViewMarket
Detected enum declarations: 0
Detected function/method-like declarations: 26
  L45: void ExpansionNotificationView(NotificationRuntimeData data, ExpansionNotificationModule module, ExpansionNotificationHUD notificationHUD)
  L61: void HideNotification()
  L67: void ShowNotification()
  L80: void PlaySound()
  L89: string GetSoundSet()
  L94: override typename GetControllerType()
  L99: void SetView()
  L133: void AnimateShowNotification(float timeslice)
  L145: void AnimateHideNotification(float timeslice)
  L162: void SetSlide(float timeslice)
  L170: void SetHideAlpha(float timeslice)
  L225: void RemoveNotificationElement()
  L253: void AnimateNotification(float timeslice)
  L266: NotificationRuntimeData GetNotificationData()
  L281: override typename GetControllerType()
  L286: override string GetLayoutFile()
  L295: override typename GetControllerType()
  L300: override string GetLayoutFile()
  L309: override typename GetControllerType()
  L314: override void PlaySound() {}
  L316: override string GetLayoutFile()
  L325: override typename GetControllerType()
  L330: override void PlaySound() {}
  L332: override string GetLayoutFile()
  L341: override typename GetControllerType()
  L346: override string GetLayoutFile()
```

Full file content

```
000001 | /**
000002 |  * ExpansionNotificationView.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
```

```
000010 | *
000011 | */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionNotificationView: ScriptView
000015 | {
000016 |     ExpansionNotificationViewController m_NotificationViewController;
000017 |     NotificationRuntimeData m_Data;
000018 |     ExpansionNotificationModule m_NotificationModule;
000019 |     ExpansionNotificationHUD m_NotificationHUD;
000020 |
000021 |     protected bool m_Showing;
000022 |     protected bool m_Hiding;
000023 |
000024 |     protected float m_ShowUpdateTime;
000025 |     protected float m_HideUpdateTime;
000026 |
000027 |     protected float m_TotalShowUpdateTime;
000028 |     protected float m_TotalHideUpdateTime;
000029 |
000030 |     protected AbstractWave m_Sound;
000031 |
000032 |     protected Widget Notification;
000033 |     protected Widget NotificationColorSpacer
000034 |     protected Widget NotificationColor;
000035 |     protected ImageWidget NotificationIcon;
000036 |     protected RichTextWidget NotificationTitle;
000037 |     protected RichTextWidget NotificationText;
000038 |     protected GridSpacerWidget NotificationElement;
000039 |
000040 |     protected Widget PreviewSpacer;
000041 |     protected ItemPreviewWidget NotificationPreview;
000042 |
000043 |     string m_LayoutPath;
000044 |
000045 |     void ExpansionNotificationView(NotificationRuntimeData data, ExpansionNotificationModule module, ExpansionNotificationHUD notificationHUD)
000046 |     {
000047 |         m_Data = data;
000048 |         m_NotificationModule = module;
000049 |         m_NotificationHUD = notificationHUD;
000050 |
000051 |         if (!m_NotificationViewController)
000052 |             m_NotificationViewController = ExpansionNotificationViewController.Cast(GetController());
000053 |
000054 |         m_TotalShowUpdateTime = m_Data.GetTime() / 2;
000055 |         m_TotalHideUpdateTime = m_Data.GetTime() / 2;
000056 |
000057 |         m_Hiding = false;
000058 |         m_Showing = false;
000059 |     }
000060 |
000061 |     void HideNotification()
000062 |     {
000063 |         m_Hiding = true;
000064 |         m_HideUpdateTime = 0;
000065 |     }
000066 |
000067 |     void ShowNotification()
000068 |     {
000069 |         if (GetExpansionClientSettings().ShowNotifications && GetExpansionClientSettings().NotificationSound )
000070 |             PlaySound();
000071 |     }
```

```
000072 |         GetLayoutRoot().Show(true);
000073 |
000074 |         m_Showing = true;
000075 |         m_ShowUpdateTime = 0;
000076 |
000077 |         SetView();
000078 |     }
000079 |
000080 |     void PlaySound()
000081 |     {
000082 |         if ( g_Game && g_Game.GetPlayer() && (!m_Data.m_LeaveJoinNotif || (m_Data.m_LeaveJoinNotif && GetExpansionClientSettings().NotificationSoundLeaveJoin) ))
000083 |         {
000084 |             if (g_Game.ConfigIsExisting("CfgSoundSets "+ GetSoundSet())) //! Hint sound is part of Licensed
000085 |                 SEffectManager.PlaySoundOnObject(GetSoundSet(), g_Game.GetPlayer(), 0, 0.15, false);
000086 |         }
000087 |     }
000088 |
000089 |     string GetSoundSet()
000090 |     {
000091 |         return "Expansion_Hint_Sound_SoundSet";
000092 |     }
000093 |
000094 |     override typename GetControllerType()
000095 |     {
000096 |         return ExpansionNotificationViewController;
000097 |     }
000098 |
000099 |     void SetView()
000100 |     {
000101 |         array<string> propertiesToChange = new array<string>;
000102 |
000103 |         if (m_Data.GetIcon())
000104 |         {
000105 |             m_NotificationViewController.NotificationIcon = m_Data.GetIcon();
000106 |             propertiesToChange.Insert("NotificationIcon");
000107 |         }
000108 |
000109 |         if (m_Data.GetTitleText() != "")
000110 |         {
000111 |             m_NotificationViewController.NotificationTitle = m_Data.GetTitleText();
000112 |             propertiesToChange.Insert("NotificationTitle");
000113 |         }
000114 |
000115 |         if (m_Data.GetDetailText() != "")
000116 |         {
000117 |             m_NotificationViewController.NotificationText = m_Data.GetDetailText();
000118 |             propertiesToChange.Insert("NotificationText");
000119 |         }
000120 |
000121 |         if (m_Data.GetColor())
000122 |         {
000123 |             if (NotificationColor)
000124 |                 NotificationColor.SetColor(m_Data.GetColor());
000125 |
000126 |             if (NotificationIcon)
000127 |                 NotificationIcon.SetColor(m_Data.GetColor());
000128 |         }
000129 |
000130 |         m_NotificationViewController.NotifyPropertiesChanged(propertiesToChange);
000131 |     }
000132 |
000133 |     void AnimateShowNotification(float timeslice)
```

```
000134 | {
000135 |     m_ShowUpdateTime += timeslice;
000136 |
000137 |     if (m_ShowUpdateTime >= m_TotalShowUpdateTime)
000138 |     {
000139 |         m_Showing = false;
000140 |         m_Data.m_HasShown = true;
000141 |         m_Data.m_NotificationTime = g_Game.GetTickTime() + m_Data.GetTime();
000142 |     }
000143 | }
000144 |
000145 | void AnimateHideNotification(float timeslice)
000146 | {
000147 |     m_HideUpdateTime += timeslice;
000148 |
000149 |     SetHideAlpha(timeslice);
000150 |
000151 |     if (m_HideUpdateTime >= m_TotalHideUpdateTime)
000152 |     {
000153 |         if (GetLayoutRoot() && GetLayoutRoot().IsVisible())
000154 |             GetLayoutRoot().Show(false);
000155 |
000156 |         m_NotificationModule.RemoveNotificationView(this);
000157 |         RemoveNotificationElement();
000158 |         m_Hiding = false;
000159 |     }
000160 | }
000161 |
000162 | void SetSlide(float timeslice)
000163 | {
000164 |     float currentX;
000165 |     float currentY;
000166 |
000167 |     GetLayoutRoot().GetPos(currentX, currentY);
000168 | }
000169 |
000170 | void SetHideAlpha(float timeslice)
000171 | {
000172 |     float currentAlpha;
000173 |     float newAlpha;
000174 |
000175 |     if (GetLayoutRoot())
000176 |     {
000177 |         currentAlpha = GetLayoutRoot().GetAlpha();
000178 |         newAlpha = Math.Clamp(GetLayoutRoot().GetAlpha() - timeslice / m_TotalHideUpdateTime, 0, 1);
000179 |         GetLayoutRoot().SetAlpha(newAlpha);
000180 |     }
000181 |
000182 |     if (Notification)
000183 |     {
000184 |         currentAlpha = Notification.GetAlpha();
000185 |         newAlpha = Math.Clamp(Notification.GetAlpha() - timeslice / m_TotalHideUpdateTime, 0, 1);
000186 |         Notification.SetAlpha(newAlpha);
000187 |     }
000188 |
000189 |     if (NotificationColor)
000190 |     {
000191 |         currentAlpha = NotificationColor.GetAlpha();
000192 |         newAlpha = Math.Clamp(NotificationColor.GetAlpha() - timeslice / m_TotalShowUpdateTime, 0, 1);
000193 |         NotificationColor.SetAlpha(newAlpha);
000194 |     }
000195 | }
```

```
000196 |         if (NotificationIcon)
000197 |         {
000198 |             currentAlpha = NotificationIcon.GetAlpha();
000199 |             newAlpha = Math.Clamp(NotificationIcon.GetAlpha() - timeslice / m_TotalShowUpdateTime, 0, 1);
000200 |             NotificationIcon.SetAlpha(newAlpha);
000201 |         }
000202 |
000203 |         if (NotificationTitle)
000204 |         {
000205 |             currentAlpha = NotificationTitle.GetAlpha();
000206 |             newAlpha = Math.Clamp(NotificationTitle.GetAlpha() - timeslice / m_TotalShowUpdateTime, 0, 1);
000207 |             NotificationTitle.SetAlpha(newAlpha);
000208 |         }
000209 |
000210 |         if (NotificationText)
000211 |         {
000212 |             currentAlpha = NotificationText.GetAlpha();
000213 |             newAlpha = Math.Clamp(NotificationText.GetAlpha() - timeslice / m_TotalShowUpdateTime, 0, 1);
000214 |             NotificationText.SetAlpha(newAlpha);
000215 |         }
000216 |
000217 |         if (NotificationElement)
000218 |         {
000219 |             currentAlpha = NotificationElement.GetAlpha();
000220 |             newAlpha = Math.Clamp(NotificationElement.GetAlpha() - timeslice / m_TotalShowUpdateTime, 0, 1);
000221 |             NotificationElement.SetAlpha(newAlpha);
000222 |         }
000223 |     }
000224 |
000225 | void RemoveNotificationElement()
000226 | {
000227 |     if (!m_Data || !m_Data.GetType())
000228 |         return;
000229 |
000230 |     switch (m_Data.GetType())
000231 |     {
000232 |         case ExpansionNotificationType.TOAST:
000233 |             m_NotificationHUD.RemoveNotificationToastElement(ExpansionNotificationViewToast.Cast(this));
000234 |             break;
000235 |         case ExpansionNotificationType.BAGUETTE:
000236 |             m_NotificationHUD.RemoveNotificationBaguetteElement(ExpansionNotificationViewBaguette.Cast(this));
000237 |             break;
000238 |         case ExpansionNotificationType.ACTIVITY:
000239 |             m_NotificationHUD.RemoveNotificationActivityElement(ExpansionNotificationViewActivity.Cast(this));
000240 |             break;
000241 |         case ExpansionNotificationType.KILLFEED:
000242 |             m_NotificationHUD.RemoveNotificationKillfeedElement(ExpansionNotificationViewKillfeed.Cast(this));
000243 |             break;
000244 |         case ExpansionNotificationType.MARKET:
000245 |             m_NotificationHUD.RemoveNotificationMarketElement(ExpansionNotificationViewMarket.Cast(this));
000246 |             break;
000247 |         case ExpansionNotificationType.GARAGE:
000248 |             m_NotificationHUD.RemoveNotificationGarageElement(ExpansionNotificationViewGarage.Cast(this));
000249 |             break;
000250 |     }
000251 | }
000252 |
000253 | void AnimateNotification(float timeslice)
000254 | {
000255 |     if (m_Hiding)
000256 |     {
000257 |         AnimateHideNotification(timeslice);
```

```
000258 |     }
000259 |
000260 |     if (m_Showing)
000261 |     {
000262 |         AnimateShowNotification(timeslice);
000263 |     }
000264 | }
000265 |
000266 | NotificationRuntimeData GetNotificationData()
000267 | {
000268 |     return m_Data;
000269 | }
000270 | };
000271 |
000272 | class ExpansionNotificationViewController: ExpansionViewController
000273 | {
000274 |     string NotificationIcon;
000275 |     string NotificationTitle;
000276 |     string NotificationText;
000277 | };
000278 |
000279 | class ExpansionNotificationViewToast: ExpansionNotificationView
000280 | {
000281 |     override typename GetControllerType()
000282 |     {
000283 |         return ExpansionNotificationViewToastController;
000284 |     }
000285 |
000286 |     override string GetLayoutFile()
000287 |     {
000288 |         return "DayZExpansion/Core/GUI/layouts/expansion_notification_toast.layout";
000289 |     }
000290 | };
000291 | class ExpansionNotificationViewToastController: ExpansionNotificationViewController {};
000292 |
000293 | class ExpansionNotificationViewBaguette: ExpansionNotificationView
000294 | {
000295 |     override typename GetControllerType()
000296 |     {
000297 |         return ExpansionNotificationViewBaguetteController;
000298 |     }
000299 |
000300 |     override string GetLayoutFile()
000301 |     {
000302 |         return "DayZExpansion/Core/GUI/layouts/expansion_notification_baguette.layout";
000303 |     }
000304 | };
000305 | class ExpansionNotificationViewBaguetteController: ExpansionNotificationViewController {};
000306 |
000307 | class ExpansionNotificationViewActivity: ExpansionNotificationView
000308 | {
000309 |     override typename GetControllerType()
000310 |     {
000311 |         return ExpansionNotificationViewActivityController;
000312 |     }
000313 |
000314 |     override void PlaySound() {}
000315 |
000316 |     override string GetLayoutFile()
000317 |     {
000318 |         return "DayZExpansion/Core/GUI/layouts/expansion_notification_activity.layout";
000319 |     }
000319 | }
```



```
000320 | };
000321 | class ExpansionNotificationViewActivityController: ExpansionNotificationViewController {};
000322 |
000323 | class ExpansionNotificationViewKillfeed: ExpansionNotificationView
000324 | {
000325 |     override typename GetControllerType()
000326 |     {
000327 |         return ExpansionNotificationViewKillfeedController;
000328 |     }
000329 |
000330 |     override void PlaySound() {}
000331 |
000332 |     override string GetLayoutFile()
000333 |     {
000334 |         return "DayZExpansion/Core/GUI/layouts/expansion_notification_killfeed.layout";
000335 |     }
000336 | };
000337 | class ExpansionNotificationViewKillfeedController: ExpansionNotificationViewController {};
000338 |
000339 | class ExpansionNotificationViewMarket: ExpansionNotificationView
000340 | {
000341 |     override typename GetControllerType()
000342 |     {
000343 |         return ExpansionNotificationViewMarketController;
000344 |     }
000345 |
000346 |     override string GetLayoutFile()
000347 |     {
000348 |         return "DayZExpansion/Core/GUI/layouts/expansion_notification_market.layout";
000349 |     }
000350 | };
000351 | class ExpansionNotificationViewMarketController: ExpansionNotificationViewController {};
000352 |
000353 | class ExpansionNotificationViewGarage: ExpansionNotificationViewMarket
000354 | {
000355 | };
000356 | #endif
000357 |
```

0315. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Classes\Modules\ESP\ExpansionESPModificationModule.c
Size bytes: 1008
SHA-256: b1fd2f815738076f75d8b426bde1619ec31eb810c6459d047192330f4fce8359
Decoded as: utf-8-sig
Line count shown: 45
Detected class declarations: 2
 L15: modded class JMESPModule
 L24: class ExpansionESPModificationModule : CF_ModuleGame
Detected enum declarations: 0
Detected function/method-like declarations: 3
 L17: JMESPMeta EXP_GetMeta(Object target)
 L28: override void OnInit()
 L36: override void OnMissionStart(Class sender, CF_EventArgs args)

Full file content

```
000001 | /**
000002 |  * ExpansionESPModificationModule.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef JM_COT
000014 | #ifdef EXPANSIONCOTESPMODULE
000015 | modded class JMESPModule
000016 | {
000017 |     JMESPMeta EXP_GetMeta( Object target )
000018 |     {
000019 |         return m_MappedESPObjects.Get( target );
000020 |     }
000021 | };
000022 |
000023 | [CF_RegisterModule(ExpansionESPModificationModule)]
000024 | class ExpansionESPModificationModule : CF_ModuleGame
000025 | {
000026 |     private JMESPModule m_BaseModule;
000027 |
000028 |     override void OnInit()
000029 |     {
000030 |         super.OnInit();
000031 |
000032 |         EnableMissionStart();
000033 |         Expansion_EnableRPCManager();
000034 |     }
000035 |
000036 |     override void OnMissionStart(Class sender, CF_EventArgs args)
000037 |     {
000038 |         super.OnMissionStart(sender, args);
000039 |
000040 |         m_BaseModule = JMESPModule.Cast( CF_ModuleCoreManager.Get( JMESPModule ) );
000041 |     }
000042 | };
000043 | #endif
```

```
000044 | #endif
000045 |
```

0316. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Classes\Modules\ExpansionClientSettingsModule.c

Size bytes: 992

SHA-256: 3acbe5f5bd3bb622228c7e713ac36de51869ee4d8effcefa9a8e6bbc06cf8c9c

Decoded as: utf-8-sig

Line count shown: 46

Detected class declarations: 1

L14: class ExpansionClientSettingsModule : CF_ModuleWorld

Detected enum declarations: 0

Detected function/method-like declarations: 4

L18: override void OnInit()

L27: override bool IsServer()

L32: override bool IsClient()

L37: override void OnInvokeConnect(Class sender, CF_EventArgs args)

Full file content

```
000001 | /**
000002 |  * ExpansionClientSettingsModule.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | [CF_RegisterModule(ExpansionClientSettingsModule)]
000014 | class ExpansionClientSettingsModule : CF_ModuleWorld
000015 | {
000016 |     static ref ScriptInvoker m_SettingChanged = new ScriptInvoker;
000017 |
000018 |     override void OnInit()
000019 |     {
000020 |         super.OnInit();
000021 |
000022 |         EnableClientLogout();
000023 |         EnableInvokeConnect();
000024 |         EnableSettingsChanged();
000025 |     }
000026 |
000027 |     override bool IsServer()
000028 |     {
000029 |         return false;
000030 |     }
000031 |
000032 |     override bool IsClient()
000033 |     {
000034 |         return true;
000035 |     }
000036 |
000037 |     override void OnInvokeConnect(Class sender, CF_EventArgs args)
000038 |     {
000039 |         super.OnInvokeConnect(sender, args);
000040 |
000041 |         auto cArgs = CF_EventPlayerArgs.Cast(args);
000042 |
000043 |         OnSettingsChanged(this, CF_EventArgs.Empty);
```

```
000044 |      }  
000045 |    };  
000046 |
```

0317. PBO TEXT FILE

Path: core pbo files expan\core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Classes\Modules\JMModuleConstructor.c

Size bytes: 612

SHA-256: 03d63e7cd42a5698a79fa5d8571805faa24d314b45423f15882234295a1f5a16

Decoded as: utf-8-sig

Line count shown: 26

Detected class declarations: 1

L13: modded class JMModuleConstructor

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: override void RegisterModules(out TTypeNameArray modules)

Full file content

```
000001 | /**
000002 |  * JMModuleConstructor.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class JMModuleConstructor
000014 | {
000015 |     override void RegisterModules( out TTypeNameArray modules )
000016 |     {
000017 | #ifdef JM_COT
000018 | #ifdef EXPANSIONCOTESPMODULE
000019 |         modules.Insert( ExpansionESPModificationModule );
000020 | #endif
000021 | #endif
000022 |
000023 |         super.RegisterModules( modules );
000024 |     }
000025 | }
000026 |
```

0318. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\DayZExpansion.c

Size bytes: 3226

SHA-256: 3c2970b9cb757e77a2ad6434676f6a68805aad643456c44994b6a5e3180eda12

Decoded as: utf-8-sig

Line count shown: 136

Detected class declarations: 1

L16: class DayZExpansion: ExpansionWorld

Detected enum declarations: 0

Detected function/method-like declarations: 9

L27: void DayZExpansion()

L40: void ~DayZExpansion()

L53: void Expansion_LoadVersion()

L80: string GetVersion()

L85: override void OnLoaded()

L95: override void OnSyncJuncture(Object target, int junctureID, ParamsReadContext ctx)

L107: static DayZExpansion GetDayZExpansion()

L117: static void CreateDayZExpansion()

L129: static void DestroyDayZExpansion()

Full file content

```
000001 | /**
000002 |  * DayZExpansion.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | /**@class      DayZExpansion
000014 |  * @brief
000015 |  */
000016 | class DayZExpansion: ExpansionWorld
000017 | {
000018 |     protected string m_Version;
000019 |
000020 |     protected int m_MajorVersion;
000021 |     protected int m_MinorVersion;
000022 |     protected int m_BuildVersion;
000023 |
000024 |     // -----
000025 |     // DayZExpansion Constructor
000026 |     // -----
000027 |     void DayZExpansion()
000028 |     {
000029 | #ifdef EXTRACE_DIAG
000030 |         auto trace = EXTrace.Start(EXTrace.MISC, this);
000031 | #endif
000032 |
000033 |         //! Version checking
000034 |         Expansion_LoadVersion();
000035 |
000036 |         //! Initialize settings
000037 |         GetExpansionSettings();
000038 |     }
```

```
000039 |
000040 |     void ~DayZExpansion()
000041 |     {
000042 |         if (!g_Game)
000043 |             return;
000044 |
000045 |     #ifdef DIAG_DEVELOPER
000046 |         Print("~DayZExpansion");
000047 |     #endif
000048 |     }
000049 |
000050 |     // -----
000051 |     // Expansion_LoadVersion
000052 |     // -----
000053 |     void Expansion_LoadVersion()
000054 |     {
000055 |     #ifdef EXTRACE_DIAG
000056 |         auto trace = EXTrace.Start(EXTrace.MISC, this);
000057 |     #endif
000058 |
000059 |         m_Version = GetDayZGame().GetExpansionClientVersion();
000060 |
000061 |         array<string> values = new array<string>();
000062 |         m_Version.Split( ".", values );
000063 |         if ( values.Count() == 3 )
000064 |         {
000065 |             m_MajorVersion = values[0].ToInt();
000066 |             m_MinorVersion = values[1].ToInt();
000067 |             m_BuildVersion = values[2].ToInt();
000068 |
000069 |             Print( "Expansion version: " + m_MajorVersion + "." + m_MinorVersion + "." + m_BuildVersion );
000070 |         }
000071 |
000072 |         //string versionTest;
000073 |         //g_Game.ConfigGetText( "CfgMods DZ_Expansion version", versionTest );
000074 |         //Print( versionTest );
000075 |     }
000076 |
000077 |     // -----
000078 |     // Expansion_GetVersion
000079 |     // -----
000080 |     string GetVersion()
000081 |     {
000082 |         return m_Version;
000083 |     }
000084 |
000085 |     override void OnLoaded()
000086 |     {
000087 |         if ( IsMissionHost() )
000088 |         {
000089 |             ExpansionSettings.SI_SafeZone.Invoke();
000090 |         }
000091 |
000092 |         super.OnLoaded();
000093 |     }
000094 |
000095 |     override void OnSyncJuncture(Object target, int junctureID, ParamsReadContext ctx)
000096 |     {
000097 |         DayZPlayerImplement player;
000098 |         if (Class.CastTo(player, target))
000099 |             player.Expansion_OnSyncJuncture(junctureID, ctx);
000100 |         else
```



```
000101 |         EXError.Error(this, string.Format("Expansion Sync Juncture %1 received, but target %2 is not a player", junctureID, target));
000102 |     }
000103 | }
000104 |
000105 | static ref DayZExpansion g_exDayZ; ///! Legacy, do not use!
000106 |
000107 | static DayZExpansion GetDayZExpansion()
000108 | {
000109 |     DayZExpansion expansion;
000110 |
000111 |     if (Class.CastTo(expansion, GetDayZGame().GetExpansionGame()))
000112 |         return expansion;
000113 |
000114 |     return null;
000115 | }
000116 |
000117 | static void CreateDayZExpansion()
000118 | {
000119 |     #ifdef EXTRACE_DIAG
000120 |         auto trace = EXTrace.Start(EXTrace.MISC);
000121 |     #endif
000122 |
000123 |     if (GetDayZGame().GetExpansionGame())
000124 |         return;
000125 |
000126 |     GetDayZGame().SetExpansionGame(new DayZExpansion);
000127 | }
000128 |
000129 | static void DestroyDayZExpansion()
000130 | {
000131 |     #ifdef EXTRACE_DIAG
000132 |         auto trace = EXTrace.Start(EXTrace.MISC);
000133 |     #endif
000134 |
000135 |     GetDayZGame().SetExpansionGame(null);
000136 | }
```

0319. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\ExpansionMapMarkerPlayerArrow.c

Size bytes: 2520

SHA-256: 4a97500c27b306d389fc4e5ab828e9d3fd7aed05641ce6053e03740828b1e9fa

Decoded as: utf-8-sig

Line count shown: 92

Detected class declarations: 1

L13: class ExpansionMapMarkerPlayerArrow : ExpansionMapWidgetBase

Detected enum declarations: 0

Detected function/method-like declarations: 7

L15: void ExpansionMapMarkerPlayerArrow(Widget parent, MapWidget mapWidget, bool autoInit = true)

L26: void ~ExpansionMapMarkerPlayerArrow()

L31: void SetPlayerArrowColor()

L69: override void Update(float pDt)

L78: private int GetMapDirection()

L83: override bool IsEditButton(Widget w)

L88: override bool CanDrag()

Full file content

```
000001 | /**
000002 |  * ExpansionMapMarkerPlayerArrow.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionMapMarkerPlayerArrow : ExpansionMapWidgetBase
000014 | {
000015 |     void ExpansionMapMarkerPlayerArrow(Widget parent, MapWidget mapWidget, bool autoInit = true)
000016 |     {
000017 |         SetIgnorePointer(true);
000018 |         SetIcon(EXPANSION_ICON_POSITION);
000019 |         SetPlayerArrowColor();
000020 |         //! Do NOT show by default, otherwise it'll pop up on the load screen in the top left corner at the end of the loading progress
000021 |         Hide();
000022 |
000023 |         GetExpansionClientSettings().SI_UpdateSetting.Insert(SetPlayerArrowColor);
000024 |     }
000025 |
000026 |     void ~ExpansionMapMarkerPlayerArrow()
000027 |     {
000028 |         GetExpansionClientSettings().SI_UpdateSetting.Remove(SetPlayerArrowColor);
000029 |     }
000030 |
000031 |     void SetPlayerArrowColor()
000032 |     {
000033 |         switch (GetExpansionClientSettings().PlayerArrowColor)
000034 |         {
000035 |             case ExpansionClientUIPlayerArrowColor.GREY:
000036 |                 SetPrimaryColor(-8421505);
000037 |                 break;
000038 |             case ExpansionClientUIPlayerArrowColor.BLACK:
000039 |                 SetPrimaryColor(-14803426);
000040 |                 break;
```

```
000041 |
000042 |         case ExpansionClientUIPlayerArrowColor.RED:
000043 |             SetPrimaryColor(-3657166);
000044 |             break;
000045 |         case ExpansionClientUIPlayerArrowColor.GREEN:
000046 |             SetPrimaryColor(-10178716);
000047 |             break;
000048 |         case ExpansionClientUIPlayerArrowColor.BLUE:
000049 |             SetPrimaryColor(-13487416);
000050 |             break;
000051 |
000052 |         case ExpansionClientUIPlayerArrowColor.CYAN:
000053 |             SetPrimaryColor(-16715536);
000054 |             break;
000055 |         case ExpansionClientUIPlayerArrowColor.MAGENTA:
000056 |             SetPrimaryColor(-1048336);
000057 |             break;
000058 |         case ExpansionClientUIPlayerArrowColor.YELLOW:
000059 |             SetPrimaryColor(-987136);
000060 |             break;
000061 |
000062 |         case ExpansionClientUIPlayerArrowColor.WHITE:
000063 |         default:
000064 |             SetPrimaryColor(-1644826);
000065 |             break;
000066 |     }
000067 | }
000068 |
000069 | override void Update(float pDt)
000070 | {
000071 |     float x, y;
000072 |     vector mapPos = GetMapWidget().MapToScreen(g_Game.GetCurrentCameraPosition());
000073 |     GetLayoutRoot().GetParent().GetScreenPos(x, y);
000074 |     GetLayoutRoot().SetPos(mapPos[0] - x, mapPos[1] - y, true);
000075 |     GetDragWidget().SetRotation(0, 0, GetMapDirection(), true);
000076 | }
000077 |
000078 | private int GetMapDirection()
000079 | {
000080 |     return Math.Round(Math.NormalizeAngle(g_Game.GetCurrentCameraDirection().VectorToAngles()[0]));
000081 | }
000082 |
000083 | override bool IsEditButton( Widget w )
000084 | {
000085 |     return false;
000086 | }
000087 |
000088 | override bool CanDrag()
000089 | {
000090 |     return false;
000091 | }
000092 | };
```

0320. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\ExpansionMapWidgetBase.c

Size bytes: 7192

SHA-256: 491a7c32cab429c7c3c846c78a7a97b5a8f4f5f7e6bd96a6106d95fc85b45960

Decoded as: utf-8-sig

Line count shown: 352

Detected class declarations: 1

L13: class ExpansionMapWidgetBase: ScriptedWidgetEventHandler

Detected enum declarations: 0

Detected function/method-like declarations: 41

L37: void ExpansionMapWidgetBase(Widget parent, MapWidget mapWidget, bool autoInit = true)

L47: void ~ExpansionMapWidgetBase()

L53: bool HasBeenInitialized()

L58: void Init()

L64: Widget GetLayoutRoot()

L69: MapWidget GetMapWidget()

L74: string GetLayoutPath()

L79: string GetDropSoundEffect()

L84: bool IsEditButton(Widget w)

L89: bool IsDragWidget(Widget w)

L94: bool IsDragging()

L99: protected void OnInit(Widget layoutRoot)

L112: void Update(float pDt)

L121: override bool OnClick(Widget w, int x, int y, int button)

L131: override bool OnDrag(Widget w, int x, int y)

L145: override bool OnDragging(Widget w, int x, int y, Widget reciever)

L155: override bool OnDrop(Widget w, int x, int y, Widget reciever)

L166: void SetPosition(int x, int y, bool performDropEvent = false)

L174: void SetPosition(vector position, bool performDropEvent = false)

L185: vector GetPosition()

L190: void OnMarkerClick()

L194: void OnDrop()

L202: void Show()

L207: void Show(bool show)

L217: void Hide()

L222: void SetName(StringLocaliser name)

L229: void SetName(string name)

L236: string GetName()

L241: void SetIcon(ExpansionIcon icon)

L250: void SetIcon(string icon)

L264: void SetPrimaryColor(int color)

L275: int GetPrimaryColor()

L280: void SetHoverColour(int color)

L285: int GetHoverColor()

L290: bool IsMouseHovering()

L295: ImageWidget GetIconWidget()

L300: Widget GetDragWidget()

L305: void SetIgnorePointer(bool state)

L321: override bool OnMouseEnter(Widget w, int x, int y)

L334: override bool OnMouseLeave(Widget w, Widget enterW, int x, int y)

L347: bool CanDrag()

Full file content

```
000001 | /**
000002 |  * ExpansionMapWidgetBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
```

```
000007 | *
000008 | * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 | * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 | *
000011 | */
000012 |
000013 | class ExpansionMapWidgetBase: ScriptedWidgetEventHandler
000014 | {
000015 |     reference string MapWidgetName;
000016 |     protected MapWidget m_MapWidget;
000017 |     protected Widget m_LayoutRoot;
000018 |     protected Widget m_Frame;
000019 |     protected TextWidget m_Name;
000020 |     protected EditBoxWidget m_EditName;
000021 |     protected string m_MarkerName;
000022 |     protected ImageWidget m_Icon;
000023 |     protected ButtonWidget m_EditButton;
000024 |     protected Widget m_DragWidget;
000025 |
000026 |     protected ExpansionIcon m_CurrentExpansionIcon;
000027 |     protected string m_CurrentIcon;
000028 |     protected vector m_WorldPosition;
000029 |     protected bool m_Dragging;
000030 |     protected float m_DragOffsetX;
000031 |     protected float m_DragOffsetY;
000032 |     protected bool m_Initialized;
000033 |     protected int m_PrimaryColor;
000034 |     protected int m_HoverColor;
000035 |     protected bool m_MouseHover;
000036 |
000037 |     void ExpansionMapWidgetBase(Widget parent, MapWidget mapWidget, bool autoInit = true)
000038 |     {
000039 |         m_LayoutRoot = g_Game.GetWorkspace().CreateWidgets(GetLayoutPath(), parent);
000040 |         m_MapWidget = mapWidget;
000041 |         if (autoInit)
000042 |             OnInit(m_LayoutRoot);
000043 |
000044 |         m_LayoutRoot.SetHandler(this);
000045 |     }
000046 |
000047 |     void ~ExpansionMapWidgetBase()
000048 |     {
000049 |         if (m_LayoutRoot)
000050 |             m_LayoutRoot.Unlink();
000051 |     }
000052 |
000053 |     bool HasBeenInitialized()
000054 |     {
000055 |         return m_Initialized;
000056 |     }
000057 |
000058 |     void Init()
000059 |     {
000060 |         m_Initialized = true;
000061 |         OnInit(m_LayoutRoot);
000062 |     }
000063 |
000064 |     Widget GetLayoutRoot()
000065 |     {
000066 |         return m_LayoutRoot;
000067 |     }
000068 | }
```

```
000069 | MapWidget GetMapWidget()
000070 | {
000071 |     return m_MapWidget;
000072 | }
000073 |
000074 | string GetLayoutPath()
000075 | {
000076 |     return "DayZExpansion/Core/GUI/layouts/map/expansion_map_marker.layout";
000077 | }
000078 |
000079 | string GetDropSoundEffect()
000080 | {
000081 |     return "Expansion_Draws_SoundSet";
000082 | }
000083 |
000084 | bool IsEditButton(Widget w)
000085 | {
000086 |     return w == m_EditButton;
000087 | }
000088 |
000089 | bool IsDragWidget(Widget w)
000090 | {
000091 |     return w == m_EditButton;
000092 | }
000093 |
000094 | bool IsDragging()
000095 | {
000096 |     return m_Dragging;
000097 | }
000098 |
000099 | protected void OnInit(Widget layoutRoot)
000100 | {
000101 |     Class.CastTo(m_Frame, layoutRoot.FindAnyWidget("marker_frame"));
000102 |     Class.CastTo(m_Name, layoutRoot.FindAnyWidget("marker_name"));
000103 |     Class.CastTo(m_EditName, layoutRoot.FindAnyWidget("marker_edit_name"));
000104 |     Class.CastTo(m_Icon, layoutRoot.FindAnyWidget("marker_icon"));
000105 |     Class.CastTo(m_EditButton, layoutRoot.FindAnyWidget("marker_button"));
000106 |     Class.CastTo(m_DragWidget, layoutRoot.FindAnyWidget("marker_icon_panel"));
000107 |
000108 |     m_Frame.SetColor(ARGB(0, 0, 0, 0));
000109 |     m_PrimaryColor = ARGB(220, 220, 220, 220);
000110 | }
000111 |
000112 | void Update(float pDt)
000113 | {
000114 |     if (!m_Dragging)
000115 |     {
000116 |         vector position = m_MapWidget.MapToScreen(m_WorldPosition);
000117 |         m_LayoutRoot.SetPos(position[0], position[1], true);
000118 |     }
000119 | }
000120 |
000121 | override bool OnClick(Widget w, int x, int y, int button)
000122 | {
000123 |     if (w != NULL && IsEditButton(w) && button == MouseState.LEFT)
000124 |     {
000125 |         OnMarkerClick();
000126 |         return true;
000127 |     }
000128 |     return false;
000129 | }
000130 |
```

```
000131 | override bool OnDrag(Widget w, int x, int y)
000132 | {
000133 |     if (w != NULL && IsDragWidget(w) && CanDrag())
000134 |     {
000135 |         m_LayoutRoot.GetPos(m_DragOffsetX, m_DragOffsetY);
000136 |         m_DragOffsetX = x - m_DragOffsetX;
000137 |         m_DragOffsetY = y - m_DragOffsetY;
000138 |         m_Dragging = true;
000139 |         return true;
000140 |     }
000141 |
000142 |     return false;
000143 | }
000144 |
000145 | override bool OnDragging(Widget w, int x, int y, Widget reciever)
000146 | {
000147 |     if (w != NULL && IsDragWidget(w) && CanDrag())
000148 |     {
000149 |         SetPosition(x - m_DragOffsetX, y - m_DragOffsetY);
000150 |         return true;
000151 |     }
000152 |     return false;
000153 | }
000154 |
000155 | override bool OnDrop(Widget w, int x, int y, Widget reciever)
000156 | {
000157 |     if (w != NULL && IsDragWidget(w) && CanDrag())
000158 |     {
000159 |         SetPosition(x - m_DragOffsetX, y - m_DragOffsetY, true);
000160 |         m_Dragging = false;
000161 |         return true;
000162 |     }
000163 |     return false;
000164 | }
000165 |
000166 | void SetPosition(int x, int y, bool performDropEvent = false)
000167 | {
000168 |     m_LayoutRoot.SetPos(x, y, true);
000169 |     vector newPos = m_MapWidget.ScreenToMap(Vector(x, y, 0));
000170 |     newPos[1] = g_Game.SurfaceY(newPos[0], newPos[2]) + 1.0;
000171 |     SetPosition(newPos, performDropEvent);
000172 | }
000173 |
000174 | void SetPosition(vector position, bool performDropEvent = false)
000175 | {
000176 |     m_WorldPosition = position;
000177 |     vector mPos = m_MapWidget.MapToScreen(m_WorldPosition);
000178 |     m_LayoutRoot.SetPos(mPos[0], mPos[1], true);
000179 |     if (performDropEvent)
000180 |     {
000181 |         OnDrop();
000182 |     }
000183 | }
000184 |
000185 | vector GetPosition()
000186 | {
000187 |     return m_WorldPosition;
000188 | }
000189 |
000190 | void OnMarkerClick()
000191 | {
000192 | }
```

```
000193 |  
000194 | void OnDrop()  
000195 | {  
000196 |     if (IsMissionClient() && GetDropSoundEffect() != "")  
000197 |     {  
000198 |         SEffectManager.PlaySound(GetDropSoundEffect(), g_Game.GetPlayer().GetPosition());  
000199 |     }  
000200 | }  
000201 |  
000202 | void Show()  
000203 | {  
000204 |     Show(true);  
000205 | }  
000206 |  
000207 | void Show(bool show)  
000208 | {  
000209 |     if (show)  
000210 |     {  
000211 |         m_Name.SetColor(m_PrimaryColor);  
000212 |         m_Icon.SetColor(m_PrimaryColor);  
000213 |     }  
000214 |     m_LayoutRoot.Show(show);  
000215 | }  
000216 |  
000217 | void Hide()  
000218 | {  
000219 |     Show(false);  
000220 | }  
000221 |  
000222 | void SetName(StringLocaliser name)  
000223 | {  
000224 |     m_MarkerName = name.Format();  
000225 |     m_Name.SetText(name.Format());  
000226 |     m_EditName.SetText(name.Format());  
000227 | }  
000228 |  
000229 | void SetName(string name)  
000230 | {  
000231 |     m_MarkerName = name;  
000232 |     m_Name.SetText(name);  
000233 |     m_EditName.SetText(name);  
000234 | }  
000235 |  
000236 | string GetName()  
000237 | {  
000238 |     return m_MarkerName;  
000239 | }  
000240 |  
000241 | void SetIcon(ExpansionIcon icon)  
000242 | {  
000243 |     m_CurrentExpansionIcon = icon;  
000244 |     if (!m_CurrentExpansionIcon)  
000245 |         return;  
000246 |  
000247 |     m_Icon.LoadImageFile(0, m_CurrentExpansionIcon.IconPath);  
000248 | }  
000249 |  
000250 | void SetIcon(string icon)  
000251 | {  
000252 |     ExpansionIcon expIcon = ExpansionIcons.Get(icon);  
000253 |     if (expIcon)  
000254 |     {
```



```
000255 |         SetIcon(expIcon);
000256 |     }
000257 |     else
000258 |     {
000259 |         m_CurrentIcon = icon;
000260 |         m_Icon.LoadImageFile(0, m_CurrentIcon);
000261 |     }
000262 | }
000263 |
000264 | void SetPrimaryColor(int color)
000265 | {
000266 |     m_PrimaryColor = color;
000267 |
000268 |     if (!m_MouseHover)
000269 |     {
000270 |         m_Name.SetColor(m_PrimaryColor);
000271 |         m_Icon.SetColor(m_PrimaryColor);
000272 |     }
000273 | }
000274 |
000275 | int GetPrimaryColor()
000276 | {
000277 |     return m_PrimaryColor;
000278 | }
000279 |
000280 | void SetHoverColour(int color)
000281 | {
000282 |     m_HoverColor = color;
000283 | }
000284 |
000285 | int GetHoverColor()
000286 | {
000287 |     return m_HoverColor;
000288 | }
000289 |
000290 | bool IsMouseHovering()
000291 | {
000292 |     return m_MouseHover;
000293 | }
000294 |
000295 | ImageWidget GetIconWidget()
000296 | {
000297 |     return m_Icon;
000298 | }
000299 |
000300 | Widget GetDragWidget()
000301 | {
000302 |     return m_DragWidget;
000303 | }
000304 |
000305 | void SetIgnorePointer(bool state)
000306 | {
000307 |     if (state)
000308 |     {
000309 |         GetLayoutRoot().SetFlags(WidgetFlags.IGNOREPOINTER);
000310 |         m_DragWidget.SetFlags(WidgetFlags.IGNOREPOINTER);
000311 |         m_EditButton.SetFlags(WidgetFlags.IGNOREPOINTER);
000312 |     }
000313 |     else
000314 |     {
000315 |         GetLayoutRoot().ClearFlags(WidgetFlags.IGNOREPOINTER);
000316 |         m_DragWidget.ClearFlags(WidgetFlags.IGNOREPOINTER);
```

```
000317 |         m_EditButton.ClearFlags(WidgetFlags.IGNOREPOINTER);
000318 |     }
000319 | }
000320 |
000321 | override bool OnMouseEnter(Widget w, int x, int y)
000322 | {
000323 |     if (w != NULL && IsEditButton(w))
000324 |     {
000325 |         m_MouseHover = true;
000326 |         m_Name.SetColor(m_HoverColor);
000327 |         m_Icon.SetColor(m_HoverColor);
000328 |         return true;
000329 |     }
000330 |
000331 |     return super.OnMouseEnter(w, x, y);
000332 | }
000333 |
000334 | override bool OnMouseLeave(Widget w, Widget enterW, int x, int y)
000335 | {
000336 |     if (w != NULL && IsEditButton(w))
000337 |     {
000338 |         m_MouseHover = false;
000339 |         m_Name.SetColor(m_PrimaryColor);
000340 |         m_Icon.SetColor(m_PrimaryColor);
000341 |         return true;
000342 |     }
000343 |
000344 |     return super.OnMouseLeave(w, enterW, x, y);
000345 | }
000346 |
000347 | bool CanDrag()
000348 | {
000349 |     return true;
000350 | }
000351 | };
000352 |
```

0321. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\ActionTargetsCursor.c

Size bytes: 994

SHA-256: 1840790fe85488acfa72a65e43d32aa76f837b56e8589fc8e62251a8ff6b02c5

Decoded as: utf-8-sig

Line count shown: 41

Detected class declarations: 1

L13: modded class ActionTargetsCursor

Detected enum declarations: 0

Detected function/method-like declarations: 2

L16: override void Update()

L31: override protected string GetActionDesc(ActionBase action)

Full file content

```
000001 | /**
000002 |  * ActionTargetsCursor.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class ActionTargetsCursor
000014 | {
000015 |     #ifdef EXPANSIONUI
000016 |         override void Update()
000017 |         {
000018 |             //! Don't show floating widget if any script view menu is opened
000019 |             ExpansionScriptViewMenu viewMenu = ExpansionScriptViewMenu.Cast(GetDayZExpansion().GetExpansionUIManager().GetMenu());
000020 |             if (viewMenu && viewMenu.IsVisible())
000021 |             {
000022 |                 HideWidget();
000023 |                 return;
000024 |             }
000025 |             super.Update();
000026 |         }
000027 |     }
000028 | #endif
000029 |
000030 | #ifdef DIAG
000031 |     override protected string GetActionDesc(ActionBase action)
000032 |     {
000033 |         string desc = super.GetActionDesc(action);
000034 |
000035 |         if (action && EXTrace.ACTIONS)
000036 |             return string.Format("%1 <%2>", desc, action.ClassName());
000037 |
000038 |         return desc;
000039 |     }
000040 | #endif
000041 | };
```

0322. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\CharacterCreation\CharacterCreationMenu.c

Size bytes: 507

SHA-256: f59148368764d2637249d96a42240d396d93153886213e2cc627c318019c9d5d

Decoded as: utf-8-sig

Line count shown: 22

Detected class declarations: 1

L13: modded class CharacterCreationMenu

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: override void Refresh()

Full file content

```
000001 | /**
000002 |  * CharacterCreationMenu.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class CharacterCreationMenu
000014 | {
000015 |     override void Refresh()
000016 |     {
000017 |         super.Refresh();
000018 |
000019 |         GetDayZGame().Expansion_SetGameVersionText(m_Version);
000020 |     }
000021 | };
000022 |
```

0323. PBO TEXT FILE

Path: core pbo files expan\core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\DebugMonitor.c

Size bytes: 461

SHA-256: d4fd62dac9505661a561621a3aa42ca9529851d5aa7786e61866f813c04e0bb7

Decoded as: utf-8-sig

Line count shown: 22

Detected class declarations: 1

L13: modded class DebugMonitor

Detected enum declarations: 0

Detected function/method-like declarations: 1

L17: void DebugMonitor()

Full file content

```
000001 | /**
000002 |  * DebugMonitor.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class DebugMonitor
000014 | {
000015 |     static ref DebugMonitor Instance;
000016 |
000017 |     void DebugMonitor()
000018 |     {
000019 |         Instance = this;
000020 |     }
000021 | }
000022 |
```

0324. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\IngameHud.c

Size bytes: 1988

SHA-256: e5a14780fa01396c38c4b25b4bd119699c5f182527c2f8063559393922475637

Decoded as: utf-8-sig

Line count shown: 70

Detected class declarations: 1

L13: modded class IngameHud

Detected enum declarations: 0

Detected function/method-like declarations: 4

L19: static void Expansion_OverrideCanShowHUDElements(bool enable, bool value)

L26: override bool Expansion_CanShowHUDElements(DayZPlayer player = null)

L59: Widget Expansion_GetStancePanel()

L66: override bool Expansion_IsVisible()

Full file content

```
000001 | /**
000002 |  * IngameHud.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class IngameHud
000014 | {
000015 | #ifdef DIAG_DEVELOPER
000016 |     static bool s_Expansion_OverrideCanShowHUDElements_Enabled;
000017 |     static bool s_Expansion_OverrideCanShowHUDElements_Value;
000018 |
000019 |     static void Expansion_OverrideCanShowHUDElements(bool enable, bool value)
000020 |     {
000021 |         s_Expansion_OverrideCanShowHUDElements_Enabled = enable;
000022 |         s_Expansion_OverrideCanShowHUDElements_Value = value;
000023 |     }
000024 | #endif
000025 |
000026 |     override bool Expansion_CanShowHUDElements(DayZPlayer player = null)
000027 |     {
000028 | #ifdef DIAG_DEVELOPER
000029 |         if (s_Expansion_OverrideCanShowHUDElements_Enabled)
000030 |             return s_Expansion_OverrideCanShowHUDElements_Value;
000031 | #endif
000032 |
000033 |         if (!super.Expansion_CanShowHUDElements(player))
000034 |             return false;
000035 |
000036 |         if (player && (player.GetPlayerState() != EPlayerStates.ALIVE || player.IsUnconscious()))
000037 |             return false;
000038 |
000039 |         if (g_Game.GetUIManager().GetMenu())
000040 |             return false;
000041 |
000042 | #ifdef EXPANSIONUI
000043 |         if (GetDayZExpansion().GetExpansionUIManager().GetMenu())
```

```
000044 |         return false;
000045 |     #endif
000046 |
000047 |         if (!m_HudVisibility)
000048 |             return false;
000049 |
000050 |         if (m_HudVisibility.IsContextFlagActive(EHudContextFlags.HUD_DISABLE) || m_HudVisibility.IsContextFlagActive(EHudContextFlags.HUD_HIDE))
000051 |             return false;
000052 |
000053 |         if (m_HudVisibility.IsContextFlagActive(EHudContextFlags.MENU_OPEN) || m_HudVisibility.IsContextFlagActive(EHudContextFlags.INVENTORY_OPEN))
000054 |             return false;
000055 |
000056 |         return true;
000057 |     }
000058 |
000059 | Widget Expansion_GetStancePanel()
000060 | {
000061 |     if (m_HudVisibility)
000062 |         return m_HudVisibility.Expansion_GetElementWidget(EHudElement.LHUD_STANCE);
000063 |     return null;
000064 | }
000065 |
000066 | override bool Expansion_IsVisible()
000067 | {
000068 |     return !m_HudVisibility.IsContextFlagActive(IngamedHudVisibility.HUD_HIDE_FLAGS);
000069 | }
000070 | }
```

0325. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\IngameHudVisibility.c

Size bytes: 138

SHA-256: 2716c15c3134db24a2c30ffadc122e6d7c1e56563b58053702736736157aa900

Decoded as: utf-8-sig

Line count shown: 8

Detected class declarations: 1

 L1: modded class IngameHudVisibility

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L3: Widget Expansion_GetElementWidget(EHudElement element)

Full file content

```
000001 | modded class IngameHudVisibility
000002 | {
000003 |     Widget Expansion_GetElementWidget(EHudElement element)
000004 |     {
000005 |         return m_ElementMap[element];
000006 |     }
000007 | }
000008 |
```


0326. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\InGameMenu.c

Size bytes: 1421

SHA-256: e0825c9067a9f9e71e7a79dcb695a30cceb32534b4ff3649e5da9c64a35eb552

Decoded as: utf-8-sig

Line count shown: 59

Detected class declarations: 1

L13: modded class InGameMenu

Detected enum declarations: 0

Detected function/method-like declarations: 5

L15: void InGameMenu()

L21: void ~InGameMenu()

L27: override Widget Init()

L40: void OnSettingChanged()

L49: override protected void SetGameVersion()

Full file content

```
000001 | /**
000002 |  * InGameMenu.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class InGameMenu
000014 | {
000015 |     void InGameMenu()
000016 |     {
000017 |         if (GetExpansionClientSettings())
000018 |             GetExpansionClientSettings().SI_UpdateSetting.Insert(OnSettingChanged);
000019 |     }
000020 |
000021 |     void ~InGameMenu()
000022 |     {
000023 |         if (GetExpansionClientSettings())
000024 |             GetExpansionClientSettings().SI_UpdateSetting.Remove(OnSettingChanged);
000025 |     }
000026 |
000027 |     override Widget Init()
000028 |     {
000029 |         layoutRoot = super.Init();
000030 |
000031 |         if (GetExpansionClientSettings().StreamerMode)
000032 |         {
000033 |             Widget serverInfo = layoutRoot.FindAnyWidget("server_info");
000034 |             serverInfo.Show(false);
000035 |         }
000036 |
000037 |         return layoutRoot;
000038 |     }
000039 |
000040 |     void OnSettingChanged()
000041 |     {
000042 |         if (GetExpansionClientSettings())
```

```
000043 |     {
000044 |         Widget serverInfo = layoutRoot.FindAnyWidget("server_info");
000045 |         serverInfo.Show(!GetExpansionClientSettings().StreamerMode);
000046 |     }
000047 | }
000048 |
000049 | override protected void SetGameVersion()
000050 | {
000051 |     #ifdef EXPANSIONTRACE
000052 |         auto trace = CF_Trace_0(ExpansionTracing.UI, this, "SetGameVersion");
000053 |     #endif
000054 |
000055 |     TextWidget version_widget = TextWidget.Cast(layoutRoot.FindAnyWidget("version"));
000056 |
000057 |     GetDayZGame().Expansion_SetGameVersionText(version_widget);
000058 | }
000059 | };
```

0327. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\InspectMenuNew.c
Size bytes: 3325
SHA-256: 5fa6046ade62a54a3cb13a3d1b67bf3bc76d2cc507a406f43f700abff15501c8
Decoded as: utf-8-sig
Line count shown: 110
Detected class declarations: 1
 L15: modded class InspectMenuNew
Detected enum declarations: 0
Detected function/method-like declarations: 3
 L17: override static void UpdateItemInfoLiquidType(Widget root_widget, EntityAI item)
 L50: else if(item_base && item_base.GetQuantity() > 0 && item_base.IsLiquidContainer())
 L64: override static void WidgetTrySetText(Widget root_widget, string widget_name, string text, int color = 0)

Full file content

```
000001 | /**
000002 |  * InspectMenuNew.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef EXPANSION_INSPECT_MENU_NEW_ENABLE
000014 |  //! This is basically how vanilla SHOULD have done it
000015 |  modded class InspectMenuNew
000016 |  {
000017 |      override static void UpdateItemInfoLiquidType(Widget root_widget, EntityAI item)
000018 |      {
000019 |  #ifdef EXPANSIONTRACE
000020 |      auto trace = CF_Trace_2(ExpansionTracing.UI, "InspectMenuNew", "UpdateItemInfoLiquidType").Add(root_widget).Add(item);
000021 |  #endif
000022 |
000023 |      if ( item.IsInherited( ZombieBase ) || item.IsTransport() ) return;
000024 |
000025 |      ItemBase item_base = ItemBase.Cast( item );
000026 |
000027 |      int color;
000028 |
000029 |      if( item_base && item_base.GetQuantity() > 0 && item_base.IsBloodContainer() )
000030 |      {
000031 |          BloodContainerBase blood_container = BloodContainerBase.Cast( item_base );
000032 |
000033 |          if (GetExpansionClientSettings().EnableLiquidTypeColors)
000034 |              color = Colors.RED;
000035 |          else
000036 |              color = Colors.COLOR_LIQUID;
000037 |
000038 |          if( blood_container.GetBloodTypeVisible() )
000039 |          {
000040 |              string type;
000041 |              bool positive;
000042 |              string blood_type_name = BloodTypes.GetBloodTypeName(blood_container.GetLiquidType(), type, positive);
000043 |              WidgetTrySetText(root_widget, "ItemLiquidTypeWidget", "#inv_inspect_blood: " + blood_type_name, color);
000044 |          }
```

```
000045 |         else
000046 |         {
000047 |             WidgetTrySetText(root_widget, "ItemLiquidTypeWidget", "#inv_inspect_blood", color);
000048 |         }
000049 |     }
000050 |     else if( item_base && item_base.GetQuantity() > 0 && item_base.IsLiquidContainer() )
000051 |     {
000052 |         int liquid_type = item_base.GetLiquidType();
000053 |
000054 |         string text = ExpansionWorld.GetLiquidDisplayName(liquid_type, true, color);
000055 |
000056 |         WidgetTrySetText(root_widget, "ItemLiquidTypeWidget", text, color);
000057 |     }
000058 |     else
000059 |     {
000060 |         WidgetTrySetText(root_widget, "ItemLiquidTypeWidget", "");
000061 |     }
000062 | }
000063 |
000064 | override static void WidgetTrySetText(Widget root_widget, string widget_name, string text, int color = 0)
000065 | {
000066 |     TextWidget widget = TextWidget.Cast( root_widget.FindAnyWidget(widget_name) );
000067 |     RichTextWidget rt_widget = RichTextWidget.Cast( root_widget.FindAnyWidget(widget_name) );
000068 |     if (widget)
000069 |     {
000070 |         widget.SetText(text);
000071 |         int textColor = COLOR_WHITE;
000072 |         if (color)
000073 |         {
000074 |             int a, r, g, b;
000075 |             ExpansionStatic.IntToARGB(color, a, r, g, b);
000076 |             if (a > 127)
000077 |             {
000078 |                 /// If it's a light color, change text to black
000079 |                 float lab_l, lab_a, lab_b;
000080 |                 ExpansionColor.sRGBToLab(r, g, b, lab_l, lab_a, lab_b);
000081 |                 #ifdef DIAG_DEVELOPER
000082 |                     EXTrace.Print(EXTrace.GENERAL_ITEMS, ExpansionColor, string.Format("sRGBToLab A %1 R %2 G %3 B %4 -> L* %5 a* %6 b* %7 %8 %9", a, r, g, b, lab
000083 | _l, lab_a, lab_b, widget_name, text));
000084 |                 #endif
000085 |                 if (lab_l > 90.0)
000086 |                     textColor = 0xFF000000;
000087 |             }
000088 |         }
000089 |         widget.SetColor(textColor);
000090 |         Widget widget_background = root_widget.FindAnyWidget(widget_name+"Background");
000091 |         if (widget_background)
000092 |         {
000093 |             if (color != 0)
000094 |             {
000095 |                 widget_background.Show( true );
000096 |                 widget_background.SetColor(color | 0x7F000000);
000097 |             }
000098 |             else
000099 |             {
000100 |                 widget_background.Show( false );
000101 |             }
000102 |         }
000103 |     }
000104 |     if( rt_widget )
000105 |     {
000106 |         rt_widget.Update();
000107 |     }
000108 | }
```

```
000106 |      }  
000107 |    }  
000108 | };  
000109 | #endif  
000110 |
```

0328. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\InventoryNew\ExpansionTidyPanel.c

Size bytes: 4510

SHA-256: cb05d4084c7ebf322cedf12856ea5cf8181899ffa788cf529f2c58444b2e8713

Decoded as: utf-8-sig

Line count shown: 204

Detected class declarations: 6

- L1: class ExpansionTidyPanel
- L132: modded class Header
- L145: modded class ClosableHeader
- L153: modded class Attachments
- L161: modded class AttachmentsWrapper
- L188: modded class HandsHeader

Detected enum declarations: 0

Detected function/method-like declarations: 15

- L10: void ExpansionTidyPanel(Managed owner, Widget parent)
- L27: void ~ExpansionTidyPanel()
- L43: void InsertCallbacks()
- L57: void RemoveCallbacks()
- L71: void SetEntity(EntityAI entity)
- L102: void UpdateVisibility()
- L115: void UpdateVisibilityEx(EntityAI entity)
- L121: void Tidy()
- L136: override void SetItemPreview(EntityAI entity_ai)
- L147: void ClosableHeader(LayoutHolder parent, string function_name)
- L155: EntityAI Expansion_GetEntity()
- L165: void AttachmentsWrapper(LayoutHolder parent)
- L171: override void SetParent(Attachments atts)
- L190: void HandsHeader(LayoutHolder parent, string function_name)
- L195: override void UpdateInterval()

Full file content

```
000001 | class ExpansionTidyPanel
000002 | {
000003 |     protected Managed m_Owner;
000004 |     protected EntityAI m_Entity;
000005 |     protected Widget m_Panel;
000006 |     protected ButtonWidget m_Btn;
000007 |     protected ImageWidget m_BtnIcon;
000008 |     protected bool m_HasCallbacks;
000009 |
000010 |     void ExpansionTidyPanel(Managed owner, Widget parent)
000011 |     {
000012 |         #ifdef DIAG_DEVELOPER
000013 |             EXTrace.Print(EXTrace.GENERAL_ITEMS, this, "ExpansionTidyPanel " + owner + " " + parent);
000014 |         #endif
000015 |
000016 |         if (parent)
000017 |         {
000018 |             m_Owner = owner;
000019 |             m_Panel = g_Game.GetWorkspace().CreateWidgets("DayZExpansion/Core/GUI/layouts/expansion_inventory_tidy.layout", parent);
000020 |             m_Btn = ButtonWidget.Cast(m_Panel.FindAnyWidget("TidyBtn"));
000021 |             m_BtnIcon = ImageWidget.Cast(m_Panel.FindAnyWidget("TidyBtnIcon"));
000022 |             WidgetEventHandler.GetInstance().RegisterOnClick(m_Btn, this, "Tidy");
000023 |             m_Panel.Show(false);
000024 |         }
000025 |     }
000026 |
000027 |     void ~ExpansionTidyPanel()
```

```
000028 | {
000029 | #ifdef EXTRACE
000030 |     EXTrace trace;
000031 | #endif
000032 |
000033 |     if (g_Game)
000034 |     {
000035 |         #ifdef EXTRACE
000036 |             trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, this);
000037 |         #endif
000038 |
000039 |         RemoveCallbacks();
000040 |     }
000041 | }
000042 |
000043 | void InsertCallbacks()
000044 | {
000045 |     #ifdef DIAG_DEVELOPER
000046 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, this, "InsertCallbacks " + m_Owner + " " + m_Entity + " " + m_HasCallbacks);
000047 |     #endif
000048 |
000049 |     if (!m_HasCallbacks)
000050 |     {
000051 |         ItemBase.s_Expansion_UpdateTidyPanelVisibilityExSI.Insert(UpdateVisibilityEx);
000052 |         ExpansionSettings.SI_Core.Insert(UpdateVisibility);
000053 |         m_HasCallbacks = true;
000054 |     }
000055 | }
000056 |
000057 | void RemoveCallbacks()
000058 | {
000059 |     #ifdef DIAG_DEVELOPER
000060 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, this, "RemoveCallbacks " + m_Owner + " " + m_Entity + " " + m_HasCallbacks);
000061 |     #endif
000062 |
000063 |     if (m_HasCallbacks)
000064 |     {
000065 |         ItemBase.s_Expansion_UpdateTidyPanelVisibilityExSI.Remove(UpdateVisibilityEx);
000066 |         ExpansionSettings.SI_Core.Remove(UpdateVisibility);
000067 |         m_HasCallbacks = false;
000068 |     }
000069 | }
000070 |
000071 | void SetEntity(EntityAI entity)
000072 | {
000073 |     #ifdef EXTRACE
000074 |         EXTrace trace;
000075 |     #endif
000076 |
000077 |     if (m_Entity != entity && m_Panel)
000078 |     {
000079 |         #ifdef EXTRACE
000080 |             trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, this, "" + entity);
000081 |         #endif
000082 |
000083 |         m_Entity = entity;
000084 |
000085 |         if (m_Entity)
000086 |         {
000087 |             CargoBase cargo = m_Entity.GetInventory().GetCargo();
000088 |             if (cargo && cargo.GetWidth() > 0 && cargo.GetHeight() > 0)
000089 |             {
```

```
000090 |         UpdateVisibility();
000091 |         InsertCallbacks();
000092 |     }
000093 |     else
000094 |     {
000095 |         m_Panel.Show(false);
000096 |         RemoveCallbacks();
000097 |     }
000098 | }
000099 | }
000100 | }
000101 |
000102 | void UpdateVisibility()
000103 | {
000104 | #ifdef DIAG_DEVELOPER
000105 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, this, "UpdateVisibility " + m_Owner + " " + m_Entity);
000106 | #endif
000107 |
000108 |     auto settings = GetExpansionSettings().GetCore(false);
000109 |     if (settings.IsLoaded())
000110 |         m_Panel.Show(settings.EnableInventoryCargoTidy);
000111 |
000112 |     m_Btn.Enable(true);
000113 | }
000114 |
000115 | void UpdateVisibilityEx(EntityAI entity)
000116 | {
000117 |     if (m_Entity == entity)
000118 |         UpdateVisibility();
000119 | }
000120 |
000121 | void Tidy()
000122 | {
000123 |     if (!m_Entity)
000124 |         return;
000125 |
000126 |     m_Btn.Enable(false);
000127 |
000128 |     ExpansionInventoryTools.RequestTidy(m_Entity, false);
000129 | }
000130 | }
000131 |
000132 | modded class Header
000133 | {
000134 |     protected ref ExpansionTidyPanel m_Expansion_TidyPanel;
000135 |
000136 |     override void SetItemPreview(EntityAI entity_ai)
000137 |     {
000138 |         super.SetItemPreview(entity_ai);
000139 |
000140 |         if (m_Expansion_TidyPanel)
000141 |             m_Expansion_TidyPanel.SetEntity(entity_ai);
000142 |     }
000143 | }
000144 |
000145 | modded class ClosableHeader
000146 | {
000147 |     void ClosableHeader(LayoutHolder parent, string function_name)
000148 |     {
000149 |         m_Expansion_TidyPanel = new ExpansionTidyPanel(this, m_PanelWidget);
000150 |     }
000151 | }
```



```
000152 |
000153 | modded class Attachments
000154 | {
000155 |     EntityAI Expansion_GetEntity()
000156 |     {
000157 |         return m_Entity;
000158 |     }
000159 | }
000160 |
000161 | modded class AttachmentsWrapper
000162 | {
000163 |     protected ref ExpansionTidyPanel m_Expansion_TidyPanel;
000164 |
000165 |     void AttachmentsWrapper(LayoutHolder parent)
000166 |     {
000167 |         ///! lol vanilla typos :>
000168 |         m_Expansion_TidyPanel = new ExpansionTidyPanel(this, m_RootWidget.FindAnyWidget("arrachments_wrapper_header"));
000169 |     }
000170 |
000171 |     override void SetParent(Attachments atts)
000172 |     {
000173 |         super.SetParent(atts);
000174 |
000175 |         if (m_Expansion_TidyPanel)
000176 |         {
000177 |             EntityAI entity = atts.Expansion_GetEntity();
000178 |             if (entity)
000179 |             {
000180 |                 EntityAI parent = entity.GetHierarchyParent();
000181 |                 if (parent && !parent.IsMan())
000182 |                     m_Expansion_TidyPanel.SetEntity(entity);
000183 |             }
000184 |         }
000185 |     }
000186 | }
000187 |
000188 | modded class HandsHeader
000189 | {
000190 |     void HandsHeader(LayoutHolder parent, string function_name)
000191 |     {
000192 |         m_Expansion_TidyPanel = new ExpansionTidyPanel(this, m_ItemHeader);
000193 |     }
000194 |
000195 |     override void UpdateInterval()
000196 |     {
000197 |         super.UpdateInterval();
000198 |
000199 |         DayZPlayer player = g_Game.GetPlayer();
000200 |         if (player)
000201 |             m_Expansion_TidyPanel.SetEntity(player.GetHumanInventory().GetEntityInHands());
000202 |     }
000203 | }
000204 |
```

0329. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\InventoryNew\Inherited\ContainerWithCargoAndAttachments.c
Size bytes: 996
SHA-256: 057c27145c87acb1c5485494e5131a2f569cc2b67734f0a175bd638dbf795aa7
Decoded as: utf-8-sig
Line count shown: 37
Detected class declarations: 1
  L13: modded class ContainerWithCargoAndAttachments
Detected enum declarations: 0
Detected function/method-like declarations: 3
  L15: override void OnShow()
  L21: override void SetOpenState(bool state)
  L29: override void SetEntity(EntityAI entity, bool immedUpdate = true)
```

Full file content

```
000001 | /**
000002 |  * ContainerWithCargoAndAttachments.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ContainerWithCargoAndAttachments
000014 | {
000015 |     override void OnShow()
000016 |     {
000017 |         if (!m_Entity || !m_Entity.IsInherited(ExpansionOwnedContainer) || m_Entity.CanDisplayCargo())
000018 |             super.OnShow();
000019 |     }
000020 |
000021 |     override void SetOpenState(bool state)
000022 |     {
000023 |         if (m_Entity && m_Entity.IsInherited(ExpansionOwnedContainer) && !m_Entity.CanDisplayCargo())
000024 |             state = false;
000025 |
000026 |         super.SetOpenState(state);
000027 |     }
000028 |
000029 |     override void SetEntity(EntityAI entity, bool immedUpdate = true)
000030 |     {
000031 |         if (entity && entity.IsInherited(ExpansionOwnedContainer) && !entity.CanDisplayCargo())
000032 |             m_Closed = true;
000033 |
000034 |         super.SetEntity(entity, immedUpdate);
000035 |     }
000036 | }
000037 |
```

0330. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\ItemActionsWidget.c
Size bytes: 291
SHA-256: cf6c8e4182919709dcccdbel75a759ef35948b14f4409efbc0e7255e4c75bc9
Decoded as: utf-8-sig
Line count shown: 15
Detected class declarations: 1
 L1: modded class ItemActionsWidget
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L4: override protected string GetActionDesc(ActionBase action)

Full file content

```
000001 | modded class ItemActionsWidget
000002 | {
000003 |     #ifdef DIAG
000004 |         override protected string GetActionDesc(ActionBase action)
000005 |         {
000006 |             string desc = super.GetActionDesc(action);
000007 |
000008 |             if (action && EXTrace.ACTIONS)
000009 |                 return string.Format("%1 <%2>", desc, action.ClassName());
000010 |
000011 |             return desc;
000012 |         }
000013 |     #endif
000014 | }
000015 |
```

0331. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\KeybindingsMenu\KeybindingsMenu.c

Size bytes: 627

SHA-256: 1bf3403a97d3b5b3cc04dadd76c61400f3481d0bba64f4f9043eead1d089a41b

Decoded as: utf-8-sig

Line count shown: 29

Detected class declarations: 1

L13: modded class KeybindingsMenu

Detected enum declarations: 0

Detected function/method-like declarations: 2

L15: override Widget Init()

L24: override void Refresh()

Full file content

```
000001 | /**
000002 |  * KeybindingsMenu.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class KeybindingsMenu
000014 | {
000015 |     override Widget Init()
000016 |     {
000017 |         layoutRoot = super.Init();
000018 |
000019 |         GetDayZGame().Expansion_SetGameVersionText(m_Version);
000020 |
000021 |         return layoutRoot;
000022 |     }
000023 |
000024 |     override void Refresh()
000025 |     {
000026 |         GetDayZGame().Expansion_SetGameVersionText(m_Version);
000027 |     }
000028 | };
000029 |
```

0332. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\MainMenu\MainMenu.c

Size bytes: 624

SHA-256: df2b47b6b4f3d1c8291353ec373fafecbcfb120b8d8e5bb784132767ad21ccf0

Decoded as: utf-8-sig

Line count shown: 28

Detected class declarations: 1

 L13: modded class MainMenu

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L15: override Widget Init()

 L22: override void Refresh()

Full file content

```
000001 | /**
000002 |  * MainMenu.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class MainMenu
000014 | {
000015 |     override Widget Init()
000016 |     {
000017 |         layoutRoot = super.Init();
000018 |         GetDayZGame().Expansion_SetGameVersionText(m_Version);
000019 |         return layoutRoot;
000020 |     }
000021 |
000022 |     override void Refresh()
000023 |     {
000024 |         super.Refresh();
000025 |         GetDayZGame().Expansion_SetGameVersionText(m_Version);
000026 |     }
000027 | };
000028 |
```

0333. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\Options\ExpansionOptionSettingWidget.c
Size bytes: 8303
SHA-256: 83dfa5e7fc7151c97e11910b9392220ac508edc0fce382a019569a4c73fa7369
Decoded as: utf-8-sig
Line count shown: 250
Detected class declarations: 1
  L13: class ExpansionOptionSettingWidget: ScriptedWidgetEventHandler
Detected enum declarations: 0
Detected function/method-like declarations: 15
  L33: void ExpansionOptionSettingWidget( Widget parent, notnull ExpansionSettingSerializationBase setting, OptionsMenuExpansion menu )
  L56: void ~ExpansionOptionSettingWidget()
  L64: void Apply()
  L72: bool ConstructToggle()
  L94: private void OnToggleOptionChanged( int selection )
  L102: private void OnApplySetting_Toggle()
  L117: bool ConstructSlider()
  L142: private void OnSliderOptionChanged( float value )
  L151: private void OnApplySetting_Slider()
  L163: bool ConstructEnum()
  L182: private void OnEnumOptionChanged( float value )
  L190: private void OnApplySetting_Enum()
  L202: override bool OnMouseEnter( Widget w, int x, int y )
  L225: override bool OnMouseLeave( Widget w, Widget enterW, int x, int y )
  L245: ExpansionSettingSerializationBase GetSetting()

```

Full file content

```

000001 | /**
000002 |  * ExpansionOptionSettingWidget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionOptionSettingWidget: ScriptedWidgetEventHandler
000014 | {
000015 |     protected Widget layoutRoot;
000016 |     protected Widget selectWidget;
000017 |     protected Widget optionWidget;
000018 |     protected TextWidget settingLabel;
000019 |     protected ButtonWidget settingButton;
000020 |     protected TextWidget settingValue;
000021 |
000022 |     protected ExpansionSettingSerializationBase m_Setting;
000023 |
000024 |     protected ref OptionsMenuExpansion m_Menu;
000025 |     protected ref OptionSelectorMultistate m_Selector;
000026 |     protected ref OptionSelectorSlider m_Slider;
000027 |     protected ref ScriptInvoker m_ApplySetting = new ScriptInvoker;
000028 |
000029 |     // -----
000030 |     // ExpansionOptionSettingWidget Constructor
000031 |
000032 |     // -----

```

```
000033 | void ExpansionOptionSettingWidget( Widget parent, notnull ExpansionSettingSerializationBase setting, OptionsMenuExpansion menu )
000034 | {
000035 |     layoutRoot = Widget.Cast( g_Game.GetWorkspace().CreateWidgets( "DayZExpansion/Core/GUI/layouts/ui/options/expansion_options_setting_new.layout", parent )
000036 | );
000037 |     m_Setting = setting;
000038 |     m_Menu = menu;
000039 |
000040 |     selectWidget = Widget.Cast( layoutRoot.FindAnyWidget( "expansion_options_setting" ) );
000041 |     settingLabel = TextWidget.Cast( layoutRoot.FindAnyWidget( "expansion_options_setting_label" ) );
000042 |     settingLabel.SetText( m_Setting.m_Name );
000043 |     optionWidget = Widget.Cast( layoutRoot.FindAnyWidget( "expansion_options_setting_option" ) );
000044 |     settingButton = ButtonWidget.Cast( layoutRoot.FindAnyWidget( "expansion_options_setting_button" ) );
000045 |     settingValue = TextWidget.Cast( layoutRoot.FindAnyWidget( "expansion_options_setting_value" ) );
000046 |     settingValue.Show( false );
000047 |
000048 |     layoutRoot.SetHandler( this );
000049 |
000050 |     if ( !ConstructToggle() && !ConstructSlider() && !ConstructEnum() )
000051 |     {
000052 |         Error( "ExpansionOptionSettingWidget construction failed!" );
000053 |     }
000054 | }
000055 |
000056 | void ~ExpansionOptionSettingWidget()
000057 | {
000058 |     m_Menu = null;
000059 | }
000060 |
000061 | // -----
000062 | // ExpansionOptionSettingWidget Apply
000063 | // -----
000064 | void Apply()
000065 | {
000066 |     m_ApplySetting.Invoke();
000067 | }
000068 |
000069 | // -----
000070 | // ExpansionOptionSettingWidget ConstructToggle
000071 | // -----
000072 | bool ConstructToggle()
000073 | {
000074 |     ExpansionSettingSerializationToggle setting;
000075 |     if ( !Class.CastTo( setting, m_Setting ) )
000076 |         return false;
000077 |
000078 |     int selection = 0;
000079 |     if ( setting.GetValue() )
000080 |         selection = 1;
000081 |
000082 |     array<string> options = { "NO", "YES" };
000083 |     m_Selector = new OptionSelectorMultistate( optionWidget, selection, this, false, options );
000084 |     m_Selector.m_OptionChanged.Insert( OnToggleOptionChanged );
000085 |
000086 |     m_ApplySetting.Insert( OnApplySetting_Toggle );
000087 |
000088 |     return true;
000089 | }
000090 |
000091 | // -----
000092 | // ExpansionOptionSettingWidget OnToggleOptionChanged
000093 | // -----
```

```
000094 | private void OnToggleOptionChanged( int selection )
000095 | {
000096 |     m_Menu.SetChanged();
000097 | }
000098 |
000099 | // -----
000100 | // ExpansionOptionSettingWidget OnApplySetting_Toggle
000101 | // -----
000102 | private void OnApplySetting_Toggle()
000103 | {
000104 |     ExpansionSettingSerializationToggle setting;
000105 |     if ( !Class.CastTo( setting, m_Setting ) )
000106 |         return;
000107 |
000108 |     if ( m_Selector.GetValue() == 1 )
000109 |         setting.SetValue( true );
000110 |     else
000111 |         setting.SetValue( false );
000112 | }
000113 |
000114 | // -----
000115 | // ExpansionOptionSettingWidget ConstructSlider
000116 | // -----
000117 | bool ConstructSlider()
000118 | {
000119 |     ExpansionSettingSerializationSlider setting;
000120 |     if ( !Class.CastTo( setting, m_Setting ) )
000121 |         return false;
000122 |
000123 |     float value = setting.GetValue();
000124 |
000125 |     m_Slider = new OptionSelectorSlider( optionWidget, value, this, false, setting.m_Min, setting.m_Max );
000126 |     if (setting.m_Step)
000127 |         m_Slider.SetStep(setting.m_Step / (setting.m_Max - setting.m_Min));
000128 |     m_Slider.SetValue(value, false);
000129 |     m_Slider.Expansion_UpdateLastValue();
000130 |     m_Slider.m_OptionChanged.Insert( OnSliderOptionChanged );
000131 |     settingValue.Show( true );
000132 |     settingValue.SetText( m_Slider.GetValue().ToString() );
000133 |
000134 |     m_ApplySetting.Insert( OnApplySetting_Slider );
000135 |
000136 |     return true;
000137 | }
000138 |
000139 | // -----
000140 | // ExpansionOptionSettingWidget OnSliderOptionChanged
000141 | // -----
000142 | private void OnSliderOptionChanged( float value )
000143 | {
000144 |     m_Menu.SetChanged();
000145 |     settingValue.SetText( m_Slider.GetValue().ToString() );
000146 | }
000147 |
000148 | // -----
000149 | // ExpansionOptionSettingWidget OnApplySetting_Slider
000150 | // -----
000151 | private void OnApplySetting_Slider()
000152 | {
000153 |     ExpansionSettingSerializationSlider setting;
000154 |     if ( !Class.CastTo( setting, m_Setting ) )
000155 |         return;
```



```
000156 |         setting.SetValue( m_Slider.GetValue() );
000157 |     }
000158 |
000159 | // -----
000160 | // ExpansionOptionSettingWidget ConstructEnum
000161 | // -----
000162 | bool ConstructEnum()
000163 | {
000164 |     ExpansionSettingSerializationEnum setting;
000165 |     if ( !Class.CastTo( setting, m_Setting ) )
000166 |         return false;
000167 |
000168 |     int value = setting.GetValue();
000169 |
000170 |     m_Selector = new OptionSelectorMultistate( optionWidget, value, this, false, setting.m_Values );
000171 |     m_Selector.m_OptionChanged.Insert( OnEnumOptionChanged );
000172 |
000173 |     m_ApplySetting.Insert( OnApplySetting_Enum );
000174 |
000175 |     return true;
000176 | }
000177 |
000178 | // -----
000179 | // ExpansionOptionSettingWidget OnEnumOptionChanged
000180 | // -----
000181 | private void OnEnumOptionChanged( float value )
000182 | {
000183 |     m_Menu.SetChanged();
000184 | }
000185 |
000186 | // -----
000187 | // ExpansionOptionSettingWidget OnApplySetting_Enum
000188 | // -----
000189 | private void OnApplySetting_Enum()
000190 | {
000191 |     ExpansionSettingSerializationEnum setting;
000192 |     if ( !Class.CastTo( setting, m_Setting ) )
000193 |         return;
000194 |
000195 |     setting.SetValue( m_Selector.GetValue() );
000196 | }
000197 |
000198 | // -----
000199 | // ExpansionOptionSettingWidget OnMouseEnter
000200 | // -----
000201 | override bool OnMouseEnter( Widget w, int x, int y )
000202 | {
000203 |     #ifndef EXPANSIONTRACE
000204 |         auto trace = CF_Trace_0(ExpansionTracing.UI, this, "OnMouseEnter");
000205 |     #endif
000206 |
000207 |     if ( w == selectWidget )
000208 |     {
000209 |         m_Menu.ShowDetails( m_Setting.m_Name, m_Setting.m_DetailContent );
000210 |         selectWidget.SetColor( ARGB( 255, 0, 0, 0 ) );
000211 |         settingLabel.SetColor( ARGB( 255, 255, 0, 0 ) );
000212 |
000213 |         if ( m_Selector && m_Selector.GetOptionTextWidget() ) m_Selector.GetOptionTextWidget().SetColor( ARGB( 255, 255, 0, 0 ) );
000214 |
000215 |         return true;
000216 |     }
000217 | }
```

```
000218 |  
000219 |     return super.OnMouseEnter( w, x, y );  
000220 | }  
000221 |  
000222 | // -----  
000223 | // ExpansionOptionSettingWidget OnMouseLeave  
000224 | // -----  
000225 | override bool OnMouseLeave( Widget w, Widget enterW, int x, int y )  
000226 | {  
000227 | #ifdef EXPANSIONTRACE  
000228 |     auto trace = CF_Trace_0(ExpansionTracing.UI, this, "OnMouseLeave");  
000229 | #endif  
000230 |  
000231 |     if ( w == selectWidget )  
000232 |     {  
000233 |         m_Menu.HideDetails();  
000234 |         selectWidget.SetColor( ARGB( 0, 0, 0, 0 ) );  
000235 |         settingLabel.SetColor( ARGB( 255, 255, 255, 255 ) );  
000236 |  
000237 |         if ( m_Selector && m_Selector.GetOptionTextWidget() ) m_Selector.GetOptionTextWidget().SetColor( ARGB( 255, 255, 255, 255 ) );  
000238 |  
000239 |         return true;  
000240 |     }  
000241 |  
000242 |     return super.OnMouseLeave( w, enterW, x, y );  
000243 | }  
000244 |  
000245 | ExpansionSettingSerializationBase GetSetting()  
000246 | {  
000247 |     return m_Setting;  
000248 | }  
000249 | };  
000250 |
```

0334. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\Options\OptionSelectorSlider.c
Size bytes: 106
SHA-256: 11cf75cc4630c363d3750e7e35ee5c74d24fdf8b4fa772717cd0a70abe5feffb
Decoded as: utf-8-sig
Line count shown: 8
Detected class declarations: 1
 L1: modded class OptionSelectorSlider
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L3: void Expansion_UpdateLastValue()

Full file content

```
000001 | modded class OptionSelectorSlider
000002 | {
000003 |     void Expansion_UpdateLastValue()
000004 |     {
000005 |         m_LastValue = GetValue();
000006 |     }
000007 | }
000008 |
```

0335. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\Options\OptionsMenu.c

Size bytes: 1251

SHA-256: 3112edb6fefcee8eebc84c1616a5a598df0a9a4598e65792315abacb2966388a

Decoded as: utf-8-sig

Line count shown: 59

Detected class declarations: 1

L13: modded class OptionsMenu

Detected enum declarations: 0

Detected function/method-like declarations: 5

L17: void ~OptionsMenu()

L23: override Widget Init()

L33: override void OnChanged()

L44: override void Apply()

L52: override void Refresh()

Full file content

```
000001 | /**
000002 |  * OptionsMenu.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class OptionsMenu
000014 | {
000015 |     protected ref OptionsMenuExpansion m_ExpansionTab;
000016 |
000017 |     void ~OptionsMenu()
000018 |     {
000019 |         if (m_ExpansionTab)
000020 |             delete m_ExpansionTab;
000021 |     }
000022 |
000023 |     override Widget Init()
000024 |     {
000025 |         layoutRoot = super.Init();
000026 |
000027 |         int expansionTabIndex = m_Tabber.AddTab("EXPANSION");
000028 |         m_ExpansionTab = new OptionsMenuExpansion(layoutRoot.FindAnyWidget("Tab_" + expansionTabIndex), m_Details, m_Options, this);
000029 |
000030 |         return layoutRoot;
000031 |     }
000032 |
000033 |     override void OnChanged()
000034 |     {
000035 |         super.OnChanged();
000036 |
000037 |         if ( m_ExpansionTab && m_ExpansionTab.IsChanged() )
000038 |         {
000039 |             m_Apply.ClearFlags( WidgetFlags.IGNOREPOINTER );
000040 |             ColorNormal( m_Apply );
000041 |         }
000042 |     }
```

```
000043 |  
000044 |     override void Apply()  
000045 |     {  
000046 |         super.Apply();  
000047 |  
000048 |         if( m_ExpansionTab && m_ExpansionTab.IsChanged() )  
000049 |             m_ExpansionTab.Apply();  
000050 |     }  
000051 |  
000052 |     override void Refresh()  
000053 |     {  
000054 |         super.Refresh();  
000055 |  
000056 |         GetDayZGame().Expansion_SetGameVersionText(m_Version);  
000057 |     }  
000058 | }  
000059 |
```

0336. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\Options\OptionsMenuExpansion.c
Size bytes: 6712
SHA-256: 7064ee40caddff686318c61d55cb47d5d7ea75c7e59812da8d1414030d03bcc9
Decoded as: utf-8-sig
Line count shown: 227
Detected class declarations: 1
  L13: class OptionsMenuExpansion: ScriptedWidgetEventHandler
Detected enum declarations: 0
Detected function/method-like declarations: 14
  L31: void OptionsMenuExpansion( Widget parent, Widget details_root, GameOptions options, OptionsMenu menu )
  L70: void ~OptionsMenuExpansion()
  L87: bool IsChanged()
  L95: void SetChanged()
  L105: void Apply()
  L124: override bool OnMouseEnter( Widget w, int x, int y )
  L142: override bool OnMouseLeave( Widget w, Widget enterW, int x, int y )
  L155: override bool OnFocus( Widget w, int x, int y )
  L163: override bool OnFocusLost( Widget w, int x, int y )
  L171: bool IsFocusable( Widget w )
  L184: void ColorRed( Widget w )
  L198: void ColorWhite( Widget w, Widget enterW )
  L211: void ShowDetails( string title, string text )
  L221: void HideDetails()
```

Full file content

```
000001 | /**
000002 |  * OptionsMenuExpansion.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class OptionsMenuExpansion: ScriptedWidgetEventHandler
000014 | {
000015 |     protected Widget m_Root;
000016 |
000017 |     protected Widget m_DetailsRoot;
000018 |     protected TextWidget m_DetailsLabel;
000019 |     protected RichTextWidget m_DetailsText;
000020 |
000021 |     protected GameOptions m_Options;
000022 |     protected ref OptionsMenu m_Menu;
000023 |
000024 |     protected ref array<ref ExpansionOptionSettingWidget> m_OptionsWidgets;
000025 |
000026 |     protected bool m_IsChanged;
000027 |
000028 |     // -----
000029 |     // OptionsMenuExpansion Constructor
000030 |     // -----
000031 | void OptionsMenuExpansion( Widget parent, Widget details_root, GameOptions options, OptionsMenu menu )
000032 | {
000033 |     m_Root = g_Game.GetWorkspace().CreateWidgets( "DayZExpansion/Core/GUI/layouts/ui/options/expansion_tab.layout", parent );
```

```
000034 |         m_Root.SetHandler( this );
000035 |
000036 |         if ( !m_OptionsWidgets )
000037 |             m_OptionsWidgets = new array<ref ExpansionOptionSettingWidget>;
000038 |         else
000039 |             m_OptionsWidgets.Clear();
000040 |
000041 |         m_DetailsRoot = details_root;
000042 |         m_DetailsLabel = TextWidget.Cast( m_DetailsRoot.FindAnyWidget( "details_label" ) );
000043 |         m_DetailsText = RichTextWidget.Cast( m_DetailsRoot.FindAnyWidget( "details_content" ) );
000044 |
000045 |         m_Options = options;
000046 |         m_Menu = menu;
000047 |
000048 |         Widget rootContent = Widget.Cast( m_Root.FindAnyWidget( "expansion_tab_content" ) );
000049 |
000050 |         for ( int i = 0; i < GetExpansionClientSettings().m_Categories.Count(); i++ )
000051 |         {
000052 |             ExpansionClientSettingCategory category = GetExpansionClientSettings().m_Categories[i];
000053 |             Widget categoryWidget = Widget.Cast( g_Game.GetWorkspace().CreateWidgets( "DayZExpansion/Core/GUI/layouts/ui/options/expansion_options_category.layout
", rootContent ) );
000054 |             TextWidget categoryLabel = TextWidget.Cast( categoryWidget.FindAnyWidget( "expansion_options_category_header_text" ) );
000055 |             categoryLabel.SetText( category.m_DisplayName );
000056 |             GridSpacerWidget categoryGrid = GridSpacerWidget.Cast( categoryWidget.FindAnyWidget( "expansion_options_category_content" ) );
000057 |
000058 |             for ( int j = 0; j < category.m_Settings.Count(); j++ )
000059 |             {
000060 |                 ExpansionOptionSettingWidget setting = new ExpansionOptionSettingWidget( categoryGrid, category.m_Settings[j], this );
000061 |
000062 |                 if ( setting )
000063 |                 {
000064 |                     m_OptionsWidgets.Insert( setting );
000065 |                 }
000066 |             }
000067 |         }
000068 |     }
000069 |
000070 |     void ~OptionsMenuExpansion()
000071 |     {
000072 |         if ( m_OptionsWidgets )
000073 |         {
000074 |             foreach (auto w: m_OptionsWidgets)
000075 |             {
000076 |                 if (w)
000077 |                     delete w;
000078 |             }
000079 |
000080 |             m_OptionsWidgets.Clear();
000081 |         }
000082 |     }
000083 |
000084 |     // -----
000085 |     // OptionsMenuExpansion IsChanged
000086 |     // -----
000087 |     bool IsChanged()
000088 |     {
000089 |         return m_IsChanged;
000090 |     }
000091 |
000092 |     // -----
000093 |     // OptionsMenuExpansion SetChanged
000094 |     // -----
```

```
000095 | void SetChanged()
000096 | {
000097 |     m_IsChanged = true;
000098 |
000099 |     m_Menu.OnChanged();
000100 | }
000101 |
000102 | // -----
000103 | // OptionsMenuExpansion Apply
000104 | // -----
000105 | void Apply()
000106 | {
000107 |     if ( m_IsChanged )
000108 |     {
000109 |         m_IsChanged = false;
000110 |
000111 |         for ( int i = 0; i < m_OptionsWidgets.Count(); i++ )
000112 |         {
000113 |             m_OptionsWidgets[i].Apply();
000114 |         }
000115 |
000116 |         CF_ModuleCoreManager.OnSettingsChanged(this, CF_EventArgs.Empty);
000117 |         GetExpansionClientSettings().Save();
000118 |     }
000119 | }
000120 |
000121 | // -----
000122 | // OptionsMenuExpansion Override OnMouseEnter
000123 | // -----
000124 | override bool OnMouseEnter( Widget w, int x, int y )
000125 | {
000126 |     if ( w && w.IsInherited( ScrollWidget ) )
000127 |     {
000128 |         return false;
000129 |     }
000130 |
000131 |     if ( w && w.IsInherited( SliderWidget ) )
000132 |     {
000133 |         return false;
000134 |     }
000135 |
000136 |     return true;
000137 | }
000138 |
000139 | // -----
000140 | // OptionsMenuExpansion Override OnMouseLeave
000141 | // -----
000142 | override bool OnMouseLeave( Widget w, Widget enterW, int x, int y )
000143 | {
000144 |     if ( w && w.IsInherited( ScrollWidget ) )
000145 |     {
000146 |         return false;
000147 |     }
000148 |
000149 |     return true;
000150 | }
000151 |
000152 | // -----
000153 | // OptionsMenuExpansion Override OnFocus
000154 | // -----
000155 | override bool OnFocus( Widget w, int x, int y )
000156 | {
```



```
000157 |         return false;
000158 |     }
000159 |
000160 |     // -----
000161 |     // OptionsMenuExpansion Override OnFocusLost
000162 |     // -----
000163 |     override bool OnFocusLost( Widget w, int x, int y )
000164 |     {
000165 |         return false;
000166 |     }
000167 |
000168 |     // -----
000169 |     // OptionsMenuExpansion IsFocusable
000170 |     // -----
000171 |     bool IsFocusable( Widget w )
000172 |     {
000173 |         if ( w )
000174 |         {
000175 |             return true;
000176 |         }
000177 |
000178 |         return false;
000179 |     }
000180 |
000181 |     // -----
000182 |     // OptionsMenuExpansion ColorRed
000183 |     // -----
000184 |     void ColorRed( Widget w )
000185 |     {
000186 |         SetFocus( w );
000187 |         if( w.IsInherited( ButtonWidget ) )
000188 |         {
000189 |             ButtonWidget button = ButtonWidget.Cast( w );
000190 |             button.SetTextColor( ARGB( 255, 255, 0, 0 ) );
000191 |             button.SetAlpha( 0.9 );
000192 |         }
000193 |     }
000194 |
000195 |     // -----
000196 |     // OptionsMenuExpansion ColorWhite
000197 |     // -----
000198 |     void ColorWhite( Widget w, Widget enterW )
000199 |     {
000200 |         if( w.IsInherited( ButtonWidget ) )
000201 |         {
000202 |             ButtonWidget button = ButtonWidget.Cast( w );
000203 |             button.SetTextColor( ARGB( 255, 255, 255, 255 ) );
000204 |             button.SetAlpha( 0.75 );
000205 |         }
000206 |     }
000207 |
000208 |     // -----
000209 |     // OptionsMenuExpansion ShowDetails
000210 |     // -----
000211 |     void ShowDetails( string title, string text )
000212 |     {
000213 |         m_DetailsRoot.Show( true );
000214 |         m_DetailsLabel.SetText( title );
000215 |         m_DetailsText.SetText( text );
000216 |     }
000217 |
000218 |     // -----
```

```
000219 | // OptionsMenuExpansion ShowDetails
000220 | // -----
000221 | void HideDetails()
000222 | {
000223 |     m_DetailsRoot.Show( false );
000224 |     m_DetailsLabel.SetText( "" );
000225 |     m_DetailsText.SetText( "" );
000226 | }
000227 | }
```

0337. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\OptionSelectorMultistate.c

Size bytes: 468

SHA-256: 5bf446437db38fb19f0108651e5267ce963c3c1771e210fbc24fdbf16d19ce23

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

L13: modded class OptionSelectorMultistate

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: TextWidget GetOptionTextWidget()

Full file content

```
000001 | /**
000002 |  * OptionSelectorMultistate.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class OptionSelectorMultistate
000014 | {
000015 |     TextWidget GetOptionTextWidget()
000016 |     {
000017 |         return m_SelectedOption;
000018 |     }
000019 | };
```

0338. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\TabberPrefab\TabberUI.c

Size bytes: 1099

SHA-256: 3fc46185982f532fc5f9b79bf82e3637bc9b86868ae5b95a9ab2a05003de113f

Decoded as: utf-8-sig

Line count shown: 28

Detected class declarations: 1

L1: modded class TabberUI

Detected enum declarations: 0

Detected function/method-like declarations: 1

L3: override int AddTab(string name)

Full file content

```

000001 | modded class TabberUI
000002 | {
000003 |     override int AddTab( string name )
000004 |     {
000005 |         //!< Almost identical to vanilla AddTab, but we use our own tab control layout file just so title text size matches the rest of the tabs
000006 |
000007 |         int new_index = m_Tabs.Count();
000008 |         Widget tab = g_Game.GetWorkspace().CreateWidgets( "gui/layouts/new_ui/tabber_prefab/tab.layout", m_Root );
000009 |         Widget control = g_Game.GetWorkspace().CreateWidgets( "DayZExpansion/Core/GUI/layouts/ui/options/tab_control.layout", m_Root.FindAnyWidget( "Tab_Control_C
ontainer" ) );
000010 |         TextWidget control_text = TextWidget.Cast( control.FindAnyWidget( "Tab_Control_x_Title" ) );
000011 |
000012 |         tab.SetName( "Tab_" + new_index );
000013 |         control.SetName( "Tab_Control_" + new_index );
000014 |         control_text.SetName( "Tab_Control_" + new_index + "_Title" );
000015 |         control.FindAnyWidget( "Tab_Control_x_Background" ).SetName( "Tab_Control_" + new_index + "_Background" );
000016 |
000017 |         control_text.SetText( name );
000018 |
000019 |         control.SetHandler( this );
000020 |         m_TabControls.Insert( new_index, control );
000021 |         m_Tabs.Insert( new_index, tab );
000022 |
000023 |         AlignTabbers();
000024 |
000025 |         return new_index;
000026 |     }
000027 | }
000028 |

```

0339. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Mission\MissionBase.c

Size bytes: 1581

SHA-256: 32573fcc48f6635cdb9c5a9ca5344702cc8b5dedbf7580a13650b465974e814f

Decoded as: utf-8-sig

Line count shown: 69

Detected class declarations: 1

L1: modded class MissionBase

Detected enum declarations: 0

Detected function/method-like declarations: 3

L5: void MissionBase()

L16: void ~MissionBase()

L30: override void CF_OnUpdate(float timeslice)

Full file content

```
000001 | modded class MissionBase
000002 | {
000003 |     CF_EventUpdateArgs m_Expansion_CF_EventUpdateArgs = new CF_EventUpdateArgs;
000004 |
000005 |     void MissionBase()
000006 |     {
000007 | #ifdef EXTRACE_DIAG
000008 |         auto trace = EXTrace.Start(EXTrace.MISC, this);
000009 | #endif
000010 |
000011 |         GetDayZGame().Expansion_SetIsMissionMainMenu(IsInherited(MissionMainMenu));
000012 |
000013 |         CreateDayZExpansion();
000014 |     }
000015 |
000016 |     void ~MissionBase()
000017 |     {
000018 |         if (!g_Game)
000019 |             return;
000020 |
000021 |         DestroyDayZExpansion();
000022 |
000023 | #ifdef DIAG_DEVELOPER
000024 |         Print("[DayZ Expansion] ~MissionBase");
000025 | #endif
000026 |
000027 |         delete m_Expansion_CF_EventUpdateArgs;
000028 |     }
000029 |
000030 |     override void CF_OnUpdate(float timeslice)
000031 |     {
000032 | #ifdef SERVER
000033 |         float updateTime = g_Game.GetTickTime();
000034 |         float elapsed = updateTime - m_CF_UpdateTime;
000035 |         bool update = elapsed >= 0.025;
000036 |
000037 |         if (update)
000038 |         {
000039 |             m_CF_UpdateTime = updateTime;
000040 |         }
000041 | #endif
000042 |
000043 |         if (!m_bLoaded)
000044 |         {
```

```
000045 |         if (g_Game.IsLoading())
000046 |         {
000047 |             return;
000048 |         }
000049 |
000050 |         m_bLoaded = true;
000051 |         CF_ModuleGameManager.UpdateGameFlag(); //!< CF calls UpdateGameFlag each update loop which is redundant. Call it once when loaded instead. TODO: This
should be in CF.
000052 |         OnMissionLoaded();
000053 |     }
000054 |
000055 |     //!< CF creates a new CF_EventUpdateArgs instance each update loop. Instantiate once & reuse instead.
000056 |     //!< TODO: This should be in CF.
000057 | #ifdef SERVER
000058 |     if (update)
000059 |     {
000060 |         m_Expansion_CF_EventUpdateArgs.DeltaTime = elapsed;
000061 |         CF_ModuleCoreManager.s_Update.OnUpdate(this, m_Expansion_CF_EventUpdateArgs);
000062 |     }
000063 | #else
000064 |     m_Expansion_CF_EventUpdateArgs.DeltaTime = timeslice;
000065 |     CF_ModuleCoreManager.s_Update.OnUpdate(this, m_Expansion_CF_EventUpdateArgs);
000066 | #endif
000067 | }
000068 | };
000069 |
```

0340. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Mission\MissionGameplay.c
Size bytes: 8917
SHA-256: 4645c12a821f16ac3745609ac05b6e51bd9866a83ad848f8cd972e4ad1db8588
Decoded as: utf-8-sig
Line count shown: 321
Detected class declarations: 1
  L16: modded class MissionGameplay
Detected enum declarations: 0
Detected function/method-like declarations: 20
  L26: void ~MissionGameplay()
  L35: void Expansion_EnableAllInputs()
  L51: override void PlayerControlDisable(int mode)
  L73: override void OnUpdate(float timeslice)
  L110: void Expansion_OnUpdate(float timeslice, PlayerBase player, bool isAliveConscious, Input input, bool inputIsFocused, UIScriptedMenu menu, Ex
  L120: else if (m_EXItemInspection)
  L133: override void Pause()
  L144: override void CloseAllMenus()
  L156: bool IsMenuOpened()
  L166: override void OnMissionStart()
  L173: override void OnMissionLoaded()
  L185: override void OnMissionFinish()
  L203: static ExpansionItemTooltip Expansion_GetItemTooltip()
  L211: static void Expansion_DestroyItemTooltip()
  L221: static ExpansionItemTooltip SetItemTooltip(Object object)
  L235: static ExpansionItemTooltip SetItemTooltip(Object object, int healthLevel, int liquidType, bool isBloodContainer, int quantityType, float qu
  L263: static ExpansionItemInspection Expansion_GetItemInspection()
  L271: static void Expansion_DestroyItemInspection()
  L280: static ExpansionItemInspection InspectItem(ScriptView parentView, Object object)
  L294: static ExpansionItemInspection InspectItem(ScriptView parentView, Object object, int healthLevel, int liquidType, bool isBloodContainer, int
```

Full file content

```
000001 | /**
000002 |  * MissionGameplay.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      MissionGameplay
000014 |  * @brief
000015 |  */
000016 | modded class MissionGameplay
000017 | {
000018 | #ifdef EXPANSIONUI
000019 |     protected static ref ExpansionItemTooltip m_EXItemTooltip;
000020 |     protected static ref ExpansionItemInspection m_EXItemInspection;
000021 | #endif
000022 |
000023 |     // -----
000024 |     // Destructor
000025 |     // -----
000026 |     void ~MissionGameplay()
000027 |     {
```

```
000028 | #ifdef EXPANSIONTRACE
000029 |     auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "~MissionGameplay");
000030 | #endif
000031 |
000032 |     DestroyNotificationSystem();
000033 | }
000034 |
000035 | void Expansion_EnableAllInputs()
000036 | {
000037 |     TIntArray inputIDs = new TIntArray;
000038 |     GetUApi().GetActiveInputs(inputIDs);
000039 |
000040 |     foreach (int input : inputIDs)
000041 |     {
000042 |         GetUApi().GetInputByID(input).ForceDisable(false);
000043 |     }
000044 |
000045 |     GetUApi().UpdateControls();
000046 | }
000047 |
000048 | // -----
000049 | // Override PlayerControlDisable
000050 | // -----
000051 | override void PlayerControlDisable(int mode)
000052 | {
000053 | #ifdef EXPANSIONTRACE
000054 |     auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "PlayerControlDisable");
000055 | #endif
000056 |
000057 |     switch (mode)
000058 |     {
000059 |         case INPUT_EXCLUDE_ALL:
000060 |         {
000061 |             GetUApi().ActivateExclude("menuexpansion");
000062 |             GetUApi().UpdateControls();
000063 |             break;
000064 |         }
000065 |     }
000066 |
000067 |     super.PlayerControlDisable(mode);
000068 | }
000069 |
000070 | // -----
000071 | // OnUpdate
000072 | // -----
000073 | override void OnUpdate(float timeslice)
000074 | {
000075 | #ifdef EXPANSIONTRACE
000076 |     auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "OnUpdate");
000077 | #endif
000078 |
000079 |     super.OnUpdate(timeslice);
000080 |
000081 |     if (!m_bLoaded)
000082 |     {
000083 |         return;
000084 |     }
000085 |
000086 |     PlayerBase player = PlayerBase.Cast(g_Game.GetPlayer());
000087 |
000088 |     bool isAliveConscious;
000089 |     if (player && player.GetPlayerState() == EPlayerStates.ALIVE && !player.IsUnconscious())
```



```
000090 |         isAliveConscious = true;
000091 |
000092 |         Input input = g_Game.GetInput();
000093 |
000094 |         //! Checking for keyboard focus
000095 |         Widget focus = GetFocus();
000096 |         bool inputIsFocused;
000097 |         if (focus && (focus.IsInherited(EditBoxWidget) || focus.IsInherited(MultilineEditBoxWidget)) && focus.IsVisible())
000098 |             inputIsFocused = true;
000099 |
000100 |         UIScriptedMenu menu = m_UIManager.GetMenu();
000101 | #ifdef EXPANSIONUI
000102 |         ExpansionScriptViewMenuBase viewMenu = GetDayZExpansion().GetExpansionUIManager().GetMenu();
000103 | #else
000104 |         ExpansionScriptViewMenuBase viewMenu;
000105 | #endif
000106 |
000107 |         Expansion_OnUpdate(timeslice, player, isAliveConscious, input, inputIsFocused, menu, viewMenu);
000108 |     }
000109 |
000110 |     void Expansion_OnUpdate(float timeslice, PlayerBase player, bool isAliveConscious, Input input, bool inputIsFocused, UIScriptedMenu menu, ExpansionScriptViewMenuBase viewMenu)
000111 |     {
000112 |         #ifdef EXPANSIONUI
000113 |             //! Close current opened expansion script view menu when ESC is pressed
000114 |             if (viewMenu && viewMenu.IsVisible() && input.LocalPress("UAUIBack", false))
000115 |             {
000116 |                 if (!m_EXItemInspection && viewMenu.CanClose())
000117 |                 {
000118 |                     GetDayZExpansion().GetExpansionUIManager().CloseMenu();
000119 |                 }
000120 |                 else if (m_EXItemInspection)
000121 |                 {
000122 |                     Expansion_DestroyItemInspection();
000123 |                     viewMenu.GetLayoutRoot().Show(true);
000124 |                 }
000125 |             }
000126 |         #endif
000127 |     }
000128 |
000129 | #ifdef EXPANSIONUI
000130 |     // -----
000131 |     // Pause
000132 |     // -----
000133 |     override void Pause()
000134 |     {
000135 |         if (GetDayZExpansion().GetExpansionUIManager().GetMenu())
000136 |             return;
000137 |
000138 |         super.Pause();
000139 |     }
000140 |
000141 |     // -----
000142 |     // Override CloseAllMenus
000143 |     // -----
000144 |     override void CloseAllMenus()
000145 |     {
000146 |         super.CloseAllMenus();
000147 |
000148 |         if (GetDayZGame().GetExpansionGame().GetExpansionUIManager().GetMenu())
000149 |             GetDayZGame().GetExpansionGame().GetExpansionUIManager().CloseAll();
000150 |     }
```

```
000151 | #endif
000152 |
000153 | // -----
000154 | // IsMenuOpened
000155 | // -----
000156 | bool IsMenuOpened()
000157 | {
000158 | #ifdef EXPANSIONUI
000159 |     if (GetDayZGame().GetExpansionGame().GetExpansionUIManager().GetMenu())
000160 |         return true;
000161 | #endif
000162 |
000163 |     return false;
000164 | }
000165 |
000166 | override void OnMissionStart()
000167 | {
000168 |     super.OnMissionStart();
000169 |
000170 |     GetDayZExpansion().OnStart();
000171 | }
000172 |
000173 | override void OnMissionLoaded()
000174 | {
000175 |     ExpansionGlobalID.s_IsMissionLoaded = true;
000176 |
000177 |     super.OnMissionLoaded();
000178 |
000179 |     GetDayZExpansion().OnLoaded();
000180 | }
000181 |
000182 | // -----
000183 | // OnMissionFinish
000184 | // -----
000185 | override void OnMissionFinish()
000186 | {
000187 |     super.OnMissionFinish();
000188 |
000189 | #ifdef EXPANSIONUI
000190 |     //! Close and destroy any ScriptViews
000191 |     ExpansionScriptViewBase.DestroyAll();
000192 | #endif
000193 |
000194 |     //! This will return control to the player and unlock all inputs
000195 |     Expansion_EnableAllInputs();
000196 |     if (PPEffects.m_BlurMenu > 0)
000197 |         PPEffects.SetBlurMenu(0.0);
000198 |
000199 |     GetDayZExpansion().OnFinish();
000200 | }
000201 |
000202 | #ifdef EXPANSIONUI
000203 | static ExpansionItemTooltip Expansion_GetItemTooltip()
000204 | {
000205 |     if (!m_EXItemTooltip)
000206 |         m_EXItemTooltip = new ExpansionItemTooltip();
000207 |
000208 |     return m_EXItemTooltip;
000209 | }
000210 |
000211 | static void Expansion_DestroyItemTooltip()
000212 | {
```

```
000213 |         if (m_EXItemTooltip)
000214 |         {
000215 |             m_EXItemTooltip.Hide();
000216 |             m_EXItemTooltip.Destroy();
000217 |             m_EXItemTooltip = null;
000218 |         }
000219 |     }
000220 |
000221 |     static ExpansionItemTooltip SetItemTooltip(Object object)
000222 |     {
000223 |         ExpansionItemTooltip itemTooltip = Expansion_GetItemTooltip();
000224 |         if (itemTooltip)
000225 |         {
000226 |             itemTooltip.SetItem(EntityAI.Cast(object));
000227 |             itemTooltip.SetShowItemPreview(true);
000228 |             itemTooltip.SetUpdateStatsOnShow(true);
000229 |             itemTooltip.Show();
000230 |         }
000231 |
000232 |         return itemTooltip;
000233 |     }
000234 |
000235 |     static ExpansionItemTooltip SetItemTooltip(Object object, int healthLevel, int liquidType, bool isBloodContainer, int quantityType, float quantity, int quantityMax, int foodStage, string className, int rarity = -1)
000236 |     {
000237 |         ExpansionItemTooltip itemTooltip = Expansion_GetItemTooltip();
000238 |         if (itemTooltip)
000239 |         {
000240 |             itemTooltip.SetItem(EntityAI.Cast(object));
000241 |             itemTooltip.SetShowItemPreview(true);
000242 |             itemTooltip.SetUpdateStatsOnShow(false);
000243 |             itemTooltip.UpdateItemInfoDamage(healthLevel);
000244 |             if (!object.IsTransport())
000245 |             {
000246 |                 itemTooltip.UpdateItemInfoLiquidType(liquidType, isBloodContainer);
000247 |                 itemTooltip.UpdateItemInfoQuantity(quantityType, quantity, quantityMax, false);
000248 |                 itemTooltip.UpdateItemInfoFoodStage(foodStage);
000249 |             }
000250 |             itemTooltip.UpdateItemInfoCargoSize();
000251 | #ifdef EXPANSIONMODHARDLINE
000252 |             if (GetExpansionSettings().GetHardline().EnableItemRarity && rarity != -1)
000253 |                 itemTooltip.UpdateItemRarityEx(rarity);
000254 | #endif
000255 |
000256 |             itemTooltip.Show();
000257 |         }
000258 |
000259 |         return itemTooltip;
000260 |     }
000261 |
000262 |
000263 |     static ExpansionItemInspection Expansion_GetItemInspection()
000264 |     {
000265 |         if (!m_EXItemInspection)
000266 |             m_EXItemInspection = new ExpansionItemInspection();
000267 |
000268 |         return m_EXItemInspection;
000269 |     }
000270 |
000271 |     static void Expansion_DestroyItemInspection()
000272 |     {
000273 |         if (m_EXItemInspection)
```

```
000274 |     {
000275 |         m_EXItemInspection.Destroy();
000276 |         m_EXItemInspection = null;
000277 |     }
000278 | }
000279 |
000280 | static ExpansionItemInspection InspectItem(ScriptView parentView, Object object)
000281 | {
000282 |     ExpansionItemInspection itemInspection = Expansion_GetItemInspection();
000283 |     if (itemInspection)
000284 |     {
000285 |         itemInspection.SetItem(object);
000286 |         itemInspection.UpdateItemStats();
000287 |         itemInspection.SetParentView(parentView);
000288 |         parentView.GetLayoutRoot().Show(false);
000289 |     }
000290 |
000291 |     return itemInspection;
000292 | }
000293 |
000294 | static ExpansionItemInspection InspectItem(ScriptView parentView, Object object, int healthLevel, int liquidType, bool isBloodContainer, int quantityType, flo
at quantity, int quantityMax, int foodStage, string className, int rarity = -1)
000295 | {
000296 |     ExpansionItemInspection itemInspection = Expansion_GetItemInspection();
000297 |     if (itemInspection)
000298 |     {
000299 |         itemInspection.SetItem(object);
000300 |         itemInspection.UpdateItemInfoDamage(healthLevel);
000301 |         if (!object.IsTransport())
000302 |         {
000303 |             itemInspection.UpdateItemInfoLiquidType(liquidType, isBloodContainer);
000304 |             itemInspection.UpdateItemInfoQuantity(quantityType, quantity, quantityMax, false);
000305 |             itemInspection.UpdateItemInfoFoodStage(foodStage);
000306 |         }
000307 |         itemInspection.UpdateItemInfoCargoSize();
000308 | #ifdef EXPANSIONMODHARDLINE
000309 |         if (GetExpansionSettings().GetHardline().EnableItemRarity && rarity != -1)
000310 |             itemInspection.UpdateItemRarityEx(rarity);
000311 | #endif
000312 |
000313 |         itemInspection.SetParentView(parentView);
000314 |         parentView.GetLayoutRoot().Show(false);
000315 |     }
000316 |
000317 |     return itemInspection;
000318 | }
000319 | #endif
000320 | };
000321 |
```

0341. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Mission\MissionMainMenu.c

Size bytes: 450

SHA-256: 08f6fc8db015e041c30207ebd73a64a8e216c5171e71d92612c4bb9783e71672

Decoded as: utf-8-sig

Line count shown: 20

Detected class declarations: 1

L13: modded class MissionMainMenu

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: void MissionMainMenu()

Full file content

```
000001 | /**
000002 |  * MissionMainMenu.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class MissionMainMenu
000014 | {
000015 |     void MissionMainMenu()
000016 |     {
000017 |         GetExpansionSettings().GameInit();
000018 |     }
000019 | }
000020 |
```

0342. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Mission\MissionServer.c

Size bytes: 9222

SHA-256: 32c1a6fbed8f912e239daff0f3860da2943b627523764d39e23caaca25f58eec

Decoded as: utf-8-sig

Line count shown: 290

Detected class declarations: 1

L16: modded class MissionServer

Detected enum declarations: 0

Detected function/method-like declarations: 13

L23: void ~MissionServer()

L32: override void HandleBody(PlayerBase player)

L47: override void OnMissionStart()

L67: override void OnMissionLoaded()

L89: override void OnMissionFinish()

L124: override void OnEvent(EventType eventId, Param params)

L166: override void OnClientRespawnEvent(PlayerIdentity identity, PlayerBase player)

L173: override void OnClientReadyEvent(PlayerIdentity identity, PlayerBase player)

L193: override void OnClientReconnectEvent(PlayerIdentity identity, PlayerBase player)

L203: override void InvokeOnConnect(PlayerBase player, PlayerIdentity identity)

L236: void Expansion_SendSettings(PlayerBase player)

L244: override void PlayerDisconnected(PlayerBase player, PlayerIdentity identity, string uid)

L262: void DumpClassNameJSON(string mustContain = "")

Full file content

```
000001 | /**
000002 |  * MissionServer.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      MissionServer
000014 |  * @brief
000015 |  */
000016 | modded class MissionServer
000017 | {
000018 |     bool EXPANSION_CLASSNAME_DUMP = false;
000019 |
000020 |     // -----
000021 |     // MissionServer Destructor
000022 |     // -----
000023 |     void ~MissionServer()
000024 |     {
000025 | #ifdef EXPANSIONTRACE
000026 |         auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "~MissionServer");
000027 | #endif
000028 |
000029 |         DestroyNotificationSystem();
000030 |     }
000031 |
000032 |     override void HandleBody(PlayerBase player)
000033 |     {
000034 |         //! Avoid exploit where players that are given (temporary) godmode for any reason (e.g. through a 3rd party mod,
```

```
000035 |      //!< since Expansion no longer uses player godmode for anything),
000036 |      //!< can disconnect while uncon or restrained and reconnect to dupe their character and all their gear
000037 |      //!< (the other unconscious body will still be on the ground due to the game not being able to kill it)
000038 |      if (player.IsUnconscious() || player.IsRestrained())
000039 |          player.SetAllowDamage(true);
000040 |
000041 |      super.HandleBody(player);
000042 |  }
000043 |
000044 |      // -----
000045 |      // OnMissionStart
000046 |      // -----
000047 |      override void OnMissionStart()
000048 |      {
000049 |  #ifdef EXPANSIONTRACE
000050 |      auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "OnMissionStart");
000051 |  #endif
000052 |
000053 |      super.OnMissionStart();
000054 |
000055 |      GetDayZExpansion().OnStart();
000056 |
000057 |      if (EXPANSION_CLASSNAME_DUMP)
000058 |      {
000059 |          DumpClassNameJSON();
000060 |          DumpClassNameJSON("Expansion");
000061 |      }
000062 |  }
000063 |
000064 |      // -----
000065 |      // OnMissionLoaded
000066 |      // -----
000067 |      override void OnMissionLoaded()
000068 |      {
000069 |  #ifdef EXPANSIONTRACE
000070 |      auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "OnMissionLoaded");
000071 |  #endif
000072 |
000073 |      ExpansionGlobalID.s_IsMissionLoaded = true;
000074 |
000075 |      super.OnMissionLoaded();
000076 |
000077 |      GetDayZExpansion().OnLoaded();
000078 |
000079 |      CF_ModuleCoreManager.OnSettingsChanged(this, CF_EventArgs.Empty);
000080 |
000081 |      string exitAfter;
000082 |      if (GetCLIParam("exitAfter", exitAfter))
000083 |      {
000084 |          EXPrint(ToString() + " Command line parameter exitAfter found - exiting after " + exitAfter + " seconds");
000085 |          g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(g_Game.RequestExit, exitAfter.ToInt() * 1000, false, 0);
000086 |      }
000087 |  }
000088 |
000089 |      override void OnMissionFinish()
000090 |      {
000091 |          super.OnMissionFinish();
000092 |
000093 |          GetDayZExpansion().OnFinish();
000094 |      }
000095 |
000096 |      /**
```

```
000097 | * Order of player-related mission events
000098 | *
000099 | * On connect (new character):
000100 | * 1) OnClientPrepare
000101 | * 3) OnClientNew (calls CreateCharacter/EquipCharacter in vanilla)
000102 | * 3) InvokeOnConnect
000103 | *
000104 | * On connect (existing character):
000105 | * 1) OnClientPrepare
000106 | * 2) OnClientReady
000107 | * 3) InvokeOnConnect
000108 | *
000109 | * On respawn:
000110 | * 1) OnClientRespawn
000111 | * 2) OnClientPrepare
000112 | * 3) OnClientNew (calls CreateCharacter/EquipCharacter in vanilla)
000113 | * 4) InvokeOnConnect
000114 | *
000115 | * On logout:
000116 | * 1) OnClientDisconnectedEvent (calls OnClientLogout for CF modules)
000117 | * 2) OnEvent LogoutCancelEventTypeID (if player cancels logout countdown, calls OnClientLogoutCancelled for CF modules)
000118 | *
000119 | * On disconnect (if logout countdown runs out or player early disconnects):
000120 | * 1) PlayerDisconnected (calls OnClientDisconnect for CF modules)
000121 | * 2) InvokeOnDisconnect (called by PlayerDisconnected, only if player character not yet deleted)
000122 | */
000123 | #ifdef DIAG_DEVELOPER
000124 |     override void OnEvent(EventType eventType, Param params)
000125 |     {
000126 | #ifdef EXTRACE_DIAG
000127 |         EXTrace trace;
000128 |         if (EXTrace.PLAYER)
000129 |         {
000130 |             string eventTypeString;
000131 |
000132 |             switch (eventType)
000133 |             {
000134 |                 case ClientPrepareEventTypeID:
000135 |                     eventTypeString = "ClientPrepareEventTypeID";
000136 |                     break;
000137 |                 case ClientNewEventTypeID:
000138 |                     eventTypeString = "ClientNewEventTypeID";
000139 |                     break;
000140 |                 case ClientReadyEventTypeID:
000141 |                     eventTypeString = "ClientReadyEventTypeID";
000142 |                     break;
000143 |                 case ClientRespawnEventTypeID:
000144 |                     eventTypeString = "ClientRespawnEventTypeID";
000145 |                     break;
000146 |                 case ClientReconnectEventTypeID:
000147 |                     eventTypeString = "ClientReconnectEventTypeID";
000148 |                     break;
000149 |                 case ClientDisconnectedEventTypeID:
000150 |                     eventTypeString = "ClientDisconnectedEventTypeID";
000151 |                     break;
000152 |                 case LogoutCancelEventTypeID:
000153 |                     eventTypeString = "LogoutCancelEventTypeID";
000154 |                     break;
000155 |             }
000156 |
000157 |             if (eventTypeString)
000158 |                 trace = EXTrace.Start(true, this, eventTypeString);
```



```
000159 |     }
000160 | #endif
000161 |
000162 |     super.OnEvent(eventTypeId, params);
000163 | }
000164 | #endif
000165 |
000166 | override void OnClientRespawnEvent(PlayerIdentity identity, PlayerBase player)
000167 | {
000168 |     super.OnClientRespawnEvent(identity, player);
000169 |
000170 |     SyncEvents.s_Expansion_RespawningUIDs.Insert(identity.GetId(), true);
000171 | }
000172 |
000173 | override void OnClientReadyEvent( PlayerIdentity identity, PlayerBase player )
000174 | {
000175 |     super.OnClientReadyEvent( identity, player );
000176 |
000177 | /// DON'T remove! Update this for the next version of DayZ when necessary.
000178 | #ifdef DAYZ_1_27
000179 |     string preferredVersion = "1.28";
000180 |     string version;
000181 |     GetDayZGame().GetVersion(version);
000182 |     string warningText = "This server is running an unsupported version of the game (" + version + ").";
000183 |     if (g_Game.ConfigIsExisting("CfgMods DZ_Expansion_Animations_Preload"))
000184 |         warningText += " Some player animations MAY not work correctly.";
000185 |     warningText += " Preferably, please use DayZ " + preferredVersion + " (Experimental or stable when available).";
000186 |     ExpansionNotification("WARNING", warningText, "Error", COLOR_EXPANSION_NOTIFICATION_ORANGE, 20).Create(identity);
000187 | #endif
000188 | }
000189 |
000190 | // -----
000191 | // OnClientReconnectEvent
000192 | // -----
000193 | override void OnClientReconnectEvent( PlayerIdentity identity, PlayerBase player )
000194 | {
000195 |     super.OnClientReconnectEvent( identity, player );
000196 |
000197 |     g_exGlobalSettings.Send( identity );
000198 | }
000199 |
000200 | // -----
000201 | // InvokeOnConnect
000202 | // -----
000203 | override void InvokeOnConnect( PlayerBase player, PlayerIdentity identity )
000204 | {
000205 |     string uid = identity.GetId();
000206 |     bool isRespawn = SyncEvents.s_Expansion_RespawningUIDs[uid];
000207 |
000208 |     ///! Need to send settings BEFORE super so that modules come after
000209 |     if (!isRespawn)
000210 |     {
000211 |         ///! Only send settings if this is not a respawn
000212 |         #ifdef EXPANSION_SETTINGS_DELAY
000213 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(Expansion_SendSettings, 20000, false, player);
000214 |         #else
000215 |             GetExpansionSettings().Send( identity );
000216 |         #endif
000217 |     }
000218 |
000219 |     PlayerBase.Expansion_AddPlayer( player, identity );
000220 | }
```

```
000221 |      //!< Do after, because some modules use PlayerIdentity setup inside AddPlayer of PlayerBase class
000222 |      super.InvokeOnConnect( player, identity );
000223 |
000224 |      PlayerBase.s_Expansion_SI_OnPlayerConnected.Invoke(player, identity);
000225 |
000226 |      if (isRespawn)
000227 |      {
000228 |          EXTrace.Print(EXTrace.PLAYER, this, "Client respawn");
000229 |          //!< Next call directly after InvokeOnConnect is SyncEvents.SendPlayerList which will reset s_Expansion_IsClientRespawn
000230 |          SyncEvents.s_Expansion_IsClientRespawn = true;
000231 |          //!< IMPORTANT: Remove respawning UID only AFTER super call so that modules still see it!
000232 |          SyncEvents.s_Expansion_RespawningUIDs.Remove(uid);
000233 |      }
000234 |  }
000235 |
000236 |  void Expansion_SendSettings(PlayerBase player)
000237 |  {
000238 |      GetExpansionSettings().Send(player.GetIdentity());
000239 |  }
000240 |
000241 |  // -----
000242 |  // PlayerDisconnected
000243 |  // -----
000244 |  override void PlayerDisconnected( PlayerBase player, PlayerIdentity identity, string uid )
000245 |  {
000246 |      PlayerBase.RemovePlayer( uid );
000247 |
000248 |      super.PlayerDisconnected( player, identity, uid );
000249 |
000250 |      PlayerBase.Expansion_RemovePlayerPlainID(uid);
000251 |
000252 |      if (SyncEvents.s_Expansion_RespawningUIDs[uid])
000253 |      {
000254 |          EXTrace.Print(EXTrace.PLAYER, this, "Client disconnected before respawn finished");
000255 |          SyncEvents.s_Expansion_RespawningUIDs.Remove(uid);
000256 |      }
000257 |  }
000258 |
000259 |  // -----
000260 |  // DumpClassNameJSON
000261 |  // -----
000262 |  void DumpClassNameJSON(string mustContain = "")
000263 |  {
000264 |      array<string> classNames = {};
000265 |      Param1<array<string>> dump = new Param1<array<string>>(classNames);
000266 |
000267 |      for (int i = 0; i < g_Game.ConfigGetChildrenCount("CfgVehicles"); i++)
000268 |      {
000269 |          string name;
000270 |          g_Game.ConfigGetChildName("CfgVehicles", i, name);
000271 |
000272 |          if (name == string.Empty)
000273 |              continue;
000274 |
000275 |          ExpansionString exName = name;
000276 |          if (exName.EndsWith("_Base"))
000277 |          {
000278 |              continue;
000279 |          }
000280 |
000281 |          if (mustContain && !name.Contains(mustContain))
000282 |              continue;
```

```
000283 |  
000284 |         classNames.Insert(name);  
000285 |     }  
000286 |  
000287 |     JsonFileLoader<Param1<array<string>>>.JsonSaveFile("$profile:\\\" + mustContain + \"ClassNames.json\", dump);  
000288 | }  
000289 | };  
000290 |
```

0343. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptView.c

Size bytes: 1303

SHA-256: 25e480844dcd6f0f643ea706eaa98f40091b564f54d2aeb9b89f280659b25eca

Decoded as: utf-8-sig

Line count shown: 74

Detected class declarations: 1

L14: class ExpansionScriptView: ExpansionScriptViewBase

Detected enum declarations: 0

Detected function/method-like declarations: 9

L18: void ExpansionScriptView()

L23: void ~ExpansionScriptView()

L28: override void Show(bool show)

L38: override void Show()

L43: override void Hide()

L48: float GetUpdateTickRate()

L53: protected void CreateUpdateTimer()

L62: protected void DestroyUpdateTimer()

L71: void Expansion_Update();

Full file content

```
000001 | /**
000002 |  * ExpansionScriptView.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionScriptView: ExpansionScriptViewBase
000015 | {
000016 |     protected ref Timer m_UpdateTimer;
000017 |
000018 |     void ExpansionScriptView()
000019 |     {
000020 |         CreateUpdateTimer();
000021 |     }
000022 |
000023 |     void ~ExpansionScriptView()
000024 |     {
000025 |         DestroyUpdateTimer();
000026 |     }
000027 |
000028 |     override void Show(bool show)
000029 |     {
000030 |         SetIsVisible(show);
000031 |         GetLayoutRoot().Show(show);
000032 |         if (show)
000033 |             OnShow();
000034 |         else
000035 |             OnHide();
000036 |     }
000037 |
000038 |     override void Show()
```

```
000039 | {
000040 |     Show(true);
000041 | }
000042 |
000043 | override void Hide()
000044 | {
000045 |     Show(false);
000046 | }
000047 |
000048 | float GetUpdateTickRate()
000049 | {
000050 |     return -1;
000051 | }
000052 |
000053 | protected void CreateUpdateTimer()
000054 | {
000055 |     if (!m_UpdateTimer && GetUpdateTickRate() != -1)
000056 |     {
000057 |         m_UpdateTimer = new Timer(CALL_CATEGORY_GUI);
000058 |         m_UpdateTimer.Run(GetUpdateTickRate(), this, "Expansion_Update", NULL, true);
000059 |     }
000060 | }
000061 |
000062 | protected void DestroyUpdateTimer()
000063 | {
000064 |     if (m_UpdateTimer)
000065 |     {
000066 |         m_UpdateTimer.Stop();
000067 |         m_UpdateTimer = null;
000068 |     }
000069 | }
000070 |
000071 | void Expansion_Update();
000072 | }
000073 | #endif
000074 |
```

0344. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptViewMenu.c

Size bytes: 3899

SHA-256: 69621093c9cfd79c92ada50a743e6833c3d23c7ecb9ad0c3ce0063dd2ce0abe8

Decoded as: utf-8-sig

Line count shown: 205

Detected class declarations: 1

L14: class ExpansionScriptViewMenu: ExpansionScriptViewMenuBase

Detected enum declarations: 0

Detected function/method-like declarations: 18

L19: void ExpansionScriptViewMenu()

L27: void ~ExpansionScriptViewMenu()

L33: override void Show()

L43: override void OnShow()

L54: override void Hide()

L61: override void OnHide()

L74: override void LockControls(bool lockMovement = true)

L82: override void UnlockControls()

L90: override void LockInputs(bool state, bool lockMovement = true)

L131: override void UnlockInputs()

L136: override void ShowHud(bool state)

L155: override void ShowUICursor(bool state)

L163: override bool CanShow()

L168: float GetUpdateTickRate()

L173: void CreateUpdateTimer()

L182: void DestroyUpdateTimer()

L191: override void CloseMenu()

L202: void Expansion_Update();

Full file content

```
000001 | /**
000002 |  * ExpansionScriptViewMenu.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionScriptViewMenu: ExpansionScriptViewMenuBase
000015 | {
000016 |     protected ref Timer m_UpdateTimer;
000017 |     protected bool m_MovementLocked;
000018 |
000019 |     void ExpansionScriptViewMenu()
000020 |     {
000021 |         if (GetLayoutRoot().IsVisible())
000022 |             SetIsVisible(true);
000023 |
000024 |         CreateUpdateTimer();
000025 |     }
000026 |
000027 |     void ~ExpansionScriptViewMenu()
000028 |     {
000029 |         EXPrint("~" + ToString());
```

```
000030 |         DestroyUpdateTimer();
000031 |     }
000032 |
000033 |     override void Show()
000034 |     {
000035 |         if (!CanShow())
000036 |             return;
000037 |
000038 |         SetIsVisible(true);
000039 |         GetLayoutRoot().Show(true);
000040 |         OnShow();
000041 |     }
000042 |
000043 |     override void OnShow()
000044 |     {
000045 |         super.OnShow();
000046 |
000047 |         LockControls();
000048 |
000049 |         PPEffects.SetBlurMenu(0.5);
000050 |         SetFocus(GetLayoutRoot());
000051 |         CreateUpdateTimer();
000052 |     }
000053 |
000054 |     override void Hide()
000055 |     {
000056 |         SetIsVisible(false);
000057 |         GetLayoutRoot().Show(false);
000058 |         OnHide();
000059 |     }
000060 |
000061 |     override void OnHide()
000062 |     {
000063 |         if (!g_Game)
000064 |             return;
000065 |
000066 |         super.OnHide();
000067 |
000068 |         PPEffects.SetBlurMenu(0.0);
000069 |         DestroyUpdateTimer();
000070 |
000071 |         UnlockControls();
000072 |     }
000073 |
000074 |     override void LockControls(bool lockMovement = true)
000075 |     {
000076 |         ShowHud(false);
000077 |         ShowUICursor(true);
000078 |
000079 |         LockInputs(true, lockMovement);
000080 |     }
000081 |
000082 |     override void UnlockControls()
000083 |     {
000084 |         ShowHud(true);
000085 |         ShowUICursor(false);
000086 |
000087 |         UnlockInputs();
000088 |     }
000089 |
000090 |     override void LockInputs(bool state, bool lockMovement = true)
000091 |     {
```

```
000092 |         m_MovementLocked = lockMovement;
000093 |
000094 |         TIntArray inputIDs = new TIntArray;
000095 |         GetUApi().GetActiveInputs(inputIDs);
000096 |
000097 |         TStringArray skip = new TStringArray;
000098 |         skip.Insert("UAUIBack");
000099 |
000100 |         if (!lockMovement)
000101 |         {
000102 |             //! Allow player movement
000103 |             skip.Insert("UAMoveForward");
000104 |             skip.Insert("UAMoveBack");
000105 |             skip.Insert("UAMoveLeft");
000106 |             skip.Insert("UAMoveRight");
000107 |             skip.Insert("UATurbo");
000108 |             skip.Insert("UAWalkRunTemp");
000109 |             skip.Insert("UAWalkRunToggle");
000110 |             skip.Insert("UALeanLeft");
000111 |             skip.Insert("UALeanRight");
000112 |         }
000113 |
000114 |         TIntArray skipIDs = new TIntArray;
000115 |         foreach (string inputName : skip)
000116 |         {
000117 |             skipIDs.Insert(GetUApi().GetInputByName(inputName).ID());
000118 |         }
000119 |
000120 |         foreach (int inputID : inputIDs)
000121 |         {
000122 |             if (skipIDs.Find(inputID) == -1)
000123 |             {
000124 |                 GetUApi().GetInputByID(inputID).ForceDisable(state);
000125 |             }
000126 |         }
000127 |
000128 |         GetUApi().UpdateControls();
000129 |     }
000130 |
000131 |     override void UnlockInputs()
000132 |     {
000133 |         LockInputs(false, m_MovementLocked);
000134 |     }
000135 |
000136 |     override void ShowHud(bool state)
000137 |     {
000138 |         super.ShowHud(state);
000139 |
000140 |         MissionGameplay mission = MissionGameplay.Cast(g_Game.GetMission());
000141 |
000142 |         IngameHud hud = IngameHud.Cast(mission.GetHud());
000143 |         if (!hud || !hud.GetHudPanelWidget())
000144 |             return;
000145 |
000146 |         hud.ShowQuickbarUI(state);
000147 |         hud.ShowHudUI(state);
000148 |
000149 |         if (state)
000150 |             hud.ShowCursor();
000151 |         else
000152 |             hud.HideCursor();
000153 |     }
```



```
000154 |  
000155 |     override void ShowUICursor(bool state)  
000156 |     {  
000157 |         super.ShowUICursor(state);  
000158 |  
000159 |         UIManager vanillaUIManager = g_Game.GetUIManager();  
000160 |         vanillaUIManager.ShowUICursor(state);  
000161 |     }  
000162 |  
000163 |     override bool CanShow()  
000164 |     {  
000165 |         return true;  
000166 |     }  
000167 |  
000168 |     float GetUpdateTickRate()  
000169 |     {  
000170 |         return -1;  
000171 |     }  
000172 |  
000173 |     void CreateUpdateTimer()  
000174 |     {  
000175 |         if (!m_UpdateTimer && GetUpdateTickRate() != -1)  
000176 |         {  
000177 |             m_UpdateTimer = new Timer(CALL_CATEGORY_GUI);  
000178 |             m_UpdateTimer.Run(GetUpdateTickRate(), this, "Expansion_Update", NULL, true);  
000179 |         }  
000180 |     }  
000181 |  
000182 |     void DestroyUpdateTimer()  
000183 |     {  
000184 |         if (m_UpdateTimer)  
000185 |         {  
000186 |             m_UpdateTimer.Stop();  
000187 |             m_UpdateTimer = null;  
000188 |         }  
000189 |     }  
000190 |  
000191 |     override void CloseMenu()  
000192 |     {  
000193 |         if (!CanClose())  
000194 |             return;  
000195 |  
000196 |         if (GetDayZGame().GetExpansionGame().GetExpansionUIManager())  
000197 |         {  
000198 |             GetDayZGame().GetExpansionGame().GetExpansionUIManager().CloseMenu();  
000199 |         }  
000200 |     }  
000201 |  
000202 |     void Expansion_Update();  
000203 | }  
000204 | #endif  
000205 |
```

0345. PBO TEXT FILE

```
Path: core pbo files expan\core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\Buttons\ExpansionDialogButton_Text.c
Size bytes: 1580
SHA-256: 246b71640c96ba6f66903df756a8c2f2c6e05cac7bf36162bfe7d9546df7ea06
Decoded as: utf-8-sig
Line count shown: 77
Detected class declarations: 2
  L14: class ExpansionDialogButton_Text: ExpansionDialogButtonBase
  L72: class ExpansionDialogButton_TextController: ExpansionViewController
Detected enum declarations: 0
Detected function/method-like declarations: 9
  L23: void ExpansionDialogButton_Text(ExpansionDialogBase dialog)
  L31: override string GetLayoutFile()
  L36: override typename GetControllerType()
  L41: string GetButtonText()
  L46: void SetButtonText(string text)
  L51: void SetContent()
  L57: void OnButtonClick();
  L59: override void OnShow()
  L66: void SetTextColor(int color)
```

Full file content

```
000001 | /**
000002 |  * ExpansionDialogButton_Text.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionDialogButton_Text: ExpansionDialogButtonBase
000015 | {
000016 |     ref ExpansionDialogButton_TextController m_TextButtonController;
000017 |
000018 |     string m_Text;
000019 |
000020 |     TextWidget dialog_text;
000021 |     ButtonWidget dialog_button;
000022 |
000023 |     void ExpansionDialogButton_Text(ExpansionDialogBase dialog)
000024 |     {
000025 |         m_Dialog = dialog;
000026 |
000027 |         if (!m_TextButtonController)
000028 |             m_TextButtonController = ExpansionDialogButton_TextController.Cast(GetController());
000029 |     }
000030 |
000031 |     override string GetLayoutFile()
000032 |     {
000033 |         return "DayZExpansion/Core/GUI/layouts/mvc/dialogs/expansion_dialog_button_text.layout";
000034 |     }
000035 |
000036 |     override typename GetControllerType()
000037 |     {
```

```
000038 |         return ExpansionDialogButton_TextController;
000039 |     }
000040 |
000041 |     string GetButtonText()
000042 |     {
000043 |         return m_Text;
000044 |     }
000045 |
000046 |     void SetButtonText(string text)
000047 |     {
000048 |         m_Text = text;
000049 |     }
000050 |
000051 |     void SetContent()
000052 |     {
000053 |         m_TextButtonController.ButtonText = GetButtonText();
000054 |         m_TextButtonController.NotifyPropertyChanged("ButtonText");
000055 |     }
000056 |
000057 |     void OnButtonClick();
000058 |
000059 |     override void OnShow()
000060 |     {
000061 |         super.OnShow();
000062 |
000063 |         SetContent();
000064 |     }
000065 |
000066 |     void SetTextColor(int color)
000067 |     {
000068 |         dialog_text.SetColor(color);
000069 |     }
000070 | };
000071 |
000072 | class ExpansionDialogButton_TextController: ExpansionViewController
000073 | {
000074 |     string ButtonText;
000075 | };
000076 | #endif
000077 |
```

0346. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\Content\ExpansionDialogContent_Editbox.c

Size bytes: 1324

SHA-256: 190e07c31c348947d7d1b09f8fe4c00ea0e995aaab8a387413ccf7e3d8ba2fca

Decoded as: utf-8-sig

Line count shown: 59

Detected class declarations: 2

L14: class ExpansionDialogContent_Editbox: ExpansionDialogContentBase

L54: class ExpansionDialogContent_EditboxController: ExpansionViewController

Detected enum declarations: 0

Detected function/method-like declarations: 6

L20: void ExpansionDialogContent_Editbox(ExpansionDialogBase dialog)

L28: override string GetLayoutFile()

L33: override typename GetControllerType()

L38: override void OnShow()

L43: string GetEditboxText()

L48: void SetEditboxText(string text)

Full file content

```

000001 | /**
000002 |  * ExpansionDialogContent_TextScroller.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionDialogContent_Editbox: ExpansionDialogContentBase
000015 | {
000016 |     ref ExpansionDialogContent_EditboxController m_EditboxController;
000017 |
000018 |     EditBoxWidget dialog_editbox;
000019 |
000020 |     void ExpansionDialogContent_Editbox(ExpansionDialogBase dialog)
000021 |     {
000022 |         m_Dialog = dialog;
000023 |
000024 |         if (!m_EditboxController)
000025 |             m_EditboxController = ExpansionDialogContent_EditboxController.Cast(GetController());
000026 |     }
000027 |
000028 |     override string GetLayoutFile()
000029 |     {
000030 |         return "DayZExpansion/Core/GUI/layouts/mvc/dialogs/expansion_dialog_editbox.layout";
000031 |     }
000032 |
000033 |     override typename GetControllerType()
000034 |     {
000035 |         return ExpansionDialogContent_EditboxController;
000036 |     }
000037 |
000038 |     override void OnShow()
000039 |     {
000040 |         super.OnShow();

```

```
000041 |     }
000042 |
000043 |     string GetEditboxText()
000044 |     {
000045 |         return dialog_editbox.GetText();
000046 |     }
000047 |
000048 |     void SetEditboxText(string text)
000049 |     {
000050 |         dialog_editbox.SetText(text);
000051 |     }
000052 | };
000053 |
000054 | class ExpansionDialogContent_EditboxController: ExpansionViewController
000055 | {
000056 |     string EditBox;
000057 | };
000058 | #endif
000059 |
```

0347. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\Content\ExpansionDialogContent_Text.c

Size bytes: 1451

SHA-256: dee27a2f7d3481b7e6836122a526cd70e7696908a5ece4162dac2d52b16025e0

Decoded as: utf-8-sig

Line count shown: 70

Detected class declarations: 2

L14: class ExpansionDialogContent_Text: ExpansionDialogContentBase

L65: class ExpansionDialogContent_TextController: ExpansionViewController

Detected enum declarations: 0

Detected function/method-like declarations: 7

L21: void ExpansionDialogContent_Text(ExpansionDialogBase dialog)

L31: override string GetLayoutFile()

L36: override typename GetControllerType()

L41: void SetText(string text)

L46: void SetContent()

L52: override void OnShow()

L59: void SetTextColor(int color)

Full file content

```
000001 | /**
000002 |  * ExpansionDialogContent_TextScroller.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionDialogContent_Text: ExpansionDialogContentBase
000015 | {
000016 |     ref ExpansionDialogContent_TextController m_TextController;
000017 |     private string m_Text;
000018 |
000019 |     MultilineTextWidget dialog_text;
000020 |
000021 |     void ExpansionDialogContent_Text(ExpansionDialogBase dialog)
000022 |     {
000023 |         m_Dialog = dialog;
000024 |
000025 |         if (!m_TextController)
000026 |             m_TextController = ExpansionDialogContent_TextController.Cast(GetController());
000027 |
000028 |         SetContent();
000029 |     }
000030 |
000031 |     override string GetLayoutFile()
000032 |     {
000033 |         return "DayZExpansion/Core/GUI/layouts/mvc/dialogs/expansion_dialog_text.layout";
000034 |     }
000035 |
000036 |     override typename GetControllerType()
000037 |     {
000038 |         return ExpansionDialogContent_TextController;
000039 |     }
000039 | }
```

```
000040 |  
000041 |     void SetText(string text)  
000042 |     {  
000043 |         m_Text = text;  
000044 |     }  
000045 |  
000046 |     void SetContent()  
000047 |     {  
000048 |         m_TextController.Text = m_Text;  
000049 |         m_TextController.NotifyPropertyChanged("Text");  
000050 |     }  
000051 |  
000052 |     override void OnShow()  
000053 |     {  
000054 |         super.OnShow();  
000055 |  
000056 |         SetContent();  
000057 |     }  
000058 |  
000059 |     void SetTextColor(int color)  
000060 |     {  
000061 |         dialog_text.SetColor(color);  
000062 |     }  
000063 | };  
000064 |  
000065 | class ExpansionDialogContent_TextController: ExpansionViewController  
000066 | {  
000067 |     string Text;  
000068 | };  
000069 | #endif  
000070 |
```

0348. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\Content\ExpansionDialogContent_WrapSpacer.c

Size bytes: 2584

SHA-256: 127ecef43111c62c323617fdcca54a96723953e122a6fee8a72fd09fd0eae0ba

Decoded as: utf-8-sig

Line count shown: 98

Detected class declarations: 4

L14: class ExpansionDialogContent_WrapSpacer: ExpansionDialogContentBase

L42: class ExpansionDialogContent_WrapSpacerController: ExpansionViewController

L47: class ExpansionDialogContent_WrapSpacer_Entry: ExpansionScriptView

L93: class ExpansionDialogContent_WrapSpacer_EntryController: ExpansionViewController

Detected enum declarations: 0

Detected function/method-like declarations: 10

L18: void ExpansionDialogContent_WrapSpacer(ExpansionDialogBase dialog)

L26: override string GetLayoutFile()

L31: override typename GetControllerType()

L36: void AddSpacerContent(ExpansionScriptView content)

L55: void ExpansionDialogContent_WrapSpacer_Entry(ExpansionDialogContent_WrapSpacer wrapSpacerElement, string text)

L66: override string GetLayoutFile()

L71: override typename GetControllerType()

L76: void SetView()

L82: ExpansionDialogContent_WrapSpacer GetWrapSpacerElement()

L87: void SetTextColor(int color)

Full file content

```
000001 | /**
000002 |  * ExpansionDialogContent_TextScroller.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionDialogContent_WrapSpacer: ExpansionDialogContentBase
000015 | {
000016 |     ref ExpansionDialogContent_WrapSpacerController m_WrapSpacerController;
000017 |
000018 |     void ExpansionDialogContent_WrapSpacer(ExpansionDialogBase dialog)
000019 |     {
000020 |         m_Dialog = dialog;
000021 |
000022 |         if (!m_WrapSpacerController)
000023 |             m_WrapSpacerController = ExpansionDialogContent_WrapSpacerController.Cast(GetController());
000024 |     }
000025 |
000026 |     override string GetLayoutFile()
000027 |     {
000028 |         return "DayZExpansion/Core/GUI/layouts/mvc/dialogs/expansion_dialog_wrapspacer.layout";
000029 |     }
000030 |
000031 |     override typename GetControllerType()
000032 |     {
000033 |         return ExpansionDialogContent_WrapSpacerController;
000034 |     }
000034 | }
```



```
000035 |
000036 |     void AddSpacerContent(ExpansionScriptView content)
000037 |     {
000038 |         m_WrapSpacerController.SpacerContent.Insert(content);
000039 |     }
000040 | };
000041 |
000042 | class ExpansionDialogContent_WrapSpacerController: ExpansionViewController
000043 | {
000044 |     ref ObservableCollection<ref ExpansionScriptView> SpacerContent = new ObservableCollection<ref ExpansionScriptView>(this);
000045 | }
000046 |
000047 | class ExpansionDialogContent_WrapSpacer_Entry: ExpansionScriptView
000048 | {
000049 |     ref ExpansionDialogContent_WrapSpacer_EntryController m_EntryController;
000050 |     ExpansionDialogContent_WrapSpacer m_WrapSpacerElement;
000051 |
000052 |     protected RichTextWidget entry;
000053 |     string m_Text;
000054 |
000055 |     void ExpansionDialogContent_WrapSpacer_Entry(ExpansionDialogContent_WrapSpacer wrapSpacerElement, string text)
000056 |     {
000057 |         m_WrapSpacerElement = wrapSpacerElement;
000058 |         m_Text = text;
000059 |
000060 |         if (!m_EntryController)
000061 |             m_EntryController = ExpansionDialogContent_WrapSpacer_EntryController.Cast(GetController());
000062 |
000063 |         SetView();
000064 |     }
000065 |
000066 |     override string GetLayoutFile()
000067 |     {
000068 |         return "DayZExpansion/Core/GUI/layouts/mvc/dialogs/expansion_dialog_wrapspace_entry.layout";
000069 |     }
000070 |
000071 |     override typename GetControllerType()
000072 |     {
000073 |         return ExpansionDialogContent_WrapSpacer_EntryController;
000074 |     }
000075 |
000076 |     void SetView()
000077 |     {
000078 |         m_EntryController.EntryText = m_Text;
000079 |         m_EntryController.NotifyPropertyChanged("EntryText");
000080 |     }
000081 |
000082 |     ExpansionDialogContent_WrapSpacer GetWrapSpacerElement()
000083 |     {
000084 |         return m_WrapSpacerElement;
000085 |     }
000086 |
000087 |     void SetTextColor(int color)
000088 |     {
000089 |         entry.SetColor(color);
000090 |     }
000091 | }
000092 |
000093 | class ExpansionDialogContent_WrapSpacer_EntryController: ExpansionViewController
000094 | {
000095 |     string EntryText;
000096 | };
```

```
000097 | #endif
000098 |
```

0349. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\ExpansionDialogBase.c

Size bytes: 3406

SHA-256: cd3fc7e6d0ea9ded53bf21566eb474aabfbd69c9841e1fb7ddacaa0aa649243e

Decoded as: utf-8-sig

Line count shown: 155

Detected class declarations: 5

```
L14: class ExpansionDialogContentSpacer: ExpansionDialogContentBase
L27: class ExpansionDialogBase: ExpansionScriptView
L118: class ExpansionDialogBaseController: ExpansionViewController
L125: class ExpansionDialogButtonBase: ExpansionScriptView
L140: class ExpansionDialogContentBase: ExpansionScriptView
```

Detected enum declarations: 0

Detected function/method-like declarations: 17

```
L16: void ExpansionDialogContentSpacer(ExpansionDialogBase dialog)
L21: override string GetLayoutFile()
L39: void ExpansionDialogBase(ScriptView parentView)
L49: override string GetLayoutFile()
L54: override typename GetControllerType()
L59: string GetDialogTitle()
L64: bool HasHeader()
L69: bool HasFooter()
L74: bool HasCloseButton()
L79: void SetBaseDialogView()
L101: void AddContent(ExpansionDialogContentBase content)
L107: void AddButton(ExpansionDialogButtonBase button)
L112: ScriptView GetParentView()
L129: void ExpansionDialogButtonBase(ExpansionDialogBase dialog)
L134: ExpansionDialogBase GetDialog()
L144: void ExpansionDialogContentBase(ExpansionDialogBase dialog)
L149: ExpansionDialogBase GetDialog()
```

Full file content

```
000001 | /**
000002 |  * ExpansionScriptView.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionDialogContentSpacer: ExpansionDialogContentBase
000015 | {
000016 |     void ExpansionDialogContentSpacer(ExpansionDialogBase dialog)
000017 |     {
000018 |         m_Dialog = dialog;
000019 |     }
000020 |
000021 |     override string GetLayoutFile()
000022 |     {
000023 |         return "DayZExpansion/Core/GUI/layouts/mvc/dialogs/expansion_dialog_content_spacer.layout";
000024 |     }
000025 | };
000026 |
```

```
000027 | class ExpansionDialogBase: ExpansionScriptView
000028 | {
000029 |     Widget dialog_base_header;
000030 |     TextWidget dialog_base_title;
000031 |     Widget dialog_base_footer;
000032 |     ButtonWidget dialog_close_button;
000033 |     ImageWidget dialog_base_background;
000034 |     WrapSpacerWidget dialog_body_content;
000035 |
000036 |     ref ScriptView m_ParentView;
000037 |     ref ExpansionDialogBaseController m_DialogBaseController;
000038 |
000039 |     void ExpansionDialogBase(ScriptView parentView)
000040 |     {
000041 |         m_ParentView = parentView;
000042 |
000043 |         if (!m_DialogBaseController)
000044 |             m_DialogBaseController = ExpansionDialogBaseController.Cast(GetController());
000045 |
000046 |         SetBaseDialogView();
000047 |     }
000048 |
000049 |     override string GetLayoutFile()
000050 |     {
000051 |         return "DayZExpansion/Core/GUI/layouts/mvc/dialogs/expansion_dialog_base.layout";
000052 |     }
000053 |
000054 |     override typename GetControllerType()
000055 |     {
000056 |         return ExpansionDialogBaseController;
000057 |     }
000058 |
000059 |     string GetDialogTitle()
000060 |     {
000061 |         return "";
000062 |     }
000063 |
000064 |     bool HasHeader()
000065 |     {
000066 |         return false;
000067 |     }
000068 |
000069 |     bool HasFooter()
000070 |     {
000071 |         return false;
000072 |     }
000073 |
000074 |     bool HasCloseButton()
000075 |     {
000076 |         return false;
000077 |     }
000078 |
000079 |     void SetBaseDialogView()
000080 |     {
000081 |         if (!HasHeader())
000082 |             dialog_base_header.Show(false);
000083 |
000084 |         if (!HasCloseButton() && HasHeader())
000085 |             dialog_close_button.Show(false);
000086 |
000087 |         if (GetDialogTitle() == "")
000088 |         {
```

```
000089 |         dialog_base_title.Show(false);
000090 |     }
000091 |     else
000092 |     {
000093 |         m_DialogBaseController.DialogTitle = GetDialogTitle();
000094 |         m_DialogBaseController.NotifyPropertyChanged("DialogTitle");
000095 |     }
000096 |
000097 |     if (!HasFooter())
000098 |         dialog_base_footer.Show(false);
000099 | }
000100 |
000101 | void AddContent(ExpansionDialogContentBase content)
000102 | {
000103 |     m_DialogBaseController.DialogContents.Insert(content);
000104 |     m_DialogBaseController.DialogContents.Insert(new ExpansionDialogContentSpacer(this));
000105 | }
000106 |
000107 | void AddButton(ExpansionDialogButtonBase button)
000108 | {
000109 |     m_DialogBaseController.DialogButtons.Insert(button);
000110 | }
000111 |
000112 | ScriptView GetParentView()
000113 | {
000114 |     return m_ParentView;
000115 | }
000116 | };
000117 |
000118 | class ExpansionDialogBaseController: ExpansionViewController
000119 | {
000120 |     ref ObservableCollection<ref ExpansionDialogContentBase> DialogContents = new ObservableCollection<ref ExpansionDialogContentBase>(this);
000121 |     ref ObservableCollection<ref ExpansionDialogButtonBase> DialogButtons = new ObservableCollection<ref ExpansionDialogButtonBase>(this);
000122 |     string DialogTitle;
000123 | };
000124 |
000125 | class ExpansionDialogButtonBase: ExpansionScriptView
000126 | {
000127 |     ref ExpansionDialogBase m_Dialog;
000128 |
000129 |     void ExpansionDialogButtonBase(ExpansionDialogBase dialog)
000130 |     {
000131 |         m_Dialog = dialog;
000132 |     }
000133 |
000134 |     ExpansionDialogBase GetDialog()
000135 |     {
000136 |         return m_Dialog;
000137 |     }
000138 | };
000139 |
000140 | class ExpansionDialogContentBase: ExpansionScriptView
000141 | {
000142 |     ref ExpansionDialogBase m_Dialog;
000143 |
000144 |     void ExpansionDialogContentBase(ExpansionDialogBase dialog)
000145 |     {
000146 |         m_Dialog = dialog;
000147 |     }
000148 |
000149 |     ExpansionDialogBase GetDialog()
000150 |     {
```

```
000151 |         return m_Dialog;
000152 |     }
000153 | };
000154 | #endif
000155 |
```

0350. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\ExpansionItemInspection.c
Size bytes: 21205
SHA-256: ae1ce527f4b19363a078063cc079934d6f4b49e866c6635cfa80038e1f02e904
Decoded as: utf-8-sig
Line count shown: 809
Detected class declarations: 3
  L14: class ExpansionItemInspectionBase: ExpansionScriptView
  L567: class ExpansionItemInspection: ExpansionItemInspectionBase
  L792: class ExpansionItemInspectionController: ExpansionViewController
Detected enum declarations: 0
Detected function/method-like declarations: 60
  L22: void ExpansionItemInspectionBase()
  L27: void ~ExpansionItemInspectionBase()
  L32: override typename GetControllerType()
  L37: void UpdateItemInfoCargoSize()
  L65: protected void UpdateItemInfoCleanness()
  L80: protected void UpdateItemInfoDamage()
  L86: void UpdateItemInfoDamage(int damageLevel)
  L90: void UpdateItemInfoDamageEx(int damageLevel, out string text, out int color)
  L137: void UpdateItemInfoFoodStage(int food_stage_type)
  L188: protected void UpdateItemInfoFoodStage()
  L199: protected void UpdateItemInfoLiquidType()
  L220: else if (item_base && item_base.GetQuantity() > 0 && item_base.IsLiquidContainer())
  L228: void UpdateItemInfoLiquidType(int liquid_type, bool isBloodContainer = false)
  L243: else if (liquid_type == -1)
  L252: else if (liquid_type > -1)
  L261: void UpdateItemInfoQuantityEx(int quantityType, float quantity, int quantityMax, bool ratio = true, out string text = "", out int color = 0)
  L286: else if (quantityType == ExpansionItemQuantityType.PERCENTAGE)
  L291: else if (quantityType == ExpansionItemQuantityType.GRAM)
  L296: else if (quantityType == ExpansionItemQuantityType.MILLILITER)
  L301: else if (quantityType == ExpansionItemQuantityType.MAGAZINE)
  L306: else if (quantityType == ExpansionItemQuantityType.POWER)
  L321: else if ((quantity > GameConstants.HEATISO_THRESHOLD_BAD) && (quantity <= GameConstants.HEATISO_THRESHOLD_LOW))
  L326: else if ((quantity > GameConstants.HEATISO_THRESHOLD_LOW) && (quantity <= GameConstants.HEATISO_THRESHOLD_MEDIUM))
  L331: else if ((quantity > GameConstants.HEATISO_THRESHOLD_MEDIUM) && (quantity <= GameConstants.HEATISO_THRESHOLD_HIGH))
  L345: void UpdateItemInfoQuantityEx(out string text, out int color)
  L372: else if (stackedUnit == "percentage")
  L379: else if (stackedUnit == "g")
  L386: else if (stackedUnit == "ml")
  L393: else if (m_Item.IsInherited(Magazine))
  L420: else if ((heatIsolation > GameConstants.HEATISO_THRESHOLD_BAD) && (heatIsolation <= GameConstants.HEATISO_THRESHOLD_LOW))
  L425: else if ((heatIsolation > GameConstants.HEATISO_THRESHOLD_LOW) && (heatIsolation <= GameConstants.HEATISO_THRESHOLD_MEDIUM))
  L430: else if ((heatIsolation > GameConstants.HEATISO_THRESHOLD_MEDIUM) && (heatIsolation <= GameConstants.HEATISO_THRESHOLD_HIGH))
  L445: protected void UpdateItemInfoTemperature()
  L475: protected void UpdateItemInfoWeightEx(out string text, out int color)
  L499: else if (weight >= 500)
  L504: else if (weight >= 250)
  L516: protected void UpdateItemInfoWetness()
  L531: else if (wetness >= GameConstants.STATE_DAMP && wetness < GameConstants.STATE_WET)
  L536: else if (wetness >= GameConstants.STATE_WET && wetness < GameConstants.STATE_SOAKING_WET)
  L541: else if (wetness >= GameConstants.STATE_SOAKING_WET && wetness < GameConstants.STATE_DRENCHED)
  L556: void UpdateItemStats()
  L581: void ExpansionItemInspection()
  L586: void ~ExpansionItemInspection()
  L595: override string GetLayoutFile()
  L600: void SetItem(Object item)
  L634: void SetParentView(ScriptView parentView)
  L643: override void UpdateItemInfoDamage(int damageLevel)
```

```
L653: void UpdateItemInfoQuantity(int quantityType, float quantity, int quantityMax, bool ratio = true)
L661: void UpdateItemInfoQuantity()
L669: void UpdateItemInfoQuantity(string text, int color)
L678: protected void UpdateItemInfoWeight()
L688: override void OnShow()
L695: void OnBackButtonClick()
L706: override bool OnMouseEnter(Widget w, int x, int y)
L718: override bool OnMouseLeave(Widget w, Widget enterW, int x, int y)
L730: override bool OnMouseButtonDown(Widget w, int x, int y, int button)
L741: void UpdateRotation(int mouse_x, int mouse_y, bool is_dragging)
L755: override bool OnMouseWheel(Widget w, int x, int y, int wheel)
L766: void UpdateScale()
L786: ScriptInvoker GetCloseInspectionSI()
```

Full file content

```
000001 | /**
000002 |  * ExpansionItemInspection.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionItemInspectionBase: ExpansionScriptView
000015 | {
000016 |     protected ref ExpansionItemInspectionController m_ItemInspectionController;
000017 |
000018 |     protected Object m_Item;
000019 |
000020 |     protected MultilineTextWidget ItemDescWidget;
000021 |
000022 |     void ExpansionItemInspectionBase()
000023 |     {
000024 |         m_ItemInspectionController = ExpansionItemInspectionController.Cast(GetController());
000025 |     }
000026 |
000027 |     void ~ExpansionItemInspectionBase()
000028 |     {
000029 |         m_ItemInspectionController.ItemElements.Clear();
000030 |     }
000031 |
000032 |     override typename GetControllerType()
000033 |     {
000034 |         return ExpansionItemInspectionController;
000035 |     }
000036 |
000037 |     void UpdateItemInfoCargoSize()
000038 |     {
000039 |         EntityAI entity;
000040 |         if (!Class.CastTo(entity, m_Item))
000041 |             return;
000042 |
000043 |         GameInventory inventory = entity.GetInventory();
000044 |         if (!inventory)
000045 |             return;
000046 |     }
```



```
000047 |         CargoBase cargo = inventory.GetCargo();
000048 |         if (!cargo)
000049 |             return;
000050 |
000051 |         int width = cargo.GetWidth();
000052 |         int height = cargo.GetHeight();
000053 |
000054 |         if (width > 0 && height > 0)
000055 |         {
000056 |             EXTrace.Print(EXTrace.GENERAL_ITEMS, this, "::UpdateItemInfoCargoSize - " + m_Item.GetType() + " - storage space: " + width + "x" + height);
000057 |
000058 |             string text = "#STR_EXPANSION_INV_CARGO_SIZE " + width + "x" + height;
000059 |             int color = Colors.WHITEGRAY;
000060 |             ExpansionItemTooltipStatElement element = new ExpansionItemTooltipStatElement(text, color);
000061 |             m_ItemInspectionController.ItemElements.Insert(element);
000062 |         }
000063 |     }
000064 |
000065 |     protected void UpdateItemInfoCleaness()
000066 |     {
000067 |         string text;
000068 |         int color;
000069 |         ItemBase ib = ItemBase.Cast(m_Item);
000070 |         if (ib && ib.m_Cleaness == 1)
000071 |         {
000072 |             text = "#inv_inspect_cleaned";
000073 |             color = Colors.WHITEGRAY;
000074 |
000075 |             ExpansionItemTooltipStatElement element = new ExpansionItemTooltipStatElement(text, color);
000076 |             m_ItemInspectionController.ItemElements.Insert(element);
000077 |         }
000078 |     }
000079 |
000080 |     protected void UpdateItemInfoDamage()
000081 |     {
000082 |         int damageLevel = m_Item.GetHealthLevel();
000083 |         UpdateItemInfoDamage(damageLevel);
000084 |     }
000085 |
000086 |     void UpdateItemInfoDamage(int damageLevel)
000087 |     {
000088 |     }
000089 |
000090 |     void UpdateItemInfoDamageEx(int damageLevel, out string text, out int color)
000091 |     {
000092 |         switch (damageLevel)
000093 |         {
000094 |             case GameConstants.STATE_RUINED:
000095 |             {
000096 |                 text = "#inv_inspect_ruined";
000097 |                 color = Colors.COLOR_RUINED;
000098 |                 break;
000099 |             }
000100 |             case GameConstants.STATE_BADLY_DAMAGED:
000101 |             {
000102 |                 text = "#inv_inspect_badly";
000103 |                 color = Colors.COLOR_BADLY_DAMAGED;
000104 |                 break;
000105 |             }
000106 |
000107 |             case GameConstants.STATE_DAMAGED:
000108 |             {
```

```
000109 |         text = "#inv_inspect_damaged";
000110 |         color = Colors.COLOR_DAMAGED;
000111 |         break;
000112 |     }
000113 |
000114 |     case GameConstants.STATE_WORN:
000115 |     {
000116 |         text = "#inv_inspect_worn";
000117 |         color = Colors.COLOR_WORN;
000118 |         break;
000119 |     }
000120 |
000121 |     case GameConstants.STATE_PRISTINE:
000122 |     {
000123 |         text = "#inv_inspect_pristine";
000124 |         color = Colors.COLOR_PRISTINE;
000125 |         break;
000126 |     }
000127 |
000128 |     default:
000129 |     {
000130 |         text = "ERROR";
000131 |         color = Colors.COLOR_PRISTINE;
000132 |         break;
000133 |     }
000134 | }
000135 | }
000136 |
000137 | void UpdateItemInfoFoodStage(int food_stage_type)
000138 | {
000139 |     if (food_stage_type == -1)
000140 |         return;
000141 |
000142 |     string text;
000143 |     int color;
000144 |     switch (food_stage_type)
000145 |     {
000146 |     case FoodStageType.RAW:
000147 |     {
000148 |         text = "#inv_inspect_raw";
000149 |         color = Colors.COLOR_RAW;
000150 |         break;
000151 |     }
000152 |     case FoodStageType.BAKED:
000153 |     {
000154 |         text = "#inv_inspect_baked";
000155 |         color = Colors.COLOR_BAKED;
000156 |         break;
000157 |     }
000158 |     case FoodStageType.BOILED:
000159 |     {
000160 |         text = "#inv_inspect_boiled";
000161 |         color = Colors.COLOR_BOILED;
000162 |         break;
000163 |     }
000164 |     case FoodStageType.DRIED:
000165 |     {
000166 |         text = "#inv_inspect_dried";
000167 |         color = Colors.COLOR_DRIED;
000168 |         break;
000169 |     }
000170 |     case FoodStageType.BURNED:
```

```
000171 |         {
000172 |             text = "#inv_inspect_burned";
000173 |             color = Colors.COLOR_BURNED;
000174 |             break;
000175 |         }
000176 |         case FoodStageType.ROTTEN:
000177 |         {
000178 |             text = "#inv_inspect_rotten";
000179 |             color = Colors.COLOR_ROTTEN;
000180 |             break;
000181 |         }
000182 |     }
000183 |
000184 |     ExpansionItemTooltipStatElement element = new ExpansionItemTooltipStatElement(text, color);
000185 |     m_ItemInspectionController.ItemElements.Insert(element);
000186 | }
000187 |
000188 | protected void UpdateItemInfoFoodStage()
000189 | {
000190 |     Edible_Base food_item = Edible_Base.Cast(m_Item);
000191 |     if (food_item && food_item.HasFoodStage())
000192 |     {
000193 |         FoodStage food_stage = food_item.GetFoodStage();
000194 |         FoodStageType food_stage_type = food_stage.GetFoodStageType();
000195 |         UpdateItemInfoFoodStage(food_stage_type);
000196 |     }
000197 | }
000198 |
000199 | protected void UpdateItemInfoLiquidType()
000200 | {
000201 |     string text;
000202 |     int color;
000203 |     ExpansionItemTooltipStatElement element;
000204 |     ItemBase item_base = ItemBase.Cast(m_Item);
000205 |     if (!item_base || item_base.GetQuantity() <= 0)
000206 |         return;
000207 |
000208 |     if (item_base.IsBloodContainer())
000209 |     {
000210 |         BloodContainerBase blood_container = BloodContainerBase.Cast(item_base);
000211 |         if (blood_container.GetBloodTypeVisible())
000212 |         {
000213 |             UpdateItemInfoLiquidType(blood_container.GetLiquidType(), true);
000214 |         }
000215 |         else
000216 |         {
000217 |             UpdateItemInfoLiquidType(-1, true);
000218 |         }
000219 |     }
000220 |     else if (item_base && item_base.GetQuantity() > 0 && item_base.IsLiquidContainer())
000221 |     {
000222 |         int liquid_type = -1;
000223 |         liquid_type = item_base.GetLiquidType();
000224 |         UpdateItemInfoLiquidType(liquid_type);
000225 |     }
000226 | }
000227 |
000228 | void UpdateItemInfoLiquidType(int liquid_type, bool isBloodContainer = false)
000229 | {
000230 |     string text;
000231 |     int color;
000232 |     ExpansionItemTooltipStatElement element;
```

```
000233 |         if (isBloodContainer)
000234 |         {
000235 |             if (liquid_type > -1)
000236 |             {
000237 |                 string type;
000238 |                 bool positive;
000239 |                 string blood_type_name = BloodTypes.GetBloodTypeName(liquid_type, type, positive);
000240 |                 text = "#inv_inspect_blood: " + blood_type_name;
000241 |                 color = Colors.COLOR_LIQUID;
000242 |             }
000243 |             else if (liquid_type == -1)
000244 |             {
000245 |                 text = "#inv_inspect_blood";
000246 |                 color = Colors.COLOR_LIQUID;
000247 |             }
000248 |
000249 |             element = new ExpansionItemTooltipStatElement(text, color);
000250 |             m_ItemInspectionController.ItemElements.Insert(element);
000251 |         }
000252 |         else if (liquid_type > -1)
000253 |         {
000254 |             text = ExpansionWorld.GetLiquidDisplayName(liquid_type, true, color);
000255 |
000256 |             element = new ExpansionItemTooltipStatElement(text, color);
000257 |             m_ItemInspectionController.ItemElements.Insert(element);
000258 |         }
000259 |     }
000260 |
000261 | void UpdateItemInfoQuantityEx(int quantityType, float quantity, int quantityMax, bool ratio = true, out string text = "", out int color = 0)
000262 | {
000263 |     string quantity_str;
000264 |     if (quantityMax > 0) // Some items, like books, have quantityMax set to 0 => division by ZERO error in quantity_ratio
000265 |     {
000266 |         float value;
000267 |         float quantity_ratio = Math.Round((quantity / quantityMax) * 100);
000268 |         if (ratio)
000269 |             value = quantity_ratio;
000270 |         else
000271 |             value = quantity;
000272 |
000273 |         if (quantityType == ExpansionItemQuantityType.PC)
000274 |         {
000275 |             if (quantity == 1)
000276 |             {
000277 |                 text = quantity.ToString() + " " + "#inv_inspect_piece";
000278 |                 color = ARGB(255, 255, 255, 255);
000279 |             }
000280 |             else
000281 |             {
000282 |                 text = quantity.ToString() + " " + "#inv_inspect_pieces";
000283 |                 color = ARGB(255, 255, 255, 255);
000284 |             }
000285 |         }
000286 |         else if (quantityType == ExpansionItemQuantityType.PERCENTAGE)
000287 |         {
000288 |             text = "#inv_inspect_remaining " + value.ToString() + "#inv_inspect_percent";
000289 |             color = ARGB(255, 149, 165, 166);
000290 |         }
000291 |         else if (quantityType == ExpansionItemQuantityType.GRAM)
000292 |         {
000293 |             text = "#inv_inspect_remaining " + value.ToString() + "#inv_inspect_percent";
000294 |             color = ARGB(255, 160, 223, 59);
```

```
000295 |     }
000296 |     else if (quantityType == ExpansionItemQuantityType.MILLILITER)
000297 |     {
000298 |         text = "#inv_inspect_remaining " + value.ToString() + "#inv_inspect_percent";
000299 |         color = ARGB(255, 52, 152, 219);
000300 |     }
000301 |     else if (quantityType == ExpansionItemQuantityType.MAGAZINE)
000302 |     {
000303 |         text = value.ToString() + " " + "#inv_inspect_piece";
000304 |         color = ARGB(255, 155, 89, 182);
000305 |     }
000306 |     else if (quantityType == ExpansionItemQuantityType.POWER)
000307 |     {
000308 |         text = "#inv_inspect_remaining " + value.ToString() + "#inv_inspect_percent";
000309 |         color = ARGB(255, 243, 156, 18);
000310 |     }
000311 | }
000312 | else
000313 | {
000314 |     if (quantityType == ExpansionItemQuantityType.HEATISOLATION)
000315 |     {
000316 |         if (quantity <= GameConstants.HEATISO_THRESHOLD_BAD)
000317 |         {
000318 |             text = "#inv_inspect_iso_bad";
000319 |             color = GetTemperatureColor(10) | 0x7F000000;
000320 |         }
000321 |         else if ((quantity > GameConstants.HEATISO_THRESHOLD_BAD) && (quantity <= GameConstants.HEATISO_THRESHOLD_LOW))
000322 |         {
000323 |             text = "#inv_inspect_iso_low";
000324 |             color = GetTemperatureColor(20) | 0x7F000000;
000325 |         }
000326 |         else if ((quantity > GameConstants.HEATISO_THRESHOLD_LOW) && (quantity <= GameConstants.HEATISO_THRESHOLD_MEDIUM))
000327 |         {
000328 |             text = "#inv_inspect_iso_medium";
000329 |             color = GetTemperatureColor(30) | 0x7F000000;
000330 |         }
000331 |         else if ((quantity > GameConstants.HEATISO_THRESHOLD_MEDIUM) && (quantity <= GameConstants.HEATISO_THRESHOLD_HIGH))
000332 |         {
000333 |             text = "#inv_inspect_iso_high";
000334 |             color = GetTemperatureColor(50) | 0x7F000000;
000335 |         }
000336 |         else
000337 |         {
000338 |             text = "#inv_inspect_iso_excel";
000339 |             color = GetTemperatureColor(70) | 0x7F000000;
000340 |         }
000341 |     }
000342 | }
000343 | }
000344 |
000345 | void UpdateItemInfoQuantityEx(out string text, out int color)
000346 | {
000347 |     ItemBase item_base = ItemBase.Cast(m_Item);
000348 |     if (item_base)
000349 |     {
000350 |         float item_quantity = item_base.GetQuantity();
000351 |         int max_quantity = item_base.GetQuantityMax();
000352 |
000353 |         float quantity_ratio;
000354 |
000355 |         if (max_quantity > 0) // Some items, like books, have max_quantity set to 0 => division by ZERO error in quantity_ratio
000356 |         {
```

```
000357 |         string quantity_str;
000358 |         string stackedUnit = m_Item.ConfigGetString("stackedUnit");
000359 |         if (stackedUnit == "pc." || stackedUnit == "pills")
000360 |         {
000361 |             if (item_quantity == 1)
000362 |             {
000363 |                 text = item_quantity.ToString() + " " + "#inv_inspect_piece";
000364 |                 color = Colors.COLOR_DEFAULT;
000365 |             }
000366 |             else
000367 |             {
000368 |                 text = item_quantity.ToString() + " " + "#inv_inspect_pieces";
000369 |                 color = Colors.COLOR_DEFAULT;
000370 |             }
000371 |         }
000372 |         else if (stackedUnit == "percentage")
000373 |         {
000374 |             quantity_ratio = Math.Round((item_quantity / max_quantity) * 100);
000375 |             quantity_str = "#inv_inspect_remaining " + quantity_ratio.ToString() + "#inv_inspect_percent";
000376 |             text = quantity_str;
000377 |             color = Colors.COLOR_DEFAULT;
000378 |         }
000379 |         else if (stackedUnit == "g")
000380 |         {
000381 |             quantity_ratio = Math.Round((item_quantity / max_quantity) * 100);
000382 |             quantity_str = "#inv_inspect_remaining " + quantity_ratio.ToString() + "#inv_inspect_percent";
000383 |             text = quantity_str;
000384 |             color = Colors.COLOR_DEFAULT;
000385 |         }
000386 |         else if (stackedUnit == "ml")
000387 |         {
000388 |             quantity_ratio = Math.Round((item_quantity / max_quantity) * 100);
000389 |             quantity_str = "#inv_inspect_remaining " + quantity_ratio.ToString() + "#inv_inspect_percent";
000390 |             text = quantity_str;
000391 |             color = Colors.COLOR_DEFAULT;
000392 |         }
000393 |         else if (m_Item.IsInherited(Magazine))
000394 |         {
000395 |             Magazine magazine_item;
000396 |             Class.CastTo(magazine_item, m_Item);
000397 |
000398 |             if (magazine_item.GetAmmoCount() == 1)
000399 |             {
000400 |                 text = magazine_item.GetAmmoCount().ToString() + " " + "#inv_inspect_piece";
000401 |                 color = Colors.COLOR_DEFAULT;
000402 |             }
000403 |             else
000404 |             {
000405 |                 text = magazine_item.GetAmmoCount().ToString() + " " + "#inv_inspect_pieces";
000406 |                 color = Colors.COLOR_DEFAULT;
000407 |             }
000408 |         }
000409 |     }
000410 |     else
000411 |     {
000412 |         if (m_Item.IsInherited(ClothingBase))
000413 |         {
000414 |             float heatIsolation = MiscGameplayFunctions.GetCurrentItemHeatIsolation(item_base);
000415 |             if (heatIsolation <= GameConstants.HEATISO_THRESHOLD_BAD)
000416 |             {
000417 |                 text = "#inv_inspect_iso_bad";
000418 |                 color = GetTemperatureColor(10);
```

```
000419 |         }
000420 |     else if ((heatIsolation > GameConstants.HEATISO_THRESHOLD_BAD) && (heatIsolation <= GameConstants.HEATISO_THRESHOLD_LOW))
000421 |     {
000422 |         text = "#inv_inspect_iso_low";
000423 |         color = GetTemperatureColor(20);
000424 |     }
000425 |     else if ((heatIsolation > GameConstants.HEATISO_THRESHOLD_LOW) && (heatIsolation <= GameConstants.HEATISO_THRESHOLD_MEDIUM))
000426 |     {
000427 |         text = "#inv_inspect_iso_medium";
000428 |         color = GetTemperatureColor(30);
000429 |     }
000430 |     else if ((heatIsolation > GameConstants.HEATISO_THRESHOLD_MEDIUM) && (heatIsolation <= GameConstants.HEATISO_THRESHOLD_HIGH))
000431 |     {
000432 |         text = "#inv_inspect_iso_high";
000433 |         color = GetTemperatureColor(50);
000434 |     }
000435 |     else
000436 |     {
000437 |         text = "#inv_inspect_iso_excel";
000438 |         color = GetTemperatureColor(70);
000439 |     }
000440 | }
000441 | }
000442 | }
000443 | }
000444 |
000445 | protected void UpdateItemInfoTemperature()
000446 | {
000447 |     string text;
000448 |     int color;
000449 |     float temperature;
000450 |     ItemBase item_base = ItemBase.Cast(m_Item);
000451 |     if (!item_base)
000452 |         return;
000453 |
000454 |     temperature = item_base.GetTemperature();
000455 |
000456 |     if (temperature > 30)
000457 |     {
000458 |         if (temperature > 100)
000459 |         {
000460 |             temperature = 100 * Math.Floor(temperature / 100.0);
000461 |         }
000462 |         else
000463 |         {
000464 |             temperature = 10 * Math.Floor(temperature / 10.0);
000465 |         }
000466 |
000467 |         text = "#inv_inspect_about " + temperature.ToString() + " " + "#inv_inspect_celsius";
000468 |         color = GetTemperatureColor(temperature);
000469 |
000470 |         ExpansionItemTooltipStatElement element = new ExpansionItemTooltipStatElement(text, color);
000471 |         m_ItemInspectionController.ItemElements.Insert(element);
000472 |     }
000473 | }
000474 |
000475 | protected void UpdateItemInfoWeightEx(out string text, out int color)
000476 | {
000477 |     int weight;
000478 |     ItemBase item_IB = ItemBase.Cast(m_Item);
000479 |     if (item_IB)
000480 |     {
```

```
000481 |         weight = item_IB.GetWeight();
000482 |     }
000483 |     else
000484 |     {
000485 |         weight = dBodyGetMass(m_Item) * 1000;
000486 |     }
000487 |
000488 |     if (GetLayoutRoot().GetName() != "ExpansionItemTooltip")
000489 |     {
000490 |         weight = item_IB.GetSingleInventoryItemWeight();
000491 |     }
000492 |
000493 |     if (weight >= 1000)
000494 |     {
000495 |         int kilos = Math.Round(weight / 1000.0);
000496 |         text = "#inv_inspect_about" + " " + kilos.ToString() + " " + "#inv_inspect_kg";
000497 |         color = Colors.COLOR_DEFAULT;
000498 |     }
000499 |     else if (weight >= 500)
000500 |     {
000501 |         text = "#inv_inspect_under_1";
000502 |         color = Colors.COLOR_DEFAULT;
000503 |     }
000504 |     else if (weight >= 250)
000505 |     {
000506 |         text = "#inv_inspect_under_05";
000507 |         color = Colors.COLOR_DEFAULT;
000508 |     }
000509 |     else
000510 |     {
000511 |         text = "#inv_inspect_under_025";
000512 |         color = Colors.COLOR_DEFAULT;
000513 |     }
000514 | }
000515 |
000516 | protected void UpdateItemInfoWetness()
000517 | {
000518 |     string text;
000519 |     int color;
000520 |     float wetness = 0;
000521 |     ItemBase item_IB = ItemBase.Cast(m_Item);
000522 |     if (!item_IB)
000523 |         return;
000524 |
000525 |     wetness = item_IB.GetWet();
000526 |
000527 |     if (wetness < GameConstants.STATE_DAMP)
000528 |     {
000529 |         return;
000530 |     }
000531 |     else if (wetness >= GameConstants.STATE_DAMP && wetness < GameConstants.STATE_WET)
000532 |     {
000533 |         text = "#inv_inspcet_damp";
000534 |         color = Colors.COLOR_DAMP;
000535 |     }
000536 |     else if (wetness >= GameConstants.STATE_WET && wetness < GameConstants.STATE_SOAKING_WET)
000537 |     {
000538 |         text = "#inv_inspect_wet";
000539 |         color = Colors.COLOR_WET;
000540 |     }
000541 |     else if (wetness >= GameConstants.STATE_SOAKING_WET && wetness < GameConstants.STATE_DRENCHED)
000542 |     {
```



```
000543 |         text = "#inv_inspect_soaking_wet";
000544 |         color = Colors.COLOR_SOAKING_WET;
000545 |     }
000546 |     else
000547 |     {
000548 |         text = "#inv_inspect_drenched";
000549 |         color = Colors.COLOR_DRENCHED;
000550 |     }
000551 |
000552 |     ExpansionItemTooltipStatElement element = new ExpansionItemTooltipStatElement(text, color);
000553 |     m_ItemInspectionController.ItemElements.Insert(element);
000554 | }
000555 |
000556 | void UpdateItemStats()
000557 | {
000558 |     UpdateItemInfoWetness();
000559 |     UpdateItemInfoTemperature();
000560 |     UpdateItemInfoLiquidType();
000561 |     UpdateItemInfoFoodStage();
000562 |     UpdateItemInfoCleanliness();
000563 |     UpdateItemInfoCargoSize();
000564 | }
000565 | }
000566 |
000567 | class ExpansionItemInspection: ExpansionItemInspectionBase
000568 | {
000569 |     ItemPreviewWidget ItemPreview;
000570 |     protected ButtonWidget BackButton;
000571 |     protected ImageWidget IconClose;
000572 |
000573 |     protected int m_CharacterRotationX;
000574 |     protected int m_CharacterRotationY;
000575 |     protected int m_CharacterScaleDelta;
000576 |     protected vector m_CharacterOrientation;
000577 |
000578 |     protected ScriptView m_ParentView;
000579 |     protected ref ScriptInvoker m_OnInspectCloseSI;
000580 |
000581 |     void ExpansionItemInspection()
000582 |     {
000583 |         m_OnInspectCloseSI = new ScriptInvoker();
000584 |     }
000585 |
000586 |     void ~ExpansionItemInspection()
000587 |     {
000588 |         if (m_OnInspectCloseSI)
000589 |         {
000590 |             m_OnInspectCloseSI.Clear();
000591 |             m_OnInspectCloseSI = null;
000592 |         }
000593 |     }
000594 |
000595 |     override string GetLayoutFile()
000596 |     {
000597 |         return "DayZExpansion/Core/GUI/layouts/mvc/expansion_item_inspection.layout";
000598 |     }
000599 |
000600 |     void SetItem(Object item)
000601 |     {
000602 |         m_Item = item;
000603 |
000604 |         if (!m_ItemInspectionController)
```

```
000605 |         m_ItemInspectionController = ExpansionItemInspectionController.Cast(GetController());
000606 |
000607 |         m_ItemInspectionController.ItemName = m_Item.GetDisplayName();
000608 |
000609 |         string itemDesc = ExpansionStatic.GetItemDescriptionWithType(m_Item.GetType());
000610 |         if (itemDesc.IndexOf("STR_") == 0)
000611 |             itemDesc = "";
000612 |
000613 |         m_ItemInspectionController.ItemDescription = itemDesc;
000614 |         ItemDescWidget.Update();
000615 |         m_ItemInspectionController.NotifyPropertiesChanged({"ItemDescription", "ItemName"});
000616 |
000617 |         if (!ItemPreview)
000618 |         {
000619 |             Widget preview_frame = GetLayoutRoot().FindAnyWidget("ItemPreview");
000620 |             if (preview_frame)
000621 |             {
000622 |                 ItemPreview = ItemPreviewWidget.Cast(preview_frame);
000623 |             }
000624 |         }
000625 |
000626 |         ItemPreview.SetItem(EntityAI.Cast(item));
000627 |         ItemBase itemIB = ItemBase.Cast(item);
000628 |         if (itemIB)
000629 |             ItemPreview.SetView(itemIB.GetViewIndex());
000630 |
000631 |         ItemPreview.SetModelPosition(Vector(0,0,1));
000632 |     }
000633 |
000634 |     void SetParentView(ScriptView parentView)
000635 |     {
000636 |         #ifdef EXTRACE
000637 |             auto trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, this, "Parent view: " + parentView);
000638 |             #endif
000639 |
000640 |         m_ParentView = parentView;
000641 |     }
000642 |
000643 |     override void UpdateItemInfoDamage(int damageLevel)
000644 |     {
000645 |         string text;
000646 |         int color;
000647 |         UpdateItemInfoDamageEx(damageLevel, text, color);
000648 |
000649 |         ExpansionItemTooltipStatElement element = new ExpansionItemTooltipStatElement(text, color);
000650 |         m_ItemInspectionController.ItemElements.Insert(element);
000651 |     }
000652 |
000653 |     void UpdateItemInfoQuantity(int quantityType, float quantity, int quantityMax, bool ratio = true)
000654 |     {
000655 |         string text;
000656 |         int color;
000657 |         UpdateItemInfoQuantityEx(quantityType, quantity, quantityMax, ratio, text, color);
000658 |         UpdateItemInfoQuantity(text, color);
000659 |     }
000660 |
000661 |     void UpdateItemInfoQuantity()
000662 |     {
000663 |         string text;
000664 |         int color;
000665 |         UpdateItemInfoQuantityEx(text, color);
000666 |         UpdateItemInfoQuantity(text, color);
```

```
000667 | }
000668 |
000669 | void UpdateItemInfoQuantity(string text, int color)
000670 | {
000671 |     if (text != string.Empty)
000672 |     {
000673 |         ExpansionItemTooltipStatElement element = new ExpansionItemTooltipStatElement(text, color);
000674 |         m_ItemInspectionController.ItemElements.Insert(element);
000675 |     }
000676 | }
000677 |
000678 | protected void UpdateItemInfoWeight()
000679 | {
000680 |     string text;
000681 |     int color;
000682 |     UpdateItemInfoWeightEx(text, color);
000683 |
000684 |     ExpansionItemTooltipStatElement element = new ExpansionItemTooltipStatElement(text, color);
000685 |     m_ItemInspectionController.ItemElements.Insert(element);
000686 | }
000687 |
000688 | override void OnShow()
000689 | {
000690 |     super.OnShow();
000691 |
000692 |     SetFocus(GetLayoutRoot());
000693 | }
000694 |
000695 | void OnBackButtonClick()
000696 | {
000697 |     if (m_ParentView)
000698 |         m_ParentView.GetLayoutRoot().Show(true);
000699 |
000700 |     if (m_OnInspectCloseSI)
000701 |         m_OnInspectCloseSI.Invoke(false);
000702 |
000703 |     MissionGameplay.Expansion_DestroyItemInspection();
000704 | }
000705 |
000706 | override bool OnMouseEnter(Widget w, int x, int y)
000707 | {
000708 |     if (w != NULL && w == BackButton)
000709 |     {
000710 |         BackButton.SetColor(ARGB(255, 255, 255, 255));
000711 |         IconClose.SetColor(ARGB(255, 0, 0, 0));
000712 |         return true;
000713 |     }
000714 |
000715 |     return false;
000716 | }
000717 |
000718 | override bool OnMouseLeave(Widget w, Widget enterW, int x, int y)
000719 | {
000720 |     if (w != NULL && w == BackButton)
000721 |     {
000722 |         BackButton.SetColor(ARGB(255, 0, 0, 0));
000723 |         IconClose.SetColor(ARGB(255, 255, 255, 255));
000724 |         return true;
000725 |     }
000726 |
000727 |     return false;
000728 | }
```

```
000729 |
000730 | override bool OnMouseButtonDown(Widget w, int x, int y, int button)
000731 | {
000732 |     if (w == ItemPreview)
000733 |     {
000734 |         g_Game.GetDragQueue().Call(this, "UpdateRotation");
000735 |         GetMousePos(m_CharacterRotationX, m_CharacterRotationY);
000736 |         return true;
000737 |     }
000738 |     return false;
000739 | }
000740 |
000741 | void UpdateRotation(int mouse_x, int mouse_y, bool is_dragging)
000742 | {
000743 |     vector o = m_CharacterOrientation;
000744 |     o[0] = o[0] + (m_CharacterRotationY - mouse_y);
000745 |     o[1] = o[1] - (m_CharacterRotationX - mouse_x);
000746 |
000747 |     ItemPreview.SetModelOrientation(o);
000748 |
000749 |     if (!is_dragging)
000750 |     {
000751 |         m_CharacterOrientation = o;
000752 |     }
000753 | }
000754 |
000755 | override bool OnMouseWheel(Widget w, int x, int y, int wheel)
000756 | {
000757 |     if (w == ItemPreview)
000758 |     {
000759 |         m_CharacterScaleDelta = wheel;
000760 |         UpdateScale();
000761 |     }
000762 |
000763 |     return false;
000764 | }
000765 |
000766 | void UpdateScale()
000767 | {
000768 |     float w, h, x, y;
000769 |     ItemPreview.GetPos(x, y);
000770 |     ItemPreview.GetSize(w, h);
000771 |     w = w + (m_CharacterScaleDelta / 4);
000772 |     h = h + (m_CharacterScaleDelta / 4);
000773 |     if (w > 0.5 && w < 3)
000774 |     {
000775 |         ItemPreview.SetSize(w, h);
000776 |
000777 |         // align to center
000778 |         int screen_w, screen_h;
000779 |         GetScreenSize(screen_w, screen_h);
000780 |         float new_x = x - (m_CharacterScaleDelta / 8);
000781 |         float new_y = y - (m_CharacterScaleDelta / 8);
000782 |         ItemPreview.SetPos(new_x, new_y);
000783 |     }
000784 | }
000785 |
000786 | ScriptInvoker GetCloseInspectionSI()
000787 | {
000788 |     return m_OnInspectCloseSI;
000789 | }
000790 | };
```

```
000791 |  
000792 | class ExpansionItemInspectionController: ExpansionViewController  
000793 | {  
000794 |     ref ObservableCollection<ref ExpansionItemTooltipStatElement> ItemElements = new ObservableCollection<ref ExpansionItemTooltipStatElement>(this);  
000795 |  
000796 |     string ItemName;  
000797 |     string ItemDamage;  
000798 |     string ItemQuantity;  
000799 |     string ItemWeight;  
000800 |     string ItemWetness;  
000801 |     string ItemTemperature;  
000802 |     string ItemLiquidType;  
000803 |     string ItemFoodStage;  
000804 |     string ItemCleanness;  
000805 |     string ItemDescription;  
000806 |     Object ItemPreview;  
000807 | };  
000808 | #endif  
000809 |
```

0351. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\ExpansionItemTooltip.c

Size bytes: 6321

SHA-256: fa6936853938724dd75049dbbe820998f67861a1c1a7bff90769f8f593a55872

Decoded as: utf-8-sig

Line count shown: 277

Detected class declarations: 5

L14: class ExpansionItemTooltip: ExpansionItemInspectionBase

L173: class ExpansionItemTooltipStatElement: ExpansionScriptView

L210: class ExpansionItemTooltipStatElementController: ExpansionViewController

L215: class ExpansionItemPreviewTooltip: ExpansionScriptView

L271: class ExpansionItemPreviewTooltipController: ExpansionViewController

Detected enum declarations: 0

Detected function/method-like declarations: 27

L30: override string GetLayoutFile()

L35: void SetItem(EntityAI item)

L40: protected void SetView()

L74: bool ShowContent()

L79: void SetShowContent(bool state)

L84: bool ShowItemPreview()

L89: void SetShowItemPreview(bool state)

L94: override void UpdateItemInfoDamage(int damageLevel)

L105: void UpdateItemInfoQuantity(int quantityType, float quantity, int quantityMax, bool ratio = true)

L113: void UpdateItemInfoQuantity()

L121: void UpdateItemInfoQuantity(string text, int color)

L135: protected void UpdateItemInfoWeight()

L146: override void Show()

L152: void SetContentOffset(float x, float y)

L158: override void OnShow()

L167: void SetUpdateStatsOnShow(bool state)

L181: void ExpansionItemTooltipStatElement(string text, int color)

L192: override string GetLayoutFile()

L197: override typename GetControllerType()

L202: void SetView()

L223: void ExpansionItemPreviewTooltip(Object item)

L231: override string GetLayoutFile()

L236: override typename GetControllerType()

L241: void SetView()

L249: void SetContentOffset(float x, float y)

L255: override void Show()

L261: override void OnShow()

Full file content

```

000001 | /**
000002 |  * ExpansionItemTooltip.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionItemTooltip: ExpansionItemInspectionBase
000015 | {
000016 |     protected ItemPreviewWidget ItemFrameWidget;

```

```
000017 | protected ImageWidget ItemDamageWidgetBackground;
000018 | protected TextWidget ItemWeightWidget;
000019 | protected TextWidget ItemQuantityWidget;
000020 | protected GridSpacerWidget Content;
000021 |
000022 | protected bool m_ShowPreview = false;
000023 | protected bool m_ShowContent = true;
000024 |
000025 | protected float m_ContentOffsetX;
000026 | protected float m_ContentOffsetY;
000027 |
000028 | protected bool m_UpdateStatsOnShow;
000029 |
000030 | override string GetLayoutFile()
000031 | {
000032 |     return "DayZExpansion/Core/GUI/layouts/mvc/expansion_item_tooltip.layout";
000033 | }
000034 |
000035 | void SetItem(EntityAI item)
000036 | {
000037 |     m_Item = item;
000038 | }
000039 |
000040 | protected void SetView()
000041 | {
000042 |     if (!ShowItemPreview())
000043 |     {
000044 |         ItemFrameWidget.Show(false);
000045 |     }
000046 |     else
000047 |     {
000048 |         m_ItemInspectionController.ItemPreview = m_Item;
000049 |         m_ItemInspectionController.NotifyPropertyChanged("ItemPreview");
000050 |     }
000051 |
000052 |     if (!ShowContent())
000053 |         Content.Show(false);
000054 |
000055 |     m_ItemInspectionController.ItemName = m_Item.GetDisplayName();
000056 |
000057 |     string itemDesc = ExpansionStatic.GetItemDescriptionWithType(m_Item.GetType());
000058 |     if (itemDesc.IndexOf("STR_") == 0)
000059 |         itemDesc = "";
000060 |
000061 |     m_ItemInspectionController.ItemDescription = itemDesc;
000062 |     ItemDescWidget.Update();
000063 |     m_ItemInspectionController.NotifyPropertiesChanged({"ItemDescription", "ItemName"});
000064 |
000065 |     if (m_UpdateStatsOnShow)
000066 |     {
000067 |         UpdateItemStats();
000068 |         UpdateItemInfoDamage();
000069 |         UpdateItemInfoQuantity();
000070 |         UpdateItemInfoWeight();
000071 |     }
000072 | }
000073 |
000074 | bool ShowContent()
000075 | {
000076 |     return m_ShowContent;
000077 | }
000078 |
```

```
000079 | void SetShowContent(bool state)
000080 | {
000081 |     m_ShowContent = state;
000082 | }
000083 |
000084 | bool ShowItemPreview()
000085 | {
000086 |     return m_ShowPreview;
000087 | }
000088 |
000089 | void SetShowItemPreview(bool state)
000090 | {
000091 |     m_ShowPreview = state;
000092 | }
000093 |
000094 | override void UpdateItemInfoDamage(int damageLevel)
000095 | {
000096 |     string text;
000097 |     int color;
000098 |     UpdateItemInfoDamageEx(damageLevel, text, color);
000099 |
000100 |     m_ItemInspectionController.ItemDamage = text;
000101 |     m_ItemInspectionController.NotifyPropertyChanged("ItemDamage");
000102 |     ItemDamageWidgetBackground.SetColor(color | 0x7F000000);
000103 | }
000104 |
000105 | void UpdateItemInfoQuantity(int quantityType, float quantity, int quantityMax, bool ratio = true)
000106 | {
000107 |     string text;
000108 |     int color;
000109 |     UpdateItemInfoQuantityEx(quantityType, quantity, quantityMax, ratio, text, color);
000110 |     UpdateItemInfoQuantity(text, color);
000111 | }
000112 |
000113 | void UpdateItemInfoQuantity()
000114 | {
000115 |     string text;
000116 |     int color;
000117 |     UpdateItemInfoQuantityEx(text, color);
000118 |     UpdateItemInfoQuantity(text, color);
000119 | }
000120 |
000121 | void UpdateItemInfoQuantity(string text, int color)
000122 | {
000123 |     if (text != "")
000124 |     {
000125 |         m_ItemInspectionController.ItemQuantity = text;
000126 |         m_ItemInspectionController.NotifyPropertyChanged("ItemQuantity");
000127 |         ItemQuantityWidget.SetColor(color | 0x7F000000);
000128 |     }
000129 |     else
000130 |     {
000131 |         ItemQuantityWidget.Show(false);
000132 |     }
000133 | }
000134 |
000135 | protected void UpdateItemInfoWeight()
000136 | {
000137 |     string text;
000138 |     int color;
000139 |     UpdateItemInfoWeightEx(text, color);
000140 | }
```



```
000141 |         m_ItemInspectionController.ItemWeight = text;
000142 |         m_ItemInspectionController.NotifyPropertyChanged("ItemWeight");
000143 |         ItemWeightWidget.SetColor(color | 0x7F000000);
000144 |     }
000145 |
000146 |     override void Show()
000147 |     {
000148 |         super.Show();
000149 |         SetView();
000150 |     }
000151 |
000152 |     void SetContentOffset(float x, float y)
000153 |     {
000154 |         m_ContentOffsetX = x;
000155 |         m_ContentOffsetY = y;
000156 |     }
000157 |
000158 |     override void OnShow()
000159 |     {
000160 |         super.OnShow();
000161 |
000162 |         int x, y;
000163 |         GetMousePos(x, y);
000164 |         GetLayoutRoot().SetPos(x + m_ContentOffsetX, y + m_ContentOffsetY, true);
000165 |     }
000166 |
000167 |     void SetUpdateStatsOnShow(bool state)
000168 |     {
000169 |         m_UpdateStatsOnShow = state;
000170 |     }
000171 | };
000172 |
000173 | class ExpansionItemTooltipStatElement: ExpansionScriptView
000174 | {
000175 |     ref ExpansionItemTooltipStatElementController m_TooltipStatElementController;
000176 |     string m_Text;
000177 |     int m_Color;
000178 |
000179 |     protected ImageWidget Background;
000180 |
000181 |     void ExpansionItemTooltipStatElement(string text, int color)
000182 |     {
000183 |         m_Text = text;
000184 |         m_Color = color;
000185 |
000186 |         if (!m_TooltipStatElementController)
000187 |             m_TooltipStatElementController = ExpansionItemTooltipStatElementController.Cast(GetController());
000188 |
000189 |         SetView();
000190 |     }
000191 |
000192 |     override string GetLayoutFile()
000193 |     {
000194 |         return "DayZExpansion/Core/GUI/layouts/mvc/expansion_item_tooltip_stat_element.layout";
000195 |     }
000196 |
000197 |     override typename GetControllerType()
000198 |     {
000199 |         return ExpansionItemTooltipStatElementController;
000200 |     }
000201 |
000202 |     void SetView()
```

```
000203 |     {
000204 |         m_TooltipStatElementController.StatText = m_Text;
000205 |         m_TooltipStatElementController.NotifyPropertyChanged("StatText");
000206 |         Background.SetColor(m_Color | 0x7F000000);
000207 |     }
000208 | };
000209 |
000210 | class ExpansionItemTooltipStatElementController: ExpansionViewController
000211 | {
000212 |     string StatText;
000213 | };
000214 |
000215 | class ExpansionItemPreviewTooltip: ExpansionScriptView
000216 | {
000217 |     ref ExpansionItemPreviewTooltipController m_ItemInspectionController;
000218 |     Object m_Item;
000219 |
000220 |     private float m_ContentOffsetX;
000221 |     private float m_ContentOffsetY;
000222 |
000223 |     void ExpansionItemPreviewTooltip(Object item)
000224 |     {
000225 |         m_Item = item;
000226 |
000227 |         if (!m_ItemInspectionController)
000228 |             m_ItemInspectionController = ExpansionItemPreviewTooltipController.Cast(GetController());
000229 |     }
000230 |
000231 |     override string GetLayoutFile()
000232 |     {
000233 |         return "DayZExpansion/Core/GUI/layouts/mvc/expansion_item_preview_tooltip.layout";
000234 |     }
000235 |
000236 |     override typename GetControllerType()
000237 |     {
000238 |         return ExpansionItemPreviewTooltipController;
000239 |     }
000240 |
000241 |     void SetView()
000242 |     {
000243 |         m_ItemInspectionController.ItemPreview = m_Item;
000244 |         m_ItemInspectionController.NotifyPropertyChanged("ItemPreview");
000245 |         m_ItemInspectionController.ItemName = m_Item.GetDisplayName();
000246 |         m_ItemInspectionController.NotifyPropertyChanged("ItemName");
000247 |     }
000248 |
000249 |     void SetContentOffset(float x, float y)
000250 |     {
000251 |         m_ContentOffsetX = x;
000252 |         m_ContentOffsetY = y;
000253 |     }
000254 |
000255 |     override void Show()
000256 |     {
000257 |         super.Show();
000258 |         SetView();
000259 |     }
000260 |
000261 |     override void OnShow()
000262 |     {
000263 |         super.OnShow();
000264 |     }
```

```
000265 |         int x, y;
000266 |         GetMousePos(x, y);
000267 |         GetLayoutRoot().SetPos(x + m_ContentOffsetX, y + m_ContentOffsetY, true);
000268 |     }
000269 | };
000270 |
000271 | class ExpansionItemPreviewTooltipController: ExpansionViewController
000272 | {
000273 |     string ItemName;
000274 |     Object ItemPreview;
000275 | };
000276 | #endif
000277 |
```

0352. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\ExpansionPlayerPreview.c
Size bytes: 9689
SHA-256: 786eb07111d9eaeca1186a35f41aed8bf7c1e1b7161dcfaf4674fc87511460e6
Decoded as: utf-8-sig
Line count shown: 300
Detected class declarations: 1
  L14: class ExpansionPlayerPreview
Detected enum declarations: 0
Detected function/method-like declarations: 18
  L36: void ExpansionPlayerPreview(ExpansionScriptViewBase scriptView, PlayerPreviewWidget previewWidget)
  L42: void ~ExpansionPlayerPreview()
  L48: void Update(string previewClassName)
  L111: void CreateAttachments(EntityAI src, EntityAI dst)
  L133: void UpdateScale(int mouse_x, int mouse_y, bool is_dragging, int wheel)
  L157: void UpdateRotation(int mouse_x, int mouse_y, bool is_dragging)
  L171: float GetPositionTargetY()
  L196: else if (isHeadSlot)
  L198: else if (isLegsSlot)
  L200: else if (isFeetSlot)
  L206: float GetPositionInterpolatedY(float w, float targetY)
  L218: void UpdatePosition(float y)
  L223: void UpdateLastPosition(float w)
  L230: int AnimatePosition(int animID = 0, int frameNumber = 1)
  L238: else if (m_PlayerPosCurrentAnimID != animID)
  L270: bool OnMouseButtonDown(Widget w, int x, int y, int button)
  L277: bool OnMouseWheel(Widget w, int x, int y, int wheel)
  L284: bool OnItemSelected(Widget w, int x, int y, int row, int column, int oldRow, int oldColumn)
```

Full file content

```
000001 | /**
000002 |  * ExpansionPlayerPreview.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionPlayerPreview
000015 | {
000016 |     protected static const float POSITION_PLAYER_PREVIEW_W_THRESHOLD_MIN = 1.5;
000017 |     protected static const float POSITION_PLAYER_PREVIEW_W_THRESHOLD_MAX = 4;
000018 |     protected static const float POSITION_PLAYER_PREVIEW_Y_OFFSET = -0.125;
000019 |     protected static const float POSITION_PLAYER_PREVIEW_ANIMATION_DURATION = 0.5;
000020 |
000021 |     protected ExpansionScriptViewBase m_ParentView;
000022 |     protected PlayerBase m_PlayerPreview;
000023 |     protected PlayerPreviewWidget m_PreviewWidget;
000024 |
000025 |     protected vector m_CharacterOrientation;
000026 |     protected int m_CharacterRotationX;
000027 |     protected int m_CharacterRotationY;
000028 |     protected int m_CharacterScaleDelta;
000029 | }
```

```
000030 | protected int m_SelectedItemSlot;
000031 | protected float m_LastPositionW;
000032 | protected float m_LastPositionY;
000033 | protected int m_PlayerPosCurrentAnimID;
000034 | protected bool m_PlayerPosAnimRunning;
000035 |
000036 | void ExpansionPlayerPreview(ExpansionScriptViewBase scriptView, PlayerPreviewWidget previewWidget)
000037 | {
000038 |     m_ParentView = scriptView;
000039 |     m_PreviewWidget = previewWidget;
000040 | }
000041 |
000042 | void ~ExpansionPlayerPreview()
000043 | {
000044 |     if (m_PlayerPreview)
000045 |         g_Game.ObjectDelete(m_PlayerPreview);
000046 | }
000047 |
000048 | void Update(string previewClassName)
000049 | {
000050 |     Man player = g_Game.GetPlayer();
000051 |
000052 |     if (!m_PlayerPreview)
000053 |     {
000054 |         ///! Oh fml... of all the things I tried to get the player preview face texture to render,
000055 |         ///! it turns out the preview entity needs to be close to the player's viewport. Go figure.
000056 |         ///! Just spawn it behind the player camera so it won't be seen under normal circumstances.
000057 |         vector dir = g_Game.GetCurrentCameraDirection();
000058 |         dir.Normalize();
000059 |         vector pos = g_Game.GetCurrentCameraPosition() - dir * 0.5;
000060 |         pos[1] = player.GetPosition()[1];
000061 |         m_PlayerPreview = PlayerBase.Cast(g_Game.CreateObjectEx(player.GetType(), pos, ECE_LOCAL|ECE_NOLIFETIME));
000062 |         m_PlayerPreview.SetOrientation(player.GetOrientation());
000063 |
000064 |         m_ParentView.UpdatePlayerPreviewObject(m_PlayerPreview);
000065 |     }
000066 |     else
000067 |     {
000068 |         ///! Remove existing attachments on player preview
000069 |         array<ItemBase> previewAttachments = new array<ItemBase>;
000070 |         for (int i = 0; i < m_PlayerPreview.GetInventory().AttachmentCount(); i++)
000071 |         {
000072 |             ItemBase previewItem = ItemBase.Cast(m_PlayerPreview.GetInventory().GetAttachmentFromIndex(i));
000073 |             ///! Removing the attachment here would change attachment count, so add it to a temp array for later removal
000074 |             if (previewItem)
000075 |                 previewAttachments.Insert(previewItem);
000076 |         }
000077 |         foreach (ItemBase previewAttachment: previewAttachments)
000078 |         {
000079 |             m_PlayerPreview.GetInventory().LocalDestroyEntity(previewAttachment);
000080 |         }
000081 |     }
000082 |
000083 |     ///! Add selected item first to override any current player attachment on same slot
000084 |     EntityAI item = m_PlayerPreview.GetInventory().CreateAttachment(previewClassName);
000085 |     m_ParentView.SpawnPlayerPreviewAttachments(item);
000086 |
000087 |     m_ParentView.SetCurrentPreviewObject(item);
000088 |
000089 |     ///! Get slot (for dynamic preview focus)
000090 |     m_SelectedItemSlot = -1;
000091 |     if (item)
```

```
000092 |     {
000093 |         InventoryLocation loc = new InventoryLocation;
000094 |         item.GetInventory().GetCurrentInventoryLocation(loc);
000095 |         if (loc)
000096 |             m_SelectedItemSlot = loc.GetSlot();
000097 |     }
000098 |
000099 |     //! Add player's current attachments to player preview
000100 |     CreateAttachments(player, m_PlayerPreview);
000101 |
000102 |     if (!m_LastPositionW)
000103 |         UpdateLastPosition(1.0);
000104 |     else
000105 |         m_LastPositionY = m_PreviewWidget.GetModelPosition()[1];
000106 |
000107 |     AnimatePosition();
000108 | }
000109 |
000110 | //! Create all attachments from src in dst
000111 | void CreateAttachments(EntityAI src, EntityAI dst)
000112 | {
000113 |     if (!src.GetInventory())
000114 |         return;
000115 |
000116 |     for (int i = 0; i < src.GetInventory().AttachmentCount(); i++)
000117 |     {
000118 |         ItemBase srcAttachment = ItemBase.Cast(src.GetInventory().GetAttachmentFromIndex(i));
000119 |         if (srcAttachment)
000120 |         {
000121 |             //! Create attachment
000122 |             EntityAI dstAttachment;
000123 |             if (dst.IsInherited(Weapon_Base))
000124 |                 dstAttachment = Weapon_Base.Cast(dst).ExpansionCreateInInventory(srcAttachment.GetType());
000125 |             else
000126 |                 dstAttachment = dst.GetInventory().CreateAttachment(srcAttachment.GetType());
000127 |             if (dstAttachment)
000128 |                 CreateAttachments(srcAttachment, dstAttachment); //! Create attachments of attachment
000129 |         }
000130 |     }
000131 | }
000132 |
000133 | void UpdateScale(int mouse_x, int mouse_y, bool is_dragging, int wheel)
000134 | {
000135 |     float w, h, x, y;
000136 |     m_PreviewWidget.GetPos(x, y);
000137 |     m_PreviewWidget.GetSize(w,h);
000138 |     w = w + (m_CharacterScaleDelta / 8);
000139 |     h = h + (m_CharacterScaleDelta / 8);
000140 |     if ( w > 0.5 && w < 6 )
000141 |     {
000142 |         m_PreviewWidget.SetSize(w, h);
000143 |
000144 |         //! Align to center
000145 |         int screen_w, screen_h;
000146 |         GetScreenSize(screen_w, screen_h);
000147 |         float new_x = x - (m_CharacterScaleDelta / 16);
000148 |         float new_y = y - (m_CharacterScaleDelta / 16);
000149 |         m_PreviewWidget.SetPos(new_x, new_y);
000150 |
000151 |         UpdateLastPosition(w);
000152 |         if (!m_PlayerPosAnimRunning)
000153 |             UpdatePosition(m_LastPositionY);
```

```
000154 |     }
000155 | }
000156 |
000157 | void UpdateRotation(int mouse_x, int mouse_y, bool is_dragging)
000158 | {
000159 |     vector o = m_CharacterOrientation;
000160 |     o[2] = o[2] + (m_CharacterRotationY - mouse_y);
000161 |     o[1] = o[1] - (m_CharacterRotationX - mouse_x);
000162 |
000163 |     m_PreviewWidget.SetModelOrientation(o);
000164 |
000165 |     if (!is_dragging)
000166 |     {
000167 |         m_CharacterOrientation = o;
000168 |     }
000169 | }
000170 |
000171 | float GetPositionTargetY()
000172 | {
000173 |     //! Keep focus on item slot when zooming in
000174 |     bool isVestSlot = m_SelectedItemSlot == InventorySlots.GetSlotIdFromString("Vest");
000175 |     bool isBodySlot = m_SelectedItemSlot == InventorySlots.GetSlotIdFromString("Body");
000176 |     bool isBackSlot = m_SelectedItemSlot == InventorySlots.GetSlotIdFromString("Back");
000177 |     bool isHipsSlot = m_SelectedItemSlot == InventorySlots.GetSlotIdFromString("Hips");
000178 |     bool isLegsSlot = m_SelectedItemSlot == InventorySlots.GetSlotIdFromString("Legs");
000179 |     bool isFeetSlot = m_SelectedItemSlot == InventorySlots.GetSlotIdFromString("Feet");
000180 |     bool isHeadgearSlot = m_SelectedItemSlot == InventorySlots.GetSlotIdFromString("Headgear");
000181 |     bool isMaskSlot = m_SelectedItemSlot == InventorySlots.GetSlotIdFromString("Mask");
000182 |     bool isEyewearSlot = m_SelectedItemSlot == InventorySlots.GetSlotIdFromString("Eyewear");
000183 |     bool isArmbandSlot = m_SelectedItemSlot == InventorySlots.GetSlotIdFromString("Armband");
000184 |     bool isGlovesSlot = m_SelectedItemSlot == InventorySlots.GetSlotIdFromString("Gloves");
000185 |     bool isTopSlot;
000186 |     //! https://feedback.bistudio.com/T173348
000187 |     if (isVestSlot || isBodySlot || isBackSlot || isArmbandSlot)
000188 |         isTopSlot = true;
000189 |     bool isHeadSlot;
000190 |     if (isHeadgearSlot || isMaskSlot || isEyewearSlot)
000191 |         isHeadSlot = true;
000192 |
000193 |     float v = POSITION_PLAYER_PREVIEW_Y_OFFSET;
000194 |     if (isTopSlot)
000195 |         v = -0.4375;
000196 |     else if (isHeadSlot)
000197 |         v = -0.75;
000198 |     else if (isLegsSlot)
000199 |         v = 0.275;
000200 |     else if (isFeetSlot)
000201 |         v = 0.625;
000202 |
000203 |     return v;
000204 | }
000205 |
000206 | float GetPositionInterpolatedY(float w, float targetY)
000207 | {
000208 |     //! Normalize to 0..1
000209 |     float normalized = ExpansionMath.LinearConversion(POSITION_PLAYER_PREVIEW_W_THRESHOLD_MIN, POSITION_PLAYER_PREVIEW_W_THRESHOLD_MAX, w);
000210 |     //! Smooth normalized value
000211 |     float smooth = ExpansionMath.SmoothStep(normalized, 2);
000212 |     //! Interpolate to targetY
000213 |     float y = ExpansionMath.LinearConversion(0, 1, smooth, POSITION_PLAYER_PREVIEW_Y_OFFSET, targetY);
000214 |
000215 |     return y;
```

```
000216 |     }
000217 |
000218 |     void UpdatePosition(float y)
000219 |     {
000220 |         m_PreviewWidget.SetModelPosition(Vector(0, y, 0));
000221 |     }
000222 |
000223 |     void UpdateLastPosition(float w)
000224 |     {
000225 |         m_LastPositionW = w;
000226 |         if (!m_PlayerPosAnimRunning)
000227 |             m_LastPositionY = GetPositionInterpolatedY(w, GetPositionTargetY());
000228 |     }
000229 |
000230 |     int AnimatePosition(int animID = 0, int frameNumber = 1)
000231 |     {
000232 |         if (!animID)
000233 |         {
000234 |             m_PlayerPosAnimRunning = true;
000235 |             m_PlayerPosCurrentAnimID++;
000236 |             animID = m_PlayerPosCurrentAnimID;
000237 |         }
000238 |         else if (m_PlayerPosCurrentAnimID != animID)
000239 |             return 0;
000240 |
000241 |         float targetInterpolatedY = GetPositionInterpolatedY(m_LastPositionW, GetPositionTargetY());
000242 |
000243 |         int fps = 60;
000244 |         float frames = fps * POSITION_PLAYER_PREVIEW_ANIMATION_DURATION;
000245 |         float step = (targetInterpolatedY - m_LastPositionY) / frames * frameNumber;
000246 |         float currentY = m_LastPositionY + step;
000247 |
000248 |         float smooth;
000249 |
000250 |         if (targetInterpolatedY != m_LastPositionY) //! Prevent division by zero
000251 |             smooth = ExpansionMath.SmoothStep(currentY, 2, m_LastPositionY, targetInterpolatedY);
000252 |         else
000253 |             smooth = currentY;
000254 |
000255 |         UpdatePosition(smooth);
000256 |
000257 |         if (currentY != targetInterpolatedY && frameNumber < frames)
000258 |         {
000259 |             g_Game.GetCallQueue(CALL_CATEGORY_GAMEPLAY).CallLater(AnimatePosition, Math.Round(1000 / fps), false, animID, frameNumber + 1);
000260 |         }
000261 |         else
000262 |         {
000263 |             m_PlayerPosAnimRunning = false;
000264 |             m_LastPositionY = currentY;
000265 |         }
000266 |
000267 |         return animID;
000268 |     }
000269 |
000270 |     bool OnMouseButtonDown(Widget w, int x, int y, int button)
000271 |     {
000272 |         g_Game.GetDragQueue().Call(this, "UpdateRotation");
000273 |         GetMousePos(m_CharacterRotationX, m_CharacterRotationY);
000274 |         return true;
000275 |     }
000276 |
000277 |     bool OnMouseWheel(Widget w, int x, int y, int wheel)
```



```
000278 |     {
000279 |         g_Game.GetDragQueue().Call(this, "UpdateScale");
000280 |         m_CharacterScaleDelta = wheel;
000281 |         return false;
000282 |     }
000283 |
000284 | bool OnItemSelected(Widget w, int x, int y, int row, int column, int oldRow, int oldColumn)
000285 | {
000286 |     m_CharacterOrientation = vector.Zero;
000287 |
000288 |     m_PreviewWidget.SetModelPosition(Vector(0,0,0.5));
000289 |     m_PreviewWidget.SetModelOrientation(m_CharacterOrientation);
000290 |
000291 |     m_PreviewWidget.SetSize(1.5, 1.5);
000292 |
000293 |     //! Align to center
000294 |     m_PreviewWidget.SetPos(-0.225, -0.225);
000295 |
000296 |     return false;
000297 | }
000298 | }
000299 | #endif
000300 |
```

0353. PBO TEXT FILE

```
Path: core pbo files expan/definetest.pbo :: 5_Mission\Mission.c
Size bytes: 3376
SHA-256: 9db26514b34ee9be28d62d9a4a573181d01caaa06451132d05ba3c5214ef523f
Decoded as: utf-8-sig
Line count shown: 153
Detected class declarations: 2
  L134: modded class MissionServer
  L144: modded class MissionGameplay
Detected enum declarations: 0
Detected function/method-like declarations: 4
  L13: static void Expansion_PrintLoadedMods()
  L43: static void Expansion_PrintDefines()
  L136: void MissionServer()
  L146: void MissionGameplay()
```

Full file content

```
000001 | /**
000002 |  * Mission.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | static void Expansion_PrintLoadedMods()
000014 | {
000015 |     Print("[DefineTest] CfgMods:");
000016 |
000017 |     int mod_count = g_Game.ConfigGetChildrenCount("CfgMods");
000018 |     int i;
000019 |
000020 |     for (i = 0; i < mod_count; i++)
000021 |     {
000022 |         string mod_name;
000023 |         g_Game.ConfigGetChildName("CfgMods", i, mod_name);
000024 |
000025 |         Print("" + mod_name);
000026 |     }
000027 |
000028 |     #ifdef EXPANSION_LOADORDER_DEBUG
000029 |     Print("[DefineTest] CfgPatches:");
000030 |
000031 |     int patch_count = g_Game.ConfigGetChildrenCount("CfgPatches");
000032 |
000033 |     for (i = 0; i < patch_count; i++)
000034 |     {
000035 |         string patch_name;
000036 |         g_Game.ConfigGetChildName("CfgPatches", i, patch_name);
000037 |
000038 |         Print("" + patch_name);
000039 |     }
000040 |     #endif
000041 | }
000042 |
```

```
000043 | static void Expansion_PrintDefines()
000044 | {
000045 |     #ifdef EXPANSIONMOD
000046 |     Print("[DefineTest] EXPANSIONMOD is defined");
000047 |     #endif
000048 |
000049 |     #ifdef EXPANSIONMODAI
000050 |     Print("[DefineTest] EXPANSIONMODAI is defined");
000051 |     #endif
000052 |
000053 |     #ifdef EXPANSIONMODANIMATIONS
000054 |     Print("[DefineTest] EXPANSIONMODANIMATIONS is defined");
000055 |     #endif
000056 |
000057 |     #ifdef EXPANSIONMODBASEBUILDING
000058 |     Print("[DefineTest] EXPANSIONMODBASEBUILDING is defined");
000059 |     #endif
000060 |
000061 |     #ifdef EXPANSIONMODBOOK
000062 |     Print("[DefineTest] EXPANSIONMODBOOK is defined");
000063 |     #endif
000064 |
000065 |     #ifdef EXPANSIONMODCHAT
000066 |     Print("[DefineTest] EXPANSIONMODCHAT is defined");
000067 |     #endif
000068 |
000069 |     #ifdef EXPANSIONMODCORE
000070 |     Print("[DefineTest] EXPANSIONMODCORE is defined");
000071 |     #endif
000072 |
000073 |     #ifdef EXPANSIONMODGARAGE
000074 |     Print("[DefineTest] EXPANSIONMODGARAGE is defined");
000075 |     #endif
000076 |
000077 |     #ifdef EXPANSIONMODGROUPS
000078 |     Print("[DefineTest] EXPANSIONMODGROUPS is defined");
000079 |     #endif
000080 |
000081 |     #ifdef EXPANSIONMODHARDLINE
000082 |     Print("[DefineTest] EXPANSIONMODHARDLINE is defined");
000083 |     #endif
000084 |
000085 |     #ifdef EXPANSIONMODKILLFEED
000086 |     Print("[DefineTest] EXPANSIONMODKILLFEED is defined");
000087 |     #endif
000088 |
000089 |     #ifdef EXPANSIONMODMAPASSETS
000090 |     Print("[DefineTest] EXPANSIONMODMAPASSETS is defined");
000091 |     #endif
000092 |
000093 |     #ifdef EXPANSIONMODMARKET
000094 |     Print("[DefineTest] EXPANSIONMODMARKET is defined");
000095 |     #endif
000096 |
000097 |     #ifdef EXPANSIONMODMISSIONS
000098 |     Print("[DefineTest] EXPANSIONMODMISSIONS is defined");
000099 |     #endif
000100 |
000101 |     #ifdef EXPANSIONMODNAMETAGS
000102 |     Print("[DefineTest] EXPANSIONMODNAMETAGS is defined");
000103 |     #endif
000104 |
```

```
000105 | #ifdef EXPANSIONMODNAVIGATION
000106 | Print("[DefineTest] EXPANSIONMODNAVIGATION is defined");
000107 | #endif
000108 |
000109 | #ifdef EXPANSIONMODP2PMARKET
000110 | Print("[DefineTest] EXPANSIONMODP2PMARKET is defined");
000111 | #endif
000112 |
000113 | #ifdef EXPANSIONMODPERSONALSTORAGE
000114 | Print("[DefineTest] EXPANSIONMODPERSONALSTORAGE is defined");
000115 | #endif
000116 |
000117 | #ifdef EXPANSIONMODQUESTS
000118 | Print("[DefineTest] EXPANSIONMODQUESTS is defined");
000119 | #endif
000120 |
000121 | #ifdef EXPANSIONMODSPAWNSELECTION
000122 | Print("[DefineTest] EXPANSIONMODSPAWNSELECTION is defined");
000123 | #endif
000124 |
000125 | #ifdef EXPANSIONMODVEHICLE
000126 | Print("[DefineTest] EXPANSIONMODVEHICLE is defined");
000127 | #endif
000128 |
000129 | #ifdef EXPANSIONMODWEAPONS
000130 | Print("[DefineTest] EXPANSIONMODWEAPONS is defined");
000131 | #endif
000132 | }
000133 |
000134 | modded class MissionServer
000135 | {
000136 |     void MissionServer()
000137 |     {
000138 |         Expansion_PrintDefines();
000139 |
000140 |         Expansion_PrintLoadedMods();
000141 |     }
000142 | }
000143 |
000144 | modded class MissionGameplay
000145 | {
000146 |     void MissionGameplay()
000147 |     {
000148 |         Expansion_PrintDefines();
000149 |
000150 |         Expansion_PrintLoadedMods();
000151 |     }
000152 | }
000153 |
```

0354. PBO TEXT FILE

Path: core pbo files expan/notificationscheduler_scripts.pbo :: 3_Game\DayZExpansion_NotificationScheduler\Expansion_NotificationScheduler_Constants.c
Size bytes: 497
SHA-256: 09fe8a913bbdd1904f4cc05b2ded057bf9f5dee244ce53db3eb61ec4332ce9f5
Decoded as: utf-8-sig
Line count shown: 13
Detected class declarations: 0
Detected enum declarations: 0
Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * Expansion_NotificationScheduler_Constants.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | static const string EXPANSION_NOTIFICATIONSCHEDULER_SETTINGS = EXPANSION_SETTINGS_FOLDER + "NotificationSchedulerSettings.json";
```

0355. PBO TEXT FILE

Path: core pbo files expan/notificationscheduler_scripts.pbo :: 3_Game\DayZExpansion_NotificationScheduler\ExpansionNotificationSchedulerModule.c

Size bytes: 2810

SHA-256: ed6dcd26af2312807789e00973f78158991f86b8a0d2f13a8c32f12c6299983f

Decoded as: utf-8-sig

Line count shown: 100

Detected class declarations: 1

L14: class ExpansionNotificationSchedulerModule: CF_ModuleGame

Detected enum declarations: 0

Detected function/method-like declarations: 4

L20: override void OnInit()

L28: override bool IsClient()

L33: override void OnSettingsChanged(Class sender, CF_EventArgs args)

L40: override void OnUpdate(Class sender, CF_EventArgs args)

Full file content

```
000001 | /**
000002 |  * ExpansionNotificationSchedulerModule.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | [CF_RegisterModule(ExpansionNotificationSchedulerModule)]
000014 | class ExpansionNotificationSchedulerModule: CF_ModuleGame
000015 | {
000016 |     private const float UPDATE_TICK_TIME = 0.5;
000017 |     private float m_UpdateTimer = 0;
000018 |     private bool m_Enabled;
000019 |
000020 |     override void OnInit()
000021 |     {
000022 |         super.OnInit();
000023 |
000024 |         EnableUpdate();
000025 |         EnableSettingsChanged();
000026 |     }
000027 |
000028 |     override bool IsClient()
000029 |     {
000030 |         return false;
000031 |     }
000032 |
000033 |     override void OnSettingsChanged(Class sender, CF_EventArgs args)
000034 |     {
000035 |         super.OnSettingsChanged(sender, args);
000036 |
000037 |         m_Enabled = GetExpansionSettings().GetNotificationScheduler().Enabled;
000038 |     }
000039 |
000040 |     override void OnUpdate(Class sender, CF_EventArgs args)
000041 |     {
000042 |         super.OnUpdate(sender, args);
000043 |     }
```

```
000044 |         if (!m_Enabled)
000045 |             return;
000046 |
000047 |         auto update = CF_EventUpdateArgs.Cast(args);
000048 |
000049 |         m_UpdateTimer += update.DeltaTime;
000050 |         if (m_UpdateTimer >= UPDATE_TICK_TIME)
000051 |         {
000052 |             bool useUTC = GetExpansionSettings().GetNotificationScheduler().UTC;
000053 |             bool useMissionTime = GetExpansionSettings().GetNotificationScheduler().UseMissionTime;
000054 |
000055 |             CF_Date now;
000056 |             if (!useMissionTime)
000057 |             {
000058 |                 now = CF_Date.Now(useUTC);
000059 |             }
000060 |             else
000061 |             {
000062 |                 int missionTime = g_Game.GetTime();
000063 |                 int seconds = (missionTime / 1000) % 60;
000064 |                 int minutes = ((missionTime / (1000*60)) % 60);
000065 |                 int hours = ((missionTime / (1000*60*60)) % 24);
000066 |
000067 |                 now = CF_Date.CreateTime(hours, minutes, seconds);
000068 |             }
000069 |
000070 |             int timestamp = now.DateToEpoch();
000071 |
000072 |             for (int i = 0; i < GetExpansionSettings().GetNotificationScheduler().Notifications.Count(); i++)
000073 |             {
000074 |                 ExpansionNotificationSchedule schedule = GetExpansionSettings().GetNotificationScheduler().Notifications[i];
000075 |                 if (!schedule || schedule.m_LastShownTimestamp == timestamp)
000076 |                     continue;
000077 |
000078 |                 if (schedule.Hour == now.GetHours() && schedule.Minute == now.GetMinutes() && schedule.Second == now.GetSeconds())
000079 |                 {
000080 |                     StringLocaliser title = new StringLocaliser(schedule.Title);
000081 |                     StringLocaliser text = new StringLocaliser(schedule.Text);
000082 |
000083 |                     ExpansionIcon icon;
000084 |                     string iconPath;
000085 |                     if (!Class.CastTo(icon, ExpansionIcons.Get(schedule.Icon)))
000086 |                         iconPath = schedule.Icon;
000087 |                     else
000088 |                         iconPath = icon.IconPath;
000089 |
000090 |                     ExpansionNotification(title, text, iconPath, schedule.m_Color.Get("Color"), 7, ExpansionNotificationType.BAGUETTE).Create();
000091 |
000092 |                     schedule.m_LastShownTimestamp = timestamp;
000093 |                 }
000094 |             }
000095 |
000096 |             m_UpdateTimer = 0.0;
000097 |         }
000098 |     }
000099 | }
000100 |
```

0356. PBO TEXT FILE

```
Path: core pbo files expan/notificationscheduler_scripts.pbo :: 3_Game\DayZExpansion_NotificationScheduler\ExpansionNotificationSchedulerSettings.c
Size bytes: 4724
SHA-256: afe3cf6540c548019b31af2b407bb09155ff4a6a25b091eae6686fd42233f840
Decoded as: utf-8-sig
Line count shown: 206
Detected class declarations: 3
  L13: class ExpansionNotificationSchedule
  L44: class ExpansionNotificationScheduleColor: ExpansionColorSettingsBase
  L57: class ExpansionNotificationSchedulerSettings: ExpansionSettingBase
Detected enum declarations: 0
Detected function/method-like declarations: 13
  L29: void ExpansionNotificationSchedule()
  L34: void InitColor(string color = "")
  L47: override void Update()
  L69: override int Send( PlayerIdentity identity )
  L74: override bool Copy( ExpansionSettingBase setting )
  L88: private void CopyInternal( ExpansionNotificationSchedulerSettings s )
  L100: override bool IsLoaded()
  L105: override void Unload()
  L110: override bool OnLoad()
  L153: override bool OnSave()
  L164: override void Update( ExpansionSettingBase setting )
  L175: override void Defaults()
  L202: override string SettingName()
```

Full file content

```
000001 | /**
000002 |  * ExpansionNotificationSchedulerSettings.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionNotificationSchedule
000014 | {
000015 |     int Hour;
000016 |     int Minute;
000017 |     int Second;
000018 |     string Title;
000019 |     string Text;
000020 |     string Icon;
000021 |     string Color;
000022 |
000023 |     [NonSerialized()]
000024 |     int m_LastShownTimestamp;
000025 |
000026 |     [NonSerialized()]
000027 |     ref ExpansionNotificationScheduleColor m_Color;
000028 |
000029 |     void ExpansionNotificationSchedule()
000030 |     {
000031 |         InitColor();
000032 |     }
```



```
000033 |
000034 |     void InitColor(string color = "")
000035 |     {
000036 |         m_Color = new ExpansionNotificationScheduleColor();
000037 |         if (color)
000038 |             m_Color.Set("Color", color);
000039 |         else
000040 |             m_Color.Update();
000041 |     }
000042 | }
000043 |
000044 | class ExpansionNotificationScheduleColor: ExpansionColorSettingsBase
000045 | {
000046 |     string Color;
000047 |     override void Update()
000048 |     {
000049 |         super.Update();
000050 |
000051 |         //! Make sure none of the colors are zero (all transparent) and set defaults
000052 |         if (!Get("Color"))
000053 |             Set("Color", COLOR_EXPANSION_NOTIFICATION_INFO);
000054 |     }
000055 | }
000056 |
000057 | class ExpansionNotificationSchedulerSettings: ExpansionSettingBase
000058 | {
000059 |     bool Enabled;
000060 |     bool UTC;
000061 |     bool UseMissionTime;
000062 |     ref array<ref ExpansionNotificationSchedule> Notifications = new array<ref ExpansionNotificationSchedule>;
000063 |
000064 |     static const int VERSION = 2;
000065 |
000066 |     [NonSerialized()]
000067 |     private bool m_IsLoaded;
000068 |
000069 |     override int Send( PlayerIdentity identity )
000070 |     {
000071 |         //! Not sent to client
000072 |     }
000073 |
000074 |     override bool Copy( ExpansionSettingBase setting )
000075 |     {
000076 |         #ifdef EXPANSIONTRACE
000077 |             auto trace = CF_Trace_1(ExpansionTracing.SETTINGS, this, "Copy").Add(setting);
000078 |         #endif
000079 |
000080 |         ExpansionNotificationSchedulerSettings s;
000081 |         if ( !Class.CastTo( s, setting ) )
000082 |             return false;
000083 |
000084 |         CopyInternal( s );
000085 |         return true;
000086 |     }
000087 |
000088 |     private void CopyInternal( ExpansionNotificationSchedulerSettings s )
000089 |     {
000090 |         #ifdef EXPANSIONTRACE
000091 |             auto trace = CF_Trace_1(ExpansionTracing.SETTINGS, this, "CopyInternal").Add(s);
000092 |         #endif
000093 |
000094 |         Enabled = s.Enabled;
```

```
000095 |         UTC = s.UTC;
000096 |         UseMissionTime = s.UseMissionTime;
000097 |         Notifications = s.Notifications;
000098 |     }
000099 |
000100 |     override bool IsLoaded()
000101 |     {
000102 |         return m_IsLoaded;
000103 |     }
000104 |
000105 |     override void Unload()
000106 |     {
000107 |         m_IsLoaded = false;
000108 |     }
000109 |
000110 |     override bool OnLoad()
000111 |     {
000112 | #ifdef EXPANSIONTRACE
000113 |         auto trace = CF_Trace_0(ExpansionTracing.SETTINGS, this, "OnLoad");
000114 | #endif
000115 |
000116 |         m_IsLoaded = true;
000117 |
000118 |         bool save;
000119 |
000120 |         bool settingsExist = FileExist(EXPANSION_NOTIFICATIONSCHEDULER_SETTINGS);
000121 |
000122 |         if (settingsExist)
000123 |         {
000124 |             //CF_Log.Info("[ExpansionNotificationSchedulerSettings] Load existing setting file:" + EXPANSION_NOTIFICATIONSCHEDULER_SETTINGS);
000125 |             JsonFileLoader<ExpansionNotificationSchedulerSettings>.JsonLoadFile(EXPANSION_NOTIFICATIONSCHEDULER_SETTINGS, this);
000126 |
000127 |             foreach (ExpansionNotificationSchedule schedule: Notifications)
000128 |             {
000129 |                 schedule.InitColor(schedule.Color);
000130 |             }
000131 |
000132 |             if (m_Version < 2)
000133 |             {
000134 |                 UseMissionTime = false;
000135 |             }
000136 |         }
000137 |         else
000138 |         {
000139 |             //CF_Log.Info("[ExpansionNotificationSchedulerSettings] No existing setting file:" + EXPANSION_NOTIFICATIONSCHEDULER_SETTINGS + ". Creating defaults!");
000140 |         };
000141 |
000142 |         Defaults();
000143 |         save = true;
000144 |     }
000145 |
000146 |     if (save)
000147 |     {
000148 |         Save();
000149 |     }
000150 |
000151 |     return settingsExist;
000152 | }
000153 |
000154 |     override bool OnSave()
000155 |     {
000156 | #ifdef EXPANSIONTRACE
```

```
000156 |         auto trace = CF_Trace_0(ExpansionTracing.SETTINGS, this, "OnSave");
000157 |     #endif
000158 |
000159 |         JsonFileLoader<ExpansionNotificationSchedulerSettings>.JsonSaveFile( EXPANSION_NOTIFICATIONSCHEDULER_SETTINGS, this );
000160 |
000161 |         return true;
000162 |     }
000163 |
000164 |     override void Update( ExpansionSettingBase setting )
000165 |     {
000166 |     #ifdef EXPANSIONTRACE
000167 |         auto trace = CF_Trace_1(ExpansionTracing.SETTINGS, this, "Update").Add(setting);
000168 |     #endif
000169 |
000170 |         super.Update( setting );
000171 |
000172 |         ExpansionSettings.SI_NotificationScheduler.Invoke();
000173 |     }
000174 |
000175 |     override void Defaults()
000176 |     {
000177 |         m_Version = VERSION;
000178 |
000179 |         Enabled = false;
000180 |         UTC = false;
000181 |         UseMissionTime = false;
000182 |
000183 |         ExpansionNotificationSchedule schedule = new ExpansionNotificationSchedule();
000184 |         schedule.Hour = 22;
000185 |         schedule.Minute = 00;
000186 |         schedule.Second = 0;
000187 |         schedule.Title = "Notification Schedule Test 1";
000188 |         schedule.Text = "Lorem ipsum dolor sit amet";
000189 |         schedule.Icon = "Info";
000190 |         Notifications.Insert(schedule);
000191 |
000192 |         schedule = new ExpansionNotificationSchedule();
000193 |         schedule.Hour = 22;
000194 |         schedule.Minute = 01;
000195 |         schedule.Second = 0;
000196 |         schedule.Title = "Notification Schedule Test 2";
000197 |         schedule.Text = "Lorem ipsum dolor sit amet";
000198 |         schedule.Icon = "Info";
000199 |         Notifications.Insert(schedule);
000200 |     }
000201 |
000202 |     override string SettingName()
000203 |     {
000204 |         return "Notification Scheduler Settings";
000205 |     }
000206 | };
```

0357. PBO TEXT FILE

Path: core pbo files expan/notificationscheduler_scripts.pbo :: 3_Game\DayZExpansion_NotificationScheduler\ExpansionSettings.c
Size bytes: 877
SHA-256: fa7ce8092f254e62b1bf4139270bcf20c9ab5fdffd919fb6043ea6b6805341fb
Decoded as: utf-8-sig
Line count shown: 33
Detected class declarations: 1
 L13: modded class ExpansionSettings
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L17: override void Init()
 L28: ExpansionNotificationSchedulerSettings GetNotificationScheduler(bool checkLoaded = true)

Full file content

```
000001 | /**
000002 |  * ExpansionSettings.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class ExpansionSettings
000014 | {
000015 |     static ref ScriptInvoker SI_NotificationScheduler = new ScriptInvoker();
000016 |
000017 |     override void Init()
000018 |     {
000019 | #ifdef EXPANSIONTRACE
000020 |         auto trace = CF_Trace_0(ExpansionTracing.SETTINGS, this, "Init");
000021 | #endif
000022 |
000023 |         super.Init();
000024 |
000025 |         Init(ExpansionNotificationSchedulerSettings);
000026 |     }
000027 |
000028 |     ExpansionNotificationSchedulerSettings GetNotificationScheduler(bool checkLoaded = true)
000029 |     {
000030 |         return ExpansionNotificationSchedulerSettings.Cast(Get(ExpansionNotificationSchedulerSettings, checkLoaded));
000031 |     }
000032 | };
000033 |
```

0358. PBO TEXT FILE

```
Path: core pbo files expan/vanillafixes_scripts.pbo :: 3_Game\DayZExpansion_VanillaFixes\DayZGame.c
Size bytes: 4833
SHA-256: adcc16c4dfff05005601413fc6e840e2c97c39b7b1952419b888c6306591d5232
Decoded as: utf-8-sig
Line count shown: 171
Detected class declarations: 1
  L13: modded class DayZGame
Detected enum declarations: 0
Detected function/method-like declarations: 8
  L16: LoginTimeBase Expansion_GetLoginTimeScreen()
  L21: void Expansion_RestoreRespawnTimeScreen()
  L46: override void CancelLoginTimeCountdown()
  L74: private bool Expansion_UseMouse()
  L83: private bool Expansion_UseKeyboard()
  L92: private bool Expansion_UseGamepad()
  L97: private void Expansion_UnlockControls()
  L131: void Expansion_SuppressVanillaInvalidImpactSurfaceSpam(Object directHit, inout string surface, string ammoType)
```

Full file content

```
000001 | /**
000002 |  * DayZGame.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class DayZGame
000014 | {
000015 |     //! Workaround for respawn timer closing prematurely (see accompanying changes to OnPlayerLoaded in 4_World/DayZExpansion_VanillaFixes/PlayerBase.c)
000016 |     LoginTimeBase Expansion_GetLoginTimeScreen()
000017 |     {
000018 |         return m_LoginTimeScreen;
000019 |     }
000020 |
000021 |     void Expansion_RestoreRespawnTimeScreen()
000022 |     {
000023 |         if ((!m_LoginTimeScreen || m_LoginTimeScreen.IsClosing()) && m_LoginTime > 0)
000024 |         {
000025 |             if (m_LoginTimeScreen)
000026 |             {
000027 |                 UIMenuPanel parentUIMenuPanel = m_LoginTimeScreen.GetParentMenu();
000028 |                 EXError.Info(this, "Respawn time screen is closing, entering new using parent " + parentUIMenuPanel);
000029 |                 EnterLoginTime(parentUIMenuPanel);
000030 |             }
000031 |             else
000032 |             {
000033 |                 UIScriptedMenu parentUIScriptedMenu = GetUIManager().GetMenu();
000034 |                 EXError.Info(this, "Respawn time screen is null, entering new using parent " + parentUIScriptedMenu);
000035 |                 EnterLoginTime(parentUIScriptedMenu);
000036 |             }
000037 |
000038 |             m_LoginTimeScreen.SetRespawn(true);
000039 |             m_LoginTimeScreen.SetTime(m_LoginTime);
```

```
000040 |         m_LoginTimeScreen.Show();
000041 |     }
000042 | }
000043 |
000044 | #ifndef SERVER
000045 | ///! Fix for vehicle HUD being visible after connect due to vanilla sometimes not properly handling closing of login timer UI
000046 | override void CancelLoginTimeCountdown()
000047 | {
000048 |     super.CancelLoginTimeCountdown();
000049 |
000050 |     auto menu = GetUIManager().GetMenu();
000051 |     if (!menu)
000052 |         return;
000053 |
000054 |     auto loginTime = LoginTimeBase.Cast(menu);
000055 |     if (!loginTime)
000056 |         return;
000057 |
000058 |     EXLogPrint("Closing " + loginTime);
000059 |
000060 |     if (loginTime.IsStatic())
000061 |     {
000062 |         loginTime.Hide();
000063 |         delete loginTime;
000064 |     }
000065 |     else
000066 |     {
000067 |         loginTime.Close();
000068 |     }
000069 |
000070 |     Expansion_UnlockControls();
000071 | }
000072 | #endif
000073 |
000074 | private bool Expansion_UseMouse()
000075 | {
000076 |     #ifdef PLATFORM_CONSOLE
000077 |         return g_Game.GetInput().IsEnabledMouseAndKeyboardEvenOnServer();
000078 |     #else
000079 |         return true;
000080 |     #endif
000081 | }
000082 |
000083 | private bool Expansion_UseKeyboard()
000084 | {
000085 |     #ifdef PLATFORM_CONSOLE
000086 |         return g_Game.GetInput().IsEnabledMouseAndKeyboardEvenOnServer();
000087 |     #else
000088 |         return true;
000089 |     #endif
000090 | }
000091 |
000092 | private bool Expansion_UseGamepad()
000093 | {
000094 |     return true;
000095 | }
000096 |
000097 | private void Expansion_UnlockControls()
000098 | {
000099 |     if (Expansion_UseMouse())
000100 |     {
000101 |         GetInput().ChangeGameFocus(-1, INPUT_DEVICE_MOUSE);
```

```
000102 |     }
000103 |
000104 |     auto menu = GetUIManager().GetMenu();
000105 | #ifdef EXPANSIONUI
000106 |     auto scriptViewMenu = GetExpansionGame().GetExpansionUIManager().GetMenu();
000107 | #else
000108 |     bool scriptViewMenu;
000109 | #endif
000110 |
000111 |     if ((menu && menu.UseMouse()) || scriptViewMenu)
000112 |     {
000113 |         GetUIManager().ShowUICursor(true);
000114 |     }
000115 |     else
000116 |     {
000117 |         GetUIManager().ShowUICursor(false);
000118 |     }
000119 |
000120 |     if (Expansion_UseKeyboard())
000121 |     {
000122 |         GetInput().ChangeGameFocus(-1, INPUT_DEVICE_KEYBOARD);
000123 |     }
000124 |
000125 |     if (Expansion_UseGamepad())
000126 |     {
000127 |         GetInput().ChangeGameFocus(-1, INPUT_DEVICE_GAMEPAD);
000128 |     }
000129 | }
000130 |
000131 | void Expansion_SuppressVanillaInvalidImpactSurfaceSpam(Object directHit, inout string surface, string ammoType)
000132 | {
000133 |     if (!ImpactMaterials.GetImpactEffect(surface, ammoType))
000134 |     {
000135 |         if (directHit)
000136 |         {
000137 |             string object_type = directHit.GetType();
000138 |
000139 |             if ( object_type == "" )
000140 |                 object_type = "OBJECT_WITHOUT_CONFIG_CLASS";
000141 |
000142 |             if (surface == "")
000143 |                 EXError.ErrorOnce(this, string.Format("Object '%1' with model file: %2 has undefined 'Hit_...' material! Cannot play impact effect.", object_t
ype, directHit.GetShapeName()), {});
000144 |             else
000145 |                 EXError.WarnOnce(this, string.Format("Object '%1' with model file: %2 has unregistered surface impact material <%3>! Register this surface in
ImpactMaterials (Script).", object_type, directHit.GetShapeName(), surface), {});
000146 |         }
000147 |
000148 |         if (surface == "")
000149 |             surface = "Hit_ErrorNoMaterial";
000150 |         else
000151 |             surface = "Hit_Undefined";
000152 |     }
000153 | }
000154 |
000155 | override void FirearmEffects(Object source, Object directHit, int componentIndex, string surface, vector pos, vector surfNormal,
000156 |     vector exitPos, vector inSpeed, vector outSpeed, bool isWater, bool deflected, string ammoType)
000157 | {
000158 |     Expansion_SuppressVanillaInvalidImpactSurfaceSpam(directHit, surface, ammoType);
000159 |
000160 |     super.FirearmEffects(source, directHit, componentIndex, surface, pos, surfNormal, exitPos, inSpeed, outSpeed, isWater, deflected, ammoType);
000161 | }
```

```
000162 |  
000163 |     override void CloseCombatEffects(Object source, Object directHit, int componentIndex, string surface, vector pos, vector surfNormal,  
000164 |         bool isWater, string ammoType)  
000165 |     {  
000166 |         Expansion_SuppressVanillaInvalidImpactSurfaceSpam(directHit, surface, ammoType);  
000167 |  
000168 |         super.CloseCombatEffects(source, directHit, componentIndex, surface, pos, surfNormal, isWater, ammoType);  
000169 |     }  
000170 | }  
000171 |
```


0359. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\EmoteManager.c
Size bytes: 404
SHA-256: bdcca9259939a7428d6d257e7d479b0743bad20d4666891c8431566c87136fe5
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L1: modded class EmoteManager
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L4: override bool PlayEmote(int id)

Full file content

```
000001 | modded class EmoteManager
000002 | {
000003 |     //!< Restore emote logging behavior to 1.23 (https://feedback.bistudio.com/T179312)
000004 |     override bool PlayEmote(int id)
000005 |     {
000006 |         PluginAdminLog adminLog;
000007 |
000008 |         if (m_AdminLog && !LogManager.IsActionLogEnable())
000009 |         {
000010 |             adminLog = m_AdminLog;
000011 |             m_AdminLog = null;
000012 |         }
000013 |
000014 |         bool ret = super.PlayEmote(id);
000015 |
000016 |         if (adminLog)
000017 |             m_AdminLog = adminLog;
000018 |
000019 |         return ret;
000020 |     }
000021 | }
000022 |
```

0360. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\SoundEvents\InfectedSoundEvents\InfectedSoundEventBase.c
Size bytes: 586
SHA-256: 750fc507f84473a6bfe5afb77b67e1a6141886ab21c914ec4dcb6d4f0e032c31
Decoded as: utf-8-sig
Line count shown: 21
Detected class declarations: 1
 L2: modded class InfectedSoundEventBase
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L4: void ~InfectedSoundEventBase()

Full file content

```
000001 | //! Fix vanilla not removing PosUpdate from call queue if InfectedSoundEventBase::Stop was never called
000002 | modded class InfectedSoundEventBase
000003 | {
000004 |     void ~InfectedSoundEventBase()
000005 |     {
000006 |         if (!g_Game)
000007 |             return;
000008 |
000009 |         ScriptCallQueue callQueue = g_Game.GetCallQueue(CALL_CATEGORY_GAMEPLAY);
000010 |         int remaining = callQueue.GetRemainingTimeByName(this, "PosUpdate");
000011 |         if (remaining > -1)
000012 |         {
000013 |             #ifdef DIAG_DEVELOPER
000014 |                 EXTrace.Print(EXTrace.AI, this, "~InfectedSoundEventBase PosUpdate remaining time " + remaining);
000015 |             #endif
000016 |
000017 |             callQueue.RemoveByName(this, "PosUpdate");
000018 |         }
000019 |     }
000020 | }
000021 |
```

0361. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\UserActionsComponent\Actions\Continuous\ActionDigOutStash.c
Size bytes: 612
SHA-256: ff1993b12e7fd50c46f912d518f60d3fe55f96fdfe5828e4971a08be66b625f3
Decoded as: utf-8-sig
Line count shown: 25
Detected class declarations: 1
 L2: modded class DigOutStashLambda
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L4: override void Execute(HumanInventoryWithFSM fsm_to_notify = null)

Full file content

```
000001 | ///! Fix vanilla unnecessarily creating network overhead for what should be a simple move operation
000002 | modded class DigOutStashLambda
000003 | {
000004 |     override void Execute(HumanInventoryWithFSM fsm_to_notify = null)
000005 |     {
000006 |         array<EntityAI> children = new array<EntityAI>;
000007 |         m_OldItem.GetInventory().EnumerateInventory(InventoryTraversalType.LEVELORDER, children);
000008 |         foreach (EntityAI child : children)
000009 |         {
000010 |             if (child)
000011 |             {
000012 |                 if (!m_OldItem.GetInventory().DropEntity(InventoryMode.SERVER, m_OldItem, child))
000013 |                 {
000014 |                     OnAbort();
000015 |                     return;
000016 |                 }
000017 |             }
000018 |         }
000019 |
000020 |         DeleteOldEntity();
000021 |
000022 |         OnSuccess(null);
000023 |     }
000024 | }
000025 |
```

0362. PBO TEXT FILE

```

Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\UserActionsComponent\Actions\Continuous\ActionRepairPart.c
Size bytes: 1230
SHA-256: db01d137c10b8ec7de18f43effc399a8c8277c7816a41d65d522b937528b0c8a
Decoded as: utf-8-sig
Line count shown: 38
Detected class declarations: 1
  L13: modded class ActionRepairPart
Detected enum declarations: 0
Detected function/method-like declarations: 1
  L16: override protected bool RepairCondition(PlayerBase player, ActionTarget target, ItemBase item, bool camera_check)

```

Full file content

```

000001 | /**
000002 |  * ActionRepairPart.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionRepairPart
000014 | {
000015 |     ///! Fix for T166880: Check if the part is even built before offering it for repair
000016 |     override protected bool RepairCondition(PlayerBase player, ActionTarget target, ItemBase item, bool camera_check)
000017 |     {
000018 |         if (!super.RepairCondition(player, target, item, camera_check))
000019 |             return false;
000020 |
000021 |         Object target_object = target.GetObject();
000022 |
000023 |         BaseBuildingBase base_building;
000024 |         if ( target_object && target_object.CanUseConstruction() && Class.CastTo(base_building, target_object) )
000025 |         {
000026 |             string part_name = target_object.GetActionComponentName( target.GetComponentIndex() );
000027 |
000028 |             Construction construction = base_building.GetConstruction();
000029 |             ConstructionPart construction_part = construction.GetConstructionPart( part_name );
000030 |
000031 |             if ( construction_part && !construction_part.IsBuilt() )
000032 |                 return false;
000033 |         }
000034 |
000035 |         return true;
000036 |     }
000037 | }
000038 |

```

0363. PBO TEXT FILE

```

Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\UserActionsComponent\Actions\Continuous\ActionUnrestrainTarget.c
Size bytes: 1153
SHA-256: 27aa989428a6b94061e753ea4293bca88dba8327a3a2b0a9a59a079132e576df
Decoded as: utf-8-sig
Line count shown: 32
Detected class declarations: 1
  L13: modded class ReplaceAndDestroyLambda
Detected enum declarations: 0
Detected function/method-like declarations: 1
  L15: override void CopyOldPropertiesToNew(notnull EntityAI old_item, EntityAI new_item)

```

Full file content

```

000001 | /**
000002 |  * ReplaceAndDestroyLambda.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ReplaceAndDestroyLambda
000014 | {
000015 |     override void CopyOldPropertiesToNew(notnull EntityAI old_item, EntityAI new_item)
000016 |     {
000017 |         if (old_item && new_item && m_TransferAgents && m_TransferVariables && !m_ExcludeQuantity)
000018 |         {
000019 |             EXPrint(ToString() + "::CopyOldPropertiesToNew " + old_item + " " + new_item);
000020 |
000021 |             //! Properly transfer all data associated with old item
000022 |             ScriptReadWriteContext ctx = new ScriptReadWriteContext;
000023 |             old_item.OnStoreSave(ctx.GetWriteContext());
000024 |             new_item.OnStoreLoad(ctx.GetReadContext(), g_Game.SaveVersion());
000025 |             new_item.AfterStoreLoad();
000026 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Call(new_item.EEOnAfterLoad);  //! Make sure EEOnAfterLoad gets called AFTER whole hierarchy has loaded
000027 |         }
000028 |
000029 |         super.CopyOldPropertiesToNew(old_item, new_item);
000030 |     }
000031 | }
000032 |

```

0364. PBO TEXT FILE

```
Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\Creatures\Animals\AnimalBase.c
Size bytes: 4994
SHA-256: dee3f800d40ab206e28cf96d9350e37a36e5c514ba330c468e97a7c958291c00
Decoded as: utf-8-sig
Line count shown: 155
Detected class declarations: 1
  L1: modded class AnimalBase
Detected enum declarations: 0
Detected function/method-like declarations: 10
  L10: void AnimalBase()
  L19: void ~AnimalBase()
  L34: override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string am
  L49: override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector mo
  L57: override void EEKilled(Object killer)
  L66: override void EEDelete(EntityAI parent)
  L74: void Expansion_CheckCreateNavmeshCarver()
  L85: void Expansion_CreateNavmeshCarver()
  L133: override void SetAsSkinned()
  L141: override void OnVariablesSynchronized()
```

Full file content

```
000001 | modded class AnimalBase
000002 | {
000003 |     EntityAI m_Expansion_LastDamageSource;
000004 |
000005 |     ExpansionNavmeshCarver m_Expansion_NavmeshCarver;
000006 |
000007 |     protected int m_Expansion_NavmeshCarverNetIdLow;
000008 |     protected int m_Expansion_NavmeshCarverNetIdHigh;
000009 |
000010 |     void AnimalBase()
000011 |     {
000012 |         if (ConfigGetBool("useExpansionNavMeshCarver"))
000013 |         {
000014 |             RegisterNetSyncVariableInt("m_Expansion_NavmeshCarverNetIdLow");
000015 |             RegisterNetSyncVariableInt("m_Expansion_NavmeshCarverNetIdHigh");
000016 |         }
000017 |     }
000018 |
000019 |     void ~AnimalBase()
000020 |     {
000021 |         if (!g_Game)
000022 |             return;
000023 |
000024 |         if (g_Game.IsServer() && ConfigGetBool("useExpansionNavMeshCarver"))
000025 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Remove(Expansion_CheckCreateNavmeshCarver);
000026 |     }
000027 |
000028 |     /// Workaround for vanilla passing killed entity as killer to EEKilled since 1.20
000029 |     /// Just check if killer is killed entity in EEKilled and then use m_Expansion_LastDamageSource instead of killer
000030 |     /// Vanilla events are fired in this order for each hit:
000031 |     /// EEOnDamageCalculated
000032 |     /// EEHitBy (IsAlive() still true)
000033 |     /// EEKilled (within EEHitBy)
000034 |     override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPo
000035 | s, float speedCoef)
000036 |     {
000037 |         bool applyDamage = super.EEOnDamageCalculated(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
```

```
000037 |
000038 | #ifdef DIAG_DEVELOPER
000039 |     EXTrace.PrintHit(EXTrace.MISC, this, "EEOnDamageCalculated - apply damage? " + applyDamage, damageResult, damageType, source, component, dmgZone, ammo, mo
delPos, speedCoef);
000040 | #endif
000041 |
000042 |     if (applyDamage)
000043 |         m_Expansion_LastDamageSource = source;
000044 |
000045 |     return applyDamage;
000046 | }
000047 |
000048 | #ifdef DIAG_DEVELOPER
000049 |     override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float spee
dCoef)
000050 |     {
000051 |         EXTrace.PrintHit(EXTrace.MISC, this, "EEHitBy", damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000052 |
000053 |         super.EEHitBy(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000054 |     }
000055 | #endif
000056 |
000057 |     override void EEKilled(Object killer)
000058 |     {
000059 |         super.EEKilled(killer);
000060 |
000061 |         //! Since some dead animals have collision, carve navmesh so AI don't get stuck
000062 |         if (g_Game.IsServer() && ConfigGetBool("useExpansionNavMeshCarver"))
000063 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(Expansion_CheckCreateNavmeshCarver, 100, true);
000064 |     }
000065 |
000066 |     override void EEDelete(EntityAI parent)
000067 |     {
000068 |         super.EEDelete(parent);
000069 |
000070 |         if (m_Expansion_NavmeshCarver)
000071 |             g_Game.ObjectDelete(m_Expansion_NavmeshCarver);
000072 |     }
000073 |
000074 |     void Expansion_CheckCreateNavmeshCarver()
000075 |     {
000076 |         //! Wait until ragdoll finished
000077 |         if (!dBodyIsActive(this))
000078 |         {
000079 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Remove(Expansion_CheckCreateNavmeshCarver);
000080 |
000081 |             Expansion_CreateNavmeshCarver();
000082 |         }
000083 |     }
000084 |
000085 |     void Expansion_CreateNavmeshCarver()
000086 |     {
000087 |         vector pos;
000088 |         vector dir;
000089 |
000090 |         int idx1;
000091 |         int idx2;
000092 |         int idx3;
000093 |
000094 |         idx1 = GetBoneIndexByName("head");
000095 |         idx2 = GetBoneIndexByName("pelvis");
000096 |         idx3 = GetBoneIndexByName("rbleg2");
```

```

000097 |
000098 |     if (idx1 > -1 && idx2 > -1 && idx3 > -1)
000099 |     {
000100 |         vector pos1 = GetBonePositionWS(idx1);
000101 |         vector pos2 = GetBonePositionWS(idx2);
000102 |         vector pos3 = GetBonePositionWS(idx3);
000103 |
000104 |         pos3[1] = pos2[1];
000105 |
000106 |         dir = vector.Direction(pos1, pos3);
000107 |
000108 |         EXTrace.Print(EXTrace.MISC, this, string.Format("head to back leg %1 m", dir.Length()));
000109 |
000110 |         ///! Animal_UrsusArctos = ~1.7..1.8 m
000111 |         ///! Animal_BosTaurus = ~2.1 m
000112 |         if (dir.Length() < 1.7) ///! Not a large animal
000113 |             return;
000114 |
000115 |         pos = pos1 + dir * 0.55;
000116 |         pos[1] = GetPosition()[1];
000117 |     }
000118 |     else
000119 |     {
000120 |         dir = GetDirection();
000121 |         pos = GetPosition();
000122 |     }
000123 |
000124 |     EXTrace.Print(EXTrace.MISC, this, "Creating navmesh carver at " + pos);
000125 |     if (Class.CastTo(m_Expansion_NavmeshCarver, g_Game.CreateObjectEx("ExpansionLargeAnimalNavmeshCarver", pos, ECE_CREATEPHYSICS | ECE_NOLIFETIME | ECE_KEEPEIGHT)))
000126 |     {
000127 |         m_Expansion_NavmeshCarver.SetDirection(dir);
000128 |         m_Expansion_NavmeshCarver.Expansion_SetAssociatedObject(this);
000129 |         m_Expansion_NavmeshCarver.GetNetworkID(m_Expansion_NavmeshCarverNetIdLow, m_Expansion_NavmeshCarverNetIdHigh);
000130 |     }
000131 | }
000132 |
000133 | override void SetAsSkinned()
000134 | {
000135 |     if (m_Expansion_NavmeshCarver)
000136 |         m_Expansion_NavmeshCarver.SetPosition(vector.Zero); ///! So skinned items are not placed on top of navmesh carver
000137 |
000138 |     super.SetAsSkinned();
000139 | }
000140 |
000141 | override void OnVariablesSynchronized()
000142 | {
000143 |     super.OnVariablesSynchronized();
000144 |
000145 |     if (!m_Expansion_NavmeshCarver && (m_Expansion_NavmeshCarverNetIdLow != 0 || m_Expansion_NavmeshCarverNetIdHigh != 0))
000146 |     {
000147 |         if (Class.CastTo(m_Expansion_NavmeshCarver, g_Game.GetObjectByNetworkId(m_Expansion_NavmeshCarverNetIdLow, m_Expansion_NavmeshCarverNetIdHigh)))
000148 |         {
000149 |             EXTrace.Print(EXTrace.MISC, this, "OnVariablesSynchronized - navmesh carver " + m_Expansion_NavmeshCarver);
000150 |             m_Expansion_NavmeshCarver.Expansion_SetAssociatedObject(this);
000151 |         }
000152 |     }
000153 | }
000154 | }
000155 |

```


0365. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\Grenade_Base\SmokeGrenadeBase.c
Size bytes: 930
SHA-256: a48bb91a7707dd8a0fb8009eabb4d72b54e7fcfaa6af2835af5f9d6848b56104
Decoded as: utf-8-sig
Line count shown: 33
Detected class declarations: 1
 L1: modded class SmokeGrenadeBase
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L9: override protected void OnExplode()

Full file content

```
000001 | modded class SmokeGrenadeBase
000002 | {
000003 |     ///! SmokeGrenadeBase inherits from Grenade_Base which inherits from ExplosivesBase
000004 |     ///! SmokeGrenadeBase calls DestroySmokeGrenade in OnWorkStop, which sets grenade health to zero,
000005 |     ///! which in turn causes ExplosivesBase::EEKilled to fire, which calls InitiateExplosion -> OnExplode,
000006 |     ///! which starts a timer to call DeleteSafe, which deletes the grenade and makes the smoke particle stop abruptly.
000007 |     ///! Prevent this by turning OnExplode into a no-op for chemical and nonlethal smoke grenades w/o defined ammo.
000008 |     ///! https://feedback.bistudio.com/T189673
000009 |     override protected void OnExplode()
000010 |     {
000011 |         switch (GetGrenadeType())
000012 |         {
000013 |             case EGrenadeType.CHEMICAL:
000014 |             case EGrenadeType.NON_LETHAL:
000015 |                 bool hasAmmo;
000016 |
000017 |                 foreach (string ammoType: m_AmmoTypes)
000018 |                 {
000019 |                     if (ammoType)
000020 |                     {
000021 |                         hasAmmo = true;
000022 |                         break;
000023 |                     }
000024 |                 }
000025 |
000026 |                 if (!hasAmmo)
000027 |                     return;
000028 |             }
000029 |
000030 |             super.OnExplode();
000031 |         }
000032 |     }
000033 | }
```

0366. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ItemBase.c

Size bytes: 1811

SHA-256: c12ca86cb99f18b0b9f93247838ffae8941f5a90bd3b5b5543647f4870a92b6c

Decoded as: utf-8-sig

Line count shown: 57

Detected class declarations: 1

L1: modded class ItemBase

Detected enum declarations: 0

Detected function/method-like declarations: 3

L9: override int GetLiquidType()

L17: override void EEOnCECreate()

L31: override void OnCEUpdate()

Full file content

```
000001 | modded class ItemBase
000002 | {
000003 |     float m_Expansion_CECreationTimestamp;
000004 |
000005 | #ifdef EXPANSION_DEBUG_LIFETIME
000006 |     bool m_Expansion_PrintCELifetime;
000007 | #endif
000008 |
000009 |     override int GetLiquidType()
000010 |     {
000011 |         if (m_VarLiquidType != LIQUID_NONE && !Liquid.m_LiquidInfosByType[m_VarLiquidType])
000012 |             EXError.ErrorOnce(this, "Item " + GetType() + " is misconfigured - liquid type " + m_VarLiquidType + " is not in CfgLiquidDefinitions!", {});
000013 |
000014 |         return super.GetLiquidType();
000015 |     }
000016 |
000017 |     override void EEOnCECreate()
000018 |     {
000019 |         super.EEOnCECreate();
000020 |
000021 |         ///! @note lifetime for newly created items will always be zero in EEOnCECreate
000022 |         ///! and set to a higher value by the game afterwards as a means of staggered de- and respawning
000023 |         ///! (see https://feedback.bistudio.com/T194225#2873138 for likely explanation)
000024 |         ///! To truly override the initial lifetime, we need to wait for the 1st OnCEUpdate after creation
000025 |         ///! (lifetime will still tick down slightly too slowly, but we're not attempting to fix that
000026 |         ///! since it could interfere with lifetime being adjusted by other means)
000027 |         if (GetExpansionSettings().GetCore().ForceExactCEItemLifetime)
000028 |             m_Expansion_CECreationTimestamp = g_Game.GetTickTime();
000029 |     }
000030 |
000031 |     override void OnCEUpdate()
000032 |     {
000033 |         super.OnCEUpdate();
000034 |
000035 |         if (m_Expansion_CECreationTimestamp > 0)
000036 |         {
000037 |             float elapsed = g_Game.GetTickTime() - m_Expansion_CECreationTimestamp;
000038 |
000039 |             m_Expansion_CECreationTimestamp = 0;
000040 |
000041 |             float lifetimeMax = GetLifetimeMax();
000042 |
000043 |             if (GetLifetime() > lifetimeMax)
000044 |                 SetLifetime(lifetimeMax - elapsed);
```

```
000045 |  
000046 |     #ifdef EXPANSION_DEBUG_LIFETIME  
000047 |         m_Expansion_PrintCELifetime = true;  
000048 |     #endif  
000049 |     }  
000050 |  
000051 |     #ifdef EXPANSION_DEBUG_LIFETIME  
000052 |         if (m_Expansion_PrintCELifetime)  
000053 |             EXTrace.Print(EXTrace.CE, this, string.Format("OnCEUpdate lifetime %1", GetLifetime()));  
000054 |     #endif  
000055 |     }  
000056 | }  
000057 |
```

0367. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ItemBase\EasterEgg.c
Size bytes: 449
SHA-256: 6954543e9c737b8f3e7ba5f8a5076f7e7ff4a8e578a7fc47f3b6cecd883d4d15
Decoded as: utf-8-sig
Line count shown: 21
Detected class declarations: 1
 L1: modded class EasterEgg
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L4: override void OnInventoryEnter(Man player)
 L13: override void OnInventoryExit(Man player)

Full file content

```
000001 | modded class EasterEgg
000002 | {
000003 |     //! Vanilla doesn't call super >:(
000004 |     override void OnInventoryEnter(Man player)
000005 |     {
000006 |         super.OnInventoryEnter(player);
000007 |
000008 |         if (m_Expansion_CurrentOwner != player)
000009 |             Expansion_OnInventoryEnter(player);
000010 |     }
000011 |
000012 |     //! Vanilla doesn't call super >:(
000013 |     override void OnInventoryExit(Man player)
000014 |     {
000015 |         super.OnInventoryExit(player);
000016 |
000017 |         if (m_Expansion_CurrentOwner == player)
000018 |             Expansion_OnInventoryExit(player);
000019 |     }
000020 | }
000021 |
```

0368. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ItemBase\FireworksBase.c
Size bytes: 244
SHA-256: 08807e83727b500dd1c249b4f3faf3eef39bc9a26df202884dea4614fed30920
Decoded as: utf-8-sig
Line count shown: 12
Detected class declarations: 1
 L1: modded class FireworksBase
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L4: override void OnInventoryEnter(Man player)

Full file content

```
000001 | modded class FireworksBase
000002 | {
000003 |     //! Vanilla doesn't call super >:(
000004 |     override void OnInventoryEnter(Man player)
000005 |     {
000006 |         super.OnInventoryEnter(player);
000007 |
000008 |         if (m_Expansion_CurrentOwner != player)
000009 |             Expansion_OnInventoryEnter(player);
000010 |     }
000011 | }
000012 |
```

0369. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ItemBase\Trap_TripWire.c
Size bytes: 243
SHA-256: 1f8fc1e1cd56c924b6feee6fb95524b14e346700a8d59dbd03845beaf672aaa4
Decoded as: utf-8-sig
Line count shown: 12
Detected class declarations: 1
 L1: modded class TripwireTrap
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L4: override void OnInventoryEnter(Man player)

Full file content

```
000001 | modded class TripwireTrap
000002 | {
000003 |     //! Vanilla doesn't call super >:(
000004 |     override void OnInventoryEnter(Man player)
000005 |     {
000006 |         super.OnInventoryEnter(player);
000007 |
000008 |         if (m_Expansion_CurrentOwner != player)
000009 |             Expansion_OnInventoryEnter(player);
000010 |     }
000011 | }
000012 |
```

0370. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ManBase\PlayerBase.c

Size bytes: 1416

SHA-256: 8fc3ad9f984f0fc987749130e2ad0f031e9b2dcd7b41aa08bb53ce91598da79b

Decoded as: utf-8-sig

Line count shown: 46

Detected class declarations: 1

L14: modded class PlayerBase

Detected enum declarations: 0

Detected function/method-like declarations: 1

L16: override void OnPlayerLoaded()

Full file content

```
000001 | /**
000002 |  * PlayerBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifndef SERVER
000014 | modded class PlayerBase
000015 | {
000016 |     override void OnPlayerLoaded()
000017 |     {
000018 | #ifdef TRACE
000019 |         auto trace = EXTrace.Start(ExpansionTracing.RESPAWN, this);
000020 | #endif
000021 |
000022 |         //! Workaround for vanilla timing bug. It's basically chance if OnPlayerLoaded gets called before or after OnRespawnEvent is received on client,
000023 |         //! which has the effect that if a server is using respawnTime > 0 and OnRespawnEvent is received before OnPlayerLoaded is called,
000024 |         //! then the respawn timer screen may be closed before the countdown finishes due to the call to g_Game.GetUIManager().CloseAll() in OnPlayerLoaded.
000025 |
000026 |         bool hasRespawnTimeScreen;
000027 |
000028 |         if (IsControlledPlayer() && m_Hud)
000029 |         {
000030 |             LoginTimeBase loginTimeScreen = GetDayZGame().Expansion_GetLoginTimeScreen();
000031 |             if (loginTimeScreen && loginTimeScreen.IsRespawn() && loginTimeScreen.IsVisible() && !loginTimeScreen.IsClosing())
000032 |             {
000033 |                 hasRespawnTimeScreen = true;
000034 |             }
000035 |         }
000036 |
000037 |         super.OnPlayerLoaded();
000038 |
000039 |         if (hasRespawnTimeScreen)
000040 |         {
000041 |             GetDayZGame().Expansion_RestoreRespawnTimeScreen();
000042 |         }
000043 |     }
000044 | };
000045 | #endif
000046 |
```

0371. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\Vehicles\CarScript.c
 Size bytes: 3062
 SHA-256: 29ad4063e0204d7aabdf81ad54c1c9d555081e73ebfa175268b4ba966878alca
 Decoded as: utf-8-sig
 Line count shown: 96
 Detected class declarations: 1
 L1: modded class CarScript
 Detected enum declarations: 0
 Detected function/method-like declarations: 4
 L6: override bool IsAreaAtDoorFree(int currentSeat, float maxAllowedObjHeight, inout vector extents, out vector transform[4])
 L57: override bool IsAreaAtDoorFree(int currentSeat, float maxAllowedObjHeight = 0.5, float horizontalExtents = 0.5, float playerHeight = 1.7)
 L69: return IsAreaAtDoorFree(currentSeat, maxAllowedObjHeight, extents, transform);
 L72: override Shape DebugFreeAreaAtDoor(int currentSeat, float maxAllowedObjHeight = 0.5, float horizontalExtents = 0.5, float playerHeight = 1.

Full file content

```
000001 | modded class CarScript
000002 | {
000003 |     ///! Prevent being able to glitch through base walls etc when getting out vehicle
000004 |     ///! Mostly a verbatim copy of vanilla IsAreaAtDoorFree, but stretches the extents so that the whole area from door to
000005 |     ///! get out position is checked, and has exception for our BB because it has no collision box (TODO: why?! we should fix this)
000006 |     override bool IsAreaAtDoorFree( int currentSeat, float maxAllowedObjHeight, inout vector extents, out vector transform[4] )
000007 |     {
000008 |         GetTransform(transform);
000009 |
000010 |         vector crewPos;
000011 |         vector crewDir;
000012 |         CrewEntry( currentSeat, crewPos, crewDir );
000013 |
000014 |         ///! Adjust bbox depth so it stretches to the vehicle
000015 |         extents[2] = extents[2] + crewDir.Length();
000016 |
000017 |         vector entry[4];
000018 |         entry[2] = crewDir;
000019 |         entry[0] = vector.Up * crewDir;
000020 |         entry[1] = entry[2] * entry[0];
000021 |         entry[3] = crewPos + crewDir * 0.5;    ///! Adjust bbox position for altered depth
000022 |
000023 |         Math3D.MatrixMultiply4( transform, entry, transform );
000024 |
000025 |         vector position = transform[3];
000026 |         vector orientation = Math3D.MatrixToAngles(transform);
000027 |
000028 |         position[1] = position[1] + maxAllowedObjHeight + (extents[1] * 0.5);
000029 |
000030 |         array<Object> excluded = new array<Object>;
000031 |         array<Object> collided = new array<Object>;
000032 |
000033 |         excluded.Insert(this);
000034 |
000035 |         g_Game.IsBoxColliding(position, orientation, extents, excluded, collided);
000036 |
000037 |         orientation.RotationMatrixFromAngles(transform);
000038 |         transform[3] = position;
000039 |
000040 |         foreach (Object o : collided)
000041 |         {
000042 |             EntityAI e = EntityAI.Cast(o);
000043 |             if (IsIgnoredObject(o))
```



```
000044 |         continue;
000045 |
000046 |         vector minmax[2];
000047 |         if (o.GetCollisionBox(minmax))
000048 |             return false;
000049 |
000050 |         if (o.IsInherited(ExpansionBaseBuilding))
000051 |             return false;
000052 |     }
000053 |
000054 |     return true;
000055 | }
000056 |
000057 | override bool IsAreaAtDoorFree( int currentSeat, float maxAllowedObjHeight = 0.5, float horizontalExtents = 0.5, float playerHeight = 1.7 )
000058 | {
000059 |     vector transform[4];
000060 |     vector extents;
000061 |
000062 |     extents[0] = horizontalExtents;
000063 |     if (playerHeight > maxAllowedObjHeight)
000064 |         extents[1] = playerHeight - maxAllowedObjHeight; //! extents height needs to be adjusted for maxAllowedObjHeight
000065 |     else
000066 |         extents[1] = playerHeight;
000067 |     extents[2] = horizontalExtents;
000068 |
000069 |     return IsAreaAtDoorFree( currentSeat, maxAllowedObjHeight, extents, transform );
000070 | }
000071 |
000072 | override Shape DebugFreeAreaAtDoor( int currentSeat, float maxAllowedObjHeight = 0.5, float horizontalExtents = 0.5, float playerHeight = 1.7 )
000073 | {
000074 |     int color = ARGB(20, 0, 255, 0);
000075 |
000076 |     vector transform[4];
000077 |     vector extents;
000078 |
000079 |     extents[0] = horizontalExtents;
000080 |     if (playerHeight > maxAllowedObjHeight)
000081 |         extents[1] = playerHeight - maxAllowedObjHeight; //! extents height needs to be adjusted for maxAllowedObjHeight
000082 |     else
000083 |         extents[1] = playerHeight;
000084 |     extents[2] = horizontalExtents;
000085 |
000086 |     if (!IsAreaAtDoorFree( currentSeat, maxAllowedObjHeight, extents, transform ))
000087 |     {
000088 |         color = ARGB(20, 255, 0, 0);
000089 |     }
000090 |
000091 |     Shape shape = Debug.DrawBox(-extents * 0.5, extents * 0.5, color);
000092 |     shape.SetMatrix(transform);
000093 |     return shape;
000094 | }
000095 | }
000096 |
```

0372. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Plugins\PluginManager.c

Size bytes: 631

SHA-256: 800c2c56fd6068539f6f672fc434e4ed93f431327b32dabfc60b98418161888f

Decoded as: utf-8-sig

Line count shown: 18

Detected class declarations: 1

 L3: modded class PluginManager

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L5: override protected void RegisterPluginDebug(string plugin_class_name, bool reg_on_client, bool reg_on_server)

Full file content

```
000001 | #ifndef DAYZ_1_28
000002 | #ifdef DIAG
000003 | modded class PluginManager
000004 | {
000005 |     override protected void RegisterPluginDebug(string plugin_class_name, bool reg_on_client, bool reg_on_server)
000006 |     {
000007 |         //!< Fix NULL ptr errors related to hand events under diag 1.29 due to PluginInventoryDebug not getting registered under diag
000008 |         //!< by forcing reg_on_release to true
000009 |         //!< https://feedback.bistudio.com/T195696
000010 |         if (plugin_class_name == "PluginInventoryDebug")
000011 |             RegisterPlugin(plugin_class_name, reg_on_client, reg_on_server, true);
000012 |         else
000013 |             super.RegisterPluginDebug(plugin_class_name, reg_on_client, reg_on_server);
000014 |     }
000015 | }
000016 | #endif
000017 | #endif
000018 |
```

0373. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 5_Mission\DayZExpansion_VanillaFixes\GUI\DebugMonitor.c
Size bytes: 116
SHA-256: 500a90799647ea18c949ef50ae423a581912c0c62cefa0d8098ba38a730d075d
Decoded as: utf-8-sig
Line count shown: 8
Detected class declarations: 1
 L1: modded class DebugMonitor
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L3: void DebugMonitor()

Full file content

```
000001 | modded class DebugMonitor
000002 | {
000003 |     void DebugMonitor()
000004 |     {
000005 |         m_WidgetRoot.SetFlags(WidgetFlags.IGNOREPOINTER);
000006 |     }
000007 | }
000008 |
```

0374. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 5_Mission\DayZExpansion_VanillaFixes\GUI\IngameHUD.c

Size bytes: 964

SHA-256: 9c70f1e659c5c4643999a95038e39edb2250b0d5a48aa98bf683c6f3455ab91e

Decoded as: utf-8-sig

Line count shown: 27

Detected class declarations: 1

L13: modded class IngameHud

Detected enum declarations: 0

Detected function/method-like declarations: 1

L20: override void SetLeftStatsVisibility(bool visible)

Full file content

```
000001 | /**
000002 |  * IngameHud.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class IngameHud
000014 | {
000015 |     ///! @note DayZ Experimental 1.19 update from 2022-10-24 made a not-modding-friendly change
000016 |     ///! that introduced the bug of always showing vehicle HUD (even vanilla) in inventory menu.
000017 |     ///! In the *hopefully* (AHM) unlekliy event that this bug makes it to DayZ stable (AHM),
000018 |     ///! just uncomment the below commented out code and REMOVE the super.
000019 |     ///! 2022-10-26: Bug made it to stable :/
000020 |     override void SetLeftStatsVisibility(bool visible)
000021 |     {
000022 |         //super.SetLeftStatsVisibility(visible); ///! REMOVE this super call if uncommenting below code
000023 |
000024 |         m_LeftHudPanelWidget.Show(visible);
000025 |     }
000026 | }
000027 |
```

0375. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 5_Mission\DayZExpansion_VanillaFixes\GUI\InventoryNew\VicinityItemManager.c

Size bytes: 254

SHA-256: fb15ebe76fd0f8b4e56a5a0a6761c2365b8af636143852099f4fe4808b69cbf0

Decoded as: utf-8-sig

Line count shown: 15

Detected class declarations: 1

 L1: modded class VicinityItemManager

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L3: override void AddVicinityItems(Object object)

Full file content

```
000001 | modded class VicinityItemManager
000002 | {
000003 |     override void AddVicinityItems(Object object)
000004 |     {
000005 |         int count = m_VicinityItems.Count();
000006 |
000007 |         super.AddVicinityItems(object);
000008 |
000009 |         if (m_VicinityItems.Count() != count)
000010 |         {
000011 |             m_VicinityItems.Sort();
000012 |         }
000013 |     }
000014 | }
000015 |
```

0376. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 5_Mission\DayZExpansion_VanillaFixes\NewUI\Keybindings\KeybindingElementNew.c
Size bytes: 718
SHA-256: ef57538a4eb72f9b706e0d8ecd7929ce14d8d1598f17375a3ee52547436effd6
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L15: modded class KeybindingElementNew
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L17: override string GetLayoutName()

Full file content

```
000001 | /**
000002 |  * KeybindingElementNew.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | ///! Fix controller buttons not being removable or reassignable with DayZ 1.18
000014 | ///! Remove this and the accompanying layout file again when this gets fixed in vanilla DayZ
000015 | modded class KeybindingElementNew
000016 | {
000017 |     override string GetLayoutName()
000018 |     {
000019 |         return "DayZExpansion/VanillaFixes/GUI/layouts/new_ui/options/keybindings_selectors/keybinding_option.layout";
000020 |     }
000021 | }
000022 |
```

0377. PBO TEXT FILE

Path: core pbo files expan/0_core_preload.pbo :: CORE

Size bytes: 0

SHA-256: e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

Decoded as: empty

Line count shown: 0

Full file content

000001 |

0378. PBO TEXT FILE

Path: core pbo files expan/0_modstorage_preload.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0379. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: CORE

Size bytes: 0

SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

Decoded as: empty

Line count shown: 0

Full file content

000001 |

0380. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: fonts\etelkatextpro.xml
Size bytes: 94
SHA-256: ebbef9c95f6eb959ade8ab635353832b1549a22ae985b4d13c337b3df3e5e31d
Decoded as: utf-8-sig
Line count shown: 4

Full file content

```
000001 | <?xml version="1.0" encoding="UTF-8" ?>
000002 | <fontGenerator>
000003 |     <font size="24"/>
000004 | </fontGenerator>
```

0381. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: fonts\etelkatextpro24.edds.meta
Size bytes: 351
SHA-256: 300ac3c66c84cdbf69328af0e5d562134833741e2cb759f18bc9cc71ec55303e
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{7C6DFE7911E24B27}DayZExpansion/Core/GUI/fonts/etelkatextpro24.edds"  
000003 |   Author "desktop-9st395p"  
000004 |   ChangeDate -479532850  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "etelkatextpro24.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0382. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\2D_64x64.edds.meta
Size bytes: 341
SHA-256: 89cee6e817340e0bd6ffa159e68672e08eedc71a51a8d3d67c590385237d3f28
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{EB6926CA09F2CE8C}DayZExpansion/Core/GUI/icons/hud/2D_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 1903553282  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "2D_64x64.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0383. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\2D_off_64x64.edds.meta
Size bytes: 349
SHA-256: 7fb200f7abd679d992b823ce3649c267aa42106898f6e73d8fe60c60abef4b79
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{9D924DD3310DF339}DayZExpansion/Core/GUI/icons/hud/2D_off_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 2004216578  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "2D_off_64x64.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0384. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\3D_64x64.edds.meta
Size bytes: 339
SHA-256: 54a983372b5aab1c5bb7b009a6d6bf095f95f664ecf8b71c158a3a172fc7b689
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{D4F648A81FFE6071}DayZExpansion/Core/GUI/icons/hud/3D_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 58583810  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "3D_64x64.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0385. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\3D_off_64x64.edds.meta
Size bytes: 348
SHA-256: 7c66e477e6c665b5b253f3321a5bab1bbe7f953481232f35e746ee9dd68867e6
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{D32B7574E35A8737}DayZExpansion/Core/GUI/icons/hud/3D_off_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 159247106  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "3D_off_64x64.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0386. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\arrow_64x64.edds.meta
Size bytes: 345
SHA-256: 3d98e1aba13f109eb0e3fe1a380354730d9c77ba361ba8a1ff5a7e17a58ed2a4
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{EB294B6B8215EC25}DayZExpansion/Core/GUI/icons/hud/arrow_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 16640770  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "arrow_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```


0387. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\battery_empty_64x64.edds.meta

Size bytes: 362

SHA-256: 0994663aa0d9a0efd78c627ed5121641e787d6b30e8908763c4839c307b1dc11

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{B73A1C1C8F941C87}DayZExpansion/Core/GUI/icons/hud/battery_empty_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 184412930
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "battery_empty_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0388. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\battery_high_64x64.edds.meta

Size bytes: 360

SHA-256: 367701298ea5ada3e6218b0290ed3563fab064dec8b0ecd063c8edb250fe6460

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{DD239853F4BDB336}DayZExpansion/Core/GUI/icons/hud/battery_high_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 385739522
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "battery_high_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0389. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\battery_low_64x64.edds.meta
Size bytes: 358
SHA-256: 64ed5bf80bacec86cb37f78305def9923baed226cb6f76f249d9d03783a72ecc
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{0E9DB249FDADF2CC}DayZExpansion/Core/GUI/icons/hud/battery_low_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 452848386  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "battery_low_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0390. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\battery_med_64x64.edds.meta

Size bytes: 358

SHA-256: 909183f55e1665fa2ff761381d21d28e4f7987b9a4b9feb74ffacd08d8e99abd

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{87EF56F7278C57F3}DayZExpansion/Core/GUI/icons/hud/battery_med_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 553511682
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "battery_med_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0391. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\bear_64x64.edds.meta
Size bytes: 344
SHA-256: 72f7f919ca886258a8b5b78618a36bd7b964874e49047d58cc97105b1ac6ae36
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{98CED5F8D0DB1EF3}DayZExpansion/Core/GUI/icons/hud/bear_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 687729410  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "bear_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0392. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\book_1_64x64.edds.meta
Size bytes: 348
SHA-256: fadb38c592e93b935f9355b7a49b95d09f42b436df7fd08fab783a710e943a49
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{EE64F7740EB83376}DayZExpansion/Core/GUI/icons/hud/book_1_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 788392706  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "book_1_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0393. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\book_2_64x64.edds.meta
Size bytes: 348
SHA-256: 7fb8b09573332980b04b0367e077afebf80a12d3f4aef2fd1e273dcfa520042
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{11BEAA208E4CA330}DayZExpansion/Core/GUI/icons/hud/book_2_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 821947138  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "book_2_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0394. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\car_64x64.edds.meta
Size bytes: 343
SHA-256: 260098da634221873b49bad03fb2c7fe9a9c38f10e978109a32b0bdf513eb679
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{0571DC389F5A9623}DayZExpansion/Core/GUI/icons/hud/car_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 1090382594  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "car_64x64.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```


0395. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\cargo_64x64.edds.meta
Size bytes: 347
SHA-256: 36055650f17a3ec554b3e6bd9562939cbd54d3b0e9529954b7aeee9e3db11f5d
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{187546038B5DD1C2}DayZExpansion/Core/GUI/icons/hud/cargo_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 1503391116  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "cargo_64x64.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0396. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\claw_64x64.edds.meta
Size bytes: 345
SHA-256: beb9360dee78474e484a46072f06fd3779f4c634ea467c1505b85b0ae3cadb8f
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{8B2977014EAA5D07}DayZExpansion/Core/GUI/icons/hud/claw_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 1358818050  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "claw_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0397. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\connection_lost.edds.meta
Size bytes: 348
SHA-256: 87806f2c806c21070e05d58928ad6be4cd952615d3c0befa9798db82ccd436c5
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{206DBEAC9C7AD942}DayZExpansion/Core/GUI/icons/hud/connection_lost.edds"  
000003 |   Author "monolith"  
000004 |   ChangeDate 1171500587  
000005 |   Configurations {  
000006 |     PNGResourceClass PC {  
000007 |       SourceFile "connection_lost.png"  
000008 |     }  
000009 |     PNGResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     PNGResourceClass PS4 : PC {  
000012 |     }  
000013 |     PNGResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0398. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\craft_64x64.edds.meta
Size bytes: 347
SHA-256: 9d60143caad8fbb240cd4aac6edfd04a35e2d558a9516617d188ba50568287a5
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{C40010DED8D8E535}DayZExpansion/Core/GUI/icons/hud/craft_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 1425926914  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "craft_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0399. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\cross_64x64.edds.meta
Size bytes: 345
SHA-256: 3183580cf4326e660eec382d30db98ebe24e730725194278bbb5dd149a1849f9
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{EC53856041985A10}DayZExpansion/Core/GUI/icons/hud/cross_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 84273922  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "cross_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0400. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\drip_64x64.edds.meta
Size bytes: 344
SHA-256: 570dac909cf4dc5adc0ef03c9d320ad7a2589fe3f5f38c9dfd6cade4afe4e3eb
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{E71ED2A913D78209}DayZExpansion/Core/GUI/icons/hud/drip_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 218491650  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "drip_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0401. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\ear_64x64.edds.meta
Size bytes: 342
SHA-256: 2706a9fbeafd2b830217f8ded588fde3eb7807368c6f2672b07044c8a8fad8d4
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{F21E94676064DA7D}DayZExpansion/Core/GUI/icons/hud/ear_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 386263810  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "ear_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0402. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\ellipse_64x64.edds.meta
Size bytes: 350
SHA-256: 75d102e6a7ea1061526dd0029c6ca720f4dbf9acde9ac4015a6265455b0c92db
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{0FCACAAF0A99273C}DayZExpansion/Core/GUI/icons/hud/ellipse_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 486927106  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "ellipse_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```


0403. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\ellipse_out_64x64.edds.meta
Size bytes: 358
SHA-256: 2d37e820b536f8a4997b44d7a53169bb3af6ff59ea8881b40a02853c97ca460e
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{DDEDAF5A8B34B62D}DayZExpansion/Core/GUI/icons/hud/ellipse_out_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 554035970  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "ellipse_out_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0404. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\exclamationmark_64x64.edds.meta

Size bytes: 366

SHA-256: 9185aa311c4687d8748a49bbb82d57d4510fe7521c8e2e741fd0e4304f92693a

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{1595828A6EA76F98}DayZExpansion/Core/GUI/icons/hud/exclamationmark_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 654699266
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "exclamationmark_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0405. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\eye_64x64.edds.meta
Size bytes: 342
SHA-256: ea6e3ffef264d79ec8c35fb5b7b741187d3ea5e23a7d746288729544359915c0
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{C5A0666669DF90D2}DayZExpansion/Core/GUI/icons/hud/eye_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 956689154  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "eye_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0406. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\fireplace_64x64.edds.meta
Size bytes: 356
SHA-256: d253b454c25fd0789e2867c436bdee9e4ccf1bceb1fdb548439be138bc047377
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{B10CD0326D973C71}DayZExpansion/Core/GUI/icons/hud/fireplace_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -1123685630  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "fireplace_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0407. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\grab_64x64.edds.meta
Size bytes: 345
SHA-256: 05ba5932b588df487cf450699e818e8c51a818086dced86af3f271b4accc929a
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{3E48A8FF8ABCF88F}DayZExpansion/Core/GUI/icons/hud/grab_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 1124461314  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "grab_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0408. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\hand_open_64x64.edds.meta
Size bytes: 355
SHA-256: bf46a89a416f60d5b17f5811d02933fb771606ac048620c12813cef51dbae4e3
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{B87040D3C344F388}DayZExpansion/Core/GUI/icons/hud/hand_open_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -955913470  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "hand_open_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0409. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\health_64x64.edds.meta

Size bytes: 349

SHA-256: 51076da2a3589d877ac92c92818b49664d155f412d5a4f592a4a653302be682b

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{3471A150E0D6B5D0}DayZExpansion/Core/GUI/icons/hud/health_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 1292233474
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "health_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0410. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\heart_64x64.edds.meta

Size bytes: 347

SHA-256: e484d821f56178cac060607e5949e480a2e0bad59da1d37483b219a431d0a218

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{E7E4748A2F097694}DayZExpansion/Core/GUI/icons/hud/heart_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 1829104386
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "heart_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```


0411. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\hook_64x64.edds.meta

Size bytes: 343

SHA-256: 11edc75483a2e914cb3775f83873f19cbd809be5fa07bd35c938154cf7bf9042

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{B0A741F8CA2EA4D5}DayZExpansion/Core/GUI/icons/hud/hook_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 84798210
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "hook_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0412. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\info_64x64.edds.meta
Size bytes: 344
SHA-256: 3521aab3da93023199cbf3e5fa61d272e60185d0bd205c1d39d926bb7643046b
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{BFA98ACC416B4CAF}DayZExpansion/Core/GUI/icons/hud/info_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 151907074  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "info_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0413. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\knife_64x64.edds.meta
Size bytes: 348
SHA-256: c88e3351e56218076b0861a68d0114ae10f438d351b67c779b2293d492aeb072
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{7966AC8E752ED62C}DayZExpansion/Core/GUI/icons/hud/knife_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -1894913278  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "knife_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0414. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\map_64x64.edds.meta
Size bytes: 342
SHA-256: e8e93a442b169cd7bb14433b402ab87808fda03c1f25aea23fc210d86e0588e0
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{90B95C67FA270E33}DayZExpansion/Core/GUI/icons/hud/map_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 319679234  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "map_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0415. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\marker_64x64.edds.meta
Size bytes: 348
SHA-256: 41d9982b83747620d5516e4533f41aad2243b1618ca0ac339a5a4b593733dea8
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{B1E5566B0FA239A4}DayZExpansion/Core/GUI/icons/hud/marker_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 688777986  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "marker_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0416. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\menu_64x64.edds.meta
Size bytes: 346
SHA-256: fdc939acb92658e3963eac318de60b3be6034b0eb783eb14e15643234e8c52ca
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{EC8EDC01E1CEFB0}DayZExpansion/Core/GUI/icons/hud/menu_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -1324487934  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "menu_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0417. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\minus_64x64.edds.meta
Size bytes: 348
SHA-256: 4e33f281a3c2a4ba50251cb80639b9594cc2ae366d7ee3b2090430ac1b24ad19
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{A6E3961A93ADF526}DayZExpansion/Core/GUI/icons/hud/minus_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -1943884404  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "minus_64x64.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0418. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\moon_64x64.edds.meta
Size bytes: 344
SHA-256: 71672f5fa0a64efbf20cdaa6563014673d2544f45fcefe2de7009d53392b00eb
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{077A78E12C461220}DayZExpansion/Core/GUI/icons/hud/moon_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 923659010  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "moon_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```


0419. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\note_64x64.edds.meta
Size bytes: 345
SHA-256: 0bdb53f6d72ee3e35f47fa9cb08e85ff6a466f81b8bcf80261acace32c5944ec
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{447CB144FEE1872D}DayZExpansion/Core/GUI/icons/hud/note_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 1024322306  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "note_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0420. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\orientation_64x64.edds.meta
Size bytes: 360
SHA-256: 50322e428381468ecc4081db110d3201d74e23e7c6625edeae470b5bded19d5d
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{72435269FFFB471}DayZExpansion/Core/GUI/icons/hud/orientation_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -1022498046  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "orientation_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0421. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\pen_64x64.edds.meta
Size bytes: 343
SHA-256: cae7096felledbdeb60178ac95ff5692f2cea07871180d6932ace2d0d202782
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{3504FF43FFA8963E}DayZExpansion/Core/GUI/icons/hud/pen_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 1225648898  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "pen_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0422. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\persona_64x64.edds.meta
Size bytes: 351
SHA-256: c72a6ac1631dacaba0d70790f2609fd46f63555de30fe65e8f324433a48dad16
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{287CF3AEB0F2A6E7}DayZExpansion/Core/GUI/icons/hud/persona_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -854725886  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "persona_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0423. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\pill_64x64.edds.meta
Size bytes: 345
SHA-256: 373edd0d2b99af1447b20a93ebd99a75d8209734e94bd1b4ab2541b1616aef11
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{F372BF72A7296C57}DayZExpansion/Core/GUI/icons/hud/pill_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -754062590  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "pill_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0424. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\plus_64x64.edds.meta
Size bytes: 346
SHA-256: 8280bc0863eb4ed4f4b9fe9dfdfdd6b6e5187b2fdc0639c39c7eb4caf202b2a6
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{998BF58C71D1E333}DayZExpansion/Core/GUI/icons/hud/plus_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -1641894516  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "plus_64x64.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0425. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\questionmark_2_64x64.edds.meta
Size bytes: 366
SHA-256: f10f07bdc2435c7c464adb49024ba8737f2ab0ae3d014c0a31cb4d9f2c5b3fca
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{2F55C3FCBE849589}DayZExpansion/Core/GUI/icons/hud/questionmark_2_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -1088918372  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "questionmark_2_64x64.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0426. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\questionmark_64x64.edds.meta
Size bytes: 361
SHA-256: ebcf8ae0037d3d295a6a11f58ab2c537aced2b03958402905e9cc58d99791cb2
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{0B87C4277EE0CE08}DayZExpansion/Core/GUI/icons/hud/questionmark_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -653399294  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "questionmark_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```


0427. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\radio_64x64.edds.meta
Size bytes: 347
SHA-256: f74785c1d6e76f7361be22fd9360a66c8b67cf7b10854ff7ed33da472de62d6b
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{F3235A34820AC9C9}DayZExpansion/Core/GUI/icons/hud/radio_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -552735998  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "radio_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0428. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\refresh_64x64.edds.meta
Size bytes: 351
SHA-256: 77c7eb04b64c5236131df300f6408e46d3ef7f80d3c436b5312a709dae42c717
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{BC4B024D9C0F3A9F}DayZExpansion/Core/GUI/icons/hud/refresh_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -384963838  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "refresh_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0429. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\Reputation-Stars.edds.meta
Size bytes: 348
SHA-256: 02baa7c47d18b2ed42ac69af5782421a239d6bf1e86e8a10104a4bff99812a35
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{5A608B8E5F095FC6}DayZExpansion/Core/GUI/icons/hud/Reputation-Stars.png"  
000003 |   Author "monolith"  
000004 |   ChangeDate 862252412  
000005 |   Configurations {  
000006 |     PNGResourceClass PC {  
000007 |       SourceFile "Reputation-Stars.png"  
000008 |     }  
000009 |     PNGResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     PNGResourceClass PS4 : PC {  
000012 |     }  
000013 |     PNGResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0430. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\shield_64x64.edds.meta

Size bytes: 349

SHA-256: 53d4043072fd6d15e480c660a0784a774f58a357649fffface89cf97c10439216

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{4FE21B47020414D0}DayZExpansion/Core/GUI/icons/hud/shield_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 1896737538
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "shield_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0431. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\skull_1_64x64.edds.meta
Size bytes: 349
SHA-256: 6334b3b0dc366dc0b360873f6f0d161365d5ce6fe5b84381f16af54c18c97c7
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{22E22FBC3B2196C4}DayZExpansion/Core/GUI/icons/hud/skull_1_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 18213634  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "skull_1_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0432. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\skull_2_64x64.edds.meta
Size bytes: 350
SHA-256: d3a85b83ec65d849623f8b38ec6704b6dfec901505f97156e8a5e2e03c38ae74
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{DD3872E8BBD50682}DayZExpansion/Core/GUI/icons/hud/skull_2_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 118876930  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "skull_2_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0433. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\snow_64x64.edds.meta
Size bytes: 346
SHA-256: e8a87bc28c06d7639c21f6500ad77d053f94c2bf0416eb084a5e9c44075a3a15
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{706A9FBB668869E2}DayZExpansion/Core/GUI/icons/hud/snow_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -1860834558  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "snow_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0434. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\sort_simple_64x64.edds.meta
Size bytes: 360
SHA-256: d9b937055978980bcd7dfb2e4ddc0e13ad6ece3cc30907d54901bb2bf7482b5
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{27505255AD921029}DayZExpansion/Core/GUI/icons/hud/sort_simple_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -1419235739  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "sort_simple_64x64.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```


0435. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\sorting_64x64.edds.meta
Size bytes: 351
SHA-256: 211485f27b995e9eca03af0440e25d98c47f083535b986bde4f9f32c319836a6
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{5FCA8EED8BEE731E}DayZExpansion/Core/GUI/icons/hud/sorting_64x64.tga"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -1906479757  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "sorting_64x64.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0436. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\square_64x64.edds.meta
Size bytes: 350
SHA-256: 217866b94de1c4c2c55c487670e678765db3782ef1cc31b26dff504db84b6c9e
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{F1B32F84AA4AEEDB}DayZExpansion/Core/GUI/icons/hud/square_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -1760171262  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "square_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0437. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\star_64x64.edds.meta
Size bytes: 346
SHA-256: 9f7dc5417769580f77e3e18309919b11042c15ae9a5f9c9772fccdd811c69b65
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{45CAA938FF619C9}DayZExpansion/Core/GUI/icons/hud/star_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -1592399102  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "star_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0438. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\sun_64x64.edds.meta
Size bytes: 344
SHA-256: 27ca456613df9f283563e93ad5317de7a867d6d7b66de5ae63e8f3b1654ae7f4
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{70549F719AC30474}DayZExpansion/Core/GUI/icons/hud/sun_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -1357518078  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "sun_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0439. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\switch_64x64.edds.meta
Size bytes: 348
SHA-256: 2798eeefc63ad1ldb438cbe739681ccee970d810feab18c663298350651bc2e8
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{D0E77EED879A438F}DayZExpansion/Core/GUI/icons/hud/switch_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 892726018
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "switch_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0440. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\tent_64x64.edds.meta
Size bytes: 346
SHA-256: 13651bbe55672f3199fb257f9f88840835c2a5ce918ec6d59b92e78f9a9a9c04
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{D45EBAFB00509B87}DayZExpansion/Core/GUI/icons/hud/tent_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -1122637054  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "tent_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0441. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\thermometer_1_64x64.edds.meta

Size bytes: 363

SHA-256: 46cf37509c6e67374377cae756518be70c6c040c78bdc5da7e310c264ec44531

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{8A2EAD121359D944}DayZExpansion/Core/GUI/icons/hud/thermometer_1_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate -988419326
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "thermometer_1_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0442. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\toothwheel_64x64.edds.meta
Size bytes: 357
SHA-256: d4764b3fdece1692c94cd7e3d647d4f01af3315331000f2ddd17106da80d44a7
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{31AC353A0750528D}DayZExpansion/Core/GUI/icons/hud/toothwheel_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -887756030  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "toothwheel_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```


0443. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\toothwheels_64x64.edds.meta
Size bytes: 359
SHA-256: ccb36c5215048ced0f3ef7bb39d54243d04cd7e96519d184a8a1811d8055a1ec
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{98C99355690E7EAB}DayZExpansion/Core/GUI/icons/hud/toothwheels_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -787092734  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "toothwheels_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0444. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\under-roof.edds.meta
Size bytes: 336
SHA-256: 3d79ee120faf43fc4886d68cef00b510b1d44743492297c54c2998a3da216100
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{A86A06F14A0DABC8}DayZExpansion/Core/GUI/icons/hud/under-roof.png"  
000003 |   Author "monolith"  
000004 |   ChangeDate 142421381  
000005 |   Configurations {  
000006 |     PNGResourceClass PC {  
000007 |       SourceFile "under-roof.png"  
000008 |     }  
000009 |     PNGResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     PNGResourceClass PS4 : PC {  
000012 |     }  
000013 |     PNGResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0445. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\water_64x64.edds.meta
Size bytes: 347
SHA-256: 281df5f60880a4806e117e84688be8d4958a7e619085ab0e9f6921e6d59a8b3a
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{5C48C2BB02F99EAC}DayZExpansion/Core/GUI/icons/hud/water_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -719983870  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "water_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0446. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\coinstack2_64x64.edds.meta

Size bytes: 363

SHA-256: 0f1dff245f29e6004b432d4155464f8145911a2e14e2cb1f2f5426e37035e43b

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{5F2743E5F6F4DF0D}DayZExpansion/Core/GUI/icons/misc/coinstack2_64x64.edds"
000003 |   Author "LAVA (liquidrock)"
000004 |   ChangeDate -2139444505
000005 |   Configurations {
000006 |     PAAResourceClass PC {
000007 |       SourceFile "coinstack2_64x64.paa"
000008 |     }
000009 |     PAAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     PAAResourceClass PS4 : PC {
000012 |     }
000013 |     PAAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0447. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\coinstack_64x64.edds.meta
Size bytes: 361
SHA-256: 70fcdd79e7d6fa45aee6a208cd7aece7be6d0a1801394c4811803f516037ee56
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{059D7B34FB0EB730}DayZExpansion/Core/GUI/icons/misc/coinstack_64x64.edds"  
000003 |   Author "LAVA (liquidrock)"  
000004 |   ChangeDate -1636128025  
000005 |   Configurations {  
000006 |     PAAResourceClass PC {  
000007 |       SourceFile "coinstack_64x64.paa"  
000008 |     }  
000009 |     PAAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     PAAResourceClass PS4 : PC {  
000012 |     }  
000013 |     PAAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0448. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\sold_icon.edds.meta
Size bytes: 344
SHA-256: 3e81ccdba402d2f06edb9335a3c15503867c3a5505a592978f0bf7a88a47437c
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{4A3B668D00794D5F}DayZExpansion/Core/GUI/icons/misc/sold_icon.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -947065458  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "sold_icon.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0449. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Ambush_256x256.edds.meta
Size bytes: 358
SHA-256: 6ebdce2b0c6c07f9521cb3211d179fe37b1c111cbfece3d3c3c07e489c61968c
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{44711043367C607B}DayZExpansion/Core/GUI/icons/misc/T_Ambush_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 1332964659  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Ambush_256x256.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0450. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Animal_Skull_256x256.edds.meta

Size bytes: 370

SHA-256: fa1d1623c69aec0e3a17a52f44489bd2ed9feeae55dc65595431f6a761354e24

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{EA414A3711C2DA2C}DayZExpansion/Core/GUI/icons/misc/T_Animal_Skull_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 1939204866
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Animal_Skull_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```


0451. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Apple_256x256.edds.meta
Size bytes: 356
SHA-256: d489adba9f59fccbbc66ce6def3d8318047b0a3dcb5b740e03a8fbd9b83185e6
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{7FCDFC3029B80B69}DayZExpansion/Core/GUI/icons/misc/T_Apple_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 1939204866  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Apple_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0452. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Apple_Core_256x256.edds.meta

Size bytes: 366

SHA-256: 66e12f0a15945b51b16b2560a4f463e658bec3669fbdbbd519f93ff6f2918fd8

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{53F704C6DEE6BA88}DayZExpansion/Core/GUI/icons/misc/T_Apple_Core_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 1939204866
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Apple_Core_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0453. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Arrows_256x256.edds.meta
Size bytes: 358
SHA-256: aba6875c701803515a2a8c35cb1f5f0cf6f2d28c16b97dcab525e5eb086bb830
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{0AD14F88A398FC82}DayZExpansion/Core/GUI/icons/misc/T_Arrows_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -208278782  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Arrows_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0454. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Axe_256x256.edds.meta

Size bytes: 352

SHA-256: d917b8f4ceef535aed6499b818d576bdf22b4bc46060a79914fcf79b71869c4

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{97D7285C74F5B505}DayZExpansion/Core/GUI/icons/misc/T_Axe_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 1939204866
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Axe_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0455. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_BagPack_256x256.edds.meta

Size bytes: 360

SHA-256: fa9e24c53c9f5fe9beb8e3281ddbb0e1961d12441904d162fdc5dfb4519db864

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{C8B1F254399D471F}DayZExpansion/Core/GUI/icons/misc/T_BagPack_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 1939204866
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_BagPack_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0456. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Bandage_256x256.edds.meta

Size bytes: 360

SHA-256: 4b859465f49c998af78ad11e1d1c3b442870b043847fcf849c27f487be17cb03

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{FB0AE68995F7538A}DayZExpansion/Core/GUI/icons/misc/T_Bandage_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 1972759298
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Bandage_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0457. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Bandit_256x256.edds.meta

Size bytes: 359

SHA-256: 0c12e9a8a9fa8b94fd56c8a60ddb62c9c94eb07953240ceb48b5d5240dcec949

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{F2433CDEB4D94F4E}DayZExpansion/Core/GUI/icons/misc/T_Bandit_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate -1257067211
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Bandit_256x256.tga"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0458. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Batteries_256x256.edds.meta

Size bytes: 364

SHA-256: 44fa2462a0c0d8e5e7e68d02f1dcf267943b057656796e7df57c944a5d0b9c1c

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{2B45B59C1191F7B1}DayZExpansion/Core/GUI/icons/misc/T_Batteries_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 1972759298
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Batteries_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```


0459. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Berries_256x256.edds.meta

Size bytes: 360

SHA-256: 75fc74fcdb4eeda035c8869a741b9c8d0b09ee16810610c926f9622ed9de7bdc

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{7659DE8BADA30484}DayZExpansion/Core/GUI/icons/misc/T_Berries_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 1972759298
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Berries_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0460. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Big_Kitchen_Knife_256x256.edds.meta

Size bytes: 380

SHA-256: ae23a80b5390bb26caaded1b1f1109d633626b5dd8652bcc0087c7eacacd6427

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{5855E8342815980F}DayZExpansion/Core/GUI/icons/misc/T_Big_Kitchen_Knife_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 1972759298
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Big_Kitchen_Knife_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0461. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Binoculars_256x256.edds.meta

Size bytes: 366

SHA-256: e79c95a56e8a0c430cbb715979caae113c9688f85213cf5bcf7855ebed69fe2f

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{3B344AB8A695E26A}DayZExpansion/Core/GUI/icons/misc/T_Binoculars_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 1972759298
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Binoculars_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0462. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Bolt_256x256.edds.meta
Size bytes: 354
SHA-256: f2d306d23a83589c232a805875ff02a3c011e463fcdecd1de23c6acf25cfcd14
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{3864B5C77F91CFCE}DayZExpansion/Core/GUI/icons/misc/T_Bolt_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 1972759298  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Bolt_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0463. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Bonfire_256x256.edds.meta
Size bytes: 360
SHA-256: ed413f6e6bb8c2b131f10e3603fe8b82f5488c51e8616bbc577a6cf0324bf5bb
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{6332F8D8FB6A5E2F}DayZExpansion/Core/GUI/icons/misc/T_Bonfire_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -174724350  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Bonfire_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0464. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Bottle_256x256.edds.meta
Size bytes: 358
SHA-256: b930803c1282dc0c753795e41c7705cfbc9d4c5568e0b30de95698d9811e6250
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{5CE7D4BEF825CC7C}DayZExpansion/Core/GUI/icons/misc/T_Bottle_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -141169918  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Bottle_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0465. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Bow_256x256.edds.meta

Size bytes: 352

SHA-256: b00efd477b645ae965f044c511c9b64355afc3aelf38941006333acf3c88a4c1

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{D2DA8481550E2FAD}DayZExpansion/Core/GUI/icons/misc/T_Bow_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 2006313730
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Bow_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0466. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_BrokenLighter_256x256.edds.meta
Size bytes: 372
SHA-256: 1ae03cc08750fe3bb9bb261ddf8cae0012c15a6d66d37c7ddf69f34723dfe750
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{3D4B4301A567B442}DayZExpansion/Core/GUI/icons/misc/T_BrokenLighter_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 2006313730  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_BrokenLighter_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```


0467. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Can_of_Beans_Big_256x256.edds.meta
Size bytes: 378
SHA-256: 761ef1a15008a02a4062dc00b41398e0d2657216d95ff8ec74e0949e11a7c51f
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{8DF37D77CBE2609C}DayZExpansion/Core/GUI/icons/misc/T_Can_of_Beans_Big_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 2006313730  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Can_of_Beans_Big_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0468. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Can_of_Beans_Small_256x256.edds.meta
Size bytes: 382
SHA-256: 0d14b22ced05ff574bc1f88f677cd3b1034c00c0242d2099f420112ede6c341a
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{A4055A9190B014C4}DayZExpansion/Core/GUI/icons/misc/T_Can_of_Beans_Small_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 2006313730  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Can_of_Beans_Small_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0469. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Car_Keys_256x256.edds.meta

Size bytes: 362

SHA-256: a7cf7314eb2808eb19d951d1f01f92257772c13413eaad1e72b295c8412402e3

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{E5DAE92F4A54D5A9}DayZExpansion/Core/GUI/icons/misc/T_Car_Keys_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 2006313730
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Car_Keys_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0470. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Carrot_256x256.edds.meta
Size bytes: 358
SHA-256: e887ffd4b0fc18efad3c7903053a552dd47c5e7e6d16f129bf0583b1524be855
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{C2C6A6CDFC0C11B6}DayZExpansion/Core/GUI/icons/misc/T_Carrot_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 2006313730  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Carrot_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0471. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Chain_Saw_256x256.edds.meta

Size bytes: 364

SHA-256: 394d2343b6d158588204c4b56502e8c4cc57e52fff28470be2bfff1199b328415

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{B27B2E119D42D1A3}DayZExpansion/Core/GUI/icons/misc/T_Chain_Saw_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 2006313730
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Chain_Saw_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0472. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Chicken_256x256.edds.meta
Size bytes: 360
SHA-256: 2403e4023f40c1d34417e9332db59613e3a34d320bf9a6c4d8c499bfe08d5303
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{AA9900D80BA66007}DayZExpansion/Core/GUI/icons/misc/T_Chicken_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 2006313730  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Chicken_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0473. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Chocolate_bar_256x256.edds.meta

Size bytes: 370

SHA-256: 09b235aecbeab51d3efba4ad4329892180fa8c7d90112e5306d212675dfc0329

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{2C9A79E888C7892B}DayZExpansion/Core/GUI/icons/misc/T_Chocolate_bar_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 27126530
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Chocolate_bar_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0474. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Cigarets_256x256.edds.meta
Size bytes: 360
SHA-256: 48e326d9d0f4da2599707b4c4060c82db1773c70f2c6850d299ca905df4f3a59
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{B50A4EA0B113C69E}DayZExpansion/Core/GUI/icons/misc/T_Cigarets_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 27126530  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Cigarets_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```


0475. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Cloth_256x256.edds.meta
Size bytes: 354
SHA-256: 6c7c753d3cebcbfa295f877102a2f9830a3f617843ea16cfc39cd007e60595b1
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{EB489F499750C72F}DayZExpansion/Core/GUI/icons/misc/T_Cloth_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 27126530  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Cloth_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0476. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_of_bolts_256x256.edds.meta

Size bytes: 382

SHA-256: 6bce5622e4b002cad927ce184bc2115c0e201f8cfe53ac6650520b96306a0a8d

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{FF5AD0BE0D24450D}DayZExpansion/Core/GUI/icons/misc/T_Collection_of_bolts_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 27126530
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Collection_of_bolts_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0477. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_0f_Sticks_01_256x256.edds.meta

Size bytes: 390

SHA-256: 7a7baaf1c62d857f7174813cf5151c6d8e9d386f70a797f4772800856d6dbe64

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{73DFC2C207A5C2A7}DayZExpansion/Core/GUI/icons/misc/T_Collection_0f_Sticks_01_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 27126530
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Collection_0f_Sticks_01_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0478. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_0f_Sticks_02_256x256.edds.meta

Size bytes: 390

SHA-256: d6811c025877e0bce7a7526deblaa34eecf9324ea3f9aaa3bc4dc90ed168dce1

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{086866EDF83AE488}DayZExpansion/Core/GUI/icons/misc/T_Collection_0f_Sticks_02_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 27126530
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Collection_0f_Sticks_02_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0479. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_0f_Sticks_03_256x256.edds.meta

Size bytes: 390

SHA-256: 3119e60c6b8fe0333b40aaa2163b648983f81994e7d476b7f9eba4fb8cfa7ef6

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{21050508AD4FF96D}DayZExpansion/Core/GUI/icons/misc/T_Collection_0f_Sticks_03_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 27126530
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Collection_0f_Sticks_03_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0480. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_Of_Sticks_04_256x256.edds.meta

Size bytes: 390

SHA-256: 85d186d43fdca7cfdca22c579ccd18acf0610082f7b32f642dec29a1ca2b2ed4c

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{FF072EB20704A8D6}DayZExpansion/Core/GUI/icons/misc/T_Collection_Of_Sticks_04_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 27126530
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Collection_Of_Sticks_04_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0481. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Compass_256x256.edds.meta
Size bytes: 358
SHA-256: a12e44f62842412821e571c0a461d1e82be734d347753b2b440622fa8e02c59f
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{75008B65CB769884}DayZExpansion/Core/GUI/icons/misc/T_Compass_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 60680962  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Compass_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0482. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Cooked_Meat_01_256x256.edds.meta
Size bytes: 372
SHA-256: 5dee0de962435ba84c5d0d025e6707fb703cc7c6df4ce4d7c87b21ed2da7ad43
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{3AC2F4EA9F023686}DayZExpansion/Core/GUI/icons/misc/T_Cooked_Meat_01_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 60680962  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Cooked_Meat_01_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```


0483. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Cooked_Meat_02_256x256.edds.meta
Size bytes: 372
SHA-256: aa24dbbaf0e9359d0c7290bebc8c215d615ab91a6e1e078f0871f9ade42f2dd2
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{417550C5609D10A9}DayZExpansion/Core/GUI/icons/misc/T_Cooked_Meat_02_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 60680962  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Cooked_Meat_02_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0484. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Cooked_Meat_03_256x256.edds.meta
Size bytes: 372
SHA-256: f710553940ed71c5ab101fcbf773566e70b24fdcc5206fa04e59b041e3ac2c89
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{6818332035E80D4C}DayZExpansion/Core/GUI/icons/misc/T_Cooked_Meat_03_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 60680962
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Cooked_Meat_03_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0485. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Corn_256x256.edds.meta

Size bytes: 352

SHA-256: 96a78bc311714853b9d52856859d3efa25885219f181fc8d033c6fda1976f8e2

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{84C0081EF57D2409}DayZExpansion/Core/GUI/icons/misc/T_Corn_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 94235394
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Corn_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0486. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Cow_256x256.edds.meta
Size bytes: 350
SHA-256: 070502daf261d2ab4854bd552310282bac25cd27dd92e8aeb187f4485c6e216b
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{6F51259E16AB4520}DayZExpansion/Core/GUI/icons/misc/T_Cow_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 94235394  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Cow_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0487. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Crowbar_256x256.edds.meta
Size bytes: 358
SHA-256: d0a8f2f76dcd85616338bda93c5917048c78cac2ee22ff2217b31419501bb772
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{8750610EBB450636}DayZExpansion/Core/GUI/icons/misc/T_Crowbar_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 94235394  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Crowbar_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0488. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Dinosaur_Skull_256x256.edds.meta

Size bytes: 372

SHA-256: ba2f84ac4d1da65ecaf6a0c0ac965e2697ea45bca039433cfbf493e46779db0a

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{8B3AAE73B07356FB}DayZExpansion/Core/GUI/icons/misc/T_Dinosaur_Skull_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 94235394
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Dinosaur_Skull_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0489. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Dry_Wood_256x256.edds.meta

Size bytes: 360

SHA-256: 7e5cc4f5927b3b0c4014726d2968c4746d836d9e8a66d6fed2488ad6937adbee

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{ECEE28DEFFE844C}DayZExpansion/Core/GUI/icons/misc/T_Dry_Wood_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 94235394
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Dry_Wood_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0490. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_EatableFlowers_256x256.edds.meta

Size bytes: 372

SHA-256: 4530339e0024f29221fc1626f9823f27161aedf6cb735d4fd0ac5553afafc698

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{ED5CBF95027C685F}DayZExpansion/Core/GUI/icons/misc/T_EatableFlowers_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 94235394
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_EatableFlowers_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```


0491. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_ElectricalTape_256x256.edds.meta

Size bytes: 372

SHA-256: 2172e70c51d8e33271e0b41804f58c710bb93688b8a13435f7b68dc8ffff1ac9e

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{03887CB7EB68B1DF}DayZExpansion/Core/GUI/icons/misc/T_ElectricalTape_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 94235394
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_ElectricalTape_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0492. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Empty_Can_256x256.edds.meta
Size bytes: 363
SHA-256: 9008e04f9e6ed21de8484aa95ef7fff898cd9a06949f40a7cb725b77624fe61f
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{BD7070ABAC11556A}DayZExpansion/Core/GUI/icons/misc/T_Empty_Can_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 127789826  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Empty_Can_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0493. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Fish_256x256.edds.meta
Size bytes: 353
SHA-256: 54116efed7017e686f9a571971309fe53b04b34eb3c7ed2bdc67845f29b64ec8
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{7EA5A626AAF3DF9A}DayZExpansion/Core/GUI/icons/misc/T_Fish_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 295561986  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Fish_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0494. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Flare_256x256.edds.meta

Size bytes: 355

SHA-256: 23ceeba572451ada3ca8a67e39b247d771e05e2d064034333e384b24b5cca

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{6FC16C20BCBB462B}DayZExpansion/Core/GUI/icons/misc/T_Flare_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 295561986
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Flare_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0495. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_FlareGun_256x256.edds.meta
Size bytes: 361
SHA-256: a821674b75939378c9e8a7b01fdf97cd11e04a7b5501d629e6af271b14f0999a
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{01DAB72250DB0942}DayZExpansion/Core/GUI/icons/misc/T_FlareGun_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 295561986  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_FlareGun_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0496. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_FlareGunAmmo_256x256.edds.meta

Size bytes: 369

SHA-256: cec90a9944039e3b87b3e23ca36aa7bb6a5fb8cd077a177c0419a1001edbe409

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{CB6BB8B6BCB6FD5E}DayZExpansion/Core/GUI/icons/misc/T_FlareGunAmmo_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 295561986
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_FlareGunAmmo_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0497. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Flashlight_256x256.edds.meta

Size bytes: 365

SHA-256: 6cb98921ce92dbd7ae442a4f35440bb9adb29fd9a718db40f709f4cbf205c843

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{F63A0715C0B3863D}DayZExpansion/Core/GUI/icons/misc/T_Flashlight_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 329116418
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Flashlight_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0498. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Fox_256x256.edds.meta
Size bytes: 351
SHA-256: b7d4e38e336ece9f72b40689d74aa55e96ebe193463101ae7e817a5a03a4e678
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{768C1650A04660BF}DayZExpansion/Core/GUI/icons/misc/T_Fox_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 329116418  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Fox_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```


0499. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Frying_Pan_256x256.edds.meta
Size bytes: 365
SHA-256: 043f7228a708a08cf83734443a8fd7bdcab527b229d9e7715592826a9368f5a9
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{332F9D408900FCD3}DayZExpansion/Core/GUI/icons/misc/T_Frying_Pan_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 329116418  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Frying_Pan_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0500. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Gas_256x256.edds.meta
Size bytes: 351
SHA-256: 1fc4a4b023b74fd6eff17cbe8024e3f39068e5b88e4d44a0c1553071908fc46b
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{9591749105C49332}DayZExpansion/Core/GUI/icons/misc/T_Gas_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 329116418  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Gas_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0501. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_GasMask_256x256.edds.meta
Size bytes: 359
SHA-256: 5d529642a073426901892dfe3b5d4e254f83fbd532d76dc9d36871db11dac06b
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{60A693297833627B}DayZExpansion/Core/GUI/icons/misc/T_GasMask_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 329116418  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_GasMask_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0502. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Golf_club_256x256.edds.meta
Size bytes: 363
SHA-256: afe6cedb1f71827b8a87b03a6ce640da62b4b390ffc2533d51db9013ba6b9a8e
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{07BAF017F363923C}DayZExpansion/Core/GUI/icons/misc/T_Golf_club_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 329116418
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Golf_club_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0503. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Goose_256x256.edds.meta
Size bytes: 355
SHA-256: 533dea297da9fd9713f040a5be8cd2fa10934c47fd65b2b1af52bba8cb2380b1
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{5DBABBF71E9A061D}DayZExpansion/Core/GUI/icons/misc/T_Goose_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 329116418  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Goose_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0504. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Grenade_256x256.edds.meta
Size bytes: 359
SHA-256: b4e74f2ec9770ee19dbe513b6b386d8b2c7476b097ea42bcd22f0cd07cee92ed
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{24B849B678C32834}DayZExpansion/Core/GUI/icons/misc/T_Grenade_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 362670850  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Grenade_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0505. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Guitar_256x256.edds.meta
Size bytes: 357
SHA-256: 84156acb8b204e46f419f3d673539dd0ec38a2e2700aee64f82cb6c93615bce8
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{568B58EF6B19E823}DayZExpansion/Core/GUI/icons/misc/T_Guitar_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 362670850  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Guitar_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0506. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Gun_256x256.edds.meta

Size bytes: 351

SHA-256: c6d0e3bbf59e80f1a7887d2c01b110e3ba21fbb39c34590b3cfd74d4b24b99e3

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{11F845A1C3E00A8B}DayZExpansion/Core/GUI/icons/misc/T_Gun_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 362670850
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Gun_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```


0507. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Gun_Bullets_256x256.edds.meta

Size bytes: 367

SHA-256: dc0108fbbbf794bdcf81294e336cba1053fe73f5189e239b837373d89a145be0

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{6D98A799CB94A4BD}DayZExpansion/Core/GUI/icons/misc/T_Gun_Bullets_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 362670850
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Gun_Bullets_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0508. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Hammer_256x256.edds.meta
Size bytes: 357
SHA-256: 3d6d17d0daffede8c51983d28c0a6103127b4431f001b9881ba26ac75733d9e0
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{AF494AB01BD41798}DayZExpansion/Core/GUI/icons/misc/T_Hammer_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 362670850  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Hammer_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0509. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_HerbalMedicine_256x256.edds.meta
Size bytes: 373
SHA-256: a34499ec71739a093f23168d42f93b816ac11f0b67d64fbeb02e5cfd5899813
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{B7D985761AA69644}DayZExpansion/Core/GUI/icons/misc/T_HerbalMedicine_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 362670850  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_HerbalMedicine_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0510. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_HomeMadeGrenade_256x256.edds.meta
Size bytes: 375
SHA-256: 4f75fd129182d15e6738068cc84b0a8937e77f4f791ed63f6337c2297a767366
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{AB2A236385C6CF6A}DayZExpansion/Core/GUI/icons/misc/T_HomeMadeGrenade_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 362670850  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_HomeMadeGrenade_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0511. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_HumanSkull_256x256.edds.meta

Size bytes: 365

SHA-256: 158cbba91cb1bd3d17b3b7daa380df084f5fe3f8942e55a90b45376ba3f5b4ed

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{75E7657AE95B0EB6}DayZExpansion/Core/GUI/icons/misc/T_HumanSkull_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 362670850
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_HumanSkull_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0512. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Insect_256x256.edds.meta
Size bytes: 357
SHA-256: 1b37cbc3d46391ee7022f5b50d8105226a877030abadc9ceb3636f0fdd7cc4d3
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{CBA99CD1A09FA48D}DayZExpansion/Core/GUI/icons/misc/T_Insect_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 396225282  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Insect_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0513. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Kitchen_Knife_256x256.edds.meta

Size bytes: 371

SHA-256: 2adce7587ecef156c142a28e3bb4730d80870fdf78b0596794190254e6247cb1

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{54AE64B62E6AC456}DayZExpansion/Core/GUI/icons/misc/T_Kitchen_Knife_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 396225282
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Kitchen_Knife_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0514. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Ladder_256x256.edds.meta

Size bytes: 357

SHA-256: dc6955755b3999af81490e0004ef18c9357303ca671338ee9a4da94116c316b7

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{2694EE02A7FDB043}DayZExpansion/Core/GUI/icons/misc/T_Ladder_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 396225282
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Ladder_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```


0515. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Lantern_256x256.edds.meta
Size bytes: 359
SHA-256: 944176731c72eaff2a574d537c6cb820a04cd996dbbb502141cb04df83c74582
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{C9D67647A886769B}DayZExpansion/Core/GUI/icons/misc/T_Lantern_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 396225282  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Lantern_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0516. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Lighter_256x256.edds.meta
Size bytes: 359
SHA-256: 61ff6e24708259163ce2cdd327fa54a4584e0b7c84f77e8c5f5c7625713d9d02
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{A51DFB93957439A9}DayZExpansion/Core/GUI/icons/misc/T_Lighter_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 396225282  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Lighter_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0517. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Lizard_256x256.edds.meta
Size bytes: 357
SHA-256: cc596ac28e4d58c913b9dca113e3e01230dd8b56cb6f64f645553443db31ff61
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{955436CB47C19BE9}DayZExpansion/Core/GUI/icons/misc/T_Lizard_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 396225282
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Lizard_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0518. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Machette_256x256.edds.meta
Size bytes: 361
SHA-256: 73fd93d0f141efcb703c7687bb75cbcd178e1b20ff711a71db5494888de80340
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{76F6D5B6F28D7797}DayZExpansion/Core/GUI/icons/misc/T_Machette_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 396225282  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Machette_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0519. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Map_256x256.edds.meta

Size bytes: 351

SHA-256: d7f499e8d3b566e1150741e6d61854dd09b3c312a1ad3b30f1fd0d6e4341f02e

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{305FFC3F6E78D8B0}DayZExpansion/Core/GUI/icons/misc/T_Map_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 396225282
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Map_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0520. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Matches_256x256.edds.meta

Size bytes: 359

SHA-256: 1a43c466f1b5b85440a8c44fd9b935329fd9a0c1f6b7d1f275573b6d42f35da3

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{508C889A25E7DB58}DayZExpansion/Core/GUI/icons/misc/T_Matches_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 429779714
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Matches_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0521. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Medic_Box_256x256.edds.meta

Size bytes: 363

SHA-256: 6fce8690d834e9e21504179e7c422330ab537a998f0fe976ea71cdb85b4625b4

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{6EF3E2A48F572E68}DayZExpansion/Core/GUI/icons/misc/T_Medic_Box_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 429779714
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Medic_Box_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0522. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Molotov_256x256.edds.meta

Size bytes: 359

SHA-256: 093ab15bc392cb58a757aldcea20275ac77fe8ca1ff8f4110d874eb609153893

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{D5F7A66A291EFD7F}DayZExpansion/Core/GUI/icons/misc/T_Molotov_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 429779714
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Molotov_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```


0523. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Mushrooms_256x256.edds.meta
Size bytes: 363
SHA-256: bcd47080cd1bb9b3a7502f8e995ba5e13c9a4fca65dffe744deee5ccd5ab295d
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{6C510660279C3173}DayZExpansion/Core/GUI/icons/misc/T_Mushrooms_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 429779714  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Mushrooms_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0524. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Nails_256x256.edds.meta

Size bytes: 355

SHA-256: 45da241a955d6ec9cdaf1645998d594dbf0ec6e98953e3d2282f2c0c6bd7c80b

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{BE57AD70B32B2BC9}DayZExpansion/Core/GUI/icons/misc/T_Nails_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 429779714
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Nails_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0525. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Paper_256x256.edds.meta
Size bytes: 355
SHA-256: 520e7603002db663bcc2f5d3d972d4a83983df5750ad6b56acce35967e4ab92a
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{46020823AE913E16}DayZExpansion/Core/GUI/icons/misc/T_Paper_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 429779714  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Paper_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0526. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Pills_256x256.edds.meta
Size bytes: 355
SHA-256: afb86d70214e452038fbc3524715e7121b1927d95f9805f5c9ce94bd4e013dfc
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{BC3C8F3B17A3D896}DayZExpansion/Core/GUI/icons/misc/T_Pills_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 463334146  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Pills_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0527. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Pipe_wrench_256x256.edds.meta

Size bytes: 367

SHA-256: d681054f115b7d022a0e9ebdd6e69938ce602426b6f5daaa337ccd3fc159e6c

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{8A20F244723DD920}DayZExpansion/Core/GUI/icons/misc/T_Pipe_wrench_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 463334146
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Pipe_wrench_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0528. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Powder_256x256.edds.meta
Size bytes: 357
SHA-256: cd164a60a43c657e7a84d94335d561fd820327375caad3bb0a9076df5578bbb9
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{340988E9B0D6EE88}DayZExpansion/Core/GUI/icons/misc/T_Powder_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 463334146  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Powder_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0529. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Pumpkin_256x256.edds.meta

Size bytes: 359

SHA-256: 59a28b2dcd1ccb797190b06ef34128e99a8eb9b8f5a29b4a0b740a1c7d2a9948

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{29E25F1F9FF91D6B}DayZExpansion/Core/GUI/icons/misc/T_Pumpkin_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 463334146
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Pumpkin_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0530. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Rabbit_256x256.edds.meta
Size bytes: 357
SHA-256: 5e61be5214aecbeb5359b8b299ea7c16745a375adb785a1aa022f510be936944
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{C7C1EE0A17D59E13}DayZExpansion/Core/GUI/icons/misc/T_Rabbit_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 463334146  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Rabbit_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```


0531. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Raccoon_256x256.edds.meta

Size bytes: 357

SHA-256: 70127b88cecb05756f95463da45b99b61375a18dc2faa6cc5c0dd57ec793db99

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{8F060E962184AA18}DayZExpansion/Core/GUI/icons/misc/T_Raccoon_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 463334146
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Raccoon_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0532. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Radio_256x256.edds.meta

Size bytes: 355

SHA-256: 1e4a7615824e6bc311bdc615c93368323be48971f26f86512dba754062a461b2

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{9AC32CE009D558C1}DayZExpansion/Core/GUI/icons/misc/T_Radio_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 496888578
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Radio_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0533. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Rat_256x256.edds.meta

Size bytes: 351

SHA-256: ac4f8d1dc8aa5d812428c2a75dd58d4645f1a726aa5b7af16aff3810dc6b671e

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{081A46DC6D8645CD}DayZExpansion/Core/GUI/icons/misc/T_Rat_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 496888578
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Rat_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0534. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Rock_01_256x256.edds.meta
Size bytes: 359
SHA-256: cd2aac1949fe6d2e799f9c5d3e5527cb39af6bfbal180147ff4abd7cb8c4d803
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{1732461615DBB967}DayZExpansion/Core/GUI/icons/misc/T_Rock_01_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 496888578  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Rock_01_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0535. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Rock_02_256x256.edds.meta
Size bytes: 359
SHA-256: 844d77738c36fb9e37e70c0f78eaacd03a9e56f9326cec2561a51b1bf4e30f20
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{6C85E239EA449F48}DayZExpansion/Core/GUI/icons/misc/T_Rock_02_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 496888578  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Rock_02_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0536. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Rope_256x256.edds.meta
Size bytes: 353
SHA-256: c3c1a955ab397422f6a9409fbaf90d797c46f7850301ed322916e274f5d52bd4
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{F9EBF5F832A0004A}DayZExpansion/Core/GUI/icons/misc/T_Rope_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 496888578  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Rope_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0537. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Saw_256x256.edds.meta
Size bytes: 351
SHA-256: beeeb304b21160a7aaef003f65768ba55524c107578c2f2ccfb78a72eeaad891
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{CE2643ECD1BC096F}DayZExpansion/Core/GUI/icons/misc/T_Saw_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 496888578  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Saw_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0538. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Scrap_Metal_256x256.edds.meta

Size bytes: 367

SHA-256: eeca8bfbb13fa9320100551f7a54bc4024f423e55e66ab51c6b97d7d139d2c43

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{21C667622C569283}DayZExpansion/Core/GUI/icons/misc/T_Scrap_Metal_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 530443010
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Scrap_Metal_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```


0539. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Screwdriver_256x256.edds.meta
Size bytes: 367
SHA-256: 80819aa6fd345735425a533fd5380c7b7b79a8bd73d510f09ec03670b7c93584
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{C8227E23EC775D27}DayZExpansion/Core/GUI/icons/misc/T_Screwdriver_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 530443010  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Screwdriver_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0540. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Shotgun_256x256.edds.meta
Size bytes: 359
SHA-256: 945707fe20e2a5c8da0e7298b7ee3cf1c8b07ed0d5fcdd53f1215f028692a7a1
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{B2FB00D851963324}DayZExpansion/Core/GUI/icons/misc/T_Shotgun_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 530443010  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Shotgun_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0541. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Shotgun_Bullets_256x256.edds.meta

Size bytes: 375

SHA-256: bed8161cbd2cd4b75625c854eb780c017a206e17c461356f62b47aac4aa3025c

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{2A28860D8B455262}DayZExpansion/Core/GUI/icons/misc/T_Shotgun_Bullets_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 530443010
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Shotgun_Bullets_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0542. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Shovel_256x256.edds.meta

Size bytes: 357

SHA-256: 0cb5854b62dd985042aef6194e9999544c96d40cf37660342bd9a7b3462e1fb0

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{0357D42F0F6B3CEE}DayZExpansion/Core/GUI/icons/misc/T_Shovel_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 530443010
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Shovel_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0543. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Sleeping_Bag_256x256.edds.meta

Size bytes: 369

SHA-256: e295fcc1cbfe37de0927e1d1142c06cdf0c9dc32caafa2733ff8474d35eb8fdd

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{34565E58ABE52491}DayZExpansion/Core/GUI/icons/misc/T_Sleeping_Bag_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 530443010
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Sleeping_Bag_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0544. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Slingshot_256x256.edds.meta

Size bytes: 363

SHA-256: cbcbbd18d3d254dffe7268e41f3d76cdb079bfa32b1c35cca9ffb2f7a85dale

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{005E7775B78915A3}DayZExpansion/Core/GUI/icons/misc/T_Slingshot_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 563997442
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Slingshot_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0545. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Soda_256x256.edds.meta
Size bytes: 353
SHA-256: 28f817fc4979d4b92d8160592a99407d8681c6de29553912210e494bc6ed7bae
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{00FA9CC975619AD5}DayZExpansion/Core/GUI/icons/misc/T_Soda_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 563997442  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Soda_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0546. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Soldier_256x256.edds.meta

Size bytes: 360

SHA-256: 32fa7762df0fe4ed46a9058dedalec472edc4e309b36a596dbef1e25e5e77be4

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{3364F58EF7F7FBE3}DayZExpansion/Core/GUI/icons/misc/T_Soldier_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 1270574387
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Soldier_256x256.tga"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```


0547. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Tent_256x256.edds.meta

Size bytes: 353

SHA-256: ec3b4bb053a16e604722146a5f7893f1f35c6e1894b18efc0298bac4195a7cc7

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{42C574D247FC030D}DayZExpansion/Core/GUI/icons/misc/T_Tent_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 563997442
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Tent_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0548. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Three_Stick_256x256.edds.meta
Size bytes: 367
SHA-256: a0e1b13462f80f8764dbf9a8a03f16c00cece45a293b49f62e4fc39a506ddf4c
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{6F0F5345206847F0}DayZExpansion/Core/GUI/icons/misc/T_Three_Stick_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 563997442  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Three_Stick_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0549. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Wakie-Talkie_256x256.edds.meta
Size bytes: 369
SHA-256: 2f0f8ade56ce70f0ba0519d94b5d314e0884fdeaaae2fb4e5e12f401154cf141
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{0A89BEAE6091772B}DayZExpansion/Core/GUI/icons/misc/T_Wakie-Talkie_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 563997442  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Wakie-Talkie_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0550. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_WaterJug_256x256.edds.meta
Size bytes: 361
SHA-256: fb60a9204318280c7309a1d24f3abd4d0289c0bfd49c15ad4baa3ed53e5ee6d9
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{8E55FD6657E8AAF4}DayZExpansion/Core/GUI/icons/misc/T_WaterJug_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 563997442  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_WaterJug_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0551. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_WildPork_256x256.edds.meta

Size bytes: 361

SHA-256: 6a2e0ff5d1127f48763ad9806543df8f18f6bff468b7f5894eb101f32e652f3f

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{99903F0C31821F80}DayZExpansion/Core/GUI/icons/misc/T_WildPork_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 563997442
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_WildPork_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0552. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Worms_256x256.edds.meta
Size bytes: 355
SHA-256: b1a69151aafbd012db43d01a771f8e95c9443a39fbf0556b26a86bb1a5fd745a
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{B81336BD53B413AE}DayZExpansion/Core/GUI/icons/misc/T_Worms_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 597551874  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Worms_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0553. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\trashcan.edds.meta
Size bytes: 335
SHA-256: c2e719170e3a8e2a3ce6e37e635875c1a4a243d5a88f70d30184ab6252c04a54
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{29CDD06CB5E01B7B}DayZExpansion/Core/GUI/icons/misc/trashcan.edds"  
000003 |   Author "monolith"  
000004 |   ChangeDate -428610446  
000005 |   Configurations {  
000006 |     PNGResourceClass PC {  
000007 |       SourceFile "trashcan.png"  
000008 |     }  
000009 |     PNGResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     PNGResourceClass PS4 : PC {  
000012 |     }  
000013 |     PNGResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0554. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\trashcan_checkmark.edds.meta

Size bytes: 356

SHA-256: a0eda798cd04c1f42d2657ac45385b0b5cbe9a2a26cd0c657d326b5f6bb92330

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{6BB6176A8A8FF22D}DayZExpansion/Core/GUI/icons/misc/trashcan_checkmark.edds"
000003 |   Author "monolith"
000004 |   ChangeDate -1223938958
000005 |   Configurations {
000006 |     PNGResourceClass PC {
000007 |       SourceFile "trashcan_checkmark.png"
000008 |     }
000009 |     PNGResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     PNGResourceClass PS4 : PC {
000012 |     }
000013 |     PNGResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```


0555. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: imagesets\arrows.edds.meta
Size bytes: 340
SHA-256: e5f8413dec4dbffcaccc5b4ac427796be3da131c2d8c78871ecc7702950205e9
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{274CA77753CBE9CB}DayZExpansion/Core/GUI/imagesets/arrows.edds"  
000003 |   Author "Steve aka Salutesh"  
000004 |   ChangeDate 1285924496  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "arrows.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0556. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: imagesets\expansion_gui.edds.meta
Size bytes: 355
SHA-256: 9a49e9b9535919dc76257385384477e8c1b06ded9d195d92f1d895658964cb21
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{5FEBF09F339EDD88}DayZExpansion/Core/GUI/imagesets/expansion_gui.edds"  
000003 |   Author "Steve aka Salutesh"  
000004 |   ChangeDate -1932843632  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "expansion_gui.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0557. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: imagesets\expansion_iconset.edds.meta

Size bytes: 429

SHA-256: 8cdb6c39e708b0306ebbb4c4769d9ff6295712bf74330d82565aea5151b13e79

Decoded as: utf-8-sig

Line count shown: 19

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{5A5F526F8FCAD6DC}DayZExpansion/Core/GUI/imagesets/expansion_iconset.tga"
000003 |   Author "Steve aka Salutesh"
000004 |   ChangeDate -1196774520
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "expansion_iconset.tga"
000008 |       FormatCompress Copy
000009 |       ConversionQuality 1
000010 |       TiledTexture 0
000011 |     }
000012 |     TGAResourceClass XBOX_ONE : PC {
000013 |     }
000014 |     TGAResourceClass PS4 : PC {
000015 |     }
000016 |     TGAResourceClass LINUX : PC {
000017 |     }
000018 |   }
000019 | }
```

0558. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: imagesets\expansion_inventory.edds.meta
Size bytes: 362
SHA-256: f9ad2ab7df3bac5692d0df3da6cb8301a4cc00c3ebef4c7ca1d82f1ea2e6cddb
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{2BC6CC987430C5AA}DayZExpansion/Core/GUI/imagesets/expansion_inventory.tga"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -517263741  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "expansion_inventory.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0559. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: imagesets\expansion_mod_imageset.edds.meta

Size bytes: 369

SHA-256: 41af7045774f4e1f55deea332bc0c7b3807472e8a248ee3d516293095f46fa3f

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{FB43C9E1B3773EF1}DayZExpansion/Core/GUI/imagesets/expansion_mod_imageset.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 1022717077
000005 |   Configurations {
000006 |     PNGResourceClass PC {
000007 |       SourceFile "expansion_mod_imageset.png"
000008 |     }
000009 |     PNGResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     PNGResourceClass PS4 : PC {
000012 |     }
000013 |     PNGResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0560. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: imagesets\expansion_notification_iconset.edds.meta
Size bytes: 387
SHA-256: f0888c5f9779478b689b0d4a15de7000de7a5117a28d15baea2ec8dec8cdc3df
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{750E47D66C23ECD8}DayZExpansion/Core/GUI/imagesets/expansion_notification_iconset.edds"  
000003 |   Author "Steve aka Salutesh"  
000004 |   ChangeDate 652928858  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "expansion_notification_iconset.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0561. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: imagesets\expansion_widgets.edds.meta

Size bytes: 360

SHA-256: 3caa61ca210000885440e8e2faa1be380436ecb32cb0f18bf79087584e7f6c6d

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{D3F379EEE4E42B33}DayZExpansion/Core/GUI/imagesets/expansion_widgets.edds"
000003 |   Author "Steve aka Salutesh"
000004 |   ChangeDate 75361004
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "expansion_widgets.tga"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0562. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\expansion_debug.layout
Size bytes: 293
SHA-256: 58c81f0c50267585319787d8476d3896112119f19c71334e133c4facda202452
Decoded as: utf-8-sig
Line count shown: 17

Full file content

```
000001 | TextWidgetClass expansion_debug_text {  
000002 |   clipchildren 0  
000003 |   ignorepointer 1  
000004 |   size 0 16  
000005 |   hexactpos 1  
000006 |   vexactpos 1  
000007 |   hexactsize 1  
000008 |   vexactsize 1  
000009 |   priority 1  
000010 |   style Normal  
000011 |   text " "  
000012 |   font "gui/fonts/system"  
000013 |   "exact text" 1  
000014 |   "size to text h" 0  
000015 |   "size to text v" 0  
000016 |   "text valign" center  
000017 | }
```


0563. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\expansion_inventory_tidy.layout

Size bytes: 815

SHA-256: 5d33696763091941e4673cc7efb8b51ce20f6b08a577cec1e889a9615565ce3a

Decoded as: utf-8-sig

Line count shown: 44

Full file content

```
000001 | PanelWidgetClass TidyPanel {
000002 |   ignorepointer 1
000003 |   position 43 0
000004 |   size 29 29
000005 |   halign right_ref
000006 |   valign center_ref
000007 |   hexactpos 1
000008 |   vexactpos 1
000009 |   hexactsize 1
000010 |   vexactsize 1
000011 |   style blank
000012 | {
000013 |   ButtonWidgetClass TidyBtn {
000014 |     position 0 0
000015 |     size 1 1
000016 |     halign right_ref
000017 |     valign center_ref
000018 |     hexactpos 1
000019 |     vexactpos 1
000020 |     hexactsize 0
000021 |     vexactsize 0
000022 |     style Empty
000023 |     {
000024 |       ImageWidgetClass TidyBtnIcon {
000025 |         ignorepointer 1
000026 |         position 0 0
000027 |         size 17 17
000028 |         halign center_ref
000029 |         valign center_ref
000030 |         hexactpos 1
000031 |         vexactpos 1
000032 |         hexactsize 1
000033 |         vexactsize 1
000034 |         imageTexture "{27505255AD921029}DayZExpansion/Core/GUI/icons/hud/sort_simple_64x64.edds"
000035 |         mode blend
000036 |         "src alpha" 1
000037 |         "clamp mode" clamp
000038 |         "stretch mode" stretch_w_h
000039 |       }
000040 |     }
000041 |   }
000042 | }
000043 | }
000044 | }
```

0564. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\expansion_notification_activity.layout

Size bytes: 5324

SHA-256: 8044a2ede67bac6470775a27971fc01976d74294f5ac8c6c23d9b29cb32c7492

Decoded as: utf-8-sig

Line count shown: 242

Full file content

```
000001 | WrapSpacerWidgetClass ExpansionNotificationViewActivity {
000002 |     visible 1
000003 |     disabled 0
000004 |     inheritalpha 0
000005 |     ignorepointer 1
000006 |     keepsafezone 1
000007 |     color 0.1059 0.1059 0.1059 0.4706
000008 |     size 0.25 0
000009 |     hexactpos 1
000010 |     vexactpos 1
000011 |     hexactsiz 0
000012 |     vexactsiz 0
000013 |     scaled 1
000014 |     priority 1000
000015 |     draggable 0
000016 |     scriptclass "ExpansionNotificationViewActivityController"
000017 |     style Colorable
000018 |     "no focus" 1
000019 |     Padding 0
000020 |     Margin 0
000021 |     "Size To Content V" 1
000022 |     {
000023 |         GridSpacerWidgetClass Notification {
000024 |             inheritalpha 0
000025 |             ignorepointer 1
000026 |             keepsafezone 0
000027 |             position 0 0
000028 |             size 1 1
000029 |             hexactpos 1
000030 |             vexactpos 1
000031 |             hexactsiz 0
000032 |             vexactsiz 0
000033 |             scaled 1
000034 |             draggable 0
000035 |             style Empty
000036 |             "no focus" 1
000037 |             Padding 0
000038 |             Margin 0
000039 |             "Size To Content H" 1
000040 |             "Size To Content V" 1
000041 |             Rows 1
000042 |             {
000043 |                 GridSpacerWidgetClass NotificationElement {
000044 |                     inheritalpha 0
000045 |                     ignorepointer 1
000046 |                     keepsafezone 0
000047 |                     position 0 0
000048 |                     size 1 1
000049 |                     hexactpos 1
000050 |                     vexactpos 1
000051 |                     hexactsiz 0
```

```
000052 | vexactsize 0
000053 | scaled 1
000054 | draggable 0
000055 | style Empty
000056 | "no focus" 1
000057 | Padding 0
000058 | Margin 0
000059 | "Size To Content H" 1
000060 | "Size To Content V" 1
000061 | content_valign center
000062 | Columns 1
000063 | {
000064 |   GridSpacerWidgetClass TopSpacer {
000065 |     inheritalpha 0
000066 |     ignorepointer 1
000067 |     position 0 0
000068 |     size 1 0.08
000069 |     hexactpos 1
000070 |     vexactpos 1
000071 |     hexactsize 0
000072 |     vexactsize 0
000073 |     style Empty
000074 |     Padding 0
000075 |     Margin 0
000076 |     "Size To Content H" 1
000077 |     "Size To Content V" 1
000078 |     Columns 2
000079 |     Rows 1
000080 |     {
000081 |       PanelWidgetClass NotificationIconPanel {
000082 |         ignorepointer 1
000083 |         position 10 10
000084 |         size 26 26
000085 |         hexactpos 1
000086 |         vexactpos 1
000087 |         hexactsize 1
000088 |         vexactsize 1
000089 |         "no focus" 1
000090 |         {
000091 |           ImageWidgetClass NotificationIcon {
000092 |             visible 1
000093 |             ignorepointer 1
000094 |             position 0 0
000095 |             size 24 24
000096 |             halign center_ref
000097 |             valign center_ref
000098 |             hexactpos 1
000099 |             vexactpos 1
000100 |             hexactsize 1
000101 |             vexactsize 1
000102 |             fixaspect fixwidth
000103 |             scriptclass "ViewBinding"
000104 |             image0 ""
000105 |             mode blend
000106 |             "src alpha" 1
000107 |             "clamp mode" clamp
000108 |             "stretch mode" stretch_w_h
000109 |             {
000110 |               ScriptParamsClass {
000111 |                 Binding_Name "NotificationIcon"
000112 |               }
000113 |             }
```

```
000114 |     }
000115 |   }
000116 | }
000117 | RichTextWidgetClass NotificationTitle {
000118 |   visible 1
000119 |   inheritalpha 0
000120 |   ignorepointer 1
000121 |   position 0 0
000122 |   size 1 1
000123 |   hexactpos 1
000124 |   vexactpos 1
000125 |   hexactsize 0
000126 |   vexactsize 0
000127 |   scriptclass "ViewBinding"
000128 |   style DayZNormal
000129 |   font "gui/fonts/sdf_MetronBook24"
000130 |   "bold text" 1
000131 |   "exact text" 1
000132 |   "exact text size" 14
000133 |   "size to text h" 1
000134 |   "size to text v" 1
000135 |   "text valign" center
000136 |   wrap 1
000137 |   {
000138 |     ScriptParamsClass {
000139 |       Binding_Name "NotificationTitle"
000140 |     }
000141 |   }
000142 | }
000143 | }
000144 | }
000145 | GridSpacerWidgetClass NotificationColorSpacer {
000146 |   visible 1
000147 |   disabled 1
000148 |   inheritalpha 0
000149 |   ignorepointer 1
000150 |   keepsafezone 0
000151 |   position 0 0
000152 |   size 1 2
000153 |   hexactpos 1
000154 |   vexactpos 1
000155 |   hexactsize 0
000156 |   vexactsize 1
000157 |   style Empty
000158 |   "no focus" 1
000159 |   Padding 0
000160 |   Margin 0
000161 |   Columns 1
000162 |   Rows 1
000163 |   {
000164 |     PanelWidgetClass NotificationColor {
000165 |       visible 1
000166 |       disabled 1
000167 |       ignorepointer 1
000168 |       color 1 1 1 0.4706
000169 |       position 5 0
000170 |       size 1 1
000171 |       hexactpos 1
000172 |       vexactpos 1
000173 |       hexactsize 0
000174 |       vexactsize 0
000175 |       scaled 1
```

```
000176 |         fixaspect fixwidth
000177 |         style rover_sim_colorable
000178 |     }
000179 | }
000180 | }
000181 | GridSpacerWidgetClass BottomSpacer {
000182 |     visible 1
000183 |     ignorepointer 1
000184 |     color 1 1 1 0.9961
000185 |     position 0 0
000186 |     size 1 0.08
000187 |     hexactpos 1
000188 |     vexactpos 1
000189 |     hexactsiz 0
000190 |     vexactsiz 0
000191 |     style Empty
000192 |     "no focus" 1
000193 |     Padding 0
000194 |     Margin 0
000195 |     "Size To Content H" 1
000196 |     "Size To Content V" 1
000197 |     Columns 2
000198 |     Rows 1
000199 |     {
000200 |         WrapSpacerWidgetClass NotificationTextSpacer {
000201 |             visible 1
000202 |             ignorepointer 1
000203 |             position 0 0
000204 |             size 26 1
000205 |             hexactpos 1
000206 |             vexactpos 1
000207 |             hexactsiz 1
000208 |             vexactsiz 1
000209 |             style Empty
000210 |         }
000211 |         RichTextWidgetClass NotificationText {
000212 |             visible 1
000213 |             inheritalpha 0
000214 |             ignorepointer 1
000215 |             position 0 0
000216 |             size 1 1
000217 |             hexactpos 1
000218 |             vexactpos 1
000219 |             hexactsiz 0
000220 |             vexactsiz 0
000221 |             scriptclass "ViewBinding"
000222 |             font "gui/fonts/sdf_MetronBook24"
000223 |             "exact text" 1
000224 |             "exact text size" 14
000225 |             "size to text h" 1
000226 |             "size to text v" 1
000227 |             "text valign" center
000228 |             wrap 1
000229 |             {
000230 |                 ScriptParamsClass {
000231 |                     Binding_Name "NotificationText"
000232 |                 }
000233 |             }
000234 |         }
000235 |     }
000236 | }
000237 | }
```

000238 | }
000239 | }
000240 | }
000241 | }
000242 | }

0565. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\expansion_notification_baguette.layout
Size bytes: 5873
SHA-256: a39fef349f5b93970f110496b8c40cdd803d8729e07dd4cf9e5ace73b2ba0d85
Decoded as: utf-8-sig
Line count shown: 266

Full file content

```
000001 | GridSpacerWidgetClass ExpansionNotificationViewBaguette {
000002 |   inheritalpha 0
000003 |   color 0.1059 0.1059 0.1059 0.4706
000004 |   position 0 0
000005 |   size 1 32
000006 |   hexactpos 1
000007 |   vexactpos 1
000008 |   hexactsize 0
000009 |   vexactsize 1
000010 |   scriptclass "ExpansionNotificationViewBaguetteController"
000011 |   style Colorable
000012 |   Padding 0
000013 |   Margin 0
000014 |   "Size To Content V" 1
000015 |   Columns 1
000016 |   Rows 1
000017 |   {
000018 |     GridSpacerWidgetClass Notification {
000019 |       inheritalpha 0
000020 |       ignorepointer 1
000021 |       keepsafezone 0
000022 |       position 0 0
000023 |       size 1 1
000024 |       hexactpos 1
000025 |       vexactpos 1
000026 |       hexactsize 0
000027 |       vexactsize 0
000028 |       scaled 1
000029 |       draggable 0
000030 |       style Empty
000031 |       "no focus" 1
000032 |       Padding 0
000033 |       Margin 0
000034 |       "Size To Content H" 1
000035 |       "Size To Content V" 1
000036 |       Rows 1
000037 |       {
000038 |         GridSpacerWidgetClass NotificationElement {
000039 |           inheritalpha 0
000040 |           ignorepointer 1
000041 |           keepsafezone 0
000042 |           position 0 0
000043 |           size 1 1
000044 |           hexactpos 1
000045 |           vexactpos 1
000046 |           hexactsize 0
000047 |           vexactsize 0
000048 |           scaled 1
000049 |           draggable 0
000050 |           style Empty
000051 |           "no focus" 1
```

```
000052 | Padding 0
000053 | Margin 0
000054 | "Size To Content H" 1
000055 | "Size To Content V" 1
000056 | content_valign center
000057 | Columns 1
000058 | {
000059 |   GridSpacerWidgetClass TopSpacer {
000060 |     inheritalpha 0
000061 |     ignorepointer 1
000062 |     position 0 0
000063 |     size 1 0.08
000064 |     hexactpos 1
000065 |     vexactpos 1
000066 |     hexactsize 0
000067 |     vexactsize 0
000068 |     style Empty
000069 |     Padding 0
000070 |     Margin 0
000071 |     "Size To Content H" 1
000072 |     "Size To Content V" 1
000073 |     Columns 2
000074 |     Rows 1
000075 |     {
000076 |       PanelWidgetClass NotificationIconPanel {
000077 |         ignorepointer 1
000078 |         position 10 10
000079 |         size 34 34
000080 |         hexactpos 1
000081 |         vexactpos 1
000082 |         hexactsize 1
000083 |         vexactsize 1
000084 |         "no focus" 1
000085 |         {
000086 |           ImageWidgetClass NotificationIcon {
000087 |             visible 1
000088 |             ignorepointer 1
000089 |             position 0 0
000090 |             size 32 32
000091 |             halign center_ref
000092 |             valign center_ref
000093 |             hexactpos 1
000094 |             vexactpos 1
000095 |             hexactsize 1
000096 |             vexactsize 1
000097 |             fixaspect fixwidth
000098 |             scriptclass "ViewBinding"
000099 |             image0 ""
000100 |             mode blend
000101 |             "src alpha" 1
000102 |             "clamp mode" clamp
000103 |             "stretch mode" stretch_w_h
000104 |             {
000105 |               ScriptParamsClass {
000106 |                 Binding_Name "NotificationIcon"
000107 |               }
000108 |             }
000109 |           }
000110 |         }
000111 |       }
000112 |     }
000113 |   RichTextWidgetClass NotificationTitle {
000114 |     visible 1
```



```
000114 |         inheritalpha 0
000115 |         ignorepointer 1
000116 |         position 0 0
000117 |         size 1 1
000118 |         hexactpos 1
000119 |         vexactpos 1
000120 |         hexactsize 0
000121 |         vexactsize 0
000122 |         scriptclass "ViewBinding"
000123 |         style DayZNormal
000124 |         font "gui/fonts/sdf_MetronBook24"
000125 |         "bold text" 1
000126 |         "exact text" 1
000127 |         "exact text size" 20
000128 |         "size to text h" 1
000129 |         "size to text v" 1
000130 |         "text valign" center
000131 |         wrap 1
000132 |         {
000133 |             ScriptParamsClass {
000134 |                 Binding_Name "NotificationTitle"
000135 |             }
000136 |         }
000137 |     }
000138 | }
000139 | }
000140 | GridSpacerWidgetClass NotificationColorSpacer {
000141 |     visible 1
000142 |     disabled 1
000143 |     inheritalpha 0
000144 |     ignorepointer 1
000145 |     keepsafezone 0
000146 |     position 0 0
000147 |     size 1 5
000148 |     hexactpos 1
000149 |     vexactpos 1
000150 |     hexactsize 0
000151 |     vexactsize 1
000152 |     style Empty
000153 |     "no focus" 1
000154 |     Padding 0
000155 |     Margin 0
000156 |     Columns 1
000157 |     Rows 1
000158 |     {
000159 |         PanelWidgetClass NotificationColor {
000160 |             visible 1
000161 |             disabled 1
000162 |             ignorepointer 1
000163 |             color 1 1 1 0.4706
000164 |             position 5 0
000165 |             size 1 1
000166 |             hexactpos 1
000167 |             vexactpos 1
000168 |             hexactsize 0
000169 |             vexactsize 0
000170 |             scaled 1
000171 |             fixaspect fixwidth
000172 |             style rover_sim_colorable
000173 |         }
000174 |     }
000175 | }
```

```
000176 | GridSpacerWidgetClass BottomSpacer {
000177 |     visible 1
000178 |     ignorepointer 1
000179 |     color 1 1 1 0.9961
000180 |     position 0 0
000181 |     size 1 0.08
000182 |     hexactpos 1
000183 |     vexactpos 1
000184 |     hexactsize 0
000185 |     vexactsize 0
000186 |     style Empty
000187 |     "no focus" 1
000188 |     Padding 0
000189 |     Margin 0
000190 |     "Size To Content H" 1
000191 |     "Size To Content V" 1
000192 |     Columns 2
000193 |     Rows 1
000194 |     {
000195 |         WrapSpacerWidgetClass NotificationTextSpacer {
000196 |             visible 1
000197 |             ignorepointer 1
000198 |             position 0 0
000199 |             size 34 1
000200 |             hexactpos 1
000201 |             vexactpos 1
000202 |             hexactsize 1
000203 |             vexactsize 0
000204 |             style Empty
000205 |         }
000206 |         RichTextWidgetClass NotificationText {
000207 |             visible 1
000208 |             inheritalpha 0
000209 |             ignorepointer 1
000210 |             position 0 0
000211 |             size 1 1
000212 |             hexactpos 1
000213 |             vexactpos 1
000214 |             hexactsize 0
000215 |             vexactsize 0
000216 |             scriptclass "ViewBinding"
000217 |             font "gui/fonts/sdf_MetronBook24"
000218 |             "exact text" 1
000219 |             "exact text size" 16
000220 |             "size to text h" 1
000221 |             "size to text v" 1
000222 |             "text valign" center
000223 |             wrap 1
000224 |             {
000225 |                 ScriptParamsClass {
000226 |                     Binding_Name "NotificationText"
000227 |                 }
000228 |             }
000229 |         }
000230 |     }
000231 | }
000232 | WrapSpacerWidgetClass FotterSpacer {
000233 |     visible 1
000234 |     ignorepointer 1
000235 |     color 1 1 1 0.9961
000236 |     position 0 0
000237 |     size 1 0.116
```

```
000238 |      hexactpos 1
000239 |      vexactpos 1
000240 |      hexactsize 0
000241 |      vexactsize 0
000242 |      style Empty
000243 |      "no focus" 1
000244 |      Padding 0
000245 |      Margin 0
000246 |      "Size To Content H" 1
000247 |      "Size To Content V" 1
000248 |      {
000249 |      PanelWidgetClass Spacer1 {
000250 |      ignorepointer 1
000251 |      position 11 6
000252 |      size 1 5
000253 |      hexactpos 1
000254 |      vexactpos 1
000255 |      hexactsize 0
000256 |      vexactsize 1
000257 |      "no focus" 1
000258 |      }
000259 |    }
000260 |  }
000261 | }
000262 | }
000263 | }
000264 | }
000265 | }
000266 | }
```

0566. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\expansion_notification_hud.layout

Size bytes: 4254

SHA-256: a82cf581cfca0a507f9eea49635475272d098270d34a1225a6eb1600b120bbbe

Decoded as: utf-8-sig

Line count shown: 230

Full file content

```
000001 | PanelWidgetClass ExpansionNotificationHUD {
000002 |     visible 1
000003 |     disabled 0
000004 |     clipchildren 1
000005 |     inheritalpha 0
000006 |     ignorepointer 1
000007 |     keepsafezone 1
000008 |     position 0 0
000009 |     size 1 1
000010 |     halign center_ref
000011 |     valign center_ref
000012 |     hexactpos 1
000013 |     vexactpos 1
000014 |     hexactsiz 0
000015 |     vexactsiz 0
000016 |     scaled 1
000017 |     priority 900
000018 |     draggable 0
000019 |     scriptclass "ExpansionNotificationHUDController"
000020 | {
000021 |     PanelWidgetClass ToastsContent {
000022 |         visible 1
000023 |         disabled 0
000024 |         clipchildren 1
000025 |         inheritalpha 0
000026 |         ignorepointer 1
000027 |         keepsafezone 1
000028 |         position 52 36
000029 |         size 0.25 0.9
000030 |         hexactpos 1
000031 |         vexactpos 1
000032 |         hexactsiz 0
000033 |         vexactsiz 0
000034 |         scaled 1
000035 |         draggable 0
000036 |         "no focus" 1
000037 |     {
000038 |         WrapSpacerWidgetClass ToastsGrid {
000039 |             clipchildren 1
000040 |             ignorepointer 1
000041 |             keepsafezone 1
000042 |             position 0 0
000043 |             size 1 1
000044 |             hexactpos 1
000045 |             vexactpos 1
000046 |             hexactsiz 0
000047 |             vexactsiz 0
000048 |             scriptclass "ViewBinding"
000049 |             style Empty
000050 |             "no focus" 1
000051 |             Padding 5
```

```
000052 | Margin 0
000053 | "Size To Content V" 1
000054 | {
000055 |   ScriptParamsClass {
000056 |     Binding_Name "NotificationToastElements"
000057 |   }
000058 | }
000059 | }
000060 | }
000061 | }
000062 | PanelWidgetClass BaguetteContent {
000063 |   visible 1
000064 |   disabled 0
000065 |   clipchildren 1
000066 |   inheritalpha 0
000067 |   ignorepointer 1
000068 |   keepsafezone 1
000069 |   position 0 102
000070 |   size 0.4 0.9
000071 |   halign center_ref
000072 |   hexactpos 1
000073 |   vexactpos 1
000074 |   hexactsize 0
000075 |   vexactsize 0
000076 |   scaled 1
000077 |   draggable 0
000078 |   "no focus" 1
000079 | {
000080 |   WrapSpacerWidgetClass BaguetteGrid {
000081 |     clipchildren 1
000082 |     ignorepointer 1
000083 |     keepsafezone 1
000084 |     position 0 0
000085 |     size 1 1
000086 |     hexactpos 1
000087 |     vexactpos 1
000088 |     hexactsize 0
000089 |     vexactsize 0
000090 |     scriptclass "ViewBinding"
000091 |     style Colorable
000092 |     "no focus" 1
000093 |     {
000094 |       ScriptParamsClass {
000095 |         Binding_Name "NotificationBaguetteElements"
000096 |       }
000097 |     }
000098 |   }
000099 | }
000100 | }
000101 | PanelWidgetClass KillfeedsContent {
000102 |   visible 1
000103 |   disabled 0
000104 |   clipchildren 1
000105 |   inheritalpha 0
000106 |   ignorepointer 1
000107 |   keepsafezone 1
000108 |   position 52 36
000109 |   size 0.25 0.9
000110 |   halign right_ref
000111 |   hexactpos 1
000112 |   vexactpos 1
000113 |   hexactsize 0
```

```
000114 | vexactsize 0
000115 | scaled 1
000116 | draggable 0
000117 | "no focus" 1
000118 | {
000119 |   WrapSpacerWidgetClass KillfeedsGrid {
000120 |     clipchildren 1
000121 |     ignorepointer 1
000122 |     keepsafezone 1
000123 |     position 0 0
000124 |     size 1 1
000125 |     halign right_ref
000126 |     hexactpos 1
000127 |     vexactpos 1
000128 |     hexactsize 0
000129 |     vexactsize 0
000130 |     scriptclass "ViewBinding"
000131 |     style Empty
000132 |     "no focus" 1
000133 |     Padding 5
000134 |     Margin 0
000135 |     "Size To Content V" 1
000136 |     {
000137 |       ScriptParamsClass {
000138 |         Binding_Name "NotificationKillfeedElements"
000139 |       }
000140 |     }
000141 |   }
000142 | }
000143 | }
000144 | PanelWidgetClass MarketContent {
000145 |   visible 1
000146 |   disabled 0
000147 |   clipchildren 1
000148 |   inheritalpha 0
000149 |   ignorepointer 1
000150 |   keepsafezone 1
000151 |   position 15 345
000152 |   size 0.2 0.31
000153 |   halign right_ref
000154 |   hexactpos 1
000155 |   vexactpos 1
000156 |   hexactsize 0
000157 |   vexactsize 0
000158 |   scaled 1
000159 |   draggable 0
000160 |   "no focus" 1
000161 |   {
000162 |     WrapSpacerWidgetClass MarketGrid {
000163 |       clipchildren 1
000164 |       ignorepointer 1
000165 |       keepsafezone 1
000166 |       position 0 0
000167 |       size 1 3.89025
000168 |       hexactpos 1
000169 |       vexactpos 1
000170 |       hexactsize 0
000171 |       vexactsize 0
000172 |       scriptclass "ViewBinding"
000173 |       style Empty
000174 |       "no focus" 1
000175 |       Padding 5
```

```
000176 |      Margin 0
000177 |      "Size To Content V" 1
000178 |      {
000179 |          ScriptParamsClass {
000180 |              Binding_Name "NotificationMarketElements"
000181 |          }
000182 |      }
000183 |  }
000184 | }
000185 | }
000186 | PanelWidgetClass ActivityContent {
000187 |     visible 1
000188 |     disabled 0
000189 |     clipchildren 1
000190 |     inheritalpha 0
000191 |     ignorepointer 1
000192 |     keepsafezone 1
000193 |     position 28 130
000194 |     size 0.15 0.8
000195 |     halign right_ref
000196 |     valign bottom_ref
000197 |     hexactpos 1
000198 |     vexactpos 1
000199 |     hexactsize 0
000200 |     vexactsize 0
000201 |     scaled 1
000202 |     draggable 0
000203 |     "no focus" 1
000204 |     {
000205 |         WrapSpacerWidgetClass ActivityGrid {
000206 |             clipchildren 1
000207 |             ignorepointer 1
000208 |             keepsafezone 1
000209 |             size 1 1
000210 |             valign bottom_ref
000211 |             hexactpos 1
000212 |             vexactpos 1
000213 |             hexactsize 0
000214 |             vexactsize 0
000215 |             scriptclass "ViewBinding"
000216 |             style Empty
000217 |             "no focus" 1
000218 |             Padding 5
000219 |             Margin 0
000220 |             content_valign bottom
000221 |             {
000222 |                 ScriptParamsClass {
000223 |                     Binding_Name "NotificationActivityElements"
000224 |                 }
000225 |             }
000226 |         }
000227 |     }
000228 | }
000229 | }
000230 | }
```

0567. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\expansion_notification_killfeed.layout
Size bytes: 5915
SHA-256: 639db0b65dfe5230626637c233f3362a6eb6bc70c6842901e631fdaa9415ebdf
Decoded as: utf-8-sig
Line count shown: 274

Full file content

```
000001 | WrapSpacerWidgetClass ExpansionNotificationViewKillfeed {  
000002 |     visible 1  
000003 |     disabled 0  
000004 |     inheritalpha 0  
000005 |     ignorepointer 1  
000006 |     keepsafezone 1  
000007 |     color 0.1059 0.1059 0.1059 0.4706  
000008 |     size 0.25 0  
000009 |     hexactpos 1  
000010 |     vexactpos 1  
000011 |     hexactsiz 0  
000012 |     vexactsiz 0  
000013 |     scaled 1  
000014 |     priority 1000  
000015 |     draggable 0  
000016 |     scriptclass "ExpansionNotificationViewKillfeedController"  
000017 |     style DayZDefaultPanelRight  
000018 |     "no focus" 1  
000019 |     Padding 0  
000020 |     Margin 0  
000021 |     "Size To Content V" 1  
000022 |     {  
000023 |         GridSpacerWidgetClass Notification {  
000024 |             inheritalpha 0  
000025 |             ignorepointer 1  
000026 |             keepsafezone 0  
000027 |             position 0 0  
000028 |             size 1 1  
000029 |             hexactpos 1  
000030 |             vexactpos 1  
000031 |             hexactsiz 0  
000032 |             vexactsiz 0  
000033 |             scaled 1  
000034 |             draggable 0  
000035 |             style Empty  
000036 |             "no focus" 1  
000037 |             Padding 0  
000038 |             Margin 0  
000039 |             "Size To Content H" 1  
000040 |             "Size To Content V" 1  
000041 |             Rows 1  
000042 |             {  
000043 |                 GridSpacerWidgetClass NotificationColorSpacer {  
000044 |                     visible 1  
000045 |                     disabled 1  
000046 |                     inheritalpha 0  
000047 |                     ignorepointer 1  
000048 |                     keepsafezone 0  
000049 |                     position 0 0  
000050 |                     size 0.01 1  
000051 |                     hexactpos 1
```



```
000052 | vexactpos 1
000053 | hexactsize 0
000054 | vexactsize 0
000055 | style Empty
000056 | "no focus" 1
000057 | Padding 0
000058 | Margin 0
000059 | Columns 1
000060 | Rows 1
000061 | {
000062 |   PanelWidgetClass NotificationColor {
000063 |     visible 1
000064 |     disabled 1
000065 |     ignorepointer 1
000066 |     color 1 1 1 0.4706
000067 |     position 5 0
000068 |     size 1 1
000069 |     vexactpos 1
000070 |     vexactpos 1
000071 |     hexactsize 0
000072 |     vexactsize 0
000073 |     scaled 1
000074 |     fixaspect fixwidth
000075 |     style rover_sim_colorable
000076 |   }
000077 | }
000078 | }
000079 | GridSpacerWidgetClass NotificationElement {
000080 |   inheritalpha 0
000081 |   ignorepointer 1
000082 |   keepsafezone 0
000083 |   position 0 0
000084 |   size 0.98 1
000085 |   vexactpos 1
000086 |   vexactpos 1
000087 |   hexactsize 0
000088 |   vexactsize 0
000089 |   scaled 1
000090 |   draggable 0
000091 |   style Empty
000092 |   "no focus" 1
000093 |   Padding 0
000094 |   Margin 0
000095 |   "Size To Content H" 1
000096 |   "Size To Content V" 1
000097 |   content_valign center
000098 |   Columns 1
000099 | {
000100 |   GridSpacerWidgetClass TopSpacer {
000101 |     inheritalpha 0
000102 |     ignorepointer 1
000103 |     position 0 0
000104 |     size 1 0.08
000105 |     vexactpos 1
000106 |     vexactpos 1
000107 |     hexactsize 0
000108 |     vexactsize 0
000109 |     style Empty
000110 |     Padding 0
000111 |     Margin 0
000112 |     "Size To Content H" 1
000113 |     "Size To Content V" 1
```

```
000114 | Columns 2
000115 | Rows 1
000116 | {
000117 |   PanelWidgetClass NotificationIconPanel {
000118 |     ignorepointer 1
000119 |     position 10 10
000120 |     size 34 34
000121 |     hexactpos 1
000122 |     vexactpos 1
000123 |     hexactsize 1
000124 |     vexactsize 1
000125 |     "no focus" 1
000126 |     {
000127 |       ImageWidgetClass NotificationIcon {
000128 |         visible 1
000129 |         ignorepointer 1
000130 |         position 0 0
000131 |         size 32 32
000132 |         halign center_ref
000133 |         valign center_ref
000134 |         hexactpos 1
000135 |         vexactpos 1
000136 |         hexactsize 1
000137 |         vexactsize 1
000138 |         fixaspect fixwidth
000139 |         scriptclass "ViewBinding"
000140 |         image0 ""
000141 |         mode blend
000142 |         "src alpha" 1
000143 |         "clamp mode" clamp
000144 |         "stretch mode" stretch_w_h
000145 |         {
000146 |           ScriptParamsClass {
000147 |             Binding_Name "NotificationIcon"
000148 |           }
000149 |         }
000150 |       }
000151 |     }
000152 |   }
000153 |   RichTextWidgetClass NotificationTitle {
000154 |     visible 1
000155 |     inheritalpha 0
000156 |     ignorepointer 1
000157 |     position 0 0
000158 |     size 1 1
000159 |     hexactpos 1
000160 |     vexactpos 1
000161 |     hexactsize 0
000162 |     vexactsize 0
000163 |     scriptclass "ViewBinding"
000164 |     style DayZNormal
000165 |     font "gui/fonts/sdf_MetronBook24"
000166 |     "bold text" 1
000167 |     "exact text" 1
000168 |     "exact text size" 20
000169 |     "size to text h" 1
000170 |     "size to text v" 1
000171 |     "text valign" center
000172 |     wrap 1
000173 |     {
000174 |       ScriptParamsClass {
000175 |         Binding_Name "NotificationTitle"
```

```
000176 |     }
000177 |   }
000178 | }
000179 | }
000180 | }
000181 | GridSpacerWidgetClass BottomSpacer {
000182 |   visible 1
000183 |   ignorepointer 1
000184 |   color 1 1 1 0.9961
000185 |   position 0 0
000186 |   size 1 0.08
000187 |   hexactpos 1
000188 |   vexactpos 1
000189 |   hexactsize 0
000190 |   vexactsize 0
000191 |   style Empty
000192 |   "no focus" 1
000193 |   Padding 0
000194 |   Margin 0
000195 |   "Size To Content H" 1
000196 |   "Size To Content V" 1
000197 |   Columns 2
000198 |   Rows 1
000199 |   {
000200 |     WrapSpacerWidgetClass NotificationTextSpacer {
000201 |       visible 1
000202 |       ignorepointer 1
000203 |       position 0 0
000204 |       size 34 1
000205 |       hexactpos 1
000206 |       vexactpos 1
000207 |       hexactsize 1
000208 |       vexactsize 0
000209 |     }
000210 |     RichTextWidgetClass NotificationText {
000211 |       visible 1
000212 |       inheritalpha 0
000213 |       ignorepointer 1
000214 |       position 0 0
000215 |       size 1 1
000216 |       hexactpos 1
000217 |       vexactpos 1
000218 |       hexactsize 0
000219 |       vexactsize 0
000220 |       scriptclass "ViewBinding"
000221 |       font "gui/fonts/sdf_MetronBook24"
000222 |       "exact text" 1
000223 |       "exact text size" 16
000224 |       "size to text h" 1
000225 |       "size to text v" 1
000226 |       "text valign" center
000227 |       wrap 1
000228 |       {
000229 |         ScriptParamsClass {
000230 |           Binding_Name "NotificationText"
000231 |         }
000232 |       }
000233 |     }
000234 |   }
000235 | }
000236 | WrapSpacerWidgetClass FotterSpacer {
000237 |   visible 1
```

```
000238 |      ignorepointer 1
000239 |      color 1 1 1 0.9961
000240 |      position 0 0
000241 |      size 1 0.116
000242 |      hexactpos 1
000243 |      vexactpos 1
000244 |      hexactsize 0
000245 |      vexactsize 0
000246 |      style Empty
000247 |      "no focus" 1
000248 |      Padding 0
000249 |      Margin 0
000250 |      "Size To Content H" 1
000251 |      "Size To Content V" 1
000252 |      {
000253 |      PanelWidgetClass Spacer1 {
000254 |      ignorepointer 1
000255 |      position 11 6
000256 |      size 1 5
000257 |      hexactpos 1
000258 |      vexactpos 1
000259 |      hexactsize 0
000260 |      vexactsize 1
000261 |      "no focus" 1
000262 |      }
000263 |      }
000264 |      }
000265 |      }
000266 |      }
000267 |      }
000268 |      }
000269 |      }
000270 |      {
000271 |      ScriptParamsClass {
000272 |      }
000273 |      }
000274 |      }
```

0568. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\expansion_notification_market.layout
Size bytes: 5910
SHA-256: 2bd7b1f739902e20b2a0f2c8b51384d89134c379387884163a824063386619dd
Decoded as: utf-8-sig
Line count shown: 274

Full file content

```
000001 | WrapSpacerWidgetClass ExpansionNotificationViewMarket {
000002 |     visible 1
000003 |     disabled 0
000004 |     inheritalpha 0
000005 |     ignorepointer 1
000006 |     keepsafezone 1
000007 |     color 0.1059 0.1059 0.1059 0.4706
000008 |     size 0.2 0
000009 |     hexactpos 1
000010 |     vexactpos 1
000011 |     hexactsize 0
000012 |     vexactsize 0
000013 |     scaled 1
000014 |     priority 1000
000015 |     draggable 0
000016 |     scriptclass "ExpansionNotificationViewMarketController"
000017 |     style DayZDefaultPanelRight
000018 |     "no focus" 1
000019 |     Padding 0
000020 |     Margin 0
000021 |     "Size To Content V" 1
000022 |     {
000023 |         GridSpacerWidgetClass Notification {
000024 |             inheritalpha 0
000025 |             ignorepointer 1
000026 |             keepsafezone 0
000027 |             position 0 0
000028 |             size 1 1
000029 |             hexactpos 1
000030 |             vexactpos 1
000031 |             hexactsize 0
000032 |             vexactsize 0
000033 |             scaled 1
000034 |             draggable 0
000035 |             style Empty
000036 |             "no focus" 1
000037 |             Padding 0
000038 |             Margin 0
000039 |             "Size To Content H" 1
000040 |             "Size To Content V" 1
000041 |             Rows 1
000042 |             {
000043 |                 GridSpacerWidgetClass NotificationColorSpacer {
000044 |                     visible 1
000045 |                     disabled 1
000046 |                     inheritalpha 0
000047 |                     ignorepointer 1
000048 |                     keepsafezone 0
000049 |                     position 0 0
000050 |                     size 0.01 1
000051 |                     hexactpos 1
```

```
000052 | vexactpos 1
000053 | hexactsize 0
000054 | vexactsize 0
000055 | style Empty
000056 | "no focus" 1
000057 | Padding 0
000058 | Margin 0
000059 | Columns 1
000060 | Rows 1
000061 | {
000062 |   PanelWidgetClass NotificationColor {
000063 |     visible 1
000064 |     disabled 1
000065 |     ignorepointer 1
000066 |     color 1 1 1 0.4706
000067 |     position 5 0
000068 |     size 1 1
000069 |     vexactpos 1
000070 |     vexactpos 1
000071 |     hexactsize 0
000072 |     vexactsize 0
000073 |     scaled 1
000074 |     fixaspect fixwidth
000075 |     style rover_sim_colorable
000076 |   }
000077 | }
000078 | }
000079 | GridSpacerWidgetClass NotificationElement {
000080 |   inheritalpha 0
000081 |   ignorepointer 1
000082 |   keepsafezone 0
000083 |   position 0 0
000084 |   size 0.98 1
000085 |   vexactpos 1
000086 |   vexactpos 1
000087 |   hexactsize 0
000088 |   vexactsize 0
000089 |   scaled 1
000090 |   draggable 0
000091 |   style Empty
000092 |   "no focus" 1
000093 |   Padding 0
000094 |   Margin 0
000095 |   "Size To Content H" 1
000096 |   "Size To Content V" 1
000097 |   content_valign center
000098 |   Columns 1
000099 |   {
000100 |     GridSpacerWidgetClass TopSpacer {
000101 |       inheritalpha 0
000102 |       ignorepointer 1
000103 |       position 0 0
000104 |       size 1 0.08
000105 |       vexactpos 1
000106 |       vexactpos 1
000107 |       hexactsize 0
000108 |       vexactsize 0
000109 |       style Empty
000110 |       Padding 0
000111 |       Margin 0
000112 |       "Size To Content H" 1
000113 |       "Size To Content V" 1
```

```
000114 | Columns 2
000115 | Rows 1
000116 | {
000117 |   PanelWidgetClass NotificationIconPanel {
000118 |     ignorepointer 1
000119 |     position 10 10
000120 |     size 34 34
000121 |     hexactpos 1
000122 |     vexactpos 1
000123 |     hexactsize 1
000124 |     vexactsize 1
000125 |     "no focus" 1
000126 |     {
000127 |       ImageWidgetClass NotificationIcon {
000128 |         visible 1
000129 |         ignorepointer 1
000130 |         position 0 0
000131 |         size 32 32
000132 |         halign center_ref
000133 |         valign center_ref
000134 |         hexactpos 1
000135 |         vexactpos 1
000136 |         hexactsize 1
000137 |         vexactsize 1
000138 |         fixaspect fixwidth
000139 |         scriptclass "ViewBinding"
000140 |         image0 ""
000141 |         mode blend
000142 |         "src alpha" 1
000143 |         "clamp mode" clamp
000144 |         "stretch mode" stretch_w_h
000145 |         {
000146 |           ScriptParamsClass {
000147 |             Binding_Name "NotificationIcon"
000148 |           }
000149 |         }
000150 |       }
000151 |     }
000152 |   }
000153 |   RichTextWidgetClass NotificationTitle {
000154 |     visible 1
000155 |     inheritalpha 0
000156 |     ignorepointer 1
000157 |     position 0 0
000158 |     size 1 1
000159 |     hexactpos 1
000160 |     vexactpos 1
000161 |     hexactsize 0
000162 |     vexactsize 0
000163 |     scriptclass "ViewBinding"
000164 |     style DayZNormal
000165 |     font "gui/fonts/sdf_MetronBook24"
000166 |     "bold text" 1
000167 |     "exact text" 1
000168 |     "exact text size" 20
000169 |     "size to text h" 1
000170 |     "size to text v" 1
000171 |     "text valign" center
000172 |     wrap 1
000173 |     {
000174 |       ScriptParamsClass {
000175 |         Binding_Name "NotificationTitle"
```

```
000176 |     }
000177 |   }
000178 | }
000179 | }
000180 | }
000181 | GridSpacerWidgetClass BottomSpacer {
000182 |   visible 1
000183 |   ignorepointer 1
000184 |   color 1 1 1 0.9961
000185 |   position 0 0
000186 |   size 1 0.08
000187 |   hexactpos 1
000188 |   vexactpos 1
000189 |   hexactsize 0
000190 |   vexactsize 0
000191 |   style Empty
000192 |   "no focus" 1
000193 |   Padding 0
000194 |   Margin 0
000195 |   "Size To Content H" 1
000196 |   "Size To Content V" 1
000197 |   Columns 2
000198 |   Rows 1
000199 |   {
000200 |     WrapSpacerWidgetClass NotificationTextSpacer {
000201 |       visible 1
000202 |       ignorepointer 1
000203 |       position 0 0
000204 |       size 34 1
000205 |       hexactpos 1
000206 |       vexactpos 1
000207 |       hexactsize 1
000208 |       vexactsize 0
000209 |     }
000210 |     RichTextWidgetClass NotificationText {
000211 |       visible 1
000212 |       inheritalpha 0
000213 |       ignorepointer 1
000214 |       position 0 0
000215 |       size 1 1
000216 |       hexactpos 1
000217 |       vexactpos 1
000218 |       hexactsize 0
000219 |       vexactsize 0
000220 |       scriptclass "ViewBinding"
000221 |       font "gui/fonts/sdf_MetronBook24"
000222 |       "exact text" 1
000223 |       "exact text size" 16
000224 |       "size to text h" 1
000225 |       "size to text v" 1
000226 |       "text valign" center
000227 |       wrap 1
000228 |       {
000229 |         ScriptParamsClass {
000230 |           Binding_Name "NotificationText"
000231 |         }
000232 |       }
000233 |     }
000234 |   }
000235 | }
000236 | WrapSpacerWidgetClass FotterSpacer {
000237 |   visible 1
```



```
000238 |      ignorepointer 1
000239 |      color 1 1 1 0.9961
000240 |      position 0 0
000241 |      size 1 0.116
000242 |      hexactpos 1
000243 |      vexactpos 1
000244 |      hexactsize 0
000245 |      vexactsize 0
000246 |      style Empty
000247 |      "no focus" 1
000248 |      Padding 0
000249 |      Margin 0
000250 |      "Size To Content H" 1
000251 |      "Size To Content V" 1
000252 |      {
000253 |      PanelWidgetClass Spacer1 {
000254 |          ignorepointer 1
000255 |          position 11 6
000256 |          size 1 5
000257 |          hexactpos 1
000258 |          vexactpos 1
000259 |          hexactsize 0
000260 |          vexactsize 1
000261 |          "no focus" 1
000262 |      }
000263 |  }
000264 |  }
000265 |  }
000266 |  }
000267 |  }
000268 |  }
000269 |  }
000270 |  {
000271 |      ScriptParamsClass {
000272 |      }
000273 |  }
000274 | }
```

0569. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\expansion_notification_toast.layout

Size bytes: 5873

SHA-256: cd90909835fc351c6326512ad02a2d353a3fa86b21425fa431c491fe227fd03d

Decoded as: utf-8-sig

Line count shown: 270

Full file content

```
000001 | WrapSpacerWidgetClass ExpansionNotificationViewToast {
000002 |     visible 1
000003 |     disabled 0
000004 |     inheritalpha 0
000005 |     ignorepointer 1
000006 |     keepsafezone 1
000007 |     color 0.1059 0.1059 0.1059 0.4706
000008 |     size 0.25 0
000009 |     hexactpos 1
000010 |     vexactpos 1
000011 |     hexactsize 0
000012 |     vexactsize 0
000013 |     scaled 1
000014 |     priority 1000
000015 |     draggable 0
000016 |     scriptclass "ExpansionNotificationViewToastController"
000017 |     style DayZDefaultPanelRight
000018 |     "no focus" 1
000019 |     Padding 0
000020 |     Margin 0
000021 |     "Size To Content V" 1
000022 |     {
000023 |         GridSpacerWidgetClass Notification {
000024 |             inheritalpha 0
000025 |             ignorepointer 1
000026 |             keepsafezone 0
000027 |             position 0 0
000028 |             size 1 1
000029 |             hexactpos 1
000030 |             vexactpos 1
000031 |             hexactsize 0
000032 |             vexactsize 0
000033 |             scaled 1
000034 |             draggable 0
000035 |             style Empty
000036 |             "no focus" 1
000037 |             Padding 0
000038 |             Margin 0
000039 |             "Size To Content H" 1
000040 |             "Size To Content V" 1
000041 |             Rows 1
000042 |             {
000043 |                 GridSpacerWidgetClass NotificationColorSpacer {
000044 |                     visible 1
000045 |                     disabled 1
000046 |                     inheritalpha 0
000047 |                     ignorepointer 1
000048 |                     keepsafezone 0
000049 |                     position 0 0
000050 |                     size 0.01 1
000051 |                     hexactpos 1
```

```
000052 | vexactpos 1
000053 | hexactsize 0
000054 | vexactsize 0
000055 | style Empty
000056 | "no focus" 1
000057 | Padding 0
000058 | Margin 0
000059 | Columns 1
000060 | Rows 1
000061 | {
000062 |   PanelWidgetClass NotificationColor {
000063 |     visible 1
000064 |     disabled 1
000065 |     ignorepointer 1
000066 |     color 1 1 1 0.4706
000067 |     position 5 0
000068 |     size 1 1
000069 |     vexactpos 1
000070 |     vexactpos 1
000071 |     hexactsize 0
000072 |     vexactsize 0
000073 |     scaled 1
000074 |     fixaspect fixwidth
000075 |     style rover_sim_colorable
000076 |   }
000077 | }
000078 | }
000079 | GridSpacerWidgetClass NotificationElement {
000080 |   inheritalpha 0
000081 |   ignorepointer 1
000082 |   keepsafezone 0
000083 |   position 0 0
000084 |   size 0.98 1
000085 |   vexactpos 1
000086 |   vexactpos 1
000087 |   hexactsize 0
000088 |   vexactsize 0
000089 |   scaled 1
000090 |   draggable 0
000091 |   style Empty
000092 |   "no focus" 1
000093 |   Padding 0
000094 |   Margin 0
000095 |   "Size To Content H" 1
000096 |   "Size To Content V" 1
000097 |   content_valign center
000098 |   Columns 1
000099 | {
000100 |   GridSpacerWidgetClass TopSpacer {
000101 |     inheritalpha 0
000102 |     ignorepointer 1
000103 |     position 0 0
000104 |     size 1 0.08
000105 |     vexactpos 1
000106 |     vexactpos 1
000107 |     hexactsize 0
000108 |     vexactsize 0
000109 |     style Empty
000110 |     Padding 0
000111 |     Margin 0
000112 |     "Size To Content H" 1
000113 |     "Size To Content V" 1
```

```
000114 | Columns 2
000115 | Rows 1
000116 | {
000117 |   PanelWidgetClass NotificationIconPanel {
000118 |     ignorepointer 1
000119 |     position 10 10
000120 |     size 34 34
000121 |     hexactpos 1
000122 |     vexactpos 1
000123 |     hexactsize 1
000124 |     vexactsize 1
000125 |     "no focus" 1
000126 |     {
000127 |       ImageWidgetClass NotificationIcon {
000128 |         visible 1
000129 |         ignorepointer 1
000130 |         position 0 0
000131 |         size 32 32
000132 |         halign center_ref
000133 |         valign center_ref
000134 |         hexactpos 1
000135 |         vexactpos 1
000136 |         hexactsize 1
000137 |         vexactsize 1
000138 |         fixaspect fixwidth
000139 |         scriptclass "ViewBinding"
000140 |         image0 ""
000141 |         mode blend
000142 |         "src alpha" 1
000143 |         "clamp mode" clamp
000144 |         "stretch mode" stretch_w_h
000145 |         {
000146 |           ScriptParamsClass {
000147 |             Binding_Name "NotificationIcon"
000148 |           }
000149 |         }
000150 |       }
000151 |     }
000152 |   }
000153 |   RichTextWidgetClass NotificationTitle {
000154 |     visible 1
000155 |     inheritalpha 0
000156 |     ignorepointer 1
000157 |     position 0 0
000158 |     size 1 1
000159 |     hexactpos 1
000160 |     vexactpos 1
000161 |     hexactsize 0
000162 |     vexactsize 0
000163 |     scriptclass "ViewBinding"
000164 |     style DayZNormal
000165 |     font "gui/fonts/sdf_MetronBook24"
000166 |     "bold text" 1
000167 |     "exact text" 1
000168 |     "exact text size" 20
000169 |     "size to text h" 1
000170 |     "size to text v" 1
000171 |     "text valign" center
000172 |     wrap 1
000173 |     {
000174 |       ScriptParamsClass {
000175 |         Binding_Name "NotificationTitle"
```

```
000176 |     }
000177 |   }
000178 | }
000179 | }
000180 | }
000181 | GridSpacerWidgetClass BottomSpacer {
000182 |   visible 1
000183 |   ignorepointer 1
000184 |   color 1 1 1 0.9961
000185 |   position 0 0
000186 |   size 1 0.08
000187 |   hexactpos 1
000188 |   vexactpos 1
000189 |   hexactsiz 0
000190 |   vexactsiz 0
000191 |   style Empty
000192 |   "no focus" 1
000193 |   Padding 0
000194 |   Margin 0
000195 |   "Size To Content H" 1
000196 |   "Size To Content V" 1
000197 |   Columns 2
000198 |   Rows 1
000199 |   {
000200 |     WrapSpacerWidgetClass NotificationTextSpacer {
000201 |       visible 1
000202 |       ignorepointer 1
000203 |       position 0 0
000204 |       size 34 1
000205 |       hexactpos 1
000206 |       vexactpos 1
000207 |       hexactsiz 1
000208 |       vexactsiz 0
000209 |     }
000210 |     RichTextWidgetClass NotificationText {
000211 |       visible 1
000212 |       inheritalpha 0
000213 |       ignorepointer 1
000214 |       position 0 0
000215 |       size 1 1
000216 |       hexactpos 1
000217 |       vexactpos 1
000218 |       hexactsiz 0
000219 |       vexactsiz 0
000220 |       scriptclass "ViewBinding"
000221 |       font "gui/fonts/sdf_MetronBook24"
000222 |       "exact text" 1
000223 |       "exact text size" 16
000224 |       "size to text h" 1
000225 |       "size to text v" 1
000226 |       "text valign" center
000227 |       wrap 1
000228 |       {
000229 |         ScriptParamsClass {
000230 |           Binding_Name "NotificationText"
000231 |         }
000232 |       }
000233 |     }
000234 |   }
000235 | }
000236 | WrapSpacerWidgetClass FottterSpacer {
000237 |   visible 1
```

```
000238 | ignorepointer 1
000239 | color 1 1 1 0.9961
000240 | position 0 0
000241 | size 1 0.116
000242 | hexactpos 1
000243 | vexactpos 1
000244 | hexactsize 0
000245 | vexactsize 0
000246 | style Empty
000247 | "no focus" 1
000248 | Padding 0
000249 | Margin 0
000250 | "Size To Content H" 1
000251 | "Size To Content V" 1
000252 | {
000253 |   PanelWidgetClass Spacer1 {
000254 |     ignorepointer 1
000255 |     position 11 6
000256 |     size 1 5
000257 |     hexactpos 1
000258 |     vexactpos 1
000259 |     hexactsize 0
000260 |     vexactsize 1
000261 |     "no focus" 1
000262 |   }
000263 | }
000264 | }
000265 | }
000266 | }
000267 | }
000268 | }
000269 | }
000270 | }
```

0570. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\map\expansion_map_canvaslayout.layout

Size bytes: 382

SHA-256: 8f160af1210fdbd9cfb5a5e87d7c669e06265b79a07e661a93821c6a96e34d75

Decoded as: utf-8-sig

Line count shown: 22

Full file content

```
000001 | FrameWidgetClass rootFrame {
000002 |   ignorepointer 1
000003 |   position 10 10
000004 |   size 1680.52002 1032.78992
000005 |   hexactpos 1
000006 |   vexactpos 1
000007 |   hexactsize 1
000008 |   vexactsize 1
000009 |   priority 1000
000010 |   {
000011 |     CanvasWidgetClass CanvasWidget {
000012 |       ignorepointer 1
000013 |       position 4.71739 4.42375
000014 |       size 1667.33008 1012.91003
000015 |       hexactpos 1
000016 |       vexactpos 1
000017 |       hexactsize 1
000018 |       vexactsize 1
000019 |       priority 1000
000020 |     }
000021 |   }
000022 | }
```

0571. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\map\expansion_map_marker.layout
Size bytes: 2903
SHA-256: 50788007ac8e267e69d79be2b2d6192872eed07152221aa5705c72c3b9302ef9
Decoded as: utf-8-sig
Line count shown: 133

Full file content

```
000001 | FrameWidgetClass ExpansionMapMarker {
000002 |   clipchildren 0
000003 |   ignorepointer 0
000004 |   size 1 1
000005 |   hexactpos 1
000006 |   vexactpos 1
000007 |   hexactsize 1
000008 |   vexactsize 1
000009 | {
000010 |   GridSpacerWidgetClass marker_frame {
000011 |     clipchildren 0
000012 |     ignorepointer 1
000013 |     color 0.1961 0.1961 0.1961 0.7843
000014 |     position -25 -25
000015 |     size 500 1
000016 |     hexactpos 1
000017 |     vexactpos 1
000018 |     hexactsize 1
000019 |     vexactsize 0
000020 |     priority 100
000021 |     style DayZDefaultPanelLeft
000022 |     Padding 0
000023 |     Margin 0
000024 |     "Size To Content H" 1
000025 |     "Size To Content V" 1
000026 |     Columns 1
000027 |     Rows 2
000028 |     {
000029 |       PanelWidgetClass marker_panel {
000030 |         ignorepointer 1
000031 |         position 1 1
000032 |         size 1 50
000033 |         hexactpos 0
000034 |         vexactpos 0
000035 |         hexactsize 0
000036 |         vexactsize 1
000037 |         {
000038 |           PanelWidgetClass marker_icon_panel {
000039 |             ignorepointer 0
000040 |             keepsafezone 0
000041 |             color 1 1 1 0
000042 |             position 0 0
000043 |             size 50 50
000044 |             valign center_ref
000045 |             hexactpos 0
000046 |             vexactpos 0
000047 |             hexactsize 1
000048 |             vexactsize 1
000049 |             draggable 0
000050 |             style blank
000051 |             {
```



```
000052 |         ImageWidgetClass marker_icon {
000053 |             clipchildren 1
000054 |             ignorepointer 1
000055 |             keepsafezone 0
000056 |             size 32 32
000057 |             halign center_ref
000058 |             valign center_ref
000059 |             hexactpos 0
000060 |             vexactpos 0
000061 |             hexactsize 1
000062 |             vexactsize 1
000063 |             image0 "set:expansion_notification_iconset image:icon_marker"
000064 |             mode blend
000065 |             "src alpha" 1
000066 |             "no wrap" 1
000067 |             stretch 1
000068 |             filter 1
000069 |             nocache 0
000070 |             pivot 0 0
000071 |             "Transition width" 0
000072 |             Progress 0
000073 |         }
000074 |         ButtonWidgetClass marker_button {
000075 |             ignorepointer 0
000076 |             size 1 1
000077 |             halign center_ref
000078 |             valign center_ref
000079 |             hexactpos 0
000080 |             vexactpos 0
000081 |             hexactsize 0
000082 |             vexactsize 0
000083 |             priority 900
000084 |             draggable 1
000085 |             style Empty
000086 |         }
000087 |     }
000088 | }
000089 | TextWidgetClass marker_name {
000090 |     ignorepointer 1
000091 |     keepsafezone 0
000092 |     position 5 0
000093 |     size 440 25
000094 |     halign right_ref
000095 |     valign center_ref
000096 |     hexactpos 1
000097 |     vexactpos 1
000098 |     hexactsize 1
000099 |     vexactsize 1
000100 |     style Normal
000101 |     text "MARKER NAME"
000102 |     font "gui/fonts/sdf_MetronBook24"
000103 |     "shadow size" 1
000104 |     "shadow color" 0 0 0 1
000105 |     "shadow offset" 1 1
000106 |     "exact text" 1
000107 |     "exact text size" 16
000108 |     "size to text h" 0
000109 |     "size to text v" 0
000110 |     "text valign" center
000111 | }
000112 | EditTextWidgetClass marker_edit_name {
000113 |     visible 0
```

```
000114 |      position 5 0
000115 |      size 440 25
000116 |      halign right_ref
000117 |      valign center_ref
000118 |      hexactpos 1
000119 |      vexactpos 1
000120 |      hexactsize 1
000121 |      vexactsize 1
000122 |      style DefaultBorder
000123 |      "Use default text" 0
000124 |      font "gui/fonts/MetronBook"
000125 |      "exact text" 1
000126 |      "exact text size" 16
000127 |      }
000128 |    }
000129 |  }
000130 | }
000131 | }
000132 | }
000133 | }
```

0572. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_base.layout

Size bytes: 5851

SHA-256: 2afd9476d0f7a0cdccaf2763727e428d06860b1c0d662a3ef403ca5494ca82e5

Decoded as: utf-8-sig

Line count shown: 254

Full file content

```
000001 | PanelWidgetClass ExpansionDialogBase {
000002 |   ignorepointer 0
000003 |   color 0.1176 0.1176 0.1176 0.7059
000004 |   size 1 1
000005 |   halign center_ref
000006 |   valign center_ref
000007 |   hexactpos 0
000008 |   vexactpos 0
000009 |   hexactsize 0
000010 |   vexactsize 0
000011 |   priority 900
000012 |   scriptclass "ExpansionDialogBaseController"
000013 |   style rover_sim_colorable
000014 |   {
000015 |     WrapSpacerWidgetClass dialog_base {
000016 |       color 0.1176 0.1176 0.1176 0.7059
000017 |       size 0.3 0.1
000018 |       halign center_ref
000019 |       valign center_ref
000020 |       hexactpos 0
000021 |       vexactpos 0
000022 |       hexactsize 0
000023 |       vexactsize 0
000024 |       priority 1000
000025 |       scriptclass ""
000026 |       style Colorable
000027 |       Padding 0
000028 |       Margin 0
000029 |       "Size To Content H" 1
000030 |       "Size To Content V" 1
000031 |       content_halign center
000032 |       content_valign center
000033 |     {
000034 |       WrapSpacerWidgetClass dialog_base_spacer {
000035 |         ignorepointer 1
000036 |         color 0.8627 0.8627 0.8627 1
000037 |         size 1 1
000038 |         halign center_ref
000039 |         valign center_ref
000040 |         hexactpos 0
000041 |         vexactpos 0
000042 |         hexactsize 0
000043 |         vexactsize 0
000044 |         style Outline
000045 |         Padding 0
000046 |         Margin 0
000047 |         "Size To Content V" 1
000048 |         content_halign center
000049 |         content_valign center
000050 |       {
000051 |         PanelWidgetClass dialog_base_header {
```

```
000052 |         visible 1
000053 |         ignorepointer 1
000054 |         position 0 0
000055 |         size 1 30
000056 |         hexactpos 0
000057 |         vexactpos 0
000058 |         hexactsize 0
000059 |         vexactsize 1
000060 |     {
000061 |         ButtonWidgetClass dialog_close_button {
000062 |             position 10 0
000063 |             size 25 25
000064 |             halign right_ref
000065 |             valign center_ref
000066 |             hexactpos 1
000067 |             vexactpos 1
000068 |             hexactsize 1
000069 |             vexactsize 1
000070 |         {
000071 |             ImageWidgetClass dialog_close_button_icon {
000072 |                 ignorepointer 1
000073 |                 size 1 1
000074 |                 hexactpos 0
000075 |                 vexactpos 0
000076 |                 hexactsize 0
000077 |                 vexactsize 0
000078 |                 imageTexture "{986F135C99A8DCDA}DayZExpansion/Core/GUI/icons/hud/cross_64x64.edds"
000079 |                 mode blend
000080 |                 "src alpha" 1
000081 |                 stretch 1
000082 |             }
000083 |         }
000084 |     }
000085 | }
000086 |
000087 | PanelWidgetClass dialog__base_title_spacer {
000088 |     visible 1
000089 |     position 0 0
000090 |     size 0.95 16
000091 |     halign center_ref
000092 |     hexactpos 1
000093 |     vexactpos 1
000094 |     hexactsize 0
000095 |     vexactsize 1
000096 |     scaled 1
000097 |     style blank
000098 | }
000099 | TextWidgetClass dialog_base_title {
000100 |     visible 1
000101 |     clipchildren 0
000102 |     color 0.8627 0.8627 0.8627 1
000103 |     size 1 30
000104 |     halign center_ref
000105 |     hexactpos 0
000106 |     vexactpos 0
000107 |     hexactsize 0
000108 |     vexactsize 1
000109 |     scriptclass "ViewBinding"
000110 |     text "TITLE"
000111 |     font "gui/fonts/etelkatextpro22"
000112 |     "text color" 1 1 1 1
000113 |     "exact text" 1
```

```
000114 | "size to text h" 1
000115 | "size to text v" 1
000116 | "text halign" center
000117 | "text valign" center
000118 | {
000119 |     ScriptParamsClass {
000120 |         Debug_Logging 0
000121 |         Binding_Name "DialogTitle"
000122 |     }
000123 | }
000124 | }
000125 | WrapSpacerWidgetClass dialog_body_spacer {
000126 |     visible 1
000127 |     ignorepointer 1
000128 |     position 0 0
000129 |     size 1 150
000130 |     hexactpos 1
000131 |     vexactpos 1
000132 |     hexactsize 0
000133 |     vexactsize 1
000134 |     Padding 0
000135 |     Margin 0
000136 |     "Size To Content V" 1
000137 |     content_halign center
000138 |     content_valign center
000139 | {
000140 |     PanelWidgetClass dialog_seperator1 {
000141 |         visible 1
000142 |         color 0.8627 0.8627 0.8627 1
000143 |         position 0 0
000144 |         size 0.95 2.5
000145 |         halign center_ref
000146 |         hexactpos 1
000147 |         vexactpos 1
000148 |         hexactsize 0
000149 |         vexactsize 1
000150 |         scaled 1
000151 |         style rover_sim_colorable
000152 |     }
000153 |     PanelWidgetClass dialog_spacer1 {
000154 |         visible 1
000155 |         position 0 0
000156 |         size 0.95 16
000157 |         halign center_ref
000158 |         hexactpos 1
000159 |         vexactpos 1
000160 |         hexactsize 0
000161 |         vexactsize 1
000162 |         scaled 1
000163 |         style blank
000164 |     }
000165 |     WrapSpacerWidgetClass dialog_body_content {
000166 |         visible 1
000167 |         ignorepointer 1
000168 |         position 0 0
000169 |         size 0.95 150
000170 |         hexactpos 1
000171 |         vexactpos 1
000172 |         hexactsize 0
000173 |         vexactsize 1
000174 |         scriptclass "ViewBinding"
000175 |         Padding 0
```

```
000176 |      Margin 0
000177 |      "Size To Content V" 1
000178 |      content_halign center
000179 |      content_valign center
000180 |      {
000181 |          ScriptParamsClass {
000182 |              Debug_Logging 0
000183 |              Binding_Name "DialogContents"
000184 |          }
000185 |      }
000186 |  }
000187 |  PanelWidgetClass dialog_spacer2 {
000188 |      visible 1
000189 |      position 0 0
000190 |      size 0.95 16
000191 |      halign center_ref
000192 |      hexactpos 1
000193 |      vexactpos 1
000194 |      hexactsize 0
000195 |      vexactsize 1
000196 |      scaled 1
000197 |      style blank
000198 |  }
000199 |  PanelWidgetClass dialog_seperator2 {
000200 |      visible 1
000201 |      color 0.8627 0.8627 0.8627 1
000202 |      position 0 0
000203 |      size 0.95 2.5
000204 |      halign center_ref
000205 |      hexactpos 1
000206 |      vexactpos 1
000207 |      hexactsize 0
000208 |      vexactsize 1
000209 |      scaled 1
000210 |      style rover_sim_colorable
000211 |  }
000212 |  }
000213 |  }
000214 |  GridSpacerWidgetClass dialog_buttons_grid {
000215 |      visible 1
000216 |      ignorepointer 1
000217 |      position 0 0
000218 |      size 500 48
000219 |      hexactpos 1
000220 |      vexactpos 1
000221 |      hexactsize 1
000222 |      vexactsize 1
000223 |      scriptclass "ViewBinding"
000224 |      Padding 50
000225 |      Margin 0
000226 |      "Size To Content H" 1
000227 |      "Size To Content V" 1
000228 |      content_halign center
000229 |      content_valign center
000230 |      Columns 2
000231 |      Rows 1
000232 |      {
000233 |          ScriptParamsClass {
000234 |              Debug_Logging 0
000235 |              Binding_Name "DialogButtons"
000236 |          }
000237 |      }
```

```
000238 |     }
000239 |     PanelWidgetClass dialog_base_footer {
000240 |         visible 1
000241 |         ignorepointer 1
000242 |         position 0 0
000243 |         size 1 25
000244 |         hexactpos 0
000245 |         vexactpos 0
000246 |         hexactsiz 0
000247 |         vexactsiz 1
000248 |     }
000249 | }
000250 | }
000251 | }
000252 | }
000253 | }
000254 | }
```

0573. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_button_text.layout

Size bytes: 927

SHA-256: d93cfc28deda0dfa9fac82c66a8de21b29e7f35bf9d967707c3b3227553b7a55

Decoded as: utf-8-sig

Line count shown: 51

Full file content

```
000001 | WrapSpacerWidgetClass ExpansionDialogButtonText {
000002 |     position 0 0
000003 |     size 200 50
000004 |     hexactpos 0
000005 |     vexactpos 0
000006 |     hexactsize 1
000007 |     vexactsize 1
000008 |     scriptclass "ExpansionDialogButton_TextController"
000009 |     {
000010 |         ButtonWidgetClass dialog_button {
000011 |             position 0.05 0.2
000012 |             size 1 1
000013 |             hexactpos 0
000014 |             vexactpos 0
000015 |             hexactsize 0
000016 |             vexactsize 0
000017 |             scriptclass "ViewBinding"
000018 |             {
000019 |                 TextWidgetClass dialog_text {
000020 |                     ignorepointer 1
000021 |                     size 1 1
000022 |                     hexactpos 0
000023 |                     vexactpos 0
000024 |                     hexactsize 0
000025 |                     vexactsize 0
000026 |                     scriptclass "ViewBinding"
000027 |                     text "Test"
000028 |                     font "gui/fonts/etelkatextpro22"
000029 |                     "text halign" center
000030 |                     "text valign" center
000031 |                     {
000032 |                         ScriptParamsClass {
000033 |                             Debug_Logging 0
000034 |                             Binding_Name "ButtonText"
000035 |                         }
000036 |                     }
000037 |                 }
000038 |             }
000039 |             {
000040 |                 ScriptParamsClass {
000041 |                     Relay_Command "OnButtonClick"
000042 |                 }
000043 |             }
000044 |         }
000045 |     }
000046 |     {
000047 |         ScriptParamsClass {
000048 |             Debug_Logging 0
000049 |         }
000050 |     }
000051 | }
```


0574. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_content_spacer.layout
Size bytes: 152
SHA-256: 8e3376ba7af3d86c61e6ce3c210c543641b0bb3d61a9838045ed4679d62d4418
Decoded as: utf-8-sig
Line count shown: 9

Full file content

```
000001 | FrameWidgetClass ExpansionDialogContentSpacer {  
000002 |   position 0 0  
000003 |   size 1 15  
000004 |   hexactpos 0  
000005 |   vexactpos 0  
000006 |   hexactsize 0  
000007 |   vexactsize 1  
000008 |   scriptclass ""  
000009 | }
```

0575. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_content_textscroller.layout

Size bytes: 883

SHA-256: e44b53bdd302169737c4df7f09eda0b1bf070dd6f1bc4091f190c8935bb7157f

Decoded as: utf-8-sig

Line count shown: 39

Full file content

```
000001 | ScrollWidgetClass ExpansionDialogTextScroller {
000002 |   position 0 0
000003 |   size 0.95 150
000004 |   hexactpos 0
000005 |   vexactpos 0
000006 |   hexactsize 0
000007 |   vexactsize 1
000008 |   scriptclass "ExpansionDialogContent_TextScrollerController"
000009 |   {
000010 |     RichTextWidgetClass dialog_scroller_text {
000011 |       clipchildren 1
000012 |       ignorepointer 1
000013 |       color 1 1 1 1
000014 |       position 0 0
000015 |       size 1 1
000016 |       hexactpos 0
000017 |       vexactpos 0
000018 |       hexactsize 0
000019 |       vexactsize 0
000020 |       scriptclass "ViewBinding"
000021 |       text "Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptu
a. At vero eos et accusam et"
000022 |       font "gui/fonts/etelkatextpro22"
000023 |       "exact text" 1
000024 |       "size to text h" 0
000025 |       "size to text v" 1
000026 |       wrap 1
000027 |       {
000028 |         ScriptParamsClass {
000029 |           Debug_Logging 0
000030 |           Binding_Name "DialogText"
000031 |         }
000032 |       }
000033 |     }
000034 |   }
000035 |   {
000036 |     ScriptParamsClass {
000037 |     }
000038 |   }
000039 | }
```

0576. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_editbox.layout

Size bytes: 698

SHA-256: 05c003d604ee264a952f5751b5aefd799703e925e7d653b2a909c153a6d1c103

Decoded as: utf-8-sig

Line count shown: 37

Full file content

```
000001 | FrameWidgetClass ExpansionDialogEditbox {
000002 |   size 0.95 32
000003 |   hexactpos 1
000004 |   vexactpos 1
000005 |   hexactsize 0
000006 |   vexactsize 1
000007 |   priority 1
000008 |   scriptclass "ExpansionDialogContent_EditboxController"
000009 |   {
000010 |     PanelWidgetClass dialog_editbox_background {
000011 |       color 0.1176 0.1176 0.1176 0.549
000012 |       size 1 1
000013 |       hexactpos 0
000014 |       vexactpos 0
000015 |       hexactsize 0
000016 |       vexactsize 0
000017 |       style rover_sim_colorable
000018 |     }
000019 |     EditBoxWidgetClass dialog_editbox {
000020 |       size 1 1
000021 |       hexactpos 0
000022 |       vexactpos 0
000023 |       hexactsize 0
000024 |       vexactsize 0
000025 |       scriptclass ""
000026 |       style EditorProperty
000027 |       "Use default text" 0
000028 |       "exact text" 1
000029 |       font "gui/fonts/etelkatextpro22"
000030 |     }
000031 |   }
000032 |   {
000033 |     ScriptParamsClass {
000034 |       Debug_Logging 0
000035 |     }
000036 |   }
000037 | }
```

0577. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_text.layout
Size bytes: 899
SHA-256: ae3005b8f3a600b4e3dc142d323225edc5aa7910027a8850ef747d23fb595921
Decoded as: utf-8-sig
Line count shown: 45

Full file content

```
000001 | WrapSpacerWidgetClass ExpansionDialogText {
000002 |   size 0.95 1
000003 |   hexactpos 1
000004 |   vexactpos 1
000005 |   hexactsize 0
000006 |   vexactsize 0
000007 |   scriptclass "ExpansionDialogContent_TextController"
000008 |   Padding 0
000009 |   Margin 0
000010 |   "Size To Content H" 1
000011 |   "Size To Content V" 1
000012 |   content_halign center
000013 |   content_valign center
000014 |   {
000015 |     MultilineTextWidgetClass dialog_text {
000016 |       keepsafezone 1
000017 |       size 0.97 1
000018 |       hexactpos 0
000019 |       vexactpos 0
000020 |       hexactsize 0
000021 |       vexactsize 0
000022 |       scriptclass "ViewBinding"
000023 |       style DayZNormal
000024 |       text "Test Test"
000025 |       font "gui/fonts/etelkatextpro22"
000026 |       "text color" 0 0 0 1
000027 |       "exact text" 1
000028 |       "exact text size" 22
000029 |       "size to text h" 0
000030 |       "size to text v" 1
000031 |       "text halign" center
000032 |       "text valign" center
000033 |       wrap 1
000034 |       "condense whitespace" 1
000035 |       "strip newlines" 1
000036 |       {
000037 |         ScriptParamsClass {
000038 |           Debug_Logging 0
000039 |           Binding_Name "Text"
000040 |           Two_Way_Binding 0
000041 |         }
000042 |       }
000043 |     }
000044 |   }
000045 | }
```

0578. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_wrapspacer.layout
Size bytes: 672
SHA-256: f8efal0cb3be23e9478cbfea2b2ae52e77736f5259b71c9ecd1b64947293529e
Decoded as: utf-8-sig
Line count shown: 38

Full file content

```
000001 | GridSpacerWidgetClass ExpansioDialogWrapSpacer {  
000002 |   clipchildren 1  
000003 |   position 0 0  
000004 |   size 0.95 5  
000005 |   hexactpos 0  
000006 |   vexactpos 0  
000007 |   hexactsize 0  
000008 |   vexactsize 1  
000009 |   scriptclass "ExpansionDialogContent_WrapSpacerController"  
000010 |   Padding 0  
000011 |   Margin 0  
000012 |   "Size To Content H" 1  
000013 |   "Size To Content V" 1  
000014 |   Columns 1  
000015 |   Rows 1  
000016 |   {  
000017 |     GridSpacerWidgetClass content {  
000018 |       ignorepointer 1  
000019 |       size 0.95 0  
000020 |       hexactpos 0  
000021 |       vexactpos 0  
000022 |       hexactsize 0  
000023 |       vexactsize 1  
000024 |       scriptclass "ViewBinding"  
000025 |       Padding 0  
000026 |       Margin 0  
000027 |       "Size To Content H" 1  
000028 |       "Size To Content V" 1  
000029 |       Columns 1  
000030 |       Rows 100  
000031 |       {  
000032 |         ScriptParamsClass {  
000033 |           Binding_Name "SpacerContent"  
000034 |         }  
000035 |       }  
000036 |     }  
000037 |   }  
000038 | }
```

0579. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_wrapspacer_entry.layout

Size bytes: 820

SHA-256: 0f63f0e205a87667fa51f0f7a34aea8af8c6d3f2e643f7a7608a462517b15b56

Decoded as: utf-8-sig

Line count shown: 43

Full file content

```
000001 | WrapSpacerWidgetClass ExpansionDialogWrapSpacerEntry {
000002 |   clipchildren 0
000003 |   ignorepointer 1
000004 |   size 0.95 32
000005 |   hexactpos 1
000006 |   vexactpos 1
000007 |   hexactsize 0
000008 |   vexactsize 1
000009 |   priority 101
000010 |   scriptclass "ExpansionDialogContent_WrapSpacer_EntryController"
000011 |   style Colorable
000012 |   Padding 0
000013 |   Margin 0
000014 |   "Size To Content V" 1
000015 |   {
000016 |     RichTextWidgetClass entry {
000017 |       clipchildren 0
000018 |       ignorepointer 1
000019 |       position 20 0
000020 |       size 0.8 32
000021 |       halign right_ref
000022 |       valign center_ref
000023 |       hexactpos 1
000024 |       vexactpos 1
000025 |       hexactsize 0
000026 |       vexactsize 1
000027 |       priority 100
000028 |       scriptclass "ViewBinding"
000029 |       font "gui/fonts/etelkatextpro22"
000030 |       "exact text" 1
000031 |       "size to text h" 1
000032 |       "size to text v" 0
000033 |       "text valign" center
000034 |       wrap 1
000035 |       "strip newlines" 1
000036 |       {
000037 |         ScriptParamsClass {
000038 |           Binding_Name "EntryText"
000039 |         }
000040 |       }
000041 |     }
000042 |   }
000043 | }
```

0580. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\mvc\expansion_item_inspection.layout
Size bytes: 6725
SHA-256: 29b93c7827d9965f52cc54402e2805dd737a37383da21460330dc50d4c054f26
Decoded as: utf-8-sig
Line count shown: 278

Full file content

```
000001 | FrameWidgetClass ExpansionItemInspection {
000002 |   clipchildren 1
000003 |   ignorepointer 1
000004 |   color 0.8824 0.8824 0.8824 0.8824
000005 |   size 1 1
000006 |   hexactpos 0
000007 |   vexactpos 0
000008 |   hexactsize 0
000009 |   vexactsize 0
000010 |   priority 952
000011 |   scriptclass "ExpansionItemInspectionController"
000012 |   {
000013 |     FrameWidgetClass WindowWidget {
000014 |       ignorepointer 1
000015 |       position 0 0
000016 |       size 1 1
000017 |       halign center_ref
000018 |       valign center_ref
000019 |       hexactpos 0
000020 |       vexactpos 0
000021 |       hexactsize 0
000022 |       vexactsize 0
000023 |       priority 1
000024 |       {
000025 |         FrameWidgetClass BackPanelWidget {
000026 |           visible 1
000027 |           position 0 0
000028 |           size 1.6 0.9
000029 |           halign center_ref
000030 |           valign center_ref
000031 |           hexactpos 0
000032 |           vexactpos 0
000033 |           hexactsize 0
000034 |           vexactsize 0
000035 |           fixaspect inside
000036 |           priority 1
000037 |           {
000038 |             PanelWidgetClass ItemFramePanel {
000039 |               visible 1
000040 |               position 0.1592 0.095
000041 |               size 0.60163 0.85
000042 |               halign center_ref
000043 |               hexactpos 0
000044 |               vexactpos 0
000045 |               hexactsize 0
000046 |               vexactsize 0
000047 |               priority 2
000048 |               {
000049 |                 ItemPreviewWidgetClass ItemPreview {
000050 |                   position 0 0
000051 |                   size 1 1
```

```
000052 |         halign center_ref
000053 |         valign center_ref
000054 |         hexactpos 1
000055 |         vexactpos 1
000056 |         hexactsize 0
000057 |         vexactsize 0
000058 |         priority 201
000059 |         scriptclass ""
000060 |         "force flip enable" 1
000061 |     }
000062 | }
000063 | }
000064 | PanelWidgetClass InventoryInfoPanelWidget {
000065 |     visible 1
000066 |     clipchildren 0
000067 |     inheritalpha 1
000068 |     color 0 0 0 0.8627
000069 |     position 0 0.095
000070 |     size 0.92 0.85
000071 |     halign center_ref
000072 |     hexactpos 0
000073 |     vexactpos 0
000074 |     hexactsize 0
000075 |     vexactsize 0
000076 |     style DayZDefaultPanel
000077 | {
000078 |     ScrollWidgetClass ItemScroller {
000079 |         ignorepointer 0
000080 |         position 0.025 0.02
000081 |         size 0.31 0.95
000082 |         hexactpos 0
000083 |         vexactpos 0
000084 |         hexactsize 0
000085 |         vexactsize 0
000086 |         style Colorable
000087 |         "Scrollbar V" 1
000088 |     {
000089 |         WrapSpacerWidgetClass WrapSpacerWidget0 {
000090 |             ignorepointer 1
000091 |             size 1 1
000092 |             hexactpos 0
000093 |             vexactpos 0
000094 |             hexactsize 0
000095 |             vexactsize 0
000096 |             Padding 10
000097 |             Margin 0
000098 |             "Size To Content H" 1
000099 |             "Size To Content V" 1
000100 |             content_halign center
000101 |         {
000102 |             GridSpacerWidgetClass ItemStatsContent {
000103 |                 visible 1
000104 |                 ignorepointer 1
000105 |                 size 1 0.16
000106 |                 hexactpos 0
000107 |                 vexactpos 0
000108 |                 hexactsize 0
000109 |                 vexactsize 0
000110 |                 scriptclass "ViewBinding"
000111 |                 style Colorable
000112 |                 Padding 5
000113 |                 Margin 5
```



```
000114 |         "Size To Content V" 1
000115 |         Columns 2
000116 |         Rows 4
000117 |         {
000118 |             ScriptParamsClass {
000119 |                 Binding_Name "ItemElements"
000120 |             }
000121 |         }
000122 |     }
000123 |     MultilineTextWidgetClass ItemDescWidget {
000124 |         clipchildren 0
000125 |         size 1 0.8
000126 |         valign bottom_ref
000127 |         hexactpos 0
000128 |         vexactpos 0
000129 |         hexactsize 0
000130 |         vexactsize 0
000131 |         priority 1
000132 |         scriptclass "ViewBinding"
000133 |         style None
000134 |         text "A box of large kitchen matches. Contains 250 matches. Store in dry place and keep away from children."
000135 |         font "gui/fonts/sdf_MetronLight24"
000136 |         "exact text" 1
000137 |         "exact text size" 24
000138 |         "size to text h" 0
000139 |         "size to text v" 0
000140 |         wrap 1
000141 |         "condense whitespace" 1
000142 |         {
000143 |             ScriptParamsClass {
000144 |                 Binding_Name "ItemDescription"
000145 |             }
000146 |         }
000147 |     }
000148 | }
000149 | }
000150 | }
000151 | }
000152 | }
000153 | }
000154 | ImageWidgetClass ItemNameBackground {
000155 |     visible 1
000156 |     clipchildren 0
000157 |     ignorepointer 1
000158 |     keepsafezone 0
000159 |     color 0 0 0 0.9412
000160 |     position 0 0.05
000161 |     size 0.92 0.045
000162 |     halign center_ref
000163 |     hexactpos 0
000164 |     vexactpos 0
000165 |     hexactsize 0
000166 |     vexactsize 0
000167 |     priority 1
000168 |     draggable 0
000169 |     image0 "set:dayz_gui image:inv_header_3"
000170 |     mode blend
000171 |     "src alpha" 1
000172 |     "no wrap" 1
000173 |     stretch 1
000174 |     {
000175 |         TextWidgetClass ItemNameWidget {
```

```
000176 |         ignorepointer 1
000177 |         position 0 0
000178 |         size 1 1
000179 |         halign center_ref
000180 |         hexactpos 0
000181 |         vexactpos 0
000182 |         hexactsize 0
000183 |         vexactsize 0
000184 |         priority 1
000185 |         scriptclass "ViewBinding"
000186 |         style Normal
000187 |         text "Bullet Tuna"
000188 |         font "gui/fonts/sdf_MetronBook24"
000189 |         "text offset" 10 0
000190 |         "exact text" 0
000191 |         text_proportion 0.55
000192 |         "text halign" center
000193 |         "text valign" center
000194 |     {
000195 |         ButtonWidgetClass BackButton {
000196 |             visible 1
000197 |             disabled 0
000198 |             clipchildren 1
000199 |             inheritalpha 0
000200 |             ignorepointer 0
000201 |             keepsafezone 0
000202 |             color 1 1 1 0
000203 |             position 0.01 0
000204 |             size 0.5 0.5
000205 |             halign right_ref
000206 |             valign center_ref
000207 |             hexactpos 0
000208 |             vexactpos 0
000209 |             hexactsize 0
000210 |             vexactsize 0
000211 |             fixaspect fixwidth
000212 |             priority 1
000213 |             userID 2
000214 |             scriptclass "ViewBinding"
000215 |             style Default
000216 |             "no focus" 1
000217 |             text_offset 1 1
000218 |             text_halign center
000219 |             "text color" 1 1 1 1
000220 |             switch normal
000221 |         {
000222 |             ImageWidgetClass IconClose {
000223 |                 visible 1
000224 |                 ignorepointer 1
000225 |                 size 1 1
000226 |                 halign center_ref
000227 |                 valign center_ref
000228 |                 hexactpos 0
000229 |                 vexactpos 0
000230 |                 hexactsize 0
000231 |                 vexactsize 0
000232 |                 priority 2
000233 |                 image0 "set:dayz_gui image:icon_x"
000234 |                 mode additive
000235 |                 "src alpha" 1
000236 |             }
000237 |         }
```

```
000238 |         {
000239 |             ScriptParamsClass {
000240 |                 Relay_Command "OnBackButtonClick"
000241 |             }
000242 |         }
000243 |     }
000244 | }
000245 | {
000246 |     ScriptParamsClass {
000247 |         Binding_Name "ItemName"
000248 |     }
000249 | }
000250 | }
000251 | }
000252 | }
000253 | }
000254 | }
000255 | }
000256 | }
000257 | ImageWidgetClass vignette {
000258 |     visible 1
000259 |     ignorepointer 0
000260 |     color 0 0 0 0.7843
000261 |     position 0 0
000262 |     size 1.6 0.9
000263 |     halign center_ref
000264 |     hexactpos 1
000265 |     vexactpos 1
000266 |     hexactsize 0
000267 |     vexactsize 0
000268 |     fixaspect outside
000269 |     imageTexture "{E6B3EF816E067499}Gui/textures/inventory_bgvignette.edds"
000270 |     mode blend
000271 |     "src alpha" 1
000272 |     "no wrap" 1
000273 |     stretch 1
000274 |     filter 0
000275 |     nocache 1
000276 | }
000277 | }
000278 | }
```

0581. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\mvc\expansion_item_preview_tooltip.layout

Size bytes: 2480

SHA-256: 842d5f451c1312fefa77eb0f2519646c7206c968bb77d4fca52285df2d63d61b

Decoded as: utf-8-sig

Line count shown: 128

Full file content

```
000001 | WrapSpacerWidgetClass ExpansionItemPreviewTooltip {
000002 |     visible 1
000003 |     clipchildren 1
000004 |     ignorepointer 1
000005 |     position 0 0
000006 |     size 250 250
000007 |     hexactpos 1
000008 |     vexactpos 1
000009 |     hexactsize 1
000010 |     vexactsize 1
000011 |     priority 952
000012 |     scriptclass "ExpansionItemPreviewTooltipController"
000013 |     style Colorable
000014 |     Padding 0
000015 |     Margin 0
000016 |     "Size To Content V" 1
000017 |     {
000018 |         ImageWidgetClass HeaderWidget {
000019 |             clipchildren 1
000020 |             ignorepointer 1
000021 |             color 0 0 0 0.9412
000022 |             size 1 40
000023 |             hexactpos 0
000024 |             vexactpos 0
000025 |             hexactsize 0
000026 |             vexactsize 1
000027 |             image0 "set:dayz_gui image:inv_header_3"
000028 |             mode blend
000029 |             "src alpha" 1
000030 |             "no wrap" 1
000031 |             stretch 1
000032 |             {
000033 |                 ImageWidgetClass ItemDamageWidgetBackground {
000034 |                     visible 1
000035 |                     clipchildren 0
000036 |                     inheritalpha 0
000037 |                     ignorepointer 1
000038 |                     color 0 1 0 1
000039 |                     position 6 0
000040 |                     size 24 24
000041 |                     valign center_ref
000042 |                     hexactpos 1
000043 |                     vexactpos 0
000044 |                     hexactsize 1
000045 |                     vexactsize 1
000046 |                     image0 ""
000047 |                     imageTexture "{0FCACAAf0A99273C}DayZExpansion/Core/GUI/icons/hud/ellipse_64x64.edds"
000048 |                     mode additive
000049 |                     "src alpha" 1
000050 |                     "no wrap" 1
000051 |                     stretch 1
```

```
000052 |     filter 1
000053 | }
000054 | TextWidgetClass ItemNameWidget {
000055 |     clipchildren 0
000056 |     ignorepointer 1
000057 |     position 35 0
000058 |     size 210.84 16
000059 |     valign center_ref
000060 |     hexactpos 1
000061 |     vexactpos 1
000062 |     hexactsize 1
000063 |     vexactsize 1
000064 |     priority 1
000065 |     scriptclass "ViewBinding"
000066 |     style Normal
000067 |     text " "
000068 |     font "gui/fonts/sdf_MetronBook24"
000069 |     "exact text" 1
000070 |     "exact text size" 16
000071 |     "size to text h" 0
000072 |     "size to text v" 0
000073 |     "text valign" center
000074 |     {
000075 |         ScriptParamsClass {
000076 |             Binding_Name "ItemName"
000077 |         }
000078 |     }
000079 | }
000080 | }
000081 | }
000082 | GridSpacerWidgetClass Content {
000083 |     visible 1
000084 |     clipchildren 1
000085 |     ignorepointer 1
000086 |     color 0 0 0 0.8627
000087 |     position 0 40
000088 |     size 1 1
000089 |     hexactpos 1
000090 |     vexactpos 1
000091 |     hexactsize 0
000092 |     vexactsize 0
000093 |     style Colorable
000094 |     Padding 0
000095 |     Margin 0
000096 |     "Size To Content H" 1
000097 |     "Size To Content V" 1
000098 |     Columns 2
000099 |     Rows 1
000100 |     {
000101 |         ItemPreviewWidgetClass ItemFrameWidget {
000102 |             visible 1
000103 |             clipchildren 1
000104 |             ignorepointer 1
000105 |             position 0 0
000106 |             size 250 200
000107 |             hexactpos 0
000108 |             vexactpos 0
000109 |             hexactsize 1
000110 |             vexactsize 1
000111 |             fixaspect fixwidth
000112 |             priority 201
000113 |             scriptclass "ViewBinding"
```

```
000114 |      "force flip enable" 1
000115 |      {
000116 |          ScriptParamsClass {
000117 |              Binding_Name "ItemPreview"
000118 |          }
000119 |      }
000120 |  }
000121 |  }
000122 |  }
000123 |  }
000124 |  {
000125 |      ScriptParamsClass {
000126 |      }
000127 |  }
000128 |  }
```

0582. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\mvc\expansion_item_tooltip.layout
Size bytes: 6664
SHA-256: 1c290078537ac6a3d7cd848541f1b8a04571537b8ae31b9a11b60e5b0b667054
Decoded as: utf-8-sig
Line count shown: 285

Full file content

```
000001 | WrapSpacerWidgetClass ExpansionItemTooltip {
000002 |     visible 1
000003 |     clipchildren 1
000004 |     ignorepointer 1
000005 |     position 0 0
000006 |     size 550 195
000007 |     hexactpos 1
000008 |     vexactpos 1
000009 |     hexactsize 1
000010 |     vexactsize 1
000011 |     priority 952
000012 |     scriptclass "ExpansionItemInspectionController"
000013 |     style Colorable
000014 |     Padding 0
000015 |     Margin 0
000016 |     "Size To Content V" 1
000017 |     {
000018 |         ImageWidgetClass HeaderWidget {
000019 |             clipchildren 1
000020 |             ignorepointer 1
000021 |             color 0 0 0 0.9412
000022 |             size 1 40
000023 |             hexactpos 0
000024 |             vexactpos 0
000025 |             hexactsize 0
000026 |             vexactsize 1
000027 |             image0 "set:dayz_gui image:inv_header_3"
000028 |             mode blend
000029 |             "src alpha" 1
000030 |             "no wrap" 1
000031 |             stretch 1
000032 |             {
000033 |                 ImageWidgetClass ItemDamageWidgetBackground {
000034 |                     visible 1
000035 |                     clipchildren 0
000036 |                     inheritalpha 0
000037 |                     ignorepointer 1
000038 |                     color 0 1 0 1
000039 |                     position 6 0
000040 |                     size 24 24
000041 |                     valign center_ref
000042 |                     hexactpos 1
000043 |                     vexactpos 0
000044 |                     hexactsize 1
000045 |                     vexactsize 1
000046 |                     image0 ""
000047 |                     imageTexture "{0FCACAAAF0A99273C}DayZExpansion/Core/GUI/icons/hud/ellipse_64x64.edds"
000048 |                     mode additive
000049 |                     "src alpha" 1
000050 |                     "no wrap" 1
000051 |                     stretch 1
```

```
000052 |     filter 1
000053 | }
000054 | TextWidgetClass ItemNameWidget {
000055 |     clipchildren 0
000056 |     ignorepointer 1
000057 |     position 36 3
000058 |     size 258 16
000059 |     hexactpos 1
000060 |     vexactpos 1
000061 |     hexactsize 1
000062 |     vexactsize 1
000063 |     priority 1
000064 |     scriptclass "ViewBinding"
000065 |     style Normal
000066 |     text " "
000067 |     font "gui/fonts/sdf_MetronBook24"
000068 |     "exact text" 1
000069 |     "exact text size" 16
000070 |     "size to text h" 0
000071 |     "size to text v" 0
000072 |     "text valign" center
000073 |     {
000074 |         ScriptParamsClass {
000075 |             Binding_Name "ItemName"
000076 |         }
000077 |     }
000078 | }
000079 | TextWidgetClass ItemDamageWidget {
000080 |     clipchildren 0
000081 |     ignorepointer 1
000082 |     position 36 3
000083 |     size 258 16
000084 |     valign bottom_ref
000085 |     hexactpos 1
000086 |     vexactpos 1
000087 |     hexactsize 1
000088 |     vexactsize 1
000089 |     scriptclass "ViewBinding"
000090 |     style Normal
000091 |     text "#layout_tooltip_damage"
000092 |     font "gui/fonts/sdf_MetronLight24"
000093 |     "text color" 1 1 1 1
000094 |     "text spacing" 2 0
000095 |     "exact text" 1
000096 |     "exact text size" 16
000097 |     "size to text h" 0
000098 |     "size to text v" 0
000099 |     "text valign" center
000100 |     {
000101 |         ScriptParamsClass {
000102 |             Binding_Name "ItemDamage"
000103 |         }
000104 |     }
000105 | }
000106 | TextWidgetClass ItemQuantityWidget {
000107 |     clipchildren 0
000108 |     ignorepointer 1
000109 |     position 16 3
000110 |     size 240 16
000111 |     halign right_ref
000112 |     valign bottom_ref
000113 |     hexactpos 1
```



```
000114 | vexactpos 1
000115 | hexactsize 1
000116 | vexactsize 1
000117 | scriptclass "ViewBinding"
000118 | style Normal
000119 | text "#layout_tooltip_quantity"
000120 | font "gui/fonts/sdf_MetronLight24"
000121 | "text color" 1 1 1 1
000122 | "exact text" 1
000123 | "exact text size" 16
000124 | "size to text h" 0
000125 | "size to text v" 0
000126 | "text halign" right
000127 | "text valign" center
000128 | {
000129 |     ScriptParamsClass {
000130 |         Binding_Name "ItemQuantity"
000131 |     }
000132 | }
000133 | }
000134 | TextWidgetClass ItemWeightWidget {
000135 |     clipchildren 0
000136 |     ignorepointer 1
000137 |     position 16 3
000138 |     size 240 16
000139 |     halign right_ref
000140 |     vexactpos 1
000141 |     vexactpos 1
000142 |     hexactsize 1
000143 |     vexactsize 1
000144 |     scriptclass "ViewBinding"
000145 |     style Normal
000146 |     text "#layout_tooltip_weight"
000147 |     font "gui/fonts/sdf_MetronLight24"
000148 |     "text color" 1 1 1 1
000149 |     "exact text" 1
000150 |     "exact text size" 16
000151 |     "size to text h" 0
000152 |     "size to text v" 0
000153 |     "text halign" right
000154 |     "text valign" center
000155 |     {
000156 |         ScriptParamsClass {
000157 |             Binding_Name "ItemWeight"
000158 |         }
000159 |     }
000160 | }
000161 | }
000162 | }
000163 | GridSpacerWidgetClass Content {
000164 |     visible 1
000165 |     clipchildren 1
000166 |     ignorepointer 1
000167 |     color 0 0 0 0.8627
000168 |     position 0 40
000169 |     size 1 1
000170 |     vexactpos 1
000171 |     vexactpos 1
000172 |     hexactsize 0
000173 |     vexactsize 0
000174 |     style Colorable
000175 |     Padding 0
```

```
000176 | Margin 0
000177 | "Size To Content H" 1
000178 | "Size To Content V" 1
000179 | Columns 2
000180 | Rows 1
000181 | {
000182 |   ItemPreviewWidgetClass ItemFrameWidget {
000183 |     visible 1
000184 |     clipchildren 1
000185 |     ignorepointer 1
000186 |     position 0 0
000187 |     size 156 156
000188 |     hexactpos 0
000189 |     vexactpos 0
000190 |     hexactsize 1
000191 |     vexactsize 1
000192 |     fixaspect fixwidth
000193 |     priority 201
000194 |     scriptclass "ViewBinding"
000195 |     "force flip enable" 1
000196 |     {
000197 |       ScriptParamsClass {
000198 |         Binding_Name "ItemPreview"
000199 |       }
000200 |     }
000201 |   }
000202 |   GridSpacerWidgetClass GridSpacerWidget1 {
000203 |     ignorepointer 1
000204 |     position 0 0
000205 |     size 1 0
000206 |     hexactpos 1
000207 |     vexactpos 1
000208 |     hexactsize 0
000209 |     vexactsize 1
000210 |     priority 202
000211 |     style Colorable
000212 |     Padding 10
000213 |     Margin 0
000214 |     "Size To Content V" 1
000215 |     Columns 1
000216 |     Rows 2
000217 |     {
000218 |       GridSpacerWidgetClass ItemStatsContent {
000219 |         visible 1
000220 |         ignorepointer 1
000221 |         position 0 0
000222 |         size 0.98 0
000223 |         hexactpos 1
000224 |         vexactpos 1
000225 |         hexactsize 0
000226 |         vexactsize 1
000227 |         scriptclass "ViewBinding"
000228 |         style Colorable
000229 |         Padding 4
000230 |         Margin 0
000231 |         "Size To Content H" 1
000232 |         "Size To Content V" 1
000233 |         Columns 2
000234 |         Rows 2
000235 |         {
000236 |           ScriptParamsClass {
000237 |             Binding_Name "ItemElements"
```

```
000238 |     }
000239 | }
000240 | }
000241 | WrapSpacerWidgetClass WrapSpacerWidget0 {
000242 |     visible 1
000243 |     ignorepointer 1
000244 |     position 10 10
000245 |     size 48 48
000246 |     hexactpos 1
000247 |     vexactpos 1
000248 |     hexactsiz 1
000249 |     vexactsiz 1
000250 |     "Size To Content H" 1
000251 |     "Size To Content V" 1
000252 |     content_halign center
000253 | {
000254 |     RichTextWidgetClass ItemDescWidget {
000255 |         clipchildren 1
000256 |         ignorepointer 1
000257 |         size 0.98 1
000258 |         halign center_ref
000259 |         hexactpos 0
000260 |         vexactpos 0
000261 |         hexactsiz 0
000262 |         vexactsiz 0
000263 |         scriptclass "ViewBinding"
000264 |         style DayZNormal
000265 |         text "Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet."
000266 |         font "gui/fonts/sdf_MetronLight24"
000267 |         "exact text" 1
000268 |         "exact text size" 16
000269 |         "size to text h" 1
000270 |         "size to text v" 1
000271 |         wrap 1
000272 |         {
000273 |             ScriptParamsClass {
000274 |                 Binding_Name "ItemDescription"
000275 |             }
000276 |         }
000277 |     }
000278 | }
000279 | }
000280 | }
000281 | }
000282 | }
000283 | }
000284 | }
000285 | }
```

0583. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\mvc\expansion_item_tooltip_stat_element.layout

Size bytes: 1157

SHA-256: 7e8b6eab0ba07fd8e901dd93ad4f40d0046dfcd10d11led26448b6b86cf46fee

Decoded as: utf-8-sig

Line count shown: 61

Full file content

```
000001 | PanelWidgetClass ExpansionItemTooltipStatElement {
000002 |     visible 1
000003 |     clipchildren 1
000004 |     ignorepointer 1
000005 |     position 0 0
000006 |     size 160 20
000007 |     hexactpos 1
000008 |     vexactpos 1
000009 |     hexactsize 1
000010 |     vexactsize 1
000011 |     scriptclass "ExpansionItemTooltipStatElementController"
000012 |     style blank
000013 |     {
000014 |         TextWidgetClass Text {
000015 |             clipchildren 0
000016 |             ignorepointer 1
000017 |             position 0 0
000018 |             size 1 1
000019 |             halign center_ref
000020 |             valign center_ref
000021 |             hexactpos 0
000022 |             vexactpos 0
000023 |             hexactsize 0
000024 |             vexactsize 0
000025 |             priority 1
000026 |             scriptclass "ViewBinding"
000027 |             style Normal
000028 |             font "gui/fonts/sdf_MetronLight24"
000029 |             "text color" 1 1 1 1
000030 |             "exact text" 0
000031 |             text_proportion 0.75
000032 |             "size to text h" 0
000033 |             "size to text v" 1
000034 |             "text halign" center
000035 |             "text valign" center
000036 |             {
000037 |                 ScriptParamsClass {
000038 |                     Binding_Name "StatText"
000039 |                 }
000040 |             }
000041 |         }
000042 |         ImageWidgetClass Background {
000043 |             visible 1
000044 |             clipchildren 0
000045 |             inheritalpha 0
000046 |             ignorepointer 1
000047 |             color 1 1 1 0
000048 |             position 0 0
000049 |             size 160 20
000050 |             halign center_ref
000051 |             hexactpos 1
```

```
000052 | vexactpos 1
000053 | hexactsize 1
000054 | vexactsize 1
000055 | image0 "set:dayz_gui image:ColorableBar"
000056 | mode blend
000057 | "src alpha" 0
000058 | filter 1
000059 | }
000060 | }
000061 | }
```

0584. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\ui\options\expansion_options_category.layout

Size bytes: 1251

SHA-256: 745457890b36bcd960f59ed9d8275f2fc7e534f3702bec86d5146f7079c890d

Decoded as: utf-8-sig

Line count shown: 66

Full file content

```
000001 | WrapSpacerWidgetClass expansion_options_category_root {
000002 |     visible 1
000003 |     ignorepointer 1
000004 |     position 0 0
000005 |     size 1 473
000006 |     hexactpos 1
000007 |     vexactpos 1
000008 |     hexactsize 0
000009 |     vexactsize 1
000010 |     "no focus" 1
000011 |     Padding 0
000012 |     Margin 0
000013 |     "Size To Content H" 1
000014 |     "Size To Content V" 1
000015 | {
000016 |     PanelWidgetClass expansion_options_category_header {
000017 |         visible 1
000018 |         ignorepointer 1
000019 |         color 0 0 0 1
000020 |         position 0 0
000021 |         size 1 36
000022 |         hexactpos 1
000023 |         vexactpos 1
000024 |         hexactsize 0
000025 |         vexactsize 1
000026 |         style DayZDefaultPanel
000027 |         "no focus" 1
000028 |         {
000029 |             TextWidgetClass expansion_options_category_header_text {
000030 |                 visible 1
000031 |                 ignorepointer 1
000032 |                 position 0 0
000033 |                 size 1 0.5
000034 |                 valign center_ref
000035 |                 hexactpos 1
000036 |                 vexactpos 1
000037 |                 hexactsize 0
000038 |                 vexactsize 0
000039 |                 style Normal
000040 |                 text ""
000041 |                 font "gui/fonts/sdf_MetronLight72"
000042 |                 "exact text" 0
000043 |                 "text halign" center
000044 |                 "text valign" center
000045 |             }
000046 |         }
000047 |     }
000048 |     GridSpacerWidgetClass expansion_options_category_content {
000049 |         ignorepointer 1
000050 |         color 0 0 0 0.549
000051 |         position 0 0
```

```
000052 | size 1 1
000053 | hexactpos 1
000054 | vexactpos 1
000055 | hexactsize 0
000056 | vexactsize 0
000057 | style DayZDefaultPanel
000058 | "no focus" 1
000059 | Padding 0
000060 | Margin 0
000061 | "Size To Content V" 1
000062 | Columns 1
000063 | Rows 1
000064 | }
000065 | }
000066 | }
```

0585. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\ui\options\expansion_options_setting_new.layout

Size bytes: 2062

SHA-256: 4b4eca70be0da0d0c939dc2e9f23d01a32371d0d8972769410bae12d95fd23de

Decoded as: utf-8-sig

Line count shown: 99

Full file content

```
000001 | PanelWidgetClass expansion_options_setting_root {
000002 |   ignorepointer 0
000003 |   position 0 0
000004 |   size 1 30
000005 |   hexactpos 1
000006 |   vexactpos 1
000007 |   hexactsize 0
000008 |   vexactsize 1
000009 |   scriptclass ""
000010 |   style blank
000011 | {
000012 |   GridSpacerWidgetClass expansion_options_setting {
000013 |     ignorepointer 1
000014 |     color 0 0 0 0
000015 |     position 0 0
000016 |     size 1 30
000017 |     hexactpos 1
000018 |     vexactpos 1
000019 |     hexactsize 0
000020 |     vexactsize 1
000021 |     style DayZDefaultPanel
000022 |     "no focus" 1
000023 |     Padding 0
000024 |     Margin 0
000025 |     "Size To Content H" 1
000026 |     Columns 2
000027 |     Rows 1
000028 |     {
000029 |       FrameWidgetClass expansion_options_setting_panel {
000030 |         ignorepointer 1
000031 |         position 0 0
000032 |         size 0.5 0.6
000033 |         hexactpos 1
000034 |         vexactpos 1
000035 |         hexactsize 0
000036 |         vexactsize 0
000037 |         {
000038 |           TextWidgetClass expansion_options_setting_label {
000039 |             clipchildren 0
000040 |             ignorepointer 1
000041 |             size 1 0.6
000042 |             valign center_ref
000043 |             hexactpos 1
000044 |             vexactpos 1
000045 |             hexactsize 0
000046 |             vexactsize 0
000047 |             text "THIS IS A SETTING"
000048 |             font "gui/fonts/sdf_MetronLight24"
000049 |             "text offset" 8 0
000050 |             "exact text" 0
000051 |             "exact text size" 18
```



```
000052 |         "text valign" center
000053 |     }
000054 | }
000055 | }
000056 | FrameWidgetClass expansion_options_setting_option {
000057 |     ignorepointer 1
000058 |     position 0 0
000059 |     size 0.5 1
000060 |     hexactpos 1
000061 |     vexactpos 1
000062 |     hexactsize 0
000063 |     vexactsize 0
000064 |     {
000065 |         TextWidgetClass expansion_options_setting_value {
000066 |             clipchildren 0
000067 |             ignorepointer 1
000068 |             size 1 0.6
000069 |             valign center_ref
000070 |             hexactpos 1
000071 |             vexactpos 1
000072 |             hexactsize 0
000073 |             vexactsize 0
000074 |             text ""
000075 |             font "gui/fonts/sdf_MetronLight24"
000076 |             "text offset" 8 0
000077 |             "exact text" 1
000078 |             "exact text size" 12
000079 |             "text halign" center
000080 |             "text valign" center
000081 |         }
000082 |     }
000083 | }
000084 | }
000085 | }
000086 | PanelWidgetClass expansion_options_setting_disable {
000087 |     visible 0
000088 |     ignorepointer 1
000089 |     color 0.1569 0.1569 0.1569 0.902
000090 |     position 0 0
000091 |     size 1 1
000092 |     hexactpos 1
000093 |     vexactpos 1
000094 |     hexactsize 0
000095 |     vexactsize 0
000096 |     style rover_sim_colorable
000097 | }
000098 | }
000099 | }
```

0586. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\ui\options\expansion_tab.layout
Size bytes: 764
SHA-256: f03d22e983bcd8fb246d895bc74097285a333827e10f9b746f7c721dce36c65
Decoded as: utf-8-sig
Line count shown: 44

Full file content

```
000001 | FrameWidgetClass expansion_tab_root {
000002 |   ignorepointer 0
000003 |   position 0 0
000004 |   size 1 1
000005 |   hexactpos 1
000006 |   vexactpos 1
000007 |   hexactsize 0
000008 |   vexactsize 0
000009 |   {
000010 |     ScrollWidgetClass expansion_settings_scroll {
000011 |       ignorepointer 0
000012 |       color 0 0 0 1
000013 |       position 0 0
000014 |       size 600 1
000015 |       hexactpos 1
000016 |       vexactpos 1
000017 |       hexactsize 1
000018 |       vexactsize 0
000019 |       style blank
000020 |       "Scrollbar V" 1
000021 |       {
000022 |         GridSpacerWidgetClass expansion_tab_content {
000023 |           visible 1
000024 |           ignorepointer 0
000025 |           color 0 0 0 0
000026 |           position 0 0
000027 |           size 1 1
000028 |           hexactpos 1
000029 |           vexactpos 1
000030 |           hexactsize 0
000031 |           vexactsize 0
000032 |           priority 3
000033 |           "no focus" 1
000034 |           Padding 8
000035 |           Margin 0
000036 |           "Size To Content H" 1
000037 |           "Size To Content V" 1
000038 |           Columns 1
000039 |           Rows 1
000040 |         }
000041 |       }
000042 |     }
000043 |   }
000044 | }
```

0587. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\ui\options\tab_control.layout
Size bytes: 1032
SHA-256: 3e172c60b508704ad7b3457a06dd3f82f4a1f7a155f2ad89c280dc3e81bac023
Decoded as: utf-8-sig
Line count shown: 56

Full file content

```
000001 | PanelWidgetClass Tab_Control_x {
000002 |     visible 1
000003 |     clipchildren 1
000004 |     color 0 0 0 0
000005 |     size 160 1
000006 |     hexactpos 1
000007 |     vexactpos 1
000008 |     hexactsize 1
000009 |     vexactsize 0
000010 |     priority 200
000011 |     userID 0
000012 |     style DayZDefaultPanel
000013 |     "no focus" 1
000014 |     "next down" "XComboBoxWidget1"
000015 |     {
000016 |         TextWidgetClass Tab_Control_x_Title {
000017 |             ignorepointer 1
000018 |             position 0 0
000019 |             size 1 0.42
000020 |             halign center_ref
000021 |             valign center_ref
000022 |             hexactpos 1
000023 |             vexactpos 1
000024 |             hexactsize 0
000025 |             vexactsize 0
000026 |             priority 250
000027 |             text ""
000028 |             font "gui/fonts/sdf_MetronLight72"
000029 |             "text halign" center
000030 |             "text valign" center
000031 |         }
000032 |         ImageWidgetClass Tab_Control_x_Background {
000033 |             visible 0
000034 |             disabled 0
000035 |             inheritalpha 0
000036 |             ignorepointer 1
000037 |             color 1 1 1 0.7843
000038 |             position 0 0
000039 |             size 710 1
000040 |             hexactpos 1
000041 |             vexactpos 1
000042 |             hexactsize 1
000043 |             vexactsize 0
000044 |             draggable 0
000045 |             imageTexture "{5A89D58DD2276E85}Gui/textures/SerratedBlack2.edds"
000046 |             mode blend
000047 |             "src alpha" 1
000048 |             "no wrap" 1
000049 |             stretch 1
000050 |             "flip u" 0
000051 |             "flip v" 0
```

```
000052 | filter 1
000053 | nocache 0
000054 | }
000055 | }
000056 | }
```

0588. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: looknfeel\expansion_widgets.styles

Size bytes: 9667

SHA-256: 7c4c810898069c2b7faaec2596a2186e75fdf62f115dd6485d3e9dcd92a2f52f

Decoded as: utf-8-sig

Line count shown: 198

Full file content

```
000001 | <WidgetStyles>
000002 |     <Widget Name="CheckBoxWidget">
000003 |         <Style Name="Expansion_01" Font="gui/fonts/metron" ImageSet="expansion_widgets" Color="4294967295">
000004 |             <State Name="Normal">
000005 |                 <Item Name="CheckBox" Image="CheckboxHover" />
000006 |             </State>
000007 |             <State Name="Disabled">
000008 |                 <Item Name="CheckBox" Image="" />
000009 |             </State>
000010 |             <State Name="Mark">
000011 |                 <Item Name="CheckBox" Image="CheckboxMark" />
000012 |             </State>
000013 |             <State Name="Highlight">
000014 |                 <Item Name="CheckBox" Image="CheckboxHover" />
000015 |             </State>
000016 |         </Style>
000017 |         <Style Name="Expansion_02" Font="gui/fonts/metron" ImageSet="expansion_widgets" Color="4294967295">
000018 |             <State Name="Normal">
000019 |                 <Item Name="CheckBox" Image="CheckboxScrapsHover" />
000020 |             </State>
000021 |             <State Name="Disabled">
000022 |                 <Item Name="CheckBox" Image="" />
000023 |             </State>
000024 |             <State Name="Mark">
000025 |                 <Item Name="CheckBox" Image="CheckboxScrapsMark" />
000026 |             </State>
000027 |             <State Name="Highlight">
000028 |                 <Item Name="CheckBox" Image="CheckboxScrapsHover" />
000029 |             </State>
000030 |         </Style>
000031 |         <Style Name="Expansion_03" Font="gui/fonts/metron" ImageSet="expansion_widgets" Color="4294967295">
000032 |             <State Name="Normal">
000033 |                 <Item Name="CheckBox" Image="CheckboxSquareHover" />
000034 |             </State>
000035 |             <State Name="Disabled">
000036 |                 <Item Name="CheckBox" Image="" />
000037 |             </State>
000038 |             <State Name="Mark">
000039 |                 <Item Name="CheckBox" Image="CheckboxMark" />
000040 |             </State>
000041 |             <State Name="Highlight">
000042 |                 <Item Name="CheckBox" Image="CheckboxSquareHover" />
000043 |             </State>
000044 |         </Style>
000045 |         <Style Name="Expansion_04" Font="gui/fonts/metron" ImageSet="expansion_widgets" Color="4294967295">
000046 |             <State Name="Normal">
000047 |                 <Item Name="CheckBox" Image="CheckboxScrapsSquareHover" />
000048 |             </State>
000049 |             <State Name="Disabled">
000050 |                 <Item Name="CheckBox" Image="" />
000051 |             </State>
```

```
000052 |         <State Name="Mark">
000053 |             <Item Name="CheckBox" Image="CheckboxScrapsMark" />
000054 |         </State>
000055 |         <State Name="Highlight">
000056 |             <Item Name="CheckBox" Image="CheckboxScrapsSquareHover" />
000057 |         </State>
000058 |     </Style>
000059 | </Widget>
000060 | <Widget Name="ButtonWidget">
000061 |     <Style Name="Expansion_01" Font="gui/fonts/AmorSerifPro-Bold" ImageSet="dayz_gui" Color="4043309055">
000062 |         <State Name="Disabled">
000063 |             <Item Name="Bottom" Image="" />
000064 |             <Item Name="Center" Image="" />
000065 |             <Item Name="Left" Image="" />
000066 |             <Item Name="LeftBottom" Image="" />
000067 |             <Item Name="LeftTop" Image="" />
000068 |             <Item Name="Right" Image="" />
000069 |             <Item Name="RightBottom" Image="" />
000070 |             <Item Name="RightTop" Image="" />
000071 |             <Item Name="Top" Image="" />
000072 |         </State>
000073 |         <State Name="Focus">
000074 |             <Item Name="Bottom" Image="" />
000075 |             <Item Name="Center" Image="" />
000076 |             <Item Name="Left" Image="" />
000077 |             <Item Name="LeftBottom" Image="" />
000078 |             <Item Name="LeftTop" Image="" />
000079 |             <Item Name="Right" Image="" />
000080 |             <Item Name="RightBottom" Image="" />
000081 |             <Item Name="RightTop" Image="" />
000082 |             <Item Name="Top" Image="" />
000083 |         </State>
000084 |         <State Name="Highlight">
000085 |             <Item Name="Bottom" Image="UIPanelHorizontalLeft" />
000086 |             <Item Name="Center" Image="UIPanelHorizontalCenter" />
000087 |             <Item Name="Left" Image="UIPanelHorizontalLeft" />
000088 |             <Item Name="LeftBottom" Image="" />
000089 |             <Item Name="LeftTop" Image="" />
000090 |             <Item Name="Right" Image="UIPanelHorizontalRight" />
000091 |             <Item Name="RightBottom" Image="" />
000092 |             <Item Name="RightTop" Image="" />
000093 |             <Item Name="Top" Image="UIPanelHorizontalTop" />
000094 |         </State>
000095 |         <State Name="Normal">
000096 |             <Item Name="Bottom" Image="" />
000097 |             <Item Name="Center" Image="" />
000098 |             <Item Name="Left" Image="" />
000099 |             <Item Name="LeftBottom" Image="" />
000100 |             <Item Name="LeftTop" Image="" />
000101 |             <Item Name="Right" Image="" />
000102 |             <Item Name="RightBottom" Image="" />
000103 |             <Item Name="RightTop" Image="" />
000104 |             <Item Name="Top" Image="" />
000105 |         </State>
000106 |         <State Name="Pushed">
000107 |             <Item Name="Bottom" Image="UIPanelHorizontalLeft" />
000108 |             <Item Name="Center" Image="UIPanelHorizontalCenter" />
000109 |             <Item Name="Left" Image="UIPanelHorizontalLeft" />
000110 |             <Item Name="LeftBottom" Image="" />
000111 |             <Item Name="LeftTop" Image="" />
000112 |             <Item Name="Right" Image="UIPanelHorizontalRight" />
000113 |             <Item Name="RightBottom" Image="" />
```

```
000114 |         <Item Name="RightTop" Image="" />
000115 |         <Item Name="Top" Image="UIPanelHorizontalTop" />
000116 |     </State>
000117 | </Style>
000118 | </Widget>
000119 | <Widget Name="GridSpacerWidget">
000120 |     <Style Name="Expansion_01" Font="gui/fonts/AmorSerifPro-Bold" ImageSet="dayz_gui" Color="16777215">
000121 |         <State Name="Disabled">
000122 |             <Item Name="Bottom" Image="UIPanelHorizontalLeft" />
000123 |             <Item Name="Center" Image="UIPanelHorizontalCenter" />
000124 |             <Item Name="Left" Image="UIPanelHorizontalLeft" />
000125 |             <Item Name="LeftBottom" Image="" />
000126 |             <Item Name="LeftTop" Image="" />
000127 |             <Item Name="Right" Image="UIPanelHorizontalRight" />
000128 |             <Item Name="RightBottom" Image="" />
000129 |             <Item Name="RightTop" Image="" />
000130 |             <Item Name="Top" Image="UIPanelHorizontalTop" />
000131 |         </State>
000132 |         <State Name="Normal">
000133 |             <Item Name="Bottom" Image="UIPanelHorizontalLeft" />
000134 |             <Item Name="Center" Image="UIPanelHorizontalCenter" />
000135 |             <Item Name="Left" Image="UIPanelHorizontalLeft" />
000136 |             <Item Name="LeftBottom" Image="" />
000137 |             <Item Name="LeftTop" Image="" />
000138 |             <Item Name="Right" Image="UIPanelHorizontalRight" />
000139 |             <Item Name="RightBottom" Image="" />
000140 |             <Item Name="RightTop" Image="" />
000141 |             <Item Name="Top" Image="UIPanelHorizontalTop" />
000142 |         </State>
000143 |     </Style>
000144 | </Widget>
000145 | <Widget Name="WrapSpacerWidget">
000146 |     <Style Name="Expansion_01" Font="gui/fonts/AmorSerifPro-Bold" ImageSet="dayz_gui" Color="16777215">
000147 |         <State Name="Disabled">
000148 |             <Item Name="Bottom" Image="UIPanelHorizontalLeft" />
000149 |             <Item Name="Center" Image="UIPanelHorizontalCenter" />
000150 |             <Item Name="Left" Image="UIPanelHorizontalLeft" />
000151 |             <Item Name="LeftBottom" Image="" />
000152 |             <Item Name="LeftTop" Image="" />
000153 |             <Item Name="Right" Image="UIPanelHorizontalRight" />
000154 |             <Item Name="RightBottom" Image="" />
000155 |             <Item Name="RightTop" Image="" />
000156 |             <Item Name="Top" Image="UIPanelHorizontalTop" />
000157 |         </State>
000158 |         <State Name="Normal">
000159 |             <Item Name="Bottom" Image="UIPanelHorizontalLeft" />
000160 |             <Item Name="Center" Image="UIPanelHorizontalCenter" />
000161 |             <Item Name="Left" Image="UIPanelHorizontalLeft" />
000162 |             <Item Name="LeftBottom" Image="" />
000163 |             <Item Name="LeftTop" Image="" />
000164 |             <Item Name="Right" Image="UIPanelHorizontalRight" />
000165 |             <Item Name="RightBottom" Image="" />
000166 |             <Item Name="RightTop" Image="" />
000167 |             <Item Name="Top" Image="UIPanelHorizontalTop" />
000168 |         </State>
000169 |     </Style>
000170 | </Widget>
000171 | <Widget Name="PanelWidget">
000172 |     <Style Name="Expansion_01" Font="gui/fonts/AmorSerifPro-Bold" ImageSet="dayz_gui" Color="16777215">
000173 |         <State Name="Disabled">
000174 |             <Item Name="Bottom" Image="UIPanelHorizontalLeft" />
000175 |             <Item Name="Center" Image="UIPanelHorizontalCenter" />
```

```
000176 |         <Item Name="Left" Image="UIPanelHorizontalLeft" />
000177 |         <Item Name="LeftBottom" Image="" />
000178 |         <Item Name="LeftTop" Image="" />
000179 |         <Item Name="Right" Image="UIPanelHorizontalRight" />
000180 |         <Item Name="RightBottom" Image="" />
000181 |         <Item Name="RightTop" Image="" />
000182 |         <Item Name="Top" Image="UIPanelHorizontalTop" />
000183 |     </State>
000184 |     <State Name="Normal">
000185 |         <Item Name="Bottom" Image="UIPanelHorizontalLeft" />
000186 |         <Item Name="Center" Image="UIPanelHorizontalCenter" />
000187 |         <Item Name="Left" Image="UIPanelHorizontalLeft" />
000188 |         <Item Name="LeftBottom" Image="" />
000189 |         <Item Name="LeftTop" Image="" />
000190 |         <Item Name="Right" Image="UIPanelHorizontalRight" />
000191 |         <Item Name="RightBottom" Image="" />
000192 |         <Item Name="RightTop" Image="" />
000193 |         <Item Name="Top" Image="UIPanelHorizontalTop" />
000194 |     </State>
000195 | </Style>
000196 | </Widget>
000197 | </WidgetStyles>
000198 |
```


0589. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: textures\expansion_icon.edds.meta
Size bytes: 356
SHA-256: 7f177655350e58558645695c52dd472911e7e59487ac89e14b318c6cc0f69287
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{83F4855ACB544999}DayZExpansion/Core/GUI/textures/expansion_icon.edds"  
000003 |   Author "Steve aka Salutesh"  
000004 |   ChangeDate -1224890795  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "expansion_icon.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0590. PBO TEXT FILE

Path: core pbo files expan/core_objects_bases.pbo :: CORE

Size bytes: 0

SHA-256: e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

Decoded as: empty

Line count shown: 0

Full file content

000001 |

0591. PBO TEXT FILE

Path: core pbo files expan/core_objects_briefcase.pbo :: CORE

Size bytes: 0

SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

Decoded as: empty

Line count shown: 0

Full file content

000001 |

0592. PBO TEXT FILE

Path: core pbo files expan/core_objects_briefcase.pbo :: data\Briefcase.rvmat

Size bytes: 1474

SHA-256: 80c42ce871e2c9af6d760e23688f9442d0508b6056ed3243a2ec50c4e1f4ff53

Decoded as: utf-8-sig

Line count shown: 86

Full file content

```
000001 | ambient[]={1,1,1,1};
000002 | diffuse[]={1,1,1,1};
000003 | forcedDiffuse[]={0,0,0,0};
000004 | emmissive[]={0,0,0,1};
000005 | specular[]={1,1,1,1};
000006 | specularPower=100;
000007 | PixelShaderID="Super";
000008 | VertexShaderID="Super";
000009 | class Stage1
000010 | {
000011 |     texture="DayZExpansion\Core\Objects\Briefcase\data\briefcase_nohq.paa";
000012 |     uvSource="tex";
000013 |     class uvTransform
000014 |     {
000015 |         aside[]={1,0,0};
000016 |         up[]={0,1,0};
000017 |         dir[]={0,0,0};
000018 |         pos[]={0,0,0};
000019 |     };
000020 | };
000021 | class Stage2
000022 | {
000023 |     texture="#(argb,8,8,3)color(0.5,0.5,0.5,1,DT)";
000024 |     uvSource="tex";
000025 |     class uvTransform
000026 |     {
000027 |         aside[]={1,0,0};
000028 |         up[]={0,1,0};
000029 |         dir[]={0,0,0};
000030 |         pos[]={0,0,0};
000031 |     };
000032 | };
000033 | class Stage3
000034 | {
000035 |     texture="#(argb,8,8,3)color(0,0,0,0,MC)";
000036 |     uvSource="tex";
000037 |     class uvTransform
000038 |     {
000039 |         aside[]={1,0,0};
000040 |         up[]={0,1,0};
000041 |         dir[]={0,0,0};
000042 |         pos[]={0,0,0};
000043 |     };
000044 | };
000045 | class Stage4
000046 | {
000047 |     texture="DayZExpansion\Core\Objects\Briefcase\data\briefcase_as.paa";
000048 |     uvSource="tex";
000049 |     class uvTransform
000050 |     {
000051 |         aside[]={1,0,0};
```

```
000052 |         up[]={0,1,0};
000053 |         dir[]={0,0,0};
000054 |         pos[]={0,0,0};
000055 |     };
000056 | };
000057 | class Stage5
000058 | {
000059 |     texture="DayZExpansion\Core\Objects\Briefcase\data\briefcase_smdi.paa";
000060 |     uvSource="tex";
000061 |     class uvTransform
000062 |     {
000063 |         aside[]={1,0,0};
000064 |         up[]={0,1,0};
000065 |         dir[]={0,0,0};
000066 |         pos[]={0,0,0};
000067 |     };
000068 | };
000069 | class Stage6
000070 | {
000071 |     texture="#(ai,64,64,1)fresnel(1.82,0.71)";
000072 |     uvSource="none";
000073 | };
000074 | class Stage7
000075 | {
000076 |     texture="dz\data\data\env_land_co.paa";
000077 |     uvSource="tex";
000078 |     class uvTransform
000079 |     {
000080 |         aside[]={1,0,0};
000081 |         up[]={0,1,0};
000082 |         dir[]={0,0,0};
000083 |         pos[]={0,0,0};
000084 |     };
000085 | };
000086 |
```

0593. PBO TEXT FILE

Path: core pbo files expan/core_objects_circuitboard.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0594. PBO TEXT FILE

Path: core pbo files expan/core_objects_circuitboard.pbo :: data\circuit_board.rvmat

Size bytes: 1468

SHA-256: d0de8fa6d0db25ee7eced139571f12c67ac27dcbb142160ad45fba46586e19a7

Decoded as: utf-8-sig

Line count shown: 86

Full file content

```
000001 | ambient[]={1,1,1,1};
000002 | diffuse[]={1,1,1,1};
000003 | forcedDiffuse[]={0,0,0,0};
000004 | emmissive[]={0,0,0,1};
000005 | specular[]={0.5,0.5,0.5,0.5};
000006 | specularPower=100;
000007 | PixelShaderID="Super";
000008 | VertexShaderID="Super";
000009 | class Stage1
000010 | {
000011 |     texture="DayZExpansion\Core\Objects\CircuitBoard\data\circuit_board_nohq.paa";
000012 |     uvSource="tex";
000013 |     class uvTransform
000014 |     {
000015 |         aside[]={1,0,0};
000016 |         up[]={0,1,0};
000017 |         dir[]={0,0,0};
000018 |         pos[]={0,0,0};
000019 |     };
000020 | };
000021 | class Stage2
000022 | {
000023 |     texture="#(argb,8,8,3)color(0.5,0.5,0.5,1,DT)";
000024 |     uvSource="tex";
000025 |     class uvTransform
000026 |     {
000027 |         aside[]={1,0,0};
000028 |         up[]={0,1,0};
000029 |         dir[]={0,0,0};
000030 |         pos[]={0,0,0};
000031 |     };
000032 | };
000033 | class Stage3
000034 | {
000035 |     texture="#(argb,8,8,3)color(0,0,0,0,MC)";
000036 |     uvSource="tex";
000037 |     class uvTransform
000038 |     {
000039 |         aside[]={1,0,0};
000040 |         up[]={0,1,0};
000041 |         dir[]={0,0,0};
000042 |         pos[]={0,0,0};
000043 |     };
000044 | };
000045 | class Stage4
000046 | {
000047 |     texture="#(argb,8,8,3)color(1,1,1,1,AS)";
000048 |     uvSource="tex";
000049 |     class uvTransform
000050 |     {
000051 |         aside[]={1,0,0};
```

```
000052 |         up[]={0,1,0};
000053 |         dir[]={0,0,0};
000054 |         pos[]={0,0,0};
000055 |     };
000056 | };
000057 | class Stage5
000058 | {
000059 |     texture="DayZExpansion\Core\Objects\CircuitBoard\data\circuit_board_smdi.paa";
000060 |     uvSource="tex";
000061 |     class uvTransform
000062 |     {
000063 |         aside[]={1,0,0};
000064 |         up[]={0,1,0};
000065 |         dir[]={0,0,0};
000066 |         pos[]={0,0,0};
000067 |     };
000068 | };
000069 | class Stage6
000070 | {
000071 |     texture="#(ai,64,64,1)fresnel(1.82,0.71)";
000072 |     uvSource="none";
000073 | };
000074 | class Stage7
000075 | {
000076 |     texture="dz\data\data\env_land_co.paa";
000077 |     uvSource="tex";
000078 |     class uvTransform
000079 |     {
000080 |         aside[]={1,0,0};
000081 |         up[]={0,1,0};
000082 |         dir[]={0,0,0};
000083 |         pos[]={0,0,0};
000084 |     };
000085 | };
000086 |
```


0595. PBO TEXT FILE

Path: core pbo files expan/core_objects_circuitboard.pbo :: data\circuit_board_damage.rvmat

Size bytes: 1670

SHA-256: 83f74b65576fef84477db71885ef808951ad5d3c991a03b680f4e854b444075f

Decoded as: utf-8-sig

Line count shown: 93

Full file content

```
000001 | ambient[] = {1,1,1,1};
000002 | diffuse[] = {1,1,1,1};
000003 | forcedDiffuse[] = {0,0,0,0};
000004 | emmissive[] = {0,0,0,1};
000005 | specular[] = {0.08,0.1,0.1,1};
000006 | specularPower = 250;
000007 | PixelShaderID = "Super";
000008 | VertexShaderID = "Super";
000009 | class Stage1
000010 | {
000011 |     texture="DayZExpansion\Core\Objects\CircuitBoard\data\circuit_board_nohq.paa";
000012 |     uvSource = "tex";
000013 |     class uvTransform
000014 |     {
000015 |         aside[] = {1,0,0};
000016 |         up[] = {0,1,0};
000017 |         dir[] = {0,0,0};
000018 |         pos[] = {0,0,0};
000019 |     };
000020 | };
000021 | class Stage2
000022 | {
000023 |     texture = "#(argb,8,8,3)color(0.5,0.5,0.5,1,DT)";
000024 |     uvSource = "tex";
000025 |     class uvTransform
000026 |     {
000027 |         aside[] = {0,0,0};
000028 |         up[] = {0,0,0};
000029 |         dir[] = {0,0,0};
000030 |         pos[] = {0,0,0};
000031 |     };
000032 | };
000033 | class Stage3
000034 | {
000035 |     texture = "dz\characters\data\generic_damage_mc.paa";
000036 |     uvSource = "tex";
000037 |     class uvTransform
000038 |     {
000039 |         aside[] = {3,0,0};
000040 |         up[] = {0,3,0};
000041 |         dir[] = {0,0,0};
000042 |         pos[] = {0,0,0};
000043 |     };
000044 | };
000045 | class Stage4
000046 | {
000047 |     texture = "#(argb,8,8,3)color(1,1,1,1,AS)";
000048 |     uvSource = "tex";
000049 |     class uvTransform
000050 |     {
000051 |         aside[] = {1,0,0};
```

```
000052 |         up[] = {0,1,0};
000053 |         dir[] = {0,0,0};
000054 |         pos[] = {0,0,0};
000055 |     };
000056 | };
000057 | class Stage5
000058 | {
000059 |     texture="DayZExpansion\Core\Objects\CircuitBoard\data\circuit_board_smdi.paa";
000060 |     uvSource = "tex";
000061 |     class uvTransform
000062 |     {
000063 |         aside[] = {1,0,0};
000064 |         up[] = {0,1,0};
000065 |         dir[] = {0,0,0};
000066 |         pos[] = {0,0,0};
000067 |     };
000068 | };
000069 | class Stage6
000070 | {
000071 |     texture = "#(ai,64,64,1)fresnel(0.4,0.7)";
000072 |     uvSource = "tex";
000073 |     class uvTransform
000074 |     {
000075 |         aside[] = {1,0,0};
000076 |         up[] = {0,1,0};
000077 |         dir[] = {0,0,0};
000078 |         pos[] = {0,0,0};
000079 |     };
000080 | };
000081 | class Stage7
000082 | {
000083 |     texture="dz\data\data\env_land_co.paa";
000084 |     uvSource = "tex";
000085 |     class uvTransform
000086 |     {
000087 |         aside[] = {1,0,0};
000088 |         up[] = {0,1,0};
000089 |         dir[] = {0,0,0};
000090 |         pos[] = {0,0,0};
000091 |     };
000092 | };
000093 |
```

0596. PBO TEXT FILE

Path: core pbo files expan/core_objects_circuitboard.pbo :: data\circuit_board_destruct.rvmat

Size bytes: 1678

SHA-256: 2e9feab75316523978ffccadb27df5a7ac70ac4581dc24e985b82cd3c2cc1d2c

Decoded as: utf-8-sig

Line count shown: 93

Full file content

```
000001 | ambient[] = {1,1,1,1};
000002 | diffuse[] = {1,1,1,1};
000003 | forcedDiffuse[] = {0,0,0,0};
000004 | emmissive[] = {0,0,0,1};
000005 | specular[] = {0.02,0.02,0.02,1};
000006 | specularPower = 250;
000007 | PixelShaderID = "Super";
000008 | VertexShaderID = "Super";
000009 | class Stage1
000010 | {
000011 |     texture="DayZExpansion\Core\Objects\CircuitBoard\data\circuit_board_nohq.paa";
000012 |     uvSource = "tex";
000013 |     class uvTransform
000014 |     {
000015 |         aside[] = {1,0,0};
000016 |         up[] = {0,1,0};
000017 |         dir[] = {0,0,0};
000018 |         pos[] = {0,0,0};
000019 |     };
000020 | };
000021 | class Stage2
000022 | {
000023 |     texture = "#(argb,8,8,3)color(0.5,0.5,0.5,1,DT)";
000024 |     uvSource = "tex";
000025 |     class uvTransform
000026 |     {
000027 |         aside[] = {0,0,0};
000028 |         up[] = {0,0,0};
000029 |         dir[] = {0,0,0};
000030 |         pos[] = {0,0,0};
000031 |     };
000032 | };
000033 | class Stage3
000034 | {
000035 |     texture = "dz\characters\data\generic_destruct_mc.paa";
000036 |     uvSource = "tex";
000037 |     class uvTransform
000038 |     {
000039 |         aside[] = {3,0,0};
000040 |         up[] = {0,3,0};
000041 |         dir[] = {0,0,0};
000042 |         pos[] = {0,0,0};
000043 |     };
000044 | };
000045 | class Stage4
000046 | {
000047 |     texture = "#(argb,8,8,3)color(1,1,1,1,AS)";
000048 |     uvSource = "tex";
000049 |     class uvTransform
000050 |     {
000051 |         aside[] = {1,0,0};
```

```
000052 |         up[] = {0,1,0};
000053 |         dir[] = {0,0,0};
000054 |         pos[] = {0,0,0};
000055 |     };
000056 | };
000057 | class Stage5
000058 | {
000059 |     texture="DayZExpansion\Core\Objects\CircuitBoard\data\circuit_board_smdi.paa";
000060 |     uvSource = "tex";
000061 |     class uvTransform
000062 |     {
000063 |         aside[] = {1,0,0};
000064 |         up[] = {0,1,0};
000065 |         dir[] = {0,0,0};
000066 |         pos[] = {0,0,0};
000067 |     };
000068 | };
000069 | class Stage6
000070 | {
000071 |     texture = "#(ai,64,64,1)fresnel(0.4,0.7)";
000072 |     uvSource = "tex";
000073 |     class uvTransform
000074 |     {
000075 |         aside[] = {1,0,0};
000076 |         up[] = {0,1,0};
000077 |         dir[] = {0,0,0};
000078 |         pos[] = {0,0,0};
000079 |     };
000080 | };
000081 | class Stage7
000082 | {
000083 |     texture = "#(argb,8,8,3)color(0,0,0,1,C0)";
000084 |     uvSource = "tex";
000085 |     class uvTransform
000086 |     {
000087 |         aside[] = {1,0,0};
000088 |         up[] = {0,1,0};
000089 |         dir[] = {0,0,0};
000090 |         pos[] = {0,0,0};
000091 |     };
000092 | };
000093 |
```

0597. PBO TEXT FILE

Path: core pbo files expan/core_objects_currencies.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0598. PBO TEXT FILE

Path: core pbo files expan/core_objects_currencies.pbo :: data\gold.rvmat

Size bytes: 1538

SHA-256: e987e6de3feb0650f4c32a4b371e4a81b352815f1ab9a6e144abf2cb6660a2a2

Decoded as: utf-8-sig

Line count shown: 81

Full file content

```
000001 | ambient[] = {1,0.9999999,1,1};
000002 | diffuse[] = {1,0.9999999,1,1};
000003 | forcedDiffuse[] = {0,0,0,0};
000004 | emmissive[] = {0,0,0,1};
000005 | specular[] = {0.952,0.96199995,1.1,1};
000006 | specularPower = 200;
000007 | PixelShaderID = "Super";
000008 | VertexShaderID = "Super";
000009 | class Stage1
000010 | {
000011 |     texture = "DayZExpansion\Core\Objects\Currencies\data\gold_nohq.paa";
000012 |     uvSource = "tex";
000013 |     class uvTransform
000014 |     {
000015 |         aside[] = {1,0,0};
000016 |         up[] = {0,1,0};
000017 |         dir[] = {0,0,1};
000018 |         pos[] = {0,0,0};
000019 |     };
000020 | };
000021 | class Stage2
000022 | {
000023 |     texture = "#{argb,8,8,3}color(0.1,0.1,0.1,1,DT)";
000024 |     uvSource = "tex";
000025 |     class uvTransform
000026 |     {
000027 |         aside[] = {-2.447838e-007,5.6,0};
000028 |         up[] = {-7,-3.059797e-007,0};
000029 |         dir[] = {0,0,7};
000030 |         pos[] = {0,0,0};
000031 |     };
000032 | };
000033 | class Stage3
000034 | {
000035 |     texture = "DayZExpansion\Core\Objects\Currencies\data\gold_co.paa";
000036 |     uvSource = "tex";
000037 |     class uvTransform
000038 |     {
000039 |         aside[] = {1,0,0};
000040 |         up[] = {0,1,0};
000041 |         dir[] = {0,0,1};
000042 |         pos[] = {0,0,0};
000043 |     };
000044 | };
000045 | class Stage5
000046 | {
000047 |     texture = "DayZExpansion\Core\Objects\Currencies\data\gold_smdi.paa";
000048 |     uvSource = "tex";
000049 |     class uvTransform
000050 |     {
000051 |         aside[] = {1,0,0};
```

```
000052 |         up[] = {0,1,0};
000053 |         dir[] = {0,0,1};
000054 |         pos[] = {0,0,0};
000055 |     };
000056 | };
000057 | class Stage6
000058 | {
000059 |     texture="#(ai,64,64,1)fresnel(1.82,0.71)";
000060 |     uvSource = "tex";
000061 |     class uvTransform
000062 |     {
000063 |         aside[] = {1,0,0};
000064 |         up[] = {0,1,0};
000065 |         dir[] = {0,0,1};
000066 |         pos[] = {0,0,0};
000067 |     };
000068 | };
000069 | class Stage7
000070 | {
000071 |     texture = "dz\weapons\pistols\de\data\env_gold_co.paa";
000072 |     uvSource = "tex";
000073 |     class uvTransform
000074 |     {
000075 |         aside[] = {1,0,0};
000076 |         up[] = {0,1,0};
000077 |         dir[] = {0,0,1};
000078 |         pos[] = {0,0,0};
000079 |     };
000080 | };
000081 |
```

0599. PBO TEXT FILE

Path: core pbo files expan/core_objects_currencies.pbo :: data\nugget_gold.rvmat

Size bytes: 1089

SHA-256: 9b67fd34734ded41f317ab9670736944e5ae3ae5b8a6806681d7ffd934473f4b

Decoded as: utf-8-sig

Line count shown: 62

Full file content

```
000001 | ambient[] = {1,1,1,1};
000002 | diffuse[] = {1,1,1,1};
000003 | forcedDiffuse[] = {0,0,0,0};
000004 | emmissive[] = {0,0,0,1};
000005 | specular[]={2,2,2,1};
000006 | specularPower = 100;
000007 | PixelShaderID = "Super";
000008 | VertexShaderID = "Super";
000009 | class Stage2
000010 | {
000011 |     texture="#(argb,8,8,3)color(0.5,0.5,0.5,1,DT)";
000012 |     uvSource="tex";
000013 |     class uvTransform
000014 |     {
000015 |         aside[]={1,0,0};
000016 |         up[]={0,1,0};
000017 |         dir[]={0,0,0};
000018 |         pos[]={0,0,0};
000019 |     };
000020 | };
000021 | class Stage3
000022 | {
000023 |     texture="#(argb,8,8,3)color(0,0,0,0,MC)";
000024 |     uvSource="tex";
000025 |     class uvTransform
000026 |     {
000027 |         aside[]={1,0,0};
000028 |         up[]={0,1,0};
000029 |         dir[]={0,0,0};
000030 |         pos[]={0,0,0};
000031 |     };
000032 | };
000033 | class Stage5
000034 | {
000035 |     texture="DayZExpansion\Core\Objects\Currencies\data\nugget_gold_smdi.paa";
000036 |     uvSource="tex";
000037 |     class uvTransform
000038 |     {
000039 |         aside[]={1,0,0};
000040 |         up[]={0,1,0};
000041 |         dir[]={0,0,0};
000042 |         pos[]={0,0,0};
000043 |     };
000044 | };
000045 | class Stage6
000046 | {
000047 |     texture="#(ai,64,64,1)fresnel(1.82,0.71)";
000048 |     uvSource="none";
000049 | };
000050 | class Stage7
000051 | {
```



```
000052 | texture = "dz\weapons\pistols\de\data\env_gold_co.paa";
000053 | uvSource = "tex";
000054 | class uvTransform
000055 | {
000056 |     aside[] = {1,0,0};
000057 |     up[] = {0,1,0};
000058 |     dir[] = {0,0,1};
000059 |     pos[] = {0,0,0};
000060 | };
000061 | };
000062 |
```

0600. PBO TEXT FILE

Path: core pbo files expan/core_objects_currencies.pbo :: data\nugget_silver.rvmat

Size bytes: 1062

SHA-256: f2a049644190772d84731f3bed78d018f0f1c923b4c742e0934d872645e538a1

Decoded as: utf-8-sig

Line count shown: 62

Full file content

```
000001 | ambient[]={1,1,1,1};
000002 | diffuse[]={1,1,1,1};
000003 | forcedDiffuse[]={0,0,0,0};
000004 | emmissive[]={0,0,0,1};
000005 | specular[]={1,1,1,1};
000006 | specularPower=25;
000007 | PixelShaderID="Super";
000008 | VertexShaderID="Super";
000009 | class Stage2
000010 | {
000011 |     texture="#(argb,8,8,3)color(0.5,0.5,0.5,1,DT)";
000012 |     uvSource="tex";
000013 |     class uvTransform
000014 |     {
000015 |         aside[]={1,0,0};
000016 |         up[]={0,1,0};
000017 |         dir[]={0,0,0};
000018 |         pos[]={0,0,0};
000019 |     };
000020 | };
000021 | class Stage3
000022 | {
000023 |     texture="#(argb,8,8,3)color(0,0,0,0,MC)";
000024 |     uvSource="tex";
000025 |     class uvTransform
000026 |     {
000027 |         aside[]={1,0,0};
000028 |         up[]={0,1,0};
000029 |         dir[]={0,0,0};
000030 |         pos[]={0,0,0};
000031 |     };
000032 | };
000033 | class Stage5
000034 | {
000035 |     texture="DayZExpansion\Core\Objects\Currencies\data\nugget_gold_smdi.paa";
000036 |     uvSource="tex";
000037 |     class uvTransform
000038 |     {
000039 |         aside[]={1,0,0};
000040 |         up[]={0,1,0};
000041 |         dir[]={0,0,0};
000042 |         pos[]={0,0,0};
000043 |     };
000044 | };
000045 | class Stage6
000046 | {
000047 |     texture="#(ai,64,64,1)fresnel(1.82,0.71)";
000048 |     uvSource="none";
000049 | };
000050 | class Stage7
000051 | {
```

```
000052 | texture = "dz\data\data\env_chrome_co.paa";
000053 | uvSource = "tex";
000054 | class uvTransform
000055 | {
000056 |     aside[] = {1,0,0};
000057 |     up[] = {0,1,0};
000058 |     dir[] = {0,0,1};
000059 |     pos[] = {0,0,0};
000060 | };
000061 | };
000062 |
```

0601. PBO TEXT FILE

Path: core pbo files expan/core_objects_currencies.pbo :: data\silver.rvmat

Size bytes: 1533

SHA-256: 36a4ea2ecc2a722bed47f63797a31c83459554934d6e50569f53edb20eab8c35

Decoded as: utf-8-sig

Line count shown: 81

Full file content

```
000001 | ambient[] = {1,0.9999999,1,1};
000002 | diffuse[] = {1,0.9999999,1,1};
000003 | forcedDiffuse[] = {0,0,0,0};
000004 | emmissive[] = {0,0,0,1};
000005 | specular[] = {0.952,0.96199995,1.1,1};
000006 | specularPower = 100;
000007 | PixelShaderID = "Super";
000008 | VertexShaderID = "Super";
000009 | class Stage1
000010 | {
000011 |     texture = "DayZExpansion\Core\Objects\Currencies\data\silver_nohq.paa";
000012 |     uvSource = "tex";
000013 |     class uvTransform
000014 |     {
000015 |         aside[] = {1,0,0};
000016 |         up[] = {0,1,0};
000017 |         dir[] = {0,0,1};
000018 |         pos[] = {0,0,0};
000019 |     };
000020 | };
000021 | class Stage2
000022 | {
000023 |     texture = "#(argb,8,8,3)color(0.1,0.1,0.1,1,DT)";
000024 |     uvSource = "tex";
000025 |     class uvTransform
000026 |     {
000027 |         aside[] = {-2.447838e-007,5.6,0};
000028 |         up[] = {-7,-3.059797e-007,0};
000029 |         dir[] = {0,0,7};
000030 |         pos[] = {0,0,0};
000031 |     };
000032 | };
000033 | class Stage3
000034 | {
000035 |     texture = "DayZExpansion\Core\Objects\Currencies\data\silver_co.paa";
000036 |     uvSource = "tex";
000037 |     class uvTransform
000038 |     {
000039 |         aside[] = {1,0,0};
000040 |         up[] = {0,1,0};
000041 |         dir[] = {0,0,1};
000042 |         pos[] = {0,0,0};
000043 |     };
000044 | };
000045 | class Stage5
000046 | {
000047 |     texture = "DayZExpansion\Core\Objects\Currencies\data\silver_smdi.paa";
000048 |     uvSource = "tex";
000049 |     class uvTransform
000050 |     {
000051 |         aside[] = {1,0,0};
```

```
000052 |         up[] = {0,1,0};
000053 |         dir[] = {0,0,1};
000054 |         pos[] = {0,0,0};
000055 |     };
000056 | };
000057 | class Stage6
000058 | {
000059 |     texture = "#(ai,24,1,1)fresnel(0.46,0.22)";
000060 |     uvSource = "tex";
000061 |     class uvTransform
000062 |     {
000063 |         aside[] = {1,0,0};
000064 |         up[] = {0,1,0};
000065 |         dir[] = {0,0,1};
000066 |         pos[] = {0,0,0};
000067 |     };
000068 | };
000069 | class Stage7
000070 | {
000071 |     texture = "dz\data\data\env_chrome_co.paa";
000072 |     uvSource = "tex";
000073 |     class uvTransform
000074 |     {
000075 |         aside[] = {1,0,0};
000076 |         up[] = {0,1,0};
000077 |         dir[] = {0,0,1};
000078 |         pos[] = {0,0,0};
000079 |     };
000080 | };
000081 |
```

0602. PBO TEXT FILE

Path: core pbo files expan/core_objects_navmeshcarvers.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0603. PBO TEXT FILE

Path: core pbo files expan/core_objects_temporaryownedcontainer.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0604. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: CORE

Size bytes: 0

SHA-256: e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

Decoded as: empty

Line count shown: 0

Full file content

000001 |

0605. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: Data\Credits.json
Size bytes: 11828
SHA-256: 665f9d5db6af97cc2b785ae197f739266f2b84ca71251cc634b78327fc88cf8d
Decoded as: utf-8-sig
Line count shown: 316

Full file content

```
000001 | {
000002 |   "Departments": [{
000003 |     "DepartmentName": "DAYZ EXPANSION",
000004 |     "Sections": [{
000005 |       "SectionName": "",
000006 |       "SectionLines": []
000007 |     }]
000008 |   },
000009 |   {
000010 |     "DepartmentName": "",
000011 |     "Sections": [{
000012 |       "SectionName": "#STR_EXPANSION_CREDITS_SCRIPTERS",
000013 |       "SectionLines": [
000014 |         "Stephan Moser - Steve aka Salutesh",
000015 |         "Guillaume Jouve - LieutenantMaster",
000016 |         "Ruslans Aleksejevs - CAMINOonPC",
000017 |         "Jesse Ficarra - Not A Banana",
000018 |         "George Thurston - Thurston",
000019 |         "Jacob Kumar - Jacob_Mango",
000020 |         "Tyler Paul - InclementDab",
000021 |         "Rémi Simonin - NiiRoZz",
000022 |         "liquidrock",
000023 |         "Cooltrain",
000024 |         "Wardog",
000025 |         "Niphoria",
000026 |         "Ralian",
000027 |         "Darc"
000028 |       ]
000029 |     }]
000030 |   },
000031 |   {
000032 |     "DepartmentName": "",
000033 |     "Sections": [{
000034 |       "SectionName": "#STR_EXPANSION_CREDITS_PROGRAMMERS",
000035 |       "SectionLines": [
000036 |         "Miroslav Maněna - @DayZ"
000037 |       ]
000038 |     }]
000039 |   },
000040 |   {
000041 |     "DepartmentName": "",
000042 |     "Sections": [{
000043 |       "SectionName": "#STR_EXPANSION_CREDITS_MAPPING",
000044 |       "SectionLines": [
000045 |         "Florian Pelloux - DanceOfJesus"
000046 |       ]
000047 |     }]
000048 |   },
000049 |   {
000050 |     "DepartmentName": "",
000051 |     "Sections": [{
```

```
000052 |         "SectionName": "#STR_EXPANSION_CREDITS_3DARTISTS",
000053 |         "SectionLines": [
000054 |             "Jesse Ficarra - Not A Banana",
000055 |             "ComatoseBadger",
000056 |             "m_kola",
000057 |             "Helion4",
000058 |             "ZeRoY"
000059 |         ]
000060 |     }
000061 | },
000062 | {
000063 |     "DepartmentName": "",
000064 |     "Sections": [{
000065 |         "SectionName": "#STR_EXPANSION_CREDITS_COMMUNITY_MANAGER",
000066 |         "SectionLines": [
000067 |             "George Thurston - Thurston"
000068 |         ]
000069 |     }]
000070 | },
000071 | {
000072 |     "DepartmentName": "",
000073 |     "Sections": [{
000074 |         "SectionName": "#STR_EXPANSION_CREDITS_MOVIES",
000075 |         "SectionLines": [
000076 |             "Ayano",
000077 |             "SepticFalcon"
000078 |         ]
000079 |     }]
000080 | },
000081 | {
000082 |     "DepartmentName": "",
000083 |     "Sections": [{
000084 |         "SectionName": "#STR_EXPANSION_CREDITS_TRANSLATORS",
000085 |         "SectionLines": [
000086 |             "Stephan Moser - Steve aka Salutesh",
000087 |             "Guillaume Jouve - LieutenantMaster",
000088 |             "Billy Herrington",
000089 |             "liquidrock",
000090 |             "Adam Francu",
000091 |             "Wayward son",
000092 |             "GUGUGUBEAR",
000093 |             "GrosTon1",
000094 |             "Catzf19",
000095 |             "MPH2210",
000096 |             "□□□□",
000097 |             "Jeremy",
000098 |             "Kalmar",
000099 |             "Vernon",
000100 |             "Inkota",
000101 |             "Polak",
000102 |             "Creep",
000103 |             "NDRW",
000104 |             "Hugo",
000105 |             "Js",
000106 |             "Losco Nosciuto",
000107 |             "Ninjin",
000108 |             "Yuki",
000109 |             "Xiaomu",
000110 |             "BlackMetasequoia"
000111 |         ]
000112 |     }]
000113 | },
```

```
000114 | {
000115 |     "DepartmentName": "",
000116 |     "Sections": [{
000117 |         "SectionName": "#STR_EXPANSION_CREDITS_SPECIAL_THANKS",
000118 |         "SectionLines": [
000119 |             "Miroslav Maněna",
000120 |             "Adam Franců",
000121 |             "rVn",
000122 |             "Eugen Harton",
000123 |             "",
000124 |             "Jamesjwgallagher",
000125 |             "SuperTrottoir",
000126 |             "DeanosBeano",
000127 |             "DivineFury",
000128 |             "Credidred",
000129 |             "DrDeSync",
000130 |             "Arkensor",
000131 |             "Shedmon",
000132 |             "Cleetus",
000133 |             "MoonDC",
000134 |             "Niphoria (Semi Automatic shotgun behavior)",
000135 |             "Def (Mapping converter tool 'DayZPosConv')",
000136 |             "DaemonForge (ExpansionCodeLockExpanded)",
000137 |             "MarioE",
000138 |             "Hlynge",
000139 |             "Zedmag",
000140 |             "",
000141 |             "You"
000142 |         ]
000143 |     }]
000144 | },
000145 | {
000146 |     "DepartmentName": "",
000147 |     "Sections": [{
000148 |         "SectionName": "#STR_EXPANSION_CREDITS_SUPPORTERS",
000149 |         "SectionLines": [
000150 |             "Matthew Salsamendi",
000151 |             "",
000152 |             "",
000153 |             "Js",
000154 |             "GL",
000155 |             "MK",
000156 |             "Shu",
000157 |             "KAZ",
000158 |             "OSH",
000159 |             "NDRW",
000160 |             "Jinx",
000161 |             "Phil",
000162 |             "Zisb",
000163 |             "Coma",
000164 |             "TomZF",
000165 |             "1312K",
000166 |             "Ondra",
000167 |             "BeeRz",
000168 |             "Kedzi",
000169 |             "Muzzy",
000170 |             "Gabba",
000171 |             "Tuuza",
000172 |             "Wydox",
000173 |             "Se7en",
000174 |             "Neojr",
000175 |         ]
000176 |     }]
000177 | }
```

000176	"Volym",
000177	"Fozzie",
000178	"Square",
000179	"Deceit",
000180	"Hunter",
000181	"RIPx47",
000182	"Wardog",
000183	"Zombie",
000184	"Syntax",
000185	"Caesar",
000186	"Khubba",
000187	"Jfetko",
000188	"Juanky",
000189	"SmashT",
000190	"Nazzgy",
000191	"Paunae",
000192	"Kongur",
000193	"Boothy",
000194	"BigDad",
000195	"LaGTek",
000196	"ReVive",
000197	"LucyLu",
000198	"F3tt4ct",
000199	"Kopareo",
000200	"Daruman",
000201	"Progger",
000202	"Killjoy",
000203	"YaseSki",
000204	"Sabione",
000205	"RanCove",
000206	"Stricken",
000207	"Bierbaer",
000208	"Crocodoc",
000209	"Peresvet",
000210	"Asmodeus",
000211	"MrTedNRW",
000212	"Triforce",
000213	"Lionclaw",
000214	"GrosTon1",
000215	"Stardawg",
000216	"DjCtavia",
000217	"KingMike",
000218	"WiiDevil",
000219	"Lunchbox",
000220	"VonNeuman",
000221	"Lordcashy",
000222	"Cooltrain",
000223	"LabelFive",
000224	"Nightbird",
000225	"JoeyDaddy",
000226	"CTremblay",
000227	"JonAngelo",
000228	"SleepyDuck",
000229	"Jackouille",
000230	"MadStalk3r",
000231	"FutureSixx",
000232	"Stairus0SX",
000233	"WhiskyBlues",
000234	"KeiraStokes",
000235	"TommyBruise",
000236	"AlfredHagen",
000237	"ModernKilla",

```
000238 |         "KrakenSkulls",
000239 |         "KeganHollern",
000240 |         "EinfachRobin",
000241 |         "RubberbandMan",
000242 |         "PhillipeCartel",
000243 |         "AntiSocialYogg",
000244 |         "CaptainCuddles",
000245 |         "ThatProfileName",
000246 |         "ChainsawSquirrel",
000247 |         "Meeoowtaastiic"
000248 |     ]
000249 | }]}
000250 | },
000251 | {
000252 |     "DepartmentName": "#legal_notices",
000253 |     "Sections": [{
000254 |         "SectionName": "",
000255 |         "SectionLines": [
000256 |             "Our work in DayZ Expansion (unless otherwise noted) is licensed under:",
000257 |             "Attribution-NonCommercial-NoDerivatives 4.0 International (CC BY-NC-ND 4.0)"
000258 |         ]
000259 |     },
000260 |     {
000261 |         "SectionName": "DayZ Expansion Licensed",
000262 |         "SectionLines": [
000263 |             "DayZ Expansion Licensed contains material from Bohemia Interactive that has been licensed under ADPL-SA."
000264 |         ]
000265 |     },
000266 |     {
000267 |         "SectionName": "Font Awesome",
000268 |         "SectionLines": [
000269 |             "© Fonticons, Inc."
000270 |         ]
000271 |     },
000272 |     {
000273 |         "SectionName": "Flaticon",
000274 |         "SectionLines": [
000275 |             "Some icons used are made by Pixel perfect from www.flaticon.com",
000276 |             "Copyright © 2013-2021 Freepik Company S.L. All rights reserved."
000277 |         ]
000278 |     },
000279 |     {
000280 |         "SectionName": "Allegorithmic",
000281 |         "SectionLines": [
000282 |             "Copyright © 2022 Adobe. All rights reserved."
000283 |         ]
000284 |     },
000285 |     {
000286 |         "SectionName": "Enfusion AI",
000287 |         "SectionLines": [
000288 |             "Copyright © 2021"
000289 |         ]
000290 |     },
000291 |     {
000292 |         "SectionName": "Recast Navigation",
000293 |         "SectionLines": [
000294 |             "Copyright (c) 2009-2010 Mikko Mononen memon@inside.org"
000295 |         ]
000296 |     },
000297 |     {
000298 |         "SectionName": "3D Models",
000299 |         "SectionLines": [
```

```
000300 | "RPG-7 by Ranger_08 and from https://sketchfab.com/3d-models/rpg-7-625b550f52a04068b943837558b5a582",
000301 | "M72 Law by Rectus and from https://sketchfab.com/3d-models/m72-law-rocket-launcher-3ecb3657d37645e996513965b81a16a1",
000302 | "MP5SD by Yksnawel and from https://sketchfab.com/3d-models/mp5sd-70a471fa71be44b1807e5a877b09e88d",
000303 | "Swamp Boat by Thunder and from https://sketchfab.com/3d-models/swamp-boat-4bb3cd708c0a4034bd3923234f7b6ab3",
000304 | "Claymore by Aleksandr Goncharov and from https://sketchfab.com/3d-models/claymore-mine-m18-m18a1-04019c9f8f4341d8bda1296f286fa6fb",
000305 | "Stick Fence by Thunder and from https://sketchfab.com/3d-models/modular-stick-fence-86d57667b8d94169a8ccd3d6106a2f3f",
000306 | "Trailer Kzap Прицеп K3АП 8140 by goooddennis and from https://sketchfab.com/3d-models/trailer-kzap-8140-31244d0da06243fe82fd4ad1828231c9",
000307 | "Trailer Generator by ananthswamy and from https://sketchfab.com/3d-models/generator-8e80addcf52f4880b9414c3fadc3c850",
000308 | "Fuel trailer by Paule Gennadievich and from https://sketchfab.com/3d-models/barrel-trailer-kvass-d066c57c95f54ffb9cd119690b32a7d0",
000309 | "Wooden Ladder by ArcheoteryxFr and from https://sketchfab.com/3d-models/medieval-wooden-ladder-07e0e9c82e8b4768ab634cbf4f24626a",
000310 | "Tow rope by Vinny Passmore and from https://sketchfab.com/3d-models/wire-tow-rope-bd14cb0da756411f8594ce42011e4dc9"
000311 | ]
000312 | }
000313 | ]
000314 | }
000315 | ]
000316 | }
```

0606. PBO TEXT FILE

Path: core pbo files expan/core_stub.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0607. PBO TEXT FILE

Path: core pbo files expan/definetest.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0608. PBO TEXT FILE

Path: core pbo files expan/dta_core.pbo :: CORE

Size bytes: 0

SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

Decoded as: empty

Line count shown: 0

Full file content

000001 |

0609. PBO TEXT FILE

Path: core pbo files expan/dta_game.pbo :: CORE

Size bytes: 0

SHA-256: e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

Decoded as: empty

Line count shown: 0

Full file content

000001 |

0610. PBO TEXT FILE

Path: core pbo files expan/languagecore_core.pbo :: CORE

Size bytes: 0

SHA-256: e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

Decoded as: empty

Line count shown: 0

Full file content

000001 |

0611. PBO TEXT FILE

Path: core pbo files expan/languagecore_core.pbo :: stringtable.csv
Size bytes: 203556
SHA-256: 58531d4b2eb3efc17caf2d3865ed7b268eb849b3b711c9cd66707daebc7a6887
Decoded as: utf-8-sig
Line count shown: 318

Full file content

```
000001 | "Language","original","english","czech","german","russian","polish","hungarian","italian","spanish","french","chinese","japanese","portuguese","chinesesimp",
000002 | "STR_EXPANSION_ACCEPT","ACCEPT","ACCEPT","PRIJMOUT","AKZEPTIEREN","ПРИНЯТЬ","ACCEPT","ACCEPT","ACCETTA","ACEPTAR","ACCEPTER","□□","ACCEPT","ACCEPT","□□",
000003 | "STR_EXPANSION_ACTION_RESTORE","Restore","Restore","Obnovit","Wiederherstellen","Восстановить","Restore","Restore","Ripristina","Restaurar","Restaurer","□□","Rest
ore","Restore","□□",
000004 | "STR_EXPANSION_ACTION_STORE","Store","Store","Uložit","Einlagern","Хранить","Store","Store","Immagazzina","Almacenar","Ranger","□□","Store","Store","□□",
000005 | "STR_EXPANSION_ADMIN","Admin","Admin","Admin","Administrator","Админ","Admin","Admin","Amministratore","Administrador","Administrateur","□□□","Admin","Admin","□□"
,
000006 | "STR_EXPANSION_BANKNOTES_EURO","Euro Banknotes Stack","Euro Banknotes Stack","Baliček euro bankovek","Euro Banknoten","Пачка банкнот евро","Euro Banknotes Stack",
"Euro Banknotes Stack","Mazzetto di Euro in Banconota","Euro Banknotes Stack","Pile de billets en Euros","□□□□□","Euro Banknotes Stack","Euro Banknotes Stack","□
□",
000007 | "STR_EXPANSION_BANKNOTES_EURO_DESC","A stack of Euro Banknotes","A stack of Euro Banknotes","Baliček euro bankovek","Ein Stapel Euro Banknoten","Пачка банкнот евр
o","A stack of Euro Banknotes","A stack of Euro Banknotes","Un Mazzettod di Euro in Carta","A stack of Euro Banknotes","Une pile de billets en Euros","□□□□□□","A
stack of Euro Banknotes","A stack of Euro Banknotes","□□□□□□",
000008 | "STR_EXPANSION_BANKNOTES_HRYVNIA","Hryvnia Banknotes Stack","Hryvnia Banknotes Stack","Baliček hřivenních bankovek","Hryvnia Banknoten","Пачка гривневых банкнот",
"Hryvnia Banknotes Stack","Hryvnia Banknotes Stack","Mazzetto di Hryvnia in Banconota","Hryvnia Banknotes Stack","Pile de billets en Hryvnia","HRYVNIA□□□□","Hryvn
ia Banknotes Stack","Hryvnia Banknotes Stack","□□",
000009 | "STR_EXPANSION_BANKNOTES_HRYVNIA_DESC","A stack of Hryvnia Banknotes","A stack of Hryvnia Banknotes","Baliček hřivenních bankovek","Ein Stapel Hryvnia Banknoten",
"Пачка гривневых банкнот","A stack of Hryvnia Banknotes","A stack of Hryvnia Banknotes","Un Mazzetto di Hryvnia in Carta","A stack of Hryvnia Banknotes","Une pile
de billets en Hryvnia","HRYVNIA□□□□","A stack of Hryvnia Banknotes","A stack of Hryvnia Banknotes","□□□□□□",
000010 | "STR_EXPANSION_BANKNOTES_USD","USD Banknotes Stack","USD Banknotes Stack","Baliček USD bankovek","US Dollar Banknoten","Пачка банкнот доллара США","USD Banknotes
Stack","USD Banknotes Stack","Mazzetto di Dollari in Banconota","USD Banknotes Stack","Pile de billets en Dollars américains","□□□□□□","USD Banknotes Stack","USD
Banknotes Stack","□□",
000011 | "STR_EXPANSION_BANKNOTES_USD_DESC","A stack of USD Banknotes","A stack of USD Banknotes","Baliček USD bankovek","Ein Stapel US Dollar Banknoten","Пачка банкнот до
лларов США","A stack of USD Banknotes","A stack of USD Banknotes","Un mazzetto di Dollari in carta","A stack of USD Banknotes","Une pile de billets en Dollars amé
ricains","□□□□□□□","A stack of USD Banknotes","A stack of USD Banknotes","□□□□□□",
000012 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_DAYS","Days","Days","Dny","Tage","Дней","Days","Days","Giorni","Dias","Jours","□","Days","Days","□",
000013 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_GRAMS","Grams","Grams","Gramy","Gramm","Грамы","Grams","Grams","Grammi","Gramos","Grammes","□","Grams","Grams","□",
000014 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_HOURS","Hours","Hours","Hodiny","Stunden","Часов","Hours","Hours","Ore","Horas","Heures","□□","Hours","Hours","□□",
000015 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_KG","Kg","Kg","Kg","Kilogramm","Kr","Kg","Kg","Kg","Kg","Kg","Kg","Kg","Kg","Kg","Kg","Kg","Kg","Kg","Kg",
000016 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_KILLS","Kills","Kills","Zabití","Kills","Убийства","Kills","Kills","Uccisioni","Muertes","Tués","□□□","Kills","Kills",""
□□",
000017 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_KM","Km","Km","Km","Kilometer","Km","Km","Km","Km","Km","Km","Km","Km","Km","Km","Km","Km","Km","Km","Km",
000018 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_METERS","Meters","Meters","Metř","Meter","Метров","Meters","Meters","Metri","Metros","Mètres","□□","Meters","Meters",""
□",
000019 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_MINUTES","Minutes","Minutes","Minut","Minuten","Минут","Minutes","Minutes","Minuti","Minutos","Minutes","□□","Minutes",
"Minutes","□□",
000020 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_SECONDS","Seconds","Seconds","Sekund","Sekunden","Секунд","Seconds","Seconds","Secondi","Segundos","Secondes","□","Seco
nds","Seconds","□",
000021 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STAT_AI_KILLS","AI KILLS:","AI KILLS:","AI KILLS:","AI KILLS:","УБИТО ИИ:","AI KILLS:","AI KILLS:","AI KILLS:","AI KILLS:","A
I TUÉS:","AI KILLS:","AI KILLS:","AI KILLS:","□□AI□□",
000022 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STAT_ANIMAL_KILLS","ANIMAL KILLS:","ANIMAL KILLS:","ZABITÁ ZVÍŘATA:","GETÖTETE TIERE:","УБИТО ЖИВОТНЫХ:","ZABITE ZWIERZĘTA:","
ANIMAL KILLS:","UCCISIONI DI ANIMALI:","ANIMALES MUERTOS","ANIMAUX TUÉS:","□□□□□□","ANIMAL KILLS:","ANIMAIS MORTOS:","□□□□□",
000023 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STAT_BLOODTYPE","BLOOD TYPE:","BLOOD TYPE:","KREVNÍ SKUPINA:","BLUTGRUPPE:","ТИП КРОВИ:","BLOOD TYPE:","BLOOD TYPE:","GRUPPO
SANGUIGNO:","BLOOD TYPE:","GROUPE SANGUIN :","□□□","BLOOD TYPE:","BLOOD TYPE:","□□□",
000024 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STAT_PLAYER_DISTANCE","DISTANCE TRAVELLED:","DISTANCE TRAVELLED:","PŘEKONANÁ VZDÁLENOST:","ZURÜCKGELEGTE STRECKE:","ПРОЙДЕНО:
","PRZEBYTY DYSTANS:","DISTANCE TRAVELLED:","DISTANZA PERCORSA:","DISTANCIA RECORRIDA","DISTANCE PARCOURUE:","□□□□□","DISTANCE TRAVELLED:","DISTANCIA PERCORRIDA:
","□□□□□",
000025 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STAT_PLAYER_FACTION","FACTION:","FACTION:","FRAKCE:","FRAKTION:","ФРАКЦИЯ:","FACTION:","FACTION:","FAZIONE:","FACTION:","FACT
ION:","□□□","FACTION:","FACTION:","□□□",
000026 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STAT_PLAYER_KILLS","PLAYER KILLS:","PLAYER KILLS:","ZABITÍ HRÁČI:","GETÖTETE SPIELER:","УБИТО ИГРОКОВ:","ZABICI GRACZE:","PLA
YER KILLS:","UCCISIONI DI GIOCATORI:","JUGADORES ASESINADOS","JOUEURS TUÉS:","□□□□□□","□□□□□□□□□□","PLAYERS MORTOS:","□□□□□□",
```


000133 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOWMARKERTEXTCOLOR_DESC","The marker name and distance will be colored if enabled","The marker name and distance will be color
ed if enabled","The Marker name and distance will also be colored if enabled","Der Marker-Name und die Entfernung werden mit der Farbe des Symbols eingefärbt.", "H
азвание метки и расстояние будут окрашены, если функция включена","The Marker name and distance will also be colored if enabled","The Marker name and distance will
also be colored if enabled","The Marker name and distance will also be colored if enabled","The Marker name and distance will also be colored if enabled","Le no
m du marqueur et la distance seront également colorés si l'option est activée.", "The Marker name and distance will also be colored if enabled","The Marker name an
d distance will also be colored if enabled","The Marker name and distance will also be colored if enabled", "00000000000000000000",

000134 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_CLIENT3DDISTANCE", "PERSONAL 3D MARKER DISTANCE", "PERSONAL 3D MARKER DISTANCE", "3D PERSONAL MAX VIEW DIST", "PERSÖNL. 3D MARKER D
ISTANZ", "3D ЛИЧНЫЕ ВИДИМОЕ РАССТОЯНИЕ", "3D PERSONAL MAX VIEW DIST", "3D PERSONAL MAX VIEW DIST", "3D PERSONAL MAX VIEW DIST", "3D PERSONAL MAX VIEW DIST", "DISTANCE V
UE MAX MARQUEUR 3D PERSON.", "3D PERSONAL MAX VIEW DIST", "3D PERSONAL MAX VIEW DIST", "3D PERSONAL MAX VIEW DIST", "3D PERSONAL MAX VIEW DIST", "003D0000",

000135 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_CLIENT3DDISTANCE_DESC", "The distance at which personal 3D markers begin to slowly fade out.", "The distance at which personal 3D
markers begin to slowly fade out.", "The maximum range before the 3D Personal marker begins to slowly disappear.", "Die maximale Renderdistanz für persönliche 3D-M
arkierungen.", "Макс. дистанция, на которой Личный 3D-маркер начинает постепенно исчезать.", "The maximum range before the 3D Personal marker begins to slowly disap
pear.", "The maximum range before the 3D Personal marker begins to slowly disappear.", "The maximum range before the 3D Personal marker begins to slowly disappear.", "The maximum
range before the 3D Personal marker begins to slowly disappear.", "La portée maximale avant que le marqueur 3D personnel ne commence à disparaître le
ntement.", "The maximum range before the 3D Personal marker begins to slowly disappear.", "The maximum range before the 3D Personal marker begins to slowly disappea
r.", "The maximum range before the 3D Personal marker begins to slowly disappear.", "003D0000000000000000",

000136 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_PLAYER3DDISTANCE", "PLAYER 3D MARKER DISTANCE", "PLAYER 3D MARKER DISTANCE", "3D PLAYER MAX VIEW DIST", "SPIELER-3D-MARKER DISTANZ"
, "3D ИГРОКОВ ВИДИМОЕ РАССТОЯНИЕ", "3D PLAYER MAX VIEW DIST", "3D PLAYER MAX VIEW DIST", "3D PLAYER MAX VIEW DIST", "3D PLAYER MAX VIEW DIST", "DISTANCE VUE MAX MARQUEU
R 3D JOUEUR", "3D PLAYER MAX VIEW DIST", "3D PLAYER MAX VIEW DIST", "3D PLAYER MAX VIEW DIST", "3D PLAYER MAX VIEW DIST", "003D0000",

000137 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_PLAYER3DDISTANCE_DESC", "The distance at which player 3D markers begin to slowly fade out.", "The distance at which player 3D mar
kers begin to slowly fade out.", "The maximum range before the 3D Player marker begins to slowly disappear.", "Die maximale Renderdistanz für 3D-Gruppenmitgliederma
rkierungen.", "Макс. дистанция, на которой 3D-маркер игроков начинает постепенно исчезать.", "The maximum range before the 3D Player marker begins to slowly disappe
ar.", "The maximum range before the 3D Player marker begins to slowly disappear.", "The maximum range before the 3D Player marker begins to slowly disappear.", "The maximum
range before the 3D Player marker begins to slowly disappear.", "La portée maximale avant que le marqueur 3D du joueur ne commence à disparaître lentement.
", "The maximum range before the 3D Player marker begins to slowly disappear.", "The maximum range before the 3D Player marker begins to slowly disappear.", "The max
imum range before the 3D Player marker begins to slowly disappear.", "003D0000000000000000",

000138 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_PARTY3DDISTANCE", "GROUP 3D MARKER DISTANCE", "GROUP 3D MARKER DISTANCE", "3D PARTY MAX VIEW DIST", "GRUPPEN-3D-MARKER DISTANZ", "3D
ГРУППЫ МАХ ВИДИМОЕ РАССТОЯНИЕ", "3D PARTY MAX VIEW DIST", "3D PARTY MAX VIEW DIST", "3D PARTY MAX VIEW DIST", "3D PARTY MAX VIEW DIST", "3D PARTY MAX VIEW DIST", "DISTANCE VUE MAX MARQUEUR 3D
GROUPE", "3D PARTY MAX VIEW DIST", "3D PARTY MAX VIEW DIST", "3D PARTY MAX VIEW DIST", "3D PARTY MAX VIEW DIST", "003D0000",

000139 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_PARTY3DDISTANCE_DESC", "The distance at which group 3D markers begin to slowly fade out.", "The distance at which group 3D marker
s begin to slowly fade out.", "The maximum range before the 3D Party marker begins to slowly disappear.", "Die maximale Renderdistanz für 3D-Gruppenmarkierungen.", "Макс.
дистанция, на которой 3D-маркер группы начинает постепенно исчезать.", "The maximum range before the 3D Party marker begins to slowly disappear.", "The maximum
range before the 3D Party marker begins to slowly disappear.", "The maximum range before the 3D Party marker begins to slowly disappear.", "The maximum range befo
re the 3D Party marker begins to slowly disappear.", "La portée maximale avant que le marqueur 3D de groupe ne commence à disparaître lentement.", "The maximum rang
e before the 3D Party marker begins to slowly disappear.", "The maximum range before the 3D Party marker begins to slowly disappear.", "The maximum range before the
3D Party marker begins to slowly disappear.", "003D0000000000000000",

000140 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_GLOBAL3DDISTANCE", "SERVER 3D MARKER DISTANCE", "SERVER 3D MARKER DISTANCE", "3D SERVER MAX VIEW DIST", "SERVER-3D-MARKER DISTANZ",
"3D СЕРВЕРНЫЕ ВИДИМОЕ РАССТОЯНИЕ", "3D SERVER MAX VIEW DIST", "3D SERVER MAX VIEW DIST", "3D SERVER MAX VIEW DIST", "3D SERVER MAX VIEW DIST", "3D SERVER MAX VIEW DIST", "DISTANCE VUE MAX MARQUEU
R 3D SERVEUR", "3D SERVER MAX VIEW DIST", "3D SERVER MAX VIEW DIST", "3D SERVER MAX VIEW DIST", "3D SERVER MAX VIEW DIST", "0003D0000",

000141 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_GLOBAL3DDISTANCE_DESC", "The distance at which server 3D markers begin to slowly fade out.", "The distance at which server 3D mar
kers begin to slowly fade out.", "The maximum range before the 3D Server marker begins to slowly disappear.", "Die maximale Renderdistanz für 3D-Servermarkierungen.
", "Макс. дистанция, на которой 3D-маркер сервера начинает постепенно исчезать.", "The maximum range before the 3D Server marker begins to slowly disappear.", "The m
aximum range before the 3D Server marker begins to slowly disappear.", "The maximum range before the 3D Server marker begins to slowly disappear.", "The maximum ran
ge before the 3D Server marker begins to slowly disappear.", "La portée maximale avant que le marqueur 3D de serveur ne commence à disparaître lentement.", "The max
imum range before the 3D Server marker begins to slowly disappear.", "The maximum range before the 3D Server marker begins to slowly disappear.", "The maximum range
before the 3D Server marker begins to slowly disappear.", "0003D0000000000000000",

000142 | "STR_EXPANSION_SETTINGS_CLIENT_MARKET", "MARKET SETTINGS", "MARKET SETTINGS", "NASTAVENÍ TRHU", "MARKT-EINSTELLUNGEN", "ПАРАМЕТРЫ РЫНКА", "MARKET SETTINGS", "MARKET SETT
INGS", "IMPOSTAZIONI MERCATO", "OPCIONES DEL MERCADO", "PARAMÈTRES DU MARCHÉ", "0000", "MARKET SETTINGS", "MARKET SETTINGS", "000000",

000143 | "STR_EXPANSION_SETTINGS_CLIENT_MARKET_CATEGORIES_TOGGLE_STATE", "EXPAND ALL CATEGORIES", "EXPAND ALL CATEGORIES", "EXPAND ALL CATEGORIES", "EXPAND ALL CATEGORIES", "EXPAND ALL CA
TEGORIES", "РАСКРЫТЬ ВСЕ КАТЕГОРИИ", "EXPAND ALL CATEGORIES", "EXPAND ALL CATEGORIES", "EXPAND ALL CATEGORIES", "EXPAND ALL CATEGORIES", "VOIR TOUTES CATÉGORIES", "EXPAND ALL CA
TEGORIES", "EXPAND ALL CATEGORIES", "EXPAND ALL CATEGORIES", "000000",

000144 | "STR_EXPANSION_SETTINGS_CLIENT_MARKET_CATEGORIES_TOGGLE_STATE_DESC", "Automatically expand all categories when opening trader menu (WARNING: Performance hit!)", "Au
tomatically expand all categories when opening trader menu (WARNING: Performance hit!)", "Automatically expand all categories when opening trader menu (WARNING: Pe
rformance hit!)", "Automatisch alle Kategorien ausklappen, wenn das Händler-Menü geöffnet wird (WARNUNG: Leistungseinbußen!)", "Автоматически раскрывать все категор
ии в торговом меню (ВНИМАНИЕ: Сильно бьет по производительности игры!)", "Automatically expand all categories when opening trader menu (WARNING: Performance hit!)"
, "Automatically expand all categories when opening trader menu (WARNING: Performance hit!)", "Automatically expand all categories when opening trader menu (WARNING
: Performance hit!)", "Automatically expand all categories when opening trader menu (WARNING: Performance hit!)", "Développer automatiquement toutes les catégories
à l'ouverture du menu trader (ATTENTION : impact sur les performances !)", "Automatically expand all categories when opening trader menu (WARNING: Performance hit!
)", "Automatically expand all categories when opening trader menu (WARNING: Performance hit!)", "Automatically expand all categories when opening trader menu (WARNI
NG: Performance hit!)", "00000000000000000000000000000000",

000145 | "STR_EXPANSION_SETTINGS_CLIENT_MARKET_DISABLE_SUCCESS_NOTIFICATIONS", "DISABLE SUCCESS NOTIF.", "DISABLE SUCCESS NOTIF.", "DISABLE SUCCESS NOTIFICATIONS", "ERFOLGS-BE
NACHR. DEAKT.", "УВЕДОМЛЕНИЯ (УСПЕХ)", "DISABLE SUCCESS NOTIFICATIONS", "DISABLE SUCCESS NOTIFICATIONS", "DISABLE SUCCESS NOTIFICATIONS", "DISABLE SUCCESS NOTIFICATION

000146 | S", "DÉSACTIVER NOTIFICATIONS RÉUSSITE", "DISABLE SUCCESS NOTIFICATIONS", "DISABLE SUCCESS NOTIFICATIONS", "DISABLE SUCCESS NOTIFICATIONS", "DISABLE SUCCESS NOTIFICATIONS", "000000",
 | "STR_EXPANSION_SETTINGS_CLIENT_MARKET_DISABLE_SUCCESS_NOTIFICATIONS_DESC", "Disable notifications for successful purchases and sales.", "Disable notifications for successful purchases and sales.", "Deaktiviert Benachrichtigungen für erfolgreiche Käufe und Verkäufe.",
 | "Отключает уведомления после успешной покупки/продажи.", "Disable notifications for successful purchases and sales.", "Disable notifications for successful purchase
 | s and sales.", "Disable notifications for successful purchases and sales.", "Disable notifications for successful purchases and sales.", "Désactiver les notification
 | s pour les achats et les ventes réussis.", "Disable notifications for successful purchases and sales.", "Disable notifications for successful purchases and sales.",
 | "Disable notifications for successful purchases and sales.", "0000000000000000",
 000147 | "STR_EXPANSION_SETTINGS_CLIENT_MARKET_PURCHASABLES_FILTER_STATE", "SHOW PURCHASABLE", "SHOW PURCHASABLE", "SHOW PURCHASABLE", "KAUFBARES ANZEIGEN", "ПОКАЗЫВАТЬ ДОСТУПН
 | ОЕ", "SHOW PURCHASABLE", "SHOW PURCHASABLE", "SHOW PURCHASABLE", "SHOW PURCHASABLE", "MONTRER ACHETABLE", "SHOW PURCHASABLE", "SHOW PURCHASABLE", "SHOW PURCHASABLE", "0000
 | 00",
 000148 | "STR_EXPANSION_SETTINGS_CLIENT_MARKET_PURCHASABLES_FILTER_STATE_DESC", "Show purchasable items by default (enough money to buy the respective items needs to be in y
 | our inventory).", "Show purchasable items by default (enough money to buy the respective items needs to be in your inventory).", "Show purchasable items by default (e
 | nough money to buy the respective items needs to be in your inventory).", "Zeigt standardmäßig kaufbare Objekte an (es muss genug Geld für das jeweilige Objekt in
 | deinem Inventar vorhanden sein).", "Позволяет по-умолчанию отображать предметы доступные для Покупки (в инвентаре должно быть достаточно денег для покупки).", "Show
 | purchasable items by default (enough money to buy the respective items needs to be in your inventory).", "Show purchasable items by default (enough money to buy the
 | respective items needs to be in your inventory).", "Show purchasable items by default (enough money to buy the respective items needs to be in your inventory).", "S
 | how purchasable items by default (enough money to buy the respective items needs to be in your inventory).", "Afficher les objets pouvant être achetés par défaut (v
 | ous devez disposer de suffisamment d'argent dans votre inventaire pour acheter les objets correspondants).", "Show purchasable items by default (enough money to buy
 | the respective items needs to be in your inventory).", "Show purchasable items by default (enough money to buy the respective items needs to be in your inventory).
 | ", "Show purchasable items by default (enough money to buy the respective items needs to be in your inventory).", "00000000000000000000000000000000",
 000149 | "STR_EXPANSION_SETTINGS_CLIENT_MARKET_SELLABLES_FILTER_STATE", "SHOW SELLABLE", "SHOW SELLABLE", "SHOW SELLABLE", "VERKAUFBARES ANZEIGEN", "ПОКАЗЫВАТЬ ПРОДАВАЕМОЕ", "SH
 | OW SELLABLE", "SHOW SELLABLE", "SHOW SELLABLE", "SHOW SELLABLE", "MONTRER VENDABLE", "SHOW SELLABLE", "SHOW SELLABLE", "SHOW SELLABLE", "SHOW SELLABLE", "000000",
 000150 | "STR_EXPANSION_SETTINGS_CLIENT_MARKET_SELLABLES_FILTER_STATE_DESC", "Show sellable items by default.", "Show sellable items by default.", "Show sellable items by def
 | ault.", "Zeigt standardmäßig verkaufbare Objekte an.", "Позволяет по-умолчанию отобразить предметы доступные для Продажи.", "Show sellable items by default.", "Show s
 | ellable items by default.", "Show sellable items by default.", "Show sellable items by default.", "Afficher les articles vendables par défaut.", "Show sellable items
 | by default.", "Show sellable items by default.", "Show sellable items by default.", "0000000000",
 000151 | "STR_EXPANSION_SETTINGS_CLIENT_MARKET_SHOWCURRENCYDENOMS", "SHOW CURRENCY DENOMINATIONS", "SHOW CURRENCY DENOMINATIONS", "ZOBRAZIT HODNOTY MĚNY", "SHOW CURRENCY DENOM
 | INATIONS", "НОМИНАЛЫ ВАЛЮТ", "SHOW CURRENCY DENOMINATIONS", "SHOW CURRENCY DENOMINATIONS", "MOSTRA DENOMINAZIONI DI VALUTA", "MOSTRAR DENOMINACIONES DE MONEDA", "AFFICH
 | ER DENOMINATIONS DES MONNAIES", "000000", "SHOW CURRENCY DENOMINATIONS", "SHOW CURRENCY DENOMINATIONS", "000000",
 000152 | "STR_EXPANSION_SETTINGS_CLIENT_MARKET_SHOWCURRENCYDENOMS_DESC", "When enabled, this displays the price of a market item with all its denominations under the total
 | price in the detailed item section of the market menu.", "When enabled, this displays the price of a market item with all its denominations under the total price i
 | n the detailed item section of the market menu.", "Pokud je povoleno, zobrazí cenu tržní položky s všemi jejími hodnotami pod celkovou cenou v detailní sekci polož
 | ky v nabídce trhu.", "Wenn diese Option aktiviert ist, wird der Preis eines Marktartikels mit all seinen Stückelungen unter dem Gesamtpreis im detaillierten Artike
 | labschnitt des Marktmenüs angezeigt.", "Включение этого параметра отображает цену рыночного товара со всеми его номиналами под общей ценой в разделе "Подробная ин
 | формации о товаре".", "When enabled, this displays the price of a market item with all its denominations under the total price in the detailed item s
 | ection of the market menu.", "When enabled, this displays the price of a market item with all its denominations under the total price in the detailed item section
 | of the market menu.", "Quando abilitato mostra sotto al prezzo totale, il prezzo con tutte le denominazioni di valuta", "Cuando está habilitado, muestra el precio d
 | e un artículo de mercado con todas sus denominaciones bajo el precio total en la sección detallada del artículo.", "Lorsqu'il est activé, cela affiche le prix d'un
 | article du marché avec toutes ses dénominations sous le prix total dans la section détaillée de l'article du menu du marché.", "00000000000000000000000000000000",
 | "When enabled, this displays the price of a market item with all its denominations under the total price in the detailed item section of the market menu.", "When
 | enabled, this displays the price of a market item with all its denominations under the total price in the detailed item section of the market menu.", "00000000000000000000",
 000153 | "STR_EXPANSION_SETTINGS_CLIENT_MARKET_SKIP_CONFIRMATIONS", "SKIP CONFIRMATIONS", "SKIP CONFIRMATIONS", "SKIP CONFIRMATIONS", "BESTÄTIGUNGEN DEAKTIVIEREN", "ПРОПУСК ПОД
 | ТВЕРЖДЕНИЯ", "SKIP CONFIRMATIONS", "SKIP CONFIRMATIONS", "SKIP CONFIRMATIONS", "SKIP CONFIRMATIONS", "IGNORER CONFIRMATIONS", "SKIP CONFIRMATIONS", "SKIP CONFIRMATIONS",
 | "SKIP CONFIRMATIONS", "000000",
 000154 | "STR_EXPANSION_SETTINGS_CLIENT_MARKET_SKIP_CONFIRMATIONS_DESC", "Skip most confirmations when buying/selling.", "Skip most confirmations when buying/selling.", "Skip
 | most confirmations when buying/selling.", "Deaktiviert die meisten Bestätigungen beim Kauf/Verkauf.", "Отключает окно подтверждения при Покупке/Продаже.", "Skip mos
 | t confirmations when buying/selling.", "Skip most confirmations when buying/selling.", "Skip most confirmations when buying/selling.", "Skip most confirmations when
 | buying/selling.", "Ignorer la plupart des confirmations lors de l'achat/la vente.", "Skip most confirmations when buying/selling.", "Skip most confirmations when buy
 | ing/selling.", "Skip most confirmations when buying/selling.", "0000000000000000",
 000155 | "STR_EXPANSION_SETTINGS_CLIENT_PARTY_SHOWPARTYMEMBERHUD", "SHOW GROUP HUD", "SHOW GROUP HUD", "ZOBRAZIT SKUPINOVÝ HUD", "GRUPPEN-HUD ANZEIGEN", "HUD ГРУППЫ", "SHOW PART
 | Y HUD", "SHOW PARTY HUD", "MOSTRA HUD GRUPPO", "SHOW PARTY HUD", "AFFICHER GROUPE HUD", "0000HUD", "SHOW PARTY HUD", "SHOW PARTY HUD", "0000HUD",
 000156 | "STR_EXPANSION_SETTINGS_CLIENT_PARTY_SHOWPARTYMEMBERHUD_DESC", "Toggle the view of the Party HUD", "Toggle the view of the Party HUD", "Přepnout zobrazení skupinového
 | o HUD.", "Schaltet die Ansicht des Gruppen-HUD um", "Вкл/Выкл отображение HUD группы", "Toggle the view of the Party HUD", "Toggle the view of the Party HUD", "Abilita
 | / Disabilita la visione dell'HUD di gruppo", "Toggle the view of the Party HUD", "Basculer la vue du Groupe HUD", "000000HUD", "Toggle the view of the Party HUD", "T
 | oggle the view of the Party HUD", "0000HUD0000",
 000157 | "STR_EXPANSION_SETTINGS_CLIENT_VEHICLES", "VEHICLE SETTINGS", "VEHICLE SETTINGS", "NASTAVENÍ VOZIDEL", "FAHRZEUG-EINSTELLUNGEN", "НАСТРОЙКИ ВЕРТОЛЁТА", "USTAWIENIA HELI
 | KOPTERA", "VEHICLE SETTINGS", "IMPOSTAZIONI VEICOLO", "AJUSTES DE HELICOPTERO", "OPTIONS DES HÉLICOPTÈRES", "0000", "0000", "OPÇÕES DE HELICÓPTERO", "0000",
 000158 | "STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_CAMERA_DISTANCE", "CAMERA DISTANCE MULT.", "CAMERA DISTANCE MULT.", "CAMERA DISTANCE MULT.", "CAMERA DISTANCE MULT.", "KAMERA-ENTFERNUNGS-MULT.", "KAMEP
 | A (ДИСТАНЦИЯ МНОЖ.)", "CAMERA DISTANCE MULT.", "CAMERA DISTANCE MULT.", "CAMERA DISTANCE MULT.", "CAMERA DISTANCE MULT.", "CAMERA DISTANCE MULT.", "CAMERA DISTANCE MULT.
 | .", "CAMERA DISTANCE MULT.", "CAMERA DISTANCE MULT.", "00000000",
 000159 | "STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_CAMERA_DISTANCE_DESC", "Multiplier for the distance of the 3rd person camera to the vehicle", "Multiplier for the dist

ance of the 3rd person camera to the vehicle","Multiplier for the distance of the 3rd person camera to the vehicle","Multiplikator für die Entfernung der Verfolgerkamera zum Fahrzeug","Множитель дистанции камеры в транспортных средствах при виде от 3-его лица.", "Multiplier for the distance of the 3rd person camera to the vehicle", "Multiplier for the distance of the 3rd person camera to the vehicle", "Multiplier for the distance of the 3rd person camera to the vehicle", "Multiplicateur pour la distance entre la caméra de la troisième personne et le véhicule", "Multiplier for the distance of the 3rd person camera to the vehicle", "Multiplier for the distance of the 3rd person camera to the vehicle", "Multiplier for the distance of the 3rd person camera to the vehicle", "Multiplier for the distance of the 3rd person camera to the vehicle", "Multiplier for the height of the 3rd person camera above the vehicle", "Multiplier for the height of the 3rd person camera above the vehicle", "Multiplikator für die Höhe der Verfolgerkamera über dem Fahrzeug", "Множитель высоты камеры в транспортных средствах при виде от 3-его лица.", "Multiplier for the height of the 3rd person camera above the vehicle", "Multiplier for the height of the 3rd person camera above the vehicle", "Multiplier for the height of the 3rd person camera above the vehicle", "Multiplicateur pour la hauteur de la caméra de la 3e personne au-dessus du véhicule", "Multiplier for the height of the 3rd person camera above the vehicle", "Multiplier for the height of the 3rd person camera above the vehicle", "Multiplier for the height of the 3rd person camera above the vehicle", "Multiplier for the height of the 3rd person camera above the vehicle", "STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_CAMERA_HEIGHT", "CAMERA HEIGHT MULT.", "CAMERA HEIGHT MULT.", "KAMERA-HÖHE-MULT.", "КАМЕРА (ВЫСОТА МНОЖ.)", "CAMERA HEIGHT MULT.", "CAMERA HEIGHT MULT.", "CAMERA HEIGHT MULT.", "CAMERA HEIGHT MULT.", "CAMERA HEIGHT MULT.", "CAMERA HEIGHT MULT.", "CAMERA HEIGHT MULT.", "CAMERA HEIGHT MULT.", "STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_CAMERA_HEIGHT_DESC", "Multiplier for the height of the 3rd person camera above the vehicle", "Multiplier for the height of the 3rd person camera above the vehicle", "Multiplikator für die Höhe der Verfolgerkamera über dem Fahrzeug", "Множитель высоты камеры в транспортных средствах при виде от 3-его лица.", "Multiplier for the height of the 3rd person camera above the vehicle", "Multiplier for the height of the 3rd person camera above the vehicle", "Multiplicateur pour la hauteur de la caméra de la 3e personne au-dessus du véhicule", "Multiplier for the height of the 3rd person camera above the vehicle", "Multiplier for the height of the 3rd person camera above the vehicle", "Multiplier for the height of the 3rd person camera above the vehicle", "Multiplier for the height of the 3rd person camera above the vehicle", "STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_AUTOPILOT_RELATIVE_POSITIONING", "AUTOPILOT - RELATIVE POSITIONING", "AUTOPILOT - RELATIVE POSITIONING", "AUTOPILOT - RELATIVE POSITIONING", "AUTOPILOT - RELATIVE POSITIONING", "ABTOПИЛОТ - ОТНОСИТЕЛЬНОЕ ПОЗИЦИОНИРОВАНИЕ", "AUTOPILOT - POZYCJONOWANIE WZGLĘDNE", "AUTOPILOT - RELATIVE POSITIONING", "PILOTA AUTOMATICO - POSIZIONAMENTO RELATIVO", "Piloto automatico - Posicionamiento Relativo", "AUTO-PILOTE - POSTIONNEMENT RELATIF", "AAAA - AAAA", "AUTOPILOT - RELATIVE POSITIONING", "PILOTO AUTOMÁTICO - POSICIONAMIENTO RELATIVO", "AAAA - AAAA", "STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_FREELOOK", "FIXED CAMERA", "FIXED CAMERA", "FIXNÍ KAMELA", "KAMERA FIXIERT", "СВОБОДНЫЙ ОБЗОР", "POPRAWIONA KAMERA", "FIXED CAMERA", "TELECAMERA FISSA", "CAMARA FIJA", "CAMÉRA FIXE", "AAAA", "AAAA", "CAMÉRA FIXA", "AAAA", "STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_FREELOOK_DESC", "Toggle static camera view in helicopters for a better flight control.", "Toggle static camera view in helicopters for a better flight control.", "Přepne statickou kameru v helikoptéře pro lepší kontrolu.", "Schalte die statische Kameraansicht, für bessere fliegen, um.", "Для лучшего управления полётом можно зафиксировать камеру.", "Włącz statyczny widok z helikoptera dla lepszej kontroli lotów", "Toggle static camera view in helicopters for a better flight control.", "Abilita / Disabilita una telecamera fissa per gli elicotteri. Potrebbe facilitarne l'utilizzo", "Activar camara estatica en helicópteros para un mejor control en vuelo", "Bascule la caméra statique en hélicoptère pour un meilleur pilotage.", "AAAAAAAAAAAAAAAAAAAAAAAAAAAA", "AAAAAAAAAAAAAAAAAAAAAAAAAAAA", "AAAA", "Ativa a câmara estática em helicópteros para um melhor controle de vôo.", "STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_HELICOPTER_COLLECTIVE_DECAY", "COLLECTIVE PITCH DECAY", "COLLECTIVE PITCH DECAY", "COLLECTIVE PITCH DECAY", "COLLECTIVE PITCH DECAY", "COLLECTIVE PITCH DECAY", "COLLECTIVE PITCH DECAY", "COLLECTIVE PITCH DECAY", "COLLECTIVE PITCH DECAY", "COLLECTIVE PITCH DECAY", "COLLECTIVE PITCH DECAY", "COLLECTIVE PITCH DECAY", "COLLECTIVE PITCH DECAY", "STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_HELICOPTER_COLLECTIVE_DECAY_DESC", "Makes the collective pitch controls work more like throttle/brake in a car.", "Makes the collective pitch controls work more like throttle/brake in a car.", "Makes the collective pitch controls work more like throttle/brake in a car.", "Makes the collective pitch controls work more like throttle/brake in a car.", "Makes the collective pitch controls work more like throttle/brake in a car.", "Makes the collective pitch controls work more like throttle/brake in a car.", "Makes the collective pitch controls work more like throttle/brake in a car.", "Makes the collective pitch controls work more like throttle/brake in a car.", "Makes the collective pitch controls work more like throttle/brake in a car.", "Makes the collective pitch controls work more like throttle/brake in a car.", "STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_HELICOPTER_RETREATING_BLADE_STALL", "RETREATING BLADE STALL", "RETREATING BLADE STALL", "RETREATING BLADE STALL", "RETREATING BLADE STALL", "RETREATING BLADE STALL", "RETREATING BLADE STALL", "RETREATING BLADE STALL", "RETREATING BLADE STALL", "RETREATING BLADE STALL", "STRÖMUNGSABRISS (RBS)", "RETREATING BLADE STALL", "RETREATING BLADE STALL", "RETREATING BLADE STALL", "RETREATING BLADE STALL", "RETREATING BLADE STALL", "RETREATING BLADE STALL", "RETREATING BLADE STALL", "STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_HELICOPTER_RETREATING_BLADE_STALL_DESC", "Enables lift loss, nose pitch-up and roll toward retreating (left) side at high forward speed in addition to increased drag.", "Enables lift loss, nose pitch-up and roll toward retreating (left) side at high forward speed in addition to increased drag.", "Verursacht Auftriebsverlust, ein Hochziehen der Helikopter-Nase und ein Rollen zur rücklaufenden (linken) Seite des Rotorblatts bei hoher Vorwärtsgeschwindigkeit sowie erhöhten Luft-Widerstand.", "Enables lift loss, nose pitch-up and roll toward retreating (left) side at high forward speed in addition to increased drag.", "Enables lift loss, nose pitch-up and roll toward retreating (left) side at high forward speed in addition to increased drag.", "Enables lift loss, nose pitch-up and roll toward retreating (left) side at high forward speed in addition to increased drag.", "Enables lift loss, nose pitch-up and roll toward retreating (left) side at high forward speed in addition to increased drag.", "Enables lift loss, nose pitch-up and roll toward retreating (left) side at high forward speed in addition to increased drag.", "Enables lift loss, nose pitch-up and roll toward retreating (left) side at high forward speed in addition to increased drag.", "Enables lift loss, nose pitch-up and roll toward retreating (left) side at high forward speed in addition to increased drag.", "STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_HELICOPTER_MOUSE_CONTROL", "HELICOPTER MOUSE CONTROL", "HELICOPTER MOUSE CONTROL", "OVLÁDÁNÍ HELIKOPTÉRY MYŠÍ", "HELIKOPTER-MAUSSTEUERUNG", "УПРАВЛЕНИЕ МЫШЬЮ (БЕРПОЛЕТ)", "Sterowanie Śmigłowca Myszką", "HELICOPTER MOUSE CONTROL", "CONTROLLA ELICOTTERO CON IL MOUSE", "Control de helicoptero con ratón", "CONTRÔLE HÉLICOPTÈRE À LA SOURIS", "HELICOPTER MOUSE CONTROL", "HELICÓPTERO - CONTROLE POR MOUSE", "STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_HELICOPTER_MOUSE_CONTROL_DESC", "Allows you to control aerial vehicles with the mouse. When enabled, you can toggle freelook with a configurable key (default LEFT ALT).", "Allows you to control aerial vehicles with the mouse. When enabled, you can toggle freelook with a configurable key (default LEFT ALT).", "Když je povoleno, můžete přepnout volný pohled pomocí konfigurovatelné klávesy (výchozí je LEVÝ ALT).", "Ermöglicht es, Luftfahrzeuge mit der Maus zu steuern. Wenn aktiviert, kann mit einer konfigurierbaren Taste (Standard ALT LINKS) die freie Kamera umgeschaltet werden.", "Позволяет управлять воздушным транспортом с помощью мыши. Если эта функция включена, вы можете переключать свободный полет с помощью настраиваемой клавиши (По умолчанию: LEFT ALT)", "Umożliwia

000211 | "STR_EXPANSION_SETTINGS_HUD", "HUD SETTINGS", "HUD SETTINGS", "NASTAVENÍ HUDU", "HUD-EINSTELLUNGEN", "НАСТРОЙКИ ИНТЕРФЕЙСА", "USTAWIENIA HUD", "HUD SETTINGS", "IMPOSTAZIO
NI HUD", "AJUSTES DE HUD", "OPTIONS DU HUD", "HUD", "HUD", "OPÇÕES DE TELA", "HUD",
000212 | "STR_EXPANSION_SETTINGS_HUD_3D_MARKER_POINTING", "ALPHA 3D MARKER NO FOCUS", "ALPHA 3D MARKER NO FOCUS", "ALPHA 3D-MARKER OHNE FOKUS", "ПРО
ЗРАЧНОСТЬ 3D МЕТКИ ПРИ ВЗГЛЯДЕ", "ALPHA 3D MARKER NO FOCUS", "ALPHA 3D MARKER NO FOCUS", "ALPHA 3D MARKER NO FOCUS", "ALPHA 3D MARKER NO FOCUS", "ALPHA 3D MARQUEUR NON
FOCUS", "ALPHA 3D MARKER NO FOCUS", "ALPHA 3D MARKER NO FOCUS", "ALPHA 3D MARKER NO FOCUS", "3D",
000213 | "STR_EXPANSION_SETTINGS_HUD_3D_MARKER_POINTING_DESC", "Change alpha level of 3d marker when pointing away", "Change alpha level of 3d marker when pointing away", "Ch
ange alpha level of 3d marker when pointing away", "Alpha-Level des 3D-Markers ändern, wenn nicht im Fokus", "Изменить прозрачность 3D метки при взгляде на неё.", "C
hange alpha level of 3d marker when pointing away", "Change alpha level of 3d marker when pointing away", "Change alpha level of 3d marker when pointing away", "Chan
ge alpha level of 3d marker when pointing away", "Modifieur le niveau d'alpha du marqueur 3D lorsqu'il n'est pas pointé", "Change alpha level of 3d marker when point
ing away", "Change alpha level of 3d marker when pointing away", "Change alpha level of 3d marker when pointing away", "3D",
000214 | "STR_EXPANSION_SETTINGS_HUD_ALPHA_HEAD_PLAYER", "ALPHA MARKER PARTY MEMBER", "ALPHA MARKER PARTY MEMBER", "PRŮHLEDNOST 3D ZNAČKY", "ALPHA-MARKER GRUPPENMITGLIED", "ПРО
ЗРАЧНОСТЬ МЕТОК ИГРОКОВ В ГРУППЕ", "PRZECZYSTOŚĆ ZNACZNIKÓW CZŁONKA GRUPY", "ALPHA MARKER PARTY MEMBER", "ALPHA MARCATORI DEI GIOCATORI", "Marcador Alpha para miem
bro del grupo", "AFFICHAGE MARQUEUR DU MEMBRE DU GROUPE", "3D", "ALPHA MARKER PARTY MEMBER", "MARCAÇÃO DO PLAYER ALPHA DO GRUPO", "3D",
000215 | "STR_EXPANSION_SETTINGS_HUD_ALPHA_HEAD_PLAYER_DESC", "Change alpha level of marker for party member", "Change alpha level of marker for party member", "Změnit průhle
dnost na značce.", "Alphastufe des Markers für das Gruppenmitglied ändern", "Изменить прозрачность меток игроков в группе.", "Zmień przezroczystość znaczników dla cz
łonka grupy", "Change alpha level of marker for party member", "Cambia il livello Alpha (trasparenza) dei marcatori dei giocatori nel gruppo.", "Cambiar marcador Alp
ha para miembro del grupo", "Changer le niveau d'alpha du marqueur pour les membres du groupe", "3D", "Change alpha level of marker for party member", "Alt
erar o nível alfa do marcador do membro do grupo.", "3D",
000216 | "STR_EXPANSION_SETTINGS_HUD_BLUE_HEAD_PLAYER", "BLUE MARKER PARTY MEMBER", "BLUE MARKER PARTY MEMBER", "MODRÁ ČÁST PARTY ZNAČKY", "BLAUER MARKER FÜR GRUPPENMITGLIED",
"УРОВЕНЬ СИНЕГО ДЛЯ МЕТОК ГРУППЫ", "NIEBIESKOŚĆ ZNACZNIKA CZŁONKA GRUPY", "BLUE MARKER PARTY MEMBER", "BLU MARCATORI DEI GIOCATORI", "Marcador azul para miembro del g
rupo", "MEMBRE DU GROUPE AVEC MARQUEUR BLEU", "3D", "BLUE MARKER PARTY MEMBER", "MARCAÇÃO AZUL DO MEMBRO DO GRUPO", "3D",
000217 | "STR_EXPANSION_SETTINGS_HUD_BLUE_HEAD_PLAYER_DESC", "Change blue level of marker for party member", "Change blue level of marker for party member", "Změnit podíl mod
ré barvy na značce.", "Blaustufe der Markierung für das Gruppenmitglied ändern", "Изменить уровень синего для меток группы.", "Zmień niebieski poziom znacznika dla c
złonka grupy", "Change blue level of marker for party member", "Cambia il livello di Blu nei marcatori dei giocatori nel gruppo.", "Cambiar marcador azul para miembr
o del grupo", "Changer le niveau de bleu du marqueur pour les membres du groupe", "3D", "Change blue level of marker for party member", "Alterar o nível azu
l de marcador para membro do grupo", "3D",
000218 | "STR_EXPANSION_SETTINGS_HUD_CHAT", "CHAT SETTINGS", "CHAT SETTINGS", "CHAT SETTINGS", "CHAT SETTINGS", "CHAT-EINSTELLUNGEN", "НАСТРОЙКИ ЧАТА", "CHAT SETTINGS", "CHAT SETTINGS", "CHAT SETT
INGS", "CHAT SETTINGS", "CHAT SETTINGS", "CHAT SETTINGS", "CHAT SETTINGS", "CHAT SETTINGS", "3D",
000219 | "STR_EXPANSION_SETTINGS_HUD_CHAT_CHANNEL", "DEFAULT CHAT CHANNEL", "DEFAULT CHAT CHANNEL", "VÝCHOZÍ CHAT KANÁL", "STANDARD CHATKANAL", "ЧАТ КАНАЛ ПО УМОЛЧАНИЮ", "DEFAULT
T CHAT CHANNEL", "DEFAULT CHAT CHANNEL", "CANALE DI CHAT DI DEFAULT", "DEFAULT CHAT CHANNEL", "CANAL DE CHAT PAR DÉFAUT", "3D", "DEFAULT CHAT CHANNEL", "DEFAULT CHAT
CHANNEL", "3D",
000220 | "STR_EXPANSION_SETTINGS_HUD_CHAT_CHANNEL_DESC", "Sets the default chat channel on game session start.", "Sets the default chat channel on game session start.", "Nast
aví výchozí chat kanál při spuštění hry.", "Legt den Standard-Chatkanal beim Start der Spielsitzung fest.", "Устанавливает канал чата по умолчанию при входе на серв
ер. Direct - Рядом. Global - Общий.", "Sets the default chat channel on game session start.", "Sets the default chat channel on game session start.", "Imposta il can
ale predefinito di chat ad inizio sessione", "Sets the default chat channel on game session start.", "Définit le canal de discussion par défaut au démarrage de la s
ession de jeu.", "3D", "Sets the default chat channel on game session start.", "Sets the default chat channel on game session start.", "3D",
000221 | "STR_EXPANSION_SETTINGS_HUD_CHAT_FADEOUT", "MESSAGE FADEOUT DURATION", "MESSAGE FADEOUT DURATION", "TRVÁNÍ ZMIZENÍ ZPRÁV", "AUSBLLENDE-DAUER", "ИСЧЕЗНОВЕНИЕ СООБЩЕНИЙ",
"MESSAGE FADEOUT DURATION", "MESSAGE FADEOUT DURATION", "TEMPO DISSOLVENZA CHAT", "TIEMPO PARA OCULTAR VENTANA DE CHAT", "TEMPS DISPARITION DU TCHAT", "3D", "MESS
AGE FADEOUT DURATION", "MESSAGE FADEOUT DURATION", "3D",
000222 | "STR_EXPANSION_SETTINGS_HUD_CHAT_FADEOUT_DESC", "Duration of the message fade out effect in seconds (0 = off).", "Duration of the message fade out effect in seconds
(0 = off).", "Délka efektu ztráty zpráv v sekundách (0 = vypnuto).", "Dauer des Ausblendeeffekts der Nachricht in Sekunden (0 = aus).", "Время (В секундах). Как долг
о будут пропадать сообщения в чате.", "Duration of the message fade out effect in seconds (0 = off).", "Duration of the message fade out effect in seconds (0 = off)
.", "Imposta il tempo di dissolvenza della chat testuale", "Cambia el tiempo para ocultar la ventana de chat.", "Durée du fondu de la fenêtre de discussion.", "3D",
3D=3D", "Duration of the message fade out effect in seconds (0 = off).", "Duration of the message fade out effect in seconds (0 = off).", "3D",
000223 | "STR_EXPANSION_SETTINGS_HUD_CHAT_MESSAGE_TIME_THRESHOLD", "MESSAGE DISPLAY DURATION", "MESSAGE DISPLAY DURATION", "TRVÁNÍ ZOBRAZENÍ ZPRÁV", "ANZEIGE-DAUER", "ВРЕМЯ СОО
БЩЕНИЙ", "MESSAGE DISPLAY DURATION", "MESSAGE DISPLAY DURATION", "MESSAGE DISPLAY DURATION", "MESSAGE DISPLAY DURATION", "MESSAGE DISPLAY DURATION", "DURÉE AFFICHAGE MESSAGES", "3D", "MESSAGE
DISPLAY DURATION", "MESSAGE DISPLAY DURATION", "3D",
000224 | "STR_EXPANSION_SETTINGS_HUD_CHAT_MESSAGE_TIME_THRESHOLD_DESC", "Duration in seconds how long messages get displayed before fading out.", "Duration in seconds how lo
ng messages get displayed before fading out.", "Doba v sekundách, po kterou jsou zprávy zobrazeny před ztrátou.", "Dauer in Sekunden, wie lange Nachrichten angezeig
t werden, bevor sie ausgeblendet werden.", "Время (В секундах). Как долго будут видны сообщения в чате.", "Duration in seconds how long messages get displayed befor
e fading out.", "Duration in seconds how long messages get displayed before fading out.", "Duration in seconds how long messages get displayed before fading out.", "Durée en secondes pendant laquelle les messages restent affichés avant de disparaître.", "3D",
3D", "Duration in seconds how long messages get displayed before fading out.", "Duration in seconds how long messages get displayed before fading
out.", "3D",
000225 | "STR_EXPANSION_SETTINGS_HUD_CHAT_MESSAGES_HISTORY_LIMIT", "MESSAGE HISTORY", "MESSAGE HISTORY", "MESSAGE HISTORY", "NACHRICHTENVERLAUF", "ИСТОРИЯ СООБЩЕНИЙ", "MESSAGE H
ISTORY", "MESSAGE HISTORY", "MESSAGE HISTORY", "MESSAGE HISTORY", "MESSAGE HISTORY", "MESSAGE HISTORY", "MESSAGE HISTORY", "MESSAGE HISTORY", "3D",
000226 | "STR_EXPANSION_SETTINGS_HUD_CHAT_MESSAGES_HISTORY_LIMIT_DESC", "Number of chat messages visible in history", "Number of chat messages visible in history", "Number of
chat messages visible in history", "Anzahl der angezeigten Nachrichten im Verlauf", "Количество сообщений которые будут видны в истории окна чата.", "Number of chat
messages visible in history", "Number of chat messages visible in history", "Number of chat messages visible in history", "Number of chat messages visible in histor
y", "Number of chat messages visible in history", "Number of chat messages visible in history", "Number of chat messages visible in history", "Number of chat messages

000227 | visible in history", "000000000000",
"STR_EXPANSION_SETTINGS_HUD_CHAT_OUTLINE_OPACITY", "TEXT OUTLINE OPACITY", "TEXT OUTLINE OPACITY", "TEXT OUTLINE OPACITY", "TEXT OUTLINE OPACITY", "SCHRIFTUMRISS-DECKKRAFT", "ТЕКСТ (ПРОЗРАЧ. ОБВОДКИ)", "TEXT OUTLINE OPACITY", "TEXT OUTLINE OPACITY", "TEXT OUTLINE OPACITY", "TEXT OUTLINE OPACITY", "TEXT OUTLINE OPACITY", "TEXT OUTLINE OPACITY", "TEXT OUTLINE OPACITY", "TEXT OUTLINE OPACITY", "TEXT OUTLINE OPACITY", "00000000",
000228 | "STR_EXPANSION_SETTINGS_HUD_CHAT_OUTLINE_OPACITY_DESC", "Chat message text outline opacity", "Chat message text outline opacity", "Chat message text outline opacity", "Chat message text outline opacity", "Deckkraft des Schriftumriss der Chatzeilen", "Прозрачность обводки текста сообщений чата.", "Chat message text outline opacity", "Chat message text outline opacity", "Chat message text outline opacity", "Chat message text outline opacity", "Chat message text outline opacity", "Chat message text outline opacity", "Chat message text outline opacity", "Chat message text outline opacity", "Chat message text outline opacity", "000000000000",
000229 | "STR_EXPANSION_SETTINGS_HUD_CHAT_OUTLINE_SIZE", "TEXT OUTLINE SIZE", "TEXT OUTLINE SIZE", "TEXT OUTLINE SIZE", "TEXT OUTLINE SIZE", "SCHRIFTUMRISS-BREITE", "ТЕКСТ (РАЗМЕР ОБВОДКИ)", "TEXT OUTLINE SIZE", "TEXT OUTLINE SIZE", "TEXT OUTLINE SIZE", "TEXT OUTLINE SIZE", "TEXT OUTLINE SIZE", "TEXT OUTLINE SIZE", "TEXT OUTLINE SIZE", "TEXT OUTLINE SIZE", "TEXT OUTLINE SIZE", "00000000",
000230 | "STR_EXPANSION_SETTINGS_HUD_CHAT_OUTLINE_SIZE_DESC", "Chat message text outline size", "Chat message text outline size", "Chat message text outline size", "Chat message text outline size", "Schriftumriss der Chatzeilen", "Размер обводки текста сообщений чата.", "Chat message text outline size", "Chat message text outline size", "Chat message text outline size", "Chat message text outline size", "Chat message text outline size", "Chat message text outline size", "Chat message text outline size", "Chat message text outline size", "Chat message text outline size", "000000000000",
000231 | "STR_EXPANSION_SETTINGS_HUD_CHAT_SHADOW_OFFSET_X", "TEXT SHADOW OFFSET X", "TEXT SHADOW OFFSET X", "TEXT SHADOW OFFSET X", "TEXT SHADOW OFFSET X", "TEXTSCHATTEN-VERSATZ X", "ТЕКСТ (СМЕЩ. ТЕНИ X)", "TEXT SHADOW OFFSET X", "TEXT SHADOW OFFSET X", "TEXT SHADOW OFFSET X", "TEXT SHADOW OFFSET X", "TEXT SHADOW OFFSET X", "TEXT SHADOW OFFSET X", "TEXT SHADOW OFFSET X", "TEXT SHADOW OFFSET X", "TEXT SHADOW OFFSET X", "TEXT SHADOW OFFSET X", "0000000000",
000232 | "STR_EXPANSION_SETTINGS_HUD_CHAT_SHADOW_OFFSET_X_DESC", "Chat message text shadow horizontal offset", "Chat message text shadow horizontal offset", "Chat message text shadow horizontal offset", "Chat message text shadow horizontal offset", "Horizontaler Textschatten-Versatz der Chatzeilen", "Смещение тени текста сообщений чата по Горизонтали.", "Chat message text shadow horizontal offset", "Chat message text shadow horizontal offset", "Chat message text shadow horizontal offset", "Chat message text shadow horizontal offset", "Chat message text shadow horizontal offset", "Chat message text shadow horizontal offset", "Chat message text shadow horizontal offset", "Chat message text shadow horizontal offset", "Chat message text shadow horizontal offset", "000000000000",
000233 | "STR_EXPANSION_SETTINGS_HUD_CHAT_SHADOW_OFFSET_Y", "TEXT SHADOW OFFSET Y", "TEXT SHADOW OFFSET Y", "TEXT SHADOW OFFSET Y", "TEXT SHADOW OFFSET Y", "TEXTSCHATTEN-VERSATZ Y", "ТЕКСТ (СМЕЩ. ТЕНИ Y)", "TEXT SHADOW OFFSET Y", "TEXT SHADOW OFFSET Y", "TEXT SHADOW OFFSET Y", "TEXT SHADOW OFFSET Y", "TEXT SHADOW OFFSET Y", "TEXT SHADOW OFFSET Y", "TEXT SHADOW OFFSET Y", "TEXT SHADOW OFFSET Y", "TEXT SHADOW OFFSET Y", "TEXT SHADOW OFFSET Y", "0000000000",
000234 | "STR_EXPANSION_SETTINGS_HUD_CHAT_SHADOW_OFFSET_Y_DESC", "Chat message text shadow vertical offset", "Chat message text shadow vertical offset", "Chat message text shadow vertical offset", "Chat message text shadow vertical offset", "Vertikaler Textschatten-Versatz der Chatzeilen", "Смещение тени текста сообщений чата по Вертикали.", "Chat message text shadow vertical offset", "Chat message text shadow vertical offset", "Chat message text shadow vertical offset", "Chat message text shadow vertical offset", "Chat message text shadow vertical offset", "Chat message text shadow vertical offset", "Chat message text shadow vertical offset", "Chat message text shadow vertical offset", "Chat message text shadow vertical offset", "000000000000",
000235 | "STR_EXPANSION_SETTINGS_HUD_CHAT_SHADOW_OPACITY", "TEXT SHADOW OPACITY", "TEXT SHADOW OPACITY", "TEXT SHADOW OPACITY", "TEXT SHADOW OPACITY", "TEXTSCHATTEN-DECKKRAFT", "ТЕКСТ (ПРОЗРАЧ. ТЕНИ)", "TEXT SHADOW OPACITY", "TEXT SHADOW OPACITY", "TEXT SHADOW OPACITY", "TEXT SHADOW OPACITY", "TEXT SHADOW OPACITY", "TEXT SHADOW OPACITY", "TEXT SHADOW OPACITY", "TEXT SHADOW OPACITY", "TEXT SHADOW OPACITY", "TEXT SHADOW OPACITY", "0000000000",
000236 | "STR_EXPANSION_SETTINGS_HUD_CHAT_SHADOW_OPACITY_DESC", "Chat message text shadow opacity", "Chat message text shadow opacity", "Chat message text shadow opacity", "Chat message text shadow opacity", "Deckkraft des Textschatten der Chatzeilen", "Прозрачность тени текста сообщений чата.", "Chat message text shadow opacity", "Chat message text shadow opacity", "Chat message text shadow opacity", "Chat message text shadow opacity", "Chat message text shadow opacity", "Chat message text shadow opacity", "Chat message text shadow opacity", "Chat message text shadow opacity", "Chat message text shadow opacity", "000000000000",
000237 | "STR_EXPANSION_SETTINGS_HUD_CHAT_SHADOW_SIZE", "TEXT SHADOW SIZE", "TEXT SHADOW SIZE", "TEXT SHADOW SIZE", "TEXT SHADOW SIZE", "TEXTSCHATTEN-BREITE", "ТЕКСТ (РАЗМЕР ТЕНИ)", "TEXT SHADOW SIZE", "TEXT SHADOW SIZE", "TEXT SHADOW SIZE", "TEXT SHADOW SIZE", "TEXT SHADOW SIZE", "TEXT SHADOW SIZE", "TEXT SHADOW SIZE", "TEXT SHADOW SIZE", "TEXT SHADOW SIZE", "00000000",
000238 | "STR_EXPANSION_SETTINGS_HUD_CHAT_SHADOW_SIZE_DESC", "Chat message text shadow size", "Chat message text shadow size", "Chat message text shadow size", "Chat message text shadow size", "Textschatten der Chatzeilen", "Размер тени текста сообщений чата.", "Chat message text shadow size", "Chat message text shadow size", "Chat message text shadow size", "Chat message text shadow size", "Chat message text shadow size", "Chat message text shadow size", "Chat message text shadow size", "Chat message text shadow size", "Chat message text shadow size", "000000000000",
000239 | "STR_EXPANSION_SETTINGS_HUD_CHAT_SIZE", "FONT SIZE", "FONT SIZE", "VELIKOST PÍSMÁ V CHATU", "SCHRIFTGRÖSSE", "РАЗМЕР ШРИФТА", "CHAT LINES FONT SIZE", "CHAT LINES FONT SIZE", "DIMENSIONE TESTO CHAT", "TAMAÑO DE FUENTE DE LÍNEAS DE CHAT", "TAILLE DU TCHAT", "00000000", "CHAT LINES FONT SIZE", "CHAT LINES FONT SIZE", "000000",
000240 | "STR_EXPANSION_SETTINGS_HUD_CHAT_SIZE_DESC", "Change font size of the chat lines.", "Change font size of the chat lines.", "Change font size of the chat lines.", "Změna velikosti písma v chatu.", "Schriftgröße der Chatzeilen ändern.", "Изменить размер шрифта линий чата.", "Change font size of the chat lines.", "Change font size of the chat lines.", "Change font size of the chat lines.", "Cambia la dimensione del font in chat di testo", "Cambia el tamaño de fuente de las líneas de chat.", "Changer la taille de police d'écriture dans le tchat", "000000000000", "Change font size of the chat lines.", "Change font size of the chat lines.", "000000000000",
000241 | "STR_EXPANSION_SETTINGS_HUD_CHAT_TOGGLE", "SHOW CHAT", "SHOW CHAT", "SHOW CHAT", "ZOBRAZIT CHAT", "CHAT ANZEIGEN", "ПОКАЗАТЬ ЧАТ", "SHOW CHAT", "SHOW CHAT", "SHOW CHAT", "SHOW CHAT", "SHOW CHAT", "SHOW CHAT", "SHOW CHAT", "AUFZEIGEN", "000000", "SHOW CHAT", "SHOW CHAT", "000000",
000242 | "STR_EXPANSION_SETTINGS_HUD_CHAT_TOGGLE_DESC", "Toggle visibility of the chat", "Toggle visibility of the chat", "Přepíná viditelnost chatu", "Umschalten der Sichtbarkeit des Chats", "Вкл/Выкл видимость чата", "Toggle visibility of the chat", "Toggle visibility of the chat", "Toggle visibility of the chat", "Toggle visibility of the chat", "Toggle visibility of the chat", "Basculer l'affichage du chat", "0000000000", "Toggle visibility of the chat", "Toggle visibility of the chat", "0000000000",
000243 | "STR_EXPANSION_SETTINGS_HUD_EARPLUG_LEVEL", "EARPLUG LEVEL", "EARPLUG LEVEL", "ÚROVEŇ ŠPUNTŮ DO UŠÍ", "ÖHRSTÖPSEL-LAUTSTÄRKE", "ГРОМКОСТЬ В БЕРУШАХ", "Poziom Zatyczek", "EARPLUG LEVEL", "LIVELLO TAPPI AURICOLARI", "Nivel de los tapones de oído", "NIVEAU BOUCHONS D'OREILLE", "000000", "EARPLUG LEVEL", "TAMPÃO DE OUVIDO - NÍVEL", "000000",
000244 | "STR_EXPANSION_SETTINGS_HUD_EARPLUG_LEVEL_DESC", "Change earplug level", "Change earplug level", "Změnit úroveň špuntů do uší.", "Lautstärke bei aktivierten Ohrstöpseln", "Изменить громкость в берушах.", "Zmien Poziom Zatyczek", "Change earplug level", "Cambia il volume percepito con i tappi auricolari", "Cambiar el nivel de los tapones de oído", "Changer le niveau des bouchons d'oreille", "00000000", "Change earplug level", "Altera o nível do tampão de ouvido.", "00000000",
000245 | "STR_EXPANSION_SETTINGS_HUD_GREEN_HEAD_PLAYER", "GREEN MARKER PARTY MEMBER", "GREEN MARKER PARTY MEMBER", "ZELENÁ ČÁST PARTY ZNAČKY", "GRÜN MARKIERTES GRUPPENMITGLIED", "УРОВЕНЬ ЗЕЛЁНОГО ДЛЯ МЕТОК ГРУППЫ", "ZIELEN ZNACZNIKA CZŁONKA GRUPY", "GREEN MARKER PARTY MEMBER", "VERDE MARCATORI DEI GIOCATORI", "Marcador verde para miembro del grupo", "MEMBRE DU GROUPE AVEC MARQUEUR VERT", "00000000", "GREEN MARKER PARTY MEMBER", "MARCAÇÃO VERDE DO MEMBRO DO GRUPO.", "00000000",
000246 | "STR_EXPANSION_SETTINGS_HUD_GREEN_HEAD_PLAYER_DESC", "Change green level of marker for party member", "Change green level of marker for party member", "Změnit podíl

zelené barvy na značce.", "Ändern der Grünstufe der Markierung für das Gruppenmitglied", "Изменить уровень зелёного для меток группы.", "Zmień zielony poziom znacznika dla członka grupy", "Change green level of marker for party member", "Cambia il livello di Verde nei marcatori dei giocatori nel gruppo.", "Cambiar marcador verde para miembro del grupo", "Changer le niveau de vert du marqueur pour les membres du groupe", "Change green level of marker for party member", "Altera o nível verde de marcador para membro do grupo.", "STR_EXPANSION_SETTINGS_HUD_RED_HEAD_PLAYER", "RED MARKER PARTY MEMBER", "RED MARKER PARTY MEMBER", "ČERVENÁ ČÁST PARTY ZNAČKY", "ROTE MARKIERUNG DES GRUPPENMITGLIEDS", "УРОВЕНЬ КРАСНОГО ДЛЯ МЕТОК ГРУППЫ", "CZERWIEŃ ZNACZNIKA CZŁONKA GRUPY", "RED MARKER PARTY MEMBER", "ROSSO MARCATORI DEI GIOCATORI", "Marcador rojo para miembro del grupo", "MEMBRE DU GROUPE AVEC MARQUEUR ROUGE", "RED MARKER PARTY MEMBER", "MARCAÇÃO VERMELHA DO MEMBRO DO GRUPO.", "STR_EXPANSION_SETTINGS_HUD_RED_HEAD_PLAYER_DESC", "Change red level of marker for party member", "Change red level of marker for party member", "Změnit podíl červené barvy na značce.", "Rotes Level der Markierung für das Gruppenmitglied ändern", "Изменить уровень красного для меток группы.", "Zmień czerwony poziom znacznika dla członka grupy", "Change red level of marker for party member", "Cambia il livello di Rosso nei marcatori dei giocatori nel gruppo.", "Cambiar marcador rojo para miembro del grupo", "Changer le niveau de rouge du marqueur pour les membres du groupe", "Change red level of marker for party member", "Alterar o nível vermelho de marcador para membro do grupo", "STR_EXPANSION_SETTINGS_HUD_SHOW_CLOCK", "SHOW CLOCK", "SHOW CLOCK", "UKÁZAT HODINY", "ZEIGE UHR", "HUD ЧАСЫ", "POKAŻ ZEGAR", "SHOW CLOCK", "MOSTRA OROLOGIO", "MOSTRAR RELÓJ", "AFFICHER L'HORLOGE", "MOSTRAR RELÓGIO", "STR_EXPANSION_SETTINGS_HUD_SHOW_CLOCK_DESC", "Toggle the view of the clock in the main user interface.", "Toggle the view of the clock in the main user interface.", "Přepnout hodiny v rámci UI.", "Schalte die Ansicht der Uhr im Benutzerfeld um.", "Вкл/Выкл отображение часов на интерфейсе.", "Włącz widok zegara w głównym interfejsie", "Toggle the view of the clock in the main user interface.", "Abilita / Disabilita la visione nell'interfaccia", "Selecione la vista del reloj en la interfaz de usuario.", "Bascule l'affichage de l'horloge dans l'interface utilisateur principale.", "Altera a visão do relógio no usuário principal.", "STR_EXPANSION_SETTINGS_HUD_SHOW_GPS", "SHOW GPS", "SHOW GPS", "UKÁZAT GPS", "ZEIGE DAS GPS", "HUD ЧАСЫ", "POKAŻ GPS", "SHOW GPS", "MOSTRA GPS", "MOSTRAR GPS", "AFFICHER GPS", "SHOW GPS", "MOSTRAR GPS", "STR_EXPANSION_SETTINGS_HUD_SHOW_GPS_DESC", "Toggle the view of the GPS.", "Toggle the view of the GPS.", "Přepnout náhled do GPS.", "Schalte die Ansicht des GPS um.", "Вкл/Выкл отображение GPS на интерфейсе.", "Przełącz widoczność GPS", "Toggle the view of the GPS.", "Abilita / Disabilita la visione del GPS", "Activar la visión del GPS", "Bascule l'affichage du GPS", "Toggle the view of the GPS.", "Ativa a visão do GPS.", "STR_EXPANSION_SETTINGS_INVENTORY", "INVENTORY SETTINGS", "INVENTORY SETTINGS", "INVENTORY", "INVENTAR-EINSTELLUNGEN", "ИНВЕНТАРЬ", "INVENTORY", "INVENTORY", "INVENTORY", "STR_EXPANSION_SETTINGS_INVENTORY_RARITY_COLOR_TOGGLE", "RARITY COLOR", "RARITY COLOR", "RARITY COLOR", "RARITY COLOR", "SELTENHEITS-FARBE", "ПОКАЗЫВАТЬ РЕДКОСТЬ", "RARITY COLOR", "RARITY COLOR", "RARITY COLOR", "RARITY COLOR", "RARITY COLOR", "STR_EXPANSION_SETTINGS_INVENTORY_RARITY_COLOR_TOGGLE_DESC", "Display rarity color on slot and inventory item backgrounds.", "Display rarity color on slot and inventory item backgrounds.", "Display rarity color on slot and inventory item backgrounds.", "Zeigt die Seltenheitsfarbe auf den Hintergründen von Slot- und Inventargegenständen an.", "Показывает цвет редкости на слотах и фоне предметов в инвентаре.", "Display rarity color on slot and inventory item backgrounds.", "Display rarity color on slot and inventory item backgrounds.", "Display rarity color on slot and inventory item backgrounds.", "Afficher la couleur de rareté sur les arrière-plans des emplacements et des objets en inventaire.", "Display rarity color on slot and inventory item backgrounds.", "Display rarity color on slot and inventory item backgrounds.", "STR_EXPANSION_SETTINGS_MAPMENULIST_STATE_PREFERENCE", "SHOW MARKERLIST BY DEFAULT", "SHOW MARKERLIST BY DEFAULT", "SHOW MARKERLIST BY DEFAULT", "VÝCHOZÍ ZOBRAZENÍ SEZNAMU ZNAČEK", "MARKER-LISTE A USKLÄPPEN", "СПИСОК-МЕТОК", "SHOW MARKERLIST BY DEFAULT", "SHOW MARKERLIST BY DEFAULT", "MOSTRA LISTA MARCATORI DI DEFAULT", "MOSTRAR LISTA DE MARCADORES POR DEFECTO", "AFFICHER LISTE DES MARQUEURS", "SHOW MARKERLIST BY DEFAULT", "SHOW MARKERLIST BY DEFAULT", "SHOW MARKERLIST BY DEFAULT", "STR_EXPANSION_SETTINGS_MAPMENULIST_STATE_PREFERENCE_DESC", "Expand the marker list when opening the map menu.", "Expand the marker list when opening the map menu.", "Rozbalí seznam značek při otevření mapy.", "Klappt die Markerliste beim Öffnen des Kartenmenüs standardmäßig aus.", "Вкл/Выкл этого параметра будет отображать/скрывать ""Список меток"" при открытии карты.", "Expand the marker list when opening the map menu.", "Expand the marker list when opening the map menu.", "Espande la lista marcatori quando si apre il Menu Mappa", "Expand the marker list when opening the map menu.", "Développez la liste des marqueurs lors de l'ouverture du menu de la carte.", "Expand the marker list when opening the map menu.", "Expand the marker list when opening the map menu.", "STR_EXPANSION_SETTINGS_MARKER_SIZE", "MARKER ICON SIZE", "MARKER ICON SIZE", "VELIKOST IKON ZNAČEK", "MARKERSYMBOL-GRÖSSE", "РАЗМЕР ЗНАЧКОВ И МЕТОК", "MARKER ICON SIZE", "MARKER ICON SIZE", "DIMENSIONE ICONE MARCATORI", "TAMAÑO DEL ICONO DE MARCADOR", "TAILLE DE L'ICÔNE DU MARQUEUR", "MARKER ICON SIZE", "MARKER ICON SIZE", "STR_EXPANSION_SETTINGS_MARKER_SIZE_DESC", "Change the map and world marker icon size.", "Change the map and world marker icon size.", "Změní velikost ikon značek na mapě a ve světě.", "Ändert die Größe des Karten- und Weltmarkierungssymbols.", "Измените размер значков карты и метков. Verysmall - Очень маленький. Small - Маленький. Medium - Средний. Large - Большой.", "Change the map and world marker icon size.", "Change the map and world marker icon size.", "Cambia le icone di mappa e marcatori", "Cambia el tamaño de marcadores en el mapa y HUD.", "Modifiez la taille de l'icône du marqueur de carte et du monde.", "Change the map and world marker icon size.", "Change the map and world marker icon size.", "STR_EXPANSION_SETTINGS_NOTIFICATIONS", "NOTIFICATION SETTINGS", "NOTIFICATION SETTINGS", "NASTAVENÍ OZNÁMENÍ", "BENACHRICHTIGUNGSEINSTELLUNGEN", "НАСТРОЙКИ УВЕДОМЛЕНИЙ", "USTAWIENIA POWIADOMIEŃ", "NOTIFICATION SETTINGS", "IMPOSTAZIONI DELLE NOTIFICHE", "AJUSTES DE NOTIFICACIONES", "OPTIONS DES NOTIFICATIONS", "STR_EXPANSION_SETTINGS_NOTIFICATIONS_DISPLAY", "DISPLAY NOTIFICATIONS", "DISPLAY NOTIFICATIONS", "ZOBRAZIT OZNÁMENÍ", "BENACHRICHTIGUNGEN", "ТЕКСТОВЫЕ УВЕДОМЛЕНИЯ", "POWIADOMIENIA NA WYŚWIETLACZU", "DISPLAY NOTIFICATIONS", "MOSTRA NOTIFICHE", "Mostrar Notificaciones", "AFFICHAGE DES NOTIFICATIONS", "DISPLAY NOTIFICATIONS", "MOSTRAR NOTIFICAÇÕES", "STR_EXPANSION_SETTINGS_NOTIFICATIONS_DISPLAY_DESC", "Toggle all notifications.", "Toggle all notifications.", "Zobrazit všechny oznámení.", "Alle Benachrichtigungen umschalten.", "Вкл/Выкл текстовые уведомления.", "Przełącz wszystkie powiadomienia.", "Toggle all notifications.", "Abilita / Disabilita tutte le notifiche", "Toggle all notifications.", "Bascule l'affichage des notifications.", "Toggle all notifications.", "Ativa todas as notificações.", "STR_EXPANSION_SETTINGS_NOTIFICATIONS_JOIN", "SHOW PLAYERS JOINING", "SHOW PLAYERS JOINING", "ZOBRAZIT PŘIPOJUJÍCÍ SE HRÁČE", "ZEIGE BETREITENDE SPIELER", "ВХОД ИГРОКОВ", "POKAŻ DOŁĄCZAJĄCYCH GRACZY", "SHOW PLAYERS JOINING", "MOSTRA GIOCATORI ENTRANTI", "MOSTRAR JUGADORES UNIÉNDOSE", "NOTIFICATIONS JOUEURS QUI REJOignent", "MOSTRAR JOGADORES ENTRANDO",

000278 | "STR_EXPANSION_SETTINGS_PARTY_QUICK_MARKER_NAME_DESC","Toggle the display of group members names on their quick marker.", "Toggle the display of group members name
s on their quick marker.", "Přepnout zobrazení jmen členů skupiny na jejich rychlé značce.", "Schaltet die Anzeige der Namen der Gruppenmitglieder auf den Schnellma
rkern um.", "Вкл/Выкл отображение имен членов группы на быстрой метке.", "Toggle the display of party members names on there quick marker.", "Toggle the display of p
arty members names on there quick marker.", "Attiva o disattiva la visualizzazione dei nomi dei compagni sui loro marcatori", "Alternar la visualización de los nomb
res de los miembros del grupo en su marcador rápido.", "Bascule l'affichage des noms des membres du groupe sur leur marqueur rapide.", "XXXXXXXXXXXXXXXXXXXX", "Toggle t
he display of party members names on there quick marker.", "Toggle the display of party members names on there quick marker.", "XXXXXXXXXXXXXXXXXXXX",
000279 | "STR_EXPANSION_SETTINGS_PLAYERARROW_COLOR", "PLAYER ARROW COLOR", "PLAYER ARROW COLOR", "BARVA IKONY HRÁČE", "FARBE DES SPIELERPFELS", "ЦВЕТ СТРЕЛКИ ИГРОКА", "PLAYER A
RROW COLOR", "PLAYER ARROW COLOR", "COLORE FRECCIA GIOCATORE", "PLAYER ARROW COLOR", "COULEUR FLÈCHE DU JOUEUR", "XXXXXX", "PLAYER ARROW COLOR", "PLAYER ARROW COLOR", "XXX
XXX",
000280 | "STR_EXPANSION_SETTINGS_PLAYERARROW_COLOR_DESC", "Color of the player arrow on the map.", "Color of the player arrow on the map.", "Barva ikony hráče na mapě.", "Farb
e des Spielerpfeils auf der Karte.", "Цвет стрелки игрока на карте.", "Color of the player arrow on the map.", "Color of the player arrow on the map.", "Colore della
freccia del giocatore sulla mappa", "Color of the player arrow on the map.", "Couleur de la flèche du joueur sur la carte.", "XXXXXXXXXXXX", "Color of the player arrow
on the map.", "Color of the player arrow on the map.", "XXXXXXXXXXXX",
000281 | "STR_EXPANSION_SETTINGS_P_MAXINPARTY", "Max. Party Size", "Max. Party Size", "Max. Velikost Skupiny", "Max. Gruppen-Größe", "Размер группы", "Max. Party Size", "Max. Par
ty Size", "Dimensione del Gruppo", "Tamaño de grupo.", "Taille de groupe", "XXXXXX", "Max. Party Size", "Max. Party Size", "XXXXXX",
000282 | "STR_EXPANSION_SETTINGS_P_MAXINPARTY_DESC", "Maximum players allowed in a Party", "Maximum players allowed in a Party", "Maximální povolený počet hráčů ve skupině.",
"Maximale Spieleranzahl in einer Gruppe", "Максимальное количество игроков в группе", "Maximum players allowed in a Party", "Maximum players allowed in a Party", "Mas
simo dei giocatori ammessi in un gruppo", "Cantidad maxima de miembros en un grupo.", "Nombre maximum de joueurs autorisés dans un groupe", "XXXXXXXXXXXX", "Maximum p
layers allowed in a Party", "Maximum players allowed in a Party", "XXXXXXXXXXXX",
000283 | "STR_EXPANSION_SETTINGS_P_USEWHOLEMAPFORINVITELIST", "Can invite anywhere", "Can invite anywhere", "Lze pozvat kdekoli", "Kann überall einladen", "Можно пригласить кор
о угодно", "Can invite anywhere", "Can invite anywhere", "Invito da dovunque", "Invitar desde cualquier lugar", "Peut inviter n'importe où", "XXXXXXXXXX", "Can invite anyw
here", "Can invite anywhere", "XXXXXXXXXX",
000284 | "STR_EXPANSION_SETTINGS_P_USEWHOLEMAPFORINVITELIST_DESC", "You can invite anyone regardless of their distance", "You can invite anyone regardless of their distance"
", "Můžeš pozvat kohokoli bez ohledu na vzdálenost.", "Du kannst jeden einladen, egal wie weit diese entfernt sind.", "Вы можете пригласить любого игрока, независимо
от его расстояния", "You can invite anyone regardless of their distance", "You can invite anyone regardless of their distance", "Permette di invitare chiunque indipe
ndentemente dalla distanza", "Poder invitar a cualquier jugador desde cualquier lugar del mapa.", "Vous pouvez inviter n'importe qui, quelle que soit sa distance", "
XXXXXXXXXXXXXXXXXXXX", "You can invite anyone regardless of their distance", "You can invite anyone regardless of their distance", "XXXXXXXXXXXXXXXXXXXX",
000285 | "STR_EXPANSION_SETTINGS_STREAMER_MODE", "MISC SETTINGS", "MISC SETTINGS", "STREAMEROVSKÉ NASTAVENÍ", "SONSTIGE EINSTELLUNGEN", "ПРОЧИЕ НАСТРОЙКИ", "POZOSTAŁE USTAWIENIA
", "MISC SETTINGS", "IMPOSTAZIONI VARIE", "OTRAS CONFIGURACIONES", "OPTIONS DIVERSES", "XXXX", "XXXX", "OPÇÕES DIVERSAS", "XXXX",
000286 | "STR_EXPANSION_SETTINGS_STREAMER_MODE_OPTION", "STREAMER MODE", "STREAMER MODE", "STREAMER MODE", "STREAMEROVSKÝ MÓD", "STREAMER-MODUS", "РЕЖИМ СТРИМЕРА", "TRYB STREAMERA", "STREAMER MOD
E", "MODALITA' STREAMER", "MODO STREAMER", "MODE STREAMEUR", "XXXX", "XXXXXXXXXX", "MODO STREAMER", "XXXX",
000287 | "STR_EXPANSION_SETTINGS_STREAMER_MODE_OPTION_DESC", "Enables the streamer mode that will allow you to hide several inputs that you dont want to be shown to the pub
lic (e.g. server info).", "Enables the streamer mode that will allow you to hide several inputs that you dont want to be shown to the public (e.g. server info).", "
Streamer mód skryje určité prvky v uživatelském rozhraní, které by mohly prozradit server.", "Ermöglicht es dir den Streamer-Modus einzuschalten, um gewisse Inform
ation der Öffentlichkeit nicht anzuzeigen (z.B. Serverinfos).", "Вкл/Выкл режим стримера, что позволяет скрыть определенные вещи, которые вы не хотите показывать."
", "Włącza tryb streamera, który pozwoli ci na ukrycie kilku elementów, których nie chcesz pokazywać publiczności.", "Enables the streamer mode that will allow you t
o hide several inputs that you dont want to be shown to the public.", "Abilita la modalità Streamer, che ti permette di nascondere diversi input vuoi non far veder
e ad altri.", "Habilita el modo streamer que te permite esconder entradas que no quieres que el publico vea.", "Active le mode streameur qui te permettra de cacher
des informations dont tu ne veux pas qu'elles soient montrées en public.", "XXXXXXXXXXXXXXXXXXXXXXXXXXXX", "XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX", "Ativa o modo de st
ream que permite ocultar várias entradas que você não deseja que sejam exibidas ao público.", "XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX",
000288 | "STR_EXPANSION_SETTINGS_STREAMER_MODE_SHOW_PIN_CODE", "SHOW PINCODES", "SHOW PINCODES", "ZOBRAZIT KÓDY PIN", "PINCODES ANZEIGEN", "ПОКАЗАТЬ PIN-КОДЫ", "POKAŻ KODY", "SHO
W PINCODES", "MOSTRA PIN", "Mostrar codigos PIN", "AFFICHER LES CODES PIN", "XXXX", "SHOW PINCODES", "MOSTRAR SENHAS", "PINPIN",
000289 | "STR_EXPANSION_SETTINGS_STREAMER_MODE_SHOW_PIN_CODE_DESC", "Toggles the display of pincodes in game and replaces the real characters with star characters.", "Toggle
s the display of pincodes in game and replaces the real characters with star characters.", "Přepnout zobrazení kódů PIN (nahradí za *).", "Schaltet die Anzeige von
Pincodes im Spiel um und ersetzt die echten Zeichen durch Sternzeichen.", "Вкл/Выкл отображение PIN-кодов в игре и заменяет на звёзды.", "Przełącza wyświetlanie kod
ów PIN w grze i zastępuje prawdziwe postacie gwiazdami.", "Toggles the display of pincodes in game and replaces the real characters with star characters.", "Abilita
/ Disabilita la visualizzazione dei PIN ingame, all'occorrenza nascondendoli e mostrando asterischi anziché ciò che diti", "Alterna la visualización de códigos
PIN en el juego y reemplaza los personajes reales con personajes estrella.", "Bascule l'affichage des codes pin en jeu et remplace les vrai caractères par des étoi
les.", "XXXXXXXXXXXXXXXXXXXXXXXXXXXX", "Toggles the display of pincodes in game and replaces the real characters with star characters.", "Alterna a exibição de códigos
PIN no jogo e os substitui por estrelas.", "XXXXXXXXPINXXXXXXXXXXXXXXXXXXXX",
000290 | "STR_EXPANSION_SILVER_BAR", "Silver Bar", "Silver Bar", "Stříbrný prut", "Silberbarren", "Серебрянный слиток", "Sztabka Srebra", "Silver Bar", "Lingotto di Argento", "Ling
ote de plata", "Lingot d'argent", "XX", "XXXX", "Barra de Prata", "XX",
000291 | "STR_EXPANSION_SILVER_BAR_DESC", "A silver bar, also called silver bullion or a silver ingot, is a quantity of refined metallic silver of any shape that is made by
a bar producer meeting standard conditions of manufacture, labeling, and record keeping. Larger silver bars that are produced by pouring the molten metal into mo
lds are called ingots.", "A silver bar, also called silver bullion or a silver ingot, is a quantity of refined metallic silver of any shape that is made by a bar p
roducer meeting standard conditions of manufacture, labeling, and record keeping. Larger silver bars that are produced by pouring the molten metal into molds are
called ingots.", "Stříbrný prut, také nazývaný stříbrný prut nebo stříbrný ingot, je množství rafinovaného kovového stříbra jakéhokoli tvaru, které vyrábí výrobce
prutů splňující standardní podmínky výroby, označování a vedení záznamů. Větší stříbrné tyče, které se vyrábějí nalitím roztaveného kovu do forem, se nazývají ing
oty.", "Ein Silberbarren ist eine Anhäufung von raffiniertem Silber, welche in einen Barren geschmolzen wurden.", "Представляет собой некое количество чистого сере
бра определенной формы с маркировкой. Производится путём заливки расплавленного металла.", "Sztabka Srebra to ilość rafinowanego metalicznego srebra o dowolnym kształ
cie, wytwarzana przez producenta sztabki spełniającego standardowe warunki produkcji, etykietowania i prowadzenia dokumentacji. Większe sztabki srebra wytwarzan
e przez wlewanie stopionego metalu do form nazywane są wlewkami.", "A silver bar, also called silver bullion or a silver ingot, is a quantity of refined metallic s

000314 | "STR_MOD_EXPANSION_DESC","The DayZ Expansion Mod extends the game with a variety of new content and game systems created on the basis of wishes from the DayZ community.", "The DayZ Expansion Mod extends the game with a variety of new content and game systems created on the basis of wishes from the DayZ community.", "DayZ Expansion mod rozšiřuje hru o nový obsah a herní systémy vytvořené na základě přání komunity DayZ.", "Die DayZ Expansion Mod erweitert das Spiel mit einer Menge neuer Features. Erstellt von der DayZ Community.", "DayZ Expansion - дополняет игру разнообразным новым контентом и игровыми системами, созданными на основе пожеланий сообщества DayZ.", "DayZ Expansion Mod rozszerza grę o szereg nowych treści i systemów gier stworzonych na podstawie życzeń społeczności DayZ.", "The DayZ Expansion Mod extends the game with a variety of new content and game systems created on the basis of wishes from the DayZ community.", "DayZ Expansion Mod amplia il gioco grazie ad una nuova varietà di contenuti e meccaniche di gioco create in base alle richieste della community di DayZ.", "El Mod DayZ Expansion extiende el juego con una variedad de contenido y sistemas creados en base a deseos de la comunidad.", "Le mod DayZ Expansion étend le jeu avec une variété de nouveaux contenus et systèmes de jeu créés sur la base des souhaits de la communauté DayZ.", "DayZ Expansion Mod DayZ", "The DayZ Expansion Mod extends the game with a variety of new content and game systems created on the basis of wishes from the DayZ community.", "O DayZ Expansion Mod estende o jogo com uma variedade de novos conteúdos e sistemas de jogos criados com base nos desejos da comunidade DayZ.", "DayZ",
000315 | "STR_MOD_EXPANSION_NAME","DayZ Expansion","DayZ Expansion","DayZ Expansion","DayZ Expansion","DayZ Expansion","DayZ Expansion","DayZ Expansion","DayZ Expansion","DayZ Expansion","DayZ Expansion","DayZ Expansion","DayZ Expansion","DayZ Expansion","DayZ Expansion",
000316 | "STR_USRACT_SEARCH","Search","Search","Hledat","Suche","Поиск","Przeszukaj","Keresés","Cerca","Buscar","Chercher","","","Pesquisar","",
000317 | "STR_settings_menu_root_Tabber_TabControls_TabBar_Tab_Control_Container_Tab_Control_4_Tab_Control_4_Title0","EXPANSION MOD","EXPANSION MOD","EXPANSION MOD","EXPANSION MOD","EXPANSION MOD","EXPANSION MOD","EXPANSION MOD","EXPANSION MOD","EXPANSION MOD","EXPANSION MOD","EXPANSION MOD","EXPANSION MOD","EXPANSION MOD",
000318 | n MOD",

0612. PBO TEXT FILE

Path: core pbo files expan/modstorage_scripts.pbo :: CORE

Size bytes: 0

SHA-256: e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

Decoded as: empty

Line count shown: 0

Full file content

000001 |

0613. PBO TEXT FILE

Path: core pbo files expan/notificationscheduler_scripts.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0614. PBO TEXT FILE

Path: core pbo files expan/objects_gear_spraycans.pbo :: CORE

Size bytes: 0

SHA-256: e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

Decoded as: empty

Line count shown: 0

Full file content

000001 |

0615. PBO TEXT FILE

Path: core pbo files expan/objects_structures_debug.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0616. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0617. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Blast.emat
Size bytes: 253
SHA-256: ad39cc235825bd32dca0ee9fc3d36f8485f682ce19fd256dd84eadda3f976021
Decoded as: utf-8-sig
Line count shown: 10

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{8E840AC8F535971E}DayZExpansion/Particles/Sprites/blast.edds" alpha  
000003 |   Color 0 0 0 1  
000004 |   Diffuse 0.5255 0.5255 0.5255 1  
000005 |   Ambient 0 0 0 1  
000006 |   Emissive 1 1 1 0  
000007 |   Sort translucent  
000008 |   ReceiveShadow 1  
000009 |   BlendMode Additive_AlphaModulate  
000010 | }
```

0618. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Explosion.emat
Size bytes: 267
SHA-256: 2fcf68c8624bc86230eecbca1e941d0cbcd7860002e231802f605a972507817
Decoded as: utf-8-sig
Line count shown: 12

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{6CAFE54454CEBE09}DayZExpansion/Particles/Sprites/explosion.edds"  
000003 |   Color 0 0 0 1  
000004 |   Diffuse 0.5255 0.5255 0.5255 1  
000005 |   Ambient 0 0 0 1  
000006 |   Emissive 1 1 1 0  
000007 |   Sort translucent  
000008 |   AlphaTest 0  
000009 |   BlendMode Additive_AlphaModulate  
000010 |   TileU 6  
000011 |   TileV 5  
000012 | }
```

0619. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Fire.emat
Size bytes: 278
SHA-256: 9d66452831186b5527c131e7e25de291916a689aec0f3454d412a3aa9db7034a
Decoded as: utf-8-sig
Line count shown: 13

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{8CD12DAA2613A121}DayZExpansion/Particles/Sprites/fire.edds"  
000003 |   Color 0 0 0 1  
000004 |   Diffuse 0.5255 0.5255 0.5255 1  
000005 |   Ambient 0 0 0 1  
000006 |   Emissive 1 1 1 0  
000007 |   Sort translucent  
000008 |   AlphaTest 0  
000009 |   BlendMode Additive_AlphaModulate  
000010 |   TileU 8  
000011 |   TileV 4  
000012 |   Softness 0.25  
000013 | }
```


0620. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Inferno.emat
Size bytes: 253
SHA-256: 01308d2302b6638e69a4882a1f75f59c3284cda03c78387e49a250b4a9800f27
Decoded as: utf-8-sig
Line count shown: 10

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{9AE939087240FB68}DayZExpansion/Particles/Sprites/inferno.edds" alpha  
000003 |   Color 0 0 0 1  
000004 |   Diffuse 0.5255 0.5255 0.5255 1  
000005 |   Ambient 0 0 0 1  
000006 |   Emissive 1 1 1 0  
000007 |   Sort translucent  
000008 |   BlendMode Additive_AlphaModulate  
000009 |   Softness 0.25  
000010 | }
```

0621. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Metal.emat
Size bytes: 178
SHA-256: 8846b124a47cf090647057e185d90023a4b382bb359e03d6669bd67de2c7ebbf
Decoded as: utf-8-sig
Line count shown: 9

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{2AF527D91EE689A4}DayZExpansion/Particles/Sprites/metal.edds"  
000003 |   Diffuse 0 0 0 0  
000004 |   Ambient 0 0 0 1  
000005 |   Sort translucent  
000006 |   AlphaTest 0  
000007 |   TileU 3  
000008 |   TileV 3  
000009 | }
```

0622. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Shot.emat
Size bytes: 235
SHA-256: eedbf810dad44d8f46b6b6444fad27cb47acbf486683a7715ce50406efd948d5
Decoded as: utf-8-sig
Line count shown: 11

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{5C963A1618B4CD72}DayZExpansion/Particles/Sprites/shot.edds" alpha  
000003 |   Color 0 0 0 1  
000004 |   Diffuse 0 0 0 1  
000005 |   Emissive 1 1 1 0  
000006 |   Sort translucent  
000007 |   AlphaTest 0  
000008 |   BlendMode Additive_AlphaModulate  
000009 |   TileU 8  
000010 |   TileV 4  
000011 | }
```

0623. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Smoke.emat
Size bytes: 303
SHA-256: ac3cd2b631008ba5884ceb3e45f55578f6fd2a097e4d2f4559b2ac7fef3b88b6
Decoded as: utf-8-sig
Line count shown: 12

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{CCC2BDC4ED4BE73C}DayZExpansion/Particles/Sprites/smoke.edds" alpha  
000003 |   Color 0 0 0 1  
000004 |   Diffuse 0 0 0 0  
000005 |   Ambient 0 0 0 1  
000006 |   NormalMap "{CE09BDE242263A16}DayZExpansion/Particles/Sprites/Normals/smoke.edds"  
000007 |   AlphaTest 0  
000008 |   TileU 2  
000009 |   TileV 2  
000010 |   DepthScale 4  
000011 |   CameraBlendFar 0.001  
000012 | }
```

0624. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Snow.emat
Size bytes: 234
SHA-256: 13bc458b15705862f49d88d1cecb80b40a7ac84bc4720db778af73226fff6740
Decoded as: utf-8-sig
Line count shown: 9

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{DF7C29C342EF81B1}DayZExpansion/Particles/Sprites/snow.edds" alpha  
000003 |   Color 0 0 0 1  
000004 |   Diffuse 0.5255 0.5255 0.5255 1  
000005 |   Ambient 0 0 0 1  
000006 |   Emissive 1 1 1 0  
000007 |   Sort translucent  
000008 |   BlendMode Additive_AlphaModulate  
000009 | }
```

0625. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Spark.emat
Size bytes: 235
SHA-256: f603e37706ccbeddd268c943487e10483c8c0056ce6a233db936051359fbc02b
Decoded as: utf-8-sig
Line count shown: 9

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{3D62DF5BA328C034}DayZExpansion/Particles/Sprites/spark.edds" alpha  
000003 |   Color 0 0 0 1  
000004 |   Diffuse 0.5255 0.5255 0.5255 1  
000005 |   Ambient 0 0 0 1  
000006 |   Emissive 1 1 1 0  
000007 |   Sort translucent  
000008 |   BlendMode Additive_AlphaModulate  
000009 | }
```

0626. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Splash.emat

Size bytes: 167

SHA-256: 6b8619a2fe2c1d81f7061ce46c9bef5e9140627fcad70f2786dfc5334c42e4bb

Decoded as: utf-8-sig

Line count shown: 6

Full file content

```
000001 | Particle {
000002 |   AlbedoMap "{9BDE476E53F3C7AA}DayZExpansion/Particles/Sprites/splash.edds" alpha
000003 |   Diffuse 0.5255 0.5255 0.5255 1
000004 |   Emissive 1 1 1 0
000005 |   Sort translucent
000006 | }
```

0627. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Helicopter\Expansion_Material_Drips.emat
Size bytes: 199
SHA-256: 82d7614246feb7a231e6d426742ec47d60d2c5ccc0f7e54cc3049e358b568d5e
Decoded as: utf-8-sig
Line count shown: 7

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{EE3CC94548E6DBC7}DayZExpansion/Particles/Sprites/drop.edds" alpha  
000003 |   Diffuse 0.5255 0.5255 0.5255 1  
000004 |   Sort translucent  
000005 |   ReceiveShadow 1  
000006 |   BlendMode Additive_AlphaModulate  
000007 | }
```


0628. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Helicopter\Expansion_Material_Dust.emat
Size bytes: 164
SHA-256: 909c5ad4abb62cd86f73f71aebf8c3ab67f600d636b3f4bf0a424c6335b7173f
Decoded as: utf-8-sig
Line count shown: 6

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{DCC3BDC4ED4BE73C}DayZExpansion/Particles/Sprites/dust.edds" alpha  
000003 |   Diffuse 0.5255 0.5255 0.5255 1  
000004 |   Sort translucent  
000005 |   ReceiveShadow 1  
000006 | }
```

0629. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Helicopter\Expansion_Material_Gravel.emat
Size bytes: 166
SHA-256: ef6c458f8de8972cc097e560148168b18999d2e2fb44693d2491f5ee29e2040f
Decoded as: utf-8-sig
Line count shown: 6

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{67179320079DBDB0}DayZExpansion/Particles/Sprites/gravel.edds" alpha  
000003 |   Diffuse 0.5255 0.5255 0.5255 1  
000004 |   Sort translucent  
000005 |   ReceiveShadow 1  
000006 | }
```

0630. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Helicopter\Expansion_Material_Splash.emat
Size bytes: 201
SHA-256: a786fc7edef73c5cc37250595eddf6b616cb052f3227134502e413c60a41dec2
Decoded as: utf-8-sig
Line count shown: 7

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{9BDE476E53F3C7AA}DayZExpansion/Particles/Sprites/splash.edds" alpha  
000003 |   Diffuse 0.5255 0.5255 0.5255 1  
000004 |   Sort translucent  
000005 |   ReceiveShadow 1  
000006 |   BlendMode Additive_AlphaModulate  
000007 | }
```

0631. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Helicopter\Expansion_Material_Water.emat
Size bytes: 200
SHA-256: e8415f271c1dd2ffa9dcb53cece60385ee2d7b30a796c0bdded93e937556f038
Decoded as: utf-8-sig
Line count shown: 7

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{16E1385AEC17A4AC}DayZExpansion/Particles/Sprites/water.edds" alpha  
000003 |   Diffuse 0.5255 0.5255 0.5255 1  
000004 |   Sort translucent  
000005 |   ReceiveShadow 1  
000006 |   BlendMode Additive_AlphaModulate  
000007 | }
```

0632. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\World\Data\Expansion_Material_Antiwater.emat

Size bytes: 301

SHA-256: 5f966b9694470d3a5aad7dc5e340243bc0175063a27e278931040a6503311ee2

Decoded as: utf-8-sig

Line count shown: 17

Full file content

```
000001 | MatWaterPool {
000002 |   Color 0 0 0 0
000003 |   ZWrite 0
000004 |   OceanScatteringColor 0 0 0 0
000005 |   NormalPower 0.01
000006 |   NormalMapping 0.005
000007 |   SunPower 2
000008 |   SunInfluence 0
000009 |   SunNormalMul 0.01
000010 |   WaterExtinction 100
000011 |   RefractScale 0.4
000012 |   ChromAberation 0.15
000013 |   WindInfl 0
000014 |   WetFloor 2
000015 |   ReflectionColor 0 0 0 0
000016 |   StreamTransform 0
000017 | }
```

0633. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\World\Data\Expansion_Material_Antiwater.rvmat
Size bytes: 51
SHA-256: fb937768745b10ce5872d5fb9a4a55e7c21981b8c978ad5349281d67e0fac0d6
Decoded as: utf-8-sig
Line count shown: 2

Full file content

```
000001 | PixelShaderID = "Super";  
000002 | VertexShaderID = "Super";
```

0634. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Cloud.emat
Size bytes: 328
SHA-256: 9c5be97e142a90cc69cd67dac923841453d0ff81b504a9241f3744200963cc4f
Decoded as: utf-8-sig
Line count shown: 11

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{B73AEC2B027D4D00}graphics/Particles/sprites/cloud_01_b_df.edds"  
000003 |   Diffuse 0.7216 0.7216 0.7216 1  
000004 |   Ambient 0.3922 0.3922 0.3922 1  
000005 |   NormalMap "{94ACD68D2987BFA2}graphics/Particles/sprites/cloud_01_b_nm.edds"  
000006 |   BlendMode Additive_AlphaModulate  
000007 |   TileU 2  
000008 |   TileV 2  
000009 |   Softness 2  
000010 |   CameraBlendFar 0.001  
000011 | }
```

0635. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Cloud.emat.meta

Size bytes: 327

SHA-256: 29cae4a9f04e3bc773a7048932789813eecbd7878b28d28949f22cfcaba036b6

Decoded as: utf-8-sig

Line count shown: 15

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{0105FA7C516744F7}DayZExpansion/Particles/Materials/World/Expansion_Material_Cloud.emat"
000003 |   Author "3112"
000004 |   ChangeDate 1111680636
000005 |   Configurations {
000006 |     EMATResourceClass PC {
000007 |     }
000008 |     EMATResourceClass XBOX_ONE : PC {
000009 |     }
000010 |     EMATResourceClass PS4 : PC {
000011 |     }
000012 |     EMATResourceClass LINUX : PC {
000013 |     }
000014 |   }
000015 | }
```


0636. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Fog.emat
Size bytes: 114
SHA-256: 37c8b852d00d8435bef744875bb6fb4b7175f0fda9bbd40ea6987bab88e2d111
Decoded as: utf-8-sig
Line count shown: 4

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{41028461BB7B744E}DayZExpansion/Particles/Sprites/white.edds" alpha  
000003 |   Sort translucent  
000004 | }
```

0637. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Fog.emat.meta
Size bytes: 337
SHA-256: 326279848ae1a192b9d982f3880f9a59462e0dd14b7fb97c0dcef27fa3d34fd7
Decoded as: utf-8-sig
Line count shown: 15

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{520BE503B06E1FC5}DayZExpansion/Particles/Materials/World/Expansion_Material_Fog.emat"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate -1965725561  
000005 |   Configurations {  
000006 |     EMATResourceClass PC {  
000007 |     }  
000008 |     EMATResourceClass XBOX_ONE : PC {  
000009 |     }  
000010 |     EMATResourceClass PS4 : PC {  
000011 |     }  
000012 |     EMATResourceClass LINUX : PC {  
000013 |     }  
000014 |   }  
000015 | }
```

0638. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Ocean.emat
Size bytes: 810
SHA-256: 4758f233c8b5989d1ae1800a42efbda3d37dd98b3a29d4ef11b213cd59512be0
Decoded as: utf-8-sig
Line count shown: 28

Full file content

```
000001 | MatOceanOld {  
000002 |   Color 0.04 0.1 0.12 0  
000003 |   DeepMap "{0DE9ACA1E3D366FB}graphics/Textures/Water/sat_co.edds"  
000004 |   DeepMapCoord 0 0 15384 15384  
000005 |   DepthScattering 0.8  
000006 |   NormalMap "{00043BD4DA5F1244}graphics/Textures/Water/dayzwater1_no.edds"  
000007 |   NormalPower 0.25  
000008 |   NormalMapping 0.01  
000009 |   SunPower 256  
000010 |   SunInfluence 4  
000011 |   SunNormalMul 0.4  
000012 |   WaterExtinction 15  
000013 |   RefractScale 0.5  
000014 |   ChromAberation 0.1  
000015 |   CausticMap "{EA764AD7A6112284}graphics/Textures/Water/caustic.edds"  
000016 |   Caustic 0.5  
000017 |   WetFloor 0.5  
000018 |   EnvironmentMap "{C458941836528F9F}graphics/Textures/Water/env0cean_co.edds"  
000019 |   ReflectionColor 0.1 0.15 0.2 0.5  
000020 |   Fresnel 0.05  
000021 |   FresnelRange 0.44  
000022 |   FoamMap "{A3B149218D8C5200}graphics/Textures/Water/foam.edds"  
000023 |   FoamTerrainBlend 0.5  
000024 |   FoamMapping 0.5  
000025 |   FoamMove 0.05  
000026 |   FoamPower 0.64  
000027 |   FoamColor 0.2667 0.2667 0.251 1  
000028 | }
```

0639. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Ocean.emat.meta

Size bytes: 337

SHA-256: 2e9ea6409b77633b2c802dba90372a3a75461fb6360353c19403ea80facfd243

Decoded as: utf-8-sig

Line count shown: 15

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{5DCC3416E18F592C}DayZExpansion/Particles/Materials/World/Expansion_Material_Ocean.emat"
000003 |   Author "desktop-795a08b"
000004 |   ChangeDate 518908047
000005 |   Configurations {
000006 |     EMATResourceClass PC {
000007 |     }
000008 |     EMATResourceClass XBOX_ONE : PC {
000009 |     }
000010 |     EMATResourceClass PS4 : PC {
000011 |     }
000012 |     EMATResourceClass LINUX : PC {
000013 |     }
000014 |   }
000015 | }
```

0640. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Ocean_Nice.emat
Size bytes: 871
SHA-256: 85e180155f9225f8172565ab4941c9cb5d56923e700c932fdf89079680278ebd
Decoded as: utf-8-sig
Line count shown: 32

Full file content

```
000001 | MatOceanOld {
000002 |   Color 0.04 0.1 0.12 0
000003 |   Sort translucent
000004 |   CastShadow 1
000005 |   ReceiveShadow 1
000006 |   DeepMap "{0DE9ACA1E3D366FB}graphics/Textures/Water/sat_co.edds"
000007 |   DeepMapCoord 0 0 15384 15384
000008 |   DepthScattering 0.75
000009 |   NormalMap "{00043BD4DA5F1244}graphics/Textures/Water/dayzwater1_no.edds"
000010 |   NormalPower 0.25
000011 |   NormalMapping 0.01
000012 |   SunPower 512
000013 |   SunInfluence 4
000014 |   SunNormalMul 0.4
000015 |   WaterExtinction 15
000016 |   GeometryBlend 1
000017 |   RefractScale 0.5
000018 |   ChromAberation 0.1
000019 |   CausticMap "{EA764AD7A6112284}graphics/Textures/Water/caustic.edds" alpha
000020 |   Caustic 3
000021 |   WetFloor 2
000022 |   EnvironmentMap "{C458941836528F9F}graphics/Textures/Water/envOcean_co.edds"
000023 |   ReflectionColor 0.1 0.15 0.2 0.5
000024 |   Fresnel 0.3
000025 |   FresnelRange 0.5
000026 |   FoamMap "{A3B149218D8C5200}graphics/Textures/Water/foam.edds"
000027 |   FoamMapping 0.5
000028 |   FoamMove 0.05
000029 |   FoamPower 2
000030 |   FoamColor 0.2667 0.2667 0.251 1
000031 |   TimeMul 0.525
000032 | }
```

0641. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Ocean_Nice.emat.meta
Size bytes: 342
SHA-256: 309492f538f205c1321c4041f8a4c1384b71c3a5cb38971a638f7517b5eede98
Decoded as: utf-8-sig
Line count shown: 15

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{71A6259AA29D1AFA}DayZExpansion/Particles/Materials/World/Expansion_Material_Ocean_Nice.emat"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate 586016911  
000005 |   Configurations {  
000006 |     EMATResourceClass PC {  
000007 |     }  
000008 |     EMATResourceClass XBOX_ONE : PC {  
000009 |     }  
000010 |     EMATResourceClass PS4 : PC {  
000011 |     }  
000012 |     EMATResourceClass LINUX : PC {  
000013 |     }  
000014 |   }  
000015 | }
```

0642. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Ocean_Storm.emat
Size bytes: 786
SHA-256: b9bf4825c7264d9075a82ca10ccdbba5ce83fe107b752ab854d8e0ab020fae81
Decoded as: utf-8-sig
Line count shown: 27

Full file content

```
000001 | MatOceanOld {  
000002 |   Color 0.03 0.03 0.03 0  
000003 |   DeepMap "{0DE9ACA1E3D366FB}graphics/Textures/Water/sat_co.edds"  
000004 |   DeepMapCoord 0 0 15384 15384  
000005 |   DepthScattering 0.5  
000006 |   NormalMap "{00043BD4DA5F1244}graphics/Textures/Water/dayzwater1_no.edds"  
000007 |   NormalPower 0.25  
000008 |   NormalMapping 0.01  
000009 |   SunPower 512  
000010 |   SunInfluence 1  
000011 |   SunNormalMul 0.4  
000012 |   WaterExtinction 5  
000013 |   RefractScale 0.5  
000014 |   ChromAberation 0.02  
000015 |   CausticMap "{EA764AD7A6112284}graphics/Textures/Water/caustic.edds"  
000016 |   Caustic 0.15  
000017 |   WetFloor 0.5  
000018 |   EnvironmentMap "{C458941836528F9F}graphics/Textures/Water/env0cean_co.edds"  
000019 |   ReflectionColor 0.1 0.1 0.1 0.5  
000020 |   Fresnel 0.05  
000021 |   FresnelRange 0.44  
000022 |   GreyModifier 0.8  
000023 |   FoamMap "{A3B149218D8C5200}graphics/Textures/Water/foam.edds"  
000024 |   FoamMove 0.05  
000025 |   FoamPower 3  
000026 |   FoamColor 0.2667 0.2667 0.251 1  
000027 | }
```

0643. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Ocean_Storm.emat.meta

Size bytes: 343

SHA-256: cbc3e6ee2f3589358a5fddee3914f7dbccb763cc605d733a0a20b6e60dd4c76b

Decoded as: utf-8-sig

Line count shown: 15

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{52820612B43B2E7B}DayZExpansion/Particles/Materials/World/Expansion_Material_Ocean_Storm.emat"
000003 |   Author "desktop-795a08b"
000004 |   ChangeDate 653125775
000005 |   Configurations {
000006 |     EMATResourceClass PC {
000007 |     }
000008 |     EMATResourceClass XBOX_ONE : PC {
000009 |     }
000010 |     EMATResourceClass PS4 : PC {
000011 |     }
000012 |     EMATResourceClass LINUX : PC {
000013 |     }
000014 |   }
000015 | }
```


0644. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\blast.edds.meta
Size bytes: 344
SHA-256: c4bd086b3ae0e4dae2c3ed9d4b65cec1ba5d6209d2c6bb212b749334dc72701b
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{8E840AC8F535971E}DayZExpansion/Particles/Sprites/blast_wave.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate 1772464246  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "blast_wave.tga"  
000008 |     }  
000009 |     TGAResourceClass XBOX_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0645. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\drop.edds.meta
Size bytes: 336
SHA-256: a58e7bdca6ac1bb26733b83095c54dbc974a8f69579e31d34a05641dec8751d1
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{EE3CC94548E6DBC7}DayZExpansion/Particles/Sprites/drop01.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate -666589066  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "drop01.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0646. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\dust.edds.meta
Size bytes: 332
SHA-256: 103e8c3f0e7f43d4ff711424086c8db6a6f493f5c84d280974361467de4147bf
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{DCC3BDC4ED4BE73C}DayZExpansion/Particles/Sprites/dust.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate 1492478070  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "dust.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0647. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\explosion.edds.meta
Size bytes: 349
SHA-256: b5928fc95fd9e95f35300ea06038652b179ebd369cfc7a3c095a64d26a6175ca
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{6CAFE54454CEBE09}DayZExpansion/Particles/Sprites/explosionsoft.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate 777021559  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "explosionsoft.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0648. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\fire.edds.meta
Size bytes: 333
SHA-256: 4de0e039b3cd0d691e6cfedfbb6ff3820d0d43e40dbf0a94a7a658f07ab15068
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{8CD12DAA2613A121}DayZExpansion/Particles/Sprites/fire.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate -1116018569  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "fire.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0649. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\gravel.edds.meta
Size bytes: 336
SHA-256: 1c5504b19c1661f2a33b63246b5b8e5823fc78f42521eb03f874d7976dc63d3b
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{67179320079DBDB0}DayZExpansion/Particles/Sprites/gravel.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate 1334667382  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "gravel.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0650. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\inferno.edds.meta
Size bytes: 338
SHA-256: 88df845fd2883d0f3b55d231e7ff0afa8e45caaaf728cce0c2c5fc2799f0356a
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{9AE939087240FB68}DayZExpansion/Particles/Sprites/inferno.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate 1345710198  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "inferno.tga"  
000008 |     }  
000009 |     TGAResourceClass XBOX_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0651. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\metal.edds.meta
Size bytes: 334
SHA-256: 966f38fece6b6d2f23c82f0b5553501a42ccd87416c0706adfc51d0320f9f34
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{2AF527D91EE689A4}DayZExpansion/Particles/Sprites/metal.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate -591206281  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "metal.tga"  
000008 |     }  
000009 |     TGAResourceClass XBOX_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```


0652. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\Normals\smoke.edds.meta
Size bytes: 347
SHA-256: 2a564cb1dfc93467fbf18e476b7fe4f1559b76ac27cadbc3f0e4c29421a6c221
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{CE09BDE242263A16}DayZExpansion/Particles/Sprites/smoke2_nohq.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate -1390909321  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "smoke2_nohq.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0653. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\shot.edds.meta
Size bytes: 352
SHA-256: a5ea3922b9a980103badba54947eb8c7a168bb02ad8bbbed6a95c2578378853e7
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{5C963A1618B4CD72}DayZExpansion/Particles/Sprites/fire_billowing.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate 1833298038  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "fire_billowing.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0654. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\smoke.edds.meta
Size bytes: 416
SHA-256: 573efefdd68852ec7353f74375179ae30597919cf2ea744f8353d5c72670dce8
Decoded as: utf-8-sig
Line count shown: 19

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{CCC2BDC4ED4BE73C}DayZExpansion/Particles/Sprites/smoke.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate 1981098117  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "smoke.tga"  
000008 |       FormatCompress Copy  
000009 |       ConversionQuality 1  
000010 |       Swizzling TerrainLayerTexture  
000011 |     }  
000012 |     TGAResourceClass XBOX_ONE : PC {  
000013 |     }  
000014 |     TGAResourceClass PS4 : PC {  
000015 |     }  
000016 |     TGAResourceClass LINUX : PC {  
000017 |     }  
000018 |   }  
000019 | }
```

0655. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\snow.edds.meta
Size bytes: 342
SHA-256: b6a5b19fbb2ba182286038e6c0dd253d491432b4082c2914def0856fdd5930d1
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{DF7C29C342EF81B1}DayZExpansion/Particles/Sprites/snowdense.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate 1570105462  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "snowdense.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0656. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\spark.edds.meta
Size bytes: 334
SHA-256: 089cd9288438685e9fa45bd2299a934179b85868e87d629b0722ff976d93c04c
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{3D62DF5BA328C034}DayZExpansion/Particles/Sprites/spark.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate 1083041910  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "spark.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0657. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\splash.edds.meta
Size bytes: 335
SHA-256: eca6f9ef04cff601773f70d8680f29886aa38e65a2fc94ad0fce23072d10f734
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{9BDE476E53F3C7AA}DayZExpansion/Particles/Sprites/splash.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate 330049655  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "splash.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0658. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\water.edds.meta
Size bytes: 335
SHA-256: 1823b6ac6ac62da057344b11523c862e84f5ed5da449c1a86029f4a56069abe3
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{16E1385AEC17A4AC}DayZExpansion/Particles/Sprites/water.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate -2106808202  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "water.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0659. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\white.edds.meta
Size bytes: 334
SHA-256: 04289268064b4ffbbe4f8c2aa54a2e840b95763a2f4695f281dfc3158a4b8f85
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{41028461BB7B744E}DayZExpansion/Particles/Sprites/white.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate -654481273  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "white.tga"  
000008 |     }  
000009 |     TGAResourceClass XBOX_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```


0660. PBO TEXT FILE

Path: core pbo files expan/sounds_items_spraycan.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0661. PBO TEXT FILE

Path: core pbo files expan/sounds_ui.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0662. PBO TEXT FILE

Path: core pbo files expan/structures_industrial_misc.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0663. PBO TEXT FILE

Path: core pbo files expan/structures_industrial_power.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0664. PBO TEXT FILE

Path: core pbo files expan/structures_residential_misc.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0665. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_animals.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0666. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_gui.pbo :: CORE

Size bytes: 0

SHA-256: e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

Decoded as: empty

Line count shown: 0

Full file content

000001 |

0667. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_gui.pbo :: layouts\new_ui\options\keybindings_selectors\keybinding_option.layout

Size bytes: 3592

SHA-256: 4a54df91d51a216f6abb926929a9bebf9dab130e6cf966a57e18d8db5543bcf

Decoded as: utf-8-sig

Line count shown: 167

Full file content

```
000001 | FrameWidgetClass container {
000002 |   ignorepointer 1
000003 |   position 0 0
000004 |   size 1 30
000005 |   hexactpos 1
000006 |   vexactpos 1
000007 |   hexactsize 0
000008 |   vexactsize 1
000009 | {
000010 |   GridSpacerWidgetClass setting {
000011 |     ignorepointer 1
000012 |     position 0 0
000013 |     size 1 30
000014 |     hexactpos 1
000015 |     vexactpos 1
000016 |     hexactsize 0
000017 |     vexactsize 1
000018 |     "no focus" 1
000019 |     Padding 8
000020 |     Margin 0
000021 |     "Size To Content H" 1
000022 |     Columns 2
000023 |     Rows 1
000024 |     {
000025 |       FrameWidgetClass setting_panel {
000026 |         clipchildren 0
000027 |         ignorepointer 1
000028 |         position 0 0
000029 |         size 0.35 0.6
000030 |         hexactpos 1
000031 |         vexactpos 1
000032 |         hexactsize 0
000033 |         vexactsize 0
000034 |         {
000035 |           TextWidgetClass setting_label {
000036 |             clipchildren 0
000037 |             ignorepointer 1
000038 |             position 4 0
000039 |             size 0.97 0.6
000040 |             valign center_ref
000041 |             hexactpos 1
000042 |             vexactpos 1
000043 |             hexactsize 0
000044 |             vexactsize 0
000045 |             font "gui/fonts/sdf_MetronLight24"
000046 |             "exact text" 0
000047 |             "exact text size" 18
000048 |             "text valign" center
000049 |           }
000050 |           TextWidgetClass modifier_label {
000051 |             clipchildren 0
```



```
000052 |         ignorepointer 1
000053 |         position 4 0
000054 |         size 0.3 0.6
000055 |         halign right_ref
000056 |         valign center_ref
000057 |         hexactpos 1
000058 |         vexactpos 1
000059 |         hexactsize 0
000060 |         vexactsize 0
000061 |         font "gui/fonts/sdf_MetronLight24"
000062 |         "exact text" 0
000063 |         "exact text size" 18
000064 |         "text halign" right
000065 |         "text valign" center
000066 |     }
000067 | }
000068 | }
000069 | FrameWidgetClass setting_option {
000070 |     ignorepointer 1
000071 |     position 0 0
000072 |     size 0.65 1
000073 |     hexactpos 1
000074 |     vexactpos 1
000075 |     hexactsize 0
000076 |     vexactsize 0
000077 | {
000078 |     ButtonWidgetClass primary_bind {
000079 |         color 0 0 0 0.8627
000080 |         position 0 0
000081 |         size 0.49 1
000082 |         hexactpos 1
000083 |         vexactpos 1
000084 |         hexactsize 0
000085 |         vexactsize 0
000086 |         style Colorable
000087 |         "no focus" 1
000088 |         text "0"
000089 |         text_offset 16 0
000090 |         text_proportion 0.55
000091 |         text_halign left
000092 |         font "gui/fonts/sdf_MetronBook24"
000093 |     {
000094 |         TextWidgetClass primary_clear {
000095 |             visible 0
000096 |             position 2 0
000097 |             size 30 1
000098 |             halign right_ref
000099 |             valign center_ref
000100 |             hexactpos 1
000101 |             vexactpos 1
000102 |             hexactsize 1
000103 |             vexactsize 0
000104 |             text "X"
000105 |             font "gui/fonts/sdf_MetronLight24"
000106 |             text_proportion 0.55
000107 |             "text halign" center
000108 |             "text valign" center
000109 |         }
000110 |     }
000111 | }
000112 | ButtonWidgetClass alternative_bind {
000113 |     visible 1
```

```
000114 | color 0 0 0 0.8627
000115 | position 0 0
000116 | size 0.49 1
000117 | halign right_ref
000118 | hexactpos 0
000119 | vexactpos 1
000120 | hexactsiz 0
000121 | vexactsiz 0
000122 | style Colorable
000123 | "no focus" 1
000124 | text_offset 16 0
000125 | text_proportion 0.55
000126 | text_halign left
000127 | font "gui/fonts/sdf_MetronBook24"
000128 | {
000129 |   TextWidgetClass alternative_clear {
000130 |     visible 0
000131 |     clipchildren 1
000132 |     position 2 0
000133 |     size 30 1
000134 |     halign right_ref
000135 |     valign center_ref
000136 |     hexactpos 1
000137 |     vexactpos 1
000138 |     hexactsiz 1
000139 |     vexactsiz 0
000140 |     text "X"
000141 |     font "gui/fonts/sdf_MetronBook24"
000142 |     "text offset" -1 0
000143 |     text_proportion 0.5
000144 |     "text halign" center
000145 |     "text valign" center
000146 |   }
000147 | }
000148 | }
000149 | }
000150 | }
000151 | }
000152 | }
000153 | PanelWidgetClass setting_disable {
000154 |   visible 0
000155 |   ignorepointer 1
000156 |   color 0.1569 0.1569 0.1569 0.902
000157 |   position 0 0
000158 |   size 1 1
000159 |   hexactpos 1
000160 |   vexactpos 1
000161 |   hexactsiz 0
000162 |   vexactsiz 0
000163 |   style rover_sim_colorable
000164 |   "no focus" 1
000165 | }
000166 | }
000167 | }
```

0668. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0669. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_sounds.pbo :: CORE

Size bytes: 0

SHA-256: e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

Decoded as: empty

Line count shown: 0

Full file content

000001 |