SAMHDA

SUBSTANCE ABUSE & MENTAL HEALTH DATA ARCHIVE

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2010

Lloyd D. Johnston
University of Michigan. Institute for Social Research. Survey Research Center

Jerald G. Bachman
University of Michigan. Institute for Social Research. Survey Research Center

Patrick M. O'Malley
University of Michigan. Institute for Social Research. Survey Research Center

John E. Schulenberg
University of Michigan. Institute for Social Research. Survey Research Center

Form 1 Data Codebook

Terms of Use

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

TABLE OF CONTENTS

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2010 is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, and John Schulenberg, co-principal investigators.) The research project is unusually comprehensive in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 11 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate only very small decreases in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationally representative sample of high school seniors in public and private schools is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 350 seniors may be included in the data collection. In schools with fewer than 350 seniors, we attempt to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. A sampling weight is assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two- year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and

examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A local SRC representative is assigned to work with the school to set a mutually agreeable date for the survey and to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter to the parents describing the study and providing them an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward.

Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automated scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer file at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the cross-time index of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

_____

_____

A.   DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others

regarding drugs.

B. EDUCATION. Educational lifestyle, values, experiences, and environments

C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities including computer use, preferences regarding occupational characteristics and type of work setting.

D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.

E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.

F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.

G. RELIGION. Religious affiliation, practices, and views.

H. POLITICS. Political affiliation, activities, and views.

I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.

J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.

K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).

L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.

M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.

N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.

O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.

P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.

Q OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility, boredom.

R. BACKGROUND. Demographic and family background characteristics, living arrangements.

S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.

T. HEALTH. Health habits, somatic symptoms, illness, medical treatment.

_____

_____

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples.

About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors attending private or public schools throughout the 48 contiguous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate

are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all 12[th] graders sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire, either on their own or because their parents refused consent. However, SRC representatives in the field estimate this proportion to be only about two percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 3 – 4 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of

schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- each of which constitutes approximately 8-15 percent of each year's sample -- are represented by perhaps as few as 200 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial

comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to under represent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and descriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

Frequency and percentage distributions displayed in codebooks produced after 2007 are unweighted, rather than weighted by variable V5 as they had been in previous years. This change was made to simplify both the production of the codebooks and their interpretation by the analyst.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2010 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ascii text file.

part #	form	# of variables	Logical record length	Unweighted n
1	Core	189	392	15,127
2	Form 1	637	1,285	2,526
3	Form 2	329	671	2,536
4	Form 3	359	732	2,523
5	Form 4	270	556	2,496
6	Form 5	320	653	2,519
7	Form 6	336	686	2,527

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers. The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V2119	[2] 082A04E #X INTERNET NEWS

[3] Location: 64-65(width: 2, decimal: 0)
[4] Variable Type: numeric (ISO)
[5] Range of Missing Values (M):   -9
       Question:

[6] Item Number: 24815

[7] Question Number(s): 2A04E

[8] How often do you use each of the following to get information about news and current events?

E: The Internet

[9] 5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

V2119:082A04E #X INTERNET NEWS				
Value [10]	Label [11]	Unweighted Frequency [12]	% [13]	Valid % [14]
1	NEVER:(1)	280	5.2%	5.2%
2	FEW/YR:(2)	216	4.0%	4.0%
3	1-2/MO:(3)	576	10.6%	10.8%
4	1 /WK:(4)	1235	22.8%	23.1%
5	NR DAILY:(5)	3050	56.3%	56.9%
-9(M)	MISSING:(-9)	59	1.1%	-

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

[2] Indicates the abbreviated variable name used to identify the variable for the user.

[3] Indicates starting and ending column locations of this variable. Variable width and number of decimal places are noted within parentheses.

[4] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).

[5] Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes:-9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.

[6] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.

[7] The question number, which consists of the number of the questionnaire form, the alphabetic section, the question number itself, and, if part of a series, the alphabetic part.

[8] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.

[9] Response category codes and the full text of the answer categories as they are worded in the questionnaire.

[10] Indicates the code values occurring in the data for this variable.

[11] Indicates the text labels of the codes for this variable, as they are provided in the data.

[12] Indicates the frequency of occurrence of each code value for this variable.

[13] Indicates the percentage distribution of each code value for this variable including cases where the value is missing.

[14] Indicates the percentage distribution of each code value for this variable excluding cases where the value is missing.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

For reasons of confidentiality, the weight variable (V5) was altered from its original version to a modified version prior to public distribution of the data. THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND THOSE FROM WEIGHTED ANALYSES OF THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

OMITTED VARIABLES:

All datasets	C01. R'S BIRTH YEAR
	C02. R'S BIRTH MONTH
	C04A-I, R'S RACE (9 categories)
	C07A-B. # OLDER BR/SR, # YOUNGER BR/SR
	C07Ca,e-i. R'S HSHLD (other than mother/father/sibling)
	C13A. R'S RELGS PRFNC
Form 1	D19. CURRENT HEIGHT
	D20. CURRENT WEIGHT
Form 2	2A19P. ARRSTD&TKN 2 POL
Form 5	5A21. CURRENT HEIGHT
	5A22. CURRENT WEIGHT

RECODED VARIABLES:

Core dataset and Part C section of individual forms
AGE <> 18 DICHOTOMY
1=younger than 18 years old,
2=18 years old or more
-9=missing data on birth year, or birth month if it is required
Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy
1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing data on Q. C04.
From 2006 on, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS
Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)
0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING
0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]
0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]
0=None, 1=One, 2=Two, 3=Three or More

Core dataset (Part B)
*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]
 Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]
 Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

Form 6
   A10. EVER HELD BACK
     1=No, 2=Yes

   A11. NEED SUMMER SCHL
     1=No, 2=Yes

   A12. EVER SUSPENDED
     1=No, 2=Yes

MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC
	C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT
	4A15B GD LIV TG BF MRG
	4A15C 1 PRTNR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND
	5A18J FULLR LVS IF MRY
	5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK
	6A08B #X PRNT HLP HMWK
	6A08C #X PRNT GV CHORE
	6A08D #X PRNT LIMIT TV
	6A08E #X PRNT LMT OUT

QUESTIONNAIRE FORM 1 PROCESSING

The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

REVISED QUESTION TEXT FOR THE CORE DATASET

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series.   This additional text is meant to clarify and provide detail about the question for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.

ICPSR 30985

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2010

Form 1 Data

CASEID	CASE IDENTIFICATION NUMBER
Location:	1-4 (width: 4; decimal: 0)
Variable Type:	numeric
	Based upon 2526 valid cases out of 2526 total cases.

V1	YEAR OF ADMIN (4-DIGITS)
Location:	5-8 (width: 4; decimal: 0)
Variable Type:	numeric

Value	Unweighted Frequency	%	Valid %
2010	2526	100.0 %	100.0%

Based upon 2526 valid cases out of 2526 total cases.

V3	101:FORM ID
Location:	9-10 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Unweighted Frequency	%	Valid %
1	2526	100.0 %	100.0%

Based upon 2526 valid cases out of 2526 total cases.

V4	101:Rs ID-SERIAL #
Location:	11-15 (width: 5; decimal: 0)
Variable Type:	numeric
	Based upon 2526 valid cases out of 2526 total cases.

V5	SAMPLING WEIGHT
Location:	16-21 (width: 6; decimal: 4)
Variable Type:	numeric
	Based upon 2526 valid cases out of 2526 total cases.

V13	SCH REG-4 CAT
Location:	22-23 (width: 2; decimal: 0)
Variable Type:	numeric
Question:	

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

Value	Label	Unweighted Frequency	%	Valid %
1	NORTHEAST:(1)	541	21.4 %	21.4%
2	NORTH CENTRL:(2)	615	24.3 %	24.3%
3	SOUTH:(3)	849	33.6 %	33.6%
4	WEST:(4)	521	20.6 %	20.6%

Based upon 2526 valid cases out of 2526 total cases.

V16   LARGE MSA=1/NOT=0

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	Label	Unweighted Frequency	%	Valid %
0	NOT:(0)	1655	65.5 %	65.5%
1	LARGE MSA:(1)	871	34.5 %	34.5%

Based upon 2526 valid cases out of 2526 total cases.

V17   MSA/NON MSA=0

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

Question:

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	Label	Unweighted Frequency	%	Valid %
0	NOT:(0)	453	17.9 %	17.9%
1	MSA:(1)	2073	82.1 %	82.1%

Based upon 2526 valid cases out of 2526 total cases.

V1633   101A001:VRY HPY THS DAY

Location: 28-29 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01190

Taking all things together, how would you say things are
these days--would you say you're very happy, pretty happy,
or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

Value	Label	Unweighted Frequency	%	Valid %
1	NT HAPPY:(1)	310	12.3 %	12.4%
2	PRTY HPY:(2)	1583	62.7 %	63.4%
3	VRY HPY:(3)	605	24.0 %	24.2%
-9 (M)	MISSING:(-9)	28	1.1 %	-

Based upon 2498 valid cases out of 2526 total cases.

V1634	**101A002A:US NEEDS PLANNG**

Location:	30-31 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01200

How much do you agree or disagree with each of the following
statements?

A: The nation needs much more long-range planning and
coordination to be prepared for the future

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	67	2.7 %	2.7%
2	MOST DIS:(2)	91	3.6 %	3.7%
3	NEITHER:(3)	401	15.9 %	16.1%
4	MOST AGR:(4)	1026	40.6 %	41.3%
5	AGREE:(5)	900	35.6 %	36.2%
-9 (M)	MISSING:(-9)	41	1.6 %	-

Based upon 2485 valid cases out of 2526 total cases.

V1635	**101A002B:ENJOY FAST PACE**

Location:	32-33 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01210

How much do you agree or disagree with each of the following statements?

B: I enjoy the fast pace and changes of today's world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	230	9.1 %	9.3%
2	MOST DIS:(2)	400	15.8 %	16.1%
3	NEITHER:(3)	724	28.7 %	29.1%
4	MOST AGR:(4)	772	30.6 %	31.1%
5	AGREE:(5)	358	14.2 %	14.4%
-9 (M)	MISSING:(-9)	42	1.7 %	-

Based upon 2484 valid cases out of 2526 total cases.

V1636	**101A002C:THG CHG 2 QUICK**

Location:	34-35 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01220

How much do you agree or disagree with each of the following statements?

C: Things change too quickly in today's world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	247	9.8 %	9.9%
2	MOST DIS:(2)	439	17.4 %	17.7%
3	NEITHER:(3)	623	24.7 %	25.1%
4	MOST AGR:(4)	690	27.3 %	27.8%
5	AGREE:(5)	485	19.2 %	19.5%
-9 (M)	MISSING:(-9)	42	1.7 %	-

Based upon 2484 valid cases out of 2526 total cases.

V1637	101A002D:X AHEAD TOUGHER

Location:	36-37 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01230

How much do you agree or disagree with each of the following statements?

D: I think the times ahead for me will be tougher and less fun than things are now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	372	14.7 %	15.0%
2	MOST DIS:(2)	443	17.5 %	17.9%
3	NEITHER:(3)	478	18.9 %	19.3%
4	MOST AGR:(4)	585	23.2 %	23.6%
5	AGREE:(5)	598	23.7 %	24.2%
-9 (M)	MISSING:(-9)	50	2.0 %	-

Based upon 2476 valid cases out of 2526 total cases.

V1638	101A003:TM SPT ADLT MST

Location:	38-39 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01240

Of all the time you spend with other people, about how much is spent with people over 30?

1="Very Little" 2="Some" 3="About Half" 4="Most" 5="Nearly All"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY LITL:(1)	723	28.6 %	28.8%
2	SOME:(2)	961	38.0 %	38.3%
3	ABT HALF:(3)	580	23.0 %	23.1%
4	MOST:(4)	184	7.3 %	7.3%
5	NRLY ALL:(5)	59	2.3 %	2.4%
-9 (M)	MISSING:(-9)	19	0.8 %	-

Based upon 2507 valid cases out of 2526 total cases.

V1639	101A004:LK MR TM ADLT

Location:	40-41 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01250

Would you like to spend more time, or less time, with people over 30 if you could?

1="Much less time" 2="Somewhat less time" 3="About the same as now" 4="Somewhat more time" 5="Much more time"

Value	Label	Unweighted Frequency	%	Valid %
1	MCH LESS:(1)	230	9.1 %	9.2%
2	SMWT LESS:(2)	321	12.7 %	12.8%
3	SAME:(3)	1583	62.7 %	63.3%
4	SMWT MORE:(4)	303	12.0 %	12.1%
5	MCH MORE:(5)	64	2.5 %	2.6%
-9 (M)	MISSING:(-9)	25	1.0 %	-

Based upon 2501 valid cases out of 2526 total cases.

V1640	101A005:LK MR TM YG CHD

Location:	42-43 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01260

Would you like to spend more time, or less time, working with or helping younger children?

1="Much less time" 2="Somewhat less time" 3="About the same as now" 4="Somewhat more time" 5="Much more time"

Value	Label	Unweighted Frequency	%	Valid %
1	MCH LESS:(1)	215	8.5 %	8.6%
2	SMWT LESS:(2)	184	7.3 %	7.4%
3	SAME:(3)	830	32.9 %	33.2%
4	SMWT MORE:(4)	806	31.9 %	32.2%
5	MCH MORE:(5)	466	18.4 %	18.6%
-9 (M)	MISSING:(-9)	25	1.0 %	-

Based upon 2501 valid cases out of 2526 total cases.

V1641	101A006A:SAT PRESENT JOB

Location:	44-45 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01270

The next questions ask how satisfied or dissatisfied you are with several aspects of your life. For each question, mark the circle that shows best how you feel. If you are neutral about something, or are just as satisfied as you are dissatisfied, mark the middle answer. How satisfied are you with . . .

A: . . . Your job? (If you have no job, leave blank)

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	80	3.2 %	6.2%
2	-	44	1.7 %	3.4%
3	-	86	3.4 %	6.7%
4	NEUTRAL:(4)	320	12.7 %	24.7%
5	-	242	9.6 %	18.7%
6	-	266	10.5 %	20.6%
7	COMP SAT:(7)	255	10.1 %	19.7%
-9 (M)	MISSING:(-9)	1233	48.8 %	-

Based upon 1293 valid cases out of 2526 total cases.

V1642	101A006B:SAT NEIGHBORHOD

Location:	46-47 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01280

How satisfied are you with . . .

B: . . . The neighborhood where you live?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	106	4.2 %	4.2%
2	-	106	4.2 %	4.2%
3	-	162	6.4 %	6.5%
4	NEUTRAL:(4)	504	20.0 %	20.2%
5	-	326	12.9 %	13.0%
6	-	524	20.7 %	21.0%
7	COMP SAT:(7)	773	30.6 %	30.9%
-9 (M)	MISSING:(-9)	25	1.0 %	-

Based upon 2501 valid cases out of 2526 total cases.

V1643	101A006C:SAT PRSNL SAFTY

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01290

How satisfied are you with . . .

C: . . . Your personal safety in your neighborhood, on your job, and in your school--safety from being attacked and injured in some way?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	62	2.5 %	2.5%
2	-	56	2.2 %	2.2%
3	-	148	5.9 %	5.9%
4	NEUTRAL:(4)	390	15.4 %	15.6%
5	-	322	12.7 %	12.9%
6	-	614	24.3 %	24.6%
7	COMP SAT:(7)	906	35.9 %	36.3%
-9 (M)	MISSING:(-9)	28	1.1 %	-

Based upon 2498 valid cases out of 2526 total cases.

V1644	101A006D:SAT OWN PROP SF

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01300

How satisfied are you with . . .

D: . . . The safety of things you own from being stolen or destroyed in your neighborhood, on your job, and in your school?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	137	5.4 %	5.5%
2	-	125	4.9 %	5.0%
3	-	275	10.9 %	11.0%
4	NEUTRAL:(4)	436	17.3 %	17.5%
5	-	420	16.6 %	16.8%
6	-	590	23.4 %	23.6%
7	COMP SAT:(7)	515	20.4 %	20.6%
-9 (M)	MISSING:(-9)	28	1.1 %	-

Based upon 2498 valid cases out of 2526 total cases.

V1645   101A006E:SAT EDUC EXPRNC

Location:	52-53 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01310

How satisfied are you with . . .

E: . . . Your educational experiences?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	58	2.3 %	2.3%
2	-	74	2.9 %	3.0%
3	-	159	6.3 %	6.4%
4	NEUTRAL:(4)	427	16.9 %	17.2%
5	-	488	19.3 %	19.6%
6	-	711	28.1 %	28.6%
7	COMP SAT:(7)	567	22.4 %	22.8%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	42	1.7 %	-

Based upon 2484 valid cases out of 2526 total cases.

V1646	**101A006F:SAT OWN FRIENDS**

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01320

How satisfied are you with . . .

F: . . . Your friends and other people you spend time with?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	29	1.1 %	1.2%
2	-	30	1.2 %	1.2%
3	-	69	2.7 %	2.8%
4	NEUTRAL:(4)	198	7.8 %	7.9%
5	-	251	9.9 %	10.1%
6	-	687	27.2 %	27.5%
7	COMP SAT:(7)	1233	48.8 %	49.4%
-9 (M)	MISSING:(-9)	29	1.1 %	-

Based upon 2497 valid cases out of 2526 total cases.

V1647	**101A006G:SAT GT ALNG PRN**

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01330

How satisfied are you with . . .

G: . . . The way you get along with your parents?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	111	4.4 %	4.4%
2	-	88	3.5 %	3.5%
3	-	188	7.4 %	7.5%
4	NEUTRAL:(4)	342	13.5 %	13.7%
5	-	376	14.9 %	15.1%
6	-	607	24.0 %	24.3%
7	COMP SAT:(7)	785	31.1 %	31.4%
-9 (M)	MISSING:(-9)	29	1.1 %	-

Based upon 2497 valid cases out of 2526 total cases.

V1648	**101A006H:SAT YOURSELF**

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01340

How satisfied are you with . . .

H: . . . Yourself?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	52	2.1 %	2.1%
2	-	69	2.7 %	2.8%
3	-	121	4.8 %	4.9%
4	NEUTRAL:(4)	357	14.1 %	14.3%
5	-	373	14.8 %	15.0%
6	-	612	24.2 %	24.6%
7	COMP SAT:(7)	906	35.9 %	36.4%
-9 (M)	MISSING:(-9)	36	1.4 %	-

Based upon 2490 valid cases out of 2526 total cases.

V1649	**101A006I:SAT STD OF LVG**

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01350

How satisfied are you with . . .

I: . . . Your standard of living--the things you have like housing, car, furniture, recreation, and the like?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	41	1.6 %	1.6%
2	-	53	2.1 %	2.1%
3	-	122	4.8 %	4.9%
4	NEUTRAL:(4)	290	11.5 %	11.6%
5	-	409	16.2 %	16.4%
6	-	666	26.4 %	26.6%
7	COMP SAT:(7)	919	36.4 %	36.8%
-9 (M)	MISSING:(-9)	26	1.0 %	-

Based upon 2500 valid cases out of 2526 total cases.

V1650	**101A006J:SAT TIME FR THG**

Location:	62-63 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01360

How satisfied are you with . . .

J: . . . The amount of time you have for doing things you want to do?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	134	5.3 %	5.4%
2	-	161	6.4 %	6.4%
3	-	311	12.3 %	12.5%
4	NEUTRAL:(4)	409	16.2 %	16.4%
5	-	525	20.8 %	21.0%
6	-	515	20.4 %	20.6%
7	COMP SAT:(7)	442	17.5 %	17.7%
-9 (M)	MISSING:(-9)	29	1.1 %	-

Based upon 2497 valid cases out of 2526 total cases.

V1651	101A006K:SAT SPD LEISR

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01370

How satisfied are you with . . .

K: . . . The way you spend your leisure time--recreation, relaxation, and so on?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	71	2.8 %	2.8%
2	-	94	3.7 %	3.8%
3	-	195	7.7 %	7.8%
4	NEUTRAL:(4)	408	16.2 %	16.3%
5	-	477	18.9 %	19.1%
6	-	579	22.9 %	23.2%
7	COMP SAT:(7)	673	26.6 %	27.0%
-9 (M)	MISSING:(-9)	29	1.1 %	-

Based upon 2497 valid cases out of 2526 total cases.

V1652	101A006L:SAT LIFE AS WHL

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01380

How satisfied are you with . . .

L: . . . Your life as a whole these days?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	55	2.2 %	2.2%
2	-	61	2.4 %	2.4%
3	-	158	6.3 %	6.3%
4	NEUTRAL:(4)	453	17.9 %	18.2%

Value	Label	Unweighted Frequency	%	Valid %
5	-	503	19.9 %	20.2%
6	-	699	27.7 %	28.1%
7	COMP SAT:(7)	561	22.2 %	22.5%
-9 (M)	MISSING:(-9)	36	1.4 %	-

Based upon 2490 valid cases out of 2526 total cases.

V1653	**101A006M:SAT GOVT OPRTNG**

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01390

How satisfied are you with . . .

M: . . . The way our national government is operating?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	438	17.3 %	17.6%
2	-	321	12.7 %	12.9%
3	-	446	17.7 %	17.9%
4	NEUTRAL:(4)	831	32.9 %	33.3%
5	-	277	11.0 %	11.1%
6	-	113	4.5 %	4.5%
7	COMP SAT:(7)	68	2.7 %	2.7%
-9 (M)	MISSING:(-9)	32	1.3 %	-

Based upon 2494 valid cases out of 2526 total cases.

V1654	**101A006N:SAT AMT OF FUN**

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01400

How satisfied are you with . . .

N: . . . The amount of fun you are having?

7="Completely Satisfied" 4="Neutral" 1="Completely

Dissatisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	91	3.6 %	3.6%
2	-	79	3.1 %	3.2%
3	-	171	6.8 %	6.8%
4	NEUTRAL:(4)	408	16.2 %	16.3%
5	-	505	20.0 %	20.2%
6	-	655	25.9 %	26.2%
7	COMP SAT:(7)	594	23.5 %	23.7%
-9 (M)	MISSING:(-9)	23	0.9 %	-

Based upon 2503 valid cases out of 2526 total cases.

V1655	**101A007A:IMP B SUCCSS WK**

Location:	72-73 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01410

How important is each of the following to you in your life?

A: Being successful in my line of work

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	33	1.3 %	1.3%
2	SOM IMPT:(2)	144	5.7 %	5.8%
3	QUITE IM:(3)	615	24.3 %	24.8%
4	EXTR IMP:(4)	1691	66.9 %	68.1%
-9 (M)	MISSING:(-9)	43	1.7 %	-

Based upon 2483 valid cases out of 2526 total cases.

V1656	**101A007B:IMP GD MRRG/FAM**

Location:	74-75 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01420

How important is each of the following to you in your life?

B: Having a good marriage and family life

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	71	2.8 %	2.9%
2	SOM IMPT:(2)	152	6.0 %	6.1%
3	QUITE IM:(3)	392	15.5 %	15.8%
4	EXTR IMP:(4)	1865	73.8 %	75.2%
-9 (M)	MISSING:(-9)	46	1.8 %	-

Based upon 2480 valid cases out of 2526 total cases.

V1657	**101A007C:IMP LOTS OF $**

Location:	76-77 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01430

How important is each of the following to you in your life?

C: Having lots of money

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	154	6.1 %	6.2%
2	SOM IMPT:(2)	693	27.4 %	28.0%
3	QUITE IM:(3)	912	36.1 %	36.8%
4	EXTR IMP:(4)	720	28.5 %	29.0%
-9 (M)	MISSING:(-9)	47	1.9 %	-

Based upon 2479 valid cases out of 2526 total cases.

V1658	**101A007D:IMP TM RCRN/HBY**

Location:	78-79 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01440

How important is each of the following to you in your life?

D: Having plenty of time for recreation and hobbies

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	53	2.1 %	2.1%
2	SOM IMPT:(2)	501	19.8 %	20.2%
3	QUITE IM:(3)	1116	44.2 %	44.9%
4	EXTR IMP:(4)	813	32.2 %	32.7%
-9 (M)	MISSING:(-9)	43	1.7 %	-

Based upon 2483 valid cases out of 2526 total cases.

V1659	**101A007E:IMP STRG FRDSHP**

Location:	80-81 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01450

How important is each of the following to you in your life?

E: Having strong friendships

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	47	1.9 %	1.9%
2	SOM IMPT:(2)	185	7.3 %	7.4%
3	QUITE IM:(3)	649	25.7 %	26.1%
4	EXTR IMP:(4)	1605	63.5 %	64.6%
-9 (M)	MISSING:(-9)	40	1.6 %	-

Based upon 2486 valid cases out of 2526 total cases.

V1660	**101A007F:IMP STEADY WORK**

Location:	82-83 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01460

How important is each of the following to you in your life?

F: Being able to find steady work

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	33	1.3 %	1.3%
2	SOM IMPT:(2)	97	3.8 %	3.9%
3	QUITE IM:(3)	535	21.2 %	21.6%
4	EXTR IMP:(4)	1816	71.9 %	73.2%
-9 (M)	MISSING:(-9)	45	1.8 %	-

Based upon 2481 valid cases out of 2526 total cases.

V1661	**101A007G:IMP CNTRBTN SOC**

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01470

How important is each of the following to you in your life?

G: Making a contribution to society

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	134	5.3 %	5.4%
2	SOM IMPT:(2)	690	27.3 %	27.8%
3	QUITE IM:(3)	935	37.0 %	37.7%
4	EXTR IMP:(4)	720	28.5 %	29.0%
-9 (M)	MISSING:(-9)	47	1.9 %	-

Based upon 2479 valid cases out of 2526 total cases.

V1662	**101A007H:IMP LDR COMUNTY**

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01480

How important is each of the following to you in your life?

H: Being a leader in my community

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	426	16.9 %	17.2%
2	SOM IMPT:(2)	898	35.6 %	36.3%
3	QUITE IM:(3)	689	27.3 %	27.8%
4	EXTR IMP:(4)	463	18.3 %	18.7%
-9 (M)	MISSING:(-9)	50	2.0 %	-

Based upon 2476 valid cases out of 2526 total cases.

V1663	**101A007I:IMP CHLD BTR OP**

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01490

How important is each of the following to you in your life?

I: Being able to give my children better opportunities than I've had

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	60	2.4 %	2.4%
2	SOM IMPT:(2)	144	5.7 %	5.8%
3	QUITE IM:(3)	517	20.5 %	21.0%
4	EXTR IMP:(4)	1744	69.0 %	70.8%
-9 (M)	MISSING:(-9)	61	2.4 %	-

Based upon 2465 valid cases out of 2526 total cases.

V1664	**101A007J:IMP LIV CLS PRN**

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01500

How important is each of the following to you in your life?

J: Living close to parents and relatives

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	344	13.6 %	13.9%
2	SOM IMPT:(2)	902	35.7 %	36.4%
3	QUITE IM:(3)	757	30.0 %	30.6%
4	EXTR IMP:(4)	474	18.8 %	19.1%
-9 (M)	MISSING:(-9)	49	1.9 %	-

Based upon 2477 valid cases out of 2526 total cases.

V1665	**101A007K:IMP GT AWY AREA**

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01510

How important is each of the following to you in your life?

K: Getting away from this area of the country

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	1064	42.1 %	42.9%
2	SOM IMPT:(2)	621	24.6 %	25.0%
3	QUITE IM:(3)	379	15.0 %	15.3%
4	EXTR IMP:(4)	418	16.5 %	16.8%
-9 (M)	MISSING:(-9)	44	1.7 %	-

Based upon 2482 valid cases out of 2526 total cases.

V1666	**101A007L:IMP CRRCT INEQL**

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01520

How important is each of the following to you in your life?

L: Working to correct social and economic inequalities

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	418	16.5 %	16.9%
2	SOM IMPT:(2)	1015	40.2 %	41.0%
3	QUITE IM:(3)	657	26.0 %	26.5%
4	EXTR IMP:(4)	385	15.2 %	15.6%
-9 (M)	MISSING:(-9)	51	2.0 %	-

Based upon 2475 valid cases out of 2526 total cases.

V1667	**101A007M:IMP NEW XPRNCE**

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01530

How important is each of the following to you in your life?

M: Discovering new ways to experience things

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	148	5.9 %	6.0%
2	SOM IMPT:(2)	639	25.3 %	25.8%
3	QUITE IM:(3)	938	37.1 %	37.8%
4	EXTR IMP:(4)	755	29.9 %	30.4%
-9 (M)	MISSING:(-9)	46	1.8 %	-

Based upon 2480 valid cases out of 2526 total cases.

V1668	**101A007N:IMP FND PRPS LF**

Location: 98-99 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01540

How important is each of the following to you in your life?

N: Finding purpose and meaning in my life

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	79	3.1 %	3.2%
2	SOM IMPT:(2)	200	7.9 %	8.1%
3	QUITE IM:(3)	561	22.2 %	22.6%
4	EXTR IMP:(4)	1642	65.0 %	66.2%
-9 (M)	MISSING:(-9)	44	1.7 %	-

Based upon 2482 valid cases out of 2526 total cases.

V1669   **101A008:PPL CAN B TRSTD**

Location: 100-101 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01550

Generally speaking, would you say that most people can be trusted or that you can't be too careful in dealing with people?

3="Most people can be trusted" 2="Don't know, undecided" 1="Can't be too careful"

Value	Label	Unweighted Frequency	%	Valid %
1	CANT BE TOO CAREFUL:(1)	1303	51.6 %	54.2%
2	DON'T KNOW:(2)	663	26.2 %	27.6%
3	MOST CAN BE TRUSTD:(3)	440	17.4 %	18.3%
-9 (M)	MISSING:(-9)	120	4.8 %	-

Based upon 2406 valid cases out of 2526 total cases.

V1670   **101A009:PPL TRY B HLPFL**

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01560

Would you say that most of the time people try to be helpful or that they are mostly just looking out for themselves?

3="Try to be helpful" 2="Don't know, undecided" 1="Just looking out for themselves"

Value	Label	Unweighted Frequency	%	Valid %
1	FOR THEMSELVES:(1)	1106	43.8 %	44.8%
2	DONT KNOW:(2)	793	31.4 %	32.1%
3	TRY BE HELPFUL:(3)	572	22.6 %	23.1%
-9 (M)	MISSING:(-9)	55	2.2 %	-

Based upon 2471 valid cases out of 2526 total cases.

V1671	**101A010:PPL TRY BE FAIR**

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01570

Do you think most people would try to take advantage of you
if they got a chance or would they try to be fair?

3="Would try to be fair" 2="Don't know, undecided" 1="Would
try to take advantage of you"

Value	Label	Unweighted Frequency	%	Valid %
1	TRY TK ADVNTG:(1)	1116	44.2 %	45.3%
2	DONT KNOW:(2)	833	33.0 %	33.8%
3	TRY BE FAIR:(3)	514	20.3 %	20.9%
-9 (M)	MISSING:(-9)	63	2.5 %	-

Based upon 2463 valid cases out of 2526 total cases.

V1672	**101A011A:-OBY LW = -GD CTZ**

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01580

These next questions ask your opinions about a number of
different topics. How much do you agree or disagree with
each statement below?

A: I feel that you can't be a good citizen unless you
always obey the law

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	498	19.7 %	20.2%
2	MOST DIS:(2)	487	19.3 %	19.7%
3	NEITHER:(3)	626	24.8 %	25.4%
4	MOST AGR:(4)	661	26.2 %	26.8%
5	AGREE:(5)	196	7.8 %	7.9%
-9 (M)	MISSING:(-9)	58	2.3 %	-

Based upon 2468 valid cases out of 2526 total cases.

V1673	**101A011B:GD CTZN ALG GOV**

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01590

How much do you agree or disagree with each statement below?

B: I feel good citizens should go along with whatever the government does even if they disagree with it

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	1026	40.6 %	41.6%
2	MOST DIS:(2)	632	25.0 %	25.6%
3	NEITHER:(3)	512	20.3 %	20.8%
4	MOST AGR:(4)	218	8.6 %	8.8%
5	AGREE:(5)	79	3.1 %	3.2%
-9 (M)	MISSING:(-9)	59	2.3 %	-

Based upon 2467 valid cases out of 2526 total cases.

V1674	**101A011C:GD CTZN CHG GOV**

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01600

How much do you agree or disagree with each statement below?

C: I feel good citizens try to change the government policies they disagree with

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	124	4.9 %	5.1%
2	MOST DIS:(2)	187	7.4 %	7.6%
3	NEITHER:(3)	753	29.8 %	30.7%
4	MOST AGR:(4)	799	31.6 %	32.5%
5	AGREE:(5)	592	23.4 %	24.1%
-9 (M)	MISSING:(-9)	71	2.8 %	-

Based upon 2455 valid cases out of 2526 total cases.

V1675	**101A011D:VOTE->MAJ IMPCT**

Location:	112-113 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01610

How much do you agree or disagree with each statement below?

D: The way people vote has a major impact on how things are
run in this country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	170	6.7 %	6.9%
2	MOST DIS:(2)	212	8.4 %	8.6%
3	NEITHER:(3)	473	18.7 %	19.2%
4	MOST AGR:(4)	774	30.6 %	31.5%
5	AGREE:(5)	830	32.9 %	33.8%
-9 (M)	MISSING:(-9)	67	2.7 %	-

Based upon 2459 valid cases out of 2526 total cases.

V1676	**101A011E:CTZN GRP HV EFC**

Location:	114-115 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01620

How much do you agree or disagree with each statement below?

E: People who get together in citizen action groups to
influence government policies can have a real effect

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	125	4.9 %	5.1%
2	MOST DIS:(2)	241	9.5 %	9.8%
3	NEITHER:(3)	881	34.9 %	35.8%
4	MOST AGR:(4)	794	31.4 %	32.3%
5	AGREE:(5)	418	16.5 %	17.0%
-9 (M)	MISSING:(-9)	67	2.7 %	-

Based upon 2459 valid cases out of 2526 total cases.

V1677	**101A011F:OUR SYST ST BS**

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01630

How much do you agree or disagree with each statement below?

F: Despite its many faults, our system of doing things is
still the best in the world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	312	12.4 %	12.7%
2	MOST DIS:(2)	380	15.0 %	15.5%
3	NEITHER:(3)	854	33.8 %	34.8%
4	MOST AGR:(4)	579	22.9 %	23.6%
5	AGREE:(5)	326	12.9 %	13.3%
-9 (M)	MISSING:(-9)	75	3.0 %	-

Based upon 2451 valid cases out of 2526 total cases.

V1678	**101A011G:US NEEDS GROWTH**

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01640

How much do you agree or disagree with each statement below?

G: America needs growth to survive, and that is going to
require some increase in pollution

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	770	30.5 %	31.3%
2	MOST DIS:(2)	498	19.7 %	20.3%
3	NEITHER:(3)	726	28.7 %	29.5%
4	MOST AGR:(4)	291	11.5 %	11.8%
5	AGREE:(5)	172	6.8 %	7.0%
-9 (M)	MISSING:(-9)	69	2.7 %	-

Based upon 2457 valid cases out of 2526 total cases.

V1679	**101A011H:LV THNGS TO GOD**

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01650

How much do you agree or disagree with each statement below?

H: If we just leave things to God, they will turn out for
the best

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	590	23.4 %	24.1%
2	MOST DIS:(2)	257	10.2 %	10.5%
3	NEITHER:(3)	633	25.1 %	25.9%
4	MOST AGR:(4)	415	16.4 %	17.0%
5	AGREE:(5)	552	21.9 %	22.6%
-9 (M)	MISSING:(-9)	79	3.1 %	-

Based upon 2447 valid cases out of 2526 total cases.

V1680	**101A011I:GO SCH ENJY XPR**

Location:	122-123 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01660

How much do you agree or disagree with each statement below?

I: Going to school has been an enjoyable experience for me

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	156	6.2 %	6.3%
2	MOST DIS:(2)	199	7.9 %	8.1%
3	NEITHER:(3)	486	19.2 %	19.7%
4	MOST AGR:(4)	949	37.6 %	38.6%
5	AGREE:(5)	671	26.6 %	27.3%
-9 (M)	MISSING:(-9)	65	2.6 %	-

Based upon 2461 valid cases out of 2526 total cases.

V1681	**101A011J:DO WL SC IMP/JB**

Location:	124-125 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01670

How much do you agree or disagree with each statement below?

J: Doing well in school is important for getting a good job

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	43	1.7 %	1.8%
2	MOST DIS:(2)	77	3.0 %	3.1%
3	NEITHER:(3)	244	9.7 %	9.9%
4	MOST AGR:(4)	595	23.6 %	24.2%
5	AGREE:(5)	1495	59.2 %	60.9%
-9 (M)	MISSING:(-9)	72	2.9 %	-

Based upon 2454 valid cases out of 2526 total cases.

V1766	101A012A:RSK OF CIG1+PK/

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	136	5.4 %	5.5%
2	SLIGHT:(2)	92	3.6 %	3.7%
3	MOD RISK:(3)	400	15.8 %	16.2%
4	GRT RISK:(4)	1768	70.0 %	71.5%
5	CANT SAY:(5)	76	3.0 %	3.1%
-9 (M)	MISSING:(-9)	54	2.1 %	-

Based upon 2472 valid cases out of 2526 total cases.

V1767	101A012B:RSK OF MJ 1-2 X

Location: 128-129 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12370

How much do you think people risk harming themselves (physically or in other ways), if they . . .

B: . . . Try marijuana (pot, grass) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	1034	40.9 %	41.8%
2	SLIGHT:(2)	688	27.2 %	27.8%
3	MOD RISK:(3)	304	12.0 %	12.3%
4	GRT RISK:(4)	344	13.6 %	13.9%

Value	Label	Unweighted Frequency	%	Valid %
5	CANT SAY:(5)	101	4.0 %	4.1%
-9 (M)	MISSING:(-9)	55	2.2 %	-

Based upon 2471 valid cases out of 2526 total cases.

V1768   101A012C:RSK OF MJ OCSNL

Location:	130-131 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12380

How much do you think people risk harming themselves (physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	567	22.4 %	23.0%
2	SLIGHT:(2)	663	26.2 %	26.9%
3	MOD RISK:(3)	619	24.5 %	25.1%
4	GRT RISK:(4)	521	20.6 %	21.1%
5	CANT SAY:(5)	98	3.9 %	4.0%
-9 (M)	MISSING:(-9)	58	2.3 %	-

Based upon 2468 valid cases out of 2526 total cases.

V1769   101A012D:RSK OF MJ REGLY

Location:	132-133 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12390

How much do you think people risk harming themselves (physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	333	13.2 %	13.5%
2	SLIGHT:(2)	356	14.1 %	14.5%
3	MOD RISK:(3)	546	21.6 %	22.2%
4	GRT RISK:(4)	1134	44.9 %	46.1%
5	CANT SAY:(5)	93	3.7 %	3.8%
-9 (M)	MISSING:(-9)	64	2.5 %	-

Based upon 2462 valid cases out of 2526 total cases.

V1770	**101A012E:RSK COK PWDR 1-**

Location: 134-135 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12501

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

E: . . . Try cocaine in powder form once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	217	8.6 %	8.8%
2	SLIGHT:(2)	386	15.3 %	15.6%
3	MOD RISK:(3)	573	22.7 %	23.2%
4	GRT RISK:(4)	1122	44.4 %	45.5%
5	CANT SAY:(5)	170	6.7 %	6.9%
-9 (M)	MISSING:(-9)	58	2.3 %	-

Based upon 2468 valid cases out of 2526 total cases.

V1771	**101A012F:RSK COK PWDR OC**

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12502

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

F: . . . Take cocaine powder occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	152	6.0 %	6.2%
2	SLIGHT:(2)	106	4.2 %	4.3%
3	MOD RISK:(3)	523	20.7 %	21.2%
4	GRT RISK:(4)	1520	60.2 %	61.7%
5	CANT SAY:(5)	163	6.5 %	6.6%
-9 (M)	MISSING:(-9)	62	2.5 %	-

Based upon 2464 valid cases out of 2526 total cases.

V1772	**101A012G:RSK COK PWDR RE**

Location:	138-139 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12503

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

G: . . . Take cocaine powder regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	144	5.7 %	5.8%
2	SLIGHT:(2)	28	1.1 %	1.1%
3	MOD RISK:(3)	97	3.8 %	3.9%
4	GRT RISK:(4)	2034	80.5 %	82.5%
5	CANT SAY:(5)	161	6.4 %	6.5%
-9 (M)	MISSING:(-9)	62	2.5 %	-

Based upon 2464 valid cases out of 2526 total cases.

V1773	**101A012H:RSK CRACK 1-2X**

Location:	140-141 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12504

How much do you think people risk harming themselves

(physically or in other ways), if they . . .

H: . . . Try "crack" cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	178	7.0 %	7.2%
2	SLIGHT:(2)	310	12.3 %	12.6%
3	MOD RISK:(3)	484	19.2 %	19.7%
4	GRT RISK:(4)	1292	51.1 %	52.6%
5	CANT SAY:(5)	193	7.6 %	7.9%
-9 (M)	MISSING:(-9)	69	2.7 %	-

Based upon 2457 valid cases out of 2526 total cases.

V1774	**101A012I:RSK CRACK OCC**

Location:	142-143 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12505

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

I: . . . Take "crack" cocaine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	146	5.8 %	5.9%
2	SLIGHT:(2)	58	2.3 %	2.4%
3	MOD RISK:(3)	400	15.8 %	16.2%
4	GRT RISK:(4)	1671	66.2 %	67.8%
5	CANT SAY:(5)	191	7.6 %	7.7%
-9 (M)	MISSING:(-9)	60	2.4 %	-

Based upon 2466 valid cases out of 2526 total cases.

V1775	**101A012J:RSK CRACK REG**

Location:	144-145 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 12506

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

J: . . . Take "crack" cocaine regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	143	5.7 %	5.8%
2	SLIGHT:(2)	19	0.8 %	0.8%
3	MOD RISK:(3)	65	2.6 %	2.6%
4	GRT RISK:(4)	2042	80.8 %	83.0%
5	CANT SAY:(5)	190	7.5 %	7.7%
-9 (M)	MISSING:(-9)	67	2.7 %	-

Based upon 2459 valid cases out of 2526 total cases.

V1776   101A012K:RSK OF 1-2 DRIN

Location: 146-147 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12510

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

K: . . . Try one or two drinks of an alcoholic beverage
(beer, wine, liquor)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	1204	47.7 %	48.8%
2	SLIGHT:(2)	772	30.6 %	31.3%
3	MOD RISK:(3)	204	8.1 %	8.3%
4	GRT RISK:(4)	224	8.9 %	9.1%
5	CANT SAY:(5)	65	2.6 %	2.6%
-9 (M)	MISSING:(-9)	57	2.3 %	-

Based upon 2469 valid cases out of 2526 total cases.

V1777   101A012L:RSK OF 1-2 DR/D

Location:	148-149 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12520

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

L: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	346	13.7 %	14.0%
2	SLIGHT:(2)	691	27.4 %	28.0%
3	MOD RISK:(3)	848	33.6 %	34.4%
4	GRT RISK:(4)	514	20.3 %	20.8%
5	CANT SAY:(5)	68	2.7 %	2.8%
-9 (M)	MISSING:(-9)	59	2.3 %	-

Based upon 2467 valid cases out of 2526 total cases.

V1778	**101A012M:RSK OF 4-5 DR/D**
Location:	150-151 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12530

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

M: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	180	7.1 %	7.3%
2	SLIGHT:(2)	169	6.7 %	6.9%
3	MOD RISK:(3)	576	22.8 %	23.4%
4	GRT RISK:(4)	1474	58.4 %	59.8%
5	CANT SAY:(5)	67	2.7 %	2.7%
-9 (M)	MISSING:(-9)	60	2.4 %	-

Based upon 2466 valid cases out of 2526 total cases.

V1779	**101A012N:RSK OF 5+DR/WKN**

Location:	152-153 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12540

How much do you think people risk harming themselves (physically or in other ways), if they . . .

N: . . . Have five or more drinks once or twice each weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	252	10.0 %	10.2%
2	SLIGHT:(2)	375	14.8 %	15.2%
3	MOD RISK:(3)	610	24.1 %	24.8%
4	GRT RISK:(4)	1158	45.8 %	47.0%
5	CANT SAY:(5)	69	2.7 %	2.8%
-9 (M)	MISSING:(-9)	62	2.5 %	-

Based upon 2464 valid cases out of 2526 total cases.

V1808	**101A012O:RSK H -NDL 1-2X**

Location:	154-155 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 29600

How much do you think people risk harming themselves (physically or in other ways), if they . . .

O: . . . Try heroin once or twice without using a needle?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	170	6.7 %	6.9%
2	SLIGHT:(2)	117	4.6 %	4.7%
3	MOD RISK:(3)	389	15.4 %	15.8%

Value	Label	Unweighted Frequency	%	Valid %
4	GRT RISK:(4)	1555	61.6 %	63.1%
5	CANT SAY:(5)	233	9.2 %	9.5%
-9 (M)	MISSING:(-9)	62	2.5 %	-

Based upon 2464 valid cases out of 2526 total cases.

V1809	**101A012P:RSK H -NDL OCC**

Location:	156-157 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 29610

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

P: . . . Take heroin occasionally without using a needle?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	151	6.0 %	6.1%
2	SLIGHT:(2)	30	1.2 %	1.2%
3	MOD RISK:(3)	196	7.8 %	8.0%
4	GRT RISK:(4)	1860	73.6 %	75.5%
5	CANT SAY:(5)	225	8.9 %	9.1%
-9 (M)	MISSING:(-9)	64	2.5 %	-

Based upon 2462 valid cases out of 2526 total cases.

V1780	**101A013A:EASY GT MARIJUA**

Location:	158-159 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06750

How difficult do you think it would be for you to get each
of the following types of drugs, if you wanted some?

A: Marijuana

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	173	6.8 %	7.0%
2	VRY DIFF:(2)	90	3.6 %	3.7%
3	FRLY DIF:(3)	181	7.2 %	7.4%
4	FRLY EAS:(4)	537	21.3 %	21.9%
5	VRY EASY:(5)	1476	58.4 %	60.1%
-9 (M)	MISSING:(-9)	69	2.7 %	-

Based upon 2457 valid cases out of 2526 total cases.

V1781   101A013B:EASY GT CRACK

Location:	160-161 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06811

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

B: "Crack" cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	410	16.2 %	16.7%
2	VRY DIFF:(2)	501	19.8 %	20.4%
3	FRLY DIF:(3)	758	30.0 %	30.9%
4	FRLY EAS:(4)	492	19.5 %	20.1%
5	VRY EASY:(5)	291	11.5 %	11.9%
-9 (M)	MISSING:(-9)	74	2.9 %	-

Based upon 2452 valid cases out of 2526 total cases.

V1782   101A013C:EASY GT COK PWD

Location:	162-163 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06812

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

C: Cocaine powder

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	431	17.1 %	17.6%
2	VRY DIFF:(2)	518	20.5 %	21.2%
3	FRLY DIF:(3)	677	26.8 %	27.6%
4	FRLY EAS:(4)	495	19.6 %	20.2%
5	VRY EASY:(5)	328	13.0 %	13.4%
-9 (M)	MISSING:(-9)	77	3.0 %	-

Based upon 2449 valid cases out of 2526 total cases.

V1101	**101B001:EVR SMK CIG,REG**

Location: 164-165 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00760

The following questions are about CIGARETTE SMOKING. Have
you ever smoked cigarettes?

1="Never" 2="Once or twice" 3="Occasionally but not regularly"
4="Regularly in the past" 5="Regularly now"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1405	55.6 %	57.5%
2	1-2X:(2)	437	17.3 %	17.9%
3	OCCASNLY:(3)	276	10.9 %	11.3%
4	REG PAST:(4)	106	4.2 %	4.3%
5	REG NOW:(5)	219	8.7 %	9.0%
-9 (M)	MISSING:(-9)	83	3.3 %	-

Based upon 2443 valid cases out of 2526 total cases.

V1208	**101B001:EVR SMK CIG,REG**

Location: 166-167 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00760

The following questions are about CIGARETTE SMOKING. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 6" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1405	55.6 %	57.5%
2	1-2X:(2)	437	17.3 %	17.9%
3	OCCASNLY:(3)	276	10.9 %	11.3%
4	REG PAST:(4)	106	4.2 %	4.3%
5	REG NOW:(5)	219	8.7 %	9.0%
-9 (M)	MISSING:(-9)	83	3.3 %	-

Based upon 2443 valid cases out of 2526 total cases.

V1102	**101B002:#CIGS SMKD/30DA**

Location:	168-169 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all [includes respondents who reported nonuse above]" 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	NT DAILY:(1)	1960	77.6 %	80.3%
2	<1 CIG/D:(2)	214	8.5 %	8.8%
3	1-5/DAY:(3)	153	6.1 %	6.3%
4	1/2 PK:(4)	71	2.8 %	2.9%
5	1 PK:(5)	30	1.2 %	1.2%
6	1 1/2 PK:(6)	6	0.2 %	0.2%
7	2+ PKS:(7)	8	0.3 %	0.3%
-9 (M)	MISSING:(-9)	84	3.3 %	-

Based upon 2442 valid cases out of 2526 total cases.

V1210	**101B002:#CIGS SMKD/30DA**

Location: 170-171 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%	Valid %
1	NT DAILY:(1)	555	22.0 %	53.5%
2	<1 CIG/D:(2)	214	8.5 %	20.6%
3	1-5/DAY:(3)	153	6.1 %	14.8%
4	1/2 PK:(4)	71	2.8 %	6.8%
5	1 PK:(5)	30	1.2 %	2.9%
6	1 1/2 PK:(6)	6	0.2 %	0.6%
7	2+ PKS:(7)	8	0.3 %	0.8%
-9 (M)	MISSING:(-9)	1489	58.9 %	-

Based upon 1037 valid cases out of 2526 total cases.

V1752	**101B003:#CIG/DAY-30DAYS**

Location: 172-173 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00781

To be more precise, during the past 30 days about how many cigarettes have you smoked per day?

01="None" 02="Less than one per day" 03="1 to 2" 04="3 to 7" 05="8 to 12" 06="13 to 17" 07="18 to 22" 08="23 to 27" 09="28 to 32" 10="33 to 37" 11="38 or more"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	544	21.5 %	52.7%
2	LT 1/DAY:(2)	154	6.1 %	14.9%
3	1-2:(3)	93	3.7 %	9.0%

Value	Label	Unweighted Frequency	%	Valid %
4	3-7:(4)	109	4.3 %	10.6%
5	8-12:(5)	48	1.9 %	4.6%
6	13-17:(6)	22	0.9 %	2.1%
7	18-22:(7)	19	0.8 %	1.8%
8	23-27:(8)	10	0.4 %	1.0%
9	28-32:(9)	3	0.1 %	0.3%
10	33-37:(10)	3	0.1 %	0.3%
11	38+:(11)	28	1.1 %	2.7%
-9 (M)	MISSING:(-9)	1493	59.1 %	-

Based upon 1033 valid cases out of 2526 total cases.

V1211	**101B004A:*TRY STP SMK/FL**

Location: 174-175 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01690

Have you ever tried to stop smoking and found that you could not?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%	Valid %
1	YES:(1)	142	5.6 %	14.0%
2	NO:(2)	873	34.6 %	86.0%
-9 (M)	MISSING:(-9)	1511	59.8 %	-

Based upon 1015 valid cases out of 2526 total cases.

V1754	**101B004B:#X TRY STOP SMK**

Location: 176-177 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01691

How many times (if any) have you tried to stop smoking?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	663	26.2 %	66.1%
2	ONCE:(2)	172	6.8 %	17.1%
3	TWICE:(3)	84	3.3 %	8.4%
4	3-5X:(4)	65	2.6 %	6.5%
5	6-9X:(5)	9	0.4 %	0.9%
6	10+ TIME:(6)	10	0.4 %	1.0%
-9 (M)	MISSING:(-9)	1523	60.3 %	-

Based upon 1003 valid cases out of 2526 total cases.

V1212	**101B004C:*WNT STP SMK NW**

Location:	178-179 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01700

Do you want to stop smoking now?

1="Yes" 2="No" 8="Don't smoke now"

Value	Label	Unweighted Frequency	%	Valid %
1	YES:(1)	134	5.3 %	13.1%
2	NO:(2)	249	9.9 %	24.4%
8	DNT SMOK:(8)	639	25.3 %	62.5%
-9 (M)	MISSING:(-9)	1504	59.5 %	-

Based upon 1022 valid cases out of 2526 total cases.

V1810	**101B005:USUAL CIG BRAND**

Location:	180-181 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30065

What brand of cigarettes do you usually smoke? (Brands are in alphabetical order. Mark only one.)

01="Basic" 02="Benson & Hedges" 03="Black & Whites"
04="Cambridge" 05="Camel" 06="Capri" 07="Carlton" 08="Doral"
09="GPC" 10="Kent" 11="Kool" 12="Marlboro" 13="Merit"
14="Misty" 15="Monarch" 16="More" 17="Newport" 18="Pall Mall"
19="Parliament" 20="Salem" 21="Vantage" 22="Virginia Slims"
23="Winston" 24="Other" 25="No Usual Brand"

Value	Label	Unweighted Frequency	%	Valid %
1	BASIC:(1)	5	0.2 %	0.6%
2	BNSN HDGS:(2)	1	0.0 %	0.1%
3	BLACK WHT:(3)	8	0.3 %	0.9%
5	CAMEL:(5)	104	4.1 %	12.1%
11	KOOL:(11)	14	0.6 %	1.6%
12	MARLBORO:(12)	261	10.3 %	30.3%
13	MERIT:(13)	1	0.0 %	0.1%
17	NEWPORT:(17)	149	5.9 %	17.3%
18	PALLMALL:(18)	4	0.2 %	0.5%
19	PARLMENT:(19)	10	0.4 %	1.2%
20	SALEM:(20)	1	0.0 %	0.1%
22	VA SLIMS:(22)	1	0.0 %	0.1%
23	WINSTON:(23)	1	0.0 %	0.1%
24	OTHER:(24)	47	1.9 %	5.5%
25	NO USUAL:(25)	253	10.0 %	29.4%
-9 (M)	MISSING:(-9)	1666	66.0 %	-

Based upon 860 valid cases out of 2526 total cases.

V1213	101B006:NO SMK IN 5 YR

Location: 182-183 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01710

Do you think you will be smoking cigarettes five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	39	1.5 %	1.6%
2	PRB WILL:(2)	201	8.0 %	8.1%
3	PRB WONT:(3)	488	19.3 %	19.7%
4	DEF WONT:(4)	1743	69.0 %	70.5%
-9 (M)	MISSING:(-9)	55	2.2 %	-

Based upon 2471 valid cases out of 2526 total cases.

V1104	101B007A:#X ALC/LIF SIPS

Location: 184-185 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00810

The next questions are about ALCOHOLIC BEVERAGES, including
beer, wine, liquor, and any other beverage that contains
alcohol. On how many occasions (if any) have you had alcohol
to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	531	21.0 %	22.1%
2	1-2X:(2)	270	10.7 %	11.2%
3	3-5X:(3)	302	12.0 %	12.6%
4	6-9X:(4)	252	10.0 %	10.5%
5	10-19X:(5)	284	11.2 %	11.8%
6	20-39X:(6)	250	9.9 %	10.4%
7	40+OCCAS:(7)	517	20.5 %	21.5%
-9 (M)	MISSING:(-9)	120	4.8 %	-

Based upon 2406 valid cases out of 2526 total cases.

V1214	**101B007A:#X ALC/LIF SIPS**

Location:	186-187 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00810

The next questions are about ALCOHOLIC BEVERAGES, including
beer, wine, liquor, and any other beverage that contains
alcohol. On how many occasions (if any) have you had alcohol
to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	531	21.0 %	22.1%
2	1-2X:(2)	270	10.7 %	11.2%
3	3-5X:(3)	302	12.0 %	12.6%
4	6-9X:(4)	252	10.0 %	10.5%
5	10-19X:(5)	284	11.2 %	11.8%
6	20-39X:(6)	250	9.9 %	10.4%
7	40+OCCAS:(7)	517	20.5 %	21.5%
-9 (M)	MISSING:(-9)	120	4.8 %	-

Based upon 2406 valid cases out of 2526 total cases.

V1105	**101B007B:#X ALC/ANN SIPS**

Location:	188-189 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00820

On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	740	29.3 %	30.9%
2	1-2X:(2)	442	17.5 %	18.4%
3	3-5X:(3)	365	14.4 %	15.2%
4	6-9X:(4)	243	9.6 %	10.1%
5	10-19X:(5)	236	9.3 %	9.8%
6	20-39X:(6)	172	6.8 %	7.2%
7	40+OCCAS:(7)	200	7.9 %	8.3%
-9 (M)	MISSING:(-9)	128	5.1 %	-

Based upon 2398 valid cases out of 2526 total cases.

V1215	**101B007B:#X ALC/ANN SIPS**

Location:	190-191 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00820

On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	740	29.3 %	30.9%
2	1-2X:(2)	442	17.5 %	18.4%
3	3-5X:(3)	365	14.4 %	15.2%
4	6-9X:(4)	243	9.6 %	10.1%
5	10-19X:(5)	236	9.3 %	9.8%
6	20-39X:(6)	172	6.8 %	7.2%
7	40+OCCAS:(7)	200	7.9 %	8.3%
-9 (M)	MISSING:(-9)	128	5.1 %	-

Based upon 2398 valid cases out of 2526 total cases.

V1106   101B007C:#X ALC/30D SIPS

Location:	192-193 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00830

On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1354	53.6 %	56.5%

Value	Label	Unweighted Frequency	%	Valid %
2	1-2X:(2)	488	19.3 %	20.4%
3	3-5X:(3)	250	9.9 %	10.4%
4	6-9X:(4)	131	5.2 %	5.5%
5	10-19X:(5)	84	3.3 %	3.5%
6	20-39X:(6)	38	1.5 %	1.6%
7	40+OCCAS:(7)	53	2.1 %	2.2%
-9 (M)	MISSING:(-9)	128	5.1 %	-

Based upon 2398 valid cases out of 2526 total cases.

V1216   101B007C:#X ALC/30D SIPS

Location: 194-195 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00830

On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1354	53.6 %	56.5%
2	1-2X:(2)	488	19.3 %	20.4%
3	3-5X:(3)	250	9.9 %	10.4%
4	6-9X:(4)	131	5.2 %	5.5%
5	10-19X:(5)	84	3.3 %	3.5%
6	20-39X:(6)	38	1.5 %	1.6%
7	40+OCCAS:(7)	53	2.1 %	2.2%
-9 (M)	MISSING:(-9)	128	5.1 %	-

Based upon 2398 valid cases out of 2526 total cases.

V1217   101B008A:#X/YR ALC ALONE

Location: 196-197 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01720

IF YOU HAVE NOT HAD ANY BEER, WINE, LIQUOR, OR OTHER
ALCOHOLIC BEVERAGE IN THE LAST TWELVE MONTHS, GO TO
QUESTION 16.

When you used alcohol during the last year, how often did
you use it in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1321	52.3 %	79.8%
2	FEW TIMES:(2)	231	9.1 %	14.0%
3	SOMETIMES:(3)	59	2.3 %	3.6%
4	MOST TIMES:(4)	24	1.0 %	1.5%
5	EVERY TIME:(5)	20	0.8 %	1.2%
-9 (M)	MISSING:(-9)	871	34.5 %	-

Based upon 1655 valid cases out of 2526 total cases.

V1218	**101B008B:#X/YR ALC-2 PPL**

Location:	198-199 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01730

When you used alcohol during the last year, how often did
you use it in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	465	18.4 %	28.2%
2	FEW TIMES:(2)	669	26.5 %	40.6%
3	SOMETIMES:(3)	268	10.6 %	16.3%
4	MOST TIMES:(4)	148	5.9 %	9.0%
5	EVERY TIME:(5)	98	3.9 %	5.9%
-9 (M)	MISSING:(-9)	878	34.8 %	-

Based upon 1648 valid cases out of 2526 total cases.

V1219	**101B008C:#X/YR ALC@PARTY**

Location: 200-201 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01740

When you used alcohol during the last year, how often did
you use it in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	271	10.7 %	16.4%
2	FEW TIMES:(2)	260	10.3 %	15.7%
3	SOMETIMES:(3)	205	8.1 %	12.4%
4	MOST TIMES:(4)	540	21.4 %	32.7%
5	EVERY TIME:(5)	377	14.9 %	22.8%
-9 (M)	MISSING:(-9)	873	34.6 %	-

Based upon 1653 valid cases out of 2526 total cases.

V1220   **101B008D:#X/YR ALC-DT/SP**

Location: 202-203 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01750

When you used alcohol during the last year, how often did
you use it in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	890	35.2 %	54.2%
2	FEW TIMES:(2)	332	13.1 %	20.2%
3	SOMETIMES:(3)	185	7.3 %	11.3%
4	MOST TIMES:(4)	144	5.7 %	8.8%
5	EVERY TIME:(5)	92	3.6 %	5.6%
-9 (M)	MISSING:(-9)	883	35.0 %	-

Based upon 1643 valid cases out of 2526 total cases.

V1221	101B008E:#X/YR ALC-ADLTS

Location:	204-205 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01760

When you used alcohol during the last year, how often did you use it in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	683	27.0 %	41.4%
2	FEW TIMES:(2)	474	18.8 %	28.7%
3	SOMETIMES:(3)	220	8.7 %	13.3%
4	MOST TIMES:(4)	139	5.5 %	8.4%
5	EVERY TIME:(5)	133	5.3 %	8.1%
-9 (M)	MISSING:(-9)	877	34.7 %	-

Based upon 1649 valid cases out of 2526 total cases.

V1222	101B008F:#X/YR ALC-DATIM

Location:	206-207 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01770

When you used alcohol during the last year, how often did you use it in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1133	44.9 %	69.1%
2	FEW TIMES:(2)	332	13.1 %	20.3%
3	SOMETIMES:(3)	114	4.5 %	7.0%
4	MOST TIMES:(4)	27	1.1 %	1.6%

Value	Label	Unweighted Frequency	%	Valid %
5	EVERY TIME:(5)	33	1.3 %	2.0%
-9 (M)	MISSING:(-9)	887	35.1 %	-

Based upon 1639 valid cases out of 2526 total cases.

V1223	**101B008G:#X/YR ALC@HOME**

Location:	208-209 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01780

When you used alcohol during the last year, how often did you use it in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	728	28.8 %	44.1%
2	FEW TIMES:(2)	444	17.6 %	26.9%
3	SOMETIMES:(3)	236	9.3 %	14.3%
4	MOST TIMES:(4)	132	5.2 %	8.0%
5	EVERY TIME:(5)	109	4.3 %	6.6%
-9 (M)	MISSING:(-9)	877	34.7 %	-

Based upon 1649 valid cases out of 2526 total cases.

V1224	**101B008H:#X/YR ALC@SCHL**

Location:	210-211 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01790

When you used alcohol during the last year, how often did you use it in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1521	60.2 %	92.3%
2	FEW TIMES:(2)	72	2.9 %	4.4%
3	SOMETIMES:(3)	25	1.0 %	1.5%
4	MOST TIMES:(4)	11	0.4 %	0.7%
5	EVERY TIME:(5)	19	0.8 %	1.2%
-9 (M)	MISSING:(-9)	878	34.8 %	-

Based upon 1648 valid cases out of 2526 total cases.

V1225	**101B008I:#X/YR ALCIN CAR**

Location: 212-213 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01810

When you used alcohol during the last year, how often did you use it in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1215	48.1 %	73.9%
2	FEW TIMES:(2)	275	10.9 %	16.7%
3	SOMETIMES:(3)	95	3.8 %	5.8%
4	MOST TIMES:(4)	34	1.3 %	2.1%
5	EVERY TIME:(5)	26	1.0 %	1.6%
-9 (M)	MISSING:(-9)	881	34.9 %	-

Based upon 1645 valid cases out of 2526 total cases.

V1811	**101B008J:#X/YR ALC@PARK/B**

Location: 214-215 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30910

When you used alcohol during the last year, how often did you use it in each of the following situations?

J. At a park or beach

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1121	44.4 %	68.1%
2	FEW TIMES:(2)	262	10.4 %	15.9%
3	SOMETIMES:(3)	145	5.7 %	8.8%
4	MOST TIMES:(4)	73	2.9 %	4.4%
5	EVERY TIME:(5)	46	1.8 %	2.8%
-9 (M)	MISSING:(-9)	879	34.8 %	-

Based upon 1647 valid cases out of 2526 total cases.

V1812	**101B008K:#X/YR ALC@BAR/RT**

Location:	216-217 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30920

When you used alcohol during the last year, how often did
you use it in each of the following situations?

K. At a bar or restaurant

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1248	49.4 %	75.8%
2	FEW TIMES:(2)	225	8.9 %	13.7%
3	SOMETIMES:(3)	87	3.4 %	5.3%
4	MOST TIMES:(4)	46	1.8 %	2.8%
5	EVERY TIME:(5)	41	1.6 %	2.5%
-9 (M)	MISSING:(-9)	879	34.8 %	-

Based upon 1647 valid cases out of 2526 total cases.

V1226	**101B009A:ALC EXPERIMENT**

Location:	218-219 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01820

What have been the most important reasons for your drinking

alcoholic beverages? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	819	32.4 %	50.7%
1	MARKED:(1)	797	31.6 %	49.3%
-9 (M)	MISSING:(-9)	910	36.0 %	-

Based upon 1616 valid cases out of 2526 total cases.

V1227	**101B009B:ALC RELAX**

Location: 220-221 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01830

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	969	38.4 %	60.0%
1	MARKED:(1)	647	25.6 %	40.0%
-9 (M)	MISSING:(-9)	910	36.0 %	-

Based upon 1616 valid cases out of 2526 total cases.

V1228	**101B009C:ALC GET HIGH**

Location: 222-223 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01840

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1082	42.8 %	67.0%
1	MARKED:(1)	534	21.1 %	33.0%
-9 (M)	MISSING:(-9)	910	36.0 %	-

Based upon 1616 valid cases out of 2526 total cases.

V1229	**101B009D:ALC SEEK INSGHT**

Location: 224-225 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01850

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1523	60.3 %	94.2%
1	MARKED:(1)	93	3.7 %	5.8%
-9 (M)	MISSING:(-9)	910	36.0 %	-

Based upon 1616 valid cases out of 2526 total cases.

V1230	**101B009E:ALC GD TM FRNDS**

Location: 226-227 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01860

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	432	17.1 %	26.7%
1	MARKED:(1)	1184	46.9 %	73.3%
-9 (M)	MISSING:(-9)	910	36.0 %	-

Based upon 1616 valid cases out of 2526 total cases.

V1231	101B009F:ALC FIT IN GRP

Location:	228-229 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01870

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1528	60.5 %	94.6%
1	MARKED:(1)	88	3.5 %	5.4%
-9 (M)	MISSING:(-9)	910	36.0 %	-

Based upon 1616 valid cases out of 2526 total cases.

V1232	101B009G:ALC GET AWY PRB

Location:	230-231 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01880

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1296	51.3 %	80.2%
1	MARKED:(1)	320	12.7 %	19.8%
-9 (M)	MISSING:(-9)	910	36.0 %	-

Based upon 1616 valid cases out of 2526 total cases.

V1233	101B009H:ALC BOREDOM

| Location: | 232-233 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Range of Missing Values (M):   -9

Question:

Item Number: 01890

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1304	51.6 %	80.7%
1	MARKED:(1)	312	12.4 %	19.3%
-9 (M)	MISSING:(-9)	910	36.0 %	-

Based upon 1616 valid cases out of 2526 total cases.

V1234   101B009I:ALC ANGR/FRSTRN

Location: 234-235 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M):   -9
Question:

Item Number: 01900

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1408	55.7 %	87.1%
1	MARKED:(1)	208	8.2 %	12.9%
-9 (M)	MISSING:(-9)	910	36.0 %	-

Based upon 1616 valid cases out of 2526 total cases.

V1235   101B009J:ALC GT THRU DAY

Location: 236-237 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M):   -9
Question:

Item Number: 01910

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1559	61.7 %	96.5%
1	MARKED:(1)	57	2.3 %	3.5%
-9 (M)	MISSING:(-9)	910	36.0 %	-

Based upon 1616 valid cases out of 2526 total cases.

V1236	**101B009K:ALC INCRS EF DR**

Location: 238-239 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01920

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1532	60.6 %	94.8%
1	MARKED:(1)	84	3.3 %	5.2%
-9 (M)	MISSING:(-9)	910	36.0 %	-

Based upon 1616 valid cases out of 2526 total cases.

V1237	**101B009L:ALC DECRS EF DR**

Location: 240-241 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01930

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1602	63.4 %	99.1%
1	MARKED:(1)	14	0.6 %	0.9%
-9 (M)	MISSING:(-9)	910	36.0 %	-

Based upon 1616 valid cases out of 2526 total cases.

V1238	101B009M:ALC GET SLEEP

Location: 242-243 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01940

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

M. To get to sleep

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1526	60.4 %	94.4%
1	MARKED:(1)	90	3.6 %	5.6%
-9 (M)	MISSING:(-9)	910	36.0 %	-

Based upon 1616 valid cases out of 2526 total cases.

V1239	101B009N:ALC TASTES GOOD

Location: 244-245 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01950

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

N. Because it tastes good

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1057	41.8 %	65.4%
1	MARKED:(1)	559	22.1 %	34.6%
-9 (M)	MISSING:(-9)	910	36.0 %	-

Based upon 1616 valid cases out of 2526 total cases.

V1240	101B009O:ALC I AM HOOKED

Location:	246-247 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01960

What have been the most important reasons for your drinking
alcoholic beverages? (Mark all that apply.)

O. Because I am "hooked"--I feel I have to drink

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1586	62.8 %	98.1%
1	MARKED:(1)	30	1.2 %	1.9%
-9 (M)	MISSING:(-9)	910	36.0 %	-

Based upon 1616 valid cases out of 2526 total cases.

V1241	101B010:#X DRK ENF FL H

Location:	248-249 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01970

When you drink alcoholic beverages, how high do you usually
get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	518	20.5 %	31.7%
2	A LITTLE:(2)	419	16.6 %	25.6%
3	MODERATE:(3)	524	20.7 %	32.0%
4	VERY:(4)	175	6.9 %	10.7%
-9 (M)	MISSING:(-9)	890	35.2 %	-

Based upon 1636 valid cases out of 2526 total cases.

V1242	101B011:DRK AL,HI24+HR

Location:	250-251 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01980

When you drink alcoholic beverages, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%	Valid %
1	USLY DON'T:(1)	516	20.4 %	31.8%
2	1-2 HRS:(2)	445	17.6 %	27.4%
3	3-6 HRS:(3)	554	21.9 %	34.1%
4	7-24 HRS:(4)	94	3.7 %	5.8%
5	> 24 HRS:(5)	16	0.6 %	1.0%
-9 (M)	MISSING:(-9)	901	35.7 %	-

Based upon 1625 valid cases out of 2526 total cases.

V1824   101B012:4+DRK ROW/2WK

Location:	252-253 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00845

The following questions ask about how much you have to drink on the occasions when you drink alcoholic beverages. For these questions, a "drink" means any of the following: A 12-ounce can (or bottle) of beer. A 4-ounce glass of wine. A 12-ounce bottle (or can) of wine cooler. A mixed drink, shot glass of liquor, or the equivalent.

Think back over the LAST TWO WEEKS. How many times (if any) have you had four or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1017	40.3 %	63.4%
2	ONCE:(2)	204	8.1 %	12.7%
3	TWICE:(3)	168	6.7 %	10.5%
4	3-5X:(4)	145	5.7 %	9.0%
5	6-9X:(5)	34	1.3 %	2.1%

Value	Label	Unweighted Frequency	%	Valid %
6	10+ TIME:(6)	35	1.4 %	2.2%
-9 (M)	MISSING:(-9)	923	36.5 %	-

Based upon 1603 valid cases out of 2526 total cases.

V1108	**101B013:5+DRK ROW/LST 2**

Location: 254-255 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00850

During the last two weeks, how many times (if any) have you had five or more drinks in a row?

1="None" [includes respondents who reported nonuse above] 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1894	75.0 %	80.4%
2	ONCE:(2)	169	6.7 %	7.2%
3	TWICE:(3)	121	4.8 %	5.1%
4	3-5X:(4)	113	4.5 %	4.8%
5	6-9X:(5)	29	1.1 %	1.2%
6	10+ TIME:(6)	29	1.1 %	1.2%
-9 (M)	MISSING:(-9)	171	6.8 %	-

Based upon 2355 valid cases out of 2526 total cases.

V1243	**101B013:5+DRK ROW/LST 2**

Location: 256-257 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00850

During the last two weeks, how many times (if any) have you had five or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1154	45.7 %	71.5%
2	ONCE:(2)	169	6.7 %	10.5%
3	TWICE:(3)	121	4.8 %	7.5%
4	3-5X:(4)	113	4.5 %	7.0%
5	6-9X:(5)	29	1.1 %	1.8%
6	10+ TIME:(6)	29	1.1 %	1.8%
-9 (M)	MISSING:(-9)	911	36.1 %	-

Based upon 1615 valid cases out of 2526 total cases.

V1825   101B014A:10+DRK ROW/2WK

Location:	258-259 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00853

During the last two weeks, how many times (if any) have you
had 10 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10 or more times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1369	54.2 %	84.4%
2	ONCE:(2)	108	4.3 %	6.7%
3	TWICE:(3)	55	2.2 %	3.4%
4	3-5X:(4)	48	1.9 %	3.0%
5	6-9X:(5)	17	0.7 %	1.0%
6	10+ TIME:(6)	25	1.0 %	1.5%
-9 (M)	MISSING:(-9)	904	35.8 %	-

Based upon 1622 valid cases out of 2526 total cases.

V1826   101B014B:15+DRK ROW/2WK

Location:	260-261 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00855

During the last two weeks, how many times (if any) have you
had 15 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"

6="10 or more times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1488	58.9 %	91.1%
2	ONCE:(2)	68	2.7 %	4.2%
3	TWICE:(3)	32	1.3 %	2.0%
4	3-5X:(4)	20	0.8 %	1.2%
5	6-9X:(5)	8	0.3 %	0.5%
6	10+ TIME:(6)	18	0.7 %	1.1%
-9 (M)	MISSING:(-9)	892	35.3 %	-

Based upon 1634 valid cases out of 2526 total cases.

V1247	**101B015:*TRY STP ALC/FL**
Location:	262-263 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02020

Have you ever tried to stop using alcoholic beverages and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%	Valid %
1	YES:(1)	74	2.9 %	4.6%
2	NO:(2)	1550	61.4 %	95.4%
-9 (M)	MISSING:(-9)	902	35.7 %	-

Based upon 1624 valid cases out of 2526 total cases.

V1805	**101B016A:#XDRUNK/LIFETIM**
Location:	264-265 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 25020

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1008	39.9 %	45.4%
2	1-2X:(2)	387	15.3 %	17.4%
3	3-5X:(3)	211	8.4 %	9.5%
4	6-9X:(4)	136	5.4 %	6.1%
5	10-19X:(5)	147	5.8 %	6.6%
6	20-39X:(6)	135	5.3 %	6.1%
7	40+OCCAS:(7)	198	7.8 %	8.9%
-9 (M)	MISSING:(-9)	304	12.0 %	-

Based upon 2222 valid cases out of 2526 total cases.

V1806	**101B016B:#XDRUNK/LAST12M**

Location:	266-267 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 25030

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1243	49.2 %	56.2%
2	1-2X:(2)	387	15.3 %	17.5%
3	3-5X:(3)	175	6.9 %	7.9%
4	6-9X:(4)	142	5.6 %	6.4%
5	10-19X:(5)	112	4.4 %	5.1%
6	20-39X:(6)	74	2.9 %	3.3%
7	40+OCCAS:(7)	80	3.2 %	3.6%
-9 (M)	MISSING:(-9)	313	12.4 %	-

Based upon 2213 valid cases out of 2526 total cases.

V1807	**101B016C:#XDRUNK/LAST30D**

| Location: | 268-269 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Range of Missing Values (M):   -9

Question:

Item Number: 25040

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1657	65.6 %	74.6%
2	1-2X:(2)	318	12.6 %	14.3%
3	3-5X:(3)	121	4.8 %	5.4%
4	6-9X:(4)	62	2.5 %	2.8%
5	10-19X:(5)	33	1.3 %	1.5%
6	20-39X:(6)	9	0.4 %	0.4%
7	40+OCCAS:(7)	21	0.8 %	0.9%
-9 (M)	MISSING:(-9)	305	12.1 %	-

Based upon 2221 valid cases out of 2526 total cases.

V1248	**101B017:NO ALC IN 5 YR**

Location: 270-271 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 02030

Do you think you will be drinking alcoholic beverages five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	570	22.6 %	23.4%
2	PRB WILL:(2)	1117	44.2 %	45.8%
3	PRB WONT:(3)	351	13.9 %	14.4%
4	DEF WONT:(4)	401	15.9 %	16.4%
-9 (M)	MISSING:(-9)	87	3.4 %	-

Based upon 2439 valid cases out of 2526 total cases.

V1109	**101B018A:#X HASH/LIFETIM**

Location:	272-273 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02040

The next questions are about MARIJUANA and HASHISH. Marijuana is sometimes called: Weed, Pot, Dope. Hashish is sometimes called: Hash, Hash oil. On how many occasions (if any) have you used hashish . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2166	85.7 %	90.1%
2	1-2X:(2)	82	3.2 %	3.4%
3	3-5X:(3)	44	1.7 %	1.8%
4	6-9X:(4)	30	1.2 %	1.2%
5	10-19X:(5)	15	0.6 %	0.6%
6	20-39X:(6)	15	0.6 %	0.6%
7	40+OCCAS:(7)	53	2.1 %	2.2%
-9 (M)	MISSING:(-9)	121	4.8 %	-

Based upon 2405 valid cases out of 2526 total cases.

V1249	**101B018A:#X HASH/LIFETIM**

Location:	274-275 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02040

The next questions are about MARIJUANA and HASHISH. Marijuana is sometimes called: Weed, Pot, Dope. Hashish is sometimes called: Hash, Hash oil. On how many occasions (if any) have you used hashish . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2166	85.7 %	90.1%
2	1-2X:(2)	82	3.2 %	3.4%
3	3-5X:(3)	44	1.7 %	1.8%
4	6-9X:(4)	30	1.2 %	1.2%
5	10-19X:(5)	15	0.6 %	0.6%
6	20-39X:(6)	15	0.6 %	0.6%
7	40+OCCAS:(7)	53	2.1 %	2.2%
-9 (M)	MISSING:(-9)	121	4.8 %	-

Based upon 2405 valid cases out of 2526 total cases.

V1110	101B018B:#X HASH/LAST12M

Location:	276-277 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02050

On how many occasions (if any) have you used hashish . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2217	87.8 %	92.5%
2	1-2X:(2)	76	3.0 %	3.2%
3	3-5X:(3)	33	1.3 %	1.4%
4	6-9X:(4)	14	0.6 %	0.6%
5	10-19X:(5)	14	0.6 %	0.6%
6	20-39X:(6)	10	0.4 %	0.4%
7	40+OCCAS:(7)	33	1.3 %	1.4%
-9 (M)	MISSING:(-9)	129	5.1 %	-

Based upon 2397 valid cases out of 2526 total cases.

V1250	101B018B:#X HASH/LAST12M

Location:	278-279 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02050

On how many occasions (if any) have you used hashish . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2217	87.8 %	92.5%
2	1-2X:(2)	76	3.0 %	3.2%
3	3-5X:(3)	33	1.3 %	1.4%
4	6-9X:(4)	14	0.6 %	0.6%
5	10-19X:(5)	14	0.6 %	0.6%
6	20-39X:(6)	10	0.4 %	0.4%
7	40+OCCAS:(7)	33	1.3 %	1.4%
-9 (M)	MISSING:(-9)	129	5.1 %	-

Based upon 2397 valid cases out of 2526 total cases.

V1111	**101B018C:#X HASH/LAST30D**

Location:	280-281 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02060

On how many occasions (if any) have you used hashish . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2307	91.3 %	96.1%
2	1-2X:(2)	30	1.2 %	1.2%

Value	Label	Unweighted Frequency	%	Valid %
3	3-5X:(3)	17	0.7 %	0.7%
4	6-9X:(4)	13	0.5 %	0.5%
5	10-19X:(5)	6	0.2 %	0.2%
6	20-39X:(6)	6	0.2 %	0.2%
7	40+OCCAS:(7)	22	0.9 %	0.9%
-9 (M)	MISSING:(-9)	125	4.9 %	-

Based upon 2401 valid cases out of 2526 total cases.

V1251	**101B018C:#X HASH/LAST30D**

Location: 282-283 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02060

On how many occasions (if any) have you used hashish . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2307	91.3 %	96.1%
2	1-2X:(2)	30	1.2 %	1.2%
3	3-5X:(3)	17	0.7 %	0.7%
4	6-9X:(4)	13	0.5 %	0.5%
5	10-19X:(5)	6	0.2 %	0.2%
6	20-39X:(6)	6	0.2 %	0.2%
7	40+OCCAS:(7)	22	0.9 %	0.9%
-9 (M)	MISSING:(-9)	125	4.9 %	-

Based upon 2401 valid cases out of 2526 total cases.

V1112	**101B019A:#X MARJ/LIFETIM**

Location: 284-285 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02070

On how many occasions (if any) have you used marijuana . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1324	52.4 %	55.3%
2	1-2X:(2)	194	7.7 %	8.1%
3	3-5X:(3)	155	6.1 %	6.5%
4	6-9X:(4)	108	4.3 %	4.5%
5	10-19X:(5)	125	4.9 %	5.2%
6	20-39X:(6)	106	4.2 %	4.4%
7	40+OCCAS:(7)	382	15.1 %	16.0%
-9 (M)	MISSING:(-9)	132	5.2 %	-

Based upon 2394 valid cases out of 2526 total cases.

V1252	**101B019A:#X MARJ/LIFETIM**

Location:	286-287 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02070

On how many occasions (if any) have you used marijuana . . .

A: . . .in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1324	52.4 %	55.3%
2	1-2X:(2)	194	7.7 %	8.1%
3	3-5X:(3)	155	6.1 %	6.5%
4	6-9X:(4)	108	4.3 %	4.5%
5	10-19X:(5)	125	4.9 %	5.2%
6	20-39X:(6)	106	4.2 %	4.4%
7	40+OCCAS:(7)	382	15.1 %	16.0%
-9 (M)	MISSING:(-9)	132	5.2 %	-

Based upon 2394 valid cases out of 2526 total cases.

V1113	**101B019B:#X MARJ/LAST12M**

Location:	288-289 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02080

On how many occasions (if any) have you used marijuana . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1536	60.8 %	64.2%
2	1-2X:(2)	235	9.3 %	9.8%
3	3-5X:(3)	126	5.0 %	5.3%
4	6-9X:(4)	106	4.2 %	4.4%
5	10-19X:(5)	92	3.6 %	3.8%
6	20-39X:(6)	87	3.4 %	3.6%
7	40+OCCAS:(7)	211	8.4 %	8.8%
-9 (M)	MISSING:(-9)	133	5.3 %	-

Based upon 2393 valid cases out of 2526 total cases.

V1253	**101B019B:#X MARJ/LAST12M**

Location:	290-291 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02080

On how many occasions (if any) have you used marijuana . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1536	60.8 %	64.2%
2	1-2X:(2)	235	9.3 %	9.8%
3	3-5X:(3)	126	5.0 %	5.3%
4	6-9X:(4)	106	4.2 %	4.4%
5	10-19X:(5)	92	3.6 %	3.8%
6	20-39X:(6)	87	3.4 %	3.6%
7	40+OCCAS:(7)	211	8.4 %	8.8%
-9 (M)	MISSING:(-9)	133	5.3 %	-

Based upon 2393 valid cases out of 2526 total cases.

V1114 **101B019C:#X MARJ/LAST30D**

Location: 292-293 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 02090

On how many occasions (if any) have you used marijuana . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1857	73.5 %	77.6%
2	1-2X:(2)	187	7.4 %	7.8%
3	3-5X:(3)	87	3.4 %	3.6%
4	6-9X:(4)	57	2.3 %	2.4%
5	10-19X:(5)	53	2.1 %	2.2%
6	20-39X:(6)	49	1.9 %	2.0%
7	40+OCCAS:(7)	104	4.1 %	4.3%
-9 (M)	MISSING:(-9)	132	5.2 %	-

Based upon 2394 valid cases out of 2526 total cases.

V1254 **101B019C:#X MARJ/LAST30D**

Location: 294-295 (width: 2; decimal: 0)
Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 02090

On how many occasions (if any) have you used marijuana . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1857	73.5 %	77.6%
2	1-2X:(2)	187	7.4 %	7.8%
3	3-5X:(3)	87	3.4 %	3.6%
4	6-9X:(4)	57	2.3 %	2.4%
5	10-19X:(5)	53	2.1 %	2.2%
6	20-39X:(6)	49	1.9 %	2.0%
7	40+OCCAS:(7)	104	4.1 %	4.3%
-9 (M)	MISSING:(-9)	132	5.2 %	-

Based upon 2394 valid cases out of 2526 total cases.

V1115	**101B019X:#XMJ+HS/LIFETIM**

Location: 296-297 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00860

Component questions are "On how many occasions (if any) have you used hashish in your lifetime?" (Item 02040) and "On how many occasions (if any) have you used marijuana in your lifetime?" (Item 02070).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1316	52.1 %	55.2%
2	1-2X:(2)	185	7.3 %	7.8%
3	3-5X:(3)	160	6.3 %	6.7%

Value	Label	Unweighted Frequency	%	Valid %
4	6-9X:(4)	104	4.1 %	4.4%
5	10-19X:(5)	126	5.0 %	5.3%
6	20-39X:(6)	105	4.2 %	4.4%
7	40+OCCAS:(7)	389	15.4 %	16.3%
-9 (M)	MISSING:(-9)	141	5.6 %	-

Based upon 2385 valid cases out of 2526 total cases.

V1116	**101B019Y:#XMJ+HS/LAST12M**

Location:	298-299 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00870

Component questions are "On how many occasions (if any) have you used hashish during the last 12 months?" (Item 02050) and "On how many occasions (if any) have you used marijuana during the last 12 months?" (Item 02080).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1526	60.4 %	64.1%
2	1-2X:(2)	227	9.0 %	9.5%
3	3-5X:(3)	130	5.1 %	5.5%
4	6-9X:(4)	102	4.0 %	4.3%
5	10-19X:(5)	87	3.4 %	3.7%
6	20-39X:(6)	85	3.4 %	3.6%
7	40+OCCAS:(7)	223	8.8 %	9.4%
-9 (M)	MISSING:(-9)	146	5.8 %	-

Based upon 2380 valid cases out of 2526 total cases.

V1117	**101B019Z:#XMJ+HS/LAST30D**

Location:	300-301 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 00880

Component questions are "On how many occasions (if any) have you used hashish during the last 30 days?" (Item 02060) and "On how many occasions (if any) have you used marijuana during the last 30 days?" (Item 02090).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1841	72.9 %	77.4%
2	1-2X:(2)	180	7.1 %	7.6%
3	3-5X:(3)	89	3.5 %	3.7%
4	6-9X:(4)	50	2.0 %	2.1%
5	10-19X:(5)	63	2.5 %	2.6%
6	20-39X:(6)	46	1.8 %	1.9%
7	40+OCCAS:(7)	110	4.4 %	4.6%
-9 (M)	MISSING:(-9)	147	5.8 %	-

Based upon 2379 valid cases out of 2526 total cases.

V1255	**101B020A:#X/YR MJ ALONE**

Location: 302-303 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02100

IF YOU HAVE NOT USED MARIJUANA OR HASHISH IN THE LAST TWELVE MONTHS GO TO QUESTION 28.

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	545	21.6 %	64.3%

Value	Label	Unweighted Frequency	%	Valid %
2	FEW TIMES:(2)	161	6.4 %	19.0%
3	SOMETIMES:(3)	77	3.0 %	9.1%
4	MOST TIMES:(4)	37	1.5 %	4.4%
5	EVERY TIME:(5)	28	1.1 %	3.3%
-9 (M)	MISSING:(-9)	1678	66.4 %	-

Based upon 848 valid cases out of 2526 total cases.

V1256	**101B020B:#X/YR MJ-2 PPL**

Location: 304-305 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 02110

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	76	3.0 %	8.9%
2	FEW TIMES:(2)	220	8.7 %	25.9%
3	SOMETIMES:(3)	155	6.1 %	18.2%
4	MOST TIMES:(4)	256	10.1 %	30.1%
5	EVERY TIME:(5)	143	5.7 %	16.8%
-9 (M)	MISSING:(-9)	1676	66.3 %	-

Based upon 850 valid cases out of 2526 total cases.

V1257	**101B020C:#X/YR MJ@PARTY**

Location: 306-307 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 02120

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	226	8.9 %	26.7%
2	FEW TIMES:(2)	186	7.4 %	21.9%
3	SOMETIMES:(3)	148	5.9 %	17.5%
4	MOST TIMES:(4)	146	5.8 %	17.2%
5	EVERY TIME:(5)	142	5.6 %	16.7%
-9 (M)	MISSING:(-9)	1678	66.4 %	-

Based upon 848 valid cases out of 2526 total cases.

V1258	**101B020D:#X/YR MJ-DT/SP**

Location:	308-309 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02130

When you used marijuana or hashish during the last year, how
often did you use it in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	459	18.2 %	54.4%
2	FEW TIMES:(2)	149	5.9 %	17.7%
3	SOMETIMES:(3)	92	3.6 %	10.9%
4	MOST TIMES:(4)	72	2.9 %	8.5%
5	EVERY TIME:(5)	72	2.9 %	8.5%
-9 (M)	MISSING:(-9)	1682	66.6 %	-

Based upon 844 valid cases out of 2526 total cases.

V1259	**101B020E:#X/YR MJ-ADLTS**

Location:	310-311 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02140

When you used marijuana or hashish during the last year, how
often did you use it in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	593	23.5 %	69.9%
2	FEW TIMES:(2)	128	5.1 %	15.1%
3	SOMETIMES:(3)	64	2.5 %	7.5%
4	MOST TIMES:(4)	31	1.2 %	3.7%
5	EVERY TIME:(5)	32	1.3 %	3.8%
-9 (M)	MISSING:(-9)	1678	66.4 %	-

Based upon 848 valid cases out of 2526 total cases.

V1260	**101B020F:#X/YR MJ-DATIME**

Location: 312-313 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 02150

When you used marijuana or hashish during the last year, how
often did you use it in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	286	11.3 %	33.7%
2	FEW TIMES:(2)	207	8.2 %	24.4%
3	SOMETIMES:(3)	187	7.4 %	22.1%
4	MOST TIMES:(4)	98	3.9 %	11.6%
5	EVERY TIME:(5)	70	2.8 %	8.3%
-9 (M)	MISSING:(-9)	1678	66.4 %	-

Based upon 848 valid cases out of 2526 total cases.

V1261	**101B020G:#X/YR MJ@HOME**

Location: 314-315 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 02160

When you used marijuana or hashish during the last year, how
often did you use it in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	427	16.9 %	50.4%
2	FEW TIMES:(2)	152	6.0 %	17.9%
3	SOMETIMES:(3)	108	4.3 %	12.7%
4	MOST TIMES:(4)	84	3.3 %	9.9%
5	EVERY TIME:(5)	77	3.0 %	9.1%
-9 (M)	MISSING:(-9)	1678	66.4 %	-

Based upon 848 valid cases out of 2526 total cases.

V1262	**101B020H:#X/YR MJ@SCHL**

Location: 316-317 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02170

When you used marijuana or hashish during the last year, how
often did you use it in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	684	27.1 %	80.9%
2	FEW TIMES:(2)	93	3.7 %	11.0%
3	SOMETIMES:(3)	35	1.4 %	4.1%
4	MOST TIMES:(4)	17	0.7 %	2.0%
5	EVERY TIME:(5)	17	0.7 %	2.0%
-9 (M)	MISSING:(-9)	1680	66.5 %	-

Based upon 846 valid cases out of 2526 total cases.

V1263	**101B020I:#X/YR MJIN CAR**

Location:	318-319 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02190

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	265	10.5 %	31.3%
2	FEW TIMES:(2)	220	8.7 %	26.0%
3	SOMETIMES:(3)	171	6.8 %	20.2%
4	MOST TIMES:(4)	122	4.8 %	14.4%
5	EVERY TIME:(5)	68	2.7 %	8.0%
-9 (M)	MISSING:(-9)	1680	66.5 %	-

Based upon 846 valid cases out of 2526 total cases.

V1813   101B020J:#X/YR MJ@PARK/BH

Location:	320-321 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30930

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

J. At a park or beach

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	402	15.9 %	47.5%
2	FEW TIMES:(2)	169	6.7 %	20.0%
3	SOMETIMES:(3)	140	5.5 %	16.5%
4	MOST TIMES:(4)	80	3.2 %	9.5%
5	EVERY TIME:(5)	55	2.2 %	6.5%
-9 (M)	MISSING:(-9)	1680	66.5 %	-

Based upon 846 valid cases out of 2526 total cases.

V1264	**101B021:#X OVL MJ+ ALC**

Location:	322-323 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02200

How many of the times when you used marijuana or hashish during the last year did you use it along with alcohol--that is, so that their effects overlapped?

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	315	12.5 %	37.9%
2	FEW TIMES:(2)	258	10.2 %	31.0%
3	SOMETIMES:(3)	147	5.8 %	17.7%
4	MOST TIMES:(4)	62	2.5 %	7.5%
5	EVERY TIME:(5)	50	2.0 %	6.0%
-9 (M)	MISSING:(-9)	1694	67.1 %	-

Based upon 832 valid cases out of 2526 total cases.

V1265	**101B022A:MJ EXPERIMENT**

Location:	324-325 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02210

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	348	13.8 %	41.8%
1	MARKED:(1)	484	19.2 %	58.2%
-9 (M)	MISSING:(-9)	1694	67.1 %	-

Based upon 832 valid cases out of 2526 total cases.

V1266	**101B022B:MJ RELAX**

Location:	326-327 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02220

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	286	11.3 %	34.4%
1	MARKED:(1)	546	21.6 %	65.6%
-9 (M)	MISSING:(-9)	1694	67.1 %	-

Based upon 832 valid cases out of 2526 total cases.

V1267	**101B022C:MJ GET HIGH**

Location:	328-329 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02230

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	253	10.0 %	30.4%
1	MARKED:(1)	579	22.9 %	69.6%
-9 (M)	MISSING:(-9)	1694	67.1 %	-

Based upon 832 valid cases out of 2526 total cases.

V1268	**101B022D:MJ SEEK INSIGHT**

Location:	330-331 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02240

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	644	25.5 %	77.4%
1	MARKED:(1)	188	7.4 %	22.6%
-9 (M)	MISSING:(-9)	1694	67.1 %	-

Based upon 832 valid cases out of 2526 total cases.

V1269	**101B022E:MJ GD TM FRNDS**

Location:	332-333 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02250

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	269	10.6 %	32.3%
1	MARKED:(1)	563	22.3 %	67.7%
-9 (M)	MISSING:(-9)	1694	67.1 %	-

Based upon 832 valid cases out of 2526 total cases.

V1270	**101B022F:MJ FIT IN GRP**

Location:	334-335 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02260

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	785	31.1 %	94.4%
1	MARKED:(1)	47	1.9 %	5.6%
-9 (M)	MISSING:(-9)	1694	67.1 %	-

Based upon 832 valid cases out of 2526 total cases.

V1271	**101B022G:MJ GET AWY PRB**

Location:	336-337 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02270

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	598	23.7 %	71.9%
1	MARKED:(1)	234	9.3 %	28.1%
-9 (M)	MISSING:(-9)	1694	67.1 %	-

Based upon 832 valid cases out of 2526 total cases.

V1272	**101B022H:MJ BOREDOM**

Location:	338-339 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02280

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	555	22.0 %	66.7%

Value	Label	Unweighted Frequency	%	Valid %
1	MARKED:(1)	277	11.0 %	33.3%
-9 (M)	MISSING:(-9)	1694	67.1 %	-

Based upon 832 valid cases out of 2526 total cases.

V1273   101B022I:MJ ANGR/FRUSTRN

Location:	340-341 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02290

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	658	26.0 %	79.1%
1	MARKED:(1)	174	6.9 %	20.9%
-9 (M)	MISSING:(-9)	1694	67.1 %	-

Based upon 832 valid cases out of 2526 total cases.

V1274   101B022J:MJ GET THRU DAY

Location:	342-343 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02300

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	715	28.3 %	85.9%
1	MARKED:(1)	117	4.6 %	14.1%
-9 (M)	MISSING:(-9)	1694	67.1 %	-

Based upon 832 valid cases out of 2526 total cases.

V1275	**101B022K:MJ INCRS EF DRG**

Location: 344-345 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02310

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	745	29.5 %	89.5%
1	MARKED:(1)	87	3.4 %	10.5%
-9 (M)	MISSING:(-9)	1694	67.1 %	-

Based upon 832 valid cases out of 2526 total cases.

V1276	**101B022L:MJ DECRS EF DRG**

Location: 346-347 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02320

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	804	31.8 %	96.6%
1	MARKED:(1)	28	1.1 %	3.4%
-9 (M)	MISSING:(-9)	1694	67.1 %	-

Based upon 832 valid cases out of 2526 total cases.

V1277	**101B022M:MJ I AM HOOKED**

Location: 348-349 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02330

What have been the most important reasons for your using
marijuana or hashish? (Mark all that apply.)

M. Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	784	31.0 %	94.2%
1	MARKED:(1)	48	1.9 %	5.8%
-9 (M)	MISSING:(-9)	1694	67.1 %	-

Based upon 832 valid cases out of 2526 total cases.

V1278	**101B023:MJ/HSH,VRY HIGH**

Location:	350-351 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02340

When you use marijuana or hashish, how high do you usually
get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	43	1.7 %	5.1%
2	A LITTLE:(2)	184	7.3 %	22.0%
3	MODERATE:(3)	367	14.5 %	43.8%
4	VERY:(4)	244	9.7 %	29.1%
-9 (M)	MISSING:(-9)	1688	66.8 %	-

Based upon 838 valid cases out of 2526 total cases.

V1279	**101B024:MJ/HSH,HI 24+HR**

Location:	352-353 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02350

When you use marijuana or hashish, how long do you usually
stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to
six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%	Valid %
1	USLY DON'T:(1)	55	2.2 %	6.6%
2	1-2 HRS:(2)	413	16.3 %	49.2%
3	3-6 HRS:(3)	320	12.7 %	38.1%
4	7-24 HRS:(4)	40	1.6 %	4.8%
5	> 24 HRS:(5)	11	0.4 %	1.3%
-9 (M)	MISSING:(-9)	1687	66.8 %	-

Based upon 839 valid cases out of 2526 total cases.

V1280	101B025:JOINT/DA LST MO

Location: 354-355 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02360

During the LAST MONTH, about how many marijuana cigarettes
(joints, reefers), or the equivalent, did you smoke a day,
on the average? (If you shared them with other people, count
only the amount YOU smoked.)

1="None" 2="Less than 1 a day" 3="1 a day" 4="2-3 a day"
5="4-6 a day" 6="7-10 a day" 7="11 or more a day"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	305	12.1 %	40.5%
2	< 1/DAY:(2)	226	8.9 %	30.0%
3	1/DAY:(3)	44	1.7 %	5.8%
4	2-3/DAY:(4)	100	4.0 %	13.3%
5	4-6/DAY:(5)	44	1.7 %	5.8%
6	7-10/DAY:(6)	11	0.4 %	1.5%
7	11+/DAY:(7)	24	1.0 %	3.2%
-9 (M)	MISSING:(-9)	1772	70.2 %	-

Based upon 754 valid cases out of 2526 total cases.

V1281	101B026:OZS.MJ LST MO/6

Location: 356-357 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02370

Do you know how much marijuana you have used (in ounces)
during the LAST MONTH?

1="None" 2="Less than 1/2 ounce" 3="About 1/2 ounce" 4="About
1 ounce" 5="About 2 ounces" 6="3 to 5 ounces" 7="6 or more
ounces" 8="Don't Know"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	262	10.4 %	34.8%
2	< 1/2 OZ:(2)	111	4.4 %	14.7%
3	1/2 OZ:(3)	60	2.4 %	8.0%
4	1 OZ:(4)	61	2.4 %	8.1%
5	2 OZ:(5)	35	1.4 %	4.6%
6	3-5 OZ:(6)	30	1.2 %	4.0%
7	6+ OZ:(7)	44	1.7 %	5.8%
8	DK:(8)	150	5.9 %	19.9%
-9 (M)	MISSING:(-9)	1773	70.2 %	-

Based upon 753 valid cases out of 2526 total cases.

V1282   101B027:*TRY STP MJ FL

Location: 358-359 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02380

Have you ever tried to stop using marijuana or hashish and
found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%	Valid %
1	YES:(1)	73	2.9 %	8.8%
2	NO:(2)	759	30.0 %	91.2%
-9 (M)	MISSING:(-9)	1694	67.1 %	-

Based upon 832 valid cases out of 2526 total cases.

V1706   101B028:MJ/HSH EVR DLY

Location: 360-361 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21180

Thinking back over your whole life, has there ever been a period when you used marijuana or hashish on a daily, or almost daily, basis for at least a month?

1="No--GO TO QUESTION 32" 2="Yes"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	1988	78.7 %	83.8%
2	YES:(2)	383	15.2 %	16.2%
-9 (M)	MISSING:(-9)	155	6.1 %	-

Based upon 2371 valid cases out of 2526 total cases.

V1707	**101B029:GR 1ST DAILY MJ**

Location: 362-363 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21190

How old were you when you first smoked marijuana or hashish that frequently?

1="Grade 6 or earlier" 2="Grade 7 or 8" 3="Grade 9 (Freshman)" 4="Grade 10 (Sophomore)" 5="Grade 11 (Junior)" 6="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	48	1.9 %	10.3%
2	GRADE 7-8:(2)	99	3.9 %	21.2%
3	GRADE 9:(3)	118	4.7 %	25.3%
4	GRADE 10:(4)	89	3.5 %	19.1%
5	GRADE 11:(5)	72	2.9 %	15.5%
6	GRADE 12:(6)	40	1.6 %	8.6%
-9 (M)	MISSING:(-9)	2060	81.6 %	-

Based upon 466 valid cases out of 2526 total cases.

V1708	**101B030:RECENT DAILY MJ**

Location: 364-365 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21200

How recently did you use marijuana or hashish on a daily, or almost daily, basis for at least a month?

1="During the past month" 2="2 months ago" 3="3 to 9 months ago" 4="About 1 year ago" 5="About 2 years ago" 6="3 or more years ago"

Value	Label	Unweighted Frequency	%	Valid %
1	PAST MON:(1)	143	5.7 %	31.8%
2	2 MON:(2)	32	1.3 %	7.1%
3	3-9 MON:(3)	69	2.7 %	15.3%
4	1 YEAR:(4)	77	3.0 %	17.1%
5	2 YEARS:(5)	73	2.9 %	16.2%
6	3+ YEARS:(6)	56	2.2 %	12.4%
-9 (M)	MISSING:(-9)	2076	82.2 %	-

Based upon 450 valid cases out of 2526 total cases.

V1709	**101B031:#X DAILY MJ/LFT**

Location:	366-367 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21210

Over your whole lifetime, during how many months have you used marijuana or hashish on a daily or near-daily basis?

1="Less than 3 months" 2="3 to 9 months" 3="About 1 year" 4="About 1 and 1/2 years" 5="About 2 years" 6="About 3 to 5 years" 7="6 to 9 years" 8="10 or more years"

Value	Label	Unweighted Frequency	%	Valid %
1	< 3MO:(1)	163	6.5 %	36.4%
2	3-9 MO:(2)	92	3.6 %	20.5%
3	1 YEAR:(3)	41	1.6 %	9.2%
4	1 1/2 YRS:(4)	34	1.3 %	7.6%
5	2 YRS:(5)	47	1.9 %	10.5%
6	3-5 YRS:(6)	49	1.9 %	10.9%
7	6-9 YRS:(7)	9	0.4 %	2.0%
8	10+ YRS:(8)	13	0.5 %	2.9%
-9 (M)	MISSING:(-9)	2078	82.3 %	-

Based upon 448 valid cases out of 2526 total cases.

V1283	**101B032:NO MJ/HSH IN5YR**

Location:	368-369 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02390

Do you think you will be using marijuana or hashish five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	134	5.3 %	5.6%
2	PRB WILL:(2)	300	11.9 %	12.6%
3	PRB WONT:(3)	486	19.2 %	20.3%
4	DEF WONT:(4)	1469	58.2 %	61.5%
-9 (M)	MISSING:(-9)	137	5.4 %	-

Based upon 2389 valid cases out of 2526 total cases.

V1118	**101B033A:#X LSD/LIFETIME**

Location:	370-371 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00890

The next questions are about LSD, the hallucinogenic drug which is sometimes called "acid". On how many occasions (if any) have you used LSD . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2240	88.7 %	95.8%
2	1-2X:(2)	52	2.1 %	2.2%
3	3-5X:(3)	20	0.8 %	0.9%
4	6-9X:(4)	7	0.3 %	0.3%

Value	Label	Unweighted Frequency	%	Valid %
5	10-19X:(5)	7	0.3 %	0.3%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	10	0.4 %	0.4%
-9 (M)	MISSING:(-9)	188	7.4 %	-

Based upon 2338 valid cases out of 2526 total cases.

V1284	101B033A:#X LSD/LIFETIME

Location: 372-373 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00890

The next questions are about LSD, the hallucinogenic drug which is sometimes called "acid". On how many occasions (if any) have you used LSD . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2240	88.7 %	95.8%
2	1-2X:(2)	52	2.1 %	2.2%
3	3-5X:(3)	20	0.8 %	0.9%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	7	0.3 %	0.3%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	10	0.4 %	0.4%
-9 (M)	MISSING:(-9)	188	7.4 %	-

Based upon 2338 valid cases out of 2526 total cases.

V1119	101B033B:#X LSD/LAST 12M

Location: 374-375 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00900

On how many occasions (if any) have you used LSD . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2267	89.7 %	97.1%
2	1-2X:(2)	42	1.7 %	1.8%
3	3-5X:(3)	9	0.4 %	0.4%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	191	7.6 %	-

Based upon 2335 valid cases out of 2526 total cases.

V1285	101B033B:#X LSD/LAST 12M

Location:	376-377 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00900

On how many occasions (if any) have you used LSD) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2267	89.7 %	97.1%
2	1-2X:(2)	42	1.7 %	1.8%
3	3-5X:(3)	9	0.4 %	0.4%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	191	7.6 %	-

Based upon 2335 valid cases out of 2526 total cases.

V1120	**101B033C:#X LSD/LAST 30D**

Location:	378-379 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00910

On how many occasions (if any) have you used LSD) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2306	91.3 %	98.6%
2	1-2X:(2)	16	0.6 %	0.7%
3	3-5X:(3)	6	0.2 %	0.3%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	188	7.4 %	-

Based upon 2338 valid cases out of 2526 total cases.

V1286	**101B033C:#X LSD/LAST 30D**

Location:	380-381 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00910

On how many occasions (if any) have you used LSD . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2306	91.3 %	98.6%

Value	Label	Unweighted Frequency	%	Valid %
2	1-2X:(2)	16	0.6 %	0.7%
3	3-5X:(3)	6	0.2 %	0.3%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	188	7.4 %	-

Based upon 2338 valid cases out of 2526 total cases.

V1287	101B034A:#X/YR LSD ALONE

Location:	382-383 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02400

IF YOU HAVE NOT TAKEN LSD IN THE LAST TWELVE MONTHS, GO TO QUESTION 41.

When you used LSD during the last year, how often did you use it in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	51	2.0 %	71.8%
2	FEW TIMES:(2)	6	0.2 %	8.5%
3	SOMETIMES:(3)	4	0.2 %	5.6%
4	MOST TIMES:(4)	2	0.1 %	2.8%
5	EVERY TIME:(5)	8	0.3 %	11.3%
-9 (M)	MISSING:(-9)	2455	97.2 %	-

Based upon 71 valid cases out of 2526 total cases.

V1288	101B034B:#X/YR LSD-2 PPL

Location:	384-385 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02410

When you used LSD during the last year, how often did you use it in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	12	0.5 %	17.1%
2	FEW TIMES:(2)	21	0.8 %	30.0%
3	SOMETIMES:(3)	8	0.3 %	11.4%
4	MOST TIMES:(4)	4	0.2 %	5.7%
5	EVERY TIME:(5)	25	1.0 %	35.7%
-9 (M)	MISSING:(-9)	2456	97.2 %	-

Based upon 70 valid cases out of 2526 total cases.

V1289	**101B034C:#X/YR LSD@PARTY**

Location:	386-387 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02420

When you used LSD during the last year, how often did you use
it in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	33	1.3 %	47.8%
2	FEW TIMES:(2)	12	0.5 %	17.4%
3	SOMETIMES:(3)	6	0.2 %	8.7%
4	MOST TIMES:(4)	4	0.2 %	5.8%
5	EVERY TIME:(5)	14	0.6 %	20.3%
-9 (M)	MISSING:(-9)	2457	97.3 %	-

Based upon 69 valid cases out of 2526 total cases.

V1290	**101B034D:#X/YR LSD-DT/SP**

Location:	388-389 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 02430

When you used LSD during the last year, how often did you use
it in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	51	2.0 %	73.9%
2	FEW TIMES:(2)	5	0.2 %	7.2%
3	SOMETIMES:(3)	5	0.2 %	7.2%
4	MOST TIMES:(4)	1	0.0 %	1.4%
5	EVERY TIME:(5)	7	0.3 %	10.1%
-9 (M)	MISSING:(-9)	2457	97.3 %	-

Based upon 69 valid cases out of 2526 total cases.

V1291	101B034E:#X/YR LSD-ADLTS

Location: 390-391 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M):   -9
Question:

Item Number: 02440

When you used LSD during the last year, how often did you use
it in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	52	2.1 %	75.4%
2	FEW TIMES:(2)	4	0.2 %	5.8%
3	SOMETIMES:(3)	5	0.2 %	7.2%
4	MOST TIMES:(4)	3	0.1 %	4.3%
5	EVERY TIME:(5)	5	0.2 %	7.2%
-9 (M)	MISSING:(-9)	2457	97.3 %	-

Based upon 69 valid cases out of 2526 total cases.

V1292	101B034F:#X/YR LSD-DATIM

Location: 392-393 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02450

When you used LSD during the last year, how often did you use it in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	42	1.7 %	60.0%
2	FEW TIMES:(2)	13	0.5 %	18.6%
3	SOMETIMES:(3)	7	0.3 %	10.0%
4	MOST TIMES:(4)	1	0.0 %	1.4%
5	EVERY TIME:(5)	7	0.3 %	10.0%
-9 (M)	MISSING:(-9)	2456	97.2 %	-

Based upon 70 valid cases out of 2526 total cases.

V1293	**101B034G:#X/YR LSD@HOME**

Location: 394-395 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02460

When you used LSD during the last year, how often did you use it in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	37	1.5 %	53.6%
2	FEW TIMES:(2)	13	0.5 %	18.8%
3	SOMETIMES:(3)	5	0.2 %	7.2%
4	MOST TIMES:(4)	4	0.2 %	5.8%
5	EVERY TIME:(5)	10	0.4 %	14.5%
-9 (M)	MISSING:(-9)	2457	97.3 %	-

Based upon 69 valid cases out of 2526 total cases.

V1294	**101B034H:#X/YR LSD@SCHL**

Location: 396-397 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02470

When you used LSD during the last year, how often did you use
it in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	52	2.1 %	76.5%
2	FEW TIMES:(2)	6	0.2 %	8.8%
3	SOMETIMES:(3)	4	0.2 %	5.9%
5	EVERY TIME:(5)	6	0.2 %	8.8%
-9 (M)	MISSING:(-9)	2458	97.3 %	-

Based upon 68 valid cases out of 2526 total cases.

V1295	**101B034I:#X/YR LSDIN CAR**

Location: 398-399 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02490

When you used LSD during the last year, how often did you use
it in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	43	1.7 %	59.7%
2	FEW TIMES:(2)	14	0.6 %	19.4%
3	SOMETIMES:(3)	3	0.1 %	4.2%
4	MOST TIMES:(4)	1	0.0 %	1.4%
5	EVERY TIME:(5)	11	0.4 %	15.3%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	2454	97.1 %	-

Based upon 72 valid cases out of 2526 total cases.

V1296	**101B035A:#X OVL LSD+ ALC**

Location:	400-401 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02500

How many of the times when you used LSD during the last year
did you use it along with each of the following drugs--that
is, so that their effects overlapped?

A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	34	1.3 %	52.3%
2	FEW TIMES:(2)	10	0.4 %	15.4%
3	SOMETIMES:(3)	7	0.3 %	10.8%
4	MOST TIMES:(4)	2	0.1 %	3.1%
5	EVERY TIME:(5)	12	0.5 %	18.5%
-9 (M)	MISSING:(-9)	2461	97.4 %	-

Based upon 65 valid cases out of 2526 total cases.

V1297	**101B035B:#X OVL LSD+ MJ**

Location:	402-403 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02510

How many of the times when you used LSD during the last year
did you use it along with each of the following drugs--that
is, so that their effects overlapped?

B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	17	0.7 %	26.6%
2	FEW TIMES:(2)	8	0.3 %	12.5%
3	SOMETIMES:(3)	6	0.2 %	9.4%
4	MOST TIMES:(4)	3	0.1 %	4.7%
5	EVERY TIME:(5)	30	1.2 %	46.9%
-9 (M)	MISSING:(-9)	2462	97.5 %	-

Based upon 64 valid cases out of 2526 total cases.

V1298   101B036A:LSD EXPERIMENT

Location: 404-405 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02520

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	14	0.6 %	19.2%
1	MARKED:(1)	59	2.3 %	80.8%
-9 (M)	MISSING:(-9)	2453	97.1 %	-

Based upon 73 valid cases out of 2526 total cases.

V1299   101B036B:LSD RELAX

Location: 406-407 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02530

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	57	2.3 %	78.1%
1	MARKED:(1)	16	0.6 %	21.9%
-9 (M)	MISSING:(-9)	2453	97.1 %	-

Based upon 73 valid cases out of 2526 total cases.

V1300   101B036C:LSD GET HIGH

Location: 408-409 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 02540

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	43	1.7 %	58.9%
1	MARKED:(1)	30	1.2 %	41.1%
-9 (M)	MISSING:(-9)	2453	97.1 %	-

Based upon 73 valid cases out of 2526 total cases.

V1301   101B036D:LSD SEEK INSGHT

Location: 410-411 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 02550

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	50	2.0 %	68.5%
1	MARKED:(1)	23	0.9 %	31.5%
-9 (M)	MISSING:(-9)	2453	97.1 %	-

Based upon 73 valid cases out of 2526 total cases.

V1302	101B036E:LSD GD TM FRNDS

Location: 412-413 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02560

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	46	1.8 %	63.0%
1	MARKED:(1)	27	1.1 %	37.0%
-9 (M)	MISSING:(-9)	2453	97.1 %	-

Based upon 73 valid cases out of 2526 total cases.

V1303	101B036F:LSD FIT IN GRP

Location: 414-415 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02570

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	65	2.6 %	89.0%
1	MARKED:(1)	8	0.3 %	11.0%
-9 (M)	MISSING:(-9)	2453	97.1 %	-

Based upon 73 valid cases out of 2526 total cases.

V1304	101B036G:LSD GT AWY PRB

Location: 416-417 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02580

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	66	2.6 %	90.4%
1	MARKED:(1)	7	0.3 %	9.6%
-9 (M)	MISSING:(-9)	2453	97.1 %	-

Based upon 73 valid cases out of 2526 total cases.

V1305	**101B036H:LSD BOREDOM**

Location: 418-419 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02590

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	59	2.3 %	80.8%
1	MARKED:(1)	14	0.6 %	19.2%
-9 (M)	MISSING:(-9)	2453	97.1 %	-

Based upon 73 valid cases out of 2526 total cases.

V1306	**101B036I:LSD ANGR/FRSTRN**

Location: 420-421 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02600

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	66	2.6 %	90.4%
1	MARKED:(1)	7	0.3 %	9.6%
-9 (M)	MISSING:(-9)	2453	97.1 %	-

Based upon 73 valid cases out of 2526 total cases.

V1307	**101B036J:LSD GT THRU DAY**

Location: 422-423 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02610

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	66	2.6 %	90.4%
1	MARKED:(1)	7	0.3 %	9.6%
-9 (M)	MISSING:(-9)	2453	97.1 %	-

Based upon 73 valid cases out of 2526 total cases.

V1308	**101B036K:LSD INCRS EF DR**

Location: 424-425 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02620

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	61	2.4 %	83.6%
1	MARKED:(1)	12	0.5 %	16.4%
-9 (M)	MISSING:(-9)	2453	97.1 %	-

Based upon 73 valid cases out of 2526 total cases.

V1309	101B036L:LSD DCRS EF DRG

Location: 426-427 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02630

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	70	2.8 %	95.9%
1	MARKED:(1)	3	0.1 %	4.1%
-9 (M)	MISSING:(-9)	2453	97.1 %	-

Based upon 73 valid cases out of 2526 total cases.

V1310	101B036M:LSD I AM HOOKED

Location: 428-429 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02640

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

M. Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	68	2.7 %	93.2%
1	MARKED:(1)	5	0.2 %	6.8%
-9 (M)	MISSING:(-9)	2453	97.1 %	-

Based upon 73 valid cases out of 2526 total cases.

V1311	101B037:LSD,GET VERY HI

Location:	430-431 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:

Item Number: 02650

When you take LSD, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	3	0.1 %	4.3%
2	A LITTLE:(2)	4	0.2 %	5.7%
3	MODERATE:(3)	16	0.6 %	22.9%
4	VERY:(4)	47	1.9 %	67.1%
-9 (M)	MISSING:(-9)	2456	97.2 %	-

Based upon 70 valid cases out of 2526 total cases.

V1312	101B038:LSD,HIGH 24+ HR

Location:	432-433 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:

Item Number: 02660

When you take LSD, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to
six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%	Valid %
1	USLY DON'T:(1)	3	0.1 %	4.2%
2	1-2 HRS:(2)	5	0.2 %	6.9%
3	3-6 HRS:(3)	17	0.7 %	23.6%
4	7-24 HRS:(4)	38	1.5 %	52.8%
5	> 24 HRS:(5)	9	0.4 %	12.5%
-9 (M)	MISSING:(-9)	2454	97.1 %	-

Based upon 72 valid cases out of 2526 total cases.

V1313	101B039:1+ BAD TRIP LSD

Location:	434-435 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02670

Have you ever had a "bad trip" on LSD?

1="No" 2="Yes, once" 3="Yes, more than once"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	45	1.8 %	60.0%
2	YES/ONCE:(2)	21	0.8 %	28.0%
3	YES/MORE:(3)	9	0.4 %	12.0%
-9 (M)	MISSING:(-9)	2451	97.0 %	-

Based upon 75 valid cases out of 2526 total cases.

V1314	**101B040:*TRY STP LSD/FL**

Location:	436-437 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02680

Have you ever tried to stop using LSD and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%	Valid %
1	YES:(1)	2	0.1 %	2.8%
2	NO:(2)	70	2.8 %	97.2%
-9 (M)	MISSING:(-9)	2454	97.1 %	-

Based upon 72 valid cases out of 2526 total cases.

V1315	**101B041:NO LSD IN 5 YRS**

Location:	438-439 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02690

Do you think you will be using LSD five years from now?

1="I definitely will" 2="I probably will" 3="I probably will

not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	26	1.0 %	1.2%
2	PRB WILL:(2)	32	1.3 %	1.5%
3	PRB WONT:(3)	167	6.6 %	7.6%
4	DEF WONT:(4)	1980	78.4 %	89.8%
-9 (M)	MISSING:(-9)	321	12.7 %	-

Based upon 2205 valid cases out of 2526 total cases.

V1121	**101B042A:#X PSYD/LIFETIM**

Location: 440-441 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00920

The next questions are about HALLUCINOGENS OTHER THAN LSD.
This group would include the following drugs: Mescaline,
Peyote, "Shrooms" or Psilocybin, PCP. On how many occasions
(if any) have you taken hallucinogens other than LSD . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2117	83.8 %	92.6%
2	1-2X:(2)	85	3.4 %	3.7%
3	3-5X:(3)	33	1.3 %	1.4%
4	6-9X:(4)	17	0.7 %	0.7%
5	10-19X:(5)	12	0.5 %	0.5%
6	20-39X:(6)	6	0.2 %	0.3%
7	40+OCCAS:(7)	16	0.6 %	0.7%
-9 (M)	MISSING:(-9)	240	9.5 %	-

Based upon 2286 valid cases out of 2526 total cases.

V1316	**101B042A:#X PSYD/LIFETIM**

Location: 442-443 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00920

The next questions are about HALLUCINOGENS OTHER THAN LSD.
This group would include the following drugs: Mescaline,
Peyote, "Shrooms" or Psilocybin, PCP. On how many occasions
(if any) have you taken hallucinogens other than LSD . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2117	83.8 %	92.6%
2	1-2X:(2)	85	3.4 %	3.7%
3	3-5X:(3)	33	1.3 %	1.4%
4	6-9X:(4)	17	0.7 %	0.7%
5	10-19X:(5)	12	0.5 %	0.5%
6	20-39X:(6)	6	0.2 %	0.3%
7	40+OCCAS:(7)	16	0.6 %	0.7%
-9 (M)	MISSING:(-9)	240	9.5 %	-

Based upon 2286 valid cases out of 2526 total cases.

V1122	101B042B:#X PSYD/LAST12M

Location: 444-445 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00930

On how many occasions (if any) have you taken hallucinogens
other than LSD . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2179	86.3 %	95.2%
2	1-2X:(2)	63	2.5 %	2.8%
3	3-5X:(3)	21	0.8 %	0.9%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	6	0.2 %	0.3%
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	237	9.4 %	-

Based upon 2289 valid cases out of 2526 total cases.

V1317   **101B042B:#X PSYD/LAST12M**

Location: 446-447 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00930

On how many occasions (if any) have you taken hallucinogens other than LSD . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2179	86.3 %	95.2%
2	1-2X:(2)	63	2.5 %	2.8%
3	3-5X:(3)	21	0.8 %	0.9%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	6	0.2 %	0.3%
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	237	9.4 %	-

Based upon 2289 valid cases out of 2526 total cases.

V1123   **101B042C:#X PSYD/LAST30D**

Location: 448-449 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00940

On how many occasions (if any) have you taken hallucinogens other than LSD . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2242	88.8 %	98.0%
2	1-2X:(2)	25	1.0 %	1.1%
3	3-5X:(3)	6	0.2 %	0.3%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	6	0.2 %	0.3%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	239	9.5 %	-

Based upon 2287 valid cases out of 2526 total cases.

V1318	**101B042C:#X PSYD/LAST30D**

Location:	450-451 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00940

On how many occasions (if any) have you taken hallucinogens other than LSD . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2242	88.8 %	98.0%
2	1-2X:(2)	25	1.0 %	1.1%
3	3-5X:(3)	6	0.2 %	0.3%
4	6-9X:(4)	3	0.1 %	0.1%

Value	Label	Unweighted Frequency	%	Valid %
5	10-19X:(5)	6	0.2 %	0.3%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	239	9.5 %	-

Based upon 2287 valid cases out of 2526 total cases.

V1319	**101B043:PSYD,GT VERY HI**

Location:	452-453 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02700

IF YOU HAVE NOT TAKEN ANY HALLUCINOGENS OTHER THAN LSD IN THE
LAST TWELVE MONTHS, GO TO QUESTION 46.

When you take hallucinogens other than LSD how high do you
usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	7	0.3 %	6.2%
2	A LITTLE:(2)	11	0.4 %	9.8%
3	MODERATE:(3)	31	1.2 %	27.7%
4	VERY:(4)	63	2.5 %	56.2%
-9 (M)	MISSING:(-9)	2414	95.6 %	-

Based upon 112 valid cases out of 2526 total cases.

V1320	**101B044:PSYD,HI 24+ HRS**

Location:	454-455 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02710

When you take hallucinogens other than LSD, how long do you
usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to
six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%	Valid %
1	USLY DON'T:(1)	10	0.4 %	8.8%
2	1-2 HRS:(2)	12	0.5 %	10.5%
3	3-6 HRS:(3)	50	2.0 %	43.9%
4	7-24 HRS:(4)	34	1.3 %	29.8%
5	> 24 HRS:(5)	8	0.3 %	7.0%
-9 (M)	MISSING:(-9)	2412	95.5 %	-

Based upon 114 valid cases out of 2526 total cases.

V1321	**101B045A:TKN YR,MESCALIN**

Location: 456-457 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02720

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

A. Mescaline

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	95	3.8 %	85.6%
1	MARKED:(1)	16	0.6 %	14.4%
-9 (M)	MISSING:(-9)	2415	95.6 %	-

Based upon 111 valid cases out of 2526 total cases.

V1322	**101B045B:TKN YR,PEYOTE**

Location: 458-459 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02730

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

B. Peyote

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	93	3.7 %	83.8%
1	MARKED:(1)	18	0.7 %	16.2%
-9 (M)	MISSING:(-9)	2415	95.6 %	-

Based upon 111 valid cases out of 2526 total cases.

V1323	**101B045C:TKN YR,PSILOCYB**

Location: 460-461 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02740

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

C. Psilocybin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	24	1.0 %	21.6%
1	MARKED:(1)	87	3.4 %	78.4%
-9 (M)	MISSING:(-9)	2415	95.6 %	-

Based upon 111 valid cases out of 2526 total cases.

V1324	**101B045D:TKN YR,PCP**

Location: 462-463 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02750

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

D. PCP

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	87	3.4 %	78.4%
1	MARKED:(1)	24	1.0 %	21.6%
-9 (M)	MISSING:(-9)	2415	95.6 %	-

Based upon 111 valid cases out of 2526 total cases.

V1325	**101B045E:TKN YR,CNCT THC**

Location: 464-465 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02760

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

E. Concentrated THC

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	84	3.3 %	75.7%
1	MARKED:(1)	27	1.1 %	24.3%
-9 (M)	MISSING:(-9)	2415	95.6 %	-

Based upon 111 valid cases out of 2526 total cases.

V1326	**101B045F:TKN YR,OTH PSYD**

Location: 466-467 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02770

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

F. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	78	3.1 %	70.3%
1	MARKED:(1)	33	1.3 %	29.7%
-9 (M)	MISSING:(-9)	2415	95.6 %	-

Based upon 111 valid cases out of 2526 total cases.

V1327	**101B045G:TKN YR,DK NAME**

Location: 468-469 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02780

What hallucinogens other than LSD have you taken during the
last year? (Mark all that apply.)

G. Don't know the names of some I have used

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	94	3.7 %	84.7%
1	MARKED:(1)	17	0.7 %	15.3%
-9 (M)	MISSING:(-9)	2415	95.6 %	-

Based upon 111 valid cases out of 2526 total cases.

V1710	**101B046A:#X DIETPILL/LFT**

Location: 470-471 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21220

The next questions are about some non-prescription drugs.
Some types of diet pills (also called appetite suppressants)
can be sold legally without a doctor's prescription by
drugstores, through the mail, etc. These "over-the-counter"
drugs include Dexatrim(R), Dietac(R), and others. On how
many occasions (if any) have you taken such non-prescription
diet pills . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2160	85.5 %	92.6%
2	1-2X:(2)	74	2.9 %	3.2%
3	3-5X:(3)	28	1.1 %	1.2%
4	6-9X:(4)	23	0.9 %	1.0%
5	10-19X:(5)	14	0.6 %	0.6%
6	20-39X:(6)	11	0.4 %	0.5%
7	40+OCCAS:(7)	23	0.9 %	1.0%
-9 (M)	MISSING:(-9)	193	7.6 %	-

Based upon 2333 valid cases out of 2526 total cases.

V1711	**101B046B:#X DIETPILL/12M**

Location: 472-473 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21230

On how many occasions (if any) have you taken such non-prescription diet pills . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2225	88.1 %	95.4%
2	1-2X:(2)	43	1.7 %	1.8%
3	3-5X:(3)	14	0.6 %	0.6%
4	6-9X:(4)	15	0.6 %	0.6%
5	10-19X:(5)	14	0.6 %	0.6%
6	20-39X:(6)	10	0.4 %	0.4%
7	40+OCCAS:(7)	11	0.4 %	0.5%
-9 (M)	MISSING:(-9)	194	7.7 %	-

Based upon 2332 valid cases out of 2526 total cases.

V1712	**101B046C:#X DIETPILL/30D**

Location: 474-475 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21240

On how many occasions (if any) have you taken such non-prescription diet pills . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2287	90.5 %	97.9%
2	1-2X:(2)	20	0.8 %	0.9%
3	3-5X:(3)	11	0.4 %	0.5%
4	6-9X:(4)	8	0.3 %	0.3%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	189	7.5 %	-

Based upon 2337 valid cases out of 2526 total cases.

V1713	101B047A:#X STA-AWAK/LFT

Location: 476-477 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21250

Some stay-awake pills can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These non-prescription or "over-the-counter" drugs include No-Doz(R), Vivarin(R), Wake(R), Caffedrine(R), and others. On how many occasions (if any) have you taken such non-prescription stay-awake pills . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2190	86.7 %	94.0%
2	1-2X:(2)	78	3.1 %	3.3%
3	3-5X:(3)	21	0.8 %	0.9%
4	6-9X:(4)	9	0.4 %	0.4%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	6	0.2 %	0.3%
7	40+OCCAS:(7)	16	0.6 %	0.7%
-9 (M)	MISSING:(-9)	197	7.8 %	-

Based upon 2329 valid cases out of 2526 total cases.

V1714	101B047B:#X STA-AWAK/12M

Location: 478-479 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21260

On how many occasions (if any) have you taken such
non-prescription stay-awake pills . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2254	89.2 %	96.8%
2	1-2X:(2)	37	1.5 %	1.6%
3	3-5X:(3)	11	0.4 %	0.5%
4	6-9X:(4)	9	0.4 %	0.4%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	7	0.3 %	0.3%
7	40+OCCAS:(7)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	197	7.8 %	-

Based upon 2329 valid cases out of 2526 total cases.

V1715   101B047C:#X STA-AWAK/30D

Location:	480-481 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21270

On how many occasions (if any) have you taken such
non-prescription stay-awake pills . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2297	90.9 %	98.5%
2	1-2X:(2)	15	0.6 %	0.6%
3	3-5X:(3)	7	0.3 %	0.3%
4	6-9X:(4)	4	0.2 %	0.2%

Value	Label	Unweighted Frequency	%	Valid %
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	194	7.7 %	-

Based upon 2332 valid cases out of 2526 total cases.

V1716	**101B048A:#X LOOKALIK/LFT**

Location:	482-483 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21280

In addition to non-prescription diet and stay-awake pills, there are other stimulants and pep pills which can be sold legally in most states without a prescription--usually by mail. These are sometimes called "fake pep pills," "imitation speed," or "look-alikes," because they look like prescription amphetamines and sometimes have similar names. Other than the diet pills and stay-awake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2264	89.6 %	97.2%
2	1-2X:(2)	26	1.0 %	1.1%
3	3-5X:(3)	12	0.5 %	0.5%
4	6-9X:(4)	11	0.4 %	0.5%
5	10-19X:(5)	6	0.2 %	0.3%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	8	0.3 %	0.3%
-9 (M)	MISSING:(-9)	197	7.8 %	-

Based upon 2329 valid cases out of 2526 total cases.

V1717	**101B048B:#X LOOKALIK/12M**

Location:	484-485 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 21290

Other than the diet pills and stay-awake pills you have
already told us about, on how many occasions (if any)
have you taken other non-prescription stimulants or pep
pills . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2283	90.4 %	98.1%
2	1-2X:(2)	22	0.9 %	0.9%
3	3-5X:(3)	8	0.3 %	0.3%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	198	7.8 %	-

Based upon 2328 valid cases out of 2526 total cases.

V1718	**101B048C:#X LOOKALIK/30D**

Location: 486-487 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 21300

Other than the diet pills and stay-awake pills you have
already told us about, on how many occasions (if any)
have you taken other non-prescription stimulants or pep
pills . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2308	91.4 %	99.1%
2	1-2X:(2)	11	0.4 %	0.5%
3	3-5X:(3)	4	0.2 %	0.2%

Value	Label	Unweighted Frequency	%	Valid %
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	198	7.8 %	-

Based upon 2328 valid cases out of 2526 total cases.

V1328	101B049:DR TOLD TK AMPH

Location:	488-489 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02790

The next questions are about AMPHETAMINES, which are sometimes
prescribed by doctors for people who have trouble paying
attention, are hyperactive, have ADHD, or have trouble staying
awake. Drugstores are not supposed to sell them without a
prescription from a doctor.

Amphetamines are sometimes called: Uppers, Ups, Speed, Bennies,
Dexies, Pep Pills, Diet Pills, Meth or Crystal Meth. They include
the following drugs: Benzedrine, Dexedrine, Methedrine, Ritalin,
Adderall, Concerta, Methamphetamine.

IN YOUR ANSWERS ABOUT AMPHETAMINES, DO NOT INCLUDE ANY NON-
PRESCRIPTION OR OVER-THE-COUNTER DRUGS.

Have you ever taken amphetamines because a doctor told you to
use them?

1="No" 2="Yes, but I had already tried them on my own."
3="Yes, and it was the first time I took any."

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	2134	84.5 %	91.5%
2	YES/BUT TRIED:(2)	36	1.4 %	1.5%
3	YES/FIRST:(3)	162	6.4 %	6.9%
-9 (M)	MISSING:(-9)	194	7.7 %	-

Based upon 2332 valid cases out of 2526 total cases.

V1127	101B050A:#X AMPH/LIFETIM

Location:	490-491 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 00980

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2121	84.0 %	92.1%
2	1-2X:(2)	58	2.3 %	2.5%
3	3-5X:(3)	32	1.3 %	1.4%
4	6-9X:(4)	26	1.0 %	1.1%
5	10-19X:(5)	18	0.7 %	0.8%
6	20-39X:(6)	16	0.6 %	0.7%
7	40+OCCAS:(7)	33	1.3 %	1.4%
-9 (M)	MISSING:(-9)	222	8.8 %	-

Based upon 2304 valid cases out of 2526 total cases.

V1329	**101B050A:#X AMPH/LIFETIM**

Location: 492-493 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00980

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2121	84.0 %	92.1%

Value	Label	Unweighted Frequency	%	Valid %
2	1-2X:(2)	58	2.3 %	2.5%
3	3-5X:(3)	32	1.3 %	1.4%
4	6-9X:(4)	26	1.0 %	1.1%
5	10-19X:(5)	18	0.7 %	0.8%
6	20-39X:(6)	16	0.6 %	0.7%
7	40+OCCAS:(7)	33	1.3 %	1.4%
-9 (M)	MISSING:(-9)	222	8.8 %	-

Based upon 2304 valid cases out of 2526 total cases.

V1128	**101B050B:#X AMPH/LAST12M**

Location:	494-495 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2187	86.6 %	94.8%
2	1-2X:(2)	40	1.6 %	1.7%
3	3-5X:(3)	23	0.9 %	1.0%
4	6-9X:(4)	15	0.6 %	0.7%
5	10-19X:(5)	18	0.7 %	0.8%
6	20-39X:(6)	12	0.5 %	0.5%
7	40+OCCAS:(7)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	219	8.7 %	-

Based upon 2307 valid cases out of 2526 total cases.

V1330	**101B050B:#X AMPH/LAST12M**

Location:	496-497 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2187	86.6 %	94.8%
2	1-2X:(2)	40	1.6 %	1.7%
3	3-5X:(3)	23	0.9 %	1.0%
4	6-9X:(4)	15	0.6 %	0.7%
5	10-19X:(5)	18	0.7 %	0.8%
6	20-39X:(6)	12	0.5 %	0.5%
7	40+OCCAS:(7)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	219	8.7 %	-

Based upon 2307 valid cases out of 2526 total cases.

V1129   101B050C:#X AMPH/LAST30D

Location:	498-499 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2246	88.9 %	97.4%
2	1-2X:(2)	25	1.0 %	1.1%
3	3-5X:(3)	13	0.5 %	0.6%
4	6-9X:(4)	13	0.5 %	0.6%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	220	8.7 %	-

Based upon 2306 valid cases out of 2526 total cases.

V1331 — 101B050C:#X AMPH/LAST30D

Location:	500-501 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2246	88.9 %	97.4%
2	1-2X:(2)	25	1.0 %	1.1%
3	3-5X:(3)	13	0.5 %	0.6%
4	6-9X:(4)	13	0.5 %	0.6%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	220	8.7 %	-

Based upon 2306 valid cases out of 2526 total cases.

V1332 — 101B051A:#X/YR AMPH ALNE

Location:	502-503 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 02800

IF YOU HAVE NOT TAKEN AMPHETAMINES IN THE LAST TWELVE MONTHS,
GO TO QUESTION 59. THE FOLLOWING QUESTIONS REFER ONLY TO
TAKING AMPHETAMINES WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE
NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 59.

When you used amphetamines during the last year, how often
did you use them in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	61	2.4 %	50.4%
2	FEW TIMES:(2)	20	0.8 %	16.5%
3	SOMETIMES:(3)	13	0.5 %	10.7%
4	MOST TIMES:(4)	14	0.6 %	11.6%
5	EVERY TIME:(5)	13	0.5 %	10.7%
-9 (M)	MISSING:(-9)	2405	95.2 %	-

Based upon 121 valid cases out of 2526 total cases.

V1333   101B051B:#X/YR AMPH-2PPL

Location:	504-505 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02810

When you used amphetamines during the last year, how often
did you use them in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	40	1.6 %	34.5%
2	FEW TIMES:(2)	36	1.4 %	31.0%
3	SOMETIMES:(3)	18	0.7 %	15.5%
4	MOST TIMES:(4)	7	0.3 %	6.0%
5	EVERY TIME:(5)	15	0.6 %	12.9%
-9 (M)	MISSING:(-9)	2410	95.4 %	-

Based upon 116 valid cases out of 2526 total cases.

V1334	**101B051C:#X/YR AMPH@PRTY**

Location:	506-507 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02820

When you used amphetamines during the last year, how often did you use them in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	69	2.7 %	59.5%
2	FEW TIMES:(2)	16	0.6 %	13.8%
3	SOMETIMES:(3)	13	0.5 %	11.2%
4	MOST TIMES:(4)	8	0.3 %	6.9%
5	EVERY TIME:(5)	10	0.4 %	8.6%
-9 (M)	MISSING:(-9)	2410	95.4 %	-

Based upon 116 valid cases out of 2526 total cases.

V1335	**101B051D:#X/YR AMPH-DT/S**

Location:	508-509 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02830

When you used amphetamines during the last year, how often did you use them in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	84	3.3 %	72.4%
2	FEW TIMES:(2)	11	0.4 %	9.5%
3	SOMETIMES:(3)	6	0.2 %	5.2%

Value	Label	Unweighted Frequency	%	Valid %
4	MOST TIMES:(4)	7	0.3 %	6.0%
5	EVERY TIME:(5)	8	0.3 %	6.9%
-9 (M)	MISSING:(-9)	2410	95.4 %	-

Based upon 116 valid cases out of 2526 total cases.

V1336	101B051E:#X/YR AMPH-ADLT

Location: 510-511 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02840

When you used amphetamines during the last year, how often did you use them in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	86	3.4 %	74.1%
2	FEW TIMES:(2)	13	0.5 %	11.2%
3	SOMETIMES:(3)	5	0.2 %	4.3%
4	MOST TIMES:(4)	5	0.2 %	4.3%
5	EVERY TIME:(5)	7	0.3 %	6.0%
-9 (M)	MISSING:(-9)	2410	95.4 %	-

Based upon 116 valid cases out of 2526 total cases.

V1337	101B051F:#X/YR AMPH-DATM

Location: 512-513 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02850

When you used amphetamines during the last year, how often did you use them in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	33	1.3 %	27.5%
2	FEW TIMES:(2)	26	1.0 %	21.7%
3	SOMETIMES:(3)	10	0.4 %	8.3%
4	MOST TIMES:(4)	20	0.8 %	16.7%
5	EVERY TIME:(5)	31	1.2 %	25.8%
-9 (M)	MISSING:(-9)	2406	95.2 %	-

Based upon 120 valid cases out of 2526 total cases.

V1338	**101B051G:#X/YR AMPH@HOME**

Location:	514-515 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02860

When you used amphetamines during the last year, how often did you use them in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	57	2.3 %	48.7%
2	FEW TIMES:(2)	11	0.4 %	9.4%
3	SOMETIMES:(3)	16	0.6 %	13.7%
4	MOST TIMES:(4)	15	0.6 %	12.8%
5	EVERY TIME:(5)	18	0.7 %	15.4%
-9 (M)	MISSING:(-9)	2409	95.4 %	-

Based upon 117 valid cases out of 2526 total cases.

V1339	**101B051H:#X/YR AMPH@SCHL**

Location:	516-517 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02880

When you used amphetamines during the last year, how often did you use them in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	47	1.9 %	39.8%
2	FEW TIMES:(2)	20	0.8 %	16.9%
3	SOMETIMES:(3)	14	0.6 %	11.9%
4	MOST TIMES:(4)	12	0.5 %	10.2%
5	EVERY TIME:(5)	25	1.0 %	21.2%
-9 (M)	MISSING:(-9)	2408	95.3 %	-

Based upon 118 valid cases out of 2526 total cases.

V1340	**101B051I:#X/YR AMPH@CAR**

Location:	518-519 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02890

When you used amphetamines during the last year, how often
did you use them in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	70	2.8 %	58.8%
2	FEW TIMES:(2)	21	0.8 %	17.6%
3	SOMETIMES:(3)	15	0.6 %	12.6%
4	MOST TIMES:(4)	4	0.2 %	3.4%
5	EVERY TIME:(5)	9	0.4 %	7.6%
-9 (M)	MISSING:(-9)	2407	95.3 %	-

Based upon 119 valid cases out of 2526 total cases.

V1838	**101B052A:AMPH SRC INTERNT**

Location:	520-521 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31690

Where did you get the amphetamines you used without a doctor's

orders during the last year? (Mark all that apply.)

A: Bought on the Internet

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	114	4.5 %	93.4%
1	MARKED:(1)	8	0.3 %	6.6%
-9 (M)	MISSING:(-9)	2404	95.2 %	-

Based upon 122 valid cases out of 2526 total cases.

V1873	**101B052B:AMPH SRC FRND-ASK**

Location:	522-523 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31701

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

B: Took from a friend without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	114	4.5 %	93.4%
1	MARKED:(1)	8	0.3 %	6.6%
-9 (M)	MISSING:(-9)	2404	95.2 %	-

Based upon 122 valid cases out of 2526 total cases.

V1874	**101B052C:AMPH SRC RLTV-ASK**

Location:	524-525 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31702

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

C: Took from a relative without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	107	4.2 %	87.7%
1	MARKED:(1)	15	0.6 %	12.3%
-9 (M)	MISSING:(-9)	2404	95.2 %	-

Based upon 122 valid cases out of 2526 total cases.

V1875	**101B052D:AMPH SRC FRND FREE**

Location:	526-527 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31711

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

D: Given for free by a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	54	2.1 %	44.3%
1	MARKED:(1)	68	2.7 %	55.7%
-9 (M)	MISSING:(-9)	2404	95.2 %	-

Based upon 122 valid cases out of 2526 total cases.

V1876	**101B052E:AMPH SRC RLTV FREE**

Location:	528-529 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31711

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

E: Given for free by a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	110	4.4 %	90.2%
1	MARKED:(1)	12	0.5 %	9.8%
-9 (M)	MISSING:(-9)	2404	95.2 %	-

Based upon 122 valid cases out of 2526 total cases.

V1877	**101B052F:AMPH SRC FRND BGHT**

Location:	530-531 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31721

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

F: Bought from a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	64	2.5 %	52.5%
1	MARKED:(1)	58	2.3 %	47.5%
-9 (M)	MISSING:(-9)	2404	95.2 %	-

Based upon 122 valid cases out of 2526 total cases.

V1878	**101B052G:AMPH SRC RLTV BGHT**

Location:	532-533 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31722

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

G: Bought from a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	120	4.8 %	98.4%
1	MARKED:(1)	2	0.1 %	1.6%
-9 (M)	MISSING:(-9)	2404	95.2 %	-

Based upon 122 valid cases out of 2526 total cases.

V1842	**101B052H:AMPH SRC PRESCRP**

| Location: | 534-535 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Range of Missing Values (M):   -9

Question:

Item Number: 31730

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

H: From a prescription I had

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	102	4.0 %	83.6%
1	MARKED:(1)	20	0.8 %	16.4%
-9 (M)	MISSING:(-9)	2404	95.2 %	-

Based upon 122 valid cases out of 2526 total cases.

V1843	**101B052I:AMPH SRC DEALER**

Location: 536-537 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 31740

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

I: Bought from drug dealer/stranger

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	96	3.8 %	78.7%
1	MARKED:(1)	26	1.0 %	21.3%
-9 (M)	MISSING:(-9)	2404	95.2 %	-

Based upon 122 valid cases out of 2526 total cases.

V1844	**101B052J:AMPH SRC OTHER**

Location: 538-539 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 31750

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

J: Other method

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	105	4.2 %	86.1%
1	MARKED:(1)	17	0.7 %	13.9%
-9 (M)	MISSING:(-9)	2404	95.2 %	-

Based upon 122 valid cases out of 2526 total cases.

V1345	**101B053A:AMPH EXPERIMENT**

Location: 540-541 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02940

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	65	2.6 %	54.2%
1	MARKED:(1)	55	2.2 %	45.8%
-9 (M)	MISSING:(-9)	2406	95.2 %	-

Based upon 120 valid cases out of 2526 total cases.

V1346	**101B053B:AMPH RELAX**

Location: 542-543 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02950

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	91	3.6 %	75.8%
1	MARKED:(1)	29	1.1 %	24.2%
-9 (M)	MISSING:(-9)	2406	95.2 %	-

Based upon 120 valid cases out of 2526 total cases.

V1347	101B053C:AMPH GET HIGH

Location:	544-545 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02960

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	80	3.2 %	66.7%
1	MARKED:(1)	40	1.6 %	33.3%
-9 (M)	MISSING:(-9)	2406	95.2 %	-

Based upon 120 valid cases out of 2526 total cases.

V1348	101B053D:AMPH SK INSIGHT

Location:	546-547 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 02970

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	100	4.0 %	83.3%
1	MARKED:(1)	20	0.8 %	16.7%
-9 (M)	MISSING:(-9)	2406	95.2 %	-

Based upon 120 valid cases out of 2526 total cases.

V1349	**101B053E:AMPH GD TM FRND**

Location: 548-549 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02980

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	87	3.4 %	72.5%
1	MARKED:(1)	33	1.3 %	27.5%
-9 (M)	MISSING:(-9)	2406	95.2 %	-

Based upon 120 valid cases out of 2526 total cases.

V1350	**101B053F:AMPH FIT IN GRP**

Location: 550-551 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02990

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	110	4.4 %	91.7%
1	MARKED:(1)	10	0.4 %	8.3%
-9 (M)	MISSING:(-9)	2406	95.2 %	-

Based upon 120 valid cases out of 2526 total cases.

V1351	**101B053G:AMPH GT AWY PRB**

Location: 552-553 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 03000

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	98	3.9 %	81.7%
1	MARKED:(1)	22	0.9 %	18.3%
-9 (M)	MISSING:(-9)	2406	95.2 %	-

Based upon 120 valid cases out of 2526 total cases.

V1352   101B053H:AMPH BOREDOM

Location: 554-555 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 03010

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	98	3.9 %	81.7%
1	MARKED:(1)	22	0.9 %	18.3%
-9 (M)	MISSING:(-9)	2406	95.2 %	-

Based upon 120 valid cases out of 2526 total cases.

V1353   101B053I:AMPH ANGR/FRSTN

Location: 556-557 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 03020

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	104	4.1 %	86.7%
1	MARKED:(1)	16	0.6 %	13.3%
-9 (M)	MISSING:(-9)	2406	95.2 %	-

Based upon 120 valid cases out of 2526 total cases.

V1354	101B053J:AMPH GT THRU DA

Location: 558-559 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03030

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	95	3.8 %	79.2%
1	MARKED:(1)	25	1.0 %	20.8%
-9 (M)	MISSING:(-9)	2406	95.2 %	-

Based upon 120 valid cases out of 2526 total cases.

V1355	101B053K:AMPH INCR EF DR

Location: 560-561 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03040

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	108	4.3 %	90.0%
1	MARKED:(1)	12	0.5 %	10.0%
-9 (M)	MISSING:(-9)	2406	95.2 %	-

Based upon 120 valid cases out of 2526 total cases.

V1356	**101B053L:AMPH DCRS EF DR**

Location: 562-563 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03050

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	117	4.6 %	97.5%
1	MARKED:(1)	3	0.1 %	2.5%
-9 (M)	MISSING:(-9)	2406	95.2 %	-

Based upon 120 valid cases out of 2526 total cases.

V1357	**101B053M:AMPH STAY AWAKE**

Location: 564-565 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03060

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

M. To stay awake

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	70	2.8 %	58.3%
1	MARKED:(1)	50	2.0 %	41.7%
-9 (M)	MISSING:(-9)	2406	95.2 %	-

Based upon 120 valid cases out of 2526 total cases.

V1358	101B053N:AMPH GET>ENERGY

Location:	566-567 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03070

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

N. To get more energy

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	62	2.5 %	51.7%
1	MARKED:(1)	58	2.3 %	48.3%
-9 (M)	MISSING:(-9)	2406	95.2 %	-

Based upon 120 valid cases out of 2526 total cases.

V1879	101B053O:AMPH HELP STUDY

Location:	568-569 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03075

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

O. To help me study

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	70	2.8 %	58.3%
1	MARKED:(1)	50	2.0 %	41.7%
-9 (M)	MISSING:(-9)	2406	95.2 %	-

Based upon 120 valid cases out of 2526 total cases.

V1359	101B053P:AMPH LOSE WGHT

| Location: | 570-571 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Range of Missing Values (M):   -9

Question:

Item Number: 03080

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

P. To help me lose weight

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	85	3.4 %	70.8%
1	MARKED:(1)	35	1.4 %	29.2%
-9 (M)	MISSING:(-9)	2406	95.2 %	-

Based upon 120 valid cases out of 2526 total cases.

V1360	**101B053Q:AMPH I AM HOOKD**

Location: 572-573 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 03090

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

Q. Because I am "hooked"--I feel I have to have them

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	112	4.4 %	93.3%
1	MARKED:(1)	8	0.3 %	6.7%
-9 (M)	MISSING:(-9)	2406	95.2 %	-

Based upon 120 valid cases out of 2526 total cases.

V1361	**101B054:AMPH,GT VERY HI**

Location: 574-575 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 03100

When you take amphetamines, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high" 5="I don't take them to get high"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	18	0.7 %	14.4%
2	A LITTLE:(2)	26	1.0 %	20.8%
3	MODERATE:(3)	31	1.2 %	24.8%
4	VERY:(4)	22	0.9 %	17.6%
5	N TK HIGH:(5)	28	1.1 %	22.4%
-9 (M)	MISSING:(-9)	2401	95.1 %	-

Based upon 125 valid cases out of 2526 total cases.

V1362	**101B055:AMPH,HI 24+ HRS**

Location: 576-577 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M):   -9
Question:

Item Number: 03110

When you take amphetamines, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to
six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%	Valid %
1	USLY DON'T:(1)	35	1.4 %	29.4%
2	1-2 HRS:(2)	15	0.6 %	12.6%
3	3-6 HRS:(3)	31	1.2 %	26.1%
4	7-24 HRS:(4)	31	1.2 %	26.1%
5	> 24 HRS:(5)	7	0.3 %	5.9%
-9 (M)	MISSING:(-9)	2407	95.3 %	-

Based upon 119 valid cases out of 2526 total cases.

V1363	**101B056A:TKN YR,BENZDRIN**

Location: 578-579 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M):   -9
Question:

Item Number: 03120

What amphetamines have you taken during the last year
without a doctor's orders? (Mark all that apply.)

A. Benzedrine

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	110	4.4 %	93.2%
1	MARKED:(1)	8	0.3 %	6.8%
-9 (M)	MISSING:(-9)	2408	95.3 %	-

Based upon 118 valid cases out of 2526 total cases.

V1364	**101B056B:TKN YR,DEXEDRIN**

Location:	580-581 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03130

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

B. Dexedrine

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	108	4.3 %	91.5%
1	MARKED:(1)	10	0.4 %	8.5%
-9 (M)	MISSING:(-9)	2408	95.3 %	-

Based upon 118 valid cases out of 2526 total cases.

V1365	**101B056C:TKN YR,METHDRIN**

Location:	582-583 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03140

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

C. Methedrine

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	110	4.4 %	93.2%

Value	Label	Unweighted Frequency	%	Valid %
1	MARKED:(1)	8	0.3 %	6.8%
-9 (M)	MISSING:(-9)	2408	95.3 %	-

Based upon 118 valid cases out of 2526 total cases.

V1366	**101B056D:TKN YR,RITALIN**

Location:	584-585 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03150

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

D. Ritalin (Methylphenidate)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	81	3.2 %	68.6%
1	MARKED:(1)	37	1.5 %	31.4%
-9 (M)	MISSING:(-9)	2408	95.3 %	-

Based upon 118 valid cases out of 2526 total cases.

V1845	**101B056E:TKN YR,ADDERALL**

Location:	586-587 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31760

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

E. Adderall

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	37	1.5 %	31.4%
1	MARKED:(1)	81	3.2 %	68.6%
-9 (M)	MISSING:(-9)	2408	95.3 %	-

Based upon 118 valid cases out of 2526 total cases.

V1846	101B056F:TKN YR,CONCERTA

Location: 588-589 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31770

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

F. Concerta

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	96	3.8 %	81.4%
1	MARKED:(1)	22	0.9 %	18.6%
-9 (M)	MISSING:(-9)	2408	95.3 %	-

Based upon 118 valid cases out of 2526 total cases.

V1369	101B056G:TKN YR,METHAMPH

Location: 590-591 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03180

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

G. Methamphetamine

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	101	4.0 %	85.6%
1	MARKED:(1)	17	0.7 %	14.4%
-9 (M)	MISSING:(-9)	2408	95.3 %	-

Based upon 118 valid cases out of 2526 total cases.

V1764	101B056H:TKN YR,CRYSMETH

Location: 592-593 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03185

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

H. Crystal meth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	104	4.1 %	88.1%
1	MARKED:(1)	14	0.6 %	11.9%
-9 (M)	MISSING:(-9)	2408	95.3 %	-

Based upon 118 valid cases out of 2526 total cases.

V1370   101B056I:TKN YR,OTH AMPH

Location:	594-595 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03190

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

I. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	96	3.8 %	81.4%
1	MARKED:(1)	22	0.9 %	18.6%
-9 (M)	MISSING:(-9)	2408	95.3 %	-

Based upon 118 valid cases out of 2526 total cases.

V1371   101B056J:TKN YR,DNT KN N

Location:	596-597 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03200

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

J. Don't know the names of some amphetamines I have used

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	93	3.7 %	78.8%
1	MARKED:(1)	25	1.0 %	21.2%
-9 (M)	MISSING:(-9)	2408	95.3 %	-

Based upon 118 valid cases out of 2526 total cases.

V1372	**101B057A:MTHD AMPH-MOUTH**

Location:	598-599 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03210

What methods have you used for taking amphetamines
during the last year? (Mark all that apply.)

A. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	14	0.6 %	11.9%
1	MARKED:(1)	104	4.1 %	88.1%
-9 (M)	MISSING:(-9)	2408	95.3 %	-

Based upon 118 valid cases out of 2526 total cases.

V1765	**101B057B:MTHD AMPH-SMOKG**

Location:	600-601 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03215

What methods have you used for taking amphetamines
during the last year? (Mark all that apply.)

B. Smoking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	103	4.1 %	87.3%

Value	Label	Unweighted Frequency	%	Valid %
1	MARKED:(1)	15	0.6 %	12.7%
-9 (M)	MISSING:(-9)	2408	95.3 %	-

Based upon 118 valid cases out of 2526 total cases.

V1373	**101B057C:MTHD AMPH-INJCT**

Location:	602-603 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03220

What methods have you used for taking amphetamines during the last year? (Mark all that apply.)

C. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	111	4.4 %	94.1%
1	MARKED:(1)	7	0.3 %	5.9%
-9 (M)	MISSING:(-9)	2408	95.3 %	-

Based upon 118 valid cases out of 2526 total cases.

V1374	**101B057D:MTHD AMPH-OTHER**

Location:	604-605 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03230

What methods have you used for taking amphetamines during the last year? (Mark all that apply.)

D. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	97	3.8 %	82.2%
1	MARKED:(1)	21	0.8 %	17.8%
-9 (M)	MISSING:(-9)	2408	95.3 %	-

Based upon 118 valid cases out of 2526 total cases.

V1375	**101B058:*TRY STP AMP/FL**

Location: 606-607 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03240

Have you ever tried to stop using amphetamines and found
that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%	Valid %
1	YES:(1)	13	0.5 %	11.1%
2	NO:(2)	104	4.1 %	88.9%
-9 (M)	MISSING:(-9)	2409	95.4 %	-

Based upon 117 valid cases out of 2526 total cases.

V1376	**101B059:NO AMPH IN 5YR**

Location: 608-609 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03250

Do you think you will be using amphetamines without a
doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will
not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	25	1.0 %	1.1%
2	PRB WILL:(2)	46	1.8 %	2.1%
3	PRB WONT:(3)	288	11.4 %	12.8%
4	DEF WONT:(4)	1884	74.6 %	84.0%
-9 (M)	MISSING:(-9)	283	11.2 %	-

Based upon 2243 valid cases out of 2526 total cases.

V1130	**101B060A:#X QUAD/LIFETIM**

Location: 610-611 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01010

The next questions are about QUAALUDES (Methaqualone).
Quaaludes are sometimes called: Soapers, Quads, Ludes.
On how many occasions (if any) have you taken quaaludes
on your own--that is, without a doctor telling you to
take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2279	90.2 %	99.5%
2	1-2X:(2)	3	0.1 %	0.1%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	3	0.1 %	0.1%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	236	9.3 %	-

Based upon 2290 valid cases out of 2526 total cases.

V1377   101B060A:#X QUAD/LIFETIM

Location: 612-613 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01010

The next questions are about QUAALUDES (Methaqualone).
Quaaludes are sometimes called: Soapers, Quads, Ludes.
On how many occasions (if any) have you taken quaaludes
on your own--that is, without a doctor telling you to
take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2279	90.2 %	99.5%

Value	Label	Unweighted Frequency	%	Valid %
2	1-2X:(2)	3	0.1 %	0.1%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	3	0.1 %	0.1%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	236	9.3 %	-

Based upon 2290 valid cases out of 2526 total cases.

V1131	**101B060B:#X QUAD/LAST12M**

Location:	614-615 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01020

On how many occasions (if any) have you taken quaaludes
on your own--that is, without a doctor telling you to
take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2285	90.5 %	99.6%
2	1-2X:(2)	3	0.1 %	0.1%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	232	9.2 %	-

Based upon 2294 valid cases out of 2526 total cases.

V1378	**101B060B:#X QUAD/LAST12M**

Location:	616-617 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01020

On how many occasions (if any) have you taken quaaludes
on your own--that is, without a doctor telling you to
take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2285	90.5 %	99.6%
2	1-2X:(2)	3	0.1 %	0.1%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	232	9.2 %	-

Based upon 2294 valid cases out of 2526 total cases.

V1132	**101B060C:#X QUAD/LAST30D**

Location:	618-619 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01030

On how many occasions (if any) have you taken quaaludes
on your own--that is, without a doctor telling you to
take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2288	90.6 %	99.7%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	232	9.2 %	-

Based upon 2294 valid cases out of 2526 total cases.

V1379	101B060C:#X QUAD/LAST30D

Location:	620-621 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01030

On how many occasions (if any) have you taken quaaludes
on your own--that is, without a doctor telling you to
take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2288	90.6 %	99.7%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	232	9.2 %	-

Based upon 2294 valid cases out of 2526 total cases.

V1827	101B061:DR TOLD TK SED

Location:	622-623 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03282

The next questions are about SEDATIVES, including
BARBITURATES, which doctors sometimes prescribe to
help people relax or get to sleep. Drugstores are not
supposed to sell them without a prescription. Sedatives
are sometimes called: Downs, Downers. They include the
following drugs: Phenobarbital, Seconal, Tuinal, Ambien,
Lunesta, Sonata. Have you ever taken sedatives because a
doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."

3="Yes, and it was the first time I took any."

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	2158	85.4 %	94.9%
2	YES/BUT TRIED:(2)	37	1.5 %	1.6%
3	YES/FIRST:(3)	79	3.1 %	3.5%
-9 (M)	MISSING:(-9)	252	10.0 %	-

Based upon 2274 valid cases out of 2526 total cases.

V1133	**101B062A:#X SED/BARB/LIFE**

Location:	624-625 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01042

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2163	85.6 %	94.4%
2	1-2X:(2)	49	1.9 %	2.1%
3	3-5X:(3)	28	1.1 %	1.2%
4	6-9X:(4)	18	0.7 %	0.8%
5	10-19X:(5)	10	0.4 %	0.4%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	19	0.8 %	0.8%
-9 (M)	MISSING:(-9)	235	9.3 %	-

Based upon 2291 valid cases out of 2526 total cases.

V1383	**101B062A:#X SED/BARB/LIFE**

Location:	626-627 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 01042

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2163	85.6 %	94.4%
2	1-2X:(2)	49	1.9 %	2.1%
3	3-5X:(3)	28	1.1 %	1.2%
4	6-9X:(4)	18	0.7 %	0.8%
5	10-19X:(5)	10	0.4 %	0.4%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	19	0.8 %	0.8%
-9 (M)	MISSING:(-9)	235	9.3 %	-

Based upon 2291 valid cases out of 2526 total cases.

V1134	**101B062B:#X SED/BARB/12MO**

Location: 628-629 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01052

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2216	87.7 %	96.7%

Value	Label	Unweighted Frequency	%	Valid %
2	1-2X:(2)	32	1.3 %	1.4%
3	3-5X:(3)	16	0.6 %	0.7%
4	6-9X:(4)	9	0.4 %	0.4%
5	10-19X:(5)	11	0.4 %	0.5%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	234	9.3 %	-

Based upon 2292 valid cases out of 2526 total cases.

V1384	**101B062B:#X SED/BARB/12MO**

Location:	630-631 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01052

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2216	87.7 %	96.7%
2	1-2X:(2)	32	1.3 %	1.4%
3	3-5X:(3)	16	0.6 %	0.7%
4	6-9X:(4)	9	0.4 %	0.4%
5	10-19X:(5)	11	0.4 %	0.5%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	234	9.3 %	-

Based upon 2292 valid cases out of 2526 total cases.

V1135	**101B062C:#X SED/BARB/30DA**

Location:	632-633 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01062

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2251	89.1 %	98.3%
2	1-2X:(2)	20	0.8 %	0.9%
3	3-5X:(3)	8	0.3 %	0.3%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	7	0.3 %	0.3%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	236	9.3 %	-

Based upon 2290 valid cases out of 2526 total cases.

V1385	101B062C:#X SED/BARB/30DA

Location: 634-635 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 01062

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2251	89.1 %	98.3%
2	1-2X:(2)	20	0.8 %	0.9%
3	3-5X:(3)	8	0.3 %	0.3%

Value	Label	Unweighted Frequency	%	Valid %
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	7	0.3 %	0.3%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	236	9.3 %	-

Based upon 2290 valid cases out of 2526 total cases.

V1847	**101B063A:TKN YR,!PHNOBRB**

Location:	636-637 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03611

THE FOLLOWING QUESTION REFERS ONLY TO TAKING SEDATIVES
WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN
THE LAST TWELVE MONTHS, GO TO QUESTION 64.

What sedatives have you taken during the last year without
a doctor's orders? (Mark all that apply.)

A: Phenobarbital

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	67	2.7 %	88.2%
1	MARKED:(1)	9	0.4 %	11.8%
-9 (M)	MISSING:(-9)	2450	97.0 %	-

Based upon 76 valid cases out of 2526 total cases.

V1848	**101B063B:TKN YR,!SECONAL**

Location:	638-639 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03621

What sedatives have you taken during the last year without
a doctor's orders? (Mark all that apply.)

B: Seconal

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	70	2.8 %	92.1%
1	MARKED:(1)	6	0.2 %	7.9%
-9 (M)	MISSING:(-9)	2450	97.0 %	-

Based upon 76 valid cases out of 2526 total cases.

V1849	**101B063C:TKN YR,!TUINAL**

Location: 640-641 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03631

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

C: Tuinal

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	70	2.8 %	92.1%
1	MARKED:(1)	6	0.2 %	7.9%
-9 (M)	MISSING:(-9)	2450	97.0 %	-

Based upon 76 valid cases out of 2526 total cases.

V1850	**101B063D:TKN YR,AMBIEN**

Location: 642-643 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31780

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

D: Ambien

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	38	1.5 %	50.0%
1	MARKED:(1)	38	1.5 %	50.0%
-9 (M)	MISSING:(-9)	2450	97.0 %	-

Based upon 76 valid cases out of 2526 total cases.

V1851	**101B063E:TKN YR,LUNESTA**

Location: 644-645 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 31790

What sedatives have you taken during the last year without
a doctor's orders? (Mark all that apply.)

E: Lunesta

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	55	2.2 %	72.4%
1	MARKED:(1)	21	0.8 %	27.6%
-9 (M)	MISSING:(-9)	2450	97.0 %	-

Based upon 76 valid cases out of 2526 total cases.

V1852	**101B063F:TKN YR,SONATA**

Location: 646-647 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 31800

What sedatives have you taken during the last year without
a doctor's orders? (Mark all that apply.)

F: Sonata

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	68	2.7 %	89.5%
1	MARKED:(1)	8	0.3 %	10.5%
-9 (M)	MISSING:(-9)	2450	97.0 %	-

Based upon 76 valid cases out of 2526 total cases.

V1853	**101B063G:TKN YR,OTHR SED**

Location: 648-649 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):	-9
Question:	

Item Number: 03691

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

G: Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	41	1.6 %	53.9%
1	MARKED:(1)	35	1.4 %	46.1%
-9 (M)	MISSING:(-9)	2450	97.0 %	-

Based upon 76 valid cases out of 2526 total cases.

V1854 — 101B063H:TKN YR,!DNT KNW

Location:	650-651 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03701

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

H: Don't know the names of some sedatives I have used

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	60	2.4 %	78.9%
1	MARKED:(1)	16	0.6 %	21.1%
-9 (M)	MISSING:(-9)	2450	97.0 %	-

Based upon 76 valid cases out of 2526 total cases.

V1828 — 101B064:NO SED IN 5YR

Location:	652-653 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03722

Do you think you will be using sedatives without a doctor's prescription five years from now?

1="I definitely will" 2="I probably will" 3="I probably will
not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	17	0.7 %	0.8%
2	PRB WILL:(2)	49	1.9 %	2.2%
3	PRB WONT:(3)	336	13.3 %	15.0%
4	DEF WONT:(4)	1831	72.5 %	82.0%
-9 (M)	MISSING:(-9)	293	11.6 %	-

Based upon 2233 valid cases out of 2526 total cases.

V1429	**101B065:DR TOLD TK TRNQ**

Location: 654-655 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 03730

The next questions are about TRANQUILIZERS, which doctors
sometimes prescribe to calm people down, quiet their nerves,
or relax their muscles. They include the following drugs:
Librium, Valium, Xanax, Soma, Serax, Ativan, Klonopin. Have
you ever taken tranquilizers because a doctor told you to use
them?

1="No" 2="Yes, but I had already tried them on my own."
3="Yes, and it was the first time I took any."

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	2181	86.3 %	95.9%
2	YES/BUT TRIED:(2)	30	1.2 %	1.3%
3	YES/FIRST:(3)	64	2.5 %	2.8%
-9 (M)	MISSING:(-9)	251	9.9 %	-

Based upon 2275 valid cases out of 2526 total cases.

V1136	**101B066A:#X TRQL/LIFETIM**

Location: 656-657 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01070

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2121	84.0 %	93.6%
2	1-2X:(2)	54	2.1 %	2.4%
3	3-5X:(3)	25	1.0 %	1.1%
4	6-9X:(4)	15	0.6 %	0.7%
5	10-19X:(5)	17	0.7 %	0.7%
6	20-39X:(6)	10	0.4 %	0.4%
7	40+OCCAS:(7)	25	1.0 %	1.1%
-9 (M)	MISSING:(-9)	259	10.3 %	-

Based upon 2267 valid cases out of 2526 total cases.

V1430	**101B066A:#X TRQL/LIFETIM**

Location:	658-659 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01070

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2121	84.0 %	93.6%
2	1-2X:(2)	54	2.1 %	2.4%
3	3-5X:(3)	25	1.0 %	1.1%
4	6-9X:(4)	15	0.6 %	0.7%
5	10-19X:(5)	17	0.7 %	0.7%
6	20-39X:(6)	10	0.4 %	0.4%

Value	Label	Unweighted Frequency	%	Valid %
7	40+OCCAS:(7)	25	1.0 %	1.1%
-9 (M)	MISSING:(-9)	259	10.3 %	-

Based upon 2267 valid cases out of 2526 total cases.

V1137	**101B066B:#X TRQL/LAST12M**

Location:	660-661 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2163	85.6 %	95.5%
2	1-2X:(2)	45	1.8 %	2.0%
3	3-5X:(3)	15	0.6 %	0.7%
4	6-9X:(4)	14	0.6 %	0.6%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	13	0.5 %	0.6%
7	40+OCCAS:(7)	10	0.4 %	0.4%
-9 (M)	MISSING:(-9)	261	10.3 %	-

Based upon 2265 valid cases out of 2526 total cases.

V1431	**101B066B:#X TRQL/LAST12M**

Location:	662-663 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers

on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2163	85.6 %	95.5%
2	1-2X:(2)	45	1.8 %	2.0%
3	3-5X:(3)	15	0.6 %	0.7%
4	6-9X:(4)	14	0.6 %	0.6%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	13	0.5 %	0.6%
7	40+OCCAS:(7)	10	0.4 %	0.4%
-9 (M)	MISSING:(-9)	261	10.3 %	-

Based upon 2265 valid cases out of 2526 total cases.

V1138	101B066C:#X TRQL/LAST30D

Location:	664-665 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2221	87.9 %	97.9%
2	1-2X:(2)	27	1.1 %	1.2%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	5	0.2 %	0.2%

Value	Label	Unweighted Frequency	%	Valid %
5	10-19X:(5)	7	0.3 %	0.3%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	257	10.2 %	-

Based upon 2269 valid cases out of 2526 total cases.

V1432	**101B066C:#X TRQL/LAST30D**

Location: 666-667 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2221	87.9 %	97.9%
2	1-2X:(2)	27	1.1 %	1.2%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	7	0.3 %	0.3%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	257	10.2 %	-

Based upon 2269 valid cases out of 2526 total cases.

V1433	**101B067A:#X/YR TRQL ALNE**

Location: 668-669 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03740

IF YOU HAVE NOT TAKEN TRANQUILIZERS IN THE LAST TWELVE MONTHS, GO TO QUESTION 74. THE FOLLOWING QUESTIONS REFER ONLY TO TAKING TRANQUILIZERS WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE

NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 74.

When you used tranquilizers during the last year, how often
did you use them in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	54	2.1 %	55.7%
2	FEW TIMES:(2)	17	0.7 %	17.5%
3	SOMETIMES:(3)	9	0.4 %	9.3%
4	MOST TIMES:(4)	7	0.3 %	7.2%
5	EVERY TIME:(5)	10	0.4 %	10.3%
-9 (M)	MISSING:(-9)	2429	96.2 %	-

Based upon 97 valid cases out of 2526 total cases.

V1434	**101B067B:#X/YR TRQL-2PPL**

Location: 670-671 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 03750

When you used tranquilizers during the last year, how often
did you use them in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	21	0.8 %	21.0%
2	FEW TIMES:(2)	31	1.2 %	31.0%
3	SOMETIMES:(3)	20	0.8 %	20.0%
4	MOST TIMES:(4)	11	0.4 %	11.0%
5	EVERY TIME:(5)	17	0.7 %	17.0%
-9 (M)	MISSING:(-9)	2426	96.0 %	-

Based upon 100 valid cases out of 2526 total cases.

V1435	**101B067C:#X/YR TRQL@PRTY**

Location: 672-673 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03760

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	52	2.1 %	54.2%
2	FEW TIMES:(2)	12	0.5 %	12.5%
3	SOMETIMES:(3)	12	0.5 %	12.5%
4	MOST TIMES:(4)	13	0.5 %	13.5%
5	EVERY TIME:(5)	7	0.3 %	7.3%
-9 (M)	MISSING:(-9)	2430	96.2 %	-

Based upon 96 valid cases out of 2526 total cases.

V1436	**101B067D:#X/YR TRQL-DT/S**

Location:	674-675 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03770

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	65	2.6 %	67.0%
2	FEW TIMES:(2)	13	0.5 %	13.4%
3	SOMETIMES:(3)	8	0.3 %	8.2%
4	MOST TIMES:(4)	4	0.2 %	4.1%
5	EVERY TIME:(5)	7	0.3 %	7.2%
-9 (M)	MISSING:(-9)	2429	96.2 %	-

Based upon 97 valid cases out of 2526 total cases.

V1437	**101B067E:#X/YR TRQL-ADLT**

Location:	676-677 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03780

When you used tranquilizers during the last year, how often
did you use them in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	62	2.5 %	63.9%
2	FEW TIMES:(2)	14	0.6 %	14.4%
3	SOMETIMES:(3)	6	0.2 %	6.2%
4	MOST TIMES:(4)	6	0.2 %	6.2%
5	EVERY TIME:(5)	9	0.4 %	9.3%
-9 (M)	MISSING:(-9)	2429	96.2 %	-

Based upon 97 valid cases out of 2526 total cases.

V1438	**101B067F:#X/YR TRQL-DATM**

Location:	678-679 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03790

When you used tranquilizers during the last year, how often
did you use them in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	37	1.5 %	39.4%
2	FEW TIMES:(2)	22	0.9 %	23.4%
3	SOMETIMES:(3)	18	0.7 %	19.1%
4	MOST TIMES:(4)	8	0.3 %	8.5%
5	EVERY TIME:(5)	9	0.4 %	9.6%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	2432	96.3 %	-

Based upon 94 valid cases out of 2526 total cases.

V1439	**101B067G:#X/YR TRQL@HOME**

Location: 680-681 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03800

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	43	1.7 %	44.8%
2	FEW TIMES:(2)	14	0.6 %	14.6%
3	SOMETIMES:(3)	15	0.6 %	15.6%
4	MOST TIMES:(4)	7	0.3 %	7.3%
5	EVERY TIME:(5)	17	0.7 %	17.7%
-9 (M)	MISSING:(-9)	2430	96.2 %	-

Based upon 96 valid cases out of 2526 total cases.

V1440	**101B067H:#X/YR TRQL@SCHL**

Location: 682-683 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03810

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	58	2.3 %	59.8%

Value	Label	Unweighted Frequency	%	Valid %
2	FEW TIMES:(2)	14	0.6 %	14.4%
3	SOMETIMES:(3)	11	0.4 %	11.3%
4	MOST TIMES:(4)	6	0.2 %	6.2%
5	EVERY TIME:(5)	8	0.3 %	8.2%
-9 (M)	MISSING:(-9)	2429	96.2 %	-

Based upon 97 valid cases out of 2526 total cases.

V1441	**101B067I:#X/YR TRQL@CAR**

Location: 684-685 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 03830

When you used tranquilizers during the last year, how often
did you use them in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	69	2.7 %	70.4%
2	FEW TIMES:(2)	14	0.6 %	14.3%
3	SOMETIMES:(3)	7	0.3 %	7.1%
4	MOST TIMES:(4)	4	0.2 %	4.1%
5	EVERY TIME:(5)	4	0.2 %	4.1%
-9 (M)	MISSING:(-9)	2428	96.1 %	-

Based upon 98 valid cases out of 2526 total cases.

V1855	**101B068A:TRQ SRC INTERNET**

Location: 686-687 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 31810

Where did you get the tranquilizers you used without a
doctor's orders during the last year? (Mark all that apply.)

A: Bought on the internet

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	85	3.4 %	88.5%
1	MARKED:(1)	11	0.4 %	11.5%
-9 (M)	MISSING:(-9)	2430	96.2 %	-

Based upon 96 valid cases out of 2526 total cases.

V1880	**101B068B:TRQ SRC FRND-ASK**

Location:	688-689 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31821

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

B: Took from a friend without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	86	3.4 %	89.6%
1	MARKED:(1)	10	0.4 %	10.4%
-9 (M)	MISSING:(-9)	2430	96.2 %	-

Based upon 96 valid cases out of 2526 total cases.

V1881	**101B068C:TRQ SRC RLTV-ASK**

Location:	690-691 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31822

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

C: Took from a relative without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	75	3.0 %	78.1%

Value	Label	Unweighted Frequency	%	Valid %
1	MARKED:(1)	21	0.8 %	21.9%
-9 (M)	MISSING:(-9)	2430	96.2 %	-

Based upon 96 valid cases out of 2526 total cases.

V1882	**101B068D:TRQ SRC FRND FREE**

Location: 692-693 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31831

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

D: Given for free by a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	46	1.8 %	47.9%
1	MARKED:(1)	50	2.0 %	52.1%
-9 (M)	MISSING:(-9)	2430	96.2 %	-

Based upon 96 valid cases out of 2526 total cases.

V1883	**101B068E:TRQ SRC RLTV FREE**

Location: 694-695 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31832

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

E: Given for free by a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	77	3.0 %	80.2%
1	MARKED:(1)	19	0.8 %	19.8%
-9 (M)	MISSING:(-9)	2430	96.2 %	-

Based upon 96 valid cases out of 2526 total cases.

| V1884 | 101B068F:TRQ SRC FRND BGHT |

Location: 696-697 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31841

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

F: Bought from a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	47	1.9 %	49.0%
1	MARKED:(1)	49	1.9 %	51.0%
-9 (M)	MISSING:(-9)	2430	96.2 %	-

Based upon 96 valid cases out of 2526 total cases.

| V1885 | 101B068G:TRQ SRC RLTV BGHT |

Location: 698-699 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31842

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

G: Bought from a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	91	3.6 %	94.8%
1	MARKED:(1)	5	0.2 %	5.2%
-9 (M)	MISSING:(-9)	2430	96.2 %	-

Based upon 96 valid cases out of 2526 total cases.

| V1859 | 101B068H:TRQ SRC PRESCRPT |

Location: 700-701 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31850

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

H: From a prescription I had

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	84	3.3 %	87.5%
1	MARKED:(1)	12	0.5 %	12.5%
-9 (M)	MISSING:(-9)	2430	96.2 %	-

Based upon 96 valid cases out of 2526 total cases.

V1860	**101B068I:TRQ SRC DEALER**

Location: 702-703 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31860

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

I: Bought from drug dealer/stranger

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	66	2.6 %	68.8%
1	MARKED:(1)	30	1.2 %	31.2%
-9 (M)	MISSING:(-9)	2430	96.2 %	-

Based upon 96 valid cases out of 2526 total cases.

V1861	**101B068J:TRQ SRC OTHER**

Location: 704-705 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31870

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

J: Other method

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	88	3.5 %	91.7%
1	MARKED:(1)	8	0.3 %	8.3%
-9 (M)	MISSING:(-9)	2430	96.2 %	-

Based upon 96 valid cases out of 2526 total cases.

V1449	**101B069A:TRNQ EXPERIMENT**

Location: 706-707 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03910

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	44	1.7 %	46.8%
1	MARKED:(1)	50	2.0 %	53.2%
-9 (M)	MISSING:(-9)	2432	96.3 %	-

Based upon 94 valid cases out of 2526 total cases.

V1450	**101B069B:TRNQ RELAX**

Location: 708-709 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03920

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	37	1.5 %	39.4%
1	MARKED:(1)	57	2.3 %	60.6%
-9 (M)	MISSING:(-9)	2432	96.3 %	-

Based upon 94 valid cases out of 2526 total cases.

V1451	**101B069C:TRNQ GET HIGH**

Location: 710-711 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 03930

What have been the most important reasons for your
taking tranquilizers without a doctor's orders?
(Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	41	1.6 %	43.6%
1	MARKED:(1)	53	2.1 %	56.4%
-9 (M)	MISSING:(-9)	2432	96.3 %	-

Based upon 94 valid cases out of 2526 total cases.

V1452	**101B069D:TRNQ SK INSIGHT**

Location: 712-713 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 03940

What have been the most important reasons for your
taking tranquilizers without a doctor's orders?
(Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	87	3.4 %	92.6%
1	MARKED:(1)	7	0.3 %	7.4%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	2432	96.3 %	-

Based upon 94 valid cases out of 2526 total cases.

V1453	**101B069E:TRNQ GD TM FRND**

Location: 714-715 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03950

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	68	2.7 %	72.3%
1	MARKED:(1)	26	1.0 %	27.7%
-9 (M)	MISSING:(-9)	2432	96.3 %	-

Based upon 94 valid cases out of 2526 total cases.

V1454	**101B069F:TRNQ FIT IN GRP**

Location: 716-717 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03960

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	89	3.5 %	94.7%
1	MARKED:(1)	5	0.2 %	5.3%
-9 (M)	MISSING:(-9)	2432	96.3 %	-

Based upon 94 valid cases out of 2526 total cases.

V1455	101B069G:TRNQ GT AWY PRB

Location: 718-719 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03970

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	74	2.9 %	78.7%
1	MARKED:(1)	20	0.8 %	21.3%
-9 (M)	MISSING:(-9)	2432	96.3 %	-

Based upon 94 valid cases out of 2526 total cases.

V1456	101B069H:TRNQ BOREDOM

Location: 720-721 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03980

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	70	2.8 %	74.5%
1	MARKED:(1)	24	1.0 %	25.5%
-9 (M)	MISSING:(-9)	2432	96.3 %	-

Based upon 94 valid cases out of 2526 total cases.

V1457	101B069I:TRNQ ANGR/FRSTN

Location: 722-723 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 03990

What have been the most important reasons for your
taking tranquilizers without a doctor's orders?
(Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	78	3.1 %	83.0%
1	MARKED:(1)	16	0.6 %	17.0%
-9 (M)	MISSING:(-9)	2432	96.3 %	-

Based upon 94 valid cases out of 2526 total cases.

V1458	**101B069J:TRNQ GT THRU DA**

Location:	724-725 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04000

What have been the most important reasons for your
taking tranquilizers without a doctor's orders?
(Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	78	3.1 %	83.0%
1	MARKED:(1)	16	0.6 %	17.0%
-9 (M)	MISSING:(-9)	2432	96.3 %	-

Based upon 94 valid cases out of 2526 total cases.

V1459	**101B069K:TRNQ INCR EF DR**

Location:	726-727 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04010

What have been the most important reasons for your
taking tranquilizers without a doctor's orders?
(Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	83	3.3 %	88.3%
1	MARKED:(1)	11	0.4 %	11.7%
-9 (M)	MISSING:(-9)	2432	96.3 %	-

Based upon 94 valid cases out of 2526 total cases.

V1460	**101B069L:TRNQ DCRS EF DR**

Location: 728-729 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 04020

What have been the most important reasons for your
taking tranquilizers without a doctor's orders?
(Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	91	3.6 %	96.8%
1	MARKED:(1)	3	0.1 %	3.2%
-9 (M)	MISSING:(-9)	2432	96.3 %	-

Based upon 94 valid cases out of 2526 total cases.

V1461	**101B069M:TRNQ GET SLEEP**

Location: 730-731 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 04030

What have been the most important reasons for your
taking tranquilizers without a doctor's orders?
(Mark all that apply.)

M. To get to sleep

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	66	2.6 %	70.2%
1	MARKED:(1)	28	1.1 %	29.8%
-9 (M)	MISSING:(-9)	2432	96.3 %	-

Based upon 94 valid cases out of 2526 total cases.

V1696   101B069N:TRNQ RLV PHYS P

Location: 732-733 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 04035

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

N. To relieve physical pain

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	65	2.6 %	69.1%
1	MARKED:(1)	29	1.1 %	30.9%
-9 (M)	MISSING:(-9)	2432	96.3 %	-

Based upon 94 valid cases out of 2526 total cases.

V1462   101B069O:TRNQ I AM HOOKD

Location: 734-735 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 04040

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

O. Because I am "hooked"--I feel I have to have them

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	90	3.6 %	95.7%
1	MARKED:(1)	4	0.2 %	4.3%
-9 (M)	MISSING:(-9)	2432	96.3 %	-

Based upon 94 valid cases out of 2526 total cases.

V1463	**101B070:TRNQ,GT VERY HI**

Location:	736-737 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04050

When you take tranquilizers, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high" 5="I don't take them to get high"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	12	0.5 %	11.9%
2	A LITTLE:(2)	16	0.6 %	15.8%
3	MODERATE:(3)	28	1.1 %	27.7%
4	VERY:(4)	30	1.2 %	29.7%
5	N TK HIGH:(5)	15	0.6 %	14.9%
-9 (M)	MISSING:(-9)	2425	96.0 %	-

Based upon 101 valid cases out of 2526 total cases.

V1464	**101B071:TRNQ,HI 24+ HRS**

Location:	738-739 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04060

When you take tranquilizers, how long do you usually stay
high?

1="Usually don't get high" 2="One to two hours" 3="Three to
six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%	Valid %
1	USLY DON'T:(1)	22	0.9 %	22.2%
2	1-2 HRS:(2)	21	0.8 %	21.2%

Value	Label	Unweighted Frequency	%	Valid %
3	3-6 HRS:(3)	38	1.5 %	38.4%
4	7-24 HRS:(4)	14	0.6 %	14.1%
5	> 24 HRS:(5)	4	0.2 %	4.0%
-9 (M)	MISSING:(-9)	2427	96.1 %	-

Based upon 99 valid cases out of 2526 total cases.

V1465   101B072A:TKN YR,LIBRIUM

Location: 740-741 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 04070

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

A. Librium

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	87	3.4 %	88.8%
1	MARKED:(1)	11	0.4 %	11.2%
-9 (M)	MISSING:(-9)	2428	96.1 %	-

Based upon 98 valid cases out of 2526 total cases.

V1466   101B072B:TKN YR,VALIUM

Location: 742-743 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 04080

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

B. Valium

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	57	2.3 %	58.2%
1	MARKED:(1)	41	1.6 %	41.8%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	2428	96.1 %	-

Based upon 98 valid cases out of 2526 total cases.

V1814	**101B072C:TKN YR, XANAX**

Location:	744-745 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04095

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

C. Xanax

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	21	0.8 %	21.4%
1	MARKED:(1)	77	3.0 %	78.6%
-9 (M)	MISSING:(-9)	2428	96.1 %	-

Based upon 98 valid cases out of 2526 total cases.

V1862	**101B072D:TKN YR,SOMA**

Location:	746-747 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31880

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

D. Soma

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	77	3.0 %	78.6%
1	MARKED:(1)	21	0.8 %	21.4%
-9 (M)	MISSING:(-9)	2428	96.1 %	-

Based upon 98 valid cases out of 2526 total cases.

V1470	**101B072E:TKN YR,SERAX**

Location: 748-749 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 04120

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

E. Serax

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	88	3.5 %	89.8%
1	MARKED:(1)	10	0.4 %	10.2%
-9 (M)	MISSING:(-9)	2428	96.1 %	-

Based upon 98 valid cases out of 2526 total cases.

V1863	**101B072F:TKN YR,ATIVAN**

Location: 750-751 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 31890

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

F. Ativan

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	90	3.6 %	91.8%
1	MARKED:(1)	8	0.3 %	8.2%
-9 (M)	MISSING:(-9)	2428	96.1 %	-

Based upon 98 valid cases out of 2526 total cases.

V1864	**101B072G:TKN YR,KLONOPIN**

Location: 752-753 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 31900

What tranquilizers have you taken during the last year
without a doctor's orders? (Mark all that apply.)

G. Klonopin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	66	2.6 %	67.3%
1	MARKED:(1)	32	1.3 %	32.7%
-9 (M)	MISSING:(-9)	2428	96.1 %	-

Based upon 98 valid cases out of 2526 total cases.

V1815	**101B072H:TKN YR,OTH TRNQ**

Location: 754-755 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04155

What tranquilizers have you taken during the last year
without a doctor's orders? (Mark all that apply.)

H. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	70	2.8 %	71.4%
1	MARKED:(1)	28	1.1 %	28.6%
-9 (M)	MISSING:(-9)	2428	96.1 %	-

Based upon 98 valid cases out of 2526 total cases.

V1474	**101B072I:TKN YR,DNT KNW**

Location: 756-757 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04160

What tranquilizers have you taken during the last year
without a doctor's orders? (Mark all that apply.)

I. Don't know the names of some tranquilizers I have used

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	85	3.4 %	86.7%
1	MARKED:(1)	13	0.5 %	13.3%
-9 (M)	MISSING:(-9)	2428	96.1 %	-

Based upon 98 valid cases out of 2526 total cases.

V1475   101B073:*TRY STP TRQ/FL

Location:	758-759 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04170

Have you ever tried to stop using tranquilizers and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%	Valid %
1	YES:(1)	8	0.3 %	7.8%
2	NO:(2)	94	3.7 %	92.2%
-9 (M)	MISSING:(-9)	2424	96.0 %	-

Based upon 102 valid cases out of 2526 total cases.

V1476   101B074:NO TRNQ IN 5YR

Location:	760-761 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04180

Do you think you will be using tranquilizers without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	17	0.7 %	0.8%
2	PRB WILL:(2)	30	1.2 %	1.3%
3	PRB WONT:(3)	269	10.6 %	12.1%

Value	Label	Unweighted Frequency	%	Valid %
4	DEF WONT:(4)	1909	75.6 %	85.8%
-9 (M)	MISSING:(-9)	301	11.9 %	-

Based upon 2225 valid cases out of 2526 total cases.

V1755	**101B075:EVR TK CRACK/FB**

Location:	762-763 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22250

The next questions are about the use of different forms of cocaine, such as "crack", powder, freebase, or coca paste. Have you ever taken cocaine in "crack" form or in any other freebase form--that is, where you inhaled the fumes from smoking, heating, or burning it?

1="No--GO TO QUESTION 77" 2="Yes"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	2232	88.4 %	98.0%
2	YES:(2)	45	1.8 %	2.0%
-9 (M)	MISSING:(-9)	249	9.9 %	-

Based upon 2277 valid cases out of 2526 total cases.

V1756	**101B076A:#X CRACK/LIFTIM**

Location:	764-765 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22260

On how many occasions (if any) have you taken "crack" (cocaine in chunk or rock form) . . .

A: . . . in your lifetime?

1="0 Occasions [Includes respondents who reported nonuse on preceding question]" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2242	88.8 %	98.5%

Value	Label	Unweighted Frequency	%	Valid %
2	1-2X:(2)	10	0.4 %	0.4%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	6	0.2 %	0.3%
5	10-19X:(5)	7	0.3 %	0.3%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	250	9.9 %	-

Based upon 2276 valid cases out of 2526 total cases.

V1757	**101B076B:#X CRACK/LST12M**

Location: 766-767 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22270

On how many occasions (if any) have you taken "crack"
(cocaine in chunk or rock form) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2257	89.4 %	99.2%
2	1-2X:(2)	6	0.2 %	0.3%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	250	9.9 %	-

Based upon 2276 valid cases out of 2526 total cases.

V1758	**101B076C:#X CRACK/LST30D**

Location: 768-769 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22280

On how many occasions (if any) have you taken "crack" (cocaine in chunk or rock form) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2265	89.7 %	99.5%
2	1-2X:(2)	1	0.0 %	0.0%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	249	9.9 %	-

Based upon 2277 valid cases out of 2526 total cases.

V1759   101B077A:#XOTH COKE/LIFE

Location:	770-771 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22320

On how many occasions (if any) have you used cocaine in any other form . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2150	85.1 %	95.8%
2	1-2X:(2)	43	1.7 %	1.9%
3	3-5X:(3)	22	0.9 %	1.0%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	6	0.2 %	0.3%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	282	11.2 %	-

Based upon 2244 valid cases out of 2526 total cases.

V1760	**101B077B:#XOTH COKE/12MO**

Location:	772-773 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	
	Item Number: 22330
	On how many occasions (if any) have you used cocaine in any other form . . .
	B: . . . during the last 12 months?
	1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2196	86.9 %	97.7%
2	1-2X:(2)	26	1.0 %	1.2%
3	3-5X:(3)	7	0.3 %	0.3%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	279	11.0 %	-

Based upon 2247 valid cases out of 2526 total cases.

V1761	**101B077C:#XOTH COKE/30DA**

Location:	774-775 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	
	Item Number: 22340
	On how many occasions (if any) have you used cocaine in any other form . . .
	C: . . . during the last 30 days?
	1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2223	88.0 %	98.9%

Value	Label	Unweighted Frequency	%	Valid %
2	1-2X:(2)	11	0.4 %	0.5%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	3	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	278	11.0 %	-

Based upon 2248 valid cases out of 2526 total cases.

V1124	**101R :#X COKE/LIFETIME**

Location: 776-777 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00950

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A. . . . in your lifetime?" (item 22260)

and "On how many occasions (if any) have you used cocaine in any other form . . .

A. . . . in your lifetime? (item 22320)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2119	83.9 %	95.6%
2	1-2X:(2)	38	1.5 %	1.7%
3	3-5X:(3)	22	0.9 %	1.0%
4	6-9X:(4)	8	0.3 %	0.4%
5	10-19X:(5)	14	0.6 %	0.6%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	10	0.4 %	0.5%
-9 (M)	MISSING:(-9)	310	12.3 %	-

Based upon 2216 valid cases out of 2526 total cases.

V1125	**101R :#X COKE/LAST12MO**

Location: 778-779 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00960

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B. . . . During the last 12 months?" (item 22270)

and "On how many occasions (if any) have you used cocaine in any other form . . .

B. . . . During the last 12 months? (item 22330)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2167	85.8 %	97.7%
2	1-2X:(2)	23	0.9 %	1.0%
3	3-5X:(3)	7	0.3 %	0.3%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	8	0.3 %	0.4%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	308	12.2 %	-

Based upon 2218 valid cases out of 2526 total cases.

V1126   **101R :#X COKE/LAST30DA**

Location: 780-781 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00970

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C. . . . During the last 30 days?" (item 22280)

and "On how many occasions (if any) have you used cocaine in

any other form . . .

C. . . . During the last 30 days? (item 22340)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2193	86.8 %	98.9%
2	1-2X:(2)	9	0.4 %	0.4%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	6	0.2 %	0.3%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	309	12.2 %	-

Based upon 2217 valid cases out of 2526 total cases.

V1480	101B078A:#X/YR COKE ALNE

Location:	782-783 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04190

IF YOU HAVE NOT TAKEN ANY COCAINE (POWDER, CRACK, FREEBASE,
ETC.) IN THE LAST 12 MONTHS, GO TO QUESTION 86.

When you used cocaine during the last year, how often did
you use it in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	50	2.0 %	79.4%
2	FEW TIMES:(2)	5	0.2 %	7.9%
3	SOMETIMES:(3)	4	0.2 %	6.3%
4	MOST TIMES:(4)	1	0.0 %	1.6%

Value	Label	Unweighted Frequency	%	Valid %
5	EVERY TIME:(5)	3	0.1 %	4.8%
-9 (M)	MISSING:(-9)	2463	97.5 %	-

Based upon 63 valid cases out of 2526 total cases.

V1481	**101B078B:#X/YR COKE-2PPL**

Location:	784-785 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04200

When you used cocaine during the last year, how often did you use it in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	12	0.5 %	19.4%
2	FEW TIMES:(2)	18	0.7 %	29.0%
3	SOMETIMES:(3)	11	0.4 %	17.7%
4	MOST TIMES:(4)	7	0.3 %	11.3%
5	EVERY TIME:(5)	14	0.6 %	22.6%
-9 (M)	MISSING:(-9)	2464	97.5 %	-

Based upon 62 valid cases out of 2526 total cases.

V1482	**101B078C:#X/YR COKE@PRTY**

Location:	786-787 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04210

When you used cocaine during the last year, how often did you use it in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	27	1.1 %	43.5%
2	FEW TIMES:(2)	10	0.4 %	16.1%
3	SOMETIMES:(3)	8	0.3 %	12.9%
4	MOST TIMES:(4)	6	0.2 %	9.7%
5	EVERY TIME:(5)	11	0.4 %	17.7%
-9 (M)	MISSING:(-9)	2464	97.5 %	-

Based upon 62 valid cases out of 2526 total cases.

V1483	**101B078D:#X/YR COKE-DT/S**

Location: 788-789 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04220

When you used cocaine during the last year, how often did you use it in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	39	1.5 %	63.9%
2	FEW TIMES:(2)	7	0.3 %	11.5%
3	SOMETIMES:(3)	7	0.3 %	11.5%
4	MOST TIMES:(4)	4	0.2 %	6.6%
5	EVERY TIME:(5)	4	0.2 %	6.6%
-9 (M)	MISSING:(-9)	2465	97.6 %	-

Based upon 61 valid cases out of 2526 total cases.

V1484	**101B078E:#X/YR COKE-ADLT**

Location: 790-791 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04230

When you used cocaine during the last year, how often did you use it in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	47	1.9 %	79.7%
2	FEW TIMES:(2)	3	0.1 %	5.1%
3	SOMETIMES:(3)	4	0.2 %	6.8%
4	MOST TIMES:(4)	2	0.1 %	3.4%
5	EVERY TIME:(5)	3	0.1 %	5.1%
-9 (M)	MISSING:(-9)	2467	97.7 %	-

Based upon 59 valid cases out of 2526 total cases.

V1485	101B078F:#X/YR COKE-DATM

Location:	792-793 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04240

When you used cocaine during the last year, how often did you use it in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	36	1.4 %	59.0%
2	FEW TIMES:(2)	7	0.3 %	11.5%
3	SOMETIMES:(3)	11	0.4 %	18.0%
4	MOST TIMES:(4)	4	0.2 %	6.6%
5	EVERY TIME:(5)	3	0.1 %	4.9%
-9 (M)	MISSING:(-9)	2465	97.6 %	-

Based upon 61 valid cases out of 2526 total cases.

V1486	101B078G:#X/YR COKE@HOME

Location:	794-795 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04250

When you used cocaine during the last year, how often did

you use it in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	38	1.5 %	63.3%
2	FEW TIMES:(2)	10	0.4 %	16.7%
3	SOMETIMES:(3)	6	0.2 %	10.0%
4	MOST TIMES:(4)	3	0.1 %	5.0%
5	EVERY TIME:(5)	3	0.1 %	5.0%
-9 (M)	MISSING:(-9)	2466	97.6 %	-

Based upon 60 valid cases out of 2526 total cases.

V1487	**101B078H:#X/YR COKE@SCHL**

Location: 796-797 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04260

When you used cocaine during the last year, how often did you use it in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	40	1.6 %	67.8%
2	FEW TIMES:(2)	10	0.4 %	16.9%
3	SOMETIMES:(3)	4	0.2 %	6.8%
4	MOST TIMES:(4)	2	0.1 %	3.4%
5	EVERY TIME:(5)	3	0.1 %	5.1%
-9 (M)	MISSING:(-9)	2467	97.7 %	-

Based upon 59 valid cases out of 2526 total cases.

V1488	**101B078I:#X/YR COKE@CAR**

Location: 798-799 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04280

When you used cocaine during the last year, how often did
you use it in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	35	1.4 %	59.3%
2	FEW TIMES:(2)	8	0.3 %	13.6%
3	SOMETIMES:(3)	7	0.3 %	11.9%
4	MOST TIMES:(4)	6	0.2 %	10.2%
5	EVERY TIME:(5)	3	0.1 %	5.1%
-9 (M)	MISSING:(-9)	2467	97.7 %	-

Based upon 59 valid cases out of 2526 total cases.

V1489	**101B079A:#X OVL COKE+ALC**

Location: 800-801 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M):   -9
Question:

Item Number: 04290

How many of the times when you used cocaine during the last
year did you use it along with each of the following drugs--
that is, so that their effects overlapped?

A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	19	0.8 %	30.6%
2	FEW TIMES:(2)	15	0.6 %	24.2%
3	SOMETIMES:(3)	8	0.3 %	12.9%
4	MOST TIMES:(4)	9	0.4 %	14.5%
5	EVERY TIME:(5)	11	0.4 %	17.7%
-9 (M)	MISSING:(-9)	2464	97.5 %	-

Based upon 62 valid cases out of 2526 total cases.

V1490	**101B079B:#X OVL COKE+MJ**

Location:	802-803 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04300

How many of the times when you used cocaine during the last
year did you use it along with each of the following drugs--
that is, so that their effects overlapped?

B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	17	0.7 %	28.3%
2	FEW TIMES:(2)	11	0.4 %	18.3%
3	SOMETIMES:(3)	8	0.3 %	13.3%
4	MOST TIMES:(4)	7	0.3 %	11.7%
5	EVERY TIME:(5)	17	0.7 %	28.3%
-9 (M)	MISSING:(-9)	2466	97.6 %	-

Based upon 60 valid cases out of 2526 total cases.

V1491	101B079C:#X OVL COKE+LSD

Location:	804-805 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04310

How many of the times when you used cocaine during the last
year did you use it along with each of the following drugs--
that is, so that their effects overlapped?

C: With LSD

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	51	2.0 %	85.0%
2	FEW TIMES:(2)	1	0.0 %	1.7%
3	SOMETIMES:(3)	4	0.2 %	6.7%
4	MOST TIMES:(4)	2	0.1 %	3.3%
5	EVERY TIME:(5)	2	0.1 %	3.3%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	2466	97.6 %	-

Based upon 60 valid cases out of 2526 total cases.

V1492	**101B079D:#X OVL COKE+PSY**

Location: 806-807 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04320

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

D: With hallucinogens other than LSD

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	49	1.9 %	83.1%
2	FEW TIMES:(2)	3	0.1 %	5.1%
3	SOMETIMES:(3)	4	0.2 %	6.8%
4	MOST TIMES:(4)	2	0.1 %	3.4%
5	EVERY TIME:(5)	1	0.0 %	1.7%
-9 (M)	MISSING:(-9)	2467	97.7 %	-

Based upon 59 valid cases out of 2526 total cases.

V1493	**101B079E:#X OVL COKE+AMP**

Location: 808-809 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04330

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

E: With amphetamines

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	46	1.8 %	82.1%
2	FEW TIMES:(2)	2	0.1 %	3.6%
3	SOMETIMES:(3)	4	0.2 %	7.1%
4	MOST TIMES:(4)	3	0.1 %	5.4%
5	EVERY TIME:(5)	1	0.0 %	1.8%
-9 (M)	MISSING:(-9)	2470	97.8 %	-

Based upon 56 valid cases out of 2526 total cases.

V1494   **101B079F:#X OVL COKE+QUA**

Location: 810-811 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04340

How many of the times when you used cocaine during the last
year did you use it along with each of the following drugs--
that is, so that their effects overlapped?

F: With quaaludes

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	53	2.1 %	89.8%
2	FEW TIMES:(2)	3	0.1 %	5.1%
3	SOMETIMES:(3)	1	0.0 %	1.7%
4	MOST TIMES:(4)	1	0.0 %	1.7%
5	EVERY TIME:(5)	1	0.0 %	1.7%
-9 (M)	MISSING:(-9)	2467	97.7 %	-

Based upon 59 valid cases out of 2526 total cases.

V1495   **101B079G:#X OVL COKE+BRB**

Location: 812-813 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04350

How many of the times when you used cocaine during the last
year did you use it along with each of the following drugs--
that is, so that their effects overlapped?

G: With barbiturates

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	51	2.0 %	87.9%
2	FEW TIMES:(2)	2	0.1 %	3.4%
3	SOMETIMES:(3)	3	0.1 %	5.2%
4	MOST TIMES:(4)	1	0.0 %	1.7%
5	EVERY TIME:(5)	1	0.0 %	1.7%
-9 (M)	MISSING:(-9)	2468	97.7 %	-

Based upon 58 valid cases out of 2526 total cases.

V1496	101B079H:#X OVL COKE+TRN

Location: 814-815 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 04360

How many of the times when you used cocaine during the last
year did you use it along with each of the following drugs--
that is, so that their effects overlapped?

H: With tranquilizers

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	46	1.8 %	75.4%
2	FEW TIMES:(2)	6	0.2 %	9.8%
3	SOMETIMES:(3)	6	0.2 %	9.8%
4	MOST TIMES:(4)	2	0.1 %	3.3%
5	EVERY TIME:(5)	1	0.0 %	1.6%
-9 (M)	MISSING:(-9)	2465	97.6 %	-

Based upon 61 valid cases out of 2526 total cases.

V1497	101B080A:COKE EXPERIMENT

Location: 816-817 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 04370

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	19	0.8 %	33.3%
1	MARKED:(1)	38	1.5 %	66.7%
-9 (M)	MISSING:(-9)	2469	97.7 %	-

Based upon 57 valid cases out of 2526 total cases.

V1498   101B080B:COKE RELAX

Location: 818-819 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 04380

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	42	1.7 %	73.7%
1	MARKED:(1)	15	0.6 %	26.3%
-9 (M)	MISSING:(-9)	2469	97.7 %	-

Based upon 57 valid cases out of 2526 total cases.

V1499   101B080C:COKE GET HIGH

Location: 820-821 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 04390

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	29	1.1 %	50.9%
1	MARKED:(1)	28	1.1 %	49.1%
-9 (M)	MISSING:(-9)	2469	97.7 %	-

Based upon 57 valid cases out of 2526 total cases.

V1500 101B080D:COKE SK INSIGHT

Location:	822-823 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04400

What have been the most important reasons for your taking
cocaine? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	49	1.9 %	86.0%
1	MARKED:(1)	8	0.3 %	14.0%
-9 (M)	MISSING:(-9)	2469	97.7 %	-

Based upon 57 valid cases out of 2526 total cases.

V1501 101B080E:COKE GD TM FRND

Location:	824-825 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04410

What have been the most important reasons for your taking
cocaine? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	39	1.5 %	68.4%

Value	Label	Unweighted Frequency	%	Valid %
1	MARKED:(1)	18	0.7 %	31.6%
-9 (M)	MISSING:(-9)	2469	97.7 %	-

Based upon 57 valid cases out of 2526 total cases.

V1502	**101B080F:COKE FIT IN GRP**

Location:	826-827 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04420

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	52	2.1 %	91.2%
1	MARKED:(1)	5	0.2 %	8.8%
-9 (M)	MISSING:(-9)	2469	97.7 %	-

Based upon 57 valid cases out of 2526 total cases.

V1503	**101B080G:COKE GT AWY PRB**

Location:	828-829 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04430

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	47	1.9 %	82.5%
1	MARKED:(1)	10	0.4 %	17.5%
-9 (M)	MISSING:(-9)	2469	97.7 %	-

Based upon 57 valid cases out of 2526 total cases.

V1504	**101B080H:COKE BOREDOM**

Location:	830-831 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04440

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	44	1.7 %	77.2%
1	MARKED:(1)	13	0.5 %	22.8%
-9 (M)	MISSING:(-9)	2469	97.7 %	-

Based upon 57 valid cases out of 2526 total cases.

V1505	**101B080I:COKE ANGR/FRSTN**

Location:	832-833 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04450

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	51	2.0 %	89.5%
1	MARKED:(1)	6	0.2 %	10.5%
-9 (M)	MISSING:(-9)	2469	97.7 %	-

Based upon 57 valid cases out of 2526 total cases.

V1506	**101B080J:COKE GT THRU DA**

Location:	834-835 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 04460

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	50	2.0 %	87.7%
1	MARKED:(1)	7	0.3 %	12.3%
-9 (M)	MISSING:(-9)	2469	97.7 %	-

Based upon 57 valid cases out of 2526 total cases.

V1507	**101B080K:COKE INCR EF DR**

Location: 836-837 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04470

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	47	1.9 %	82.5%
1	MARKED:(1)	10	0.4 %	17.5%
-9 (M)	MISSING:(-9)	2469	97.7 %	-

Based upon 57 valid cases out of 2526 total cases.

V1508	**101B080L:COKE DCRS EF DR**

Location: 838-839 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04480

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	51	2.0 %	89.5%
1	MARKED:(1)	6	0.2 %	10.5%
-9 (M)	MISSING:(-9)	2469	97.7 %	-

Based upon 57 valid cases out of 2526 total cases.

V1509   101B080M:COKE STAY AWAKE

Location:	840-841 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04490

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

M. To stay awake

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	43	1.7 %	75.4%
1	MARKED:(1)	14	0.6 %	24.6%
-9 (M)	MISSING:(-9)	2469	97.7 %	-

Based upon 57 valid cases out of 2526 total cases.

V1510   101B080N:COKE GET>ENERGY

Location:	842-843 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04500

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

N. To get more energy

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	41	1.6 %	71.9%

Value	Label	Unweighted Frequency	%	Valid %
1	MARKED:(1)	16	0.6 %	28.1%
-9 (M)	MISSING:(-9)	2469	97.7 %	-

Based upon 57 valid cases out of 2526 total cases.

V1511   101B080O:COKE I AM HOOKD

Location:	844-845 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04510

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

O. Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	52	2.1 %	91.2%
1	MARKED:(1)	5	0.2 %	8.8%
-9 (M)	MISSING:(-9)	2469	97.7 %	-

Based upon 57 valid cases out of 2526 total cases.

V1512   101B081:COK,GET VERY HI

Location:	846-847 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04520

When you take cocaine how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high" 5="I don't take it to get high"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	7	0.3 %	11.3%
2	A LITTLE:(2)	12	0.5 %	19.4%
3	MODERATE:(3)	16	0.6 %	25.8%
4	VERY:(4)	24	1.0 %	38.7%
5	N TK HIGH:(5)	3	0.1 %	4.8%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	2464	97.5 %	-

Based upon 62 valid cases out of 2526 total cases.

V1513	**101B082:COK,HIGH 24+ HR**			

Location: 848-849 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04530

When you take cocaine how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%	Valid %
1	USLY DON'T:(1)	11	0.4 %	18.3%
2	1-2 HRS:(2)	22	0.9 %	36.7%
3	3-6 HRS:(3)	12	0.5 %	20.0%
4	7-24 HRS:(4)	10	0.4 %	16.7%
5	> 24 HRS:(5)	5	0.2 %	8.3%
-9 (M)	MISSING:(-9)	2466	97.6 %	-

Based upon 60 valid cases out of 2526 total cases.

V1514	**101B083:*TRY STP COK/FL**			

Location: 850-851 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04540

Have you ever tried to stop using cocaine and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%	Valid %
1	YES:(1)	6	0.2 %	9.8%
2	NO:(2)	55	2.2 %	90.2%
-9 (M)	MISSING:(-9)	2465	97.6 %	-

Based upon 61 valid cases out of 2526 total cases.

V1743	**101B084A:FRM COKE-POWDER**

Location: 852-853 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04531

What forms of cocaine have you used? (Mark all that apply.)

A. Cocaine powder

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	6	0.2 %	10.3%
1	MARKED:(1)	52	2.1 %	89.7%
-9 (M)	MISSING:(-9)	2468	97.7 %	-

Based upon 58 valid cases out of 2526 total cases.

V1746	**101B084B:FRM COKE-CRACK**

Location: 854-855 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04534

What forms of cocaine have you used? (Mark all that apply.)

B. "Crack" or "rock"

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	42	1.7 %	72.4%
1	MARKED:(1)	16	0.6 %	27.6%
-9 (M)	MISSING:(-9)	2468	97.7 %	-

Based upon 58 valid cases out of 2526 total cases.

V1744	**101B084C:FRM COKE-FRBASE**

Location: 856-857 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04532

What forms of cocaine have you used? (Mark all that apply.)

C. "Freebase" or "base"

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	43	1.7 %	74.1%
1	MARKED:(1)	15	0.6 %	25.9%
-9 (M)	MISSING:(-9)	2468	97.7 %	-

Based upon 58 valid cases out of 2526 total cases.

V1745	**101B084D:FRM COKE-PASTE**

Location:	858-859 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04533

What forms of cocaine have you used? (Mark all that apply.)

D. Coca paste

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	47	1.9 %	81.0%
1	MARKED:(1)	11	0.4 %	19.0%
-9 (M)	MISSING:(-9)	2468	97.7 %	-

Based upon 58 valid cases out of 2526 total cases.

V1515	**101B085A:MTHD COKE SNORT**

Location:	860-861 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04550

What methods have you used for taking cocaine?
(Mark all that apply.)

A. Sniffing or "snorting"

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	5	0.2 %	8.6%
1	MARKED:(1)	53	2.1 %	91.4%
-9 (M)	MISSING:(-9)	2468	97.7 %	-

Based upon 58 valid cases out of 2526 total cases.

V1516	101B085B:MTHD COKE-SMOKE

Location: 862-863 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04560

What methods have you used for taking cocaine?
(Mark all that apply.)

B. Smoking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	36	1.4 %	62.1%
1	MARKED:(1)	22	0.9 %	37.9%
-9 (M)	MISSING:(-9)	2468	97.7 %	-

Based upon 58 valid cases out of 2526 total cases.

V1517	101B085C:MTHD COKE-INJCT

Location: 864-865 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04570

What methods have you used for taking cocaine?
(Mark all that apply.)

C. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	49	1.9 %	84.5%
1	MARKED:(1)	9	0.4 %	15.5%
-9 (M)	MISSING:(-9)	2468	97.7 %	-

Based upon 58 valid cases out of 2526 total cases.

V1747	101B085D:MTHD COKE-INHAL

Location:	866-867 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04575

What methods have you used for taking cocaine?
(Mark all that apply.)

D. Inhaling fumes

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	48	1.9 %	82.8%
1	MARKED:(1)	10	0.4 %	17.2%
-9 (M)	MISSING:(-9)	2468	97.7 %	-

Based upon 58 valid cases out of 2526 total cases.

V1518	101B085E:MTHD COKE-MOUTH

Location:	868-869 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 04580

What methods have you used for taking cocaine?
(Mark all that apply.)

E. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	43	1.7 %	74.1%
1	MARKED:(1)	15	0.6 %	25.9%
-9 (M)	MISSING:(-9)	2468	97.7 %	-

Based upon 58 valid cases out of 2526 total cases.

V1519	101B085F:MTHD COKE-OTHER

Location:	870-871 (width: 2; decimal: 0)
Variable Type:	numeric

Range of Missing Values (M):   -9

Question:

Item Number: 04590

What methods have you used for taking cocaine?
(Mark all that apply.)

F. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	52	2.1 %	89.7%
1	MARKED:(1)	6	0.2 %	10.3%
-9 (M)	MISSING:(-9)	2468	97.7 %	-

Based upon 58 valid cases out of 2526 total cases.

V1520   101B086:NO COKE IN 5YR

Location: 872-873 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 04600

Do you think you will be using cocaine five years from now?

1="I definitely will" 2="I probably will" 3="I probably will
not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	17	0.7 %	0.8%
2	PRB WILL:(2)	14	0.6 %	0.6%
3	PRB WONT:(3)	127	5.0 %	5.6%
4	DEF WONT:(4)	2108	83.5 %	93.0%
-9 (M)	MISSING:(-9)	260	10.3 %	-

Based upon 2266 valid cases out of 2526 total cases.

V1139   101B087A:#X H/LIFETIME

Location: 874-875 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01100

The next questions are about HEROIN. On how many occasions
(if any) have you taken heroin . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2230	88.3 %	99.0%
2	1-2X:(2)	8	0.3 %	0.4%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	273	10.8 %	-

Based upon 2253 valid cases out of 2526 total cases.

V1521	**101B087A:#X H/LIFETIME**

Location: 876-877 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01100

The next questions are about HEROIN. On how many occasions (if any) have you taken heroin . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2230	88.3 %	99.0%
2	1-2X:(2)	8	0.3 %	0.4%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	4	0.2 %	0.2%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	273	10.8 %	-

Based upon 2253 valid cases out of 2526 total cases.

V1140	**101B087B:#X H/LAST 12M**

Location:	878-879 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01110

On how many occasions (if any) have you taken heroin . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2242	88.8 %	99.5%
2	1-2X:(2)	2	0.1 %	0.1%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	4	0.2 %	0.2%
6	20-39X:(6)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	272	10.8 %	-

Based upon 2254 valid cases out of 2526 total cases.

V1522	**101B087B:#X H/LAST 12M**

Location:	880-881 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01110

On how many occasions (if any) have you taken heroin . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2242	88.8 %	99.5%
2	1-2X:(2)	2	0.1 %	0.1%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	4	0.2 %	0.2%
6	20-39X:(6)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	272	10.8 %	-

Based upon 2254 valid cases out of 2526 total cases.

V1141	**101B087C:#X H/LAST 30D**

Location: 882-883 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01120

On how many occasions (if any) have you taken heroin . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2248	89.0 %	99.7%
2	1-2X:(2)	3	0.1 %	0.1%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	271	10.7 %	-

Based upon 2255 valid cases out of 2526 total cases.

V1523	**101B087C:#X H/LAST 30D**

Location: 884-885 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01120

On how many occasions (if any) have you taken heroin . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2248	89.0 %	99.7%
2	1-2X:(2)	3	0.1 %	0.1%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	271	10.7 %	-

Based upon 2255 valid cases out of 2526 total cases.

V1564	101B088:DR TOLD TK NARC

Location: 886-887 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05020

The next questions are about NARCOTICS OTHER THAN HEROIN, which are sometimes prescribed by doctors. Drugstores are not supposed to sell them without a prescription. These include: Methadone, Codeine, OxyContin, Percodan, Opium, Demerol, Percocet, Ultram, Morphine, Vicodin. Have you ever taken any narcotics other than heroin because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."
3="Yes, and it was the first time I took any."

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	1869	74.0 %	83.4%
2	YES/BUT TRIED:(2)	72	2.9 %	3.2%
3	YES/FIRST:(3)	299	11.8 %	13.3%
-9 (M)	MISSING:(-9)	286	11.3 %	-

Based upon 2240 valid cases out of 2526 total cases.

V1142	101B089A:#X NARC/LIFETIM

Location: 888-889 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01130

On how many occasions (if any) have you taken narcotics other
than heroin on your own--that is, without a doctor telling
you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1986	78.6 %	88.9%
2	1-2X:(2)	97	3.8 %	4.3%
3	3-5X:(3)	48	1.9 %	2.1%
4	6-9X:(4)	29	1.1 %	1.3%
5	10-19X:(5)	23	0.9 %	1.0%
6	20-39X:(6)	17	0.7 %	0.8%
7	40+OCCAS:(7)	35	1.4 %	1.6%
-9 (M)	MISSING:(-9)	291	11.5 %	-

Based upon 2235 valid cases out of 2526 total cases.

V1565	**101B089A:#X NARC/LIFETIM**

Location: 890-891 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01130

On how many occasions (if any) have you taken narcotics other
than heroin on your own--that is, without a doctor telling
you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1986	78.6 %	88.9%

Value	Label	Unweighted Frequency	%	Valid %
2	1-2X:(2)	97	3.8 %	4.3%
3	3-5X:(3)	48	1.9 %	2.1%
4	6-9X:(4)	29	1.1 %	1.3%
5	10-19X:(5)	23	0.9 %	1.0%
6	20-39X:(6)	17	0.7 %	0.8%
7	40+OCCAS:(7)	35	1.4 %	1.6%
-9 (M)	MISSING:(-9)	291	11.5 %	-

Based upon 2235 valid cases out of 2526 total cases.

V1143	**101B089B:#X NARC/LAST12M**

Location:	892-893 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2067	81.8 %	92.5%
2	1-2X:(2)	69	2.7 %	3.1%
3	3-5X:(3)	33	1.3 %	1.5%
4	6-9X:(4)	26	1.0 %	1.2%
5	10-19X:(5)	17	0.7 %	0.8%
6	20-39X:(6)	9	0.4 %	0.4%
7	40+OCCAS:(7)	14	0.6 %	0.6%
-9 (M)	MISSING:(-9)	291	11.5 %	-

Based upon 2235 valid cases out of 2526 total cases.

V1566	**101B089B:#X NARC/LAST12M**

Location:	894-895 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2067	81.8 %	92.5%
2	1-2X:(2)	69	2.7 %	3.1%
3	3-5X:(3)	33	1.3 %	1.5%
4	6-9X:(4)	26	1.0 %	1.2%
5	10-19X:(5)	17	0.7 %	0.8%
6	20-39X:(6)	9	0.4 %	0.4%
7	40+OCCAS:(7)	14	0.6 %	0.6%
-9 (M)	MISSING:(-9)	291	11.5 %	-

Based upon 2235 valid cases out of 2526 total cases.

V1144	**101B089C:#X NARC/LAST30D**

Location:	896-897 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2165	85.7 %	96.8%
2	1-2X:(2)	40	1.6 %	1.8%
3	3-5X:(3)	12	0.5 %	0.5%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	6	0.2 %	0.3%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	289	11.4 %	-

Based upon 2237 valid cases out of 2526 total cases.

V1567	**101B089C:#X NARC/LAST30D**

Location:	898-899 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2165	85.7 %	96.8%
2	1-2X:(2)	40	1.6 %	1.8%
3	3-5X:(3)	12	0.5 %	0.5%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	6	0.2 %	0.3%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	289	11.4 %	-

Based upon 2237 valid cases out of 2526 total cases.

V1568	**101B090A:#X/YR NARC ALNE**

Location:	900-901 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 05030

IF YOU HAVE NOT TAKEN NARCOTICS OTHER THAN HEROIN IN THE LAST TWELVE MONTHS, GO TO QUESTION 98. THE FOLLOWING QUESTIONS REFER ONLY TO TAKING NARCOTICS OTHER THAN HEROIN WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 98.

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	62	2.5 %	41.1%
2	FEW TIMES:(2)	33	1.3 %	21.9%
3	SOMETIMES:(3)	19	0.8 %	12.6%
4	MOST TIMES:(4)	16	0.6 %	10.6%
5	EVERY TIME:(5)	21	0.8 %	13.9%
-9 (M)	MISSING:(-9)	2375	94.0 %	-

Based upon 151 valid cases out of 2526 total cases.

V1569	**101B090B:#X/YR NARC-2PPL**

Location: 902-903 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05040

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	33	1.3 %	22.0%
2	FEW TIMES:(2)	51	2.0 %	34.0%
3	SOMETIMES:(3)	25	1.0 %	16.7%

Value	Label	Unweighted Frequency	%	Valid %
4	MOST TIMES:(4)	21	0.8 %	14.0%
5	EVERY TIME:(5)	20	0.8 %	13.3%
-9 (M)	MISSING:(-9)	2376	94.1 %	-

Based upon 150 valid cases out of 2526 total cases.

V1570	**101B090C:#X/YR NARC@PRTY**

Location: 904-905 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05050

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	84	3.3 %	54.9%
2	FEW TIMES:(2)	26	1.0 %	17.0%
3	SOMETIMES:(3)	19	0.8 %	12.4%
4	MOST TIMES:(4)	12	0.5 %	7.8%
5	EVERY TIME:(5)	12	0.5 %	7.8%
-9 (M)	MISSING:(-9)	2373	93.9 %	-

Based upon 153 valid cases out of 2526 total cases.

V1571	**101B090D:#X/YR NARC-DT/S**

Location: 906-907 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05060

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	103	4.1 %	68.7%
2	FEW TIMES:(2)	18	0.7 %	12.0%
3	SOMETIMES:(3)	11	0.4 %	7.3%
4	MOST TIMES:(4)	7	0.3 %	4.7%
5	EVERY TIME:(5)	11	0.4 %	7.3%
-9 (M)	MISSING:(-9)	2376	94.1 %	-

Based upon 150 valid cases out of 2526 total cases.

V1572	**101B090E:#X/YR NARC-ADLT**

Location:	908-909 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05070

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	82	3.2 %	55.0%
2	FEW TIMES:(2)	29	1.1 %	19.5%
3	SOMETIMES:(3)	17	0.7 %	11.4%
4	MOST TIMES:(4)	6	0.2 %	4.0%
5	EVERY TIME:(5)	15	0.6 %	10.1%
-9 (M)	MISSING:(-9)	2377	94.1 %	-

Based upon 149 valid cases out of 2526 total cases.

V1573	**101B090F:#X/YR NARC-DATM**

Location:	910-911 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05080

When you used narcotics other than heroin during the last

year, how often did you use them in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	46	1.8 %	31.1%
2	FEW TIMES:(2)	40	1.6 %	27.0%
3	SOMETIMES:(3)	34	1.3 %	23.0%
4	MOST TIMES:(4)	13	0.5 %	8.8%
5	EVERY TIME:(5)	15	0.6 %	10.1%
-9 (M)	MISSING:(-9)	2378	94.1 %	-

Based upon 148 valid cases out of 2526 total cases.

V1574	**101B090G:#X/YR NARC@HOME**

Location: 912-913 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05090

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	35	1.4 %	23.6%
2	FEW TIMES:(2)	38	1.5 %	25.7%
3	SOMETIMES:(3)	18	0.7 %	12.2%
4	MOST TIMES:(4)	25	1.0 %	16.9%
5	EVERY TIME:(5)	32	1.3 %	21.6%
-9 (M)	MISSING:(-9)	2378	94.1 %	-

Based upon 148 valid cases out of 2526 total cases.

V1575	**101B090H:#X/YR NARC@SCHL**

Location: 914-915 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05100

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	89	3.5 %	60.1%
2	FEW TIMES:(2)	29	1.1 %	19.6%
3	SOMETIMES:(3)	18	0.7 %	12.2%
4	MOST TIMES:(4)	6	0.2 %	4.1%
5	EVERY TIME:(5)	6	0.2 %	4.1%
-9 (M)	MISSING:(-9)	2378	94.1 %	-

Based upon 148 valid cases out of 2526 total cases.

V1576   **101B090I:#X/YR NARC @CAR**

Location: 916-917 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05120

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	106	4.2 %	70.2%
2	FEW TIMES:(2)	19	0.8 %	12.6%
3	SOMETIMES:(3)	14	0.6 %	9.3%
4	MOST TIMES:(4)	6	0.2 %	4.0%
5	EVERY TIME:(5)	6	0.2 %	4.0%
-9 (M)	MISSING:(-9)	2375	94.0 %	-

Based upon 151 valid cases out of 2526 total cases.

V1865	**101B091A:NARC SRC INTERNT**

Location:	918-919 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31910

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

A: Bought on the internet

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	141	5.6 %	97.2%
1	MARKED:(1)	4	0.2 %	2.8%
-9 (M)	MISSING:(-9)	2381	94.3 %	-

Based upon 145 valid cases out of 2526 total cases.

V1886	**101B091B:NARC SRC FRND-ASK**

Location:	920-921 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31921

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

B: Took from a friend without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	134	5.3 %	92.4%
1	MARKED:(1)	11	0.4 %	7.6%
-9 (M)	MISSING:(-9)	2381	94.3 %	-

Based upon 145 valid cases out of 2526 total cases.

V1887	**101B091C:NARC SRC RLTV-ASK**

Location:	922-923 (width: 2; decimal: 0)
Variable Type:	numeric

Range of Missing Values (M):	-9
Question:	

Item Number: 31922

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

C: Took from a relative without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	119	4.7 %	82.1%
1	MARKED:(1)	26	1.0 %	17.9%
-9 (M)	MISSING:(-9)	2381	94.3 %	-

Based upon 145 valid cases out of 2526 total cases.

V1888	**101B091D:NARC SRC FRND FREE**

Location:	924-925 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31931

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

D: Given for free by a friend

0="UNMARKED" 1="MARKED""

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	64	2.5 %	44.1%
1	MARKED:(1)	81	3.2 %	55.9%
-9 (M)	MISSING:(-9)	2381	94.3 %	-

Based upon 145 valid cases out of 2526 total cases.

V1889	**101B091E:NARC SRC RLTV FREE**

Location:	926-927 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31932

Where did you get the prescription-type narcotics other than
heroin you used without a doctor's orders during the last
year? (Mark all that apply.)

E: Given for free by a relative

0="UNMARKED" 1="MARKED""

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	114	4.5 %	78.6%
1	MARKED:(1)	31	1.2 %	21.4%
-9 (M)	MISSING:(-9)	2381	94.3 %	-

Based upon 145 valid cases out of 2526 total cases.

V1890	**101B091F:NARC SRC FRND BGHT**

Location:	928-929 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31941

Where did you get the prescription-type narcotics other than
heroin you used without a doctor's orders during the last
year? (Mark all that apply.)

F: Bought from a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	93	3.7 %	64.1%
1	MARKED:(1)	52	2.1 %	35.9%
-9 (M)	MISSING:(-9)	2381	94.3 %	-

Based upon 145 valid cases out of 2526 total cases.

V1891	**101B091G:NARC SRC RLTV BGHT**

Location:	930-931 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31942

Where did you get the prescription-type narcotics other than
heroin you used without a doctor's orders during the last
year? (Mark all that apply.)

G: Bought from a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	140	5.5 %	96.6%
1	MARKED:(1)	5	0.2 %	3.4%
-9 (M)	MISSING:(-9)	2381	94.3 %	-

Based upon 145 valid cases out of 2526 total cases.

V1869   101B091H:NARC SRC PRESCRP

Location:	932-933 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31950

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

H: From a prescription I had

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	90	3.6 %	62.1%
1	MARKED:(1)	55	2.2 %	37.9%
-9 (M)	MISSING:(-9)	2381	94.3 %	-

Based upon 145 valid cases out of 2526 total cases.

V1870   101B091I:NARC SRC DEALER

Location:	934-935 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31960

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

I: Bought from drug dealer/stranger

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	112	4.4 %	77.2%
1	MARKED:(1)	33	1.3 %	22.8%
-9 (M)	MISSING:(-9)	2381	94.3 %	-

Based upon 145 valid cases out of 2526 total cases.

V1871	**101B091J:NARC SRC OTHER**

Location: 936-937 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31970

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

J: Other method

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	131	5.2 %	90.3%
1	MARKED:(1)	14	0.6 %	9.7%
-9 (M)	MISSING:(-9)	2381	94.3 %	-

Based upon 145 valid cases out of 2526 total cases.

V1892	**101B092A:NARC SCRPT DENTST**

Location: 938-939 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32460

If you took a narcotic drug wtihout a doctor's orders --
one for which you had a prescription in your name -- from
whom did you get this prescription? (Mark all that apply.)

A. A dentist

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	104	4.1 %	78.8%
1	MARKED:(1)	28	1.1 %	21.2%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	2394	94.8 %	-

Based upon 132 valid cases out of 2526 total cases.

V1893	**101B092B:NARC SCRPT ER DOC**

Location: 940-941 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32470

If you took a narcotic drug wtihout a doctor's orders --
one for which you had a prescription in your name -- from
whom did you get this prescription? (Mark all that apply.)

B. An emergency room doctor

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	106	4.2 %	80.3%
1	MARKED:(1)	26	1.0 %	19.7%
-9 (M)	MISSING:(-9)	2394	94.8 %	-

Based upon 132 valid cases out of 2526 total cases.

V1894	**101B092C:NARC SCRPT OTH DOC**

Location: 942-943 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32480

If you took a narcotic drug wtihout a doctor's orders --
one for which you had a prescription in your name -- from
whom did you get this prescription? (Mark all that apply.)

C. Another doctor

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	106	4.2 %	80.3%
1	MARKED:(1)	26	1.0 %	19.7%
-9 (M)	MISSING:(-9)	2394	94.8 %	-

Based upon 132 valid cases out of 2526 total cases.

V1895	**101B092D:NARC SCRPT DIDNT**

Location:	944-945 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 32490

If you took a narcotic drug wtihout a doctor's orders --
one for which you had a prescription in your name -- from
whom did you get this prescription? (Mark all that apply.)

D. I didn't use any narcotics from a prescription of mine
without a doctor's orders

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	65	2.6 %	49.2%
1	MARKED:(1)	67	2.7 %	50.8%
-9 (M)	MISSING:(-9)	2394	94.8 %	-

Based upon 132 valid cases out of 2526 total cases.

V1587	**101B093A:NARC EXPERIMENT**

Location:	946-947 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05230

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	78	3.1 %	54.5%
1	MARKED:(1)	65	2.6 %	45.5%
-9 (M)	MISSING:(-9)	2383	94.3 %	-

Based upon 143 valid cases out of 2526 total cases.

V1588	**101B093B:NARC RELAX**

Location:	948-949 (width: 2; decimal: 0)	
Variable Type:	numeric	
Range of Missing Values (M):	-9	
Question:		

Item Number: 05240

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	62	2.5 %	43.4%
1	MARKED:(1)	81	3.2 %	56.6%
-9 (M)	MISSING:(-9)	2383	94.3 %	-

Based upon 143 valid cases out of 2526 total cases.

V1589	**101B093C:NARC GET HIGH**

Location:	950-951 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05250

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	67	2.7 %	46.9%
1	MARKED:(1)	76	3.0 %	53.1%
-9 (M)	MISSING:(-9)	2383	94.3 %	-

Based upon 143 valid cases out of 2526 total cases.

V1590	**101B093D:NARC SK INSIGTS**

Location:	952-953 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 05260

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	135	5.3 %	94.4%
1	MARKED:(1)	8	0.3 %	5.6%
-9 (M)	MISSING:(-9)	2383	94.3 %	-

Based upon 143 valid cases out of 2526 total cases.

V1591	**101B093E:NARC GD TM FRND**

Location: 954-955 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05270

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	110	4.4 %	76.9%
1	MARKED:(1)	33	1.3 %	23.1%
-9 (M)	MISSING:(-9)	2383	94.3 %	-

Based upon 143 valid cases out of 2526 total cases.

V1592	**101B093F:NARC FIT IN GRP**

Location: 956-957 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05280

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?

(Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	138	5.5 %	96.5%
1	MARKED:(1)	5	0.2 %	3.5%
-9 (M)	MISSING:(-9)	2383	94.3 %	-

Based upon 143 valid cases out of 2526 total cases.

V1593	**101B093G:NARC GT AWY PBM**

Location: 958-959 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05290

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	115	4.6 %	80.4%
1	MARKED:(1)	28	1.1 %	19.6%
-9 (M)	MISSING:(-9)	2383	94.3 %	-

Based upon 143 valid cases out of 2526 total cases.

V1594	**101B093H:NARC BOREDOM**

Location: 960-961 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05300

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	114	4.5 %	79.7%
1	MARKED:(1)	29	1.1 %	20.3%
-9 (M)	MISSING:(-9)	2383	94.3 %	-

Based upon 143 valid cases out of 2526 total cases.

V1595	**101B093I:NARC ANGR/FRSTN**

Location:	962-963 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05310

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	121	4.8 %	84.6%
1	MARKED:(1)	22	0.9 %	15.4%
-9 (M)	MISSING:(-9)	2383	94.3 %	-

Based upon 143 valid cases out of 2526 total cases.

V1596	**101B093J:NARC GT THRU DA**

Location:	964-965 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05320

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	118	4.7 %	82.5%
1	MARKED:(1)	25	1.0 %	17.5%
-9 (M)	MISSING:(-9)	2383	94.3 %	-

Based upon 143 valid cases out of 2526 total cases.

V1597	**101B093K:NARC INC EF DG**

Location:	966-967 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05330

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	126	5.0 %	88.1%
1	MARKED:(1)	17	0.7 %	11.9%
-9 (M)	MISSING:(-9)	2383	94.3 %	-

Based upon 143 valid cases out of 2526 total cases.

V1598	**101B093L:NARC DEC EF DG**

Location:	968-969 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05340

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	141	5.6 %	98.6%
1	MARKED:(1)	2	0.1 %	1.4%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	2383	94.3 %	-

Based upon 143 valid cases out of 2526 total cases.

V1599	**101B093M:NARC GET SLEEP**			

Location: 970-971 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05350

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

M. To get to sleep

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	106	4.2 %	74.1%
1	MARKED:(1)	37	1.5 %	25.9%
-9 (M)	MISSING:(-9)	2383	94.3 %	-

Based upon 143 valid cases out of 2526 total cases.

V1600	**101B093N:NARC SBST HERIN**			

Location: 972-973 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05360

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

N. As a substitute for heroin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	138	5.5 %	96.5%
1	MARKED:(1)	5	0.2 %	3.5%
-9 (M)	MISSING:(-9)	2383	94.3 %	-

Based upon 143 valid cases out of 2526 total cases.

V1697	101B093O:NARC RLV PHYS P

Location: 974-975 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05363

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

O. To relieve physical pain

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	61	2.4 %	42.7%
1	MARKED:(1)	82	3.2 %	57.3%
-9 (M)	MISSING:(-9)	2383	94.3 %	-

Based upon 143 valid cases out of 2526 total cases.

V1698	101B093P:NARC RLV COUGHN

Location: 976-977 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05366

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

P. To control coughing

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	131	5.2 %	91.6%
1	MARKED:(1)	12	0.5 %	8.4%
-9 (M)	MISSING:(-9)	2383	94.3 %	-

Based upon 143 valid cases out of 2526 total cases.

V1601	101B093Q:NARC I AM HOOKD

Location: 978-979 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05370

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

Q. Because I am "hooked"--I have to have them

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	138	5.5 %	96.5%
1	MARKED:(1)	5	0.2 %	3.5%
-9 (M)	MISSING:(-9)	2383	94.3 %	-

Based upon 143 valid cases out of 2526 total cases.

V1602	**101B094:NARC,GT VERY HI**

Location:	980-981 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05380

When you take narcotics other than heroin how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high" 5="I don't take them to get high"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	16	0.6 %	11.0%
2	A LITTLE:(2)	33	1.3 %	22.8%
3	MODERATE:(3)	52	2.1 %	35.9%
4	VERY:(4)	22	0.9 %	15.2%
5	N TK HIGH:(5)	22	0.9 %	15.2%
-9 (M)	MISSING:(-9)	2381	94.3 %	-

Based upon 145 valid cases out of 2526 total cases.

V1603	**101B095:NARC,HI 24+ HRS**

Location:	982-983 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 05390

When you take narcotics other than heroin how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%	Valid %
1	USLY DON'T:(1)	34	1.3 %	23.3%
2	1-2 HRS:(2)	33	1.3 %	22.6%
3	3-6 HRS:(3)	57	2.3 %	39.0%
4	7-24 HRS:(4)	19	0.8 %	13.0%
5	> 24 HRS:(5)	3	0.1 %	2.1%
-9 (M)	MISSING:(-9)	2380	94.2 %	-

Based upon 146 valid cases out of 2526 total cases.

V1604	**101B096A:NARC TKN MTHDNE**

Location: 984-985 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05400

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

A. Methadone

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	127	5.0 %	87.0%
1	MARKED:(1)	19	0.8 %	13.0%
-9 (M)	MISSING:(-9)	2380	94.2 %	-

Based upon 146 valid cases out of 2526 total cases.

V1605	**101B096B:NARC TKN OPIUM**

Location: 986-987 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05410

What narcotics other than heroin have you taken during the

last year without a doctor's orders? (Mark all that apply.)

B. Opium

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	128	5.1 %	87.7%
1	MARKED:(1)	18	0.7 %	12.3%
-9 (M)	MISSING:(-9)	2380	94.2 %	-

Based upon 146 valid cases out of 2526 total cases.

V1606	**101B096C:NARC TKN MRPHNE**

Location: 988-989 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05420

What narcotics other than heroin have you taken during the
last year without a doctor's orders? (Mark all that apply.)

C. Morphine

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	111	4.4 %	76.0%
1	MARKED:(1)	35	1.4 %	24.0%
-9 (M)	MISSING:(-9)	2380	94.2 %	-

Based upon 146 valid cases out of 2526 total cases.

V1607	**101B096D:NARC TKN CODEIN**

Location: 990-991 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05430

What narcotics other than heroin have you taken during the
last year without a doctor's orders? (Mark all that apply.)

D. Codeine

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	69	2.7 %	47.3%
1	MARKED:(1)	77	3.0 %	52.7%
-9 (M)	MISSING:(-9)	2380	94.2 %	-

Based upon 146 valid cases out of 2526 total cases.

V1608	**101B096E:NARC TKN DEMROL**

Location: 992-993 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05440

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

E. Demerol

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	132	5.2 %	90.4%
1	MARKED:(1)	14	0.6 %	9.6%
-9 (M)	MISSING:(-9)	2380	94.2 %	-

Based upon 146 valid cases out of 2526 total cases.

V1816	**101B096F:NARC TKN VICODN**

Location: 994-995 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05445

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

F. Vicodin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	43	1.7 %	29.5%
1	MARKED:(1)	103	4.1 %	70.5%
-9 (M)	MISSING:(-9)	2380	94.2 %	-

Based upon 146 valid cases out of 2526 total cases.

V1817	**101B096G:NARC TKN OXYCON**

Location: 996-997 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05455

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

G. OxyContin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	72	2.9 %	49.3%
1	MARKED:(1)	74	2.9 %	50.7%
-9 (M)	MISSING:(-9)	2380	94.2 %	-

Based upon 146 valid cases out of 2526 total cases.

V1818	**101B096H:NARC TKN PERCET**

Location: 998-999 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05465

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

H. Percocet

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	81	3.2 %	55.5%
1	MARKED:(1)	65	2.6 %	44.5%
-9 (M)	MISSING:(-9)	2380	94.2 %	-

Based upon 146 valid cases out of 2526 total cases.

V1819	**101B096I:NARC TKN PERDAN**

Location: 1000-1001 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05475

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

I. Percodan

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	138	5.5 %	94.5%
1	MARKED:(1)	8	0.3 %	5.5%
-9 (M)	MISSING:(-9)	2380	94.2 %	-

Based upon 146 valid cases out of 2526 total cases.

V1872	**101B096J:NARC TKN ULTRAM**

Location: 1002-1003 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31980

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

J. Ultram

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	135	5.3 %	92.5%
1	MARKED:(1)	11	0.4 %	7.5%
-9 (M)	MISSING:(-9)	2380	94.2 %	-

Based upon 146 valid cases out of 2526 total cases.

V1612	**101B096K:NARC TKN OTHER**

Location: 1004-1005 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05480

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

K. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	120	4.8 %	82.2%
1	MARKED:(1)	26	1.0 %	17.8%
-9 (M)	MISSING:(-9)	2380	94.2 %	-

Based upon 146 valid cases out of 2526 total cases.

V1613	**101B096L:NARC TKN DNT KN**

Location: 1006-1007 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05490

What narcotics other than heroin have you taken during the
last year without a doctor's orders? (Mark all that apply.)

L. Don't know the names of some I have used

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	130	5.1 %	89.0%
1	MARKED:(1)	16	0.6 %	11.0%
-9 (M)	MISSING:(-9)	2380	94.2 %	-

Based upon 146 valid cases out of 2526 total cases.

V1614	**101B097:TRY STP NARC/FL**

Location: 1008-1009 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05500

Have you ever tried to stop using narcotics other than heroin
and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%	Valid %
1	YES:(1)	12	0.5 %	8.3%

Value	Label	Unweighted Frequency	%	Valid %
2	NO:(2)	133	5.3 %	91.7%
-9 (M)	MISSING:(-9)	2381	94.3 %	-

Based upon 145 valid cases out of 2526 total cases.

V1615	**101B098A:METH NARC SNORT**

Location: 1010-1011 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05510

What methods have you used for taking any of these narcotics
other than heroin? (Mark all that apply.)

A. Sniffing or "snorting"

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	93	3.7 %	63.3%
1	MARKED:(1)	54	2.1 %	36.7%
-9 (M)	MISSING:(-9)	2379	94.2 %	-

Based upon 147 valid cases out of 2526 total cases.

V1616	**101B098B:METH NARC SMOKE**

Location: 1012-1013 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05520

What methods have you used for taking any of these narcotics
other than heroin? (Mark all that apply.)

B. Smoking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	133	5.3 %	90.5%
1	MARKED:(1)	14	0.6 %	9.5%
-9 (M)	MISSING:(-9)	2379	94.2 %	-

Based upon 147 valid cases out of 2526 total cases.

V1617	101B098C:METH NARC INJCT

Location:	1014-1015 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05530

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

C. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	140	5.5 %	95.2%
1	MARKED:(1)	7	0.3 %	4.8%
-9 (M)	MISSING:(-9)	2379	94.2 %	-

Based upon 147 valid cases out of 2526 total cases.

V1618	101B098D:METH NARC MOUTH

Location:	1016-1017 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05540

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

D. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	18	0.7 %	12.2%
1	MARKED:(1)	129	5.1 %	87.8%
-9 (M)	MISSING:(-9)	2379	94.2 %	-

Based upon 147 valid cases out of 2526 total cases.

V1619	101B098E:METH NARC OTHER

Location:	1018-1019 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 05550

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

E. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	141	5.6 %	95.9%
1	MARKED:(1)	6	0.2 %	4.1%
-9 (M)	MISSING:(-9)	2379	94.2 %	-

Based upon 147 valid cases out of 2526 total cases.

V1620   101B099:NO NARC IN 5YR

Location: 1020-1021 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05560

Do you think you will be using any narcotics other than heroin without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	14	0.6 %	0.6%
2	PRB WILL:(2)	49	1.9 %	2.2%
3	PRB WONT:(3)	256	10.1 %	11.4%
4	DEF WONT:(4)	1936	76.6 %	85.9%
-9 (M)	MISSING:(-9)	271	10.7 %	-

Based upon 2255 valid cases out of 2526 total cases.

V1762   101B100:ATTND DRG TRTMN

Location: 1022-1023 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 22360

Have you ever attended a treatment program for alcohol or drug abuse where you stayed overnight?

1="No, never" 2="Yes, but not in the past 12 months" 3="Yes, sometime in the past 12 months"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	2236	88.5 %	98.9%
2	NOPASTYR:(2)	10	0.4 %	0.4%
3	INPASTYR:(3)	15	0.6 %	0.7%
-9 (M)	MISSING:(-9)	265	10.5 %	-

Based upon 2261 valid cases out of 2526 total cases.

V1763	**101B101:RCV DRG COUNSEL**

Location:	1024-1025 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22370

Have you ever received any other kind of professional counseling, treatment, or therapy because of your use of alcohol or drugs?

1="No, never" 2="Yes, but not in the past 12 months" 3="Yes, sometime in the past 12 months"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	2187	86.6 %	96.6%
2	NOPASTYR:(2)	35	1.4 %	1.5%
3	INPASTYR:(3)	41	1.6 %	1.8%
-9 (M)	MISSING:(-9)	263	10.4 %	-

Based upon 2263 valid cases out of 2526 total cases.

V1621	**101B102A:GR 1ST SMOK DLY**

Location:	1026-1027 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05570

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

A: Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11

(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	26	1.0 %	1.2%
2	GRADE 7:(2)	29	1.1 %	1.3%
3	GRADE 8:(3)	31	1.2 %	1.4%
4	GRADE 9:(4)	69	2.7 %	3.1%
5	GRADE 10:(5)	67	2.7 %	3.0%
6	GRADE 11:(6)	79	3.1 %	3.6%
7	GRADE 12:(7)	62	2.5 %	2.8%
8	NEVER:(8)	1860	73.6 %	83.7%
-9 (M)	MISSING:(-9)	303	12.0 %	-

Based upon 2223 valid cases out of 2526 total cases.

V1622	**101B102B:GR 1ST TRY ALC**

Location: 1028-1029 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05580

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

B: Try an alcoholic beverage--more than just a few sips

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	143	5.7 %	6.8%
2	GRADE 7:(2)	135	5.3 %	6.4%
3	GRADE 8:(3)	232	9.2 %	11.0%
4	GRADE 9:(4)	380	15.0 %	17.9%
5	GRADE 10:(5)	331	13.1 %	15.6%
6	GRADE 11:(6)	266	10.5 %	12.6%
7	GRADE 12:(7)	151	6.0 %	7.1%
8	NEVER:(8)	480	19.0 %	22.7%
-9 (M)	MISSING:(-9)	408	16.2 %	-

Based upon 2118 valid cases out of 2526 total cases.

V1623	**101B102C:GR 1ST TRY MJ**

Location:	1030-1031 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05590

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

C: Try marijuana or hashish

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	52	2.1 %	2.3%
2	GRADE 7:(2)	79	3.1 %	3.6%
3	GRADE 8:(3)	118	4.7 %	5.3%
4	GRADE 9:(4)	217	8.6 %	9.8%
5	GRADE 10:(5)	214	8.5 %	9.6%
6	GRADE 11:(6)	167	6.6 %	7.5%
7	GRADE 12:(7)	110	4.4 %	4.9%
8	NEVER:(8)	1266	50.1 %	57.0%
-9 (M)	MISSING:(-9)	303	12.0 %	-

Based upon 2223 valid cases out of 2526 total cases.

V1624	**101B102D:GR 1ST TRY LSD**

Location:	1032-1033 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05600

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

D: Try LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	3	0.1 %	0.1%
3	GRADE 8:(3)	4	0.2 %	0.2%

Value	Label	Unweighted Frequency	%	Valid %
4	GRADE 9:(4)	9	0.4 %	0.4%
5	GRADE 10:(5)	21	0.8 %	0.9%
6	GRADE 11:(6)	22	0.9 %	1.0%
7	GRADE 12:(7)	16	0.6 %	0.7%
8	NEVER:(8)	2173	86.0 %	96.7%
-9 (M)	MISSING:(-9)	278	11.0 %	-

Based upon 2248 valid cases out of 2526 total cases.

V1625 — 101B102E:GR 1ST TRY PSY

Location: 1034-1035 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05610

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

E: Try a hallucinogen other than LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	5	0.2 %	0.2%
2	GRADE 7:(2)	1	0.0 %	0.0%
3	GRADE 8:(3)	6	0.2 %	0.3%
4	GRADE 9:(4)	15	0.6 %	0.7%
5	GRADE 10:(5)	35	1.4 %	1.6%
6	GRADE 11:(6)	47	1.9 %	2.1%
7	GRADE 12:(7)	23	0.9 %	1.0%
8	NEVER:(8)	2114	83.7 %	94.1%
-9 (M)	MISSING:(-9)	280	11.1 %	-

Based upon 2246 valid cases out of 2526 total cases.

V1626 — 101B102F:GR 1ST TRY AMP

Location: 1036-1037 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05620

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

F: Try amphetamines

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	7	0.3 %	0.3%
2	GRADE 7:(2)	6	0.2 %	0.3%
3	GRADE 8:(3)	8	0.3 %	0.4%
4	GRADE 9:(4)	20	0.8 %	0.9%
5	GRADE 10:(5)	18	0.7 %	0.8%
6	GRADE 11:(6)	35	1.4 %	1.6%
7	GRADE 12:(7)	20	0.8 %	0.9%
8	NEVER:(8)	2091	82.8 %	94.8%
-9 (M)	MISSING:(-9)	321	12.7 %	-

Based upon 2205 valid cases out of 2526 total cases.

V1628	**101B102G:GR 1ST TRY BRB**

Location:	1038-1039 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05640

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

G: Try barbiturates

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	5	0.2 %	0.2%
2	GRADE 7:(2)	1	0.0 %	0.0%
3	GRADE 8:(3)	3	0.1 %	0.1%
4	GRADE 9:(4)	7	0.3 %	0.3%
5	GRADE 10:(5)	3	0.1 %	0.1%
6	GRADE 11:(6)	5	0.2 %	0.2%
7	GRADE 12:(7)	5	0.2 %	0.2%

Value	Label	Unweighted Frequency	%	Valid %
8	NEVER:(8)	2238	88.6 %	98.7%
-9 (M)	MISSING:(-9)	259	10.3 %	-

Based upon 2267 valid cases out of 2526 total cases.

V1629	**101B102H:GR 1ST TRY TRN**

Location:	1040-1041 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05650

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

H: Try tranquilizers

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	7	0.3 %	0.3%
2	GRADE 7:(2)	3	0.1 %	0.1%
3	GRADE 8:(3)	13	0.5 %	0.6%
4	GRADE 9:(4)	18	0.7 %	0.8%
5	GRADE 10:(5)	24	1.0 %	1.1%
6	GRADE 11:(6)	26	1.0 %	1.2%
7	GRADE 12:(7)	14	0.6 %	0.6%
8	NEVER:(8)	2119	83.9 %	95.3%
-9 (M)	MISSING:(-9)	302	12.0 %	-

Based upon 2224 valid cases out of 2526 total cases.

V1630	**101B102I:GR 1ST TRY COK**

Location:	1042-1043 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05660

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

I: Try cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	5	0.2 %	0.2%
2	GRADE 7:(2)	5	0.2 %	0.2%
3	GRADE 8:(3)	7	0.3 %	0.3%
4	GRADE 9:(4)	22	0.9 %	1.0%
5	GRADE 10:(5)	21	0.8 %	0.9%
6	GRADE 11:(6)	25	1.0 %	1.1%
7	GRADE 12:(7)	13	0.5 %	0.6%
8	NEVER:(8)	2163	85.6 %	95.7%
-9 (M)	MISSING:(-9)	265	10.5 %	-

Based upon 2261 valid cases out of 2526 total cases.

V1631	**101B102J:GR 1ST TRY HER**

Location: 1044-1045 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05670

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

J: Try heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	3	0.1 %	0.1%
3	GRADE 8:(3)	3	0.1 %	0.1%
4	GRADE 9:(4)	4	0.2 %	0.2%
5	GRADE 10:(5)	5	0.2 %	0.2%
6	GRADE 11:(6)	7	0.3 %	0.3%
7	GRADE 12:(7)	4	0.2 %	0.2%
8	NEVER:(8)	2239	88.6 %	98.9%
-9 (M)	MISSING:(-9)	261	10.3 %	-

Based upon 2265 valid cases out of 2526 total cases.

V1632	**101B102K:GR 1ST TRY NRC**

Location:	1046-1047 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05680

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

K: Try any narcotic other than heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	7	0.3 %	0.3%
2	GRADE 7:(2)	5	0.2 %	0.2%
3	GRADE 8:(3)	14	0.6 %	0.6%
4	GRADE 9:(4)	31	1.2 %	1.4%
5	GRADE 10:(5)	41	1.6 %	1.9%
6	GRADE 11:(6)	46	1.8 %	2.1%
7	GRADE 12:(7)	36	1.4 %	1.7%
8	NEVER:(8)	1996	79.0 %	91.7%
-9 (M)	MISSING:(-9)	350	13.9 %	-

Based upon 2176 valid cases out of 2526 total cases.

V1748	**101B102L:GR 1ST SMOK EVR**

Location:	1048-1049 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05575

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

L: Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	132	5.2 %	6.1%
2	GRADE 7:(2)	105	4.2 %	4.9%

Value	Label	Unweighted Frequency	%	Valid %
3	GRADE 8:(3)	108	4.3 %	5.0%
4	GRADE 9:(4)	170	6.7 %	7.9%
5	GRADE 10:(5)	142	5.6 %	6.6%
6	GRADE 11:(6)	124	4.9 %	5.7%
7	GRADE 12:(7)	68	2.7 %	3.2%
8	NEVER:(8)	1309	51.8 %	60.7%
-9 (M)	MISSING:(-9)	368	14.6 %	-

Based upon 2158 valid cases out of 2526 total cases.

V1749	**101B102M:GR 1ST DRUNK**

Location: 1050-1051 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05585

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

M: Drink enough to feel drunk or very high

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	46	1.8 %	2.2%
2	GRADE 7:(2)	55	2.2 %	2.6%
3	GRADE 8:(3)	139	5.5 %	6.7%
4	GRADE 9:(4)	263	10.4 %	12.6%
5	GRADE 10:(5)	289	11.4 %	13.9%
6	GRADE 11:(6)	216	8.6 %	10.4%
7	GRADE 12:(7)	134	5.3 %	6.4%
8	NEVER:(8)	939	37.2 %	45.1%
-9 (M)	MISSING:(-9)	445	17.6 %	-

Based upon 2081 valid cases out of 2526 total cases.

V1783	**101B102N:GR 1ST TRY CRAC**

Location: 1052-1053 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05661

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

N: Try "crack" cocaine, specifically

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	2	0.1 %	0.1%
2	GRADE 7:(2)	2	0.1 %	0.1%
3	GRADE 8:(3)	2	0.1 %	0.1%
4	GRADE 9:(4)	6	0.2 %	0.3%
5	GRADE 10:(5)	6	0.2 %	0.3%
6	GRADE 11:(6)	7	0.3 %	0.3%
7	GRADE 12:(7)	3	0.1 %	0.1%
8	NEVER:(8)	2235	88.5 %	98.8%
-9 (M)	MISSING:(-9)	263	10.4 %	-

Based upon 2263 valid cases out of 2526 total cases.

V1784	101B102O:GR 1ST TRY ICE

Location: 1054-1055 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M):   -9
Question:

Item Number: 24430

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

O: Try crystal meth ("ice")

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	13	0.5 %	0.6%
2	GRADE 7:(2)	1	0.0 %	0.0%
3	GRADE 8:(3)	4	0.2 %	0.2%
4	GRADE 9:(4)	5	0.2 %	0.2%
5	GRADE 10:(5)	6	0.2 %	0.3%

Value	Label	Unweighted Frequency	%	Valid %
6	GRADE 11:(6)	1	0.0 %	0.0%
7	GRADE 12:(7)	6	0.2 %	0.3%
8	NEVER:(8)	2245	88.9 %	98.4%
-9 (M)	MISSING:(-9)	245	9.7 %	-

Based upon 2281 valid cases out of 2526 total cases.

V1785	**101B103A:ALL FRD SMK CIG**

Location: 1056-1057 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07070

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	444	17.6 %	19.3%
2	A FEW:(2)	908	35.9 %	39.4%
3	SOME:(3)	616	24.4 %	26.7%
4	MOST:(4)	303	12.0 %	13.2%
5	ALL:(5)	33	1.3 %	1.4%
-9 (M)	MISSING:(-9)	222	8.8 %	-

Based upon 2304 valid cases out of 2526 total cases.

V1786	**101B103B:ALL FRD SMK MAR**

Location: 1058-1059 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07080

How many of your friends would you estimate . . .

B: . . . Smoke marijuana (pot, weed) or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	435	17.2 %	19.0%
2	A FEW:(2)	642	25.4 %	28.0%
3	SOME:(3)	621	24.6 %	27.1%
4	MOST:(4)	513	20.3 %	22.4%
5	ALL:(5)	84	3.3 %	3.7%
-9 (M)	MISSING:(-9)	231	9.1 %	-

Based upon 2295 valid cases out of 2526 total cases.

V1787	**101B103C:# FRNDS TK CRAC**

Location:	1060-1061 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07151

How many of your friends would you estimate . . .

C: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1908	75.5 %	83.2%
2	A FEW:(2)	301	11.9 %	13.1%
3	SOME:(3)	61	2.4 %	2.7%
4	MOST:(4)	12	0.5 %	0.5%
5	ALL:(5)	11	0.4 %	0.5%
-9 (M)	MISSING:(-9)	233	9.2 %	-

Based upon 2293 valid cases out of 2526 total cases.

V1788	**101B103D:# FRNDS TK C PW**

Location:	1062-1063 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23990

How many of your friends would you estimate . . .

D: . . . Take cocaine powder?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1816	71.9 %	80.0%
2	A FEW:(2)	367	14.5 %	16.2%
3	SOME:(3)	66	2.6 %	2.9%
4	MOST:(4)	13	0.5 %	0.6%
5	ALL:(5)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	255	10.1 %	-

Based upon 2271 valid cases out of 2526 total cases.

V1789	**101B103E:ALL FRD DRK ALC**

Location: 1064-1065 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07190

How many of your friends would you estimate . . .

E: . . . Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	201	8.0 %	8.8%
2	A FEW:(2)	269	10.6 %	11.8%
3	SOME:(3)	443	17.5 %	19.4%
4	MOST:(4)	931	36.9 %	40.8%
5	ALL:(5)	437	17.3 %	19.2%
-9 (M)	MISSING:(-9)	245	9.7 %	-

Based upon 2281 valid cases out of 2526 total cases.

V1790	**101B103F:ALL FRD GT DRUN**

Location: 1066-1067 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07200

How many of your friends would you estimate . . .

F: . . . Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	660	26.1 %	28.8%
2	A FEW:(2)	640	25.3 %	27.9%
3	SOME:(3)	525	20.8 %	22.9%
4	MOST:(4)	345	13.7 %	15.1%
5	ALL:(5)	122	4.8 %	5.3%
-9 (M)	MISSING:(-9)	234	9.3 %	-

Based upon 2292 valid cases out of 2526 total cases.

V1148	**101C01(R):AGE <>18 DICHOTOMY**

Location: 1068-1069 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

Item comprised of responses to question C01 "In what year were you born?" (item 00010), question C02 "In what month were you born" (item 00020), and date of questionnaire administration recorded by interviewer.

1="younger than 18" 2="18 years of age or over"

Value	Label	Unweighted Frequency	%	Valid %
1	< 18 YRS:(1)	978	38.7 %	42.0%
2	18+ YRS:(2)	1348	53.4 %	58.0%
-9 (M)	MISSING:(-9)	200	7.9 %	-

Based upon 2326 valid cases out of 2526 total cases.

V1150	**101C003:Rs SEX**

Location: 1070-1071 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00030

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%	Valid %
1	MALE:(1)	1076	42.6 %	47.2%
2	FEMALE:(2)	1203	47.6 %	52.8%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	247	9.8 %	-

Based upon 2279 valid cases out of 2526 total cases.

V1151	101C04(R):R'S RACE B/W/H

Location: 1072-1073 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

How do you describe yourself? (Select one or more responses.)
Black or African American; Mexican American or Chicano; Cuban
American; Puerto Rican; Other Hispanic or Latino; Asian
American; White (Caucasian); American Indian or Alaska Native;
Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American"
= 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or
"Cuban..." or "Puerto Rican" or "Other Hispanic..."). All
other responses, including those of respondents who fell into
more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"
3="Hispanic" [see above]

Value	Label	Unweighted Frequency	%	Valid %
1	BLACK:(1)	310	12.3 %	15.7%
2	WHITE:(2)	1325	52.5 %	67.1%
3	HISPANIC:(3)	341	13.5 %	17.3%
-9 (M)	MISSING:(-9)	550	21.8 %	-

Based upon 1976 valid cases out of 2526 total cases.

V1152	101C005:R SPD >TIM R-UR

Location: 1074-1075 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small
city or town (under 50,000 people)" 4="In a medium-sized city
(50,000-100,000)" 5="In a suburb of a medium-sized city"
6="In a large city (100,000-500,000)" 7="In a suburb of a
large city" 8="In a very large city (over 500,000)" 9="In a

suburb of a very large city" 0="Can't say; mixed" and
nonresponse

Value	Label	Unweighted Frequency	%	Valid %
0	DK/MIXED:(0)	431	17.1 %	17.1%
1	A FARM:(1)	95	3.8 %	3.8%
2	COUNTRY:(2)	215	8.5 %	8.5%
3	SM CITY:(3)	569	22.5 %	22.5%
4	MED CITY:(4)	313	12.4 %	12.4%
5	SUB MED:(5)	244	9.7 %	9.7%
6	LGE CITY:(6)	289	11.4 %	11.4%
7	SUB LGE:(7)	159	6.3 %	6.3%
8	V-LGE CITY:(8)	138	5.5 %	5.5%
9	SUB V-LGE:(9)	73	2.9 %	2.9%

Based upon 2526 valid cases out of 2526 total cases.

V1153	**101C006:R NOT MARRIED**

Location: 1076-1077 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%	Valid %
1	MARRIED:(1)	79	3.1 %	3.4%
2	ENGAGED:(2)	112	4.4 %	4.9%
3	SEP/DIV:(3)	40	1.6 %	1.7%
4	SINGLE:(4)	2071	82.0 %	90.0%
-9 (M)	MISSING:(-9)	224	8.9 %	-

Based upon 2302 valid cases out of 2526 total cases.

V49	**101C07(R):# SIBLINGS**

Location: 1078-1079 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

Component questions: "How many brothers and sisters do you

have? (Include stepbrothers and sisters and half-brothers
and sisters) a) Older brothers and sisters" (item 00075);
"b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six
or more"

For this dataset, responses to the two questions are added
and bracketed so that 3 is the highest category, meaning
"Three or more younger or older brothers or sisters".

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	148	5.9 %	6.4%
1	ONE:(1)	615	24.3 %	26.8%
2	TWO:(2)	634	25.1 %	27.6%
3	THREE+:(3-4)	902	35.7 %	39.2%
-9 (M)	MISSING:(-9)	227	9.0 %	-

Based upon 2299 valid cases out of 2526 total cases.

V1155	**101C07Cb(R):R'S HSHLD FATHER**

Location: 1080-1081 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00090

Which of the following people live in the same household with
you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	643	25.5 %	28.1%
1	MARKED:(1)	1644	65.1 %	71.9%
-9 (M)	MISSING:(-9)	239	9.5 %	-

Based upon 2287 valid cases out of 2526 total cases.

V1156	**101C07Cc(R):R'S HSHLD MOTHER**

Location: 1082-1083 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00100

Which of the following people live in the same household with
you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	246	9.7 %	10.8%
1	MARKED:(1)	2041	80.8 %	89.2%
-9 (M)	MISSING:(-9)	239	9.5 %	-

Based upon 2287 valid cases out of 2526 total cases.

V1157	**101C07Cd(R):R'S HSHLD BR/SR**
Location:	1084-1085 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00110

Which of the following people live in the same household with
you? (Mark all that apply.)

D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife,"
"My child(ren)," "Other relative(s)," "Non-relative(s),"
"I live alone" -- have been deleted for reasons of
confidentiality.

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	739	29.3 %	32.3%
1	MARKED:(1)	1548	61.3 %	67.7%
-9 (M)	MISSING:(-9)	239	9.5 %	-

Based upon 2287 valid cases out of 2526 total cases.

V1163	**101C008:FATHR EDUC LEVE**
Location:	1086-1087 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00310

The next three questions ask about your parents. If you were
raised mostly by foster parents, stepparents, or others,

answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%	Valid %
1	GRDE SCH:(1)	97	3.8 %	4.3%
2	SOME HS:(2)	252	10.0 %	11.1%
3	HS GRAD:(3)	623	24.7 %	27.4%
4	SOME CLG:(4)	364	14.4 %	16.0%
5	CLG GRAD:(5)	476	18.8 %	21.0%
6	GRAD SCH:(6)	278	11.0 %	12.2%
7	DK:(7)	182	7.2 %	8.0%
-9 (M)	MISSING:(-9)	254	10.1 %	-

Based upon 2272 valid cases out of 2526 total cases.

V1164   101C009:MOTHR EDUC LEVE

Location:	1088-1089 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%	Valid %
1	GRDE SCH:(1)	84	3.3 %	3.7%
2	SOME HS:(2)	190	7.5 %	8.4%
3	HS GRAD:(3)	536	21.2 %	23.6%
4	SOME CLG:(4)	464	18.4 %	20.4%
5	CLG GRAD:(5)	599	23.7 %	26.4%
6	GRAD SCH:(6)	288	11.4 %	12.7%
7	DK:(7)	110	4.4 %	4.8%
-9 (M)	MISSING:(-9)	255	10.1 %	-

Based upon 2271 valid cases out of 2526 total cases.

| **V1165** | | **101C010:MOTH PD JB R YN** | | | |

Location: 1090-1091 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	310	12.3 %	13.7%
2	YES/SOME:(2)	397	15.7 %	17.6%
3	YES/MOST:(3)	411	16.3 %	18.2%
4	YES/NRLY ALL:(4)	1137	45.0 %	50.4%
-9 (M)	MISSING:(-9)	271	10.7 %	-

Based upon 2255 valid cases out of 2526 total cases.

| **V1166** | | **101C011:Rs POLTL PRFNC** | | | |

Location: 1092-1093 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%	Valid %
1	STRG GOP:(1)	222	8.8 %	10.3%
2	MILD GOP:(2)	243	9.6 %	11.2%
3	MILD DEM:(3)	311	12.3 %	14.4%
4	STRG DEM:(4)	224	8.9 %	10.4%
5	INDEPNDT:(5)	283	11.2 %	13.1%
6	NO PREF:(6)	301	11.9 %	13.9%
7	OTHER:(7)	43	1.7 %	2.0%
8	DK/HVNT DECID:(8)	534	21.1 %	24.7%
-9 (M)	MISSING:(-9)	365	14.4 %	-

Based upon 2161 valid cases out of 2526 total cases.

	V1167	101C012:R POL BLF RADCL

Location:	1094-1095 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very liberal" 6="Radical" 8="None of the above, or don't know"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY CONS:(1)	109	4.3 %	4.9%
2	CONSERV:(2)	256	10.1 %	11.5%
3	MODERATE:(3)	486	19.2 %	21.7%
4	LIBERAL:(4)	315	12.5 %	14.1%
5	VRY LIB:(5)	104	4.1 %	4.7%
6	RADICAL:(6)	46	1.8 %	2.1%
8	NONE/DK:(8)	919	36.4 %	41.1%
-9 (M)	MISSING:(-9)	291	11.5 %	-

Based upon 2235 valid cases out of 2526 total cases.

	V1169	101C013B:R ATTND REL SVC

Location:	1096-1097 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00370

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	318	12.6 %	18.3%
2	RARELY:(2)	625	24.7 %	35.9%
3	1-2X/MO:(3)	278	11.0 %	16.0%
4	1/WK OR+:(4)	519	20.5 %	29.8%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	786	31.1 %	-

Based upon 1740 valid cases out of 2526 total cases.

V1170	**101C013C:RLGN IMP Rs LF**

Location: 1098-1099 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	350	13.9 %	20.2%
2	LITL IMP:(2)	434	17.2 %	25.0%
3	PRTY IMP:(3)	478	18.9 %	27.6%
4	VERY IMP:(4)	471	18.6 %	27.2%
-9 (M)	MISSING:(-9)	793	31.4 %	-

Based upon 1733 valid cases out of 2526 total cases.

V1171	**101C014:WHEN R XPCT GRA**

Location: 1100-1101 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"
6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%	Valid %
1	JUNE:(1)	2199	87.1 %	97.9%
2	JUL-JAN:(2)	25	1.0 %	1.1%
6	DONT EXPCT:(6)	22	0.9 %	1.0%
-9 (M)	MISSING:(-9)	280	11.1 %	-

Based upon 2246 valid cases out of 2526 total cases.

V1172	**101C015:Rs HS PROGRAM**

Location:	1102-1103 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%	Valid %
1	CLG PREP:(1)	1175	46.5 %	52.9%
2	GENERAL:(2)	740	29.3 %	33.3%
3	VOC-TECH:(3)	98	3.9 %	4.4%
4	OTH/DK:(4)	209	8.3 %	9.4%
-9 (M)	MISSING:(-9)	304	12.0 %	-

Based upon 2222 valid cases out of 2526 total cases.

V1173	**101C016:RT SF SCH AB>AV**

Location:	1104-1105 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%	Valid %
1	FAR BELOW:(1)	47	1.9 %	2.1%
2	BELOW AVG:(2)	41	1.6 %	1.9%
3	SLIGHT BELOW:(3)	84	3.3 %	3.8%
4	AVERAGE:(4)	689	27.3 %	31.2%
5	SLIGHT ABOVE:(5)	516	20.4 %	23.3%
6	ABOVE AVG:(6)	673	26.6 %	30.4%
7	FAR ABOVE:(7)	161	6.4 %	7.3%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	315	12.5 %	-

Based upon 2211 valid cases out of 2526 total cases.

V1174	**101C017:RT SF INTELL>AV**

Location:	1106-1107 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00420

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%	Valid %
1	FAR BELOW:(1)	38	1.5 %	1.7%
2	BELOW AVG:(2)	37	1.5 %	1.7%
3	SLIGHT BELOW:(3)	66	2.6 %	3.0%
4	AVERAGE:(4)	635	25.1 %	28.7%
5	SLIGHT ABOVE:(5)	543	21.5 %	24.5%
6	ABOVE AVG:(6)	672	26.6 %	30.3%
7	FAR ABOVE:(7)	225	8.9 %	10.2%
-9 (M)	MISSING:(-9)	310	12.3 %	-

Based upon 2216 valid cases out of 2526 total cases.

V1175	**101C018A:#DA/4W SC MS IL**

Location:	1108-1109 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1230	48.7 %	56.2%
2	1 DAY:(2)	355	14.1 %	16.2%
3	2 DAYS:(3)	265	10.5 %	12.1%
4	3 DAYS:(4)	146	5.8 %	6.7%
5	4-5 DAYS:(5)	111	4.4 %	5.1%
6	6-10 DA:(6)	50	2.0 %	2.3%
7	11+ DAYS:(7)	33	1.3 %	1.5%
-9 (M)	MISSING:(-9)	336	13.3 %	-

Based upon 2190 valid cases out of 2526 total cases.

V1176	**101C018B:#DA/4W SC MS CU**

Location:	1110-1111 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1467	58.1 %	68.0%
2	1 DAY:(2)	322	12.7 %	14.9%
3	2 DAYS:(3)	152	6.0 %	7.1%
4	3 DAYS:(4)	90	3.6 %	4.2%
5	4-5 DAYS:(5)	61	2.4 %	2.8%
6	6-10 DA:(6)	30	1.2 %	1.4%
7	11+ DAYS:(7)	34	1.3 %	1.6%
-9 (M)	MISSING:(-9)	370	14.6 %	-

Based upon 2156 valid cases out of 2526 total cases.

V1177	**101C018C:#DA/4W SC MS OT**

Location:	1112-1113 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school
have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10
Days" 7="11 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1166	46.2 %	53.6%
2	1 DAY:(2)	394	15.6 %	18.1%
3	2 DAYS:(3)	267	10.6 %	12.3%
4	3 DAYS:(4)	157	6.2 %	7.2%
5	4-5 DAYS:(5)	111	4.4 %	5.1%
6	6-10 DA:(6)	43	1.7 %	2.0%
7	11+ DAYS:(7)	39	1.5 %	1.8%
-9 (M)	MISSING:(-9)	349	13.8 %	-

Based upon 2177 valid cases out of 2526 total cases.

V1178	101C019:#DA/4W SKP CLAS

Location:	1114-1115 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school,
but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"
5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1540	61.0 %	69.5%
2	1-2:(2)	418	16.5 %	18.9%
3	3-5:(3)	168	6.7 %	7.6%
4	6-10:(4)	48	1.9 %	2.2%
5	11-20:(5)	21	0.8 %	0.9%
6	21+:(6)	22	0.9 %	1.0%
-9 (M)	MISSING:(-9)	309	12.2 %	-

Based upon 2217 valid cases out of 2526 total cases.

V1179	101C020:R HS GRADE/D = 1

Location:	1116-1117 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)" 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)" 1="D (69 or below)"

Value	Label	Unweighted Frequency	%	Valid %
1	D:(1)	29	1.1 %	1.3%
2	C-:(2)	50	2.0 %	2.3%
3	C:(3)	90	3.6 %	4.1%
4	C+:(4)	201	8.0 %	9.1%
5	B-:(5)	247	9.8 %	11.2%
6	B:(6)	398	15.8 %	18.0%
7	B+:(7)	405	16.0 %	18.3%
8	A-:(8)	408	16.2 %	18.4%
9	A:(9)	386	15.3 %	17.4%
-9 (M)	MISSING:(-9)	312	12.4 %	-

Based upon 2214 valid cases out of 2526 total cases.

V1180	**101C021A:R WL DO VOC/TEC**

Location:	1118-1119 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00480

How likely is it that you will do each of the following things after high school?

A. Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	1220	48.3 %	57.9%
2	PRB WONT:(2)	499	19.8 %	23.7%
3	PRB WILL:(3)	252	10.0 %	12.0%

Value	Label	Unweighted Frequency	%	Valid %
4	DEF WILL:(4)	135	5.3 %	6.4%
-9 (M)	MISSING:(-9)	420	16.6 %	-

Based upon 2106 valid cases out of 2526 total cases.

V1181	**101C021B:R WL DO ARMD FC**

Location:	1120-1121 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00490

How likely is it that you will do each of the following things after high school?

B. Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	1415	56.0 %	68.9%
2	PRB WONT:(2)	357	14.1 %	17.4%
3	PRB WILL:(3)	164	6.5 %	8.0%
4	DEF WILL:(4)	119	4.7 %	5.8%
-9 (M)	MISSING:(-9)	471	18.6 %	-

Based upon 2055 valid cases out of 2526 total cases.

V1182	**101C021C:R WL DO 2YR CLG**

Location:	1122-1123 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00500

How likely is it that you will do each of the following things after high school?

C. Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	825	32.7 %	39.0%

Value	Label	Unweighted Frequency	%	Valid %
2	PRB WONT:(2)	322	12.7 %	15.2%
3	PRB WILL:(3)	502	19.9 %	23.7%
4	DEF WILL:(4)	465	18.4 %	22.0%
-9 (M)	MISSING:(-9)	412	16.3 %	-

Based upon 2114 valid cases out of 2526 total cases.

V1183	**101C021D:R WL DO 4YR CLG**

Location:	1124-1125 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00510

How likely is it that you will do each of the following
things after high school?

D. Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	156	6.2 %	7.2%
2	PRB WONT:(2)	167	6.6 %	7.7%
3	PRB WILL:(3)	501	19.8 %	23.1%
4	DEF WILL:(4)	1344	53.2 %	62.0%
-9 (M)	MISSING:(-9)	358	14.2 %	-

Based upon 2168 valid cases out of 2526 total cases.

V1184	**101C021E:R WL DO GRD/PRF**

Location:	1126-1127 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00520

How likely is it that you will do each of the following
things after high school?

E. Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	314	12.4 %	14.8%
2	PRB WONT:(2)	561	22.2 %	26.4%
3	PRB WILL:(3)	709	28.1 %	33.4%
4	DEF WILL:(4)	540	21.4 %	25.4%
-9 (M)	MISSING:(-9)	402	15.9 %	-

Based upon 2124 valid cases out of 2526 total cases.

V1185	101C022A:R WNTDO VOC/TEC

Location:	1128-1129 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00530

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark ALL that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1873	74.1 %	86.5%
1	MARKED:(1)	292	11.6 %	13.5%
-9 (M)	MISSING:(-9)	361	14.3 %	-

Based upon 2165 valid cases out of 2526 total cases.

V1186	101C022B:R WNTDO ARMD FC

Location:	1130-1131 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00540

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark ALL that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1845	73.0 %	85.2%
1	MARKED:(1)	320	12.7 %	14.8%
-9 (M)	MISSING:(-9)	361	14.3 %	-

Based upon 2165 valid cases out of 2526 total cases.

V1187	**101C022C:R WNTDO 2YR CLG**

Location:	1132-1133 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00550

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark ALL that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1569	62.1 %	72.5%
1	MARKED:(1)	596	23.6 %	27.5%
-9 (M)	MISSING:(-9)	361	14.3 %	-

Based upon 2165 valid cases out of 2526 total cases.

V1188	**101C022D:R WNTDO 4YR CLG**

Location:	1134-1135 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00560

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark ALL that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	378	15.0 %	17.5%
1	MARKED:(1)	1787	70.7 %	82.5%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	361	14.3 %	-

Based upon 2165 valid cases out of 2526 total cases.

V1189	**101C022E:R WNTDO GRD/PRF**			

Location:	1136-1137 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00570

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark ALL that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	917	36.3 %	42.4%
1	MARKED:(1)	1248	49.4 %	57.6%
-9 (M)	MISSING:(-9)	361	14.3 %	-

Based upon 2165 valid cases out of 2526 total cases.

V1190	**101C022F:R WNTDO NONE**			

Location:	1138-1139 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00580

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark ALL that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2060	81.6 %	95.2%
1	MARKED:(1)	105	4.2 %	4.8%
-9 (M)	MISSING:(-9)	361	14.3 %	-

Based upon 2165 valid cases out of 2526 total cases.

V1191	101C023:HRS/W WRK SCHYR

Location: 1140-1141 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours" 8="More than 30 hours"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	956	37.8 %	44.2%
2	5 OR <:(2)	223	8.8 %	10.3%
3	6-10 HRS:(3)	238	9.4 %	11.0%
4	11-15 HR:(4)	182	7.2 %	8.4%
5	16-20 HR:(5)	191	7.6 %	8.8%
6	21-25 HR:(6)	166	6.6 %	7.7%
7	26-30 HR:(7)	103	4.1 %	4.8%
8	30+ HRS:(8)	105	4.2 %	4.9%
-9 (M)	MISSING:(-9)	362	14.3 %	-

Based upon 2164 valid cases out of 2526 total cases.

V1192	101C024A:R$/AVG WEEK JOB

Location: 1142-1143 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00600

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5="$21-35" 6="$36-50" 7="$51-75" 8="$76-125" 9="$126-175" 10="176+"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1030	40.8 %	48.9%
2	$1-5:(2)	11	0.4 %	0.5%

Value	Label	Unweighted Frequency	%	Valid %
3	$6-10:(3)	41	1.6 %	1.9%
4	$11-20:(4)	60	2.4 %	2.8%
5	$21-35:(5)	79	3.1 %	3.8%
6	$36-50:(6)	103	4.1 %	4.9%
7	$51-75:(7)	138	5.5 %	6.6%
8	$76-125:(8)	270	10.7 %	12.8%
9	$126-175:(9)	161	6.4 %	7.6%
10	$176+:(10)	213	8.4 %	10.1%
-9 (M)	MISSING:(-9)	420	16.6 %	-

Based upon 2106 valid cases out of 2526 total cases.

V1193	**101C024B:R$/AVG WEEK OTH**

Location: 1144-1145 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00610

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50"
7="$51-75" 8="$76-125" 9="$126-175" 10="176+"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	860	34.0 %	41.2%
2	$1-5:(2)	107	4.2 %	5.1%
3	$6-10:(3)	194	7.7 %	9.3%
4	$11-20:(4)	335	13.3 %	16.0%
5	$21-35:(5)	220	8.7 %	10.5%
6	$36-50:(6)	136	5.4 %	6.5%
7	$51-75:(7)	83	3.3 %	4.0%
8	$76-125:(8)	62	2.5 %	3.0%
9	$126-175:(9)	18	0.7 %	0.9%
10	$176+:(10)	74	2.9 %	3.5%
-9 (M)	MISSING:(-9)	437	17.3 %	-

Based upon 2089 valid cases out of 2526 total cases.

V1194	**101C025:#X/AV WK GO OUT**

Location: 1146-1147 (width: 2; decimal: 0)

Variable Type: numeric

| Range of Missing Values (M): | -9 |
| Question: | |

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or five" 6="Six or seven"

Value	Label	Unweighted Frequency	%	Valid %
1	< 1:(1)	281	11.1 %	13.0%
2	ONE:(2)	265	10.5 %	12.3%
3	TWO:(3)	641	25.4 %	29.7%
4	THREE:(4)	540	21.4 %	25.0%
5	4-5:(5)	298	11.8 %	13.8%
6	6-7:(6)	133	5.3 %	6.2%
-9 (M)	MISSING:(-9)	368	14.6 %	-

Based upon 2158 valid cases out of 2526 total cases.

V1195	**101C026:#X DATE 3+/WK**

Location:	1148-1149 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00630

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month" 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	694	27.5 %	32.8%
2	ONCE/MO:(2)	348	13.8 %	16.5%
3	2-3X MO:(3)	347	13.7 %	16.4%
4	ONCE WK:(4)	286	11.3 %	13.5%
5	2-3X WK:(5)	304	12.0 %	14.4%
6	3+ WEEK:(6)	135	5.3 %	6.4%
-9 (M)	MISSING:(-9)	412	16.3 %	-

Based upon 2114 valid cases out of 2526 total cases.

V1196	**101C027:DRIVE>200 MI/WK**

Location:	1150-1151 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	516	20.4 %	24.0%
2	1-10 MI:(2)	221	8.7 %	10.3%
3	11-50:(3)	532	21.1 %	24.8%
4	51-100:(4)	430	17.0 %	20.0%
5	101-200:(5)	254	10.1 %	11.8%
6	> 200:(6)	194	7.7 %	9.0%
-9 (M)	MISSING:(-9)	379	15.0 %	-

Based upon 2147 valid cases out of 2526 total cases.

V1197	**101C028:#X/12MO R TCKTD**

Location:	1152-1153 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	1664	65.9 %	80.5%
1	ONCE:(1)	259	10.3 %	12.5%
2	TWICE:(2)	96	3.8 %	4.6%
3	3 TIMES:(3)	34	1.3 %	1.6%
4	4+ TIMES:(4)	15	0.6 %	0.7%
-9 (M)	MISSING:(-9)	458	18.1 %	-

Based upon 2068 valid cases out of 2526 total cases.

| **V1198** | **101C29AR:#TCKTS AFT DRNK** |

Location: 1154-1155 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00660

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	376	14.9 %	94.5%
1	ONE:(1)	14	0.6 %	3.5%
2	TWO:(2)	5	0.2 %	1.3%
3	THREE+:(3-4)	3	0.1 %	0.8%
-9 (M)	MISSING:(-9)	2128	84.2 %	-

Based upon 398 valid cases out of 2526 total cases.

| **V1199** | **101C29BR:#TCKTS AFT MARJ** |

Location: 1156-1157 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00670

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	383	15.2 %	96.0%
1	ONE:(1)	12	0.5 %	3.0%
2	TWO:(2)	1	0.0 %	0.3%
3	THREE+:(3-4)	3	0.1 %	0.8%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	2127	84.2 %	-

Based upon 399 valid cases out of 2526 total cases.

V1200	**101C29CR:#TCKTS AFT OTDG**

Location:	1158-1159 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00680

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	391	15.5 %	98.2%
1	ONE:(1)	2	0.1 %	0.5%
2	TWO:(2)	2	0.1 %	0.5%
3	THREE+:(3-4)	3	0.1 %	0.8%
-9 (M)	MISSING:(-9)	2128	84.2 %	-

Based upon 398 valid cases out of 2526 total cases.

V1201	**101C030:#ACCIDNTS/12 MO**

Location:	1160-1161 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	1729	68.4 %	83.7%
1	ONCE:(1)	270	10.7 %	13.1%
2	TWICE:(2)	50	2.0 %	2.4%
3	3 TIMES:(3)	10	0.4 %	0.5%
4	4+ TIMES:(4)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	461	18.3 %	-

Based upon 2065 valid cases out of 2526 total cases.

V1202	**101C31AR:#ACDTS AFT DRNK**

Location: 1162-1163 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	327	12.9 %	96.2%
1	ONE:(1)	9	0.4 %	2.6%
2	TWO:(2)	1	0.0 %	0.3%
3	THREE+:(3-4)	3	0.1 %	0.9%
-9 (M)	MISSING:(-9)	2186	86.5 %	-

Based upon 340 valid cases out of 2526 total cases.

V1203	**101C31BR:#ACDTS AFT MARJ**

Location: 1164-1165 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	324	12.8 %	96.1%
1	ONE:(1)	7	0.3 %	2.1%
2	TWO:(2)	4	0.2 %	1.2%
3	THREE+:(3-4)	2	0.1 %	0.6%
-9 (M)	MISSING:(-9)	2189	86.7 %	-

Based upon 337 valid cases out of 2526 total cases.

V1204	**101C31CR:#ACDTS AFT OTDG**

Location:	1166-1167 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	331	13.1 %	97.6%
1	ONE:(1)	3	0.1 %	0.9%
2	TWO:(2)	3	0.1 %	0.9%
3	THREE+:(3-4)	2	0.1 %	0.6%
-9 (M)	MISSING:(-9)	2187	86.6 %	-

Based upon 339 valid cases out of 2526 total cases.

V1205	**101C032:Rs BRANCH SERV**

Location:	1168-1169 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00730

If you have not entered military service, and do not expect
to enter, GO TO PART D.

What is, or will be, your branch of service?

1="Army" 2="Navy" 3="Marine Corps" 4="Air Force" 5="Coast Guard" 6="Uncertain"

Value	Label	Unweighted Frequency	%	Valid %
1	ARMY:(1)	63	2.5 %	22.3%
2	NAVY:(2)	36	1.4 %	12.8%
3	MARINES:(3)	64	2.5 %	22.7%
4	AIR FORCE:(4)	63	2.5 %	22.3%
5	COAST GUARD:(5)	15	0.6 %	5.3%
6	UNCERTN:(6)	41	1.6 %	14.5%
-9 (M)	MISSING:(-9)	2244	88.8 %	-

Based upon 282 valid cases out of 2526 total cases.

V1206	**101C033:R XPCTS B OFFCR**

Location: 1170-1171 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00740

Do you expect to be an officer?

1="No" 2="Uncertain" 3="Yes"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	53	2.1 %	17.8%
2	UNCERTN:(2)	129	5.1 %	43.3%
3	YES:(3)	116	4.6 %	38.9%
-9 (M)	MISSING:(-9)	2228	88.2 %	-

Based upon 298 valid cases out of 2526 total cases.

V1207	**101C034:R XPCTS MLTR CR**

Location: 1172-1173 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00750

Do you expect to have a career in the Armed Forces?

1="No" 2="Uncertain" 3="Yes"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	44	1.7 %	14.8%
2	UNCERTN:(2)	134	5.3 %	45.0%
3	YES:(3)	120	4.8 %	40.3%
-9 (M)	MISSING:(-9)	2228	88.2 %	-

Based upon 298 valid cases out of 2526 total cases.

V1682 — 101D001:R LIKES SCHOOL

Location:	1174-1175 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07630

The next questions are about your experiences in school. Some people like school very much. Others don't. How do you feel about going to school?

5="I like school very much" 4="I like school quite a bit"
3="I like school some" 2="I don't like school very much"
1="I don't like school at all"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT LIKE@A:(1)	136	5.4 %	6.5%
2	DONT LIKE VM:(2)	251	9.9 %	11.9%
3	LIKE SOME:(3)	937	37.1 %	44.5%
4	LIKE QUITEBIT:(4)	536	21.2 %	25.5%
5	LIKE VRYMCH:(5)	245	9.7 %	11.6%
-9 (M)	MISSING:(-9)	421	16.7 %	-

Based upon 2105 valid cases out of 2526 total cases.

V1683 — 101D002:*SC WRK NVR MNG

Location:	1176-1177 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05700

How often do you feel that the school work you are assigned is meaningful and important?

5="Almost always" 4="Often" 3="Sometimes" 2="Seldom" 1="Never"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	138	5.5 %	6.6%
2	SELDOM:(2)	427	16.9 %	20.3%
3	SOMETIME:(3)	819	32.4 %	39.0%
4	OFTEN:(4)	473	18.7 %	22.5%
5	ALM ALWYS:(5)	245	9.7 %	11.7%
-9 (M)	MISSING:(-9)	424	16.8 %	-

Based upon 2102 valid cases out of 2526 total cases.

V1684	**101D003:*MST COUR V DUL**

Location: 1178-1179 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05710

How interesting are most of your courses to you?

5="Very exciting and stimulating" 4="Quite interesting"
3="Fairly interesting" 2="Slightly dull" 1="Very dull"

Value	Label	Unweighted Frequency	%	Valid %
1	VERY DULL:(1)	152	6.0 %	7.3%
2	SLIGHT DULL:(2)	424	16.8 %	20.3%
3	FAIRLY INTR:(3)	852	33.7 %	40.7%
4	QUITE INTRST:(4)	554	21.9 %	26.5%
5	VRY EXCITG:(5)	111	4.4 %	5.3%
-9 (M)	MISSING:(-9)	433	17.1 %	-

Based upon 2093 valid cases out of 2526 total cases.

V1685	**101D004:*LRN SCH NT IMP**

Location: 1180-1181 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05720

How important do you think the things you are learning in
school are going to be for your later life?

5="Very important" 4="Quite important" 3="Fairly important"
2="Slightly important" 1="Not at all important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	112	4.4 %	5.4%
2	SLIGHT:(2)	439	17.4 %	21.1%
3	FAIR IMPT:(3)	640	25.3 %	30.7%
4	QUITE IMPT:(4)	526	20.8 %	25.3%
5	VRY IMPT:(5)	365	14.4 %	17.5%
-9 (M)	MISSING:(-9)	444	17.6 %	-

Based upon 2082 valid cases out of 2526 total cases.

V1686	**101D005:LOT CMPTN GRADE**

Location: 1182-1183 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05730

How much competition for grades is there among students at your school?

1="None" 2="A little" 3="Some" 4="Quite a bit" 5="A great deal"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	235	9.3 %	11.3%
2	A LITTLE:(2)	530	21.0 %	25.5%
3	SOME:(3)	664	26.3 %	31.9%
4	QUITEBIT:(4)	445	17.6 %	21.4%
5	GRT DEAL:(5)	206	8.2 %	9.9%
-9 (M)	MISSING:(-9)	446	17.7 %	-

Based upon 2080 valid cases out of 2526 total cases.

V1687	**101D006:STDTS DSLK CHTG**

Location: 1184-1185 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05740

How do you think most of the students in your classes would feel if you cheated on a test?

1="They would like it very much" 2="They would like it" 3="They would not care" 4="They would dislike it" 5="They would dislike it very much"

Value	Label	Unweighted Frequency	%	Valid %
1	LIK VMCH:(1)	80	3.2 %	3.8%
2	LIKE IT:(2)	70	2.8 %	3.4%
3	NOT CARE:(3)	1607	63.6 %	77.3%
4	DISLIKE:(4)	225	8.9 %	10.8%
5	DLIK MCH:(5)	98	3.9 %	4.7%
-9 (M)	MISSING:(-9)	446	17.7 %	-

Based upon 2080 valid cases out of 2526 total cases.

V1688	**101D007:ST -LK PROV TCH**

Location: 1186-1187 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05750

How do you think most of the students in your classes would feel if you intentionally did things to make your teachers angry?

1="They would like it very much" 2="They would like it"
3="They would not care" 4="They would dislike it" 5="They would dislike it very much"

Value	Label	Unweighted Frequency	%	Valid %
1	LIK VMCH:(1)	110	4.4 %	5.3%
2	LIKE IT:(2)	249	9.9 %	12.1%
3	NOT CARE:(3)	965	38.2 %	46.7%
4	DISLIKE:(4)	566	22.4 %	27.4%
5	DLIK MCH:(5)	176	7.0 %	8.5%
-9 (M)	MISSING:(-9)	460	18.2 %	-

Based upon 2066 valid cases out of 2526 total cases.

V1689	**101D008:FRD NCG/TCH -LK**

Location: 1188-1189 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05760

How often do you find that your friends encourage you to do things which your teachers wouldn't like?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	849	33.6 %	41.2%
2	SELDOM:(2)	663	26.2 %	32.2%
3	SOMETIME:(3)	358	14.2 %	17.4%
4	OFTEN:(4)	141	5.6 %	6.8%
5	ALWAYS:(5)	48	1.9 %	2.3%
-9 (M)	MISSING:(-9)	467	18.5 %	-

Based upon 2059 valid cases out of 2526 total cases.

V1690   101D009:R IN WK-STDY PG

Location: 1190-1191 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05770

Have you ever been in a work-study program--that is, a program where you work on a job as part of your schooling?

1="No, not ever" 2="Yes, for a half year or less" 3="Yes, for about a year" 4="Yes, for about two years" 5="Yes, for more than two years"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1786	70.7 %	86.9%
2	1/2 YR OR <:(2)	103	4.1 %	5.0%
3	1 YEAR:(3)	113	4.5 %	5.5%
4	2 YEARS:(4)	32	1.3 %	1.6%
5	> 2 YEARS:(5)	21	0.8 %	1.0%
-9 (M)	MISSING:(-9)	471	18.6 %	-

Based upon 2055 valid cases out of 2526 total cases.

V1691   101D010:#X/YR COUNS IND

Location: 1192-1193 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05780

How many times this school year have you seen a counselor individually?

1="No times" 2="1 time" 3="2 times" 4="3 or 4 times" 5="5-7 times" 6="8-10 times" 7="11 or more times"

Value	Label	Unweighted Frequency	%	Valid %
1	NO TIMES:(1)	512	20.3 %	25.1%
2	1 TIME:(2)	214	8.5 %	10.5%
3	2 TIMES:(3)	328	13.0 %	16.1%
4	3-4:(4)	505	20.0 %	24.7%
5	5-7:(5)	258	10.2 %	12.6%
6	8-10:(6)	104	4.1 %	5.1%
7	11+ TIMES:(7)	121	4.8 %	5.9%
-9 (M)	MISSING:(-9)	484	19.2 %	-

Based upon 2042 valid cases out of 2526 total cases.

V1692	**101D011:#X/YR COUNS GRP**

Location: 1194-1195 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05790

How many times this school year have you seen a counselor as a part of a group of other students?

1="No times" 2="1 time" 3="2 times" 4="3 or 4 times" 5="5-7 times" 6="8-10 times" 7="11 or more times"

Value	Label	Unweighted Frequency	%	Valid %
1	NO TIMES:(1)	1248	49.4 %	61.2%
2	1 TIME:(2)	233	9.2 %	11.4%
3	2 TIMES:(3)	206	8.2 %	10.1%
4	3-4:(4)	193	7.6 %	9.5%
5	5-7:(5)	83	3.3 %	4.1%
6	8-10:(6)	32	1.3 %	1.6%
7	11+ TIMES:(7)	43	1.7 %	2.1%
-9 (M)	MISSING:(-9)	488	19.3 %	-

Based upon 2038 valid cases out of 2526 total cases.

V1693	**101D012:R LK C COUNS MR**

Location: 1196-1197 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05800

Would you have preferred to see a counselor more or less

often than you have during the past year?

5="Much more often" 4="A little more often" 3="About as often"
2="A little less often" 1="Much less often"

Value	Label	Unweighted Frequency	%	Valid %
1	MUCH LESS:(1)	276	10.9 %	13.7%
2	LITTLE LESS:(2)	161	6.4 %	8.0%
3	AS OFTEN:(3)	959	38.0 %	47.6%
4	LITTLE MORE:(4)	410	16.2 %	20.4%
5	MUCH MORE:(5)	207	8.2 %	10.3%
-9 (M)	MISSING:(-9)	513	20.3 %	-

Based upon 2013 valid cases out of 2526 total cases.

V1694	**101D013:CSLNG VRY HLPFL**

Location: 1198-1199 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05810

How helpful have your sessions with a counselor been to you?

5="Extremely helpful" 4="Quite helpful" 3="Somewhat helpful"
2="A little helpful" 1="Not at all helpful" 8="Did not see a
counselor this year."

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	170	6.7 %	8.4%
2	A LITTLE:(2)	307	12.2 %	15.1%
3	SOMEWHAT:(3)	358	14.2 %	17.6%
4	QUITE:(4)	475	18.8 %	23.4%
5	EXTREMELY:(5)	338	13.4 %	16.6%
8	-SEE COUNSLR:(8)	386	15.3 %	19.0%
-9 (M)	MISSING:(-9)	492	19.5 %	-

Based upon 2034 valid cases out of 2526 total cases.

V1699	**101D014A:CNSL COURSES**

Location: 1200-1201 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05811

Would you have preferred more or less of each of the
following types of counseling in the last year?

A: Choosing what courses to take

5="Much more" 4="A little more" 3="About right" 2="A little
less" 1="Much less"

Value	Label	Unweighted Frequency	%	Valid %
1	MUCH LESS:(1)	103	4.1 %	5.2%
2	LITTLE LESS:(2)	50	2.0 %	2.5%
3	ABT RIGHT:(3)	839	33.2 %	42.5%
4	LITTLE MORE:(4)	458	18.1 %	23.2%
5	MCH MORE:(5)	523	20.7 %	26.5%
-9 (M)	MISSING:(-9)	553	21.9 %	-

Based upon 1973 valid cases out of 2526 total cases.

V1700	**101D014B:CNSL CL PROB**

Location:	1202-1203 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05812

Would you have preferred more or less of each of the
following types of counseling in the last year?

B: Discussing problems with course work

5="Much more" 4="A little more" 3="About right" 2="A little
less" 1="Much less"

Value	Label	Unweighted Frequency	%	Valid %
1	MUCH LESS:(1)	201	8.0 %	10.3%
2	LITTLE LESS:(2)	79	3.1 %	4.0%
3	ABT RIGHT:(3)	944	37.4 %	48.3%
4	LITTLE MORE:(4)	409	16.2 %	20.9%
5	MCH MORE:(5)	322	12.7 %	16.5%
-9 (M)	MISSING:(-9)	571	22.6 %	-

Based upon 1955 valid cases out of 2526 total cases.

V1701	**101D014C:CNSL TRBL R IN**

Location:	1204-1205 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 05813

Would you have preferred more or less of each of the following types of counseling in the last year?

C: Discussing any trouble you've gotten into

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%	Valid %
1	MUCH LESS:(1)	335	13.3 %	17.3%
2	LITTLE LESS:(2)	102	4.0 %	5.3%
3	ABT RIGHT:(3)	1118	44.3 %	57.6%
4	LITTLE MORE:(4)	163	6.5 %	8.4%
5	MCH MORE:(5)	222	8.8 %	11.4%
-9 (M)	MISSING:(-9)	586	23.2 %	-

Based upon 1940 valid cases out of 2526 total cases.

V1702	**101D014D:CNSL MILTRY PLN**

Location: 1206-1207 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05814

Would you have preferred more or less of each of the following types of counseling in the last year?

D: Discussing military plans

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%	Valid %
1	MUCH LESS:(1)	676	26.8 %	35.1%
2	LITTLE LESS:(2)	95	3.8 %	4.9%
3	ABT RIGHT:(3)	886	35.1 %	46.0%
4	LITTLE MORE:(4)	120	4.8 %	6.2%
5	MCH MORE:(5)	148	5.9 %	7.7%
-9 (M)	MISSING:(-9)	601	23.8 %	-

Based upon 1925 valid cases out of 2526 total cases.

V1703	**101D014E:CNSL EDUC PLANS**

Location:	1208-1209 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05815

Would you have preferred more or less of each of the following types of counseling in the last year?

E: Discussing education or training plans

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%	Valid %
1	MUCH LESS:(1)	187	7.4 %	9.6%
2	LITTLE LESS:(2)	77	3.0 %	4.0%
3	ABT RIGHT:(3)	801	31.7 %	41.2%
4	LITTLE MORE:(4)	502	19.9 %	25.8%
5	MCH MORE:(5)	379	15.0 %	19.5%
-9 (M)	MISSING:(-9)	580	23.0 %	-

Based upon 1946 valid cases out of 2526 total cases.

V1704	101D014F:CNSL CAREER PLN

Location:	1210-1211 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05816

Would you have preferred more or less of each of the following types of counseling in the last year?

F: Discussing career plans or job choice

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%	Valid %
1	MUCH LESS:(1)	130	5.1 %	6.6%
2	LITTLE LESS:(2)	50	2.0 %	2.6%
3	ABT RIGHT:(3)	724	28.7 %	37.0%
4	LITTLE MORE:(4)	515	20.4 %	26.3%
5	MCH MORE:(5)	538	21.3 %	27.5%
-9 (M)	MISSING:(-9)	569	22.5 %	-

Based upon 1957 valid cases out of 2526 total cases.

V1705	101D014G:CNSL PRNL PROB

Location:	1212-1213 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05817

Would you have preferred more or less of each of the
following types of counseling in the last year?

G: Discussing personal problems

5="Much more" 4="A little more" 3="About right" 2="A little
less" 1="Much less"

Value	Label	Unweighted Frequency	%	Valid %
1	MUCH LESS:(1)	398	15.8 %	20.6%
2	LITTLE LESS:(2)	117	4.6 %	6.0%
3	ABT RIGHT:(3)	996	39.4 %	51.5%
4	LITTLE MORE:(4)	200	7.9 %	10.3%
5	MCH MORE:(5)	223	8.8 %	11.5%
-9 (M)	MISSING:(-9)	592	23.4 %	-

Based upon 1934 valid cases out of 2526 total cases.

V1719	101D015A:#DA HEADACHE

Location:	1214-1215 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21310

These next questions concern your health. During the LAST 30
DAYS, on how many days (if any) did you have the following
problems or symptoms?

A: Headache

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9
days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	463	18.3 %	23.3%
2	1 DAY:(2)	375	14.8 %	18.8%
3	2 DAYS:(3)	369	14.6 %	18.5%

Value	Label	Unweighted Frequency	%	Valid %
4	3-5 DAYS:(4)	403	16.0 %	20.3%
5	6-9 DAYS:(5)	188	7.4 %	9.4%
6	10-19 DA:(6)	120	4.8 %	6.0%
7	20+ DAYS:(7)	72	2.9 %	3.6%
-9 (M)	MISSING:(-9)	536	21.2 %	-

Based upon 1990 valid cases out of 2526 total cases.

V1720   101D015B:#DA SORE THROAT

Location:	1216-1217 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21320

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

B: Sore throat or hoarse voice

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	853	33.8 %	43.0%
2	1 DAY:(2)	338	13.4 %	17.1%
3	2 DAYS:(3)	334	13.2 %	16.9%
4	3-5 DAYS:(4)	289	11.4 %	14.6%
5	6-9 DAYS:(5)	106	4.2 %	5.3%
6	10-19 DA:(6)	48	1.9 %	2.4%
7	20+ DAYS:(7)	14	0.6 %	0.7%
-9 (M)	MISSING:(-9)	544	21.5 %	-

Based upon 1982 valid cases out of 2526 total cases.

V1721   101D015C:#DA SINUS CONG

Location:	1218-1219 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21330

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following

problems or symptoms?

C: Trouble with sinus congestion, runny nose, or sneezing

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	568	22.5 %	28.7%
2	1 DAY:(2)	220	8.7 %	11.1%
3	2 DAYS:(3)	282	11.2 %	14.2%
4	3-5 DAYS:(4)	393	15.6 %	19.8%
5	6-9 DAYS:(5)	253	10.0 %	12.8%
6	10-19 DA:(6)	158	6.3 %	8.0%
7	20+ DAYS:(7)	108	4.3 %	5.4%
-9 (M)	MISSING:(-9)	544	21.5 %	-

Based upon 1982 valid cases out of 2526 total cases.

V1722	**101D015D:#DA COUGHING**

Location: 1220-1221 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 21340

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

D: Coughing spells

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1134	44.9 %	57.5%
2	1 DAY:(2)	262	10.4 %	13.3%
3	2 DAYS:(3)	199	7.9 %	10.1%
4	3-5 DAYS:(4)	208	8.2 %	10.5%
5	6-9 DAYS:(5)	87	3.4 %	4.4%
6	10-19 DA:(6)	48	1.9 %	2.4%
7	20+ DAYS:(7)	34	1.3 %	1.7%
-9 (M)	MISSING:(-9)	554	21.9 %	-

Based upon 1972 valid cases out of 2526 total cases.

V1723	101D015E:#DA CHEST COLD

Location:	1222-1223 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21350

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

E: Chest colds

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1512	59.9 %	77.0%
2	1 DAY:(2)	155	6.1 %	7.9%
3	2 DAYS:(3)	123	4.9 %	6.3%
4	3-5 DAYS:(4)	96	3.8 %	4.9%
5	6-9 DAYS:(5)	49	1.9 %	2.5%
6	10-19 DA:(6)	19	0.8 %	1.0%
7	20+ DAYS:(7)	10	0.4 %	0.5%
-9 (M)	MISSING:(-9)	562	22.2 %	-

Based upon 1964 valid cases out of 2526 total cases.

V1724	101D015F:#DA COUGH PHLM

Location:	1224-1225 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21360

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

F: Coughing up phlegm or blood

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1582	62.6 %	80.1%
2	1 DAY:(2)	89	3.5 %	4.5%

Value	Label	Unweighted Frequency	%	Valid %
3	2 DAYS:(3)	93	3.7 %	4.7%
4	3-5 DAYS:(4)	92	3.6 %	4.7%
5	6-9 DAYS:(5)	59	2.3 %	3.0%
6	10-19 DA:(6)	29	1.1 %	1.5%
7	20+ DAYS:(7)	30	1.2 %	1.5%
-9 (M)	MISSING:(-9)	552	21.9 %	-

Based upon 1974 valid cases out of 2526 total cases.

V1725	**101D015G:#DA SHORT BRTH**

Location:	1226-1227 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21370

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

G: Shortness of breath when you were not exercising

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1528	60.5 %	77.6%
2	1 DAY:(2)	148	5.9 %	7.5%
3	2 DAYS:(3)	94	3.7 %	4.8%
4	3-5 DAYS:(4)	85	3.4 %	4.3%
5	6-9 DAYS:(5)	67	2.7 %	3.4%
6	10-19 DA:(6)	23	0.9 %	1.2%
7	20+ DAYS:(7)	24	1.0 %	1.2%
-9 (M)	MISSING:(-9)	557	22.1 %	-

Based upon 1969 valid cases out of 2526 total cases.

V1726	**101D015H:#DA WHEEZING**

Location:	1228-1229 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21380

These next questions concern your health. During the LAST 30

DAYS, on how many days (if any) did you have the following problems or symptoms?

H: Wheezing or gasping

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1669	66.1 %	85.2%
2	1 DAY:(2)	111	4.4 %	5.7%
3	2 DAYS:(3)	68	2.7 %	3.5%
4	3-5 DAYS:(4)	55	2.2 %	2.8%
5	6-9 DAYS:(5)	19	0.8 %	1.0%
6	10-19 DA:(6)	23	0.9 %	1.2%
7	20+ DAYS:(7)	15	0.6 %	0.8%
-9 (M)	MISSING:(-9)	566	22.4 %	-

Based upon 1960 valid cases out of 2526 total cases.

V1727	**101D015I:#DA TRBL REMEM**

Location:	1230-1231 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21390

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

I: Trouble remembering things

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1276	50.5 %	65.1%
2	1 DAY:(2)	187	7.4 %	9.5%
3	2 DAYS:(3)	158	6.3 %	8.1%
4	3-5 DAYS:(4)	137	5.4 %	7.0%
5	6-9 DAYS:(5)	70	2.8 %	3.6%
6	10-19 DA:(6)	48	1.9 %	2.4%
7	20+ DAYS:(7)	84	3.3 %	4.3%
-9 (M)	MISSING:(-9)	566	22.4 %	-

Based upon 1960 valid cases out of 2526 total cases.

V1728	**101D015J:#DA DFCT THINK**

Location:	1232-1233 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	
	Item Number: 21400
	These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?
	J: Difficulty thinking or concentrating
	1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1004	39.7 %	50.9%
2	1 DAY:(2)	225	8.9 %	11.4%
3	2 DAYS:(3)	224	8.9 %	11.4%
4	3-5 DAYS:(4)	228	9.0 %	11.6%
5	6-9 DAYS:(5)	109	4.3 %	5.5%
6	10-19 DA:(6)	79	3.1 %	4.0%
7	20+ DAYS:(7)	102	4.0 %	5.2%
-9 (M)	MISSING:(-9)	555	22.0 %	-

Based upon 1971 valid cases out of 2526 total cases.

V1729	**101D015K:#DA TRBL LEARN**

Location:	1234-1235 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	
	Item Number: 21410
	These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?
	K: Trouble learning new things
	1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1372	54.3 %	70.2%

Value	Label	Unweighted Frequency	%	Valid %
2	1 DAY:(2)	200	7.9 %	10.2%
3	2 DAYS:(3)	152	6.0 %	7.8%
4	3-5 DAYS:(4)	126	5.0 %	6.4%
5	6-9 DAYS:(5)	60	2.4 %	3.1%
6	10-19 DA:(6)	23	0.9 %	1.2%
7	20+ DAYS:(7)	22	0.9 %	1.1%
-9 (M)	MISSING:(-9)	571	22.6 %	-

Based upon 1955 valid cases out of 2526 total cases.

V1730	101D015L:#DA TRBL SLEEP

Location: 1236-1237 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21420

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

L: Trouble sleeping

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	876	34.7 %	44.7%
2	1 DAY:(2)	221	8.7 %	11.3%
3	2 DAYS:(3)	240	9.5 %	12.2%
4	3-5 DAYS:(4)	224	8.9 %	11.4%
5	6-9 DAYS:(5)	150	5.9 %	7.6%
6	10-19 DA:(6)	118	4.7 %	6.0%
7	20+ DAYS:(7)	132	5.2 %	6.7%
-9 (M)	MISSING:(-9)	565	22.4 %	-

Based upon 1961 valid cases out of 2526 total cases.

V1731	101D015M:#DA TRBL START

Location: 1238-1239 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21430

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

M: Trouble getting started in the morning

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	790	31.3 %	40.3%
2	1 DAY:(2)	184	7.3 %	9.4%
3	2 DAYS:(3)	219	8.7 %	11.2%
4	3-5 DAYS:(4)	215	8.5 %	11.0%
5	6-9 DAYS:(5)	161	6.4 %	8.2%
6	10-19 DA:(6)	152	6.0 %	7.8%
7	20+ DAYS:(7)	240	9.5 %	12.2%
-9 (M)	MISSING:(-9)	565	22.4 %	-

Based upon 1961 valid cases out of 2526 total cases.

V1732	**101D015N:#DA STAY HOME**

Location:	1240-1241 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21440

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

N: Stayed home most or all of a day because you were not feeling well

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1226	48.5 %	62.4%
2	1 DAY:(2)	327	12.9 %	16.6%
3	2 DAYS:(3)	206	8.2 %	10.5%
4	3-5 DAYS:(4)	131	5.2 %	6.7%
5	6-9 DAYS:(5)	47	1.9 %	2.4%
6	10-19 DA:(6)	11	0.4 %	0.6%
7	20+ DAYS:(7)	16	0.6 %	0.8%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	562	22.2 %	-

Based upon 1964 valid cases out of 2526 total cases.

V1733	**101D016A:#X/12M DOC-CHEK**

Location:	1242-1243 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21450

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

A: For a routine physical check-up

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10+ times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	751	29.7 %	37.5%
2	ONCE:(2)	823	32.6 %	41.0%
3	TWICE:(3)	292	11.6 %	14.6%
4	3-5X:(4)	103	4.1 %	5.1%
5	6-9X:(5)	16	0.6 %	0.8%
6	10+ TIME:(6)	20	0.8 %	1.0%
-9 (M)	MISSING:(-9)	521	20.6 %	-

Based upon 2005 valid cases out of 2526 total cases.

V1734	**101D016B:#X/12M DOC-FGHT**

Location:	1244-1245 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21460

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

B: For an injury suffered in a fight, assault, or auto accident

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10+ times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1828	72.4 %	91.4%
2	ONCE:(2)	89	3.5 %	4.5%
3	TWICE:(3)	42	1.7 %	2.1%
4	3-5X:(4)	22	0.9 %	1.1%
5	6-9X:(5)	5	0.2 %	0.3%
6	10+ TIME:(6)	13	0.5 %	0.7%
-9 (M)	MISSING:(-9)	527	20.9 %	-

Based upon 1999 valid cases out of 2526 total cases.

V1735	**101D016C:#X/12M DOC-INJ**

Location:	1246-1247 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21470

In the LAST 12 MONTHS, how many times (if any) have you seen
a doctor or other professional for each of the following?

C: For any other accidental injury

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10+ times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1637	64.8 %	82.2%
2	ONCE:(2)	160	6.3 %	8.0%
3	TWICE:(3)	90	3.6 %	4.5%
4	3-5X:(4)	65	2.6 %	3.3%
5	6-9X:(5)	18	0.7 %	0.9%
6	10+ TIME:(6)	22	0.9 %	1.1%
-9 (M)	MISSING:(-9)	534	21.1 %	-

Based upon 1992 valid cases out of 2526 total cases.

V1736	**101D016D:#X/12M DOC-ILL**

Location:	1248-1249 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21480

In the LAST 12 MONTHS, how many times (if any) have you seen
a doctor or other professional for each of the following?

D: For some physical illness or symptom

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10+ times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1161	46.0 %	58.3%
2	ONCE:(2)	365	14.4 %	18.3%
3	TWICE:(3)	260	10.3 %	13.1%
4	3-5X:(4)	139	5.5 %	7.0%
5	6-9X:(5)	38	1.5 %	1.9%
6	10+ TIME:(6)	27	1.1 %	1.4%
-9 (M)	MISSING:(-9)	536	21.2 %	-

Based upon 1990 valid cases out of 2526 total cases.

V1737	**101D016E:#X/12M DOC-PSY**

Location:	1250-1251 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21490

In the LAST 12 MONTHS, how many times (if any) have you seen
a doctor or other professional for each of the following?

E: For some emotional or psychological problem or symptom

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10+ times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1791	70.9 %	90.2%
2	ONCE:(2)	67	2.7 %	3.4%
3	TWICE:(3)	49	1.9 %	2.5%
4	3-5X:(4)	28	1.1 %	1.4%
5	6-9X:(5)	17	0.7 %	0.9%
6	10+ TIME:(6)	33	1.3 %	1.7%
-9 (M)	MISSING:(-9)	541	21.4 %	-

Based upon 1985 valid cases out of 2526 total cases.

V1738	**101D017A:#X/12M HSP-INJ**

Location:	1252-1253 (width: 2; decimal: 0)
Variable Type:	numeric

Range of Missing Values (M):   -9

Question:

Item Number: 21500

In the LAST 12 MONTHS, how many times (if any) have you spent one or more nights in the hospital . . .

A: . . . because of an injury?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10+ times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1863	73.8 %	94.3%
2	ONCE:(2)	74	2.9 %	3.7%
3	TWICE:(3)	21	0.8 %	1.1%
4	3-5X:(4)	8	0.3 %	0.4%
5	6-9X:(5)	5	0.2 %	0.3%
6	10+ TIME:(6)	5	0.2 %	0.3%
-9 (M)	MISSING:(-9)	550	21.8 %	-

Based upon 1976 valid cases out of 2526 total cases.

V1739	**101D017B:#X/12M HSP-ILL**

Location: 1254-1255 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 21510

In the LAST 12 MONTHS, how many times (if any) have you spent one or more nights in the hospital . . .

B: . . . because of some physical illness?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10+ times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1841	72.9 %	93.5%
2	ONCE:(2)	69	2.7 %	3.5%
3	TWICE:(3)	35	1.4 %	1.8%
4	3-5X:(4)	12	0.5 %	0.6%
5	6-9X:(5)	5	0.2 %	0.3%
6	10+ TIME:(6)	7	0.3 %	0.4%
-9 (M)	MISSING:(-9)	557	22.1 %	-

Based upon 1969 valid cases out of 2526 total cases.

V1740	**101D018:RLTV PHY HEALTH**

Location:	1256-1257 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 21520

Overall, relative to other people your age, do you think
your physical health over the past year has been . . . ?

1="Much poorer than average" 2="Somewhat poorer" 3="About
average" 4="Somewhat better" 5="Much better than average"

Value	Label	Unweighted Frequency	%	Valid %
1	MCH <AVG:(1)	142	5.6 %	7.2%
2	SOM <AVG:(2)	226	8.9 %	11.4%
3	ABT AVRG:(3)	816	32.3 %	41.3%
4	SOM >AVG:(4)	468	18.5 %	23.7%
5	MCH >AVG:(5)	326	12.9 %	16.5%
-9 (M)	MISSING:(-9)	548	21.7 %	-

Based upon 1978 valid cases out of 2526 total cases.

V1791	**101D021A:DAP SMK 1PCK CI**

Location:	1258-1259 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08560

Individuals differ in whether or not they disapprove of
people doing certain things. Do YOU disapprove of people
(who are 18 or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	536	21.2 %	27.3%
2	DISAPPRV:(2)	719	28.5 %	36.7%
3	STRG DIS:(3)	705	27.9 %	36.0%
-9 (M)	MISSING:(-9)	566	22.4 %	-

Based upon 1960 valid cases out of 2526 total cases.

V1792	**101D021B:DAP TRY MRJ 1-2**

Location:	1260-1261 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08570

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	931	36.9 %	47.8%
2	DISAPPRV:(2)	485	19.2 %	24.9%
3	STRG DIS:(3)	530	21.0 %	27.2%
-9 (M)	MISSING:(-9)	580	23.0 %	-

Based upon 1946 valid cases out of 2526 total cases.

V1793	**101D021C:DAP SMK MRJ OCC**

Location:	1262-1263 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08580

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	735	29.1 %	37.8%
2	DISAPPRV:(2)	539	21.3 %	27.7%
3	STRG DIS:(3)	673	26.6 %	34.6%
-9 (M)	MISSING:(-9)	579	22.9 %	-

Based upon 1947 valid cases out of 2526 total cases.

V1794	**101D021D:DAP SMK MRJ REG**

Location:		1264-1265 (width: 2; decimal: 0)			
Variable Type:		numeric			
Range of Missing Values (M):		-9			
Question:					

Item Number: 08590

Individuals differ in whether or not they disapprove of
people doing certain things. Do YOU disapprove of people
(who are 18 or older) doing each of the following?

D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	476	18.8 %	24.5%
2	DISAPPRV:(2)	571	22.6 %	29.4%
3	STRG DIS:(3)	896	35.5 %	46.1%
-9 (M)	MISSING:(-9)	583	23.1 %	-

Based upon 1943 valid cases out of 2526 total cases.

V1795	**101D021E:DAP COK PWD 1-2**

Location:		1266-1267 (width: 2; decimal: 0)
Variable Type:		numeric
Range of Missing Values (M):		-9
Question:		

Item Number: 23630

Individuals differ in whether or not they disapprove of
people doing certain things. Do YOU disapprove of people
(who are 18 or older) doing each of the following?

E: Trying cocaine in powder form once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	257	10.2 %	13.2%
2	DISAPPRV:(2)	452	17.9 %	23.3%
3	STRG DIS:(3)	1234	48.9 %	63.5%
-9 (M)	MISSING:(-9)	583	23.1 %	-

Based upon 1943 valid cases out of 2526 total cases.

V1796	**101D021F:DAP COK PWDR OC**

Location:	1268-1269 (width: 2; decimal: 0)
Variable Type:	numeric

Range of Missing Values (M): -9

Question:

Item Number: 23640

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

F: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	195	7.7 %	10.1%
2	DISAPPRV:(2)	383	15.2 %	19.8%
3	STRG DIS:(3)	1360	53.8 %	70.2%
-9 (M)	MISSING:(-9)	588	23.3 %	-

Based upon 1938 valid cases out of 2526 total cases.

V1797　101D021G:DAP COK PWDR RE

Location: 1270-1271 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23650

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

G: Taking cocaine powder regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	171	6.8 %	8.8%
2	DISAPPRV:(2)	304	12.0 %	15.7%
3	STRG DIS:(3)	1458	57.7 %	75.4%
-9 (M)	MISSING:(-9)	593	23.5 %	-

Based upon 1933 valid cases out of 2526 total cases.

V1798　101D021H:DAP TRY CRK 1-2

Location: 1272-1273 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23660

Individuals differ in whether or not they disapprove of
people doing certain things. Do YOU disapprove of people
(who are 18 or older) doing each of the following?

H: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	203	8.0 %	10.5%
2	DISAPPRV:(2)	378	15.0 %	19.6%
3	STRG DIS:(3)	1352	53.5 %	69.9%
-9 (M)	MISSING:(-9)	593	23.5 %	-

Based upon 1933 valid cases out of 2526 total cases.

V1799	**101D021I:DAP CRACK OCC**

Location: 1274-1275 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23670

Individuals differ in whether or not they disapprove of
people doing certain things. Do YOU disapprove of people
(who are 18 or older) doing each of the following?

I: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	177	7.0 %	9.1%
2	DISAPPRV:(2)	329	13.0 %	17.0%
3	STRG DIS:(3)	1432	56.7 %	73.9%
-9 (M)	MISSING:(-9)	588	23.3 %	-

Based upon 1938 valid cases out of 2526 total cases.

V1800	**101D021J:DAP CRACK REG**

Location: 1276-1277 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23680

Individuals differ in whether or not they disapprove of
people doing certain things. Do YOU disapprove of people
(who are 18 or older) doing each of the following?

J: Taking "crack" cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	177	7.0 %	9.2%
2	DISAPPRV:(2)	275	10.9 %	14.3%
3	STRG DIS:(3)	1469	58.2 %	76.5%
-9 (M)	MISSING:(-9)	605	24.0 %	-

Based upon 1921 valid cases out of 2526 total cases.

V1801	**101D021K:DAP TRY DRK ALC**

Location: 1278-1279 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08710

Individuals differ in whether or not they disapprove of
people doing certain things. Do YOU disapprove of people
(who are 18 or older) doing each of the following?

K: Trying one or two drinks of an alcoholic beverage
(beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	1282	50.8 %	66.1%
2	DISAPPRV:(2)	343	13.6 %	17.7%
3	STRG DIS:(3)	314	12.4 %	16.2%
-9 (M)	MISSING:(-9)	587	23.2 %	-

Based upon 1939 valid cases out of 2526 total cases.

V1802	**101D021L:DAP 1-2 DRK/DAY**

Location: 1280-1281 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08720

Individuals differ in whether or not they disapprove of
people doing certain things. Do YOU disapprove of people
(who are 18 or older) doing each of the following?

L: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	602	23.8 %	31.1%
2	DISAPPRV:(2)	745	29.5 %	38.5%
3	STRG DIS:(3)	589	23.3 %	30.4%
-9 (M)	MISSING:(-9)	590	23.4 %	-

Based upon 1936 valid cases out of 2526 total cases.

V1803	**101D021M:DAP 4-5 DRK/DAY**

Location: 1282-1283 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08730

Individuals differ in whether or not they disapprove of
people doing certain things. Do YOU disapprove of people
(who are 18 or older) doing each of the following?

M: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	317	12.5 %	16.4%
2	DISAPPRV:(2)	528	20.9 %	27.3%
3	STRG DIS:(3)	1090	43.2 %	56.3%
-9 (M)	MISSING:(-9)	591	23.4 %	-

Based upon 1935 valid cases out of 2526 total cases.

V1804	**101D021N:DAP 5+ DRK WKND**

Location: 1284-1285 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08740

Individuals differ in whether or not they disapprove of
people doing certain things. Do YOU disapprove of people

(who are 18 or older) doing each of the following?

N: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	565	22.4 %	29.4%
2	DISAPPRV:(2)	495	19.6 %	25.7%
3	STRG DIS:(3)	864	34.2 %	44.9%
-9 (M)	MISSING:(-9)	602	23.8 %	-

Based upon 1924 valid cases out of 2526 total cases.

APPENDIX

Appendix A: Publications

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future [Publications](#) web page.

Publications are divided into the following categories:

> Monographs
> Reference Volumes
> Books
> Journal Articles
> Chapters
> Research Reports
> Occasional Papers
> Congressional Testimony
> Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	Number of Public Schools	Number of Private Schools	Total Number of Schools	Total Number of Students	Student Response Rate*
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83

	Number of Public Schools	Number of Private Schools	Total Number of Schools	Total Number of Students	Student Response Rate*
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83
2007	111	21	132	15,132	81
2008	103	17	120	14,577	79
2009	106	19	125	14,268	82
2010	104	22	126	15,127	85

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.