ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 34409

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2011

Lloyd D. Johnston
University of Michigan. Institute for Social Research. Survey Research Center

Jerald G. Bachman
University of Michigan. Institute for Social Research. Survey Research Center

Patrick M. O'Malley
University of Michigan. Institute for Social Research. Survey Research Center

John E. Schulenberg
University of Michigan. Institute for Social Research. Survey Research Center

Form 3 Data Codebook

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/34409/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2011 is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, and John Schulenberg, co-principal investigators.) The research project is unusually comprehensive in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 11 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate only very small decreases in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationally representative sample of high school seniors in public and private schools is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 350 seniors may be included in the data collection. In schools with fewer than 350 seniors, we attempt to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. A sampling weight is assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two- year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and

examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A local SRC representative is assigned to work with the school to set a mutually agreeable date for the survey and to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter describing the study and a copy of the student flyer to the parents. The letter provides parents with an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward.

Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automated scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer file at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the cross-time index of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

_____

_____

A.   DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others

regarding drugs.

B.   EDUCATION. Educational lifestyle, values, experiences, and environments

C.   WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities including computer use, preferences regarding occupational characteristics and type of work setting.

D.   SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.

E.   POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.

F.   CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.

G.   RELIGION. Religious affiliation, practices, and views.

H.   POLITICS. Political affiliation, activities, and views.

I.   SOCIAL CHANGE. Values, attitudes, and expectations about social change.

J.   SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.

K.   MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).

L.   MILITARY. Views about the armed services and the use of military force. Personal plans for military service.

M.   INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.

N.   RACE RELATIONS. Attitudes toward and experiences with other racial groups.

O.   CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.

P.   HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.

Q   OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility, boredom.

R.   BACKGROUND. Demographic and family background characteristics, living arrangements.

S.   DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.

T.   HEALTH. Health habits, somatic symptoms, illness, medical treatment.

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples.

About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors attending private or public schools throughout the 48 contiguous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate

are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all 12[th] graders sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire, either on their own or because their parents refused consent. However, SRC representatives in the field estimate this proportion to be only about two percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 3 – 4 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of

schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- each of which constitutes approximately 8-15 percent of each year's sample -- are represented by perhaps as few as 200 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial

comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to under represent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and descriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

Frequency and percentage distributions displayed in codebooks produced after 2007 are unweighted, rather than weighted by variable V5 as they had been in previous years. This change was made to simplify both the production of the codebooks and their interpretation by the analyst.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2011 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ascii text file.

part #	form	# of variables	Logical record length	Unweighted n
1	Core	185	384	14,855
2	Form 1	635	1,281	2,478
3	Form 2	329	671	2,465
4	Form 3	360	734	2,470
5	Form 4	267	550	2,463
6	Form 5	309	631	2,493
7	Form 6	337	688	2,486

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers. The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V2119	[2] 082A04E #X INTERNET NEWS

[3] Location: 64-65(width: 2, decimal: 0)
[4] Variable Type: numeric (ISO)
[5] Range of Missing Values (M):   -9
    Question:

[6] Item Number: 24815

[7] Question Number(s): 2A04E

[8] How often do you use each of the following to get information about news and current events?

E: The Internet

[9] 5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

V2119:082A04E #X INTERNET NEWS

Value [10]	Label [11]	Unweighted Frequency [12]	% [13]	Valid % [14]
1	NEVER:(1)	280	5.2%	5.2%
2	FEW/YR:(2)	216	4.0%	4.0%
3	1-2/MO:(3)	576	10.6%	10.8%
4	1 /WK:(4)	1235	22.8%	23.1%
5	NR DAILY:(5)	3050	56.3%	56.9%
-9(M)	MISSING:(-9)	59	1.1%	-

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

[2] Indicates the abbreviated variable name used to identify the variable for the user.

[3]Indicates starting and ending column locations of this variable. Variable width and number of decimal places are noted within parentheses.

[4]Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).

[5]Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes:-9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.

[6] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.

[7] The question number, which consists of the number of the questionnaire form, the alphabetic section, the question number itself, and, if part of a series, the alphabetic part.

[8] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.

[9] Response category codes and the full text of the answer categories as they are worded in the questionnaire.

[10] Indicates the code values occurring in the data for this variable.

[11] Indicates the text labels of the codes for this variable, as they are provided in the data.

[12] Indicates the frequency of occurrence of each code value for this variable.

[13] Indicates the percentage distribution of each code value for this variable including cases where the value is missing.

[14] Indicates the percentage distribution of each code value for this variable excluding cases where the value is missing.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

For reasons of confidentiality, the weight variable (V5) was altered from its original version to a modified version prior to public distribution of the data. THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND THOSE FROM WEIGHTED ANALYSES OF THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

OMITTED VARIABLES:

All datasets	C01. R'S BIRTH YEAR
	C02. R'S BIRTH MONTH
	C04A-I, R'S RACE (9 categories)
	C07A-B. # OLDER BR/SR, # YOUNGER BR/SR
	C07Ca,e-i. R'S HSHLD (other than mother/father/sibling)
	C13A. R'S RELGS PRFNC
Form 1	D19. CURRENT HEIGHT
	D20. CURRENT WEIGHT
Form 2	2A19P. ARRSTD&TKN 2 POL
Form 5	5A21. CURRENT HEIGHT
	5A22. CURRENT WEIGHT

RECODED VARIABLES:

Core dataset and Part C section of individual forms
AGE <> 18 DICHOTOMY
1=younger than 18 years old,
2=18 years old or more
-9=missing data on birth year, or birth month if it is required
Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered.   If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy
1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing data on Q. C04.
From 2006 on, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them.   In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS
Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)
0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING
0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]
0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]
0=None, 1=One, 2=Two, 3=Three or More

Core dataset (Part B)
*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]
  Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]
  Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

Form 6
    A10. EVER HELD BACK
      1=No, 2=Yes

    A11. NEED SUMMER SCHL
      1=No, 2=Yes

    A12. EVER SUSPENDED
      1=No, 2=Yes

MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC
	C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT
	4A15B GD LIV TG BF MRG
	4A15C 1 PRTNR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND
	5A18J FULLR LVS IF MRY
	5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK
	6A08B #X PRNT HLP HMWK
	6A08C #X PRNT GV CHORE
	6A08D #X PRNT LIMIT TV
	6A08E #X PRNT LMT OUT

QUESTIONNAIRE FORM 1 PROCESSING

      The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

REVISED QUESTION TEXT FOR THE CORE DATASET

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series.   This additional text is meant to clarify and provide detail about the question for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.

ICPSR 34409

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2011

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2011

Form 3 Data

Variable Groups

Variable Groups Containing Variables

Variable Group Name	Variable Group Label	Page
GROUP 1	SURVEY INFORMATION	20
GROUP 2	GEOGRAPHIC	20
GROUP 3	SECTION A	20
GROUP 4	SECTION B	23
GROUP 5	SECTION C	24
GROUP 6	SECTION D	26
GROUP 7	SECTION E	28

GROUP 1	SURVEY INFORMATION

Variables within this Variable Group		
Variable	Variable Label	Page
CASEID	CASE IDENTIFICATION NUMBER	29
V1	YEAR OF ADMIN (4-DIGITS)	29
V3	113:FORM ID	30
V4	113:Rs ID-SERIAL #	30
V5	SAMPLING WEIGHT	30

GROUP 2	GEOGRAPHIC

Variables within this Variable Group		
Variable	Variable Label	Page
V13	SCH REG-4 CAT	30
V16	LARGE MSA = 1/NOT = 0	30
V17	MSA/NON-MSA = 0	31

GROUP 3	SECTION A

Variables within this Variable Group		
Variable	Variable Label	Page
V3208	113A01 :VRY HPY THS DAYS	31
V3209	113A02 :THK ABT SOC ISSU	32
V3210	113A03A:MEN/WOMN/ = $, = WRK	32
V3211	113A03B:CNSDR WMN/HI JOB	33
V3212	113A03C:WMN SHD = JOB OPP	33
V3213	113A03D:WMN SHD = ED OPP	34
V3214	113A03E:MN = ACHV/WMN = HOME	34
V3215	113A03F:CHL SUFF W WK MO	35

Variables within this Variable Group		
Variable	*Variable Label*	*Page*
V3216	113A03G:WK MO AS WRM REL	35
V3217	113A04A:POLLUT INCREASED	36
V3218	113A04B:GOVT DEAL ENV PR	37
V3219	113A04C:MR$ FR LASTG THG	37
V3220	113A04D:USE BYC/MAS TRAN	38
V3221	113A04E:EAT DIF->FD STRV	38
V3222	113A05A:LIK WRK CAN FRGT	39
V3223	113A05B:WRK = ONLY MK LVNG	39
V3224	113A05C:WRK CNTRL PRT LF	40
V3225	113A05D:OVTM 2DO BST JOB	40
V3226	113A05E:SAME JOB MST LIF	41
V3227	113A06 :ENUF$,NT WNT WRK	41
V3228	113A07A:DES FRND OTH RC	42
V3229	113A07B:DES SUPVR DIF RC	43
V3230	113A07C:DES FAM NX DF RC	43
V3231	113A07D:DES CHL FD SM RC	44
V3232	113A07E:DES CHL FD OT RC	44
V3233	113A08A:DES AL WKS SM RC	45
V3234	113A08B:DES SO WKS DF RC	45
V3235	113A08C:DES MS WKS DF RC	46
V3236	113A09A:DES AL NGB SM RC	46
V3237	113A09B:DES SO NGB OT RC	46
V3238	113A09C:DES MS NGB OT RC	47
V3239	113A10A:DES AL CHL SM RC	47
V3240	113A10B:DES SM CHL OT RC	48
V3241	113A10C:DES MS CHL OT RC	48
V3242	113A11 :FRNDS AL OT RC	49
V3243	113A12 :NGBHD AL OT RC	50
V3244	113A13 :ELEMSCH AL OT RC	50
V3245	113A14 :HISCH AL OT RC	51
V3246	113A15 :WRKRS AL OT RC	51
V3247	113A16 :DO LOT THG OT RC	52
V3248	113A17 :VRY GD EXP OT RC	52
V3249	113A18 :MARRD OR ENGAGED	53
V3250	113A19 :WHN WANT GT MARR	53
V3251	113A20 :THGT LOT HAV CHL	54
V3252	113A21 :# CHLDN WANT(6+)	54
V3253	113A22 :IF -POP, MR CHLD	55
V3254	113A23 :WHN 1ST CHL(5+Y)	55
V3255	113A24A:GD JB LARG CORPS	56
V3256	113A24B:GD JB LBR UNIONS	57

Variables within this Variable Group		
Variable	*Variable Label*	*Page*
V3257	113A24C:GD JB COLLG/UNIV	57
V3258	113A24D:GD JB PBLC SCHOL	58
V3259	113A24E:GD JB CHURCHES	58
V3260	113A24F:GD JB NEWS MEDIA	59
V3261	113A24G:GD JB PRES/ADMIN	59
V3262	113A24H:GD JB CONGRESS	60
V3263	113A24I:GD JB SUPRM CRT	61
V3264	113A24J:GD JB JUSTC SYST	61
V3265	113A24K:GD JB POLICE	62
V3266	113A24L:GD JB MILITARY	62
V3267	113A25 :MIL TOO MCH INFL	63
V3268	113A26 :US TOO MCH$ MILT	63
V3273	113A27A:DAP SMK 1PCK CIG	64
V3274	113A27B:DAP TRY MRJ 1-2T	64
V3275	113A27C:DAP SMK MRJ OCCS	65
V3276	113A27D:DAP SMK MRJ REGL	65
V3277	113A27E:DAP TRY LSD 1-2T	66
V3278	113A27F:DAP TKG LSD REGL	66
V3279	113A27G:DAP TRY HRN 1-2T	67
V3280	113A27H:DAP TKG HRN OCCS	67
V3281	113A27I:DAP TKG HRN REGL	68
V3507	113A27J:DAP TRY SED/B1-2	68
V3508	113A27K:DAP USE SED/BREG	69
V3284	113A27L:DAP TRY AMP 1-2T	69
V3285	113A27M:DAP TKG AMP REGL	70
V3286	113A27N:DAP TRY COC 1-2T	70
V3287	113A27O:DAP TKG COC REGL	71
V3288	113A27P:DAP TRY DRK ALCL	71
V3289	113A27Q:DAP 1-2 DRK/DAY	71
V3290	113A27R:DAP 4-5 DRK/DAY	72
V3291	113A27S:DAP 5+ DRK WKNDS	72
V3292	113A28A:12MO NR OTH MARJ	73
V3293	113A28B:12MO NR OTH LSD	73
V3294	113A28C:12MO NR OTH PSYC	74
V3295	113A28D:12MO NR OTH AMPH	74
V3509	113A28E:12MO NR SED/BARB	75
V3297	113A28F:12MO NR OTH TRQL	75
V3298	113A28G:12MO NR OTH COKE	76
V3299	113A28H:12MO NR OTH HRN	76
V3300	113A28I:12MO NR OTH NARC	77
V3301	113A28J:12MO NR OTH ALCL	77

GROUP 4   **SECTION B**

Variables within this Variable Group		
Variable	Variable Label	Page
V3127	113B10A:#X AMPH/LIFETIME	99
V3128	113B10B:#X AMPH/LAST12MO	100
V3129	113B10C:#X AMPH/LAST30DA	100
V3487	113B11A:#X CRACK/LIFETIM	101
V3488	113B11B:#X CRACK/LAST12M	102
V3489	113B11C:#X CRACK/LAST30D	102
V3490	113B12A:#XOTH COKE/LIFE	103
V3491	113B12B:#XOTH COKE/12MO	103
V3492	113B12C:#XOTH COKE/30DA	104
V3133	113B13A:#X SED/BARB/LIFE	105
V3134	113B13B:#X SED/BARB/12MO	105
V3135	113B13C:#X SED/BARB/30DA	106
V3136	113B14A:#X TRQL/LIFETIME	107
V3137	113B14B:#X TRQL/LAST12MO	107
V3138	113B14C:#X TRQL/LAST30DA	108
V3139	113B15A:#X H/LIFETIME	108
V3140	113B15B:#X H/LAST 12MO	109
V3141	113B15C:#X H/LAST 30DA	110
V3142	113B16A:#X NARC/LIFETIME	110
V3143	113B16B:#X NARC/LAST12MO	111
V3144	113B16C:#X NARC/LAST30DA	111
V3145	113B17A:#X INHL/LIFETIME	112
V3146	113B17B:#X INHL/LAST12MO	113
V3147	113B17C:#X INHL/LAST30DA	113
V3493	113B18A:#X MDMA/LIFETIME	114
V3494	113B18B:#X MDMA/LAST12MO	114
V3495	113B18C:#X MDMA/LAST30DA	115

GROUP 5   **SECTION C**

Variables within this Variable Group		
Variable	Variable Label	Page
V3148	113C01(R):AGE <>18 DICHOTOMY	116
V3150	113C03 :Rs SEX	116
V3151	113C04(R):R'S RACE B/W/H	116
V3152	113C05 :R SPD >TIM R-URB	117
V3153	113C06 :R NOT MARRIED	118
V49	113C07R:# SIBLINGS	118
V3155	113C07Cb(R):R'S HSHLD FATHER	119
V3156	113C07Cc(R):R'S HSHLD MOTHER	119
V3157	113C07Cd(R):R'S HSHLD BR/SR	120
V3163	113C08 :FATHR EDUC LEVEL	120

GROUP 6	SECTION D	

Variables within this Variable Group		
Variable	Variable Label	Page
V3484	113D01 :FEEL UNSAFE@SCHL	142
V3485	113D02 :UNSAF TO/FRM SCH	142
V3486	113D03 :4WK/UNSAF AVDSCH	143
V3503	113D04A:#X ANDRO/12MO	143
V3504	113D04B:#X CREATINE/12MO	144
V3505	113D04C:#X RITALIN/12MO	145
V3526	113D04D:#X ADDERALL/12MO	145
V3521	113D04E:#X COUGHMED/12MO	146
V3522	113D04F:#X OXYCONTN/12MO	146
V3523	113D04G:#X VICODIN/12MO	147
V3527	113D04H:#X HOOKAH/12MO	148
V3528	113D04I:#X SMALL CIGARS/12MO	148
V3531	113D04J:#X SYNTHETIC MJ/12MO	149
V3309	113D05A:12MO REDUCE ALCL	149
V3310	113D05B:12MO REDUCE CIG	150
V3311	113D05C:12MO REDUCE MARJ	150
V3312	113D05D:12MO REDUCE PSYC	151
V3313	113D05E:12MO REDUCE AMPH	151
V3443	113D05F:12MO REDUCE TRQL	152
V3510	113D05G:12MO REDUCE SD/B	152
V3316	113D05H:12MO REDUCE COKE	153
V3317	113D05I:12MO REDUCE HRN	153
V3318	113D05J:12MO REDUCE NARC	154
V3319	113D06 :NXT 12MOS USE MJ	154
V3320	113D07A:CNCRN PSYCH DAMG	155
V3321	113D07B:CNCRN PHYSCL DMG	155
V3322	113D07C:CNCRN GT ARRESTD	156
V3323	113D07D:CNCRN BECOM ADCT	156
V3324	113D07E:AGST MY BELIEFS	157
V3325	113D07F:CNCRN LEGY/AMBTN	157
V3326	113D07G:CNCRN LOSS CNTRL	157
V3327	113D07H:MJ ->STRNGR DRGS	158
V3328	113D07I:MJ NOT ENJOYABLE	158
V3329	113D07J:PRNTS DISAPPROVE	159
V3330	113D07K:HS/WF DISAPPROVE	159
V3331	113D07L:DONT LIKE USERS	160
V3332	113D07M:FRNDS DNT USE IT	160
V3333	113D07N:PSSBLY BAD TRIP	161
V3334	113D07O:TOO EXPENSIVE	161

Variables within this Variable Group		
Variable	*Variable Label*	*Page*
V3335	113D07P:NOT AVAILABLE	162
V3336	113D07Q:NOT WNT GET HIGH	162
V3337	113D08AA:AL CS BEHV REGRT	163
V3338	113D08AB:AL HURT REL PRNT	163
V3339	113D08AC:AL HURT REL SPSE	163
V3340	113D08AD:AL HURT REL FRND	164
V3341	113D08AE:AL HURT REL TCHR	164
V3342	113D08AF:AL INV PL BD INF	165
V3343	113D08AG:AL HURT PERF JOB	165
V3344	113D08AH:AL CAUS<INTERSTD	166
V3345	113D08AI:AL CS<STABL EMTN	166
V3346	113D08AJ:AL CS HAV<ENERGY	167
V3347	113D08AK:AL INTF THNK CLR	167
V3348	113D08AL:AL BD PSYCH EFCT	168
V3349	113D08AM:AL CS HEALTH BAD	168
V3350	113D08AN:AL CS DRIV UNSAF	168
V3351	113D08AO:AL GT TRBL W POL	169
V3352	113D08AP:AL CS NO PROBLEM	169
V3353	113D08AQ:AL NEVER USED DG	170
V3354	113D08MA:MJ CS BEHV REGRT	170
V3355	113D08MB:MJ HURT REL PRNT	171
V3356	113D08MC:MJ HURT REL SPSE	171
V3357	113D08MD:MJ HURT REL FRND	172
V3358	113D08ME:MJ HURT REL TCHR	172
V3359	113D08MF:MJ INV PL BD INF	172
V3360	113D08MG:MJ HURT PERF JOB	173
V3361	113D08MH:MJ CAUS<INTERSTD	173
V3362	113D08MI:MJ CS<STABL EMTN	174
V3363	113D08MJ:MJ CS HAV<ENERGY	174
V3364	113D08MK:MJ INTF THNK CLR	175
V3365	113D08ML:MJ BD PSYCH EFCT	175
V3366	113D08MM:MJ CS HEALTH BAD	176
V3367	113D08MN:MJ CS DRIV UNSAF	176
V3368	113D08MO:MJ GT TRBL W POL	176
V3369	113D08MP:MJ CS NO PROBLEM	177
V3370	113D08MQ:MJ NEVER USED DG	177
V3371	113D08OA:OT CS BEHV REGRT	178
V3372	113D08OB:OT HURT REL PRNT	178
V3373	113D08OC:OT HURT REL SPSE	179
V3374	113D08OD:OT HURT REL FRND	179
V3375	113D08OE:OT HURT REL TCHR	180

Variables within this Variable Group		
Variable	*Variable Label*	*Page*
V3376	113D08OF:OT INV PL BD INF	180
V3377	113D08OG:OT HURT PERF JOB	181
V3378	113D08OH:OT CAUS<INTERSTD	181
V3379	113D08OI:OT CS<STABL EMTN	181
V3380	113D08OJ:OT CS HAV<ENERGY	182
V3381	113D08OK:OT INTF THNK CLR	182
V3382	113D08OL:OT BD PSYCH EFCT	183
V3383	113D08OM:OT CS HEALTH BAD	183
V3384	113D08ON:OT CS DRIV UNSAF	184
V3385	113D08OO:OT GT TRBL W POL	184
V3386	113D08OP:OT CS NO PROBLEM	185
V3387	113D08OQ:OT NEVER USED DG	185

GROUP 7		SECTION E	

Variables within this Variable Group		
Variable	*Variable Label*	*Page*
V3477	113E01A:ALL FRD SMK CIGS	185
V3478	113E01B:ALL FRD SMK MARJ	186
V3479	113E01C:# FRNDS TK CRACK	186
V3480	113E01D:# FRNDS TK C PWD	187
V3481	113E01E:ALL FRD DRK ALCL	187
V3482	113E01F:ALL FRD GT DRUNK	188
V3499	113E02:USUAL CIG BRAND	188
V3394	113E03 :FUTR,HAV2 CNSUM<	189
V3395	113E04A:GOV HP PRB POPL	190
V3396	113E04B:GOV NO POP PLCY	190
V3397	113E04C:STR OVPOP,LMT FM	191
V3445	113E05A:STS SCH RT FAMLY	191
V3446	113E05B:STS SCH LDS STU	192
V3447	113E05C:STS SCH NIC CAR	192
V3448	113E05D:STS SCH HI GRDE	193
V3449	113E05E:STS SCH GD ATHLT	193
V3450	113E05F:STS SCH INTLCTL	194
V3451	113E05G:STS SCH PLN CLG	195
V3452	113E06:DRG USE+,MAJ STD	195
V3496	113E07A:#HR/W CMPUTR SCH	196
V3497	113E07B:#HR/W CMPUTR JOB	196
V3498	113E07C:#HR/W CMPUTR OTH	197
V3524	113E08:HR/W INTERNET S	198
V3525	113E09A:#HR/W GAMING	198
V3529	113E09B:#HR/W TEXT CELL PHO	199

Variables within this Variable Group		
Variable	*Variable Label*	*Page*
V3530	113E09C:#HR/W TALK CELL PHO	200
V3407	113E10A:SM1 SCL ROB <$50	200
V3408	113E10B:SM1 SCL ROB >$50	201
V3409	113E10C:SM1 SCL DMG PRTY	201
V3410	113E10D:SM1 SCL IN U W/W	202
V3411	113E10E:SM1 SCL TH U W/W	202
V3412	113E10F:SM1 SCL IN U -WP	203
V3413	113E10G:SM1 SCL TH U W/I	203
V3434	113E11A:IMP HAV NW CR OF	204
V3435	113E11B:IMP HAV NW CLTHS	204
V3436	113E11C:IMP HAV OWN HSE	205
V3437	113E11D:IMP HAV BIG YARD	205
V3441	113E11E:IMP HAV VAC HSE	206
V3442	113E11F:IMP HAV REC VEH	207
V3418	113E12A:GR 1ST SMOK DLY	207
V3419	113E12B:GR 1ST TRY ALC	208
V3420	113E12C:GR 1ST TRY MJ	208
V3421	113E12D:GR 1ST TRY LSD	209
V3422	113E12E:GR 1ST TRY PSY	210
V3423	113E12F:GR 1ST TRY AMP	210
V3424	113E12G:GR 1ST TRY QUA	211
V3511	113E12H:GR 1ST TRY SED/B	211
V3426	113E12I:GR 1ST TRY TRN	212
V3427	113E12J:GR 1ST TRY COK	213
V3428	113E12K:GR 1ST TRY HER	213
V3429	113E12L:GR 1ST TRY NRC	214
V3430	113E12M:GR 1ST TRY INHAL	215
V3457	113E12N:GR 1ST SMOKE EVR	215
V3458	113E12O:GR 1ST SMOKELESS	216
V3459	113E12P:GR 1ST DRUNK	216
V3483	113E12Q:GR 1ST TRY CRACK	217

CASEID — CASE IDENTIFICATION NUMBER

Location:	1-4 (width: 4; decimal: 0)
Variable Type:	numeric

Based upon 2470 valid cases out of 2470 total cases.

V1 — YEAR OF ADMIN (4-DIGITS)

Location:	5-8 (width: 4; decimal: 0)
Variable Type:	numeric

Value	Unweighted Frequency	%	Valid %
2011	2470	100.0 %	100.0%

Based upon 2470 valid cases out of 2470 total cases.

V3	**113:FORM ID**

Location:	9-10 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Unweighted Frequency	%	Valid %
3	2470	100.0 %	100.0%

Based upon 2470 valid cases out of 2470 total cases.

V4	**113:Rs ID-SERIAL #**

Location:	11-15 (width: 5; decimal: 0)
Variable Type:	numeric

Based upon 2470 valid cases out of 2470 total cases.

V5	**SAMPLING WEIGHT**

Location:	16-21 (width: 6; decimal: 4)
Variable Type:	numeric

Based upon 2470 valid cases out of 2470 total cases.

V13	**SCH REG-4 CAT**

Location:	22-23 (width: 2; decimal: 0)
Variable Type:	numeric
Question:	

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

Value	Label	Unweighted Frequency	%	Valid %
1	NORTHEAST:(1)	466	18.9 %	18.9%
2	NORTH CENTRL:(2)	634	25.7 %	25.7%
3	SOUTH:(3)	807	32.7 %	32.7%
4	WEST:(4)	563	22.8 %	22.8%

Based upon 2470 valid cases out of 2470 total cases.

V16	**LARGE MSA = 1/NOT = 0**

Location:	24-25 (width: 2; decimal: 0)
Variable Type:	numeric
Question:	

Component variable, along with V17, for a standardized

3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	Label	Unweighted Frequency	%	Valid %
0	NOT:(0)	1580	64.0 %	64.0%
1	LARGE MSA:(1)	890	36.0 %	36.0%

Based upon 2470 valid cases out of 2470 total cases.

V17	MSA/NON-MSA = 0

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

Question:

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	Label	Unweighted Frequency	%	Valid %
0	NOT:(0)	489	19.8 %	19.8%
1	MSA:(1)	1981	80.2 %	80.2%

Based upon 2470 valid cases out of 2470 total cases.

V3208	113A01 :VRY HPY THS DAYS

Location: 28-29 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

Value	Label	Unweighted Frequency	%	Valid %
1	NT HAPPY:(1)	366	14.8 %	14.9%

Value	Label	Unweighted Frequency	%	Valid %
2	PRTY HPY:(2)	1521	61.6 %	61.9%
3	VRY HPY:(3)	570	23.1 %	23.2%
-9 (M)	MISSING:(-9)	13	0.5 %	-

Based upon 2457 valid cases out of 2470 total cases.

V3209	113A02 :THK ABT SOC ISSU

Location: 30-31 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06880

Some people think a lot about the social problems of the nation and the world, and about how they might be solved. Others spend little time thinking about these issues. How much do you think about such things?

1="Never" 2="Seldom" 3="Sometimes" 4="Quite often" 5="A great deal"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	97	3.9 %	4.0%
2	SELDOM:(2)	427	17.3 %	17.4%
3	SOMETIME:(3)	1176	47.6 %	48.0%
4	QUITE OFTN:(4)	603	24.4 %	24.6%
5	GREAT DEAL:(5)	149	6.0 %	6.1%
-9 (M)	MISSING:(-9)	18	0.7 %	-

Based upon 2452 valid cases out of 2470 total cases.

V3210	113A03A:MEN/WOMN/ = $, = WRK

Location: 32-33 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07930

The next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A: Men and women should be paid the same money if they do the same work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	71	2.9 %	2.9%
2	MOST DIS:(2)	31	1.3 %	1.3%
3	NEITHER:(3)	82	3.3 %	3.3%
4	MOST AGR:(4)	300	12.1 %	12.2%
5	AGREE:(5)	1976	80.0 %	80.3%
-9 (M)	MISSING:(-9)	10	0.4 %	-

Based upon 2460 valid cases out of 2470 total cases.

V3211	**113A03B:CNSDR WMN/HI JOB**

Location:	34-35 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07940

How much do you agree or disagree with each statement below?

B: Women should be considered as seriously as men for jobs
as executives or politicians

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	64	2.6 %	2.6%
2	MOST DIS:(2)	66	2.7 %	2.7%
3	NEITHER:(3)	132	5.3 %	5.4%
4	MOST AGR:(4)	417	16.9 %	17.0%
5	AGREE:(5)	1775	71.9 %	72.3%
-9 (M)	MISSING:(-9)	16	0.6 %	-

Based upon 2454 valid cases out of 2470 total cases.

V3212	**113A03C:WMN SHD = JOB OPP**

Location:	36-37 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07950

How much do you agree or disagree with each statement below?

C: A woman should have exactly the same job opportunities as a man

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	89	3.6 %	3.6%
2	MOST DIS:(2)	66	2.7 %	2.7%
3	NEITHER:(3)	133	5.4 %	5.4%
4	MOST AGR:(4)	545	22.1 %	22.3%
5	AGREE:(5)	1611	65.2 %	65.9%
-9 (M)	MISSING:(-9)	26	1.1 %	-

Based upon 2444 valid cases out of 2470 total cases.

V3213	113A03D:WMN SHD = ED OPP

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07960

How much do you agree or disagree with each statement below?

D: A woman should have exactly the same educational opportunities as a man

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	33	1.3 %	1.4%
2	MOST DIS:(2)	18	0.7 %	0.7%
3	NEITHER:(3)	40	1.6 %	1.6%
4	MOST AGR:(4)	192	7.8 %	7.9%
5	AGREE:(5)	2157	87.3 %	88.4%
-9 (M)	MISSING:(-9)	30	1.2 %	-

Based upon 2440 valid cases out of 2470 total cases.

V3214	113A03E:MN = ACHV/WMN = HOME

Location: 40-41 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07970

How much do you agree or disagree with each statement below?

E: It is usually better for everyone involved if the man is
the achiever outside the home and the woman takes care of
the home and family

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	643	26.0 %	26.3%
2	MOST DIS:(2)	400	16.2 %	16.4%
3	NEITHER:(3)	633	25.6 %	25.9%
4	MOST AGR:(4)	467	18.9 %	19.1%
5	AGREE:(5)	300	12.1 %	12.3%
-9 (M)	MISSING:(-9)	27	1.1 %	-

Based upon 2443 valid cases out of 2470 total cases.

V3215	**113A03F:CHL SUFF W WK MO**

Location: 42-43 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07980

How much do you agree or disagree with each statement below?

F: A preschool child is likely to suffer if the mother works

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	744	30.1 %	30.5%
2	MOST DIS:(2)	537	21.7 %	22.0%
3	NEITHER:(3)	612	24.8 %	25.1%
4	MOST AGR:(4)	346	14.0 %	14.2%
5	AGREE:(5)	197	8.0 %	8.1%
-9 (M)	MISSING:(-9)	34	1.4 %	-

Based upon 2436 valid cases out of 2470 total cases.

V3216	**113A03G:WK MO AS WRM REL**

Location:	44-45 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07990

How much do you agree or disagree with each statement below?

G: A working mother can establish just as warm and secure a relationship with her children as a mother who does not work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	155	6.3 %	6.3%
2	MOST DIS:(2)	302	12.2 %	12.3%
3	NEITHER:(3)	283	11.5 %	11.5%
4	MOST AGR:(4)	694	28.1 %	28.3%
5	AGREE:(5)	1020	41.3 %	41.6%
-9 (M)	MISSING:(-9)	16	0.6 %	-

Based upon 2454 valid cases out of 2470 total cases.

V3217	**113A04A:POLLUT INCREASED**

Location:	46-47 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08000

The next questions are about pollution and the environment.
How much do you agree or disagree with each statement below?

A: Pollution of most types has increased in the U.S. in the last ten years

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	43	1.7 %	1.8%
2	MOST DIS:(2)	84	3.4 %	3.4%
3	NEITHER:(3)	299	12.1 %	12.2%
4	MOST AGR:(4)	751	30.4 %	30.8%
5	AGREE:(5)	1264	51.2 %	51.8%
-9 (M)	MISSING:(-9)	29	1.2 %	-

Based upon 2441 valid cases out of 2470 total cases.

V3218	113A04B:GOVT DEAL ENV PR

Location:	48-49 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08010

How much do you agree or disagree with each statement below?

B: Government should take steps to deal with our environmental
problems, even if it means that most of us pay higher prices
or taxes

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	268	10.9 %	11.0%
2	MOST DIS:(2)	341	13.8 %	13.9%
3	NEITHER:(3)	642	26.0 %	26.3%
4	MOST AGR:(4)	707	28.6 %	28.9%
5	AGREE:(5)	487	19.7 %	19.9%
-9 (M)	MISSING:(-9)	25	1.0 %	-

Based upon 2445 valid cases out of 2470 total cases.

V3219	113A04C:MR$ FR LASTG THG

Location:	50-51 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08020

How much do you agree or disagree with each statement below?

C: I would prefer to pay more money for things that will last
a long time, rather than have them cost less and break sooner

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	45	1.8 %	1.8%
2	MOST DIS:(2)	54	2.2 %	2.2%
3	NEITHER:(3)	255	10.3 %	10.5%

Value	Label	Unweighted Frequency	%	Valid %
4	MOST AGR:(4)	675	27.3 %	27.7%
5	AGREE:(5)	1408	57.0 %	57.8%
-9 (M)	MISSING:(-9)	33	1.3 %	-

Based upon 2437 valid cases out of 2470 total cases.

V3220	113A04D:USE BYC/MAS TRAN

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08030

How much do you agree or disagree with each statement below?

D: I would probably be willing to use a bicycle or mass transit (if available) rather than a car to get to work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	674	27.3 %	27.6%
2	MOST DIS:(2)	452	18.3 %	18.5%
3	NEITHER:(3)	394	16.0 %	16.2%
4	MOST AGR:(4)	491	19.9 %	20.1%
5	AGREE:(5)	427	17.3 %	17.5%
-9 (M)	MISSING:(-9)	32	1.3 %	-

Based upon 2438 valid cases out of 2470 total cases.

V3221	113A04E:EAT DIF->FD STRV

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08040

How much do you agree or disagree with each statement below?

E: I would be willing to eat less meat and more grains and vegetables, if it would help provide food for starving people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	299	12.1 %	12.3%
2	MOST DIS:(2)	220	8.9 %	9.0%
3	NEITHER:(3)	401	16.2 %	16.5%
4	MOST AGR:(4)	683	27.7 %	28.1%
5	AGREE:(5)	831	33.6 %	34.1%
-9 (M)	MISSING:(-9)	36	1.5 %	-

Based upon 2434 valid cases out of 2470 total cases.

V3222	**113A05A:LIK WRK CAN FRGT**

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08050

In the following list you will find some statements about leisure time and work. Please show whether you agree or disagree with each statement.

A: I like the kind of work you can forget about after the work day is over

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	315	12.8 %	12.9%
2	MOST DIS:(2)	366	14.8 %	15.0%
3	NEITHER:(3)	592	24.0 %	24.3%
4	MOST AGR:(4)	589	23.8 %	24.1%
5	AGREE:(5)	577	23.4 %	23.7%
-9 (M)	MISSING:(-9)	31	1.3 %	-

Based upon 2439 valid cases out of 2470 total cases.

V3223	**113A05B:WRK = ONLY MK LVNG**

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08060

Please show whether you agree or disagree with each statement.

B: To me, work is nothing more than making a living

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	600	24.3 %	24.6%
2	MOST DIS:(2)	615	24.9 %	25.2%
3	NEITHER:(3)	409	16.6 %	16.8%
4	MOST AGR:(4)	461	18.7 %	18.9%
5	AGREE:(5)	356	14.4 %	14.6%
-9 (M)	MISSING:(-9)	29	1.2 %	-

Based upon 2441 valid cases out of 2470 total cases.

V3224	**113A05C:WRK CNTRL PRT LF**

Location:	60-61 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08070

Please show whether you agree or disagree with each statement.

C: I expect my work to be a very central part of my life

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	99	4.0 %	4.1%
2	MOST DIS:(2)	216	8.7 %	8.9%
3	NEITHER:(3)	516	20.9 %	21.2%
4	MOST AGR:(4)	1020	41.3 %	41.9%
5	AGREE:(5)	581	23.5 %	23.9%
-9 (M)	MISSING:(-9)	38	1.5 %	-

Based upon 2432 valid cases out of 2470 total cases.

V3225	**113A05D:OVTM 2DO BST JOB**

Location:	62-63 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08080

Please show whether you agree or disagree with each statement.

D: I want to do my best in my job, even if this sometimes
means working overtime

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	46	1.9 %	1.9%
2	MOST DIS:(2)	65	2.6 %	2.7%
3	NEITHER:(3)	228	9.2 %	9.4%
4	MOST AGR:(4)	903	36.6 %	37.1%
5	AGREE:(5)	1195	48.4 %	49.0%
-9 (M)	MISSING:(-9)	33	1.3 %	-

Based upon 2437 valid cases out of 2470 total cases.

V3226	**113A05E:SAME JOB MST LIF**

Location: 64-65 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M):   -9
Question:

Item Number: 08090

Please show whether you agree or disagree with each statement.

E: I would like to stay in the same job for most of my adult
life

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	244	9.9 %	10.0%
2	MOST DIS:(2)	222	9.0 %	9.1%
3	NEITHER:(3)	463	18.7 %	19.0%
4	MOST AGR:(4)	705	28.5 %	29.0%
5	AGREE:(5)	801	32.4 %	32.9%
-9 (M)	MISSING:(-9)	35	1.4 %	-

Based upon 2435 valid cases out of 2470 total cases.

V3227	**113A06 :ENUF$,NT WNT WRK**

Location: 66-67 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M):   -9

Question:

Item Number: 08100

If you were to get enough money to live as comfortably as you'd like for the rest of your life, would you want to work?

1="I would want to work" 2="I would not want to work"

Value	Label	Unweighted Frequency	%	Valid %
1	WORK:(1)	1715	69.4 %	72.1%
2	NOT WORK:(2)	665	26.9 %	27.9%
-9 (M)	MISSING:(-9)	90	3.6 %	-

Based upon 2380 valid cases out of 2470 total cases.

V3228	**113A07A:DES FRND OTH RC**

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08110

The next questions are about living or working with people of different races. Please rate each of the statements below using the following terms:

Not at all acceptable: I'd avoid this if I possibly could.

Somewhat acceptable: I could live with this, but not be happy about it.

Acceptable: This would be O.K., or I'd be neutral about this.

Desirable: I'd really like this.

How would you feel about . . .

A: . . . Having close personal friends of another race?

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	36	1.5 %	1.5%
2	SOMEWHAT:(2)	66	2.7 %	2.7%
3	ACCEPTBL:(3)	1285	52.0 %	52.9%
4	DESIRBL:(4)	1042	42.2 %	42.9%
-9 (M)	MISSING:(-9)	41	1.7 %	-

Based upon 2429 valid cases out of 2470 total cases.

| V3229 | 113A07B:DES SUPVR DIF RC | | | |

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08120

How would you feel about . . .

B: . . . Having a job with a supervisor of a different race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	46	1.9 %	1.9%
2	SOMEWHAT:(2)	116	4.7 %	4.8%
3	ACCEPTBL:(3)	1643	66.5 %	67.6%
4	DESIRBL:(4)	625	25.3 %	25.7%
-9 (M)	MISSING:(-9)	40	1.6 %	-

Based upon 2430 valid cases out of 2470 total cases.

| V3230 | 113A07C:DES FAM NX DF RC | | | |

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08130

How would you feel about . . .

C: . . . Having a family of a different race (but same level of education and income) move next door to you?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	50	2.0 %	2.1%
2	SOMEWHAT:(2)	93	3.8 %	3.8%
3	ACCEPTBL:(3)	1445	58.5 %	59.6%
4	DESIRBL:(4)	838	33.9 %	34.5%
-9 (M)	MISSING:(-9)	44	1.8 %	-

Based upon 2426 valid cases out of 2470 total cases.

V3231	113A07D:DES CHL FD SM RC

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08140

How would you feel about . . .

D: . . . Having your (future) children's friends be all of
your race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	288	11.7 %	11.9%
2	SOMEWHAT:(2)	495	20.0 %	20.4%
3	ACCEPTBL:(3)	1274	51.6 %	52.6%
4	DESIRBL:(4)	366	14.8 %	15.1%
-9 (M)	MISSING:(-9)	47	1.9 %	-

Based upon 2423 valid cases out of 2470 total cases.

V3232	113A07E:DES CHL FD OT RC

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08150

How would you feel about . . .

E: . . . Having some of your (future) children's friends be of
other races?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	44	1.8 %	1.8%
2	SOMEWHAT:(2)	121	4.9 %	5.0%
3	ACCEPTBL:(3)	1296	52.5 %	53.5%
4	DESIRBL:(4)	960	38.9 %	39.7%
-9 (M)	MISSING:(-9)	49	2.0 %	-

Based upon 2421 valid cases out of 2470 total cases.

V3233	113A08A:DES AL WKS SM RC

Location:	78-79 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08160

How would you feel about having a job where . . .

A: . . . all the employees are of your race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	247	10.0 %	10.2%
2	SOMEWHAT:(2)	495	20.0 %	20.4%
3	ACCEPTBL:(3)	1359	55.0 %	56.1%
4	DESIRBL:(4)	323	13.1 %	13.3%
-9 (M)	MISSING:(-9)	46	1.9 %	-

Based upon 2424 valid cases out of 2470 total cases.

V3234	113A08B:DES SO WKS DF RC

Location:	80-81 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08170

How would you feel about having a job where . . .

B: . . . some employees are of a different race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	25	1.0 %	1.0%
2	SOMEWHAT:(2)	108	4.4 %	4.5%
3	ACCEPTBL:(3)	1581	64.0 %	65.2%
4	DESIRBL:(4)	712	28.8 %	29.3%
-9 (M)	MISSING:(-9)	44	1.8 %	-

Based upon 2426 valid cases out of 2470 total cases.

V3235	**113A08C:DES MS WKS DF RC**

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08180

How would you feel about having a job where . . .

C: . . . most employees are of a different race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	125	5.1 %	5.2%
2	SOMEWHAT:(2)	435	17.6 %	18.0%
3	ACCEPTBL:(3)	1440	58.3 %	59.5%
4	DESIRBL:(4)	422	17.1 %	17.4%
-9 (M)	MISSING:(-9)	48	1.9 %	-

Based upon 2422 valid cases out of 2470 total cases.

V3236	**113A09A:DES AL NGB SM RC**

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08190

How would you feel about living in an area where . . .

A: . . . all the neighbors are of your race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	227	9.2 %	9.4%
2	SOMEWHAT:(2)	415	16.8 %	17.1%
3	ACCEPTBL:(3)	1364	55.2 %	56.2%
4	DESIRBL:(4)	420	17.0 %	17.3%
-9 (M)	MISSING:(-9)	44	1.8 %	-

Based upon 2426 valid cases out of 2470 total cases.

V3237	**113A09B:DES SO NGB OT RC**

Location:	86-87 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08200

How would you feel about living in an area where . . .

B: . . . some of the neighbors are of other races?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	38	1.5 %	1.6%
2	SOMEWHAT:(2)	147	6.0 %	6.1%
3	ACCEPTBL:(3)	1627	65.9 %	67.1%
4	DESIRBL:(4)	614	24.9 %	25.3%
-9 (M)	MISSING:(-9)	44	1.8 %	-

Based upon 2426 valid cases out of 2470 total cases.

V3238	**113A09C:DES MS NGB OT RC**

Location:	88-89 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08210

How would you feel about living in an area where . . .

C: . . . most of the neighbors are of other races?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	196	7.9 %	8.1%
2	SOMEWHAT:(2)	482	19.5 %	19.9%
3	ACCEPTBL:(3)	1379	55.8 %	56.9%
4	DESIRBL:(4)	365	14.8 %	15.1%
-9 (M)	MISSING:(-9)	48	1.9 %	-

Based upon 2422 valid cases out of 2470 total cases.

V3239	**113A10A:DES AL CHL SM RC**

Location:	90-91 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08220

How would you feel about having your (future) children go to schools where . . .

A: . . . all the children are of your race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	387	15.7 %	16.0%
2	SOMEWHAT:(2)	415	16.8 %	17.1%
3	ACCEPTBL:(3)	1252	50.7 %	51.7%
4	DESIRBL:(4)	367	14.9 %	15.2%
-9 (M)	MISSING:(-9)	49	2.0 %	-

Based upon 2421 valid cases out of 2470 total cases.

V3240	**113A10B:DES SM CHL OT RC**

Location:	92-93 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08230

How would you feel about having your (future) children go to schools where . . .

B: . . . some of the children are of other races?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	35	1.4 %	1.4%
2	SOMEWHAT:(2)	147	6.0 %	6.1%
3	ACCEPTBL:(3)	1508	61.1 %	62.3%
4	DESIRBL:(4)	729	29.5 %	30.1%
-9 (M)	MISSING:(-9)	51	2.1 %	-

Based upon 2419 valid cases out of 2470 total cases.

V3241	**113A10C:DES MS CHL OT RC**

Location:	94-95 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08240

How would you feel about having your (future) children go to schools where . . .

C: . . . most of the children are of other races?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	244	9.9 %	10.1%
2	SOMEWHAT:(2)	497	20.1 %	20.5%
3	ACCEPTBL:(3)	1284	52.0 %	53.1%
4	DESIRBL:(4)	395	16.0 %	16.3%
-9 (M)	MISSING:(-9)	50	2.0 %	-

Based upon 2420 valid cases out of 2470 total cases.

V3242	**113A11 :FRNDS AL OT RC**

Location:	96-97 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08250

What race are your close friends?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race"
4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost
All Other Race(s)"

Value	Label	Unweighted Frequency	%	Valid %
1	ALL MY:(1)	332	13.4 %	13.8%
2	ALM ALL MY:(2)	588	23.8 %	24.4%
3	MOST MY:(3)	603	24.4 %	25.1%
4	HALF MY:(4)	460	18.6 %	19.1%
5	MOST OTH:(5)	235	9.5 %	9.8%
6	ALM ALL OTH:(6)	188	7.6 %	7.8%
-9 (M)	MISSING:(-9)	64	2.6 %	-

Based upon 2406 valid cases out of 2470 total cases.

V3243	113A12 :NGBHD AL OT RC				

Location: 98-99 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08260

What race are the people in your neighborhood?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race" 4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost All Other Race(s)"

Value	Label	Unweighted Frequency	%	Valid %
1	ALL MY:(1)	432	17.5 %	18.0%
2	ALM ALL MY:(2)	583	23.6 %	24.3%
3	MOST MY:(3)	432	17.5 %	18.0%
4	HALF MY:(4)	352	14.3 %	14.6%
5	MOST OTH:(5)	331	13.4 %	13.8%
6	ALM ALL OTH:(6)	273	11.1 %	11.4%
-9 (M)	MISSING:(-9)	67	2.7 %	-

Based upon 2403 valid cases out of 2470 total cases.

V3244	113A13 :ELEMSCH AL OT RC				

Location: 100-101 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08270

What race were the students in the elementary school where you spent the most time?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race" 4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost All Other Race(s)"

Value	Label	Unweighted Frequency	%	Valid %
1	ALL MY:(1)	359	14.5 %	14.9%
2	ALM ALL MY:(2)	621	25.1 %	25.8%
3	MOST MY:(3)	465	18.8 %	19.4%
4	HALF MY:(4)	420	17.0 %	17.5%
5	MOST OTH:(5)	287	11.6 %	11.9%
6	ALM ALL OTH:(6)	251	10.2 %	10.4%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	67	2.7 %	-

Based upon 2403 valid cases out of 2470 total cases.

V3245	**113A14 :HISCH AL OT RC**

Location:	102-103 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08280

What race are the students in your present school (if you are in school)?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race" 4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost All Other Race(s)"

Value	Label	Unweighted Frequency	%	Valid %
1	ALL MY:(1)	94	3.8 %	3.9%
2	ALM ALL MY:(2)	461	18.7 %	19.2%
3	MOST MY:(3)	566	22.9 %	23.6%
4	HALF MY:(4)	569	23.0 %	23.7%
5	MOST OTH:(5)	397	16.1 %	16.6%
6	ALM ALL OTH:(6)	311	12.6 %	13.0%
-9 (M)	MISSING:(-9)	72	2.9 %	-

Based upon 2398 valid cases out of 2470 total cases.

V3246	**113A15 :WRKRS AL OT RC**

Location:	104-105 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08290

What race are the people that you work with on your job (if you have a job)?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race" 4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost All Other Race(s)"

Value	Label	Unweighted Frequency	%	Valid %
1	ALL MY:(1)	372	15.1 %	19.1%

Value	Label	Unweighted Frequency	%	Valid %
2	ALM ALL MY:(2)	388	15.7 %	19.9%
3	MOST MY:(3)	359	14.5 %	18.4%
4	HALF MY:(4)	367	14.9 %	18.8%
5	MOST OTH:(5)	260	10.5 %	13.4%
6	ALM ALL OTH:(6)	201	8.1 %	10.3%
-9 (M)	MISSING:(-9)	523	21.2 %	-

Based upon 1947 valid cases out of 2470 total cases.

V3247   **113A16 :DO LOT THG OT RC**

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08300

How often do you do things (like having a conversation, eating together, playing sports) with people of other races?

1="Not at all" 2="A little" 3="Some" 4="A lot"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	88	3.6 %	3.6%
2	A LITTLE:(2)	355	14.4 %	14.7%
3	SOME:(3)	853	34.5 %	35.4%
4	A LOT:(4)	1115	45.1 %	46.2%
-9 (M)	MISSING:(-9)	59	2.4 %	-

Based upon 2411 valid cases out of 2470 total cases.

V3248   **113A17 :VRY GD EXP OT RC**

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08310

Generally, how do you feel about the experiences you have had with people of other races?

5="Very good" 4="Mostly good" 3="Mixed" 2="Mostly bad" 1="Very bad"

Value	Label	Unweighted Frequency	%	Valid %
1	VERY BAD:(1)	24	1.0 %	1.0%
2	MSTLY BAD:(2)	45	1.8 %	1.9%
3	MIXED:(3)	626	25.3 %	26.0%
4	MSTLY GOOD:(4)	1029	41.7 %	42.7%
5	VRY GOOD:(5)	684	27.7 %	28.4%
-9 (M)	MISSING:(-9)	62	2.5 %	-

Based upon 2408 valid cases out of 2470 total cases.

V3249	**113A18 :MARRD OR ENGAGED**

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08320

The next questions are about some of your own plans. Are you married or engaged?

1="Married--SKIP TO QUESTION 20" 2="Engaged" 3="Neither"

Value	Label	Unweighted Frequency	%	Valid %
1	MARRIED:(1)	10	0.4 %	0.4%
2	ENGAGED:(2)	89	3.6 %	4.0%
3	NEITHER:(3)	2146	86.9 %	95.6%
-9 (M)	MISSING:(-9)	225	9.1 %	-

Based upon 2245 valid cases out of 2470 total cases.

V3250	**113A19 :WHN WANT GT MARR**

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08330

If it were just up to you, what would be the ideal time for you to get married?

1="Within the next year or so" 2="Two or three years from now"
3="Four or five years from now" 4="Over five years from now"
5="I don't want to marry"

Value	Label	Unweighted Frequency	%	Valid %
1	NEXT YR:(1)	80	3.2 %	3.5%
2	2-3 YRS:(2)	209	8.5 %	9.2%
3	4-5 YRS:(3)	664	26.9 %	29.3%
4	OVER 5 YRS:(4)	1183	47.9 %	52.3%
5	WONT MARRY:(5)	128	5.2 %	5.7%
-9 (M)	MISSING:(-9)	206	8.3 %	-

Based upon 2264 valid cases out of 2470 total cases.

V3251	**113A20 :THGT LOT HAV CHL**

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08340

Have you thought at all about whether you'd like to have children or how many you'd like to have?

3="I've thought about it a lot" 2="I've thought about it a little" 1="I haven't thought about it at all"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	218	8.8 %	9.2%
2	A LITTLE:(2)	1330	53.8 %	56.0%
3	A LOT:(3)	825	33.4 %	34.8%
-9 (M)	MISSING:(-9)	97	3.9 %	-

Based upon 2373 valid cases out of 2470 total cases.

V3252	**113A21 :# CHLDN WANT(6+)**

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08350

All things considered, if you could have exactly the number of children you want, what number would you choose to have?

1="None" 2="One" 3="Two" 4="Three" 5="Four" 6="Five" 7="Six or more" 8="Don't know"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	89	3.6 %	3.7%
2	ONE:(2)	144	5.8 %	6.0%
3	TWO:(3)	992	40.2 %	41.4%
4	THREE:(4)	558	22.6 %	23.3%
5	FOUR:(5)	296	12.0 %	12.4%
6	FIVE:(6)	58	2.3 %	2.4%
7	SIX+:(7)	63	2.6 %	2.6%
8	DK:(8)	194	7.9 %	8.1%
-9 (M)	MISSING:(-9)	76	3.1 %	-

Based upon 2394 valid cases out of 2470 total cases.

V3253	**113A22 :IF -POP, MR CHLD**

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08360

If the "population explosion" were NOT a problem, would you choose to have a larger number of children?

4="Yes, I'm sure I would want more" 3="I probably would want more" 2="I probably would not want more" 1="I'm sure I would not want more" 8="Don't know, no idea"

Value	Label	Unweighted Frequency	%	Valid %
1	SURE NOT:(1)	832	33.7 %	34.3%
2	PROBLY NOT:(2)	707	28.6 %	29.2%
3	PROBABLY:(3)	193	7.8 %	8.0%
4	YES:(4)	146	5.9 %	6.0%
8	DK:(8)	546	22.1 %	22.5%
-9 (M)	MISSING:(-9)	46	1.9 %	-

Based upon 2424 valid cases out of 2470 total cases.

V3254	**113A23 :WHN 1ST CHL(5+Y)**

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08370

If it were just up to you, how soon after getting married would you want to have your first child?

1="I don't want to have children (or get married)" 2="I wouldn't wait at all" 3="I would wait one year" 4="I would wait two years" 5="I would wait three years" 6="I would wait four or five years" 7="I would wait more than five years" 8="Don't know, or already have a child"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT WANT:(1)	102	4.1 %	4.3%
2	NO WAIT:(2)	178	7.2 %	7.4%
3	WAIT 1 YR:(3)	740	30.0 %	30.9%
4	WAIT 2 YRS:(4)	634	25.7 %	26.5%
5	WAIT 3 YRS:(5)	252	10.2 %	10.5%
6	WAIT 4-5 YRS:(6)	154	6.2 %	6.4%
7	WAIT >5 YRS:(7)	39	1.6 %	1.6%
8	DK/HAV KID:(8)	294	11.9 %	12.3%
-9 (M)	MISSING:(-9)	77	3.1 %	-

Based upon 2393 valid cases out of 2470 total cases.

V3255   113A24A:GD JB LARG CORPS

Location:	122-123 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08380

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that best describes how you feel. How good or bad a job is being done for the country as a whole by . . .

A: . . . Large corporations?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	166	6.7 %	6.9%
2	POOR:(2)	364	14.7 %	15.2%
3	FAIR:(3)	657	26.6 %	27.4%
4	GOOD:(4)	494	20.0 %	20.6%
5	VRY GOOD:(5)	130	5.3 %	5.4%
8	NO OPINION:(8)	591	23.9 %	24.6%
-9 (M)	MISSING:(-9)	68	2.8 %	-

Based upon 2402 valid cases out of 2470 total cases.

V3256	113A24B:GD JB LBR UNIONS

Location:	124-125 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08390

How good or bad a job is being done for the country as a whole by . . .

B: . . . Major labor unions?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	117	4.7 %	4.9%
2	POOR:(2)	302	12.2 %	12.6%
3	FAIR:(3)	702	28.4 %	29.2%
4	GOOD:(4)	427	17.3 %	17.8%
5	VRY GOOD:(5)	121	4.9 %	5.0%
8	NO OPINION:(8)	731	29.6 %	30.5%
-9 (M)	MISSING:(-9)	70	2.8 %	-

Based upon 2400 valid cases out of 2470 total cases.

V3257	113A24C:GD JB COLLG/UNIV

Location:	126-127 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08400

How good or bad a job is being done for the country as a whole by . . .

C: . . . The nation's colleges and universities?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	68	2.8 %	2.8%
2	POOR:(2)	139	5.6 %	5.8%
3	FAIR:(3)	485	19.6 %	20.2%

Value	Label	Unweighted Frequency	%	Valid %
4	GOOD:(4)	885	35.8 %	36.8%
5	VRY GOOD:(5)	550	22.3 %	22.9%
8	NO OPINION:(8)	275	11.1 %	11.4%
-9 (M)	MISSING:(-9)	68	2.8 %	-

Based upon 2402 valid cases out of 2470 total cases.

V3258	113A24D:GD JB PBLC SCHOL

Location: 128-129 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08410

How good or bad a job is being done for the country as a whole by . . .

D: . . . The nation's public schools?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	214	8.7 %	8.9%
2	POOR:(2)	451	18.3 %	18.8%
3	FAIR:(3)	748	30.3 %	31.2%
4	GOOD:(4)	529	21.4 %	22.1%
5	VRY GOOD:(5)	212	8.6 %	8.8%
8	NO OPINION:(8)	244	9.9 %	10.2%
-9 (M)	MISSING:(-9)	72	2.9 %	-

Based upon 2398 valid cases out of 2470 total cases.

V3259	113A24E:GD JB CHURCHES

Location: 130-131 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08420

How good or bad a job is being done for the country as a whole by . . .

E: . . . Churches and religious organizations?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No

Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	124	5.0 %	5.2%
2	POOR:(2)	166	6.7 %	6.9%
3	FAIR:(3)	601	24.3 %	25.0%
4	GOOD:(4)	625	25.3 %	26.0%
5	VRY GOOD:(5)	364	14.7 %	15.2%
8	NO OPINION:(8)	521	21.1 %	21.7%
-9 (M)	MISSING:(-9)	69	2.8 %	-

Based upon 2401 valid cases out of 2470 total cases.

V3260	**113A24F:GD JB NEWS MEDIA**

Location:	132-133 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08430

How good or bad a job is being done for the country as a whole by . . .

F: . . . The national news media (TV, magazines, news services)?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	270	10.9 %	11.2%
2	POOR:(2)	364	14.7 %	15.1%
3	FAIR:(3)	623	25.2 %	25.9%
4	GOOD:(4)	508	20.6 %	21.1%
5	VRY GOOD:(5)	297	12.0 %	12.4%
8	NO OPINION:(8)	341	13.8 %	14.2%
-9 (M)	MISSING:(-9)	67	2.7 %	-

Based upon 2403 valid cases out of 2470 total cases.

V3261	**113A24G:GD JB PRES/ADMIN**

Location:	134-135 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08440

How good or bad a job is being done for the country as a whole by . . .

G: . . . The President and his administration?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	298	12.1 %	12.4%
2	POOR:(2)	363	14.7 %	15.1%
3	FAIR:(3)	707	28.6 %	29.4%
4	GOOD:(4)	507	20.5 %	21.1%
5	VRY GOOD:(5)	155	6.3 %	6.5%
8	NO OPINION:(8)	372	15.1 %	15.5%
-9 (M)	MISSING:(-9)	68	2.8 %	-

Based upon 2402 valid cases out of 2470 total cases.

V3262   113A24H:GD JB CONGRESS

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08450

How good or bad a job is being done for the country as a whole by . . .

H: . . . Congress--that is, the U.S. Senate and House of Representatives?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	224	9.1 %	9.3%
2	POOR:(2)	432	17.5 %	18.0%
3	FAIR:(3)	715	28.9 %	29.8%
4	GOOD:(4)	340	13.8 %	14.2%
5	VRY GOOD:(5)	71	2.9 %	3.0%
8	NO OPINION:(8)	614	24.9 %	25.6%
-9 (M)	MISSING:(-9)	74	3.0 %	-

Based upon 2396 valid cases out of 2470 total cases.

V3263	113A24I:GD JB SUPRM CRT

Location:	138-139 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08460

How good or bad a job is being done for the country as a whole by . . .

I: . . . The U.S. Supreme Court?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	135	5.5 %	5.7%
2	POOR:(2)	226	9.1 %	9.5%
3	FAIR:(3)	705	28.5 %	29.5%
4	GOOD:(4)	496	20.1 %	20.8%
5	VRY GOOD:(5)	115	4.7 %	4.8%
8	NO OPINION:(8)	710	28.7 %	29.7%
-9 (M)	MISSING:(-9)	83	3.4 %	-

Based upon 2387 valid cases out of 2470 total cases.

V3264	113A24J:GD JB JUSTC SYST

Location:	140-141 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08470

How good or bad a job is being done for the country as a whole by . . .

J: . . . All the courts and the justice system in general?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	170	6.9 %	7.1%
2	POOR:(2)	257	10.4 %	10.7%
3	FAIR:(3)	779	31.5 %	32.5%
4	GOOD:(4)	483	19.6 %	20.2%

Value	Label	Unweighted Frequency	%	Valid %
5	VRY GOOD:(5)	87	3.5 %	3.6%
8	NO OPINION:(8)	620	25.1 %	25.9%
-9 (M)	MISSING:(-9)	74	3.0 %	-

Based upon 2396 valid cases out of 2470 total cases.

V3265	113A24K:GD JB POLICE

Location: 142-143 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 08480

How good or bad a job is being done for the country as a whole by . . .

K: . . . The police and other law enforcement agencies?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	192	7.8 %	8.0%
2	POOR:(2)	268	10.9 %	11.2%
3	FAIR:(3)	751	30.4 %	31.3%
4	GOOD:(4)	629	25.5 %	26.2%
5	VRY GOOD:(5)	202	8.2 %	8.4%
8	NO OPINION:(8)	356	14.4 %	14.8%
-9 (M)	MISSING:(-9)	72	2.9 %	-

Based upon 2398 valid cases out of 2470 total cases.

V3266	113A24L:GD JB MILITARY

Location: 144-145 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 08490

How good or bad a job is being done for the country as a whole by . . .

L: . . . The U.S. military?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No

Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	75	3.0 %	3.1%
2	POOR:(2)	110	4.5 %	4.6%
3	FAIR:(3)	391	15.8 %	16.3%
4	GOOD:(4)	650	26.3 %	27.2%
5	VRY GOOD:(5)	800	32.4 %	33.4%
8	NO OPINION:(8)	366	14.8 %	15.3%
-9 (M)	MISSING:(-9)	78	3.2 %	-

Based upon 2392 valid cases out of 2470 total cases.

V3267	113A25 :MIL TOO MCH INFL

Location:	146-147 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08500

All things considered, do you think the armed services
presently have too much or too little influence on the
way this country is run?

1="Far too little" 2="Too little" 3="About right" 4="Too much"
5="Far too much"

Value	Label	Unweighted Frequency	%	Valid %
1	FAR TOO LTL:(1)	99	4.0 %	4.2%
2	TOO LITTL:(2)	324	13.1 %	13.7%
3	ABT RIGHT:(3)	1442	58.4 %	60.8%
4	TOO MUCH:(4)	407	16.5 %	17.2%
5	FAR TOO MCH:(5)	98	4.0 %	4.1%
-9 (M)	MISSING:(-9)	100	4.0 %	-

Based upon 2370 valid cases out of 2470 total cases.

V3268	113A26 :US TOO MCH$ MILT

Location:	148-149 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08510

Do you think the U.S. spends too much or too little on the
armed services?

1="Far too little" 2="Too little" 3="About right" 4="Too much"
5="Far too much"

Value	Label	Unweighted Frequency	%	Valid %
1	FAR TOO LTL:(1)	88	3.6 %	3.7%
2	TOO LITTL:(2)	303	12.3 %	12.8%
3	ABT RIGHT:(3)	977	39.6 %	41.3%
4	TOO MUCH:(4)	695	28.1 %	29.4%
5	FAR TOO MCH:(5)	301	12.2 %	12.7%
-9 (M)	MISSING:(-9)	106	4.3 %	-

Based upon 2364 valid cases out of 2470 total cases.

V3273	**113A27A:DAP SMK 1PCK CIG**

Location: 150-151 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08560

Individuals differ in whether or not they disapprove of
people doing certain things. Do YOU disapprove of people
(who are 18 or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	396	16.0 %	16.4%
2	DISAPPRV:(2)	687	27.8 %	28.5%
3	STRG DIS:(3)	1327	53.7 %	55.1%
-9 (M)	MISSING:(-9)	60	2.4 %	-

Based upon 2410 valid cases out of 2470 total cases.

V3274	**113A27B:DAP TRY MRJ 1-2T**

Location: 152-153 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08570

Do YOU disapprove of people (who are 18 or older) doing
each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	1184	47.9 %	49.2%
2	DISAPPRV:(2)	547	22.1 %	22.7%
3	STRG DIS:(3)	674	27.3 %	28.0%
-9 (M)	MISSING:(-9)	65	2.6 %	-

Based upon 2405 valid cases out of 2470 total cases.

V3275	**113A27C:DAP SMK MRJ OCCS**

Location:	154-155 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08580

Do YOU disapprove of people (who are 18 or older) doing
each of the following?

C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	955	38.7 %	39.7%
2	DISAPPRV:(2)	584	23.6 %	24.3%
3	STRG DIS:(3)	864	35.0 %	36.0%
-9 (M)	MISSING:(-9)	67	2.7 %	-

Based upon 2403 valid cases out of 2470 total cases.

V3276	**113A27D:DAP SMK MRJ REGL**

Location:	156-157 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08590

Do YOU disapprove of people (who are 18 or older) doing
each of the following?

D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	556	22.5 %	23.2%
2	DISAPPRV:(2)	604	24.5 %	25.2%
3	STRG DIS:(3)	1240	50.2 %	51.7%
-9 (M)	MISSING:(-9)	70	2.8 %	-

Based upon 2400 valid cases out of 2470 total cases.

V3277   **113A27E:DAP TRY LSD 1-2T**

Location: 158-159 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08600

Do YOU disapprove of people (who are 18 or older) doing
each of the following?

E: Trying LSD once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	333	13.5 %	13.9%
2	DISAPPRV:(2)	484	19.6 %	20.2%
3	STRG DIS:(3)	1576	63.8 %	65.9%
-9 (M)	MISSING:(-9)	77	3.1 %	-

Based upon 2393 valid cases out of 2470 total cases.

V3278   **113A27F:DAP TKG LSD REGL**

Location: 160-161 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08610

Do YOU disapprove of people (who are 18 or older) doing
each of the following?

F: Taking LSD regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	133	5.4 %	5.5%

Value	Label	Unweighted Frequency	%	Valid %
2	DISAPPRV:(2)	390	15.8 %	16.2%
3	STRG DIS:(3)	1882	76.2 %	78.3%
-9 (M)	MISSING:(-9)	65	2.6 %	-

Based upon 2405 valid cases out of 2470 total cases.

V3279	113A27G:DAP TRY HRN 1-2T

Location:	162-163 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08620

Do YOU disapprove of people (who are 18 or older) doing each of the following?

G: Trying heroin once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	141	5.7 %	5.8%
2	DISAPPRV:(2)	309	12.5 %	12.8%
3	STRG DIS:(3)	1962	79.4 %	81.3%
-9 (M)	MISSING:(-9)	58	2.3 %	-

Based upon 2412 valid cases out of 2470 total cases.

V3280	113A27H:DAP TKG HRN OCCS

Location:	164-165 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08630

Do YOU disapprove of people (who are 18 or older) doing each of the following?

H: Taking heroin occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	99	4.0 %	4.1%
2	DISAPPRV:(2)	243	9.8 %	10.1%

Value	Label	Unweighted Frequency	%	Valid %
3	STRG DIS:(3)	2065	83.6 %	85.8%
-9 (M)	MISSING:(-9)	63	2.6 %	-

Based upon 2407 valid cases out of 2470 total cases.

V3281	**113A27I:DAP TKG HRN REGL**

Location: 166-167 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08640

Do YOU disapprove of people (who are 18 or older) doing
each of the following?

I: Taking heroin regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	89	3.6 %	3.7%
2	DISAPPRV:(2)	194	7.9 %	8.1%
3	STRG DIS:(3)	2111	85.5 %	88.2%
-9 (M)	MISSING:(-9)	76	3.1 %	-

Based upon 2394 valid cases out of 2470 total cases.

V3507	**113A27J:DAP TRY SED/B1-2**

Location: 168-169 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08655

Do YOU disapprove of people (who are 18 or older) doing
each of the following?

J: Taking a sedative/barbiturate (downer) once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	313	12.7 %	13.1%
2	DISAPPRV:(2)	541	21.9 %	22.6%
3	STRG DIS:(3)	1544	62.5 %	64.4%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	72	2.9 %	-

Based upon 2398 valid cases out of 2470 total cases.

V3508	113A27K:DAP USE SED/BREG

Location: 170-171 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08665

Do YOU disapprove of people (who are 18 or older) doing each of the following?

K: Taking a sedative/barbiturate (downer) regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	137	5.5 %	5.7%
2	DISAPPRV:(2)	392	15.9 %	16.4%
3	STRG DIS:(3)	1861	75.3 %	77.9%
-9 (M)	MISSING:(-9)	80	3.2 %	-

Based upon 2390 valid cases out of 2470 total cases.

V3284	113A27L:DAP TRY AMP 1-2T

Location: 172-173 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08670

Do YOU disapprove of people (who are 18 or older) doing each of the following?

L: Trying an amphetamine (uppers, speed, Adderall, Ritalin, etc.) once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	395	16.0 %	16.5%
2	DISAPPRV:(2)	492	19.9 %	20.5%
3	STRG DIS:(3)	1510	61.1 %	63.0%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	73	3.0 %	-

Based upon 2397 valid cases out of 2470 total cases.

V3285	**113A27M:DAP TKG AMP REGL**

Location: 174-175 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08680

Do YOU disapprove of people (who are 18 or older) doing each of the following?

M: Taking amphetamines regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	176	7.1 %	7.3%
2	DISAPPRV:(2)	387	15.7 %	16.1%
3	STRG DIS:(3)	1834	74.3 %	76.5%
-9 (M)	MISSING:(-9)	73	3.0 %	-

Based upon 2397 valid cases out of 2470 total cases.

V3286	**113A27N:DAP TRY COC 1-2T**

Location: 176-177 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08690

Do YOU disapprove of people (who are 18 or older) doing each of the following?

N: Trying cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	225	9.1 %	9.4%
2	DISAPPRV:(2)	360	14.6 %	15.0%
3	STRG DIS:(3)	1818	73.6 %	75.7%
-9 (M)	MISSING:(-9)	67	2.7 %	-

Based upon 2403 valid cases out of 2470 total cases.

V3287	113A27O:DAP TKG COC REGL			

Location: 178-179 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08700

Do YOU disapprove of people (who are 18 or older) doing each of the following?

O: Taking cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	110	4.5 %	4.6%
2	DISAPPRV:(2)	237	9.6 %	9.9%
3	STRG DIS:(3)	2047	82.9 %	85.5%
-9 (M)	MISSING:(-9)	76	3.1 %	-

Based upon 2394 valid cases out of 2470 total cases.

V3288	113A27P:DAP TRY DRK ALCL			

Location: 180-181 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08710

Do YOU disapprove of people (who are 18 or older) doing each of the following?

P: Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	1713	69.4 %	71.1%
2	DISAPPRV:(2)	344	13.9 %	14.3%
3	STRG DIS:(3)	352	14.3 %	14.6%
-9 (M)	MISSING:(-9)	61	2.5 %	-

Based upon 2409 valid cases out of 2470 total cases.

V3289	113A27Q:DAP 1-2 DRK/DAY			

Location:	182-183 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08720

Do YOU disapprove of people (who are 18 or older) doing each of the following?

Q: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	647	26.2 %	26.9%
2	DISAPPRV:(2)	899	36.4 %	37.4%
3	STRG DIS:(3)	860	34.8 %	35.7%
-9 (M)	MISSING:(-9)	64	2.6 %	-

Based upon 2406 valid cases out of 2470 total cases.

V3290	**113A27R:DAP 4-5 DRK/DAY**

Location:	184-185 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08730

Do YOU disapprove of people (who are 18 or older) doing each of the following?

R: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	231	9.4 %	9.6%
2	DISAPPRV:(2)	545	22.1 %	22.6%
3	STRG DIS:(3)	1633	66.1 %	67.8%
-9 (M)	MISSING:(-9)	61	2.5 %	-

Based upon 2409 valid cases out of 2470 total cases.

V3291	**113A27S:DAP 5+ DRK WKNDS**

Location:	186-187 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 08740

Do YOU disapprove of people (who are 18 or older) doing
each of the following?

S: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	725	29.4 %	30.1%
2	DISAPPRV:(2)	580	23.5 %	24.1%
3	STRG DIS:(3)	1104	44.7 %	45.8%
-9 (M)	MISSING:(-9)	61	2.5 %	-

Based upon 2409 valid cases out of 2470 total cases.

V3292	**113A28A:12MO NR OTH MARJ**

Location:	188-189 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 20590

During the LAST 12 MONTHS, how often have you been around
people who were taking each of the following to get high
or for "kicks"?

A: Marijuana (pot, weed) or hashish

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	602	24.4 %	25.1%
2	1-2X:(2)	427	17.3 %	17.8%
3	OCCASNLY:(3)	568	23.0 %	23.7%
4	OFTEN:(4)	804	32.6 %	33.5%
-9 (M)	MISSING:(-9)	69	2.8 %	-

Based upon 2401 valid cases out of 2470 total cases.

V3293	**113A28B:12MO NR OTH LSD**

Location:	190-191 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 20600

During the LAST 12 MONTHS, how often have you been around
people who were taking each of the following to get high
or for "kicks"?

B: LSD

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	2066	83.6 %	86.6%
2	1-2X:(2)	218	8.8 %	9.1%
3	OCCASNLY:(3)	66	2.7 %	2.8%
4	OFTEN:(4)	35	1.4 %	1.5%
-9 (M)	MISSING:(-9)	85	3.4 %	-

Based upon 2385 valid cases out of 2470 total cases.

V3294	**113A28C:12MO NR OTH PSYC**			

Location: 192-193 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 20610

During the LAST 12 MONTHS, how often have you been around
people who were taking each of the following to get high
or for "kicks"?

C: Other hallucinogens (mescaline, peyote, "shrooms" or
psilocybin, PCP, etc.)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1814	73.4 %	75.8%
2	1-2X:(2)	363	14.7 %	15.2%
3	OCCASNLY:(3)	154	6.2 %	6.4%
4	OFTEN:(4)	63	2.6 %	2.6%
-9 (M)	MISSING:(-9)	76	3.1 %	-

Based upon 2394 valid cases out of 2470 total cases.

V3295	**113A28D:12MO NR OTH AMPH**			

Location: 194-195 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 20620

During the LAST 12 MONTHS, how often have you been around
people who were taking each of the following to get high
or for "kicks"?

D: Amphetamines (uppers, speed, Adderall, Ritalin, etc.)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1739	70.4 %	72.7%
2	1-2X:(2)	291	11.8 %	12.2%
3	OCCASNLY:(3)	215	8.7 %	9.0%
4	OFTEN:(4)	146	5.9 %	6.1%
-9 (M)	MISSING:(-9)	79	3.2 %	-

Based upon 2391 valid cases out of 2470 total cases.

V3509	**113A28E:12MO NR SED/BARB**

Location: 196-197 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M):   -9
Question:

Item Number: 20635

During the LAST 12 MONTHS, how often have you been around
people who were taking each of the following to get high
or for "kicks"?

E: Sedatives/barbiturates (downers)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1994	80.7 %	83.6%
2	1-2X:(2)	210	8.5 %	8.8%
3	OCCASNLY:(3)	105	4.3 %	4.4%
4	OFTEN:(4)	76	3.1 %	3.2%
-9 (M)	MISSING:(-9)	85	3.4 %	-

Based upon 2385 valid cases out of 2470 total cases.

V3297	**113A28F:12MO NR OTH TRQL**

Location: 198-199 (width: 2; decimal: 0)
Variable Type: numeric

Range of Missing Values (M):	-9
Question:	

Item Number: 20640

During the LAST 12 MONTHS, how often have you been around
people who were taking each of the following to get high
or for "kicks"?

F: Tranquilizers (Librium, Valium, Xanax)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1984	80.3 %	83.0%
2	1-2X:(2)	212	8.6 %	8.9%
3	OCCASNLY:(3)	110	4.5 %	4.6%
4	OFTEN:(4)	85	3.4 %	3.6%
-9 (M)	MISSING:(-9)	79	3.2 %	-

Based upon 2391 valid cases out of 2470 total cases.

V3298	**113A28G:12MO NR OTH COKE**
Location:	200-201 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 20650

During the LAST 12 MONTHS, how often have you been around
people who were taking each of the following to get high
or for "kicks"?

G: Cocaine ("coke")

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1933	78.3 %	80.7%
2	1-2X:(2)	293	11.9 %	12.2%
3	OCCASNLY:(3)	104	4.2 %	4.3%
4	OFTEN:(4)	65	2.6 %	2.7%
-9 (M)	MISSING:(-9)	75	3.0 %	-

Based upon 2395 valid cases out of 2470 total cases.

V3299	**113A28H:12MO NR OTH HRN**
Location:	202-203 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 20660

During the LAST 12 MONTHS, how often have you been around
people who were taking each of the following to get high
or for "kicks"?

H: Heroin

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	2240	90.7 %	93.7%
2	1-2X:(2)	101	4.1 %	4.2%
3	OCCASNLY:(3)	23	0.9 %	1.0%
4	OFTEN:(4)	27	1.1 %	1.1%
-9 (M)	MISSING:(-9)	79	3.2 %	-

Based upon 2391 valid cases out of 2470 total cases.

V3300	113A28I:12MO NR OTH NARC

Location:	204-205 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 20670

During the LAST 12 MONTHS, how often have you been around
people who were taking each of the following to get high
or for "kicks"?

I: Other narcotics (codeine, Vicodin, OxyContin, Percocet, etc.)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1732	70.1 %	72.6%
2	1-2X:(2)	322	13.0 %	13.5%
3	OCCASNLY:(3)	194	7.9 %	8.1%
4	OFTEN:(4)	139	5.6 %	5.8%
-9 (M)	MISSING:(-9)	83	3.4 %	-

Based upon 2387 valid cases out of 2470 total cases.

V3301	113A28J:12MO NR OTH ALCL

Location:	206-207 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 20680

During the LAST 12 MONTHS, how often have you been around
people who were taking each of the following to get high
or for "kicks"?

J: Alcoholic beverages (beer, wine, liquor)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	362	14.7 %	15.1%
2	1-2X:(2)	358	14.5 %	15.0%
3	OCCASNLY:(3)	673	27.2 %	28.1%
4	OFTEN:(4)	1000	40.5 %	41.8%
-9 (M)	MISSING:(-9)	77	3.1 %	-

Based upon 2393 valid cases out of 2470 total cases.

V3460	113A29A:RSK OF CIG1+PK/D

Location:	208-209 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12360

The next questions ask for your opinions on the effects of
using certain drugs and other substances. How much do you
think people risk harming themselves (physically or in other
ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	59	2.4 %	2.5%
2	SLIGHT:(2)	122	4.9 %	5.1%
3	MOD RISK:(3)	414	16.8 %	17.3%
4	GRT RISK:(4)	1754	71.0 %	73.3%
5	CANT SAY:(5)	44	1.8 %	1.8%
-9 (M)	MISSING:(-9)	77	3.1 %	-

Based upon 2393 valid cases out of 2470 total cases.

V3461	113A29B:RSK OF MJ 1-2 X

Location:	210-211 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12370

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

B: . . . Try marijuana once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	971	39.3 %	40.6%
2	SLIGHT:(2)	706	28.6 %	29.5%
3	MOD RISK:(3)	316	12.8 %	13.2%
4	GRT RISK:(4)	346	14.0 %	14.5%
5	CANT SAY:(5)	53	2.1 %	2.2%
-9 (M)	MISSING:(-9)	78	3.2 %	-

Based upon 2392 valid cases out of 2470 total cases.

V3462	113A29C:RSK OF MJ OCSNLY

Location:	212-213 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12380

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	559	22.6 %	23.4%
2	SLIGHT:(2)	617	25.0 %	25.8%
3	MOD RISK:(3)	597	24.2 %	25.0%
4	GRT RISK:(4)	563	22.8 %	23.5%

Value	Label	Unweighted Frequency	%	Valid %
5	CANT SAY:(5)	56	2.3 %	2.3%
-9 (M)	MISSING:(-9)	78	3.2 %	-

Based upon 2392 valid cases out of 2470 total cases.

V3463	113A29D:RSK OF MJ REGLY

Location:	214-215 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12390

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	273	11.1 %	11.4%
2	SLIGHT:(2)	441	17.9 %	18.4%
3	MOD RISK:(3)	549	22.2 %	23.0%
4	GRT RISK:(4)	1070	43.3 %	44.8%
5	CANT SAY:(5)	58	2.3 %	2.4%
-9 (M)	MISSING:(-9)	79	3.2 %	-

Based upon 2391 valid cases out of 2470 total cases.

V3464	113A29E:RSK COK PWDR 1-2

Location:	216-217 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12501

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

E: . . . Try cocaine in powder form once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	115	4.7 %	4.8%
2	SLIGHT:(2)	313	12.7 %	13.1%
3	MOD RISK:(3)	490	19.8 %	20.5%
4	GRT RISK:(4)	1341	54.3 %	56.1%
5	CANT SAY:(5)	133	5.4 %	5.6%
-9 (M)	MISSING:(-9)	78	3.2 %	-

Based upon 2392 valid cases out of 2470 total cases.

V3465	**113A29F:RSK COK PWDR OCC**

Location: 218-219 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 12502

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

F: . . . Take cocaine powder occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	63	2.6 %	2.6%
2	SLIGHT:(2)	82	3.3 %	3.4%
3	MOD RISK:(3)	363	14.7 %	15.2%
4	GRT RISK:(4)	1751	70.9 %	73.2%
5	CANT SAY:(5)	132	5.3 %	5.5%
-9 (M)	MISSING:(-9)	79	3.2 %	-

Based upon 2391 valid cases out of 2470 total cases.

V3466	**113A29G:RSK COK PWDR REG**

Location: 220-221 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 12503

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

G: . . . Take cocaine powder regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	56	2.3 %	2.3%
2	SLIGHT:(2)	29	1.2 %	1.2%
3	MOD RISK:(3)	101	4.1 %	4.2%
4	GRT RISK:(4)	2069	83.8 %	86.5%
5	CANT SAY:(5)	136	5.5 %	5.7%
-9 (M)	MISSING:(-9)	79	3.2 %	-

Based upon 2391 valid cases out of 2470 total cases.

V3467	**113A29H:RSK CRACK 1-2X**

Location:	222-223 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12504

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

H: . . . Try "crack" cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	69	2.8 %	2.9%
2	SLIGHT:(2)	198	8.0 %	8.3%
3	MOD RISK:(3)	407	16.5 %	17.0%
4	GRT RISK:(4)	1567	63.4 %	65.6%
5	CANT SAY:(5)	147	6.0 %	6.2%
-9 (M)	MISSING:(-9)	82	3.3 %	-

Based upon 2388 valid cases out of 2470 total cases.

V3468	**113A29I:RSK CRACK OCC**

Location:	224-225 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12505

How much do you think people risk harming themselves

(physically or in other ways), if they . . .

I: . . . Take "crack" cocaine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	51	2.1 %	2.1%
2	SLIGHT:(2)	39	1.6 %	1.6%
3	MOD RISK:(3)	266	10.8 %	11.1%
4	GRT RISK:(4)	1886	76.4 %	79.0%
5	CANT SAY:(5)	145	5.9 %	6.1%
-9 (M)	MISSING:(-9)	83	3.4 %	-

Based upon 2387 valid cases out of 2470 total cases.

V3469	**113A29J:RSK CRACK REG**

Location: 226-227 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12506

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

J: . . . Take "crack" cocaine regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	50	2.0 %	2.1%
2	SLIGHT:(2)	21	0.9 %	0.9%
3	MOD RISK:(3)	65	2.6 %	2.7%
4	GRT RISK:(4)	2105	85.2 %	88.1%
5	CANT SAY:(5)	149	6.0 %	6.2%
-9 (M)	MISSING:(-9)	80	3.2 %	-

Based upon 2390 valid cases out of 2470 total cases.

V3470	**113A29K:RSK OF 1-2 DRINK**

Location: 228-229 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12510

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

K: . . . Try one or two drinks of an alcoholic beverage
(beer, wine, liquor)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	1119	45.3 %	46.8%
2	SLIGHT:(2)	775	31.4 %	32.4%
3	MOD RISK:(3)	192	7.8 %	8.0%
4	GRT RISK:(4)	253	10.2 %	10.6%
5	CANT SAY:(5)	51	2.1 %	2.1%
-9 (M)	MISSING:(-9)	80	3.2 %	-

Based upon 2390 valid cases out of 2470 total cases.

V3471	113A29L:RSK OF 1-2 DR/DA

Location: 230-231 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 12520

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

L: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	298	12.1 %	12.5%
2	SLIGHT:(2)	708	28.7 %	29.6%
3	MOD RISK:(3)	793	32.1 %	33.2%
4	GRT RISK:(4)	542	21.9 %	22.7%
5	CANT SAY:(5)	48	1.9 %	2.0%
-9 (M)	MISSING:(-9)	81	3.3 %	-

Based upon 2389 valid cases out of 2470 total cases.

V3472	113A29M:RSK OF 4-5 DR/DA

Location:	232-233 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12530

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

M: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	108	4.4 %	4.5%
2	SLIGHT:(2)	175	7.1 %	7.3%
3	MOD RISK:(3)	573	23.2 %	24.0%
4	GRT RISK:(4)	1486	60.2 %	62.2%
5	CANT SAY:(5)	48	1.9 %	2.0%
-9 (M)	MISSING:(-9)	80	3.2 %	-

Based upon 2390 valid cases out of 2470 total cases.

| **V3473** | **113A29N:RSK OF 5+DR/WKND** |

Location:	234-235 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12540

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

N: . . . Have five or more drinks once or twice each weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	222	9.0 %	9.3%
2	SLIGHT:(2)	332	13.4 %	13.9%
3	MOD RISK:(3)	510	20.6 %	21.4%
4	GRT RISK:(4)	1270	51.4 %	53.3%
5	CANT SAY:(5)	49	2.0 %	2.1%
-9 (M)	MISSING:(-9)	87	3.5 %	-

Based upon 2383 valid cases out of 2470 total cases.

V3474	**113A30A:EASY GT MARIJUAN**

Location:	236-237 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06750

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

A: Marijuana

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	153	6.2 %	6.4%
2	VRY DIFF:(2)	83	3.4 %	3.5%
3	FRLY DIF:(3)	156	6.3 %	6.6%
4	FRLY EAS:(4)	573	23.2 %	24.1%
5	VRY EASY:(5)	1414	57.2 %	59.4%
-9 (M)	MISSING:(-9)	91	3.7 %	-

Based upon 2379 valid cases out of 2470 total cases.

V3475	**113A30B:EASY GT CRACK**

Location:	238-239 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06811

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

B: "Crack" cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	497	20.1 %	21.0%
2	VRY DIFF:(2)	542	21.9 %	22.9%
3	FRLY DIF:(3)	668	27.0 %	28.2%
4	FRLY EAS:(4)	404	16.4 %	17.1%

Value	Label	Unweighted Frequency	%	Valid %
5	VRY EASY:(5)	254	10.3 %	10.7%
-9 (M)	MISSING:(-9)	105	4.3 %	-

Based upon 2365 valid cases out of 2470 total cases.

V3476	**113A30C:EASY GT COK PWDR**

Location:	240-241 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06812

How difficult do you think it would be for you to get each
of the following types of drugs, if you wanted some?

C: Cocaine powder

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	517	20.9 %	21.9%
2	VRY DIFF:(2)	535	21.7 %	22.6%
3	FRLY DIF:(3)	616	24.9 %	26.1%
4	FRLY EAS:(4)	429	17.4 %	18.1%
5	VRY EASY:(5)	267	10.8 %	11.3%
-9 (M)	MISSING:(-9)	106	4.3 %	-

Based upon 2364 valid cases out of 2470 total cases.

V3101	**113B01 :EVR SMK CIG,REGL**

Location:	242-243 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00760

The following questions are about cigarette smoking. Have you
ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally
but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1419	57.4 %	60.0%

Value	Label	Unweighted Frequency	%	Valid %
2	1-2X:(2)	429	17.4 %	18.1%
3	OCCASNLY:(3)	237	9.6 %	10.0%
4	REG PAST:(4)	119	4.8 %	5.0%
5	REG NOW:(5)	162	6.6 %	6.8%
-9 (M)	MISSING:(-9)	104	4.2 %	-

Based upon 2366 valid cases out of 2470 total cases.

V3102	113B02 :#CIGS SMKD/30DAY

Location:	244-245 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%	Valid %
1	NT DAILY:(1)	1943	78.7 %	82.1%
2	<1 CIG/D:(2)	204	8.3 %	8.6%
3	1-5/DAY:(3)	138	5.6 %	5.8%
4	1/2 PK:(4)	51	2.1 %	2.2%
5	1 PK:(5)	24	1.0 %	1.0%
6	1 1/2 PK:(6)	2	0.1 %	0.1%
7	2+ PKS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	103	4.2 %	-

Based upon 2367 valid cases out of 2470 total cases.

V3103	113B03 :EVER DRINK

Location:	246-247 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00790

Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that

contains alcohol. Have you ever had any alcoholic beverage
to drink--more than just a few sips?

1="No--GO TO THE TOP OF THE NEXT COLUMN" 2="Yes"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	675	27.3 %	29.2%
2	YES:(2)	1638	66.3 %	70.8%
-9 (M)	MISSING:(-9)	157	6.4 %	-

Based upon 2313 valid cases out of 2470 total cases.

V3104	**113B04A:#X ALC/LIF SIPS**

Location: 248-249 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00810

On how many occasions have you had alcoholic beverages to
drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" [includes respondents who said No to header
question] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	675	27.3 %	29.7%
2	1-2X:(2)	191	7.7 %	8.4%
3	3-5X:(3)	271	11.0 %	11.9%
4	6-9X:(4)	211	8.5 %	9.3%
5	10-19X:(5)	294	11.9 %	12.9%
6	20-39X:(6)	211	8.5 %	9.3%
7	40+OCCAS:(7)	422	17.1 %	18.5%
-9 (M)	MISSING:(-9)	195	7.9 %	-

Based upon 2275 valid cases out of 2470 total cases.

V3105	**113B04B:#X ALC/ANN SIPS**

Location: 250-251 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00820

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	825	33.4 %	36.4%
2	1-2X:(2)	384	15.5 %	16.9%
3	3-5X:(3)	297	12.0 %	13.1%
4	6-9X:(4)	237	9.6 %	10.5%
5	10-19X:(5)	237	9.6 %	10.5%
6	20-39X:(6)	136	5.5 %	6.0%
7	40+OCCAS:(7)	151	6.1 %	6.7%
-9 (M)	MISSING:(-9)	203	8.2 %	-

Based upon 2267 valid cases out of 2470 total cases.

V3106	**113B04C:#X ALC/30D SIPS**

Location:	252-253 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00830

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1346	54.5 %	59.5%
2	1-2X:(2)	432	17.5 %	19.1%
3	3-5X:(3)	234	9.5 %	10.3%
4	6-9X:(4)	122	4.9 %	5.4%
5	10-19X:(5)	74	3.0 %	3.3%
6	20-39X:(6)	22	0.9 %	1.0%
7	40+OCCAS:(7)	34	1.4 %	1.5%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	206	8.3 %	-

Based upon 2264 valid cases out of 2470 total cases.

V3107	113B05 :#X DRK ENF FL HI

Location: 254-255 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00840

On the occasions that you drink alcoholic beverages, how
often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On
about half of the occasions" 4="On most of the occasions"
5="On nearly all of the occasions"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	464	18.8 %	28.2%
2	FEW OCC:(2)	475	19.2 %	28.9%
3	HALF OCC:(3)	205	8.3 %	12.5%
4	MOST OCC:(4)	267	10.8 %	16.2%
5	NRLY ALL:(5)	233	9.4 %	14.2%
-9 (M)	MISSING:(-9)	826	33.4 %	-

Based upon 1644 valid cases out of 2470 total cases.

V3108	113B06 :5+DRK ROW/LST 2W

Location: 256-257 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you
had five or more drinks in a row? (A "drink" is a glass of
wine, a bottle of beer, a wine cooler, a shot glass of liquor,
a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above]
2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10
or more times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1730	70.0 %	77.3%

Value	Label	Unweighted Frequency	%	Valid %
2	ONCE:(2)	190	7.7 %	8.5%
3	TWICE:(3)	134	5.4 %	6.0%
4	3-5X:(4)	124	5.0 %	5.5%
5	6-9X:(5)	32	1.3 %	1.4%
6	10+ TIME:(6)	28	1.1 %	1.3%
-9 (M)	MISSING:(-9)	232	9.4 %	-

Based upon 2238 valid cases out of 2470 total cases.

V3115	113B07A:#XMJ+HS/LIFETIME

Location: 258-259 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00860

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1235	50.0 %	53.0%
2	1-2X:(2)	266	10.8 %	11.4%
3	3-5X:(3)	152	6.2 %	6.5%
4	6-9X:(4)	90	3.6 %	3.9%
5	10-19X:(5)	122	4.9 %	5.2%
6	20-39X:(6)	92	3.7 %	3.9%
7	40+OCCAS:(7)	375	15.2 %	16.1%
-9 (M)	MISSING:(-9)	138	5.6 %	-

Based upon 2332 valid cases out of 2470 total cases.

V3116	113B07B:#XMJ+HS/LAST12MO

Location: 260-261 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00870

On how many occasions (if any) have you used marijuana (weed,

pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1436	58.1 %	61.6%
2	1-2X:(2)	272	11.0 %	11.7%
3	3-5X:(3)	137	5.5 %	5.9%
4	6-9X:(4)	78	3.2 %	3.3%
5	10-19X:(5)	110	4.5 %	4.7%
6	20-39X:(6)	89	3.6 %	3.8%
7	40+OCCAS:(7)	208	8.4 %	8.9%
-9 (M)	MISSING:(-9)	140	5.7 %	-

Based upon 2330 valid cases out of 2470 total cases.

V3117	113B07C:#XMJ+HS/LAST30DA

Location:	262-263 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00880

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1784	72.2 %	76.5%
2	1-2X:(2)	194	7.9 %	8.3%
3	3-5X:(3)	88	3.6 %	3.8%
4	6-9X:(4)	55	2.2 %	2.4%
5	10-19X:(5)	73	3.0 %	3.1%
6	20-39X:(6)	48	1.9 %	2.1%
7	40+OCCAS:(7)	90	3.6 %	3.9%
-9 (M)	MISSING:(-9)	138	5.6 %	-

Based upon 2332 valid cases out of 2470 total cases.

V3118	**113B08A:#X LSD/LIFETIME**

Location: 264-265 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00890

On how many occasions (if any) have you used LSD
("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2301	93.2 %	97.0%
2	1-2X:(2)	41	1.7 %	1.7%
3	3-5X:(3)	17	0.7 %	0.7%
4	6-9X:(4)	6	0.2 %	0.3%
5	10-19X:(5)	3	0.1 %	0.1%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	99	4.0 %	-

Based upon 2371 valid cases out of 2470 total cases.

V3119	**113B08B:#X LSD/LAST 12MO**

Location: 266-267 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00900

On how many occasions (if any) have you used LSD
("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2320	93.9 %	97.9%
2	1-2X:(2)	35	1.4 %	1.5%

Value	Label	Unweighted Frequency	%	Valid %
3	3-5X:(3)	9	0.4 %	0.4%
4	6-9X:(4)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	101	4.1 %	-

Based upon 2369 valid cases out of 2470 total cases.

V3120	**113B08C:#X LSD/LAST 30DA**

Location: 268-269 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00910

On how many occasions (if any) have you used LSD ("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2351	95.2 %	99.2%
2	1-2X:(2)	17	0.7 %	0.7%
3	3-5X:(3)	1	0.0 %	0.0%
5	10-19X:(5)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	99	4.0 %	-

Based upon 2371 valid cases out of 2470 total cases.

V3121	**113B09A:#X PSYD/LIFETIME**

Location: 270-271 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00920

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2206	89.3 %	93.2%
2	1-2X:(2)	101	4.1 %	4.3%
3	3-5X:(3)	31	1.3 %	1.3%
4	6-9X:(4)	15	0.6 %	0.6%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	104	4.2 %	-

Based upon 2366 valid cases out of 2470 total cases.

V3122	113B09B:#X PSYD/LAST12MO

Location:	272-273 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2269	91.9 %	95.8%
2	1-2X:(2)	70	2.8 %	3.0%
3	3-5X:(3)	17	0.7 %	0.7%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	102	4.1 %	-

Based upon 2368 valid cases out of 2470 total cases.

V3123	113B09C:#X PSYD/LAST30DA

Location:	274-275 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2347	95.0 %	99.0%
2	1-2X:(2)	18	0.7 %	0.8%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	100	4.0 %	-

Based upon 2370 valid cases out of 2470 total cases.

V3124	**113R :#X COKE/LIFETIME**

Location:	276-277 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00950

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A. . . . in your lifetime?" [item 22260]

and "On how many occasions (if any) have you used cocaine in any other form . . .

A. . . . in your lifetime? [item 22320]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2229	90.2 %	94.4%

Value	Label	Unweighted Frequency	%	Valid %
2	1-2X:(2)	63	2.6 %	2.7%
3	3-5X:(3)	30	1.2 %	1.3%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	6	0.2 %	0.3%
7	40+OCCAS:(7)	18	0.7 %	0.8%
-9 (M)	MISSING:(-9)	109	4.4 %	-

Based upon 2361 valid cases out of 2470 total cases.

V3125	**113R :#X COKE/LAST12MO**

Location: 278-279 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00960

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B. . . . During the last 12 months?" [item 22270]

and "On how many occasions (if any) have you used cocaine in any other form . . .

B. . . . During the last 12 months? [item 22330]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2297	93.0 %	97.2%
2	1-2X:(2)	33	1.3 %	1.4%
3	3-5X:(3)	14	0.6 %	0.6%
4	6-9X:(4)	6	0.2 %	0.3%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	108	4.4 %	-

Based upon 2362 valid cases out of 2470 total cases.

V3126	**113R :#X COKE/LAST30DA**

Location: 280-281 (width: 2; decimal: 0)

Variable Type:	numeric			
Range of Missing Values (M):	-9			
Question:				

Item Number: 00970

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C. . . . During the last 30 days?" [item 22280]

and "On how many occasions (if any) have you used cocaine in any other form . . .

C. . . . During the last 30 days? [item 22340]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2337	94.6 %	98.9%
2	1-2X:(2)	15	0.6 %	0.6%
3	3-5X:(3)	6	0.2 %	0.3%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	106	4.3 %	-

Based upon 2364 valid cases out of 2470 total cases.

V3127	**113B10A:#X AMPH/LIFETIME**

Location:	282-283 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00980

Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills or stay-awake pills. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2080	84.2 %	88.1%
2	1-2X:(2)	104	4.2 %	4.4%
3	3-5X:(3)	58	2.3 %	2.5%
4	6-9X:(4)	23	0.9 %	1.0%
5	10-19X:(5)	34	1.4 %	1.4%
6	20-39X:(6)	22	0.9 %	0.9%
7	40+OCCAS:(7)	40	1.6 %	1.7%
-9 (M)	MISSING:(-9)	109	4.4 %	-

Based upon 2361 valid cases out of 2470 total cases.

V3128   113B10B:#X AMPH/LAST12MO

Location:	284-285 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2181	88.3 %	92.3%
2	1-2X:(2)	80	3.2 %	3.4%
3	3-5X:(3)	31	1.3 %	1.3%
4	6-9X:(4)	22	0.9 %	0.9%
5	10-19X:(5)	19	0.8 %	0.8%
6	20-39X:(6)	13	0.5 %	0.6%
7	40+OCCAS:(7)	16	0.6 %	0.7%
-9 (M)	MISSING:(-9)	108	4.4 %	-

Based upon 2362 valid cases out of 2470 total cases.

V3129   113B10C:#X AMPH/LAST30DA

Location:	286-287 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2279	92.3 %	96.5%
2	1-2X:(2)	41	1.7 %	1.7%
3	3-5X:(3)	13	0.5 %	0.6%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	11	0.4 %	0.5%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	109	4.4 %	-

Based upon 2361 valid cases out of 2470 total cases.

V3487	113B11A:#X CRACK/LIFETIM

Location:	288-289 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22260

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A. . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2331	94.4 %	98.3%
2	1-2X:(2)	27	1.1 %	1.1%

Value	Label	Unweighted Frequency	%	Valid %
3	3-5X:(3)	3	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	98	4.0 %	-

Based upon 2372 valid cases out of 2470 total cases.

V3488	**113B11B:#X CRACK/LAST12M**

Location:	290-291 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22270

On how many occasions (if any) have you used "crack"
(cocaine in chunk or rock form) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2354	95.3 %	99.3%
2	1-2X:(2)	9	0.4 %	0.4%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	99	4.0 %	-

Based upon 2371 valid cases out of 2470 total cases.

V3489	**113B11C:#X CRACK/LAST30D**

Location:	292-293 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22280

On how many occasions (if any) have you used "crack"
(cocaine in chunk or rock form) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2365	95.7 %	99.6%
2	1-2X:(2)	3	0.1 %	0.1%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	96	3.9 %	-

Based upon 2374 valid cases out of 2470 total cases.

V3490	113B12A:#XOTH COKE/LIFE

Location:	294-295 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22320

On how many occasions (if any) have you used cocaine in any other form . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2245	90.9 %	95.0%
2	1-2X:(2)	65	2.6 %	2.7%
3	3-5X:(3)	20	0.8 %	0.8%
4	6-9X:(4)	11	0.4 %	0.5%
5	10-19X:(5)	6	0.2 %	0.3%
6	20-39X:(6)	6	0.2 %	0.3%
7	40+OCCAS:(7)	11	0.4 %	0.5%
-9 (M)	MISSING:(-9)	106	4.3 %	-

Based upon 2364 valid cases out of 2470 total cases.

V3491	113B12B:#XOTH COKE/12MO

Location:	296-297 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22330

On how many occasions (if any) have you used cocaine in any other form . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2307	93.4 %	97.5%
2	1-2X:(2)	30	1.2 %	1.3%
3	3-5X:(3)	15	0.6 %	0.6%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	105	4.3 %	-

Based upon 2365 valid cases out of 2470 total cases.

V3492	**113B12C:#XOTH COKE/30DA**

Location:	298-299 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22340

On how many occasions (if any) have you used cocaine in any other form . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2343	94.9 %	99.0%
2	1-2X:(2)	15	0.6 %	0.6%
3	3-5X:(3)	6	0.2 %	0.3%

Value	Label	Unweighted Frequency	%	Valid %
4	6-9X:(4)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	104	4.2 %	-

Based upon 2366 valid cases out of 2470 total cases.

V3133	113B13A:#X SED/BARB/LIFE

Location:	300-301 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed
by doctors to help people relax or get to sleep. They are
sometimes called downs or downers, and include phenobarbital,
Tuinal, Nembutal, and Seconal. On how many occasions (if any)
have you taken sedatives on your own--that is, without a
doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2183	88.4 %	92.4%
2	1-2X:(2)	83	3.4 %	3.5%
3	3-5X:(3)	31	1.3 %	1.3%
4	6-9X:(4)	23	0.9 %	1.0%
5	10-19X:(5)	15	0.6 %	0.6%
6	20-39X:(6)	12	0.5 %	0.5%
7	40+OCCAS:(7)	15	0.6 %	0.6%
-9 (M)	MISSING:(-9)	108	4.4 %	-

Based upon 2362 valid cases out of 2470 total cases.

V3134	113B13B:#X SED/BARB/12MO

Location:	302-303 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01052

On how many occasions (if any) have you taken sedatives

on your own--that is, without a doctor telling you to
take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2258	91.4 %	95.6%
2	1-2X:(2)	51	2.1 %	2.2%
3	3-5X:(3)	22	0.9 %	0.9%
4	6-9X:(4)	13	0.5 %	0.6%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	107	4.3 %	-

Based upon 2363 valid cases out of 2470 total cases.

V3135	113B13C:#X SED/BARB/30DA

Location:	304-305 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01062

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2323	94.0 %	98.2%
2	1-2X:(2)	22	0.9 %	0.9%
3	3-5X:(3)	6	0.2 %	0.3%
4	6-9X:(4)	6	0.2 %	0.3%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	2	0.1 %	0.1%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	105	4.3 %	-

Based upon 2365 valid cases out of 2470 total cases.

V3136	**113B14A:#X TRQL/LIFETIME**

Location: 306-307 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2160	87.4 %	91.7%
2	1-2X:(2)	77	3.1 %	3.3%
3	3-5X:(3)	42	1.7 %	1.8%
4	6-9X:(4)	36	1.5 %	1.5%
5	10-19X:(5)	14	0.6 %	0.6%
6	20-39X:(6)	6	0.2 %	0.3%
7	40+OCCAS:(7)	21	0.9 %	0.9%
-9 (M)	MISSING:(-9)	114	4.6 %	-

Based upon 2356 valid cases out of 2470 total cases.

V3137	**113B14B:#X TRQL/LAST12MO**

Location: 308-309 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2235	90.5 %	94.8%
2	1-2X:(2)	57	2.3 %	2.4%
3	3-5X:(3)	32	1.3 %	1.4%
4	6-9X:(4)	16	0.6 %	0.7%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	6	0.2 %	0.3%
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	112	4.5 %	-

Based upon 2358 valid cases out of 2470 total cases.

V3138	**113B14C:#X TRQL/LAST30DA**

Location:	310-311 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2311	93.6 %	98.0%
2	1-2X:(2)	30	1.2 %	1.3%
3	3-5X:(3)	6	0.2 %	0.3%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	4	0.2 %	0.2%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	113	4.6 %	-

Based upon 2357 valid cases out of 2470 total cases.

V3139	**113B15A:#X H/LIFETIME**

Location:	312-313 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01100

On how many occasions (if any) have you used heroin . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2342	94.8 %	98.9%
2	1-2X:(2)	15	0.6 %	0.6%
3	3-5X:(3)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	103	4.2 %	-

Based upon 2367 valid cases out of 2470 total cases.

V3140	**113B15B:#X H/LAST 12MO**

Location:	314-315 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01110

On how many occasions (if any) have you used heroin . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2355	95.3 %	99.5%
2	1-2X:(2)	5	0.2 %	0.2%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	103	4.2 %	-

Based upon 2367 valid cases out of 2470 total cases.

V3141	**113B15C:#X H/LAST 30DA**

Location:	316-317 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01120

On how many occasions (if any) have you used heroin . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2363	95.7 %	99.8%
2	1-2X:(2)	1	0.0 %	0.0%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	102	4.1 %	-

Based upon 2368 valid cases out of 2470 total cases.

V3142	**113B16A:#X NARC/LIFETIME**

Location:	318-319 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2065	83.6 %	87.7%
2	1-2X:(2)	110	4.5 %	4.7%
3	3-5X:(3)	52	2.1 %	2.2%
4	6-9X:(4)	39	1.6 %	1.7%
5	10-19X:(5)	31	1.3 %	1.3%
6	20-39X:(6)	19	0.8 %	0.8%
7	40+OCCAS:(7)	38	1.5 %	1.6%
-9 (M)	MISSING:(-9)	116	4.7 %	-

Based upon 2354 valid cases out of 2470 total cases.

V3143	113B16B:#X NARC/LAST12MO

Location: 320-321 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2164	87.6 %	91.9%
2	1-2X:(2)	79	3.2 %	3.4%
3	3-5X:(3)	36	1.5 %	1.5%
4	6-9X:(4)	25	1.0 %	1.1%
5	10-19X:(5)	22	0.9 %	0.9%
6	20-39X:(6)	8	0.3 %	0.3%
7	40+OCCAS:(7)	20	0.8 %	0.8%
-9 (M)	MISSING:(-9)	116	4.7 %	-

Based upon 2354 valid cases out of 2470 total cases.

V3144	113B16C:#X NARC/LAST30DA

Location: 322-323 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01150

On how many occasions (if any) have you taken narcotics
other than heroin on your own--that is, without a doctor
telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2279	92.3 %	96.9%
2	1-2X:(2)	31	1.3 %	1.3%
3	3-5X:(3)	22	0.9 %	0.9%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	117	4.7 %	-

Based upon 2353 valid cases out of 2470 total cases.

V3145	**113B17A:#X INHL/LIFETIME**

Location: 324-325 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01160

On how many occasions (if any) have you sniffed glue, or
breathed the contents of aerosol spray cans, or inhaled
any other gases or sprays in order to get high . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2169	87.8 %	92.2%
2	1-2X:(2)	109	4.4 %	4.6%
3	3-5X:(3)	30	1.2 %	1.3%
4	6-9X:(4)	16	0.6 %	0.7%

Value	Label	Unweighted Frequency	%	Valid %
5	10-19X:(5)	13	0.5 %	0.6%
6	20-39X:(6)	9	0.4 %	0.4%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	117	4.7 %	-

Based upon 2353 valid cases out of 2470 total cases.

V3146	**113B17B:#X INHL/LAST12MO**

Location: 326-327 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01170

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2291	92.8 %	97.3%
2	1-2X:(2)	28	1.1 %	1.2%
3	3-5X:(3)	19	0.8 %	0.8%
4	6-9X:(4)	6	0.2 %	0.3%
5	10-19X:(5)	7	0.3 %	0.3%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	116	4.7 %	-

Based upon 2354 valid cases out of 2470 total cases.

V3147	**113B17C:#X INHL/LAST30DA**

Location: 328-329 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01180

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2329	94.3 %	99.0%
2	1-2X:(2)	18	0.7 %	0.8%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	118	4.8 %	-

Based upon 2352 valid cases out of 2470 total cases.

V3493	**113B18A:#X MDMA/LIFETIME**

Location: 330-331 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22660

On how many occasions (if any) have you used MDMA ("ecstasy") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2157	87.3 %	91.6%
2	1-2X:(2)	87	3.5 %	3.7%
3	3-5X:(3)	30	1.2 %	1.3%
4	6-9X:(4)	29	1.2 %	1.2%
5	10-19X:(5)	27	1.1 %	1.1%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	20	0.8 %	0.8%
-9 (M)	MISSING:(-9)	115	4.7 %	-

Based upon 2355 valid cases out of 2470 total cases.

V3494	**113B18B:#X MDMA/LAST12MO**

Location: 332-333 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22670

On how many occasions (if any) have you used MDMA ("ecstasy") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2220	89.9 %	94.5%
2	1-2X:(2)	63	2.6 %	2.7%
3	3-5X:(3)	29	1.2 %	1.2%
4	6-9X:(4)	18	0.7 %	0.8%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	120	4.9 %	-

Based upon 2350 valid cases out of 2470 total cases.

V3495   113B18C:#X MDMA/LAST30DA

Location:	334-335 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22680

On how many occasions (if any) have you used MDMA ("ecstasy") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2295	92.9 %	97.7%
2	1-2X:(2)	35	1.4 %	1.5%
3	3-5X:(3)	10	0.4 %	0.4%
4	6-9X:(4)	3	0.1 %	0.1%

Value	Label	Unweighted Frequency	%	Valid %
5	10-19X:(5)	4	0.2 %	0.2%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	120	4.9 %	-

Based upon 2350 valid cases out of 2470 total cases.

V3148	**113C01(R):AGE <>18 DICHOTOMY**

Location:	336-337 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number:

Component variables: 1) Q.C01 "In what year were you born?"
[item 00010], 2) Q.C02 "In what month were you born?"
[item 00020], and 3) date of questionnaire administration as
recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

Value	Label	Unweighted Frequency	%	Valid %
1	< 18 YRS:(1)	1067	43.2 %	45.0%
2	18+ YRS:(2)	1305	52.8 %	55.0%
-9 (M)	MISSING:(-9)	98	4.0 %	-

Based upon 2372 valid cases out of 2470 total cases.

V3150	**113C03 :Rs SEX**

Location:	338-339 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00030

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%	Valid %
1	MALE:(1)	1142	46.2 %	49.7%
2	FEMALE:(2)	1154	46.7 %	50.3%
-9 (M)	MISSING:(-9)	174	7.0 %	-

Based upon 2296 valid cases out of 2470 total cases.

V3151	**113C04(R):R'S RACE B/W/H**

Location:	340-341 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number:

How do you describe yourself? (Select one or more responses.)
Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic..."). All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)" 3="Hispanic" [see above]

Value	Label	Unweighted Frequency	%	Valid %
1	BLACK:(1)	340	13.8 %	17.3%
2	WHITE:(2)	1300	52.6 %	66.0%
3	HISPANIC:(3)	329	13.3 %	16.7%
-9 (M)	MISSING:(-9)	501	20.3 %	-

Based upon 1969 valid cases out of 2470 total cases.

V3152   113C05 :R SPD >TIM R-URB

Location:	342-343 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

Value	Label	Unweighted Frequency	%	Valid %
0	DK/MIXED:(0)	289	11.7 %	11.7%

Value	Label	Unweighted Frequency	%	Valid %
1	A FARM:(1)	101	4.1 %	4.1%
2	COUNTRY:(2)	212	8.6 %	8.6%
3	SM CITY:(3)	584	23.6 %	23.6%
4	MED CITY:(4)	325	13.2 %	13.2%
5	SUB MED:(5)	282	11.4 %	11.4%
6	LGE CITY:(6)	252	10.2 %	10.2%
7	SUB LGE:(7)	190	7.7 %	7.7%
8	V-LGE CITY:(8)	143	5.8 %	5.8%
9	SUB V-LGE:(9)	92	3.7 %	3.7%

Based upon 2470 valid cases out of 2470 total cases.

V3153	**113C06 :R NOT MARRIED**	

Location: 344-345 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%	Valid %
1	MARRIED:(1)	11	0.4 %	0.5%
2	ENGAGED:(2)	104	4.2 %	4.5%
3	SEP/DIV:(3)	30	1.2 %	1.3%
4	SINGLE:(4)	2144	86.8 %	93.7%
-9 (M)	MISSING:(-9)	181	7.3 %	-

Based upon 2289 valid cases out of 2470 total cases.

V49	**113C07R:# SIBLINGS**	

Location: 346-347 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or

more"

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more siblings".

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	143	5.8 %	6.1%
1	ONE:(1)	638	25.8 %	27.0%
2	TWO:(2)	644	26.1 %	27.3%
3	THREE+:(3-4)	934	37.8 %	39.6%
-9 (M)	MISSING:(-9)	111	4.5 %	-

Based upon 2359 valid cases out of 2470 total cases.

V3155   113C07Cb(R):R'S HSHLD FATHER

Location:	348-349 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	708	28.7 %	30.0%
1	MARKED:(1)	1653	66.9 %	70.0%
-9 (M)	MISSING:(-9)	109	4.4 %	-

Based upon 2361 valid cases out of 2470 total cases.

V3156   113C07Cc(R):R'S HSHLD MOTHER

Location:	350-351 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	291	11.8 %	12.3%
1	MARKED:(1)	2070	83.8 %	87.7%
-9 (M)	MISSING:(-9)	109	4.4 %	-

Based upon 2361 valid cases out of 2470 total cases.

V3157   113C07Cd(R):R'S HSHLD BR/SR

Location:	352-353 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	777	31.5 %	32.9%
1	MARKED:(1)	1584	64.1 %	67.1%
-9 (M)	MISSING:(-9)	109	4.4 %	-

Based upon 2361 valid cases out of 2470 total cases.

V3163   113C08 :FATHR EDUC LEVEL

Location:	354-355 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed
college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%	Valid %
1	GRDE SCH:(1)	100	4.0 %	4.2%
2	SOME HS:(2)	272	11.0 %	11.5%
3	HS GRAD:(3)	592	24.0 %	25.1%
4	SOME CLG:(4)	390	15.8 %	16.6%
5	CLG GRAD:(5)	529	21.4 %	22.5%
6	GRAD SCH:(6)	285	11.5 %	12.1%
7	DK:(7)	187	7.6 %	7.9%
-9 (M)	MISSING:(-9)	115	4.7 %	-

Based upon 2355 valid cases out of 2470 total cases.

V3164	113C09 :MOTHR EDUC LEVEL

Location: 356-357 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed
college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%	Valid %
1	GRDE SCH:(1)	88	3.6 %	3.7%
2	SOME HS:(2)	188	7.6 %	8.0%
3	HS GRAD:(3)	556	22.5 %	23.6%
4	SOME CLG:(4)	455	18.4 %	19.3%
5	CLG GRAD:(5)	669	27.1 %	28.4%
6	GRAD SCH:(6)	303	12.3 %	12.8%
7	DK:(7)	99	4.0 %	4.2%
-9 (M)	MISSING:(-9)	112	4.5 %	-

Based upon 2358 valid cases out of 2470 total cases.

V3165	113C10 :MOTH PD JB R YNG

Location: 358-359 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	298	12.1 %	12.7%
2	YES/SOME:(2)	439	17.8 %	18.7%
3	YES/MOST:(3)	456	18.5 %	19.4%
4	YES/NRLY ALL:(4)	1152	46.6 %	49.1%
-9 (M)	MISSING:(-9)	125	5.1 %	-

Based upon 2345 valid cases out of 2470 total cases.

V3166	113C11 :Rs POLTL PRFNC

Location: 360-361 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%	Valid %
1	STRG GOP:(1)	196	7.9 %	8.6%
2	MILD GOP:(2)	290	11.7 %	12.8%
3	MILD DEM:(3)	300	12.1 %	13.2%
4	STRG DEM:(4)	217	8.8 %	9.6%
5	INDEPNDT:(5)	283	11.5 %	12.5%
6	NO PREF:(6)	389	15.7 %	17.1%
7	OTHER:(7)	54	2.2 %	2.4%
8	DK/HVNT DECID:(8)	542	21.9 %	23.9%
-9 (M)	MISSING:(-9)	199	8.1 %	-

Based upon 2271 valid cases out of 2470 total cases.

V3167	113C12 :Rs POL BLF RADCL

Location:	362-363 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the above, or don't know"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY CONS:(1)	114	4.6 %	4.9%
2	CONSERV:(2)	296	12.0 %	12.7%
3	MODERATE:(3)	540	21.9 %	23.1%
4	LIBERAL:(4)	314	12.7 %	13.4%
5	VRY LIB:(5)	105	4.3 %	4.5%
6	RADICAL:(6)	39	1.6 %	1.7%
8	NONE/DK:(8)	930	37.7 %	39.8%
-9 (M)	MISSING:(-9)	132	5.3 %	-

Based upon 2338 valid cases out of 2470 total cases.

V3169   113C13B:R ATTND REL SVC

Location:	364-365 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00370

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

[Responses from the western region intentionally obliterated.]

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	345	14.0 %	19.3%
2	RARELY:(2)	648	26.2 %	36.2%
3	1-2X/MO:(3)	310	12.6 %	17.3%
4	1/WK OR+:(4)	488	19.8 %	27.2%
-9 (M)	MISSING:(-9)	679	27.5 %	-

Based upon 1791 valid cases out of 2470 total cases.

V3170	113C13C:RLGN IMP Rs LF

Location: 366-367 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

[Responses from the western region intentionally obliterated.]

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	376	15.2 %	21.0%
2	LITL IMP:(2)	445	18.0 %	24.8%
3	PRTY IMP:(3)	496	20.1 %	27.7%
4	VERY IMP:(4)	475	19.2 %	26.5%
-9 (M)	MISSING:(-9)	678	27.4 %	-

Based upon 1792 valid cases out of 2470 total cases.

V3171	113C14 :WHEN R XPCT GRAD

Location: 368-369 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"
6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%	Valid %
1	JUNE:(1)	2282	92.4 %	98.0%
2	JUL-JAN:(2)	32	1.3 %	1.4%
6	DONT EXPCT:(6)	15	0.6 %	0.6%
-9 (M)	MISSING:(-9)	141	5.7 %	-

Based upon 2329 valid cases out of 2470 total cases.

V3172	113C15 :Rs HS PROGRAM

Location: 370-371 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):	-9				
Question:					

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%	Valid %
1	CLG PREP:(1)	1244	50.4 %	53.7%
2	GENERAL:(2)	778	31.5 %	33.6%
3	VOC-TECH:(3)	110	4.5 %	4.7%
4	OTH/DK:(4)	186	7.5 %	8.0%
-9 (M)	MISSING:(-9)	152	6.2 %	-

Based upon 2318 valid cases out of 2470 total cases.

V3173	113C16 :RT SF SCH AB>AVG

Location:	372-373 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%	Valid %
1	FAR BELOW:(1)	25	1.0 %	1.1%
2	BELOW AVG:(2)	38	1.5 %	1.7%
3	SLIGHT BELOW:(3)	116	4.7 %	5.0%
4	AVERAGE:(4)	767	31.1 %	33.3%
5	SLIGHT ABOVE:(5)	530	21.5 %	23.0%
6	ABOVE AVG:(6)	632	25.6 %	27.5%
7	FAR ABOVE:(7)	194	7.9 %	8.4%
-9 (M)	MISSING:(-9)	168	6.8 %	-

Based upon 2302 valid cases out of 2470 total cases.

V3174	113C17 :RT SF INTELL>AVG

Location:	374-375 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00420

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%	Valid %
1	FAR BELOW:(1)	22	0.9 %	1.0%
2	BELOW AVG:(2)	43	1.7 %	1.9%
3	SLIGHT BELOW:(3)	97	3.9 %	4.2%
4	AVERAGE:(4)	683	27.7 %	29.6%
5	SLIGHT ABOVE:(5)	537	21.7 %	23.2%
6	ABOVE AVG:(6)	697	28.2 %	30.2%
7	FAR ABOVE:(7)	232	9.4 %	10.0%
-9 (M)	MISSING:(-9)	159	6.4 %	-

Based upon 2311 valid cases out of 2470 total cases.

| **V3175** | **113C18A:#DA/4W SC MS ILL** |

Location:	376-377 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1326	53.7 %	58.2%
2	1 DAY:(2)	393	15.9 %	17.2%
3	2 DAYS:(3)	260	10.5 %	11.4%
4	3 DAYS:(4)	154	6.2 %	6.8%
5	4-5 DAYS:(5)	80	3.2 %	3.5%
6	6-10 DA:(6)	37	1.5 %	1.6%

Value	Label	Unweighted Frequency	%	Valid %
7	11+ DAYS:(7)	29	1.2 %	1.3%
-9 (M)	MISSING:(-9)	191	7.7 %	-

Based upon 2279 valid cases out of 2470 total cases.

V3176   113C18B:#DA/4W SC MS CUT

Location:	378-379 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1523	61.7 %	68.0%
2	1 DAY:(2)	326	13.2 %	14.6%
3	2 DAYS:(3)	139	5.6 %	6.2%
4	3 DAYS:(4)	101	4.1 %	4.5%
5	4-5 DAYS:(5)	69	2.8 %	3.1%
6	6-10 DA:(6)	37	1.5 %	1.7%
7	11+ DAYS:(7)	45	1.8 %	2.0%
-9 (M)	MISSING:(-9)	230	9.3 %	-

Based upon 2240 valid cases out of 2470 total cases.

V3177   113C18C:#DA/4W SC MS OTH

Location:	380-381 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10

Days" 7="11 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1231	49.8 %	54.6%
2	1 DAY:(2)	447	18.1 %	19.8%
3	2 DAYS:(3)	258	10.4 %	11.4%
4	3 DAYS:(4)	137	5.5 %	6.1%
5	4-5 DAYS:(5)	101	4.1 %	4.5%
6	6-10 DA:(6)	42	1.7 %	1.9%
7	11+ DAYS:(7)	38	1.5 %	1.7%
-9 (M)	MISSING:(-9)	216	8.7 %	-

Based upon 2254 valid cases out of 2470 total cases.

V3178	**113C19 :#DA/4W SKP CLASS**

Location: 382-383 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school,
but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"
5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1623	65.7 %	70.1%
2	1-2:(2)	378	15.3 %	16.3%
3	3-5:(3)	187	7.6 %	8.1%
4	6-10:(4)	68	2.8 %	2.9%
5	11-20:(5)	36	1.5 %	1.6%
6	21+:(6)	22	0.9 %	1.0%
-9 (M)	MISSING:(-9)	156	6.3 %	-

Based upon 2314 valid cases out of 2470 total cases.

V3179	**113C20 :R HS GRADE/D = 1**

Location: 384-385 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00470

Which of the following best describes your average grade so
far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"
5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"
1="D (69 or below)"

Value	Label	Unweighted Frequency	%	Valid %
1	D:(1)	21	0.9 %	0.9%
2	C-:(2)	45	1.8 %	2.0%
3	C:(3)	119	4.8 %	5.2%
4	C+:(4)	186	7.5 %	8.1%
5	B-:(5)	286	11.6 %	12.5%
6	B:(6)	416	16.8 %	18.1%
7	B+:(7)	435	17.6 %	19.0%
8	A-:(8)	401	16.2 %	17.5%
9	A:(9)	386	15.6 %	16.8%
-9 (M)	MISSING:(-9)	175	7.1 %	-

Based upon 2295 valid cases out of 2470 total cases.

V3180	113C21A:R WL DO VOC/TEC

Location:	386-387 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00480

How likely is it that you will do each of the following
things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	1258	50.9 %	56.9%
2	PRB WONT:(2)	502	20.3 %	22.7%
3	PRB WILL:(3)	297	12.0 %	13.4%
4	DEF WILL:(4)	155	6.3 %	7.0%
-9 (M)	MISSING:(-9)	258	10.4 %	-

Based upon 2212 valid cases out of 2470 total cases.

V3181	113C21B:R WL DO ARMD FC

Location:	388-389 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00490

How likely is it that you will do each of the following
things after high school?

B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	1521	61.6 %	68.3%
2	PRB WONT:(2)	422	17.1 %	18.9%
3	PRB WILL:(3)	178	7.2 %	8.0%
4	DEF WILL:(4)	107	4.3 %	4.8%
-9 (M)	MISSING:(-9)	242	9.8 %	-

Based upon 2228 valid cases out of 2470 total cases.

V3182	**113C21C:R WL DO 2YR CLG**

Location:	390-391 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00500

How likely is it that you will do each of the following
things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	824	33.4 %	37.2%
2	PRB WONT:(2)	399	16.2 %	18.0%
3	PRB WILL:(3)	489	19.8 %	22.1%
4	DEF WILL:(4)	504	20.4 %	22.7%
-9 (M)	MISSING:(-9)	254	10.3 %	-

Based upon 2216 valid cases out of 2470 total cases.

V3183	**113C21D:R WL DO 4YR CLG**

Location:	392-393 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00510

How likely is it that you will do each of the following
things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	176	7.1 %	7.8%
2	PRB WONT:(2)	191	7.7 %	8.5%
3	PRB WILL:(3)	507	20.5 %	22.5%
4	DEF WILL:(4)	1380	55.9 %	61.2%
-9 (M)	MISSING:(-9)	216	8.7 %	-

Based upon 2254 valid cases out of 2470 total cases.

V3184	**113C21E:R WL DO GRD/PRF**
Location:	394-395 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00520

How likely is it that you will do each of the following
things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	342	13.8 %	15.4%
2	PRB WONT:(2)	568	23.0 %	25.5%
3	PRB WILL:(3)	744	30.1 %	33.4%
4	DEF WILL:(4)	573	23.2 %	25.7%
-9 (M)	MISSING:(-9)	243	9.8 %	-

Based upon 2227 valid cases out of 2470 total cases.

V3185	113C22A:R WNTDO VOC/TEC

Location:	396-397 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00530

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1920	77.7 %	84.9%
1	MARKED:(1)	342	13.8 %	15.1%
-9 (M)	MISSING:(-9)	208	8.4 %	-

Based upon 2262 valid cases out of 2470 total cases.

V3186	113C22B:R WNTDO ARMD FC

Location:	398-399 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00540

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1918	77.7 %	84.8%
1	MARKED:(1)	344	13.9 %	15.2%
-9 (M)	MISSING:(-9)	208	8.4 %	-

Based upon 2262 valid cases out of 2470 total cases.

V3187	113C22C:R WNTDO 2YR CLG

Location:	400-401 (width: 2; decimal: 0)
Variable Type:	numeric

Range of Missing Values (M):   -9

Question:

    Item Number: 00550

    Suppose you could do just what you'd like and nothing stood
    in your way. How many of the following things would you WANT
    to do? (Mark all that apply.)

    C. Graduate from a two-year college program

    0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1643	66.5 %	72.6%
1	MARKED:(1)	619	25.1 %	27.4%
-9 (M)	MISSING:(-9)	208	8.4 %	-

    Based upon 2262 valid cases out of 2470 total cases.

V3188   113C22D:R WNTDO 4YR CLG

Location: 402-403 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

    Item Number: 00560

    Suppose you could do just what you'd like and nothing stood
    in your way. How many of the following things would you WANT
    to do? (Mark all that apply.)

    D. Graduate from college (four-year program)

    0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	423	17.1 %	18.7%
1	MARKED:(1)	1839	74.5 %	81.3%
-9 (M)	MISSING:(-9)	208	8.4 %	-

    Based upon 2262 valid cases out of 2470 total cases.

V3189   113C22E:R WNTDO GRD/PRF

Location: 404-405 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

    Item Number: 00570

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	931	37.7 %	41.2%
1	MARKED:(1)	1331	53.9 %	58.8%
-9 (M)	MISSING:(-9)	208	8.4 %	-

Based upon 2262 valid cases out of 2470 total cases.

V3190	113C22F:R WNTDO NONE

Location:	406-407 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00580

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2156	87.3 %	95.3%
1	MARKED:(1)	106	4.3 %	4.7%
-9 (M)	MISSING:(-9)	208	8.4 %	-

Based upon 2262 valid cases out of 2470 total cases.

V3191	113C23 :HRS/W WRK SCHYR

Location:	408-409 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00590

On the average over the school year, how many hours per week
do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15
hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours"

8="More than 30 hours"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	924	37.4 %	40.8%
2	5 OR <:(2)	226	9.1 %	10.0%
3	6-10 HRS:(3)	245	9.9 %	10.8%
4	11-15 HR:(4)	217	8.8 %	9.6%
5	16-20 HR:(5)	262	10.6 %	11.6%
6	21-25 HR:(6)	170	6.9 %	7.5%
7	26-30 HR:(7)	91	3.7 %	4.0%
8	30+ HRS:(8)	128	5.2 %	5.7%
-9 (M)	MISSING:(-9)	207	8.4 %	-

Based upon 2263 valid cases out of 2470 total cases.

V3192	113C24A:R$/AVG WEEK JOB

Location: 410-412 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00600

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50"
7="$51-75" 8="$76-125" 9="$126-175" 10="176+"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1010	40.9 %	45.7%
2	$1-5:(2)	20	0.8 %	0.9%
3	$6-10:(3)	53	2.1 %	2.4%
4	$11-20:(4)	57	2.3 %	2.6%
5	$21-35:(5)	72	2.9 %	3.3%
6	$36-50:(6)	109	4.4 %	4.9%
7	$51-75:(7)	147	6.0 %	6.7%
8	$76-125:(8)	322	13.0 %	14.6%
9	$126-175:(9)	182	7.4 %	8.2%
10	$176+:(10)	238	9.6 %	10.8%
-9 (M)	MISSING:(-9)	260	10.5 %	-

Based upon 2210 valid cases out of 2470 total cases.

V3193	113C24B:R$/AVG WEEK OTH

Location:	413-415 (width: 3; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00610

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50"
7="$51-75" 8="$76-125" 9="$126-175" 10="176+"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	895	36.2 %	40.8%
2	$1-5:(2)	100	4.0 %	4.6%
3	$6-10:(3)	174	7.0 %	7.9%
4	$11-20:(4)	393	15.9 %	17.9%
5	$21-35:(5)	237	9.6 %	10.8%
6	$36-50:(6)	154	6.2 %	7.0%
7	$51-75:(7)	75	3.0 %	3.4%
8	$76-125:(8)	67	2.7 %	3.1%
9	$126-175:(9)	22	0.9 %	1.0%
10	$176+:(10)	79	3.2 %	3.6%
-9 (M)	MISSING:(-9)	274	11.1 %	-

Based upon 2196 valid cases out of 2470 total cases.

V3194	**113C25 :#X/AV WK GO OUT**

Location:	416-417 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00620

During a typical week, on how many evenings do you go out
for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five"
6="Six or Seven"

Value	Label	Unweighted Frequency	%	Valid %
1	< 1:(1)	282	11.4 %	12.5%
2	ONE:(2)	356	14.4 %	15.7%
3	TWO:(3)	583	23.6 %	25.8%
4	THREE:(4)	511	20.7 %	22.6%

Value	Label	Unweighted Frequency	%	Valid %
5	4-5:(5)	327	13.2 %	14.5%
6	6-7:(6)	202	8.2 %	8.9%
-9 (M)	MISSING:(-9)	209	8.5 %	-

Based upon 2261 valid cases out of 2470 total cases.

V3195	**113C26 :#X DATE 3+/WK**	

Location: 418-419 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00630

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month" 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	727	29.4 %	32.4%
2	ONCE/MO:(2)	401	16.2 %	17.9%
3	2-3X MO:(3)	348	14.1 %	15.5%
4	ONCE WK:(4)	319	12.9 %	14.2%
5	2-3X WK:(5)	296	12.0 %	13.2%
6	3+ WEEK:(6)	150	6.1 %	6.7%
-9 (M)	MISSING:(-9)	229	9.3 %	-

Based upon 2241 valid cases out of 2470 total cases.

V3196	**113C27 :DRIVE>200 MI/WK**	

Location: 420-421 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	520	21.1 %	23.0%
2	1-10 MI:(2)	240	9.7 %	10.6%
3	11-50:(3)	609	24.7 %	26.9%
4	51-100:(4)	440	17.8 %	19.4%
5	101-200:(5)	304	12.3 %	13.4%
6	> 200:(6)	152	6.2 %	6.7%
-9 (M)	MISSING:(-9)	205	8.3 %	-

Based upon 2265 valid cases out of 2470 total cases.

V3197	**113C28 :#X/12MO R TCKTD**

Location:	422-423 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you
received a ticket (OR been stopped and warned) for moving
violations, such as speeding, running a stop light, or
improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"
4="Four or more times"

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	1736	70.3 %	78.2%
1	ONCE:(1)	301	12.2 %	13.6%
2	TWICE:(2)	124	5.0 %	5.6%
3	3 TIMES:(3)	39	1.6 %	1.8%
4	4+ TIMES:(4)	19	0.8 %	0.9%
-9 (M)	MISSING:(-9)	251	10.2 %	-

Based upon 2219 valid cases out of 2470 total cases.

V3198	**113C29AR:#TCKTS AFT DRNK**

Location:	424-425 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00660

How many of these tickets or warnings occurred after you
were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	455	18.4 %	96.2%
1	ONE:(1)	14	0.6 %	3.0%
2	TWO:(2)	3	0.1 %	0.6%
3	THREE+:(3-4)	1	0.0 %	0.2%
-9 (M)	MISSING:(-9)	1997	80.9 %	-

Based upon 473 valid cases out of 2470 total cases.

V3199	113C29BR:#TCKTS AFT MARJ

Location:	426-427 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00670

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	451	18.3 %	94.7%
1	ONE:(1)	19	0.8 %	4.0%
2	TWO:(2)	4	0.2 %	0.8%
3	THREE+:(3-4)	2	0.1 %	0.4%
-9 (M)	MISSING:(-9)	1994	80.7 %	-

Based upon 476 valid cases out of 2470 total cases.

V3200	113C29CR:#TCKTS AFT OTDG

Location:	428-429 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00680

How many of these tickets or warnings occurred after you
were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	464	18.8 %	98.1%
1	ONE:(1)	6	0.2 %	1.3%
2	TWO:(2)	2	0.1 %	0.4%
3	THREE+:(3-4)	1	0.0 %	0.2%
-9 (M)	MISSING:(-9)	1997	80.9 %	-

Based upon 473 valid cases out of 2470 total cases.

V3201	**113C30 :#ACCIDNTS/12 MO**

Location: 430-431 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00690

We are interested in any accidents which occurred while you
were driving a car, truck, or motorcycle. ("Accidents" means
a collision involving property damage or personal injury--
not bumps or scratches in parking lots.) During the LAST 12
MONTHS, how many accidents have you had while you were driving
(whether or not you were responsible)?

0="None--GO TO TOP OF NEXT COLUMN " 1="Once" 2="Twice"
3="Three times" 4="Four or more times"

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	1838	74.4 %	82.9%
1	ONCE:(1)	292	11.8 %	13.2%
2	TWICE:(2)	62	2.5 %	2.8%
3	3 TIMES:(3)	17	0.7 %	0.8%
4	4+ TIMES:(4)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	252	10.2 %	-

Based upon 2218 valid cases out of 2470 total cases.

V3202	**113C31AR:#ACDTS AFT DRNK**

Location: 432-433 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	370	15.0 %	97.4%
1	ONE:(1)	4	0.2 %	1.1%
2	TWO:(2)	3	0.1 %	0.8%
3	THREE+:(3-4)	3	0.1 %	0.8%
-9 (M)	MISSING:(-9)	2090	84.6 %	-

Based upon 380 valid cases out of 2470 total cases.

V3203	**113C31BR:#ACDTS AFT MARJ**

Location:	434-435 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	368	14.9 %	96.8%
1	ONE:(1)	9	0.4 %	2.4%
2	TWO:(2)	1	0.0 %	0.3%
3	THREE+:(3-4)	2	0.1 %	0.5%
-9 (M)	MISSING:(-9)	2090	84.6 %	-

Based upon 380 valid cases out of 2470 total cases.

V3204	**113C31CR:#ACDTS AFT OTDG**

Location:	436-437 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	372	15.1 %	98.4%
1	ONE:(1)	3	0.1 %	0.8%
2	TWO:(2)	1	0.0 %	0.3%
3	THREE+:(3-4)	2	0.1 %	0.5%
-9 (M)	MISSING:(-9)	2092	84.7 %	-

Based upon 378 valid cases out of 2470 total cases.

V3484	**113D01 :FEEL UNSAFE@SCHL**

Location:	438-439 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 25770

The next questions are about feeling unsafe--that is, feeling that someone might try to harm or injure you. How often do you feel unsafe when you are at school?

1="Never" 2="Rarely" 3="Some days" 4="Most days" 5="Every day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1389	56.2 %	61.4%
2	RARELY:(2)	634	25.7 %	28.0%
3	SOMEDAYS:(3)	143	5.8 %	6.3%
4	MOSTDAYS:(4)	44	1.8 %	1.9%
5	EVERYDAY:(5)	53	2.1 %	2.3%
-9 (M)	MISSING:(-9)	207	8.4 %	-

Based upon 2263 valid cases out of 2470 total cases.

V3485	**113D02 :UNSAF TO/FRM SCH**

Location:	440-441 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 25780

How often do you feel unsafe going to or from school?

1="Never" 2="Rarely" 3="Some days" 4="Most days" 5="Every day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1455	58.9 %	64.4%
2	RARELY:(2)	561	22.7 %	24.8%
3	SOMEDAYS:(3)	155	6.3 %	6.9%
4	MOSTDAYS:(4)	46	1.9 %	2.0%
5	EVERYDAY:(5)	42	1.7 %	1.9%
-9 (M)	MISSING:(-9)	211	8.5 %	-

Based upon 2259 valid cases out of 2470 total cases.

V3486   113D03 :4WK/UNSAF AVDSCH

Location:	442-443 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 25790

During the LAST FOUR WEEKS, how many days did you not go to
school because you felt you would be unsafe at school or on
your way to or from school?

1="0 days" 2="1 day" 3="2 or 3 days" 4="4 or more days"

Value	Label	Unweighted Frequency	%	Valid %
1	0 DAYS:(1)	2189	88.6 %	97.1%
2	1 DAY:(2)	25	1.0 %	1.1%
3	2 OR 3:(3)	21	0.9 %	0.9%
4	4+ DAYS:(4)	19	0.8 %	0.8%
-9 (M)	MISSING:(-9)	216	8.7 %	-

Based upon 2254 valid cases out of 2470 total cases.

V3503   113D04A:#X ANDRO/12MO

Location:	444-445 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 31160

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

A. . . . taken "andro" (androstenedione, non-prescription steroid)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2231	90.3 %	99.5%
2	1-2X:(2)	3	0.1 %	0.1%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	228	9.2 %	-

Based upon 2242 valid cases out of 2470 total cases.

V3504	113D04B:#X CREATINE/12MO

Location: 446-447 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31170

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

B. . . . taken creatine (amino acid used to build muscles)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2055	83.2 %	91.8%
2	1-2X:(2)	43	1.7 %	1.9%
3	3-5X:(3)	27	1.1 %	1.2%
4	6-9X:(4)	18	0.7 %	0.8%
5	10-19X:(5)	26	1.1 %	1.2%
6	20-39X:(6)	25	1.0 %	1.1%

Value	Label	Unweighted Frequency	%	Valid %
7	40+OCCAS:(7)	45	1.8 %	2.0%
-9 (M)	MISSING:(-9)	231	9.4 %	-

Based upon 2239 valid cases out of 2470 total cases.

V3505	113D04C:#X RITALIN/12MO

Location:	448-449 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31180

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

C. . . . taken Ritalin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2188	88.6 %	97.6%
2	1-2X:(2)	27	1.1 %	1.2%
3	3-5X:(3)	12	0.5 %	0.5%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	228	9.2 %	-

Based upon 2242 valid cases out of 2470 total cases.

V3526	113D04D:#X ADDERALL/12MO

Location:	450-451 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 32450

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

D. . . . taken Adderall (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9

Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2097	84.9 %	94.0%
2	1-2X:(2)	70	2.8 %	3.1%
3	3-5X:(3)	23	0.9 %	1.0%
4	6-9X:(4)	23	0.9 %	1.0%
5	10-19X:(5)	7	0.3 %	0.3%
6	20-39X:(6)	6	0.2 %	0.3%
7	40+OCCAS:(7)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	238	9.6 %	-

Based upon 2232 valid cases out of 2470 total cases.

V3521   113D04E:#X COUGHMED/12MO

Location:	452-453 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31670

During the LAST 12 MONTHS, on how many occasions (if any)
have you . . .

E. . . . taken a non-prescription cough or cold medicine
(robos, DXM, etc.) to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2101	85.1 %	93.8%
2	1-2X:(2)	68	2.8 %	3.0%
3	3-5X:(3)	34	1.4 %	1.5%
4	6-9X:(4)	19	0.8 %	0.8%
5	10-19X:(5)	7	0.3 %	0.3%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	8	0.3 %	0.4%
-9 (M)	MISSING:(-9)	231	9.4 %	-

Based upon 2239 valid cases out of 2470 total cases.

V3522   113D04F:#X OXYCONTN/12MO

Location:	454-455 (width: 2; decimal: 0)

Variable Type:	numeric	
Range of Missing Values (M):	-9	
Question:		

Item Number: 31310

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

F. . . . taken OxyContin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2141	86.7 %	95.8%
2	1-2X:(2)	42	1.7 %	1.9%
3	3-5X:(3)	25	1.0 %	1.1%
4	6-9X:(4)	9	0.4 %	0.4%
5	10-19X:(5)	11	0.4 %	0.5%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	234	9.5 %	-

Based upon 2236 valid cases out of 2470 total cases.

V3523   113D04G:#X VICODIN/12MO

Location:	456-457 (width: 2; decimal: 0)	
Variable Type:	numeric	
Range of Missing Values (M):	-9	
Question:		

Item Number: 31320

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

G. . . . taken Vicodin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2076	84.0 %	92.9%
2	1-2X:(2)	80	3.2 %	3.6%
3	3-5X:(3)	38	1.5 %	1.7%
4	6-9X:(4)	17	0.7 %	0.8%

Value	Label	Unweighted Frequency	%	Valid %
5	10-19X:(5)	14	0.6 %	0.6%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	235	9.5 %	-

Based upon 2235 valid cases out of 2470 total cases.

V3527   **113D04H:#X HOOKAH/12MO**

Location: 458-459 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item number: 32660

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

H. . . . smoked tobacco using a hookah (water pipe)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1812	73.4 %	81.1%
2	1-2X:(2)	180	7.3 %	8.1%
3	3-5X:(3)	98	4.0 %	4.4%
4	6-9X:(4)	35	1.4 %	1.6%
5	10-19X:(5)	48	1.9 %	2.1%
6	20-39X:(6)	23	0.9 %	1.0%
7	40+OCCAS:(7)	37	1.5 %	1.7%
-9 (M)	MISSING:(-9)	237	9.6 %	-

Based upon 2233 valid cases out of 2470 total cases.

V3528   **113D04I:#X SMALL CIGARS/12MO**

Location: 460-461 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item number: 32670

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

I. . . . smoked small cigars?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1800	72.9 %	80.7%
2	1-2X:(2)	172	7.0 %	7.7%
3	3-5X:(3)	98	4.0 %	4.4%
4	6-9X:(4)	47	1.9 %	2.1%
5	10-19X:(5)	50	2.0 %	2.2%
6	20-39X:(6)	24	1.0 %	1.1%
7	40+OCCAS:(7)	40	1.6 %	1.8%
-9 (M)	MISSING:(-9)	239	9.7 %	-

Based upon 2231 valid cases out of 2470 total cases.

V3531   113D04J:#X SYNTHETIC MJ/12MO

Location:	462-463 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item number: 32700

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

J. . . . taken "synthetic marijuana" ("K2", "Spice") to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1951	79.0 %	87.6%
2	1-2X:(2)	136	5.5 %	6.1%
3	3-5X:(3)	59	2.4 %	2.7%
4	6-9X:(4)	29	1.2 %	1.3%
5	10-19X:(5)	21	0.9 %	0.9%
6	20-39X:(6)	15	0.6 %	0.7%
7	40+OCCAS:(7)	15	0.6 %	0.7%
-9 (M)	MISSING:(-9)	244	9.9 %	-

Based upon 2226 valid cases out of 2470 total cases.

V3309   113D05A:12MO REDUCE ALCL

Location:	464-465 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08910

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

A: . . . Alcohol?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	893	36.2 %	46.5%
1	YES:(1)	343	13.9 %	17.9%
8	HVNT USD:(8)	683	27.7 %	35.6%
-9 (M)	MISSING:(-9)	551	22.3 %	-

Based upon 1919 valid cases out of 2470 total cases.

V3310	**113D05B:12MO REDUCE CIG**

Location:	466-467 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08920

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

B: . . . Cigarettes?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	359	14.5 %	16.3%
1	YES:(1)	338	13.7 %	15.3%
8	HVNT USD:(8)	1507	61.0 %	68.4%
-9 (M)	MISSING:(-9)	266	10.8 %	-

Based upon 2204 valid cases out of 2470 total cases.

V3311	**113D05C:12MO REDUCE MARJ**

Location:	468-469 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 08930

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

C: . . . Marijuana?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	460	18.6 %	23.5%
1	YES:(1)	306	12.4 %	15.6%
8	HVNT USD:(8)	1194	48.3 %	60.9%
-9 (M)	MISSING:(-9)	510	20.6 %	-

Based upon 1960 valid cases out of 2470 total cases.

V3312	113D05D:12MO REDUCE PSYC

Location: 470-471 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08940

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

D: . . . Hallucinogens (LSD, etc.)?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	63	2.6 %	3.3%
1	YES:(1)	16	0.6 %	0.8%
8	HVNT USD:(8)	1859	75.3 %	95.9%
-9 (M)	MISSING:(-9)	532	21.5 %	-

Based upon 1938 valid cases out of 2470 total cases.

V3313	113D05E:12MO REDUCE AMPH

Location: 472-473 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08950

At any time during the LAST 12 MONTHS, have you felt in your

own mind that you should REDUCE or STOP your use of . . .

E: . . . Amphetamines (uppers)?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	67	2.7 %	3.6%
1	YES:(1)	23	0.9 %	1.2%
8	HVNT USD:(8)	1789	72.4 %	95.2%
-9 (M)	MISSING:(-9)	591	23.9 %	-

Based upon 1879 valid cases out of 2470 total cases.

V3443	**113D05F:12MO REDUCE TRQL**

Location: 474-475 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09005

At any time during the LAST 12 MONTHS, have you felt in your
own mind that you should REDUCE or STOP your use of . . .

F: . . . Tranquilizers?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	45	1.8 %	2.3%
1	YES:(1)	21	0.9 %	1.1%
8	HVNT USD:(8)	1865	75.5 %	96.6%
-9 (M)	MISSING:(-9)	539	21.8 %	-

Based upon 1931 valid cases out of 2470 total cases.

V3510	**113D05G:12MO REDUCE SD/B**

Location: 476-477 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08975

At any time during the LAST 12 MONTHS, have you felt in your
own mind that you should REDUCE or STOP your use of . . .

G: . . . Sedatives/barbiturates (downers)?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	247	10.0 %	11.5%
1	YES:(1)	45	1.8 %	2.1%
8	HVNT USD:(8)	1863	75.4 %	86.5%
-9 (M)	MISSING:(-9)	315	12.8 %	-

Based upon 2155 valid cases out of 2470 total cases.

V3316	113D05H:12MO REDUCE COKE

Location:	478-479 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08980

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

H: . . . Cocaine?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	26	1.1 %	1.3%
1	YES:(1)	29	1.2 %	1.5%
8	HVNT USD:(8)	1906	77.2 %	97.2%
-9 (M)	MISSING:(-9)	509	20.6 %	-

Based upon 1961 valid cases out of 2470 total cases.

V3317	113D05I:12MO REDUCE HRN

Location:	480-481 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08990

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

I: . . . Heroin?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	11	0.4 %	0.6%
1	YES:(1)	3	0.1 %	0.2%
8	HVNT USD:(8)	1950	78.9 %	99.3%
-9 (M)	MISSING:(-9)	506	20.5 %	-

Based upon 1964 valid cases out of 2470 total cases.

V3318 — 113D05J:12MO REDUCE NARC

Location: 482-483 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 09000

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

J: . . . Other narcotics?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	60	2.4 %	3.2%
1	YES:(1)	36	1.5 %	1.9%
8	HVNT USD:(8)	1786	72.3 %	94.9%
-9 (M)	MISSING:(-9)	588	23.8 %	-

Based upon 1882 valid cases out of 2470 total cases.

V3319 — 113D06 :NXT 12MOS USE MJ

Location: 484-485 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 09010

How likely is it that you will use marijuana in the next 12 months?

1="Definitely will--GO TO QUESTION 8" 2="Probably will--GO TO QUESTION 8" 3="Probably will not" 4="Definitely will not"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	317	12.8 %	15.0%
2	PRB WILL:(2)	264	10.7 %	12.5%

Value	Label	Unweighted Frequency	%	Valid %
3	PRB NOT:(3)	325	13.2 %	15.4%
4	DEF NOT:(4)	1204	48.7 %	57.1%
-9 (M)	MISSING:(-9)	360	14.6 %	-

Based upon 2110 valid cases out of 2470 total cases.

V3320   113D07A:CNCRN PSYCH DAMG

Location:	486-487 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09020

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

A. Concerned about possible psychological damage

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	676	27.4 %	46.7%
1	MARKED:(1)	772	31.3 %	53.3%
-9 (M)	MISSING:(-9)	1022	41.4 %	-

Based upon 1448 valid cases out of 2470 total cases.

V3321   113D07B:CNCRN PHYSCL DMG

Location:	488-489 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09030

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

B. Concerned about possible physical damage

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	751	30.4 %	51.9%
1	MARKED:(1)	697	28.2 %	48.1%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	1022	41.4 %	-

Based upon 1448 valid cases out of 2470 total cases.

V3322	**113D07C:CNCRN GT ARRESTD**

Location: 490-491 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09040

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

C. Concerned about getting arrested

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	696	28.2 %	48.1%
1	MARKED:(1)	752	30.4 %	51.9%
-9 (M)	MISSING:(-9)	1022	41.4 %	-

Based upon 1448 valid cases out of 2470 total cases.

V3323	**113D07D:CNCRN BECOM ADCT**

Location: 492-493 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09050

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

D. Concerned about becoming addicted to marijuana

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	800	32.4 %	55.2%
1	MARKED:(1)	648	26.2 %	44.8%
-9 (M)	MISSING:(-9)	1022	41.4 %	-

Based upon 1448 valid cases out of 2470 total cases.

V3324	113D07E:AGST MY BELIEFS

Location: 494-495 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09060

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

E. It's against my beliefs

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	852	34.5 %	58.8%
1	MARKED:(1)	596	24.1 %	41.2%
-9 (M)	MISSING:(-9)	1022	41.4 %	-

Based upon 1448 valid cases out of 2470 total cases.

V3325	113D07F:CNCRN LEGY/AMBTN

Location: 496-497 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09070

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

F. Concerned about loss of energy or ambition

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	948	38.4 %	65.5%
1	MARKED:(1)	500	20.2 %	34.5%
-9 (M)	MISSING:(-9)	1022	41.4 %	-

Based upon 1448 valid cases out of 2470 total cases.

V3326	113D07G:CNCRN LOSS CNTRL

Location: 498-499 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09080

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

G. Concerned about possible loss of control of myself

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	801	32.4 %	55.3%
1	MARKED:(1)	647	26.2 %	44.7%
-9 (M)	MISSING:(-9)	1022	41.4 %	-

Based upon 1448 valid cases out of 2470 total cases.

V3327	113D07H:MJ ->STRNGR DRGS

Location: 500-501 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09090

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

H. It might lead to stronger drugs

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	816	33.0 %	56.4%
1	MARKED:(1)	632	25.6 %	43.6%
-9 (M)	MISSING:(-9)	1022	41.4 %	-

Based upon 1448 valid cases out of 2470 total cases.

V3328	113D07I:MJ NOT ENJOYABLE

Location: 502-503 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09100

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

I. Not enjoyable, I didn't like it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1121	45.4 %	77.4%
1	MARKED:(1)	327	13.2 %	22.6%
-9 (M)	MISSING:(-9)	1022	41.4 %	-

Based upon 1448 valid cases out of 2470 total cases.

V3329   113D07J:PRNTS DISAPPROVE

Location:	504-505 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09110

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

J. My parents would disapprove

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	588	23.8 %	40.6%
1	MARKED:(1)	860	34.8 %	59.4%
-9 (M)	MISSING:(-9)	1022	41.4 %	-

Based upon 1448 valid cases out of 2470 total cases.

V3330   113D07K:HS/WF DISAPPROVE

Location:	506-507 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09120

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

K. My husband/wife (or boyfriend/girlfriend) would disapprove

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1045	42.3 %	72.2%
1	MARKED:(1)	403	16.3 %	27.8%
-9 (M)	MISSING:(-9)	1022	41.4 %	-

Based upon 1448 valid cases out of 2470 total cases.

V3331	**113D07L:DONT LIKE USERS**

Location: 508-509 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09130

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

L. I don't like being with the people who use it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	914	37.0 %	63.1%
1	MARKED:(1)	534	21.6 %	36.9%
-9 (M)	MISSING:(-9)	1022	41.4 %	-

Based upon 1448 valid cases out of 2470 total cases.

V3332	**113D07M:FRNDS DNT USE IT**

Location: 510-511 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09140

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

M. My friends don't use it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1062	43.0 %	73.3%
1	MARKED:(1)	386	15.6 %	26.7%
-9 (M)	MISSING:(-9)	1022	41.4 %	-

Based upon 1448 valid cases out of 2470 total cases.

V3333   113D07N:PSSBLY BAD TRIP

Location: 512-513 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09150

Here are some reasons people give for not using marijuana,
or for stopping use. Please tell us which reasons are true
for you. (Mark ALL that apply.)

N. I might have a bad trip

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1181	47.8 %	81.6%
1	MARKED:(1)	267	10.8 %	18.4%
-9 (M)	MISSING:(-9)	1022	41.4 %	-

Based upon 1448 valid cases out of 2470 total cases.

V3334   113D07O:TOO EXPENSIVE

Location: 514-515 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09160

Here are some reasons people give for not using marijuana,
or for stopping use. Please tell us which reasons are true
for you. (Mark ALL that apply.)

O. Too expensive

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1163	47.1 %	80.3%
1	MARKED:(1)	285	11.5 %	19.7%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	1022	41.4 %	-

Based upon 1448 valid cases out of 2470 total cases.

V3335	**113D07P:NOT AVAILABLE**

Location:	516-517 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09170

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

P. Not available

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1334	54.0 %	92.1%
1	MARKED:(1)	114	4.6 %	7.9%
-9 (M)	MISSING:(-9)	1022	41.4 %	-

Based upon 1448 valid cases out of 2470 total cases.

V3336	**113D07Q:NOT WNT GET HIGH**

Location:	518-519 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09180

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

Q. Don't feel like getting high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	476	19.3 %	32.9%
1	MARKED:(1)	972	39.4 %	67.1%
-9 (M)	MISSING:(-9)	1022	41.4 %	-

Based upon 1448 valid cases out of 2470 total cases.

V3337	113D08AA:AL CS BEHV REGRT

Location:	520-521 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09190

Has your use of alcohol ever caused any of the following problems for you?

A. Caused you to behave in ways that you later regretted

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1782	72.1 %	76.6%
1	MARKED:(1)	544	22.0 %	23.4%
-9 (M)	MISSING:(-9)	144	5.8 %	-

Based upon 2326 valid cases out of 2470 total cases.

V3338	113D08AB:AL HURT REL PRNT

Location:	522-523 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09200

Has your use of alcohol ever caused any of the following problems for you?

B. Hurt your relationship with your parents

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2161	87.5 %	92.9%
1	MARKED:(1)	165	6.7 %	7.1%
-9 (M)	MISSING:(-9)	144	5.8 %	-

Based upon 2326 valid cases out of 2470 total cases.

V3339	113D08AC:AL HURT REL SPSE

| Location: | 524-525 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Range of Missing Values (M):   -9

Question:

Item Number: 09210

Has your use of alcohol ever caused any of the following problems for you?

C. Hurt your relationship with your spouse, fiancee, or girlfriend/boyfriend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2126	86.1 %	91.4%
1	MARKED:(1)	200	8.1 %	8.6%
-9 (M)	MISSING:(-9)	144	5.8 %	-

Based upon 2326 valid cases out of 2470 total cases.

V3340	**113D08AD:AL HURT REL FRND**

Location: 526-527 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09220

Has your use of alcohol ever caused any of the following problems for you?

D. Hurt your relationships with your friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2194	88.8 %	94.3%
1	MARKED:(1)	132	5.3 %	5.7%
-9 (M)	MISSING:(-9)	144	5.8 %	-

Based upon 2326 valid cases out of 2470 total cases.

V3341	**113D08AE:AL HURT REL TCHR**

Location: 528-529 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09230

Has your use of alcohol ever caused any of the following

problems for you?

E. Hurt your relationships with teachers or supervisors

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2288	92.6 %	98.4%
1	MARKED:(1)	38	1.5 %	1.6%
-9 (M)	MISSING:(-9)	144	5.8 %	-

Based upon 2326 valid cases out of 2470 total cases.

V3342	**113D08AF:AL INV PL BD INF**

Location:	530-531 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09240

Has your use of alcohol ever caused any of the following problems for you?

F. Involved you with people you think are a bad influence on you

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2146	86.9 %	92.3%
1	MARKED:(1)	180	7.3 %	7.7%
-9 (M)	MISSING:(-9)	144	5.8 %	-

Based upon 2326 valid cases out of 2470 total cases.

V3343	**113D08AG:AL HURT PERF JOB**

Location:	532-533 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09250

Has your use of alcohol ever caused any of the following problems for you?

G. Hurt your performance in school and/or on the job

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2227	90.2 %	95.7%
1	MARKED:(1)	99	4.0 %	4.3%
-9 (M)	MISSING:(-9)	144	5.8 %	-

Based upon 2326 valid cases out of 2470 total cases.

V3344	**113D08AH:AL CAUS<INTERSTD**

Location: 534-535 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09260

Has your use of alcohol ever caused any of the following problems for you?

H. Caused you to be less interested in other activities than you were before

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2243	90.8 %	96.4%
1	MARKED:(1)	83	3.4 %	3.6%
-9 (M)	MISSING:(-9)	144	5.8 %	-

Based upon 2326 valid cases out of 2470 total cases.

V3345	**113D08AI:AL CS<STABL EMTN**

Location: 536-537 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09270

Has your use of alcohol ever caused any of the following problems for you?

I. Caused you to be less stable emotionally

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2190	88.7 %	94.2%
1	MARKED:(1)	136	5.5 %	5.8%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	144	5.8 %	-

Based upon 2326 valid cases out of 2470 total cases.

V3346	**113D08AJ:AL CS HAV<ENERGY**

Location:	538-539 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09280

Has your use of alcohol ever caused any of the following problems for you?

J. Caused you to have less energy

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2199	89.0 %	94.5%
1	MARKED:(1)	127	5.1 %	5.5%
-9 (M)	MISSING:(-9)	144	5.8 %	-

Based upon 2326 valid cases out of 2470 total cases.

V3347	**113D08AK:AL INTF THNK CLR**

Location:	540-541 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09290

Has your use of alcohol ever caused any of the following problems for you?

K. Interfered with your ability to think clearly

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1981	80.2 %	85.2%
1	MARKED:(1)	345	14.0 %	14.8%
-9 (M)	MISSING:(-9)	144	5.8 %	-

Based upon 2326 valid cases out of 2470 total cases.

| **V3348** | **113D08AL:AL BD PSYCH EFCT** |

Location:	542-543 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09300

Has your use of alcohol ever caused any of the following problems for you?

L. Had other bad psychological effects

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2278	92.2 %	97.9%
1	MARKED:(1)	48	1.9 %	2.1%
-9 (M)	MISSING:(-9)	144	5.8 %	-

Based upon 2326 valid cases out of 2470 total cases.

| **V3349** | **113D08AM:AL CS HEALTH BAD** |

Location:	544-545 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09310

Has your use of alcohol ever caused any of the following problems for you?

M. Caused your physical health to be bad

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2247	91.0 %	96.6%
1	MARKED:(1)	79	3.2 %	3.4%
-9 (M)	MISSING:(-9)	144	5.8 %	-

Based upon 2326 valid cases out of 2470 total cases.

| **V3350** | **113D08AN:AL CS DRIV UNSAF** |

Location:	546-547 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 09320

Has your use of alcohol ever caused any of the following
problems for you?

N. Caused you to drive unsafely

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2190	88.7 %	94.2%
1	MARKED:(1)	136	5.5 %	5.8%
-9 (M)	MISSING:(-9)	144	5.8 %	-

Based upon 2326 valid cases out of 2470 total cases.

V3351	113D08AO:AL GT TRBL W POL

Location: 548-549 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09330

Has your use of alcohol ever caused any of the following
problems for you?

O. Gotten you into trouble with the police

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2241	90.7 %	96.3%
1	MARKED:(1)	85	3.4 %	3.7%
-9 (M)	MISSING:(-9)	144	5.8 %	-

Based upon 2326 valid cases out of 2470 total cases.

V3352	113D08AP:AL CS NO PROBLEM

Location: 550-551 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09340

Has your use of alcohol ever caused any of the following
problems for you?

P. Caused you none of the above problems

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1952	79.0 %	83.9%
1	MARKED:(1)	374	15.1 %	16.1%
-9 (M)	MISSING:(-9)	144	5.8 %	-

Based upon 2326 valid cases out of 2470 total cases.

V3353	**113D08AQ:AL NEVER USED DG**

Location:	552-553 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09350

Has your use of alcohol ever caused any of the following problems for you?

Q. Never used the drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2122	85.9 %	91.2%
1	MARKED:(1)	204	8.3 %	8.8%
-9 (M)	MISSING:(-9)	144	5.8 %	-

Based upon 2326 valid cases out of 2470 total cases.

V3354	**113D08MA:MJ CS BEHV REGRT**

Location:	554-555 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09360

Has your use of marijuana ever caused any of the following problems for you?

A. Caused you to behave in ways that you later regretted

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2245	90.9 %	94.5%

Value	Label	Unweighted Frequency	%	Valid %
1	MARKED:(1)	130	5.3 %	5.5%
-9 (M)	MISSING:(-9)	95	3.8 %	-

Based upon 2375 valid cases out of 2470 total cases.

V3355   113D08MB:MJ HURT REL PRNT

Location:	556-557 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09370

Has your use of marijuana ever caused any of the following problems for you?

B. Hurt your relationship with your parents

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2246	90.9 %	94.6%
1	MARKED:(1)	129	5.2 %	5.4%
-9 (M)	MISSING:(-9)	95	3.8 %	-

Based upon 2375 valid cases out of 2470 total cases.

V3356   113D08MC:MJ HURT REL SPSE

Location:	558-559 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09380

Has your use of marijuana ever caused any of the following problems for you?

C. Hurt your relationship with your spouse, fiancee, or girlfriend/boyfriend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2253	91.2 %	94.9%
1	MARKED:(1)	122	4.9 %	5.1%
-9 (M)	MISSING:(-9)	95	3.8 %	-

Based upon 2375 valid cases out of 2470 total cases.

V3357	**113D08MD:MJ HURT REL FRND**

Location: 560-561 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09390

Has your use of marijuana ever caused any of the following problems for you?

D. Hurt your relationships with your friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2290	92.7 %	96.4%
1	MARKED:(1)	85	3.4 %	3.6%
-9 (M)	MISSING:(-9)	95	3.8 %	-

Based upon 2375 valid cases out of 2470 total cases.

V3358	**113D08ME:MJ HURT REL TCHR**

Location: 562-563 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09400

Has your use of marijuana ever caused any of the following problems for you?

E. Hurt your relationships with teachers or supervisors

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2336	94.6 %	98.4%
1	MARKED:(1)	39	1.6 %	1.6%
-9 (M)	MISSING:(-9)	95	3.8 %	-

Based upon 2375 valid cases out of 2470 total cases.

V3359	**113D08MF:MJ INV PL BD INF**

Location: 564-565 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09410

Has your use of marijuana ever caused any of the following problems for you?

F. Involved you with people you think are a bad influence on you

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2175	88.1 %	91.6%
1	MARKED:(1)	200	8.1 %	8.4%
-9 (M)	MISSING:(-9)	95	3.8 %	-

Based upon 2375 valid cases out of 2470 total cases.

V3360	113D08MG:MJ HURT PERF JOB

Location: 566-567 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09420

Has your use of marijuana ever caused any of the following problems for you?

G. Hurt your performance in school and/or on the job

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2262	91.6 %	95.2%
1	MARKED:(1)	113	4.6 %	4.8%
-9 (M)	MISSING:(-9)	95	3.8 %	-

Based upon 2375 valid cases out of 2470 total cases.

V3361	113D08MH:MJ CAUS<INTERSTD

Location: 568-569 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09430

Has your use of marijuana ever caused any of the following

problems for you?

H. Caused you to be less interested in other activities than you were before

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2247	91.0 %	94.6%
1	MARKED:(1)	128	5.2 %	5.4%
-9 (M)	MISSING:(-9)	95	3.8 %	-

Based upon 2375 valid cases out of 2470 total cases.

V3362	113D08MI:MJ CS<STABL EMTN

Location:	570-571 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09440

Has your use of marijuana ever caused any of the following problems for you?

I. Caused you to be less stable emotionally

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2304	93.3 %	97.0%
1	MARKED:(1)	71	2.9 %	3.0%
-9 (M)	MISSING:(-9)	95	3.8 %	-

Based upon 2375 valid cases out of 2470 total cases.

V3363	113D08MJ:MJ CS HAV<ENERGY

Location:	572-573 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09450

Has your use of marijuana ever caused any of the following problems for you?

J. Caused you to have less energy

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2161	87.5 %	91.0%
1	MARKED:(1)	214	8.7 %	9.0%
-9 (M)	MISSING:(-9)	95	3.8 %	-

Based upon 2375 valid cases out of 2470 total cases.

V3364	**113D08MK:MJ INTF THNK CLR**

Location:	574-575 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09460

Has your use of marijuana ever caused any of the following problems for you?

K. Interfered with your ability to think clearly

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2169	87.8 %	91.3%
1	MARKED:(1)	206	8.3 %	8.7%
-9 (M)	MISSING:(-9)	95	3.8 %	-

Based upon 2375 valid cases out of 2470 total cases.

V3365	**113D08ML:MJ BD PSYCH EFCT**

Location:	576-577 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09470

Has your use of marijuana ever caused any of the following problems for you?

L. Had other bad psychological effects

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2323	94.0 %	97.8%
1	MARKED:(1)	52	2.1 %	2.2%
-9 (M)	MISSING:(-9)	95	3.8 %	-

Based upon 2375 valid cases out of 2470 total cases.

V3366	113D08MM:MJ CS HEALTH BAD

Location: 578-579 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09480

Has your use of marijuana ever caused any of the following problems for you?

M. Caused your physical health to be bad

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2328	94.3 %	98.0%
1	MARKED:(1)	47	1.9 %	2.0%
-9 (M)	MISSING:(-9)	95	3.8 %	-

Based upon 2375 valid cases out of 2470 total cases.

V3367	113D08MN:MJ CS DRIV UNSAF

Location: 580-581 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09490

Has your use of marijuana ever caused any of the following problems for you?

N. Caused you to drive unsafely

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2318	93.8 %	97.6%
1	MARKED:(1)	57	2.3 %	2.4%
-9 (M)	MISSING:(-9)	95	3.8 %	-

Based upon 2375 valid cases out of 2470 total cases.

V3368	113D08MO:MJ GT TRBL W POL

Location: 582-583 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09500

Has your use of marijuana ever caused any of the following problems for you?

O. Gotten you into trouble with the police

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2319	93.9 %	97.6%
1	MARKED:(1)	56	2.3 %	2.4%
-9 (M)	MISSING:(-9)	95	3.8 %	-

Based upon 2375 valid cases out of 2470 total cases.

V3369	**113D08MP:MJ CS NO PROBLEM**

Location: 584-585 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09510

Has your use of marijuana ever caused any of the following problems for you?

P. Caused you none of the above problems

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1750	70.9 %	73.7%
1	MARKED:(1)	625	25.3 %	26.3%
-9 (M)	MISSING:(-9)	95	3.8 %	-

Based upon 2375 valid cases out of 2470 total cases.

V3370	**113D08MQ:MJ NEVER USED DG**

Location: 586-587 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09520

Has your use of marijuana ever caused any of the following problems for you?

Q. Never used the drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1890	76.5 %	79.6%
1	MARKED:(1)	485	19.6 %	20.4%
-9 (M)	MISSING:(-9)	95	3.8 %	-

Based upon 2375 valid cases out of 2470 total cases.

V3371	**113D08OA:OT CS BEHV REGRT**

Location: 588-589 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09530

Has your use of other illegal drugs ever caused any of the following problems for you?

A. Caused you to behave in ways that you later regretted

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2240	90.7 %	97.5%
1	MARKED:(1)	57	2.3 %	2.5%
-9 (M)	MISSING:(-9)	173	7.0 %	-

Based upon 2297 valid cases out of 2470 total cases.

V3372	**113D08OB:OT HURT REL PRNT**

Location: 590-591 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09540

Has your use of other illegal drugs ever caused any of the following problems for you?

B. Hurt your relationship with your parents

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2253	91.2 %	98.1%
1	MARKED:(1)	44	1.8 %	1.9%
-9 (M)	MISSING:(-9)	173	7.0 %	-

Based upon 2297 valid cases out of 2470 total cases.

V3373 — 113D08OC:OT HURT REL SPSE

Location: 592-593 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09550

Has your use of other illegal drugs ever caused any of the following problems for you?

C. Hurt your relationship with your spouse, fiancee, or girlfriend/boyfriend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2257	91.4 %	98.3%
1	MARKED:(1)	40	1.6 %	1.7%
-9 (M)	MISSING:(-9)	173	7.0 %	-

Based upon 2297 valid cases out of 2470 total cases.

V3374 — 113D08OD:OT HURT REL FRND

Location: 594-595 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09560

Has your use of other illegal drugs ever caused any of the following problems for you?

D. Hurt your relationships with your friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2255	91.3 %	98.2%
1	MARKED:(1)	42	1.7 %	1.8%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	173	7.0 %	-

Based upon 2297 valid cases out of 2470 total cases.

V3375	**113D08OE:OT HURT REL TCHR**

Location: 596-597 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09570

Has your use of other illegal drugs ever caused any of the following problems for you?

E. Hurt your relationships with teachers or supervisors

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2271	91.9 %	98.9%
1	MARKED:(1)	26	1.1 %	1.1%
-9 (M)	MISSING:(-9)	173	7.0 %	-

Based upon 2297 valid cases out of 2470 total cases.

V3376	**113D08OF:OT INV PL BD INF**

Location: 598-599 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09580

Has your use of other illegal drugs ever caused any of the following problems for you?

F. Involved you with people you think are a bad influence on you

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2232	90.4 %	97.2%
1	MARKED:(1)	65	2.6 %	2.8%
-9 (M)	MISSING:(-9)	173	7.0 %	-

Based upon 2297 valid cases out of 2470 total cases.

V3377	113D08OG:OT HURT PERF JOB

Location: 600-601 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09590

Has your use of other illegal drugs ever caused any of the following problems for you?

G. Hurt your performance in school and/or on the job

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2251	91.1 %	98.0%
1	MARKED:(1)	46	1.9 %	2.0%
-9 (M)	MISSING:(-9)	173	7.0 %	-

Based upon 2297 valid cases out of 2470 total cases.

V3378	113D08OH:OT CAUS<INTERSTD

Location: 602-603 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09600

Has your use of other illegal drugs ever caused any of the following problems for you?

H. Caused you to be less interested in other activities than you were before

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2257	91.4 %	98.3%
1	MARKED:(1)	40	1.6 %	1.7%
-9 (M)	MISSING:(-9)	173	7.0 %	-

Based upon 2297 valid cases out of 2470 total cases.

V3379	113D08OI:OT CS<STABL EMTN

Location: 604-605 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09610

Has your use of other illegal drugs ever caused any of the following problems for you?

I. Caused you to be less stable emotionally

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2247	91.0 %	97.8%
1	MARKED:(1)	50	2.0 %	2.2%
-9 (M)	MISSING:(-9)	173	7.0 %	-

Based upon 2297 valid cases out of 2470 total cases.

V3380	113D08OJ:OT CS HAV<ENERGY

Location: 606-607 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09620

Has your use of other illegal drugs ever caused any of the following problems for you?

J. Caused you to have less energy

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2257	91.4 %	98.3%
1	MARKED:(1)	40	1.6 %	1.7%
-9 (M)	MISSING:(-9)	173	7.0 %	-

Based upon 2297 valid cases out of 2470 total cases.

V3381	113D08OK:OT INTF THNK CLR

Location: 608-609 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09630

Has your use of other illegal drugs ever caused any of the following problems for you?

K. Interfered with your ability to think clearly

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2232	90.4 %	97.2%
1	MARKED:(1)	65	2.6 %	2.8%
-9 (M)	MISSING:(-9)	173	7.0 %	-

Based upon 2297 valid cases out of 2470 total cases.

V3382	**113D08OL:OT BD PSYCH EFCT**

Location:	610-611 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09640

Has your use of other illegal drugs ever caused any of the following problems for you?

L. Had other bad psychological effects

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2249	91.1 %	97.9%
1	MARKED:(1)	48	1.9 %	2.1%
-9 (M)	MISSING:(-9)	173	7.0 %	-

Based upon 2297 valid cases out of 2470 total cases.

V3383	**113D08OM:OT CS HEALTH BAD**

Location:	612-613 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09650

Has your use of other illegal drugs ever caused any of the following problems for you?

M. Caused your physical health to be bad

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2267	91.8 %	98.7%

Value	Label	Unweighted Frequency	%	Valid %
1	MARKED:(1)	30	1.2 %	1.3%
-9 (M)	MISSING:(-9)	173	7.0 %	-

Based upon 2297 valid cases out of 2470 total cases.

V3384	**113D08ON:OT CS DRIV UNSAF**

Location:	614-615 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09660

Has your use of other illegal drugs ever caused any of the following problems for you?

N. Caused you to drive unsafely

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2275	92.1 %	99.0%
1	MARKED:(1)	22	0.9 %	1.0%
-9 (M)	MISSING:(-9)	173	7.0 %	-

Based upon 2297 valid cases out of 2470 total cases.

V3385	**113D08OO:OT GT TRBL W POL**

Location:	616-617 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09670

Has your use of other illegal drugs ever caused any of the following problems for you?

O. Gotten you into trouble with the police

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2283	92.4 %	99.4%
1	MARKED:(1)	14	0.6 %	0.6%
-9 (M)	MISSING:(-9)	173	7.0 %	-

Based upon 2297 valid cases out of 2470 total cases.

V3386	113D08OP:OT CS NO PROBLEM

Location: 618-619 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09680

Has your use of other illegal drugs ever caused any of the following problems for you?

P. Caused you none of the above problems

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1680	68.0 %	73.1%
1	MARKED:(1)	617	25.0 %	26.9%
-9 (M)	MISSING:(-9)	173	7.0 %	-

Based upon 2297 valid cases out of 2470 total cases.

V3387	113D08OQ:OT NEVER USED DG

Location: 620-621 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09690

Has your use of other illegal drugs ever caused any of the following problems for you?

Q. Never used the drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1727	69.9 %	75.2%
1	MARKED:(1)	570	23.1 %	24.8%
-9 (M)	MISSING:(-9)	173	7.0 %	-

Based upon 2297 valid cases out of 2470 total cases.

V3477	113E01A:ALL FRD SMK CIGS

Location: 622-623 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07070

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	508	20.6 %	23.3%
2	A FEW:(2)	806	32.6 %	37.0%
3	SOME:(3)	559	22.6 %	25.7%
4	MOST:(4)	269	10.9 %	12.3%
5	ALL:(5)	37	1.5 %	1.7%
-9 (M)	MISSING:(-9)	291	11.8 %	-

Based upon 2179 valid cases out of 2470 total cases.

V3478	**113E01B:ALL FRD SMK MARJ**

Location: 624-625 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 07080

How many of your friends would you estimate . . .

B: . . . Smoke marijuana (pot, weed) or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	396	16.0 %	18.2%
2	A FEW:(2)	556	22.5 %	25.5%
3	SOME:(3)	634	25.7 %	29.1%
4	MOST:(4)	489	19.8 %	22.5%
5	ALL:(5)	102	4.1 %	4.7%
-9 (M)	MISSING:(-9)	293	11.9 %	-

Based upon 2177 valid cases out of 2470 total cases.

V3479	**113E01C:# FRNDS TK CRACK**

Location: 626-627 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 07151

How many of your friends would you estimate . . .

C: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1846	74.7 %	85.2%
2	A FEW:(2)	245	9.9 %	11.3%
3	SOME:(3)	58	2.3 %	2.7%
4	MOST:(4)	7	0.3 %	0.3%
5	ALL:(5)	11	0.4 %	0.5%
-9 (M)	MISSING:(-9)	303	12.3 %	-

Based upon 2167 valid cases out of 2470 total cases.

V3480	**113E01D:# FRNDS TK C PWD**

Location: 628-629 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 23990

How many of your friends would you estimate . . .

D: . . . Take cocaine powder?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1751	70.9 %	81.3%
2	A FEW:(2)	313	12.7 %	14.5%
3	SOME:(3)	67	2.7 %	3.1%
4	MOST:(4)	10	0.4 %	0.5%
5	ALL:(5)	12	0.5 %	0.6%
-9 (M)	MISSING:(-9)	317	12.8 %	-

Based upon 2153 valid cases out of 2470 total cases.

V3481	**113E01E:ALL FRD DRK ALCL**

Location: 630-631 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 07190

How many of your friends would you estimate . . .

E: . . . Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	257	10.4 %	11.9%
2	A FEW:(2)	297	12.0 %	13.7%
3	SOME:(3)	478	19.4 %	22.1%
4	MOST:(4)	762	30.9 %	35.2%
5	ALL:(5)	372	15.1 %	17.2%
-9 (M)	MISSING:(-9)	304	12.3 %	-

Based upon 2166 valid cases out of 2470 total cases.

V3482	**113E01F:ALL FRD GT DRUNK**

Location: 632-633 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M):   -9
Question:

Item Number: 07200

How many of your friends would you estimate . . .

F: . . . Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	597	24.2 %	27.5%
2	A FEW:(2)	573	23.2 %	26.4%
3	SOME:(3)	537	21.7 %	24.7%
4	MOST:(4)	345	14.0 %	15.9%
5	ALL:(5)	119	4.8 %	5.5%
-9 (M)	MISSING:(-9)	299	12.1 %	-

Based upon 2171 valid cases out of 2470 total cases.

V3499	**113E02:USUAL CIG BRAND**

Location: 634-636 (width: 3; decimal: 0)
Variable Type: numeric
Range of Missing Values (M):   -9

Question:

Item Number: 30065

If you have smoked one or more cigarettes in the last 30 days,
please answer this question. (If not, skip to Question 3.)
What brand of cigarettes do you usually smoke? (Brands are
in alphabetical order. Mark only one.)

1="Basic" 2="Benson & Hedges" 3="Black & Whites" 4="Cambridge"
5="Camel" 6="Capri" 7="Carlton" 8="Doral" 9="GPC" 10="Kent"
11="Kool" 12="Marlboro" 13="Merit" 14="Misty" 15="Monarch"
16="More" 17="Newport" 18="Pall Mall" 19="Parliament"
20="Salem" 21="Vantage" 22="Virginia Slims" 23="Winston"
24="Other" 25="No usual brand"

Value	Label	Unweighted Frequency	%	Valid %
1	BASIC:(1)	4	0.2 %	1.3%
5	CAMEL:(5)	50	2.0 %	15.9%
10	KENT:(10)	1	0.0 %	0.3%
11	KOOL:(11)	4	0.2 %	1.3%
12	MARLBORO:(12)	140	5.7 %	44.6%
17	NEWPORT:(17)	61	2.5 %	19.4%
18	PALLMALL:(18)	5	0.2 %	1.6%
19	PARLMENT:(19)	6	0.2 %	1.9%
22	VA SLIMS:(22)	1	0.0 %	0.3%
24	OTHER:(24)	19	0.8 %	6.1%
25	NO USUAL:(25)	23	0.9 %	7.3%
-9 (M)	MISSING:(-9)	2156	87.3 %	-

Based upon 314 valid cases out of 2470 total cases.

V3394	**113E03 :FUTR,HAV2 CNSUM<**

Location: 637-638 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09750

There has been talk about shortages of energy, food, and
raw materials in this country. Do you think that in the
coming years we will have plenty to meet our needs, a
sufficient amount, or will we have to consume less?

1="Plenty to meet our needs" 2="A sufficient amount" 3="Will
have to consume less"

Value	Label	Unweighted Frequency	%	Valid %
1	PLENTY:(1)	310	12.6 %	14.8%
2	SUFFICIENT:(2)	956	38.7 %	45.7%
3	CNSUM LESS:(3)	826	33.4 %	39.5%
-9 (M)	MISSING:(-9)	378	15.3 %	-

Based upon 2092 valid cases out of 2470 total cases.

V3395	**113E04A:GOV HP PRB POPL**

Location: 639-640 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09760

The questions in this section deal with population problems.
How much do you agree or disagree with each statement?

A: Our government should help other countries to control
their population

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	712	28.8 %	33.6%
2	MOST DIS:(2)	356	14.4 %	16.8%
3	NEITHER:(3)	655	26.5 %	30.9%
4	MOST AGR:(4)	267	10.8 %	12.6%
5	AGREE:(5)	131	5.3 %	6.2%
-9 (M)	MISSING:(-9)	349	14.1 %	-

Based upon 2121 valid cases out of 2470 total cases.

V3396	**113E04B:GOV NO POP PLCY**

Location: 641-642 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09770

How much do you agree or disagree with each statement?

B: Governments should avoid making policy about population
and let the individual decide

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	270	10.9 %	12.7%
2	MOST DIS:(2)	334	13.5 %	15.8%
3	NEITHER:(3)	810	32.8 %	38.2%
4	MOST AGR:(4)	403	16.3 %	19.0%
5	AGREE:(5)	301	12.2 %	14.2%
-9 (M)	MISSING:(-9)	352	14.3 %	-

Based upon 2118 valid cases out of 2470 total cases.

V3397	**113E04C:STR OVPOP,LMT FM**

Location:	643-644 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09780

How much do you agree or disagree with each statement?

C: I feel strongly enough about preventing overpopulation
that I'd be willing to limit my family to two children

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	586	23.7 %	27.7%
2	MOST DIS:(2)	231	9.4 %	10.9%
3	NEITHER:(3)	764	30.9 %	36.1%
4	MOST AGR:(4)	279	11.3 %	13.2%
5	AGREE:(5)	254	10.3 %	12.0%
-9 (M)	MISSING:(-9)	356	14.4 %	-

Based upon 2114 valid cases out of 2470 total cases.

V3445	**113E05A:STS SCH RT FAMLY**

Location:	645-646 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13580

How important is each of the following for being looked up
to or having high status in your school?

A: Coming from the right family

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%	Valid %
1	NO IMPRT:(1)	500	20.2 %	23.6%
2	LITL IMP:(2)	426	17.2 %	20.1%
3	MOD IMPT:(3)	545	22.1 %	25.8%
4	GRT IMPT:(4)	322	13.0 %	15.2%
5	VGRT IMP:(5)	322	13.0 %	15.2%
-9 (M)	MISSING:(-9)	355	14.4 %	-

Based upon 2115 valid cases out of 2470 total cases.

V3446	**113E05B:STS SCH LDS STU**

Location: 647-648 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13590

How important is each of the following for being looked up to or having high status in your school?

B: Being a leader in student activities

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%	Valid %
1	NO IMPRT:(1)	268	10.9 %	12.7%
2	LITL IMP:(2)	314	12.7 %	14.9%
3	MOD IMPT:(3)	652	26.4 %	31.0%
4	GRT IMPT:(4)	540	21.9 %	25.7%
5	VGRT IMP:(5)	331	13.4 %	15.7%
-9 (M)	MISSING:(-9)	365	14.8 %	-

Based upon 2105 valid cases out of 2470 total cases.

V3447	**113E05C:STS SCH NIC CAR**

Location: 649-650 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13600

How important is each of the following for being looked up
to or having high status in your school?

C: Having a nice car

1="No Importance" 2="Little Importance" 3="Moderate
Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%	Valid %
1	NO IMPRT:(1)	506	20.5 %	24.0%
2	LITL IMP:(2)	585	23.7 %	27.8%
3	MOD IMPT:(3)	572	23.2 %	27.1%
4	GRT IMPT:(4)	245	9.9 %	11.6%
5	VGRT IMP:(5)	200	8.1 %	9.5%
-9 (M)	MISSING:(-9)	362	14.7 %	-

Based upon 2108 valid cases out of 2470 total cases.

V3448	**113E05D:STS SCH HI GRDE**

Location: 651-652 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13610

How important is each of the following for being looked up
to or having high status in your school?

D: Getting good grades

1="No Importance" 2="Little Importance" 3="Moderate
Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%	Valid %
1	NO IMPRT:(1)	204	8.3 %	9.7%
2	LITL IMP:(2)	267	10.8 %	12.7%
3	MOD IMPT:(3)	562	22.8 %	26.6%
4	GRT IMPT:(4)	529	21.4 %	25.1%
5	VGRT IMP:(5)	548	22.2 %	26.0%
-9 (M)	MISSING:(-9)	360	14.6 %	-

Based upon 2110 valid cases out of 2470 total cases.

V3449	**113E05E:STS SCH GD ATHLT**

Location:	653-654 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13620

How important is each of the following for being looked up
to or having high status in your school?

E: Being a good athlete

1="No Importance" 2="Little Importance" 3="Moderate
Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%	Valid %
1	NO IMPRT:(1)	226	9.1 %	10.7%
2	LITL IMP:(2)	205	8.3 %	9.7%
3	MOD IMPT:(3)	494	20.0 %	23.5%
4	GRT IMPT:(4)	613	24.8 %	29.1%
5	VGRT IMP:(5)	567	23.0 %	26.9%
-9 (M)	MISSING:(-9)	365	14.8 %	-

Based upon 2105 valid cases out of 2470 total cases.

V3450	**113E05F:STS SCH INTLCTL**

Location:	655-656 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13630

How important is each of the following for being looked up
to or having high status in your school?

F: Knowing a lot about intellectual matters

1="No Importance" 2="Little Importance" 3="Moderate
Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%	Valid %
1	NO IMPRT:(1)	292	11.8 %	13.9%
2	LITL IMP:(2)	416	16.8 %	19.8%
3	MOD IMPT:(3)	660	26.7 %	31.4%
4	GRT IMPT:(4)	430	17.4 %	20.5%
5	VGRT IMP:(5)	304	12.3 %	14.5%
-9 (M)	MISSING:(-9)	368	14.9 %	-

Based upon 2102 valid cases out of 2470 total cases.

V3451	113E05G:STS SCH PLN CLG

Location:	657-658 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13640

How important is each of the following for being looked up
to or having high status in your school?

G: Planning to go to college

1="No Importance" 2="Little Importance" 3="Moderate
Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%	Valid %
1	NO IMPRT:(1)	239	9.7 %	11.3%
2	LITL IMP:(2)	234	9.5 %	11.1%
3	MOD IMPT:(3)	462	18.7 %	21.9%
4	GRT IMPT:(4)	469	19.0 %	22.2%
5	VGRT IMP:(5)	704	28.5 %	33.4%
-9 (M)	MISSING:(-9)	362	14.7 %	-

Based upon 2108 valid cases out of 2470 total cases.

V3452	113E06:DRG USE+,MAJ STD

Location:	659-660 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13650

How about using drugs (other than marijuana or alcohol)--
does that cause a student to be looked up to or looked down
on?

Among the majority of students in my school, such drug
use is . . .

1="Looked down on a lot" 2="Looked down on some" 3="Neither,
mixed" 4="Looked up to some" 5="Looked up to a lot"

Value	Label	Unweighted Frequency	%	Valid %
1	DOWN LOT:(1)	392	15.9 %	18.9%
2	DOWN SOME:(2)	362	14.7 %	17.5%

Value	Label	Unweighted Frequency	%	Valid %
3	NEITHR/MIXD:(3)	1110	44.9 %	53.5%
4	UP SOME:(4)	158	6.4 %	7.6%
5	UP A LOT:(5)	51	2.1 %	2.5%
-9 (M)	MISSING:(-9)	397	16.1 %	-

Based upon 2073 valid cases out of 2470 total cases.

V3496	**113E07A:#HR/W CMPUTR SCH**

Location:	661-662 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 29930

About how many hours a week do you spend using a
computer . . .

A: . . . doing school work?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"
5="6-9 hours" 6="10-19 hours" 7="20-29 hours" 8="30 or More"
9="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	234	9.5 %	11.1%
2	< 1 HR:(2)	361	14.6 %	17.1%
3	1-2 HRS:(3)	618	25.0 %	29.3%
4	3-5 HRS:(4)	522	21.1 %	24.7%
5	6-9 HRS:(5)	206	8.3 %	9.8%
6	10-19 HRS:(6)	96	3.9 %	4.5%
7	20-29 HRS:(7)	29	1.2 %	1.4%
8	30-39 HRS:(8)	17	0.7 %	0.8%
9	40+ HRS:(9)	28	1.1 %	1.3%
-9 (M)	MISSING:(-9)	359	14.5 %	-

Based upon 2111 valid cases out of 2470 total cases.

V3497	**113E07B:#HR/W CMPUTR JOB**

Location:	663-664 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 29940

About how many hours a week do you spend using a

computer . . .

B: . . . at your job, if you have one?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"
5="6-9 hours" 6="10-19 hours" 7="20-29 hours" 8="30 or More"
9="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1592	64.5 %	80.2%
2	< 1 HR:(2)	131	5.3 %	6.6%
3	1-2 HRS:(3)	78	3.2 %	3.9%
4	3-5 HRS:(4)	65	2.6 %	3.3%
5	6-9 HRS:(5)	42	1.7 %	2.1%
6	10-19 HRS:(6)	37	1.5 %	1.9%
7	20-29 HRS:(7)	24	1.0 %	1.2%
8	30-39 HRS:(8)	5	0.2 %	0.3%
9	40+ HRS:(9)	11	0.4 %	0.6%
-9 (M)	MISSING:(-9)	485	19.6 %	-

Based upon 1985 valid cases out of 2470 total cases.

V3498	113E07C:#HR/W CMPUTR OTH

Location:	665-666 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 29950

About how many hours a week do you spend using a
computer . . .

C: . . . doing other things?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"
5="6-9 hours" 6="10-19 hours" 7="20-29 hours" 8="30 or More"
9="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	128	5.2 %	6.1%
2	< 1 HR:(2)	169	6.8 %	8.0%
3	1-2 HRS:(3)	364	14.7 %	17.3%
4	3-5 HRS:(4)	499	20.2 %	23.7%
5	6-9 HRS:(5)	348	14.1 %	16.6%
6	10-19 HRS:(6)	263	10.6 %	12.5%
7	20-29 HRS:(7)	138	5.6 %	6.6%

Value	Label	Unweighted Frequency	%	Valid %
8	30-39 HRS:(8)	51	2.1 %	2.4%
9	40+ HRS:(9)	142	5.7 %	6.8%
-9 (M)	MISSING:(-9)	368	14.9 %	-

Based upon 2102 valid cases out of 2470 total cases.

V3524	113E08:HR/W INTERNET S

Location:	667-668 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31680

Not counting work for school or a job, about how many
hours a week do you spend on the Internet e-mailing,
instant messaging, gaming, shopping, searching,
downloading music, etc.?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"
5="6-9 hours" 6="10-19 hours" 7="20-29 hours" 8="30 or More"
9="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	126	5.1 %	6.0%
2	< 1 HR:(2)	162	6.6 %	7.7%
3	1-2 HRS:(3)	353	14.3 %	16.9%
4	3-5 HRS:(4)	483	19.6 %	23.1%
5	6-9 HRS:(5)	353	14.3 %	16.9%
6	10-19 HRS:(6)	262	10.6 %	12.5%
7	20-29 HRS:(7)	154	6.2 %	7.4%
8	30-39 HRS:(8)	61	2.5 %	2.9%
9	40+ HRS:(9)	140	5.7 %	6.7%
-9 (M)	MISSING:(-9)	376	15.2 %	-

Based upon 2094 valid cases out of 2470 total cases.

V3525	113E09A:#HR/W GAMING

Location:	669-670 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31990

About how many hours a week do you spend playing electronic
games on a computer, TV, phone, or other device?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"
5="6-9 hours" 6="10-19 hours" 7="20-29 hours" 8="30 or More"
9="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	294	11.9 %	14.0%
2	< 1 HR:(2)	271	11.0 %	12.9%
3	1-2 HRS:(3)	328	13.3 %	15.6%
4	3-5 HRS:(4)	389	15.7 %	18.6%
5	6-9 HRS:(5)	264	10.7 %	12.6%
6	10-19 HRS:(6)	221	8.9 %	10.5%
7	20-29 HRS:(7)	110	4.5 %	5.2%
8	30-39 HRS:(8)	68	2.8 %	3.2%
9	40+ HRS:(9)	151	6.1 %	7.2%
-9 (M)	MISSING:(-9)	374	15.1 %	-

Based upon 2096 valid cases out of 2470 total cases.

V3529   113E09B:#HR/W TEXT CELL PHO

Location:	671-672 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item number: 32580

About how many hours a week do you spend . . .

B: . . . texting on a cell phone?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"
5="6-9 hours" 6="10-19 hours" 7="20-29 hours" 8="30-39 hours"
9="40 or more"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	132	5.3 %	6.3%
2	LESS THAN 1 HOUR:(2)	185	7.5 %	8.8%
3	1-2 HOURS:(3)	254	10.3 %	12.1%
4	3-5 HOURS:(4)	288	11.7 %	13.7%
5	6-9 HOURS:(5)	255	10.3 %	12.2%
6	10-19 HOURS:(6)	215	8.7 %	10.3%
7	20-29 HOURS:(7)	180	7.3 %	8.6%
8	30-39 HOURS:(8)	103	4.2 %	4.9%
9	40 OR MORE:(9)	484	19.6 %	23.1%
-9 (M)	MISSING:(-9)	374	15.1 %	-

Based upon 2096 valid cases out of 2470 total cases.

V3530	**113E09C:#HR/W TALK CELL PHO**

Location:	673-674 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item number: 32590

About how many hours a week do you spend . . .

C: . . . talking on a cell phone?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"
5="6-9 hours" 6="10-19 hours" 7="20-29 hours" 8="30-39 hours"
9="40 or more"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	178	7.2 %	8.5%
2	LESS THAN 1 HOUR:(2)	642	26.0 %	30.6%
3	1-2 HOURS:(3)	455	18.4 %	21.7%
4	3-5 HOURS:(4)	290	11.7 %	13.8%
5	6-9 HOURS:(5)	209	8.5 %	10.0%
6	10-19 HOURS:(6)	130	5.3 %	6.2%
7	20-29 HOURS:(7)	64	2.6 %	3.1%
8	30-39 HOURS:(8)	41	1.7 %	2.0%
9	40 OR MORE:(9)	88	3.6 %	4.2%
-9 (M)	MISSING:(-9)	373	15.1 %	-

Based upon 2097 valid cases out of 2470 total cases.

V3407	**113E10A:SM1 SCL ROB <$50**

Location:	675-676 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09871

The next questions are about some things which may
have happened TO YOU while you were at school (inside
or outside or in a school bus). During the LAST 12
MONTHS, how often . . .

A: . . . Has something of yours (worth under $50) been
stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or

More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1516	61.4 %	71.9%
2	ONCE:(2)	387	15.7 %	18.3%
3	TWICE:(3)	142	5.7 %	6.7%
4	3-4TIMES:(4)	45	1.8 %	2.1%
5	5+ TIMES:(5)	19	0.8 %	0.9%
-9 (M)	MISSING:(-9)	361	14.6 %	-

Based upon 2109 valid cases out of 2470 total cases.

V3408	**113E10B:SM1 SCL ROB >$50**

Location:	677-678 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09872

During the LAST 12 MONTHS, how often . . .

B: . . . Has something of yours (worth over $50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1671	67.7 %	79.2%
2	ONCE:(2)	292	11.8 %	13.8%
3	TWICE:(3)	92	3.7 %	4.4%
4	3-4TIMES:(4)	40	1.6 %	1.9%
5	5+ TIMES:(5)	15	0.6 %	0.7%
-9 (M)	MISSING:(-9)	360	14.6 %	-

Based upon 2110 valid cases out of 2470 total cases.

V3409	**113E10C:SM1 SCL DMG PRTY**

Location:	679-680 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09873

During the LAST 12 MONTHS, how often . . .

C: . . . Has someone deliberately damaged your property

(your car, clothing, etc.)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1679	68.0 %	79.7%
2	ONCE:(2)	274	11.1 %	13.0%
3	TWICE:(3)	108	4.4 %	5.1%
4	3-4TIMES:(4)	35	1.4 %	1.7%
5	5+ TIMES:(5)	11	0.4 %	0.5%
-9 (M)	MISSING:(-9)	363	14.7 %	-

Based upon 2107 valid cases out of 2470 total cases.

V3410   **113E10D:SM1 SCL IN U W/W**

Location: 681-682 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09874

During the LAST 12 MONTHS, how often . . .

D: . . . Has someone injured you with a weapon (like a knife, gun, or club)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1997	80.9 %	95.0%
2	ONCE:(2)	64	2.6 %	3.0%
3	TWICE:(3)	21	0.9 %	1.0%
4	3-4TIMES:(4)	10	0.4 %	0.5%
5	5+ TIMES:(5)	10	0.4 %	0.5%
-9 (M)	MISSING:(-9)	368	14.9 %	-

Based upon 2102 valid cases out of 2470 total cases.

V3411   **113E10E:SM1 SCL TH U W/W**

Location: 683-684 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09875

During the LAST 12 MONTHS, how often . . .

E: . . . Has someone threatened you with a weapon, but
not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1844	74.7 %	87.8%
2	ONCE:(2)	141	5.7 %	6.7%
3	TWICE:(3)	48	1.9 %	2.3%
4	3-4TIMES:(4)	31	1.3 %	1.5%
5	5+ TIMES:(5)	36	1.5 %	1.7%
-9 (M)	MISSING:(-9)	370	15.0 %	-

Based upon 2100 valid cases out of 2470 total cases.

V3412	**113E10F:SM1 SCL IN U -WP**

Location: 685-686 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09876

During the LAST 12 MONTHS, how often . . .

F: . . . Has someone injured you on purpose without
using a weapon?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1843	74.6 %	87.6%
2	ONCE:(2)	150	6.1 %	7.1%
3	TWICE:(3)	49	2.0 %	2.3%
4	3-4TIMES:(4)	28	1.1 %	1.3%
5	5+ TIMES:(5)	33	1.3 %	1.6%
-9 (M)	MISSING:(-9)	367	14.9 %	-

Based upon 2103 valid cases out of 2470 total cases.

V3413	**113E10G:SM1 SCL TH U W/I**

Location: 687-688 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09877

During the LAST 12 MONTHS, how often . . .

G: . . . Has an unarmed person threatened you with injury, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1731	70.1 %	82.5%
2	ONCE:(2)	158	6.4 %	7.5%
3	TWICE:(3)	81	3.3 %	3.9%
4	3-4TIMES:(4)	55	2.2 %	2.6%
5	5+ TIMES:(5)	73	3.0 %	3.5%
-9 (M)	MISSING:(-9)	372	15.1 %	-

Based upon 2098 valid cases out of 2470 total cases.

V3434   113E11A:IMP HAV NW CR OF

Location: 689-690 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13860

Looking toward the future, how important would it be for you to have each of the following things?

A: A new car every two or three years

1="Not Important" 2="Somewhat Important" 3="Quite Important" 4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	1324	53.6 %	63.0%
2	SOM IMPT:(2)	516	20.9 %	24.6%
3	QUITE IM:(3)	148	6.0 %	7.0%
4	EXTR IMP:(4)	112	4.5 %	5.3%
-9 (M)	MISSING:(-9)	370	15.0 %	-

Based upon 2100 valid cases out of 2470 total cases.

V3435   113E11B:IMP HAV NW CLTHS

Location:	691-692 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13870

Looking toward the future, how important would it be for you
to have each of the following things?

B: Clothes in the latest style

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	592	24.0 %	28.2%
2	SOM IMPT:(2)	759	30.7 %	36.2%
3	QUITE IM:(3)	506	20.5 %	24.1%
4	EXTR IMP:(4)	240	9.7 %	11.4%
-9 (M)	MISSING:(-9)	373	15.1 %	-

Based upon 2097 valid cases out of 2470 total cases.

V3436   113E11C:IMP HAV OWN HSE

Location:	693-694 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13880

Looking toward the future, how important would it be for you
to have each of the following things?

C: A house of my own (instead of an apartment or condominium)

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	264	10.7 %	12.6%
2	SOM IMPT:(2)	413	16.7 %	19.8%
3	QUITE IM:(3)	673	27.2 %	32.2%
4	EXTR IMP:(4)	740	30.0 %	35.4%
-9 (M)	MISSING:(-9)	380	15.4 %	-

Based upon 2090 valid cases out of 2470 total cases.

V3437   113E11D:IMP HAV BIG YARD

Location:	695-696 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13890

Looking toward the future, how important would it be for you
to have each of the following things?

D: Lots of space around my house, a big yard

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	371	15.0 %	17.8%
2	SOM IMPT:(2)	637	25.8 %	30.5%
3	QUITE IM:(3)	619	25.1 %	29.6%
4	EXTR IMP:(4)	463	18.7 %	22.2%
-9 (M)	MISSING:(-9)	380	15.4 %	-

Based upon 2090 valid cases out of 2470 total cases.

V3441	**113E11E:IMP HAV VAC HSE**

Location:	697-698 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13930

Looking toward the future, how important would it be for you
to have each of the following things?

E: A vacation house

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	1267	51.3 %	60.6%
2	SOM IMPT:(2)	456	18.5 %	21.8%
3	QUITE IM:(3)	192	7.8 %	9.2%
4	EXTR IMP:(4)	175	7.1 %	8.4%
-9 (M)	MISSING:(-9)	380	15.4 %	-

Based upon 2090 valid cases out of 2470 total cases.

V3442	**113E11F:IMP HAV REC VEH**

Location:	699-700 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13940

Looking toward the future, how important would it be for you to have each of the following things?

F: A motor-powered, recreational vehicle (powerboat, snowmobile, etc.)

1="Not Important" 2="Somewhat Important" 3="Quite Important" 4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	1275	51.6 %	61.1%
2	SOM IMPT:(2)	410	16.6 %	19.6%
3	QUITE IM:(3)	211	8.5 %	10.1%
4	EXTR IMP:(4)	191	7.7 %	9.2%
-9 (M)	MISSING:(-9)	383	15.5 %	-

Based upon 2087 valid cases out of 2470 total cases.

V3418	**113E12A:GR 1ST SMOK DLY**

Location:	701-702 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05570

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

A: Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	22	0.9 %	1.1%
2	GRADE 7:(2)	20	0.8 %	1.0%
3	GRADE 8:(3)	35	1.4 %	1.8%
4	GRADE 9:(4)	63	2.6 %	3.2%
5	GRADE 10:(5)	61	2.5 %	3.1%

Value	Label	Unweighted Frequency	%	Valid %
6	GRADE 11:(6)	59	2.4 %	3.0%
7	GRADE 12:(7)	51	2.1 %	2.6%
8	NEVER:(8)	1687	68.3 %	84.4%
-9 (M)	MISSING:(-9)	472	19.1 %	-

Based upon 1998 valid cases out of 2470 total cases.

V3419   113E12B:GR 1ST TRY ALC

Location:	703-704 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05580

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

B: Try an alcoholic beverage--more than just a few sips

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	94	3.8 %	5.0%
2	GRADE 7:(2)	117	4.7 %	6.2%
3	GRADE 8:(3)	194	7.9 %	10.3%
4	GRADE 9:(4)	321	13.0 %	17.1%
5	GRADE 10:(5)	260	10.5 %	13.8%
6	GRADE 11:(6)	212	8.6 %	11.3%
7	GRADE 12:(7)	124	5.0 %	6.6%
8	NEVER:(8)	557	22.6 %	29.6%
-9 (M)	MISSING:(-9)	591	23.9 %	-

Based upon 1879 valid cases out of 2470 total cases.

V3420   113E12C:GR 1ST TRY MJ

Location:	705-706 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05590

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

C: Try marijuana or hashish

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	38	1.5 %	1.9%
2	GRADE 7:(2)	62	2.5 %	3.2%
3	GRADE 8:(3)	111	4.5 %	5.7%
4	GRADE 9:(4)	180	7.3 %	9.2%
5	GRADE 10:(5)	195	7.9 %	9.9%
6	GRADE 11:(6)	171	6.9 %	8.7%
7	GRADE 12:(7)	121	4.9 %	6.2%
8	NEVER:(8)	1082	43.8 %	55.2%
-9 (M)	MISSING:(-9)	510	20.6 %	-

Based upon 1960 valid cases out of 2470 total cases.

V3421   113E12D:GR 1ST TRY LSD

Location:	707-708 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05600

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

D: Try LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	2	0.1 %	0.1%
2	GRADE 7:(2)	1	0.0 %	0.0%
3	GRADE 8:(3)	5	0.2 %	0.2%
4	GRADE 9:(4)	8	0.3 %	0.4%
5	GRADE 10:(5)	11	0.4 %	0.5%
6	GRADE 11:(6)	21	0.9 %	1.0%
7	GRADE 12:(7)	13	0.5 %	0.6%
8	NEVER:(8)	1969	79.7 %	97.0%
-9 (M)	MISSING:(-9)	440	17.8 %	-

Based upon 2030 valid cases out of 2470 total cases.

V3422	**113E12E:GR 1ST TRY PSY**

Location:	709-710 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05610

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

E: Try any hallucinogen other than LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	3	0.1 %	0.1%
2	GRADE 7:(2)	1	0.0 %	0.0%
3	GRADE 8:(3)	9	0.4 %	0.4%
4	GRADE 9:(4)	16	0.6 %	0.8%
5	GRADE 10:(5)	31	1.3 %	1.5%
6	GRADE 11:(6)	36	1.5 %	1.8%
7	GRADE 12:(7)	22	0.9 %	1.1%
8	NEVER:(8)	1897	76.8 %	94.1%
-9 (M)	MISSING:(-9)	455	18.4 %	-

Based upon 2015 valid cases out of 2470 total cases.

V3423	**113E12F:GR 1ST TRY AMP**

Location:	711-712 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05620

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

F: Try amphetamines

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	7	0.3 %	0.4%
2	GRADE 7:(2)	5	0.2 %	0.3%
3	GRADE 8:(3)	14	0.6 %	0.7%
4	GRADE 9:(4)	26	1.1 %	1.4%
5	GRADE 10:(5)	22	0.9 %	1.2%
6	GRADE 11:(6)	31	1.3 %	1.6%
7	GRADE 12:(7)	20	0.8 %	1.0%
8	NEVER:(8)	1783	72.2 %	93.4%
-9 (M)	MISSING:(-9)	562	22.8 %	-

Based upon 1908 valid cases out of 2470 total cases.

V3424	113E12G:GR 1ST TRY QUA

Location:	713-714 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05630

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

G: Try quaaludes

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	5	0.2 %	0.2%
3	GRADE 8:(3)	7	0.3 %	0.3%
4	GRADE 9:(4)	4	0.2 %	0.2%
5	GRADE 10:(5)	3	0.1 %	0.1%
6	GRADE 11:(6)	3	0.1 %	0.1%
7	GRADE 12:(7)	5	0.2 %	0.2%
8	NEVER:(8)	2027	82.1 %	98.7%
-9 (M)	MISSING:(-9)	416	16.8 %	-

Based upon 2054 valid cases out of 2470 total cases.

V3511	113E12H:GR 1ST TRY SED/B

Location:	715-716 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 05645

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

H: Try sedatives/barbiturates

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	3	0.1 %	0.2%
2	GRADE 7:(2)	8	0.3 %	0.4%
3	GRADE 8:(3)	10	0.4 %	0.5%
4	GRADE 9:(4)	17	0.7 %	0.9%
5	GRADE 10:(5)	27	1.1 %	1.4%
6	GRADE 11:(6)	16	0.6 %	0.8%
7	GRADE 12:(7)	16	0.6 %	0.8%
8	NEVER:(8)	1870	75.7 %	95.1%
-9 (M)	MISSING:(-9)	503	20.4 %	-

Based upon 1967 valid cases out of 2470 total cases.

V3426	**113E12I:GR 1ST TRY TRN**

Location: 717-718 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05650

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

I: Try tranquilizers

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	5	0.2 %	0.3%
2	GRADE 7:(2)	2	0.1 %	0.1%
3	GRADE 8:(3)	10	0.4 %	0.5%
4	GRADE 9:(4)	15	0.6 %	0.8%
5	GRADE 10:(5)	22	0.9 %	1.1%

Value	Label	Unweighted Frequency	%	Valid %
6	GRADE 11:(6)	16	0.6 %	0.8%
7	GRADE 12:(7)	14	0.6 %	0.7%
8	NEVER:(8)	1857	75.2 %	95.7%
-9 (M)	MISSING:(-9)	529	21.4 %	-

Based upon 1941 valid cases out of 2470 total cases.

V3427	**113E12J:GR 1ST TRY COK**

Location:	719-720 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05660

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

J: Try cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	5	0.2 %	0.2%
2	GRADE 7:(2)	7	0.3 %	0.3%
3	GRADE 8:(3)	9	0.4 %	0.4%
4	GRADE 9:(4)	20	0.8 %	1.0%
5	GRADE 10:(5)	24	1.0 %	1.2%
6	GRADE 11:(6)	23	0.9 %	1.1%
7	GRADE 12:(7)	22	0.9 %	1.1%
8	NEVER:(8)	1925	77.9 %	94.6%
-9 (M)	MISSING:(-9)	435	17.6 %	-

Based upon 2035 valid cases out of 2470 total cases.

V3428	**113E12K:GR 1ST TRY HER**

Location:	721-722 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05670

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

K: Try heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	5	0.2 %	0.2%
2	GRADE 7:(2)	1	0.0 %	0.0%
3	GRADE 8:(3)	2	0.1 %	0.1%
4	GRADE 9:(4)	6	0.2 %	0.3%
5	GRADE 10:(5)	2	0.1 %	0.1%
6	GRADE 11:(6)	6	0.2 %	0.3%
7	GRADE 12:(7)	4	0.2 %	0.2%
8	NEVER:(8)	2018	81.7 %	98.7%
-9 (M)	MISSING:(-9)	426	17.2 %	-

Based upon 2044 valid cases out of 2470 total cases.

V3429	**113E12L:GR 1ST TRY NRC**

Location: 723-724 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05680

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

L: Try any narcotic other than heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	3	0.1 %	0.2%
2	GRADE 7:(2)	3	0.1 %	0.2%
3	GRADE 8:(3)	7	0.3 %	0.4%
4	GRADE 9:(4)	22	0.9 %	1.2%
5	GRADE 10:(5)	21	0.9 %	1.1%
6	GRADE 11:(6)	18	0.7 %	1.0%
7	GRADE 12:(7)	15	0.6 %	0.8%
8	NEVER:(8)	1764	71.4 %	95.2%
-9 (M)	MISSING:(-9)	617	25.0 %	-

Based upon 1853 valid cases out of 2470 total cases.

V3430	**113E12M:GR 1ST TRY INHAL**

Location:	725-726 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05685

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

M: Try inhalants

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	10	0.4 %	0.5%
2	GRADE 7:(2)	9	0.4 %	0.5%
3	GRADE 8:(3)	14	0.6 %	0.7%
4	GRADE 9:(4)	15	0.6 %	0.8%
5	GRADE 10:(5)	11	0.4 %	0.6%
6	GRADE 11:(6)	13	0.5 %	0.7%
7	GRADE 12:(7)	12	0.5 %	0.6%
8	NEVER:(8)	1863	75.4 %	95.7%
-9 (M)	MISSING:(-9)	523	21.2 %	-

Based upon 1947 valid cases out of 2470 total cases.

V3457	**113E12N:GR 1ST SMOKE EVR**

Location:	727-728 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05575

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

N: Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	106	4.3 %	5.6%
2	GRADE 7:(2)	99	4.0 %	5.2%
3	GRADE 8:(3)	90	3.6 %	4.7%
4	GRADE 9:(4)	118	4.8 %	6.2%
5	GRADE 10:(5)	127	5.1 %	6.7%
6	GRADE 11:(6)	81	3.3 %	4.3%
7	GRADE 12:(7)	68	2.8 %	3.6%
8	NEVER:(8)	1211	49.0 %	63.7%
-9 (M)	MISSING:(-9)	570	23.1 %	-

Based upon 1900 valid cases out of 2470 total cases.

V3458	**113E12O:GR 1ST SMOKELESS**

Location: 729-730 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05576

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

O: Try smokeless tobacco (snuff, plug, chewing tobacco, snus, dissolvable tobacco)

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	31	1.3 %	1.5%
2	GRADE 7:(2)	18	0.7 %	0.9%
3	GRADE 8:(3)	29	1.2 %	1.4%
4	GRADE 9:(4)	72	2.9 %	3.5%
5	GRADE 10:(5)	71	2.9 %	3.5%
6	GRADE 11:(6)	68	2.8 %	3.3%
7	GRADE 12:(7)	39	1.6 %	1.9%
8	NEVER:(8)	1723	69.8 %	84.0%
-9 (M)	MISSING:(-9)	419	17.0 %	-

Based upon 2051 valid cases out of 2470 total cases.

V3459	**113E12P:GR 1ST DRUNK**

Location: 731-732 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05585

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

P: Drink enough to feel drunk or very high

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	37	1.5 %	1.8%
2	GRADE 7:(2)	48	1.9 %	2.4%
3	GRADE 8:(3)	114	4.6 %	5.6%
4	GRADE 9:(4)	224	9.1 %	11.0%
5	GRADE 10:(5)	216	8.7 %	10.6%
6	GRADE 11:(6)	200	8.1 %	9.8%
7	GRADE 12:(7)	140	5.7 %	6.9%
8	NEVER:(8)	1053	42.6 %	51.8%
-9 (M)	MISSING:(-9)	438	17.7 %	-

Based upon 2032 valid cases out of 2470 total cases.

V3483	**113E12Q:GR 1ST TRY CRACK**

Location:	733-734 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05661

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

Q: Try "crack" cocaine, specifically

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	5	0.2 %	0.2%
2	GRADE 7:(2)	2	0.1 %	0.1%
3	GRADE 8:(3)	1	0.0 %	0.0%

Value	Label	Unweighted Frequency	%	Valid %
4	GRADE 9:(4)	7	0.3 %	0.3%
5	GRADE 10:(5)	7	0.3 %	0.3%
6	GRADE 11:(6)	3	0.1 %	0.1%
7	GRADE 12:(7)	7	0.3 %	0.3%
8	NEVER:(8)	1997	80.9 %	98.4%
-9 (M)	MISSING:(-9)	441	17.9 %	-

Based upon 2029 valid cases out of 2470 total cases.

APPENDIX

Appendix A: Publications

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future Publications web page.

Publications are divided into the following categories:

Monographs
Reference Volumes
Books
Journal Articles
Chapters
Research Reports
Occasional Papers
Congressional Testimony
Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	Number of Public Schools	Number of Private Schools	Total Number of Schools	Total Number of Students	Student Response Rate*
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83

	Number of Public Schools	Number of Private Schools	Total Number of Schools	Total Number of Students	Student Response Rate*
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83
2007	111	21	132	15,132	81
2008	103	17	120	14,577	79
2009	106	19	125	14,268	82
2010	104	22	126	15,127	85
2011	110	19	129	14,855	83

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.