

ICPSR 34409

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2011

Lloyd D. Johnston

*University of Michigan. Institute for Social
Research. Survey Research Center*

Jerald G. Bachman

*University of Michigan. Institute for Social
Research. Survey Research Center*

Patrick M. O'Malley

*University of Michigan. Institute for Social
Research. Survey Research Center*

John E. Schulenberg

*University of Michigan. Institute for Social
Research. Survey Research Center*

Form 1 Data Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/34409/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2011 is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, and John Schulenberg, co-principal investigators.) The research project is unusually comprehensive in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 11 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate only very small decreases in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationally representative sample of high school seniors in public and private schools is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 350 seniors may be included in the data collection. In schools with fewer than 350 seniors, we attempt to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. A sampling weight is assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two-year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and

examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A local SRC representative is assigned to work with the school to set a mutually agreeable date for the survey and to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter describing the study and a copy of the student flyer to the parents. The letter provides parents with an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward.

Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automated scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer file at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the [cross-time index](#) of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

- A. **DRUGS.** Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others

regarding drugs.

- B. EDUCATION. Educational lifestyle, values, experiences, and environments
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities including computer use, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.
- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
- J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
- K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
- L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
- M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
- O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
- P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.
- Q OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility, boredom.
- R. BACKGROUND. Demographic and family background characteristics, living arrangements.
- S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
- T. HEALTH. Health habits, somatic symptoms, illness, medical treatment.

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples.

About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors attending private or public schools throughout the 48 contiguous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate

are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all 12th graders sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire, either on their own or because their parents refused consent. However, SRC representatives in the field estimate this proportion to be only about two percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 3 – 4 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of

schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The [annual volumes](#) from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- each of which constitutes approximately 8-15 percent of each year's sample -- are represented by perhaps as few as 200 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the [annual volumes](#) for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial

comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to under represent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and descriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

Frequency and percentage distributions displayed in codebooks produced after 2007 are unweighted, rather than weighted by variable V5 as they had been in previous years. This change was made to simplify both the production of the codebooks and their interpretation by the analyst.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2011 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ascii text file.

part #	form	# of variables	Logical record length	Unweighted n
1	Core	185	384	14,855
2	Form 1	635	1,281	2,478
3	Form 2	329	671	2,465
4	Form 3	360	734	2,470
5	Form 4	267	550	2,463
6	Form 5	309	631	2,493
7	Form 6	337	688	2,486

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers. The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V2119	[2] 082A04E #X INTERNET NEWS
[3] Location:	64-65(width: 2, decimal: 0)
[4] Variable Type:	numeric (ISO)
[5] Range of Missing Values (M): Question:	-9
	[6] Item Number: 24815
	[7] Question Number(s): 2A04E
	[8] How often do you use each of the following to get information about news and current events?
	E: The Internet
	[9] 5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

[2] Indicates the abbreviated variable name used to identify the variable for the user.

[3]Indicates starting and ending column locations of this variable. Variable width and number of decimal places are noted within parentheses.

[4]Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).

[5]Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes:-9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.

[6] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.

[7] The question number, which consists of the number of the questionnaire form, the alphabetic section, the question number itself, and, if part of a series, the alphabetic part.

[8] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.

[9] Response category codes and the full text of the answer categories as they are worded in the questionnaire.

[10] Indicates the code values occurring in the data for this variable.

[11] Indicates the text labels of the codes for this variable, as they are provided in the data.

[12] Indicates the frequency of occurrence of each code value for this variable.

[13] Indicates the percentage distribution of each code value for this variable including cases where the value is missing.

[14] Indicates the percentage distribution of each code value for this variable excluding cases where the value is missing.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

For reasons of confidentiality, the weight variable (V5) was altered from its original version to a modified version prior to public distribution of the data. THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND THOSE FROM WEIGHTED ANALYSES OF THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

OMITTED VARIABLES:

All datasets	C01. R'S BIRTH YEAR C02. R'S BIRTH MONTH C04A-I, R'S RACE (9 categories) C07A-B. # OLDER BR/SR, # YOUNGER BR/SR C07Ca,e-i. R'S HSHLD (other than mother/father/sibling) C13A. R'S RELGS PRFNC
Form 1	D19. CURRENT HEIGHT D20. CURRENT WEIGHT
Form 2	2A19P. ARRSTD&TKN 2 POL
Form 5	5A21. CURRENT HEIGHT 5A22. CURRENT WEIGHT

RECODED VARIABLES:

Core dataset and Part C section of individual forms

AGE < 18 DICHOTOMY

1=younger than 18 years old,

2=18 years old or more

-9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy

1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing data on Q. C04.

From 2006 on, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS

Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)

0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING

0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

Core dataset (Part B)

*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]

Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]

Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

Form 6

A10. EVER HELD BACK

1=No, 2=Yes

A11. NEED SUMMER SCHL

1=No, 2=Yes

A12. EVER SUSPENDED

1=No, 2=Yes

MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT 4A15B GD LIV TG BF MRG 4A15C 1 PRTNR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND 5A18J FULLR LVS IF MRY 5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK 6A08B #X PRNT HLP HMWK 6A08C #X PRNT GV CHORE 6A08D #X PRNT LIMIT TV 6A08E #X PRNT LMT OUT

QUESTIONNAIRE FORM 1 PROCESSING

The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

REVISED QUESTION TEXT FOR THE CORE DATASET

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series. This additional text is meant to clarify and provide detail about the question for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.

ICPSR 34409

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2011

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2011

Form 1 Data

Variable Groups

Variable Groups Containing Variables

<i>Variable Group Name</i>	<i>Variable Group Label</i>	<i>Page</i>
GROUP 1	SURVEY INFORMATION	20
GROUP 2	GEOGRAPHIC	20
GROUP 3	SECTION A	20
GROUP 4	SECTION B	22
GROUP 5	SECTION C	33
GROUP 6	SECTION D	34

GROUP 1 SURVEY INFORMATION

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
CASEID	CASE IDENTIFICATION NUMBER	36
V1	YEAR OF ADMIN (4-DIGITS)	36
V3	111:FORM ID	36
V4	111:Rs ID-SERIAL #	36
V5	SAMPLING WEIGHT	37

GROUP 2 GEOGRAPHIC

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V13	SCH REG-4 CAT	37
V16	LARGE MSA = 1 / NOT = 0	37
V17	MSA/NON MSA = 0	37

GROUP 3 SECTION A

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V1633	111A001:VRY HPY THS DAY	38
V1634	111A002A:US NEEDS PLANNG	38
V1635	111A002B:ENJOY FAST PACE	39
V1636	111A002C:THG CHG 2 QUICK	39
V1637	111A002D:X AHEAD TOUGHER	40
V1638	111A003:TM SPT ADLT MST	40
V1639	111A004:LK MR TM ADLT	41
V1640	111A005:LK MR TM YG CHD	41
V1641	111A006A:SAT PRESENT JOB	42

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V1642	111A006B:SAT NEIGHBORHOD	43
V1643	111A006C:SAT PRSNL SAFTY	43
V1644	111A006D:SAT OWN PROP SF	44
V1645	111A006E:SAT EDUC EXPRNC	44
V1646	111A006F:SAT OWN FRIENDS	45
V1647	111A006G:SAT GT ALNG PRN	45
V1648	111A006H:SAT YOURSELF	46
V1649	111A006I:SAT STD OF LVG	47
V1650	111A006J:SAT TIME FR THG	47
V1651	111A006K:SAT SPD LEISR	48
V1652	111A006L:SAT LIFE AS WHL	48
V1653	111A006M:SAT GOVT OPRNG	49
V1654	111A006N:SAT AMT OF FUN	49
V1655	111A007A:IMP B SUCCSS WK	50
V1656	111A007B:IMP GD MRRG/FAM	50
V1657	111A007C:IMP LOTS OF \$	51
V1658	111A007D:IMP TM RCRN/HBY	51
V1659	111A007E:IMP STRG FRDSHP	52
V1660	111A007F:IMP STEADY WORK	52
V1661	111A007G:IMP CNTRBTN SOC	53
V1662	111A007H:IMP LDR COMUNTY	53
V1663	111A007I:IMP CHLD BTR OP	54
V1664	111A007J:IMP LIV CLS PRN	54
V1665	111A007K:IMP GT AWY AREA	55
V1666	111A007L:IMP CRRCT INEQL	55
V1667	111A007M:IMP NEW XPRNCE	56
V1668	111A007N:IMP FND PRPS LF	56
V1669	111A008:PPL CAN B TRSTD	57
V1670	111A009:PPL TRY B HLPFL	57
V1671	111A010:PPL TRY BE FAIR	58
V1672	111A011A:-OBY LW = -GD CTZ	58
V1673	111A011B:GD CTZN ALG GOV	59
V1674	111A011C:GD CTZN CHG GOV	59
V1675	111A011D:VOTE->MAJ IMPCT	60
V1676	111A011E:CTZN GRP HV EFC	60
V1677	111A011F:OUR SYST ST BS	61
V1678	111A011G:US NEEDS GROWTH	61
V1679	111A011H:LV THNGS TO GOD	62
V1680	111A011I:GO SCH ENJY XPR	63
V1681	111A011J:DO WL SC IMP/JB	63
V1766	111A012A:RSK OF CIG1+PK/	64

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V1767	111A012B:RSK OF MJ 1-2 X	64
V1768	111A012C:RSK OF MJ OCSNL	65
V1769	111A012D:RSK OF MJ REGLY	65
V1770	111A012E:RSK COK PWDR 1-	66
V1771	111A012F:RSK COK PWDR OC	66
V1772	111A012G:RSK COK PWDR RE	67
V1773	111A012H:RSK CRACK 1-2X	67
V1774	111A012I:RSK CRACK OCC	68
V1775	111A012J:RSK CRACK REG	68
V1776	111A012K:RSK OF 1-2 DRIN	69
V1777	111A012L:RSK OF 1-2 DR/D	70
V1778	111A012M:RSK OF 4-5 DR/D	70
V1779	111A012N:RSK OF 5+DR/WKN	71
V1808	111A012O:RSK H -NDL 1-2X	71
V1809	111A012P:RSK H -NDL OCC	72
V1780	111A013A:EASY GT MARIJUA	72
V1781	111A013B:EASY GT CRACK	73
V1782	111A013C:EASY GT COK PWD	73

GROUP 4

SECTION B

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V1101	111B001:EVR SMK CIG,REG (COPY OF V1208)	74
V1208	111B001:EVR SMK CIG,REG	74
V1102	111B002:#CIGS SMKD/30DA	75
V1210	111B002:#CIGS SMKD/30DA	76
V1752	111B003:#CIG/DAY-30DAYS	76
V1211	111B004A:*TRY STP SMK/FL	77
V1754	111B004B:#X TRY STOP SMK	77
V1212	111B004C:*WNT STP SMK NW	78
V1810	111B005:USUAL CIG BRAND	78
V1213	111B006:NO SMK IN 5 YR	79
V1104	111B007A:#X ALC/LIF SIPS (COPY OF V1214)	79
V1214	111B007A:#X ALC/LIF SIPS	80
V1105	111B007B:#X ALC/ANN SIPS (COPY OF V1215)	81
V1215	111B007B:#X ALC/ANN SIPS	81
V1106	111B007C:#X ALC/30D SIPS (COPY OF V1216)	82
V1216	111B007C:#X ALC/30D SIPS	83
V1217	111B008A:#X/YR ALC ALONE	83
V1218	111B008B:#X/YR ALC-2 PPL	84
V1219	111B008C:#X/YR ALC@PARTY	85

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V1220	111B008D:#X/YR ALC-DT/SP	85
V1221	111B008E:#X/YR ALC-ADLTS	86
V1222	111B008F:#X/YR ALC-DATIM	86
V1223	111B008G:#X/YR ALC@HOME	87
V1224	111B008H:#X/YR ALC@SCHL	87
V1225	111B008I:#X/YR ALCIN CAR	88
V1811	111B008J:#X/YR ALC@PARK/B	88
V1812	111B008K:#X/YR ALC@BAR/RT	89
V1226	111B009A:ALC EXPERIMENT	89
V1227	111B009B:ALC RELAX	90
V1228	111B009C:ALC GET HIGH	90
V1229	111B009D:ALC SEEK INSGHT	91
V1230	111B009E:ALC GD TM FRNDS	91
V1231	111B009F:ALC FIT IN GRP	92
V1232	111B009G:ALC GET AWY PRB	92
V1233	111B009H:ALC BOREDOM	93
V1234	111B009I:ALC ANGR/FRSTRN	93
V1235	111B009J:ALC GT THRU DAY	93
V1236	111B009K:ALC INCRS EF DR	94
V1237	111B009L:ALC DECRS EF DR	94
V1238	111B009M:ALC GET SLEEP	95
V1239	111B009N:ALC TASTES GOOD	95
V1240	111B009O:ALC I AM HOOKED	96
V1241	111B010:#ALCOHOL, VERY HIGH	96
V1242	111B011:DRK AL,HI24+HR	97
V1824	111B012:4+DRK ROW/2WK	97
V1108	111B013:5+DRK ROW/LST 2	98
V1243	111B013:5+DRK ROW/LST 2	98
V1825	111B014A:10+DRK ROW/2WK	99
V1826	111B014B:15+DRK ROW/2WK	99
V1247	111B015:*TRY STP ALC/FL	100
V1805	111B016A:#XDRUNK/LIFETIM	100
V1806	111B016B:#XDRUNK/LAST12M	101
V1807	111B016C:#XDRUNK/LAST30D	102
V1248	111B017:NO ALC IN 5 YR	102
V1109	111B018A:#X HASH/LIFETIM (COPY OF V1249)	103
V1249	111B018A:#X HASH/LIFETIM	103
V1110	111B018B:#X HASH/LAST12M (COPY OF V1250)	104
V1250	111B018B:#X HASH/LAST12M	105
V1111	111B018C:#X HASH/LAST30D (COPY OF V1251)	105
V1251	111B018C:#X HASH/LAST30D	106

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V1112	111B019A:#X MARJ/LIFETIM (COPY OF V1252)	106
V1252	111B019A:#X MARJ/LIFETIM	107
V1113	111B019B:#X MARJ/LAST12M (COPY OF V1253)	108
V1253	111B019B:#X MARJ/LAST12M	108
V1114	111B019C:#X MARJ/LAST30D (COPY OF V1254)	109
V1254	111B019C:#X MARJ/LAST30D	110
V1115	111B019X:#XMJ+HS/LIFETIM	110
V1116	111B019Y:#XMJ+HS/LAST12M	111
V1117	111B019Z:#XMJ+HS/LAST30D	112
V1255	111B020A:#X/YR MJ ALONE	112
V1256	111B020B:#X/YR MJ-2 PPL	113
V1257	111B020C:#X/YR MJ@PARTY	113
V1258	111B020D:#X/YR MJ-DT/SP	114
V1259	111B020E:#X/YR MJ-ADLTS	114
V1260	111B020F:#X/YR MJ-DATIME	115
V1261	111B020G:#X/YR MJ@HOME	116
V1262	111B020H:#X/YR MJ@SCHL	116
V1263	111B020I:#X/YR MJIN CAR	117
V1813	111B020J:#X/YR MJ@PARK/BH	117
V1264	111B021:#X OVL MJ+ ALC	118
V1265	111B022A:MJ EXPERIMENT	118
V1266	111B022B:MJ RELAX	119
V1267	111B022C:MJ GET HIGH	119
V1268	111B022D:MJ SEEK INSIGHT	120
V1269	111B022E:MJ GD TM FRNDS	120
V1270	111B022F:MJ FIT IN GRP	121
V1271	111B022G:MJ GET AWY PRB	121
V1272	111B022H:MJ BOREDOM	121
V1273	111B022I:MJ ANGR/FRUSTRN	122
V1274	111B022J:MJ GET THRU DAY	122
V1275	111B022K:MJ INCRS EF DRG	123
V1276	111B022L:MJ DECRS EF DRG	123
V1277	111B022M:MJ I AM HOOKED	124
V1278	111B023:MJ/HSH,VRY HIGH	124
V1279	111B024:MJ/HSH,HI 24+HR	125
V1280	111B025:JOINT/DA LST MO	125
V1281	111B026:OZS.MJ LST MO/6	126
V1282	111B027:*TRY STP MJ FL	126
V1706	111B028:MJ/HSH EVR DLY	127
V1707	111B029:GR 1ST DAILY MJ	127
V1708	111B030:RECENT DAILY MJ	128

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V1709	111B031:#X DAILY MJ/LFT	128
V1283	111B032:NO MJ/HSB IN5YR	129
V1118	111B033A:#X LSD/LIFETIME (COPY OF V1284)	129
V1284	111B033A:#X LSD/LIFETIME	130
V1119	111B033B:#X LSD/LAST 12M (COPY OF V1285)	131
V1285	111B033B:#X LSD/LAST 12M	131
V1120	111B033C:#X LSD/LAST 30D (COPY OF V1286)	132
V1286	111B033C:#X LSD/LAST 30D	132
V1287	111B034A:#X/YR LSD ALONE	133
V1288	111B034B:#X/YR LSD-2 PPL	134
V1289	111B034C:#X/YR LSD@PARTY	134
V1290	111B034D:#X/YR LSD-DT/SP	135
V1291	111B034E:#X/YR LSD-ADLTS	135
V1292	111B034F:#X/YR LSD-DATIM	136
V1293	111B034G:#X/YR LSD@HOME	136
V1294	111B034H:#X/YR LSD@SCHL	137
V1295	111B034I:#X/YR LSDIN CAR	137
V1296	111B035A:#X OVL LSD+ ALC	138
V1297	111B035B:#X OVL LSD+ MJ	139
V1298	111B036A:LSD EXPERIMENT	139
V1299	111B036B:LSD RELAX	140
V1300	111B036C:LSD GET HIGH	140
V1301	111B036D:LSD SEEK INSGHT	140
V1302	111B036E:LSD GD TM FRNDS	141
V1303	111B036F:LSD FIT IN GRP	141
V1304	111B036G:LSD GT AWY PRB	142
V1305	111B036H:LSD BOREDOM	142
V1306	111B036I:LSD ANGR/FRSTRN	143
V1307	111B036J:LSD GT THRU DAY	143
V1308	111B036K:LSD INCRS EF DR	144
V1309	111B036L:LSD DCRS EF DRG	144
V1310	111B036M:LSD I AM HOOKED	144
V1311	111B037:LSD,GET VERY HI	145
V1312	111B038:LSD,HIGH 24+ HR	145
V1313	111B039:1+ BAD TRIP LSD	146
V1314	111B040:*TRY STP LSD/FL	146
V1315	111B041:NO LSD IN 5 YRS	147
V1121	111B042A:#X PSYD/LIFETIM (COPY OF V1316)	147
V1316	111B042A:#X PSYD/LIFETIM	148
V1122	111B042B:#X PSYD/LAST12M (COPY OF V1317)	148
V1317	111B042B:#X PSYD/LAST12M	149

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V1123	111B042C:#X PSYD/LAST30D (COPY OF V1318)	150
V1318	111B042C:#X PSYD/LAST30D	150
V1319	111B043:PSYD,GT VERY HI	151
V1320	111B044:PSYD,HI 24+ HRS	152
V1321	111B045A:TKN YR,MESCALIN	152
V1322	111B045B:TKN YR,PEYOTE	152
V1323	111B045C:TKN YR,PSILOCYB	153
V1324	111B045D:TKN YR,PCP	153
V1325	111B045E:TKN YR,CNCT THC	154
V1326	111B045F:TKN YR,OTH PSYD	154
V1327	111B045G:TKN YR,DK NAME	155
V1710	111B046A:#X DIETPILL/LFT	155
V1711	111B046B:#X DIETPILL/12M	156
V1712	111B046C:#X DIETPILL/30D	156
V1713	111B047A:#X STA-AWAK/LFT	157
V1714	111B047B:#X STA-AWAK/12M	158
V1715	111B047C:#X STA-AWAK/30D	158
V1716	111B048A:#X LOOKALIK/LFT	159
V1717	111B048B:#X LOOKALIK/12M	160
V1718	111B048C:#X LOOKALIK/30D	160
V1328	111B049:DR TOLD TK AMPH	161
V1127	111B050A:#X AMPH/LIFETIM (COPY OF V1329)	162
V1329	111B050A:#X AMPH/LIFETIM	162
V1128	111B050B:#X AMPH/LAST12M (COPY OF V1330)	163
V1330	111B050B:#X AMPH/LAST12M	164
V1129	111B050C:#X AMPH/LAST30D (COPY OF V1331)	164
V1331	111B050C:#X AMPH/LAST30D	165
V1332	111B051A:#X/YR AMPH ALNE	166
V1333	111B051B:#X/YR AMPH-2PPL	166
V1334	111B051C:#X/YR AMPH@PRTY	167
V1335	111B051D:#X/YR AMPH-DT/S	167
V1336	111B051E:#X/YR AMPH-ADLT	168
V1337	111B051F:#X/YR AMPH-DATM	168
V1338	111B051G:#X/YR AMPH@HOME	169
V1339	111B051H:#X/YR AMPH@SCHL	169
V1340	111B051I:#X/YR AMPH@CAR	170
V1838	111B052A:AMPH SRC INTERNT	171
V1873	111B052B:AMPH SRC FRND-ASK	171
V1874	111B052C:AMPH SRC RLTV-ASK	171
V1875	111B052D:AMPH SRC FRND FREE	172
V1876	111B052E:AMPH SRC RLTV FREE	172

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V1877	111B052F:AMPH SRC FRND BGHT	173
V1878	111B052G:AMPH SRC RLTV BGHT	173
V1842	111B052H:AMPH SRC PRESCR	174
V1843	111B052I:AMPH SRC DEALER	174
V1844	111B052J:AMPH SRC OTHER	175
V1345	111B053A:AMPH EXPERIMENT	175
V1346	111B053B:AMPH RELAX	175
V1347	111B053C:AMPH GET HIGH	176
V1348	111B053D:AMPH SK INSIGHT	176
V1349	111B053E:AMPH GD TM FRND	177
V1350	111B053F:AMPH FIT IN GRP	177
V1351	111B053G:AMPH GT AWY PRB	178
V1352	111B053H:AMPH BOREDOM	178
V1353	111B053I:AMPH ANGR/FRSTN	179
V1354	111B053J:AMPH GT THRU DA	179
V1355	111B053K:AMPH INCR EF DR	179
V1356	111B053L:AMPH DCRS EF DR	180
V1357	111B053M:AMPH STAY AWAKE	180
V1358	111B053N:AMPH GET>ENERGY	181
V1879	111B053O:AMPH HELP STUDY	181
V1359	111B053P:AMPH LOSE WGHT	182
V1360	111B053Q:AMPH I AM HOOKD	182
V1361	111B054:AMPH,GT VERY HI	183
V1362	111B055:AMPH,HI 24+ HRS	183
V1364	111B056A:TKN YR,DEXEDRIN	183
V1366	111B056B:TKN YR,RITALIN	184
V1845	111B056C:TKN YR,ADDERALL	184
V1846	111B056D:TKN YR,CONCERTA	185
V1369	111B056E:TKN YR,METHAMPH	185
V1764	111B056F:TKN YR,CRYSMETH	186
V1370	111B056G:TKN YR,OTH AMPH	186
V1371	111B056H:TKN YR,DNT KN N	187
V1372	111B057A:MTHD AMPH-MOUTH	187
V1765	111B057B:MTHD AMPH-SMOKG	188
V1373	111B057C:MTHD AMPH-INJCT	188
V1374	111B057D:MTHD AMPH-OTHER	188
V1375	111B058:*TRY STP AMP/FL	189
V1376	111B059:NO AMPH IN 5YR	189
V1130	111B060A:#X QUAD/LIFETIM (COPY OF V1377)	190
V1377	111B060A:#X QUAD/LIFETIM	190
V1131	111B060B:#X QUAD/LAST12M (COPY OF V1378)	191

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V1378	111B060B:#X QUAD/LAST12M	192
V1132	111B060C:#X QUAD/LAST30D (COPY OF V1379)	192
V1379	111B060C:#X QUAD/LAST30D	193
V1827	111B061:DR TOLD TK SED	193
V1133	111B062A:#X SED/BARB/LIFE	194
V1383	111B062A:#X SED/BARB/LIFE	195
V1134	111B062B:#X SED/BARB/12MO	195
V1384	111B062B:#X SED/BARB/12MO	196
V1135	111B062C:#X SED/BARB/30DA	197
V1385	111B062C:#X SED/BARB/30DA	197
V1847	111B063A:TKN YR,!PHNOBRB	198
V1848	111B063B:TKN YR,!SECONAL	198
V1849	111B063C:TKN YR,!TUINAL	199
V1850	111B063D:TKN YR,AMBIEN	199
V1851	111B063E:TKN YR,LUNESTA	200
V1852	111B063F:TKN YR,SONATA	200
V1853	111B063G:TKN YR,OTHR SED	201
V1854	111B063H:TKN YR,!DNT KNW	201
V1828	111B064:NO SED IN 5YR	202
V1429	111B065:DR TOLD TK TRNQ	202
V1136	111B066A:#X TRQL/LIFETIM (COPY OF V1430)	203
V1430	111B066A:#X TRQL/LIFETIM	203
V1137	111B066B:#X TRQL/LAST12M (COPY OF V1431)	204
V1431	111B066B:#X TRQL/LAST12M	205
V1138	111B066C:#X TRQL/LAST30D (COPY OF V1432)	205
V1432	111B066C:#X TRQL/LAST30D	206
V1433	111B067A:#X/YR TRQL ALNE	206
V1434	111B067B:#X/YR TRQL-2PPL	207
V1435	111B067C:#X/YR TRQL@PRTY	208
V1436	111B067D:#X/YR TRQL-DT/S	208
V1437	111B067E:#X/YR TRQL-ADLT	209
V1438	111B067F:#X/YR TRQL-DATM	209
V1439	111B067G:#X/YR TRQL@HOME	210
V1440	111B067H:#X/YR TRQL@SCHL	210
V1441	111B067I:#X/YR TRQL@CAR	211
V1855	111B068A:TRQ SRC INTERNET	211
V1880	111B068B:TRQ SRC FRND-ASK	212
V1881	111B068C:TRQ SRC RLTV-ASK	212
V1882	111B068D:TRQ SRC FRND FREE	213
V1883	111B068E:TRQ SRC RLTV FREE	213
V1884	111B068F:TRQ SRC FRND BGHT	214

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V1885	111B068G:TRQ SRC RLTV BGHT	214
V1859	111B068H:TRQ SRC PRESCRPT	214
V1860	111B068I:TRQ SRC DEALER	215
V1861	111B068J:TRQ SRC OTHER	215
V1449	111B069A:TRNQ EXPERIMENT	216
V1450	111B069B:TRNQ RELAX	216
V1451	111B069C:TRNQ GET HIGH	217
V1452	111B069D:TRNQ SK INSIGHT	217
V1453	111B069E:TRNQ GD TM FRND	218
V1454	111B069F:TRNQ FIT IN GRP	218
V1455	111B069G:TRNQ GT AWY PRB	219
V1456	111B069H:TRNQ BOREDOM	219
V1457	111B069I:TRNQ ANGR/FRSTN	219
V1458	111B069J:TRNQ GT THRU DA	220
V1459	111B069K:TRNQ INCR EF DR	220
V1460	111B069L:TRNQ DCRS EF DR	221
V1461	111B069M:TRNQ GET SLEEP	221
V1696	111B069N:TRNQ RLV PHYS P	222
V1462	111B069O:TRNQ I AM HOOKD	222
V1463	111B070:TRNQ,GT VERY HI	223
V1464	111B071:TRNQ,HI 24+ HRS	223
V1465	111B072A:TKN YR,LIBRIUM	224
V1466	111B072B:TKN YR,VALIUM	224
V1814	111B072C:TKN YR, XANAX	225
V1862	111B072D:TKN YR,SOMA	225
V1470	111B072E:TKN YR,SERAX	226
V1863	111B072F:TKN YR,ATIVAN	226
V1864	111B072G:TKN YR,KLONOPIN	226
V1815	111B072H:TKN YR,OTH TRNQ	227
V1474	111B072I:TKN YR,DNT KNW	227
V1475	111B073:*TRY STP TRQ/FL	228
V1476	111B074:NO TRNQ IN 5YR	228
V1755	111B075:EVR TK CRACK/FB	229
V1756	111B076A:#X CRACK/LIFTIM	229
V1757	111B076B:#X CRACK/LST12M	230
V1758	111B076C:#X CRACK/LST30D	230
V1759	111B077A:#XOTH COKE/LIFE	231
V1760	111B077B:#XOTH COKE/12MO	231
V1761	111B077C:#XOTH COKE/30DA	232
V1124	111R :#X COKE/LIFETIME	233
V1125	111R :#X COKE/LAST12MO	233

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V1126	111R :#X COKE/LAST30DA	234
V1480	111B078A:#X/YR COKE ALNE	235
V1481	111B078B:#X/YR COKE-2PPL	235
V1482	111B078C:#X/YR COKE@PRTY	236
V1483	111B078D:#X/YR COKE-DT/S	236
V1484	111B078E:#X/YR COKE-ADLT	237
V1485	111B078F:#X/YR COKE-DATM	238
V1486	111B078G:#X/YR COKE@HOME	238
V1487	111B078H:#X/YR COKE@SCHL	239
V1488	111B078I:#X/YR COKE@CAR	239
V1489	111B079A:#X OVL COKE+ALC	240
V1490	111B079B:#X OVL COKE+MJ	240
V1491	111B079C:#X OVL COKE+LSD	241
V1492	111B079D:#X OVL COKE+PSY	241
V1493	111B079E:#X OVL COKE+AMP	242
V1494	111B079F:#X OVL COKE+QUA	242
V1495	111B079G:#X OVL COKE+BRB	243
V1496	111B079H:#X OVL COKE+TRN	243
V1497	111B080A:COKE EXPERIMENT	244
V1498	111B080B:COKE RELAX	244
V1499	111B080C:COKE GET HIGH	245
V1500	111B080D:COKE SK INSIGHT	245
V1501	111B080E:COKE GD TM FRND	246
V1502	111B080F:COKE FIT IN GRP	246
V1503	111B080G:COKE GT AWY PRB	247
V1504	111B080H:COKE BOREDOM	247
V1505	111B080I:COKE ANGR/FRSTN	248
V1506	111B080J:COKE GT THRU DA	248
V1507	111B080K:COKE INCR EF DR	248
V1508	111B080L:COKE DCRS EF DR	249
V1509	111B080M:COKE STAY AWAKE	249
V1510	111B080N:COKE GET>ENERGY	250
V1511	111B080O:COKE I AM HOOKD	250
V1512	111B081:COK,GET VERY HI	251
V1513	111B082:COK,HIGH 24+ HR	251
V1514	111B083:*TRY STP COK/FL	252
V1743	111B084A:FRM COKE-POWDER	252
V1746	111B084B:FRM COKE-CRACK	252
V1744	111B084C:FRM COKE-FRBASE	253
V1745	111B084D:FRM COKE-PASTE	253
V1515	111B085A:MTHD COKE SNORT	254

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V1516	111B085B:MTHD COKE-SMOKE	254
V1517	111B085C:MTHD COKE-INJCT	255
V1747	111B085D:MTHD COKE-INHAL	255
V1518	111B085E:MTHD COKE-MOUTH	256
V1519	111B085F:MTHD COKE-OTHER	256
V1520	111B086:NO COKE IN 5YR	256
V1139	111B087A:#X H/LIFETIME (COPY OF V1521)	257
V1521	111B087A:#X H/LIFETIME	258
V1140	111B087B:#X H/LAST 12M (COPY OF V1522)	258
V1522	111B087B:#X H/LAST 12M	259
V1141	111B087C:#X H/LAST 30D (COPY OF V1523)	259
V1523	111B087C:#X H/LAST 30D	260
V1564	111B088:DR TOLD TK NARC	261
V1142	111B089A:#X NARC/LIFETIM (COPY OF V1565)	261
V1565	111B089A:#X NARC/LIFETIM	262
V1143	111B089B:#X NARC/LAST12M (COPY OF V1566)	262
V1566	111B089B:#X NARC/LAST12M	263
V1144	111B089C:#X NARC/LAST30D (COPY OF V1567)	264
V1567	111B089C:#X NARC/LAST30D	264
V1568	111B090A:#X/YR NARC ALNE	265
V1569	111B090B:#X/YR NARC-2PPL	266
V1570	111B090C:#X/YR NARC@PRTY	266
V1571	111B090D:#X/YR NARC-DT/S	267
V1572	111B090E:#X/YR NARC-ADLT	267
V1573	111B090F:#X/YR NARC-DATM	268
V1574	111B090G:#X/YR NARC@HOME	268
V1575	111B090H:#X/YR NARC@SCHL	269
V1576	111B090I:#X/YR NARC @CAR	270
V1865	111B091A:NARC SRC INTERNT	270
V1886	111B091B:NARC SRC FRND-ASK	271
V1887	111B091C:NARC SRC RLTV-ASK	271
V1888	111B091D:NARC SRC FRND FREE	272
V1889	111B091E:NARC SRC RLTV FREE	272
V1890	111B091F:NARC SRC FRND BGHT	273
V1891	111B091G:NARC SRC RLTV BGHT	273
V1869	111B091H:NARC SRC PRESCR	273
V1870	111B091I:NARC SRC DEALER	274
V1871	111B091J:NARC SRC OTHER	274
V1892	111B092A:NARC SCRPT DENTST	275
V1893	111B092B:NARC SCRPT ER DOC	275
V1894	111B092C:NARC SCRPT OTH DOC	276

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V1895	111B092D:NARC SCRIPT DIDNT	276
V1587	111B093A:NARC EXPERIMENT	277
V1588	111B093B:NARC RELAX	277
V1589	111B093C:NARC GET HIGH	278
V1590	111B093D:NARC SK INSIGTS	278
V1591	111B093E:NARC GD TM FRND	279
V1592	111B093F:NARC FIT IN GRP	279
V1593	111B093G:NARC GT AWY PBM	279
V1594	111B093H:NARC BOREDOM	280
V1595	111B093I:NARC ANGR/FRSTN	280
V1596	111B093J:NARC GT THRU DA	281
V1597	111B093K:NARC INC EF DG	281
V1598	111B093L:NARC DEC EF DG	282
V1599	111B093M:NARC GET SLEEP	282
V1600	111B093N:NARC SBST HERIN	283
V1697	111B093O:NARC RLV PHYS P	283
V1698	111B093P:NARC RLV COUGHN	284
V1601	111B093Q:NARC I AM HOOKD	284
V1602	111B094:NARC,GT VERY HI	285
V1603	111B095:NARC,HI 24+ HRS	285
V1604	111B096A:NARC TKN MTHDNE	286
V1605	111B096B:NARC TKN OPIUM	286
V1606	111B096C:NARC TKN MRPHNE	286
V1607	111B096D:NARC TKN CODEIN	287
V1608	111B096E:NARC TKN DEMROL	287
V1816	111B096F:NARC TKN VICODN	288
V1817	111B096G:NARC TKN OXYCON	288
V1818	111B096H:NARC TKN PERCET	289
V1819	111B096I:NARC TKN PERDAN	289
V1872	111B096J:NARC TKN ULTRAM	290
V1612	111B096K:NARC TKN OTHER	290
V1613	111B096L:NARC TKN DNT KN	290
V1614	111B097:TRY STP NARC/FL	291
V1615	111B098A:METH NARC SNORT	291
V1616	111B098B:METH NARC SMOKE	292
V1617	111B098C:METH NARC INJCT	292
V1618	111B098D:METH NARC MOUTH	293
V1619	111B098E:METH NARC OTHER	293
V1620	111B099:NO NARC IN 5YR	294
V1762	111B100:ATTND DRG TRTMN	294
V1763	111B101:RCV DRG COUNSEL	294

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V1621	111B102A:GR 1ST SMOK DLY	295
V1622	111B102B:GR 1ST TRY ALC	296
V1623	111B102C:GR 1ST TRY MJ	296
V1624	111B102D:GR 1ST TRY LSD	297
V1625	111B102E:GR 1ST TRY PSY	297
V1626	111B102F:GR 1ST TRY AMP	298
V1628	111B102G:GR 1ST TRY BRB	299
V1629	111B102H:GR 1ST TRY TRN	299
V1630	111B102I:GR 1ST TRY COK	300
V1631	111B102J:GR 1ST TRY HER	301
V1632	111B102K:GR 1ST TRY NRC	301
V1748	111B102L:GR 1ST SMOK EVR	302
V1749	111B102M:GR 1ST DRUNK	302
V1783	111B102N:GR 1ST TRY CRAC	303
V1784	111B102O:GR 1ST TRY ICE	304
V1785	111B103A:ALL FRD SMK CIG	304
V1786	111B103B:ALL FRD SMK MAR	305
V1787	111B103C:# FRNDS TK CRAC	305
V1788	111B103D:# FRNDS TK C PW	306
V1789	111B103E:ALL FRD DRK ALC	306
V1790	111B103F:ALL FRD GT DRUN	307

GROUP 5

SECTION C

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V1148	111C01(R):AGE <>18 DICHOTOMY	307
V1150	111C003:Rs SEX	308
V1151	111C04(R):R'S RACE B/W/H	308
V1152	111C005:R SPD >TIM R-UR	309
V1153	111C006:R NOT MARRIED	309
V49	111C07(R):# SIBLINGS	310
V1155	111C07Cb(R):R'S HSHLD FATHER	310
V1156	111C07Cc(R):R'S HSHLD MOTHER	311
V1157	111C07Cd(R):R'S HSHLD BR/SR	311
V1163	111C008:FATHR EDUC LEVE	312
V1164	111C009:MOTHR EDUC LEVE	312
V1165	111C010:MOTH PD JB R YN	313
V1166	111C011:Rs POLTL PRFNC	314
V1167	111C012:R POL BLF RADCL	314
V1169	111C013B:R ATTND REL SVC	315
V1170	111C013C:RLGN IMP Rs LF	315

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V1171	111C014:WHEN R XPCT GRA	316
V1172	111C015:Rs HS PROGRAM	316
V1173	111C016:RT SF SCH AB>AV	317
V1174	111C017:RT SF INTELL>AV	317
V1175	111C018A:#DA/4W SC MS IL	318
V1176	111C018B:#DA/4W SC MS CU	318
V1177	111C018C:#DA/4W SC MS OT	319
V1178	111C019:#DA/4W SKP CLAS	320
V1179	111C020:R HS GRADE/D = 1	320
V1180	111C021A:R WL DO VOC/TEC	321
V1181	111C021B:R WL DO ARMD FC	321
V1182	111C021C:R WL DO 2YR CLG	322
V1183	111C021D:R WL DO 4YR CLG	322
V1184	111C021E:R WL DO GRD/PRF	323
V1185	111C022A:R WNTDO VOC/TEC	323
V1186	111C022B:R WNTDO ARMD FC	324
V1187	111C022C:R WNTDO 2YR CLG	324
V1188	111C022D:R WNTDO 4YR CLG	325
V1189	111C022E:R WNTDO GRD/PRF	325
V1190	111C022F:R WNTDO NONE	326
V1191	111C023:HRS/W WRK SCHYR	326
V1192	111C024A:R\$/AVG WEEK JOB	327
V1193	111C024B:R\$/AVG WEEK OTH	327
V1194	111C025:#X/AV WK GO OUT	328
V1195	111C026:#X DATE 3+/WK	329
V1196	111C027:DRIVE>200 MI/WK	329
V1197	111C028:#X/12MO R TCKTD	330
V1198	111C29AR:#TCKTS AFT DRNK	330
V1199	111C29BR:#TCKTS AFT MARJ	331
V1200	111C29CR:#TCKTS AFT OTDG	331
V1201	111C030:#ACCIDNTS/12 MO	332
V1202	111C31AR:#ACDTS AFT DRNK	332
V1203	111C31BR:#ACDTS AFT MARJ	333
V1204	111C31CR:#ACDTS AFT OTDG	333
V1205	111C032:Rs BRANCH SERV	334
V1206	111C033:R XPCTS B OFFCR	334
V1207	111C034:R XPCTS MLTR CR	335

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V1682	111D001:R LIKES SCHOOL	335
V1683	111D002:*SC WRK NVR MNG	336
V1684	111D003:*MST COUR V DUL	336
V1685	111D004:*LRN SCH NT IMP	337
V1686	111D005:LOT CMPTN GRADE	337
V1687	111D006:STDTS DSLK CHTG	338
V1688	111D007:ST -LK PROV TCH	338
V1689	111D008:FRD NCG/TCH -LK	339
V1690	111D009:R IN WK-STDY PG	339
V1691	111D010:#X/YR COUNS IND	340
V1692	111D011:#X/YR COUNS GRP	340
V1693	111D012:R LK C COUNS MR	341
V1694	111D013:CSLNG VRY HLPFL	341
V1699	111D014A:CNSL COURSES	342
V1700	111D014B:CNSL CL PROB	342
V1701	111D014C:CNSL TRBL R IN	343
V1702	111D014D:CNSL MILTRY PLN	343
V1703	111D014E:CNSL EDUC PLANS	344
V1704	111D014F:CNSL CAREER PLN	345
V1705	111D014G:CNSL PRNL PROB	345
V1719	111D015A:#DA HEADACHE	346
V1720	111D015B:#DA SORE THROAT	346
V1721	111D015C:#DA SINUS CONG	347
V1722	111D015D:#DA COUGHING	347
V1723	111D015E:#DA CHEST COLD	348
V1724	111D015F:#DA COUGH PHLM	349
V1725	111D015G:#DA SHORT BRTH	349
V1726	111D015H:#DA WHEEZING	350
V1727	111D015I:#DA TRBL REMEM	350
V1728	111D015J:#DA DFCT THINK	351
V1729	111D015K:#DA TRBL LEARN	352
V1730	111D015L:#DA TRBL SLEEP	352
V1731	111D015M:#DA TRBL START	353
V1732	111D015N:#DA STAY HOME	353
V1733	111D016A:#X/12M DOC-CHEK	354
V1734	111D016B:#X/12M DOC-FGHT	355
V1735	111D016C:#X/12M DOC-INJ	355
V1736	111D016D:#X/12M DOC-ILL	356
V1737	111D016E:#X/12M DOC-PSY	356
V1738	111D017A:#X/12M HSP-INJ	357
V1739	111D017B:#X/12M HSP-ILL	357

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
V1740	111D018:RLTV PHY HEALTH	358
V1791	111D021A:DAP SMK 1PCK CI	359
V1792	111D021B:DAP TRY MRJ 1-2	359
V1793	111D021C:DAP SMK MRJ OCC	359
V1794	111D021D:DAP SMK MRJ REG	360
V1795	111D021E:DAP COK PWD 1-2	360
V1796	111D021F:DAP COK PWDR OC	361
V1797	111D021G:DAP COK PWDR RE	361
V1798	111D021H:DAP TRY CRK 1-2	362
V1799	111D021I:DAP CRACK OCC	362
V1800	111D021J:DAP CRACK REG	363
V1801	111D021K:DAP TRY DRK ALC	363
V1802	111D021L:DAP 1-2 DRK/DAY	364
V1803	111D021M:DAP 4-5 DRK/DAY	364
V1804	111D021N:DAP 5+ DRK WKND	365

CASEID	CASE IDENTIFICATION NUMBER
--------	----------------------------

Location: 1-4 (width: 4; decimal: 0)

Variable Type: numeric

Based upon 2478 valid cases out of 2478 total cases.

V1	YEAR OF ADMIN (4-DIGITS)
----	--------------------------

Location: 5-8 (width: 4; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2011	2478	100.0 %	100.0%

Based upon 2478 valid cases out of 2478 total cases.

V3	111:FORM ID
----	-------------

Location: 9-10 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	2478	100.0 %	100.0%

Based upon 2478 valid cases out of 2478 total cases.

V4	111:Rs ID-SERIAL #
----	--------------------

Location: 11-15 (width: 5; decimal: 0)

Variable Type: numeric

Based upon 2478 valid cases out of 2478 total cases.

V5 SAMPLING WEIGHT

Location: 16-21 (width: 6; decimal: 4)
 Variable Type: numeric
 Based upon 2478 valid cases out of 2478 total cases.

V13 SCH REG-4 CAT

Location: 22-23 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Region of the country, based on Census categories, in which respondent's school is located.
 1=Northeast 2=North Central 3=South 4=West

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NORTHEAST:(1)	464	18.7 %	18.7%
2	NORTH CENTRL:(2)	642	25.9 %	25.9%
3	SOUTH:(3)	804	32.4 %	32.4%
4	WEST:(4)	568	22.9 %	22.9%

Based upon 2478 valid cases out of 2478 total cases.

V16 LARGE MSA = 1 / NOT = 0

Location: 24-25 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.
 0="Else" 1="Large MSA"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NOT:(0)	1584	63.9 %	63.9%
1	LARGE MSA:(1)	894	36.1 %	36.1%

Based upon 2478 valid cases out of 2478 total cases.

V17 MSA/NON MSA = 0

Location: 26-27 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in

New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NOT:(0)	483	19.5 %	19.5%
1	MSA:(1)	1995	80.5 %	80.5%

Based upon 2478 valid cases out of 2478 total cases.

V1633 111A001:VRY HPY THS DAY

Location: 28-29 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT HAPPY:(1)	356	14.4 %	14.5%
2	PRTY HPY:(2)	1534	61.9 %	62.5%
3	VRY HPY:(3)	564	22.8 %	23.0%
-9 (M)	MISSING:(-9)	24	1.0 %	-

Based upon 2454 valid cases out of 2478 total cases.

V1634 111A002A:US NEEDS PLANNG

Location: 30-31 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01200

How much do you agree or disagree with each of the following statements?

A: The nation needs much more long-range planning and coordination to be prepared for the future

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	43	1.7 %	1.8%
2	MOST DIS:(2)	69	2.8 %	2.8%
3	NEITHER:(3)	399	16.1 %	16.3%
4	MOST AGR:(4)	999	40.3 %	40.8%
5	AGREE:(5)	939	37.9 %	38.3%
-9 (M)	MISSING:(-9)	29	1.2 %	-

Based upon 2449 valid cases out of 2478 total cases.

V1635 111A002B:ENJOY FAST PACE

Location: 32-33 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01210

How much do you agree or disagree with each of the following statements?

B: I enjoy the fast pace and changes of today's world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	210	8.5 %	8.6%
2	MOST DIS:(2)	379	15.3 %	15.5%
3	NEITHER:(3)	744	30.0 %	30.4%
4	MOST AGR:(4)	793	32.0 %	32.4%
5	AGREE:(5)	321	13.0 %	13.1%
-9 (M)	MISSING:(-9)	31	1.3 %	-

Based upon 2447 valid cases out of 2478 total cases.

V1636 111A002C:THG CHG 2 QUICK

Location: 34-35 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01220

How much do you agree or disagree with each of the following statements?

C: Things change too quickly in today's world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	213	8.6 %	8.7%
2	MOST DIS:(2)	461	18.6 %	18.9%
3	NEITHER:(3)	659	26.6 %	27.0%
4	MOST AGR:(4)	649	26.2 %	26.6%
5	AGREE:(5)	459	18.5 %	18.8%
-9 (M)	MISSING:(-9)	37	1.5 %	-

Based upon 2441 valid cases out of 2478 total cases.

V1637 111A002D:X AHEAD TOUGHER

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01230

How much do you agree or disagree with each of the following statements?

D: I think the times ahead for me will be tougher and less fun than things are now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	371	15.0 %	15.2%
2	MOST DIS:(2)	447	18.0 %	18.3%
3	NEITHER:(3)	521	21.0 %	21.4%
4	MOST AGR:(4)	541	21.8 %	22.2%
5	AGREE:(5)	559	22.6 %	22.9%
-9 (M)	MISSING:(-9)	39	1.6 %	-

Based upon 2439 valid cases out of 2478 total cases.

V1638 111A003:TM SPT ADLT MST

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01240

Of all the time you spend with other people, about how much is spent with people over 30?

1="Very Little" 2="Some" 3="About Half" 4="Most" 5="Nearly All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VRy LITL:(1)	676	27.3 %	27.4%
2	SOME:(2)	964	38.9 %	39.0%
3	ABT HALF:(3)	583	23.5 %	23.6%
4	MOST:(4)	207	8.4 %	8.4%
5	NRly ALL:(5)	39	1.6 %	1.6%
-9 (M)	MISSING:(-9)	9	0.4 %	-

Based upon 2469 valid cases out of 2478 total cases.

V1639

111A004:LK MR TM ADLT

Location: 40-41 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01250

Would you like to spend more time, or less time, with people over 30 if you could?

1="Much less time" 2="Somewhat less time" 3="About the same as now" 4="Somewhat more time" 5="Much more time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MCH LESS:(1)	195	7.9 %	7.9%
2	SMWT LESS:(2)	282	11.4 %	11.4%
3	SAME:(3)	1579	63.7 %	64.0%
4	SMWT MORE:(4)	330	13.3 %	13.4%
5	MCH MORE:(5)	81	3.3 %	3.3%
-9 (M)	MISSING:(-9)	11	0.4 %	-

Based upon 2467 valid cases out of 2478 total cases.

V1640

111A005:LK MR TM YG CHD

Location: 42-43 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01260

Would you like to spend more time, or less time, working with or helping younger children?

1="Much less time" 2="Somewhat less time" 3="About the same as now" 4="Somewhat more time" 5="Much more time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MCH LESS:(1)	244	9.8 %	9.9%
2	SMWT LESS:(2)	187	7.5 %	7.6%
3	SAME:(3)	833	33.6 %	33.8%
4	SMWT MORE:(4)	771	31.1 %	31.3%
5	MCH MORE:(5)	429	17.3 %	17.4%
-9 (M)	MISSING:(-9)	14	0.6 %	-

Based upon 2464 valid cases out of 2478 total cases.

V1641

111A006A:SAT PRESENT JOB

Location: 44-45 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01270

The next questions ask how satisfied or dissatisfied you are with several aspects of your life. For each question, mark the circle that shows best how you feel. If you are neutral about something, or are just as satisfied as you are dissatisfied, mark the middle answer. How satisfied are you with . . .

A: . . . Your job? (If you have no job, leave blank)

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	COMP DIS:(1)	63	2.5 %	4.9%
2	-	49	2.0 %	3.8%
3	-	107	4.3 %	8.4%
4	NEUTRAL:(4)	302	12.2 %	23.6%
5	-	233	9.4 %	18.2%
6	-	273	11.0 %	21.3%
7	COMP SAT:(7)	254	10.3 %	19.8%
-9 (M)	MISSING:(-9)	1197	48.3 %	-

Based upon 1281 valid cases out of 2478 total cases.

V1642 111A006B:SAT NEIGHBORHOD

Location: 46-47 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01280

How satisfied are you with . . .

B: . . . The neighborhood where you live?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	COMP DIS:(1)	110	4.4 %	4.5%
2	-	101	4.1 %	4.1%
3	-	162	6.5 %	6.6%
4	NEUTRAL:(4)	472	19.0 %	19.2%
5	-	339	13.7 %	13.8%
6	-	525	21.2 %	21.3%
7	COMP SAT:(7)	753	30.4 %	30.6%
-9 (M)	MISSING:(-9)	16	0.6 %	-

Based upon 2462 valid cases out of 2478 total cases.

V1643 111A006C:SAT PRSNL SAFTY

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01290

How satisfied are you with . . .

C: . . . Your personal safety in your neighborhood, on your job, and in your school--safety from being attacked and injured in some way?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	COMP DIS:(1)	66	2.7 %	2.7%
2	-	70	2.8 %	2.8%
3	-	136	5.5 %	5.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	NEUTRAL:(4)	372	15.0 %	15.1%
5	-	302	12.2 %	12.3%
6	-	577	23.3 %	23.4%
7	COMP SAT:(7)	938	37.9 %	38.1%
-9 (M)	MISSING:(-9)	17	0.7 %	-

Based upon 2461 valid cases out of 2478 total cases.

V1644 111A006D:SAT OWN PROP SF

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01300

How satisfied are you with . . .

D: . . . The safety of things you own from being stolen or destroyed in your neighborhood, on your job, and in your school?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	COMP DIS:(1)	138	5.6 %	5.6%
2	-	140	5.6 %	5.7%
3	-	239	9.6 %	9.8%
4	NEUTRAL:(4)	424	17.1 %	17.3%
5	-	402	16.2 %	16.4%
6	-	575	23.2 %	23.5%
7	COMP SAT:(7)	532	21.5 %	21.7%
-9 (M)	MISSING:(-9)	28	1.1 %	-

Based upon 2450 valid cases out of 2478 total cases.

V1645 111A006E:SAT EDUC EXPRNC

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01310

How satisfied are you with . . .

E: . . . Your educational experiences?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	COMP DIS:(1)	73	2.9 %	3.0%
2	-	95	3.8 %	3.9%
3	-	151	6.1 %	6.2%
4	NEUTRAL:(4)	432	17.4 %	17.6%
5	-	538	21.7 %	21.9%
6	-	693	28.0 %	28.3%
7	COMP SAT:(7)	471	19.0 %	19.2%
-9 (M)	MISSING:(-9)	25	1.0 %	-

Based upon 2453 valid cases out of 2478 total cases.

V1646 111A006F:SAT OWN FRIENDS

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01320

How satisfied are you with . . .

F: . . . Your friends and other people you spend time with?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	COMP DIS:(1)	27	1.1 %	1.1%
2	-	40	1.6 %	1.6%
3	-	77	3.1 %	3.1%
4	NEUTRAL:(4)	209	8.4 %	8.5%
5	-	328	13.2 %	13.4%
6	-	670	27.0 %	27.3%
7	COMP SAT:(7)	1102	44.5 %	44.9%
-9 (M)	MISSING:(-9)	25	1.0 %	-

Based upon 2453 valid cases out of 2478 total cases.

V1647 111A006G:SAT GT ALNG PRN

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01330

How satisfied are you with . . .

G: . . . The way you get along with your parents?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	COMP DIS:(1)	118	4.8 %	4.8%
2	-	111	4.5 %	4.5%
3	-	161	6.5 %	6.6%
4	NEUTRAL:(4)	364	14.7 %	14.8%
5	-	384	15.5 %	15.6%
6	-	598	24.1 %	24.3%
7	COMP SAT:(7)	722	29.1 %	29.4%
-9 (M)	MISSING:(-9)	20	0.8 %	-

Based upon 2458 valid cases out of 2478 total cases.

V1648

111A006H:SAT YOURSELF

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01340

How satisfied are you with . . .

H: . . . Yourself?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	COMP DIS:(1)	72	2.9 %	2.9%
2	-	80	3.2 %	3.3%
3	-	131	5.3 %	5.3%
4	NEUTRAL:(4)	376	15.2 %	15.3%
5	-	363	14.6 %	14.8%
6	-	592	23.9 %	24.1%
7	COMP SAT:(7)	838	33.8 %	34.2%
-9 (M)	MISSING:(-9)	26	1.0 %	-

Based upon 2452 valid cases out of 2478 total cases.

V1649 111A006I:SAT STD OF LVG

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01350

How satisfied are you with . . .

I: . . . Your standard of living--the things you have like housing, car, furniture, recreation, and the like?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	COMP DIS:(1)	57	2.3 %	2.3%
2	-	52	2.1 %	2.1%
3	-	135	5.4 %	5.5%
4	NEUTRAL:(4)	295	11.9 %	12.0%
5	-	376	15.2 %	15.3%
6	-	650	26.2 %	26.4%
7	COMP SAT:(7)	894	36.1 %	36.4%
-9 (M)	MISSING:(-9)	19	0.8 %	-

Based upon 2459 valid cases out of 2478 total cases.

V1650 111A006J:SAT TIME FR THG

Location: 62-63 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01360

How satisfied are you with . . .

J: . . . The amount of time you have for doing things you want to do?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	COMP DIS:(1)	132	5.3 %	5.4%
2	-	182	7.3 %	7.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	-	313	12.6 %	12.7%
4	NEUTRAL:(4)	395	15.9 %	16.1%
5	-	510	20.6 %	20.8%
6	-	500	20.2 %	20.4%
7	COMP SAT:(7)	424	17.1 %	17.3%
-9 (M)	MISSING:(-9)	22	0.9 %	-

Based upon 2456 valid cases out of 2478 total cases.

V1651

111A006K:SAT SPD LEISR

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01370

How satisfied are you with . . .

K: . . . The way you spend your leisure time--recreation, relaxation, and so on?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	COMP DIS:(1)	83	3.3 %	3.4%
2	-	86	3.5 %	3.5%
3	-	193	7.8 %	7.9%
4	NEUTRAL:(4)	402	16.2 %	16.4%
5	-	472	19.0 %	19.2%
6	-	589	23.8 %	24.0%
7	COMP SAT:(7)	628	25.3 %	25.6%
-9 (M)	MISSING:(-9)	25	1.0 %	-

Based upon 2453 valid cases out of 2478 total cases.

V1652

111A006L:SAT LIFE AS WHL

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01380

How satisfied are you with . . .

L: . . . Your life as a whole these days?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	COMP DIS:(1)	68	2.7 %	2.8%
2	-	73	2.9 %	3.0%
3	-	176	7.1 %	7.2%
4	NEUTRAL:(4)	449	18.1 %	18.3%
5	-	455	18.4 %	18.5%
6	-	731	29.5 %	29.8%
7	COMP SAT:(7)	502	20.3 %	20.5%
-9 (M)	MISSING:(-9)	24	1.0 %	-

Based upon 2454 valid cases out of 2478 total cases.

V1653 111A006M:SAT GOVT OPRTNG

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01390

How satisfied are you with . . .

M: . . . The way our national government is operating?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	COMP DIS:(1)	427	17.2 %	17.4%
2	-	358	14.4 %	14.6%
3	-	434	17.5 %	17.7%
4	NEUTRAL:(4)	817	33.0 %	33.3%
5	-	271	10.9 %	11.0%
6	-	95	3.8 %	3.9%
7	COMP SAT:(7)	51	2.1 %	2.1%
-9 (M)	MISSING:(-9)	25	1.0 %	-

Based upon 2453 valid cases out of 2478 total cases.

V1654 111A006N:SAT AMT OF FUN

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01400

How satisfied are you with . . .

N: . . . The amount of fun you are having?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	COMP DIS:(1)	92	3.7 %	3.7%
2	-	101	4.1 %	4.1%
3	-	188	7.6 %	7.6%
4	NEUTRAL:(4)	422	17.0 %	17.2%
5	-	524	21.1 %	21.3%
6	-	633	25.5 %	25.7%
7	COMP SAT:(7)	499	20.1 %	20.3%
-9 (M)	MISSING:(-9)	19	0.8 %	-

Based upon 2459 valid cases out of 2478 total cases.

V1655 111A007A:IMP B SUCCSS WK

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01410

How important is each of the following to you in your life?

A: Being successful in my line of work

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	31	1.3 %	1.3%
2	SOM IMPT:(2)	135	5.4 %	5.6%
3	QUITE IM:(3)	608	24.5 %	25.1%
4	EXTR IMP:(4)	1647	66.5 %	68.0%
-9 (M)	MISSING:(-9)	57	2.3 %	-

Based upon 2421 valid cases out of 2478 total cases.

V1656 111A007B:IMP GD MRRG/FAM

Location: 74-75 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 01420

How important is each of the following to you in your life?

B: Having a good marriage and family life

1="Not Important" 2="Somewhat Important" 3="Quite Important"
 4="Extremely Important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	80	3.2 %	3.3%
2	SOM IMPT:(2)	164	6.6 %	6.8%
3	QUITE IM:(3)	407	16.4 %	16.8%
4	EXTR IMP:(4)	1768	71.3 %	73.1%
-9 (M)	MISSING:(-9)	59	2.4 %	-

Based upon 2419 valid cases out of 2478 total cases.

V1657 111A007C:IMP LOTS OF \$

Location: 76-77 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 01430

How important is each of the following to you in your life?

C: Having lots of money

1="Not Important" 2="Somewhat Important" 3="Quite Important"
 4="Extremely Important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	144	5.8 %	6.0%
2	SOM IMPT:(2)	664	26.8 %	27.5%
3	QUITE IM:(3)	935	37.7 %	38.7%
4	EXTR IMP:(4)	672	27.1 %	27.8%
-9 (M)	MISSING:(-9)	63	2.5 %	-

Based upon 2415 valid cases out of 2478 total cases.

V1658 111A007D:IMP TM RCRN/HBY

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 01440

How important is each of the following to you in your life?

D: Having plenty of time for recreation and hobbies

1="Not Important" 2="Somewhat Important" 3="Quite Important"
 4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	50	2.0 %	2.1%
2	SOM IMPT:(2)	502	20.3 %	20.8%
3	QUITE IM:(3)	1090	44.0 %	45.1%
4	EXTR IMP:(4)	776	31.3 %	32.1%
-9 (M)	MISSING:(-9)	60	2.4 %	-

Based upon 2418 valid cases out of 2478 total cases.

V1659 111A007E:IMP STRG FRDSHP

Location: 80-81 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 01450

How important is each of the following to you in your life?

E: Having strong friendships

1="Not Important" 2="Somewhat Important" 3="Quite Important"
 4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	49	2.0 %	2.0%
2	SOM IMPT:(2)	181	7.3 %	7.5%
3	QUITE IM:(3)	613	24.7 %	25.3%
4	EXTR IMP:(4)	1578	63.7 %	65.2%
-9 (M)	MISSING:(-9)	57	2.3 %	-

Based upon 2421 valid cases out of 2478 total cases.

V1660 111A007F:IMP STEADY WORK

Location: 82-83 (width: 2; decimal: 0)
 Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01460

How important is each of the following to you in your life?

F: Being able to find steady work

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	31	1.3 %	1.3%
2	SOM IMPT:(2)	94	3.8 %	3.9%
3	QUITE IM:(3)	552	22.3 %	22.8%
4	EXTR IMP:(4)	1744	70.4 %	72.0%
-9 (M)	MISSING:(-9)	57	2.3 %	-

Based upon 2421 valid cases out of 2478 total cases.

V1661

111A007G:IMP CNTRBTN SOC

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01470

How important is each of the following to you in your life?

G: Making a contribution to society

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	111	4.5 %	4.6%
2	SOM IMPT:(2)	643	25.9 %	26.6%
3	QUITE IM:(3)	924	37.3 %	38.2%
4	EXTR IMP:(4)	738	29.8 %	30.5%
-9 (M)	MISSING:(-9)	62	2.5 %	-

Based upon 2416 valid cases out of 2478 total cases.

V1662

111A007H:IMP LDR COMUNTY

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01480

How important is each of the following to you in your life?

H: Being a leader in my community

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	404	16.3 %	16.7%
2	SOM IMPT:(2)	862	34.8 %	35.6%
3	QUITE IM:(3)	690	27.8 %	28.5%
4	EXTR IMP:(4)	463	18.7 %	19.1%
-9 (M)	MISSING:(-9)	59	2.4 %	-

Based upon 2419 valid cases out of 2478 total cases.

V1663

111A007I:IMP CHLD BTR OP

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01490

How important is each of the following to you in your life?

I: Being able to give my children better opportunities than
I've had

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	65	2.6 %	2.7%
2	SOM IMPT:(2)	140	5.6 %	5.8%
3	QUITE IM:(3)	496	20.0 %	20.6%
4	EXTR IMP:(4)	1709	69.0 %	70.9%
-9 (M)	MISSING:(-9)	68	2.7 %	-

Based upon 2410 valid cases out of 2478 total cases.

V1664

111A007J:IMP LIV CLS PRN

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01500

How important is each of the following to you in your life?

J: Living close to parents and relatives

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	384	15.5 %	15.9%
2	SOM IMPT:(2)	831	33.5 %	34.4%
3	QUITE IM:(3)	723	29.2 %	30.0%
4	EXTR IMP:(4)	475	19.2 %	19.7%
-9 (M)	MISSING:(-9)	65	2.6 %	-

Based upon 2413 valid cases out of 2478 total cases.

V1665 111A007K:IMP GT AWY AREA

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01510

How important is each of the following to you in your life?

K: Getting away from this area of the country

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	1006	40.6 %	41.5%
2	SOM IMPT:(2)	638	25.7 %	26.3%
3	QUITE IM:(3)	380	15.3 %	15.7%
4	EXTR IMP:(4)	400	16.1 %	16.5%
-9 (M)	MISSING:(-9)	54	2.2 %	-

Based upon 2424 valid cases out of 2478 total cases.

V1666 111A007L:IMP CRRCT INEQL

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01520

How important is each of the following to you in your life?

L: Working to correct social and economic inequalities

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	438	17.7 %	18.2%
2	SOM IMPT:(2)	918	37.0 %	38.1%
3	QUITE IM:(3)	675	27.2 %	28.0%
4	EXTR IMP:(4)	378	15.3 %	15.7%
-9 (M)	MISSING:(-9)	69	2.8 %	-

Based upon 2409 valid cases out of 2478 total cases.

V1667

111A007M:IMP NEW XPRNCE

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01530

How important is each of the following to you in your life?

M: Discovering new ways to experience things

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	148	6.0 %	6.1%
2	SOM IMPT:(2)	604	24.4 %	25.0%
3	QUITE IM:(3)	942	38.0 %	39.0%
4	EXTR IMP:(4)	723	29.2 %	29.9%
-9 (M)	MISSING:(-9)	61	2.5 %	-

Based upon 2417 valid cases out of 2478 total cases.

V1668

111A007N:IMP FND PRPS LF

Location: 98-99 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01540

How important is each of the following to you in your life?

N: Finding purpose and meaning in my life

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	93	3.8 %	3.8%
2	SOM IMPT:(2)	187	7.5 %	7.7%
3	QUITE IM:(3)	568	22.9 %	23.5%
4	EXTR IMP:(4)	1570	63.4 %	64.9%
-9 (M)	MISSING:(-9)	60	2.4 %	-

Based upon 2418 valid cases out of 2478 total cases.

V1669

111A008:PPL CAN B TRSTD

Location: 100-101 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01550

Generally speaking, would you say that most people can be trusted or that you can't be too careful in dealing with people?

3="Most people can be trusted" 2="Don't know, undecided"
1="Can't be too careful"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	CANT BE TOO CAREFUL:(1)	1267	51.1 %	54.2%
2	DON'T KNOW:(2)	653	26.4 %	27.9%
3	MOST CAN BE TRUSTD:(3)	418	16.9 %	17.9%
-9 (M)	MISSING:(-9)	140	5.6 %	-

Based upon 2338 valid cases out of 2478 total cases.

V1670

111A009:PPL TRY B HLPFL

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01560

Would you say that most of the time people try to be helpful or that they are mostly just looking out for themselves?

3="Try to be helpful" 2="Don't know, undecided" 1="Just looking out for themselves"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FOR THEMSELVES:(1)	1060	42.8 %	44.0%
2	DONT KNOW:(2)	799	32.2 %	33.2%
3	TRY BE HELPFUL:(3)	551	22.2 %	22.9%
-9 (M)	MISSING:(-9)	68	2.7 %	-

Based upon 2410 valid cases out of 2478 total cases.

V1671 111A010:PPL TRY BE FAIR

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01570

Do you think most people would try to take advantage of you if they got a chance or would they try to be fair?

3="Would try to be fair" 2="Don't know, undecided" 1="Would try to take advantage of you"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	TRY TK ADVNTG:(1)	1128	45.5 %	46.9%
2	DONT KNOW:(2)	846	34.1 %	35.2%
3	TRY BE FAIR:(3)	431	17.4 %	17.9%
-9 (M)	MISSING:(-9)	73	2.9 %	-

Based upon 2405 valid cases out of 2478 total cases.

V1672 111A011A:-OBY LW = -GD CTZ

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01580

These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A: I feel that you can't be a good citizen unless you always obey the law

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	487	19.7 %	20.3%
2	MOST DIS:(2)	496	20.0 %	20.6%
3	NEITHER:(3)	578	23.3 %	24.0%
4	MOST AGR:(4)	650	26.2 %	27.0%
5	AGREE:(5)	193	7.8 %	8.0%
-9 (M)	MISSING:(-9)	74	3.0 %	-

Based upon 2404 valid cases out of 2478 total cases.

V1673

111A011B:GD CTZN ALG GOV

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01590

How much do you agree or disagree with each statement below?

B: I feel good citizens should go along with whatever the government does even if they disagree with it

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	980	39.5 %	40.9%
2	MOST DIS:(2)	645	26.0 %	26.9%
3	NEITHER:(3)	482	19.5 %	20.1%
4	MOST AGR:(4)	211	8.5 %	8.8%
5	AGREE:(5)	81	3.3 %	3.4%
-9 (M)	MISSING:(-9)	79	3.2 %	-

Based upon 2399 valid cases out of 2478 total cases.

V1674

111A011C:GD CTZN CHG GOV

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01600

How much do you agree or disagree with each statement below?

C: I feel good citizens try to change the government policies they disagree with

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	117	4.7 %	4.9%
2	MOST DIS:(2)	191	7.7 %	8.0%
3	NEITHER:(3)	753	30.4 %	31.5%
4	MOST AGR:(4)	778	31.4 %	32.5%
5	AGREE:(5)	554	22.4 %	23.2%
-9 (M)	MISSING:(-9)	85	3.4 %	-

Based upon 2393 valid cases out of 2478 total cases.

V1675 111A011D:VOTE->MAJ IMPCT

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01610

How much do you agree or disagree with each statement below?

D: The way people vote has a major impact on how things are run in this country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	189	7.6 %	7.9%
2	MOST DIS:(2)	233	9.4 %	9.7%
3	NEITHER:(3)	466	18.8 %	19.5%
4	MOST AGR:(4)	775	31.3 %	32.4%
5	AGREE:(5)	732	29.5 %	30.6%
-9 (M)	MISSING:(-9)	83	3.3 %	-

Based upon 2395 valid cases out of 2478 total cases.

V1676 111A011E:CTZN GRP HV EFC

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01620

How much do you agree or disagree with each statement below?

E: People who get together in citizen action groups to influence government policies can have a real effect

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	142	5.7 %	5.9%
2	MOST DIS:(2)	257	10.4 %	10.8%
3	NEITHER:(3)	807	32.6 %	33.8%
4	MOST AGR:(4)	781	31.5 %	32.7%
5	AGREE:(5)	402	16.2 %	16.8%
-9 (M)	MISSING:(-9)	89	3.6 %	-

Based upon 2389 valid cases out of 2478 total cases.

V1677

111A011F:OUR SYST ST BS

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01630

How much do you agree or disagree with each statement below?

F: Despite its many faults, our system of doing things is still the best in the world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	349	14.1 %	14.7%
2	MOST DIS:(2)	342	13.8 %	14.4%
3	NEITHER:(3)	812	32.8 %	34.1%
4	MOST AGR:(4)	579	23.4 %	24.3%
5	AGREE:(5)	299	12.1 %	12.6%
-9 (M)	MISSING:(-9)	97	3.9 %	-

Based upon 2381 valid cases out of 2478 total cases.

V1678

111A011G:US NEEDS GROWTH

Location: 118-119 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 01640

How much do you agree or disagree with each statement below?

G: America needs growth to survive, and that is going to require some increase in pollution

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	779	31.4 %	32.7%
2	MOST DIS:(2)	497	20.1 %	20.9%
3	NEITHER:(3)	670	27.0 %	28.1%
4	MOST AGR:(4)	286	11.5 %	12.0%
5	AGREE:(5)	151	6.1 %	6.3%
-9 (M)	MISSING:(-9)	95	3.8 %	-

Based upon 2383 valid cases out of 2478 total cases.

V1679 111A011H:LV THNGS TO GOD

Location: 120-121 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 01650

How much do you agree or disagree with each statement below?

H: If we just leave things to God, they will turn out for the best

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	632	25.5 %	26.6%
2	MOST DIS:(2)	223	9.0 %	9.4%
3	NEITHER:(3)	610	24.6 %	25.6%
4	MOST AGR:(4)	396	16.0 %	16.6%
5	AGREE:(5)	518	20.9 %	21.8%
-9 (M)	MISSING:(-9)	99	4.0 %	-

Based upon 2379 valid cases out of 2478 total cases.

V1680 111A011I:GO SCH ENJY XPR

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01660

How much do you agree or disagree with each statement below?

I: Going to school has been an enjoyable experience for me

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	177	7.1 %	7.4%
2	MOST DIS:(2)	204	8.2 %	8.5%
3	NEITHER:(3)	511	20.6 %	21.4%
4	MOST AGR:(4)	916	37.0 %	38.3%
5	AGREE:(5)	583	23.5 %	24.4%
-9 (M)	MISSING:(-9)	87	3.5 %	-

Based upon 2391 valid cases out of 2478 total cases.

V1681 111A011J:DO WL SC IMP/JB

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01670

How much do you agree or disagree with each statement below?

J: Doing well in school is important for getting a good job

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	62	2.5 %	2.6%
2	MOST DIS:(2)	68	2.7 %	2.8%
3	NEITHER:(3)	237	9.6 %	9.9%
4	MOST AGR:(4)	653	26.4 %	27.3%
5	AGREE:(5)	1374	55.4 %	57.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	84	3.4 %	-

Based upon 2394 valid cases out of 2478 total cases.

V1766

111A012A:RSK OF CIG1+PK/

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	113	4.6 %	4.7%
2	SLIGHT:(2)	82	3.3 %	3.4%
3	MOD RISK:(3)	386	15.6 %	16.1%
4	GRT RISK:(4)	1726	69.7 %	71.9%
5	CANT SAY:(5)	94	3.8 %	3.9%
-9 (M)	MISSING:(-9)	77	3.1 %	-

Based upon 2401 valid cases out of 2478 total cases.

V1767

111A012B:RSK OF MJ 1-2 X

Location: 128-129 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12370

How much do you think people risk harming themselves (physically or in other ways), if they . . .

B: . . . Try marijuana (pot, grass) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	1059	42.7 %	44.2%
2	SLIGHT:(2)	631	25.5 %	26.3%
3	MOD RISK:(3)	297	12.0 %	12.4%
4	GRT RISK:(4)	318	12.8 %	13.3%
5	CANT SAY:(5)	92	3.7 %	3.8%
-9 (M)	MISSING:(-9)	81	3.3 %	-

Based upon 2397 valid cases out of 2478 total cases.

V1768 111A012C:RSK OF MJ OCSNL

Location: 130-131 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12380

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	608	24.5 %	25.4%
2	SLIGHT:(2)	637	25.7 %	26.6%
3	MOD RISK:(3)	581	23.4 %	24.3%
4	GRT RISK:(4)	473	19.1 %	19.7%
5	CANT SAY:(5)	96	3.9 %	4.0%
-9 (M)	MISSING:(-9)	83	3.3 %	-

Based upon 2395 valid cases out of 2478 total cases.

V1769 111A012D:RSK OF MJ REGLY

Location: 132-133 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12390

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	338	13.6 %	14.1%
2	SLIGHT:(2)	439	17.7 %	18.4%
3	MOD RISK:(3)	488	19.7 %	20.4%
4	GRT RISK:(4)	1029	41.5 %	43.0%
5	CANT SAY:(5)	97	3.9 %	4.1%
-9 (M)	MISSING:(-9)	87	3.5 %	-

Based upon 2391 valid cases out of 2478 total cases.

V1770

111A012E:RSK COK PWDR 1-

Location: 134-135 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12501

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

E: . . . Try cocaine in powder form once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	183	7.4 %	7.6%
2	SLIGHT:(2)	389	15.7 %	16.2%
3	MOD RISK:(3)	564	22.8 %	23.5%
4	GRT RISK:(4)	1063	42.9 %	44.3%
5	CANT SAY:(5)	199	8.0 %	8.3%
-9 (M)	MISSING:(-9)	80	3.2 %	-

Based upon 2398 valid cases out of 2478 total cases.

V1771

111A012F:RSK COK PWDR OC

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12502

How much do you think people risk harming themselves

(physically or in other ways), if they . . .

F: . . . Take cocaine powder occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	127	5.1 %	5.3%
2	SLIGHT:(2)	95	3.8 %	4.0%
3	MOD RISK:(3)	506	20.4 %	21.1%
4	GRT RISK:(4)	1473	59.4 %	61.5%
5	CANT SAY:(5)	196	7.9 %	8.2%
-9 (M)	MISSING:(-9)	81	3.3 %	-

Based upon 2397 valid cases out of 2478 total cases.

V1772 111A012G:RSK COK PWDR RE

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12503

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

G: . . . Take cocaine powder regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	116	4.7 %	4.8%
2	SLIGHT:(2)	31	1.3 %	1.3%
3	MOD RISK:(3)	96	3.9 %	4.0%
4	GRT RISK:(4)	1963	79.2 %	81.9%
5	CANT SAY:(5)	190	7.7 %	7.9%
-9 (M)	MISSING:(-9)	82	3.3 %	-

Based upon 2396 valid cases out of 2478 total cases.

V1773 111A012H:RSK CRACK 1-2X

Location: 140-141 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12504

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

H: . . . Try "crack" cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	165	6.7 %	6.9%
2	SLIGHT:(2)	289	11.7 %	12.1%
3	MOD RISK:(3)	480	19.4 %	20.0%
4	GRT RISK:(4)	1247	50.3 %	52.0%
5	CANT SAY:(5)	217	8.8 %	9.0%
-9 (M)	MISSING:(-9)	80	3.2 %	-

Based upon 2398 valid cases out of 2478 total cases.

V1774

111A012I:RSK CRACK OCC

Location: 142-143 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12505

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

I: . . . Take "crack" cocaine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	123	5.0 %	5.1%
2	SLIGHT:(2)	60	2.4 %	2.5%
3	MOD RISK:(3)	376	15.2 %	15.7%
4	GRT RISK:(4)	1627	65.7 %	67.9%
5	CANT SAY:(5)	210	8.5 %	8.8%
-9 (M)	MISSING:(-9)	82	3.3 %	-

Based upon 2396 valid cases out of 2478 total cases.

V1775

111A012J:RSK CRACK REG

Location: 144-145 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 12506

How much do you think people risk harming themselves
 (physically or in other ways), if they . . .

J: . . . Take "crack" cocaine regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
 5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	121	4.9 %	5.1%
2	SLIGHT:(2)	28	1.1 %	1.2%
3	MOD RISK:(3)	54	2.2 %	2.3%
4	GRT RISK:(4)	1981	79.9 %	82.8%
5	CANT SAY:(5)	209	8.4 %	8.7%
-9 (M)	MISSING:(-9)	85	3.4 %	-

Based upon 2393 valid cases out of 2478 total cases.

V1776 111A012K:RSK OF 1-2 DRIN

Location: 146-147 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 12510

How much do you think people risk harming themselves
 (physically or in other ways), if they . . .

K: . . . Try one or two drinks of an alcoholic beverage
 (beer, wine, liquor)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
 5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	1214	49.0 %	50.7%
2	SLIGHT:(2)	689	27.8 %	28.8%
3	MOD RISK:(3)	209	8.4 %	8.7%
4	GRT RISK:(4)	209	8.4 %	8.7%
5	CANT SAY:(5)	72	2.9 %	3.0%
-9 (M)	MISSING:(-9)	85	3.4 %	-

Based upon 2393 valid cases out of 2478 total cases.

V1777 111A012L:RSK OF 1-2 DR/D

Location: 148-149 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12520

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

L: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	351	14.2 %	14.7%
2	SLIGHT:(2)	698	28.2 %	29.2%
3	MOD RISK:(3)	758	30.6 %	31.7%
4	GRT RISK:(4)	507	20.5 %	21.2%
5	CANT SAY:(5)	77	3.1 %	3.2%
-9 (M)	MISSING:(-9)	87	3.5 %	-

Based upon 2391 valid cases out of 2478 total cases.

V1778 111A012M:RSK OF 4-5 DR/D

Location: 150-151 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12530

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

M: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	152	6.1 %	6.3%
2	SLIGHT:(2)	207	8.4 %	8.6%
3	MOD RISK:(3)	553	22.3 %	23.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	GRT RISK:(4)	1398	56.4 %	58.3%
5	CANT SAY:(5)	89	3.6 %	3.7%
-9 (M)	MISSING:(-9)	79	3.2 %	-

Based upon 2399 valid cases out of 2478 total cases.

V1779 111A012N:RSK OF 5+DR/WKN

Location: 152-153 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12540

How much do you think people risk harming themselves (physically or in other ways), if they . . .

N: . . . Have five or more drinks once or twice each weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	257	10.4 %	10.7%
2	SLIGHT:(2)	360	14.5 %	15.1%
3	MOD RISK:(3)	617	24.9 %	25.8%
4	GRT RISK:(4)	1072	43.3 %	44.8%
5	CANT SAY:(5)	86	3.5 %	3.6%
-9 (M)	MISSING:(-9)	86	3.5 %	-

Based upon 2392 valid cases out of 2478 total cases.

V1808 111A012O:RSK H -NDL 1-2X

Location: 154-155 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29600

How much do you think people risk harming themselves (physically or in other ways), if they . . .

O: . . . Try heroin once or twice without using a needle?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	141	5.7 %	5.9%
2	SLIGHT:(2)	155	6.3 %	6.5%
3	MOD RISK:(3)	372	15.0 %	15.5%
4	GRT RISK:(4)	1467	59.2 %	61.3%
5	CANT SAY:(5)	259	10.5 %	10.8%
-9 (M)	MISSING:(-9)	84	3.4 %	-

Based upon 2394 valid cases out of 2478 total cases.

V1809 111A012P:RSK H -NDL OCC

Location: 156-157 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29610

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

P: . . . Take heroin occasionally without using a needle?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	128	5.2 %	5.3%
2	SLIGHT:(2)	41	1.7 %	1.7%
3	MOD RISK:(3)	197	7.9 %	8.2%
4	GRT RISK:(4)	1770	71.4 %	73.9%
5	CANT SAY:(5)	259	10.5 %	10.8%
-9 (M)	MISSING:(-9)	83	3.3 %	-

Based upon 2395 valid cases out of 2478 total cases.

V1780 111A013A:EASY GT MARIJUA

Location: 158-159 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06750

How difficult do you think it would be for you to get each
of the following types of drugs, if you wanted some?

A: Marijuana

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	144	5.8 %	6.0%
2	VRY DIFF:(2)	85	3.4 %	3.6%
3	FRLY DIF:(3)	141	5.7 %	5.9%
4	FRLY EAS:(4)	578	23.3 %	24.3%
5	VRY EASY:(5)	1434	57.9 %	60.2%
-9 (M)	MISSING:(-9)	96	3.9 %	-

Based upon 2382 valid cases out of 2478 total cases.

V1781

111A013B:EASY GT CRACK

Location: 160-161 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06811

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

B: "Crack" cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	411	16.6 %	17.3%
2	VRY DIFF:(2)	492	19.9 %	20.7%
3	FRLY DIF:(3)	738	29.8 %	31.1%
4	FRLY EAS:(4)	471	19.0 %	19.8%
5	VRY EASY:(5)	262	10.6 %	11.0%
-9 (M)	MISSING:(-9)	104	4.2 %	-

Based upon 2374 valid cases out of 2478 total cases.

V1782

111A013C:EASY GT COK PWD

Location: 162-163 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06812

How difficult do you think it would be for you to get each

of the following types of drugs, if you wanted some?

C: Cocaine powder

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	424	17.1 %	17.9%
2	VRY DIFF:(2)	527	21.3 %	22.2%
3	FRLY DIF:(3)	631	25.5 %	26.6%
4	FRLY EAS:(4)	479	19.3 %	20.2%
5	VRY EASY:(5)	313	12.6 %	13.2%
-9 (M)	MISSING:(-9)	104	4.2 %	-

Based upon 2374 valid cases out of 2478 total cases.

V1101

111B001:EVR SMK CIG,REG (COPY OF V1208)

Location: 164-165 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00760

The following questions are about CIGARETTE SMOKING. Have you ever smoked cigarettes?

1="Never" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1415	57.1 %	60.0%
2	1-2X:(2)	392	15.8 %	16.6%
3	OCCASNLY:(3)	253	10.2 %	10.7%
4	REG PAST:(4)	98	4.0 %	4.2%
5	REG NOW:(5)	199	8.0 %	8.4%
-9 (M)	MISSING:(-9)	121	4.9 %	-

Based upon 2357 valid cases out of 2478 total cases.

V1208

111B001:EVR SMK CIG,REG

Location: 166-167 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00760

The following questions are about CIGARETTE SMOKING. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 6" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1415	57.1 %	60.0%
2	1-2X:(2)	392	15.8 %	16.6%
3	OCCASNL:(3)	253	10.2 %	10.7%
4	REG PAST:(4)	98	4.0 %	4.2%
5	REG NOW:(5)	199	8.0 %	8.4%
-9 (M)	MISSING:(-9)	121	4.9 %	-

Based upon 2357 valid cases out of 2478 total cases.

V1102

111B002:#CIGS SMKD/30DA

Location: 168-169 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all [includes respondents who reported nonuse above]" 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT DAILY:(1)	1890	76.3 %	80.4%
2	<1 CIG/D:(2)	198	8.0 %	8.4%
3	1-5/DAY:(3)	147	5.9 %	6.2%
4	1/2 PK:(4)	75	3.0 %	3.2%
5	1 PK:(5)	24	1.0 %	1.0%
6	1 1/2 PK:(6)	4	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7	2+ PKS:(7)	14	0.6 %	0.6%
-9 (M)	MISSING:(-9)	126	5.1 %	-

Based upon 2352 valid cases out of 2478 total cases.

V1210

111B002:#CIGS SMKD/30DA

Location: 170-171 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT DAILY:(1)	475	19.2 %	50.7%
2	<1 CIG/D:(2)	198	8.0 %	21.1%
3	1-5/DAY:(3)	147	5.9 %	15.7%
4	1/2 PK:(4)	75	3.0 %	8.0%
5	1 PK:(5)	24	1.0 %	2.6%
6	1 1/2 PK:(6)	4	0.2 %	0.4%
7	2+ PKS:(7)	14	0.6 %	1.5%
-9 (M)	MISSING:(-9)	1541	62.2 %	-

Based upon 937 valid cases out of 2478 total cases.

V1752

111B003:#CIG/DAY-30DAYS

Location: 172-173 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00781

To be more precise, during the past 30 days about how many cigarettes have you smoked per day?

01="None" 02="Less than one per day" 03="1 to 2" 04="3 to 7" 05="8 to 12" 06="13 to 17" 07="18 to 22" 08="23 to 27" 09="28 to 32" 10="33 to 37" 11="38 or more"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	475	19.2 %	50.5%
2	LT 1/DAY:(2)	143	5.8 %	15.2%
3	1-2:(3)	82	3.3 %	8.7%
4	3-7:(4)	116	4.7 %	12.3%
5	8-12:(5)	62	2.5 %	6.6%
6	13-17:(6)	19	0.8 %	2.0%
7	18-22:(7)	15	0.6 %	1.6%
8	23-27:(8)	3	0.1 %	0.3%
9	28-32:(9)	3	0.1 %	0.3%
10	33-37:(10)	6	0.2 %	0.6%
11	38+:(11)	16	0.6 %	1.7%
-9 (M)	MISSING:(-9)	1538	62.1 %	-

Based upon 940 valid cases out of 2478 total cases.

V1211

111B004A:*TRY STP SMK/FL

Location: 174-175 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01690

Have you ever tried to stop smoking and found that you could not?

1="Yes" 2="No"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES:(1)	132	5.3 %	14.3%
2	NO:(2)	791	31.9 %	85.7%
-9 (M)	MISSING:(-9)	1555	62.8 %	-

Based upon 923 valid cases out of 2478 total cases.

V1754

111B004B:#X TRY STOP SMK

Location: 176-177 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01691

How many times (if any) have you tried to stop smoking?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"

6="10 or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	601	24.3 %	65.4%
2	ONCE:(2)	157	6.3 %	17.1%
3	TWICE:(3)	74	3.0 %	8.1%
4	3-5X:(4)	64	2.6 %	7.0%
5	6-9X:(5)	9	0.4 %	1.0%
6	10+ TIME:(6)	14	0.6 %	1.5%
-9 (M)	MISSING:(-9)	1559	62.9 %	-

Based upon 919 valid cases out of 2478 total cases.

V1212 111B004C:*WNT STP SMK NW

Location: 178-179 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01700

Do you want to stop smoking now?

1="Yes" 2="No" 8="Don't smoke now"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES:(1)	123	5.0 %	13.3%
2	NO:(2)	246	9.9 %	26.6%
8	DNT SMOK:(8)	555	22.4 %	60.1%
-9 (M)	MISSING:(-9)	1554	62.7 %	-

Based upon 924 valid cases out of 2478 total cases.

V1810 111B005:USUAL CIG BRAND

Location: 180-181 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30065

What brand of cigarettes do you usually smoke? (Brands are in alphabetical order. Mark only one.)

01="Basic" 02="Benson & Hedges" 03="Black & Whites"
 04="Cambridge" 05="Camel" 06="Capri" 07="Carlton" 08="Doral"
 09="GPC" 10="Kent" 11="Kool" 12="Marlboro" 13="Merit"
 14="Misty" 15="Monarch" 16="More" 17="Newport" 18="Pall Mall"
 19="Parliament" 20="Salem" 21="Vantage" 22="Virginia Slims"

23="Winston" 24="Other" 25="No Usual Brand"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	BASIC:(1)	7	0.3 %	0.9%
3	BLACK WHT:(3)	3	0.1 %	0.4%
5	CAMEL:(5)	90	3.6 %	11.9%
9	GPC:(9)	2	0.1 %	0.3%
11	KOOL:(11)	12	0.5 %	1.6%
12	MARLBORO:(12)	229	9.2 %	30.3%
13	MERIT:(13)	1	0.0 %	0.1%
15	MONARCH: (15)	1	0.0 %	0.1%
17	NEWPORT:(17)	122	4.9 %	16.1%
18	PALLMALL:(18)	2	0.1 %	0.3%
19	PARLMNT:(19)	14	0.6 %	1.8%
20	SALEM:(20)	1	0.0 %	0.1%
23	WINSTON:(23)	1	0.0 %	0.1%
24	OTHER:(24)	48	1.9 %	6.3%
25	NO USUAL:(25)	224	9.0 %	29.6%
-9 (M)	MISSING:(-9)	1721	69.5 %	-

Based upon 757 valid cases out of 2478 total cases.

V1213

111B006:NO SMK IN 5 YR

Location: 182-183 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01710

Do you think you will be smoking cigarettes five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WILL:(1)	38	1.5 %	1.6%
2	PRB WILL:(2)	199	8.0 %	8.2%
3	PRB WONT:(3)	431	17.4 %	17.8%
4	DEF WONT:(4)	1754	70.8 %	72.4%
-9 (M)	MISSING:(-9)	56	2.3 %	-

Based upon 2422 valid cases out of 2478 total cases.

V1104

111B007A:#X ALC/LIF SIPS (COPY OF V1214)

Location: 184-185 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 00810

The next questions are about ALCOHOLIC BEVERAGES, including beer, wine, liquor, and any other beverage that contains alcohol. On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	579	23.4 %	24.6%
2	1-2X:(2)	290	11.7 %	12.3%
3	3-5X:(3)	273	11.0 %	11.6%
4	6-9X:(4)	241	9.7 %	10.2%
5	10-19X:(5)	266	10.7 %	11.3%
6	20-39X:(6)	248	10.0 %	10.5%
7	40+OCCAS:(7)	458	18.5 %	19.4%
-9 (M)	MISSING:(-9)	123	5.0 %	-

Based upon 2355 valid cases out of 2478 total cases.

V1214

111B007A:#X ALC/LIF SIPS

Location: 186-187 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 00810

The next questions are about ALCOHOLIC BEVERAGES, including beer, wine, liquor, and any other beverage that contains alcohol. On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	579	23.4 %	24.6%
2	1-2X:(2)	290	11.7 %	12.3%
3	3-5X:(3)	273	11.0 %	11.6%
4	6-9X:(4)	241	9.7 %	10.2%
5	10-19X:(5)	266	10.7 %	11.3%
6	20-39X:(6)	248	10.0 %	10.5%
7	40+OCCAS:(7)	458	18.5 %	19.4%
-9 (M)	MISSING:(-9)	123	5.0 %	-

Based upon 2355 valid cases out of 2478 total cases.

V1105

111B007B:#X ALC/ANN SIPS (COPY OF V1215)

Location: 188-189 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00820

On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	799	32.2 %	34.1%
2	1-2X:(2)	416	16.8 %	17.8%
3	3-5X:(3)	313	12.6 %	13.4%
4	6-9X:(4)	231	9.3 %	9.9%
5	10-19X:(5)	245	9.9 %	10.5%
6	20-39X:(6)	158	6.4 %	6.7%
7	40+OCCAS:(7)	180	7.3 %	7.7%
-9 (M)	MISSING:(-9)	136	5.5 %	-

Based upon 2342 valid cases out of 2478 total cases.

V1215

111B007B:#X ALC/ANN SIPS

Location: 190-191 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00820

On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	799	32.2 %	34.1%
2	1-2X:(2)	416	16.8 %	17.8%
3	3-5X:(3)	313	12.6 %	13.4%
4	6-9X:(4)	231	9.3 %	9.9%
5	10-19X:(5)	245	9.9 %	10.5%
6	20-39X:(6)	158	6.4 %	6.7%
7	40+OCCAS:(7)	180	7.3 %	7.7%
-9 (M)	MISSING:(-9)	136	5.5 %	-

Based upon 2342 valid cases out of 2478 total cases.

V1106 111B007C:#X ALC/30D SIPS (COPY OF V1216)

Location: 192-193 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00830

On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	1337	54.0 %	57.1%
2	1-2X:(2)	482	19.5 %	20.6%
3	3-5X:(3)	264	10.7 %	11.3%
4	6-9X:(4)	121	4.9 %	5.2%
5	10-19X:(5)	79	3.2 %	3.4%
6	20-39X:(6)	20	0.8 %	0.9%
7	40+OCCAS:(7)	38	1.5 %	1.6%
-9 (M)	MISSING:(-9)	137	5.5 %	-

Based upon 2341 valid cases out of 2478 total cases.

V1216 111B007C:#X ALC/30D SIPS

Location: 194-195 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:
Item Number: 00830

On how many occasions (if any) have you had alcohol to
drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	1337	54.0 %	57.1%
2	1-2X:(2)	482	19.5 %	20.6%
3	3-5X:(3)	264	10.7 %	11.3%
4	6-9X:(4)	121	4.9 %	5.2%
5	10-19X:(5)	79	3.2 %	3.4%
6	20-39X:(6)	20	0.8 %	0.9%
7	40+OCCAS:(7)	38	1.5 %	1.6%
-9 (M)	MISSING:(-9)	137	5.5 %	-

Based upon 2341 valid cases out of 2478 total cases.

V1217 111B008A:#X/YR ALC ALONE

Location: 196-197 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9

Question:

Item Number: 01720

IF YOU HAVE NOT HAD ANY BEER, WINE, LIQUOR, OR OTHER ALCOHOLIC BEVERAGE IN THE LAST TWELVE MONTHS, GO TO QUESTION 16.

When you used alcohol during the last year, how often did you use it in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1189	48.0 %	77.1%
2	FEW TIMES:(2)	260	10.5 %	16.9%
3	SOMETIMES:(3)	50	2.0 %	3.2%
4	MOST TIMES:(4)	26	1.0 %	1.7%
5	EVERY TIME:(5)	18	0.7 %	1.2%
-9 (M)	MISSING:(-9)	935	37.7 %	-

Based upon 1543 valid cases out of 2478 total cases.

V1218

111B008B:#X/YR ALC-2 PPL

Location: 198-199 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01730

When you used alcohol during the last year, how often did you use it in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	412	16.6 %	26.8%
2	FEW TIMES:(2)	589	23.8 %	38.3%
3	SOMETIMES:(3)	291	11.7 %	18.9%
4	MOST TIMES:(4)	159	6.4 %	10.4%
5	EVERY TIME:(5)	85	3.4 %	5.5%
-9 (M)	MISSING:(-9)	942	38.0 %	-

Based upon 1536 valid cases out of 2478 total cases.

V1219 111B008C:#X/YR ALC@PARTY

Location: 200-201 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01740

When you used alcohol during the last year, how often did you use it in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	263	10.6 %	17.1%
2	FEW TIMES:(2)	237	9.6 %	15.4%
3	SOMETIMES:(3)	210	8.5 %	13.7%
4	MOST TIMES:(4)	476	19.2 %	31.0%
5	EVERY TIME:(5)	350	14.1 %	22.8%
-9 (M)	MISSING:(-9)	942	38.0 %	-

Based upon 1536 valid cases out of 2478 total cases.

V1220 111B008D:#X/YR ALC-DT/SP

Location: 202-203 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01750

When you used alcohol during the last year, how often did you use it in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	848	34.2 %	55.3%
2	FEW TIMES:(2)	283	11.4 %	18.5%
3	SOMETIMES:(3)	201	8.1 %	13.1%
4	MOST TIMES:(4)	129	5.2 %	8.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	EVERY TIME:(5)	72	2.9 %	4.7%
-9 (M)	MISSING:(-9)	945	38.1 %	-

Based upon 1533 valid cases out of 2478 total cases.

V1221 111B008E:#X/YR ALC-ADLTS

Location: 204-205 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01760

When you used alcohol during the last year, how often did you use it in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	626	25.3 %	40.5%
2	FEW TIMES:(2)	443	17.9 %	28.7%
3	SOMETIMES:(3)	241	9.7 %	15.6%
4	MOST TIMES:(4)	124	5.0 %	8.0%
5	EVERY TIME:(5)	112	4.5 %	7.2%
-9 (M)	MISSING:(-9)	932	37.6 %	-

Based upon 1546 valid cases out of 2478 total cases.

V1222 111B008F:#X/YR ALC-DATIM

Location: 206-207 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01770

When you used alcohol during the last year, how often did you use it in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1040	42.0 %	67.5%
2	FEW TIMES:(2)	332	13.4 %	21.6%
3	SOMETIMES:(3)	116	4.7 %	7.5%
4	MOST TIMES:(4)	30	1.2 %	1.9%
5	EVERY TIME:(5)	22	0.9 %	1.4%
-9 (M)	MISSING:(-9)	938	37.9 %	-

Based upon 1540 valid cases out of 2478 total cases.

V1223 111B008G:#X/YR ALC@HOME

Location: 208-209 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01780

When you used alcohol during the last year, how often did you use it in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	661	26.7 %	42.8%
2	FEW TIMES:(2)	451	18.2 %	29.2%
3	SOMETIMES:(3)	170	6.9 %	11.0%
4	MOST TIMES:(4)	157	6.3 %	10.2%
5	EVERY TIME:(5)	106	4.3 %	6.9%
-9 (M)	MISSING:(-9)	933	37.7 %	-

Based upon 1545 valid cases out of 2478 total cases.

V1224 111B008H:#X/YR ALC@SCHL

Location: 210-211 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01790

When you used alcohol during the last year, how often did you use it in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1432	57.8 %	92.8%
2	FEW TIMES:(2)	70	2.8 %	4.5%
3	SOMETIMES:(3)	21	0.8 %	1.4%
4	MOST TIMES:(4)	8	0.3 %	0.5%
5	EVERY TIME:(5)	12	0.5 %	0.8%
-9 (M)	MISSING:(-9)	935	37.7 %	-

Based upon 1543 valid cases out of 2478 total cases.

V1225 111B008I:#X/YR ALCIN CAR

Location: 212-213 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:
Item Number: 01810

When you used alcohol during the last year, how often did
you use it in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1134	45.8 %	73.4%
2	FEW TIMES:(2)	246	9.9 %	15.9%
3	SOMETIMES:(3)	109	4.4 %	7.1%
4	MOST TIMES:(4)	37	1.5 %	2.4%
5	EVERY TIME:(5)	18	0.7 %	1.2%
-9 (M)	MISSING:(-9)	934	37.7 %	-

Based upon 1544 valid cases out of 2478 total cases.

V1811 111B008J:#X/YR ALC@PARK/B

Location: 214-215 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:
Item Number: 30910

When you used alcohol during the last year, how often did

you use it in each of the following situations?

J. At a park or beach

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1094	44.1 %	70.9%
2	FEW TIMES:(2)	240	9.7 %	15.6%
3	SOMETIMES:(3)	135	5.4 %	8.7%
4	MOST TIMES:(4)	50	2.0 %	3.2%
5	EVERY TIME:(5)	24	1.0 %	1.6%
-9 (M)	MISSING:(-9)	935	37.7 %	-

Based upon 1543 valid cases out of 2478 total cases.

V1812 111B008K:#X/YR ALC@BAR/RT

Location: 216-217 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30920

When you used alcohol during the last year, how often did
you use it in each of the following situations?

K. At a bar or restaurant

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1157	46.7 %	75.0%
2	FEW TIMES:(2)	210	8.5 %	13.6%
3	SOMETIMES:(3)	95	3.8 %	6.2%
4	MOST TIMES:(4)	49	2.0 %	3.2%
5	EVERY TIME:(5)	32	1.3 %	2.1%
-9 (M)	MISSING:(-9)	935	37.7 %	-

Based upon 1543 valid cases out of 2478 total cases.

V1226 111B009A:ALC EXPERIMENT

Location: 218-219 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01820

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	735	29.7 %	48.2%
1	MARKED:(1)	789	31.8 %	51.8%
-9 (M)	MISSING:(-9)	954	38.5 %	-

Based upon 1524 valid cases out of 2478 total cases.

V1227

111B009B:ALC RELAX

Location: 220-221 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01830

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	886	35.8 %	58.1%
1	MARKED:(1)	638	25.7 %	41.9%
-9 (M)	MISSING:(-9)	954	38.5 %	-

Based upon 1524 valid cases out of 2478 total cases.

V1228

111B009C:ALC GET HIGH

Location: 222-223 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01840

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	962	38.8 %	63.1%
1	MARKED:(1)	562	22.7 %	36.9%
-9 (M)	MISSING:(-9)	954	38.5 %	-

Based upon 1524 valid cases out of 2478 total cases.

V1229 111B009D:ALC SEEK INSGHT

Location: 224-225 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01850

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1420	57.3 %	93.2%
1	MARKED:(1)	104	4.2 %	6.8%
-9 (M)	MISSING:(-9)	954	38.5 %	-

Based upon 1524 valid cases out of 2478 total cases.

V1230 111B009E:ALC GD TM FRNDS

Location: 226-227 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01860

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	417	16.8 %	27.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MARKED:(1)	1107	44.7 %	72.6%
-9 (M)	MISSING:(-9)	954	38.5 %	-

Based upon 1524 valid cases out of 2478 total cases.

V1231

111B009F:ALC FIT IN GRP

Location: 228-229 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01870

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1435	57.9 %	94.2%
1	MARKED:(1)	89	3.6 %	5.8%
-9 (M)	MISSING:(-9)	954	38.5 %	-

Based upon 1524 valid cases out of 2478 total cases.

V1232

111B009G:ALC GET AWY PRB

Location: 230-231 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01880

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1202	48.5 %	78.9%
1	MARKED:(1)	322	13.0 %	21.1%
-9 (M)	MISSING:(-9)	954	38.5 %	-

Based upon 1524 valid cases out of 2478 total cases.

V1233 111B009H:ALC BOREDOM

Location: 232-233 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01890

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1208	48.7 %	79.3%
1	MARKED:(1)	316	12.8 %	20.7%
-9 (M)	MISSING:(-9)	954	38.5 %	-

Based upon 1524 valid cases out of 2478 total cases.

V1234 111B009I:ALC ANGR/FRSTRN

Location: 234-235 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01900

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1345	54.3 %	88.3%
1	MARKED:(1)	179	7.2 %	11.7%
-9 (M)	MISSING:(-9)	954	38.5 %	-

Based upon 1524 valid cases out of 2478 total cases.

V1235 111B009J:ALC GT THRU DAY

Location: 236-237 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01910

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1483	59.8 %	97.3%
1	MARKED:(1)	41	1.7 %	2.7%
-9 (M)	MISSING:(-9)	954	38.5 %	-

Based upon 1524 valid cases out of 2478 total cases.

V1236

111B009K:ALC INCRS EF DR

Location: 238-239 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01920

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1449	58.5 %	95.1%
1	MARKED:(1)	75	3.0 %	4.9%
-9 (M)	MISSING:(-9)	954	38.5 %	-

Based upon 1524 valid cases out of 2478 total cases.

V1237

111B009L:ALC DECRS EF DR

Location: 240-241 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01930

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1512	61.0 %	99.2%
1	MARKED:(1)	12	0.5 %	0.8%
-9 (M)	MISSING:(-9)	954	38.5 %	-

Based upon 1524 valid cases out of 2478 total cases.

V1238

111B009M:ALC GET SLEEP

Location: 242-243 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01940

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

M. To get to sleep

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1410	56.9 %	92.5%
1	MARKED:(1)	114	4.6 %	7.5%
-9 (M)	MISSING:(-9)	954	38.5 %	-

Based upon 1524 valid cases out of 2478 total cases.

V1239

111B009N:ALC TASTES GOOD

Location: 244-245 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01950

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

N. Because it tastes good

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	989	39.9 %	64.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MARKED:(1)	535	21.6 %	35.1%
-9 (M)	MISSING:(-9)	954	38.5 %	-

Based upon 1524 valid cases out of 2478 total cases.

V1240 111B0090:ALC I AM HOOKED

Location: 246-247 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01960

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

O. Because I am "hooked"--I feel I have to drink

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1495	60.3 %	98.1%
1	MARKED:(1)	29	1.2 %	1.9%
-9 (M)	MISSING:(-9)	954	38.5 %	-

Based upon 1524 valid cases out of 2478 total cases.

V1241 111B010:#ALCOHOL, VERY HIGH

Location: 248-249 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01970

When you drink alcoholic beverages, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	462	18.6 %	30.1%
2	A LITTLE:(2)	389	15.7 %	25.3%
3	MODERATE:(3)	547	22.1 %	35.6%
4	VERY:(4)	139	5.6 %	9.0%
-9 (M)	MISSING:(-9)	941	38.0 %	-

Based upon 1537 valid cases out of 2478 total cases.

V1242 111B011:DRK AL,HI24+HR

Location: 250-251 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01980

When you drink alcoholic beverages, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%	Valid %
1	USLY DON'T:(1)	486	19.6 %	31.8%
2	1-2 HRS:(2)	422	17.0 %	27.7%
3	3-6 HRS:(3)	533	21.5 %	34.9%
4	7-24 HRS:(4)	72	2.9 %	4.7%
5	> 24 HRS:(5)	13	0.5 %	0.9%
-9 (M)	MISSING:(-9)	952	38.4 %	-

Based upon 1526 valid cases out of 2478 total cases.

V1824 111B012:4+DRK ROW/2WK

Location: 252-253 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00845

The following questions ask about how much you have to drink on the occasions when you drink alcoholic beverages. For these questions, a "drink" means any of the following: A 12-ounce can (or bottle) of beer. A 4-ounce glass of wine. A 12-ounce bottle (or can) of wine cooler. A mixed drink, shot glass of liquor, or the equivalent.

Think back over the LAST TWO WEEKS. How many times (if any) have you had four or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	959	38.7 %	63.8%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	ONCE:(2)	234	9.4 %	15.6%
3	TWICE:(3)	151	6.1 %	10.1%
4	3-5X:(4)	117	4.7 %	7.8%
5	6-9X:(5)	26	1.0 %	1.7%
6	10+ TIME:(6)	15	0.6 %	1.0%
-9 (M)	MISSING:(-9)	976	39.4 %	-

Based upon 1502 valid cases out of 2478 total cases.

V1108

111B013:5+DRK ROW/LST 2

Location: 254-255 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00850

During the last two weeks, how many times (if any) have you had five or more drinks in a row?

1="None" [includes respondents who reported nonuse above]

2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1884	76.0 %	81.4%
2	ONCE:(2)	202	8.2 %	8.7%
3	TWICE:(3)	106	4.3 %	4.6%
4	3-5X:(4)	89	3.6 %	3.8%
5	6-9X:(5)	17	0.7 %	0.7%
6	10+ TIME:(6)	17	0.7 %	0.7%
-9 (M)	MISSING:(-9)	163	6.6 %	-

Based upon 2315 valid cases out of 2478 total cases.

V1243

111B013:5+DRK ROW/LST 2

Location: 256-257 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00850

During the last two weeks, how many times (if any) have you had five or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10 or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1085	43.8 %	71.6%
2	ONCE:(2)	202	8.2 %	13.3%
3	TWICE:(3)	106	4.3 %	7.0%
4	3-5X:(4)	89	3.6 %	5.9%
5	6-9X:(5)	17	0.7 %	1.1%
6	10+ TIME:(6)	17	0.7 %	1.1%
-9 (M)	MISSING:(-9)	962	38.8 %	-

Based upon 1516 valid cases out of 2478 total cases.

V1825 111B014A:10+DRK ROW/2WK

Location: 258-259 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00853

During the last two weeks, how many times (if any) have you had 10 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10 or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1306	52.7 %	86.1%
2	ONCE:(2)	92	3.7 %	6.1%
3	TWICE:(3)	60	2.4 %	4.0%
4	3-5X:(4)	36	1.5 %	2.4%
5	6-9X:(5)	9	0.4 %	0.6%
6	10+ TIME:(6)	13	0.5 %	0.9%
-9 (M)	MISSING:(-9)	962	38.8 %	-

Based upon 1516 valid cases out of 2478 total cases.

V1826 111B014B:15+DRK ROW/2WK

Location: 260-261 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00855

During the last two weeks, how many times (if any) have you had 15 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1424	57.5 %	93.4%
2	ONCE:(2)	43	1.7 %	2.8%
3	TWICE:(3)	22	0.9 %	1.4%
4	3-5X:(4)	15	0.6 %	1.0%
5	6-9X:(5)	6	0.2 %	0.4%
6	10+ TIME:(6)	15	0.6 %	1.0%
-9 (M)	MISSING:(-9)	953	38.5 %	-

Based upon 1525 valid cases out of 2478 total cases.

V1247

111B015:*TRY STP ALC/FL

Location: 262-263 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02020

Have you ever tried to stop using alcoholic beverages and found that you couldn't stop?

1="Yes" 2="No"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES:(1)	59	2.4 %	3.9%
2	NO:(2)	1468	59.2 %	96.1%
-9 (M)	MISSING:(-9)	951	38.4 %	-

Based upon 1527 valid cases out of 2478 total cases.

V1805

111B016A:#XDRUNK/LIFETIM

Location: 264-265 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25020

On how many occasions (if any) have you been drunk or very

high from drinking alcoholic beverages . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	1086	43.8 %	49.7%
2	1-2X:(2)	299	12.1 %	13.7%
3	3-5X:(3)	214	8.6 %	9.8%
4	6-9X:(4)	150	6.1 %	6.9%
5	10-19X:(5)	153	6.2 %	7.0%
6	20-39X:(6)	113	4.6 %	5.2%
7	40+OCCAS:(7)	171	6.9 %	7.8%
-9 (M)	MISSING:(-9)	292	11.8 %	-

Based upon 2186 valid cases out of 2478 total cases.

V1806

111B016B:#XDRUNK/LAST12M

Location: 266-267 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25030

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	1259	50.8 %	57.8%
2	1-2X:(2)	348	14.0 %	16.0%
3	3-5X:(3)	181	7.3 %	8.3%
4	6-9X:(4)	139	5.6 %	6.4%
5	10-19X:(5)	106	4.3 %	4.9%
6	20-39X:(6)	75	3.0 %	3.4%
7	40+OCCAS:(7)	71	2.9 %	3.3%
-9 (M)	MISSING:(-9)	299	12.1 %	-

Based upon 2179 valid cases out of 2478 total cases.

V1807 111B016C:#XDRUNK/LAST30D

Location: 268-269 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25040

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	1646	66.4 %	75.6%
2	1-2X:(2)	311	12.6 %	14.3%
3	3-5X:(3)	122	4.9 %	5.6%
4	6-9X:(4)	53	2.1 %	2.4%
5	10-19X:(5)	25	1.0 %	1.1%
6	20-39X:(6)	10	0.4 %	0.5%
7	40+OCCAS:(7)	10	0.4 %	0.5%
-9 (M)	MISSING:(-9)	301	12.1 %	-

Based upon 2177 valid cases out of 2478 total cases.

V1248 111B017:NO ALC IN 5 YR

Location: 270-271 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02030

Do you think you will be drinking alcoholic beverages five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WILL:(1)	595	24.0 %	24.8%
2	PRB WILL:(2)	1092	44.1 %	45.6%
3	PRB WONT:(3)	304	12.3 %	12.7%
4	DEF WONT:(4)	404	16.3 %	16.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	83	3.3 %	-

Based upon 2395 valid cases out of 2478 total cases.

V1109 111B018A:#X HASH/LIFETIM (COPY OF V1249)

Location: 272-273 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02040

The next questions are about MARIJUANA and HASHISH. Marijuana is sometimes called: Weed, Pot, Dope. Hashish is sometimes called: Hash, Hash oil. On how many occasions (if any) have you used hashish . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2082	84.0 %	88.1%
2	1-2X:(2)	110	4.4 %	4.7%
3	3-5X:(3)	67	2.7 %	2.8%
4	6-9X:(4)	32	1.3 %	1.4%
5	10-19X:(5)	16	0.6 %	0.7%
6	20-39X:(6)	8	0.3 %	0.3%
7	40+OCCAS:(7)	47	1.9 %	2.0%
-9 (M)	MISSING:(-9)	116	4.7 %	-

Based upon 2362 valid cases out of 2478 total cases.

V1249 111B018A:#X HASH/LIFETIM

Location: 274-275 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02040

The next questions are about MARIJUANA and HASHISH. Marijuana is sometimes called: Weed, Pot, Dope. Hashish is sometimes

called: Hash, Hash oil. On how many occasions (if any) have you used hashish . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2082	84.0 %	88.1%
2	1-2X:(2)	110	4.4 %	4.7%
3	3-5X:(3)	67	2.7 %	2.8%
4	6-9X:(4)	32	1.3 %	1.4%
5	10-19X:(5)	16	0.6 %	0.7%
6	20-39X:(6)	8	0.3 %	0.3%
7	40+OCCAS:(7)	47	1.9 %	2.0%
-9 (M)	MISSING:(-9)	116	4.7 %	-

Based upon 2362 valid cases out of 2478 total cases.

V1110

111B018B:#X HASH/LAST12M (COPY OF V1250)

Location: 276-277 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02050

On how many occasions (if any) have you used hashish . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2169	87.5 %	91.9%
2	1-2X:(2)	92	3.7 %	3.9%
3	3-5X:(3)	34	1.4 %	1.4%
4	6-9X:(4)	16	0.6 %	0.7%
5	10-19X:(5)	10	0.4 %	0.4%
6	20-39X:(6)	9	0.4 %	0.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7	40+OCCAS:(7)	29	1.2 %	1.2%
-9 (M)	MISSING:(-9)	119	4.8 %	-

Based upon 2359 valid cases out of 2478 total cases.

V1250 111B018B:#X HASH/LAST12M

Location: 278-279 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02050

On how many occasions (if any) have you used hashish . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2169	87.5 %	91.9%
2	1-2X:(2)	92	3.7 %	3.9%
3	3-5X:(3)	34	1.4 %	1.4%
4	6-9X:(4)	16	0.6 %	0.7%
5	10-19X:(5)	10	0.4 %	0.4%
6	20-39X:(6)	9	0.4 %	0.4%
7	40+OCCAS:(7)	29	1.2 %	1.2%
-9 (M)	MISSING:(-9)	119	4.8 %	-

Based upon 2359 valid cases out of 2478 total cases.

V1111 111B018C:#X HASH/LAST30D (COPY OF V1251)

Location: 280-281 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02060

On how many occasions (if any) have you used hashish . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2264	91.4 %	96.1%
2	1-2X:(2)	38	1.5 %	1.6%
3	3-5X:(3)	13	0.5 %	0.6%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	10	0.4 %	0.4%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	18	0.7 %	0.8%
-9 (M)	MISSING:(-9)	121	4.9 %	-

Based upon 2357 valid cases out of 2478 total cases.

V1251 111B018C:#X HASH/LAST30D

Location: 282-283 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02060

On how many occasions (if any) have you used hashish . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2264	91.4 %	96.1%
2	1-2X:(2)	38	1.5 %	1.6%
3	3-5X:(3)	13	0.5 %	0.6%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	10	0.4 %	0.4%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	18	0.7 %	0.8%
-9 (M)	MISSING:(-9)	121	4.9 %	-

Based upon 2357 valid cases out of 2478 total cases.

V1112 111B019A:#X MARJ/LIFETIM (COPY OF V1252)

Location: 284-285 (width: 2; decimal: 0)

Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 02070

On how many occasions (if any) have you used marijuana . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1259	50.8 %	53.6%
2	1-2X:(2)	214	8.6 %	9.1%
3	3-5X:(3)	139	5.6 %	5.9%
4	6-9X:(4)	107	4.3 %	4.6%
5	10-19X:(5)	113	4.6 %	4.8%
6	20-39X:(6)	112	4.5 %	4.8%
7	40+OCCAS:(7)	403	16.3 %	17.2%
-9 (M)	MISSING:(-9)	131	5.3 %	-

Based upon 2347 valid cases out of 2478 total cases.

V1252 111B019A:#X MARJ/LIFETIM

Location: 286-287 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 02070

On how many occasions (if any) have you used marijuana . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1259	50.8 %	53.6%
2	1-2X:(2)	214	8.6 %	9.1%
3	3-5X:(3)	139	5.6 %	5.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	6-9X:(4)	107	4.3 %	4.6%
5	10-19X:(5)	113	4.6 %	4.8%
6	20-39X:(6)	112	4.5 %	4.8%
7	40+OCCAS:(7)	403	16.3 %	17.2%
-9 (M)	MISSING:(-9)	131	5.3 %	-

Based upon 2347 valid cases out of 2478 total cases.

V1113 111B019B:#X MARJ/LAST12M (COPY OF V1253)

Location: 288-289 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02080

On how many occasions (if any) have you used marijuana . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1464	59.1 %	62.5%
2	1-2X:(2)	219	8.8 %	9.4%
3	3-5X:(3)	126	5.1 %	5.4%
4	6-9X:(4)	98	4.0 %	4.2%
5	10-19X:(5)	98	4.0 %	4.2%
6	20-39X:(6)	84	3.4 %	3.6%
7	40+OCCAS:(7)	252	10.2 %	10.8%
-9 (M)	MISSING:(-9)	137	5.5 %	-

Based upon 2341 valid cases out of 2478 total cases.

V1253 111B019B:#X MARJ/LAST12M

Location: 290-291 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02080

On how many occasions (if any) have you used marijuana . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	1464	59.1 %	62.5%
2	1-2X:(2)	219	8.8 %	9.4%
3	3-5X:(3)	126	5.1 %	5.4%
4	6-9X:(4)	98	4.0 %	4.2%
5	10-19X:(5)	98	4.0 %	4.2%
6	20-39X:(6)	84	3.4 %	3.6%
7	40+OCCAS:(7)	252	10.2 %	10.8%
-9 (M)	MISSING:(-9)	137	5.5 %	-

Based upon 2341 valid cases out of 2478 total cases.

V1114

111B019C:#X MARJ/LAST30D (COPY OF V1254)

Location: 292-293 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02090

On how many occasions (if any) have you used marijuana . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	1763	71.1 %	75.3%
2	1-2X:(2)	198	8.0 %	8.5%
3	3-5X:(3)	90	3.6 %	3.8%
4	6-9X:(4)	59	2.4 %	2.5%
5	10-19X:(5)	66	2.7 %	2.8%
6	20-39X:(6)	56	2.3 %	2.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7	40+OCCAS:(7)	110	4.4 %	4.7%
-9 (M)	MISSING:(-9)	136	5.5 %	-

Based upon 2342 valid cases out of 2478 total cases.

V1254 111B019C:#X MARJ/LAST30D

Location: 294-295 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02090

On how many occasions (if any) have you used marijuana . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1763	71.1 %	75.3%
2	1-2X:(2)	198	8.0 %	8.5%
3	3-5X:(3)	90	3.6 %	3.8%
4	6-9X:(4)	59	2.4 %	2.5%
5	10-19X:(5)	66	2.7 %	2.8%
6	20-39X:(6)	56	2.3 %	2.4%
7	40+OCCAS:(7)	110	4.4 %	4.7%
-9 (M)	MISSING:(-9)	136	5.5 %	-

Based upon 2342 valid cases out of 2478 total cases.

V1115 111B019X:#XMJ+HS/LIFETIM

Location: 296-297 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00860

Component questions are "On how many occasions (if any) have you used hashish in your lifetime?" (Item 02040) and "On how many occasions (if any) have you used marijuana in your lifetime?" (Item 02070).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	1254	50.6 %	53.5%
2	1-2X:(2)	203	8.2 %	8.7%
3	3-5X:(3)	140	5.6 %	6.0%
4	6-9X:(4)	109	4.4 %	4.7%
5	10-19X:(5)	119	4.8 %	5.1%
6	20-39X:(6)	110	4.4 %	4.7%
7	40+OCCAS:(7)	407	16.4 %	17.4%
-9 (M)	MISSING:(-9)	136	5.5 %	-

Based upon 2342 valid cases out of 2478 total cases.

V1116 111B019Y:#XMJ+HS/LAST12M

Location: 298-299 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00870

Component questions are "On how many occasions (if any) have you used hashish during the last 12 months?" (Item 02050) and "On how many occasions (if any) have you used marijuana during the last 12 months?" (Item 02080).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	1459	58.9 %	62.5%
2	1-2X:(2)	209	8.4 %	9.0%
3	3-5X:(3)	130	5.2 %	5.6%
4	6-9X:(4)	98	4.0 %	4.2%
5	10-19X:(5)	100	4.0 %	4.3%
6	20-39X:(6)	83	3.3 %	3.6%
7	40+OCCAS:(7)	256	10.3 %	11.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	143	5.8 %	-

Based upon 2335 valid cases out of 2478 total cases.

V1117 111B019Z:#XMJ+HS/LAST30D

Location: 300-301 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00880

Component questions are "On how many occasions (if any) have you used hashish during the last 30 days?" (Item 02060) and "On how many occasions (if any) have you used marijuana during the last 30 days?" (Item 02090).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	1756	70.9 %	75.3%
2	1-2X:(2)	188	7.6 %	8.1%
3	3-5X:(3)	96	3.9 %	4.1%
4	6-9X:(4)	57	2.3 %	2.4%
5	10-19X:(5)	66	2.7 %	2.8%
6	20-39X:(6)	53	2.1 %	2.3%
7	40+OCCAS:(7)	115	4.6 %	4.9%
-9 (M)	MISSING:(-9)	147	5.9 %	-

Based upon 2331 valid cases out of 2478 total cases.

V1255 111B020A:#X/YR MJ ALONE

Location: 302-303 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02100

IF YOU HAVE NOT USED MARIJUANA OR HASHISH IN THE LAST TWELVE MONTHS GO TO QUESTION 28.

When you used marijuana or hashish during the last year, how

often did you use it in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	540	21.8 %	61.2%
2	FEW TIMES:(2)	162	6.5 %	18.4%
3	SOMETIMES:(3)	127	5.1 %	14.4%
4	MOST TIMES:(4)	26	1.0 %	2.9%
5	EVERY TIME:(5)	27	1.1 %	3.1%
-9 (M)	MISSING:(-9)	1596	64.4 %	-

Based upon 882 valid cases out of 2478 total cases.

V1256

111B020B:#X/YR MJ-2 PPL

Location: 304-305 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02110

When you used marijuana or hashish during the last year, how
often did you use it in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	59	2.4 %	6.7%
2	FEW TIMES:(2)	219	8.8 %	24.8%
3	SOMETIMES:(3)	198	8.0 %	22.4%
4	MOST TIMES:(4)	265	10.7 %	30.0%
5	EVERY TIME:(5)	142	5.7 %	16.1%
-9 (M)	MISSING:(-9)	1595	64.4 %	-

Based upon 883 valid cases out of 2478 total cases.

V1257

111B020C:#X/YR MJ@PARTY

Location: 306-307 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02120

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	236	9.5 %	26.8%
2	FEW TIMES:(2)	194	7.8 %	22.0%
3	SOMETIMES:(3)	180	7.3 %	20.5%
4	MOST TIMES:(4)	130	5.2 %	14.8%
5	EVERY TIME:(5)	140	5.6 %	15.9%
-9 (M)	MISSING:(-9)	1598	64.5 %	-

Based upon 880 valid cases out of 2478 total cases.

V1258

111B020D:#X/YR MJ-DT/SP

Location: 308-309 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02130

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	479	19.3 %	54.4%
2	FEW TIMES:(2)	162	6.5 %	18.4%
3	SOMETIMES:(3)	100	4.0 %	11.4%
4	MOST TIMES:(4)	76	3.1 %	8.6%
5	EVERY TIME:(5)	64	2.6 %	7.3%
-9 (M)	MISSING:(-9)	1597	64.4 %	-

Based upon 881 valid cases out of 2478 total cases.

V1259

111B020E:#X/YR MJ-ADLTS

Location: 310-311 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 02140

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
 4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	596	24.1 %	67.8%
2	FEW TIMES:(2)	156	6.3 %	17.7%
3	SOMETIMES:(3)	77	3.1 %	8.8%
4	MOST TIMES:(4)	21	0.8 %	2.4%
5	EVERY TIME:(5)	29	1.2 %	3.3%
-9 (M)	MISSING:(-9)	1599	64.5 %	-

Based upon 879 valid cases out of 2478 total cases.

V1260 111B020F:#X/YR MJ-DATIME

Location: 312-313 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 02150

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
 4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	266	10.7 %	30.2%
2	FEW TIMES:(2)	205	8.3 %	23.3%
3	SOMETIMES:(3)	233	9.4 %	26.5%
4	MOST TIMES:(4)	102	4.1 %	11.6%
5	EVERY TIME:(5)	74	3.0 %	8.4%
-9 (M)	MISSING:(-9)	1598	64.5 %	-

Based upon 880 valid cases out of 2478 total cases.

V1261 111B020G:#X/YR MJ@HOME

Location: 314-315 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02160

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	417	16.8 %	47.4%
2	FEW TIMES:(2)	166	6.7 %	18.9%
3	SOMETIMES:(3)	135	5.4 %	15.4%
4	MOST TIMES:(4)	92	3.7 %	10.5%
5	EVERY TIME:(5)	69	2.8 %	7.8%
-9 (M)	MISSING:(-9)	1599	64.5 %	-

Based upon 879 valid cases out of 2478 total cases.

V1262 111B020H:#X/YR MJ@SCHL

Location: 316-317 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02170

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	714	28.8 %	81.1%
2	FEW TIMES:(2)	85	3.4 %	9.7%
3	SOMETIMES:(3)	49	2.0 %	5.6%
4	MOST TIMES:(4)	14	0.6 %	1.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	EVERY TIME:(5)	18	0.7 %	2.0%
-9 (M)	MISSING:(-9)	1598	64.5 %	-

Based upon 880 valid cases out of 2478 total cases.

V1263

111B020I:#X/YR MJIN CAR

Location: 318-319 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02190

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	262	10.6 %	29.8%
2	FEW TIMES:(2)	191	7.7 %	21.8%
3	SOMETIMES:(3)	205	8.3 %	23.3%
4	MOST TIMES:(4)	150	6.1 %	17.1%
5	EVERY TIME:(5)	70	2.8 %	8.0%
-9 (M)	MISSING:(-9)	1600	64.6 %	-

Based upon 878 valid cases out of 2478 total cases.

V1813

111B020J:#X/YR MJ@PARK/BH

Location: 320-321 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30930

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

J. At a park or beach

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	425	17.2 %	48.2%
2	FEW TIMES:(2)	164	6.6 %	18.6%
3	SOMETIMES:(3)	164	6.6 %	18.6%
4	MOST TIMES:(4)	84	3.4 %	9.5%
5	EVERY TIME:(5)	44	1.8 %	5.0%
-9 (M)	MISSING:(-9)	1597	64.4 %	-

Based upon 881 valid cases out of 2478 total cases.

V1264 111B021:#X OVL MJ+ ALC

Location: 322-323 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02200

How many of the times when you used marijuana or hashish during the last year did you use it along with alcohol--that is, so that their effects overlapped?

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	322	13.0 %	37.6%
2	FEW TIMES:(2)	249	10.0 %	29.1%
3	SOMETIMES:(3)	178	7.2 %	20.8%
4	MOST TIMES:(4)	63	2.5 %	7.4%
5	EVERY TIME:(5)	45	1.8 %	5.3%
-9 (M)	MISSING:(-9)	1621	65.4 %	-

Based upon 857 valid cases out of 2478 total cases.

V1265 111B022A:MJ EXPERIMENT

Location: 324-325 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02210

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	357	14.4 %	41.2%
1	MARKED:(1)	509	20.5 %	58.8%
-9 (M)	MISSING:(-9)	1612	65.1 %	-

Based upon 866 valid cases out of 2478 total cases.

V1266 111B022B:MJ RELAX

Location: 326-327 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02220

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	287	11.6 %	33.1%
1	MARKED:(1)	579	23.4 %	66.9%
-9 (M)	MISSING:(-9)	1612	65.1 %	-

Based upon 866 valid cases out of 2478 total cases.

V1267 111B022C:MJ GET HIGH

Location: 328-329 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02230

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	242	9.8 %	27.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MARKED:(1)	624	25.2 %	72.1%
-9 (M)	MISSING:(-9)	1612	65.1 %	-

Based upon 866 valid cases out of 2478 total cases.

V1268 111B022D:MJ SEEK INSIGHT

Location: 330-331 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02240

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	648	26.2 %	74.8%
1	MARKED:(1)	218	8.8 %	25.2%
-9 (M)	MISSING:(-9)	1612	65.1 %	-

Based upon 866 valid cases out of 2478 total cases.

V1269 111B022E:MJ GD TM FRNDS

Location: 332-333 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02250

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	284	11.5 %	32.8%
1	MARKED:(1)	582	23.5 %	67.2%
-9 (M)	MISSING:(-9)	1612	65.1 %	-

Based upon 866 valid cases out of 2478 total cases.

V1270 111B022F:MJ FIT IN GRP

Location: 334-335 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02260

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	808	32.6 %	93.3%
1	MARKED:(1)	58	2.3 %	6.7%
-9 (M)	MISSING:(-9)	1612	65.1 %	-

Based upon 866 valid cases out of 2478 total cases.

V1271 111B022G:MJ GET AWY PRB

Location: 336-337 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02270

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	608	24.5 %	70.2%
1	MARKED:(1)	258	10.4 %	29.8%
-9 (M)	MISSING:(-9)	1612	65.1 %	-

Based upon 866 valid cases out of 2478 total cases.

V1272 111B022H:MJ BOREDOM

Location: 338-339 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02280

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	577	23.3 %	66.6%
1	MARKED:(1)	289	11.7 %	33.4%
-9 (M)	MISSING:(-9)	1612	65.1 %	-

Based upon 866 valid cases out of 2478 total cases.

V1273

111B022I:MJ ANGR/FRUSTRN

Location: 340-341 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02290

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	675	27.2 %	77.9%
1	MARKED:(1)	191	7.7 %	22.1%
-9 (M)	MISSING:(-9)	1612	65.1 %	-

Based upon 866 valid cases out of 2478 total cases.

V1274

111B022J:MJ GET THRU DAY

Location: 342-343 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02300

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	745	30.1 %	86.0%
1	MARKED:(1)	121	4.9 %	14.0%
-9 (M)	MISSING:(-9)	1612	65.1 %	-

Based upon 866 valid cases out of 2478 total cases.

V1275 111B022K:MJ INCRS EF DRG

Location: 344-345 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02310

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	787	31.8 %	90.9%
1	MARKED:(1)	79	3.2 %	9.1%
-9 (M)	MISSING:(-9)	1612	65.1 %	-

Based upon 866 valid cases out of 2478 total cases.

V1276 111B022L:MJ DECRS EF DRG

Location: 346-347 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02320

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	839	33.9 %	96.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MARKED:(1)	27	1.1 %	3.1%
-9 (M)	MISSING:(-9)	1612	65.1 %	-

Based upon 866 valid cases out of 2478 total cases.

V1277

111B022M:MJ I AM HOOKED

Location: 348-349 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02330

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

M. Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	833	33.6 %	96.2%
1	MARKED:(1)	33	1.3 %	3.8%
-9 (M)	MISSING:(-9)	1612	65.1 %	-

Based upon 866 valid cases out of 2478 total cases.

V1278

111B023:MJ/HSH,VRV HIGH

Location: 350-351 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02340

When you use marijuana or hashish, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"

4="Very high"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	46	1.9 %	5.3%
2	A LITTLE:(2)	158	6.4 %	18.2%
3	MODERATE:(3)	377	15.2 %	43.5%
4	VERY:(4)	286	11.5 %	33.0%
-9 (M)	MISSING:(-9)	1611	65.0 %	-

Based upon 867 valid cases out of 2478 total cases.

V1279 111B024:MJ/HSH,HI 24+HR

Location: 352-353 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02350

When you use marijuana or hashish, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	USLY DON'T:(1)	53	2.1 %	6.1%
2	1-2 HRS:(2)	415	16.7 %	47.8%
3	3-6 HRS:(3)	337	13.6 %	38.8%
4	7-24 HRS:(4)	47	1.9 %	5.4%
5	> 24 HRS:(5)	17	0.7 %	2.0%
-9 (M)	MISSING:(-9)	1609	64.9 %	-

Based upon 869 valid cases out of 2478 total cases.

V1280 111B025:JOINT/DA LST MO

Location: 354-355 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02360

During the LAST MONTH, about how many marijuana cigarettes (joints, reefers), or the equivalent, did you smoke a day, on the average? (If you shared them with other people, count only the amount YOU smoked.)

1="None" 2="Less than 1 a day" 3="1 a day" 4="2-3 a day" 5="4-6 a day" 6="7-10 a day" 7="11 or more a day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	314	12.7 %	39.8%
2	< 1/DAY:(2)	239	9.6 %	30.3%
3	1/DAY:(3)	61	2.5 %	7.7%
4	2-3/DAY:(4)	90	3.6 %	11.4%
5	4-6/DAY:(5)	43	1.7 %	5.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	7-10/DAY:(6)	16	0.6 %	2.0%
7	11+/DAY:(7)	26	1.0 %	3.3%
-9 (M)	MISSING:(-9)	1689	68.2 %	-

Based upon 789 valid cases out of 2478 total cases.

V1281 111B026:OZS.MJ LST MO/6

Location: 356-357 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02370

Do you know how much marijuana you have used (in ounces)
during the LAST MONTH?

1="None" 2="Less than 1/2 ounce" 3="About 1/2 ounce" 4="About
1 ounce" 5="About 2 ounces" 6="3 to 5 ounces" 7="6 or more
ounces" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	241	9.7 %	30.4%
2	< 1/2 OZ:(2)	137	5.5 %	17.3%
3	1/2 OZ:(3)	56	2.3 %	7.1%
4	1 OZ:(4)	68	2.7 %	8.6%
5	2 OZ:(5)	53	2.1 %	6.7%
6	3-5 OZ:(6)	30	1.2 %	3.8%
7	6+ OZ:(7)	41	1.7 %	5.2%
8	DK:(8)	166	6.7 %	21.0%
-9 (M)	MISSING:(-9)	1686	68.0 %	-

Based upon 792 valid cases out of 2478 total cases.

V1282 111B027:*TRY STP MJ FL

Location: 358-359 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02380

Have you ever tried to stop using marijuana or hashish and
found that you couldn't stop?

1="Yes" 2="No"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES:(1)	63	2.5 %	7.2%
2	NO:(2)	806	32.5 %	92.8%
-9 (M)	MISSING:(-9)	1609	64.9 %	-

Based upon 869 valid cases out of 2478 total cases.

V1706 111B028:MJ/SHS EVR DLY

Location: 360-361 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21180

Thinking back over your whole life, has there ever been a period when you used marijuana or hashish on a daily, or almost daily, basis for at least a month?

1="No--GO TO QUESTION 32" 2="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	1915	77.3 %	82.9%
2	YES:(2)	396	16.0 %	17.1%
-9 (M)	MISSING:(-9)	167	6.7 %	-

Based upon 2311 valid cases out of 2478 total cases.

V1707 111B029:GR 1ST DAILY MJ

Location: 362-363 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21190

How old were you when you first smoked marijuana or hashish that frequently?

1="Grade 6 or earlier" 2="Grade 7 or 8" 3="Grade 9 (Freshman)"
4="Grade 10 (Sophomore)" 5="Grade 11 (Junior)" 6="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	31	1.3 %	6.7%
2	GRADE 7-8:(2)	107	4.3 %	23.2%
3	GRADE 9:(3)	109	4.4 %	23.6%
4	GRADE 10:(4)	104	4.2 %	22.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	GRADE 11:(5)	70	2.8 %	15.2%
6	GRADE 12:(6)	41	1.7 %	8.9%
-9 (M)	MISSING:(-9)	2016	81.4 %	-

Based upon 462 valid cases out of 2478 total cases.

V1708

111B030:RECENT DAILY MJ

Location: 364-365 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21200

How recently did you use marijuana or hashish on a daily, or almost daily, basis for at least a month?

1="During the past month" 2="2 months ago" 3="3 to 9 months ago" 4="About 1 year ago" 5="About 2 years ago" 6="3 or more years ago"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PAST MON:(1)	157	6.3 %	35.5%
2	2 MON:(2)	44	1.8 %	10.0%
3	3-9 MON:(3)	75	3.0 %	17.0%
4	1 YEAR:(4)	50	2.0 %	11.3%
5	2 YEARS:(5)	62	2.5 %	14.0%
6	3+ YEARS:(6)	54	2.2 %	12.2%
-9 (M)	MISSING:(-9)	2036	82.2 %	-

Based upon 442 valid cases out of 2478 total cases.

V1709

111B031:#X DAILY MJ/LFT

Location: 366-367 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21210

Over your whole lifetime, during how many months have you used marijuana or hashish on a daily or near-daily basis?

1="Less than 3 months" 2="3 to 9 months" 3="About 1 year" 4="About 1 and 1/2 years" 5="About 2 years" 6="About 3 to 5 years" 7="6 to 9 years" 8="10 or more years"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	< 3MO:(1)	134	5.4 %	30.1%
2	3-9 MO:(2)	91	3.7 %	20.4%
3	1 YEAR:(3)	45	1.8 %	10.1%
4	1 1/2 YRS:(4)	33	1.3 %	7.4%
5	2 YRS:(5)	50	2.0 %	11.2%
6	3-5 YRS:(6)	61	2.5 %	13.7%
7	6-9 YRS:(7)	13	0.5 %	2.9%
8	10+ YRS:(8)	18	0.7 %	4.0%
-9 (M)	MISSING:(-9)	2033	82.0 %	-

Based upon 445 valid cases out of 2478 total cases.

V1283 111B032:NO MJ/HSB IN5YR

Location: 368-369 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:
Item Number: 02390

Do you think you will be using marijuana or hashish five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WILL:(1)	144	5.8 %	6.1%
2	PRB WILL:(2)	314	12.7 %	13.4%
3	PRB WONT:(3)	524	21.1 %	22.3%
4	DEF WONT:(4)	1368	55.2 %	58.2%
-9 (M)	MISSING:(-9)	128	5.2 %	-

Based upon 2350 valid cases out of 2478 total cases.

V1118 111B033A:#X LSD/LIFETIME (COPY OF V1284)

Location: 370-371 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:
Item Number: 00890

The next questions are about LSD, the hallucinogenic drug which is sometimes called "acid". On how many occasions (if any) have you used LSD . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2197	88.7 %	95.8%
2	1-2X:(2)	51	2.1 %	2.2%
3	3-5X:(3)	16	0.6 %	0.7%
4	6-9X:(4)	11	0.4 %	0.5%
5	10-19X:(5)	6	0.2 %	0.3%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	184	7.4 %	-

Based upon 2294 valid cases out of 2478 total cases.

V1284

111B033A:#X LSD/LIFETIME

Location: 372-373 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00890

The next questions are about LSD, the hallucinogenic drug which is sometimes called "acid". On how many occasions (if any) have you used LSD . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2197	88.7 %	95.8%
2	1-2X:(2)	51	2.1 %	2.2%
3	3-5X:(3)	16	0.6 %	0.7%
4	6-9X:(4)	11	0.4 %	0.5%
5	10-19X:(5)	6	0.2 %	0.3%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	12	0.5 %	0.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	184	7.4 %	-

Based upon 2294 valid cases out of 2478 total cases.

V1119 111B033B:#X LSD/LAST 12M (COPY OF V1285)

Location: 374-375 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00900

On how many occasions (if any) have you used LSD . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2226	89.8 %	97.0%
2	1-2X:(2)	39	1.6 %	1.7%
3	3-5X:(3)	14	0.6 %	0.6%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	184	7.4 %	-

Based upon 2294 valid cases out of 2478 total cases.

V1285 111B033B:#X LSD/LAST 12M

Location: 376-377 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00900

On how many occasions (if any) have you used LSD) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9

Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2226	89.8 %	97.0%
2	1-2X:(2)	39	1.6 %	1.7%
3	3-5X:(3)	14	0.6 %	0.6%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	184	7.4 %	-

Based upon 2294 valid cases out of 2478 total cases.

V1120

111B033C:#X LSD/LAST 30D (COPY OF V1286)

Location: 378-379 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00910

On how many occasions (if any) have you used LSD) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2269	91.6 %	98.8%
2	1-2X:(2)	17	0.7 %	0.7%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	181	7.3 %	-

Based upon 2297 valid cases out of 2478 total cases.

V1286

111B033C:#X LSD/LAST 30D

Location: 380-381 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00910

On how many occasions (if any) have you used LSD . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2269	91.6 %	98.8%
2	1-2X:(2)	17	0.7 %	0.7%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	181	7.3 %	-

Based upon 2297 valid cases out of 2478 total cases.

V1287

111B034A:#X/YR LSD ALONE

Location: 382-383 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02400

IF YOU HAVE NOT TAKEN LSD IN THE LAST TWELVE MONTHS, GO TO QUESTION 41.

When you used LSD during the last year, how often did you use it in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	50	2.0 %	74.6%
2	FEW TIMES:(2)	7	0.3 %	10.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	SOMETIMES:(3)	3	0.1 %	4.5%
4	MOST TIMES:(4)	2	0.1 %	3.0%
5	EVERY TIME:(5)	5	0.2 %	7.5%
-9 (M)	MISSING:(-9)	2411	97.3 %	-

Based upon 67 valid cases out of 2478 total cases.

V1288

111B034B:#X/YR LSD-2 PPL

Location: 384-385 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02410

When you used LSD during the last year, how often did you use it in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	10	0.4 %	14.9%
2	FEW TIMES:(2)	20	0.8 %	29.9%
3	SOMETIMES:(3)	7	0.3 %	10.4%
4	MOST TIMES:(4)	9	0.4 %	13.4%
5	EVERY TIME:(5)	21	0.8 %	31.3%
-9 (M)	MISSING:(-9)	2411	97.3 %	-

Based upon 67 valid cases out of 2478 total cases.

V1289

111B034C:#X/YR LSD@PARTY

Location: 386-387 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02420

When you used LSD during the last year, how often did you use it in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	31	1.3 %	45.6%
2	FEW TIMES:(2)	14	0.6 %	20.6%
3	SOMETIMES:(3)	8	0.3 %	11.8%
4	MOST TIMES:(4)	4	0.2 %	5.9%
5	EVERY TIME:(5)	11	0.4 %	16.2%
-9 (M)	MISSING:(-9)	2410	97.3 %	-

Based upon 68 valid cases out of 2478 total cases.

V1290

111B034D:#X/YR LSD-DT/SP

Location: 388-389 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02430

When you used LSD during the last year, how often did you use it in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	49	2.0 %	73.1%
2	FEW TIMES:(2)	4	0.2 %	6.0%
3	SOMETIMES:(3)	4	0.2 %	6.0%
4	MOST TIMES:(4)	1	0.0 %	1.5%
5	EVERY TIME:(5)	9	0.4 %	13.4%
-9 (M)	MISSING:(-9)	2411	97.3 %	-

Based upon 67 valid cases out of 2478 total cases.

V1291

111B034E:#X/YR LSD-ADLTS

Location: 390-391 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02440

When you used LSD during the last year, how often did you use it in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	50	2.0 %	74.6%
2	FEW TIMES:(2)	7	0.3 %	10.4%
3	SOMETIMES:(3)	2	0.1 %	3.0%
4	MOST TIMES:(4)	1	0.0 %	1.5%
5	EVERY TIME:(5)	7	0.3 %	10.4%
-9 (M)	MISSING:(-9)	2411	97.3 %	-

Based upon 67 valid cases out of 2478 total cases.

V1292

111B034F:#X/YR LSD-DATIM

Location: 392-393 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02450

When you used LSD during the last year, how often did you use
it in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	39	1.6 %	58.2%
2	FEW TIMES:(2)	9	0.4 %	13.4%
3	SOMETIMES:(3)	8	0.3 %	11.9%
4	MOST TIMES:(4)	3	0.1 %	4.5%
5	EVERY TIME:(5)	8	0.3 %	11.9%
-9 (M)	MISSING:(-9)	2411	97.3 %	-

Based upon 67 valid cases out of 2478 total cases.

V1293

111B034G:#X/YR LSD@HOME

Location: 394-395 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02460

When you used LSD during the last year, how often did you use it in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	37	1.5 %	54.4%
2	FEW TIMES:(2)	9	0.4 %	13.2%
3	SOMETIMES:(3)	6	0.2 %	8.8%
4	MOST TIMES:(4)	4	0.2 %	5.9%
5	EVERY TIME:(5)	12	0.5 %	17.6%
-9 (M)	MISSING:(-9)	2410	97.3 %	-

Based upon 68 valid cases out of 2478 total cases.

V1294

111B034H:#X/YR LSD@SCHL

Location: 396-397 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02470

When you used LSD during the last year, how often did you use it in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	57	2.3 %	82.6%
2	FEW TIMES:(2)	4	0.2 %	5.8%
3	SOMETIMES:(3)	4	0.2 %	5.8%
5	EVERY TIME:(5)	4	0.2 %	5.8%
-9 (M)	MISSING:(-9)	2409	97.2 %	-

Based upon 69 valid cases out of 2478 total cases.

V1295

111B034I:#X/YR LSDIN CAR

Location: 398-399 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02490

When you used LSD during the last year, how often did you use it in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	47	1.9 %	70.1%
2	FEW TIMES:(2)	7	0.3 %	10.4%
3	SOMETIMES:(3)	4	0.2 %	6.0%
4	MOST TIMES:(4)	1	0.0 %	1.5%
5	EVERY TIME:(5)	8	0.3 %	11.9%
-9 (M)	MISSING:(-9)	2411	97.3 %	-

Based upon 67 valid cases out of 2478 total cases.

V1296 111B035A:#X OVL LSD+ ALC

Location: 400-401 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02500

How many of the times when you used LSD during the last year did you use it along with each of the following drugs--that is, so that their effects overlapped?

A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	38	1.5 %	63.3%
2	FEW TIMES:(2)	9	0.4 %	15.0%
3	SOMETIMES:(3)	3	0.1 %	5.0%
4	MOST TIMES:(4)	1	0.0 %	1.7%
5	EVERY TIME:(5)	9	0.4 %	15.0%
-9 (M)	MISSING:(-9)	2418	97.6 %	-

Based upon 60 valid cases out of 2478 total cases.

V1297 111B035B:#X OVL LSD+ MJ

Location: 402-403 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02510

How many of the times when you used LSD during the last year did you use it along with each of the following drugs--that is, so that their effects overlapped?

B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	21	0.8 %	31.3%
2	FEW TIMES:(2)	8	0.3 %	11.9%
3	SOMETIMES:(3)	7	0.3 %	10.4%
4	MOST TIMES:(4)	4	0.2 %	6.0%
5	EVERY TIME:(5)	27	1.1 %	40.3%
-9 (M)	MISSING:(-9)	2411	97.3 %	-

Based upon 67 valid cases out of 2478 total cases.

V1298 111B036A:LSD EXPERIMENT

Location: 404-405 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02520

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	12	0.5 %	19.0%
1	MARKED:(1)	51	2.1 %	81.0%
-9 (M)	MISSING:(-9)	2415	97.5 %	-

Based upon 63 valid cases out of 2478 total cases.

V1299 111B036B:LSD RELAX

Location: 406-407 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02530

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	50	2.0 %	79.4%
1	MARKED:(1)	13	0.5 %	20.6%
-9 (M)	MISSING:(-9)	2415	97.5 %	-

Based upon 63 valid cases out of 2478 total cases.

V1300 111B036C:LSD GET HIGH

Location: 408-409 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02540

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	32	1.3 %	50.8%
1	MARKED:(1)	31	1.3 %	49.2%
-9 (M)	MISSING:(-9)	2415	97.5 %	-

Based upon 63 valid cases out of 2478 total cases.

V1301 111B036D:LSD SEEK INSGHT

Location: 410-411 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02550

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	35	1.4 %	55.6%
1	MARKED:(1)	28	1.1 %	44.4%
-9 (M)	MISSING:(-9)	2415	97.5 %	-

Based upon 63 valid cases out of 2478 total cases.

V1302

111B036E:LSD GD TM FRNDS

Location: 412-413 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02560

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	30	1.2 %	47.6%
1	MARKED:(1)	33	1.3 %	52.4%
-9 (M)	MISSING:(-9)	2415	97.5 %	-

Based upon 63 valid cases out of 2478 total cases.

V1303

111B036F:LSD FIT IN GRP

Location: 414-415 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02570

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	60	2.4 %	95.2%
1	MARKED:(1)	3	0.1 %	4.8%
-9 (M)	MISSING:(-9)	2415	97.5 %	-

Based upon 63 valid cases out of 2478 total cases.

V1304

111B036G:LSD GT AWY PRB

Location: 416-417 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02580

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	57	2.3 %	90.5%
1	MARKED:(1)	6	0.2 %	9.5%
-9 (M)	MISSING:(-9)	2415	97.5 %	-

Based upon 63 valid cases out of 2478 total cases.

V1305

111B036H:LSD BOREDOM

Location: 418-419 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02590

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	55	2.2 %	87.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MARKED:(1)	8	0.3 %	12.7%
-9 (M)	MISSING:(-9)	2415	97.5 %	-

Based upon 63 valid cases out of 2478 total cases.

V1306 111B036I:LSD ANGR/FRSTRN

Location: 420-421 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02600

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	61	2.5 %	96.8%
1	MARKED:(1)	2	0.1 %	3.2%
-9 (M)	MISSING:(-9)	2415	97.5 %	-

Based upon 63 valid cases out of 2478 total cases.

V1307 111B036J:LSD GT THRU DAY

Location: 422-423 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02610

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	61	2.5 %	96.8%
1	MARKED:(1)	2	0.1 %	3.2%
-9 (M)	MISSING:(-9)	2415	97.5 %	-

Based upon 63 valid cases out of 2478 total cases.

V1308 111B036K:LSD INCRS EF DR

Location: 424-425 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02620

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	58	2.3 %	92.1%
1	MARKED:(1)	5	0.2 %	7.9%
-9 (M)	MISSING:(-9)	2415	97.5 %	-

Based upon 63 valid cases out of 2478 total cases.

V1309 111B036L:LSD DCRS EF DRG

Location: 426-427 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02630

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	62	2.5 %	98.4%
1	MARKED:(1)	1	0.0 %	1.6%
-9 (M)	MISSING:(-9)	2415	97.5 %	-

Based upon 63 valid cases out of 2478 total cases.

V1310 111B036M:LSD I AM HOOKED

Location: 428-429 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02640

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

M. Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	59	2.4 %	93.7%
1	MARKED:(1)	4	0.2 %	6.3%
-9 (M)	MISSING:(-9)	2415	97.5 %	-

Based upon 63 valid cases out of 2478 total cases.

V1311

111B037:LSD,GET VERY HI

Location: 430-431 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02650

When you take LSD, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	3	0.1 %	4.4%
2	A LITTLE:(2)	1	0.0 %	1.5%
3	MODERATE:(3)	15	0.6 %	22.1%
4	VERY:(4)	49	2.0 %	72.1%
-9 (M)	MISSING:(-9)	2410	97.3 %	-

Based upon 68 valid cases out of 2478 total cases.

V1312

111B038:LSD,HIGH 24+ HR

Location: 432-433 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02660

When you take LSD, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to

six hours" 4="Seven to 24 hours" 5="More than 24 hours"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	USLY DON'T:(1)	3	0.1 %	4.5%
2	1-2 HRS:(2)	2	0.1 %	3.0%
3	3-6 HRS:(3)	17	0.7 %	25.4%
4	7-24 HRS:(4)	36	1.5 %	53.7%
5	> 24 HRS:(5)	9	0.4 %	13.4%
-9 (M)	MISSING:(-9)	2411	97.3 %	-

Based upon 67 valid cases out of 2478 total cases.

V1313

111B039:1+ BAD TRIP LSD

Location: 434-435 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02670

Have you ever had a "bad trip" on LSD?

1="No" 2="Yes, once" 3="Yes, more than once"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	39	1.6 %	58.2%
2	YES/ONCE:(2)	17	0.7 %	25.4%
3	YES/MORE:(3)	11	0.4 %	16.4%
-9 (M)	MISSING:(-9)	2411	97.3 %	-

Based upon 67 valid cases out of 2478 total cases.

V1314

111B040:*TRY STP LSD/FL

Location: 436-437 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02680

Have you ever tried to stop using LSD and found that you couldn't stop?

1="Yes" 2="No"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES:(1)	6	0.2 %	9.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	NO:(2)	60	2.4 %	90.9%
-9 (M)	MISSING:(-9)	2412	97.3 %	-

Based upon 66 valid cases out of 2478 total cases.

V1315

111B041:NO LSD IN 5 YRS

Location: 438-439 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02690

Do you think you will be using LSD five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WILL:(1)	20	0.8 %	0.9%
2	PRB WILL:(2)	42	1.7 %	1.9%
3	PRB WONT:(3)	170	6.9 %	7.7%
4	DEF WONT:(4)	1977	79.8 %	89.5%
-9 (M)	MISSING:(-9)	269	10.9 %	-

Based upon 2209 valid cases out of 2478 total cases.

V1121

111B042A:#X PSYD/LIFETIM (COPY OF V1316)

Location: 440-441 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00920

The next questions are about HALLUCINOGENS OTHER THAN LSD.

This group would include the following drugs: Mescaline, Peyote, "Shrooms" or Psilocybin, PCP. On how many occasions (if any) have you taken hallucinogens other than LSD . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2087	84.2 %	92.7%
2	1-2X:(2)	86	3.5 %	3.8%
3	3-5X:(3)	35	1.4 %	1.6%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	12	0.5 %	0.5%
6	20-39X:(6)	6	0.2 %	0.3%
7	40+OCCAS:(7)	15	0.6 %	0.7%
-9 (M)	MISSING:(-9)	227	9.2 %	-

Based upon 2251 valid cases out of 2478 total cases.

V1316 111B042A:#X PSYD/LIFETIM

Location: 442-443 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:
Item Number: 00920

The next questions are about HALLUCINOGENS OTHER THAN LSD.
This group would include the following drugs: Mescaline,
Peyote, "Shrooms" or Psilocybin, PCP. On how many occasions
(if any) have you taken hallucinogens other than LSD . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2087	84.2 %	92.7%
2	1-2X:(2)	86	3.5 %	3.8%
3	3-5X:(3)	35	1.4 %	1.6%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	12	0.5 %	0.5%
6	20-39X:(6)	6	0.2 %	0.3%
7	40+OCCAS:(7)	15	0.6 %	0.7%
-9 (M)	MISSING:(-9)	227	9.2 %	-

Based upon 2251 valid cases out of 2478 total cases.

V1122 111B042B:#X PSYD/LAST12M (COPY OF V1317)

Location: 444-445 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9

Question:

Item Number: 00930

On how many occasions (if any) have you taken hallucinogens
other than LSD . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2141	86.4 %	95.2%
2	1-2X:(2)	61	2.5 %	2.7%
3	3-5X:(3)	18	0.7 %	0.8%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	8	0.3 %	0.4%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	230	9.3 %	-

Based upon 2248 valid cases out of 2478 total cases.

V1317

111B042B:#X PSYD/LAST12M

Location: 446-447 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00930

On how many occasions (if any) have you taken hallucinogens
other than LSD . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2141	86.4 %	95.2%
2	1-2X:(2)	61	2.5 %	2.7%
3	3-5X:(3)	18	0.7 %	0.8%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	8	0.3 %	0.4%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	230	9.3 %	-

Based upon 2248 valid cases out of 2478 total cases.

V1123

111B042C:#X PSYD/LAST30D (COPY OF V1318)

Location: 448-449 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00940

On how many occasions (if any) have you taken hallucinogens other than LSD . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2201	88.8 %	98.0%
2	1-2X:(2)	29	1.2 %	1.3%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	232	9.4 %	-

Based upon 2246 valid cases out of 2478 total cases.

V1318

111B042C:#X PSYD/LAST30D

Location: 450-451 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00940

On how many occasions (if any) have you taken hallucinogens other than LSD . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2201	88.8 %	98.0%
2	1-2X:(2)	29	1.2 %	1.3%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	232	9.4 %	-

Based upon 2246 valid cases out of 2478 total cases.

V1319

111B043:PSYD,GT VERY HI

Location: 452-453 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02700

IF YOU HAVE NOT TAKEN ANY HALLUCINOGENS OTHER THAN LSD IN THE LAST TWELVE MONTHS, GO TO QUESTION 46.

When you take hallucinogens other than LSD how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high" 4="Very high"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	4	0.2 %	3.6%
2	A LITTLE:(2)	8	0.3 %	7.3%
3	MODERATE:(3)	28	1.1 %	25.5%
4	VERY:(4)	70	2.8 %	63.6%
-9 (M)	MISSING:(-9)	2368	95.6 %	-

Based upon 110 valid cases out of 2478 total cases.

V1320 111B044:PSYD,HI 24+ HRS

Location: 454-455 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02710

When you take hallucinogens other than LSD, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%	Valid %
1	USLY DON'T:(1)	8	0.3 %	7.3%
2	1-2 HRS:(2)	7	0.3 %	6.4%
3	3-6 HRS:(3)	48	1.9 %	44.0%
4	7-24 HRS:(4)	39	1.6 %	35.8%
5	> 24 HRS:(5)	7	0.3 %	6.4%
-9 (M)	MISSING:(-9)	2369	95.6 %	-

Based upon 109 valid cases out of 2478 total cases.

V1321 111B045A:TKN YR,MESCALIN

Location: 456-457 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02720

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

A. Mescaline

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	97	3.9 %	89.0%
1	MARKED:(1)	12	0.5 %	11.0%
-9 (M)	MISSING:(-9)	2369	95.6 %	-

Based upon 109 valid cases out of 2478 total cases.

V1322 111B045B:TKN YR,PEYOTE

Location: 458-459 (width: 2; decimal: 0)

Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 02730

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

B. Peyote

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	94	3.8 %	86.2%
1	MARKED:(1)	15	0.6 %	13.8%
-9 (M)	MISSING:(-9)	2369	95.6 %	-

Based upon 109 valid cases out of 2478 total cases.

V1323 111B045C:TKN YR,PSILOCYB

Location: 460-461 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 02740

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

C. Psilocybin

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	26	1.0 %	23.9%
1	MARKED:(1)	83	3.3 %	76.1%
-9 (M)	MISSING:(-9)	2369	95.6 %	-

Based upon 109 valid cases out of 2478 total cases.

V1324 111B045D:TKN YR,PCP

Location: 462-463 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 02750

What hallucinogens other than LSD have you taken during the

last year? (Mark all that apply.)

D. PCP

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	93	3.8 %	85.3%
1	MARKED:(1)	16	0.6 %	14.7%
-9 (M)	MISSING:(-9)	2369	95.6 %	-

Based upon 109 valid cases out of 2478 total cases.

V1325 111B045E:TKN YR,CNCT THC

Location: 464-465 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02760

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

E. Concentrated THC

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	81	3.3 %	74.3%
1	MARKED:(1)	28	1.1 %	25.7%
-9 (M)	MISSING:(-9)	2369	95.6 %	-

Based upon 109 valid cases out of 2478 total cases.

V1326 111B045F:TKN YR,OTH PSYD

Location: 466-467 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02770

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

F. Other

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	74	3.0 %	67.9%
1	MARKED:(1)	35	1.4 %	32.1%
-9 (M)	MISSING:(-9)	2369	95.6 %	-

Based upon 109 valid cases out of 2478 total cases.

V1327 111B045G:TKN YR,DK NAME

Location: 468-469 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02780

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

G. Don't know the names of some I have used

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	95	3.8 %	87.2%
1	MARKED:(1)	14	0.6 %	12.8%
-9 (M)	MISSING:(-9)	2369	95.6 %	-

Based upon 109 valid cases out of 2478 total cases.

V1710 111B046A:#X DIETPILL/LFT

Location: 470-471 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21220

The next questions are about some non-prescription drugs. Some types of diet pills (also called appetite suppressants) can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These "over-the-counter" drugs include Dexatrim(R), Hydroxycut(R), and others. On how many occasions (if any) have you taken such non-prescription diet pills . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2122	85.6 %	92.2%
2	1-2X:(2)	72	2.9 %	3.1%
3	3-5X:(3)	26	1.0 %	1.1%
4	6-9X:(4)	19	0.8 %	0.8%
5	10-19X:(5)	20	0.8 %	0.9%
6	20-39X:(6)	18	0.7 %	0.8%
7	40+OCCAS:(7)	25	1.0 %	1.1%
-9 (M)	MISSING:(-9)	176	7.1 %	-

Based upon 2302 valid cases out of 2478 total cases.

V1711 111B046B:#X DIETPILL/12M

Location: 472-473 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21230

On how many occasions (if any) have you taken such
non-prescription diet pills . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2191	88.4 %	95.2%
2	1-2X:(2)	48	1.9 %	2.1%
3	3-5X:(3)	17	0.7 %	0.7%
4	6-9X:(4)	8	0.3 %	0.3%
5	10-19X:(5)	13	0.5 %	0.6%
6	20-39X:(6)	9	0.4 %	0.4%
7	40+OCCAS:(7)	16	0.6 %	0.7%
-9 (M)	MISSING:(-9)	176	7.1 %	-

Based upon 2302 valid cases out of 2478 total cases.

V1712 111B046C:#X DIETPILL/30D

Location: 474-475 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21240

On how many occasions (if any) have you taken such non-prescription diet pills . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2245	90.6 %	97.6%
2	1-2X:(2)	23	0.9 %	1.0%
3	3-5X:(3)	9	0.4 %	0.4%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	8	0.3 %	0.3%
-9 (M)	MISSING:(-9)	178	7.2 %	-

Based upon 2300 valid cases out of 2478 total cases.

V1713

111B047A:#X STA-AWAK/LFT

Location: 476-477 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21250

Some stay-awake pills can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These non-prescription or "over-the-counter" drugs include No-Doz(R), Vivarin(R), and others. On how many occasions (if any) have you taken such non-prescription stay-awake pills . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2167	87.4 %	94.3%
2	1-2X:(2)	54	2.2 %	2.3%
3	3-5X:(3)	27	1.1 %	1.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	6-9X:(4)	17	0.7 %	0.7%
5	10-19X:(5)	13	0.5 %	0.6%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	16	0.6 %	0.7%
-9 (M)	MISSING:(-9)	179	7.2 %	-

Based upon 2299 valid cases out of 2478 total cases.

V1714 111B047B:#X STA-AWAK/12M

Location: 478-479 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21260

On how many occasions (if any) have you taken such
non-prescription stay-awake pills . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2217	89.5 %	96.4%
2	1-2X:(2)	41	1.7 %	1.8%
3	3-5X:(3)	15	0.6 %	0.7%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	179	7.2 %	-

Based upon 2299 valid cases out of 2478 total cases.

V1715 111B047C:#X STA-AWAK/30D

Location: 480-481 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21270

On how many occasions (if any) have you taken such
non-prescription stay-awake pills . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2256	91.0 %	98.1%
2	1-2X:(2)	24	1.0 %	1.0%
3	3-5X:(3)	6	0.2 %	0.3%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	4	0.2 %	0.2%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	179	7.2 %	-

Based upon 2299 valid cases out of 2478 total cases.

V1716

111B048A:#X LOOKALIK/LFT

Location: 482-483 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21280

In addition to non-prescription diet and stay-awake pills, there are other stimulants and pep pills which can be sold legally in most states without a prescription--usually by mail. These are sometimes called "fake pep pills," "imitation speed," or "look-alikes," because they look like prescription amphetamines and sometimes have similar names. Other than the diet pills and stay-awake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2220	89.6 %	96.6%
2	1-2X:(2)	26	1.0 %	1.1%
3	3-5X:(3)	14	0.6 %	0.6%
4	6-9X:(4)	13	0.5 %	0.6%
5	10-19X:(5)	8	0.3 %	0.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	20-39X:(6)	6	0.2 %	0.3%
7	40+OCCAS:(7)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	179	7.2 %	-

Based upon 2299 valid cases out of 2478 total cases.

V1717 111B048B:#X LOOKALIK/12M

Location: 484-485 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21290

Other than the diet pills and stay-awake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2249	90.8 %	97.9%
2	1-2X:(2)	18	0.7 %	0.8%
3	3-5X:(3)	10	0.4 %	0.4%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	181	7.3 %	-

Based upon 2297 valid cases out of 2478 total cases.

V1718 111B048C:#X LOOKALIK/30D

Location: 486-487 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21300

Other than the diet pills and stay-awake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep

pills . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2270	91.6 %	98.9%
2	1-2X:(2)	12	0.5 %	0.5%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	5	0.2 %	0.2%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	182	7.3 %	-

Based upon 2296 valid cases out of 2478 total cases.

V1328

111B049:DR TOLD TK AMPH

Location: 488-489 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02790

The next questions are about AMPHETAMINES, which are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. Drugstores are not supposed to sell them without a prescription from a doctor.

Amphetamines are sometimes called: Uppers, Ups, Speed, Bennies, Dexies, Pep Pills, Diet Pills, Meth or Crystal Meth. They include the following drugs: Benzedrine, Dexedrine, Methedrine, Ritalin, Adderall, Concerta, Methamphetamine.

IN YOUR ANSWERS ABOUT AMPHETAMINES, DO NOT INCLUDE ANY NON-PRESCRIPTION OR OVER-THE-COUNTER DRUGS.

Have you ever taken amphetamines because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."
3="Yes, and it was the first time I took any."

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	2096	84.6 %	90.9%
2	YES/BUT TRIED:(2)	39	1.6 %	1.7%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	YES/FIRST:(3)	171	6.9 %	7.4%
-9 (M)	MISSING:(-9)	172	6.9 %	-

Based upon 2306 valid cases out of 2478 total cases.

V1127 111B050A:#X AMPH/LIFETIM (COPY OF V1329)

Location: 490-491 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00980

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2063	83.3 %	90.2%
2	1-2X:(2)	75	3.0 %	3.3%
3	3-5X:(3)	41	1.7 %	1.8%
4	6-9X:(4)	27	1.1 %	1.2%
5	10-19X:(5)	18	0.7 %	0.8%
6	20-39X:(6)	21	0.8 %	0.9%
7	40+OCCAS:(7)	41	1.7 %	1.8%
-9 (M)	MISSING:(-9)	192	7.7 %	-

Based upon 2286 valid cases out of 2478 total cases.

V1329 111B050A:#X AMPH/LIFETIM

Location: 492-493 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00980

On how many occasions (if any) have you taken amphetamines

on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2063	83.3 %	90.2%
2	1-2X:(2)	75	3.0 %	3.3%
3	3-5X:(3)	41	1.7 %	1.8%
4	6-9X:(4)	27	1.1 %	1.2%
5	10-19X:(5)	18	0.7 %	0.8%
6	20-39X:(6)	21	0.8 %	0.9%
7	40+OCCAS:(7)	41	1.7 %	1.8%
-9 (M)	MISSING:(-9)	192	7.7 %	-

Based upon 2286 valid cases out of 2478 total cases.

V1128

111B050B:#X AMPH/LAST12M (COPY OF V1330)

Location: 494-495 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2136	86.2 %	93.5%
2	1-2X:(2)	53	2.1 %	2.3%
3	3-5X:(3)	24	1.0 %	1.1%
4	6-9X:(4)	25	1.0 %	1.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	10-19X:(5)	22	0.9 %	1.0%
6	20-39X:(6)	8	0.3 %	0.4%
7	40+OCCAS:(7)	17	0.7 %	0.7%
-9 (M)	MISSING:(-9)	193	7.8 %	-

Based upon 2285 valid cases out of 2478 total cases.

V1330 111B050B:#X AMPH/LAST12M

Location: 496-497 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00990

On how many occasions (if any) have you taken amphetamines
on your own--that is, without a doctor telling you to take
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2136	86.2 %	93.5%
2	1-2X:(2)	53	2.1 %	2.3%
3	3-5X:(3)	24	1.0 %	1.1%
4	6-9X:(4)	25	1.0 %	1.1%
5	10-19X:(5)	22	0.9 %	1.0%
6	20-39X:(6)	8	0.3 %	0.4%
7	40+OCCAS:(7)	17	0.7 %	0.7%
-9 (M)	MISSING:(-9)	193	7.8 %	-

Based upon 2285 valid cases out of 2478 total cases.

V1129 111B050C:#X AMPH/LAST30D (COPY OF V1331)

Location: 498-499 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01000

On how many occasions (if any) have you taken amphetamines
on your own--that is, without a doctor telling you to take
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2213	89.3 %	96.9%
2	1-2X:(2)	31	1.3 %	1.4%
3	3-5X:(3)	17	0.7 %	0.7%
4	6-9X:(4)	8	0.3 %	0.4%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	6	0.2 %	0.3%
7	40+OCCAS:(7)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	194	7.8 %	-

Based upon 2284 valid cases out of 2478 total cases.

V1331

111B050C:#X AMPH/LAST30D

Location: 500-501 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2213	89.3 %	96.9%
2	1-2X:(2)	31	1.3 %	1.4%
3	3-5X:(3)	17	0.7 %	0.7%
4	6-9X:(4)	8	0.3 %	0.4%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	6	0.2 %	0.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7	40+OCCAS:(7)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	194	7.8 %	-

Based upon 2284 valid cases out of 2478 total cases.

V1332 111B051A:#X/YR AMPH ALNE

Location: 502-503 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02800

IF YOU HAVE NOT TAKEN AMPHETAMINES IN THE LAST TWELVE MONTHS, GO TO QUESTION 59. THE FOLLOWING QUESTIONS REFER ONLY TO TAKING AMPHETAMINES WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 59.

When you used amphetamines during the last year, how often did you use them in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	68	2.7 %	46.3%
2	FEW TIMES:(2)	28	1.1 %	19.0%
3	SOMETIMES:(3)	17	0.7 %	11.6%
4	MOST TIMES:(4)	15	0.6 %	10.2%
5	EVERY TIME:(5)	19	0.8 %	12.9%
-9 (M)	MISSING:(-9)	2331	94.1 %	-

Based upon 147 valid cases out of 2478 total cases.

V1333 111B051B:#X/YR AMPH-2PPL

Location: 504-505 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02810

When you used amphetamines during the last year, how often did you use them in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	41	1.7 %	27.9%
2	FEW TIMES:(2)	45	1.8 %	30.6%
3	SOMETIMES:(3)	23	0.9 %	15.6%
4	MOST TIMES:(4)	24	1.0 %	16.3%
5	EVERY TIME:(5)	14	0.6 %	9.5%
-9 (M)	MISSING:(-9)	2331	94.1 %	-

Based upon 147 valid cases out of 2478 total cases.

V1334 111B051C:#X/YR AMPH@PRTY

Location: 506-507 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02820

When you used amphetamines during the last year, how often
did you use them in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	74	3.0 %	50.3%
2	FEW TIMES:(2)	25	1.0 %	17.0%
3	SOMETIMES:(3)	23	0.9 %	15.6%
4	MOST TIMES:(4)	12	0.5 %	8.2%
5	EVERY TIME:(5)	13	0.5 %	8.8%
-9 (M)	MISSING:(-9)	2331	94.1 %	-

Based upon 147 valid cases out of 2478 total cases.

V1335 111B051D:#X/YR AMPH-DT/S

Location: 508-509 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02830

When you used amphetamines during the last year, how often

did you use them in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	95	3.8 %	65.1%
2	FEW TIMES:(2)	19	0.8 %	13.0%
3	SOMETIMES:(3)	13	0.5 %	8.9%
4	MOST TIMES:(4)	12	0.5 %	8.2%
5	EVERY TIME:(5)	7	0.3 %	4.8%
-9 (M)	MISSING:(-9)	2332	94.1 %	-

Based upon 146 valid cases out of 2478 total cases.

V1336 111B051E:#X/YR AMPH-ADLT

Location: 510-511 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02840

When you used amphetamines during the last year, how often
did you use them in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	97	3.9 %	66.0%
2	FEW TIMES:(2)	20	0.8 %	13.6%
3	SOMETIMES:(3)	14	0.6 %	9.5%
4	MOST TIMES:(4)	8	0.3 %	5.4%
5	EVERY TIME:(5)	8	0.3 %	5.4%
-9 (M)	MISSING:(-9)	2331	94.1 %	-

Based upon 147 valid cases out of 2478 total cases.

V1337 111B051F:#X/YR AMPH-DATM

Location: 512-513 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02850

When you used amphetamines during the last year, how often did you use them in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	37	1.5 %	25.2%
2	FEW TIMES:(2)	34	1.4 %	23.1%
3	SOMETIMES:(3)	25	1.0 %	17.0%
4	MOST TIMES:(4)	18	0.7 %	12.2%
5	EVERY TIME:(5)	33	1.3 %	22.4%
-9 (M)	MISSING:(-9)	2331	94.1 %	-

Based upon 147 valid cases out of 2478 total cases.

V1338 111B051G:#X/YR AMPH@HOME

Location: 514-515 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02860

When you used amphetamines during the last year, how often did you use them in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	51	2.1 %	34.9%
2	FEW TIMES:(2)	23	0.9 %	15.8%
3	SOMETIMES:(3)	29	1.2 %	19.9%
4	MOST TIMES:(4)	17	0.7 %	11.6%
5	EVERY TIME:(5)	26	1.0 %	17.8%
-9 (M)	MISSING:(-9)	2332	94.1 %	-

Based upon 146 valid cases out of 2478 total cases.

V1339 111B051H:#X/YR AMPH@SCHL

Location: 516-517 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 02880

When you used amphetamines during the last year, how often did you use them in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"
 4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	58	2.3 %	39.5%
2	FEW TIMES:(2)	29	1.2 %	19.7%
3	SOMETIMES:(3)	22	0.9 %	15.0%
4	MOST TIMES:(4)	19	0.8 %	12.9%
5	EVERY TIME:(5)	19	0.8 %	12.9%
-9 (M)	MISSING:(-9)	2331	94.1 %	-

Based upon 147 valid cases out of 2478 total cases.

V1340 111B051I:#X/YR AMPH@CAR

Location: 518-519 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 02890

When you used amphetamines during the last year, how often did you use them in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
 4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	86	3.5 %	58.5%
2	FEW TIMES:(2)	21	0.8 %	14.3%
3	SOMETIMES:(3)	23	0.9 %	15.6%
4	MOST TIMES:(4)	10	0.4 %	6.8%
5	EVERY TIME:(5)	7	0.3 %	4.8%
-9 (M)	MISSING:(-9)	2331	94.1 %	-

Based upon 147 valid cases out of 2478 total cases.

V1838 111B052A:AMPH SRC INTERNT

Location: 520-521 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31690

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

A: Bought on the Internet

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	134	5.4 %	94.4%
1	MARKED:(1)	8	0.3 %	5.6%
-9 (M)	MISSING:(-9)	2336	94.3 %	-

Based upon 142 valid cases out of 2478 total cases.

V1873 111B052B:AMPH SRC FRND-ASK

Location: 522-523 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31701

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

B: Took from a friend without asking

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	134	5.4 %	94.4%
1	MARKED:(1)	8	0.3 %	5.6%
-9 (M)	MISSING:(-9)	2336	94.3 %	-

Based upon 142 valid cases out of 2478 total cases.

V1874 111B052C:AMPH SRC RLTV-ASK

Location: 524-525 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31702

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

C: Took from a relative without asking

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	124	5.0 %	87.3%
1	MARKED:(1)	18	0.7 %	12.7%
-9 (M)	MISSING:(-9)	2336	94.3 %	-

Based upon 142 valid cases out of 2478 total cases.

V1875 111B052D:AMPH SRC FRND FREE

Location: 526-527 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31711

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

D: Given for free by a friend

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	61	2.5 %	43.0%
1	MARKED:(1)	81	3.3 %	57.0%
-9 (M)	MISSING:(-9)	2336	94.3 %	-

Based upon 142 valid cases out of 2478 total cases.

V1876 111B052E:AMPH SRC RLTV FREE

Location: 528-529 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31711

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

E: Given for free by a relative

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	119	4.8 %	83.8%
1	MARKED:(1)	23	0.9 %	16.2%
-9 (M)	MISSING:(-9)	2336	94.3 %	-

Based upon 142 valid cases out of 2478 total cases.

V1877 111B052F:AMPH SRC FRND BGHT

Location: 530-531 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31721

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

F: Bought from a friend

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	80	3.2 %	56.3%
1	MARKED:(1)	62	2.5 %	43.7%
-9 (M)	MISSING:(-9)	2336	94.3 %	-

Based upon 142 valid cases out of 2478 total cases.

V1878 111B052G:AMPH SRC RLTV BGHT

Location: 532-533 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31722

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

G: Bought from a relative

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	136	5.5 %	95.8%
1	MARKED:(1)	6	0.2 %	4.2%
-9 (M)	MISSING:(-9)	2336	94.3 %	-

Based upon 142 valid cases out of 2478 total cases.

V1842 111B052H:AMPH SRC PRESCRIP

Location: 534-535 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31730

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

H: From a prescription I had

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	119	4.8 %	83.8%
1	MARKED:(1)	23	0.9 %	16.2%
-9 (M)	MISSING:(-9)	2336	94.3 %	-

Based upon 142 valid cases out of 2478 total cases.

V1843 111B052I:AMPH SRC DEALER

Location: 536-537 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31740

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

I: Bought from drug dealer/stranger

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	110	4.4 %	77.5%
1	MARKED:(1)	32	1.3 %	22.5%
-9 (M)	MISSING:(-9)	2336	94.3 %	-

Based upon 142 valid cases out of 2478 total cases.

V1844 111B052J:AMPH SRC OTHER

Location: 538-539 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31750

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

J: Other method

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	123	5.0 %	86.6%
1	MARKED:(1)	19	0.8 %	13.4%
-9 (M)	MISSING:(-9)	2336	94.3 %	-

Based upon 142 valid cases out of 2478 total cases.

V1345 111B053A:AMPH EXPERIMENT

Location: 540-541 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02940

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	75	3.0 %	55.1%
1	MARKED:(1)	61	2.5 %	44.9%
-9 (M)	MISSING:(-9)	2342	94.5 %	-

Based upon 136 valid cases out of 2478 total cases.

V1346 111B053B:AMPH RELAX

Location: 542-543 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02950

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	92	3.7 %	67.6%
1	MARKED:(1)	44	1.8 %	32.4%
-9 (M)	MISSING:(-9)	2342	94.5 %	-

Based upon 136 valid cases out of 2478 total cases.

V1347 111B053C:AMPH GET HIGH

Location: 544-545 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02960

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	87	3.5 %	64.0%
1	MARKED:(1)	49	2.0 %	36.0%
-9 (M)	MISSING:(-9)	2342	94.5 %	-

Based upon 136 valid cases out of 2478 total cases.

V1348 111B053D:AMPH SK INSIGHT

Location: 546-547 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02970

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	120	4.8 %	88.2%
1	MARKED:(1)	16	0.6 %	11.8%
-9 (M)	MISSING:(-9)	2342	94.5 %	-

Based upon 136 valid cases out of 2478 total cases.

V1349 111B053E:AMPH GD TM FRND

Location: 548-549 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02980

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	106	4.3 %	77.9%
1	MARKED:(1)	30	1.2 %	22.1%
-9 (M)	MISSING:(-9)	2342	94.5 %	-

Based upon 136 valid cases out of 2478 total cases.

V1350 111B053F:AMPH FIT IN GRP

Location: 550-551 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 02990

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	134	5.4 %	98.5%
1	MARKED:(1)	2	0.1 %	1.5%
-9 (M)	MISSING:(-9)	2342	94.5 %	-

Based upon 136 valid cases out of 2478 total cases.

V1351 111B053G:AMPH GT AWY PRB

Location: 552-553 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03000

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	116	4.7 %	85.3%
1	MARKED:(1)	20	0.8 %	14.7%
-9 (M)	MISSING:(-9)	2342	94.5 %	-

Based upon 136 valid cases out of 2478 total cases.

V1352 111B053H:AMPH BOREDOM

Location: 554-555 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03010

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	110	4.4 %	80.9%
1	MARKED:(1)	26	1.0 %	19.1%
-9 (M)	MISSING:(-9)	2342	94.5 %	-

Based upon 136 valid cases out of 2478 total cases.

V1353 111B053I:AMPH ANGR/FRSTN

Location: 556-557 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03020

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	123	5.0 %	90.4%
1	MARKED:(1)	13	0.5 %	9.6%
-9 (M)	MISSING:(-9)	2342	94.5 %	-

Based upon 136 valid cases out of 2478 total cases.

V1354 111B053J:AMPH GT THRU DA

Location: 558-559 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03030

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	110	4.4 %	80.9%
1	MARKED:(1)	26	1.0 %	19.1%
-9 (M)	MISSING:(-9)	2342	94.5 %	-

Based upon 136 valid cases out of 2478 total cases.

V1355 111B053K:AMPH INCR EF DR

Location: 560-561 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03040

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	125	5.0 %	91.9%
1	MARKED:(1)	11	0.4 %	8.1%
-9 (M)	MISSING:(-9)	2342	94.5 %	-

Based upon 136 valid cases out of 2478 total cases.

V1356 111B053L:AMPH DCRS EF DR

Location: 562-563 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03050

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	132	5.3 %	97.1%
1	MARKED:(1)	4	0.2 %	2.9%
-9 (M)	MISSING:(-9)	2342	94.5 %	-

Based upon 136 valid cases out of 2478 total cases.

V1357 111B053M:AMPH STAY AWAKE

Location: 564-565 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03060

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

M. To stay awake

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	83	3.3 %	61.0%
1	MARKED:(1)	53	2.1 %	39.0%
-9 (M)	MISSING:(-9)	2342	94.5 %	-

Based upon 136 valid cases out of 2478 total cases.

V1358 111B053N:AMPH GET>ENERGY

Location: 566-567 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03070

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

N. To get more energy

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	82	3.3 %	60.3%
1	MARKED:(1)	54	2.2 %	39.7%
-9 (M)	MISSING:(-9)	2342	94.5 %	-

Based upon 136 valid cases out of 2478 total cases.

V1879 111B053O:AMPH HELP STUDY

Location: 568-569 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03075

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

O. To help me study

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	70	2.8 %	51.5%
1	MARKED:(1)	66	2.7 %	48.5%
-9 (M)	MISSING:(-9)	2342	94.5 %	-

Based upon 136 valid cases out of 2478 total cases.

V1359 111B053P:AMPH LOSE WGHT

Location: 570-571 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03080

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

P. To help me lose weight

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	109	4.4 %	80.1%
1	MARKED:(1)	27	1.1 %	19.9%
-9 (M)	MISSING:(-9)	2342	94.5 %	-

Based upon 136 valid cases out of 2478 total cases.

V1360 111B053Q:AMPH I AM HOOKD

Location: 572-573 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03090

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

Q. Because I am "hooked"--I feel I have to have them

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	128	5.2 %	94.1%
1	MARKED:(1)	8	0.3 %	5.9%
-9 (M)	MISSING:(-9)	2342	94.5 %	-

Based upon 136 valid cases out of 2478 total cases.

V1361 111B054:AMPH,GT VERY HI

Location: 574-575 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03100

When you take amphetamines, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"

4="Very high" 5="I don't take them to get high"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	16	0.6 %	11.0%
2	A LITTLE:(2)	40	1.6 %	27.4%
3	MODERATE:(3)	38	1.5 %	26.0%
4	VERY:(4)	21	0.8 %	14.4%
5	N TK HIGH:(5)	31	1.3 %	21.2%
-9 (M)	MISSING:(-9)	2332	94.1 %	-

Based upon 146 valid cases out of 2478 total cases.

V1362 111B055:AMPH,HI 24+ HRS

Location: 576-577 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03110

When you take amphetamines, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to

six hours" 4="Seven to 24 hours" 5="More than 24 hours"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	USLY DON'T:(1)	29	1.2 %	20.3%
2	1-2 HRS:(2)	27	1.1 %	18.9%
3	3-6 HRS:(3)	44	1.8 %	30.8%
4	7-24 HRS:(4)	35	1.4 %	24.5%
5	> 24 HRS:(5)	8	0.3 %	5.6%
-9 (M)	MISSING:(-9)	2335	94.2 %	-

Based upon 143 valid cases out of 2478 total cases.

V1364 111B056A:TKN YR,DEXEDRIN

Location: 578-579 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03130

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

A. Dexedrine

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	136	5.5 %	96.5%
1	MARKED:(1)	5	0.2 %	3.5%
-9 (M)	MISSING:(-9)	2337	94.3 %	-

Based upon 141 valid cases out of 2478 total cases.

V1366

111B056B:TKN YR,RITALIN

Location: 580-581 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03150

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

B. Ritalin (Methylphenidate)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	97	3.9 %	68.8%
1	MARKED:(1)	44	1.8 %	31.2%
-9 (M)	MISSING:(-9)	2337	94.3 %	-

Based upon 141 valid cases out of 2478 total cases.

V1845

111B056C:TKN YR,ADDERALL

Location: 582-583 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31760

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

C. Adderall

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	42	1.7 %	29.8%
1	MARKED:(1)	99	4.0 %	70.2%
-9 (M)	MISSING:(-9)	2337	94.3 %	-

Based upon 141 valid cases out of 2478 total cases.

V1846 111B056D:TKN YR,CONCERTA

Location: 584-585 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31770

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

D. Concerta

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	119	4.8 %	84.4%
1	MARKED:(1)	22	0.9 %	15.6%
-9 (M)	MISSING:(-9)	2337	94.3 %	-

Based upon 141 valid cases out of 2478 total cases.

V1369 111B056E:TKN YR,METHAMPH

Location: 586-587 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03180

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

E. Methamphetamine

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	132	5.3 %	93.6%
1	MARKED:(1)	9	0.4 %	6.4%
-9 (M)	MISSING:(-9)	2337	94.3 %	-

Based upon 141 valid cases out of 2478 total cases.

V1764 111B056F:TKN YR,CRYSMETH

Location: 588-589 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03185

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

F. Crystal meth

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	134	5.4 %	95.0%
1	MARKED:(1)	7	0.3 %	5.0%
-9 (M)	MISSING:(-9)	2337	94.3 %	-

Based upon 141 valid cases out of 2478 total cases.

V1370 111B056G:TKN YR,OTH AMPH

Location: 590-591 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03190

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

G. Other

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	102	4.1 %	72.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MARKED:(1)	39	1.6 %	27.7%
-9 (M)	MISSING:(-9)	2337	94.3 %	-

Based upon 141 valid cases out of 2478 total cases.

V1371 111B056H:TKN YR,DNT KN N

Location: 592-593 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03200

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

H. Don't know the names of some amphetamines I have used

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	123	5.0 %	87.2%
1	MARKED:(1)	18	0.7 %	12.8%
-9 (M)	MISSING:(-9)	2337	94.3 %	-

Based upon 141 valid cases out of 2478 total cases.

V1372 111B057A:MTHD AMPH-MOUTH

Location: 594-595 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03210

What methods have you used for taking amphetamines during the last year? (Mark all that apply.)

A. By mouth

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	9	0.4 %	6.3%
1	MARKED:(1)	133	5.4 %	93.7%
-9 (M)	MISSING:(-9)	2336	94.3 %	-

Based upon 142 valid cases out of 2478 total cases.

V1765 111B057B:MTHD AMPH-SMOKG

Location: 596-597 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03215

What methods have you used for taking amphetamines during the last year? (Mark all that apply.)

B. Smoking

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	127	5.1 %	89.4%
1	MARKED:(1)	15	0.6 %	10.6%
-9 (M)	MISSING:(-9)	2336	94.3 %	-

Based upon 142 valid cases out of 2478 total cases.

V1373 111B057C:MTHD AMPH-INJCT

Location: 598-599 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03220

What methods have you used for taking amphetamines during the last year? (Mark all that apply.)

C. Injection

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	137	5.5 %	96.5%
1	MARKED:(1)	5	0.2 %	3.5%
-9 (M)	MISSING:(-9)	2336	94.3 %	-

Based upon 142 valid cases out of 2478 total cases.

V1374 111B057D:MTHD AMPH-OTHER

Location: 600-601 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03230

What methods have you used for taking amphetamines during the last year? (Mark all that apply.)

D. Other

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	112	4.5 %	78.9%
1	MARKED:(1)	30	1.2 %	21.1%
-9 (M)	MISSING:(-9)	2336	94.3 %	-

Based upon 142 valid cases out of 2478 total cases.

V1375

111B058:*TRY STP AMP/FL

Location: 602-603 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03240

Have you ever tried to stop using amphetamines and found that you couldn't stop?

1="Yes" 2="No"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES:(1)	14	0.6 %	9.8%
2	NO:(2)	129	5.2 %	90.2%
-9 (M)	MISSING:(-9)	2335	94.2 %	-

Based upon 143 valid cases out of 2478 total cases.

V1376

111B059:NO AMPH IN 5YR

Location: 604-605 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03250

Do you think you will be using amphetamines without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WILL:(1)	15	0.6 %	0.7%
2	PRB WILL:(2)	48	1.9 %	2.1%
3	PRB WONT:(3)	297	12.0 %	13.3%
4	DEF WONT:(4)	1875	75.7 %	83.9%
-9 (M)	MISSING:(-9)	243	9.8 %	-

Based upon 2235 valid cases out of 2478 total cases.

V1130 111B060A:#X QUAD/LIFETIM (COPY OF V1377)

Location: 606-607 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01010

The next questions are about QUAALUDES (Methaqualone).
Quaaludes are sometimes called: Soapers, Quads, Ludes.
On how many occasions (if any) have you taken quaaludes
on your own--that is, without a doctor telling you to
take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2267	91.5 %	99.4%
2	1-2X:(2)	5	0.2 %	0.2%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	198	8.0 %	-

Based upon 2280 valid cases out of 2478 total cases.

V1377 111B060A:#X QUAD/LIFETIM

Location: 608-609 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01010

The next questions are about QUAALUDES (Methaqualone).
Quaaludes are sometimes called: Soapers, Quads, Ludes.
On how many occasions (if any) have you taken quaaludes
on your own--that is, without a doctor telling you to
take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2267	91.5 %	99.4%
2	1-2X:(2)	5	0.2 %	0.2%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	198	8.0 %	-

Based upon 2280 valid cases out of 2478 total cases.

V1131

111B060B:#X QUAD/LAST12M (COPY OF V1378)

Location: 610-611 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01020

On how many occasions (if any) have you taken quaaludes
on your own--that is, without a doctor telling you to
take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2274	91.8 %	99.7%
2	1-2X:(2)	3	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	3-5X:(3)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	198	8.0 %	-

Based upon 2280 valid cases out of 2478 total cases.

V1378 111B060B:#X QUAD/LAST12M

Location: 612-613 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01020

On how many occasions (if any) have you taken quaaludes on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2274	91.8 %	99.7%
2	1-2X:(2)	3	0.1 %	0.1%
3	3-5X:(3)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	198	8.0 %	-

Based upon 2280 valid cases out of 2478 total cases.

V1132 111B060C:#X QUAD/LAST30D (COPY OF V1379)

Location: 614-615 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01030

On how many occasions (if any) have you taken quaaludes on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2276	91.8 %	99.8%
2	1-2X:(2)	1	0.0 %	0.0%
3	3-5X:(3)	1	0.0 %	0.0%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	198	8.0 %	-

Based upon 2280 valid cases out of 2478 total cases.

V1379 111B060C:#X QUAD/LAST30D

Location: 616-617 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01030

On how many occasions (if any) have you taken quaaludes on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2276	91.8 %	99.8%
2	1-2X:(2)	1	0.0 %	0.0%
3	3-5X:(3)	1	0.0 %	0.0%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	198	8.0 %	-

Based upon 2280 valid cases out of 2478 total cases.

V1827 111B061:DR TOLD TK SED

Location: 618-619 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 03282

The next questions are about SEDATIVES, including BARBITURATES, which doctors sometimes prescribe to help people relax or get to sleep. Drugstores are not supposed to sell them without a prescription. Sedatives are sometimes called: Downs, Downers. They include the following drugs: Phenobarbital, Seconal, Tuinal, Ambien, Lunesta, Sonata. Have you ever taken sedatives because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."
 3="Yes, and it was the first time I took any."

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	2138	86.3 %	94.3%
2	YES/BUT TRIED:(2)	31	1.3 %	1.4%
3	YES/FIRST:(3)	99	4.0 %	4.4%
-9 (M)	MISSING:(-9)	210	8.5 %	-

Based upon 2268 valid cases out of 2478 total cases.

V1133 111B062A:#X SED/BARB/LIFE

Location: 620-621 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 01042

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2145	86.6 %	94.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	1-2X:(2)	59	2.4 %	2.6%
3	3-5X:(3)	20	0.8 %	0.9%
4	6-9X:(4)	15	0.6 %	0.7%
5	10-19X:(5)	13	0.5 %	0.6%
6	20-39X:(6)	7	0.3 %	0.3%
7	40+OCCAS:(7)	10	0.4 %	0.4%
-9 (M)	MISSING:(-9)	209	8.4 %	-

Based upon 2269 valid cases out of 2478 total cases.

V1383 111B062A:#X SED/BARB/LIFE

Location: 622-623 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01042

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2145	86.6 %	94.5%
2	1-2X:(2)	59	2.4 %	2.6%
3	3-5X:(3)	20	0.8 %	0.9%
4	6-9X:(4)	15	0.6 %	0.7%
5	10-19X:(5)	13	0.5 %	0.6%
6	20-39X:(6)	7	0.3 %	0.3%
7	40+OCCAS:(7)	10	0.4 %	0.4%
-9 (M)	MISSING:(-9)	209	8.4 %	-

Based upon 2269 valid cases out of 2478 total cases.

V1134 111B062B:#X SED/BARB/12MO

Location: 624-625 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01052

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2194	88.5 %	96.7%
2	1-2X:(2)	40	1.6 %	1.8%
3	3-5X:(3)	15	0.6 %	0.7%
4	6-9X:(4)	11	0.4 %	0.5%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	209	8.4 %	-

Based upon 2269 valid cases out of 2478 total cases.

V1384

111B062B:#X SED/BARB/12MO

Location: 626-627 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01052

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2194	88.5 %	96.7%
2	1-2X:(2)	40	1.6 %	1.8%
3	3-5X:(3)	15	0.6 %	0.7%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	6-9X:(4)	11	0.4 %	0.5%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	209	8.4 %	-

Based upon 2269 valid cases out of 2478 total cases.

V1135 111B062C:#X SED/BARB/30DA

Location: 628-629 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01062

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2236	90.2 %	98.5%
2	1-2X:(2)	18	0.7 %	0.8%
3	3-5X:(3)	9	0.4 %	0.4%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	209	8.4 %	-

Based upon 2269 valid cases out of 2478 total cases.

V1385 111B062C:#X SED/BARB/30DA

Location: 630-631 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01062

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2236	90.2 %	98.5%
2	1-2X:(2)	18	0.7 %	0.8%
3	3-5X:(3)	9	0.4 %	0.4%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	209	8.4 %	-

Based upon 2269 valid cases out of 2478 total cases.

V1847 111B063A:TKN YR,!PHNOBRB

Location: 632-633 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03611

THE FOLLOWING QUESTION REFERS ONLY TO TAKING SEDATIVES
WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN
THE LAST TWELVE MONTHS, GO TO QUESTION 64.

What sedatives have you taken during the last year without
a doctor's orders? (Mark all that apply.)

A: Phenobarbital

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	63	2.5 %	94.0%
1	MARKED:(1)	4	0.2 %	6.0%
-9 (M)	MISSING:(-9)	2411	97.3 %	-

Based upon 67 valid cases out of 2478 total cases.

V1848 111B063B:TKN YR,!SECONAL

Location: 634-635 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03621

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

B: Seconal

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	64	2.6 %	95.5%
1	MARKED:(1)	3	0.1 %	4.5%
-9 (M)	MISSING:(-9)	2411	97.3 %	-

Based upon 67 valid cases out of 2478 total cases.

V1849

111B063C:TKN YR,ITUINAL

Location: 636-637 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03631

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

C: Tuinal

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	65	2.6 %	97.0%
1	MARKED:(1)	2	0.1 %	3.0%
-9 (M)	MISSING:(-9)	2411	97.3 %	-

Based upon 67 valid cases out of 2478 total cases.

V1850

111B063D:TKN YR,AMBIEN

Location: 638-639 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31780

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

D: Ambien

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	34	1.4 %	50.7%
1	MARKED:(1)	33	1.3 %	49.3%
-9 (M)	MISSING:(-9)	2411	97.3 %	-

Based upon 67 valid cases out of 2478 total cases.

V1851

111B063E:TKN YR,LUNESTA

Location: 640-641 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31790

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

E: Lunesta

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	58	2.3 %	86.6%
1	MARKED:(1)	9	0.4 %	13.4%
-9 (M)	MISSING:(-9)	2411	97.3 %	-

Based upon 67 valid cases out of 2478 total cases.

V1852

111B063F:TKN YR,SONATA

Location: 642-643 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31800

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

F: Sonata

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	63	2.5 %	94.0%
1	MARKED:(1)	4	0.2 %	6.0%
-9 (M)	MISSING:(-9)	2411	97.3 %	-

Based upon 67 valid cases out of 2478 total cases.

V1853 111B063G:TKN YR,OTHR SED

Location: 644-645 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03691

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

G: Other

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	34	1.4 %	50.7%
1	MARKED:(1)	33	1.3 %	49.3%
-9 (M)	MISSING:(-9)	2411	97.3 %	-

Based upon 67 valid cases out of 2478 total cases.

V1854 111B063H:TKN YR,IDNT KNW

Location: 646-647 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03701

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

H: Don't know the names of some sedatives I have used

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	49	2.0 %	73.1%
1	MARKED:(1)	18	0.7 %	26.9%
-9 (M)	MISSING:(-9)	2411	97.3 %	-

Based upon 67 valid cases out of 2478 total cases.

V1828 111B064:NO SED IN 5YR

Location: 648-649 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03722

Do you think you will be using sedatives without a doctor's prescription five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	9	0.4 %	0.4%
2	PRB WILL:(2)	33	1.3 %	1.5%
3	PRB WONT:(3)	353	14.2 %	15.8%
4	DEF WONT:(4)	1837	74.1 %	82.3%
-9 (M)	MISSING:(-9)	246	9.9 %	-

Based upon 2232 valid cases out of 2478 total cases.

V1429 111B065:DR TOLD TK TRNQ

Location: 650-651 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03730

The next questions are about TRANQUILIZERS, which doctors sometimes prescribe to calm people down, quiet their nerves, or relax their muscles. They include the following drugs: Librium, Valium, Xanax, Soma, Serax, Ativan, Klonopin. Have you ever taken tranquilizers because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."
3="Yes, and it was the first time I took any."

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	2158	87.1 %	95.4%
2	YES/BUT TRIED:(2)	34	1.4 %	1.5%
3	YES/FIRST:(3)	71	2.9 %	3.1%
-9 (M)	MISSING:(-9)	215	8.7 %	-

Based upon 2263 valid cases out of 2478 total cases.

V1136 111B066A:#X TRQL/LIFETIM (COPY OF V1430)

Location: 652-653 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01070

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2104	84.9 %	93.5%
2	1-2X:(2)	59	2.4 %	2.6%
3	3-5X:(3)	29	1.2 %	1.3%
4	6-9X:(4)	19	0.8 %	0.8%
5	10-19X:(5)	14	0.6 %	0.6%
6	20-39X:(6)	9	0.4 %	0.4%
7	40+OCCAS:(7)	16	0.6 %	0.7%
-9 (M)	MISSING:(-9)	228	9.2 %	-

Based upon 2250 valid cases out of 2478 total cases.

V1430 111B066A:#X TRQL/LIFETIM

Location: 654-655 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01070

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2104	84.9 %	93.5%
2	1-2X:(2)	59	2.4 %	2.6%
3	3-5X:(3)	29	1.2 %	1.3%
4	6-9X:(4)	19	0.8 %	0.8%
5	10-19X:(5)	14	0.6 %	0.6%
6	20-39X:(6)	9	0.4 %	0.4%
7	40+OCCAS:(7)	16	0.6 %	0.7%
-9 (M)	MISSING:(-9)	228	9.2 %	-

Based upon 2250 valid cases out of 2478 total cases.

V1137

111B066B:#X TRQL/LAST12M (COPY OF V1431)

Location: 656-657 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2159	87.1 %	95.9%
2	1-2X:(2)	43	1.7 %	1.9%
3	3-5X:(3)	12	0.5 %	0.5%
4	6-9X:(4)	16	0.6 %	0.7%
5	10-19X:(5)	10	0.4 %	0.4%
6	20-39X:(6)	7	0.3 %	0.3%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	226	9.1 %	-

Based upon 2252 valid cases out of 2478 total cases.

V1431 111B066B:#X TRQL/LAST12M

Location: 658-659 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2159	87.1 %	95.9%
2	1-2X:(2)	43	1.7 %	1.9%
3	3-5X:(3)	12	0.5 %	0.5%
4	6-9X:(4)	16	0.6 %	0.7%
5	10-19X:(5)	10	0.4 %	0.4%
6	20-39X:(6)	7	0.3 %	0.3%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	226	9.1 %	-

Based upon 2252 valid cases out of 2478 total cases.

V1138 111B066C:#X TRQL/LAST30D (COPY OF V1432)

Location: 660-661 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2

through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2204	88.9 %	98.0%
2	1-2X:(2)	28	1.1 %	1.2%
3	3-5X:(3)	6	0.2 %	0.3%
4	6-9X:(4)	8	0.3 %	0.4%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	228	9.2 %	-

Based upon 2250 valid cases out of 2478 total cases.

V1432 111B066C:#X TRQL/LAST30D

Location: 662-663 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2204	88.9 %	98.0%
2	1-2X:(2)	28	1.1 %	1.2%
3	3-5X:(3)	6	0.2 %	0.3%
4	6-9X:(4)	8	0.3 %	0.4%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	228	9.2 %	-

Based upon 2250 valid cases out of 2478 total cases.

V1433 111B067A:#X/YR TRQL ALNE

Location: 664-665 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03740

IF YOU HAVE NOT TAKEN TRANQUILIZERS IN THE LAST TWELVE MONTHS, GO TO QUESTION 74. THE FOLLOWING QUESTIONS REFER ONLY TO TAKING TRANQUILIZERS WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 74.

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	42	1.7 %	46.2%
2	FEW TIMES:(2)	27	1.1 %	29.7%
3	SOMETIMES:(3)	12	0.5 %	13.2%
4	MOST TIMES:(4)	7	0.3 %	7.7%
5	EVERY TIME:(5)	3	0.1 %	3.3%
-9 (M)	MISSING:(-9)	2387	96.3 %	-

Based upon 91 valid cases out of 2478 total cases.

V1434

111B067B:#X/YR TRQL-2PPL

Location: 666-667 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03750

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	7	0.3 %	7.8%
2	FEW TIMES:(2)	27	1.1 %	30.0%
3	SOMETIMES:(3)	22	0.9 %	24.4%
4	MOST TIMES:(4)	14	0.6 %	15.6%
5	EVERY TIME:(5)	20	0.8 %	22.2%
-9 (M)	MISSING:(-9)	2388	96.4 %	-

Based upon 90 valid cases out of 2478 total cases.

V1435 111B067C:#X/YR TRQL@PTY

Location: 668-669 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03760

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	47	1.9 %	52.8%
2	FEW TIMES:(2)	8	0.3 %	9.0%
3	SOMETIMES:(3)	17	0.7 %	19.1%
4	MOST TIMES:(4)	12	0.5 %	13.5%
5	EVERY TIME:(5)	5	0.2 %	5.6%
-9 (M)	MISSING:(-9)	2389	96.4 %	-

Based upon 89 valid cases out of 2478 total cases.

V1436 111B067D:#X/YR TRQL-DT/S

Location: 670-671 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03770

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	50	2.0 %	55.6%
2	FEW TIMES:(2)	14	0.6 %	15.6%
3	SOMETIMES:(3)	12	0.5 %	13.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	MOST TIMES:(4)	7	0.3 %	7.8%
5	EVERY TIME:(5)	7	0.3 %	7.8%
-9 (M)	MISSING:(-9)	2388	96.4 %	-

Based upon 90 valid cases out of 2478 total cases.

V1437 111B067E:#X/YR TRQL-ADLT

Location: 672-673 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03780

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	50	2.0 %	56.2%
2	FEW TIMES:(2)	19	0.8 %	21.3%
3	SOMETIMES:(3)	9	0.4 %	10.1%
4	MOST TIMES:(4)	6	0.2 %	6.7%
5	EVERY TIME:(5)	5	0.2 %	5.6%
-9 (M)	MISSING:(-9)	2389	96.4 %	-

Based upon 89 valid cases out of 2478 total cases.

V1438 111B067F:#X/YR TRQL-DATM

Location: 674-675 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03790

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	30	1.2 %	33.7%
2	FEW TIMES:(2)	14	0.6 %	15.7%
3	SOMETIMES:(3)	26	1.0 %	29.2%
4	MOST TIMES:(4)	9	0.4 %	10.1%
5	EVERY TIME:(5)	10	0.4 %	11.2%
-9 (M)	MISSING:(-9)	2389	96.4 %	-

Based upon 89 valid cases out of 2478 total cases.

V1439 111B067G:#X/YR TRQL@HOME

Location: 676-677 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03800

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	28	1.1 %	31.5%
2	FEW TIMES:(2)	18	0.7 %	20.2%
3	SOMETIMES:(3)	17	0.7 %	19.1%
4	MOST TIMES:(4)	12	0.5 %	13.5%
5	EVERY TIME:(5)	14	0.6 %	15.7%
-9 (M)	MISSING:(-9)	2389	96.4 %	-

Based upon 89 valid cases out of 2478 total cases.

V1440 111B067H:#X/YR TRQL@SCHL

Location: 678-679 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03810

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	60	2.4 %	66.7%
2	FEW TIMES:(2)	5	0.2 %	5.6%
3	SOMETIMES:(3)	13	0.5 %	14.4%
4	MOST TIMES:(4)	7	0.3 %	7.8%
5	EVERY TIME:(5)	5	0.2 %	5.6%
-9 (M)	MISSING:(-9)	2388	96.4 %	-

Based upon 90 valid cases out of 2478 total cases.

V1441

111B067I:#X/YR TRQL@CAR

Location: 680-681 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03830

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	56	2.3 %	61.5%
2	FEW TIMES:(2)	14	0.6 %	15.4%
3	SOMETIMES:(3)	11	0.4 %	12.1%
4	MOST TIMES:(4)	6	0.2 %	6.6%
5	EVERY TIME:(5)	4	0.2 %	4.4%
-9 (M)	MISSING:(-9)	2387	96.3 %	-

Based upon 91 valid cases out of 2478 total cases.

V1855

111B068A:TRQ SRC INTERNET

Location: 682-683 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31810

Where did you get the tranquilizers you used without a

doctor's orders during the last year? (Mark all that apply.)

A: Bought on the internet

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	88	3.6 %	96.7%
1	MARKED:(1)	3	0.1 %	3.3%
-9 (M)	MISSING:(-9)	2387	96.3 %	-

Based upon 91 valid cases out of 2478 total cases.

V1880 111B068B:TRQ SRC FRND-ASK

Location: 684-685 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31821

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

B: Took from a friend without asking

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	86	3.5 %	94.5%
1	MARKED:(1)	5	0.2 %	5.5%
-9 (M)	MISSING:(-9)	2387	96.3 %	-

Based upon 91 valid cases out of 2478 total cases.

V1881 111B068C:TRQ SRC RLTV-ASK

Location: 686-687 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31822

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

C: Took from a relative without asking

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	75	3.0 %	82.4%
1	MARKED:(1)	16	0.6 %	17.6%
-9 (M)	MISSING:(-9)	2387	96.3 %	-

Based upon 91 valid cases out of 2478 total cases.

V1882 111B068D:TRQ SRC FRND FREE

Location: 688-689 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31831

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

D: Given for free by a friend

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	46	1.9 %	50.5%
1	MARKED:(1)	45	1.8 %	49.5%
-9 (M)	MISSING:(-9)	2387	96.3 %	-

Based upon 91 valid cases out of 2478 total cases.

V1883 111B068E:TRQ SRC RLTV FREE

Location: 690-691 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31832

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

E: Given for free by a relative

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	63	2.5 %	69.2%
1	MARKED:(1)	28	1.1 %	30.8%
-9 (M)	MISSING:(-9)	2387	96.3 %	-

Based upon 91 valid cases out of 2478 total cases.

V1884 111B068F:TRQ SRC FRND BGHT

Location: 692-693 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31841

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

F: Bought from a friend

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	58	2.3 %	63.7%
1	MARKED:(1)	33	1.3 %	36.3%
-9 (M)	MISSING:(-9)	2387	96.3 %	-

Based upon 91 valid cases out of 2478 total cases.

V1885 111B068G:TRQ SRC RLTV BGHT

Location: 694-695 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31842

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

G: Bought from a relative

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	83	3.3 %	91.2%
1	MARKED:(1)	8	0.3 %	8.8%
-9 (M)	MISSING:(-9)	2387	96.3 %	-

Based upon 91 valid cases out of 2478 total cases.

V1859 111B068H:TRQ SRC PRESCRPT

Location: 696-697 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31850

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

H: From a prescription I had

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	72	2.9 %	79.1%
1	MARKED:(1)	19	0.8 %	20.9%
-9 (M)	MISSING:(-9)	2387	96.3 %	-

Based upon 91 valid cases out of 2478 total cases.

V1860

111B068I:TRQ SRC DEALER

Location: 698-699 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31860

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

I: Bought from drug dealer/stranger

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	70	2.8 %	76.9%
1	MARKED:(1)	21	0.8 %	23.1%
-9 (M)	MISSING:(-9)	2387	96.3 %	-

Based upon 91 valid cases out of 2478 total cases.

V1861

111B068J:TRQ SRC OTHER

Location: 700-701 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31870

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

J: Other method

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	81	3.3 %	89.0%
1	MARKED:(1)	10	0.4 %	11.0%
-9 (M)	MISSING:(-9)	2387	96.3 %	-

Based upon 91 valid cases out of 2478 total cases.

V1449

111B069A:TRNQ EXPERIMENT

Location: 702-703 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03910

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	56	2.3 %	62.2%
1	MARKED:(1)	34	1.4 %	37.8%
-9 (M)	MISSING:(-9)	2388	96.4 %	-

Based upon 90 valid cases out of 2478 total cases.

V1450

111B069B:TRNQ RELAX

Location: 704-705 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03920

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	33	1.3 %	36.7%
1	MARKED:(1)	57	2.3 %	63.3%
-9 (M)	MISSING:(-9)	2388	96.4 %	-

Based upon 90 valid cases out of 2478 total cases.

V1451 111B069C:TRNQ GET HIGH

Location: 706-707 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03930

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	41	1.7 %	45.6%
1	MARKED:(1)	49	2.0 %	54.4%
-9 (M)	MISSING:(-9)	2388	96.4 %	-

Based upon 90 valid cases out of 2478 total cases.

V1452 111B069D:TRNQ SK INSIGHT

Location: 708-709 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03940

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	85	3.4 %	94.4%
1	MARKED:(1)	5	0.2 %	5.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	2388	96.4 %	-

Based upon 90 valid cases out of 2478 total cases.

V1453 111B069E:TRNQ GD TM FRND

Location: 710-711 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03950

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	77	3.1 %	85.6%
1	MARKED:(1)	13	0.5 %	14.4%
-9 (M)	MISSING:(-9)	2388	96.4 %	-

Based upon 90 valid cases out of 2478 total cases.

V1454 111B069F:TRNQ FIT IN GRP

Location: 712-713 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03960

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	86	3.5 %	95.6%
1	MARKED:(1)	4	0.2 %	4.4%
-9 (M)	MISSING:(-9)	2388	96.4 %	-

Based upon 90 valid cases out of 2478 total cases.

V1455 111B069G:TRNQ GT AWY PRB

Location: 714-715 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03970

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	76	3.1 %	84.4%
1	MARKED:(1)	14	0.6 %	15.6%
-9 (M)	MISSING:(-9)	2388	96.4 %	-

Based upon 90 valid cases out of 2478 total cases.

V1456 111B069H:TRNQ BOREDOM

Location: 716-717 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 03980

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	80	3.2 %	88.9%
1	MARKED:(1)	10	0.4 %	11.1%
-9 (M)	MISSING:(-9)	2388	96.4 %	-

Based upon 90 valid cases out of 2478 total cases.

V1457 111B069I:TRNQ ANGR/FRSTN

Location: 718-719 (width: 2; decimal: 0)

Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 03990

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
 (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	73	2.9 %	81.1%
1	MARKED:(1)	17	0.7 %	18.9%
-9 (M)	MISSING:(-9)	2388	96.4 %	-

Based upon 90 valid cases out of 2478 total cases.

V1458 111B069J:TRNQ GT THRU DA

Location: 720-721 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 04000

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
 (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	78	3.1 %	86.7%
1	MARKED:(1)	12	0.5 %	13.3%
-9 (M)	MISSING:(-9)	2388	96.4 %	-

Based upon 90 valid cases out of 2478 total cases.

V1459 111B069K:TRNQ INCR EF DR

Location: 722-723 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 04010

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	82	3.3 %	91.1%
1	MARKED:(1)	8	0.3 %	8.9%
-9 (M)	MISSING:(-9)	2388	96.4 %	-

Based upon 90 valid cases out of 2478 total cases.

V1460 111B069L:TRNQ DCRS EF DR

Location: 724-725 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04020

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	87	3.5 %	96.7%
1	MARKED:(1)	3	0.1 %	3.3%
-9 (M)	MISSING:(-9)	2388	96.4 %	-

Based upon 90 valid cases out of 2478 total cases.

V1461 111B069M:TRNQ GET SLEEP

Location: 726-727 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04030

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

M. To get to sleep

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	55	2.2 %	61.1%
1	MARKED:(1)	35	1.4 %	38.9%
-9 (M)	MISSING:(-9)	2388	96.4 %	-

Based upon 90 valid cases out of 2478 total cases.

V1696 111B069N:TRNQ RLV PHYS P

Location: 728-729 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04035

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

N. To relieve physical pain

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	61	2.5 %	67.8%
1	MARKED:(1)	29	1.2 %	32.2%
-9 (M)	MISSING:(-9)	2388	96.4 %	-

Based upon 90 valid cases out of 2478 total cases.

V1462 111B069O:TRNQ I AM HOOKD

Location: 730-731 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04040

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

O. Because I am "hooked"--I feel I have to have them

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	86	3.5 %	95.6%
1	MARKED:(1)	4	0.2 %	4.4%
-9 (M)	MISSING:(-9)	2388	96.4 %	-

Based upon 90 valid cases out of 2478 total cases.

V1463 111B070:TRNQ,GT VERY HI

Location: 732-733 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04050

When you take tranquilizers, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"

4="Very high" 5="I don't take them to get high"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	12	0.5 %	13.3%
2	A LITTLE:(2)	18	0.7 %	20.0%
3	MODERATE:(3)	24	1.0 %	26.7%
4	VERY:(4)	21	0.8 %	23.3%
5	N TK HIGH:(5)	15	0.6 %	16.7%
-9 (M)	MISSING:(-9)	2388	96.4 %	-

Based upon 90 valid cases out of 2478 total cases.

V1464 111B071:TRNQ,HI 24+ HRS

Location: 734-735 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04060

When you take tranquilizers, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	USLY DON'T:(1)	20	0.8 %	22.5%
2	1-2 HRS:(2)	18	0.7 %	20.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	3-6 HRS:(3)	35	1.4 %	39.3%
4	7-24 HRS:(4)	11	0.4 %	12.4%
5	> 24 HRS:(5)	5	0.2 %	5.6%
-9 (M)	MISSING:(-9)	2389	96.4 %	-

Based upon 89 valid cases out of 2478 total cases.

V1465

111B072A:TKN YR,LIBRIUM

Location: 736-737 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04070

What tranquilizers have you taken during the last year
without a doctor's orders? (Mark all that apply.)

A. Librium

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	83	3.3 %	95.4%
1	MARKED:(1)	4	0.2 %	4.6%
-9 (M)	MISSING:(-9)	2391	96.5 %	-

Based upon 87 valid cases out of 2478 total cases.

V1466

111B072B:TKN YR,VALIUM

Location: 738-739 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04080

What tranquilizers have you taken during the last year
without a doctor's orders? (Mark all that apply.)

B. Valium

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	51	2.1 %	58.6%
1	MARKED:(1)	36	1.5 %	41.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	2391	96.5 %	-

Based upon 87 valid cases out of 2478 total cases.

V1814

111B072C:TKN YR, XANAX

Location: 740-741 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04095

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

C. Xanax

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	28	1.1 %	32.2%
1	MARKED:(1)	59	2.4 %	67.8%
-9 (M)	MISSING:(-9)	2391	96.5 %	-

Based upon 87 valid cases out of 2478 total cases.

V1862

111B072D:TKN YR,SOMA

Location: 742-743 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31880

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

D. Soma

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	78	3.1 %	89.7%
1	MARKED:(1)	9	0.4 %	10.3%
-9 (M)	MISSING:(-9)	2391	96.5 %	-

Based upon 87 valid cases out of 2478 total cases.

V1470 111B072E:TKN YR,SERAX

Location: 744-745 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04120

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

E. Serax

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	85	3.4 %	97.7%
1	MARKED:(1)	2	0.1 %	2.3%
-9 (M)	MISSING:(-9)	2391	96.5 %	-

Based upon 87 valid cases out of 2478 total cases.

V1863 111B072F:TKN YR,ATIVAN

Location: 746-747 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31890

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

F. Ativan

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	80	3.2 %	92.0%
1	MARKED:(1)	7	0.3 %	8.0%
-9 (M)	MISSING:(-9)	2391	96.5 %	-

Based upon 87 valid cases out of 2478 total cases.

V1864 111B072G:TKN YR,KLONOPIN

Location: 748-749 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31900

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

G. Klonopin

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	67	2.7 %	77.0%
1	MARKED:(1)	20	0.8 %	23.0%
-9 (M)	MISSING:(-9)	2391	96.5 %	-

Based upon 87 valid cases out of 2478 total cases.

V1815

111B072H:TKN YR,OTH TRNQ

Location: 750-751 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04155

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

H. Other

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	69	2.8 %	79.3%
1	MARKED:(1)	18	0.7 %	20.7%
-9 (M)	MISSING:(-9)	2391	96.5 %	-

Based upon 87 valid cases out of 2478 total cases.

V1474

111B072I:TKN YR,DNT KNW

Location: 752-753 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04160

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

I. Don't know the names of some tranquilizers I have used

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	71	2.9 %	81.6%
1	MARKED:(1)	16	0.6 %	18.4%
-9 (M)	MISSING:(-9)	2391	96.5 %	-

Based upon 87 valid cases out of 2478 total cases.

V1475

111B073:*TRY STP TRQ/FL

Location: 754-755 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04170

Have you ever tried to stop using tranquilizers and found that you couldn't stop?

1="Yes" 2="No"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES:(1)	5	0.2 %	5.7%
2	NO:(2)	82	3.3 %	94.3%
-9 (M)	MISSING:(-9)	2391	96.5 %	-

Based upon 87 valid cases out of 2478 total cases.

V1476

111B074:NO TRNQ IN 5YR

Location: 756-757 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04180

Do you think you will be using tranquilizers without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WILL:(1)	11	0.4 %	0.5%
2	PRB WILL:(2)	31	1.3 %	1.4%
3	PRB WONT:(3)	257	10.4 %	11.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	DEF WONT:(4)	1916	77.3 %	86.5%
-9 (M)	MISSING:(-9)	263	10.6 %	-

Based upon 2215 valid cases out of 2478 total cases.

V1755 111B075:EVR TK CRACK/FB

Location: 758-759 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22250

The next questions are about the use of different forms of cocaine, such as "crack", powder, freebase, or coca paste. Have you ever taken cocaine in "crack" form or in any other freebase form--that is, where you inhaled the fumes from smoking, heating, or burning it?

1="No--GO TO QUESTION 77" 2="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	2205	89.0 %	98.3%
2	YES:(2)	39	1.6 %	1.7%
-9 (M)	MISSING:(-9)	234	9.4 %	-

Based upon 2244 valid cases out of 2478 total cases.

V1756 111B076A:#X CRACK/LIFTIM

Location: 760-761 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22260

On how many occasions (if any) have you taken "crack" (cocaine in chunk or rock form) . . .

A: . . . in your lifetime?

1="0 Occasions [Includes respondents who reported nonuse on preceding question]" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2212	89.3 %	98.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	1-2X:(2)	15	0.6 %	0.7%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	6	0.2 %	0.3%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	234	9.4 %	-

Based upon 2244 valid cases out of 2478 total cases.

V1757 111B076B:#X CRACK/LST12M

Location: 762-763 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22270

On how many occasions (if any) have you taken "crack"
(cocaine in chunk or rock form) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2225	89.8 %	99.2%
2	1-2X:(2)	7	0.3 %	0.3%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	235	9.5 %	-

Based upon 2243 valid cases out of 2478 total cases.

V1758 111B076C:#X CRACK/LST30D

Location: 764-765 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22280

On how many occasions (if any) have you taken "crack"
(cocaine in chunk or rock form) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2233	90.1 %	99.6%
2	1-2X:(2)	6	0.2 %	0.3%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	235	9.5 %	-

Based upon 2243 valid cases out of 2478 total cases.

V1759 111B077A:#XOTH COKE/LIFE

Location: 766-767 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22320

On how many occasions (if any) have you used cocaine in any other form . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2143	86.5 %	96.2%
2	1-2X:(2)	45	1.8 %	2.0%
3	3-5X:(3)	16	0.6 %	0.7%
4	6-9X:(4)	11	0.4 %	0.5%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	250	10.1 %	-

Based upon 2228 valid cases out of 2478 total cases.

V1760 111B077B:#XOTH COKE/12MO

Location: 768-769 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22330

On how many occasions (if any) have you used cocaine in any other form . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2173	87.7 %	97.6%
2	1-2X:(2)	32	1.3 %	1.4%
3	3-5X:(3)	11	0.4 %	0.5%
4	6-9X:(4)	5	0.2 %	0.2%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	251	10.1 %	-

Based upon 2227 valid cases out of 2478 total cases.

V1761

111B077C:#XOTH COKE/30DA

Location: 770-771 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22340

On how many occasions (if any) have you used cocaine in any other form . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2208	89.1 %	99.2%
2	1-2X:(2)	9	0.4 %	0.4%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	252	10.2 %	-

Based upon 2226 valid cases out of 2478 total cases.

V1124 111R :#X COKE/LIFETIME

Location: 772-773 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00950

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A. . . in your lifetime?" (item 22260)

and "On how many occasions (if any) have you used cocaine in any other form . . .

A. . . in your lifetime? (item 22320)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2105	84.9 %	95.9%
2	1-2X:(2)	41	1.7 %	1.9%
3	3-5X:(3)	22	0.9 %	1.0%
4	6-9X:(4)	11	0.4 %	0.5%
5	10-19X:(5)	8	0.3 %	0.4%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	282	11.4 %	-

Based upon 2196 valid cases out of 2478 total cases.

V1125 111R :#X COKE/LAST12MO

Location: 774-775 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00960

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B. . . . During the last 12 months?" (item 22270)

and "On how many occasions (if any) have you used cocaine in any other form . . .

B. . . . During the last 12 months? (item 22330)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2140	86.4 %	97.5%
2	1-2X:(2)	28	1.1 %	1.3%
3	3-5X:(3)	12	0.5 %	0.5%
4	6-9X:(4)	6	0.2 %	0.3%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	283	11.4 %	-

Based upon 2195 valid cases out of 2478 total cases.

V1126

111R :#X COKE/LAST30DA

Location: 776-777 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00970

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C. . . . During the last 30 days?" (item 22280)

and "On how many occasions (if any) have you used cocaine in any other form . . .

C. . . . During the last 30 days? (item 22340)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2

through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2173	87.7 %	99.0%
2	1-2X:(2)	9	0.4 %	0.4%
3	3-5X:(3)	6	0.2 %	0.3%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	284	11.5 %	-

Based upon 2194 valid cases out of 2478 total cases.

V1480 111B078A:#X/YR COKE ALNE

Location: 778-779 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04190

IF YOU HAVE NOT TAKEN ANY COCAINE (POWDER, CRACK, FREEBASE, ETC.) IN THE LAST 12 MONTHS, GO TO QUESTION 86.

When you used cocaine during the last year, how often did you use it in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	52	2.1 %	77.6%
2	FEW TIMES:(2)	9	0.4 %	13.4%
3	SOMETIMES:(3)	3	0.1 %	4.5%
4	MOST TIMES:(4)	2	0.1 %	3.0%
5	EVERY TIME:(5)	1	0.0 %	1.5%
-9 (M)	MISSING:(-9)	2411	97.3 %	-

Based upon 67 valid cases out of 2478 total cases.

V1481 111B078B:#X/YR COKE-2PPL

Location: 780-781 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04200

When you used cocaine during the last year, how often did you use it in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	17	0.7 %	26.2%
2	FEW TIMES:(2)	20	0.8 %	30.8%
3	SOMETIMES:(3)	6	0.2 %	9.2%
4	MOST TIMES:(4)	9	0.4 %	13.8%
5	EVERY TIME:(5)	13	0.5 %	20.0%
-9 (M)	MISSING:(-9)	2413	97.4 %	-

Based upon 65 valid cases out of 2478 total cases.

V1482

111B078C:#X/YR COKE@PRTY

Location: 782-783 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04210

When you used cocaine during the last year, how often did you use it in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	27	1.1 %	41.5%
2	FEW TIMES:(2)	12	0.5 %	18.5%
3	SOMETIMES:(3)	9	0.4 %	13.8%
4	MOST TIMES:(4)	7	0.3 %	10.8%
5	EVERY TIME:(5)	10	0.4 %	15.4%
-9 (M)	MISSING:(-9)	2413	97.4 %	-

Based upon 65 valid cases out of 2478 total cases.

V1483

111B078D:#X/YR COKE-DT/S

Location: 784-785 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 04220

When you used cocaine during the last year, how often did you use it in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"
 4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	52	2.1 %	81.2%
2	FEW TIMES:(2)	2	0.1 %	3.1%
3	SOMETIMES:(3)	2	0.1 %	3.1%
4	MOST TIMES:(4)	4	0.2 %	6.2%
5	EVERY TIME:(5)	4	0.2 %	6.2%
-9 (M)	MISSING:(-9)	2414	97.4 %	-

Based upon 64 valid cases out of 2478 total cases.

V1484 111B078E:#X/YR COKE-ADLT

Location: 786-787 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 04230

When you used cocaine during the last year, how often did you use it in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
 4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	53	2.1 %	80.3%
2	FEW TIMES:(2)	4	0.2 %	6.1%
3	SOMETIMES:(3)	2	0.1 %	3.0%
4	MOST TIMES:(4)	2	0.1 %	3.0%
5	EVERY TIME:(5)	5	0.2 %	7.6%
-9 (M)	MISSING:(-9)	2412	97.3 %	-

Based upon 66 valid cases out of 2478 total cases.

V1485 111B078F:#X/YR COKE-DATM

Location: 788-789 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04240

When you used cocaine during the last year, how often did you use it in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	45	1.8 %	68.2%
2	FEW TIMES:(2)	9	0.4 %	13.6%
3	SOMETIMES:(3)	5	0.2 %	7.6%
4	MOST TIMES:(4)	5	0.2 %	7.6%
5	EVERY TIME:(5)	2	0.1 %	3.0%
-9 (M)	MISSING:(-9)	2412	97.3 %	-

Based upon 66 valid cases out of 2478 total cases.

V1486 111B078G:#X/YR COKE@HOME

Location: 790-791 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04250

When you used cocaine during the last year, how often did you use it in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	47	1.9 %	72.3%
2	FEW TIMES:(2)	4	0.2 %	6.2%
3	SOMETIMES:(3)	3	0.1 %	4.6%
4	MOST TIMES:(4)	4	0.2 %	6.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	EVERY TIME:(5)	7	0.3 %	10.8%
-9 (M)	MISSING:(-9)	2413	97.4 %	-

Based upon 65 valid cases out of 2478 total cases.

V1487 111B078H:#X/YR COKE@SCHL

Location: 792-793 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04260

When you used cocaine during the last year, how often did you use it in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	56	2.3 %	86.2%
2	FEW TIMES:(2)	3	0.1 %	4.6%
3	SOMETIMES:(3)	1	0.0 %	1.5%
4	MOST TIMES:(4)	2	0.1 %	3.1%
5	EVERY TIME:(5)	3	0.1 %	4.6%
-9 (M)	MISSING:(-9)	2413	97.4 %	-

Based upon 65 valid cases out of 2478 total cases.

V1488 111B078I:#X/YR COKE@CAR

Location: 794-795 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04280

When you used cocaine during the last year, how often did you use it in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	48	1.9 %	72.7%
2	FEW TIMES:(2)	10	0.4 %	15.2%
3	SOMETIMES:(3)	5	0.2 %	7.6%
4	MOST TIMES:(4)	2	0.1 %	3.0%
5	EVERY TIME:(5)	1	0.0 %	1.5%
-9 (M)	MISSING:(-9)	2412	97.3 %	-

Based upon 66 valid cases out of 2478 total cases.

V1489 111B079A:#X OVL COKE+ALC

Location: 796-797 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04290

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	25	1.0 %	39.1%
2	FEW TIMES:(2)	10	0.4 %	15.6%
3	SOMETIMES:(3)	9	0.4 %	14.1%
4	MOST TIMES:(4)	10	0.4 %	15.6%
5	EVERY TIME:(5)	10	0.4 %	15.6%
-9 (M)	MISSING:(-9)	2414	97.4 %	-

Based upon 64 valid cases out of 2478 total cases.

V1490 111B079B:#X OVL COKE+MJ

Location: 798-799 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04300

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	23	0.9 %	37.7%
2	FEW TIMES:(2)	11	0.4 %	18.0%
3	SOMETIMES:(3)	11	0.4 %	18.0%
4	MOST TIMES:(4)	6	0.2 %	9.8%
5	EVERY TIME:(5)	10	0.4 %	16.4%
-9 (M)	MISSING:(-9)	2417	97.5 %	-

Based upon 61 valid cases out of 2478 total cases.

V1491 111B079C:#X OVL COKE+LSD

Location: 800-801 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04310

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

C: With LSD

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	53	2.1 %	88.3%
2	FEW TIMES:(2)	3	0.1 %	5.0%
3	SOMETIMES:(3)	2	0.1 %	3.3%
4	MOST TIMES:(4)	1	0.0 %	1.7%
5	EVERY TIME:(5)	1	0.0 %	1.7%
-9 (M)	MISSING:(-9)	2418	97.6 %	-

Based upon 60 valid cases out of 2478 total cases.

V1492 111B079D:#X OVL COKE+PSY

Location: 802-803 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04320

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

D: With hallucinogens other than LSD

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	52	2.1 %	86.7%
2	FEW TIMES:(2)	2	0.1 %	3.3%
3	SOMETIMES:(3)	4	0.2 %	6.7%
4	MOST TIMES:(4)	1	0.0 %	1.7%
5	EVERY TIME:(5)	1	0.0 %	1.7%
-9 (M)	MISSING:(-9)	2418	97.6 %	-

Based upon 60 valid cases out of 2478 total cases.

V1493 111B079E:#X OVL COKE+AMP

Location: 804-805 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04330

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

E: With amphetamines

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	49	2.0 %	83.1%
2	FEW TIMES:(2)	5	0.2 %	8.5%
3	SOMETIMES:(3)	3	0.1 %	5.1%
5	EVERY TIME:(5)	2	0.1 %	3.4%
-9 (M)	MISSING:(-9)	2419	97.6 %	-

Based upon 59 valid cases out of 2478 total cases.

V1494 111B079F:#X OVL COKE+QUA

Location: 806-807 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 04340

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

F: With quaaludes

1="Not at all" 2="A few of the times" 3="Some of the times"
 4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	57	2.3 %	96.6%
3	SOMETIMES:(3)	1	0.0 %	1.7%
5	EVERY TIME:(5)	1	0.0 %	1.7%
-9 (M)	MISSING:(-9)	2419	97.6 %	-

Based upon 59 valid cases out of 2478 total cases.

V1495 111B079G:#X OVL COKE+BRB

Location: 808-809 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 04350

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

G: With barbiturates

1="Not at all" 2="A few of the times" 3="Some of the times"
 4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	55	2.2 %	93.2%
2	FEW TIMES:(2)	3	0.1 %	5.1%
3	SOMETIMES:(3)	1	0.0 %	1.7%
-9 (M)	MISSING:(-9)	2419	97.6 %	-

Based upon 59 valid cases out of 2478 total cases.

V1496 111B079H:#X OVL COKE+TRN

Location: 810-811 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 04360

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

H: With tranquilizers

1="Not at all" 2="A few of the times" 3="Some of the times"
 4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	52	2.1 %	88.1%
2	FEW TIMES:(2)	5	0.2 %	8.5%
3	SOMETIMES:(3)	1	0.0 %	1.7%
4	MOST TIMES:(4)	1	0.0 %	1.7%
-9 (M)	MISSING:(-9)	2419	97.6 %	-

Based upon 59 valid cases out of 2478 total cases.

V1497 111B080A:COKE EXPERIMENT

Location: 812-813 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 04370

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	15	0.6 %	27.3%
1	MARKED:(1)	40	1.6 %	72.7%
-9 (M)	MISSING:(-9)	2423	97.8 %	-

Based upon 55 valid cases out of 2478 total cases.

V1498 111B080B:COKE RELAX

Location: 814-815 (width: 2; decimal: 0)
 Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04380

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	44	1.8 %	80.0%
1	MARKED:(1)	11	0.4 %	20.0%
-9 (M)	MISSING:(-9)	2423	97.8 %	-

Based upon 55 valid cases out of 2478 total cases.

V1499 111B080C:COKE GET HIGH

Location: 816-817 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04390

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	30	1.2 %	54.5%
1	MARKED:(1)	25	1.0 %	45.5%
-9 (M)	MISSING:(-9)	2423	97.8 %	-

Based upon 55 valid cases out of 2478 total cases.

V1500 111B080D:COKE SK INSIGHT

Location: 818-819 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04400

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	52	2.1 %	94.5%
1	MARKED:(1)	3	0.1 %	5.5%
-9 (M)	MISSING:(-9)	2423	97.8 %	-

Based upon 55 valid cases out of 2478 total cases.

V1501 111B080E:COKE GD TM FRND

Location: 820-821 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04410

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	35	1.4 %	63.6%
1	MARKED:(1)	20	0.8 %	36.4%
-9 (M)	MISSING:(-9)	2423	97.8 %	-

Based upon 55 valid cases out of 2478 total cases.

V1502 111B080F:COKE FIT IN GRP

Location: 822-823 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04420

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	53	2.1 %	96.4%
1	MARKED:(1)	2	0.1 %	3.6%
-9 (M)	MISSING:(-9)	2423	97.8 %	-

Based upon 55 valid cases out of 2478 total cases.

V1503 111B080G:COKE GT AWY PRB

Location: 824-825 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04430

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	46	1.9 %	83.6%
1	MARKED:(1)	9	0.4 %	16.4%
-9 (M)	MISSING:(-9)	2423	97.8 %	-

Based upon 55 valid cases out of 2478 total cases.

V1504 111B080H:COKE BOREDOM

Location: 826-827 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04440

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	45	1.8 %	81.8%
1	MARKED:(1)	10	0.4 %	18.2%
-9 (M)	MISSING:(-9)	2423	97.8 %	-

Based upon 55 valid cases out of 2478 total cases.

V1505 111B080I:COKE ANGR/FRSTN

Location: 828-829 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04450

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	49	2.0 %	89.1%
1	MARKED:(1)	6	0.2 %	10.9%
-9 (M)	MISSING:(-9)	2423	97.8 %	-

Based upon 55 valid cases out of 2478 total cases.

V1506 111B080J:COKE GT THRU DA

Location: 830-831 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04460

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	52	2.1 %	94.5%
1	MARKED:(1)	3	0.1 %	5.5%
-9 (M)	MISSING:(-9)	2423	97.8 %	-

Based upon 55 valid cases out of 2478 total cases.

V1507 111B080K:COKE INCR EF DR

Location: 832-833 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04470

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	49	2.0 %	89.1%
1	MARKED:(1)	6	0.2 %	10.9%
-9 (M)	MISSING:(-9)	2423	97.8 %	-

Based upon 55 valid cases out of 2478 total cases.

V1508 111B080L:COKE DCRS EF DR

Location: 834-835 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04480

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	53	2.1 %	96.4%
1	MARKED:(1)	2	0.1 %	3.6%
-9 (M)	MISSING:(-9)	2423	97.8 %	-

Based upon 55 valid cases out of 2478 total cases.

V1509 111B080M:COKE STAY AWAKE

Location: 836-837 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04490

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

M. To stay awake

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	42	1.7 %	76.4%
1	MARKED:(1)	13	0.5 %	23.6%
-9 (M)	MISSING:(-9)	2423	97.8 %	-

Based upon 55 valid cases out of 2478 total cases.

V1510 111B080N:COKE GET>ENERGY

Location: 838-839 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04500

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

N. To get more energy

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	40	1.6 %	72.7%
1	MARKED:(1)	15	0.6 %	27.3%
-9 (M)	MISSING:(-9)	2423	97.8 %	-

Based upon 55 valid cases out of 2478 total cases.

V1511 111B080O:COKE I AM HOOKD

Location: 840-841 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04510

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

O. Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	54	2.2 %	98.2%
1	MARKED:(1)	1	0.0 %	1.8%
-9 (M)	MISSING:(-9)	2423	97.8 %	-

Based upon 55 valid cases out of 2478 total cases.

V1512 111B081:COK,GET VERY HI

Location: 842-843 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04520

When you take cocaine how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high" 5="I don't take it to get high"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	5	0.2 %	7.9%
2	A LITTLE:(2)	13	0.5 %	20.6%
3	MODERATE:(3)	21	0.8 %	33.3%
4	VERY:(4)	19	0.8 %	30.2%
5	N TK HIGH:(5)	5	0.2 %	7.9%
-9 (M)	MISSING:(-9)	2415	97.5 %	-

Based upon 63 valid cases out of 2478 total cases.

V1513 111B082:COK,HIGH 24+ HR

Location: 844-845 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04530

When you take cocaine how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to
six hours" 4="Seven to 24 hours" 5="More than 24 hours"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	USLY DON'T:(1)	10	0.4 %	16.1%
2	1-2 HRS:(2)	29	1.2 %	46.8%
3	3-6 HRS:(3)	17	0.7 %	27.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	7-24 HRS:(4)	5	0.2 %	8.1%
5	> 24 HRS:(5)	1	0.0 %	1.6%
-9 (M)	MISSING:(-9)	2416	97.5 %	-

Based upon 62 valid cases out of 2478 total cases.

V1514 111B083:*TRY STP COK/FL

Location: 846-847 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04540

Have you ever tried to stop using cocaine and found that you couldn't stop?

1="Yes" 2="No"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES:(1)	9	0.4 %	14.1%
2	NO:(2)	55	2.2 %	85.9%
-9 (M)	MISSING:(-9)	2414	97.4 %	-

Based upon 64 valid cases out of 2478 total cases.

V1743 111B084A:FRM COKE-POWDER

Location: 848-849 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04531

What forms of cocaine have you used? (Mark all that apply.)

A. Cocaine powder

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	2	0.1 %	3.5%
1	MARKED:(1)	55	2.2 %	96.5%
-9 (M)	MISSING:(-9)	2421	97.7 %	-

Based upon 57 valid cases out of 2478 total cases.

V1746 111B084B:FRM COKE-CRACK

Location: 850-851 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04534

What forms of cocaine have you used? (Mark all that apply.)

B. "Crack" or "rock"

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	44	1.8 %	77.2%
1	MARKED:(1)	13	0.5 %	22.8%
-9 (M)	MISSING:(-9)	2421	97.7 %	-

Based upon 57 valid cases out of 2478 total cases.

V1744 111B084C:FRM COKE-FRBASE

Location: 852-853 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04532

What forms of cocaine have you used? (Mark all that apply.)

C. "Freebase" or "base"

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	50	2.0 %	87.7%
1	MARKED:(1)	7	0.3 %	12.3%
-9 (M)	MISSING:(-9)	2421	97.7 %	-

Based upon 57 valid cases out of 2478 total cases.

V1745 111B084D:FRM COKE-PASTE

Location: 854-855 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04533

What forms of cocaine have you used? (Mark all that apply.)

D. Coca paste

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	53	2.1 %	93.0%
1	MARKED:(1)	4	0.2 %	7.0%
-9 (M)	MISSING:(-9)	2421	97.7 %	-

Based upon 57 valid cases out of 2478 total cases.

V1515 111B085A:MTHD COKE SNORT

Location: 856-857 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04550

What methods have you used for taking cocaine?
(Mark all that apply.)

A. Sniffing or "snorting"

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	5	0.2 %	8.8%
1	MARKED:(1)	52	2.1 %	91.2%
-9 (M)	MISSING:(-9)	2421	97.7 %	-

Based upon 57 valid cases out of 2478 total cases.

V1516 111B085B:MTHD COKE-SMOKE

Location: 858-859 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04560

What methods have you used for taking cocaine?
(Mark all that apply.)

B. Smoking

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	39	1.6 %	68.4%
1	MARKED:(1)	18	0.7 %	31.6%
-9 (M)	MISSING:(-9)	2421	97.7 %	-

Based upon 57 valid cases out of 2478 total cases.

V1517 111B085C: MTHD COKE-INJCT

Location: 860-861 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04570

What methods have you used for taking cocaine?
(Mark all that apply.)

C. Injection

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	54	2.2 %	94.7%
1	MARKED:(1)	3	0.1 %	5.3%
-9 (M)	MISSING:(-9)	2421	97.7 %	-

Based upon 57 valid cases out of 2478 total cases.

V1747 111B085D: MTHD COKE-INHAL

Location: 862-863 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04575

What methods have you used for taking cocaine?
(Mark all that apply.)

D. Inhaling fumes

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	53	2.1 %	93.0%
1	MARKED:(1)	4	0.2 %	7.0%
-9 (M)	MISSING:(-9)	2421	97.7 %	-

Based upon 57 valid cases out of 2478 total cases.

V1518 111B085E:MTHD COKE-MOUTH

Location: 864-865 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04580

What methods have you used for taking cocaine?
(Mark all that apply.)

E. By mouth

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	48	1.9 %	84.2%
1	MARKED:(1)	9	0.4 %	15.8%
-9 (M)	MISSING:(-9)	2421	97.7 %	-

Based upon 57 valid cases out of 2478 total cases.

V1519 111B085F:MTHD COKE-OTHER

Location: 866-867 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04590

What methods have you used for taking cocaine?
(Mark all that apply.)

F. Other

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	54	2.2 %	94.7%
1	MARKED:(1)	3	0.1 %	5.3%
-9 (M)	MISSING:(-9)	2421	97.7 %	-

Based upon 57 valid cases out of 2478 total cases.

V1520 111B086:NO COKE IN 5YR

Location: 868-869 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 04600

Do you think you will be using cocaine five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	6	0.2 %	0.3%
2	PRB WILL:(2)	16	0.6 %	0.7%
3	PRB WONT:(3)	136	5.5 %	6.0%
4	DEF WONT:(4)	2090	84.3 %	93.0%
-9 (M)	MISSING:(-9)	230	9.3 %	-

Based upon 2248 valid cases out of 2478 total cases.

V1139

111B087A:#X H/LIFETIME (COPY OF V1521)

Location: 870-871 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01100

The next questions are about HEROIN. On how many occasions (if any) have you taken heroin . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2190	88.4 %	98.6%
2	1-2X:(2)	16	0.6 %	0.7%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	8	0.3 %	0.4%
-9 (M)	MISSING:(-9)	258	10.4 %	-

Based upon 2220 valid cases out of 2478 total cases.

V1521 111B087A:#X H/LIFETIME

Location: 872-873 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01100

The next questions are about HEROIN. On how many occasions (if any) have you taken heroin . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2190	88.4 %	98.6%
2	1-2X:(2)	16	0.6 %	0.7%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	8	0.3 %	0.4%
-9 (M)	MISSING:(-9)	258	10.4 %	-

Based upon 2220 valid cases out of 2478 total cases.

V1140 111B087B:#X H/LAST 12M (COPY OF V1522)

Location: 874-875 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01110

On how many occasions (if any) have you taken heroin . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2204	88.9 %	99.4%
2	1-2X:(2)	5	0.2 %	0.2%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	261	10.5 %	-

Based upon 2217 valid cases out of 2478 total cases.

V1522

111B087B:#X H/LAST 12M

Location: 876-877 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01110

On how many occasions (if any) have you taken heroin . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2204	88.9 %	99.4%
2	1-2X:(2)	5	0.2 %	0.2%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	261	10.5 %	-

Based upon 2217 valid cases out of 2478 total cases.

V1141

111B087C:#X H/LAST 30D (COPY OF V1523)

Location: 878-879 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01120

On how many occasions (if any) have you taken heroin . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2210	89.2 %	99.7%
2	1-2X:(2)	3	0.1 %	0.1%
3	3-5X:(3)	1	0.0 %	0.0%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	261	10.5 %	-

Based upon 2217 valid cases out of 2478 total cases.

V1523

111B087C:#X H/LAST 30D

Location: 880-881 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01120

On how many occasions (if any) have you taken heroin . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2210	89.2 %	99.7%
2	1-2X:(2)	3	0.1 %	0.1%
3	3-5X:(3)	1	0.0 %	0.0%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	261	10.5 %	-

Based upon 2217 valid cases out of 2478 total cases.

V1564 111B088:DR TOLD TK NARC

Location: 882-883 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05020

The next questions are about NARCOTICS OTHER THAN HEROIN, which are sometimes prescribed by doctors. Drugstores are not supposed to sell them without a prescription. These include: Methadone, Codeine, OxyContin, Percodan, Opium, Demerol, Percocet, Ultram, Morphine, Vicodin. Have you ever taken any narcotics other than heroin because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."

3="Yes, and it was the first time I took any."

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	1853	74.8 %	83.4%
2	YES/BUT TRIED:(2)	81	3.3 %	3.6%
3	YES/FIRST:(3)	288	11.6 %	13.0%
-9 (M)	MISSING:(-9)	256	10.3 %	-

Based upon 2222 valid cases out of 2478 total cases.

V1142 111B089A:#X NARC/LIFETIM (COPY OF V1565)

Location: 884-885 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01130

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	1978	79.8 %	89.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	1-2X:(2)	93	3.8 %	4.2%
3	3-5X:(3)	49	2.0 %	2.2%
4	6-9X:(4)	29	1.2 %	1.3%
5	10-19X:(5)	36	1.5 %	1.6%
6	20-39X:(6)	10	0.4 %	0.5%
7	40+OCCAS:(7)	25	1.0 %	1.1%
-9 (M)	MISSING:(-9)	258	10.4 %	-

Based upon 2220 valid cases out of 2478 total cases.

V1565

111B089A:#X NARC/LIFETIM

Location: 886-887 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01130

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	1978	79.8 %	89.1%
2	1-2X:(2)	93	3.8 %	4.2%
3	3-5X:(3)	49	2.0 %	2.2%
4	6-9X:(4)	29	1.2 %	1.3%
5	10-19X:(5)	36	1.5 %	1.6%
6	20-39X:(6)	10	0.4 %	0.5%
7	40+OCCAS:(7)	25	1.0 %	1.1%
-9 (M)	MISSING:(-9)	258	10.4 %	-

Based upon 2220 valid cases out of 2478 total cases.

V1143

111B089B:#X NARC/LAST12M (COPY OF V1566)

Location: 888-889 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2061	83.2 %	92.9%
2	1-2X:(2)	71	2.9 %	3.2%
3	3-5X:(3)	40	1.6 %	1.8%
4	6-9X:(4)	11	0.4 %	0.5%
5	10-19X:(5)	14	0.6 %	0.6%
6	20-39X:(6)	8	0.3 %	0.4%
7	40+OCCAS:(7)	14	0.6 %	0.6%
-9 (M)	MISSING:(-9)	259	10.5 %	-

Based upon 2219 valid cases out of 2478 total cases.

V1566

111B089B:#X NARC/LAST12M

Location: 890-891 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	O OCCAS:(1)	2061	83.2 %	92.9%
2	1-2X:(2)	71	2.9 %	3.2%
3	3-5X:(3)	40	1.6 %	1.8%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	6-9X:(4)	11	0.4 %	0.5%
5	10-19X:(5)	14	0.6 %	0.6%
6	20-39X:(6)	8	0.3 %	0.4%
7	40+OCCAS:(7)	14	0.6 %	0.6%
-9 (M)	MISSING:(-9)	259	10.5 %	-

Based upon 2219 valid cases out of 2478 total cases.

V1144 111B089C:#X NARC/LAST30D (COPY OF V1567)

Location: 892-893 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2157	87.0 %	97.3%
2	1-2X:(2)	31	1.3 %	1.4%
3	3-5X:(3)	15	0.6 %	0.7%
4	6-9X:(4)	6	0.2 %	0.3%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	261	10.5 %	-

Based upon 2217 valid cases out of 2478 total cases.

V1567 111B089C:#X NARC/LAST30D

Location: 894-895 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2157	87.0 %	97.3%
2	1-2X:(2)	31	1.3 %	1.4%
3	3-5X:(3)	15	0.6 %	0.7%
4	6-9X:(4)	6	0.2 %	0.3%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	261	10.5 %	-

Based upon 2217 valid cases out of 2478 total cases.

V1568

111B090A:#X/YR NARC ALNE

Location: 896-897 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05030

IF YOU HAVE NOT TAKEN NARCOTICS OTHER THAN HEROIN IN THE LAST TWELVE MONTHS, GO TO QUESTION 98. THE FOLLOWING QUESTIONS REFER ONLY TO TAKING NARCOTICS OTHER THAN HEROIN WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 98.

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	53	2.1 %	38.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	FEW TIMES:(2)	34	1.4 %	24.5%
3	SOMETIMES:(3)	16	0.6 %	11.5%
4	MOST TIMES:(4)	14	0.6 %	10.1%
5	EVERY TIME:(5)	22	0.9 %	15.8%
-9 (M)	MISSING:(-9)	2339	94.4 %	-

Based upon 139 valid cases out of 2478 total cases.

V1569

111B090B:#X/YR NARC-2PPL

Location: 898-899 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05040

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	37	1.5 %	26.8%
2	FEW TIMES:(2)	41	1.7 %	29.7%
3	SOMETIMES:(3)	29	1.2 %	21.0%
4	MOST TIMES:(4)	17	0.7 %	12.3%
5	EVERY TIME:(5)	14	0.6 %	10.1%
-9 (M)	MISSING:(-9)	2340	94.4 %	-

Based upon 138 valid cases out of 2478 total cases.

V1570

111B090C:#X/YR NARC@PRTY

Location: 900-901 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05050

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	84	3.4 %	61.3%
2	FEW TIMES:(2)	16	0.6 %	11.7%
3	SOMETIMES:(3)	17	0.7 %	12.4%
4	MOST TIMES:(4)	11	0.4 %	8.0%
5	EVERY TIME:(5)	9	0.4 %	6.6%
-9 (M)	MISSING:(-9)	2341	94.5 %	-

Based upon 137 valid cases out of 2478 total cases.

V1571

111B090D:#X/YR NARC-DT/S

Location: 902-903 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05060

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	97	3.9 %	70.8%
2	FEW TIMES:(2)	17	0.7 %	12.4%
3	SOMETIMES:(3)	10	0.4 %	7.3%
4	MOST TIMES:(4)	8	0.3 %	5.8%
5	EVERY TIME:(5)	5	0.2 %	3.6%
-9 (M)	MISSING:(-9)	2341	94.5 %	-

Based upon 137 valid cases out of 2478 total cases.

V1572

111B090E:#X/YR NARC-ADLT

Location: 904-905 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05070

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	97	3.9 %	69.8%
2	FEW TIMES:(2)	24	1.0 %	17.3%
3	SOMETIMES:(3)	10	0.4 %	7.2%
4	MOST TIMES:(4)	3	0.1 %	2.2%
5	EVERY TIME:(5)	5	0.2 %	3.6%
-9 (M)	MISSING:(-9)	2339	94.4 %	-

Based upon 139 valid cases out of 2478 total cases.

V1573 111B090F:#X/YR NARC-DATM

Location: 906-907 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05080

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	60	2.4 %	43.5%
2	FEW TIMES:(2)	28	1.1 %	20.3%
3	SOMETIMES:(3)	19	0.8 %	13.8%
4	MOST TIMES:(4)	23	0.9 %	16.7%
5	EVERY TIME:(5)	8	0.3 %	5.8%
-9 (M)	MISSING:(-9)	2340	94.4 %	-

Based upon 138 valid cases out of 2478 total cases.

V1574 111B090G:#X/YR NARC@HOME

Location: 908-909 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 05090

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
 4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	50	2.0 %	36.0%
2	FEW TIMES:(2)	25	1.0 %	18.0%
3	SOMETIMES:(3)	19	0.8 %	13.7%
4	MOST TIMES:(4)	19	0.8 %	13.7%
5	EVERY TIME:(5)	26	1.0 %	18.7%
-9 (M)	MISSING:(-9)	2339	94.4 %	-

Based upon 139 valid cases out of 2478 total cases.

V1575 111B090H:#X/YR NARC@SCHL

Location: 910-911 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 05100

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"
 4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	87	3.5 %	63.5%
2	FEW TIMES:(2)	20	0.8 %	14.6%
3	SOMETIMES:(3)	19	0.8 %	13.9%
4	MOST TIMES:(4)	6	0.2 %	4.4%
5	EVERY TIME:(5)	5	0.2 %	3.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	2341	94.5 %	-

Based upon 137 valid cases out of 2478 total cases.

V1576 111B090I:#X/YR NARC @CAR

Location: 912-913 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05120

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	103	4.2 %	75.7%
2	FEW TIMES:(2)	12	0.5 %	8.8%
3	SOMETIMES:(3)	17	0.7 %	12.5%
4	MOST TIMES:(4)	3	0.1 %	2.2%
5	EVERY TIME:(5)	1	0.0 %	0.7%
-9 (M)	MISSING:(-9)	2342	94.5 %	-

Based upon 136 valid cases out of 2478 total cases.

V1865 111B091A:NARC SRC INTERNET

Location: 914-915 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31910

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

A: Bought on the internet

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	130	5.2 %	97.7%
1	MARKED:(1)	3	0.1 %	2.3%
-9 (M)	MISSING:(-9)	2345	94.6 %	-

Based upon 133 valid cases out of 2478 total cases.

V1886 111B091B:NARC SRC FRND-ASK

Location: 916-917 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31921

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

B: Took from a friend without asking

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	126	5.1 %	94.7%
1	MARKED:(1)	7	0.3 %	5.3%
-9 (M)	MISSING:(-9)	2345	94.6 %	-

Based upon 133 valid cases out of 2478 total cases.

V1887 111B091C:NARC SRC RLTV-ASK

Location: 918-919 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31922

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

C: Took from a relative without asking

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	112	4.5 %	84.2%
1	MARKED:(1)	21	0.8 %	15.8%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	2345	94.6 %	-

Based upon 133 valid cases out of 2478 total cases.

V1888 111B091D:NARC SRC FRND FREE

Location: 920-921 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31931

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

D: Given for free by a friend

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	64	2.6 %	48.1%
1	MARKED:(1)	69	2.8 %	51.9%
-9 (M)	MISSING:(-9)	2345	94.6 %	-

Based upon 133 valid cases out of 2478 total cases.

V1889 111B091E:NARC SRC RLTV FREE

Location: 922-923 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31932

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

E: Given for free by a relative

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	111	4.5 %	83.5%
1	MARKED:(1)	22	0.9 %	16.5%
-9 (M)	MISSING:(-9)	2345	94.6 %	-

Based upon 133 valid cases out of 2478 total cases.

V1890 111B091F:NARC SRC FRND BGHT

Location: 924-925 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31941

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

F: Bought from a friend

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	90	3.6 %	67.7%
1	MARKED:(1)	43	1.7 %	32.3%
-9 (M)	MISSING:(-9)	2345	94.6 %	-

Based upon 133 valid cases out of 2478 total cases.

V1891 111B091G:NARC SRC RLTV BGHT

Location: 926-927 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31942

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

G: Bought from a relative

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	124	5.0 %	93.2%
1	MARKED:(1)	9	0.4 %	6.8%
-9 (M)	MISSING:(-9)	2345	94.6 %	-

Based upon 133 valid cases out of 2478 total cases.

V1869 111B091H:NARC SRC PRESCR

Location: 928-929 (width: 2; decimal: 0)

Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 31950

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

H: From a prescription I had

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	82	3.3 %	61.7%
1	MARKED:(1)	51	2.1 %	38.3%
-9 (M)	MISSING:(-9)	2345	94.6 %	-

Based upon 133 valid cases out of 2478 total cases.

V1870 111B091I:NARC SRC DEALER

Location: 930-931 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 31960

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

I: Bought from drug dealer/stranger

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	118	4.8 %	88.7%
1	MARKED:(1)	15	0.6 %	11.3%
-9 (M)	MISSING:(-9)	2345	94.6 %	-

Based upon 133 valid cases out of 2478 total cases.

V1871 111B091J:NARC SRC OTHER

Location: 932-933 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 31970

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

J: Other method

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	121	4.9 %	91.0%
1	MARKED:(1)	12	0.5 %	9.0%
-9 (M)	MISSING:(-9)	2345	94.6 %	-

Based upon 133 valid cases out of 2478 total cases.

V1892 111B092A:NARC SCRIPT DENTST

Location: 934-935 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32460

If you took a narcotic drug without a doctor's orders -- one for which you had a prescription in your name -- from whom did you get this prescription? (Mark all that apply.)

A. A dentist

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	100	4.0 %	78.1%
1	MARKED:(1)	28	1.1 %	21.9%
-9 (M)	MISSING:(-9)	2350	94.8 %	-

Based upon 128 valid cases out of 2478 total cases.

V1893 111B092B:NARC SCRIPT ER DOC

Location: 936-937 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32470

If you took a narcotic drug without a doctor's orders -- one for which you had a prescription in your name -- from whom did you get this prescription? (Mark all that apply.)

B. An emergency room doctor

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	106	4.3 %	82.8%
1	MARKED:(1)	22	0.9 %	17.2%
-9 (M)	MISSING:(-9)	2350	94.8 %	-

Based upon 128 valid cases out of 2478 total cases.

V1894 111B092C:NARC SCRIPT OTH DOC

Location: 938-939 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32480

If you took a narcotic drug without a doctor's orders -- one for which you had a prescription in your name -- from whom did you get this prescription? (Mark all that apply.)

C. Another doctor

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	95	3.8 %	74.2%
1	MARKED:(1)	33	1.3 %	25.8%
-9 (M)	MISSING:(-9)	2350	94.8 %	-

Based upon 128 valid cases out of 2478 total cases.

V1895 111B092D:NARC SCRIPT DIDNT

Location: 940-941 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32490

If you took a narcotic drug without a doctor's orders -- one for which you had a prescription in your name -- from whom did you get this prescription? (Mark all that apply.)

D. I didn't use any narcotics from a prescription of mine without a doctor's orders

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	67	2.7 %	52.3%
1	MARKED:(1)	61	2.5 %	47.7%
-9 (M)	MISSING:(-9)	2350	94.8 %	-

Based upon 128 valid cases out of 2478 total cases.

V1587 111B093A:NARC EXPERIMENT

Location: 942-943 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05230

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	77	3.1 %	60.6%
1	MARKED:(1)	50	2.0 %	39.4%
-9 (M)	MISSING:(-9)	2351	94.9 %	-

Based upon 127 valid cases out of 2478 total cases.

V1588 111B093B:NARC RELAX

Location: 944-945 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05240

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	47	1.9 %	37.0%
1	MARKED:(1)	80	3.2 %	63.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	2351	94.9 %	-

Based upon 127 valid cases out of 2478 total cases.

V1589

111B093C:NARC GET HIGH

Location: 946-947 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05250

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	62	2.5 %	48.8%
1	MARKED:(1)	65	2.6 %	51.2%
-9 (M)	MISSING:(-9)	2351	94.9 %	-

Based upon 127 valid cases out of 2478 total cases.

V1590

111B093D:NARC SK INSIGTS

Location: 948-949 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05260

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	123	5.0 %	96.9%
1	MARKED:(1)	4	0.2 %	3.1%
-9 (M)	MISSING:(-9)	2351	94.9 %	-

Based upon 127 valid cases out of 2478 total cases.

V1591 111B093E:NARC GD TM FRND

Location: 950-951 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05270

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	91	3.7 %	71.7%
1	MARKED:(1)	36	1.5 %	28.3%
-9 (M)	MISSING:(-9)	2351	94.9 %	-

Based upon 127 valid cases out of 2478 total cases.

V1592 111B093F:NARC FIT IN GRP

Location: 952-953 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05280

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	122	4.9 %	96.1%
1	MARKED:(1)	5	0.2 %	3.9%
-9 (M)	MISSING:(-9)	2351	94.9 %	-

Based upon 127 valid cases out of 2478 total cases.

V1593 111B093G:NARC GT AWY PBM

Location: 954-955 (width: 2; decimal: 0)

Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 05290

What have been the most important reasons for your using
 narcotics other than heroin without a doctor's orders?
 (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	103	4.2 %	81.1%
1	MARKED:(1)	24	1.0 %	18.9%
-9 (M)	MISSING:(-9)	2351	94.9 %	-

Based upon 127 valid cases out of 2478 total cases.

V1594 111B093H:NARC BOREDOM

Location: 956-957 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 05300

What have been the most important reasons for your using
 narcotics other than heroin without a doctor's orders?
 (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	103	4.2 %	81.1%
1	MARKED:(1)	24	1.0 %	18.9%
-9 (M)	MISSING:(-9)	2351	94.9 %	-

Based upon 127 valid cases out of 2478 total cases.

V1595 111B093I:NARC ANGR/FRSTN

Location: 958-959 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 05310

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	112	4.5 %	88.2%
1	MARKED:(1)	15	0.6 %	11.8%
-9 (M)	MISSING:(-9)	2351	94.9 %	-

Based upon 127 valid cases out of 2478 total cases.

V1596 111B093J:NARC GT THRU DA

Location: 960-961 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05320

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	112	4.5 %	88.2%
1	MARKED:(1)	15	0.6 %	11.8%
-9 (M)	MISSING:(-9)	2351	94.9 %	-

Based upon 127 valid cases out of 2478 total cases.

V1597 111B093K:NARC INC EF DG

Location: 962-963 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05330

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	117	4.7 %	92.1%
1	MARKED:(1)	10	0.4 %	7.9%
-9 (M)	MISSING:(-9)	2351	94.9 %	-

Based upon 127 valid cases out of 2478 total cases.

V1598

111B093L:NARC DEC EF DG

Location: 964-965 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05340

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	124	5.0 %	97.6%
1	MARKED:(1)	3	0.1 %	2.4%
-9 (M)	MISSING:(-9)	2351	94.9 %	-

Based upon 127 valid cases out of 2478 total cases.

V1599

111B093M:NARC GET SLEEP

Location: 966-967 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05350

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

M. To get to sleep

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	98	4.0 %	77.2%
1	MARKED:(1)	29	1.2 %	22.8%
-9 (M)	MISSING:(-9)	2351	94.9 %	-

Based upon 127 valid cases out of 2478 total cases.

V1600 111B093N:NARC SBST HERIN

Location: 968-969 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05360

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

N. As a substitute for heroin

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	125	5.0 %	98.4%
1	MARKED:(1)	2	0.1 %	1.6%
-9 (M)	MISSING:(-9)	2351	94.9 %	-

Based upon 127 valid cases out of 2478 total cases.

V1697 111B093O:NARC RLV PHYS P

Location: 970-971 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05363

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

O. To relieve physical pain

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	61	2.5 %	48.0%
1	MARKED:(1)	66	2.7 %	52.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	2351	94.9 %	-

Based upon 127 valid cases out of 2478 total cases.

V1698 111B093P:NARC RLV COUGHN

Location: 972-973 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05366

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

P. To control coughing

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	115	4.6 %	90.6%
1	MARKED:(1)	12	0.5 %	9.4%
-9 (M)	MISSING:(-9)	2351	94.9 %	-

Based upon 127 valid cases out of 2478 total cases.

V1601 111B093Q:NARC I AM HOOKD

Location: 974-975 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05370

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

Q. Because I am "hooked"--I have to have them

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	122	4.9 %	96.1%
1	MARKED:(1)	5	0.2 %	3.9%
-9 (M)	MISSING:(-9)	2351	94.9 %	-

Based upon 127 valid cases out of 2478 total cases.

V1602 111B094:NARC,GT VERY HI

Location: 976-977 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05380

When you take narcotics other than heroin how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high" 5="I don't take them to get high"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	9	0.4 %	6.9%
2	A LITTLE:(2)	32	1.3 %	24.4%
3	MODERATE:(3)	46	1.9 %	35.1%
4	VERY:(4)	24	1.0 %	18.3%
5	N TK HIGH:(5)	20	0.8 %	15.3%
-9 (M)	MISSING:(-9)	2347	94.7 %	-

Based upon 131 valid cases out of 2478 total cases.

V1603 111B095:NARC,HI 24+ HRS

Location: 978-979 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05390

When you take narcotics other than heroin how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%	Valid %
1	USLY DON'T:(1)	23	0.9 %	17.4%
2	1-2 HRS:(2)	40	1.6 %	30.3%
3	3-6 HRS:(3)	58	2.3 %	43.9%
4	7-24 HRS:(4)	11	0.4 %	8.3%
-9 (M)	MISSING:(-9)	2346	94.7 %	-

Based upon 132 valid cases out of 2478 total cases.

V1604 111B096A:NARC TKN MTHDNE

Location: 980-981 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05400

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

A. Methadone

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	116	4.7 %	89.2%
1	MARKED:(1)	14	0.6 %	10.8%
-9 (M)	MISSING:(-9)	2348	94.8 %	-

Based upon 130 valid cases out of 2478 total cases.

V1605 111B096B:NARC TKN OPIUM

Location: 982-983 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05410

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

B. Opium

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	119	4.8 %	91.5%
1	MARKED:(1)	11	0.4 %	8.5%
-9 (M)	MISSING:(-9)	2348	94.8 %	-

Based upon 130 valid cases out of 2478 total cases.

V1606 111B096C:NARC TKN MRPHNE

Location: 984-985 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05420

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

C. Morphine

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	101	4.1 %	77.7%
1	MARKED:(1)	29	1.2 %	22.3%
-9 (M)	MISSING:(-9)	2348	94.8 %	-

Based upon 130 valid cases out of 2478 total cases.

V1607 111B096D:NARC TKN CODEIN

Location: 986-987 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05430

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

D. Codeine

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	65	2.6 %	50.0%
1	MARKED:(1)	65	2.6 %	50.0%
-9 (M)	MISSING:(-9)	2348	94.8 %	-

Based upon 130 valid cases out of 2478 total cases.

V1608 111B096E:NARC TKN DEMROL

Location: 988-989 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05440

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

E. Demerol

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	118	4.8 %	90.8%
1	MARKED:(1)	12	0.5 %	9.2%
-9 (M)	MISSING:(-9)	2348	94.8 %	-

Based upon 130 valid cases out of 2478 total cases.

V1816 111B096F:NARC TKN VICODN

Location: 990-991 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05445

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

F. Vicodin

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	43	1.7 %	33.1%
1	MARKED:(1)	87	3.5 %	66.9%
-9 (M)	MISSING:(-9)	2348	94.8 %	-

Based upon 130 valid cases out of 2478 total cases.

V1817 111B096G:NARC TKN OXYCON

Location: 992-993 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05455

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

G. OxyContin

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	74	3.0 %	56.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MARKED:(1)	56	2.3 %	43.1%
-9 (M)	MISSING:(-9)	2348	94.8 %	-

Based upon 130 valid cases out of 2478 total cases.

V1818 111B096H:NARC TKN PERCET

Location: 994-995 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05465

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

H. Percocet

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	78	3.1 %	60.0%
1	MARKED:(1)	52	2.1 %	40.0%
-9 (M)	MISSING:(-9)	2348	94.8 %	-

Based upon 130 valid cases out of 2478 total cases.

V1819 111B096I:NARC TKN PERDAN

Location: 996-997 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05475

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

I. Percodan

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	123	5.0 %	94.6%
1	MARKED:(1)	7	0.3 %	5.4%
-9 (M)	MISSING:(-9)	2348	94.8 %	-

Based upon 130 valid cases out of 2478 total cases.

V1872 111B096J:NARC TKN ULTRAM

Location: 998-999 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31980

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

J. Ultram

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	125	5.0 %	96.2%
1	MARKED:(1)	5	0.2 %	3.8%
-9 (M)	MISSING:(-9)	2348	94.8 %	-

Based upon 130 valid cases out of 2478 total cases.

V1612 111B096K:NARC TKN OTHER

Location: 1000-1001 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05480

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

K. Other

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	103	4.2 %	79.2%
1	MARKED:(1)	27	1.1 %	20.8%
-9 (M)	MISSING:(-9)	2348	94.8 %	-

Based upon 130 valid cases out of 2478 total cases.

V1613 111B096L:NARC TKN DNT KN

Location: 1002-1003 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05490

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

L. Don't know the names of some I have used

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	121	4.9 %	93.1%
1	MARKED:(1)	9	0.4 %	6.9%
-9 (M)	MISSING:(-9)	2348	94.8 %	-

Based upon 130 valid cases out of 2478 total cases.

V1614

111B097:TRY STP NARC/FL

Location: 1004-1005 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05500

Have you ever tried to stop using narcotics other than heroin and found that you couldn't stop?

1="Yes" 2="No"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES:(1)	9	0.4 %	6.6%
2	NO:(2)	127	5.1 %	93.4%
-9 (M)	MISSING:(-9)	2342	94.5 %	-

Based upon 136 valid cases out of 2478 total cases.

V1615

111B098A:METH NARC SNORT

Location: 1006-1007 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05510

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

A. Sniffing or "snorting"

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	85	3.4 %	64.9%
1	MARKED:(1)	46	1.9 %	35.1%
-9 (M)	MISSING:(-9)	2347	94.7 %	-

Based upon 131 valid cases out of 2478 total cases.

V1616 111B098B:METH NARC SMOKE

Location: 1008-1009 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05520

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

B. Smoking

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	112	4.5 %	85.5%
1	MARKED:(1)	19	0.8 %	14.5%
-9 (M)	MISSING:(-9)	2347	94.7 %	-

Based upon 131 valid cases out of 2478 total cases.

V1617 111B098C:METH NARC INJCT

Location: 1010-1011 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05530

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

C. Injection

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	125	5.0 %	95.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MARKED:(1)	6	0.2 %	4.6%
-9 (M)	MISSING:(-9)	2347	94.7 %	-

Based upon 131 valid cases out of 2478 total cases.

V1618 111B098D:METH NARC MOUTH

Location: 1012-1013 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05540

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

D. By mouth

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	6	0.2 %	4.6%
1	MARKED:(1)	125	5.0 %	95.4%
-9 (M)	MISSING:(-9)	2347	94.7 %	-

Based upon 131 valid cases out of 2478 total cases.

V1619 111B098E:METH NARC OTHER

Location: 1014-1015 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05550

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

E. Other

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	125	5.0 %	95.4%
1	MARKED:(1)	6	0.2 %	4.6%
-9 (M)	MISSING:(-9)	2347	94.7 %	-

Based upon 131 valid cases out of 2478 total cases.

V1620 111B099:NO NARC IN 5YR

Location: 1016-1017 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05560

Do you think you will be using any narcotics other than heroin without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WILL:(1)	12	0.5 %	0.5%
2	PRB WILL:(2)	42	1.7 %	1.9%
3	PRB WONT:(3)	238	9.6 %	10.6%
4	DEF WONT:(4)	1948	78.6 %	87.0%
-9 (M)	MISSING:(-9)	238	9.6 %	-

Based upon 2240 valid cases out of 2478 total cases.

V1762 111B100:ATTND DRG TRTMN

Location: 1018-1019 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22360

Have you ever attended a treatment program for alcohol or drug abuse where you stayed overnight?

1="No, never" 2="Yes, but not in the past 12 months" 3="Yes, sometime in the past 12 months"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	2231	90.0 %	99.2%
2	NOPASTYR:(2)	11	0.4 %	0.5%
3	INPASTYR:(3)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	230	9.3 %	-

Based upon 2248 valid cases out of 2478 total cases.

V1763 111B101:RCV DRG COUNSEL

Location: 1020-1021 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22370

Have you ever received any other kind of professional counseling, treatment, or therapy because of your use of alcohol or drugs?

1="No, never" 2="Yes, but not in the past 12 months" 3="Yes, sometime in the past 12 months"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	2173	87.7 %	96.7%
2	NOPASTYR:(2)	37	1.5 %	1.6%
3	INPASTYR:(3)	36	1.5 %	1.6%
-9 (M)	MISSING:(-9)	232	9.4 %	-

Based upon 2246 valid cases out of 2478 total cases.

V1621 111B102A:GR 1ST SMOK DLY

Location: 1022-1023 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05570

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

A: Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	17	0.7 %	0.8%
2	GRADE 7:(2)	31	1.3 %	1.4%
3	GRADE 8:(3)	30	1.2 %	1.4%
4	GRADE 9:(4)	65	2.6 %	3.0%
5	GRADE 10:(5)	78	3.1 %	3.5%
6	GRADE 11:(6)	66	2.7 %	3.0%
7	GRADE 12:(7)	48	1.9 %	2.2%
8	NEVER:(8)	1864	75.2 %	84.8%
-9 (M)	MISSING:(-9)	279	11.3 %	-

Based upon 2199 valid cases out of 2478 total cases.

V1622 111B102B:GR 1ST TRY ALC

Location: 1024-1025 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05580

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

B: Try an alcoholic beverage--more than just a few sips

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	131	5.3 %	6.3%
2	GRADE 7:(2)	135	5.4 %	6.4%
3	GRADE 8:(3)	213	8.6 %	10.2%
4	GRADE 9:(4)	380	15.3 %	18.1%
5	GRADE 10:(5)	284	11.5 %	13.6%
6	GRADE 11:(6)	246	9.9 %	11.7%
7	GRADE 12:(7)	167	6.7 %	8.0%
8	NEVER:(8)	539	21.8 %	25.7%
-9 (M)	MISSING:(-9)	383	15.5 %	-

Based upon 2095 valid cases out of 2478 total cases.

V1623 111B102C:GR 1ST TRY MJ

Location: 1026-1027 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05590

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

C: Try marijuana or hashish

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	31	1.3 %	1.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	GRADE 7:(2)	73	2.9 %	3.3%
3	GRADE 8:(3)	105	4.2 %	4.8%
4	GRADE 9:(4)	208	8.4 %	9.5%
5	GRADE 10:(5)	233	9.4 %	10.6%
6	GRADE 11:(6)	189	7.6 %	8.6%
7	GRADE 12:(7)	137	5.5 %	6.2%
8	NEVER:(8)	1220	49.2 %	55.6%
-9 (M)	MISSING:(-9)	282	11.4 %	-

Based upon 2196 valid cases out of 2478 total cases.

V1624 111B102D:GR 1ST TRY LSD

Location: 1028-1029 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05600

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

D: Try LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	6	0.2 %	0.3%
3	GRADE 8:(3)	2	0.1 %	0.1%
4	GRADE 9:(4)	13	0.5 %	0.6%
5	GRADE 10:(5)	15	0.6 %	0.7%
6	GRADE 11:(6)	20	0.8 %	0.9%
7	GRADE 12:(7)	23	0.9 %	1.0%
8	NEVER:(8)	2154	86.9 %	96.5%
-9 (M)	MISSING:(-9)	245	9.9 %	-

Based upon 2233 valid cases out of 2478 total cases.

V1625 111B102E:GR 1ST TRY PSY

Location: 1030-1031 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05610

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

E: Try a hallucinogen other than LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	7	0.3 %	0.3%
2	GRADE 7:(2)	1	0.0 %	0.0%
3	GRADE 8:(3)	11	0.4 %	0.5%
4	GRADE 9:(4)	17	0.7 %	0.8%
5	GRADE 10:(5)	31	1.3 %	1.4%
6	GRADE 11:(6)	33	1.3 %	1.5%
7	GRADE 12:(7)	33	1.3 %	1.5%
8	NEVER:(8)	2082	84.0 %	94.0%
-9 (M)	MISSING:(-9)	263	10.6 %	-

Based upon 2215 valid cases out of 2478 total cases.

V1626

111B102F:GR 1ST TRY AMP

Location: 1032-1033 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05620

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

F: Try amphetamines

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	7	0.3 %	0.3%
2	GRADE 7:(2)	2	0.1 %	0.1%
3	GRADE 8:(3)	10	0.4 %	0.5%
4	GRADE 9:(4)	28	1.1 %	1.3%
5	GRADE 10:(5)	32	1.3 %	1.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	GRADE 11:(6)	34	1.4 %	1.6%
7	GRADE 12:(7)	23	0.9 %	1.1%
8	NEVER:(8)	2032	82.0 %	93.7%
-9 (M)	MISSING:(-9)	310	12.5 %	-

Based upon 2168 valid cases out of 2478 total cases.

V1628

111B102G:GR 1ST TRY BRB

Location: 1034-1035 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05640

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

G: Try barbiturates

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11

(Junior)" 7="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	4	0.2 %	0.2%
2	GRADE 7:(2)	1	0.0 %	0.0%
3	GRADE 8:(3)	5	0.2 %	0.2%
4	GRADE 9:(4)	3	0.1 %	0.1%
5	GRADE 10:(5)	10	0.4 %	0.4%
6	GRADE 11:(6)	5	0.2 %	0.2%
7	GRADE 12:(7)	4	0.2 %	0.2%
8	NEVER:(8)	2211	89.2 %	98.6%
-9 (M)	MISSING:(-9)	235	9.5 %	-

Based upon 2243 valid cases out of 2478 total cases.

V1629

111B102H:GR 1ST TRY TRN

Location: 1036-1037 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05650

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

H: Try tranquilizers

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	4	0.2 %	0.2%
2	GRADE 7:(2)	3	0.1 %	0.1%
3	GRADE 8:(3)	14	0.6 %	0.6%
4	GRADE 9:(4)	24	1.0 %	1.1%
5	GRADE 10:(5)	20	0.8 %	0.9%
6	GRADE 11:(6)	19	0.8 %	0.9%
7	GRADE 12:(7)	17	0.7 %	0.8%
8	NEVER:(8)	2104	84.9 %	95.4%
-9 (M)	MISSING:(-9)	273	11.0 %	-

Based upon 2205 valid cases out of 2478 total cases.

V1630

111B102I:GR 1ST TRY COK

Location: 1038-1039 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05660

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

I: Try cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	4	0.2 %	0.2%
2	GRADE 7:(2)	3	0.1 %	0.1%
3	GRADE 8:(3)	1	0.0 %	0.0%
4	GRADE 9:(4)	14	0.6 %	0.6%
5	GRADE 10:(5)	23	0.9 %	1.0%
6	GRADE 11:(6)	18	0.7 %	0.8%
7	GRADE 12:(7)	24	1.0 %	1.1%
8	NEVER:(8)	2146	86.6 %	96.1%
-9 (M)	MISSING:(-9)	245	9.9 %	-

Based upon 2233 valid cases out of 2478 total cases.

V1631

111B102J:GR 1ST TRY HER

Location: 1040-1041 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05670

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

J: Try heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	5	0.2 %	0.2%
2	GRADE 7:(2)	2	0.1 %	0.1%
3	GRADE 8:(3)	2	0.1 %	0.1%
4	GRADE 9:(4)	1	0.0 %	0.0%
5	GRADE 10:(5)	7	0.3 %	0.3%
6	GRADE 11:(6)	4	0.2 %	0.2%
7	GRADE 12:(7)	3	0.1 %	0.1%
8	NEVER:(8)	2207	89.1 %	98.9%
-9 (M)	MISSING:(-9)	247	10.0 %	-

Based upon 2231 valid cases out of 2478 total cases.

V1632

111B102K:GR 1ST TRY NRC

Location: 1042-1043 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05680

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

K: Try any narcotic other than heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	6	0.2 %	0.3%
2	GRADE 7:(2)	4	0.2 %	0.2%
3	GRADE 8:(3)	16	0.6 %	0.7%
4	GRADE 9:(4)	33	1.3 %	1.5%
5	GRADE 10:(5)	40	1.6 %	1.8%
6	GRADE 11:(6)	35	1.4 %	1.6%
7	GRADE 12:(7)	38	1.5 %	1.8%
8	NEVER:(8)	1991	80.3 %	92.0%
-9 (M)	MISSING:(-9)	315	12.7 %	-

Based upon 2163 valid cases out of 2478 total cases.

V1748 111B102L:GR 1ST SMOK EVR

Location: 1044-1045 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05575

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

L: Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	108	4.4 %	5.1%
2	GRADE 7:(2)	103	4.2 %	4.8%
3	GRADE 8:(3)	111	4.5 %	5.2%
4	GRADE 9:(4)	154	6.2 %	7.2%
5	GRADE 10:(5)	134	5.4 %	6.3%
6	GRADE 11:(6)	96	3.9 %	4.5%
7	GRADE 12:(7)	75	3.0 %	3.5%
8	NEVER:(8)	1352	54.6 %	63.4%
-9 (M)	MISSING:(-9)	345	13.9 %	-

Based upon 2133 valid cases out of 2478 total cases.

V1749 111B102M:GR 1ST DRUNK

Location: 1046-1047 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05585

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

M: Drink enough to feel drunk or very high

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	37	1.5 %	1.8%
2	GRADE 7:(2)	59	2.4 %	2.9%
3	GRADE 8:(3)	121	4.9 %	5.9%
4	GRADE 9:(4)	253	10.2 %	12.2%
5	GRADE 10:(5)	250	10.1 %	12.1%
6	GRADE 11:(6)	200	8.1 %	9.7%
7	GRADE 12:(7)	128	5.2 %	6.2%
8	NEVER:(8)	1020	41.2 %	49.3%
-9 (M)	MISSING:(-9)	410	16.5 %	-

Based upon 2068 valid cases out of 2478 total cases.

V1783

111B102N:GR 1ST TRY CRAC

Location: 1048-1049 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05661

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

N: Try "crack" cocaine, specifically

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	4	0.2 %	0.2%
2	GRADE 7:(2)	1	0.0 %	0.0%
3	GRADE 8:(3)	1	0.0 %	0.0%
4	GRADE 9:(4)	4	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	GRADE 10:(5)	5	0.2 %	0.2%
6	GRADE 11:(6)	7	0.3 %	0.3%
7	GRADE 12:(7)	6	0.2 %	0.3%
8	NEVER:(8)	2207	89.1 %	98.7%
-9 (M)	MISSING:(-9)	243	9.8 %	-

Based upon 2235 valid cases out of 2478 total cases.

V1784

111B1020:GR 1ST TRY ICE

Location: 1050-1051 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24430

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

O: Try crystal meth ("ice")

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	15	0.6 %	0.7%
3	GRADE 8:(3)	2	0.1 %	0.1%
4	GRADE 9:(4)	4	0.2 %	0.2%
5	GRADE 10:(5)	3	0.1 %	0.1%
6	GRADE 11:(6)	1	0.0 %	0.0%
7	GRADE 12:(7)	6	0.2 %	0.3%
8	NEVER:(8)	2229	90.0 %	98.6%
-9 (M)	MISSING:(-9)	218	8.8 %	-

Based upon 2260 valid cases out of 2478 total cases.

V1785

111B103A:ALL FRD SMK CIG

Location: 1052-1053 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07070

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	526	21.2 %	23.2%
2	A FEW:(2)	813	32.8 %	35.9%
3	SOME:(3)	627	25.3 %	27.7%
4	MOST:(4)	265	10.7 %	11.7%
5	ALL:(5)	35	1.4 %	1.5%
-9 (M)	MISSING:(-9)	212	8.6 %	-

Based upon 2266 valid cases out of 2478 total cases.

V1786

111B103B:ALL FRD SMK MAR

Location: 1054-1055 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07080

How many of your friends would you estimate . . .

B: . . . Smoke marijuana (pot, weed) or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	411	16.6 %	18.1%
2	A FEW:(2)	539	21.8 %	23.8%
3	SOME:(3)	672	27.1 %	29.6%
4	MOST:(4)	556	22.4 %	24.5%
5	ALL:(5)	91	3.7 %	4.0%
-9 (M)	MISSING:(-9)	209	8.4 %	-

Based upon 2269 valid cases out of 2478 total cases.

V1787

111B103C:# FRNDS TK CRAC

Location: 1056-1057 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07151

How many of your friends would you estimate . . .

C: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1872	75.5 %	82.8%
2	A FEW:(2)	310	12.5 %	13.7%
3	SOME:(3)	60	2.4 %	2.7%
4	MOST:(4)	8	0.3 %	0.4%
5	ALL:(5)	10	0.4 %	0.4%
-9 (M)	MISSING:(-9)	218	8.8 %	-

Based upon 2260 valid cases out of 2478 total cases.

V1788

111B103D:# FRNDS TK C PW

Location: 1058-1059 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23990

How many of your friends would you estimate . . .

D: . . . Take cocaine powder?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1800	72.6 %	80.1%
2	A FEW:(2)	353	14.2 %	15.7%
3	SOME:(3)	75	3.0 %	3.3%
4	MOST:(4)	10	0.4 %	0.4%
5	ALL:(5)	10	0.4 %	0.4%
-9 (M)	MISSING:(-9)	230	9.3 %	-

Based upon 2248 valid cases out of 2478 total cases.

V1789

111B103E:ALL FRD DRK ALC

Location: 1060-1061 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07190

How many of your friends would you estimate . . .

E: . . . Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	241	9.7 %	10.7%
2	A FEW:(2)	251	10.1 %	11.1%
3	SOME:(3)	442	17.8 %	19.6%
4	MOST:(4)	884	35.7 %	39.2%
5	ALL:(5)	435	17.6 %	19.3%
-9 (M)	MISSING:(-9)	225	9.1 %	-

Based upon 2253 valid cases out of 2478 total cases.

V1790

111B103F:ALL FRD GT DRUN

Location: 1062-1063 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07200

How many of your friends would you estimate . . .

F: . . . Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	646	26.1 %	28.5%
2	A FEW:(2)	661	26.7 %	29.2%
3	SOME:(3)	522	21.1 %	23.0%
4	MOST:(4)	329	13.3 %	14.5%
5	ALL:(5)	107	4.3 %	4.7%
-9 (M)	MISSING:(-9)	213	8.6 %	-

Based upon 2265 valid cases out of 2478 total cases.

V1148

111C01(R):AGE <>18 DICHOTOMY

Location: 1064-1065 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

Item comprised of responses to question C01 "In what year were you born?" (item 00010), question C02 "In what month were you

born" (item 00020), and date of questionnaire administration recorded by interviewer.

1="younger than 18" 2="18 years of age or over"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	< 18 YRS:(1)	995	40.2 %	43.3%
2	18+ YRS:(2)	1303	52.6 %	56.7%
-9 (M)	MISSING:(-9)	180	7.3 %	-

Based upon 2298 valid cases out of 2478 total cases.

V1150

111C003:Rs SEX

Location: 1066-1067 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00030

What is your sex?

1="Male" 2="Female"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MALE:(1)	1118	45.1 %	49.5%
2	FEMALE:(2)	1139	46.0 %	50.5%
-9 (M)	MISSING:(-9)	221	8.9 %	-

Based upon 2257 valid cases out of 2478 total cases.

V1151

111C04(R):R'S RACE B/W/H

Location: 1068-1069 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

How do you describe yourself? (Select one or more responses.)
Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic..."). All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"
3="Hispanic" [see above]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	BLACK:(1)	308	12.4 %	16.2%
2	WHITE:(2)	1301	52.5 %	68.3%
3	HISPANIC:(3)	296	11.9 %	15.5%
-9 (M)	MISSING:(-9)	573	23.1 %	-

Based upon 1905 valid cases out of 2478 total cases.

V1152

111C005:R SPD >TIM R-UR

Location: 1070-1071 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	DK/MIXED:(0)	394	15.9 %	15.9%
1	A FARM:(1)	95	3.8 %	3.8%
2	COUNTRY:(2)	215	8.7 %	8.7%
3	SM CITY:(3)	596	24.1 %	24.1%
4	MED CITY:(4)	260	10.5 %	10.5%
5	SUB MED:(5)	260	10.5 %	10.5%
6	LGE CITY:(6)	244	9.8 %	9.8%
7	SUB LGE:(7)	183	7.4 %	7.4%
8	V-LGE CITY:(8)	132	5.3 %	5.3%
9	SUB V-LGE:(9)	99	4.0 %	4.0%

Based upon 2478 valid cases out of 2478 total cases.

V1153

111C006:R NOT MARRIED

Location: 1072-1073 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MARRIED:(1)	88	3.6 %	3.9%
2	ENGAGED:(2)	110	4.4 %	4.8%
3	SEP/DIV:(3)	32	1.3 %	1.4%
4	SINGLE:(4)	2047	82.6 %	89.9%
-9 (M)	MISSING:(-9)	201	8.1 %	-

Based upon 2277 valid cases out of 2478 total cases.

V49 111C07(R):# SIBLINGS

Location: 1074-1075 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more"

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more younger or older brothers or sisters".

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	133	5.4 %	5.8%
1	ONE:(1)	668	27.0 %	29.3%
2	TWO:(2)	579	23.4 %	25.4%
3	THREE+:(3-4)	901	36.4 %	39.5%
-9 (M)	MISSING:(-9)	197	7.9 %	-

Based upon 2281 valid cases out of 2478 total cases.

V1155 111C07Cb(R):R'S HSHLD FATHER

Location: 1076-1077 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	637	25.7 %	28.2%
1	MARKED:(1)	1625	65.6 %	71.8%
-9 (M)	MISSING:(-9)	216	8.7 %	-

Based upon 2262 valid cases out of 2478 total cases.

V1156 111C07Cc(R):R'S HSHLD MOTHER

Location: 1078-1079 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	258	10.4 %	11.4%
1	MARKED:(1)	2004	80.9 %	88.6%
-9 (M)	MISSING:(-9)	216	8.7 %	-

Based upon 2262 valid cases out of 2478 total cases.

V1157 111C07Cd(R):R'S HSHLD BR/SR

Location: 1080-1081 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife,"
"My child(ren)," "Other relative(s)," "Non-relative(s),"
"I live alone" -- have been deleted for reasons of
confidentiality.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	730	29.5 %	32.3%
1	MARKED:(1)	1532	61.8 %	67.7%
-9 (M)	MISSING:(-9)	216	8.7 %	-

Based upon 2262 valid cases out of 2478 total cases.

V1163

111C008:FATHR EDUC LEVE

Location: 1082-1083 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRDE SCH:(1)	92	3.7 %	4.1%
2	SOME HS:(2)	219	8.8 %	9.7%
3	HS GRAD:(3)	620	25.0 %	27.5%
4	SOME CLG:(4)	370	14.9 %	16.4%
5	CLG GRAD:(5)	488	19.7 %	21.7%
6	GRAD SCH:(6)	286	11.5 %	12.7%
7	DK:(7)	178	7.2 %	7.9%
-9 (M)	MISSING:(-9)	225	9.1 %	-

Based upon 2253 valid cases out of 2478 total cases.

V1164

111C009:MOTHR EDUC LEVE

Location: 1084-1085 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed college"
6="Graduate or professional school after college"
7="Don't know, or does not apply"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRDE SCH:(1)	84	3.4 %	3.7%
2	SOME HS:(2)	196	7.9 %	8.7%
3	HS GRAD:(3)	487	19.7 %	21.6%
4	SOME CLG:(4)	467	18.8 %	20.8%
5	CLG GRAD:(5)	610	24.6 %	27.1%
6	GRAD SCH:(6)	306	12.3 %	13.6%
7	DK:(7)	100	4.0 %	4.4%
-9 (M)	MISSING:(-9)	228	9.2 %	-

Based upon 2250 valid cases out of 2478 total cases.

V1165

111C010:MOTH PD JB R YN

Location: 1086-1087 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	316	12.8 %	14.1%
2	YES/SOME:(2)	430	17.4 %	19.2%
3	YES/MOST:(3)	384	15.5 %	17.1%
4	YES/NRLY ALL:(4)	1113	44.9 %	49.6%
-9 (M)	MISSING:(-9)	235	9.5 %	-

Based upon 2243 valid cases out of 2478 total cases.

V1166 111C011:Rs POLTL PRFNC

Location: 1088-1089 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	STRG GOP:(1)	210	8.5 %	9.8%
2	MILD GOP:(2)	287	11.6 %	13.4%
3	MILD DEM:(3)	273	11.0 %	12.8%
4	STRG DEM:(4)	204	8.2 %	9.5%
5	INDEPNDT:(5)	255	10.3 %	11.9%
6	NO PREF:(6)	357	14.4 %	16.7%
7	OTHER:(7)	41	1.7 %	1.9%
8	DK/HVNT DECID:(8)	511	20.6 %	23.9%
-9 (M)	MISSING:(-9)	340	13.7 %	-

Based upon 2138 valid cases out of 2478 total cases.

V1167 111C012:R POL BLF RADCL

Location: 1090-1091 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very liberal" 6="Radical" 8="None of the above, or don't know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VRY CONS:(1)	103	4.2 %	4.6%
2	CONSERV:(2)	271	10.9 %	12.2%
3	MODERATE:(3)	459	18.5 %	20.6%
4	LIBERAL:(4)	310	12.5 %	13.9%
5	VRY LIB:(5)	93	3.8 %	4.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	RADICAL:(6)	40	1.6 %	1.8%
8	NONE/DK:(8)	950	38.3 %	42.7%
-9 (M)	MISSING:(-9)	252	10.2 %	-

Based upon 2226 valid cases out of 2478 total cases.

V1169 111C013B:R ATTND REL SVC

Location: 1092-1093 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00370

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the western region intentionally obliterated.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	362	14.6 %	21.5%
2	RARELY:(2)	582	23.5 %	34.6%
3	1-2X/MO:(3)	263	10.6 %	15.6%
4	1/WK OR+:(4)	475	19.2 %	28.2%
-9 (M)	MISSING:(-9)	796	32.1 %	-

Based upon 1682 valid cases out of 2478 total cases.

V1170 111C013C:RLGN IMP Rs LF

Location: 1094-1095 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important" 4="Very important"

Responses from the western region intentionally obliterated.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	385	15.5 %	22.8%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	LITL IMP:(2)	434	17.5 %	25.7%
3	PRTY IMP:(3)	447	18.0 %	26.5%
4	VERY IMP:(4)	420	16.9 %	24.9%
-9 (M)	MISSING:(-9)	792	32.0 %	-

Based upon 1686 valid cases out of 2478 total cases.

V1171

111C014:WHEN R XPCT GRA

Location: 1096-1097 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"

6="Don't expect to graduate"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	JUNE:(1)	2184	88.1 %	97.9%
2	JUL-JAN:(2)	22	0.9 %	1.0%
6	DONT EXPCT:(6)	25	1.0 %	1.1%
-9 (M)	MISSING:(-9)	247	10.0 %	-

Based upon 2231 valid cases out of 2478 total cases.

V1172

111C015:Rs HS PROGRAM

Location: 1098-1099 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	CLG PREP:(1)	1185	47.8 %	53.6%
2	GENERAL:(2)	729	29.4 %	33.0%
3	VOC-TECH:(3)	102	4.1 %	4.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	OTH/DK:(4)	196	7.9 %	8.9%
-9 (M)	MISSING:(-9)	266	10.7 %	-

Based upon 2212 valid cases out of 2478 total cases.

V1173 111C016:RT SF SCH AB>AV

Location: 1100-1101 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FAR BELOW:(1)	45	1.8 %	2.0%
2	BELOW AVG:(2)	45	1.8 %	2.0%
3	SLIGHT BELOW:(3)	105	4.2 %	4.8%
4	AVERAGE:(4)	640	25.8 %	29.0%
5	SLIGHT ABOVE:(5)	520	21.0 %	23.6%
6	ABOVE AVG:(6)	682	27.5 %	30.9%
7	FAR ABOVE:(7)	169	6.8 %	7.7%
-9 (M)	MISSING:(-9)	272	11.0 %	-

Based upon 2206 valid cases out of 2478 total cases.

V1174 111C017:RT SF INTELL>AV

Location: 1102-1103 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00420

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FAR BELOW:(1)	33	1.3 %	1.5%
2	BELOW AVG:(2)	29	1.2 %	1.3%
3	SLIGHT BELOW:(3)	94	3.8 %	4.3%
4	AVERAGE:(4)	586	23.6 %	26.5%
5	SLIGHT ABOVE:(5)	545	22.0 %	24.7%
6	ABOVE AVG:(6)	728	29.4 %	33.0%
7	FAR ABOVE:(7)	194	7.8 %	8.8%
-9 (M)	MISSING:(-9)	269	10.9 %	-

Based upon 2209 valid cases out of 2478 total cases.

V1175 111C018A:#DA/4W SC MS IL

Location: 1104-1105 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1283	51.8 %	59.0%
2	1 DAY:(2)	378	15.3 %	17.4%
3	2 DAYS:(3)	225	9.1 %	10.3%
4	3 DAYS:(4)	128	5.2 %	5.9%
5	4-5 DAYS:(5)	97	3.9 %	4.5%
6	6-10 DA:(6)	45	1.8 %	2.1%
7	11+ DAYS:(7)	20	0.8 %	0.9%
-9 (M)	MISSING:(-9)	302	12.2 %	-

Based upon 2176 valid cases out of 2478 total cases.

V1176 111C018B:#DA/4W SC MS CU

Location: 1106-1107 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1523	61.5 %	70.8%
2	1 DAY:(2)	303	12.2 %	14.1%
3	2 DAYS:(3)	118	4.8 %	5.5%
4	3 DAYS:(4)	79	3.2 %	3.7%
5	4-5 DAYS:(5)	72	2.9 %	3.3%
6	6-10 DA:(6)	27	1.1 %	1.3%
7	11+ DAYS:(7)	30	1.2 %	1.4%
-9 (M)	MISSING:(-9)	326	13.2 %	-

Based upon 2152 valid cases out of 2478 total cases.

V1177

111C018C:#DA/4W SC MS OT

Location: 1108-1109 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1189	48.0 %	54.8%
2	1 DAY:(2)	412	16.6 %	19.0%
3	2 DAYS:(3)	258	10.4 %	11.9%
4	3 DAYS:(4)	132	5.3 %	6.1%
5	4-5 DAYS:(5)	106	4.3 %	4.9%
6	6-10 DA:(6)	36	1.5 %	1.7%
7	11+ DAYS:(7)	35	1.4 %	1.6%
-9 (M)	MISSING:(-9)	310	12.5 %	-

Based upon 2168 valid cases out of 2478 total cases.

V1178 111C019:#DA/4W SKP CLAS

Location: 1110-1111 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"
5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1574	63.5 %	71.6%
2	1-2:(2)	379	15.3 %	17.2%
3	3-5:(3)	145	5.9 %	6.6%
4	6-10:(4)	63	2.5 %	2.9%
5	11-20:(5)	19	0.8 %	0.9%
6	21+:(6)	18	0.7 %	0.8%
-9 (M)	MISSING:(-9)	280	11.3 %	-

Based upon 2198 valid cases out of 2478 total cases.

V1179 111C020:R HS GRADE/D = 1

Location: 1112-1113 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"
5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"
1="D (69 or below)"

Value	Label	Unweighted Frequency	%	Valid %
1	D:(1)	25	1.0 %	1.1%
2	C-:(2)	30	1.2 %	1.4%
3	C:(3)	90	3.6 %	4.1%
4	C+:(4)	210	8.5 %	9.6%
5	B-:(5)	245	9.9 %	11.2%
6	B:(6)	393	15.9 %	17.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7	B+:(7)	398	16.1 %	18.1%
8	A-:(8)	399	16.1 %	18.2%
9	A:(9)	406	16.4 %	18.5%
-9 (M)	MISSING:(-9)	282	11.4 %	-

Based upon 2196 valid cases out of 2478 total cases.

V1180 111C021A:R WL DO VOC/TEC

Location: 1114-1115 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00480

How likely is it that you will do each of the following things after high school?

A. Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	1239	50.0 %	59.0%
2	PRB WONT:(2)	440	17.8 %	21.0%
3	PRB WILL:(3)	264	10.7 %	12.6%
4	DEF WILL:(4)	157	6.3 %	7.5%
-9 (M)	MISSING:(-9)	378	15.3 %	-

Based upon 2100 valid cases out of 2478 total cases.

V1181 111C021B:R WL DO ARMD FC

Location: 1116-1117 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00490

How likely is it that you will do each of the following things after high school?

B. Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	1388	56.0 %	67.7%
2	PRB WONT:(2)	398	16.1 %	19.4%
3	PRB WILL:(3)	154	6.2 %	7.5%
4	DEF WILL:(4)	109	4.4 %	5.3%
-9 (M)	MISSING:(-9)	429	17.3 %	-

Based upon 2049 valid cases out of 2478 total cases.

V1182 111C021C:R WL DO 2YR CLG

Location: 1118-1119 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00500

How likely is it that you will do each of the following things after high school?

C. Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	857	34.6 %	40.6%
2	PRB WONT:(2)	341	13.8 %	16.1%
3	PRB WILL:(3)	460	18.6 %	21.8%
4	DEF WILL:(4)	455	18.4 %	21.5%
-9 (M)	MISSING:(-9)	365	14.7 %	-

Based upon 2113 valid cases out of 2478 total cases.

V1183 111C021D:R WL DO 4YR CLG

Location: 1120-1121 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00510

How likely is it that you will do each of the following things after high school?

D. Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	134	5.4 %	6.2%
2	PRB WONT:(2)	164	6.6 %	7.6%
3	PRB WILL:(3)	463	18.7 %	21.4%
4	DEF WILL:(4)	1399	56.5 %	64.8%
-9 (M)	MISSING:(-9)	318	12.8 %	-

Based upon 2160 valid cases out of 2478 total cases.

V1184 111C021E:R WL DO GRD/PRF

Location: 1122-1123 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00520

How likely is it that you will do each of the following things after high school?

E. Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	306	12.3 %	14.5%
2	PRB WONT:(2)	536	21.6 %	25.4%
3	PRB WILL:(3)	661	26.7 %	31.3%
4	DEF WILL:(4)	610	24.6 %	28.9%
-9 (M)	MISSING:(-9)	365	14.7 %	-

Based upon 2113 valid cases out of 2478 total cases.

V1185 111C022A:R WNTDO VOC/TEC

Location: 1124-1125 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1849	74.6 %	86.5%
1	MARKED:(1)	289	11.7 %	13.5%
-9 (M)	MISSING:(-9)	340	13.7 %	-

Based upon 2138 valid cases out of 2478 total cases.

V1186 111C022B:R WNTDO ARMD FC

Location: 1126-1127 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1826	73.7 %	85.4%
1	MARKED:(1)	312	12.6 %	14.6%
-9 (M)	MISSING:(-9)	340	13.7 %	-

Based upon 2138 valid cases out of 2478 total cases.

V1187 111C022C:R WNTDO 2YR CLG

Location: 1128-1129 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1589	64.1 %	74.3%
1	MARKED:(1)	549	22.2 %	25.7%
-9 (M)	MISSING:(-9)	340	13.7 %	-

Based upon 2138 valid cases out of 2478 total cases.

V1188 111C022D:R WNTDO 4YR CLG

Location: 1130-1131 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	390	15.7 %	18.2%
1	MARKED:(1)	1748	70.5 %	81.8%
-9 (M)	MISSING:(-9)	340	13.7 %	-

Based upon 2138 valid cases out of 2478 total cases.

V1189 111C022E:R WNTDO GRD/PRF

Location: 1132-1133 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	893	36.0 %	41.8%
1	MARKED:(1)	1245	50.2 %	58.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	340	13.7 %	-

Based upon 2138 valid cases out of 2478 total cases.

V1190

111C022F:R WNTDO NONE

Location: 1134-1135 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	2012	81.2 %	94.1%
1	MARKED:(1)	126	5.1 %	5.9%
-9 (M)	MISSING:(-9)	340	13.7 %	-

Based upon 2138 valid cases out of 2478 total cases.

V1191

111C023:HRS/W WRK SCHYR

Location: 1136-1137 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours" 8="More than 30 hours"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	932	37.6 %	43.2%
2	5 OR <:(2)	218	8.8 %	10.1%
3	6-10 HRS:(3)	230	9.3 %	10.7%
4	11-15 HR:(4)	210	8.5 %	9.7%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	16-20 HR:(5)	211	8.5 %	9.8%
6	21-25 HR:(6)	157	6.3 %	7.3%
7	26-30 HR:(7)	99	4.0 %	4.6%
8	30+ HRS:(8)	98	4.0 %	4.5%
-9 (M)	MISSING:(-9)	323	13.0 %	-

Based upon 2155 valid cases out of 2478 total cases.

V1192 111C024A:R\$/AVG WEEK JOB

Location: 1138-1139 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00600

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="176+"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	995	40.2 %	47.4%
2	\$1-5:(2)	11	0.4 %	0.5%
3	\$6-10:(3)	73	2.9 %	3.5%
4	\$11-20:(4)	68	2.7 %	3.2%
5	\$21-35:(5)	77	3.1 %	3.7%
6	\$36-50:(6)	101	4.1 %	4.8%
7	\$51-75:(7)	133	5.4 %	6.3%
8	\$76-125:(8)	293	11.8 %	14.0%
9	\$126-175:(9)	178	7.2 %	8.5%
10	\$176+:(10)	169	6.8 %	8.1%
-9 (M)	MISSING:(-9)	380	15.3 %	-

Based upon 2098 valid cases out of 2478 total cases.

V1193 111C024B:R\$/AVG WEEK OTH

Location: 1140-1141 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00610

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="176+"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	861	34.7 %	41.7%
2	\$1-5:(2)	110	4.4 %	5.3%
3	\$6-10:(3)	169	6.8 %	8.2%
4	\$11-20:(4)	357	14.4 %	17.3%
5	\$21-35:(5)	231	9.3 %	11.2%
6	\$36-50:(6)	132	5.3 %	6.4%
7	\$51-75:(7)	65	2.6 %	3.1%
8	\$76-125:(8)	45	1.8 %	2.2%
9	\$126-175:(9)	23	0.9 %	1.1%
10	\$176+:(10)	72	2.9 %	3.5%
-9 (M)	MISSING:(-9)	413	16.7 %	-

Based upon 2065 valid cases out of 2478 total cases.

V1194

111C025:#X/AV WK GO OUT

Location: 1142-1143 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or five"
6="Six or seven"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	< 1:(1)	315	12.7 %	14.7%
2	ONE:(2)	339	13.7 %	15.8%
3	TWO:(3)	588	23.7 %	27.4%
4	THREE:(4)	475	19.2 %	22.1%
5	4-5:(5)	294	11.9 %	13.7%
6	6-7:(6)	134	5.4 %	6.2%
-9 (M)	MISSING:(-9)	333	13.4 %	-

Based upon 2145 valid cases out of 2478 total cases.

V1195 111C026:#X DATE 3+/WK

Location: 1144-1145 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00630

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"
4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	819	33.1 %	38.8%
2	ONCE/MO:(2)	334	13.5 %	15.8%
3	2-3X MO:(3)	303	12.2 %	14.4%
4	ONCE WK:(4)	277	11.2 %	13.1%
5	2-3X WK:(5)	271	10.9 %	12.8%
6	3+ WEEK:(6)	106	4.3 %	5.0%
-9 (M)	MISSING:(-9)	368	14.9 %	-

Based upon 2110 valid cases out of 2478 total cases.

V1196 111C027:DRIVE>200 MI/WK

Location: 1146-1147 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	524	21.1 %	24.5%
2	1-10 MI:(2)	216	8.7 %	10.1%
3	11-50:(3)	541	21.8 %	25.3%
4	51-100:(4)	445	18.0 %	20.8%
5	101-200:(5)	252	10.2 %	11.8%
6	> 200:(6)	163	6.6 %	7.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	337	13.6 %	-

Based upon 2141 valid cases out of 2478 total cases.

V1197 111C028:#X/12MO R TCKTD

Location: 1148-1149 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"
4="Four or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	1623	65.5 %	78.8%
1	ONCE:(1)	275	11.1 %	13.3%
2	TWICE:(2)	104	4.2 %	5.0%
3	3 TIMES:(3)	39	1.6 %	1.9%
4	4+ TIMES:(4)	19	0.8 %	0.9%
-9 (M)	MISSING:(-9)	418	16.9 %	-

Based upon 2060 valid cases out of 2478 total cases.

V1198 111C29AR:#TCKTS AFT DRNK

Location: 1150-1151 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00660

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	416	16.8 %	95.6%
1	ONE:(1)	13	0.5 %	3.0%
2	TWO:(2)	1	0.0 %	0.2%
3	THREE+: (3-4)	5	0.2 %	1.1%
-9 (M)	MISSING:(-9)	2043	82.4 %	-

Based upon 435 valid cases out of 2478 total cases.

V1199 111C29BR:#TCKTS AFT MARJ

Location: 1152-1153 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00670

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	413	16.7 %	94.9%
1	ONE:(1)	13	0.5 %	3.0%
2	TWO:(2)	4	0.2 %	0.9%
3	THREE+: (3-4)	5	0.2 %	1.1%
-9 (M)	MISSING:(-9)	2043	82.4 %	-

Based upon 435 valid cases out of 2478 total cases.

V1200 111C29CR:#TCKTS AFT OTDG

Location: 1154-1155 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00680

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	426	17.2 %	98.4%
1	ONE:(1)	1	0.0 %	0.2%
3	THREE+: (3-4)	6	0.2 %	1.4%
-9 (M)	MISSING:(-9)	2045	82.5 %	-

Based upon 433 valid cases out of 2478 total cases.

V1201

111C030:#ACCIDNTS/12 MO

Location: 1156-1157 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times"
4="Four or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	1762	71.1 %	86.0%
1	ONCE:(1)	231	9.3 %	11.3%
2	TWICE:(2)	43	1.7 %	2.1%
3	3 TIMES:(3)	4	0.2 %	0.2%
4	4+ TIMES:(4)	8	0.3 %	0.4%
-9 (M)	MISSING:(-9)	430	17.4 %	-

Based upon 2048 valid cases out of 2478 total cases.

V1202

111C31AR:#ACDTS AFT DRNK

Location: 1158-1159 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	275	11.1 %	95.8%
1	ONE:(1)	8	0.3 %	2.8%
2	TWO:(2)	1	0.0 %	0.3%
3	THREE+: (3-4)	3	0.1 %	1.0%
-9 (M)	MISSING:(-9)	2191	88.4 %	-

Based upon 287 valid cases out of 2478 total cases.

V1203 111C31BR:#ACDTS AFT MARJ

Location: 1160-1161 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	279	11.3 %	97.6%
1	ONE:(1)	3	0.1 %	1.0%
3	THREE+: (3-4)	4	0.2 %	1.4%
-9 (M)	MISSING:(-9)	2192	88.5 %	-

Based upon 286 valid cases out of 2478 total cases.

V1204 111C31CR:#ACDTS AFT OTDG

Location: 1162-1163 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	282	11.4 %	98.6%
1	ONE:(1)	1	0.0 %	0.3%
3	THREE+: (3-4)	3	0.1 %	1.0%
-9 (M)	MISSING:(-9)	2192	88.5 %	-

Based upon 286 valid cases out of 2478 total cases.

V1205

111C032:Rs BRANCH SERV

Location: 1164-1165 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00730

If you have not entered military service, and do not expect to enter, GO TO PART D.

What is, or will be, your branch of service?

1="Army" 2="Navy" 3="Marine Corps" 4="Air Force" 5="Coast Guard" 6="Uncertain"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ARMY:(1)	75	3.0 %	28.1%
2	NAVY:(2)	28	1.1 %	10.5%
3	MARINES:(3)	55	2.2 %	20.6%
4	AIR FORCE:(4)	50	2.0 %	18.7%
5	COAST GUARD:(5)	12	0.5 %	4.5%
6	UNCERTN:(6)	47	1.9 %	17.6%
-9 (M)	MISSING:(-9)	2211	89.2 %	-

Based upon 267 valid cases out of 2478 total cases.

V1206

111C033:R XPCTS B OFFCR

Location: 1166-1167 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00740

Do you expect to be an officer?

1="No" 2="Uncertain" 3="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	59	2.4 %	21.3%
2	UNCERTN:(2)	122	4.9 %	44.0%
3	YES:(3)	96	3.9 %	34.7%
-9 (M)	MISSING:(-9)	2201	88.8 %	-

Based upon 277 valid cases out of 2478 total cases.

V1207 111C034:R XPCTS MLTR CR

Location: 1168-1169 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00750

Do you expect to have a career in the Armed Forces?

1="No" 2="Uncertain" 3="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	51	2.1 %	18.4%
2	UNCERTN:(2)	118	4.8 %	42.6%
3	YES:(3)	108	4.4 %	39.0%
-9 (M)	MISSING:(-9)	2201	88.8 %	-

Based upon 277 valid cases out of 2478 total cases.

V1682 111D001:R LIKES SCHOOL

Location: 1170-1171 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07630

The next questions are about your experiences in school. Some people like school very much. Others don't. How do you feel about going to school?

5="I like school very much" 4="I like school quite a bit"
3="I like school some" 2="I don't like school very much"
1="I don't like school at all"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DONT LIKE@A:(1)	131	5.3 %	6.3%
2	DONT LIKE VM:(2)	300	12.1 %	14.4%
3	LIKE SOME:(3)	897	36.2 %	43.0%
4	LIKE QUITEBIT:(4)	528	21.3 %	25.3%
5	LIKE VRYMCH:(5)	230	9.3 %	11.0%
-9 (M)	MISSING:(-9)	392	15.8 %	-

Based upon 2086 valid cases out of 2478 total cases.

V1683 111D002:*SC WRK NVR MNG

Location: 1172-1173 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05700

How often do you feel that the school work you are assigned is meaningful and important?

5="Almost always" 4="Often" 3="Sometimes" 2="Seldom" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	119	4.8 %	5.7%
2	SELDOM:(2)	458	18.5 %	22.0%
3	SOMETIME:(3)	820	33.1 %	39.4%
4	OFTEN:(4)	481	19.4 %	23.1%
5	ALM ALWYS:(5)	202	8.2 %	9.7%
-9 (M)	MISSING:(-9)	398	16.1 %	-

Based upon 2080 valid cases out of 2478 total cases.

V1684 111D003:*MST COUR V DUL

Location: 1174-1175 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05710

How interesting are most of your courses to you?

5="Very exciting and stimulating" 4="Quite interesting"
3="Fairly interesting" 2="Slightly dull" 1="Very dull"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VERY DULL:(1)	148	6.0 %	7.1%
2	SLIGHT DULL:(2)	432	17.4 %	20.8%
3	FAIRLY INTR:(3)	887	35.8 %	42.7%
4	QUITE INTRST:(4)	503	20.3 %	24.2%
5	VRV EXCITG:(5)	107	4.3 %	5.2%
-9 (M)	MISSING:(-9)	401	16.2 %	-

Based upon 2077 valid cases out of 2478 total cases.

V1685 111D004:*LRN SCH NT IMP

Location: 1176-1177 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05720

How important do you think the things you are learning in school are going to be for your later life?

5="Very important" 4="Quite important" 3="Fairly important"
2="Slightly important" 1="Not at all important"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	128	5.2 %	6.2%
2	SLIGHT:(2)	489	19.7 %	23.7%
3	FAIR IMPT:(3)	630	25.4 %	30.5%
4	QUITE IMPT:(4)	492	19.9 %	23.8%
5	VRV IMPT:(5)	327	13.2 %	15.8%
-9 (M)	MISSING:(-9)	412	16.6 %	-

Based upon 2066 valid cases out of 2478 total cases.

V1686 111D005:LOT CMPTN GRADE

Location: 1178-1179 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05730

How much competition for grades is there among students at your school?

1="None" 2="A little" 3="Some" 4="Quite a bit" 5="A great deal"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	256	10.3 %	12.4%
2	A LITTLE:(2)	485	19.6 %	23.6%
3	SOME:(3)	693	28.0 %	33.7%
4	QUITEBIT:(4)	431	17.4 %	20.9%
5	GRT DEAL:(5)	193	7.8 %	9.4%
-9 (M)	MISSING:(-9)	420	16.9 %	-

Based upon 2058 valid cases out of 2478 total cases.

V1687

111D006:STDTS DSLK CHTG

Location: 1180-1181 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05740

How do you think most of the students in your classes would feel if you cheated on a test?

1="They would like it very much" 2="They would like it"
3="They would not care" 4="They would dislike it" 5="They would dislike it very much"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	LIK VMCH:(1)	84	3.4 %	4.1%
2	LIKE IT:(2)	55	2.2 %	2.7%
3	NOT CARE:(3)	1569	63.3 %	76.2%
4	DISLIKE:(4)	244	9.8 %	11.9%
5	DLIK MCH:(5)	107	4.3 %	5.2%
-9 (M)	MISSING:(-9)	419	16.9 %	-

Based upon 2059 valid cases out of 2478 total cases.

V1688

111D007:ST -LK PROV TCH

Location: 1182-1183 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05750

How do you think most of the students in your classes would feel if you intentionally did things to make your teachers angry?

1="They would like it very much" 2="They would like it"
3="They would not care" 4="They would dislike it" 5="They would dislike it very much"

would dislike it very much"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	LIK VMCH:(1)	126	5.1 %	6.2%
2	LIKE IT:(2)	226	9.1 %	11.0%
3	NOT CARE:(3)	905	36.5 %	44.2%
4	DISLIKE:(4)	614	24.8 %	30.0%
5	DLIK MCH:(5)	177	7.1 %	8.6%
-9 (M)	MISSING:(-9)	430	17.4 %	-

Based upon 2048 valid cases out of 2478 total cases.

V1689 111D008:FRD NCG/TCH -LK

Location: 1184-1185 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05760

How often do you find that your friends encourage you to do things which your teachers wouldn't like?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	843	34.0 %	41.1%
2	SELDOM:(2)	649	26.2 %	31.7%
3	SOMETIME:(3)	381	15.4 %	18.6%
4	OFTEN:(4)	135	5.4 %	6.6%
5	ALWAYS:(5)	42	1.7 %	2.0%
-9 (M)	MISSING:(-9)	428	17.3 %	-

Based upon 2050 valid cases out of 2478 total cases.

V1690 111D009:R IN WK-STDY PG

Location: 1186-1187 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05770

Have you ever been in a work-study program--that is, a program where you work on a job as part of your schooling?

1="No, not ever" 2="Yes, for a half year or less" 3="Yes, for about a year" 4="Yes, for about two years" 5="Yes, for more

than two years"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1748	70.5 %	85.7%
2	1/2 YR OR <:(2)	127	5.1 %	6.2%
3	1 YEAR:(3)	105	4.2 %	5.1%
4	2 YEARS:(4)	31	1.3 %	1.5%
5	> 2 YEARS:(5)	28	1.1 %	1.4%
-9 (M)	MISSING:(-9)	439	17.7 %	-

Based upon 2039 valid cases out of 2478 total cases.

V1691	111D010:#X/YR COUNS IND
--------------	--------------------------------

Location: 1188-1189 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05780

How many times this school year have you seen a counselor individually?

1="No times" 2="1 time" 3="2 times" 4="3 or 4 times" 5="5-7 times" 6="8-10 times" 7="11 or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO TIMES:(1)	560	22.6 %	27.5%
2	1 TIME:(2)	233	9.4 %	11.4%
3	2 TIMES:(3)	339	13.7 %	16.6%
4	3-4:(4)	470	19.0 %	23.0%
5	5-7:(5)	221	8.9 %	10.8%
6	8-10:(6)	96	3.9 %	4.7%
7	11+ TIMES:(7)	121	4.9 %	5.9%
-9 (M)	MISSING:(-9)	438	17.7 %	-

Based upon 2040 valid cases out of 2478 total cases.

V1692	111D011:#X/YR COUNS GRP
--------------	--------------------------------

Location: 1190-1191 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05790

How many times this school year have you seen a counselor as a part of a group of other students?

1="No times" 2="1 time" 3="2 times" 4="3 or 4 times" 5="5-7 times" 6="8-10 times" 7="11 or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO TIMES:(1)	1312	52.9 %	64.5%
2	1 TIME:(2)	216	8.7 %	10.6%
3	2 TIMES:(3)	167	6.7 %	8.2%
4	3-4:(4)	164	6.6 %	8.1%
5	5-7:(5)	85	3.4 %	4.2%
6	8-10:(6)	35	1.4 %	1.7%
7	11+ TIMES:(7)	55	2.2 %	2.7%
-9 (M)	MISSING:(-9)	444	17.9 %	-

Based upon 2034 valid cases out of 2478 total cases.

V1693 111D012:R LK C COUNS MR

Location: 1192-1193 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05800

Would you have preferred to see a counselor more or less often than you have during the past year?

5="Much more often" 4="A little more often" 3="About as often"
2="A little less often" 1="Much less often"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MUCH LESS:(1)	272	11.0 %	13.5%
2	LITTLE LESS:(2)	160	6.5 %	8.0%
3	AS OFTEN:(3)	965	38.9 %	48.0%
4	LITTLE MORE:(4)	391	15.8 %	19.4%
5	MUCH MORE:(5)	223	9.0 %	11.1%
-9 (M)	MISSING:(-9)	467	18.8 %	-

Based upon 2011 valid cases out of 2478 total cases.

V1694 111D013:CSLNG VRY HLPFL

Location: 1194-1195 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05810

How helpful have your sessions with a counselor been to you?

5="Extremely helpful" 4="Quite helpful" 3="Somewhat helpful"
2="A little helpful" 1="Not at all helpful" 8="Did not see a
counselor this year."

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT@ALL:(1)	170	6.9 %	8.4%
2	A LITTLE:(2)	275	11.1 %	13.6%
3	SOMEWHAT:(3)	354	14.3 %	17.5%
4	QUITE:(4)	455	18.4 %	22.4%
5	EXTREMELY:(5)	355	14.3 %	17.5%
8	-SEE COUNSLR:(8)	418	16.9 %	20.6%
-9 (M)	MISSING:(-9)	451	18.2 %	-

Based upon 2027 valid cases out of 2478 total cases.

V1699

111D014A:CNSL COURSES

Location: 1196-1197 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05811

Would you have preferred more or less of each of the
following types of counseling in the last year?

A: Choosing what courses to take

5="Much more" 4="A little more" 3="About right" 2="A little
less" 1="Much less"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MUCH LESS:(1)	123	5.0 %	6.2%
2	LITTLE LESS:(2)	51	2.1 %	2.6%
3	ABT RIGHT:(3)	836	33.7 %	42.1%
4	LITTLE MORE:(4)	468	18.9 %	23.6%
5	MCH MORE:(5)	507	20.5 %	25.5%
-9 (M)	MISSING:(-9)	493	19.9 %	-

Based upon 1985 valid cases out of 2478 total cases.

V1700

111D014B:CNSL CL PROB

Location: 1198-1199 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05812

Would you have preferred more or less of each of the following types of counseling in the last year?

B: Discussing problems with course work

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MUCH LESS:(1)	204	8.2 %	10.3%
2	LITTLE LESS:(2)	91	3.7 %	4.6%
3	ABT RIGHT:(3)	972	39.2 %	49.1%
4	LITTLE MORE:(4)	403	16.3 %	20.4%
5	MCH MORE:(5)	308	12.4 %	15.6%
-9 (M)	MISSING:(-9)	500	20.2 %	-

Based upon 1978 valid cases out of 2478 total cases.

V1701

111D014C:CNSL TRBL R IN

Location: 1200-1201 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05813

Would you have preferred more or less of each of the following types of counseling in the last year?

C: Discussing any trouble you've gotten into

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MUCH LESS:(1)	333	13.4 %	17.0%
2	LITTLE LESS:(2)	119	4.8 %	6.1%
3	ABT RIGHT:(3)	1141	46.0 %	58.3%
4	LITTLE MORE:(4)	156	6.3 %	8.0%
5	MCH MORE:(5)	207	8.4 %	10.6%
-9 (M)	MISSING:(-9)	522	21.1 %	-

Based upon 1956 valid cases out of 2478 total cases.

V1702

111D014D:CNSL MILTRY PLN

Location: 1202-1203 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 05814

Would you have preferred more or less of each of the following types of counseling in the last year?

D: Discussing military plans

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MUCH LESS:(1)	641	25.9 %	33.1%
2	LITTLE LESS:(2)	96	3.9 %	5.0%
3	ABT RIGHT:(3)	935	37.7 %	48.2%
4	LITTLE MORE:(4)	113	4.6 %	5.8%
5	MCH MORE:(5)	154	6.2 %	7.9%
-9 (M)	MISSING:(-9)	539	21.8 %	-

Based upon 1939 valid cases out of 2478 total cases.

V1703 111D014E:CNSL EDUC PLANS

Location: 1204-1205 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 05815

Would you have preferred more or less of each of the following types of counseling in the last year?

E: Discussing education or training plans

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MUCH LESS:(1)	205	8.3 %	10.4%
2	LITTLE LESS:(2)	78	3.1 %	4.0%
3	ABT RIGHT:(3)	827	33.4 %	42.1%
4	LITTLE MORE:(4)	457	18.4 %	23.3%
5	MCH MORE:(5)	398	16.1 %	20.3%
-9 (M)	MISSING:(-9)	513	20.7 %	-

Based upon 1965 valid cases out of 2478 total cases.

V1704 111D014F:CNSL CAREER PLN

Location: 1206-1207 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05816

Would you have preferred more or less of each of the following types of counseling in the last year?

F: Discussing career plans or job choice

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MUCH LESS:(1)	151	6.1 %	7.7%
2	LITTLE LESS:(2)	66	2.7 %	3.4%
3	ABT RIGHT:(3)	718	29.0 %	36.5%
4	LITTLE MORE:(4)	501	20.2 %	25.5%
5	MCH MORE:(5)	531	21.4 %	27.0%
-9 (M)	MISSING:(-9)	511	20.6 %	-

Based upon 1967 valid cases out of 2478 total cases.

V1705 111D014G:CNSL PRNL PROB

Location: 1208-1209 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05817

Would you have preferred more or less of each of the following types of counseling in the last year?

G: Discussing personal problems

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MUCH LESS:(1)	385	15.5 %	19.7%
2	LITTLE LESS:(2)	106	4.3 %	5.4%
3	ABT RIGHT:(3)	1019	41.1 %	52.2%
4	LITTLE MORE:(4)	173	7.0 %	8.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	MCH MORE:(5)	270	10.9 %	13.8%
-9 (M)	MISSING:(-9)	525	21.2 %	-

Based upon 1953 valid cases out of 2478 total cases.

V1719

111D015A:#DA HEADACHE

Location: 1210-1211 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21310

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

A: Headache

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	481	19.4 %	24.0%
2	1 DAY:(2)	358	14.4 %	17.9%
3	2 DAYS:(3)	377	15.2 %	18.8%
4	3-5 DAYS:(4)	387	15.6 %	19.3%
5	6-9 DAYS:(5)	198	8.0 %	9.9%
6	10-19 DA:(6)	119	4.8 %	5.9%
7	20+ DAYS:(7)	81	3.3 %	4.0%
-9 (M)	MISSING:(-9)	477	19.2 %	-

Based upon 2001 valid cases out of 2478 total cases.

V1720

111D015B:#DA SORE THROAT

Location: 1212-1213 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21320

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

B: Sore throat or hoarse voice

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	877	35.4 %	44.0%
2	1 DAY:(2)	298	12.0 %	15.0%
3	2 DAYS:(3)	317	12.8 %	15.9%
4	3-5 DAYS:(4)	317	12.8 %	15.9%
5	6-9 DAYS:(5)	116	4.7 %	5.8%
6	10-19 DA:(6)	49	2.0 %	2.5%
7	20+ DAYS:(7)	19	0.8 %	1.0%
-9 (M)	MISSING:(-9)	485	19.6 %	-

Based upon 1993 valid cases out of 2478 total cases.

V1721

111D015C:#DA SINUS CONG

Location: 1214-1215 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21330

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

C: Trouble with sinus congestion, runny nose, or sneezing

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	579	23.4 %	29.1%
2	1 DAY:(2)	224	9.0 %	11.2%
3	2 DAYS:(3)	260	10.5 %	13.0%
4	3-5 DAYS:(4)	403	16.3 %	20.2%
5	6-9 DAYS:(5)	246	9.9 %	12.3%
6	10-19 DA:(6)	159	6.4 %	8.0%
7	20+ DAYS:(7)	122	4.9 %	6.1%
-9 (M)	MISSING:(-9)	485	19.6 %	-

Based upon 1993 valid cases out of 2478 total cases.

V1722

111D015D:#DA COUGHING

Location: 1216-1217 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21340

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

D: Coughing spells

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1163	46.9 %	58.6%
2	1 DAY:(2)	226	9.1 %	11.4%
3	2 DAYS:(3)	195	7.9 %	9.8%
4	3-5 DAYS:(4)	190	7.7 %	9.6%
5	6-9 DAYS:(5)	108	4.4 %	5.4%
6	10-19 DA:(6)	65	2.6 %	3.3%
7	20+ DAYS:(7)	36	1.5 %	1.8%
-9 (M)	MISSING:(-9)	495	20.0 %	-

Based upon 1983 valid cases out of 2478 total cases.

V1723

111D015E:#DA CHEST COLD

Location: 1218-1219 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21350

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

E: Chest colds

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1515	61.1 %	76.6%
2	1 DAY:(2)	153	6.2 %	7.7%
3	2 DAYS:(3)	122	4.9 %	6.2%
4	3-5 DAYS:(4)	103	4.2 %	5.2%
5	6-9 DAYS:(5)	46	1.9 %	2.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	10-19 DA:(6)	26	1.0 %	1.3%
7	20+ DAYS:(7)	14	0.6 %	0.7%
-9 (M)	MISSING:(-9)	499	20.1 %	-

Based upon 1979 valid cases out of 2478 total cases.

V1724 111D015F:#DA COUGH PHLM

Location: 1220-1221 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21360

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

F: Coughing up phlegm or blood

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1589	64.1 %	80.4%
2	1 DAY:(2)	93	3.8 %	4.7%
3	2 DAYS:(3)	81	3.3 %	4.1%
4	3-5 DAYS:(4)	103	4.2 %	5.2%
5	6-9 DAYS:(5)	42	1.7 %	2.1%
6	10-19 DA:(6)	35	1.4 %	1.8%
7	20+ DAYS:(7)	33	1.3 %	1.7%
-9 (M)	MISSING:(-9)	502	20.3 %	-

Based upon 1976 valid cases out of 2478 total cases.

V1725 111D015G:#DA SHORT BRTH

Location: 1222-1223 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21370

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

G: Shortness of breath when you were not exercising

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1596	64.4 %	80.6%
2	1 DAY:(2)	137	5.5 %	6.9%
3	2 DAYS:(3)	82	3.3 %	4.1%
4	3-5 DAYS:(4)	69	2.8 %	3.5%
5	6-9 DAYS:(5)	51	2.1 %	2.6%
6	10-19 DA:(6)	19	0.8 %	1.0%
7	20+ DAYS:(7)	26	1.0 %	1.3%
-9 (M)	MISSING:(-9)	498	20.1 %	-

Based upon 1980 valid cases out of 2478 total cases.

V1726

111D015H:#DA WHEEZING

Location: 1224-1225 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21380

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

H: Wheezing or gasping

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1711	69.0 %	86.5%
2	1 DAY:(2)	100	4.0 %	5.1%
3	2 DAYS:(3)	62	2.5 %	3.1%
4	3-5 DAYS:(4)	54	2.2 %	2.7%
5	6-9 DAYS:(5)	23	0.9 %	1.2%
6	10-19 DA:(6)	14	0.6 %	0.7%
7	20+ DAYS:(7)	15	0.6 %	0.8%
-9 (M)	MISSING:(-9)	499	20.1 %	-

Based upon 1979 valid cases out of 2478 total cases.

V1727

111D015I:#DA TRBL REMEM

Location: 1226-1227 (width: 2; decimal: 0)

Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 21390

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

I: Trouble remembering things

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1267	51.1 %	64.2%
2	1 DAY:(2)	171	6.9 %	8.7%
3	2 DAYS:(3)	152	6.1 %	7.7%
4	3-5 DAYS:(4)	139	5.6 %	7.0%
5	6-9 DAYS:(5)	88	3.6 %	4.5%
6	10-19 DA:(6)	50	2.0 %	2.5%
7	20+ DAYS:(7)	108	4.4 %	5.5%
-9 (M)	MISSING:(-9)	503	20.3 %	-

Based upon 1975 valid cases out of 2478 total cases.

V1728

111D015J:#DA DFCT THINK

Location: 1228-1229 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 21400

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

J: Difficulty thinking or concentrating

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	992	40.0 %	50.2%
2	1 DAY:(2)	234	9.4 %	11.8%
3	2 DAYS:(3)	229	9.2 %	11.6%
4	3-5 DAYS:(4)	200	8.1 %	10.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	6-9 DAYS:(5)	107	4.3 %	5.4%
6	10-19 DA:(6)	104	4.2 %	5.3%
7	20+ DAYS:(7)	112	4.5 %	5.7%
-9 (M)	MISSING:(-9)	500	20.2 %	-

Based upon 1978 valid cases out of 2478 total cases.

V1729

111D015K:#DA TRBL LEARN

Location: 1230-1231 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21410

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

K: Trouble learning new things

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1392	56.2 %	70.6%
2	1 DAY:(2)	188	7.6 %	9.5%
3	2 DAYS:(3)	141	5.7 %	7.1%
4	3-5 DAYS:(4)	112	4.5 %	5.7%
5	6-9 DAYS:(5)	56	2.3 %	2.8%
6	10-19 DA:(6)	41	1.7 %	2.1%
7	20+ DAYS:(7)	43	1.7 %	2.2%
-9 (M)	MISSING:(-9)	505	20.4 %	-

Based upon 1973 valid cases out of 2478 total cases.

V1730

111D015L:#DA TRBL SLEEP

Location: 1232-1233 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21420

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

L: Trouble sleeping

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	907	36.6 %	45.9%
2	1 DAY:(2)	217	8.8 %	11.0%
3	2 DAYS:(3)	205	8.3 %	10.4%
4	3-5 DAYS:(4)	209	8.4 %	10.6%
5	6-9 DAYS:(5)	165	6.7 %	8.4%
6	10-19 DA:(6)	110	4.4 %	5.6%
7	20+ DAYS:(7)	163	6.6 %	8.2%
-9 (M)	MISSING:(-9)	502	20.3 %	-

Based upon 1976 valid cases out of 2478 total cases.

V1731

111D015M:#DA TRBL START

Location: 1234-1235 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21430

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

M: Trouble getting started in the morning

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	822	33.2 %	41.6%
2	1 DAY:(2)	165	6.7 %	8.4%
3	2 DAYS:(3)	181	7.3 %	9.2%
4	3-5 DAYS:(4)	230	9.3 %	11.6%
5	6-9 DAYS:(5)	160	6.5 %	8.1%
6	10-19 DA:(6)	130	5.2 %	6.6%
7	20+ DAYS:(7)	287	11.6 %	14.5%
-9 (M)	MISSING:(-9)	503	20.3 %	-

Based upon 1975 valid cases out of 2478 total cases.

V1732

111D015N:#DA STAY HOME

Location: 1236-1237 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 21440

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

N: Stayed home most or all of a day because you were not feeling well

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1260	50.8 %	63.7%
2	1 DAY:(2)	316	12.8 %	16.0%
3	2 DAYS:(3)	204	8.2 %	10.3%
4	3-5 DAYS:(4)	126	5.1 %	6.4%
5	6-9 DAYS:(5)	40	1.6 %	2.0%
6	10-19 DA:(6)	8	0.3 %	0.4%
7	20+ DAYS:(7)	24	1.0 %	1.2%
-9 (M)	MISSING:(-9)	500	20.2 %	-

Based upon 1978 valid cases out of 2478 total cases.

V1733 111D016A:#X/12M DOC-CHEK

Location: 1238-1239 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 21450

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

A: For a routine physical check-up

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10+ times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	807	32.6 %	39.9%
2	ONCE:(2)	798	32.2 %	39.5%
3	TWICE:(3)	296	11.9 %	14.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	3-5X:(4)	98	4.0 %	4.8%
5	6-9X:(5)	11	0.4 %	0.5%
6	10+ TIME:(6)	12	0.5 %	0.6%
-9 (M)	MISSING:(-9)	456	18.4 %	-

Based upon 2022 valid cases out of 2478 total cases.

V1734

111D016B:#X/12M DOC-FGHT

Location: 1240-1241 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21460

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

B: For an injury suffered in a fight, assault, or auto accident

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10+ times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1877	75.7 %	93.0%
2	ONCE:(2)	93	3.8 %	4.6%
3	TWICE:(3)	21	0.8 %	1.0%
4	3-5X:(4)	13	0.5 %	0.6%
5	6-9X:(5)	7	0.3 %	0.3%
6	10+ TIME:(6)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	460	18.6 %	-

Based upon 2018 valid cases out of 2478 total cases.

V1735

111D016C:#X/12M DOC-INJ

Location: 1242-1243 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21470

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

C: For any other accidental injury

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10+ times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1692	68.3 %	83.8%
2	ONCE:(2)	164	6.6 %	8.1%
3	TWICE:(3)	89	3.6 %	4.4%
4	3-5X:(4)	40	1.6 %	2.0%
5	6-9X:(5)	16	0.6 %	0.8%
6	10+ TIME:(6)	17	0.7 %	0.8%
-9 (M)	MISSING:(-9)	460	18.6 %	-

Based upon 2018 valid cases out of 2478 total cases.

V1736

111D016D:#X/12M DOC-ILL

Location: 1244-1245 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 21480

In the LAST 12 MONTHS, how many times (if any) have you seen
a doctor or other professional for each of the following?

D: For some physical illness or symptom

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10+ times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1215	49.0 %	60.3%
2	ONCE:(2)	359	14.5 %	17.8%
3	TWICE:(3)	250	10.1 %	12.4%
4	3-5X:(4)	136	5.5 %	6.8%
5	6-9X:(5)	33	1.3 %	1.6%
6	10+ TIME:(6)	21	0.8 %	1.0%
-9 (M)	MISSING:(-9)	464	18.7 %	-

Based upon 2014 valid cases out of 2478 total cases.

V1737

111D016E:#X/12M DOC-PSY

Location: 1246-1247 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 21490

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

E: For some emotional or psychological problem or symptom

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10+ times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1833	74.0 %	91.1%
2	ONCE:(2)	63	2.5 %	3.1%
3	TWICE:(3)	45	1.8 %	2.2%
4	3-5X:(4)	32	1.3 %	1.6%
5	6-9X:(5)	19	0.8 %	0.9%
6	10+ TIME:(6)	20	0.8 %	1.0%
-9 (M)	MISSING:(-9)	466	18.8 %	-

Based upon 2012 valid cases out of 2478 total cases.

V1738

111D017A:#X/12M HSP-INJ

Location: 1248-1249 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21500

In the LAST 12 MONTHS, how many times (if any) have you spent one or more nights in the hospital . . .

A: . . . because of an injury?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10+ times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1903	76.8 %	94.7%
2	ONCE:(2)	66	2.7 %	3.3%
3	TWICE:(3)	15	0.6 %	0.7%
4	3-5X:(4)	11	0.4 %	0.5%
5	6-9X:(5)	3	0.1 %	0.1%
6	10+ TIME:(6)	11	0.4 %	0.5%
-9 (M)	MISSING:(-9)	469	18.9 %	-

Based upon 2009 valid cases out of 2478 total cases.

V1739

111D017B:#X/12M HSP-ILL

Location: 1250-1251 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 21510

In the LAST 12 MONTHS, how many times (if any) have you spent one or more nights in the hospital . . .

B: . . . because of some physical illness?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
 6="10+ times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1882	75.9 %	94.2%
2	ONCE:(2)	67	2.7 %	3.4%
3	TWICE:(3)	18	0.7 %	0.9%
4	3-5X:(4)	15	0.6 %	0.8%
5	6-9X:(5)	7	0.3 %	0.4%
6	10+ TIME:(6)	8	0.3 %	0.4%
-9 (M)	MISSING:(-9)	481	19.4 %	-

Based upon 1997 valid cases out of 2478 total cases.

V1740 111D018:RLTV PHY HEALTH

Location: 1252-1253 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 21520

Overall, relative to other people your age, do you think your physical health over the past year has been . . . ?

1="Much poorer than average" 2="Somewhat poorer" 3="About average" 4="Somewhat better" 5="Much better than average"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MCH <AVG:(1)	138	5.6 %	6.9%
2	SOM <AVG:(2)	239	9.6 %	12.0%
3	ABT AVRG:(3)	824	33.3 %	41.4%
4	SOM >AVG:(4)	432	17.4 %	21.7%
5	MCH >AVG:(5)	359	14.5 %	18.0%
-9 (M)	MISSING:(-9)	486	19.6 %	-

Based upon 1992 valid cases out of 2478 total cases.

V1791 111D021A:DAP SMK 1PCK CI

Location: 1254-1255 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08560

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	527	21.3 %	26.4%
2	DISAPPRV:(2)	708	28.6 %	35.4%
3	STRG DIS:(3)	763	30.8 %	38.2%
-9 (M)	MISSING:(-9)	480	19.4 %	-

Based upon 1998 valid cases out of 2478 total cases.

V1792 111D021B:DAP TRY MRJ 1-2

Location: 1256-1257 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08570

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	997	40.2 %	50.0%
2	DISAPPRV:(2)	481	19.4 %	24.1%
3	STRG DIS:(3)	517	20.9 %	25.9%
-9 (M)	MISSING:(-9)	483	19.5 %	-

Based upon 1995 valid cases out of 2478 total cases.

V1793 111D021C:DAP SMK MRJ OCC

Location: 1258-1259 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 08580

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	815	32.9 %	41.0%
2	DISAPPRV:(2)	520	21.0 %	26.1%
3	STRG DIS:(3)	654	26.4 %	32.9%
-9 (M)	MISSING:(-9)	489	19.7 %	-

Based upon 1989 valid cases out of 2478 total cases.

V1794 111D021D:DAP SMK MRJ REG

Location: 1260-1261 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Item Number: 08590

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	538	21.7 %	27.1%
2	DISAPPRV:(2)	570	23.0 %	28.8%
3	STRG DIS:(3)	874	35.3 %	44.1%
-9 (M)	MISSING:(-9)	496	20.0 %	-

Based upon 1982 valid cases out of 2478 total cases.

V1795 111D021E:DAP COK PWD 1-2

Location: 1262-1263 (width: 2; decimal: 0)
 Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23630

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

E: Trying cocaine in powder form once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	259	10.5 %	13.0%
2	DISAPPRV:(2)	500	20.2 %	25.2%
3	STRG DIS:(3)	1228	49.6 %	61.8%
-9 (M)	MISSING:(-9)	491	19.8 %	-

Based upon 1987 valid cases out of 2478 total cases.

V1796 111D021F:DAP COK PWDR OC

Location: 1264-1265 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23640

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

F: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	202	8.2 %	10.2%
2	DISAPPRV:(2)	424	17.1 %	21.3%
3	STRG DIS:(3)	1360	54.9 %	68.5%
-9 (M)	MISSING:(-9)	492	19.9 %	-

Based upon 1986 valid cases out of 2478 total cases.

V1797 111D021G:DAP COK PWDR RE

Location: 1266-1267 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23650

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

G: Taking cocaine powder regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	187	7.5 %	9.4%
2	DISAPPRV:(2)	338	13.6 %	17.0%
3	STRG DIS:(3)	1460	58.9 %	73.6%
-9 (M)	MISSING:(-9)	493	19.9 %	-

Based upon 1985 valid cases out of 2478 total cases.

V1798

111D021H:DAP TRY CRK 1-2

Location:

1268-1269 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

Item Number: 23660

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

H: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	218	8.8 %	11.0%
2	DISAPPRV:(2)	428	17.3 %	21.6%
3	STRG DIS:(3)	1338	54.0 %	67.4%
-9 (M)	MISSING:(-9)	494	19.9 %	-

Based upon 1984 valid cases out of 2478 total cases.

V1799

111D021I:DAP CRACK OCC

Location:

1270-1271 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

Item Number: 23670

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

I: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	187	7.5 %	9.4%
2	DISAPPRV:(2)	365	14.7 %	18.4%
3	STRG DIS:(3)	1431	57.7 %	72.2%
-9 (M)	MISSING:(-9)	495	20.0 %	-

Based upon 1983 valid cases out of 2478 total cases.

V1800

111D021J:DAP CRACK REG

Location: 1272-1273 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23680

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

J: Taking "crack" cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	182	7.3 %	9.2%
2	DISAPPRV:(2)	312	12.6 %	15.8%
3	STRG DIS:(3)	1481	59.8 %	75.0%
-9 (M)	MISSING:(-9)	503	20.3 %	-

Based upon 1975 valid cases out of 2478 total cases.

V1801

111D021K:DAP TRY DRK ALC

Location: 1274-1275 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08710

Individuals differ in whether or not they disapprove of

people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

K: Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	1328	53.6 %	67.0%
2	DISAPPRV:(2)	330	13.3 %	16.6%
3	STRG DIS:(3)	325	13.1 %	16.4%
-9 (M)	MISSING:(-9)	495	20.0 %	-

Based upon 1983 valid cases out of 2478 total cases.

V1802

111D021L:DAP 1-2 DRK/DAY

Location: 1276-1277 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08720

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

L: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	640	25.8 %	32.3%
2	DISAPPRV:(2)	768	31.0 %	38.8%
3	STRG DIS:(3)	573	23.1 %	28.9%
-9 (M)	MISSING:(-9)	497	20.1 %	-

Based upon 1981 valid cases out of 2478 total cases.

V1803

111D021M:DAP 4-5 DRK/DAY

Location: 1278-1279 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08730

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people

(who are 18 or older) doing each of the following?

M: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	318	12.8 %	16.0%
2	DISAPPRV:(2)	562	22.7 %	28.3%
3	STRG DIS:(3)	1104	44.6 %	55.6%
-9 (M)	MISSING:(-9)	494	19.9 %	-

Based upon 1984 valid cases out of 2478 total cases.

V1804 111D021N:DAP 5+ DRK WKND

Location: 1280-1281 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08740

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

N: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DNT DISP:(1)	590	23.8 %	29.9%
2	DISAPPRV:(2)	503	20.3 %	25.5%
3	STRG DIS:(3)	879	35.5 %	44.6%
-9 (M)	MISSING:(-9)	506	20.4 %	-

Based upon 1972 valid cases out of 2478 total cases.

APPENDIX

Appendix A: Publications

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future [Publications](#) web page.

Publications are divided into the following categories:

- Monographs
- Reference Volumes
- Books
- Journal Articles
- Chapters
- Research Reports
- Occasional Papers
- Congressional Testimony
- Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83
2007	111	21	132	15,132	81
2008	103	17	120	14,577	79
2009	106	19	125	14,268	82
2010	104	22	126	15,127	85
2011	110	19	129	14,855	83

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.