

ICPSR 36263

## **Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2014**

Lloyd D. Johnston

*University of Michigan. Institute for Social Research. Survey Research Center*

Jerald G. Bachman

*University of Michigan. Institute for Social Research. Survey Research Center*

Patrick M. O'Malley

*University of Michigan. Institute for Social Research. Survey Research Center*

John E. Schulenberg

*University of Michigan. Institute for Social Research. Survey Research Center*

Richard A. Miech

*University of Michigan. Institute for Social Research. Survey Research Center*

### **Form 6 Data Codebook**

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

## **Terms of Use**

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36263/terms>

## **Information about Copyrighted Content**

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

**NOTICE**  
**WARNING CONCERNING COPYRIGHT RESTRICTIONS**

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

## **INTRODUCTION**

### **DATA COLLECTION DESCRIPTION**

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2014 is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, John Schulenberg, and Richard A. Miech, co-principal investigators.) The research project is unusually comprehensive in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

### **DATA COLLECTION PROCEDURES**

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort—between 9 and 20 percent—though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency, tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions that drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate only very small decreases in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

## SAMPLING INFORMATION

The procedure for securing a nationally representative sample of high school seniors in public and private schools is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

**STAGE 1: GEOGRAPHIC AREAS.** The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

**STAGE 2: SCHOOLS.** In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

**STAGE 3: STUDENTS.** Within each selected school, up to about 350 seniors may be included in the data collection. In schools with fewer than 350 seniors, we attempt to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. A sampling weight is assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two- year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and

examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

**SCHOOL RECRUITING PROCEDURES.** Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A local SRC representative is assigned to work with the school to set a mutually agreeable date for the survey and to carry out the administration.

**ADVANCE CONTACT WITH TEACHERS AND STUDENTS.** The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter describing the study and a copy of the student flyer to the parents. The letter provides parents with an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

**QUESTIONNAIRE ADMINISTRATION.** The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward.

Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automated scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

**PROCEDURES FOR PROTECTING CONFIDENTIALITY.** In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer file at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

## **CONTENT AREAS AND QUESTIONNAIRE DESIGN**

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the [cross-time index](#) of base year grade 12 questionnaire items provided separately in this archive.

## **MEASUREMENT CONTENT AREAS**

---

---

- A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others

- regarding drugs.
- B. EDUCATION. Educational lifestyle, values, experiences, and environments
  - C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities including computer use, preferences regarding occupational characteristics and type of work setting.
  - D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
  - E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
  - F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
  - G. RELIGION. Religious affiliation, practices, and views.
  - H. POLITICS. Political affiliation, activities, and views.
  - I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
  - J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
  - K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
  - L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
  - M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
  - N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
  - O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
  - P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.
  - Q. OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility, boredom.
  - R. BACKGROUND. Demographic and family background characteristics, living arrangements.
  - S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
  - T. HEALTH. Health habits, somatic symptoms, illness, medical treatment.
- 
-

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples.

About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

## **REPRESENTATIVENESS AND VALIDITY**

The samples for this study are intended to be representative of high school seniors attending private or public schools throughout the 48 contiguous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

**SCHOOL PARTICIPATION.** As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate

are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

**STUDENT PARTICIPATION.** Completed questionnaires are obtained from three-fourths to four-fifths of all 12<sup>th</sup> graders sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire, either on their own or because their parents refused consent. However, SRC representatives in the field estimate this proportion to be only about two percent.

**VALIDITY OF SELF-REPORT DATA.** Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

**ACCURACY OF THE SAMPLE.** A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 3 – 4 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of

schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The [annual volumes](#) from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

**CONSISTENCY AND THE MEASUREMENT OF TRENDS.** One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

**INTERPRETING RACIAL DIFFERENCES.** Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- each of which constitutes approximately 8-15 percent of each year's sample -- are represented by perhaps as few as 200 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the [annual volumes](#) for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial

comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

**DIFFERENTIAL REPRESENTATION.** Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to under represent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

**DIFFERENTIAL RESPONSE TENDENCIES.** In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

**COVARIANCE WITH OTHER FACTORS.** Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and descriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

## WEIGHTING INFORMATION

Frequency and percentage distributions displayed in codebooks produced after 2007 are unweighted, rather than weighted by variable ARCHIVE\_WT (previously V5) as they had been in previous years. This change was made to simplify both the production of the codebooks and their interpretation by the analyst.

## FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2014 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ASCII text file.

part #	form	# of variables	Logical record length	Unweighted n
1	Core	169	355	13,015
2	Form 1	633	1,282	2,181
3	Form 2	328	672	2,170
4	Form 3	361	738	2,169
5	Form 4	271	558	2,150
6	Form 5	317	650	2,157
7	Form 6	327	670	2,188

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

## ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

For reasons of confidentiality, the weight variable (ARCHIVE\_WT) was altered from its original version to a modified version prior to public distribution of the data. THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND THOSE FROM WEIGHTED ANALYSES OF THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

### OMITTED VARIABLES:

All datasets	C01. R'S BIRTH YEAR C02. R'S BIRTH MONTH C04A-I, R'S RACE (9 categories) C07A-B. # OLDER BR/SR, # YOUNGER BR/SR C07Ca,e-i. R'S HSHLD (other than mother/father/sibling) C13A. R'S RELGS PRFNC
Form 1	D19. CURRENT HEIGHT D20. CURRENT WEIGHT
Form 2	2A19P. ARRSTD&TKN 2 POL
Form 5	5A21. CURRENT HEIGHT 5A22. CURRENT WEIGHT

## **RECODED VARIABLES:**

### **Core dataset and Part C section of individual forms**

AGE <> 18 DICHOTOMY

1=younger than 18 years old,

2=18 years old or more

-9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy

1=BLACK 2=WHITE 3=HISPANIC, -9>All Other Codes, multiple responses, and missing data on Q. C04.

From 2006 on, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS

Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)

0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING

0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

### **Core dataset (Part B)**

\*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]

Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

\*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]

Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

**Form 6**

A10. EVER HELD BACK

1=No, 2=Yes

A11. NEED SUMMER SCHL

1=No, 2=Yes

A12. EVER SUSPENDED

1=No, 2=Yes

**MISSING DATA FOR WESTERN REGION:**

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT 4A15B GD LIV TG BF MRG 4A15C 1 PRTNRR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND 5A18J FULLR LVS IF MRY 5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK 6A08B #X PRNT HLP HMWK 6A08C #X PRNT GV CHORE 6A08D #X PRNT LIMIT TV 6A08E #X PRNT LMT OUT

**QUESTIONNAIRE FORM 1 PROCESSING**

The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

## **REVISED QUESTION TEXT FOR THE CORE DATASET**

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series. This additional text is meant to clarify and provide detail about the question for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.



## ICPSR 36263

# Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2014

## Variable Description and Frequencies

**Note:** Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

## Form 6 Data

---

### CASEID: CASE IDENTIFICATION NUMBER

Based upon 2,188 valid cases out of 2,188 total cases.

*Location:* 1-4 (width: 4; decimal: 0)

*Variable Type:* numeric

---

### V1: YEAR OF ADMIN (4-DIGITS)

Value	Label	Unweighted Frequency	%
2014	-	2188	100.0 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,188 valid cases out of 2,188 total cases.

*Location:* 5-8 (width: 4; decimal: 0)

*Variable Type:* numeric

---

### V3: 146:FORM ID

Value	Label	Unweighted Frequency	%
6	-	2188	100.0 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,188 valid cases out of 2,188 total cases.

*Location:* 9-9 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### RESPONDENT\_ID: R'S ID-SERIAL #

Based upon 2,188 valid cases out of 2,188 total cases.

*Location:* 10-14 (width: 5; decimal: 0)

*Variable Type:* numeric

---

### ARCHIVE\_WT: ARCHIVE WEIGHT

Based upon 2,188 valid cases out of 2,188 total cases.

*Location:* 15-29 (width: 15; decimal: 13)

*Variable Type:* numeric

---

### V13: SCH REG-4 CAT

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

Value	Label	Unweighted Frequency	%
1	NORTHEAST:(1)	454	20.7 %
2	NORTH CENTRL:(2)	533	24.4 %
3	SOUTH:(3)	759	34.7 %
4	WEST:(4)	442	20.2 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,188 valid cases out of 2,188 total cases.

*Location:* 30-30 (width: 1; decimal: 0)

*Variable Type:* numeric

## V16: LARGE MSA = 1/NOT = 0

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	Label	Unweighted Frequency	%
0	NOT:(0)	1511	69.1 %
1	LARGE MSA:(1)	677	30.9 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,188 valid cases out of 2,188 total cases.

*Location:* 31-31 (width: 1; decimal: 0)

*Variable Type:* numeric

## V17: SMSA/NON SMSA = 0

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	Label	Unweighted Frequency	%
0	NOT:(0)	457	20.9 %
1	MSA:(1)	1731	79.1 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,188 valid cases out of 2,188 total cases.

*Location:* 32-32 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## V6207: 146A01 :CMP SATFD W/LIFE

Item Number: 06840

How satisfied are you with your life as a whole these days?

1="Completely dissatisfied" 2="Quite dissatisfied" 3="Somewhat dissatisfied" 4="Neither, or mixed feelings" 5="Somewhat satisfied" 6="Quite satisfied" 7="Completely satisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	47	2.1 %
2	QUITE:(2)	110	5.0 %
3	SOME DIS:(3)	153	7.0 %
4	NEITHER:(4)	247	11.3 %
5	SOME DIS:(5)	412	18.8 %
6	QUITE:(6)	861	39.4 %
7	COMPLETE:(7)	298	13.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	60	2.7 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,128 valid cases out of 2,188 total cases.

*Location:* 33-34 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V6208: 146A02A:DALY WATCH TV

Item Number: 05820

The next questions ask about the kinds of things you might do.

How often do you do each of the following?

A: Watch TV

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	51	2.3 %
2	FEW/YR:(2)	85	3.9 %

Value	Label	Unweighted Frequency	%
3	1X-2X/MO:(3)	186	8.5 %
4	ONCE+/WK:(4)	656	30.0 %
5	ALM EVERYDAY:(5)	1200	54.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	10	0.5 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,178 valid cases out of 2,188 total cases.

*Location:* 35-36 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6209: 146A02B:DALY GO TO MOVIE

Item Number: 05830

How often do you do each of the following?

B: Go to movies

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	86	3.9 %
2	FEW/YR:(2)	1027	46.9 %
3	1X-2X/MO:(3)	963	44.0 %
4	ONCE+/WK:(4)	80	3.7 %
5	ALM EVERYDAY:(5)	15	0.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	17	0.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,171 valid cases out of 2,188 total cases.

*Location:* 37-38 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6210: 146A02C:DALY MUSIC CNCRT

Item Number: 05846

How often do you do each of the following?

C: Go to music concerts

1="Never" 2="A few times a year" 3="Once or twice a month"  
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	984	45.0 %
2	FEW/YR:(2)	1032	47.2 %
3	1X-2X/MO:(3)	128	5.9 %
4	ONCE+/WK:(4)	21	1.0 %
5	ALM EVERYDAY:(5)	10	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	13	0.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,175 valid cases out of 2,188 total cases.

*Location:* 39-40 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6211: 146A02D:DALY RIDE FORFUN

Item Number: 05850

How often do you do each of the following?

D: Ride around in a car (or motorcycle) just for fun

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	415	19.0 %
2	FEW/YR:(2)	259	11.8 %
3	1X-2X/MO:(3)	382	17.5 %
4	ONCE+/WK:(4)	594	27.1 %
5	ALM EVERYDAY:(5)	525	24.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	13	0.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,175 valid cases out of 2,188 total cases.

*Location:* 41-42 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6212: 146A02E:DALY CMNTY AFFRS

Item Number: 05860

How often do you do each of the following?

E: Participate in community affairs or volunteer work

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	496	22.7 %
2	FEW/YR:(2)	862	39.4 %
3	1X-2X/MO:(3)	480	21.9 %
4	ONCE+/WK:(4)	257	11.7 %
5	ALM EVERYDAY:(5)	76	3.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	17	0.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,171 valid cases out of 2,188 total cases.

*Location:* 43-44 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6213: 146A02F:DALY ACTV SPORTS

Item Number: 05890

How often do you do each of the following?

F: Actively participate in sports, athletics or exercising

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	241	11.0 %
2	FEW/YR:(2)	216	9.9 %
3	1X-2X/MO:(3)	250	11.4 %
4	ONCE+/WK:(4)	498	22.8 %
5	ALM EVERYDAY:(5)	969	44.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	14	0.6 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,174 valid cases out of 2,188 total cases.

*Location:* 45-46 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6214: 146A02G:DALY VIST W/FRDS

Item Number: 05920

How often do you do each of the following?

G: Get together with friends informally

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	47	2.1 %
2	FEW/YR:(2)	112	5.1 %
3	1X-2X/MO:(3)	365	16.7 %
4	ONCE+/WK:(4)	954	43.6 %
5	ALM EVERYDAY:(5)	691	31.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	19	0.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,169 valid cases out of 2,188 total cases.

*Location:* 47-48 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6597: 146A02H:DALY GO TO MALL

Item Number: 05935

How often do you do each of the following?

H. Go to a shopping mall

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	130	5.9 %
2	FEW/YR:(2)	631	28.8 %
3	1X-2X/MO:(3)	1038	47.4 %
4	ONCE+/WK:(4)	325	14.9 %
5	ALM EVERYDAY:(5)	52	2.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	12	0.5 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,176 valid cases out of 2,188 total cases.

*Location:* 49-50 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6216: 146A02I:DALY ALONE LEISR

Item Number: 05940

How often do you do each of the following?

I: Spend at least an hour of leisure time alone

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	108	4.9 %
2	FEW/YR:(2)	102	4.7 %
3	1X-2X/MO:(3)	227	10.4 %
4	ONCE+/WK:(4)	613	28.0 %
5	ALM EVERYDAY:(5)	1120	51.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	18	0.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,170 valid cases out of 2,188 total cases.

*Location:* 51-52 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6217: 146A02J:DALY READ MAGZNS

Item Number: 23070

How often do you do each of the following?

J: Read magazines

1="Never" 2="A few times a year" 3="Once or twice a month"  
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	778	35.6 %
2	FEW/YR:(2)	545	24.9 %
3	1X-2X/MO:(3)	584	26.7 %
4	ONCE+/WK:(4)	211	9.6 %
5	ALM EVERYDAY:(5)	54	2.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	16	0.7 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,172 valid cases out of 2,188 total cases.

*Location:* 53-54 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6218: 146A02K:DALY READ NWSPPR

Item Number: 23080

How often do you do each of the following?

K: Read newspapers

1="Never" 2="A few times a year" 3="Once or twice a month"  
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	921	42.1 %
2	FEW/YR:(2)	569	26.0 %
3	1X-2X/MO:(3)	372	17.0 %
4	ONCE+/WK:(4)	241	11.0 %
5	ALM EVERYDAY:(5)	70	3.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	15	0.7 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,173 valid cases out of 2,188 total cases.

*Location:* 55-56 (width: 2; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: -9

---

## V6219: 146A02L:DALY GO TO BARS

Item Number: 05960

How often do you do each of the following?

L: Go to taverns, bars or nightclubs

1="Never" 2="A few times a year" 3="Once or twice a month"  
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1535	70.2 %
2	FEW/YR:(2)	309	14.1 %
3	1X-2X/MO:(3)	201	9.2 %
4	ONCE+/WK:(4)	90	4.1 %
5	ALM EVERYDAY:(5)	37	1.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	16	0.7 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,172 valid cases out of 2,188 total cases.

Location: 57-58 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V6220: 146A02M:DALY GO TO PARTY

Item Number: 05970

How often do you do each of the following?

M: Go to parties or other social affairs

1="Never" 2="A few times a year" 3="Once or twice a month"  
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	277	12.7 %
2	FEW/YR:(2)	655	29.9 %
3	1X-2X/MO:(3)	763	34.9 %
4	ONCE+/WK:(4)	435	19.9 %
5	ALM EVERYDAY:(5)	46	2.1 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	12	0.5 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,176 valid cases out of 2,188 total cases.

*Location:* 59-60 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6598: 146A02N:DALY GO TO RAVES

Item Number: 29760

How often do you do each of the following?

N: Go to raves or other dance music events

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1207	55.2 %
2	FEW/YR:(2)	622	28.4 %
3	1X-2X/MO:(3)	226	10.3 %
4	ONCE+WK:(4)	80	3.7 %
5	ALM EVERYDAY:(5)	34	1.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	19	0.9 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,169 valid cases out of 2,188 total cases.

*Location:* 61-62 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6221: 146A03 :\*SC WRK NVR MNG

Item Number: 05700

The next questions are about your experiences in school.

How often do you feel that the school work you are assigned is meaningful and important?

5="Almost always" 4="Often" 3="Sometimes" 2="Seldom" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	128	5.9 %
2	SELDOM:(2)	457	20.9 %
3	SOMETIMES:(3)	947	43.3 %
4	OFTEN:(4)	417	19.1 %
5	ALM ALWYS:(5)	184	8.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	55	2.5 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,133 valid cases out of 2,188 total cases.

*Location:* 63-64 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6222: 146A04 :\*MST COUR V DUL

Item Number: 05710

How interesting are most of your courses to you?

5="Very exciting and stimulating" 4="Quite interesting"

3="Fairly interesting" 2="Slightly dull" 1="Very dull"

Value	Label	Unweighted Frequency	%
1	VERY DULL:(1)	218	10.0 %
2	SLIGHT DULL:(2)	558	25.5 %
3	FAIRLY INTR:(3)	914	41.8 %
4	QUITE INTRST:(4)	411	18.8 %
5	VRY EXCITG:(5)	68	3.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	19	0.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,169 valid cases out of 2,188 total cases.

*Location:* 65-66 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6223: 146A05 :\*LRN SCH NT IMP

Item Number: 05720

How important do you think the things you are learning in school are going to be for your later life?

5="Very important" 4="Quite important" 3="Fairly important"  
 2="Slightly important" 1="Not at all important"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	132	6.0 %
2	SLIGHT:(2)	653	29.8 %
3	FAIR IMPT:(3)	700	32.0 %
4	QUITE IMPT:(4)	437	20.0 %
5	VRY IMPT:(5)	238	10.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	28	1.3 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,160 valid cases out of 2,188 total cases.

*Location:* 67-68 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6224: 146A06A:LSTYR/ENJOY SCHL

Item Number: 23090

Now thinking back over the past year in school, how often did you . . .

A: . . . Enjoy being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	175	8.0 %
2	SELDOM:(2)	365	16.7 %
3	SOMETIMES:(3)	873	39.9 %
4	OFTEN:(4)	601	27.5 %
5	ALWAYS:(5)	163	7.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	11	0.5 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,177 valid cases out of 2,188 total cases.

*Location:* 69-70 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6225: 146A06B:LSTYR/HATE SCHL

Item Number: 23100

Now thinking back over the past year in school, how often did you . . .

B: . . . Hate being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	144	6.6 %
2	SELDOM:(2)	507	23.2 %
3	SOMETIMES:(3)	756	34.6 %
4	OFTEN:(4)	513	23.4 %
5	ALWAYS:(5)	254	11.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	14	0.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,174 valid cases out of 2,188 total cases.

*Location:* 71-72 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6226: 146A06C:LSTYR/DO BEST WK

Item Number: 23110

Now thinking back over the past year in school, how often did you . . .

C: . . . Try to do your best work in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	26	1.2 %
2	SELDOM:(2)	121	5.5 %
3	SOMETIMES:(3)	468	21.4 %
4	OFTEN:(4)	791	36.2 %
5	ALWAYS:(5)	767	35.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	15	0.7 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,173 valid cases out of 2,188 total cases.

*Location:* 73-74 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6227: 146A06D:LSTYR/SCH 2 HARD

Item Number: 23120

Now thinking back over the past year in school, how often did you . . .

D: . . . Find the school work too hard to understand?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	322	14.7 %
2	SELDOM:(2)	817	37.3 %
3	SOMETIMES:(3)	791	36.2 %
4	OFTEN:(4)	180	8.2 %
5	ALWAYS:(5)	64	2.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	14	0.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,174 valid cases out of 2,188 total cases.

*Location:* 75-76 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6228: 146A06E:LSTYR/FOOL ROUND

Item Number: 23130

Now thinking back over the past year in school, how often did you . . .

E: . . . Fool around in class?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	324	14.8 %
2	SELDOM:(2)	642	29.3 %
3	SOMETIMES:(3)	709	32.4 %
4	OFTEN:(4)	336	15.4 %
5	ALWAYS:(5)	167	7.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	10	0.5 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,178 valid cases out of 2,188 total cases.

*Location:* 77-78 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6229: 146A06F:LSTYR/WK NT DONE

Item Number: 23140

Now thinking back over the past year in school, how often did you . . .

F: . . . Fail to complete or turn in your assignments?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	535	24.5 %
2	SELDOM:(2)	784	35.8 %
3	SOMETIMES:(3)	582	26.6 %
4	OFTEN:(4)	225	10.3 %
5	ALWAYS:(5)	46	2.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	16	0.7 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,172 valid cases out of 2,188 total cases.

*Location:* 79-80 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6230: 146A06G:LSTYR/GT GD GRDS

Item Number: 23150

Now thinking back over the past year in school, how often did you . . .

G: . . . Get good grades (like A's or B's)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	40	1.8 %
2	SELDOM:(2)	159	7.3 %
3	SOMETIMES:(3)	442	20.2 %
4	OFTEN:(4)	589	26.9 %
5	ALWAYS:(5)	944	43.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	14	0.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,174 valid cases out of 2,188 total cases.

*Location:* 81-82 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6231: 146A06H:LSTYR/U MISBEHAV

Item Number: 23160

Now thinking back over the past year in school, how often did you . . .

H: . . . Get sent to the office, or have to stay after school, because you misbehaved?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1703	77.8 %
2	SELDOM:(2)	337	15.4 %
3	SOMETIMES:(3)	90	4.1 %
4	OFTEN:(4)	32	1.5 %
5	ALWAYS:(5)	14	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	12	0.5 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,176 valid cases out of 2,188 total cases.

*Location:* 83-84 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6232: 146A06I:LSTYR/SKIP SCHL

Item Number: 23170

Now thinking back over the past year in school, how often did you . . .

I: . . . Skip a day of school, or part of a day (without permission)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1260	57.6 %
2	SELDOM:(2)	412	18.8 %
3	SOMETIMES:(3)	313	14.3 %
4	OFTEN:(4)	143	6.5 %
5	ALWAYS:(5)	46	2.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	14	0.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,174 valid cases out of 2,188 total cases.

*Location:* 85-86 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6242: 146A07A:5-6GR/ENJOY SCHL

Item Number: 23270

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

A: . . . Enjoy being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	213	9.7 %
2	SELDOM:(2)	293	13.4 %
3	SOMETIMES:(3)	498	22.8 %

Value	Label	Unweighted Frequency	%
4	OFTEN:(4)	617	28.2 %
5	ALWAYS:(5)	550	25.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	17	0.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,171 valid cases out of 2,188 total cases.

*Location:* 87-88 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6243: 146A07B:5-6GR/HATE SCHL

Item Number: 23280

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

B: . . . Hate being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	465	21.3 %
2	SELDOM:(2)	564	25.8 %
3	SOMETIMES:(3)	563	25.7 %
4	OFTEN:(4)	307	14.0 %
5	ALWAYS:(5)	272	12.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	17	0.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,171 valid cases out of 2,188 total cases.

*Location:* 89-90 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6244: 146A07C:5-6GR/DO BEST WK

Item Number: 23290

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

C: . . . Try to do your best work in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	63	2.9 %
2	SELDOM:(2)	140	6.4 %
3	SOMETIMES:(3)	383	17.5 %
4	OFTEN:(4)	573	26.2 %
5	ALWAYS:(5)	1003	45.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	26	1.2 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,162 valid cases out of 2,188 total cases.

*Location:* 91-92 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6245: 146A07D:5-6GR/SCH 2 HARD

Item Number: 23300

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

D: . . . Find the school work too hard to understand?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	660	30.2 %
2	SELDOM:(2)	598	27.3 %
3	SOMETIMES:(3)	585	26.7 %
4	OFTEN:(4)	229	10.5 %
5	ALWAYS:(5)	96	4.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	20	0.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,168 valid cases out of 2,188 total cases.

*Location:* 93-94 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6246: 146A07E:5-6GR/FOOL ROUND

Item Number: 23310

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

E: . . . Fool around in class?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	520	23.8 %
2	SELDOM:(2)	501	22.9 %
3	SOMETIMES:(3)	528	24.1 %
4	OFTEN:(4)	363	16.6 %
5	ALWAYS:(5)	254	11.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	22	1.0 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,166 valid cases out of 2,188 total cases.

*Location:* 95-96 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6247: 146A07F:5-6GR/WK NT DONE

Item Number: 23320

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

F: . . . Fail to complete or turn in your assignments?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	951	43.5 %
2	SELDOM:(2)	582	26.6 %
3	SOMETIMES:(3)	396	18.1 %
4	OFTEN:(4)	179	8.2 %
5	ALWAYS:(5)	64	2.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	16	0.7 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,172 valid cases out of 2,188 total cases.

*Location:* 97-98 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6248: 146A07G:5-6GR/GT GD GRDS

Item Number: 23330

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

G: . . . Get good grades (like A's or B's)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	48	2.2 %
2	SELDOM:(2)	155	7.1 %
3	SOMETIMES:(3)	344	15.7 %
4	OFTEN:(4)	500	22.9 %
5	ALWAYS:(5)	1122	51.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	19	0.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,169 valid cases out of 2,188 total cases.

*Location:* 99-100 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6249: 146A07H:5-6GR/U MISBEHAV

Item Number: 23340

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

H: . . . Get sent to the office, or have to stay after school, because you misbehaved?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1398	63.9 %
2	SELDOM:(2)	373	17.0 %
3	SOMETIMES:(3)	218	10.0 %
4	OFTEN:(4)	124	5.7 %
5	ALWAYS:(5)	55	2.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	20	0.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,168 valid cases out of 2,188 total cases.

*Location:* 101-102 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6250: 146A07I:5-6GR/SKIP SCHL

Item Number: 23350

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

I: . . . Skip a day of school, or part of a day (without permission)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1868	85.4 %
2	SELDOM:(2)	156	7.1 %
3	SOMETIMES:(3)	95	4.3 %
4	OFTEN:(4)	31	1.4 %
5	ALWAYS:(5)	21	1.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	17	0.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,171 valid cases out of 2,188 total cases.

*Location:* 103-104 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6491: 146A08A:#X PRNT CHK HMWK

Item Number: 25180

How often do your parents (or stepparents or guardians) do the following?

A: Check on whether you have done your homework

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	635	29.0 %
2	RARELY:(2)	450	20.6 %
3	SOMETIMES:(3)	352	16.1 %
4	OFTEN:(4)	291	13.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	460	21.0 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,728 valid cases out of 2,188 total cases.

*Location:* 105-106 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6492: 146A08B:#X PRNT HLP HMWK

Item Number: 25190

How often do your parents (or stepparents or guardians) do the following?

B: Provide help with your homework when it's needed

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	560	25.6 %
2	RARELY:(2)	345	15.8 %
3	SOMETIMES:(3)	421	19.2 %
4	OFTEN:(4)	400	18.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	462	21.1 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,726 valid cases out of 2,188 total cases.

*Location:* 107-108 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6493: 146A08C:#X PRNT GV CHORE

Item Number: 25200

How often do your parents (or stepparents or guardians)  
do the following?

C: Require you to do work or chores around the home

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	118	5.4 %
2	RARELY:(2)	224	10.2 %
3	SOMETIMES:(3)	495	22.6 %
4	OFTEN:(4)	884	40.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	467	21.3 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,721 valid cases out of 2,188 total cases.

*Location:* 109-110 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6494: 146A08D:#X PRNT LIMIT TV

Item Number: 25210

How often do your parents (or stepparents or guardians)  
do the following?

D: Limit the amount of time you can spend watching TV

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1189	54.3 %

Value	Label	Unweighted Frequency	%
2	RARELY:(2)	297	13.6 %
3	SOMETIMES:(3)	151	6.9 %
4	OFTEN:(4)	88	4.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	463	21.2 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,725 valid cases out of 2,188 total cases.

*Location:* 111-112 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6495: 146A08E:#X PRNT LMT OUT

Item Number: 25220

How often do your parents (or stepparents or guardians) do the following?

E: Limit the amount of time you can go out with friends on school nights

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	500	22.9 %
2	RARELY:(2)	359	16.4 %
3	SOMETIMES:(3)	460	21.0 %
4	OFTEN:(4)	405	18.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	464	21.2 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,724 valid cases out of 2,188 total cases.

*Location:* 113-114 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6251: 146A09A:SCH ACTV-PBLCTNS

Item Number: 22170

To what extent have you participated in the following school

activities during this school year?

A: School newspaper or yearbook

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1641	75.0 %
2	SLIGHT:(2)	242	11.1 %
3	MODERATE:(3)	97	4.4 %
4	CONSDRBL:(4)	70	3.2 %
5	GRT EXT:(5)	112	5.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	26	1.2 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,162 valid cases out of 2,188 total cases.

*Location:* 115-116 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6252: 146A09B:SCH ACTV-PRF ART

Item Number: 22180

To what extent have you participated in the following school activities during this school year?

B: Music or other performing arts

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1277	58.4 %
2	SLIGHT:(2)	222	10.1 %
3	MODERATE:(3)	142	6.5 %
4	CONSDRBL:(4)	141	6.4 %
5	GRT EXT:(5)	378	17.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	28	1.3 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,160 valid cases out of 2,188 total cases.

*Location:* 117-118 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6253: 146A09C:SCH ACTV-ATHLTCS

Item Number: 22190

To what extent have you participated in the following school activities during this school year?

C: Athletic teams

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"

5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	923	42.2 %
2	SLIGHT:(2)	169	7.7 %
3	MODERATE:(3)	193	8.8 %
4	CONSDRBL:(4)	202	9.2 %
5	GRT EXT:(5)	670	30.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	31	1.4 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,157 valid cases out of 2,188 total cases.

*Location:* 119-120 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6254: 146A09D:SCH ATV-ACDMC CL

Item Number: 23360

To what extent have you participated in the following school activities during this school year?

D: Academic clubs (e.g., science, math, language)

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"

5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1470	67.2 %
2	SLIGHT:(2)	190	8.7 %
3	MODERATE:(3)	183	8.4 %

Value	Label	Unweighted Frequency	%
4	CONSDRBL:(4)	155	7.1 %
5	GRT EXT:(5)	163	7.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	27	1.2 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,161 valid cases out of 2,188 total cases.

*Location:* 121-122 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6255: 146A09E:SCH ATV-STDN GVT

Item Number: 23370

To what extent have you participated in the following school activities during this school year?

E: Student council or government

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"

5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1705	77.9 %
2	SLIGHT:(2)	140	6.4 %
3	MODERATE:(3)	102	4.7 %
4	CONSDRBL:(4)	81	3.7 %
5	GRT EXT:(5)	132	6.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	28	1.3 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,160 valid cases out of 2,188 total cases.

*Location:* 123-124 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6256: 146A09F:SCH ACTV-OTH ACT

Item Number: 22200

To what extent have you participated in the following school activities during this school year?

F: Other school clubs or activities

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	881	40.3 %
2	SLIGHT:(2)	265	12.1 %
3	MODERATE:(3)	319	14.6 %
4	CONSDRBL:(4)	310	14.2 %
5	GRT EXT:(5)	388	17.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	25	1.1 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,163 valid cases out of 2,188 total cases.

*Location:* 125-126 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6272: 146A10(R):EVER HELD BACK

Item Number: 23530

Have you ever had to repeat a grade in school?

1="No" 2="Yes, one time" 3="Yes, two or more times"

Codes 2 and 3 are combined in this dataset.

Value	Label	Unweighted Frequency	%
1	NO:(1)	1947	89.0 %
2	YES:(2-3)	219	10.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	22	1.0 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,166 valid cases out of 2,188 total cases.

*Location:* 127-128 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6273: 146A11(R):NEED SUMMER SCHL

Item Number: 23540

Did you ever attend summer school to make up for poor grades or to keep from being held back?

1="No" 2="Yes, one summer" 3="Yes, two summers" 4="Yes, three or more summers"

Codes 2, 3, and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
1	NO:(1)	1661	75.9 %
2	YES:(2-4)	508	23.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	19	0.9 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,169 valid cases out of 2,188 total cases.

*Location:* 129-130 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6496: 146A12(R):EVER SUSPENDED

Item Number: 25140

Have you ever been suspended or expelled from school?

1="No" 2="Yes, one time" 3="Yes, two or more times"

Codes 2 and 3 are combined in this dataset.

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1665	76.1 %
2	YES:(2-3)	502	22.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	21	1.0 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,167 valid cases out of 2,188 total cases.

*Location:* 131-132 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6507: 146A13:#DA GUN SCHL/4WK

Item Number: 29590

During the LAST FOUR WEEKS, on how many days (if any) did you carry a gun to school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"  
6="10 or more days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	2126	97.2 %
2	1 DAY:(2)	8	0.4 %
3	2 DAYS:(3)	1	0.0 %
4	3-5 DAYS:(4)	7	0.3 %
5	6-9 DAYS:(5)	4	0.2 %
6	10+ DAYS:(6)	23	1.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	19	0.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,169 valid cases out of 2,188 total cases.

*Location:* 133-134 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6504: 146A14 :ILL DRG SOLD@SCH

Item Number: 25820

During the past 12 months, has anyone made an offer at school to sell or give you an illegal drug (or actually sold or given you one at school)?

1="No" 2="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	1689	77.2 %
2	YES:(2)	465	21.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	34	1.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,154 valid cases out of 2,188 total cases.

*Location:* 135-136 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6274: 146A15A:TCHR PRVNT SMKNG

Item Number: 23550

In your present school, how vigorous are the teachers and administrators in their attempts to prevent students from . . .

A: . . . Smoking?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous"  
5="Very vigorous" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	331	15.1 %
2	SLIGHT:(2)	315	14.4 %
3	SOMEWHAT:(3)	369	16.9 %
4	FRLY VIGOR:(4)	322	14.7 %
5	VRY VIGOR:(5)	333	15.2 %
8	DK:(8)	487	22.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	31	1.4 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,157 valid cases out of 2,188 total cases.

*Location:* 137-138 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6275: 146A15B:TCHR PRVNT DRNKG

Item Number: 23560

In your present school, how vigorous are the teachers and administrators in their attempts to prevent students from . . .

B: . . . Drinking?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous"  
5="Very vigorous" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	312	14.3 %
2	SLIGHT:(2)	285	13.0 %
3	SOMEWHAT:(3)	383	17.5 %
4	FRLY VIGOR:(4)	297	13.6 %
5	VRY VIGOR:(5)	386	17.6 %

Value	Label	Unweighted Frequency	%
8	DK:(8)	492	22.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	33	1.5 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,155 valid cases out of 2,188 total cases.

*Location:* 139-140 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6276: 146A15C:TCHR PRVNT DRUGS

Item Number: 23570

In your present school, how vigorous are the teachers and administrators in their attempts to prevent students from . . .

C: . . . Drug use?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous"

5="Very vigorous" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	272	12.4 %
2	SLIGHT:(2)	236	10.8 %
3	SOMEWHAT:(3)	350	16.0 %
4	FRLY VIGOR:(4)	331	15.1 %
5	VRV VIGOR:(5)	497	22.7 %
8	DK:(8)	468	21.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	34	1.6 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,154 valid cases out of 2,188 total cases.

*Location:* 141-142 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6277: 146A16A:CNSEQNC 4 SMOKNG

Item Number: 23580

How severe do you think the consequences would be for a student in your school who gets caught . . .

A: . . . Smoking?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe"  
8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NO:(1)	86	3.9 %
2	MILD:(2)	461	21.1 %
3	MODERATE:(3)	657	30.0 %
4	SEVERE:(4)	724	33.1 %
8	DK:(8)	230	10.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	30	1.4 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,158 valid cases out of 2,188 total cases.

*Location:* 143-144 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6278: 146A16B:CNSEQNC 4 ALCOHL

Item Number: 23590

How severe do you think the consequences would be for a student in your school who gets caught . . .

B: . . . Using (or possessing) alcohol?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe"  
8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NO:(1)	48	2.2 %
2	MILD:(2)	169	7.7 %
3	MODERATE:(3)	567	25.9 %
4	SEVERE:(4)	1166	53.3 %
8	DK:(8)	208	9.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	30	1.4 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,158 valid cases out of 2,188 total cases.

*Location:* 145-146 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V6279: 146A16C:CNSEQNC 4 DRUGS

Item Number: 23600

How severe do you think the consequences would be for a student in your school who gets caught . . .

C: . . . Using (or possessing) an illegal drug?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe"

8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NO:(1)	44	2.0 %
2	MILD:(2)	108	4.9 %
3	MODERATE:(3)	281	12.8 %
4	SEVERE:(4)	1528	69.8 %
8	DK:(8)	200	9.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	27	1.2 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,161 valid cases out of 2,188 total cases.

*Location:* 147-148 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6297: 146A17A:RSK OF CIG1+PK/D

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	63	2.9 %
2	SLIGHT:(2)	87	4.0 %

Value	Label	Unweighted Frequency	%
3	MOD RISK:(3)	317	14.5 %
4	GRT RISK:(4)	1630	74.5 %
5	CANT SAY:(5)	58	2.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	33	1.5 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,155 valid cases out of 2,188 total cases.

*Location:* 149-150 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6298: 146A17B:RSK OF MJ 1-2 X

Item Number: 12370

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

B: . . . Try marijuana (pot, weed) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	999	45.7 %
2	SLIGHT:(2)	581	26.6 %
3	MOD RISK:(3)	251	11.5 %
4	GRT RISK:(4)	241	11.0 %
5	CANT SAY:(5)	83	3.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	33	1.5 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,155 valid cases out of 2,188 total cases.

*Location:* 151-152 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6299: 146A17C:RSK OF MJ OCSNL

Item Number: 12380

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	656	30.0 %
2	SLIGHT:(2)	565	25.8 %
3	MOD RISK:(3)	506	23.1 %
4	GRT RISK:(4)	350	16.0 %
5	CANT SAY:(5)	78	3.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	33	1.5 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,155 valid cases out of 2,188 total cases.

*Location:* 153-154 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6300: 146A17D:RSK OF MJ REGLY

Item Number: 12390

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	372	17.0 %
2	SLIGHT:(2)	498	22.8 %
3	MOD RISK:(3)	483	22.1 %
4	GRT RISK:(4)	717	32.8 %
5	CANT SAY:(5)	79	3.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	39	1.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,149 valid cases out of 2,188 total cases.

*Location:* 155-156 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V6517: 146A17E:RSK OF COKE 1-2X

Item Number: 12490

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

E: . . . Try cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	123	5.6 %
2	SLIGHT:(2)	260	11.9 %
3	MOD RISK:(3)	464	21.2 %
4	GRT RISK:(4)	1195	54.6 %
5	CANT SAY:(5)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	146	6.7 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,042 valid cases out of 2,188 total cases.

*Location:* 157-158 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6316: 146A17F:RSK OF 1-2 DR/DA

Item Number: 12520

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

F: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	186	8.5 %
2	SLIGHT:(2)	506	23.1 %
3	MOD RISK:(3)	719	32.9 %

Value	Label	Unweighted Frequency	%
4	GRT RISK:(4)	686	31.4 %
5	CANT SAY:(5)	59	2.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	32	1.5 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,156 valid cases out of 2,188 total cases.

*Location:* 159-160 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6317: 146A17G:RSK OF 4-5 DR/DA

Item Number: 12530

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

G: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	82	3.7 %
2	SLIGHT:(2)	126	5.8 %
3	MOD RISK:(3)	454	20.7 %
4	GRT RISK:(4)	1437	65.7 %
5	CANT SAY:(5)	58	2.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	31	1.4 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,157 valid cases out of 2,188 total cases.

*Location:* 161-162 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6318: 146A17H:RSK OF 5+DR/WKND

Item Number: 12540

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

H: . . . Have five or more drinks once or twice each weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	143	6.5 %
2	SLIGHT:(2)	286	13.1 %
3	MOD RISK:(3)	611	27.9 %
4	GRT RISK:(4)	1056	48.3 %
5	CANT SAY:(5)	60	2.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	32	1.5 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,156 valid cases out of 2,188 total cases.

*Location:* 163-164 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6478: 146A17I:RSK STEROID ATHL

Item Number: 24510

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

I: . . . Take steroids for body-building or improved athletic  
performance?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	86	3.9 %
2	SLIGHT:(2)	190	8.7 %
3	MOD RISK:(3)	532	24.3 %
4	GRT RISK:(4)	1186	54.2 %
5	CANT SAY:(5)	159	7.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	35	1.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,153 valid cases out of 2,188 total cases.

*Location:* 165-166 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V6518: 146A17J:RSK MDMA 1-2X

Item Number: 23040

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

J: . . . Try MDMA (Molly, ecstasy) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	126	5.8 %
2	SLIGHT:(2)	300	13.7 %
3	MOD RISK:(3)	452	20.7 %
4	GRT RISK:(4)	1029	47.0 %
5	CANT SAY:(5)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	281	12.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,907 valid cases out of 2,188 total cases.

*Location:* 167-168 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6320: 146A18A:DAP SMK 1PCK CIG

Item Number: 08560

Individuals differ in whether or not they disapprove of people  
doing certain things. Do YOU disapprove of people (who are 18  
or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	493	22.5 %
2	DISAPPRV:(2)	776	35.5 %
3	STRG DIS:(3)	883	40.4 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	36	1.6 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,152 valid cases out of 2,188 total cases.

*Location:* 169-170 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6321: 146A18B:DAP TRY MRJ 1-2T

Item Number: 08570

Do YOU disapprove of people (who are 18 or older) doing each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1263	57.7 %
2	DISAPPRV:(2)	484	22.1 %
3	STRG DIS:(3)	405	18.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	36	1.6 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,152 valid cases out of 2,188 total cases.

*Location:* 171-172 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6322: 146A18C:DAP SMK MRJ OCCS

Item Number: 08580

Do YOU disapprove of people (who are 18 or older) doing each of the following?

C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1075	49.1 %
2	DISAPPRV:(2)	540	24.7 %
3	STRG DIS:(3)	538	24.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	35	1.6 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,153 valid cases out of 2,188 total cases.

*Location:* 173-174 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6323: 146A18D:DAP SMK MRJ REGL

Item Number: 08590

Do YOU disapprove of people (who are 18 or older) doing each of the following?

D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	732	33.5 %
2	DISAPPRV:(2)	630	28.8 %
3	STRG DIS:(3)	788	36.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	38	1.7 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,150 valid cases out of 2,188 total cases.

*Location:* 175-176 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6519: 146A18E:DAP TRY COC 1-2T

Item Number: 08690

Do YOU disapprove of people (who are 18 or older) doing each of the following?

E: Trying cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	300	13.7 %
2	DISAPPRV:(2)	528	24.1 %
3	STRG DIS:(3)	1323	60.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	37	1.7 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,151 valid cases out of 2,188 total cases.

*Location:* 177-178 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6339: 146A18F:DAP 1-2 DRK/DAY

Item Number: 08720

Do YOU disapprove of people (who are 18 or older) doing each of the following?

F: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	679	31.0 %
2	DISAPPRV:(2)	823	37.6 %
3	STRG DIS:(3)	649	29.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	37	1.7 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,151 valid cases out of 2,188 total cases.

*Location:* 179-180 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6340: 146A18G:DAP 4-5 DRK/DAY

Item Number: 08730

Do YOU disapprove of people (who are 18 or older) doing each of the following?

G: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	291	13.3 %
2	DISAPPRV:(2)	646	29.5 %
3	STRG DIS:(3)	1213	55.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	38	1.7 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,150 valid cases out of 2,188 total cases.

*Location:* 181-182 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6341: 146A18H:DAP 5+ DRK WKNDS

Item Number: 08740

Do YOU disapprove of people (who are 18 or older) doing each of the following?

H: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	646	29.5 %
2	DISAPPRV:(2)	635	29.0 %
3	STRG DIS:(3)	864	39.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	43	2.0 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,145 valid cases out of 2,188 total cases.

*Location:* 183-184 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6479: 146A18I:DAP STEROID ATHL

Item Number: 24520

Do YOU disapprove of people (who are 18 or older) doing each of

the following?

I: Taking steroids for body-building or improved athletic performance

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	264	12.1 %
2	DISAPPRV:(2)	695	31.8 %
3	STRG DIS:(3)	1191	54.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	38	1.7 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,150 valid cases out of 2,188 total cases.

*Location:* 185-186 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6509: 146A18J:DAP H -NDL 1-2X

Item Number: 29690

Do YOU disapprove of people (who are 18 or older) doing each of the following?

J: Trying heroin once or twice without using a needle

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	155	7.1 %
2	DISAPPRV:(2)	322	14.7 %
3	STRG DIS:(3)	1676	76.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	35	1.6 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,153 valid cases out of 2,188 total cases.

*Location:* 187-188 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6510: 146A18K:DAP H -NDL OCC

Item Number: 29700

Do YOU disapprove of people (who are 18 or older) doing each of the following?

K: Taking heroin occasionally without using a needle

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	131	6.0 %
2	DISAPPRV:(2)	266	12.2 %
3	STRG DIS:(3)	1757	80.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	34	1.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,154 valid cases out of 2,188 total cases.

*Location:* 189-190 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6520: 146A18L:DAP MDMA 1-2X

Item Number: 29960

Do YOU disapprove of people (who are 18 or older) doing each of the following?

L: Taking MDMA (Molly, ecstasy) once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	374	17.1 %
2	DISAPPRV:(2)	531	24.3 %
3	STRG DIS:(3)	1242	56.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	41	1.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,147 valid cases out of 2,188 total cases.

*Location:* 191-192 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6342: 146A19A:EASY GT MARIJUAN

Item Number: 06750

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

A: Marijuana (pot, weed)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	134	6.1 %
2	VRY DIFF:(2)	67	3.1 %
3	FRLY DIF:(3)	125	5.7 %
4	FRLY EAS:(4)	494	22.6 %
5	VRY EASY:(5)	1322	60.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	46	2.1 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,142 valid cases out of 2,188 total cases.

*Location:* 193-194 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6343: 146A19B:EASY GT LSD

Item Number: 06760

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

B: LSD

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	456	20.8 %
2	VRY DIFF:(2)	496	22.7 %
3	FRLY DIF:(3)	654	29.9 %
4	FRLY EAS:(4)	344	15.7 %
5	VRY EASY:(5)	163	7.4 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	75	3.4 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,113 valid cases out of 2,188 total cases.

*Location:* 195-196 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6344: 146A19C:EASY GT PCP

Item Number: 06771

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

C: PCP (angel dust)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	613	28.0 %
2	VRY DIFF:(2)	681	31.1 %
3	FRLY DIF:(3)	507	23.2 %
4	FRLY EAS:(4)	188	8.6 %
5	VRY EASY:(5)	111	5.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	88	4.0 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,100 valid cases out of 2,188 total cases.

*Location:* 197-198 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6345: 146A19D:EASY GT MDMA

Item Number: 23050

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

D: MDMA (Molly, ecstasy)

1="Probably Impossible" 2="Very Difficult" 3="Fairly

Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	405	18.5 %
2	VRY DIFF:(2)	405	18.5 %
3	FRLY DIF:(3)	502	22.9 %
4	FRLY EAS:(4)	507	23.2 %
5	VRY EASY:(5)	301	13.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	68	3.1 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,120 valid cases out of 2,188 total cases.

*Location:* 199-200 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6480: 146A19E:EASY GT ICE

Item Number: 24410

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

E: Crystal meth ("ice")

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	732	33.5 %
2	VRY DIFF:(2)	644	29.4 %
3	FRLY DIF:(3)	411	18.8 %
4	FRLY EAS:(4)	197	9.0 %
5	VRY EASY:(5)	136	6.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	68	3.1 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,120 valid cases out of 2,188 total cases.

*Location:* 201-202 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6481: 146A19F:EASY GT STEROIDS

Item Number: 23060

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

F: Steroids

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	460	21.0 %
2	VRY DIFF:(2)	451	20.6 %
3	FRLY DIF:(3)	530	24.2 %
4	FRLY EAS:(4)	394	18.0 %
5	VRY EASY:(5)	289	13.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	64	2.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,124 valid cases out of 2,188 total cases.

*Location:* 203-204 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6574: 146A19G:EASY GT ALCOHOL

Item Number: 30950

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

G. Alcohol

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	104	4.8 %
2	VRY DIFF:(2)	40	1.8 %
3	FRLY DIF:(3)	96	4.4 %
4	FRLY EAS:(4)	374	17.1 %
5	VRY EASY:(5)	1521	69.5 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	53	2.4 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,135 valid cases out of 2,188 total cases.

*Location:* 205-206 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6101: 146B01 :EVR SMK CIG,REGL

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 13" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1456	66.5 %
2	1-2X:(2)	328	15.0 %
3	OCCASONLY:(3)	179	8.2 %
4	REG PAST:(4)	68	3.1 %
5	REG NOW:(5)	117	5.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	40	1.8 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,148 valid cases out of 2,188 total cases.

*Location:* 207-208 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6102: 146B02 :#CIGS SMKD/30DAY

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all--GO TO QUESTION 6" [Includes respondents who marked "1" on question B01]" 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and

one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%
1	NT DAILY:(1)	1859	85.0 %
2	<1 CIG/D:(2)	140	6.4 %
3	1-5/DAY:(3)	85	3.9 %
4	1/2 PK:(4)	39	1.8 %
5	1 PK:(5)	17	0.8 %
6	1 1/2 PK:(6)	0	0.0 %
7	2+ PKS:(7)	8	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	40	1.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,148 valid cases out of 2,188 total cases.

*Location:* 209-210 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6521: 146B03A: CIG HOW BUY-FRND

Item Number: 29970

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

A: . . . by having a friend or relative buy them for you?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	184	8.4 %
2	1 TIME:(2)	32	1.5 %
3	2 TIMES:(3)	31	1.4 %
4	3-5 TMS:(4)	22	1.0 %
5	6-9 TMS:(5)	5	0.2 %
6	10+ TMS:(6)	15	0.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1899	86.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 289 valid cases out of 2,188 total cases.

*Location:* 211-212 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V6522: 146B03B:CIG HOW BUY-VEND

Item Number: 29980

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

B: . . . on your own from vending machines?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	268	12.2 %
2	1 TIME:(2)	7	0.3 %
3	2 TIMES:(3)	3	0.1 %
4	3-5 TMS:(4)	5	0.2 %
5	6-9 TMS:(5)	3	0.1 %
6	10+ TMS:(6)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1900	86.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 288 valid cases out of 2,188 total cases.

*Location:* 213-214 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6523: 146B03C:CIG HOW BUY-MAIL

Item Number: 29990

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

C: . . . through the mail?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	278	12.7 %
2	1 TIME:(2)	1	0.0 %

Value	Label	Unweighted Frequency	%
3	2 TIMES:(3)	3	0.1 %
4	3-5 TMS:(4)	2	0.1 %
5	6-9 TMS:(5)	1	0.0 %
6	10+ TMS:(6)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1901	86.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 287 valid cases out of 2,188 total cases.

*Location:* 215-216 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6524: 146B03D:CIG HOW BUY-PKUP

Item Number: 30000

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

D: . . . in a store where you pick up the pack (or carton) and bring it to the check-out counter?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	214	9.8 %
2	1 TIME:(2)	22	1.0 %
3	2 TIMES:(3)	15	0.7 %
4	3-5 TMS:(4)	18	0.8 %
5	6-9 TMS:(5)	5	0.2 %
6	10+ TMS:(6)	15	0.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1899	86.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 289 valid cases out of 2,188 total cases.

*Location:* 217-218 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6525: 146B03E:CIG HOW BUY-CLRK

Item Number: 30010

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

E: . . . in a store where the clerk has to hand you the pack or carton?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	115	5.3 %
2	1 TIME:(2)	63	2.9 %
3	2 TIMES:(3)	37	1.7 %
4	3-5 TMS:(4)	27	1.2 %
5	6-9 TMS:(5)	13	0.6 %
6	10+ TMS:(6)	35	1.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1898	86.7 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 290 valid cases out of 2,188 total cases.

*Location:* 219-220 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6592: 146B03F:CIG HOW BUY-OTHR

Item Number: 31330

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

F: . . . bought them in some other way?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	239	10.9 %
2	1 TIME:(2)	14	0.6 %
3	2 TIMES:(3)	6	0.3 %
4	3-5 TMS:(4)	12	0.5 %
5	6-9 TMS:(5)	3	0.1 %

Value	Label	Unweighted Frequency	%
6	10+ TMS:(6)	13	0.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1901	86.9 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 287 valid cases out of 2,188 total cases.

*Location:* 221-222 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6526: 146B04A:CIG WHERE-SUPMKT

Item Number: 30020

During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use . . .

A: . . . at a big supermarket?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	242	11.1 %
2	1 TIME:(2)	17	0.8 %
3	2 TIMES:(3)	10	0.5 %
4	3-5 TMS:(4)	8	0.4 %
5	6-9 TMS:(5)	4	0.2 %
6	10+ TMS:(6)	5	0.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1902	86.9 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 286 valid cases out of 2,188 total cases.

*Location:* 223-224 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6527: 146B04B:CIG WHERE-SMLGRC

Item Number: 30030

During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use . . .

B: . . . at a small grocery store?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	217	9.9 %
2	1 TIME:(2)	32	1.5 %
3	2 TIMES:(3)	12	0.5 %
4	3-5 TMS:(4)	14	0.6 %
5	6-9 TMS:(5)	4	0.2 %
6	10+ TMS:(6)	7	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1902	86.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 286 valid cases out of 2,188 total cases.

*Location:* 225-226 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6528: 146B04C:CIG WHERE-DRGSTR

Item Number: 30040

During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use . . .

C: . . . at a drugstore?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	227	10.4 %
2	1 TIME:(2)	23	1.1 %
3	2 TIMES:(3)	11	0.5 %
4	3-5 TMS:(4)	12	0.5 %
5	6-9 TMS:(5)	5	0.2 %
6	10+ TMS:(6)	9	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1901	86.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 287 valid cases out of 2,188 total cases.

*Location:* 227-228 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6529: 146B04D:CIG WHERE-CNVGAS

Item Number: 30050

During the last 30 days, about how many times (if any) did  
YOU buy cigarettes for your own use . . .

D: . . . at a convenience store (like a Hop-In or 7-11) or  
a gas station?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9  
Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	112	5.1 %
2	1 TIME:(2)	55	2.5 %
3	2 TIMES:(3)	33	1.5 %
4	3-5 TMS:(4)	31	1.4 %
5	6-9 TMS:(5)	17	0.8 %
6	10+ TMS:(6)	40	1.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1900	86.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 288 valid cases out of 2,188 total cases.

*Location:* 229-230 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6593: 146B04E:CIG WHERE-WEB

Item Number: 31340

During the last 30 days, about how many times (if any) did  
YOU buy cigarettes for your own use . . .

E: . . . from a Web site?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9  
Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	275	12.6 %
2	1 TIME:(2)	5	0.2 %
3	2 TIMES:(3)	1	0.0 %
4	3-5 TMS:(4)	2	0.1 %
5	6-9 TMS:(5)	0	0.0 %
6	10+ TMS:(6)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1903	87.0 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 285 valid cases out of 2,188 total cases.

*Location:* 231-232 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6530: 146B05 :USUAL CIG BRAND

Item Number: 30065

What brand of cigarettes do you usually smoke? (Brands are in alphabetical order. Mark only one.)

1="Basic" 2="Benson & Hedges" 3="Black & Whites" 4="Cambridge"  
 5="Camel" 6="Capri" 7="Carlton" 8="Doral" 9="GPC" 10="Kent"  
 11="Kool" 12="Marlboro" 13="Merit" 14="Misty" 15="Monarch"  
 16="More" 17="Newport" 18="Pall Mall" 19="Parliament"  
 20="Salem" 22="Virginia Slims" 23="Winston"  
 24="Other" 25="No usual brand" 26 "American Spirit"

Value	Label	Unweighted Frequency	%
1	BASIC:(1)	1	0.0 %
2	BNSN HDGS:(2)	0	0.0 %
3	BLACK WHT:(3)	3	0.1 %
4	CAMBRDG:(4)	0	0.0 %
5	CAMEL:(5)	36	1.6 %
6	CAPRI:(6)	0	0.0 %
7	CARLTN:(7)	0	0.0 %
8	DORAL:(8)	1	0.0 %
9	GPC:(9)	2	0.1 %
10	KENT:(10)	0	0.0 %
11	KOOL:(11)	0	0.0 %
12	MARLBOR:(12)	98	4.5 %
13	MERIT:(13)	0	0.0 %

Value	Label	Unweighted Frequency	%
14	MISTY:(14)	0	0.0 %
15	MONARCH: (15)	0	0.0 %
16	MORE:(16)	0	0.0 %
17	NEWPORT:(17)	44	2.0 %
18	PALLMALL:(18)	5	0.2 %
19	PARLMENT:(19)	2	0.1 %
20	SALEM:(20)	0	0.0 %
21	VANTAGE:(21)	0	0.0 %
22	VA SLIMS:(22)	2	0.1 %
23	WINSTON:(23)	2	0.1 %
24	OTHER:(24)	18	0.8 %
25	NO USUAL:(25)	20	0.9 %
26	AMERICAN SPIRIT:(26)	21	1.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1933	88.3 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 255 valid cases out of 2,188 total cases.

*Location:* 233-234 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6619: 146B05A:CIGS USUALLY MENTHOL

Item Number: 32890

Are the cigarettes you usually smoke menthol?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES(1)	147	6.7 %
2	NO:(2)	236	10.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1805	82.5 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 383 valid cases out of 2,188 total cases.

*Location:* 235-236 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6531: 146B06 :CIG PROOF OF AGE

Item Number: 30070

The last time that you tried to buy cigarettes in a store or gas station, were you asked for proof of age?

1="I never tried to buy cigarettes at a store or a gas station." 2="No, they didn't ask me and they sold me the cigarettes." 3="No, they didn't ask but they didn't sell me the cigarettes." 4="Yes, I was asked for proof of age."  
[arrow to Q.B06A]

Value	Label	Unweighted Frequency	%
1	NEVER TRIED TO BUY:(1)	338	15.4 %
2	DID NOT ASK BUT SOLD:(2)	99	4.5 %
3	DID NOT ASK/DID NOT SELL:(3)	2	0.1 %
4	YES I WAS ASKED:(4)	234	10.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1515	69.2 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 673 valid cases out of 2,188 total cases.

*Location:* 237-238 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6532: 146B06A:CIG SHOW ID/SELL

Item Number: 30080

The last time that you tried to buy cigarettes in a store or gas station, were you asked for proof of age?

A: If yes, what happened?

1="I showed some ID and got the cigarettes" 2="I showed some ID but they refused to sell me the cigarettes" 3="I didn't show ID and they sold them to me anyway" 4="I didn't show ID and they didn't sell me any cigarettes"

Value	Label	Unweighted Frequency	%
1	ID & GOT:(1)	206	9.4 %
2	ID & NOSALE:(2)	3	0.1 %
3	NO ID & SOLD:(3)	15	0.7 %
4	NO ID & NOSALE:(4)	11	0.5 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	1953	89.3 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 235 valid cases out of 2,188 total cases.

*Location:* 239-240 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6533: 146B07 :CIG STORE BUY<20

Item Number: 30090

Have you ever gone to a store and bought just one or a few cigarettes (fewer than the usual pack of 20)?

1="No, never" 2="Yes, in the past 12 months" 3="Yes, but not in the past 12 months"

Value	Label	Unweighted Frequency	%
1	NO:(1)	585	26.7 %
2	PAST 12MO:(2)	76	3.5 %
3	NOT PAST12MO:(3)	19	0.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1508	68.9 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 680 valid cases out of 2,188 total cases.

*Location:* 241-242 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6534: 146B08 :\*TRY STP SMK/FL

Item Number: 01690

Have you ever tried to stop smoking and found that you could not?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	73	3.3 %
2	NO:(2)	591	27.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	1524	69.7 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 664 valid cases out of 2,188 total cases.

*Location:* 243-244 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6535: 146B09 :#X TRY STOP SMK

Item Number: 01691

How many times, if any, have you tried to stop smoking?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"

6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	462	21.1 %
2	1 TIME:(2)	97	4.4 %
3	2 TIMES:(3)	56	2.6 %
4	3-5 TMS:(4)	30	1.4 %
5	6-9 TMS:(5)	6	0.3 %
6	10+ TMS:(6)	7	0.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1530	69.9 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 658 valid cases out of 2,188 total cases.

*Location:* 245-246 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6536: 146B10 :\*WNT STP SMK NW

Item Number: 01700

Do you want to stop smoking now?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	76	3.5 %
2	NO:(2)	137	6.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1975	90.3 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 213 valid cases out of 2,188 total cases.

*Location:* 247-248 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6537: 146B11 :QUIT SMK WRY FAT

Item Number: 30100

Do you (or did you) worry that quitting smoking would make you gain weight?

1="No, not at all" 2="Yes, a little" 3="Yes, some" 4="Yes, a lot"

Value	Label	Unweighted Frequency	%
1	NO, NOT AT ALL:(1)	586	26.8 %
2	YES, A LITTLE:(2)	34	1.6 %
3	YES, SOME:(3)	15	0.7 %
4	YES, A LOT:(4)	15	0.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1538	70.3 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 650 valid cases out of 2,188 total cases.

*Location:* 249-250 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6538: 146B12 :START SMK LOSEWT

Item Number: 30110

Some people start to smoke because they think it will help them lose weight. Was losing weight one of the reasons you started to smoke?

1="No, not at all" 2="Yes, a little" 3="Yes, some" 4="Yes, a lot"

Value	Label	Unweighted Frequency	%
1	NO:(1)	606	27.7 %
2	A LITTLE:(2)	15	0.7 %
3	SOME:(3)	9	0.4 %
4	A LOT:(4)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1554	71.0 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 634 valid cases out of 2,188 total cases.

*Location:* 251-252 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6539: 146B13 :START SMK THISYR

Item Number: 30120

If you have never smoked, do you think you will try smoking cigarettes sometime this year?

1="I already have tried cigarettes" 2="I definitely will" 3="I probably will" 4="I probably will not" 5="I definitely will not"

Value	Label	Unweighted Frequency	%
1	ALREADY TRIED:(1)	473	21.6 %
2	DEF WILL:(2)	11	0.5 %
3	PROB WILL:(3)	59	2.7 %
4	PROB WONT:(4)	264	12.1 %
5	DEF WONT:(5)	1267	57.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	114	5.2 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,074 valid cases out of 2,188 total cases.

*Location:* 253-254 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6540: 146B14 :NO SMK IN 5 YR

Item Number: 01710

Do you think you will be smoking cigarettes five years from

now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	26	1.2 %
2	PRB WILL:(2)	147	6.7 %
3	PRB WONT:(3)	469	21.4 %
4	DEF WONT:(4)	1466	67.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	80	3.7 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,108 valid cases out of 2,188 total cases.

*Location:* 255-256 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6541: 146B15A:NEVER CIG ADDICT

Item Number: 30130

How much do you agree or disagree with the following statements?

A: I will never get addicted to cigarettes

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	295	13.5 %
2	MOST DIS:(2)	133	6.1 %
3	NEITHER:(3)	146	6.7 %
4	MOST AGR:(4)	212	9.7 %
5	AGREE:(5)	1317	60.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	85	3.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,103 valid cases out of 2,188 total cases.

*Location:* 257-258 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6542: 146B15B:QUIT CIG WN WANT

Item Number: 30140

How much do you agree or disagree with the following statements?

B: I could smoke a pack a day for a year or more and still be able to quit if I wanted to

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	1150	52.6 %
2	MOST DIS:(2)	260	11.9 %
3	NEITHER:(3)	268	12.2 %
4	MOST AGR:(4)	131	6.0 %
5	AGREE:(5)	275	12.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	104	4.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,084 valid cases out of 2,188 total cases.

*Location:* 259-260 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6543: 146B15C:SMK -DANGER QUIT

Item Number: 30150

How much do you agree or disagree with the following statements?

C: At my age, smoking is not too dangerous because you can always quit later

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	1575	72.0 %
2	MOST DIS:(2)	217	9.9 %
3	NEITHER:(3)	172	7.9 %
4	MOST AGR:(4)	51	2.3 %

Value	Label	Unweighted Frequency	%
5	AGREE:(5)	76	3.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	97	4.4 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,091 valid cases out of 2,188 total cases.

*Location:* 261-262 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6625: 146B16:#X E-CIG/30DAY

Item Number: 33710

During the LAST 30 DAYS, on how many occasions (if any) have you used electronic cigarettes (e-cigarettes)?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1721	78.7 %
2	1-2X:(2)	156	7.1 %
3	3-5X:(3)	75	3.4 %
4	6-9X:(4)	51	2.3 %
5	10-19X:(5)	49	2.2 %
6	20-39X:(6)	59	2.7 %
7	40+OCCAS:(7)	0	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	77	3.5 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,111 valid cases out of 2,188 total cases.

*Location:* 263-264 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6505: 146B17 :EVR USE SMOKLESS

Item Number: 22230

Have you ever taken or used smokeless tobacco (snuff, plug, dipping tobacco, chewing tobacco, snus, dissolvable tobacco)?

1="Never--GO TO QUESTION 21" 2="Once or twice" 3="Occasionally"

but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1816	83.0 %
2	1-2X:(2)	140	6.4 %
3	OCCASONLY:(3)	80	3.7 %
4	REG PAST:(4)	18	0.8 %
5	REG NOW:(5)	69	3.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	65	3.0 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,123 valid cases out of 2,188 total cases.

*Location:* 265-266 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6506: 146B18 :#X SMKLESS/30 DA

Item Number: 22240

How frequently have you taken smokeless tobacco during the past 30 days?

1="Not at all" [includes respondents who marked '1' on Q. 19]

2="Once or twice" 3="Once or twice per week" 4="Three to five times per week" 5="About once a day" 6="More than once a day"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	1965	89.8 %
2	1-2 X:(2)	64	2.9 %
3	1-2/WK:(3)	23	1.1 %
4	3-5/WK:(4)	13	0.6 %
5	1/DAY:(5)	14	0.6 %
6	>1/DAY:(6)	45	2.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	64	2.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,124 valid cases out of 2,188 total cases.

*Location:* 267-268 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6103: 146B19 :EVER DRINK

Item Number: 00790

Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO TOP OF NEXT COLUMN" 2="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	791	36.2 %
2	YES:(2)	1305	59.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	92	4.2 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,096 valid cases out of 2,188 total cases.

*Location:* 269-270 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6104: 146B20A:#X ALC/LIF SIPS

Item Number: 00810

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" [includes respondents who indicated nonuse above] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	792	36.2 %
2	1-2X:(2)	137	6.3 %
3	3-5X:(3)	212	9.7 %
4	6-9X:(4)	186	8.5 %
5	10-19X:(5)	228	10.4 %
6	20-39X:(6)	197	9.0 %
7	40+OCCAS:(7)	317	14.5 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	119	5.4 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,069 valid cases out of 2,188 total cases.

*Location:* 271-272 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6105: 146B20B:#X ALC/ANN SIPS

Item Number: 00820

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	872	39.9 %
2	1-2X:(2)	313	14.3 %
3	3-5X:(3)	254	11.6 %
4	6-9X:(4)	181	8.3 %
5	10-19X:(5)	207	9.5 %
6	20-39X:(6)	116	5.3 %
7	40+OCCAS:(7)	116	5.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	129	5.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,059 valid cases out of 2,188 total cases.

*Location:* 273-274 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6106: 146B20C:#X ALC/30D SIPS

Item Number: 00830

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1303	59.6 %
2	1-2X:(2)	371	17.0 %
3	3-5X:(3)	215	9.8 %
4	6-9X:(4)	95	4.3 %
5	10-19X:(5)	39	1.8 %
6	20-39X:(6)	15	0.7 %
7	40+OCCAS:(7)	20	0.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	130	5.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,058 valid cases out of 2,188 total cases.

*Location:* 275-276 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6107: 146B21 :#X DRK ENF FL HI

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty drunk or high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	324	14.8 %
2	FEW OCC:(2)	380	17.4 %
3	HALF OCC:(3)	189	8.6 %
4	MOST OCC:(4)	266	12.2 %
5	NRLY ALL:(5)	141	6.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	888	40.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,300 valid cases out of 2,188 total cases.

*Location:* 277-278 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6108: 146B22 :5+DRK ROW/LST 2W

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a glass of wine, a bottle of beer, a wine cooler, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above]

2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1592	72.8 %
2	ONCE:(2)	188	8.6 %
3	TWICE:(3)	129	5.9 %
4	3-5X:(4)	93	4.3 %
5	6-9X:(5)	18	0.8 %
6	10+ TIME:(6)	10	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	158	7.2 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,030 valid cases out of 2,188 total cases.

*Location:* 279-280 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6626: 146B23:10+DRK ROW/2WK

Item Number: 00853

Think back over the LAST TWO WEEKS. How many times have you had ten or more drinks in a row? (A "drink" is a glass of wine, a bottle of beer, a wine cooler, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above] 2="Once" 3="Twice"

4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1208	55.2 %
2	1 TIME:(2)	108	4.9 %

Value	Label	Unweighted Frequency	%
3	2 TIMES:(3)	58	2.7 %
4	3-5 TMS:(4)	25	1.1 %
5	6-9 TMS:(5)	16	0.7 %
6	10+ TMS:(6)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	768	35.1 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,420 valid cases out of 2,188 total cases.

*Location:* 281-282 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6115: 146B24A:#XMJ+HS/LIFETIME

Item Number: 00860

On how many occasions (if any) have you used marijuana  
(weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1179	53.9 %
2	1-2X:(2)	179	8.2 %
3	3-5X:(3)	120	5.5 %
4	6-9X:(4)	82	3.7 %
5	10-19X:(5)	103	4.7 %
6	20-39X:(6)	98	4.5 %
7	40+OCCAS:(7)	341	15.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	86	3.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,102 valid cases out of 2,188 total cases.

*Location:* 283-284 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6116: 146B24B:#XMJ+HS/LAST12MO

Item Number: 00870

On how many occasions (if any) have you used marijuana  
(weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1354	61.9 %
2	1-2X:(2)	190	8.7 %
3	3-5X:(3)	115	5.3 %
4	6-9X:(4)	82	3.7 %
5	10-19X:(5)	82	3.7 %
6	20-39X:(6)	60	2.7 %
7	40+OCCAS:(7)	218	10.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	87	4.0 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,101 valid cases out of 2,188 total cases.

*Location:* 285-286 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6117: 146B24C:#XMJ+HS/LAST30DA

Item Number: 00880

On how many occasions (if any) have you used marijuana  
(weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1623	74.2 %
2	1-2X:(2)	160	7.3 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	71	3.2 %
4	6-9X:(4)	49	2.2 %
5	10-19X:(5)	55	2.5 %
6	20-39X:(6)	58	2.7 %
7	40+OCCAS:(7)	81	3.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	91	4.2 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,097 valid cases out of 2,188 total cases.

*Location:* 287-288 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6627: 146B25A:#X MDMA/LIFETIME

Item Number: 22660

On how many occasions (if any) have you used MDMA ("Molly," "ecstasy") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1964	89.8 %
2	1-2X:(2)	100	4.6 %
3	3-5X:(3)	33	1.5 %
4	6-9X:(4)	11	0.5 %
5	10-19X:(5)	9	0.4 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	63	2.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,125 valid cases out of 2,188 total cases.

*Location:* 289-290 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6628: 146B25B:#X MDMA/LAST12MO

Item Number: 22670

On how many occasions (if any) have you used MDMA ("Molly," "ecstasy") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2023	92.5 %
2	1-2X:(2)	75	3.4 %
3	3-5X:(3)	15	0.7 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	61	2.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,127 valid cases out of 2,188 total cases.

*Location:* 291-292 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6629: 146B25C:#X MDMA/LAST30DA

Item Number: 22680

On how many occasions (if any) have you used MDMA ("Molly," "ecstasy") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2098	95.9 %
2	1-2X:(2)	19	0.9 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	1	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	62	2.8 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,126 valid cases out of 2,188 total cases.

*Location:* 293-294 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6127: 146B26A:#X AMPH/LIFETIME

Item Number: 00980

Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any nonprescription drugs, such as over-the-counter diet pills or stay-aware pills. On how many occasions (if any) have you taken amphetamines on your own, that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1877	85.8 %
2	1-2X:(2)	94	4.3 %
3	3-5X:(3)	39	1.8 %
4	6-9X:(4)	36	1.6 %
5	10-19X:(5)	39	1.8 %
6	20-39X:(6)	15	0.7 %
7	40+OCCAS:(7)	26	1.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	62	2.8 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,126 valid cases out of 2,188 total cases.

*Location:* 295-296 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V6128: 146B26B:#X AMPH/LAST12MO

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1946	88.9 %
2	1-2X:(2)	77	3.5 %
3	3-5X:(3)	40	1.8 %
4	6-9X:(4)	30	1.4 %
5	10-19X:(5)	16	0.7 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	14	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	63	2.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,125 valid cases out of 2,188 total cases.

*Location:* 297-298 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V6129: 146B26C:#X AMPH/LAST30DA

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2046	93.5 %
2	1-2X:(2)	48	2.2 %
3	3-5X:(3)	10	0.5 %
4	6-9X:(4)	10	0.5 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	62	2.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,126 valid cases out of 2,188 total cases.

*Location:* 299-300 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6039: 146B27A:#X CRACK/LIFETIM

Item Number: 22260

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2086	95.3 %
2	1-2X:(2)	23	1.1 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	6	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	56	2.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,132 valid cases out of 2,188 total cases.

*Location:* 301-302 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V6040: 146B27B:#X CRACK/LAST12M

Item Number: 22270

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2104	96.2 %
2	1-2X:(2)	10	0.5 %
3	3-5X:(3)	6	0.3 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	56	2.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,132 valid cases out of 2,188 total cases.

*Location:* 303-304 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6041: 146B27C:#X CRACK/LAST30D

Item Number: 22280

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2114	96.6 %
2	1-2X:(2)	8	0.4 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	58	2.7 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,130 valid cases out of 2,188 total cases.

*Location:* 305-306 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6042: 146B28A:#XOTH COKE/LIFE

Item Number: 22320

On how many occasions (if any) have you used cocaine in any other form . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2030	92.8 %
2	1-2X:(2)	61	2.8 %
3	3-5X:(3)	16	0.7 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	8	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	60	2.7 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,128 valid cases out of 2,188 total cases.

*Location:* 307-308 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V6043: 146B28B:#XOTH COKE/12MO

Item Number: 22330

On how many occasions (if any) have you used cocaine in any other form . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2074	94.8 %
2	1-2X:(2)	31	1.4 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	6	0.3 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	63	2.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,125 valid cases out of 2,188 total cases.

*Location:* 309-310 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6044: 146B28C:#XOTH COKE/30DA

Item Number: 22340

On how many occasions (if any) have you used cocaine in any other form . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2103	96.1 %
2	1-2X:(2)	11	0.5 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	63	2.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,125 valid cases out of 2,188 total cases.

*Location:* 311-312 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6124: 146R :#X COKE/LIFETIME

Item Number: 00950

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A. . . . in your lifetime?" [item 22260]

and "On how many occasions (if any) have you used cocaine in any other form . . .

A. . . . in your lifetime? [item 22320]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2011	91.9 %
2	1-2X:(2)	60	2.7 %
3	3-5X:(3)	25	1.1 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	14	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	64	2.9 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,124 valid cases out of 2,188 total cases.

*Location:* 313-314 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6125: 146R :#X COKE/LAST12MO

Item Number: 00960

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B. . . . During the last 12 months?" [item 22270]

and "On how many occasions (if any) have you used cocaine in any other form . . .

B. . . . During the last 12 months? [item 22330]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2062	94.2 %
2	1-2X:(2)	32	1.5 %
3	3-5X:(3)	10	0.5 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	8	0.4 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	6	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	64	2.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,124 valid cases out of 2,188 total cases.

*Location:* 315-316 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6126: 146R :#X COKE/LAST30DA

Item Number: 00970

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C. . . . During the last 30 days?" [item 22280]

and "On how many occasions (if any) have you used cocaine in any other form . . .

C. . . . During the last 30 days? [item 22340]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2096	95.8 %
2	1-2X:(2)	12	0.5 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	66	3.0 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,122 valid cases out of 2,188 total cases.

*Location:* 317-318 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6133: 146B29A:#X SED/BARB/LIFE

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Ambien, Lunesta, and Sonata. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1967	89.9 %
2	1-2X:(2)	71	3.2 %
3	3-5X:(3)	28	1.3 %
4	6-9X:(4)	17	0.8 %
5	10-19X:(5)	19	0.9 %
6	20-39X:(6)	11	0.5 %
7	40+OCCAS:(7)	14	0.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	61	2.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,127 valid cases out of 2,188 total cases.

*Location:* 319-320 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6134: 146B29B:#X SED/BARB/12MO

Item Number: 01052

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2025	92.6 %
2	1-2X:(2)	51	2.3 %
3	3-5X:(3)	19	0.9 %
4	6-9X:(4)	13	0.6 %
5	10-19X:(5)	12	0.5 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	8	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	59	2.7 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,129 valid cases out of 2,188 total cases.

*Location:* 321-322 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6135: 146B29C:#X SED/BARB/30DA

Item Number: 01062

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2081	95.1 %
2	1-2X:(2)	22	1.0 %
3	3-5X:(3)	9	0.4 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	61	2.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,127 valid cases out of 2,188 total cases.

*Location:* 323-324 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6136: 146B30A:#X TRQL/LIFETIME

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles.

Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1958	89.5 %
2	1-2X:(2)	71	3.2 %
3	3-5X:(3)	39	1.8 %
4	6-9X:(4)	23	1.1 %
5	10-19X:(5)	19	0.9 %
6	20-39X:(6)	6	0.3 %
7	40+OCCAS:(7)	10	0.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	62	2.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,126 valid cases out of 2,188 total cases.

*Location:* 325-326 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6137: 146B30B:#X TRQL/LAST12MO

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers  
on your own--that is, without a doctor telling you to take  
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2019	92.3 %
2	1-2X:(2)	59	2.7 %
3	3-5X:(3)	22	1.0 %
4	6-9X:(4)	14	0.6 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	7	0.3 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	60	2.7 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,128 valid cases out of 2,188 total cases.

*Location:* 327-328 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6138: 146B30C:#X TRQL/LAST30DA

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers  
on your own--that is, without a doctor telling you to take  
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2083	95.2 %
2	1-2X:(2)	27	1.2 %
3	3-5X:(3)	8	0.4 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	63	2.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,125 valid cases out of 2,188 total cases.

*Location:* 329-330 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6511: 146B31A:#X H LIF USE NDL

Item Number: 29630

On how many occasions (if any) have you taken heroin using a  
needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2109	96.4 %
2	1-2X:(2)	9	0.4 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	61	2.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,127 valid cases out of 2,188 total cases.

*Location:* 331-332 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6512: 146B31B:#X H 12M USE NDL

Item Number: 29640

On how many occasions (if any) have you taken heroin using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2116	96.7 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	63	2.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,125 valid cases out of 2,188 total cases.

*Location:* 333-334 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V6513: 146B31C:#X H 30D USE NDL

Item Number: 29650

On how many occasions (if any) have you taken heroin using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2119	96.8 %
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	62	2.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,126 valid cases out of 2,188 total cases.

*Location:* 335-336 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6514: 146B32A:#X H LIF W/O NDL

Item Number: 29660

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2102	96.1 %
2	1-2X:(2)	10	0.5 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	68	3.1 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,120 valid cases out of 2,188 total cases.

*Location:* 337-338 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6515: 146B32B:#X H 12M W/O NDL

Item Number: 29670

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2109	96.4 %
2	1-2X:(2)	4	0.2 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	70	3.2 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,118 valid cases out of 2,188 total cases.

*Location:* 339-340 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V6516: 146B32C:#X H 30D W/O NDL

Item Number: 29680

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2112	96.5 %
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	70	3.2 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,118 valid cases out of 2,188 total cases.

*Location:* 341-342 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6139: 146R\* :#X H/LIFETIME

Item Number: 01100

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . In your lifetime?" (item 29630)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . In your lifetime?" (item 29660)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2106	96.3 %
2	1-2X:(2)	12	0.5 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	57	2.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,131 valid cases out of 2,188 total cases.

*Location:* 343-344 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6140: 146R\* :#X H/LAST12MO

Item Number: 01110

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 12 months?" (item 29640)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 12 months?" (item 29670)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2117	96.8 %
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	1	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	60	2.7 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,128 valid cases out of 2,188 total cases.

*Location:* 345-346 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6141: 146R\* :#X H/LAST30DAY

Item Number: 01120

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 30 days?" (item 29650)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 30 days?" (item 29680)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2120	96.9 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	1	0.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	59	2.7 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,129 valid cases out of 2,188 total cases.

*Location:* 347-348 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6142: 146B33A:#X NARC/LIFETIME

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1909	87.2 %
2	1-2X:(2)	84	3.8 %
3	3-5X:(3)	41	1.9 %
4	6-9X:(4)	22	1.0 %
5	10-19X:(5)	32	1.5 %
6	20-39X:(6)	11	0.5 %
7	40+OCCAS:(7)	18	0.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	71	3.2 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,117 valid cases out of 2,188 total cases.

*Location:* 349-350 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6143: 146B33B:#X NARC/LAST12MO

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1975	90.3 %
2	1-2X:(2)	63	2.9 %
3	3-5X:(3)	34	1.6 %
4	6-9X:(4)	23	1.1 %
5	10-19X:(5)	12	0.5 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	74	3.4 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,114 valid cases out of 2,188 total cases.

*Location:* 351-352 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6144: 146B33C:#X NARC/LAST30DA

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2068	94.5 %
2	1-2X:(2)	30	1.4 %
3	3-5X:(3)	10	0.5 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	73	3.3 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,115 valid cases out of 2,188 total cases.

*Location:* 353-354 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6614: 146B34A:#X METHAMPH/LIFE

Item Number: 30800

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

A. . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2073	94.7 %
2	1-2X:(2)	21	1.0 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	6	0.3 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	73	3.3 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,115 valid cases out of 2,188 total cases.

*Location:* 355-356 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6615: 146B34B:#X METHAMPH/12MO

Item Number: 30810

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

B. . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2053	93.8 %
2	1-2X:(2)	9	0.4 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	117	5.3 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,071 valid cases out of 2,188 total cases.

*Location:* 357-358 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6616: 146B34C:#X METHAMPH/30DA

Item Number: 30820

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

C. . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2054	93.9 %
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	126	5.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,062 valid cases out of 2,188 total cases.

*Location:* 359-360 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## RESPONDENT\_AGE: 146C01(R):AGE <>18 DICHOTOMY

Item Number:

Component variables: 1) Q. C01 "In what year were you born?" (item 00010), 2) Q. C02 "In what month were you born?" (item 00020), and 3) date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

Value	Label	Unweighted Frequency	%
1	< 18 YRS:(1)	921	42.1 %
2	18+ YRS:(2)	1204	55.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	63	2.9 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,125 valid cases out of 2,188 total cases.

*Location:* 361-362 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6150: 146C03 :Rs SEX

Item Number: 00030

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%
1	MALE:(1)	1040	47.5 %
2	FEMALE:(2)	1031	47.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	117	5.3 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,071 valid cases out of 2,188 total cases.

*Location:* 363-364 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6151: 146C04(R):Rs RACE B/W/H

Item Number:

How do you describe yourself?

(Select one or more responses.) Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; "Hispanic" = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic...").

All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"  
3="Hispanic" [see above].

Value	Label	Unweighted Frequency	%
1	BLACK:(1)	285	13.0 %
2	WHITE:(2)	1123	51.3 %
3	HISPANIC:(3)	391	17.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	389	17.8 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,799 valid cases out of 2,188 total cases.

*Location:* 365-366 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6152: 146C05 :R SPD >TIM R-URB

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

Value	Label	Unweighted Frequency	%
0	DK/MIXED:(0)	233	10.6 %
1	A FARM:(1)	82	3.7 %
2	COUNTRY:(2)	208	9.5 %
3	SM CITY:(3)	601	27.5 %
4	MED CITY:(4)	353	16.1 %
5	SUB MED:(5)	253	11.6 %
6	LGE CITY:(6)	172	7.9 %
7	SUB LGE:(7)	134	6.1 %
8	V-LGE CITY:(8)	89	4.1 %
9	SUB V-LGE:(9)	63	2.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,188 valid cases out of 2,188 total cases.

*Location:* 367-368 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6153: 146C06 :R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%
1	MARRIED:(1)	82	3.7 %
2	ENGAGED:(2)	75	3.4 %
3	SEP/DIV:(3)	36	1.6 %
4	SINGLE:(4)	1927	88.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	68	3.1 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,120 valid cases out of 2,188 total cases.

*Location:* 369-370 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6155: 146C7Cb:Rs HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	639	29.2 %
1	MARKED:(1)	1487	68.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	62	2.8 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,126 valid cases out of 2,188 total cases.

*Location:* 371-372 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6156: 146C7Cc:Rs HSHLD MOTHER

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	247	11.3 %
1	MARKED:(1)	1879	85.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	62	2.8 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,126 valid cases out of 2,188 total cases.

*Location:* 373-374 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6157: 146C7Cd:Rs HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with

you? (Mark all that apply.)

Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife,"

"My child(ren)," "Other relative(s)," "Non-relative(s),"

"I live alone" -- have been deleted for reasons of

confidentiality.

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	679	31.0 %
1	MARKED:(1)	1447	66.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	62	2.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,126 valid cases out of 2,188 total cases.

*Location:* 375-376 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V49: 146C07R:# SIBLINGS

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five"  
6="Six or more".

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more younger or older brothers or sisters".

Value	Label	Unweighted Frequency	%
0	NONE:(0)	138	6.3 %
1	ONE:(1)	583	26.6 %
2	TWO:(2)	560	25.6 %
3	THREE+:(3-4)	837	38.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	70	3.2 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,118 valid cases out of 2,188 total cases.

*Location:* 377-378 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6163: 146C08 :FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"  
3="Completed high school" 4="Some college" 5="Completed  
college" 6="Graduate or professional school after college"  
7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	121	5.5 %
2	SOME HS:(2)	234	10.7 %
3	HS GRAD:(3)	526	24.0 %
4	SOME CLG:(4)	345	15.8 %
5	CLG GRAD:(5)	448	20.5 %
6	GRAD SCH:(6)	240	11.0 %
7	DK:(7)	215	9.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	59	2.7 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,129 valid cases out of 2,188 total cases.

*Location:* 379-380 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6164: 146C09 :MOTHR EDUC LEVEL

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"  
3="Completed high school" 4="Some college" 5="Completed  
college" 6="Graduate or professional school after college"  
7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	120	5.5 %
2	SOME HS:(2)	163	7.4 %
3	HS GRAD:(3)	476	21.8 %
4	SOME CLG:(4)	398	18.2 %
5	CLG GRAD:(5)	577	26.4 %
6	GRAD SCH:(6)	279	12.8 %
7	DK:(7)	116	5.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	59	2.7 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,129 valid cases out of 2,188 total cases.

*Location:* 381-382 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6165: 146C10 :MOTH PD JB R YNG

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%
1	NO:(1)	295	13.5 %
2	YES/SOME:(2)	360	16.5 %
3	YES/MOST:(3)	366	16.7 %
4	YES/NRLY ALL:(4)	1101	50.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	66	3.0 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,122 valid cases out of 2,188 total cases.

*Location:* 383-384 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6166: 146C11 :Rs POLTL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%
1	STRG GOP:(1)	203	9.3 %
2	MILD GOP:(2)	241	11.0 %
3	MILD DEM:(3)	241	11.0 %
4	STRG DEM:(4)	183	8.4 %
5	INDEPNNDT:(5)	256	11.7 %
6	NO PREF:(6)	350	16.0 %
7	OTHER:(7)	40	1.8 %
8	DK/HVNT DECID:(8)	551	25.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	123	5.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,065 valid cases out of 2,188 total cases.

*Location:* 385-386 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6167: 146C12 :R POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the above, or don't know"

Value	Label	Unweighted Frequency	%
1	VRY CONS:(1)	113	5.2 %
2	CONSERV:(2)	241	11.0 %
3	MODERATE:(3)	429	19.6 %
4	LIBERAL:(4)	306	14.0 %
5	VRY LIB:(5)	117	5.3 %
6	RADICAL:(6)	51	2.3 %
8	NONE/DK:(8)	854	39.0 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	77	3.5 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,111 valid cases out of 2,188 total cases.

*Location:* 387-388 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6169: 146C13B:R ATTND REL SVC

Item Number: 00370

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	400	18.3 %
2	RARELY:(2)	548	25.0 %
3	1-2X/MO:(3)	271	12.4 %
4	1/WK OR+:(4)	475	21.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	494	22.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,694 valid cases out of 2,188 total cases.

*Location:* 389-390 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6170: 146C13C:RLGN IMP Rs LF

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"  
4="Very important"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	441	20.2 %
2	LITL IMP:(2)	400	18.3 %
3	PRTY IMP:(3)	409	18.7 %
4	VERY IMP:(4)	441	20.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	497	22.7 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,691 valid cases out of 2,188 total cases.

*Location:* 391-392 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6171: 146C14 :WHEN R XPCT GRAD

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"

6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%
1	JUNE:(1)	2068	94.5 %
2	JUL-JAN:(2)	33	1.5 %
3	AFTER JAN:(3)	0	0.0 %
6	DONT EXPCT:(6)	17	0.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	70	3.2 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,118 valid cases out of 2,188 total cases.

*Location:* 393-394 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6172: 146C15 :Rs HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational,"

technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%
1	CLG PREP:(1)	1069	48.9 %
2	GENERAL:(2)	680	31.1 %
3	VOC-TECH:(3)	79	3.6 %
4	OTH/DK:(4)	274	12.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	86	3.9 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,102 valid cases out of 2,188 total cases.

*Location:* 395-396 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6173: 146C16 :RT SF SCH AB>AVG

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	38	1.7 %
2	BELOW AVG:(2)	50	2.3 %
3	SLIGHT BELOW:(3)	120	5.5 %
4	AVERAGE:(4)	663	30.3 %
5	SLIGHT ABOVE:(5)	507	23.2 %
6	ABOVE AVG:(6)	559	25.5 %
7	FAR ABOVE:(7)	166	7.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	85	3.9 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,103 valid cases out of 2,188 total cases.

*Location:* 397-398 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6174: 146C17 :RT SF INTELL>AVG

Item Number: 00420

How intelligent do you think you are compared with others  
your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	41	1.9 %
2	BELOW AVG:(2)	48	2.2 %
3	SLIGHT BELOW:(3)	91	4.2 %
4	AVERAGE:(4)	607	27.7 %
5	SLIGHT ABOVE:(5)	523	23.9 %
6	ABOVE AVG:(6)	586	26.8 %
7	FAR ABOVE:(7)	206	9.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	86	3.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,102 valid cases out of 2,188 total cases.

*Location:* 399-400 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6175: 146C18A:#DA/4W SC MS ILL

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1163	53.2 %
2	1 DAY:(2)	358	16.4 %
3	2 DAYS:(3)	232	10.6 %
4	3 DAYS:(4)	163	7.4 %

Value	Label	Unweighted Frequency	%
5	4-5 DAYS:(5)	95	4.3 %
6	6-10 DA:(6)	41	1.9 %
7	11+ DAYS:(7)	22	1.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	114	5.2 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,074 valid cases out of 2,188 total cases.

*Location:* 401-402 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6176: 146C18B:#DA/4W SC MS CUT

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1425	65.1 %
2	1 DAY:(2)	267	12.2 %
3	2 DAYS:(3)	133	6.1 %
4	3 DAYS:(4)	93	4.3 %
5	4-5 DAYS:(5)	65	3.0 %
6	6-10 DA:(6)	28	1.3 %
7	11+ DAYS:(7)	22	1.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	155	7.1 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,033 valid cases out of 2,188 total cases.

*Location:* 403-404 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6177: 146C18C:#DA/4W SC MS OTH

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1135	51.9 %
2	1 DAY:(2)	410	18.7 %
3	2 DAYS:(3)	230	10.5 %
4	3 DAYS:(4)	133	6.1 %
5	4-5 DAYS:(5)	98	4.5 %
6	6-10 DA:(6)	36	1.6 %
7	11+ DAYS:(7)	23	1.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	123	5.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,065 valid cases out of 2,188 total cases.

*Location:* 405-406 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6178: 146C19 :#DA/4W SKP CLASS

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"  
5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1505	68.8 %
2	1-2:(2)	354	16.2 %
3	3-5:(3)	130	5.9 %
4	6-10:(4)	64	2.9 %
5	11-20:(5)	28	1.3 %
6	21+:(6)	21	1.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	86	3.9 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,102 valid cases out of 2,188 total cases.

*Location:* 407-408 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6179: 146C20 :R HS GRADE/D = 1

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"  
5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"  
1="D (69 or below)"

Value	Label	Unweighted Frequency	%
1	D:(1)	27	1.2 %
2	C-:(2)	45	2.1 %
3	C:(3)	99	4.5 %
4	C+:(4)	165	7.5 %
5	B-:(5)	227	10.4 %
6	B:(6)	336	15.4 %
7	B+:(7)	410	18.7 %
8	A-:(8)	408	18.6 %
9	A:(9)	379	17.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	92	4.2 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,096 valid cases out of 2,188 total cases.

*Location:* 409-410 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6180: 146C21A:R WL DO VOC/TEC

Item Number: 00480

How likely is it that you will do each of the following things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1131	51.7 %
2	PRB WONT:(2)	516	23.6 %
3	PRB WILL:(3)	241	11.0 %
4	DEF WILL:(4)	129	5.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	171	7.8 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,017 valid cases out of 2,188 total cases.

*Location:* 411-412 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6181: 146C21B:R WL DO ARMD FC

Item Number: 00490

How likely is it that you will do each of the following things after high school?

B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1340	61.2 %
2	PRB WONT:(2)	425	19.4 %
3	PRB WILL:(3)	165	7.5 %
4	DEF WILL:(4)	98	4.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	160	7.3 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,188 total cases.

*Location:* 413-414 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6182: 146C21C:R WL DO 2YR CLG

Item Number: 00500

How likely is it that you will do each of the following things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	730	33.4 %
2	PRB WONT:(2)	384	17.6 %
3	PRB WILL:(3)	453	20.7 %
4	DEF WILL:(4)	449	20.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	172	7.9 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,016 valid cases out of 2,188 total cases.

*Location:* 415-416 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6183: 146C21D:R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	162	7.4 %
2	PRB WONT:(2)	198	9.0 %
3	PRB WILL:(3)	482	22.0 %
4	DEF WILL:(4)	1213	55.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	133	6.1 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,055 valid cases out of 2,188 total cases.

*Location:* 417-418 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6184: 146C21E:R WL DO GRD/PRF

Item Number: 00520

How likely is it that you will do each of the following things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	360	16.5 %
2	PRB WONT:(2)	560	25.6 %
3	PRB WILL:(3)	635	29.0 %
4	DEF WILL:(4)	468	21.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	165	7.5 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,023 valid cases out of 2,188 total cases.

*Location:* 419-420 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6185: 146C22A:R WNTDO VOC/TEC

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1755	80.2 %
1	MARKED:(1)	311	14.2 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	122	5.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,066 valid cases out of 2,188 total cases.

*Location:* 421-422 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6186: 146C22B:R WNTDO ARMD FC

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1707	78.0 %
1	MARKED:(1)	359	16.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	122	5.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,066 valid cases out of 2,188 total cases.

*Location:* 423-424 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6187: 146C22C:R WNTDO 2YR CLG

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1487	68.0 %
1	MARKED:(1)	579	26.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	122	5.6 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,066 valid cases out of 2,188 total cases.

*Location:* 425-426 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6188: 146C22D:R WNTDO 4YR CLG

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	433	19.8 %
1	MARKED:(1)	1633	74.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	122	5.6 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,066 valid cases out of 2,188 total cases.

*Location:* 427-428 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6189: 146C22E:R WNTDO GRD/PRF

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	894	40.9 %
1	MARKED:(1)	1172	53.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	122	5.6 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,066 valid cases out of 2,188 total cases.

*Location:* 429-430 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6190: 146C22F:R WNTDO NONE

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1960	89.6 %
1	MARKED:(1)	106	4.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	122	5.6 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,066 valid cases out of 2,188 total cases.

*Location:* 431-432 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6191: 146C23 :HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours" 8="More than 30 hours"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	887	40.5 %
2	5 OR <:(2)	188	8.6 %
3	6-10 HRS:(3)	190	8.7 %
4	11-15 HRS:(4)	199	9.1 %
5	16-20 HRS:(5)	216	9.9 %
6	21-25 HRS:(6)	171	7.8 %
7	26-30 HRS:(7)	124	5.7 %
8	30+ HRS:(8)	110	5.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	103	4.7 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,085 valid cases out of 2,188 total cases.

*Location:* 433-434 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6192: 146C24A:R\$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	932	42.6 %
2	\$1-5:(2)	14	0.6 %
3	\$6-10:(3)	51	2.3 %
4	\$11-20:(4)	53	2.4 %
5	\$21-35:(5)	53	2.4 %
6	\$36-50:(6)	103	4.7 %
7	\$51-75:(7)	135	6.2 %
8	\$76-125:(8)	298	13.6 %
9	\$126-175:(9)	183	8.4 %
10	\$176+:(10)	224	10.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	142	6.5 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,046 valid cases out of 2,188 total cases.

*Location:* 435-436 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6193: 146C24B:R\$/AVG WEEK OTH

Item Number: 00610

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	903	41.3 %
2	\$1-5:(2)	100	4.6 %
3	\$6-10:(3)	148	6.8 %
4	\$11-20:(4)	327	14.9 %
5	\$21-35:(5)	194	8.9 %
6	\$36-50:(6)	130	5.9 %
7	\$51-75:(7)	63	2.9 %
8	\$76-125:(8)	61	2.8 %
9	\$126-175:(9)	13	0.6 %
10	\$176+:(10)	65	3.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	184	8.4 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,004 valid cases out of 2,188 total cases.

*Location:* 437-438 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6194: 146C25 :#X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out  
for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five"  
6="Six or Seven"

Value	Label	Unweighted Frequency	%
1	< 1:(1)	351	16.0 %
2	ONE:(2)	376	17.2 %
3	TWO:(3)	541	24.7 %
4	THREE:(4)	442	20.2 %
5	4-5:(5)	249	11.4 %
6	6-7:(6)	116	5.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	113	5.2 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,075 valid cases out of 2,188 total cases.

*Location:* 439-440 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6195: 146C26 :#X DATE 3+/WK

Item Number: 00630

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"  
4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	834	38.1 %
2	ONCE/MO:(2)	355	16.2 %
3	2-3X MO:(3)	288	13.2 %
4	ONCE WK:(4)	254	11.6 %
5	2-3X WK:(5)	238	10.9 %
6	3+ WEEK:(6)	86	3.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	133	6.1 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,055 valid cases out of 2,188 total cases.

*Location:* 441-442 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6196: 146C27 :DRIVE>200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	532	24.3 %
2	1-10 MI:(2)	219	10.0 %
3	11-50:(3)	505	23.1 %
4	51-100:(4)	433	19.8 %
5	101-200:(5)	247	11.3 %
6	> 200:(6)	144	6.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	108	4.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,080 valid cases out of 2,188 total cases.

*Location:* 443-444 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6197: 146C28 :#X/12MO R TCKTD

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"  
4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1729	79.0 %
1	ONCE:(1)	228	10.4 %
2	TWICE:(2)	57	2.6 %
3	3 TIMES:(3)	26	1.2 %
4	4+ TIMES:(4)	16	0.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	132	6.0 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,056 valid cases out of 2,188 total cases.

*Location:* 445-446 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6198: 146C29A:#TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	304	13.9 %
1	ONE:(1)	10	0.5 %
2	TWO:(2)	2	0.1 %
3	THREE+:(3-4)	2	0.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	1870	85.5 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 318 valid cases out of 2,188 total cases.

*Location:* 447-448 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6199: 146C29B:#TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	301	13.8 %
1	ONE:(1)	14	0.6 %
2	TWO:(2)	5	0.2 %
3	THREE+:(3-4)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1867	85.3 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 321 valid cases out of 2,188 total cases.

*Location:* 449-450 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6200: 146C29C:#TCKTS AFT OTDG

Item Number: 00680

How many of these tickets or warnings occurred after you  
were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	316	14.4 %
1	ONE:(1)	0	0.0 %
2	TWO:(2)	0	0.0 %
3	THREE+:(3-4)	1	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1871	85.5 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 317 valid cases out of 2,188 total cases.

*Location:* 451-452 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6201: 146C30 :#ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you

were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times"  
4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1695	77.5 %
1	ONCE:(1)	291	13.3 %
2	TWICE:(2)	45	2.1 %
3	3 TIMES:(3)	12	0.5 %
4	4+ TIMES:(4)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	142	6.5 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,046 valid cases out of 2,188 total cases.

*Location:* 453-454 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6202: 146C31A:#ACDTS AFT DRNK

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	338	15.4 %
1	ONE:(1)	6	0.3 %
2	TWO:(2)	0	0.0 %
3	THREE+:(3-4)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1844	84.3 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 344 valid cases out of 2,188 total cases.

*Location:* 455-456 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V6203: 146C31B:#ACDTS AFT MARJ

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	338	15.4 %
1	ONE:(1)	5	0.2 %
2	TWO:(2)	2	0.1 %
3	THREE+:(3-4)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	1843	84.2 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 345 valid cases out of 2,188 total cases.

*Location:* 457-458 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6204: 146C31C:#ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	340	15.5 %
1	ONE:(1)	2	0.1 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	0	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	1845	84.3 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 343 valid cases out of 2,188 total cases.

*Location:* 459-460 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6205: 146C32 :USE SEATBLT-DRV

Item Number: 22210

When you drive a car, how often do you wear a seatbelt?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Always"

8="Does Not Apply"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	88	4.0 %
2	SELDOM:(2)	56	2.6 %
3	SOMETIMES:(3)	96	4.4 %
4	OFTEN:(4)	172	7.9 %
5	ALWAYS:(5)	1504	68.7 %
8	INAP:(8)	137	6.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	135	6.2 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,053 valid cases out of 2,188 total cases.

*Location:* 461-462 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6206: 146C33 :USE SEATBLT-RIDR

Item Number: 22220

When you are riding in the front passenger seat of a car,  
how often do you wear a seatbelt?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Always"

8="Does Not Apply"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	97	4.4 %
2	SELDOM:(2)	63	2.9 %
3	SOMETIMES:(3)	127	5.8 %
4	OFTEN:(4)	268	12.2 %
5	ALWAYS:(5)	1462	66.8 %
8	INAP:(8)	17	0.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	154	7.0 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,034 valid cases out of 2,188 total cases.

*Location:* 463-464 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6554: 146D01 :#X ANTISMK TV/RD

Item Number: 30260

The next questions are about anti-smoking commercials or "spots" that are intended to discourage cigarette smoking.

In recent months, about how often have you seen such anti-smoking commercials on TV, or heard them on the radio?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily"  
6="More than once a day"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	360	16.5 %
2	1-2 X:(2)	329	15.0 %
3	1-2/WK:(3)	486	22.2 %
4	3-5/WK:(4)	490	22.4 %
5	1/DAY:(5)	303	13.8 %
6	>1/DAY:(6)	89	4.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	131	6.0 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,057 valid cases out of 2,188 total cases.

*Location:* 465-466 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6555: 146D02 :#X ANTISMK PRINT

Item Number: 30270

In recent months, about how often have you seen anti-smoking ads on billboards or in magazines and newspapers?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily"  
6="More than once a day"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	578	26.4 %
2	1-2 X:(2)	542	24.8 %
3	1-2/WK:(3)	567	25.9 %
4	3-5/WK:(4)	231	10.6 %
5	1/DAY:(5)	111	5.1 %
6	>1/DAY:(6)	30	1.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	129	5.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,059 valid cases out of 2,188 total cases.

*Location:* 467-468 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6556: 146D03A:ANTISMK ADS<FVRB

Item Number: 30280

To what extent do you think such ads on TV, radio, and billboards or in magazines and newspapers have . . .

A: . . . made you less favorable toward smoking cigarettes?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	646	29.5 %
2	LTTL EXT:(2)	317	14.5 %
3	SOME EXT:(3)	509	23.3 %
4	GRT EXT:(4)	246	11.2 %
5	VRGR EXT:(5)	321	14.7 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	149	6.8 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,039 valid cases out of 2,188 total cases.

*Location:* 469-470 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6557: 146D03B:ANTISMK ADS<LKLY

Item Number: 30290

To what extent do you think such ads on TV, radio, and billboards or in magazines and newspapers have . . .

B: . . . made you less likely to smoke cigarettes?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	644	29.4 %
2	LTTL EXT:(2)	292	13.3 %
3	SOME EXT:(3)	454	20.7 %
4	GRT EXT:(4)	262	12.0 %
5	VRGR EXT:(5)	380	17.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	156	7.1 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 2,032 valid cases out of 2,188 total cases.

*Location:* 471-472 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6558: 146D03C:ANTISMK ADS EXAG

Item Number: 30300

To what extent do you think such ads on TV, radio, and billboards or in magazines and newspapers have . . .

C: . . . overstated the dangers or risks of cigarette smoking?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To

a Great Extent" 5="To a Very Great Extent"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	760	34.7 %
2	LTTL EXT:(2)	335	15.3 %
3	SOME EXT:(3)	454	20.7 %
4	GRT EXT:(4)	212	9.7 %
5	VRGR EXT:(5)	263	12.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	164	7.5 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,024 valid cases out of 2,188 total cases.

*Location:* 473-474 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6559: 146D04A:CIG SMKRS-ATHLTS

Item Number: 30310

These days, how many people in the following groups would you guess are regular cigarette smokers?

A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"

5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	931	42.6 %
2	11%-30%:(2)	430	19.7 %
3	31%-50%:(3)	212	9.7 %
4	51%-70%:(4)	113	5.2 %
5	71%-90%:(5)	41	1.9 %
6	91%-100%:(6)	19	0.9 %
8	NO IDEA:(8)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	442	20.2 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,746 valid cases out of 2,188 total cases.

*Location:* 475-476 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V6622: 146D04B:CIG SMKRS-MUSIC

Item Number: 33270

These days, how many people in the following groups would you guess are regular cigarette smokers?

B: Popular music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	202	9.2 %
2	11%-30%:(2)	320	14.6 %
3	31%-50%:(3)	420	19.2 %
4	51%-70%:(4)	390	17.8 %
5	71%-90%:(5)	325	14.9 %
6	91%-100%:(6)	134	6.1 %
8	NO IDEA:(8)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	397	18.1 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,791 valid cases out of 2,188 total cases.

Location: 477-478 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V6561: 146D04C:CIG SMKRS-ACTORS

Item Number: 30330

These days, how many people in the following groups would you guess are regular cigarette smokers?

C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	158	7.2 %
2	11%-30%:(2)	302	13.8 %

Value	Label	Unweighted Frequency	%
3	31%-50%:(3)	476	21.8 %
4	51%-70%:(4)	411	18.8 %
5	71%-90%:(5)	316	14.4 %
6	91%-100%:(6)	113	5.2 %
8	NO IDEA:(8)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	412	18.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,776 valid cases out of 2,188 total cases.

*Location:* 479-480 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6562: 146D04D:CIG SMKRS-PEERS

Item Number: 30340

These days, how many people in the following groups would you guess are regular cigarette smokers?

D: Students in your school

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	325	14.9 %
2	11%-30%:(2)	444	20.3 %
3	31%-50%:(3)	420	19.2 %
4	51%-70%:(4)	327	14.9 %
5	71%-90%:(5)	213	9.7 %
6	91%-100%:(6)	104	4.8 %
8	NO IDEA:(8)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	355	16.2 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,833 valid cases out of 2,188 total cases.

*Location:* 481-482 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6563: 146D05A:USE DRUGS-ATHLTS

Item Number: 22380

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	528	24.1 %
2	11%-30%:(2)	503	23.0 %
3	31%-50%:(3)	299	13.7 %
4	51%-70%:(4)	193	8.8 %
5	71%-90%:(5)	154	7.0 %
6	91%-100%:(6)	89	4.1 %
8	NO IDEA:(8)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	422	19.3 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,766 valid cases out of 2,188 total cases.

*Location:* 483-484 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6623: 146D05B:USE DRUGS-MUSIC

Item Number: 33280

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

B: Popular music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	132	6.0 %
2	11%-30%:(2)	214	9.8 %

Value	Label	Unweighted Frequency	%
3	31%-50%:(3)	305	13.9 %
4	51%-70%:(4)	412	18.8 %
5	71%-90%:(5)	435	19.9 %
6	91%-100%:(6)	311	14.2 %
8	NO IDEA:(8)	0	0.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	379	17.3 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,809 valid cases out of 2,188 total cases.

*Location:* 485-486 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6565: 146D05C:USE DRUGS-ACTORS

Item Number: 22400

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"

5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	158	7.2 %
2	11%-30%:(2)	243	11.1 %
3	31%-50%:(3)	394	18.0 %
4	51%-70%:(4)	416	19.0 %
5	71%-90%:(5)	368	16.8 %
6	91%-100%:(6)	203	9.3 %
8	NO IDEA:(8)	230	10.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	176	8.0 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,012 valid cases out of 2,188 total cases.

*Location:* 487-488 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6566: 146D05D:USE DRUGS-PEERS

Item Number: 22405

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

D: Students in your school

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	210	9.6 %
2	11%-30%:(2)	325	14.9 %
3	31%-50%:(3)	407	18.6 %
4	51%-70%:(4)	389	17.8 %
5	71%-90%:(5)	313	14.3 %
6	91%-100%:(6)	187	8.5 %
8	NO IDEA:(8)	178	8.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	179	8.2 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,009 valid cases out of 2,188 total cases.

*Location:* 489-490 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6624: 146D06:SMKRS IN MOVIE

Item Number: 33290

Think about the movie that you watched most recently. Did any of the characters in the movie smoke cigarettes?

1="No" 2="Yes, some" 3="Yes, a lot" 4="Don't remember"

Value	Label	Unweighted Frequency	%
1	NO:(1)	664	30.3 %
2	SOME:(2)	827	37.8 %
3	A LOT:(3)	217	9.9 %
4	DONT REMEMBER:(4)	313	14.3 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	167	7.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,021 valid cases out of 2,188 total cases.

*Location:* 491-492 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6620: 146D07:NOTICE WARNINGS ON CIG PACKS

Item Number: 32750

In recent months, have you noticed the health warnings on cigarette packs?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	692	31.6 %
2	NO:(2)	1305	59.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	191	8.7 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,997 valid cases out of 2,188 total cases.

*Location:* 493-494 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6575: 146D08 :#X SEE DRUG SPTS

Item Number: 22460

The next questions ask about anti-drug commercials or "spots" that are intended to discourage drug use. In recent months, about how often have you seen such anti-drug commercials on TV, or heard them on the radio?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	686	31.4 %
2	< ONCE/MO:(2)	455	20.8 %

Value	Label	Unweighted Frequency	%
3	1-3/MO:(3)	419	19.1 %
4	1-3X/WK:(4)	275	12.6 %
5	DAILY OR ALMOST DAILY:(5)	131	6.0 %
6	>1/DAY:(6)	34	1.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	188	8.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 2,000 valid cases out of 2,188 total cases.

*Location:* 495-496 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6576: 146D09A:ADS-PEOPL <FAVBL

Item Number: 22470

To what extent do you think such commercials have . . .

A: . . . Made people your age less favorable toward drugs?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	643	29.4 %
2	LTTL EXT:(2)	536	24.5 %
3	SOME EXT:(3)	542	24.8 %
4	GRT EXT:(4)	117	5.3 %
5	VRGR EXT:(5)	125	5.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	225	10.3 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,963 valid cases out of 2,188 total cases.

*Location:* 497-498 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6577: 146D09B:ADS-YOU <FAVORBL

Item Number: 22480

To what extent do you think such commercials have . . .

B: . . . Made you less favorable toward drugs?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	626	28.6 %
2	LTTL EXT:(2)	365	16.7 %
3	SOME EXT:(3)	467	21.3 %
4	GRT EXT:(4)	250	11.4 %
5	VRGR EXT:(5)	247	11.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	233	10.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,955 valid cases out of 2,188 total cases.

*Location:* 499-500 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6578: 146D09C:ADS-YOU <TRY DRG

Item Number: 22490

To what extent do you think such commercials have . . .

C: . . . Made you less likely to use drugs?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	652	29.8 %
2	LTTL EXT:(2)	347	15.9 %
3	SOME EXT:(3)	428	19.6 %
4	GRT EXT:(4)	237	10.8 %
5	VRGR EXT:(5)	287	13.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	237	10.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,188 total cases.

*Location:* 501-502 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V6579: 146D09D:ADS-OVRST DANGER

Item Number: 22500

To what extent do you think such commercials have . . .

D: . . . Overstated the dangers or risks of drug use?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	748	34.2 %
2	LTTL EXT:(2)	354	16.2 %
3	SOME EXT:(3)	448	20.5 %
4	GRT EXT:(4)	204	9.3 %
5	VRGR EXT:(5)	194	8.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	240	11.0 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,948 valid cases out of 2,188 total cases.

Location: 503-504 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V6353: 146D10A:POS ATT TWD SELF

Item Number: 12550

How much do you agree or disagree with each of the following statements?

A: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	124	5.7 %
2	MOST DIS:(2)	127	5.8 %
3	NEITHER:(3)	234	10.7 %
4	MOST AGR:(4)	815	37.2 %
5	AGREE:(5)	688	31.4 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	200	9.1 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,988 valid cases out of 2,188 total cases.

*Location:* 505-506 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6354: 146D10B:LIFE MEANINGLESS

Item Number: 23700

How much do you agree or disagree with each of the following statements?

B: Life often seems meaningless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	814	37.2 %
2	MOST DIS:(2)	533	24.4 %
3	NEITHER:(3)	320	14.6 %
4	MOST AGR:(4)	222	10.1 %
5	AGREE:(5)	99	4.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	200	9.1 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,988 valid cases out of 2,188 total cases.

*Location:* 507-508 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6355: 146D10C:SHD DO OWN THING

Item Number: 07040

How much do you agree or disagree with each of the following statements?

C: People should do their own thing, even if other people think it's strange

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	75	3.4 %
2	MOST DIS:(2)	50	2.3 %
3	NEITHER:(3)	185	8.5 %
4	MOST AGR:(4)	602	27.5 %
5	AGREE:(5)	1068	48.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	208	9.5 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,980 valid cases out of 2,188 total cases.

*Location:* 509-510 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6356: 146D10D:-MUCH TO B PROUD

Item Number: 12660

How much do you agree or disagree with each of the following statements?

D: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	806	36.8 %
2	MOST DIS:(2)	482	22.0 %
3	NEITHER:(3)	316	14.4 %
4	MOST AGR:(4)	234	10.7 %
5	AGREE:(5)	133	6.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	217	9.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,971 valid cases out of 2,188 total cases.

*Location:* 511-512 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6357: 146D10E:AM PRSN OF WORTH

Item Number: 12570

How much do you agree or disagree with each of the following statements?

E: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	106	4.8 %
2	MOST DIS:(2)	116	5.3 %
3	NEITHER:(3)	276	12.6 %
4	MOST AGR:(4)	611	27.9 %
5	AGREE:(5)	858	39.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	221	10.1 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,967 valid cases out of 2,188 total cases.

*Location:* 513-514 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6358: 146D10F:I ENJOY LIFE

Item Number: 23710

How much do you agree or disagree with each of the following statements?

F: I enjoy life as much as anyone

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	130	5.9 %
2	MOST DIS:(2)	150	6.9 %
3	NEITHER:(3)	279	12.8 %
4	MOST AGR:(4)	598	27.3 %
5	AGREE:(5)	819	37.4 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	212	9.7 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,976 valid cases out of 2,188 total cases.

*Location:* 515-516 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6359: 146D10G:KICK DO DANGR TH

Item Number: 07050

How much do you agree or disagree with each of the following statements?

G: I get a real kick out of doing things that are a little dangerous

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	257	11.7 %
2	MOST DIS:(2)	282	12.9 %
3	NEITHER:(3)	526	24.0 %
4	MOST AGR:(4)	563	25.7 %
5	AGREE:(5)	345	15.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	215	9.8 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,973 valid cases out of 2,188 total cases.

*Location:* 517-518 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6360: 146D10H:I AM NO GOOD

Item Number: 12680

How much do you agree or disagree with each of the following statements?

H: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	765	35.0 %
2	MOST DIS:(2)	415	19.0 %
3	NEITHER:(3)	316	14.4 %
4	MOST AGR:(4)	278	12.7 %
5	AGREE:(5)	191	8.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	223	10.2 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,965 valid cases out of 2,188 total cases.

*Location:* 519-520 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6361: 146D10I:DO WELL AS OTHRS

Item Number: 12580

How much do you agree or disagree with each of the following statements?

I: I am able to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	90	4.1 %
2	MOST DIS:(2)	99	4.5 %
3	NEITHER:(3)	304	13.9 %
4	MOST AGR:(4)	789	36.1 %
5	AGREE:(5)	689	31.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	217	9.9 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,971 valid cases out of 2,188 total cases.

*Location:* 521-522 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6362: 146D10J:FUTURE HOPELESS

Item Number: 23720

How much do you agree or disagree with each of the following statements?

J: The future often seems hopeless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	931	42.6 %
2	MOST DIS:(2)	435	19.9 %
3	NEITHER:(3)	307	14.0 %
4	MOST AGR:(4)	170	7.8 %
5	AGREE:(5)	122	5.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	223	10.2 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,965 valid cases out of 2,188 total cases.

*Location:* 523-524 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6363: 146D10K:LIKE RISK SOME X

Item Number: 07060

How much do you agree or disagree with each of the following statements?

K: I like to test myself every now and then by doing something a little risky

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	339	15.5 %
2	MOST DIS:(2)	308	14.1 %
3	NEITHER:(3)	466	21.3 %
4	MOST AGR:(4)	507	23.2 %
5	AGREE:(5)	343	15.7 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	225	10.3 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,963 valid cases out of 2,188 total cases.

*Location:* 525-526 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6364: 146D10L:I DO WRONG THING

Item Number: 12720

How much do you agree or disagree with each of the following statements?

L: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	855	39.1 %
2	MOST DIS:(2)	447	20.4 %
3	NEITHER:(3)	322	14.7 %
4	MOST AGR:(4)	227	10.4 %
5	AGREE:(5)	105	4.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	232	10.6 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,956 valid cases out of 2,188 total cases.

*Location:* 527-528 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6365: 146D10M:SATISFD W MYSELF

Item Number: 12620

How much do you agree or disagree with each of the following statements?

M: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	126	5.8 %
2	MOST DIS:(2)	165	7.5 %
3	NEITHER:(3)	265	12.1 %
4	MOST AGR:(4)	615	28.1 %
5	AGREE:(5)	785	35.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	232	10.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,956 valid cases out of 2,188 total cases.

*Location:* 529-530 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6366: 146D10N:MY LIFE NT USEFL

Item Number: 12750

How much do you agree or disagree with each of the following statements?

N: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	973	44.5 %
2	MOST DIS:(2)	419	19.1 %
3	NEITHER:(3)	321	14.7 %
4	MOST AGR:(4)	159	7.3 %
5	AGREE:(5)	89	4.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	227	10.4 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,961 valid cases out of 2,188 total cases.

*Location:* 531-532 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6367: 146D10O:GOOD TO BE ALIVE

Item Number: 23730

How much do you agree or disagree with each of the following statements?

O: It feels good to be alive

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	79	3.6 %
2	MOST DIS:(2)	83	3.8 %
3	NEITHER:(3)	231	10.6 %
4	MOST AGR:(4)	416	19.0 %
5	AGREE:(5)	1151	52.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	228	10.4 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,960 valid cases out of 2,188 total cases.

*Location:* 533-534 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6581: 146D10P:LIK XPLOR STRANG

Item Number: 31080

How much do you agree or disagree with each of the following statements?

P: I would like to explore strange places

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	134	6.1 %
2	MOST DIS:(2)	95	4.3 %
3	NEITHER:(3)	255	11.7 %
4	MOST AGR:(4)	524	23.9 %
5	AGREE:(5)	947	43.3 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	233	10.6 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,955 valid cases out of 2,188 total cases.

*Location:* 535-536 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6582: 146D10Q:LIK DO FRIGHT TG

Item Number: 31090

How much do you agree or disagree with each of the following statements?

Q: I like to do frightening things

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	381	17.4 %
2	MOST DIS:(2)	338	15.4 %
3	NEITHER:(3)	513	23.4 %
4	MOST AGR:(4)	390	17.8 %
5	AGREE:(5)	333	15.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	233	10.6 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,955 valid cases out of 2,188 total cases.

*Location:* 537-538 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6583: 146D10R:LIK EVN BRK RULE

Item Number: 31100

How much do you agree or disagree with each of the following statements?

R: I like new and exciting experiences, even if I have to break the rules

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	240	11.0 %
2	MOST DIS:(2)	275	12.6 %
3	NEITHER:(3)	444	20.3 %
4	MOST AGR:(4)	522	23.9 %
5	AGREE:(5)	478	21.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	229	10.5 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,959 valid cases out of 2,188 total cases.

*Location:* 539-540 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6584: 146D10S:PRF FRND EXCITNG

Item Number: 31110

How much do you agree or disagree with each of the following statements?

S: I prefer friends who are exciting and unpredictable

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	137	6.3 %
2	MOST DIS:(2)	176	8.0 %
3	NEITHER:(3)	501	22.9 %
4	MOST AGR:(4)	577	26.4 %
5	AGREE:(5)	561	25.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	236	10.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,952 valid cases out of 2,188 total cases.

*Location:* 541-542 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6610: 146D10T:I AM OFTEN BORED

Item Number: 32000

How much do you agree or disagree with each of the following statements?

T: I am often bored

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	300	13.7 %
2	MOST DIS:(2)	364	16.6 %
3	NEITHER:(3)	478	21.8 %
4	MOST AGR:(4)	447	20.4 %
5	AGREE:(5)	364	16.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	235	10.7 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,953 valid cases out of 2,188 total cases.

*Location:* 543-544 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6497: 146D11A:#XDRUNK/LIFETIME

Item Number: 25020

The different questionnaire forms used in this study emphasize different topics. In the rest of this questionnaire, we ask more about your experiences and attitudes relating to alcohol and other drugs.

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	953	43.6 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	257	11.7 %
3	3-5X:(3)	141	6.4 %
4	6-9X:(4)	128	5.9 %
5	10-19X:(5)	149	6.8 %
6	20-39X:(6)	113	5.2 %
7	40+OCCAS:(7)	203	9.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	244	11.2 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,944 valid cases out of 2,188 total cases.

*Location:* 545-546 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6498: 146D11B:#XDRUNK/LAST12MO

Item Number: 25030

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1097	50.1 %
2	1-2X:(2)	283	12.9 %
3	3-5X:(3)	148	6.8 %
4	6-9X:(4)	146	6.7 %
5	10-19X:(5)	117	5.3 %
6	20-39X:(6)	65	3.0 %
7	40+OCCAS:(7)	82	3.7 %
<b>Missing Data</b>			
-9	MISSING:(-9)	250	11.4 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,938 valid cases out of 2,188 total cases.

*Location:* 547-548 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6499: 146D11C:#XDRUNK/LAST30DA

Item Number: 25040

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1428	65.3 %
2	1-2X:(2)	272	12.4 %
3	3-5X:(3)	123	5.6 %
4	6-9X:(4)	60	2.7 %
5	10-19X:(5)	25	1.1 %
6	20-39X:(6)	10	0.5 %
7	40+OCCAS:(7)	19	0.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	251	11.5 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,937 valid cases out of 2,188 total cases.

*Location:* 549-550 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6368: 146D12A:#X STRD/LIFETIME

Item Number: 22690

Anabolic steroids are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1915	87.5 %
2	1-2X:(2)	15	0.7 %
3	3-5X:(3)	8	0.4 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	8	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	232	10.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,956 valid cases out of 2,188 total cases.

*Location:* 551-552 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6369: 146D12B:#X STRD/LAST12MO

Item Number: 22700

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1926	88.0 %
2	1-2X:(2)	12	0.5 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	6	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	231	10.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,957 valid cases out of 2,188 total cases.

*Location:* 553-554 (width: 2; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -9

---

## V6370: 146D12C:#X STRD/LAST30DA

Item Number: 22710

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1940	88.7 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	232	10.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,956 valid cases out of 2,188 total cases.

*Location:* 555-556 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6376: 146D13A:MTHD STRD-INJECT

Item Number: 23790

What methods have you used for taking steroids on your own?  
(Mark ALL that apply.)

A. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	26	1.2 %

Value	Label	Unweighted Frequency	%
1	MARKED:(1)	8	0.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2154	98.4 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 34 valid cases out of 2,188 total cases.

*Location:* 557-558 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6377: 146D13B:MTHD STRD-MOUTH

Item Number: 23800

What methods have you used for taking steroids on your own?

(Mark all that apply.)

B. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	13	0.6 %
1	MARKED:(1)	21	1.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	2154	98.4 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 34 valid cases out of 2,188 total cases.

*Location:* 559-560 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6580: 146D13C:HVNT USED STRDS

Item Number: 30940

What methods have you used for taking steroids on your own?

C: Haven't used steroids.

0="UNMARKED" 1="MARKED [Includes respondents who reported nonuse on preceding prevalence question]"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	26	1.2 %
1	MARKED:(1)	1923	87.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	239	10.9 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,949 valid cases out of 2,188 total cases.

*Location:* 561-562 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6500: 146D14A:#X INJECT/LIFE

Item Number: 25050

On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . .

A: . . . in your lifetime?

Do NOT include anything you took under a doctor's orders.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1915	87.5 %
2	1-2X:(2)	10	0.5 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	10	0.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	241	11.0 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,947 valid cases out of 2,188 total cases.

*Location:* 563-564 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6501: 146D14B:#X INJECT/LST12M

Item Number: 25060

On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . .

B: . . . during the last 12 months?

Do NOT include anything you took under a doctor's orders.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1929	88.2 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	6	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	236	10.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,952 valid cases out of 2,188 total cases.

*Location:* 565-566 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6502: 146D14C:#X INJECT/LST30D

Item Number: 25070

On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . .

C: . . . during the last 30 days?

Do NOT include anything you took under a doctor's orders.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1936	88.5 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	237	10.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,188 total cases.

*Location:* 567-568 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6503: 146D15 :GR 1ST INJECT

Item Number: 25680

When (if ever) did you FIRST inject any drug with a needle  
(without doctor's orders)?

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9" 5="Grade 10" 6="Grade 11" 7="Grade 12"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	7	0.3 %
2	GRADE 7:(2)	2	0.1 %
3	GRADE 8:(3)	2	0.1 %
4	GRADE 9:(4)	7	0.3 %
5	GRADE 10:(5)	4	0.2 %
6	GRADE 11:(6)	4	0.2 %
7	GRADE 12:(7)	3	0.1 %
8	NEVER:(8)	1909	87.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	250	11.4 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,938 valid cases out of 2,188 total cases.

*Location:* 569-570 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6378: 146D16A:GR 1ST SMOK EVR

Item Number: 05575

When (if ever) did you FIRST do each of the following things?

A: Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	82	3.7 %
2	GRADE 7:(2)	58	2.7 %
3	GRADE 8:(3)	74	3.4 %
4	GRADE 9:(4)	111	5.1 %
5	GRADE 10:(5)	93	4.3 %
6	GRADE 11:(6)	101	4.6 %
7	GRADE 12:(7)	62	2.8 %
8	NEVER:(8)	1278	58.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	329	15.0 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,859 valid cases out of 2,188 total cases.

*Location:* 571-572 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6379: 146D16B:GR 1ST SMOK DLY

Item Number: 05570

When (if ever) did you FIRST do each of the following things?

B: Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	5	0.2 %
2	GRADE 7:(2)	8	0.4 %

Value	Label	Unweighted Frequency	%
3	GRADE 8:(3)	17	0.8 %
4	GRADE 9:(4)	34	1.6 %
5	GRADE 10:(5)	39	1.8 %
6	GRADE 11:(6)	48	2.2 %
7	GRADE 12:(7)	44	2.0 %
8	NEVER:(8)	1702	77.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	291	13.3 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,897 valid cases out of 2,188 total cases.

*Location:* 573-574 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6380: 146D16C:GR 1ST SMOKELESS

Item Number: 05576

When (if ever) did you FIRST do each of the following things?

C: Try smokeless tobacco (snuff, plug, chewing tobacco, snus, dissolvable tobacco)

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	31	1.4 %
2	GRADE 7:(2)	18	0.8 %
3	GRADE 8:(3)	32	1.5 %
4	GRADE 9:(4)	43	2.0 %
5	GRADE 10:(5)	59	2.7 %
6	GRADE 11:(6)	76	3.5 %
7	GRADE 12:(7)	50	2.3 %
8	NEVER:(8)	1631	74.5 %
<b>Missing Data</b>			
-9	MISSING:(-9)	248	11.3 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,940 valid cases out of 2,188 total cases.

*Location:* 575-576 (width: 2; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: -9

---

## V6482: 146D17A:FUTR SMOKE CIGS

Item Number: 24440

In the future, do you think that you will . . .

A: . . . Smoke cigarettes?

1="Definitely will" 2="Probably will" 3="Don't know"  
4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	104	4.8 %
2	PROB WILL:(2)	130	5.9 %
3	DK:(3)	126	5.8 %
4	PRB WONT:(4)	279	12.8 %
5	DEF WONT:(5)	1312	60.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	237	10.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,188 total cases.

Location: 577-578 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V6483: 146D17B:FUTR DRINK ALCOL

Item Number: 24450

In the future, do you think that you will . . .

B: . . . Drink alcoholic beverages?

1="Definitely will" 2="Probably will" 3="Don't know"  
4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	555	25.4 %
2	PROB WILL:(2)	716	32.7 %
3	DK:(3)	221	10.1 %
4	PRB WONT:(4)	137	6.3 %
5	DEF WONT:(5)	320	14.6 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	MISSING:(-9)	239	10.9 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,949 valid cases out of 2,188 total cases.

*Location:* 579-580 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6484: 146D17C:FUTR TRY/USE MJ

Item Number: 24460

In the future, do you think that you will . . .

C: . . . Try or use marijuana?

1="Definitely will" 2="Probably will" 3="Don't know"

4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	322	14.7 %
2	PROB WILL:(2)	335	15.3 %
3	DK:(3)	248	11.3 %
4	PRB WONT:(4)	232	10.6 %
5	DEF WONT:(5)	807	36.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	244	11.2 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,944 valid cases out of 2,188 total cases.

*Location:* 581-582 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6485: 146D17D:FUTR TRY/USE CRK

Item Number: 24470

In the future, do you think that you will . . .

D: . . . Try or use "crack" cocaine?

1="Definitely will" 2="Probably will" 3="Don't know"

4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	92	4.2 %
2	PROB WILL:(2)	8	0.4 %
3	DK:(3)	45	2.1 %
4	PRB WONT:(4)	97	4.4 %
5	DEF WONT:(5)	1706	78.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	240	11.0 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,948 valid cases out of 2,188 total cases.

*Location:* 583-584 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6486: 146D17E:FUTR TRY/US COKP

Item Number: 24480

In the future, do you think that you will . . .

E: . . . Try or use cocaine in powder form?

1="Definitely will" 2="Probably will" 3="Don't know"

4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	92	4.2 %
2	PROB WILL:(2)	30	1.4 %
3	DK:(3)	68	3.1 %
4	PRB WONT:(4)	88	4.0 %
5	DEF WONT:(5)	1668	76.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	242	11.1 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,946 valid cases out of 2,188 total cases.

*Location:* 585-586 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6487: 146D17F:FUTR TR/U OTH DG

Item Number: 24490

In the future, do you think that you will . . .

F: . . . Try or use any other illegal drugs?

1="Definitely will" 2="Probably will" 3="Don't know"

4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	116	5.3 %
2	PROB WILL:(2)	83	3.8 %
3	DK:(3)	123	5.6 %
4	PRB WONT:(4)	145	6.6 %
5	DEF WONT:(5)	1478	67.6 %
<b>Missing Data</b>			
-9	MISSING:(-9)	243	11.1 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,945 valid cases out of 2,188 total cases.

*Location:* 587-588 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6569: 146D18A:FRND DAP CIG OCC

Item Number: 30380

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

A: Smoking cigarettes occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	521	23.8 %
2	DISAPPRV:(2)	667	30.5 %
3	STRG DIS:(3)	750	34.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	250	11.4 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,938 valid cases out of 2,188 total cases.

*Location:* 589-590 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6570: 146D18B:FRND DAP CIG DLY

Item Number: 30390

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

B: Smoking cigarettes every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	344	15.7 %
2	DISAPPRV:(2)	555	25.4 %
3	STRG DIS:(3)	1033	47.2 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	256	11.7 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,932 valid cases out of 2,188 total cases.

*Location:* 591-592 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6408: 146D18C:FRD DAP CIGS

Item Number: 11470

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

C: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	238	10.9 %
2	DISAPPRV:(2)	461	21.1 %
3	STRG DIS:(3)	1237	56.5 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	252	11.5 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,936 valid cases out of 2,188 total cases.

*Location:* 593-594 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V6571: 146D18D:FRND DAP SMKL OC

Item Number: 30400

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

D: Using smokeless tobacco occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	449	20.5 %
2	DISAPPRV:(2)	610	27.9 %
3	STRG DIS:(3)	867	39.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	262	12.0 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,926 valid cases out of 2,188 total cases.

Location: 595-596 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V6572: 146D18E:FRND DAP SMKL DL

Item Number: 30410

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

E: Using smokeless tobacco every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	344	15.7 %
2	DISAPPRV:(2)	543	24.8 %
3	STRG DIS:(3)	1038	47.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	263	12.0 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,925 valid cases out of 2,188 total cases.

*Location:* 597-598 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6573: 146D18F:FRND DAP SMKL D+

Item Number: 30420

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

F: Using smokeless tobacco several times per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	307	14.0 %
2	DISAPPRV:(2)	491	22.4 %
3	STRG DIS:(3)	1129	51.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	261	11.9 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,927 valid cases out of 2,188 total cases.

*Location:* 599-600 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6409: 146D18G:FRD DAP TRY MARJ

Item Number: 11480

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

G: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1000	45.7 %
2	DISAPPRV:(2)	420	19.2 %
3	STRG DIS:(3)	511	23.4 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	257	11.7 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,931 valid cases out of 2,188 total cases.

*Location:* 601-602 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6410: 146D18H:FRD DAP MJ OCC

Item Number: 11490

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

H: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	839	38.3 %
2	DISAPPRV:(2)	451	20.6 %
3	STRG DIS:(3)	640	29.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	258	11.8 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,930 valid cases out of 2,188 total cases.

*Location:* 603-604 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6411: 146D18I:FRD DAP MJ REG

Item Number: 11500

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

I: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	558	25.5 %
2	DISAPPRV:(2)	543	24.8 %
3	STRG DIS:(3)	826	37.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	261	11.9 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,927 valid cases out of 2,188 total cases.

*Location:* 605-606 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6414: 146D18J:FRD DAP TRY CRCK

Item Number: 23940

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

J: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	137	6.3 %
2	DISAPPRV:(2)	315	14.4 %
3	STRG DIS:(3)	1528	69.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	208	9.5 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,980 valid cases out of 2,188 total cases.

*Location:* 607-608 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6415: 146D18K:FRD DAP CRCK OCC

Item Number: 23950

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

K: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	103	4.7 %
2	DISAPPRV:(2)	266	12.2 %

Value	Label	Unweighted Frequency	%
3	STRG DIS:(3)	1604	73.3 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	215	9.8 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,973 valid cases out of 2,188 total cases.

*Location:* 609-610 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6416: 146D18L:FRD DAP TRY PWDR

Item Number: 23960

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

L: Trying cocaine powder once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	173	7.9 %
2	DISAPPRV:(2)	280	12.8 %
3	STRG DIS:(3)	1523	69.6 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	212	9.7 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,976 valid cases out of 2,188 total cases.

*Location:* 611-612 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6417: 146D18M:FRD DAP PWDR OCC

Item Number: 23970

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

M: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	118	5.4 %
2	DISAPPRV:(2)	280	12.8 %
3	STRG DIS:(3)	1569	71.7 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	221	10.1 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,967 valid cases out of 2,188 total cases.

*Location:* 613-614 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6418: 146D18N:FRD DAP 1-2DR/DA

Item Number: 11530

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

N: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	542	24.8 %
2	DISAPPRV:(2)	599	27.4 %
3	STRG DIS:(3)	833	38.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	214	9.8 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,974 valid cases out of 2,188 total cases.

*Location:* 615-616 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6419: 146D18O:FRD DAP 4-5DR/DA

Item Number: 11540

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

O: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	259	11.8 %
2	DISAPPRV:(2)	536	24.5 %
3	STRG DIS:(3)	1181	54.0 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	212	9.7 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,976 valid cases out of 2,188 total cases.

*Location:* 617-618 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6420: 146D18P:FRD DAP 5+DR/WKD

Item Number: 11550

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

P: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	634	29.0 %
2	DISAPPRV:(2)	463	21.2 %
3	STRG DIS:(3)	877	40.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	214	9.8 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,974 valid cases out of 2,188 total cases.

*Location:* 619-620 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6421: 146D18Q:FRD DAP DRIV+2DR

Item Number: 11551

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

Q: Driving a car after having 1-2 drinks

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	292	13.3 %
2	DISAPPRV:(2)	486	22.2 %
3	STRG DIS:(3)	1199	54.8 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	211	9.6 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,977 valid cases out of 2,188 total cases.

*Location:* 621-622 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6422: 146D18R:FRD DAP DRIV+5DR

Item Number: 11552

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

R: Driving a car after having 5 or more drinks

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	118	5.4 %
2	DISAPPRV:(2)	232	10.6 %
3	STRG DIS:(3)	1622	74.1 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	216	9.9 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,972 valid cases out of 2,188 total cases.

*Location:* 623-624 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6423: 146D19A:ALL FRD SMK CIGS

Item Number: 07070

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	762	34.8 %
2	A FEW:(2)	748	34.2 %
3	SOME:(3)	310	14.2 %
4	MOST:(4)	129	5.9 %
5	ALL:(5)	29	1.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	210	9.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,978 valid cases out of 2,188 total cases.

*Location:* 625-626 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## V6424: 146D19B:ALL FRD SMK MARJ

Item Number: 07080

How many of your friends would you estimate . . .

B: . . . Smoke marijuana or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	483	22.1 %
2	A FEW:(2)	571	26.1 %
3	SOME:(3)	457	20.9 %
4	MOST:(4)	367	16.8 %
5	ALL:(5)	106	4.8 %
<b>Missing Data</b>			
-9	MISSING:(-9)	204	9.3 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,984 valid cases out of 2,188 total cases.

*Location:* 627-628 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

## V6432: 146D19C:# FRNDS TK CRACK

Item Number: 07151

How many of your friends would you estimate . . .

C: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1725	78.8 %
2	A FEW:(2)	179	8.2 %
3	SOME:(3)	52	2.4 %
4	MOST:(4)	6	0.3 %
5	ALL:(5)	20	0.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	206	9.4 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,982 valid cases out of 2,188 total cases.

*Location:* 629-630 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6433: 146D19D:# FRNDS TK C PWD

Item Number: 23990

How many of your friends would you estimate . . .

D: . . . Take cocaine in powder form?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1664	76.1 %
2	A FEW:(2)	223	10.2 %
3	SOME:(3)	58	2.7 %
4	MOST:(4)	9	0.4 %
5	ALL:(5)	22	1.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	212	9.7 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,976 valid cases out of 2,188 total cases.

*Location:* 631-632 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6436: 146D19E:ALL FRD TK INHL

Item Number: 07180

How many of your friends would you estimate . . .

E: . . . Use inhalants (sniff glue, aerosols, laughing gas, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1716	78.4 %
2	A FEW:(2)	167	7.6 %
3	SOME:(3)	62	2.8 %
4	MOST:(4)	10	0.5 %
5	ALL:(5)	20	0.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	213	9.7 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,975 valid cases out of 2,188 total cases.

*Location:* 633-634 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6488: 146D19F:ALL FRD TK MDMA

Item Number: 23020

How many of your friends would you estimate . . .

F: . . . Take MDMA (ecstasy)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1456	66.5 %
2	A FEW:(2)	362	16.5 %
3	SOME:(3)	110	5.0 %
4	MOST:(4)	23	1.1 %

Value	Label	Unweighted Frequency	%
5	ALL:(5)	20	0.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	217	9.9 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,971 valid cases out of 2,188 total cases.

*Location:* 635-636 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6489: 146D19G:ALL FRD TK ICE

Item Number: 24500

How many of your friends would you estimate . . .

G: . . . Take crystal meth ("ice")?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1812	82.8 %
2	A FEW:(2)	101	4.6 %
3	SOME:(3)	33	1.5 %
4	MOST:(4)	7	0.3 %
5	ALL:(5)	19	0.9 %
	<b>Missing Data</b>		
-9	MISSING:(-9)	216	9.9 %
	<b>Total</b>	<b>2,188</b>	<b>100%</b>

Based upon 1,972 valid cases out of 2,188 total cases.

*Location:* 637-638 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V6490: 146D19H:ALL FRD TK STERS

Item Number: 23030

How many of your friends would you estimate . . .

H: . . . Take steroids?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1665	76.1 %
2	A FEW:(2)	230	10.5 %
3	SOME:(3)	49	2.2 %
4	MOST:(4)	7	0.3 %
5	ALL:(5)	19	0.9 %
<b>Missing Data</b>			
-9	MISSING:(-9)	218	10.0 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,970 valid cases out of 2,188 total cases.

*Location:* 639-640 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6585: 146D20A:#X GHB/LAST12MO

Item Number: 31050

Lately there has been some attention paid to certain drugs.  
During the LAST 12 MONTHS, on how many occasions (if any)  
have you . . .

A. . . . taken GHB ("liquid G," "grievous bodily harm")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1954	89.3 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	218	10.0 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,970 valid cases out of 2,188 total cases.

*Location:* 641-642 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6586: 146D20B:#X KETAMINE/12M

Item Number: 31060

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

B. . . . taken ketamine ("special K," "super K")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1940	88.7 %
2	1-2X:(2)	10	0.5 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	226	10.3 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,962 valid cases out of 2,188 total cases.

*Location:* 643-644 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6588: 146D20C:#X SMK KRETK/12M

Item Number: 31150

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

C. . . . smoked kreteks (clove cigarettes)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1936	88.5 %
2	1-2X:(2)	15	0.7 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	9	0.4 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	218	10.0 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,970 valid cases out of 2,188 total cases.

*Location:* 645-646 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6589: 146D20D:#X ANDRO/12MO

Item Number: 31160

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

D. . . . taken "andro" (androstenedione, non-prescription steroid)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1942	88.8 %
2	1-2X:(2)	7	0.3 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	227	10.4 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,961 valid cases out of 2,188 total cases.

*Location:* 647-648 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6590: 146D20E:#X CREATINE/12MO

Item Number: 31170

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

E. . . . taken creatine (amino acid used to build muscles)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1790	81.8 %
2	1-2X:(2)	44	2.0 %
3	3-5X:(3)	26	1.2 %
4	6-9X:(4)	17	0.8 %
5	10-19X:(5)	20	0.9 %
6	20-39X:(6)	18	0.8 %
7	40+OCCAS:(7)	44	2.0 %
<b>Missing Data</b>			
-9	MISSING:(-9)	229	10.5 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,959 valid cases out of 2,188 total cases.

*Location:* 649-650 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6591: 146D20F:#X RITALIN/12MO

Item Number: 31180

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

F. . . . taken ritalin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1922	87.8 %
2	1-2X:(2)	15	0.7 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	6	0.3 %
4	6-9X:(4)	7	0.3 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	227	10.4 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,961 valid cases out of 2,188 total cases.

*Location:* 651-652 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6611: 146D20G:#X ADDERALL/12MO

Item Number: 32540

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

G. . . . taken Adderall (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1832	83.7 %
2	1-2X:(2)	60	2.7 %
3	3-5X:(3)	23	1.1 %
4	6-9X:(4)	18	0.8 %
5	10-19X:(5)	13	0.6 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	9	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	229	10.5 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,959 valid cases out of 2,188 total cases.

*Location:* 653-654 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6594: 146D20H:#X OXYCONTN/12MO

Item Number: 31310

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

H: . . . taken OxyContin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1880	85.9 %
2	1-2X:(2)	41	1.9 %
3	3-5X:(3)	15	0.7 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	6	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	230	10.5 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,958 valid cases out of 2,188 total cases.

*Location:* 655-656 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6595: 146D20I:#X VICODIN/12MO

Item Number: 31320

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

I: . . . taken Vicodin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1856	84.8 %
2	1-2X:(2)	50	2.3 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	19	0.9 %
4	6-9X:(4)	13	0.6 %
5	10-19X:(5)	6	0.3 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	7	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	234	10.7 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,954 valid cases out of 2,188 total cases.

*Location:* 657-658 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6596: 146D20J:#X ROHYPNL/12MO

Item Number: 29785

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

J: . . . taken Rohypnol ("rophies," "roofies")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1940	88.7 %
2	1-2X:(2)	4	0.2 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	235	10.7 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,953 valid cases out of 2,188 total cases.

*Location:* 659-660 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6609: 146D20K:#X COUGHMED/12MO

Item Number: 31670

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

K. . . . taken a non-prescription cough or cold medicine (robos, DXM, etc.) to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1882	86.0 %
2	1-2X:(2)	32	1.5 %
3	3-5X:(3)	22	1.0 %
4	6-9X:(4)	8	0.4 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	5	0.2 %
<b>Missing Data</b>			
-9	MISSING:(-9)	232	10.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,956 valid cases out of 2,188 total cases.

*Location:* 661-662 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6612: 146D20L:#X SALVIA/12MO

Item Number: 32500

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

L. . . . taken Salvia?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1900	86.8 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	21	1.0 %
3	3-5X:(3)	6	0.3 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	6	0.3 %
<b>Missing Data</b>			
-9	MISSING:(-9)	248	11.3 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,940 valid cases out of 2,188 total cases.

*Location:* 663-664 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6617: 146D20M:#X SYNTHETIC MJ/12MO

Item Number: 32700

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

M. . . . taken "synthetic marijuana" ("K2", "Spice") to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1845	84.3 %
2	1-2X:(2)	56	2.6 %
3	3-5X:(3)	17	0.8 %
4	6-9X:(4)	11	0.5 %
5	10-19X:(5)	8	0.4 %
6	20-39X:(6)	6	0.3 %
7	40+OCCAS:(7)	9	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	236	10.8 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,952 valid cases out of 2,188 total cases.

*Location:* 665-666 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6621: 146D20N:#X BATH SALTS/12MO

Item Number: 32730

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

N. . . . taken "bath salts" (synthetic stimulants) to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1937	88.5 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	8	0.4 %
<b>Missing Data</b>			
-9	MISSING:(-9)	232	10.6 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,956 valid cases out of 2,188 total cases.

*Location:* 667-668 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V6618: 146D20O:#X ALC BVRG W-CAFF/12MO

Item Number: 32690

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

O. . . . had an alcoholic beverage mixed with an energy drink (like Red Bull)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1510	69.0 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	202	9.2 %
3	3-5X:(3)	112	5.1 %
4	6-9X:(4)	51	2.3 %
5	10-19X:(5)	41	1.9 %
6	20-39X:(6)	18	0.8 %
7	40+OCCAS:(7)	25	1.1 %
<b>Missing Data</b>			
-9	MISSING:(-9)	229	10.5 %
<b>Total</b>		<b>2,188</b>	<b>100%</b>

Based upon 1,959 valid cases out of 2,188 total cases.

*Location:* 669-670 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

# APPENDIX



## **Appendix A: Publications**

In previous years, Monitoring the Future publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future [Publications](#) web page.

Publications are divided into the following categories:

- Monographs
- Reference Volumes
- Books
- Journal Articles
- Chapters
- Research Reports
- Occasional Papers
- Congressional Testimony
- Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.



## **Appendix B - Sample Size and Student Response Rates**

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83
2007	111	21	132	15,132	81
2008	103	17	120	14,577	79
2009	106	19	125	14,268	82
2010	104	22	126	15,127	85
2011	110	19	129	14,855	83
2012	107	20	127	14,343	83
2013	106	20	126	13,180	82
2014	105	17	122	13,015	82

\* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.