ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 37182

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2017

ICPSR Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2017

Richard A. Miech
University of Michigan. Institute for Social Research. Survey Research Center

Lloyd D. Johnston
University of Michigan. Institute for Social Research. Survey Research Center

Jerald G. Bachman
University of Michigan. Institute for Social Research. Survey Research Center

Patrick M. O'Malley
University of Michigan. Institute for Social Research. Survey Research Center

John E. Schulenberg
University of Michigan. Institute for Social Research. Survey Research Center

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/37182/terms

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2017 is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, John Schulenberg, and Richard A. Miech, co-principal investigators.) The research project is unusually comprehensive in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort—between 9 and 20 percent—though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency, tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions that drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate only very small decreases in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationally representative sample of high school seniors in public and private schools is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 350 seniors may be included in the data collection. In schools with fewer than 350 seniors, we attempt to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. A sampling weight is assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two- year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and

examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A local SRC representative is assigned to work with the school to set a mutually agreeable date for the survey and to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter describing the study and a copy of the student flyer to the parents. The letter provides parents with an easy way to decline their child’s participation, if they so wish. Active consent procedures are used when the school or district requires them.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward.

Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automated scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer file at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the cross-time index of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others

regarding drugs.

B. EDUCATION. Educational lifestyle, values, experiences, and environments

C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities including computer use, preferences regarding occupational characteristics and type of work setting.

D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.

E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.

F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.

G. RELIGION. Religious affiliation, practices, and views.

H. POLITICS. Political affiliation, activities, and views.

I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.

J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.

K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).

L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.

M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.

N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.

O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.

P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.

Q OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility, boredom.

R. BACKGROUND. Demographic and family background characteristics, living arrangements.

S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.

T. HEALTH. Health habits, somatic symptoms, illness, medical treatment.

_____

_____

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples.

About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors attending private or public schools throughout the 48 contiguous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate

are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all 12th graders sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire, either on their own or because their parents refused consent. However, SRC representatives in the field estimate this proportion to be only about two percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 3 – 4 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of

schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- each of which constitutes approximately 8-15 percent of each year's sample -- are represented by perhaps as few as 200 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial

comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to under represent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and descriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

Frequency and percentage distributions displayed in codebooks produced after 2007 are unweighted, rather than weighted by variable ARCHIVE_WT (previously V5) as they had been in previous years. This change was made to simplify both the production of the codebooks and their interpretation by the analyst.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2017 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ASCII text file.

part #	form	# of variables	Logical record length	Unweighted n
1	Core	184	385	13,522
2	Form 1	608	1,232	2,261
3	Form 2	329	674	2,252
4	Form 3	382	780	2,245
5	Form 4	256	528	2,236
6	Form 5	323	662	2,256
7	Form 6	323	662	2,272

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

For reasons of confidentiality, the weight variable (ARCHIVE_WT) was altered from its original version to a modified version prior to public distribution of the data. THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND THOSE FROM WEIGHTED ANALYSES OF THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

OMITTED VARIABLES:

All datasets	C01. R'S BIRTH YEAR
	C02. R'S BIRTH MONTH
	C04A-I, R'S RACE (9 categories)
	C07A-B. # OLDER BR/SR, # YOUNGER BR/SR
	C07Ca,e-i. R'S HSHLD (other than mother/father/sibling)
	C13A. R'S RELGS PRFNC
Form 1	D19. CURRENT HEIGHT
	D20. CURRENT WEIGHT
Form 2	2A16P. ARRSTD&TKN 2 POL
Form 5	5A21. CURRENT HEIGHT
	5A22. CURRENT WEIGHT

RECODED VARIABLES:

Core dataset and Part C section of individual forms

AGE <> 18 DICHOTOMY
1=younger than 18 years old,
2=18 years old or more
-9=missing data on birth year, or birth month if it is required
Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy
1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing data on Q. C04.
From 2006 on, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS
Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)
0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING
0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]
0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]
0=None, 1=One, 2=Two, 3=Three or More

Core dataset (Part B)

*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]
Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]
Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

Form 6

A10. EVER HELD BACK
1=No, 2=Yes

A11. NEED SUMMER SCHL
1=No, 2=Yes

A12. EVER SUSPENDED
1=No, 2=Yes

MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC
	C13C RLGN IMP R'S LF
Form 2	2A16A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT
	4A15B GD LIV TG BF MRG
	4A15C 1 PRTNR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND
	5A18J FULLR LVS IF MRY
	5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK
	6A08B #X PRNT HLP HMWK
	6A08C #X PRNT GV CHORE
	6A08D #X PRNT LIMIT TV
	6A08E #X PRNT LMT OUT

QUESTIONNAIRE FORM 1 PROCESSING

The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

REVISED QUESTION TEXT FOR THE CORE DATASET

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series. This additional text is meant to clarify and provide detail about the question for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.

Index of Core Drug Variables by Substance Category

Substance Category	Page #	Combined Form Dataset Variable Number	Item Reference Number	Variable Label	Question Number					
					Form 1	Form 2	Form 3	Form 4	Form 5	Form 6
Tobacco	52	V2101	00760	EVR SMK CIG, REGL	1B001	2B01	3B01	4B01	5B01	6B01
	52	V2102	00780	#CIGS SMKD/30DAY	1B002	2B02	3B02	4B02	5B02	6B02
	53	V2546	33710	#X E-CIG/30DAY						6B16
	54	V2547	33720	#X LRG CIGAR/30DAY		2E05A			5E12A	
	54	V2548	33730	#X FLAV SML CIGAR/30DAY		2E05B			5E12B	
	55	V2549	33740	#X REG SML CIGAR/30DAY		2E05C			5E12C	
	55	V2564	34050	#X TOB HOOKAH/30DA		2E05D			5E12D	
	56	V2566	34230	EVER VAPE		2B20				
	56	V2567	34240	#X VAPE NIC/LIFETIM	1B103A	2B022A				
	57	V2568	34250	#X VAPE NIC/LST12M	1B013B	2B022B				
	58	V2569	34260	#X VAPE NIC/LAST30D	1B103C	2B022C				
	58	V2570	34270	#X VAPE MJ/LIFETIME	1B104A	2B023A				
	59	V2571	34280	#X VAPE MJ/LAST12M	1B104B	2B023B				
	60	V2572	34290	#X VAPE MJ/LAST03D	1B104C	2B023C				
	60	V2573	34300	#X VAPE FLAV/LIFE	1B105A	2B024A				
	61	V2574	34310	#X VAPE FLAV/LS12M	1B105B	2B024B				
	62	V2575	34320	#X VAPE FLAV/LS30D	1B105C	2B024C				
	62	V2576	34390	#X DAYS SMKLS/30D		2E05E			5E12E	
	63	V2930	34370	#X DAYS VAPE NIC/30					5E12G	
Alcohol	63	V2103	00790	EVER DRINK		2B03	3B03	4B03	5B03	6B19
	64	V2104	00810	#X DRNK/LIFETIME	1B010A	2B04A	3B04A	4B04A	5B04A	6B20A
	65	V2105	00820	#X DRNK/LAST12M	1B010B	2B04B	3B04B	4B04B	5B04B	6B20B
	65	V2106	00830	#X DRNK/LAST30D	1B010C	2B04C	3B04C	4B04C	5B04C	6B20C
	66	V2107	00840	#X DRK ENF FL HI		2B05	3B05	4B05	5B05	6B21
	66	V2108	00850	5+ DRK ROW/LST 2W	1B016	2B06	3B06	4B06	5B06	6B22
	67	V2020	25020	#X DRUNK/LIFETIM	1B020A					6D08A
	68	V2021	25030	#X DRUNK/LAST12M	1B020B					6D08B
	68	V2022	25040	#X DRUNK/LAST30D	1B020C					6D08C
	69	V2009	32690	#X ALC BVRG W-CAFF/12MO					5E11H	6D17O
	70	V2929	34040	#X PWD ALCOHOL/12MO					5E11I	6D17P
Marijuana / Hashish	70	V2115	00860	#XMJ+HS/LIFETIME		2B07A	3B07A	4B07A	5B07A	6B24A
	71	V2116	00870	#XMJ+HS/LAST12MO		2B07B	3B07B	4B07B	5B07B	6B24B
	72	V2117	00880	#XMJ+HS/LAST30DA		2B07C	3B07C	4B07C	5B07C	6B24C
	72	V2927	33980	#X HASH/OIL/12MO					5E11J	6D17N
	73	V2003	32700	#X SYNTHETIC MJ/12MO			3D04J			6D17K
	74	V2550	33750	#X SYNTH MJ/30DAY		2E05E			5E12F	
Hallucinogens	74	V2118	00890	#X LSD/LIFETIME	1B041A	2B09A	3B08A	4B08A	5B08A	
	75	V2119	00900	#X LSD/LAST 12M	1B041B	2B09B	3B08B	4B08B	5B08B	
	75	V2120	00910	#X LSD/LAST 30D	1B041C	2B09C	3B08C	4B08C	5B08C	
	76	V2121	00920	#X PSYD/LIFETIM	1B043A	2B10A	3B09A	4B09A	5B09A	
	77	V2122	00930	#X PSYD/LAST12M	1B043B	2B10B	3B09B	4B09B	5B09B	
	78	V2123	00940	#X PSYD/LAST30D	1B043C	2B10C	3B09C	4B09C	5B09C	
	78	V2032	22660	#X MDMA/LIFETIME			3B18A	4B18A		6B26A
	79	V2033	22670	#X MDMA/LAST12MO			3B18B	4B18B		6B26B
	80	V2034	22680	#X MDMA/LAST30DA			3B18C	4B18C		6B26C
	80	V2305	32500	#X SALVIA/12MO						6D17J
Cocaine / Crack	81	V2124	00950	#X COKE/LIFETIME		2B11A			5B10A	
	82	V2125	00960	#X COKE/LAST12MO		2B11B			5B10B	
	82	V2126	00970	#X COKE/LAST30DA		2B11C			5B10C	
	83	V2459	22260	#X CRACK/LIFETIM	1B076A	2E02A	3B11A	4B11A	5E08A	6B28A
	84	V2460	22270	#X CRACK/LAST12M	1B076B	2E02B	3B11B	4B11B	5E08B	6B28B
	84	V2461	22280	#X CRACK/LAST30D	1B076C	2E02C	3B11C	4B11C	5E08C	6B28C
	85	V2042	22320	#XOTH COKE/LIFE	1B077A		3B12A	4B12A		6B29A
	86	V2043	22330	#XOTH COKE/12MO	1B077B		3B12B	4B12B		6B29B
	86	V2044	22340	#XOTH COKE/30DA	1B077C		3B12C	4B12C		6B29C

Substance Category		Combined Form Dataset Variable Number	Item Reference Number	Variable Label	Question Number					
					Form 1	Form 2	Form 3	Form 4	Form 5	Form 6
Amphetamines / Methamphetamines	87	V2127	00980	#X AMPH/LIFETIM	1B051A	2B12A	3B10A	4B10A	5B11A	6B27A
	88	V2128	00990	#X AMPH/LAST12M	1B051B	2B12B	3B10B	4B10B	5B11B	6B27B
	89	V2129	01000	#X AMPH/LAST30D	1B051C	2B12C	3B10C	4B10C	5B11C	6B27C
	89	V2029	30800	#X METHAMPH/LIFE				4B17A		6B35A
	90	V2030	30810	#X METHAMPH/12MO				4B17B		6B35B
	91	V2031	30820	#X METHAMPH/30DA				4B17C		6B35C
	91	V2909	31180	#X RITALIN/12MO			3D04C			6D17D
	92	V2307	32450	#X ADDERALL/12MO			3D04D			6D17E
	93	V2922	32730	#X BATH SALTS/12MO			3D04K			6D17M
Sedatives	93	V2133	01042	#X SED/BARB/LIFE	1B062A	2B14A	3B13A	4B13A	5B13A	6B30A
	94	V2134	01052	#X SED/BARB/12MO	1B062B	2B14B	3B13B	4B13B	5B13B	6B30B
	95	V2135	01062	#X SED/BARB/30DA	1B062C	2B14C	3B13C	4B13C	5B13C	6B30C
	95	V2912	31060	#X KETAMINE/12M					5E11A	6D17B
Tranquilizers	96	V2136	01070	#X TRQL/LIFETIME	1B066A	2B15A	3B14A	4B14A	5B14A	6B31A
	97	V2137	01080	#X TRQL/LAST12M	1B066B	2B15B	3B14B	4B14B	5B14B	6B31B
	97	V2138	01090	#X TRQL/LAST30D	1B066C	2B15C	3B14C	4B14C	5B14C	6B31C
Heroin	98	V2139	01100	#X H/LIFETIME	1B086A		3B15A	4B15A		
	99	V2140	01110	#X H/LAST 12MO	1B086B		3B15B	4B15B		
	100	V2141	01120	#X H/LAST 30DAY	1B086C		3B15C	4B15C		
	100	V2510	29630	#X H LIF USE NDL		2B16A			5B15A	6B32A
	101	V2511	29640	#X H 12M USE NDL		2B16B			5B15B	6B32B
	102	V2512	29650	#X H 30D USE NDL		2B16C			5B15C	6B32C
	102	V2513	29660	#X H LIF W/O NDL		2B17A			5B16A	6B33A
	103	V2514	29670	#X H 12M W/O NDL		2B17B			5B16B	6B33B
	104	V2515	29680	#X H 30D W/O NDL		2B17C			5B16C	6B33C
Other Narcotics	104	V2142	01130	#X NARC/LIFETIME	1B088A	2B18A	3B16A	4B16A	5B17A	6B34A
	105	V2143	01140	#X NARC/LAST12M	1B088B	2B18B	3B16B	4B16B	5B17B	6B34B
	106	V2144	01150	#X NARC/LAST30D	1B088C	2B18C	3B16C	4B16C	5B17C	6B34C
	106	V2907	31310	#X OXYCONTN/12MO			3D04F		5E11C	6D17F
	107	V2908	31320	#X VICODIN/12MO			3D04G		5E11D	6D17G
	108	V2920	31670	#X COUGHMED/12MO			3D04E		5E11E	6D17I
Inhalants	108	V2145	01160	#X INHL/LIFETIME		2B19A	3B17A		5B18A	
	109	V2146	01170	#X INHL/LAST12MO		2B19B	3B17B		5B18B	
	110	V2147	01180	#X INHL/LAST30DA		2B19C	3B17C		5B18C	
Steroids / Body Building	110	V2493	22690	#X STRD/LIFETIME		2E03A			5E09A	6D09A
	111	V2494	22700	#X STRD/LAST12MO		2E03B			5E09B	6D09B
	112	V2495	22710	#X STRD/LAST30DA		2E03C			5E09C	6D09C
	112	V2918	31160	#X ANDRO/12MO			3D04A			
	113	V2919	31170	#X CREATINE/12MO			3D04B			6D17C

ICPSR 37182

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2017

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Core Data

CASEID: CASE IDENTIFICATION NUMBER

Based upon 13,522 valid cases out of 13,522 total cases.

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

RESPONDENT_ID: R'S ID-SERIAL

Based upon 13,522 valid cases out of 13,522 total cases.

Location: 6-10 (width: 5; decimal: 0)
Variable Type: numeric

V1: BY17 80001 YEAR OF ADMIN (4-DIGITS)

Value	Label	Unweighted Frequency	%
2017	-	13522	100.0 %
	Total	**13,522**	**100%**

Based upon 13,522 valid cases out of 13,522 total cases.

Location: 11-14 (width: 4; decimal: 0)
Variable Type: numeric

V3: BY17 80003 FORM ID

Value	Label	Unweighted Frequency	%
1	-	2261	16.7 %
2	-	2252	16.7 %
3	-	2245	16.6 %
4	-	2236	16.5 %
5	-	2256	16.7 %
6	-	2272	16.8 %
	Total	**13,522**	**100%**

Based upon 13,522 valid cases out of 13,522 total cases.

Location: 15-15 (width: 1; decimal: 0)
Variable Type: numeric

ARCHIVE_WT: ARCHIVE WEIGHT

Based upon 13,522 valid cases out of 13,522 total cases.

Location: 16-30 (width: 15; decimal: 13)
Variable Type: numeric

V13: BY17 80013 SCHL RGN-4 CAT

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

Value	Label	Unweighted Frequency	%
1	NORTHEAST:(1)	2422	17.9 %
2	NORTH CENTRAL:(2)	2906	21.5 %
3	SOUTH:(3)	4642	34.3 %
4	WEST:(4)	3552	26.3 %
	Total	**13,522**	**100%**

Based upon 13,522 valid cases out of 13,522 total cases.

Location: 31-31 (width: 1; decimal: 0)
Variable Type: numeric

V16: LARGE MSA = 1/NOT = 0

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	Label	Unweighted Frequency	%
0	ELSE:(0)	7852	58.1 %
1	LARGE MSA:(1)	5670	41.9 %
	Total	**13,522**	**100%**

Based upon 13,522 valid cases out of 13,522 total cases.

Location: 32-32 (width: 1; decimal: 0)
Variable Type: numeric

V17: BY17 80017 SMSA/NON-SMSA=0

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Non MSA 1=MSA

Value	Label	Unweighted Frequency	%
0	NOT MSA:(0)	2236	16.5 %
1	MSA:(1)	11286	83.5 %
	Total	**13,522**	**100%**

Based upon 13,522 valid cases out of 13,522 total cases.

Location: 33-33 (width: 1; decimal: 0)
Variable Type: numeric

RESPONDENT_AGE: 171C01(R):AGE <>18 DICHOTOMY

Item Number: 00010-00020

Component questions: 1) "In what year were you born?" (item 00010), 2) "In what month were you born?" (item 00020), and 3) Date of questionnaire administration as recorded by interviewer.

1="under 18 years old" 2="18 years of age and over"

Value	Label	Unweighted Frequency	%
1	<18 YRS:(1)	5521	40.8 %
2	18+ YRS:(2)	7263	53.7 %
	Missing Data		
-9	MISSING:(-9)	738	5.5 %
	Total	**13,522**	**100%**

Based upon 12,784 valid cases out of 13,522 total cases.

Location: 34-35 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2150: BY17 00030 R'S SEX

Item Number: 00030

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%
1	MALE:(1)	5941	43.9 %
2	FEMALE:(2)	6261	46.3 %
	Missing Data		
-9	MISSING:(-9)	1320	9.8 %

Value	Label	Unweighted Frequency	%
	Total	**13,522**	**100%**

Based upon 12,202 valid cases out of 13,522 total cases.

Location: 36-37 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2151: 171C04(R):Rs RACE B/W/H

Item Number: 00041-00049

How do you describe yourself?

(Select one or more responses.) Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic...").

All other responses, including those of respondents who fell into more than one of the three categories, were deleted.

1="Black or African American" 2="White (Caucasian)" 3="Hispanic [see above]".

Value	Label	Unweighted Frequency	%
1	BLACK:(1)	1664	12.3 %
2	WHITE:(2)	6562	48.5 %
3	HISPANIC:(3)	2466	18.2 %
	Missing Data		
-9	MISSING:(-9)	2830	20.9 %
	Total	**13,522**	**100%**

Based upon 10,692 valid cases out of 13,522 total cases.

Location: 38-39 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2152: BY17 00050 R SPD >TIM R-URB

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000- 100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a

large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed; and nonresponse"

Value	Label	Unweighted Frequency	%
0	DK/MIXED:(0)	1783	13.2 %
1	A FARM:(1)	460	3.4 %
2	COUNTRY:(2)	1229	9.1 %
3	SM CITY:(3)	3066	22.7 %
4	MED CITY:(4)	1756	13.0 %
5	SUB MED:(5)	1617	12.0 %
6	LGE CITY:(6)	1267	9.4 %
7	SUB LGE:(7)	1013	7.5 %
8	V-LGE CITY:(8)	808	6.0 %
9	SUB V-LGE:(9)	523	3.9 %
	Total	**13,522**	**100%**

Based upon 13,522 valid cases out of 13,522 total cases.

Location: 40-41 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2153: BY17 00060 R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%
1	MARRIED:(1)	603	4.5 %
2	ENGAGED:(2)	264	2.0 %
3	SEP/DIV:(3)	210	1.6 %
4	SINGLE:(4)	11526	85.2 %
	Missing Data		
-9	MISSING:(-9)	919	6.8 %
	Total	**13,522**	**100%**

Based upon 12,603 valid cases out of 13,522 total cases.

Location: 42-43 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V49: 171C07(R):# SIBLINGS

Item Number: 00075-00076

How many brothers and sisters do you have?

(Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters [item 00075] b) Younger brothers and sisters [item 00076]

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more".

[For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more brothers or sisters".]

Value	Label	Unweighted Frequency	%
0	NONE:(0)	781	5.8 %
1	ONE:(1)	3590	26.5 %
2	TWO:(2)	3377	25.0 %
3	THREE+:(3-4)	4946	36.6 %
	Missing Data		
-9	MISSING:(-9)	828	6.1 %
	Total	**13,522**	**100%**

Based upon 12,694 valid cases out of 13,522 total cases.

Location: 44-45 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2155: BY17 00090 R'S HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	3565	26.4 %
1	MARKED:(1)	9149	67.7 %
	Missing Data		
-9	MISSING:(-9)	808	6.0 %
	Total	**13,522**	**100%**

Based upon 12,714 valid cases out of 13,522 total cases.

Location: 46-47 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2156: BY17 00100 R'S HSHLD MOTHER

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1332	9.9 %
1	MARKED:(1)	11382	84.2 %
	Missing Data		
-9	MISSING:(-9)	808	6.0 %
	Total	**13,522**	**100%**

Based upon 12,714 valid cases out of 13,522 total cases.

Location: 48-49 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2157: BY17 00110 R'S HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

[Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.]

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	4176	30.9 %
1	MARKED:(1)	8538	63.1 %
	Missing Data		
-9	MISSING:(-9)	808	6.0 %

Value	Label	Unweighted Frequency	%
	Total	**13,522**	**100%**

Based upon 12,714 valid cases out of 13,522 total cases.

Location: 50-51 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2163: BY17 00310 FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	654	4.8 %
2	SOME HS:(2)	1405	10.4 %
3	HS GRAD:(3)	3063	22.7 %
4	SOME CLG:(4)	1915	14.2 %
5	CLG GRAD:(5)	2747	20.3 %
6	GRAD SCH:(6)	1709	12.6 %
7	DK:(7)	1206	8.9 %
	Missing Data		
-9	MISSING:(-9)	823	6.1 %
	Total	**13,522**	**100%**

Based upon 12,699 valid cases out of 13,522 total cases.

Location: 52-53 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2164: BY17 00320 MOTHR EDUC LEVEL

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	593	4.4 %
2	SOME HS:(2)	1017	7.5 %
3	HS GRAD:(3)	2375	17.6 %
4	SOME CLG:(4)	2343	17.3 %
5	CLG GRAD:(5)	3670	27.1 %
6	GRAD SCH:(6)	2032	15.0 %
7	DK:(7)	668	4.9 %
	Missing Data		
-9	MISSING:(-9)	824	6.1 %
	Total	**13,522**	**100%**

Based upon 12,698 valid cases out of 13,522 total cases.

Location: 54-55 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2165: BY17 00330 MOTH PD JB R YNG

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%
1	NO:(1)	1778	13.1 %
2	YES/SOME:(2)	2323	17.2 %
3	YES/MOST:(3)	2196	16.2 %
4	YES/NRLY ALL:(4)	6336	46.9 %
	Missing Data		
-9	MISSING:(-9)	889	6.6 %
	Total	**13,522**	**100%**

Based upon 12,633 valid cases out of 13,522 total cases.

Location: 56-57 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2166: BY17 00340 R'S POLTL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%
1	STRG GOP:(1)	1326	9.8 %
2	MILD GOP:(2)	1457	10.8 %
3	MILD DEM:(3)	1692	12.5 %
4	STRG DEM:(4)	1818	13.4 %
5	INDEPNDT:(5)	1260	9.3 %
6	NO PREF:(6)	1742	12.9 %
7	OTHER:(7)	227	1.7 %
8	DK/HVNT DECID:(8)	2708	20.0 %
	Missing Data		
-9	MISSING:(-9)	1292	9.6 %
	Total	**13,522**	**100%**

Based upon 12,230 valid cases out of 13,522 total cases.

Location: 58-59 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2167: BY17 00350 R'POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the above, or don't know"

Value	Label	Unweighted Frequency	%
1	VRY CONS:(1)	676	5.0 %
2	CONSERV:(2)	1524	11.3 %
3	MODERATE:(3)	2734	20.2 %
4	LIBERAL:(4)	2099	15.5 %
5	VRY LIB:(5)	891	6.6 %
6	RADICAL:(6)	163	1.2 %
8	NONE/DK:(8)	4472	33.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	963	7.1 %
	Total	**13,522**	**100%**

Based upon 12,559 valid cases out of 13,522 total cases.

Location: 60-61 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2169: BY17 00370 R'ATTND REL SVC

Item Number: 00370

The next three questions are about religion.

B: How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	2207	16.3 %
2	RARELY:(2)	3141	23.2 %
3	1-2X/MO:(3)	1516	11.2 %
4	1/WK OR+:(4)	2399	17.7 %
	Missing Data		
-9	MISSING:(-9)	4259	31.5 %
	Total	**13,522**	**100%**

Based upon 9,263 valid cases out of 13,522 total cases.

Location: 62-63 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2170: BY17 00380 RLGN IMP R'S LF

Item Number: 00380

C: How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important" 4="Very important"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	2422	17.9 %
2	LITL IMP:(2)	2272	16.8 %
3	PRTY IMP:(3)	2357	17.4 %
4	VERY IMP:(4)	2210	16.3 %
	Missing Data		
-9	MISSING:(-9)	4261	31.5 %
	Total	**13,522**	**100%**

Based upon 9,261 valid cases out of 13,522 total cases.

Location: 64-65 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2171: BY17 00390 WHEN R XPCT GRAD

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January" 6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%
1	JUNE:(1)	12420	91.9 %
2	JUL-JAN:(2)	110	0.8 %
3	AFTER JAN:(3)	0	0.0 %
6	DONT EXPCT:(6)	102	0.8 %
	Missing Data		
-9	MISSING:(-9)	890	6.6 %
	Total	**13,522**	**100%**

Based upon 12,632 valid cases out of 13,522 total cases.

Location: 66-67 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2172: BY17 00400 R'S HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%
1	CLG PREP:(1)	6563	48.5 %
2	GENERAL:(2)	4131	30.6 %
3	VOC-TECH:(3)	553	4.1 %
4	OTH/DK:(4)	1305	9.7 %
	Missing Data		
-9	MISSING:(-9)	970	7.2 %
	Total	**13,522**	**100%**

Based upon 12,552 valid cases out of 13,522 total cases.

Location: 68-69 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2173: BY17 00410 RT SF SCH AB>AVG

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	248	1.8 %
2	BELOW AVG:(2)	323	2.4 %
3	SLIGHT BELOW:(3)	633	4.7 %
4	AVERAGE:(4)	4032	29.8 %
5	SLIGHT ABOVE:(5)	3149	23.3 %
6	ABOVE AVG:(6)	3261	24.1 %
7	FAR ABOVE:(7)	840	6.2 %
	Missing Data		
-9	MISSING:(-9)	1036	7.7 %
	Total	**13,522**	**100%**

Based upon 12,486 valid cases out of 13,522 total cases.

Location: 70-71 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2174: BY17 00420 RT SF INTELL>AVG

Item Number: 00420

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	243	1.8 %
2	BELOW AVG:(2)	300	2.2 %
3	SLIGHT BELOW:(3)	604	4.5 %
4	AVERAGE:(4)	3794	28.1 %
5	SLIGHT ABOVE:(5)	3198	23.7 %
6	ABOVE AVG:(6)	3294	24.4 %
7	FAR ABOVE:(7)	1069	7.9 %
	Missing Data		
-9	MISSING:(-9)	1020	7.5 %
	Total	**13,522**	**100%**

Based upon 12,502 valid cases out of 13,522 total cases.

Location: 72-73 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2175: BY17 00430 #DA/4W SC MS ILL

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	6809	50.4 %
2	1 DAY:(2)	2087	15.4 %
3	2 DAYS:(3)	1378	10.2 %
4	3 DAYS:(4)	935	6.9 %
5	4-5 DAYS:(5)	611	4.5 %
6	6-10 DA:(6)	256	1.9 %
7	11+ DAYS:(7)	155	1.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	1291	9.5 %
	Total	**13,522**	**100%**

Based upon 12,231 valid cases out of 13,522 total cases.

Location: 74-75 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2176: BY17 00440 #DA/4W SC MS CUT

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	8309	61.4 %
2	1 DAY:(2)	1509	11.2 %
3	2 DAYS:(3)	854	6.3 %
4	3 DAYS:(4)	483	3.6 %
5	4-5 DAYS:(5)	463	3.4 %
6	6-10 DA:(6)	193	1.4 %
7	11+ DAYS:(7)	180	1.3 %
	Missing Data		
-9	MISSING:(-9)	1531	11.3 %
	Total	**13,522**	**100%**

Based upon 11,991 valid cases out of 13,522 total cases.

Location: 76-77 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2177: BY17 00450 #DA/4W SC MS OTH

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	6595	48.8 %
2	1 DAY:(2)	2281	16.9 %
3	2 DAYS:(3)	1380	10.2 %
4	3 DAYS:(4)	854	6.3 %
5	4-5 DAYS:(5)	598	4.4 %
6	6-10 DA:(6)	246	1.8 %
7	11+ DAYS:(7)	187	1.4 %
	Missing Data		
-9	MISSING:(-9)	1381	10.2 %
	Total	**13,522**	**100%**

Based upon 12,141 valid cases out of 13,522 total cases.

Location: 78-79 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2178: BY17 00460 #DA/4W SKP CLASS

Item Number: 00460

During the last four weeks, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times" 5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	9190	68.0 %
2	1-2:(2)	1900	14.1 %
3	3-5:(3)	839	6.2 %
4	6-10:(4)	327	2.4 %
5	11-20:(5)	141	1.0 %
6	21+:(6)	126	0.9 %
	Missing Data		
-9	MISSING:(-9)	999	7.4 %
	Total	**13,522**	**100%**

Based upon 12,523 valid cases out of 13,522 total cases.

Location: 80-81 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2179: BY17 00470 R HS GRADE/D=1

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)" 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)" 1="D (69 or below)"

Value	Label	Unweighted Frequency	%
1	D:(1)	97	0.7 %
2	C-:(2)	196	1.4 %
3	C:(3)	483	3.6 %
4	C+:(4)	933	6.9 %
5	B-:(5)	1306	9.7 %
6	B:(6)	2094	15.5 %
7	B+:(7)	2410	17.8 %
8	A-:(8)	2504	18.5 %
9	A:(9)	2408	17.8 %
	Missing Data		
-9	MISSING:(-9)	1091	8.1 %
	Total	**13,522**	**100%**

Based upon 12,431 valid cases out of 13,522 total cases.

Location: 82-83 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2180: BY17 00480 R WL DO VOC/TEC

Item Number: 00480

How likely is it that you will do each of the following things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	7013	51.9 %
2	PRB WONT:(2)	2895	21.4 %
3	PRB WILL:(3)	1275	9.4 %
4	DEF WILL:(4)	641	4.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	1698	12.6 %
	Total	**13,522**	**100%**

Based upon 11,824 valid cases out of 13,522 total cases.

Location: 84-85 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2182: BY17 00500 R WL DO 2YR CLG

Item Number: 00500

How likely is it that you will do each of the following things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	4578	33.9 %
2	PRB WONT:(2)	2239	16.6 %
3	PRB WILL:(3)	2589	19.1 %
4	DEF WILL:(4)	2418	17.9 %
	Missing Data		
-9	MISSING:(-9)	1698	12.6 %
	Total	**13,522**	**100%**

Based upon 11,824 valid cases out of 13,522 total cases.

Location: 86-87 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2183: BY17 00510 R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	989	7.3 %
2	PRB WONT:(2)	992	7.3 %
3	PRB WILL:(3)	2847	21.1 %
4	DEF WILL:(4)	7331	54.2 %
	Missing Data		
-9	MISSING:(-9)	1363	10.1 %
	Total	**13,522**	**100%**

Based upon 12,159 valid cases out of 13,522 total cases.

Location: 88-89 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2184: BY17 00520 R WL DO GRD/PRF

Item Number: 00520

How likely is it that you will do each of the following things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	2118	15.7 %
2	PRB WONT:(2)	3099	22.9 %
3	PRB WILL:(3)	3856	28.5 %
4	DEF WILL:(4)	2844	21.0 %
	Missing Data		
-9	MISSING:(-9)	1605	11.9 %
	Total	**13,522**	**100%**

Based upon 11,917 valid cases out of 13,522 total cases.

Location: 90-91 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2185: BY17 00530 R WNTDO VOC/TEC

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	10763	79.6 %
1	MARKED:(1)	1483	11.0 %
	Missing Data		
-9	MISSING:(-9)	1276	9.4 %
	Total	**13,522**	**100%**

Based upon 12,246 valid cases out of 13,522 total cases.

Location: 92-93 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2187: BY17 00550 R WNTDO 2YR CLG

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	9215	68.1 %
1	MARKED:(1)	3031	22.4 %
	Missing Data		
-9	MISSING:(-9)	1276	9.4 %
	Total	**13,522**	**100%**

Based upon 12,246 valid cases out of 13,522 total cases.

Location: 94-95 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2188: BY17 00560 R WNTDO 4YR CLG

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you

WANT to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	2611	19.3 %
1	MARKED:(1)	9635	71.3 %
	Missing Data		
-9	MISSING:(-9)	1276	9.4 %
	Total	**13,522**	**100%**

Based upon 12,246 valid cases out of 13,522 total cases.

Location: 96-97 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2189: BY17 00570 R WNTDO GRD/PRF

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	5590	41.3 %
1	MARKED:(1)	6656	49.2 %
	Missing Data		
-9	MISSING:(-9)	1276	9.4 %
	Total	**13,522**	**100%**

Based upon 12,246 valid cases out of 13,522 total cases.

Location: 98-99 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2190: BY17 00580 R WNTDO NONE

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	11431	84.5 %
1	MARKED:(1)	815	6.0 %
	Missing Data		
-9	MISSING:(-9)	1276	9.4 %
	Total	**13,522**	**100%**

Based upon 12,246 valid cases out of 13,522 total cases.

Location: 100-101 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2181: BY17 00490 R WL DO ARMD FC

Item Number: 00490

How likely is it that you will do each of the following things after high school?

B: Serve in the military (armed forces)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	7711	57.0 %
2	PRB WONT:(2)	2534	18.7 %
3	PRB WILL:(3)	900	6.7 %
4	DEF WILL:(4)	583	4.3 %
	Missing Data		
-9	MISSING:(-9)	1794	13.3 %
	Total	**13,522**	**100%**

Based upon 11,728 valid cases out of 13,522 total cases.

Location: 102-103 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2186: BY17 00540 R WNTDO ARMD FC

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	10386	76.8 %
1	MARKED:(1)	1860	13.8 %
	Missing Data		
-9	MISSING:(-9)	1276	9.4 %
	Total	**13,522**	**100%**

Based upon 12,246 valid cases out of 13,522 total cases.

Location: 104-105 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2205: BY17 00730 R'S BRANCH SERV

Item Number: 00730

If you have not entered military service, and do not expect to enter, GO TO PART D.

What is, or will be, your branch of service?

1="Army" 2="Navy" 3="Marine Corps" 4="Air Force" 5="Coast Guard" 6="Uncertain"

Value	Label	Unweighted Frequency	%
1	ARMY:(1)	132	1.0 %
2	NAVY:(2)	74	0.5 %
3	MARINES:(3)	79	0.6 %
4	AIR FORCE:(4)	94	0.7 %
5	COAST GUARD:(5)	15	0.1 %
6	UNCERTN:(6)	94	0.7 %
	Missing Data		
-9	MISSING:(-9)	13034	96.4 %
	Total	**13,522**	**100%**

Based upon 488 valid cases out of 13,522 total cases.

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2206: BY17 00740 R XPCTS B OFFCR

Item Number: 00740

Do you expect to be an officer?

1="No" 2="Uncertain" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	97	0.7 %
2	UNCERTN:(2)	233	1.7 %
3	YES:(3)	175	1.3 %
	Missing Data		
-9	MISSING:(-9)	13017	96.3 %
	Total	**13,522**	**100%**

Based upon 505 valid cases out of 13,522 total cases.

Location: 108-109 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2207: BY17 00750 R XPCTS MLTR CR

Item Number: 00750

Do you expect to have a career in the Armed Forces?

1="No" 2="Uncertain" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	93	0.7 %
2	UNCERTN:(2)	214	1.6 %
3	YES:(3)	202	1.5 %
	Missing Data		
-9	MISSING:(-9)	13013	96.2 %
	Total	**13,522**	**100%**

Based upon 509 valid cases out of 13,522 total cases.

Location: 110-111 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2191: BY17 00590 HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26 to 30 hours" 8="More than 30 hours"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	4971	36.8 %
2	5 OR <:(2)	1174	8.7 %
3	6-10 HRS:(3)	1382	10.2 %
4	11-15 HR:(4)	1170	8.7 %
5	16-20 HR:(5)	1310	9.7 %
6	21-25 HR:(6)	959	7.1 %
7	26-30 HR:(7)	652	4.8 %
8	30+ HRS:(8)	678	5.0 %
	Missing Data		
-9	MISSING:(-9)	1226	9.1 %
	Total	**13,522**	**100%**

Based upon 12,296 valid cases out of 13,522 total cases.

Location: 112-113 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2192: BY17 00600 R$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money do you get from . . .

A: . . . A job or other work?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50" 7="$51-75" 8="$76-125" 9="$126-175 10="176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	5181	38.3 %
2	$1-5:(2)	87	0.6 %
3	$6-10:(3)	361	2.7 %
4	$11-20:(4)	386	2.9 %
5	$21-35:(5)	351	2.6 %

Value	Label	Unweighted Frequency	%
6	$36-50:(6)	518	3.8 %
7	$51-75:(7)	687	5.1 %
8	$76-125:(8)	1573	11.6 %
9	$126-175:(9)	1186	8.8 %
10	$176+:(10)	1725	12.8 %
	Missing Data		
-9	MISSING:(-9)	1467	10.8 %
	Total	**13,522**	**100%**

Based upon 12,055 valid cases out of 13,522 total cases.

Location: 114-115 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2193: BY17 00610 R$/AVG WEEK OTH

Item Number: 00610

During an average week, how much money do you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50" 7="$51-75" 8="$76-125" 9="$126-175 10="176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	5990	44.3 %
2	$1-5:(2)	499	3.7 %
3	$6-10:(3)	708	5.2 %
4	$11-20:(4)	1616	12.0 %
5	$21-35:(5)	956	7.1 %
6	$36-50:(6)	734	5.4 %
7	$51-75:(7)	356	2.6 %
8	$76-125:(8)	322	2.4 %
9	$126-175:(9)	103	0.8 %
10	$176+:(10)	365	2.7 %
	Missing Data		
-9	MISSING:(-9)	1873	13.9 %
	Total	**13,522**	**100%**

Based upon 11,649 valid cases out of 13,522 total cases.

Location: 116-117 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V2194: BY17 00620 #X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five" 6="Six or Seven"

Value	Label	Unweighted Frequency	%
1	< 1:(1)	2364	17.5 %
2	ONE:(2)	2312	17.1 %
3	TWO:(3)	3342	24.7 %
4	THREE:(4)	2427	17.9 %
5	4-5:(5)	1257	9.3 %
6	6-7:(6)	555	4.1 %
	Missing Data		
-9	MISSING:(-9)	1265	9.4 %
	Total	**13,522**	**100%**

Based upon 12,257 valid cases out of 13,522 total cases.

Location: 118-119 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2195: BY17 00630 #X DATE 3+/WK

Item Number: 00630

On the average, how often do you go out with a date (or your spouse/partner, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month" 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	5891	43.6 %
2	ONCE/MO:(2)	1575	11.6 %
3	2-3X MO:(3)	1407	10.4 %
4	ONCE WK:(4)	1492	11.0 %
5	2-3X WK:(5)	1309	9.7 %
6	3+ WEEK:(6)	570	4.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	1278	9.5 %
	Total	**13,522**	**100%**

Based upon 12,244 valid cases out of 13,522 total cases.

Location: 120-121 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2196: BY17 00640 DRIVE>200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	3258	24.1 %
2	1-10 MI:(2)	1177	8.7 %
3	11-50:(3)	2880	21.3 %
4	51-100:(4)	2471	18.3 %
5	101-200:(5)	1462	10.8 %
6	> 200:(6)	1010	7.5 %
	Missing Data		
-9	MISSING:(-9)	1264	9.3 %
	Total	**13,522**	**100%**

Based upon 12,258 valid cases out of 13,522 total cases.

Location: 122-123 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2197: BY17 00650 #X/12MO R TCKTD

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	10206	75.5 %
1	ONCE:(1)	1243	9.2 %
2	TWICE:(2)	361	2.7 %
3	3 TIMES:(3)	149	1.1 %
4	4+ TIMES:(4)	75	0.6 %
	Missing Data		
-9	MISSING:(-9)	1488	11.0 %
	Total	**13,522**	**100%**

Based upon 12,034 valid cases out of 13,522 total cases.

Location: 124-125 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2198: BY17 00660 #TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1751	12.9 %
1	ONE:(1)	47	0.3 %
2	TWO:(2)	9	0.1 %
3	THREE+:(3-4)	7	0.1 %
	Missing Data		
-9	MISSING:(-9)	11708	86.6 %
	Total	**13,522**	**100%**

Based upon 1,814 valid cases out of 13,522 total cases.

Location: 126-127 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2199: BY17 00670 #TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1711	12.7 %
1	ONE:(1)	61	0.5 %
2	TWO:(2)	20	0.1 %
3	THREE+:(3-4)	11	0.1 %
	Missing Data		
-9	MISSING:(-9)	11719	86.7 %
	Total	**13,522**	**100%**

Based upon 1,803 valid cases out of 13,522 total cases.

Location: 128-129 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2200: BY17 00680 #TCKTS AFT OTDG

Item Number: 00680

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1772	13.1 %
1	ONE:(1)	11	0.1 %
2	TWO:(2)	8	0.1 %
3	THREE+:(3-4)	2	0.0 %
	Missing Data		
-9	MISSING:(-9)	11729	86.7 %
	Total	**13,522**	**100%**

Based upon 1,793 valid cases out of 13,522 total cases.

Location: 130-131 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2201: BY17 00690 #ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	10143	75.0 %
1	ONCE:(1)	1410	10.4 %
2	TWICE:(2)	305	2.3 %
3	3 TIMES:(3)	74	0.5 %
4	4+ TIMES:(4)	26	0.2 %
	Missing Data		
-9	MISSING:(-9)	1564	11.6 %
	Total	**13,522**	**100%**

Based upon 11,958 valid cases out of 13,522 total cases.

Location: 132-133 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2202: BY17 00700 #ACDTS AFT DRNK

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1782	13.2 %
1	ONE:(1)	28	0.2 %

Value	Label	Unweighted Frequency	%
2	TWO:(2)	6	0.0 %
3	THREE+:(3-4)	3	0.0 %
	Missing Data		
-9	MISSING:(-9)	11703	86.5 %
	Total	**13,522**	**100%**

Based upon 1,819 valid cases out of 13,522 total cases.

Location: 134-135 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2203: BY17 00710 #ACDTS AFT MARJ

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1776	13.1 %
1	ONE:(1)	32	0.2 %
2	TWO:(2)	8	0.1 %
3	THREE+:(3-4)	5	0.0 %
	Missing Data		
-9	MISSING:(-9)	11701	86.5 %
	Total	**13,522**	**100%**

Based upon 1,821 valid cases out of 13,522 total cases.

Location: 136-137 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2204: BY17 00720 #ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1785	13.2 %
1	ONE:(1)	15	0.1 %
2	TWO:(2)	6	0.0 %
3	THREE+:(3-4)	3	0.0 %
	Missing Data		
-9	MISSING:(-9)	11713	86.6 %
	Total	**13,522**	**100%**

Based upon 1,809 valid cases out of 13,522 total cases.

Location: 138-139 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2101: BY17 00760 EVR SMK CIG,REGL

Item Number: 00760

Have you ever smoked cigarettes?

1="Never" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	9555	70.7 %
2	1-2X:(2)	1772	13.1 %
3	OCCASNLY:(3)	904	6.7 %
4	REG PAST:(4)	317	2.3 %
5	REG NOW:(5)	381	2.8 %
	Missing Data		
-9	MISSING:(-9)	593	4.4 %
	Total	**13,522**	**100%**

Based upon 12,929 valid cases out of 13,522 total cases.

Location: 140-141 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2102: BY17 00780 #CIGS SMKD/30DAY

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [Includes respondents who marked category 1 on Q.B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%
1	NT DAILY:(1)	11701	86.5 %
2	<1 CIG/D:(2)	707	5.2 %
3	1-5/DAY:(3)	330	2.4 %
4	1/2 PK:(4)	110	0.8 %
5	1 PK:(5)	47	0.3 %
6	1 1/2 PK:(6)	13	0.1 %
7	2+ PKS:(7)	30	0.2 %
	Missing Data		
-9	MISSING:(-9)	584	4.3 %
	Total	**13,522**	**100%**

Based upon 12,938 valid cases out of 13,522 total cases.

Location: 142-143 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2546: BY17 33710 #X E-CIG/30DAY

Item Number: 33710

During the LAST 30 DAYS, on how many occasions (if any) have you used electronic cigarettes (e-cigarettes)?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1916	14.2 %
2	1-2 DAYS:(2)	103	0.8 %
3	3-5 DAYS:(3)	42	0.3 %
4	6-9 DAYS:(4)	33	0.2 %
5	10-19 DAYS:(5)	28	0.2 %
6	20-30 DAYS:(6)	49	0.4 %
	Missing Data		
-9	MISSING:(-9)	11351	83.9 %

Value	Label	Unweighted Frequency	%
	Total	**13,522**	**100%**

Based upon 2,171 valid cases out of 13,522 total cases.

Location: 144-145 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2547: BY17 33720 #X LRG CIGAR/30DAY

Item Number: 33720

During the LAST 30 DAYS, on how many occasions (if any) have you smoked large cigars?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	3644	26.9 %
2	1-2 DAYS:(2)	161	1.2 %
3	3-5 DAYS:(3)	39	0.3 %
4	6-9 DAYS:(4)	12	0.1 %
5	10-19 DAYS:(5)	8	0.1 %
6	20-30 DAYS:(6)	16	0.1 %
	Missing Data		
-9	MISSING:(-9)	9642	71.3 %
	Total	**13,522**	**100%**

Based upon 3,880 valid cases out of 13,522 total cases.

Location: 146-147 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2548: BY17 33730 #X FLVD SML CIGAR/30DAY

Item Number: 33730

During the LAST 30 DAYS, on how many occasions (if any) have you smoked flavored little cigars or cigarillos?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	3494	25.8 %
2	1-2 DAYS:(2)	233	1.7 %

Value	Label	Unweighted Frequency	%
3	3-5 DAYS:(3)	76	0.6 %
4	6-9 DAYS:(4)	26	0.2 %
5	10-19 DAYS:(5)	14	0.1 %
6	20-30 DAYS:(6)	30	0.2 %
	Missing Data		
-9	MISSING:(-9)	9649	71.4 %
	Total	**13,522**	**100%**

Based upon 3,873 valid cases out of 13,522 total cases.

Location: 148-149 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2549: BY17 33740 #X REG SML CIGAR/30DAY

Item Number: 33740

During the LAST 30 DAYS, on how many occasions (if any) have you smoked regular little cigars or cigarillos?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	NONE: (1)	3622	26.8 %
2	1-2 DAYS: (2)	145	1.1 %
3	3-5 DAYS: (3)	50	0.4 %
4	6-9 DAYS: (4)	19	0.1 %
5	10-19 DAYS: (5)	10	0.1 %
6	20-30 DAYS: (6)	24	0.2 %
	Missing Data		
-9	MISSING:(-9)	9652	71.4 %
	Total	**13,522**	**100%**

Based upon 3,870 valid cases out of 13,522 total cases.

Location: 150-151 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2564: BY17 34050 #X TOB HOOKAH/30DAY

Item Number: 34050

During the LAST 30 DAYS, on how many days (if any) have you smoked tobacco using a

hookah (water pipe)?

1="None" 2="1-2 Days" 3="3-5 Days" 4="6-9 Days" 5="10-19 Days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	3679	27.2 %
2	1-2 DAYS:(2)	111	0.8 %
3	3-5 DAYS:(3)	33	0.2 %
4	6-9 DAYS:(4)	16	0.1 %
5	10-19 DAYS:(5)	8	0.1 %
6	20-30 DAYS:(6)	25	0.2 %
	Missing Data		
-9	MISSING:(-9)	9650	71.4 %
	Total	**13,522**	**100%**

Based upon 3,872 valid cases out of 13,522 total cases.

Location: 152-153 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2566: BY17 34230 EVER VAPE

Item Number: 34230

To "vape" is to use a device such as a vape-pen, an e-cigarette, an e-hookah, or e-vaporizer to inhale a mist into the lungs. Have you ever vaped?

0="Never" 1="Yes"

Value	Label	Unweighted Frequency	%
0	NO:(0)	2617	19.4 %
1	YES:(1)	1500	11.1 %
	Missing Data		
-9	MISSING:(-9)	9405	69.6 %
	Total	**13,522**	**100%**

Based upon 4,117 valid cases out of 13,522 total cases.

Location: 154-155 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2567: BY17 34240 #X VAPE NIC/LIFETIME

Item Number:
34240

On how many occasions (if any) have you vaped NICOTINE . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3060	22.6 %
2	1-2X:(2)	352	2.6 %
3	3-5X:(3)	164	1.2 %
4	6-9X:(4)	133	1.0 %
5	10-19X:(5)	89	0.7 %
6	20-39X:(6)	66	0.5 %
7	40+OCCAS:(7)	240	1.8 %
	Missing Data		
-9	MISSING:(-9)	9418	69.6 %
	Total	**13,522**	**100%**

Based upon 4,104 valid cases out of 13,522 total cases.

Location: 156-157 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2568: BY17 34250 #X VAPE NIC/LAST12MO

Item Number: 34250

On how many occasions (if any) have you vaped NICOTINE . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3299	24.4 %
2	1-2X:(2)	276	2.0 %
3	3-5X:(3)	130	1.0 %
4	6-9X:(4)	92	0.7 %
5	10-19X:(5)	66	0.5 %

Value	Label	Unweighted Frequency	%
6	20-39X:(6)	58	0.4 %
7	40+OCCAS:(7)	158	1.2 %
	Missing Data		
-9	MISSING:(-9)	9443	69.8 %
	Total	**13,522**	**100%**

Based upon 4,079 valid cases out of 13,522 total cases.

Location: 158-159 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2569: BY17 34260 #X VAPE NIC/LAST30DAY

Item Number: 34260

On how many occasions (if any) have you vaped NICOTINE . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3618	26.8 %
2	1-2X:(2)	179	1.3 %
3	3-5X:(3)	69	0.5 %
4	6-9X:(4)	42	0.3 %
5	10-19X:(5)	54	0.4 %
6	20-39X:(6)	28	0.2 %
7	40+OCCAS:(7)	87	0.6 %
	Missing Data		
-9	MISSING:(-9)	9445	69.8 %
	Total	**13,522**	**100%**

Based upon 4,077 valid cases out of 13,522 total cases.

Location: 160-161 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2570: BY17 34270 #X VAPE MJ/LIFETIME

Item Number: 34270

On how many occasions (if any) have you vaped MARIJUANA . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3575	26.4 %
2	1-2X:(2)	200	1.5 %
3	3-5X:(3)	104	0.8 %
4	6-9X:(4)	65	0.5 %
5	10-19X:(5)	60	0.4 %
6	20-39X:(6)	32	0.2 %
7	40+OCCAS:(7)	68	0.5 %
	Missing Data		
-9	MISSING:(-9)	9418	69.6 %
	Total	**13,522**	**100%**

Based upon 4,104 valid cases out of 13,522 total cases.

Location: 162-163 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2571: BY17 34280 #X VAPE MJ/LAST12MO

Item Number: 34280

On how many occasions (if any) have you vaped MARIJUANA . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3652	27.0 %
2	1-2X:(2)	176	1.3 %
3	3-5X:(3)	87	0.6 %
4	6-9X:(4)	44	0.3 %
5	10-19X:(5)	43	0.3 %
6	20-39X:(6)	25	0.2 %
7	40+OCCAS:(7)	45	0.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	9450	69.9 %
	Total	**13,522**	**100%**

Based upon 4,072 valid cases out of 13,522 total cases.

Location: 164-165 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2572: BY17 34290 #X VAPE MJ/LAST30DAY

Item Number: 34290

On how many occasions (if any) have you vaped MARIJUANA . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3846	28.4 %
2	1-2X:(2)	114	0.8 %
3	3-5X:(3)	43	0.3 %
4	6-9X:(4)	15	0.1 %
5	10-19X:(5)	22	0.2 %
6	20-39X:(6)	11	0.1 %
7	40+OCCAS:(7)	22	0.2 %
	Missing Data		
-9	MISSING:(-9)	9449	69.9 %
	Total	**13,522**	**100%**

Based upon 4,073 valid cases out of 13,522 total cases.

Location: 166-167 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2573: BY17 34300 #X VAPE FLAV/LIFETIME

Item Number: 34300

On how many occasions (if any) have you vaped just FLAVORING . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2822	20.9 %
2	1-2X:(2)	449	3.3 %
3	3-5X:(3)	234	1.7 %
4	6-9X:(4)	175	1.3 %
5	10-19X:(5)	145	1.1 %
6	20-39X:(6)	92	0.7 %
7	40+OCCAS:(7)	180	1.3 %
	Missing Data		
-9	MISSING:(-9)	9425	69.7 %
	Total	**13,522**	**100%**

Based upon 4,097 valid cases out of 13,522 total cases.

Location: 168-169 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2574: BY17 34310 #X VAPE FLAV/LAST12MO

Item Number: 34310

On how many occasions (if any) have you vaped just FLAVORING . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3210	23.7 %
2	1-2X:(2)	366	2.7 %
3	3-5X:(3)	165	1.2 %
4	6-9X:(4)	94	0.7 %
5	10-19X:(5)	91	0.7 %
6	20-39X:(6)	59	0.4 %
7	40+OCCAS:(7)	90	0.7 %
	Missing Data		
-9	MISSING:(-9)	9447	69.9 %

Value	Label	Unweighted Frequency	%
	Total	**13,522**	**100%**

Based upon 4,075 valid cases out of 13,522 total cases.

Location: 170-171 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2575: BY17 34320 #X VAPE FLAV/LAST30DAY

Item Number: 34320

On how many occasions (if any) have you vaped just FLAVORING . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3661	27.1 %
2	1-2X:(2)	192	1.4 %
3	3-5X:(3)	65	0.5 %
4	6-9X:(4)	51	0.4 %
5	10-19X:(5)	40	0.3 %
6	20-39X:(6)	21	0.2 %
7	40+OCCAS:(7)	41	0.3 %
	Missing Data		
-9	MISSING:(-9)	9451	69.9 %
	Total	**13,522**	**100%**

Based upon 4,071 valid cases out of 13,522 total cases.

Location: 172-173 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2576: BY17 34390 # DAYS SMKLESS/30DAY

Item Number: 34390

During the LAST 30 DAYS, on how many occasions (if any) have you used smokeless tobacco?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	3666	27.1 %
2	1-2 DAYS:(2)	56	0.4 %
3	3-5 DAYS:(3)	33	0.2 %
4	6-9 DAYS:(4)	24	0.2 %
5	10-19 DAYS:(5)	11	0.1 %
6	20-30 DAYS:(6)	57	0.4 %
	Missing Data		
-9	MISSING:(-9)	9675	71.6 %
	Total	**13,522**	**100%**

Based upon 3,847 valid cases out of 13,522 total cases.

Location: 174-175 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2930: BY17 34370 # DAYS VAPE NIC/30DAY

Item Number: 34370

During the LAST 30 DAYS, on how many occasions (if any) have you vaped an e-liquid with nicotine?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1599	11.8 %
2	1-2 DAYS:(2)	120	0.9 %
3	3-5 DAYS:(3)	55	0.4 %
4	6-9 DAYS:(4)	38	0.3 %
5	10-19 DAYS:(5)	22	0.2 %
6	20-30 DAYS:(6)	71	0.5 %
	Missing Data		
-9	MISSING:(-9)	11617	85.9 %
	Total	**13,522**	**100%**

Based upon 1,905 valid cases out of 13,522 total cases.

Location: 176-177 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2103: BY17 00790 EVER DRINK

Item Number: 00790

Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO TOP OF NEXT COLUMN" 2="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	4022	29.7 %
2	YES:(2)	6472	47.9 %
	Missing Data		
-9	MISSING:(-9)	3028	22.4 %
	Total	**13,522**	**100%**

Based upon 10,494 valid cases out of 13,522 total cases.

Location: 178-179 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2104: BY17 00810 #X DRNK/LIFETIME

Item Number: 00810

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

[Above this item in form 1 reads "The next questions are about ALCOHOLIC BEVERAGES, including beer, wine, liquor, and any other beverage that contains alcohol."]

1="0 Occasions" [Includes respondents who report non-use on item QB03] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	4636	34.3 %
2	1-2X:(2)	1230	9.1 %
3	3-5X:(3)	1396	10.3 %
4	6-9X:(4)	1163	8.6 %
5	10-19X:(5)	1362	10.1 %
6	20-39X:(6)	1065	7.9 %
7	40+OCCAS:(7)	1632	12.1 %
	Missing Data		
-9	MISSING:(-9)	1038	7.7 %
	Total	**13,522**	**100%**

Based upon 12,484 valid cases out of 13,522 total cases.

Location: 180-181 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2105: BY17 00820 #X DRNK/LAST12MO

Item Number: 00820

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	5283	39.1 %
2	1-2X:(2)	2031	15.0 %
3	3-5X:(3)	1688	12.5 %
4	6-9X:(4)	1173	8.7 %
5	10-19X:(5)	1081	8.0 %
6	20-39X:(6)	602	4.5 %
7	40+OCCAS:(7)	602	4.5 %
	Missing Data		
-9	MISSING:(-9)	1062	7.9 %
	Total	**13,522**	**100%**

Based upon 12,460 valid cases out of 13,522 total cases.

Location: 182-183 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2106: BY17 00830 #X DRNK/LAST30DAY

Item Number: 00830

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	7991	59.1 %
2	1-2X:(2)	2390	17.7 %
3	3-5X:(3)	1095	8.1 %
4	6-9X:(4)	499	3.7 %
5	10-19X:(5)	248	1.8 %
6	20-39X:(6)	90	0.7 %
7	40+OCCAS:(7)	122	0.9 %
	Missing Data		
-9	MISSING:(-9)	1087	8.0 %
	Total	**13,522**	**100%**

Based upon 12,435 valid cases out of 13,522 total cases.

Location: 184-185 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2107: BY17 00840 #X DRK ENF FL HI

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1774	13.1 %
2	FEW OCC:(2)	1814	13.4 %
3	HALF OCC:(3)	939	6.9 %
4	MOST OCC:(4)	1209	8.9 %
5	NRLY ALL:(5)	781	5.8 %
	Missing Data		
-9	MISSING:(-9)	7005	51.8 %
	Total	**13,522**	**100%**

Based upon 6,517 valid cases out of 13,522 total cases.

Location: 186-187 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2108: BY17 00850 5+DRK ROW/LST 2W

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a bottle of beer, a glass of wine, a wine cooler, a shot glass of liquor, a mixed drink, etc.) [Worded slightly differently in form 1; see form 1 codebook.]

1="None" [Includes respondents who previously reported non-use] 2="Once" 3="Twice" 4="Three to five times" 5="Six to nine times" 6="Ten or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	10089	74.6 %
2	ONCE:(2)	1000	7.4 %
3	TWICE:(3)	662	4.9 %
4	3-5X:(4)	437	3.2 %
5	6-9X:(5)	87	0.6 %
6	10+ TIME:(6)	65	0.5 %
	Missing Data		
-9	MISSING:(-9)	1182	8.7 %
	Total	**13,522**	**100%**

Based upon 12,340 valid cases out of 13,522 total cases.

Location: 188-189 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2020: BY17 25020 #XDRUNK/LIFETIME

Item Number: 25020

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2074	15.3 %
2	1-2X:(2)	601	4.4 %
3	3-5X:(3)	370	2.7 %
4	6-9X:(4)	265	2.0 %
5	10-19X:(5)	227	1.7 %
6	20-39X:(6)	175	1.3 %
7	40+OCCAS:(7)	239	1.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	9571	70.8 %
	Total	**13,522**	**100%**

Based upon 3,951 valid cases out of 13,522 total cases.

Location: 190-191 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2021: BY17 25030 #XDRUNK/LAST12MO

Item Number: 25030

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2414	17.9 %
2	1-2X:(2)	643	4.8 %
3	3-5X:(3)	300	2.2 %
4	6-9X:(4)	201	1.5 %
5	10-19X:(5)	176	1.3 %
6	20-39X:(6)	100	0.7 %
7	40+OCCAS:(7)	105	0.8 %
	Missing Data		
-9	MISSING:(-9)	9583	70.9 %
	Total	**13,522**	**100%**

Based upon 3,939 valid cases out of 13,522 total cases.

Location: 192-193 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2022: BY17 25040 #XDRUNK/LAST30DAY

Item Number: 25040

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	3077	22.8 %
2	1-2X:(2)	492	3.6 %
3	3-5X:(3)	204	1.5 %
4	6-9X:(4)	80	0.6 %
5	10-19X:(5)	37	0.3 %
6	20-39X:(6)	14	0.1 %
7	40+OCCAS:(7)	25	0.2 %
	Missing Data		
-9	MISSING:(-9)	9593	70.9 %
	Total	**13,522**	**100%**

Based upon 3,929 valid cases out of 13,522 total cases.

Location: 194-195 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2009: BY17 32690 #X ALC BVRG W-CAFF/12MO

Item Number: 32690

Lately there has been some attention paid to certain drugs. During the LAST 12 MONTHS, on how many occasions (if any) have you . . . had an alcoholic beverage containing caffeine (like Four Loko or Joose)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	3219	23.8 %
2	1-2X:(2)	357	2.6 %
3	3-5X:(3)	141	1.0 %
4	6-9X:(4)	81	0.6 %
5	10-19X:(5)	55	0.4 %
6	20-39X:(6)	17	0.1 %
7	40+OCCAS:(7)	40	0.3 %
	Missing Data		
-9	MISSING:(-9)	9612	71.1 %
	Total	**13,522**	**100%**

Based upon 3,910 valid cases out of 13,522 total cases.

Location: 196-197 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2929: BY17 34040 #X PWD ALCOHOL/12MO

Item Number: 34040

During the LAST 12 MONTHS, on how many occasions (if any) have you had powdered alcohol?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3848	28.5 %
2	1-2X:(2)	9	0.1 %
3	3-5X:(3)	9	0.1 %
4	6-9X:(4)	5	0.0 %
5	10-19X:(5)	7	0.1 %
6	20-39X:(6)	2	0.0 %
7	40+OCCAS:(7)	8	0.1 %
	Missing Data		
-9	MISSING:(-9)	9634	71.2 %
	Total	**13,522**	**100%**

Based upon 3,888 valid cases out of 13,522 total cases.

Location: 198-199 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2115: BY17 00860 #XMJ+HS/LIFETIME

Item Number: 00860

On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

[For form 1, item is recoded from separate marijuana and hashish questions, and "Dope" is given as another example of what marijuana is called.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	6955	51.4 %
2	1-2X:(2)	1314	9.7 %
3	3-5X:(3)	824	6.1 %
4	6-9X:(4)	593	4.4 %
5	10-19X:(5)	669	4.9 %
6	20-39X:(6)	563	4.2 %
7	40+OCCAS:(7)	1763	13.0 %
	Missing Data		
-9	MISSING:(-9)	841	6.2 %
	Total	**13,522**	**100%**

Based upon 12,681 valid cases out of 13,522 total cases.

Location: 200-201 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2116: BY17 00870 #XMJ+HS/LAST12MO

Item Number: 00870

On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

[For form 1, item is recoded from separate marijuana and hashish questions, and "Dope" is given as another example of what marijuana is called.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	7901	58.4 %
2	1-2X:(2)	1349	10.0 %
3	3-5X:(3)	815	6.0 %
4	6-9X:(4)	528	3.9 %
5	10-19X:(5)	519	3.8 %
6	20-39X:(6)	438	3.2 %
7	40+OCCAS:(7)	1111	8.2 %
	Missing Data		
-9	MISSING:(-9)	861	6.4 %
	Total	**13,522**	**100%**

Based upon 12,661 valid cases out of 13,522 total cases.

Location: 202-203 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2117: BY17 00880 #XMJ+HS/LAST30DAY

Item Number: 00880

On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

[For form 1, item is recoded from separate marijuana and hashish questions, and "Dope" is given as another example of what marijuana is called.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	9683	71.6 %
2	1-2X:(2)	1044	7.7 %
3	3-5X:(3)	509	3.8 %
4	6-9X:(4)	315	2.3 %
5	10-19X:(5)	380	2.8 %
6	20-39X:(6)	251	1.9 %
7	40+OCCAS:(7)	470	3.5 %
	Missing Data		
-9	MISSING:(-9)	870	6.4 %
	Total	**13,522**	**100%**

Based upon 12,652 valid cases out of 13,522 total cases.

Location: 204-205 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2927: BY17 33980 #X HASH/OIL/12MO

Item number: 33980

During the LAST 12 MONTHS, on how many occasions (if any) have you used hash oil ("dabs," "honey oil," "budder," "shatter")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3481	25.7 %
2	1-2X:(2)	145	1.1 %
3	3-5X:(3)	77	0.6 %
4	6-9X:(4)	49	0.4 %
5	10-19X:(5)	37	0.3 %
6	20-39X:(6)	30	0.2 %
7	40+OCCAS:(7)	69	0.5 %
	Missing Data		
-9	MISSING:(-9)	9634	71.2 %
	Total	**13,522**	**100%**

Based upon 3,888 valid cases out of 13,522 total cases.

Location: 206-207 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2003: BY17 32700 #X SYNTHETIC MJ/12MO

Item Number: 32700

Lately there has been some attention paid to certain drugs. During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken "synthetic marijuana" ("K2," "Spice") to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	3850	28.5 %
2	1-2X:(2)	57	0.4 %
3	3-5X:(3)	33	0.2 %
4	6-9X:(4)	15	0.1 %
5	10-19X:(5)	17	0.1 %
6	20-39X:(6)	4	0.0 %
7	40+OCCAS:(7)	14	0.1 %
	Missing Data		
-9	MISSING:(-9)	9532	70.5 %
	Total	**13,522**	**100%**

Based upon 3,990 valid cases out of 13,522 total cases.

Location: 208-209 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2550: BY17 33750 #X SYNTH MJ/30DAY

Item Number: 33750

During the LAST 30 DAYS, on how many occasions (if any) have you taken "synthetic marijuana" ("K2," "Spice") to get high?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	3761	27.8 %
2	1-2 DAYS:(2)	44	0.3 %
3	3-5 DAYS:(3)	20	0.1 %
4	6-9 DAYS:(4)	2	0.0 %
5	10-19 DAYS:(5)	5	0.0 %
6	20-30 DAYS:(6)	16	0.1 %
	Missing Data		
-9	MISSING:(-9)	9674	71.5 %
	Total	**13,522**	**100%**

Based upon 3,848 valid cases out of 13,522 total cases.

Location: 210-211 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2118: BY17 00890 #X LSD/LIFETIME

Item Number: 00890

On how many occasions (if any) have you used LSD ("acid") . . .

A: . . . in your lifetime?

[Worded slightly differently in form 1; see form 1 codebook.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	10048	74.3 %
2	1-2X:(2)	325	2.4 %
3	3-5X:(3)	136	1.0 %
4	6-9X:(4)	58	0.4 %
5	10-19X:(5)	34	0.3 %

Value	Label	Unweighted Frequency	%
6	20-39X:(6)	26	0.2 %
7	40+OCCAS:(7)	16	0.1 %
	Missing Data		
-9	MISSING:(-9)	2879	21.3 %
	Total	**13,522**	**100%**

Based upon 10,643 valid cases out of 13,522 total cases.

Location: 212-213 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2119: BY17 00900 #X LSD/LAST 12MO

Item Number: 00900

On how many occasions (if any) have you used LSD ("acid") . . .

B: . . . during the last 12 months?

[Worded slightly differently in form 1; see form 1 codebook.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	10245	75.8 %
2	1-2X:(2)	250	1.8 %
3	3-5X:(3)	82	0.6 %
4	6-9X:(4)	36	0.3 %
5	10-19X:(5)	19	0.1 %
6	20-39X:(6)	7	0.1 %
7	40+OCCAS:(7)	11	0.1 %
	Missing Data		
-9	MISSING:(-9)	2872	21.2 %
	Total	**13,522**	**100%**

Based upon 10,650 valid cases out of 13,522 total cases.

Location: 214-215 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2120: BY17 00910 #X LSD/LAST 30DAY

Item Number: 00910

On how many occasions (if any) have you used LSD ("acid") . . .

C: . . . during the last 30 days?

[Worded slightly differently in form 1; see form 1 codebook.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	10498	77.6 %
2	1-2X:(2)	91	0.7 %
3	3-5X:(3)	25	0.2 %
4	6-9X:(4)	17	0.1 %
5	10-19X:(5)	2	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	10	0.1 %
	Missing Data		
-9	MISSING:(-9)	2878	21.3 %
	Total	**13,522**	**100%**

Based upon 10,644 valid cases out of 13,522 total cases.

Location: 216-217 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2121: BY17 00920 #X PSYD/LIFETIME

Item Number: 00920

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

A: . . . in your lifetime?

[Worded slightly differently in form 1; see form 1 codebook.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	10074	74.5 %
2	1-2X:(2)	317	2.3 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	113	0.8 %
4	6-9X:(4)	51	0.4 %
5	10-19X:(5)	24	0.2 %
6	20-39X:(6)	11	0.1 %
7	40+OCCAS:(7)	24	0.2 %
	Missing Data		
-9	MISSING:(-9)	2908	21.5 %
	Total	**13,522**	**100%**

Based upon 10,614 valid cases out of 13,522 total cases.

Location: 218-219 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2122: BY17 00930 #X PSYD/LAST12MO

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

[Worded slightly differently in form 1; see form 1 codebook.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	10295	76.1 %
2	1-2X:(2)	220	1.6 %
3	3-5X:(3)	54	0.4 %
4	6-9X:(4)	28	0.2 %
5	10-19X:(5)	12	0.1 %
6	20-39X:(6)	7	0.1 %
7	40+OCCAS:(7)	10	0.1 %
	Missing Data		
-9	MISSING:(-9)	2896	21.4 %
	Total	**13,522**	**100%**

Based upon 10,626 valid cases out of 13,522 total cases.

Location: 220-221 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V2123: BY17 00940 #X PSYD/LAST30DAY

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

[Worded slightly differently in form 1; see form 1 codebook.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	10513	77.7 %
2	1-2X:(2)	64	0.5 %
3	3-5X:(3)	19	0.1 %
4	6-9X:(4)	11	0.1 %
5	10-19X:(5)	6	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	8	0.1 %
	Missing Data		
-9	MISSING:(-9)	2900	21.4 %
	Total	**13,522**	**100%**

Based upon 10,622 valid cases out of 13,522 total cases.

Location: 222-223 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2032: BY17 22660 #X MDMA/LIFETIME

Item Number: 22660

On how many occasions (if any) have you used MDMA ("Molly", "ecstasy") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	6052	44.8 %
2	1-2X:(2)	205	1.5 %
3	3-5X:(3)	57	0.4 %
4	6-9X:(4)	26	0.2 %
5	10-19X:(5)	20	0.1 %
6	20-39X:(6)	5	0.0 %
7	40+OCCAS:(7)	16	0.1 %
	Missing Data		
-9	MISSING:(-9)	7141	52.8 %
	Total	**13,522**	**100%**

Based upon 6,381 valid cases out of 13,522 total cases.

Location: 224-225 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2033: BY17 22670 #X MDMA/LAST12MO

Item Number: 22670

On how many occasions (if any) have you used MDMA ("Molly", "ecstasy") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	6189	45.8 %
2	1-2X:(2)	123	0.9 %
3	3-5X:(3)	35	0.3 %
4	6-9X:(4)	15	0.1 %
5	10-19X:(5)	9	0.1 %
6	20-39X:(6)	2	0.0 %
7	40+OCCAS:(7)	8	0.1 %
	Missing Data		
-9	MISSING:(-9)	7141	52.8 %
	Total	**13,522**	**100%**

Based upon 6,381 valid cases out of 13,522 total cases.

Location: 226-227 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V2034: BY17 22680 #X MDMA/LAST30DAY

Item Number: 22680

On how many occasions (if any) have you used MDMA ("Molly", "ecstasy") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	6316	46.7 %
2	1-2X:(2)	35	0.3 %
3	3-5X:(3)	14	0.1 %
4	6-9X:(4)	4	0.0 %
5	10-19X:(5)	3	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.0 %
	Missing Data		
-9	MISSING:(-9)	7146	52.8 %
	Total	**13,522**	**100%**

Based upon 6,376 valid cases out of 13,522 total cases.

Location: 228-229 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2305: BY17 32500 #X SALVIA/12MO

Item Number: 32500

Lately there has been some attention paid to certain drugs.

During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken Salvia?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1949	14.4 %
2	1-2X:(2)	11	0.1 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	6	0.0 %
4	6-9X:(4)	7	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	3	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	11545	85.4 %
	Total	**13,522**	**100%**

Based upon 1,977 valid cases out of 13,522 total cases.

Location: 230-231 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2124: BY17 00950 #X COKE/LIFETIME

Item Number: 00950

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock") . . .

A: . . . in your lifetime?

[For questionnaire forms 1, 3, 4, and 6, item is recoded from separate questions about "crack" (items 22260-22280) and other forms of cocaine (items 22320-22340).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12109	89.6 %
2	1-2X:(2)	261	1.9 %
3	3-5X:(3)	115	0.9 %
4	6-9X:(4)	46	0.3 %
5	10-19X:(5)	50	0.4 %
6	20-39X:(6)	24	0.2 %
7	40+OCCAS:(7)	42	0.3 %
	Missing Data		
-9	MISSING:(-9)	875	6.5 %
	Total	**13,522**	**100%**

Based upon 12,647 valid cases out of 13,522 total cases.

Location: 232-233 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V2125: BY17 00960 #X COKE/LAST12MO

Item Number: 00960

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock") . . .

B: . . . during last 12 months?

[For questionnaire forms 1, 3, 4, and 6, item is recoded from separate questions about "crack" (items 22260-22280) and other forms of cocaine (items 22320-22340).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12293	90.9 %
2	1-2X:(2)	188	1.4 %
3	3-5X:(3)	64	0.5 %
4	6-9X:(4)	33	0.2 %
5	10-19X:(5)	41	0.3 %
6	20-39X:(6)	12	0.1 %
7	40+OCCAS:(7)	25	0.2 %
	Missing Data		
-9	MISSING:(-9)	866	6.4 %
	Total	**13,522**	**100%**

Based upon 12,656 valid cases out of 13,522 total cases.

Location: 234-235 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2126: BY17 00970 #X COKE/LAST30DAY

Item Number: 00970

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock") . . .

C: . . . during last 30 days?

[For questionnaire forms 1, 3, 4, and 6, item is recoded from separate questions about "crack" (items 22260-22280) and other forms of cocaine (items 22320-22340).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12497	92.4 %
2	1-2X:(2)	80	0.6 %
3	3-5X:(3)	27	0.2 %
4	6-9X:(4)	15	0.1 %
5	10-19X:(5)	15	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	16	0.1 %
	Missing Data		
-9	MISSING:(-9)	872	6.4 %
	Total	**13,522**	**100%**

Based upon 12,650 valid cases out of 13,522 total cases.

Location: 236-237 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2459: BY17 22260 #X CRACK/LIFETIME

Item Number: 22260

[Forms 1, 3, 4, 6:] On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

[Form 1 has different context and examples: see form 1 codebook.]

[Forms 2, 5:] On how many occasions (if any) have you used "crack" cocaine . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12070	89.3 %
2	1-2X:(2)	91	0.7 %
3	3-5X:(3)	38	0.3 %
4	6-9X:(4)	21	0.2 %
5	10-19X:(5)	13	0.1 %
6	20-39X:(6)	10	0.1 %
7	40+OCCAS:(7)	21	0.2 %
	Missing Data		
-9	MISSING:(-9)	1258	9.3 %
	Total	**13,522**	**100%**

Based upon 12,264 valid cases out of 13,522 total cases.

Location: 238-239 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2460: BY17 22270 #X CRACK/LAST12MO

Item Number: 22270

[Forms 1, 3, 4, 6:] On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

[Form 1 has different context and examples: see form 1 codebook.]

[Forms 2, 5:] On how many occasions (if any) have you used "crack" cocaine . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12148	89.8 %
2	1-2X:(2)	53	0.4 %
3	3-5X:(3)	22	0.2 %
4	6-9X:(4)	23	0.2 %
5	10-19X:(5)	12	0.1 %
6	20-39X:(6)	6	0.0 %
7	40+OCCAS:(7)	12	0.1 %
	Missing Data		
-9	MISSING:(-9)	1246	9.2 %
	Total	**13,522**	**100%**

Based upon 12,276 valid cases out of 13,522 total cases.

Location: 240-241 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2461: BY17 22280 #X CRACK/LAST30DAY

Item Number: 22280

[Forms 1, 3, 4, 6:] On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

[Form 1 has different context and examples: see form 1 codebook.]

[Forms 2, 5:] On how many occasions (if any) have you used "crack" cocaine . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12201	90.2 %
2	1-2X:(2)	24	0.2 %
3	3-5X:(3)	20	0.1 %
4	6-9X:(4)	12	0.1 %
5	10-19X:(5)	5	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	12	0.1 %
	Missing Data		
-9	MISSING:(-9)	1247	9.2 %
	Total	**13,522**	**100%**

Based upon 12,275 valid cases out of 13,522 total cases.

Location: 242-243 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2042: BY17 22320 #XOTH COKE/LIFE

Item Number: 22320

On how many occasions (if any) have you used cocaine in any other form . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	8104	59.9 %
2	1-2X:(2)	165	1.2 %
3	3-5X:(3)	53	0.4 %
4	6-9X:(4)	27	0.2 %
5	10-19X:(5)	25	0.2 %
6	20-39X:(6)	18	0.1 %
7	40+OCCAS:(7)	20	0.1 %
	Missing Data		
-9	MISSING:(-9)	5110	37.8 %

Value	Label	Unweighted Frequency	%
	Total	**13,522**	**100%**

Based upon 8,412 valid cases out of 13,522 total cases.

Location: 244-245 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2043: BY17 22330 #XOTH COKE/12MO

Item Number: 22330

On how many occasions (if any) have you used cocaine in any other form . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	8207	60.7 %
2	1-2X:(2)	117	0.9 %
3	3-5X:(3)	34	0.3 %
4	6-9X:(4)	19	0.1 %
5	10-19X:(5)	21	0.2 %
6	20-39X:(6)	7	0.1 %
7	40+OCCAS:(7)	10	0.1 %
	Missing Data		
-9	MISSING:(-9)	5107	37.8 %
	Total	**13,522**	**100%**

Based upon 8,415 valid cases out of 13,522 total cases.

Location: 246-247 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2044: BY17 22340 #XOTH COKE/30DAY

Item Number: 22340

On how many occasions (if any) have you used cocaine in any other form . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40

or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	8324	61.6 %
2	1-2X:(2)	53	0.4 %
3	3-5X:(3)	15	0.1 %
4	6-9X:(4)	11	0.1 %
5	10-19X:(5)	8	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	4	0.0 %
	Missing Data		
-9	MISSING:(-9)	5106	37.8 %
	Total	**13,522**	**100%**

Based upon 8,416 valid cases out of 13,522 total cases.

Location: 248-249 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2127: BY17 00980 #X AMPH/LIFETIME

Item Number: 00980

Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any nonprescription drugs, such as over-the-counter diet pills or stay-awake pills.

[Questionnaire form 1 worded somewhat differently and also includes as examples: Benzedrine, Dexedrine, Methedrine, Ritalin, Adderall, Concerta, Methamphetamine, Meth or Crystal Meth (see form 1 codebook).]

[All forms]: On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	11569	85.6 %
2	1-2X:(2)	481	3.6 %
3	3-5X:(3)	245	1.8 %
4	6-9X:(4)	149	1.1 %
5	10-19X:(5)	141	1.0 %

Value	Label	Unweighted Frequency	%
6	20-39X:(6)	82	0.6 %
7	40+OCCAS:(7)	119	0.9 %
	Missing Data		
-9	MISSING:(-9)	736	5.4 %
	Total	**13,522**	**100%**

Based upon 12,786 valid cases out of 13,522 total cases.

Location: 250-251 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2128: BY17 00990 #X AMPH/LAST12MO

Item Number: 00990

{Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any nonprescription drugs, such as over-the-counter diet pills or stay-awake pills.

[Questionnaire form 1 worded somewhat differently and also includes as examples: Benzedrine, Dexedrine, Methedrine, Ritalin, Adderall, Concerta, Methamphetamine, Meth or Crystal Meth (see form 1 codebook).]}

[All forms]: On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	11993	88.7 %
2	1-2X:(2)	365	2.7 %
3	3-5X:(3)	160	1.2 %
4	6-9X:(4)	102	0.8 %
5	10-19X:(5)	75	0.6 %
6	20-39X:(6)	30	0.2 %
7	40+OCCAS:(7)	58	0.4 %
	Missing Data		
-9	MISSING:(-9)	739	5.5 %
	Total	**13,522**	**100%**

Based upon 12,783 valid cases out of 13,522 total cases.

Location: 252-253 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2129: BY17 01000 #X AMPH/LAST30DAY

Item Number: 01000

{Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any nonprescription drugs, such as over-the-counter diet pills or stay-awake pills.

[Questionnaire form 1 worded somewhat differently and also includes as examples: Benzedrine, Dexedrine, Methedrine, Ritalin, Adderall, Concerta, Methamphetamine, Meth or Crystal Meth (see form 1 codebook).]}

[All forms]: On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12454	92.1 %
2	1-2X:(2)	170	1.3 %
3	3-5X:(3)	63	0.5 %
4	6-9X:(4)	30	0.2 %
5	10-19X:(5)	28	0.2 %
6	20-39X:(6)	19	0.1 %
7	40+OCCAS:(7)	19	0.1 %
	Missing Data		
-9	MISSING:(-9)	739	5.5 %
	Total	**13,522**	**100%**

Based upon 12,783 valid cases out of 13,522 total cases.

Location: 254-255 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2029: BY17 30800 #X METHAMPH/LIFE

Item Number: 30800

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

A . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	4177	30.9 %
2	1-2X:(2)	21	0.2 %
3	3-5X:(3)	5	0.0 %
4	6-9X:(4)	7	0.1 %
5	10-19X:(5)	3	0.0 %
6	20-39X:(6)	4	0.0 %
7	40+OCCAS:(7)	7	0.1 %
	Missing Data		
-9	MISSING:(-9)	9298	68.8 %
	Total	**13,522**	**100%**

Based upon 4,224 valid cases out of 13,522 total cases.

Location: 256-257 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2030: BY17 30810 #X METHAMPH/12MO

Item Number: 30810

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

B . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	4135	30.6 %
2	1-2X:(2)	11	0.1 %
3	3-5X:(3)	5	0.0 %
4	6-9X:(4)	4	0.0 %
5	10-19X:(5)	3	0.0 %
6	20-39X:(6)	2	0.0 %
7	40+OCCAS:(7)	4	0.0 %
	Missing Data		
-9	MISSING:(-9)	9358	69.2 %
	Total	**13,522**	**100%**

Based upon 4,164 valid cases out of 13,522 total cases.

Location: 258-259 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2031: BY17 30820 #X METHAMPH/30DAY

Item Number: 30820

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

C . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	4142	30.6 %
2	1-2X:(2)	8	0.1 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	3	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.0 %
	Missing Data		
-9	MISSING:(-9)	9363	69.2 %
	Total	**13,522**	**100%**

Based upon 4,159 valid cases out of 13,522 total cases.

Location: 260-261 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2909: BY17 31180 #X RITALIN/12MO

Item Number: 31180

Lately there has been some attention paid to certain drugs. During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken ritalin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	3933	29.1 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	26	0.2 %
3	3-5X:(3)	14	0.1 %
4	6-9X:(4)	4	0.0 %
5	10-19X:(5)	4	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	6	0.0 %
	Missing Data		
-9	MISSING:(-9)	9534	70.5 %
	Total	**13,522**	**100%**

Based upon 3,988 valid cases out of 13,522 total cases.

Location: 262-263 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2307: BY17 32450 #X ADDERALL/12MO

Item Number: 32450

Lately there has been some attention paid to certain drugs.

During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken Adderall (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	3733	27.6 %
2	1-2X:(2)	134	1.0 %
3	3-5X:(3)	51	0.4 %
4	6-9X:(4)	26	0.2 %
5	10-19X:(5)	19	0.1 %
6	20-39X:(6)	11	0.1 %
7	40+OCCAS:(7)	10	0.1 %
	Missing Data		
-9	MISSING:(-9)	9538	70.5 %
	Total	**13,522**	**100%**

Based upon 3,984 valid cases out of 13,522 total cases.

Location: 264-265 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2922: BY17 32730 #X BATH SALTS/12MO

Item Number: 32730

Lately there has been some attention paid to certain drugs. During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken "bath salts" (synthetic stimulants) to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	3941	29.1 %
2	1-2X:(2)	8	0.1 %
3	3-5X:(3)	7	0.1 %
4	6-9X:(4)	5	0.0 %
5	10-19X:(5)	3	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	9557	70.7 %
	Total	**13,522**	**100%**

Based upon 3,965 valid cases out of 13,522 total cases.

Location: 266-267 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2133: BY17 01040 #X SED/BARB/LIFETIME

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

[Worded slightly differently in questionnaire form 1, and replaced Nembutal with Ambien, Lunesta, and Sonata as examples; see form 1 codebook.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12200	90.2 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	233	1.7 %
3	3-5X:(3)	111	0.8 %
4	6-9X:(4)	61	0.5 %
5	10-19X:(5)	61	0.5 %
6	20-39X:(6)	31	0.2 %
7	40+OCCAS:(7)	55	0.4 %
	Missing Data		
-9	MISSING:(-9)	770	5.7 %
	Total	**13,522**	**100%**

Based upon 12,752 valid cases out of 13,522 total cases.

Location: 268-269 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2134: BY17 01050 #X SED/BARB/LAST12MO

Item Number: 01052

{Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal.} On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

[Worded slightly differently in questionnaire form 1, and replaced Nembutal with Ambien, Lunesta, and Sonata as examples; see form 1 codebook.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12389	91.6 %
2	1-2X:(2)	166	1.2 %
3	3-5X:(3)	80	0.6 %
4	6-9X:(4)	51	0.4 %
5	10-19X:(5)	29	0.2 %
6	20-39X:(6)	13	0.1 %
7	40+OCCAS:(7)	23	0.2 %
	Missing Data		
-9	MISSING:(-9)	771	5.7 %
	Total	**13,522**	**100%**

Based upon 12,751 valid cases out of 13,522 total cases.

Location: 270-271 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2135: BY17 01060 #X SED/BARB/LAST30DAY

Item Number: 01062

{Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal.} On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

[Worded slightly differently in questionnaire form 1, and replaced Nembutal with Ambien, Lunesta, and Sonata as examples; see form 1 codebook.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12578	93.0 %
2	1-2X:(2)	88	0.7 %
3	3-5X:(3)	33	0.2 %
4	6-9X:(4)	23	0.2 %
5	10-19X:(5)	15	0.1 %
6	20-39X:(6)	7	0.1 %
7	40+OCCAS:(7)	5	0.0 %
	Missing Data		
-9	MISSING:(-9)	773	5.7 %
	Total	**13,522**	**100%**

Based upon 12,749 valid cases out of 13,522 total cases.

Location: 272-273 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2912: BY17 31060 #X KETAMINE/12MO

Item Number: 31060

[Forms 3, 6: "Lately there has been some attention paid to certain drugs."]

During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken ketamine ("special K," "super K")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	3872	28.6 %
2	1-2X:(2)	28	0.2 %
3	3-5X:(3)	7	0.1 %
4	6-9X:(4)	2	0.0 %
5	10-19X:(5)	5	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	4	0.0 %
	Missing Data		
-9	MISSING:(-9)	9603	71.0 %
	Total	**13,522**	**100%**

Based upon 3,919 valid cases out of 13,522 total cases.

Location: 274-275 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2136: BY17 01070 #X TRQL/LIFETIME

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

[Questionnaire form 1 worded somewhat differently and adds Soma, Serax, Ativan, Klonopin to the examples (see form 1 codebook).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	11765	87.0 %
2	1-2X:(2)	456	3.4 %
3	3-5X:(3)	193	1.4 %
4	6-9X:(4)	89	0.7 %
5	10-19X:(5)	81	0.6 %
6	20-39X:(6)	44	0.3 %
7	40+OCCAS:(7)	63	0.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	831	6.1 %
	Total	**13,522**	**100%**

Based upon 12,691 valid cases out of 13,522 total cases.

Location: 276-277 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2137: BY17 01080 #X TRQL/LAST12MO

Item Number: 01080

{Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers.} On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

[Questionnaire form 1 worded somewhat differently and adds Soma, Serax, Ativan, Klonopin to the examples (see form 1 codebook).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12110	89.6 %
2	1-2X:(2)	302	2.2 %
3	3-5X:(3)	117	0.9 %
4	6-9X:(4)	72	0.5 %
5	10-19X:(5)	36	0.3 %
6	20-39X:(6)	20	0.1 %
7	40+OCCAS:(7)	27	0.2 %
	Missing Data		
-9	MISSING:(-9)	838	6.2 %
	Total	**13,522**	**100%**

Based upon 12,684 valid cases out of 13,522 total cases.

Location: 278-279 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2138: BY17 01090 #X TRQL/LAST30DAY

Item Number: 01090

{Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers.} On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

[Questionnaire form 1 worded somewhat differently and adds Soma, Serax, Ativan, Klonopin to the examples (see form 1 codebook).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12446	92.0 %
2	1-2X:(2)	133	1.0 %
3	3-5X:(3)	45	0.3 %
4	6-9X:(4)	23	0.2 %
5	10-19X:(5)	14	0.1 %
6	20-39X:(6)	7	0.1 %
7	40+OCCAS:(7)	7	0.1 %
	Missing Data		
-9	MISSING:(-9)	847	6.3 %
	Total	**13,522**	**100%**

Based upon 12,675 valid cases out of 13,522 total cases.

Location: 280-281 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2139: BY17 01100 #X H/LIFETIME

Item Number: 01100

On how many occasions (if any) have you used heroin . . .

A: . . . in your lifetime?

[For questionnaire forms 2, 5, and 6, item is recoded from separate questions about heroin use with a needle (items 29630-29650) and without a needle (items 29660-29680).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12625	93.4 %
2	1-2X:(2)	27	0.2 %
3	3-5X:(3)	13	0.1 %
4	6-9X:(4)	14	0.1 %
5	10-19X:(5)	9	0.1 %
6	20-39X:(6)	2	0.0 %
7	40+OCCAS:(7)	18	0.1 %
	Missing Data		
-9	MISSING:(-9)	814	6.0 %
	Total	**13,522**	**100%**

Based upon 12,708 valid cases out of 13,522 total cases.

Location: 282-283 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2140: BY17 01110 #X H/LAST 12MO

Item Number: 01110

On how many occasions (if any) have you taken heroin . . .

B: . . . during the last 12 months?

[For questionnaire forms 2, 5, and 6, item is recoded from separate questions about heroin use with a needle (items 29630-29650) and without a needle (items 29660-29680).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12661	93.6 %
2	1-2X:(2)	9	0.1 %
3	3-5X:(3)	11	0.1 %
4	6-9X:(4)	14	0.1 %
5	10-19X:(5)	4	0.0 %
6	20-39X:(6)	4	0.0 %
7	40+OCCAS:(7)	10	0.1 %
	Missing Data		
-9	MISSING:(-9)	809	6.0 %
	Total	**13,522**	**100%**

Based upon 12,713 valid cases out of 13,522 total cases.

Location: 284-285 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2141: BY17 01120 #X H/LAST 30DAY

Item Number: 01120

On how many occasions (if any) have you taken heroin . . .

C: . . . during the last 30 days?

[For questionnaire forms 2, 5, and 6, item is recoded from separate questions about heroin use with a needle (items 29630-29650) and without a needle (items 29660-29680).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12677	93.8 %
2	1-2X:(2)	8	0.1 %
3	3-5X:(3)	8	0.1 %
4	6-9X:(4)	8	0.1 %
5	10-19X:(5)	3	0.0 %
6	20-39X:(6)	3	0.0 %
7	40+OCCAS:(7)	7	0.1 %
	Missing Data		
-9	MISSING:(-9)	808	6.0 %
	Total	**13,522**	**100%**

Based upon 12,714 valid cases out of 13,522 total cases.

Location: 286-287 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2510: BY17 29630 #X H LIF USE NDL

Item Number: 29630

On how many occasions (if any) have you taken heroin using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40

or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	6411	47.4 %
2	1-2X:(2)	11	0.1 %
3	3-5X:(3)	9	0.1 %
4	6-9X:(4)	2	0.0 %
5	10-19X:(5)	3	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	5	0.0 %
	Missing Data		
-9	MISSING:(-9)	7080	52.4 %
	Total	**13,522**	**100%**

Based upon 6,442 valid cases out of 13,522 total cases.

Location: 288-289 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2511: BY17 29640 #X H 12MO USE NDL

Item Number: 29640

On how many occasions (if any) have you taken heroin using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	6428	47.5 %
2	1-2X:(2)	6	0.0 %
3	3-5X:(3)	4	0.0 %
4	6-9X:(4)	5	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.0 %
	Missing Data		
-9	MISSING:(-9)	7076	52.3 %
	Total	**13,522**	**100%**

Based upon 6,446 valid cases out of 13,522 total cases.

Location: 290-291 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2512: BY17 29650 #X H 30D USE NDL

Item Number: 29650

On how many occasions (if any) have you taken heroin using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	6435	47.6 %
2	1-2X:(2)	1	0.0 %
3	3-5X:(3)	6	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.0 %
	Missing Data		
-9	MISSING:(-9)	7077	52.3 %
	Total	**13,522**	**100%**

Based upon 6,445 valid cases out of 13,522 total cases.

Location: 292-293 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2513: BY17 29660 #X H LIF W/O NDL

Item Number: 29660

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	6399	47.3 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	12	0.1 %
3	3-5X:(3)	2	0.0 %
4	6-9X:(4)	4	0.0 %
5	10-19X:(5)	3	0.0 %
6	20-39X:(6)	2	0.0 %
7	40+OCCAS:(7)	2	0.0 %
	Missing Data		
-9	MISSING:(-9)	7098	52.5 %
	Total	**13,522**	**100%**

Based upon 6,424 valid cases out of 13,522 total cases.

Location: 294-295 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2514: BY17 29670 #X H 12MO W/O NDL

Item Number: 29670

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	6416	47.4 %
2	1-2X:(2)	6	0.0 %
3	3-5X:(3)	4	0.0 %
4	6-9X:(4)	2	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.0 %
	Missing Data		
-9	MISSING:(-9)	7091	52.4 %
	Total	**13,522**	**100%**

Based upon 6,431 valid cases out of 13,522 total cases.

Location: 296-297 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2515: BY17 29680 #X H 30D W/O NDL

Item Number: 29680

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	6421	47.5 %
2	1-2X:(2)	4	0.0 %
3	3-5X:(3)	3	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	7091	52.4 %
	Total	**13,522**	**100%**

Based upon 6,431 valid cases out of 13,522 total cases.

Location: 298-299 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2142: BY17 01130 #X NARC/LIFETIME

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

[Questionnaire form 1 worded somewhat differently and adds "Percodan, Ultram" (see form 1 Codebook).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	11764	87.0 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	394	2.9 %
3	3-5X:(3)	182	1.3 %
4	6-9X:(4)	84	0.6 %
5	10-19X:(5)	82	0.6 %
6	20-39X:(6)	48	0.4 %
7	40+OCCAS:(7)	55	0.4 %
	Missing Data		
-9	MISSING:(-9)	913	6.8 %
	Total	**13,522**	**100%**

Based upon 12,609 valid cases out of 13,522 total cases.

Location: 300-301 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2143: BY17 01140 #X NARC/LAST12MO

Item Number: 01140

{There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors.} On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

[Questionnaire form 1 worded somewhat differently and adds "Percodan, Ultram" (see form 1 Codebook).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12101	89.5 %
2	1-2X:(2)	284	2.1 %
3	3-5X:(3)	94	0.7 %
4	6-9X:(4)	56	0.4 %
5	10-19X:(5)	45	0.3 %
6	20-39X:(6)	17	0.1 %
7	40+OCCAS:(7)	25	0.2 %
	Missing Data		
-9	MISSING:(-9)	900	6.7 %
	Total	**13,522**	**100%**

Based upon 12,622 valid cases out of 13,522 total cases.

Location: 302-303 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2144: BY17 01150 #X NARC/LAST30DAY

Item Number: 01150

{There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors.} On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

[Questionnaire form 1 worded somewhat differently and adds "Percodan, Ultram" (see form 1 Codebook).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	12423	91.9 %
2	1-2X:(2)	110	0.8 %
3	3-5X:(3)	34	0.3 %
4	6-9X:(4)	22	0.2 %
5	10-19X:(5)	10	0.1 %
6	20-39X:(6)	4	0.0 %
7	40+OCCAS:(7)	11	0.1 %
	Missing Data		
-9	MISSING:(-9)	908	6.7 %
	Total	**13,522**	**100%**

Based upon 12,614 valid cases out of 13,522 total cases.

Location: 304-305 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2907: BY17 31310 #X OXYCONTN/12MO

Item Number: 31310

[Forms 3 and 6: "Lately there has been some attention paid to certain drugs."]

During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken OxyContin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40

or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	5747	42.5 %
2	1-2X:(2)	77	0.6 %
3	3-5X:(3)	30	0.2 %
4	6-9X:(4)	22	0.2 %
5	10-19X:(5)	12	0.1 %
6	20-39X:(6)	6	0.0 %
7	40+OCCAS:(7)	7	0.1 %
	Missing Data		
-9	MISSING:(-9)	7621	56.4 %
	Total	**13,522**	**100%**

Based upon 5,901 valid cases out of 13,522 total cases.

Location: 306-307 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2908: BY17 31320 #X VICODIN/12MO

Item Number: 31320

[Forms 3 and 6: "Lately there has been some attention paid to certain drugs."]

During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken Vicodin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	5759	42.6 %
2	1-2X:(2)	66	0.5 %
3	3-5X:(3)	28	0.2 %
4	6-9X:(4)	15	0.1 %
5	10-19X:(5)	12	0.1 %
6	20-39X:(6)	3	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	7638	56.5 %
	Total	**13,522**	**100%**

Based upon 5,884 valid cases out of 13,522 total cases.

Location: 308-309 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2920: BY17 31670 #X COUGHMED/12MO

Item Number: 31670

Lately there has been some attention paid to certain drugs.

During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken a non-prescription cough or cold medicine (robos, DXM, etc.) to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	3843	28.4 %
2	1-2X:(2)	67	0.5 %
3	3-5X:(3)	35	0.3 %
4	6-9X:(4)	15	0.1 %
5	10-19X:(5)	7	0.1 %
6	20-39X:(6)	7	0.1 %
7	40+OCCAS:(7)	4	0.0 %
	Missing Data		
-9	MISSING:(-9)	9544	70.6 %
	Total	**13,522**	**100%**

Based upon 3,978 valid cases out of 13,522 total cases.

Location: 310-311 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2145: BY17 01160 #X INHL/LIFETIME

Item Number: 01160

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	6067	44.9 %
2	1-2X:(2)	185	1.4 %
3	3-5X:(3)	53	0.4 %
4	6-9X:(4)	28	0.2 %
5	10-19X:(5)	14	0.1 %
6	20-39X:(6)	8	0.1 %
7	40+OCCAS:(7)	17	0.1 %
	Missing Data		
-9	MISSING:(-9)	7150	52.9 %
	Total	**13,522**	**100%**

Based upon 6,372 valid cases out of 13,522 total cases.

Location: 312-313 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2146: BY17 01170 #X INHL/LAST12MO

Item Number: 01170

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	6281	46.5 %
2	1-2X:(2)	47	0.3 %
3	3-5X:(3)	21	0.2 %
4	6-9X:(4)	16	0.1 %
5	10-19X:(5)	3	0.0 %
6	20-39X:(6)	2	0.0 %
7	40+OCCAS:(7)	6	0.0 %
	Missing Data		
-9	MISSING:(-9)	7146	52.8 %
	Total	**13,522**	**100%**

Based upon 6,376 valid cases out of 13,522 total cases.

Location: 314-315 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2147: BY17 01180 #X INHL/LAST30DAY

Item Number: 01180

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	6325	46.8 %
2	1-2X:(2)	28	0.2 %
3	3-5X:(3)	11	0.1 %
4	6-9X:(4)	6	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.0 %
	Missing Data		
-9	MISSING:(-9)	7148	52.9 %
	Total	**13,522**	**100%**

Based upon 6,374 valid cases out of 13,522 total cases.

Location: 316-317 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2493: BY17 22690 #X STRD/LIFETIME

Item Number: 22690

Anabolic steroids are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	5684	42.0 %
2	1-2X:(2)	44	0.3 %
3	3-5X:(3)	18	0.1 %
4	6-9X:(4)	10	0.1 %
5	10-19X:(5)	3	0.0 %
6	20-39X:(6)	3	0.0 %
7	40+OCCAS:(7)	17	0.1 %
	Missing Data		
-9	MISSING:(-9)	7743	57.3 %
	Total	**13,522**	**100%**

Based upon 5,779 valid cases out of 13,522 total cases.

Location: 318-319 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2494: BY17 22700 #X STRD/LAST12MO

Item Number: 22700

{Anabolic steroids are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development.} On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	5736	42.4 %
2	1-2X:(2)	27	0.2 %
3	3-5X:(3)	8	0.1 %
4	6-9X:(4)	8	0.1 %
5	10-19X:(5)	5	0.0 %
6	20-39X:(6)	5	0.0 %
7	40+OCCAS:(7)	8	0.1 %
	Missing Data		
-9	MISSING:(-9)	7725	57.1 %
	Total	**13,522**	**100%**

Based upon 5,797 valid cases out of 13,522 total cases.

Location: 320-321 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2495: BY17 22710 #X STRD/LAST30DAY

Item Number: 22710

{Anabolic steroids are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development.} On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	5752	42.5 %
2	1-2X:(2)	14	0.1 %
3	3-5X:(3)	6	0.0 %
4	6-9X:(4)	10	0.1 %
5	10-19X:(5)	5	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	8	0.1 %
	Missing Data		
-9	MISSING:(-9)	7726	57.1 %
	Total	**13,522**	**100%**

Based upon 5,796 valid cases out of 13,522 total cases.

Location: 322-323 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2918: BY17 31160 #X ANDRO/12MO

Item Number: 31160

Lately there has been some attention paid to certain drugs.

During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken "andro" (androstenedione, non-prescription steroid)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2002	14.8 %
2	1-2X:(2)	4	0.0 %
3	3-5X:(3)	4	0.0 %
4	6-9X:(4)	2	0.0 %
5	10-19X:(5)	2	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	11508	85.1 %
	Total	**13,522**	**100%**

Based upon 2,014 valid cases out of 13,522 total cases.

Location: 324-325 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2919: BY17 31170 #X CREATINE/12MO

Item Number: 31170

Lately there has been some attention paid to certain drugs.

During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken creatine (amino acid used to build muscle [form 3: "muscles"])?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	3653	27.0 %
2	1-2X:(2)	83	0.6 %
3	3-5X:(3)	55	0.4 %
4	6-9X:(4)	42	0.3 %
5	10-19X:(5)	42	0.3 %
6	20-39X:(6)	37	0.3 %
7	40+OCCAS:(7)	76	0.6 %
	Missing Data		
-9	MISSING:(-9)	9534	70.5 %
	Total	**13,522**	**100%**

Based upon 3,988 valid cases out of 13,522 total cases.

Location: 326-327 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2101D: 176B01 :EVR SMK CIG,REGL (dicotomous recode)

Have you ever smoked cigarettes?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 5 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	9555	70.7 %
1	YES: (1)	3374	25.0 %
	Missing Data		
-9	MISSING: (-9)	593	4.4 %
	Total	**13,522**	**100%**

Based upon 12,929 valid cases out of 13,522 total cases.

Location: 328-329 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2102D: 176B02 :#CIGS SMKD/30DAY (dicotomous recode)

How frequently have you smoked cigarettes during the past 30 days?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	11701	86.5 %
1	YES: (1)	1237	9.1 %
	Missing Data		
-9	MISSING: (-9)	584	4.3 %
	Total	**13,522**	**100%**

Based upon 12,938 valid cases out of 13,522 total cases.

Location: 330-331 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2104D: 176B22A:#X ALC/LIF SIPS (dicotomous recode)

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	4636	34.3 %
1	YES: (1)	7848	58.0 %
	Missing Data		
-9	MISSING: (-9)	1038	7.7 %
	Total	**13,522**	**100%**

Based upon 12,484 valid cases out of 13,522 total cases.

Location: 332-333 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2105D: 176B22B:#X ALC/ANN SIPS (dicotomous recode)

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	5283	39.1 %
1	YES: (1)	7177	53.1 %
	Missing Data		
-9	MISSING: (-9)	1062	7.9 %
	Total	**13,522**	**100%**

Based upon 12,460 valid cases out of 13,522 total cases.

Location: 334-335 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2106D: 176B22C:#X ALC/30D SIPS (dicotomous recode)

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	7991	59.1 %
1	YES: (1)	4444	32.9 %
	Missing Data		
-9	MISSING: (-9)	1087	8.0 %
	Total	**13,522**	**100%**

Based upon 12,435 valid cases out of 13,522 total cases.

Location: 336-337 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2115D: 176B25A:#XMJ+HS/LIFETIME (dicotomous recode)

On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	6955	51.4 %
1	YES: (1)	5726	42.3 %
	Missing Data		
-9	MISSING: (-9)	841	6.2 %
	Total	**13,522**	**100%**

Based upon 12,681 valid cases out of 13,522 total cases.

Location: 338-339 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2116D: 176B25B:#XMJ+HS/LAST12MO (dicotomous recode)

On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	7901	58.4 %

Value	Label	Unweighted Frequency	%
1	YES: (1)	4760	35.2 %
	Missing Data		
-9	MISSING: (-9)	861	6.4 %
	Total	**13,522**	**100%**

Based upon 12,661 valid cases out of 13,522 total cases.

Location: 340-341 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2117D: 176B25C:#XMJ+HS/LAST30DA (dicotomous recode)

On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	9683	71.6 %
1	YES: (1)	2969	22.0 %
	Missing Data		
-9	MISSING: (-9)	870	6.4 %
	Total	**13,522**	**100%**

Based upon 12,652 valid cases out of 13,522 total cases.

Location: 342-343 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2118D: 176B26A:#X LSD/LIFETIME (dicotomous recode)

On how many occasions (if any) have you used LSD ("acid") . . .

A: . . . in your lifetime?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	10048	74.3 %
1	YES: (1)	595	4.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING: (-9)	2879	21.3 %
	Total	**13,522**	**100%**

Based upon 10,643 valid cases out of 13,522 total cases.

Location: 344-345 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2119D: 176B26B:#X LSD/LAST 12MO (dicotomous recode)

On how many occasions (if any) have you used LSD ("acid") . . .

B: . . . during the last 12 months?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	10245	75.8 %
1	YES: (1)	405	3.0 %
	Missing Data		
-9	MISSING: (-9)	2872	21.2 %
	Total	**13,522**	**100%**

Based upon 10,650 valid cases out of 13,522 total cases.

Location: 346-347 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2120D: 176B26C:#X LSD/LAST 30DA (dicotomous recode)

On how many occasions (if any) have you used LSD ("acid") . . .

C: . . . during the last 30 days?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	10498	77.6 %
1	YES: (1)	146	1.1 %
	Missing Data		
-9	MISSING: (-9)	2878	21.3 %
	Total	**13,522**	**100%**

Based upon 10,644 valid cases out of 13,522 total cases.

Location: 348-349 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2121D: 176B27A:#X PSYD/LIFETIME (dicotomous recode)

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

A: . . . in your lifetime?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	10074	74.5 %
1	YES: (1)	540	4.0 %
	Missing Data		
-9	MISSING: (-9)	2908	21.5 %
	Total	**13,522**	**100%**

Based upon 10,614 valid cases out of 13,522 total cases.

Location: 350-351 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2122D: 176B27B:#X PSYD/LAST12MO (dicotomous recode)

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	10295	76.1 %
1	YES: (1)	331	2.4 %
	Missing Data		
-9	MISSING: (-9)	2896	21.4 %
	Total	**13,522**	**100%**

Based upon 10,626 valid cases out of 13,522 total cases.

Location: 352-353 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V2123D: 176B27C:#X PSYD/LAST30DA (dicotomous recode)

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	10513	77.7 %
1	YES: (1)	109	0.8 %
	Missing Data		
-9	MISSING: (-9)	2900	21.4 %
	Total	**13,522**	**100%**

Based upon 10,622 valid cases out of 13,522 total cases.

Location: 354-355 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2127D: 176B28A:#X AMPH/LIFETIME (dicotomous recode)

Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any nonprescription drugs, such as over-the-counter diet pills or stay-awake pills.

[Questionnaire form 1 worded somewhat differently and also includes as examples: Benzedrine, Dexedrine, Methedrine, Ritalin, Adderall, Concerta, Methamphetamine, Meth or Crystal Meth (see form 1 codebook).]

[All forms]: On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	11569	85.6 %
1	YES: (1)	1217	9.0 %
	Missing Data		
-9	MISSING: (-9)	736	5.4 %
	Total	**13,522**	**100%**

Based upon 12,786 valid cases out of 13,522 total cases.

Location: 356-357 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2128D: 176B28B:#X AMPH/LAST12MO (dicotomous recode)

{Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any nonprescription drugs, such as over-the-counter diet pills or stay-awake pills.

[Questionnaire form 1 worded somewhat differently and also includes as examples: Benzedrine, Dexedrine, Methedrine, Ritalin, Adderall, Concerta, Methamphetamine, Meth or Crystal Meth (see form 1 codebook).]}

[All forms]: On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	11993	88.7 %
1	YES: (1)	790	5.8 %
	Missing Data		
-9	MISSING: (-9)	739	5.5 %
	Total	**13,522**	**100%**

Based upon 12,783 valid cases out of 13,522 total cases.

Location: 358-359 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2129D: 176B28C:#X AMPH/LAST30DA (dicotomous recode)

{Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any nonprescription drugs, such as over-the-counter diet pills or stay-awake pills.

[Questionnaire form 1 worded somewhat differently and also includes as examples: Benzedrine, Dexedrine, Methedrine, Ritalin, Adderall, Concerta, Methamphetamine, Meth or Crystal Meth (see form 1 codebook).]}

[All forms]: On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	12454	92.1 %
1	YES: (1)	329	2.4 %
	Missing Data		
-9	MISSING: (-9)	739	5.5 %
	Total	**13,522**	**100%**

Based upon 12,783 valid cases out of 13,522 total cases.

Location: 360-361 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2133D: 172R:#X SED/BARB/LIFE (dicotomous recode)

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	12200	90.2 %
1	YES: (1)	552	4.1 %
	Missing Data		
-9	MISSING: (-9)	770	5.7 %
	Total	**13,522**	**100%**

Based upon 12,752 valid cases out of 13,522 total cases.

Location: 362-363 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2134D: 172R:#X SED/BARB/12MO (dicotomous recode)

{Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal.} On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	12389	91.6 %
1	YES: (1)	362	2.7 %
	Missing Data		
-9	MISSING: (-9)	771	5.7 %
	Total	**13,522**	**100%**

Based upon 12,751 valid cases out of 13,522 total cases.

Location: 364-365 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2135D: 172R:#X SED/BARB/30DA (dicotomous recode)

{Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal.} On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	12578	93.0 %
1	YES: (1)	171	1.3 %
	Missing Data		
-9	MISSING: (-9)	773	5.7 %
	Total	**13,522**	**100%**

Based upon 12,749 valid cases out of 13,522 total cases.

Location: 366-367 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2136D: 176B32A:#X TRQL/LIFETIME (dicotomous recode)

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	11765	87.0 %
1	YES: (1)	926	6.8 %
	Missing Data		
-9	MISSING: (-9)	831	6.1 %
	Total	**13,522**	**100%**

Based upon 12,691 valid cases out of 13,522 total cases.

Location: 368-369 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2137D: 176B32B:#X TRQL/LAST12MO (dicotomous recode)

{Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers.} On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	12110	89.6 %
1	YES: (1)	574	4.2 %
	Missing Data		
-9	MISSING: (-9)	838	6.2 %
	Total	**13,522**	**100%**

Based upon 12,684 valid cases out of 13,522 total cases.

Location: 370-371 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2138D: 176B32C:#X TRQL/LAST30DA (dicotomous recode)

{Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers.} On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	12446	92.0 %
1	YES: (1)	229	1.7 %
	Missing Data		
-9	MISSING: (-9)	847	6.3 %
	Total	**13,522**	**100%**

Based upon 12,675 valid cases out of 13,522 total cases.

Location: 372-373 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2145D: 172B18A:#X INHL/LIFETIME (dicotomous recode)

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

A: . . . in your lifetime?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	6067	44.9 %
1	YES: (1)	305	2.3 %
	Missing Data		
-9	MISSING: (-9)	7150	52.9 %
	Total	**13,522**	**100%**

Based upon 6,372 valid cases out of 13,522 total cases.

Location: 374-375 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2146D: 172B18B:#X INHL/LAST12MO (dicotomous recode)

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

B: . . . during the last 12 months?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	6281	46.5 %
1	YES: (1)	95	0.7 %
	Missing Data		
-9	MISSING: (-9)	7146	52.8 %
	Total	**13,522**	**100%**

Based upon 6,376 valid cases out of 13,522 total cases.

Location: 376-377 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2147D: 172B18C:#X INHL/LAST30DA (dicotomous recode)

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

C: . . . during the last 30 days?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	6325	46.8 %
1	YES: (1)	49	0.4 %
	Missing Data		
-9	MISSING: (-9)	7148	52.9 %
	Total	**13,522**	**100%**

Based upon 6,374 valid cases out of 13,522 total cases.

Location: 378-379 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2142D: 176B35A:#X NARC/LIFETIME (dicotomous recode)

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	11764	87.0 %
1	YES: (1)	845	6.2 %
	Missing Data		
-9	MISSING: (-9)	913	6.8 %
	Total	**13,522**	**100%**

Based upon 12,609 valid cases out of 13,522 total cases.

Location: 380-381 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2143D: 176B35B:#X NARC/LAST12MO (dicotomous recode)

{There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors.} On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	12101	89.5 %
1	YES: (1)	521	3.9 %
	Missing Data		
-9	MISSING: (-9)	900	6.7 %
	Total	**13,522**	**100%**

Based upon 12,622 valid cases out of 13,522 total cases.

Location: 382-383 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2144D: 176B35C:#X NARC/LAST30DA (dicotomous recode)

{There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors.} On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

[Variable recoded by ICPSR. Original variable recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)].

Value	Label	Unweighted Frequency	%
0	NO: (0)	12423	91.9 %
1	YES: (1)	191	1.4 %
	Missing Data		
-9	MISSING: (-9)	908	6.7 %
	Total	**13,522**	**100%**

Based upon 12,614 valid cases out of 13,522 total cases.

Location: 384-385 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

ICPSR 37182

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2017

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Form 1 Data

CASEID: CASE IDENTIFICATION NUMBER

Based upon 2,261 valid cases out of 2,261 total cases.

Location: 1-4 (width: 4; decimal: 0)
Variable Type: numeric

V1: YEAR OF ADMIN (4-DIGITS)

Value	Label	Unweighted Frequency	%
2017	-	2261	100.0 %
	Total	**2,261**	**100%**

Based upon 2,261 valid cases out of 2,261 total cases.

Location: 5-8 (width: 4; decimal: 0)
Variable Type: numeric

V3: BY17 80003 FORM ID

Value	Label	Unweighted Frequency	%
1	-	2261	100.0 %
	Total	**2,261**	**100%**

Based upon 2,261 valid cases out of 2,261 total cases.

Location: 9-9 (width: 1; decimal: 0)
Variable Type: numeric

RESPONDENT_ID: ARCHIVE ID

Based upon 2,261 valid cases out of 2,261 total cases.

Location: 10-14 (width: 5; decimal: 0)
Variable Type: numeric

ARCHIVE_WT: ARCHIVE WEIGHT

Based upon 2,261 valid cases out of 2,261 total cases.

Location: 15-29 (width: 15; decimal: 13)
Variable Type: numeric

V13: SCH REG-4 CAT

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

Value	Label	Unweighted Frequency	%
1	NORTHEAST:(1)	403	17.8 %
2	NORTH CENTRAL:(2)	485	21.5 %
3	SOUTH:(3)	780	34.5 %
4	WEST:(4)	593	26.2 %
	Total	**2,261**	**100%**

Based upon 2,261 valid cases out of 2,261 total cases.

Location: 30-30 (width: 1; decimal: 0)
Variable Type: numeric

V16: LARGE MSA = 1/NOT = 0

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	Label	Unweighted Frequency	%
0	ELSE:(0)	1309	57.9 %
1	LARGE MSA:(1)	952	42.1 %
	Total	**2,261**	**100%**

Based upon 2,261 valid cases out of 2,261 total cases.

Location: 31-31 (width: 1; decimal: 0)
Variable Type: numeric

V17: SMSA/NON SMSA = 0

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	Label	Unweighted Frequency	%
0	NOT MSA:(0)	367	16.2 %
1	MSA:(1)	1894	83.8 %

Value	Label	Unweighted Frequency	%
	Total	**2,261**	**100%**

Based upon 2,261 valid cases out of 2,261 total cases.

Location: 32-32 (width: 1; decimal: 0)
Variable Type: numeric

V1633: 171A001:VRY HPY THS DAY

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

Value	Label	Unweighted Frequency	%
1	NT HAPPY:(1)	379	16.8 %
2	PRTY HPY:(2)	1419	62.8 %
3	VRY HPY:(3)	430	19.0 %
	Missing Data		
-9	MISSING:(-9)	33	1.5 %
	Total	**2,261**	**100%**

Based upon 2,228 valid cases out of 2,261 total cases.

Location: 33-34 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1634: 171A002A:US NEEDS PLANNG

Item Number: 01200

How much do you agree or disagree with each of the following statements?

A: The nation needs much more long-range planning and coordination to be prepared for the future

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	30	1.3 %

Value	Label	Unweighted Frequency	%
2	MOST DIS:(2)	49	2.2 %
3	NEITHER:(3)	369	16.3 %
4	MOST AGR:(4)	960	42.5 %
5	AGREE:(5)	813	36.0 %
	Missing Data		
-9	MISSING:(-9)	40	1.8 %
	Total	**2,261**	**100%**

Based upon 2,221 valid cases out of 2,261 total cases.

Location: 35-36 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1635: 171A002B:ENJOY FAST PACE

Item Number: 01210

How much do you agree or disagree with each of the following statements?

B: I enjoy the fast pace and changes of today's world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	175	7.7 %
2	MOST DIS:(2)	351	15.5 %
3	NEITHER:(3)	767	33.9 %
4	MOST AGR:(4)	683	30.2 %
5	AGREE:(5)	244	10.8 %
	Missing Data		
-9	MISSING:(-9)	41	1.8 %
	Total	**2,261**	**100%**

Based upon 2,220 valid cases out of 2,261 total cases.

Location: 37-38 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1636: 171A002C:THG CHG 2 QUICK

Item Number: 01220

How much do you agree or disagree with each of the following statements?

C: Things change too quickly in today's world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	141	6.2 %
2	MOST DIS:(2)	394	17.4 %
3	NEITHER:(3)	685	30.3 %
4	MOST AGR:(4)	596	26.4 %
5	AGREE:(5)	398	17.6 %
	Missing Data		
-9	MISSING:(-9)	47	2.1 %
	Total	**2,261**	**100%**

Based upon 2,214 valid cases out of 2,261 total cases.

Location: 39-40 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1637: 171A002D:X AHEAD TOUGHER

Item Number: 01230

How much do you agree or disagree with each of the following statements?

D: I think the times ahead for me will be tougher and less fun than things are now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	315	13.9 %
2	MOST DIS:(2)	459	20.3 %
3	NEITHER:(3)	526	23.3 %
4	MOST AGR:(4)	506	22.4 %
5	AGREE:(5)	395	17.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	60	2.7 %
	Total	**2,261**	**100%**

Based upon 2,201 valid cases out of 2,261 total cases.

Location: 41-42 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1638: 171A003:TM SPT ADLT MST

Item Number: 01240

Of all the time you spend with other people, about how much is spent with people over 30?

1="Very Little" 2="Some" 3="About Half" 4="Most" 5="Nearly All"

Value	Label	Unweighted Frequency	%
1	VRY LITL:(1)	549	24.3 %
2	SOME:(2)	831	36.8 %
3	ABT HALF:(3)	589	26.1 %
4	MOST:(4)	223	9.9 %
5	NRLY ALL:(5)	43	1.9 %
	Missing Data		
-9	MISSING:(-9)	26	1.1 %
	Total	**2,261**	**100%**

Based upon 2,235 valid cases out of 2,261 total cases.

Location: 43-44 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1639: 171A004:LK MR TM ADLT

Item Number: 01250

Would you like to spend more time, or less time, with people over 30 if you could?

1="Much less time" 2="Somewhat less time" 3="About the same as now" 4="Somewhat more time" 5="Much more time"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	182	8.0 %
2	SMWT LESS:(2)	254	11.2 %
3	SAME:(3)	1342	59.4 %
4	SMWT MORE:(4)	375	16.6 %
5	MCH MORE:(5)	78	3.4 %
	Missing Data		
-9	MISSING:(-9)	30	1.3 %
	Total	**2,261**	**100%**

Based upon 2,231 valid cases out of 2,261 total cases.

Location: 45-46 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1640: 171A005:LK MR TM YG CHD

Item Number: 01260

Would you like to spend more time, or less time, working with or helping younger children?

1="Much less time" 2="Somewhat less time" 3="About the same as now" 4="Somewhat more time" 5="Much more time"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	224	9.9 %
2	SMWT LESS:(2)	234	10.3 %
3	SAME:(3)	704	31.1 %
4	SMWT MORE:(4)	702	31.0 %
5	MCH MORE:(5)	368	16.3 %
	Missing Data		
-9	MISSING:(-9)	29	1.3 %
	Total	**2,261**	**100%**

Based upon 2,232 valid cases out of 2,261 total cases.

Location: 47-48 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1641: 171A006A:SAT PRESENT JOB

Item Number: 01270

The next questions ask how satisfied or dissatisfied you are with several aspects of your life. For each question, mark the circle that shows best how you feel. If you are neutral about something, or are just as satisfied as you are dissatisfied, mark the middle answer. How satisfied are you with . . .

A: . . . Your job? (If you have no job, leave blank)

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	63	2.8 %
2	-	49	2.2 %
3	-	90	4.0 %
4	NEUTRAL:(4)	338	14.9 %
5	-	198	8.8 %
6	-	264	11.7 %
7	COMP SAT:(7)	273	12.1 %
	Missing Data		
-9	MISSING:(-9)	986	43.6 %
	Total	**2,261**	**100%**

Based upon 1,275 valid cases out of 2,261 total cases.

Location: 49-50 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1642: 171A006B:SAT NEIGHBORHOD

Item Number: 01280

How satisfied are you with . . .

B: . . . The neighborhood where you live?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	70	3.1 %
2	-	80	3.5 %
3	-	116	5.1 %
4	NEUTRAL:(4)	440	19.5 %

Value	Label	Unweighted Frequency	%
5	-	271	12.0 %
6	-	487	21.5 %
7	COMP SAT:(7)	767	33.9 %
	Missing Data		
-9	MISSING:(-9)	30	1.3 %
	Total	**2,261**	**100%**

Based upon 2,231 valid cases out of 2,261 total cases.

Location: 51-52 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1643: 171A006C:SAT PRSNL SAFTY

Item Number: 01290

How satisfied are you with . . .

C: . . . Your personal safety in your neighborhood, on your job, and in your school--safety from being attacked and injured in some way?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	47	2.1 %
2	-	46	2.0 %
3	-	110	4.9 %
4	NEUTRAL:(4)	377	16.7 %
5	-	265	11.7 %
6	-	492	21.8 %
7	COMP SAT:(7)	892	39.5 %
	Missing Data		
-9	MISSING:(-9)	32	1.4 %
	Total	**2,261**	**100%**

Based upon 2,229 valid cases out of 2,261 total cases.

Location: 53-54 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1644: 171A006D:SAT OWN PROP SF

Item Number: 01300

How satisfied are you with . . .

D: . . . The safety of things you own from being stolen or destroyed in your neighborhood, on your job, and in your school?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	74	3.3 %
2	-	99	4.4 %
3	-	153	6.8 %
4	NEUTRAL:(4)	432	19.1 %
5	-	313	13.8 %
6	-	525	23.2 %
7	COMP SAT:(7)	625	27.6 %
	Missing Data		
-9	MISSING:(-9)	40	1.8 %
	Total	**2,261**	**100%**

Based upon 2,221 valid cases out of 2,261 total cases.

Location: 55-56 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1645: 171A006E:SAT EDUC EXPRNC

Item Number: 01310

How satisfied are you with . . .

E: . . . Your educational experiences?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	69	3.1 %
2	-	96	4.2 %
3	-	158	7.0 %
4	NEUTRAL:(4)	459	20.3 %

Value	Label	Unweighted Frequency	%
5	-	431	19.1 %
6	-	586	25.9 %
7	COMP SAT:(7)	423	18.7 %
	Missing Data		
-9	MISSING:(-9)	39	1.7 %
	Total	**2,261**	**100%**

Based upon 2,222 valid cases out of 2,261 total cases.

Location: 57-58 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1646: 171A006F:SAT OWN FRIENDS

Item Number: 01320

How satisfied are you with . . .

F: . . . Your friends and other people you spend time with?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	31	1.4 %
2	-	44	1.9 %
3	-	82	3.6 %
4	NEUTRAL:(4)	252	11.1 %
5	-	290	12.8 %
6	-	615	27.2 %
7	COMP SAT:(7)	907	40.1 %
	Missing Data		
-9	MISSING:(-9)	40	1.8 %
	Total	**2,261**	**100%**

Based upon 2,221 valid cases out of 2,261 total cases.

Location: 59-60 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1647: 171A006G:SAT GT ALNG PRN

Item Number: 01330

How satisfied are you with . . .

G: . . . The way you get along with your parents?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	87	3.8 %
2	-	92	4.1 %
3	-	140	6.2 %
4	NEUTRAL:(4)	378	16.7 %
5	-	303	13.4 %
6	-	513	22.7 %
7	COMP SAT:(7)	718	31.8 %
	Missing Data		
-9	MISSING:(-9)	30	1.3 %
	Total	**2,261**	**100%**

Based upon 2,231 valid cases out of 2,261 total cases.

Location: 61-62 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1648: 171A006H:SAT YOURSELF

Item Number: 01340

How satisfied are you with . . .

H: . . . Yourself?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	117	5.2 %
2	-	107	4.7 %
3	-	169	7.5 %
4	NEUTRAL:(4)	444	19.6 %
5	-	325	14.4 %
6	-	435	19.2 %

Value	Label	Unweighted Frequency	%
7	COMP SAT:(7)	623	27.6 %
	Missing Data		
-9	MISSING:(-9)	41	1.8 %
	Total	**2,261**	**100%**

Based upon 2,220 valid cases out of 2,261 total cases.

Location: 63-64 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1649: 171A006I:SAT STD OF LVG

Item Number: 01350

How satisfied are you with . . .

I: . . . Your standard of living--the things you have like housing, car, furniture, recreation, and the like?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	39	1.7 %
2	-	47	2.1 %
3	-	109	4.8 %
4	NEUTRAL:(4)	309	13.7 %
5	-	310	13.7 %
6	-	556	24.6 %
7	COMP SAT:(7)	854	37.8 %
	Missing Data		
-9	MISSING:(-9)	37	1.6 %
	Total	**2,261**	**100%**

Based upon 2,224 valid cases out of 2,261 total cases.

Location: 65-66 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1650: 171A006J:SAT TIME FR THG

Item Number: 01360

How satisfied are you with . . .

J: . . . The amount of time you have for doing things you want to do?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	158	7.0 %
2	-	178	7.9 %
3	-	317	14.0 %
4	NEUTRAL:(4)	445	19.7 %
5	-	424	18.8 %
6	-	369	16.3 %
7	COMP SAT:(7)	336	14.9 %
	Missing Data		
-9	MISSING:(-9)	34	1.5 %
	Total	**2,261**	**100%**

Based upon 2,227 valid cases out of 2,261 total cases.

Location: 67-68 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1651: 171A006K:SAT SPD LEISR

Item Number: 01370

How satisfied are you with . . .

K: . . . The way you spend your leisure time--recreation, relaxation, and so on?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	72	3.2 %
2	-	87	3.8 %
3	-	193	8.5 %
4	NEUTRAL:(4)	476	21.1 %
5	-	390	17.2 %
6	-	455	20.1 %

Value	Label	Unweighted Frequency	%
7	COMP SAT:(7)	548	24.2 %
	Missing Data		
-9	MISSING:(-9)	40	1.8 %
	Total	**2,261**	**100%**

Based upon 2,221 valid cases out of 2,261 total cases.

Location: 69-70 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1652: 171A006L:SAT LIFE AS WHL

Item Number: 01380

How satisfied are you with . . .

L: . . . Your life as a whole these days?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	75	3.3 %
2	-	103	4.6 %
3	-	178	7.9 %
4	NEUTRAL:(4)	503	22.2 %
5	-	429	19.0 %
6	-	514	22.7 %
7	COMP SAT:(7)	418	18.5 %
	Missing Data		
-9	MISSING:(-9)	41	1.8 %
	Total	**2,261**	**100%**

Based upon 2,220 valid cases out of 2,261 total cases.

Location: 71-72 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1653: 171A006M:SAT GOVT OPRTNG

Item Number: 01390

How satisfied are you with . . .

M: . . . The way our national government is operating?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	451	19.9 %
2	-	319	14.1 %
3	-	352	15.6 %
4	NEUTRAL:(4)	659	29.1 %
5	-	217	9.6 %
6	-	125	5.5 %
7	COMP SAT:(7)	100	4.4 %
	Missing Data		
-9	MISSING:(-9)	38	1.7 %
	Total	**2,261**	**100%**

Based upon 2,223 valid cases out of 2,261 total cases.

Location: 73-74 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1654: 171A006N:SAT AMT OF FUN

Item Number: 01400

How satisfied are you with . . .

N: . . . The amount of fun you are having?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	90	4.0 %
2	-	128	5.7 %
3	-	207	9.2 %
4	NEUTRAL:(4)	477	21.1 %
5	-	450	19.9 %
6	-	441	19.5 %
7	COMP SAT:(7)	434	19.2 %
	Missing Data		
-9	MISSING:(-9)	34	1.5 %

Value	Label	Unweighted Frequency	%
	Total	**2,261**	**100%**

Based upon 2,227 valid cases out of 2,261 total cases.

Location: 75-76 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1655: 171A007A:IMP B SUCCSS WK

Item Number: 01410

How important is each of the following to you in your life?

A: Being successful in my line of work

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	19	0.8 %
2	SOM IMPT:(2)	127	5.6 %
3	QUITE IM:(3)	562	24.9 %
4	EXTR IMP:(4)	1489	65.9 %
	Missing Data		
-9	MISSING:(-9)	64	2.8 %
	Total	**2,261**	**100%**

Based upon 2,197 valid cases out of 2,261 total cases.

Location: 77-78 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1656: 171A007B:IMP GD MRRG/FAM

Item Number: 01420

How important is each of the following to you in your life?

B: Having a good marriage and family life

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	74	3.3 %
2	SOM IMPT:(2)	160	7.1 %
3	QUITE IM:(3)	381	16.9 %
4	EXTR IMP:(4)	1586	70.1 %
	Missing Data		
-9	MISSING:(-9)	60	2.7 %
	Total	**2,261**	**100%**

Based upon 2,201 valid cases out of 2,261 total cases.

Location: 79-80 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1657: 171A007C:IMP LOTS OF $

Item Number: 01430

How important is each of the following to you in your life?

C: Having lots of money

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	105	4.6 %
2	SOM IMPT:(2)	570	25.2 %
3	QUITE IM:(3)	821	36.3 %
4	EXTR IMP:(4)	698	30.9 %
	Missing Data		
-9	MISSING:(-9)	67	3.0 %
	Total	**2,261**	**100%**

Based upon 2,194 valid cases out of 2,261 total cases.

Location: 81-82 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1658: 171A007D:IMP TM RCRN/HBY

Item Number: 01440

How important is each of the following to you in your life?

D: Having plenty of time for recreation and hobbies

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	31	1.4 %
2	SOM IMPT:(2)	432	19.1 %
3	QUITE IM:(3)	877	38.8 %
4	EXTR IMP:(4)	857	37.9 %
	Missing Data		
-9	MISSING:(-9)	64	2.8 %
	Total	**2,261**	**100%**

Based upon 2,197 valid cases out of 2,261 total cases.

Location: 83-84 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1659: 171A007E:IMP STRG FRDSHP

Item Number: 01450

How important is each of the following to you in your life?

E: Having strong friendships

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	37	1.6 %
2	SOM IMPT:(2)	198	8.8 %
3	QUITE IM:(3)	634	28.0 %
4	EXTR IMP:(4)	1327	58.7 %
	Missing Data		
-9	MISSING:(-9)	65	2.9 %
	Total	**2,261**	**100%**

Based upon 2,196 valid cases out of 2,261 total cases.

Location: 85-86 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1660: 171A007F:IMP STEADY WORK

Item Number: 01460

How important is each of the following to you in your life?

F: Being able to find steady work

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	19	0.8 %
2	SOM IMPT:(2)	82	3.6 %
3	QUITE IM:(3)	508	22.5 %
4	EXTR IMP:(4)	1590	70.3 %
	Missing Data		
-9	MISSING:(-9)	62	2.7 %
	Total	**2,261**	**100%**

Based upon 2,199 valid cases out of 2,261 total cases.

Location: 87-88 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1661: 171A007G:IMP CNTRBTN SOC

Item Number: 01470

How important is each of the following to you in your life?

G: Making a contribution to society

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	92	4.1 %
2	SOM IMPT:(2)	523	23.1 %
3	QUITE IM:(3)	811	35.9 %
4	EXTR IMP:(4)	765	33.8 %
	Missing Data		
-9	MISSING:(-9)	70	3.1 %
	Total	**2,261**	**100%**

Based upon 2,191 valid cases out of 2,261 total cases.

Location: 89-90 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1662: 171A007H:IMP LDR COMUNTY

Item Number: 01480

How important is each of the following to you in your life?

H: Being a leader in my community

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	342	15.1 %
2	SOM IMPT:(2)	740	32.7 %
3	QUITE IM:(3)	629	27.8 %
4	EXTR IMP:(4)	482	21.3 %
	Missing Data		
-9	MISSING:(-9)	68	3.0 %
	Total	**2,261**	**100%**

Based upon 2,193 valid cases out of 2,261 total cases.

Location: 91-92 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1663: 171A007I:IMP CHLD BTR OP

Item Number: 01490

How important is each of the following to you in your life?

I: Being able to give my children better opportunities than
I've had

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	70	3.1 %
2	SOM IMPT:(2)	122	5.4 %

Value	Label	Unweighted Frequency	%
3	QUITE IM:(3)	439	19.4 %
4	EXTR IMP:(4)	1557	68.9 %
	Missing Data		
-9	MISSING:(-9)	73	3.2 %
	Total	**2,261**	**100%**

Based upon 2,188 valid cases out of 2,261 total cases.

Location: 93-94 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1664: 171A007J:IMP LIV CLS PRN

Item Number: 01500

How important is each of the following to you in your life?

J: Living close to parents and relatives

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	337	14.9 %
2	SOM IMPT:(2)	762	33.7 %
3	QUITE IM:(3)	699	30.9 %
4	EXTR IMP:(4)	385	17.0 %
	Missing Data		
-9	MISSING:(-9)	78	3.4 %
	Total	**2,261**	**100%**

Based upon 2,183 valid cases out of 2,261 total cases.

Location: 95-96 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1665: 171A007K:IMP GT AWY AREA

Item Number: 01510

How important is each of the following to you in your life?

K: Getting away from this area of the country

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	913	40.4 %
2	SOM IMPT:(2)	577	25.5 %
3	QUITE IM:(3)	366	16.2 %
4	EXTR IMP:(4)	332	14.7 %
	Missing Data		
-9	MISSING:(-9)	73	3.2 %
	Total	**2,261**	**100%**

Based upon 2,188 valid cases out of 2,261 total cases.

Location: 97-98 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1666: 171A007L:IMP CRRCT INEQL

Item Number: 01520

How important is each of the following to you in your life?

L: Working to correct social and economic inequalities

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	332	14.7 %
2	SOM IMPT:(2)	762	33.7 %
3	QUITE IM:(3)	644	28.5 %
4	EXTR IMP:(4)	451	19.9 %
	Missing Data		
-9	MISSING:(-9)	72	3.2 %
	Total	**2,261**	**100%**

Based upon 2,189 valid cases out of 2,261 total cases.

Location: 99-100 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1667: 171A007M:IMP NEW XPRNCE

Item Number: 01530

How important is each of the following to you in your life?

M: Discovering new ways to experience things

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	111	4.9 %
2	SOM IMPT:(2)	533	23.6 %
3	QUITE IM:(3)	800	35.4 %
4	EXTR IMP:(4)	748	33.1 %
	Missing Data		
-9	MISSING:(-9)	69	3.1 %
	Total	**2,261**	**100%**

Based upon 2,192 valid cases out of 2,261 total cases.

Location: 101-102 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1668: 171A007N:IMP FND PRPS LF

Item Number: 01540

How important is each of the following to you in your life?

N: Finding purpose and meaning in my life

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	77	3.4 %
2	SOM IMPT:(2)	179	7.9 %
3	QUITE IM:(3)	486	21.5 %
4	EXTR IMP:(4)	1447	64.0 %
	Missing Data		
-9	MISSING:(-9)	72	3.2 %
	Total	**2,261**	**100%**

Based upon 2,189 valid cases out of 2,261 total cases.

Location: 103-104 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1669: 171A008:PPL CAN B TRSTD

Item Number: 01550

Generally speaking, would you say that most people can be trusted or that you can't be too careful in dealing with people?

3="Most people can be trusted" 2="Don't know, undecided" 1="Can't be too careful"

Value	Label	Unweighted Frequency	%
1	CANT BE TOO CAREFUL:(1)	1128	49.9 %
2	DONT KNOW:(2)	624	27.6 %
3	MOST CAN BE TRUSTD:(3)	347	15.3 %
	Missing Data		
-9	MISSING:(-9)	162	7.2 %
	Total	**2,261**	**100%**

Based upon 2,099 valid cases out of 2,261 total cases.

Location: 105-106 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1670: 171A009:PPL TRY B HLPFL

Item Number: 01560

Would you say that most of the time people try to be helpful or that they are mostly just looking out for themselves?

3="Try to be helpful" 2="Don't know, undecided" 1="Just looking out for themselves"

Value	Label	Unweighted Frequency	%
1	FOR THEMSELVES:(1)	876	38.7 %
2	DONT KNOW:(2)	809	35.8 %
3	TRY BE HELPFUL:(3)	497	22.0 %
	Missing Data		
-9	MISSING:(-9)	79	3.5 %
	Total	**2,261**	**100%**

Based upon 2,182 valid cases out of 2,261 total cases.

Location: 107-108 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1671: 171A010:PPL TRY BE FAIR

Item Number: 01570

Do you think most people would try to take advantage of you if they got a chance or would they try to be fair?

3="Would try to be fair" 2="Don't know, undecided" 1="Would try to take advantage of you"

Value	Label	Unweighted Frequency	%
1	TRY TK ADVNTG:(1)	976	43.2 %
2	DONT KNOW:(2)	817	36.1 %
3	TRY BE FAIR:(3)	386	17.1 %
	Missing Data		
-9	MISSING:(-9)	82	3.6 %
	Total	**2,261**	**100%**

Based upon 2,179 valid cases out of 2,261 total cases.

Location: 109-110 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1672: 171A011A:-OBY LW = -GD CTZ

Item Number: 01580

These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A: I feel that you can't be a good citizen unless you always obey the law

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	420	18.6 %
2	MOST DIS:(2)	440	19.5 %

Value	Label	Unweighted Frequency	%
3	NEITHER:(3)	577	25.5 %
4	MOST AGR:(4)	560	24.8 %
5	AGREE:(5)	183	8.1 %
	Missing Data		
-9	MISSING:(-9)	81	3.6 %
	Total	**2,261**	**100%**

Based upon 2,180 valid cases out of 2,261 total cases.

Location: 111-112 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1673: 171A011B:GD CTZN ALG GOV

Item Number: 01590

How much do you agree or disagree with each statement below?

B: I feel good citizens should go along with whatever the government does even if they disagree with it

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	808	35.7 %
2	MOST DIS:(2)	518	22.9 %
3	NEITHER:(3)	509	22.5 %
4	MOST AGR:(4)	261	11.5 %
5	AGREE:(5)	82	3.6 %
	Missing Data		
-9	MISSING:(-9)	83	3.7 %
	Total	**2,261**	**100%**

Based upon 2,178 valid cases out of 2,261 total cases.

Location: 113-114 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1674: 171A011C:GD CTZN CHG GOV

Item Number: 01600

How much do you agree or disagree with each statement below?

C: I feel good citizens try to change the government policies they disagree with

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	102	4.5 %
2	MOST DIS:(2)	160	7.1 %
3	NEITHER:(3)	713	31.5 %
4	MOST AGR:(4)	729	32.2 %
5	AGREE:(5)	458	20.3 %
	Missing Data		
-9	MISSING:(-9)	99	4.4 %
	Total	**2,261**	**100%**

Based upon 2,162 valid cases out of 2,261 total cases.

Location: 115-116 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1675: 171A011D:VOTE->MAJ IMPCT

Item Number: 01610

How much do you agree or disagree with each statement below?

D: The way people vote has a major impact on how things are run in this country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	138	6.1 %
2	MOST DIS:(2)	217	9.6 %
3	NEITHER:(3)	434	19.2 %
4	MOST AGR:(4)	665	29.4 %
5	AGREE:(5)	713	31.5 %
	Missing Data		
-9	MISSING:(-9)	94	4.2 %
	Total	**2,261**	**100%**

Based upon 2,167 valid cases out of 2,261 total cases.

Location: 117-118 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1676: 171A011E:CTZN GRP HV EFC

Item Number: 01620

How much do you agree or disagree with each statement below?

E: People who get together in citizen action groups to influence government policies can have a real effect

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	133	5.9 %
2	MOST DIS:(2)	223	9.9 %
3	NEITHER:(3)	759	33.6 %
4	MOST AGR:(4)	659	29.1 %
5	AGREE:(5)	393	17.4 %
	Missing Data		
-9	MISSING:(-9)	94	4.2 %
	Total	**2,261**	**100%**

Based upon 2,167 valid cases out of 2,261 total cases.

Location: 119-120 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1677: 171A011F:OUR SYST ST BS

Item Number: 01630

How much do you agree or disagree with each statement below?

F: Despite its many faults, our system of doing things is still the best in the world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	306	13.5 %
2	MOST DIS:(2)	373	16.5 %
3	NEITHER:(3)	777	34.4 %
4	MOST AGR:(4)	476	21.1 %
5	AGREE:(5)	230	10.2 %
	Missing Data		
-9	MISSING:(-9)	99	4.4 %
	Total	**2,261**	**100%**

Based upon 2,162 valid cases out of 2,261 total cases.

Location: 121-122 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1678: 171A011G:US NEEDS GROWTH

Item Number: 01640

How much do you agree or disagree with each statement below?

G: America needs growth to survive, and that is going to
require some increase in pollution

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	674	29.8 %
2	MOST DIS:(2)	478	21.1 %
3	NEITHER:(3)	603	26.7 %
4	MOST AGR:(4)	271	12.0 %
5	AGREE:(5)	134	5.9 %
	Missing Data		
-9	MISSING:(-9)	101	4.5 %
	Total	**2,261**	**100%**

Based upon 2,160 valid cases out of 2,261 total cases.

Location: 123-124 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1679: 171A011H:LV THNGS TO GOD

Item Number: 01650

How much do you agree or disagree with each statement below?

H: If we just leave things to God, they will turn out for the best

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	585	25.9 %
2	MOST DIS:(2)	224	9.9 %
3	NEITHER:(3)	562	24.9 %
4	MOST AGR:(4)	362	16.0 %
5	AGREE:(5)	423	18.7 %
	Missing Data		
-9	MISSING:(-9)	105	4.6 %
	Total	**2,261**	**100%**

Based upon 2,156 valid cases out of 2,261 total cases.

Location: 125-126 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1680: 171A011I:GO SCH ENJY XPR

Item Number: 01660

How much do you agree or disagree with each statement below?

I: Going to school has been an enjoyable experience for me

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	232	10.3 %
2	MOST DIS:(2)	247	10.9 %
3	NEITHER:(3)	578	25.6 %
4	MOST AGR:(4)	732	32.4 %
5	AGREE:(5)	374	16.5 %
	Missing Data		
-9	MISSING:(-9)	98	4.3 %

Value	Label	Unweighted Frequency	%
	Total	**2,261**	**100%**

Based upon 2,163 valid cases out of 2,261 total cases.

Location: 127-128 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1681: 171A011J:DO WL SC IMP/JB

Item Number: 01670

How much do you agree or disagree with each statement below?

J: Doing well in school is important for getting a good job

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	71	3.1 %
2	MOST DIS:(2)	94	4.2 %
3	NEITHER:(3)	325	14.4 %
4	MOST AGR:(4)	635	28.1 %
5	AGREE:(5)	1041	46.0 %
	Missing Data		
-9	MISSING:(-9)	95	4.2 %
	Total	**2,261**	**100%**

Based upon 2,166 valid cases out of 2,261 total cases.

Location: 129-130 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1766: 171A012A:RSK OF CIG1+PK/

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	146	6.5 %
2	SLIGHT:(2)	53	2.3 %
3	MOD RISK:(3)	246	10.9 %
4	GRT RISK:(4)	1626	71.9 %
5	CANT SAY:(5)	109	4.8 %
	Missing Data		
-9	MISSING:(-9)	81	3.6 %
	Total	**2,261**	**100%**

Based upon 2,180 valid cases out of 2,261 total cases.

Location: 131-132 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1767: 171A012B:RSK OF MJ 1-2 X

Item Number: 12370

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

B: . . . Try marijuana (pot, grass) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	1154	51.0 %
2	SLIGHT:(2)	482	21.3 %
3	MOD RISK:(3)	206	9.1 %
4	GRT RISK:(4)	213	9.4 %
5	CANT SAY:(5)	124	5.5 %
	Missing Data		
-9	MISSING:(-9)	82	3.6 %
	Total	**2,261**	**100%**

Based upon 2,179 valid cases out of 2,261 total cases.

Location: 133-134 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1768: 171A012C:RSK OF MJ OCSNLY

Item Number: 12380

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	751	33.2 %
2	SLIGHT:(2)	614	27.2 %
3	MOD RISK:(3)	390	17.2 %
4	GRT RISK:(4)	292	12.9 %
5	CANT SAY:(5)	122	5.4 %
	Missing Data		
-9	MISSING:(-9)	92	4.1 %
	Total	**2,261**	**100%**

Based upon 2,169 valid cases out of 2,261 total cases.

Location: 135-136 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1769: 171A012D:RSK OF MJ REGLY

Item Number: 12390

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	456	20.2 %
2	SLIGHT:(2)	464	20.5 %
3	MOD RISK:(3)	489	21.6 %
4	GRT RISK:(4)	630	27.9 %

Value	Label	Unweighted Frequency	%
5	CANT SAY:(5)	127	5.6 %
	Missing Data		
-9	MISSING:(-9)	95	4.2 %
	Total	**2,261**	**100%**

Based upon 2,166 valid cases out of 2,261 total cases.

Location: 137-138 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1776: 171A012E:RSK OF 1-2 DRIN

Item Number: 12510

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

E: . . . Try one or two drinks of an alcoholic beverage
(beer, wine, liquor)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	999	44.2 %
2	SLIGHT:(2)	667	29.5 %
3	MOD RISK:(3)	244	10.8 %
4	GRT RISK:(4)	171	7.6 %
5	CANT SAY:(5)	87	3.8 %
	Missing Data		
-9	MISSING:(-9)	93	4.1 %
	Total	**2,261**	**100%**

Based upon 2,168 valid cases out of 2,261 total cases.

Location: 139-140 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1777: 171A012F:RSK OF 1-2 DR/DAY

Item Number: 12520

How much do you think people risk harming themselves

(physically or in other ways), if they . . .

F: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	257	11.4 %
2	SLIGHT:(2)	570	25.2 %
3	MOD RISK:(3)	757	33.5 %
4	GRT RISK:(4)	496	21.9 %
5	CANT SAY:(5)	88	3.9 %
	Missing Data		
-9	MISSING:(-9)	93	4.1 %
	Total	**2,261**	**100%**

Based upon 2,168 valid cases out of 2,261 total cases.

Location: 141-142 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1778: 171A012G:RSK OF 4-5 DR/DAY

Item Number: 12530

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

G: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	145	6.4 %
2	SLIGHT:(2)	119	5.3 %
3	MOD RISK:(3)	475	21.0 %
4	GRT RISK:(4)	1338	59.2 %
5	CANT SAY:(5)	92	4.1 %
	Missing Data		
-9	MISSING:(-9)	92	4.1 %
	Total	**2,261**	**100%**

Based upon 2,169 valid cases out of 2,261 total cases.

Location: 143-144 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1779: 171A012H:RSK OF 5+DR/WKN

Item Number: 12540

How much do you think people risk harming themselves (physically or in other ways), if they . . .

H: . . . Have five or more drinks once or twice each weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	178	7.9 %
2	SLIGHT:(2)	287	12.7 %
3	MOD RISK:(3)	619	27.4 %
4	GRT RISK:(4)	990	43.8 %
5	CANT SAY:(5)	98	4.3 %
	Missing Data		
-9	MISSING:(-9)	89	3.9 %
	Total	**2,261**	**100%**

Based upon 2,172 valid cases out of 2,261 total cases.

Location: 145-146 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1808: 171A012I:RSK H -NDL 1-2X

Item Number: 29600

How much do you think people risk harming themselves (physically or in other ways), if they . . .

I: . . . Try heroin once or twice without using a needle?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	145	6.4 %
2	SLIGHT:(2)	83	3.7 %
3	MOD RISK:(3)	270	11.9 %
4	GRT RISK:(4)	1405	62.1 %
5	CANT SAY:(5)	268	11.9 %
	Missing Data		
-9	MISSING:(-9)	90	4.0 %
	Total	**2,261**	**100%**

Based upon 2,171 valid cases out of 2,261 total cases.

Location: 147-148 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1809: 171A012J:RSK H -NDL OCC

Item Number: 29610

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

J: . . . Take heroin occasionally without using a needle?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	132	5.8 %
2	SLIGHT:(2)	31	1.4 %
3	MOD RISK:(3)	143	6.3 %
4	GRT RISK:(4)	1591	70.4 %
5	CANT SAY:(5)	266	11.8 %
	Missing Data		
-9	MISSING:(-9)	98	4.3 %
	Total	**2,261**	**100%**

Based upon 2,163 valid cases out of 2,261 total cases.

Location: 149-150 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1950: 171A12K RSK VAPE NIC OCC

Item Number: 34190

How much do you think people risk harming themselves (physically or in other ways), if they . . .

K: . . . Vape an e-liquid with nicotine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	471	20.8 %
2	SLIGHT:(2)	720	31.8 %
3	MOD RISK:(3)	382	16.9 %
4	GRT RISK:(4)	325	14.4 %
5	CANT SAY:(5)	269	11.9 %
	Missing Data		
-9	MISSING:(-9)	94	4.2 %
	Total	**2,261**	**100%**

Based upon 2,167 valid cases out of 2,261 total cases.

Location: 151-152 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1951: 171A12L RSK VAPE NIC REGLY

Item Number: 34200

How much do you think people risk harming themselves (physically or in other ways), if they . . .

L: . . . Vape an e-liquid with nicotine regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	275	12.2 %
2	SLIGHT:(2)	436	19.3 %
3	MOD RISK:(3)	598	26.4 %
4	GRT RISK:(4)	587	26.0 %
5	CANT SAY:(5)	269	11.9 %
	Missing Data		
-9	MISSING:(-9)	96	4.2 %
	Total	**2,261**	**100%**

Based upon 2,165 valid cases out of 2,261 total cases.

Location: 153-154 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1952: 171A13A EASY GT CIG

Item number: 34460

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

Cigarettes

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	129	5.7 %
2	VRY DIFF:(2)	103	4.6 %
3	FRLY DIF:(3)	217	9.6 %
4	FRLY EAS:(4)	577	25.5 %
5	VRY EASY:(5)	1137	50.3 %
	Missing Data		
-9	MISSING:(-9)	98	4.3 %
	Total	**2,261**	**100%**

Based upon 2,163 valid cases out of 2,261 total cases.

Location: 155-156 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1953: 171A13B EASY GT VAPE DEVICE

Item number: 34330

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

Vaping device (like an e-pen or e-cigarette)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	118	5.2 %
2	VRY DIFF:(2)	88	3.9 %
3	FRLY DIF:(3)	234	10.3 %
4	FRLY EAS:(4)	641	28.4 %
5	VRY EASY:(5)	1076	47.6 %
	Missing Data		
-9	MISSING:(-9)	104	4.6 %
	Total	**2,261**	**100%**

Based upon 2,157 valid cases out of 2,261 total cases.

Location: 157-158 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1954: 171A13C EASY GT NICOTIN VAPE

Item number: 34340

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

E-liquid with nicotine (for vaping)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	139	6.1 %
2	VRY DIFF:(2)	103	4.6 %
3	FRLY DIF:(3)	266	11.8 %
4	FRLY EAS:(4)	636	28.1 %
5	VRY EASY:(5)	1006	44.5 %
	Missing Data		
-9	MISSING:(-9)	111	4.9 %
	Total	**2,261**	**100%**

Based upon 2,150 valid cases out of 2,261 total cases.

Location: 159-160 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1208: 171B001:EVR SMK CIG,REG

Item Number: 00760

The following questions are about CIGARETTE SMOKING. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 8" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1603	70.9 %
2	1-2X:(2)	278	12.3 %
3	OCCASNLY:(3)	153	6.8 %
4	REG PAST:(4)	44	1.9 %
5	REG NOW:(5)	63	2.8 %
	Missing Data		
-9	MISSING:(-9)	120	5.3 %
	Total	**2,261**	**100%**

Based upon 2,141 valid cases out of 2,261 total cases.

Location: 161-162 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1210: 171B002:#CIGS SMKD/30DA

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%
1	NT DAILY:(1)	335	14.8 %
2	<1 CIG/D:(2)	119	5.3 %
3	1-5/DAY:(3)	62	2.7 %
4	1/2 PK:(4)	10	0.4 %
5	1 PK:(5)	6	0.3 %
6	1 1/2 PK:(6)	1	0.0 %
7	2+ PKS:(7)	8	0.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	1720	76.1 %
	Total	**2,261**	**100%**

Based upon 541 valid cases out of 2,261 total cases.

Location: 163-164 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1102: 171B002(R):#CIGS SMKD/30DA

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all [includes respondents who reported nonuse above]" 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	NT DAILY:(1)	1938	85.7 %
2	<1 CIG/D:(2)	119	5.3 %
3	1-5/DAY:(3)	62	2.7 %
4	1/2 PK:(4)	10	0.4 %
5	1 PK:(5)	6	0.3 %
6	1 1/2 PK:(6)	1	0.0 %
7	2+ PKS:(7)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	117	5.2 %
	Total	**2,261**	**100%**

Based upon 2,144 valid cases out of 2,261 total cases.

Location: 165-166 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1752: 171B003:#CIG/DAY-30DAYS

Item Number: 00781

To be more precise, during the past 30 days about how many cigarettes have you smoked per day?

01="None" 02="Less than one per day" 03="1 to 2" 04="3 to 7" 05="8 to 12" 06="13 to 17" 07="18 to 22" 08="23 to 27" 09="28 to 32" 10="33 to 37" 11="38 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	331	14.6 %
2	LT 1/DAY:(2)	92	4.1 %
3	1-2:(3)	41	1.8 %
4	3-7:(4)	35	1.5 %
5	8-12:(5)	11	0.5 %
6	13-17:(6)	8	0.4 %
7	18-22:(7)	5	0.2 %
8	23-27:(8)	1	0.0 %
9	28-32:(9)	2	0.1 %
10	33-37:(10)	3	0.1 %
11	38+:(11)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	1720	76.1 %
	Total	**2,261**	**100%**

Based upon 541 valid cases out of 2,261 total cases.

Location: 167-168 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1211: 171B004:*TRY STP SMK/FL

Item Number: 01690

Have you ever tried to stop smoking and found that you could not?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	49	2.2 %
2	NO:(2)	487	21.5 %
	Missing Data		
-9	MISSING:(-9)	1725	76.3 %
	Total	**2,261**	**100%**

Based upon 536 valid cases out of 2,261 total cases.

Location: 169-170 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1754: 171B005:#X TRY STOP SMK

Item Number: 01691

How many times (if any) have you tried to stop smoking?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	371	16.4 %
2	ONCE:(2)	94	4.2 %
3	TWICE:(3)	36	1.6 %
4	3-5X:(4)	24	1.1 %
5	6-9X:(5)	3	0.1 %
6	10+ TIME:(6)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	1730	76.5 %
	Total	**2,261**	**100%**

Based upon 531 valid cases out of 2,261 total cases.

Location: 171-172 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1212: 171B006:*WNT STP SMK NW

Item Number: 01700

Do you want to stop smoking now?

1="Yes" 2="No" 8="Don't smoke now"

Value	Label	Unweighted Frequency	%
1	YES:(1)	41	1.8 %
2	NO:(2)	131	5.8 %
8	DONT SMOKE NOW:(8)	363	16.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	1726	76.3 %
	Total	**2,261**	**100%**

Based upon 535 valid cases out of 2,261 total cases.

Location: 173-174 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1810: 171B007:USUAL CIG BRAND

Item Number: 30065

What brand of cigarettes do you usually smoke? (Brands are in alphabetical order. Mark only one.)

01="Basic" 02="Benson & Hedges" 03="Black & Whites"
04="Cambridge" 05="Camel" 06="Capri" 07="Carlton" 08="Doral"
09="GPC" 10="Kent" 11="Kool" 12="Marlboro" 13="Merit"
14="Misty" 15="Monarch" 16="More" 17="Newport" 18="Pall Mall"
19="Parliament" 20="Salem" 22="Virginia Slims"
23="Winston" 24="Other" 25="No Usual Brand" 26="American Spirit"

Value	Label	Unweighted Frequency	%
1	BASIC:(1)	1	0.0 %
2	BNSN HDGS:(2)	1	0.0 %
3	BLACK WHT:(3)	2	0.1 %
4	CAMBRDGE:(4)	0	0.0 %
5	CAMEL:(5)	39	1.7 %
6	CAPRI:(6)	1	0.0 %
7	CARLTON:(7)	0	0.0 %
8	DORAL:(8)	0	0.0 %
9	GPC:(9)	0	0.0 %
10	KENT:(10)	0	0.0 %
11	KOOL:(11)	4	0.2 %
12	MARLBORO:(12)	142	6.3 %
13	MERIT:(13)	0	0.0 %
14	MISTY:(14)	0	0.0 %
15	MONARCH: (15)	0	0.0 %
16	MORE:(16)	0	0.0 %
17	NEWPORT:(17)	29	1.3 %
18	PALLMALL:(18)	5	0.2 %
19	PARLMENT:(19)	4	0.2 %

Value	Label	Unweighted Frequency	%
20	SALEM:(20)	0	0.0 %
22	VA SLIMS:(22)	0	0.0 %
23	WINSTON:(23)	1	0.0 %
24	OTHER:(24)	31	1.4 %
25	NO USUAL:(25)	156	6.9 %
26	AMERICAN SPIRIT:(26)	30	1.3 %
	Missing Data		
-9	MISSING:(-9)	1815	80.3 %
	Total	**2,261**	**100%**

Based upon 446 valid cases out of 2,261 total cases.

Location: 175-176 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1213: 171B008:NO SMK IN 5 YR

Item Number: 01710

Do you think you will be smoking cigarettes five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	25	1.1 %
2	PRB WILL:(2)	114	5.0 %
3	PRB WONT:(3)	378	16.7 %
4	DEF WONT:(4)	1684	74.5 %
	Missing Data		
-9	MISSING:(-9)	60	2.7 %
	Total	**2,261**	**100%**

Based upon 2,201 valid cases out of 2,261 total cases.

Location: 177-178 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1955: 171B009 SMK REG CIG BEST FRND

Item Number: 34360

If one of your best friends were to offer you a cigarette, would you smoke it?

1="Definitely yes" 2="Probably yes" 3="Probably not" 4="Definitely not"

Value	Label	Unweighted Frequency	%
1	DEF YES:(1)	95	4.2 %
2	PROB YES:(2)	173	7.7 %
3	PROB NOT:(3)	436	19.3 %
4	DEF NOT:(4)	1498	66.3 %
	Missing Data		
-9	MISSING:(-9)	59	2.6 %
	Total	**2,261**	**100%**

Based upon 2,202 valid cases out of 2,261 total cases.

Location: 179-180 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1214: 171B010A:#X ALC/LIF SIPS

Item Number: 00810

The next questions are about ALCOHOLIC BEVERAGES, including beer, wine, liquor, and any other beverage that contains alcohol. On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	613	27.1 %
2	1-2X:(2)	314	13.9 %
3	3-5X:(3)	259	11.5 %
4	6-9X:(4)	200	8.8 %
5	10-19X:(5)	255	11.3 %
6	20-39X:(6)	194	8.6 %
7	40+OCCAS:(7)	287	12.7 %
	Missing Data		
-9	MISSING:(-9)	139	6.1 %

Value	Label	Unweighted Frequency	%
	Total	**2,261**	**100%**

Based upon 2,122 valid cases out of 2,261 total cases.

Location: 181-182 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1215: 171B010B:#X ALC/ANN SIPS

Item Number: 00820

On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	827	36.6 %
2	1-2X:(2)	377	16.7 %
3	3-5X:(3)	290	12.8 %
4	6-9X:(4)	193	8.5 %
5	10-19X:(5)	188	8.3 %
6	20-39X:(6)	118	5.2 %
7	40+OCCAS:(7)	117	5.2 %
	Missing Data		
-9	MISSING:(-9)	151	6.7 %
	Total	**2,261**	**100%**

Based upon 2,110 valid cases out of 2,261 total cases.

Location: 183-184 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1216: 171B010C:#X ALC/30D SIPS

Item Number: 00830

On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1317	58.2 %
2	1-2X:(2)	402	17.8 %
3	3-5X:(3)	197	8.7 %
4	6-9X:(4)	91	4.0 %
5	10-19X:(5)	45	2.0 %
6	20-39X:(6)	16	0.7 %
7	40+OCCAS:(7)	30	1.3 %
	Missing Data		
-9	MISSING:(-9)	163	7.2 %
	Total	**2,261**	**100%**

Based upon 2,098 valid cases out of 2,261 total cases.

Location: 185-186 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1217: 171B011A:#X/YR ALC ALONE

Item Number: 01720

IF YOU HAVE NOT HAD ANY BEER, WINE, LIQUOR, OR OTHER ALCOHOLIC BEVERAGE IN THE LAST TWELVE MONTHS, GO TO QUESTION 21.

When you used alcohol during the last year, how often did you use it in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	949	42.0 %
2	FEW TIMES:(2)	228	10.1 %
3	SOMETIMES:(3)	51	2.3 %
4	MOST TIMES:(4)	33	1.5 %
5	EVERY TIME:(5)	21	0.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	979	43.3 %
	Total	**2,261**	**100%**

Based upon 1,282 valid cases out of 2,261 total cases.

Location: 187-188 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1218: 171B011B:#X/YR ALC-2 PPL

Item Number: 01730

When you used alcohol during the last year, how often did you use it in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	365	16.1 %
2	FEW TIMES:(2)	467	20.7 %
3	SOMETIMES:(3)	227	10.0 %
4	MOST TIMES:(4)	128	5.7 %
5	EVERY TIME:(5)	91	4.0 %
	Missing Data		
-9	MISSING:(-9)	983	43.5 %
	Total	**2,261**	**100%**

Based upon 1,278 valid cases out of 2,261 total cases.

Location: 189-190 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1219: 171B011C:#X/YR ALC@PARTY

Item Number: 01740

When you used alcohol during the last year, how often did you use it in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	283	12.5 %
2	FEW TIMES:(2)	223	9.9 %
3	SOMETIMES:(3)	153	6.8 %
4	MOST TIMES:(4)	382	16.9 %
5	EVERY TIME:(5)	246	10.9 %
	Missing Data		
-9	MISSING:(-9)	974	43.1 %
	Total	**2,261**	**100%**

Based upon 1,287 valid cases out of 2,261 total cases.

Location: 191-192 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1220: 171B011D:#X/YR ALC-DT/SP

Item Number: 01750

When you used alcohol during the last year, how often did you use it in each of the following situations?

D: When your date or spouse/partner was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	791	35.0 %
2	FEW TIMES:(2)	226	10.0 %
3	SOMETIMES:(3)	114	5.0 %
4	MOST TIMES:(4)	84	3.7 %
5	EVERY TIME:(5)	62	2.7 %
	Missing Data		
-9	MISSING:(-9)	984	43.5 %
	Total	**2,261**	**100%**

Based upon 1,277 valid cases out of 2,261 total cases.

Location: 193-194 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V1221: 171B011E:#X/YR ALC-ADLTS

Item Number: 01760

When you used alcohol during the last year, how often did you use it in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	525	23.2 %
2	FEW TIMES:(2)	344	15.2 %
3	SOMETIMES:(3)	167	7.4 %
4	MOST TIMES:(4)	117	5.2 %
5	EVERY TIME:(5)	134	5.9 %
	Missing Data		
-9	MISSING:(-9)	974	43.1 %
	Total	**2,261**	**100%**

Based upon 1,287 valid cases out of 2,261 total cases.

Location: 195-196 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1222: 171B011F:#X/YR ALC-DATIM

Item Number: 01770

When you used alcohol during the last year, how often did you use it in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	856	37.9 %
2	FEW TIMES:(2)	277	12.3 %
3	SOMETIMES:(3)	110	4.9 %

Value	Label	Unweighted Frequency	%
4	MOST TIMES:(4)	20	0.9 %
5	EVERY TIME:(5)	24	1.1 %
	Missing Data		
-9	MISSING:(-9)	974	43.1 %
	Total	**2,261**	**100%**

Based upon 1,287 valid cases out of 2,261 total cases.

Location: 197-198 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1223: 171B011G:#X/YR ALC@HOME

Item Number: 01780

When you used alcohol during the last year, how often did you use it in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	538	23.8 %
2	FEW TIMES:(2)	311	13.8 %
3	SOMETIMES:(3)	165	7.3 %
4	MOST TIMES:(4)	138	6.1 %
5	EVERY TIME:(5)	136	6.0 %
	Missing Data		
-9	MISSING:(-9)	973	43.0 %
	Total	**2,261**	**100%**

Based upon 1,288 valid cases out of 2,261 total cases.

Location: 199-200 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1224: 171B011H:#X/YR ALC@SCHL

Item Number: 01790

When you used alcohol during the last year, how often did

you use it in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1206	53.3 %
2	FEW TIMES:(2)	53	2.3 %
3	SOMETIMES:(3)	11	0.5 %
4	MOST TIMES:(4)	1	0.0 %
5	EVERY TIME:(5)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	975	43.1 %
	Total	**2,261**	**100%**

Based upon 1,286 valid cases out of 2,261 total cases.

Location: 201-202 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1225: 171B011I:#X/YR ALC-IN CAR

Item Number: 01810

When you used alcohol during the last year, how often did
you use it in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1010	44.7 %
2	FEW TIMES:(2)	166	7.3 %
3	SOMETIMES:(3)	74	3.3 %
4	MOST TIMES:(4)	14	0.6 %
5	EVERY TIME:(5)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	982	43.4 %
	Total	**2,261**	**100%**

Based upon 1,279 valid cases out of 2,261 total cases.

Location: 203-204 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1811: 171B011J:#X/YR ALC@PARK/B

Item Number: 30910

When you used alcohol during the last year, how often did you use it in each of the following situations?

J. At a park or beach

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	921	40.7 %
2	FEW TIMES:(2)	181	8.0 %
3	SOMETIMES:(3)	108	4.8 %
4	MOST TIMES:(4)	47	2.1 %
5	EVERY TIME:(5)	26	1.1 %
	Missing Data		
-9	MISSING:(-9)	978	43.3 %
	Total	**2,261**	**100%**

Based upon 1,283 valid cases out of 2,261 total cases.

Location: 205-206 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1812: 171B011K:#X/YR ALC@BAR/RT

Item Number: 30920

When you used alcohol during the last year, how often did you use it in each of the following situations?

K. At a bar or restaurant

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1007	44.5 %
2	FEW TIMES:(2)	161	7.1 %
3	SOMETIMES:(3)	61	2.7 %
4	MOST TIMES:(4)	31	1.4 %
5	EVERY TIME:(5)	20	0.9 %
	Missing Data		
-9	MISSING:(-9)	981	43.4 %
	Total	**2,261**	**100%**

Based upon 1,280 valid cases out of 2,261 total cases.

Location: 207-208 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1226: 171B012A:ALC EXPERIMENT

Item Number: 01820

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	539	23.8 %
1	MARKED:(1)	714	31.6 %
	Missing Data		
-9	MISSING:(-9)	1008	44.6 %
	Total	**2,261**	**100%**

Based upon 1,253 valid cases out of 2,261 total cases.

Location: 209-210 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1227: 171B012B:ALC RELAX

Item Number: 01830

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	754	33.3 %
1	MARKED:(1)	499	22.1 %
	Missing Data		
-9	MISSING:(-9)	1008	44.6 %
	Total	**2,261**	**100%**

Based upon 1,253 valid cases out of 2,261 total cases.

Location: 211-212 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1228: 171B012C:ALC GET HIGH

Item Number: 01840

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	825	36.5 %
1	MARKED:(1)	428	18.9 %
	Missing Data		
-9	MISSING:(-9)	1008	44.6 %
	Total	**2,261**	**100%**

Based upon 1,253 valid cases out of 2,261 total cases.

Location: 213-214 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1229: 171B012D:ALC SEEK INSGHT

Item Number: 01850

What have been the most important reasons for your drinking

alcoholic beverages? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1171	51.8 %
1	MARKED:(1)	82	3.6 %
	Missing Data		
-9	MISSING:(-9)	1008	44.6 %
	Total	**2,261**	**100%**

Based upon 1,253 valid cases out of 2,261 total cases.

Location: 215-216 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1230: 171B012E:ALC GD TM FRNDS

Item Number: 01860

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	380	16.8 %
1	MARKED:(1)	873	38.6 %
	Missing Data		
-9	MISSING:(-9)	1008	44.6 %
	Total	**2,261**	**100%**

Based upon 1,253 valid cases out of 2,261 total cases.

Location: 217-218 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1231: 171B012F:ALC FIT IN GRP

Item Number: 01870

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1160	51.3 %
1	MARKED:(1)	93	4.1 %
	Missing Data		
-9	MISSING:(-9)	1008	44.6 %
	Total	**2,261**	**100%**

Based upon 1,253 valid cases out of 2,261 total cases.

Location: 219-220 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1232: 171B012G:ALC GET AWY PRB

Item Number: 01880

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1006	44.5 %
1	MARKED:(1)	247	10.9 %
	Missing Data		
-9	MISSING:(-9)	1008	44.6 %
	Total	**2,261**	**100%**

Based upon 1,253 valid cases out of 2,261 total cases.

Location: 221-222 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1233: 171B012H:ALC BOREDOM

Item Number: 01890

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1073	47.5 %
1	MARKED:(1)	180	8.0 %
	Missing Data		
-9	MISSING:(-9)	1008	44.6 %
	Total	**2,261**	**100%**

Based upon 1,253 valid cases out of 2,261 total cases.

Location: 223-224 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1234: 171B012I:ALC ANGR/FRSTRN

Item Number: 01900

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1138	50.3 %
1	MARKED:(1)	115	5.1 %
	Missing Data		
-9	MISSING:(-9)	1008	44.6 %
	Total	**2,261**	**100%**

Based upon 1,253 valid cases out of 2,261 total cases.

Location: 225-226 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1235: 171B012J:ALC GT THRU DAY

Item Number: 01910

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1204	53.3 %
1	MARKED:(1)	49	2.2 %
	Missing Data		
-9	MISSING:(-9)	1008	44.6 %
	Total	**2,261**	**100%**

Based upon 1,253 valid cases out of 2,261 total cases.

Location: 227-228 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1236: 171B012K:ALC INCRS EF DR

Item Number: 01920

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1208	53.4 %
1	MARKED:(1)	45	2.0 %
	Missing Data		
-9	MISSING:(-9)	1008	44.6 %
	Total	**2,261**	**100%**

Based upon 1,253 valid cases out of 2,261 total cases.

Location: 229-230 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1237: 171B012L:ALC DECRS EF DR

Item Number: 01930

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1244	55.0 %
1	MARKED:(1)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	1008	44.6 %
	Total	**2,261**	**100%**

Based upon 1,253 valid cases out of 2,261 total cases.

Location: 231-232 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1238: 171B012M:ALC GET SLEEP

Item Number: 01940

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

M. To get to sleep

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1188	52.5 %
1	MARKED:(1)	65	2.9 %
	Missing Data		
-9	MISSING:(-9)	1008	44.6 %
	Total	**2,261**	**100%**

Based upon 1,253 valid cases out of 2,261 total cases.

Location: 233-234 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1239: 171B012N:ALC TASTES GOOD

Item Number: 01950

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

N. Because it tastes good

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	903	39.9 %
1	MARKED:(1)	350	15.5 %
	Missing Data		
-9	MISSING:(-9)	1008	44.6 %
	Total	**2,261**	**100%**

Based upon 1,253 valid cases out of 2,261 total cases.

Location: 235-236 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1240: 171B012O:ALC I AM HOOKED

Item Number: 01960

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

O. Because I am "hooked"--I feel I have to drink

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1238	54.8 %
1	MARKED:(1)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	1008	44.6 %
	Total	**2,261**	**100%**

Based upon 1,253 valid cases out of 2,261 total cases.

Location: 237-238 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1241: 171B013:#ALCOHOL, VERY HIGH

Item Number: 01970

When you drink alcoholic beverages, how drunk or high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high" 4="Very high"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	341	15.1 %
2	A LITTLE:(2)	364	16.1 %
3	MODERATE:(3)	464	20.5 %
4	VERY:(4)	112	5.0 %
	Missing Data		
-9	MISSING:(-9)	980	43.3 %
	Total	**2,261**	**100%**

Based upon 1,281 valid cases out of 2,261 total cases.

Location: 239-240 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1242: 171B014:DRK AL,HI24+HR

Item Number: 01980

When you drink alcoholic beverages, how long do you usually stay drunk or high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%
1	USLY DONT:(1)	354	15.7 %
2	1-2 HRS:(2)	435	19.2 %
3	3-6 HRS:(3)	420	18.6 %
4	7-24 HRS:(4)	59	2.6 %
5	> 24 HRS:(5)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	983	43.5 %
	Total	**2,261**	**100%**

Based upon 1,278 valid cases out of 2,261 total cases.

Location: 241-242 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1824: 171B015:4+DRK ROW/2WK

Item Number: 00845

The following questions ask about how much you have to drink on the occasions when you drink alcoholic beverages. For these questions, a "drink" means any of the following: A 12-ounce can (or bottle) of beer. A 4-ounce glass of wine. A 12-ounce bottle (or can) of wine cooler. A mixed drink, shot glass of liquor, or the equivalent.

Think back over the LAST TWO WEEKS. How many times (if any) have you had four or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	868	38.4 %
2	ONCE:(2)	173	7.7 %
3	TWICE:(3)	116	5.1 %
4	3-5X:(4)	74	3.3 %
5	6-9X:(5)	11	0.5 %
6	10+ TIME:(6)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	1004	44.4 %
	Total	**2,261**	**100%**

Based upon 1,257 valid cases out of 2,261 total cases.

Location: 243-244 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1243: 171B016:5+DRK ROW/LST 2

Item Number: 00850

During the last two weeks, how many times (if any) have you had five or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"

6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	976	43.2 %
2	ONCE:(2)	144	6.4 %
3	TWICE:(3)	81	3.6 %
4	3-5X:(4)	61	2.7 %
5	6-9X:(5)	10	0.4 %
6	10+ TIME:(6)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	981	43.4 %
	Total	**2,261**	**100%**

Based upon 1,280 valid cases out of 2,261 total cases.

Location: 245-246 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1108: 171B017(R):5+DRK ROW/LST 2

Item Number: 00850

During the last two weeks, how many times (if any) have you had five or more drinks in a row?

1="None" [includes respondents who reported nonuse above] 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1803	79.7 %
2	ONCE:(2)	144	6.4 %
3	TWICE:(3)	81	3.6 %
4	3-5X:(4)	61	2.7 %
5	6-9X:(5)	10	0.4 %
6	10+ TIME:(6)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	154	6.8 %
	Total	**2,261**	**100%**

Based upon 2,107 valid cases out of 2,261 total cases.

Location: 247-248 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V1825: 171B017:10+DRK ROW/2WK

Item Number: 00853

During the last two weeks, how many times (if any) have you had 10 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1140	50.4 %
2	ONCE:(2)	77	3.4 %
3	TWICE:(3)	28	1.2 %
4	3-5X:(4)	24	1.1 %
5	6-9X:(5)	6	0.3 %
6	10+ TIME:(6)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	978	43.3 %
	Total	**2,261**	**100%**

Based upon 1,283 valid cases out of 2,261 total cases.

Location: 249-250 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1826: 171B018:15+DRK ROW/2WK

Item Number: 00855

During the last two weeks, how many times (if any) have you had 15 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1218	53.9 %
2	ONCE:(2)	28	1.2 %
3	TWICE:(3)	11	0.5 %
4	3-5X:(4)	13	0.6 %

Value	Label	Unweighted Frequency	%
5	6-9X:(5)	9	0.4 %
6	10+ TIME:(6)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	975	43.1 %
	Total	**2,261**	**100%**

Based upon 1,286 valid cases out of 2,261 total cases.

Location: 251-252 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1247: 171B019:*TRY STP ALC/FL

Item Number: 02020

Have you ever tried to stop using alcoholic beverages and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	23	1.0 %
2	NO:(2)	1260	55.7 %
	Missing Data		
-9	MISSING:(-9)	978	43.3 %
	Total	**2,261**	**100%**

Based upon 1,283 valid cases out of 2,261 total cases.

Location: 253-254 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1805: 171B020A:#XDRUNK/LIFETIM

Item Number: 25020

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1058	46.8 %
2	1-2X:(2)	326	14.4 %
3	3-5X:(3)	197	8.7 %
4	6-9X:(4)	134	5.9 %
5	10-19X:(5)	109	4.8 %
6	20-39X:(6)	75	3.3 %
7	40+OCCAS:(7)	84	3.7 %
	Missing Data		
-9	MISSING:(-9)	278	12.3 %
	Total	**2,261**	**100%**

Based upon 1,983 valid cases out of 2,261 total cases.

Location: 255-256 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1806: 171B020B:#XDRUNK/LAST12M

Item Number: 25030

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1232	54.5 %
2	1-2X:(2)	343	15.2 %
3	3-5X:(3)	145	6.4 %
4	6-9X:(4)	92	4.1 %
5	10-19X:(5)	79	3.5 %
6	20-39X:(6)	38	1.7 %
7	40+OCCAS:(7)	42	1.9 %
	Missing Data		
-9	MISSING:(-9)	290	12.8 %
	Total	**2,261**	**100%**

Based upon 1,971 valid cases out of 2,261 total cases.

Location: 257-258 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1807: 171B020C:#XDRUNK/LAST30D

Item Number: 25040

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1589	70.3 %
2	1-2X:(2)	235	10.4 %
3	3-5X:(3)	76	3.4 %
4	6-9X:(4)	37	1.6 %
5	10-19X:(5)	17	0.8 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	297	13.1 %
	Total	**2,261**	**100%**

Based upon 1,964 valid cases out of 2,261 total cases.

Location: 259-260 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1248: 171B021:NO ALC IN 5 YR

Item Number: 02030

Do you think you will be drinking alcoholic beverages five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	521	23.0 %
2	PRB WILL:(2)	968	42.8 %
3	PRB WONT:(3)	309	13.7 %
4	DEF WONT:(4)	357	15.8 %
	Missing Data		
-9	MISSING:(-9)	106	4.7 %
	Total	**2,261**	**100%**

Based upon 2,155 valid cases out of 2,261 total cases.

Location: 261-262 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1249: 171B022A:#X HASH/LIFETIM

Item Number: 02040

The next questions are about MARIJUANA and HASHISH. Marijuana is sometimes called: Weed, Pot, Dope. Hashish is sometimes called: Hash, Hash oil. On how many occasions (if any) have you used hashish . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1897	83.9 %
2	1-2X:(2)	86	3.8 %
3	3-5X:(3)	29	1.3 %
4	6-9X:(4)	22	1.0 %
5	10-19X:(5)	22	1.0 %
6	20-39X:(6)	20	0.9 %
7	40+OCCAS:(7)	57	2.5 %
	Missing Data		
-9	MISSING:(-9)	128	5.7 %
	Total	**2,261**	**100%**

Based upon 2,133 valid cases out of 2,261 total cases.

Location: 263-264 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1250: 171B022B:#X HASH/LAST12M

Item Number: 02050

On how many occasions (if any) have you used hashish . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1952	86.3 %
2	1-2X:(2)	63	2.8 %
3	3-5X:(3)	27	1.2 %
4	6-9X:(4)	23	1.0 %
5	10-19X:(5)	20	0.9 %
6	20-39X:(6)	8	0.4 %
7	40+OCCAS:(7)	40	1.8 %
	Missing Data		
-9	MISSING:(-9)	128	5.7 %
	Total	**2,261**	**100%**

Based upon 2,133 valid cases out of 2,261 total cases.

Location: 265-266 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1251: 171B022C:#X HASH/LAST30D

Item Number: 02060

On how many occasions (if any) have you used hashish . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2019	89.3 %
2	1-2X:(2)	39	1.7 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	14	0.6 %
4	6-9X:(4)	14	0.6 %
5	10-19X:(5)	8	0.4 %
6	20-39X:(6)	6	0.3 %
7	40+OCCAS:(7)	27	1.2 %
	Missing Data		
-9	MISSING:(-9)	134	5.9 %
	Total	**2,261**	**100%**

Based upon 2,127 valid cases out of 2,261 total cases.

Location: 267-268 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1252: 171B023A:#X MARJ/LIFETIM

Item Number: 02070

On how many occasions (if any) have you used marijuana . . .

A: . . .in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1179	52.1 %
2	1-2X:(2)	204	9.0 %
3	3-5X:(3)	140	6.2 %
4	6-9X:(4)	110	4.9 %
5	10-19X:(5)	109	4.8 %
6	20-39X:(6)	95	4.2 %
7	40+OCCAS:(7)	294	13.0 %
	Missing Data		
-9	MISSING:(-9)	130	5.7 %
	Total	**2,261**	**100%**

Based upon 2,131 valid cases out of 2,261 total cases.

Location: 269-270 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1253: 171B023B:#X MARJ/LAST12M

Item Number: 02080

On how many occasions (if any) have you used marijuana . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1347	59.6 %
2	1-2X:(2)	202	8.9 %
3	3-5X:(3)	133	5.9 %
4	6-9X:(4)	94	4.2 %
5	10-19X:(5)	87	3.8 %
6	20-39X:(6)	71	3.1 %
7	40+OCCAS:(7)	192	8.5 %
	Missing Data		
-9	MISSING:(-9)	135	6.0 %
	Total	**2,261**	**100%**

Based upon 2,126 valid cases out of 2,261 total cases.

Location: 271-272 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1254: 171B023C:#X MARJ/LAST30D

Item Number: 02090

On how many occasions (if any) have you used marijuana . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1633	72.2 %
2	1-2X:(2)	167	7.4 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	91	4.0 %
4	6-9X:(4)	51	2.3 %
5	10-19X:(5)	64	2.8 %
6	20-39X:(6)	40	1.8 %
7	40+OCCAS:(7)	78	3.4 %
	Missing Data		
-9	MISSING:(-9)	137	6.1 %
	Total	**2,261**	**100%**

Based upon 2,124 valid cases out of 2,261 total cases.

Location: 273-274 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1115: 171B023/24A:#XMJ+HS/LIFETIM

Item Number: 00860

Component questions are "On how many occasions (if any) have you used hashish in your lifetime?" (Item 02040) and "On how many occasions (if any) have you used marijuana in your lifetime?" (Item 02070).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"
[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1170	51.7 %
2	1-2X:(2)	195	8.6 %
3	3-5X:(3)	148	6.5 %
4	6-9X:(4)	104	4.6 %
5	10-19X:(5)	106	4.7 %
6	20-39X:(6)	89	3.9 %
7	40+OCCAS:(7)	308	13.6 %
	Missing Data		
-9	MISSING:(-9)	141	6.2 %
	Total	**2,261**	**100%**

Based upon 2,120 valid cases out of 2,261 total cases.

Location: 275-276 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1116: 171B023/24B:#XMJ+HS/LAST12M

Item Number: 00870

Component questions are "On how many occasions (if any) have you used hashish during the last 12 months?" (Item 02050) and "On how many occasions (if any) have you used marijuana during the last 12 months?" (Item 02080).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"
[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1339	59.2 %
2	1-2X:(2)	196	8.7 %
3	3-5X:(3)	128	5.7 %
4	6-9X:(4)	91	4.0 %
5	10-19X:(5)	92	4.1 %
6	20-39X:(6)	71	3.1 %
7	40+OCCAS:(7)	198	8.8 %
	Missing Data		
-9	MISSING:(-9)	146	6.5 %
	Total	**2,261**	**100%**

Based upon 2,115 valid cases out of 2,261 total cases.

Location: 277-278 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1117: 171B023/24C:#XMJ+HS/LAST30D

Item Number: 00880

Component questions are "On how many occasions (if any) have you used hashish during the last 30 days?" (Item 02060) and "On how many occasions (if any) have you used marijuana during the last 30 days?" (Item 02090).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"
[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1622	71.7 %
2	1-2X:(2)	150	6.6 %
3	3-5X:(3)	95	4.2 %
4	6-9X:(4)	50	2.2 %
5	10-19X:(5)	69	3.1 %
6	20-39X:(6)	33	1.5 %
7	40+OCCAS:(7)	90	4.0 %
	Missing Data		
-9	MISSING:(-9)	152	6.7 %
	Total	**2,261**	**100%**

Based upon 2,109 valid cases out of 2,261 total cases.

Location: 279-280 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1255: 171B024A:#X/YR MJ ALONE

Item Number: 02100

IF YOU HAVE NOT USED MARIJUANA OR HASHISH IN THE LAST TWELVE MONTHS GO TO QUESTION 28.

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	437	19.3 %
2	FEW TIMES:(2)	150	6.6 %
3	SOMETIMES:(3)	107	4.7 %
4	MOST TIMES:(4)	52	2.3 %
5	EVERY TIME:(5)	25	1.1 %
	Missing Data		
-9	MISSING:(-9)	1490	65.9 %
	Total	**2,261**	**100%**

Based upon 771 valid cases out of 2,261 total cases.

Location: 281-282 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V1256: 171B024B:#X/YR MJ-2 PPL

Item Number: 02110

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	47	2.1 %
2	FEW TIMES:(2)	195	8.6 %
3	SOMETIMES:(3)	162	7.2 %
4	MOST TIMES:(4)	223	9.9 %
5	EVERY TIME:(5)	143	6.3 %
	Missing Data		
-9	MISSING:(-9)	1491	65.9 %
	Total	**2,261**	**100%**

Based upon 770 valid cases out of 2,261 total cases.

Location: 283-284 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1257: 171B024C:#X/YR MJ@PARTY

Item Number: 02120

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	263	11.6 %
2	FEW TIMES:(2)	173	7.7 %

Value	Label	Unweighted Frequency	%
3	SOMETIMES:(3)	115	5.1 %
4	MOST TIMES:(4)	124	5.5 %
5	EVERY TIME:(5)	96	4.2 %
	Missing Data		
-9	MISSING:(-9)	1490	65.9 %
	Total	**2,261**	**100%**

Based upon 771 valid cases out of 2,261 total cases.

Location: 285-286 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1258: 171B024D:#X/YR MJ-DT/SP

Item Number: 02130

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

D: When your date or spouse/partner was present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	427	18.9 %
2	FEW TIMES:(2)	143	6.3 %
3	SOMETIMES:(3)	69	3.1 %
4	MOST TIMES:(4)	62	2.7 %
5	EVERY TIME:(5)	67	3.0 %
	Missing Data		
-9	MISSING:(-9)	1493	66.0 %
	Total	**2,261**	**100%**

Based upon 768 valid cases out of 2,261 total cases.

Location: 287-288 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1259: 171B024E:#X/YR MJ-ADLTS

Item Number: 02140

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	588	26.0 %
2	FEW TIMES:(2)	86	3.8 %
3	SOMETIMES:(3)	56	2.5 %
4	MOST TIMES:(4)	24	1.1 %
5	EVERY TIME:(5)	16	0.7 %
	Missing Data		
-9	MISSING:(-9)	1491	65.9 %
	Total	**2,261**	**100%**

Based upon 770 valid cases out of 2,261 total cases.

Location: 289-290 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1260: 171B024F:#X/YR MJ-DATIME

Item Number: 02150

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	287	12.7 %
2	FEW TIMES:(2)	160	7.1 %
3	SOMETIMES:(3)	178	7.9 %
4	MOST TIMES:(4)	78	3.4 %
5	EVERY TIME:(5)	63	2.8 %
	Missing Data		
-9	MISSING:(-9)	1495	66.1 %
	Total	**2,261**	**100%**

Based upon 766 valid cases out of 2,261 total cases.

Location: 291-292 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1261: 171B024G:#X/YR MJ@HOME

Item Number: 02160

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	374	16.5 %
2	FEW TIMES:(2)	153	6.8 %
3	SOMETIMES:(3)	96	4.2 %
4	MOST TIMES:(4)	76	3.4 %
5	EVERY TIME:(5)	69	3.1 %
	Missing Data		
-9	MISSING:(-9)	1493	66.0 %
	Total	**2,261**	**100%**

Based upon 768 valid cases out of 2,261 total cases.

Location: 293-294 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1956: 171B024H:#X/YR MJ BEFORE SCHOOL

Item Number: 34470

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

H: Before school

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	529	23.4 %
2	FEW TIME:(2)	104	4.6 %
3	SOM TIME:(3)	71	3.1 %
4	MST TIME:(4)	26	1.1 %
5	EVRYTIME:(5)	36	1.6 %
8	INAP:(8)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	1495	66.1 %
	Total	**2,261**	**100%**

Based upon 766 valid cases out of 2,261 total cases.

Location: 295-296 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1262: 171B024I:#X/YR MJ@SCHL

Item Number: 02170

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

I: At school

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	668	29.5 %
2	FEW TIMES:(2)	54	2.4 %
3	SOMETIMES:(3)	21	0.9 %
4	MOST TIMES:(4)	9	0.4 %
5	EVERY TIME:(5)	16	0.7 %
	Missing Data		
-9	MISSING:(-9)	1493	66.0 %
	Total	**2,261**	**100%**

Based upon 768 valid cases out of 2,261 total cases.

Location: 297-298 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1263: 171B024J:#X/YR MJ-IN CAR

Item Number: 02190

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

J: In a car

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	252	11.1 %
2	FEW TIMES:(2)	179	7.9 %
3	SOMETIMES:(3)	147	6.5 %
4	MOST TIMES:(4)	129	5.7 %
5	EVERY TIME:(5)	62	2.7 %
	Missing Data		
-9	MISSING:(-9)	1492	66.0 %
	Total	**2,261**	**100%**

Based upon 769 valid cases out of 2,261 total cases.

Location: 299-300 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1813: 171B024K:#X/YR MJ@PARK/BH

Item Number: 30930

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

K. At a park or beach

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	378	16.7 %
2	FEW TIMES:(2)	155	6.9 %
3	SOMETIMES:(3)	113	5.0 %
4	MOST TIMES:(4)	64	2.8 %
5	EVERY TIME:(5)	54	2.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	1497	66.2 %
	Total	**2,261**	**100%**

Based upon 764 valid cases out of 2,261 total cases.

Location: 301-302 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1264: 171B025 :#X OVL MJ+ ALC

Item Number: 02200

How many of the times when you used marijuana or hashish during the last year did you use it along with alcohol--that is, so that their effects overlapped?

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	333	14.7 %
2	FEW TIMES:(2)	218	9.6 %
3	SOMETIMES:(3)	122	5.4 %
4	MOST TIMES:(4)	32	1.4 %
5	EVERY TIME:(5)	20	0.9 %
	Missing Data		
-9	MISSING:(-9)	1536	67.9 %
	Total	**2,261**	**100%**

Based upon 725 valid cases out of 2,261 total cases.

Location: 303-304 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1897: 171B026A:TOOK FROM FRIEND W/O ASKING

Item Number: 32910

Where did you get the marijuana or hashish you used during the last year? (Mark all that apply.)

Took from a friend without asking

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	740	32.7 %
1	MARKED:(1)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	1509	66.7 %
	Total	**2,261**	**100%**

Based upon 752 valid cases out of 2,261 total cases.

Location: 305-306 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1898: 171B026B:TOOK FROM RELATIVE W/O ASKING

Item Number: 32920

Where did you get the marijuana or hashish you used during the last year?
(Mark all that apply.)

Took from a relative without asking

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	737	32.6 %
1	MARKED:(1)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	1509	66.7 %
	Total	**2,261**	**100%**

Based upon 752 valid cases out of 2,261 total cases.

Location: 307-308 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1899: 171B026C:GIVEN FOR FREE BY FRIEND

Item Number: 32930

Where did you get the marijuana or hashish you used during the last year?
(Mark all that apply.)

Given for free by a friend

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	305	13.5 %
1	MARKED:(1)	447	19.8 %
	Missing Data		
-9	MISSING:(-9)	1509	66.7 %
	Total	**2,261**	**100%**

Based upon 752 valid cases out of 2,261 total cases.

Location: 309-310 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1900: 171B026D:GIVEN FOR FREE BY RELATIVE

Item Number: 32940

Where did you get the marijuana or hashish you used during the last year?
(Mark all that apply.)

Given for free by a relative

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	666	29.5 %
1	MARKED:(1)	86	3.8 %
	Missing Data		
-9	MISSING:(-9)	1509	66.7 %
	Total	**2,261**	**100%**

Based upon 752 valid cases out of 2,261 total cases.

Location: 311-312 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1901: 171B026E:BOUGHT FROM FRIEND

Item Number: 32950

Where did you get the marijuana or hashish you used during the last year?
(Mark all that apply.)

Bought from a friend

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	382	16.9 %
1	MARKED:(1)	370	16.4 %
	Missing Data		
-9	MISSING:(-9)	1509	66.7 %
	Total	**2,261**	**100%**

Based upon 752 valid cases out of 2,261 total cases.

Location: 313-314 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1902: 171B026F:BOUGHT FROM RELATIVE

Item Number: 32960

Where did you get the marijuana or hashish you used during the last year?
(Mark all that apply.)

Bought from a relative

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	718	31.8 %
1	MARKED:(1)	34	1.5 %
	Missing Data		
-9	MISSING:(-9)	1509	66.7 %
	Total	**2,261**	**100%**

Based upon 752 valid cases out of 2,261 total cases.

Location: 315-316 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1903: 171B026G:FROM MY OWN MED MARIJ RX

Item Number: 32970

Where did you get the marijuana or hashish you used during the last year?
(Mark all that apply.)

From my own "medical marijuana" prescription

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	730	32.3 %
1	MARKED:(1)	22	1.0 %
	Missing Data		
-9	MISSING:(-9)	1509	66.7 %
	Total	**2,261**	**100%**

Based upon 752 valid cases out of 2,261 total cases.

Location: 317-318 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1904: 171B026H:BOUGHT FROM DRUG DEALER/STRNGR

Item Number: 32980

Where did you get the marijuana or hashish you used during the last year?
(Mark all that apply.)

Bought from a drug dealer / stranger

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	538	23.8 %
1	MARKED:(1)	214	9.5 %
	Missing Data		
-9	MISSING:(-9)	1509	66.7 %
	Total	**2,261**	**100%**

Based upon 752 valid cases out of 2,261 total cases.

Location: 319-320 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1905: 171B026I:OTHER METHOD

Item Number: 32990

Where did you get the marijuana or hashish you used during the last year?

(Mark all that apply.)

Other method

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	666	29.5 %
1	MARKED:(1)	86	3.8 %
	Missing Data		
-9	MISSING:(-9)	1509	66.7 %
	Total	**2,261**	**100%**

Based upon 752 valid cases out of 2,261 total cases.

Location: 321-322 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1906: 171B027:FROM ANOTHERS MED MARJ RX

Item Number: 33000

Did you get any of the marijuana or hashish you used during the last year from someone else's medical marijuana prescription?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	81	3.6 %
2	NO:(2)	680	30.1 %
	Missing Data		
-9	MISSING:(-9)	1500	66.3 %
	Total	**2,261**	**100%**

Based upon 761 valid cases out of 2,261 total cases.

Location: 323-324 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1265: 171B028A:MJ EXPERIMENT

Item Number: 02210

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	336	14.9 %
1	MARKED:(1)	418	18.5 %
	Missing Data		
-9	MISSING:(-9)	1507	66.7 %
	Total	**2,261**	**100%**

Based upon 754 valid cases out of 2,261 total cases.

Location: 325-326 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1266: 171B028B:MJ RELAX

Item Number: 02220

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	249	11.0 %
1	MARKED:(1)	505	22.3 %
	Missing Data		
-9	MISSING:(-9)	1507	66.7 %
	Total	**2,261**	**100%**

Based upon 754 valid cases out of 2,261 total cases.

Location: 327-328 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1267: 171B028C:MJ GET HIGH

Item Number: 02230

What have been the most important reasons for your using

marijuana or hashish? (Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	247	10.9 %
1	MARKED:(1)	507	22.4 %
	Missing Data		
-9	MISSING:(-9)	1507	66.7 %
	Total	**2,261**	**100%**

Based upon 754 valid cases out of 2,261 total cases.

Location: 329-330 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1268: 171B028D:MJ SEEK INSIGHT

Item Number: 02240

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	543	24.0 %
1	MARKED:(1)	211	9.3 %
	Missing Data		
-9	MISSING:(-9)	1507	66.7 %
	Total	**2,261**	**100%**

Based upon 754 valid cases out of 2,261 total cases.

Location: 331-332 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1269: 171B028E:MJ GD TM FRNDS

Item Number: 02250

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	266	11.8 %
1	MARKED:(1)	488	21.6 %
	Missing Data		
-9	MISSING:(-9)	1507	66.7 %
	Total	**2,261**	**100%**

Based upon 754 valid cases out of 2,261 total cases.

Location: 333-334 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1270: 171B028F:MJ FIT IN GRP

Item Number: 02260

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	698	30.9 %
1	MARKED:(1)	56	2.5 %
	Missing Data		
-9	MISSING:(-9)	1507	66.7 %
	Total	**2,261**	**100%**

Based upon 754 valid cases out of 2,261 total cases.

Location: 335-336 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1271: 171B028G:MJ GET AWY PRB

Item Number: 02270

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	523	23.1 %
1	MARKED:(1)	231	10.2 %
	Missing Data		
-9	MISSING:(-9)	1507	66.7 %
	Total	**2,261**	**100%**

Based upon 754 valid cases out of 2,261 total cases.

Location: 337-338 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1272: 171B028H:MJ BOREDOM

Item Number: 02280

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	568	25.1 %
1	MARKED:(1)	186	8.2 %
	Missing Data		
-9	MISSING:(-9)	1507	66.7 %
	Total	**2,261**	**100%**

Based upon 754 valid cases out of 2,261 total cases.

Location: 339-340 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1273: 171B028I:MJ ANGR/FRUSTRN

Item Number: 02290

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	593	26.2 %
1	MARKED:(1)	161	7.1 %
	Missing Data		
-9	MISSING:(-9)	1507	66.7 %
	Total	**2,261**	**100%**

Based upon 754 valid cases out of 2,261 total cases.

Location: 341-342 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1274: 171B028J:MJ GET THRU DAY

Item Number: 02300

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	627	27.7 %
1	MARKED:(1)	127	5.6 %
	Missing Data		
-9	MISSING:(-9)	1507	66.7 %
	Total	**2,261**	**100%**

Based upon 754 valid cases out of 2,261 total cases.

Location: 343-344 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1275: 171B028K:MJ INCRS EF DRG

Item Number: 02310

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	703	31.1 %
1	MARKED:(1)	51	2.3 %
	Missing Data		
-9	MISSING:(-9)	1507	66.7 %
	Total	**2,261**	**100%**

Based upon 754 valid cases out of 2,261 total cases.

Location: 345-346 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1276: 171B028L:MJ DECRS EF DRG

Item Number: 02320

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	728	32.2 %
1	MARKED:(1)	26	1.1 %
	Missing Data		
-9	MISSING:(-9)	1507	66.7 %
	Total	**2,261**	**100%**

Based upon 754 valid cases out of 2,261 total cases.

Location: 347-348 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1277: 171B028M:MJ I AM HOOKED

Item Number: 02330

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

M. Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	734	32.5 %
1	MARKED:(1)	20	0.9 %
	Missing Data		
-9	MISSING:(-9)	1507	66.7 %
	Total	**2,261**	**100%**

Based upon 754 valid cases out of 2,261 total cases.

Location: 349-350 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1278: 171B029:MJ/HSH,VRY HIGH

Item Number: 02340

When you use marijuana or hashish, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high" 4="Very high"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	43	1.9 %
2	A LITTLE:(2)	148	6.5 %
3	MODERATE:(3)	371	16.4 %
4	VERY:(4)	199	8.8 %
	Missing Data		
-9	MISSING:(-9)	1500	66.3 %
	Total	**2,261**	**100%**

Based upon 761 valid cases out of 2,261 total cases.

Location: 351-352 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V1279: 171B030:MJ/HSH,HI 24+HR

Item Number: 02350

When you use marijuana or hashish, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%
1	USLY DONT:(1)	49	2.2 %
2	1-2 HRS:(2)	344	15.2 %
3	3-6 HRS:(3)	321	14.2 %
4	7-24 HRS:(4)	38	1.7 %
5	> 24 HRS:(5)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	1502	66.4 %
	Total	**2,261**	**100%**

Based upon 759 valid cases out of 2,261 total cases.

Location: 353-354 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1280: 171B031:JOINT/DA LST MO

Item Number: 02360

During the LAST MONTH, about how many marijuana cigarettes (joints, reefers), or the equivalent, did you smoke a day, on the average? (If you shared them with other people, count only the amount YOU smoked.)

1="None" 2="Less than 1 a day" 3="1 a day" 4="2-3 a day" 5="4-6 a day" 6="7-10 a day" 7="11 or more a day"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	293	13.0 %
2	< 1/DAY:(2)	214	9.5 %
3	1/DAY:(3)	51	2.3 %
4	2-3/DAY:(4)	73	3.2 %

Value	Label	Unweighted Frequency	%
5	4-6/DAY:(5)	26	1.1 %
6	7-10/DAY:(6)	7	0.3 %
7	11+/DAY:(7)	14	0.6 %
	Missing Data		
-9	MISSING:(-9)	1583	70.0 %
	Total	**2,261**	**100%**

Based upon 678 valid cases out of 2,261 total cases.

Location: 355-356 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1281: 171B032:OZS.MJ LST MO/6

Item Number: 02370

Do you know how much marijuana you have used (in ounces) during the LAST MONTH?

1="None" 2="Less than 1/2 ounce" 3="About 1/2 ounce" 4="About 1 ounce" 5="About 2 ounces" 6="3 to 5 ounces" 7="6 or more ounces" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	217	9.6 %
2	< 1/2 OZ:(2)	107	4.7 %
3	1/2 OZ:(3)	51	2.3 %
4	1 OZ:(4)	57	2.5 %
5	2 OZ:(5)	51	2.3 %
6	3-5 OZ:(6)	22	1.0 %
7	6+ OZ:(7)	16	0.7 %
8	DK:(8)	161	7.1 %
	Missing Data		
-9	MISSING:(-9)	1579	69.8 %
	Total	**2,261**	**100%**

Based upon 682 valid cases out of 2,261 total cases.

Location: 357-358 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1907: 171B033A:MTHD MJ SMOKING

Item Number: 33010

What methods have you used for taking marijuana or hashish during the last year? (Mark all that apply.)

Smoking

0 = "UNMARKED" 1 = "MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	49	2.2 %
1	MARKED:(1)	703	31.1 %
	Missing Data		
-9	MISSING:(-9)	1509	66.7 %
	Total	**2,261**	**100%**

Based upon 752 valid cases out of 2,261 total cases.

Location: 359-360 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1932: 171B033B:MTHD MJ VAPORIZER

Item Number = 33970

What methods have you used for taking marijuana or hashish during the last year? (Mark all that apply.)

In a vaporizer

0 = "UNMARKED" 1 = "MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	582	25.7 %
1	MARKED:(1)	170	7.5 %
	Missing Data		
-9	MISSING:(-9)	1509	66.7 %
	Total	**2,261**	**100%**

Based upon 752 valid cases out of 2,261 total cases.

Location: 361-362 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1908: 171B033C:MTHD MJ IN FOOD

Item Number: 33020

What methods have you used for taking marijuana or hashish during the last year? (Mark all that apply.)

Eating in food

0 = "UNMARKED" 1 = "MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	453	20.0 %
1	MARKED:(1)	299	13.2 %
	Missing Data		
-9	MISSING:(-9)	1509	66.7 %
	Total	**2,261**	**100%**

Based upon 752 valid cases out of 2,261 total cases.

Location: 363-364 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1909: 171B033D:MTHD MJ IN DRINK

Item Number: 33030

What methods have you used for taking marijuana or hashish during the last year? (Mark all that apply.)

In a drink

0 = "UNMARKED" 1 = "MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	725	32.1 %
1	MARKED:(1)	27	1.2 %
	Missing Data		
-9	MISSING:(-9)	1509	66.7 %
	Total	**2,261**	**100%**

Based upon 752 valid cases out of 2,261 total cases.

Location: 365-366 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1910: 171B033E:MTHD MJ OTHER

Item Number: 33040

What methods have you used for taking marijuana or hashish during the last year? (Mark all that apply.)

Other

0 = "UNMARKED" 1 = "MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	686	30.3 %
1	MARKED:(1)	66	2.9 %
	Missing Data		
-9	MISSING:(-9)	1509	66.7 %
	Total	**2,261**	**100%**

Based upon 752 valid cases out of 2,261 total cases.

Location: 367-368 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1282: 171B034:*TRY STP MJ FL

Item Number: 02380

Have you ever tried to stop using marijuana or hashish and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	48	2.1 %
2	NO:(2)	702	31.0 %
	Missing Data		
-9	MISSING:(-9)	1511	66.8 %
	Total	**2,261**	**100%**

Based upon 750 valid cases out of 2,261 total cases.

Location: 369-370 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1706: 171B035:MJ/HSH EVR DLY

Item Number: 21180

Thinking back over your whole life, has there ever been a period when you used marijuana or hashish on a daily, or almost daily, basis for at least a month?

1="No--GO TO QUESTION 39" 2="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	1803	79.7 %
2	YES:(2)	263	11.6 %
	Missing Data		
-9	MISSING:(-9)	195	8.6 %
	Total	**2,261**	**100%**

Based upon 2,066 valid cases out of 2,261 total cases.

Location: 371-372 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1707: 171B036:GR 1ST DAILY MJ

Item Number: 21190

How old were you when you first smoked marijuana or hashish that frequently?

1="Grade 6 or earlier" 2="Grade 7 or 8" 3="Grade 9 (Freshman)" 4="Grade 10 (Sophomore)" 5="Grade 11 (Junior)" 6="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	35	1.5 %
2	GRADE 7-8:(2)	53	2.3 %
3	GRADE 9:(3)	72	3.2 %
4	GRADE 10:(4)	67	3.0 %
5	GRADE 11:(5)	60	2.7 %
6	GRADE 12:(6)	44	1.9 %
	Missing Data		
-9	MISSING:(-9)	1930	85.4 %
	Total	**2,261**	**100%**

Based upon 331 valid cases out of 2,261 total cases.

Location: 373-374 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1708: 171B037:RECENT DAILY MJ

Item Number: 21200

How recently did you use marijuana or hashish on a daily, or almost daily, basis for at least a month?

1="During the past month" 2="2 months ago" 3="3 to 9 months ago" 4="About 1 year ago" 5="About 2 years ago" 6="3 or more years ago"

Value	Label	Unweighted Frequency	%
1	PAST MON:(1)	121	5.4 %
2	2 MON:(2)	25	1.1 %
3	3-9 MON:(3)	50	2.2 %
4	1 YEAR:(4)	49	2.2 %
5	2 YEARS:(5)	35	1.5 %
6	3+ YEARS:(6)	35	1.5 %
	Missing Data		
-9	MISSING:(-9)	1946	86.1 %
	Total	**2,261**	**100%**

Based upon 315 valid cases out of 2,261 total cases.

Location: 375-376 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1709: 171B038:#X DAILY MJ/LFT

Item Number: 21210

Over your whole lifetime, during how many months have you used marijuana or hashish on a daily or near-daily basis?

1="Less than 3 months" 2="3 to 9 months" 3="About 1 year" 4="About 1 and 1/2 years" 5="About 2 years" 6="About 3 to 5 years" 7="6 to 9 years" 8="10 or more years"

Value	Label	Unweighted Frequency	%
1	< 3MO:(1)	121	5.4 %

Value	Label	Unweighted Frequency	%
2	3-9 MO:(2)	64	2.8 %
3	1 YEAR:(3)	19	0.8 %
4	1 1/2 YRS:(4)	20	0.9 %
5	2 YRS:(5)	34	1.5 %
6	3-5 YRS:(6)	34	1.5 %
7	6-9 YRS:(7)	10	0.4 %
8	10+ YRS:(8)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	1953	86.4 %
	Total	**2,261**	**100%**

Based upon 308 valid cases out of 2,261 total cases.

Location: 377-378 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1283: 171B039:NO MJ/HSH IN5YR

Item Number: 02390

Do you think you will be using marijuana or hashish five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	174	7.7 %
2	PRB WILL:(2)	420	18.6 %
3	PRB WONT:(3)	535	23.7 %
4	DEF WONT:(4)	989	43.7 %
	Missing Data		
-9	MISSING:(-9)	143	6.3 %
	Total	**2,261**	**100%**

Based upon 2,118 valid cases out of 2,261 total cases.

Location: 379-380 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1957: 171B040 SMK MJ CIG BEST FRND

Item Number: 34380

If one of your best friends were to offer you a marijuana cigarette, would you smoke it?

1="Definitely yes" 2="Probably yes" 3="Probably not" 4="Definitely not"

Value	Label	Unweighted Frequency	%
1	DEF YES:(1)	250	11.1 %
2	PROB YES:(2)	441	19.5 %
3	PROB NOT:(3)	460	20.3 %
4	DEF NOT:(4)	959	42.4 %
	Missing Data		
-9	MISSING:(-9)	151	6.7 %
	Total	**2,261**	**100%**

Based upon 2,110 valid cases out of 2,261 total cases.

Location: 381-382 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1284: 171B041A:#X LSD/LIFETIME

Item Number: 00890

The next questions are about LSD, the hallucinogenic drug which is sometimes called "acid". On how many occasions (if any) have you used LSD . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1987	87.9 %
2	1-2X:(2)	63	2.8 %
3	3-5X:(3)	27	1.2 %
4	6-9X:(4)	20	0.9 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	150	6.6 %

Value	Label	Unweighted Frequency	%
	Total	**2,261**	**100%**

Based upon 2,111 valid cases out of 2,261 total cases.

Location: 383-384 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1285: 171B041B:#X LSD/LAST 12M

Item Number: 00900

On how many occasions (if any) have you used LSD) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2025	89.6 %
2	1-2X:(2)	55	2.4 %
3	3-5X:(3)	13	0.6 %
4	6-9X:(4)	12	0.5 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	148	6.5 %
	Total	**2,261**	**100%**

Based upon 2,113 valid cases out of 2,261 total cases.

Location: 385-386 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1286: 171B041C:#X LSD/LAST 30D

Item Number: 00910

On how many occasions (if any) have you used LSD . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2079	92.0 %
2	1-2X:(2)	19	0.8 %
3	3-5X:(3)	6	0.3 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	149	6.6 %
	Total	**2,261**	**100%**

Based upon 2,112 valid cases out of 2,261 total cases.

Location: 387-388 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1958: 171B42A MJ ADS STOREFRONT

Item Number: 34400

About how often have you seen advertisements for marijuana . . . on storefronts?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

Value	Label	Unweighted Frequency	%
1	NOT AT ALL:(1)	1501	66.4 %
2	<1X MONTH:(2)	296	13.1 %
3	1-3X MONTH:(3)	159	7.0 %
4	1-3X WEEK:(4)	63	2.8 %
5	ABOUT DAILY:(5)	37	1.6 %
6	>DAILY:(6)	40	1.8 %
	Missing Data		
-9	MISSING:(-9)	165	7.3 %
	Total	**2,261**	**100%**

Based upon 2,096 valid cases out of 2,261 total cases.

Location: 389-390 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V1959: 171B42B MJ ADS BILLBOARDS

Item Number: 34410

About how often have you seen advertisements for marijuana . . . on billboards?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week"
5="Daily or almost daily" 6="More than once a day"

Value	Label	Unweighted Frequency	%
1	NOT AT ALL:(1)	1552	68.6 %
2	<1X MONTH:(2)	298	13.2 %
3	1-3X MONTH:(3)	139	6.1 %
4	1-3X WEEK:(4)	52	2.3 %
5	ABOUT DAILY:(5)	25	1.1 %
6	>DAILY:(6)	25	1.1 %
	Missing Data		
-9	MISSING:(-9)	170	7.5 %
	Total	**2,261**	**100%**

Based upon 2,091 valid cases out of 2,261 total cases.

Location: 391-392 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1960: 171B42C MJ ADS SCREEN

Item Number: 34420

About how often have you seen advertisements for marijuana . . . on any screen
(TV, smart phone, tablet, computer)?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week"
5="Daily or almost daily" 6="More than once a day"

Value	Label	Unweighted Frequency	%
1	NOT AT ALL:(1)	1093	48.3 %
2	<1X MONTH:(2)	408	18.0 %
3	1-3X MONTH:(3)	270	11.9 %
4	1-3X WEEK:(4)	141	6.2 %
5	ABOUT DAILY:(5)	96	4.2 %

Value	Label	Unweighted Frequency	%
6	>DAILY:(6)	78	3.4 %
	Missing Data		
-9	MISSING:(-9)	175	7.7 %
	Total	**2,261**	**100%**

Based upon 2,086 valid cases out of 2,261 total cases.

Location: 393-394 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1961: 171B42D MJ ADS RADIO

Item Number: 34430

About how often have you seen advertisements for marijuana . . . on the radio?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week"
5="Daily or almost daily" 6="More than once a day"

Value	Label	Unweighted Frequency	%
1	NOT AT ALL:(1)	1719	76.0 %
2	<1X MONTH:(2)	207	9.2 %
3	1-3X MONTH:(3)	72	3.2 %
4	1-3X WEEK:(4)	41	1.8 %
5	ABOUT DAILY:(5)	19	0.8 %
6	>DAILY:(6)	26	1.1 %
	Missing Data		
-9	MISSING:(-9)	177	7.8 %
	Total	**2,261**	**100%**

Based upon 2,084 valid cases out of 2,261 total cases.

Location: 395-396 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1316: 171B043A:#X PSYD/LIFETIM

Item Number: 00920

The next questions are about HALLUCINOGENS OTHER THAN LSD.
This group would include the following drugs: Mescaline,
Peyote, "Shrooms" or psilocybin, PCP. On how many occasions
(if any) have you taken hallucinogens other than LSD . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1987	87.9 %
2	1-2X:(2)	63	2.8 %
3	3-5X:(3)	21	0.9 %
4	6-9X:(4)	14	0.6 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	167	7.4 %
	Total	**2,261**	**100%**

Based upon 2,094 valid cases out of 2,261 total cases.

Location: 397-398 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1317: 171B043B:#X PSYD/LAST12M

Item Number: 00930

On how many occasions (if any) have you taken hallucinogens other than LSD . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2033	89.9 %
2	1-2X:(2)	42	1.9 %
3	3-5X:(3)	10	0.4 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	2	0.1 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	164	7.3 %
	Total	**2,261**	**100%**

Based upon 2,097 valid cases out of 2,261 total cases.

Location: 399-400 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1318: 171B043C:#X PSYD/LAST30D

Item Number: 00940

On how many occasions (if any) have you taken hallucinogens other than LSD . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2074	91.7 %
2	1-2X:(2)	11	0.5 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	164	7.3 %
	Total	**2,261**	**100%**

Based upon 2,097 valid cases out of 2,261 total cases.

Location: 401-402 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1319: 171B044:PSYD,GT VERY HI

Item Number: 02700

IF YOU HAVE NOT TAKEN ANY HALLUCINOGENS OTHER THAN LSD IN THE LAST TWELVE MONTHS, GO TO QUESTION 46.

When you take hallucinogens other than LSD how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high" 4="Very high"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	6	0.3 %
2	A LITTLE:(2)	0	0.0 %
3	MODERATE:(3)	19	0.8 %
4	VERY:(4)	37	1.6 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 403-404 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1320: 171B045:PSYD,HI 24+ HRS

Item Number: 02710

When you take hallucinogens other than LSD, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%
1	USLY DONT:(1)	7	0.3 %
2	1-2 HRS:(2)	3	0.1 %
3	3-6 HRS:(3)	35	1.5 %
4	7-24 HRS:(4)	15	0.7 %
5	> 24 HRS:(5)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 405-406 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1321: 171B046A:TKN YR,MESCALIN

Item Number: 02720

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

A. Mescaline

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	53	2.3 %
1	MARKED:(1)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	2203	97.4 %
	Total	**2,261**	**100%**

Based upon 58 valid cases out of 2,261 total cases.

Location: 407-408 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1322: 171B046B:TKN YR,PEYOTE

Item Number: 02730

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

B. Peyote

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	53	2.3 %
1	MARKED:(1)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	2203	97.4 %
	Total	**2,261**	**100%**

Based upon 58 valid cases out of 2,261 total cases.

Location: 409-410 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1323: 171B046C:TKN YR,PSILOCYB

Item Number: 02740

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

C. Psilocybin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	10	0.4 %
1	MARKED:(1)	48	2.1 %
	Missing Data		
-9	MISSING:(-9)	2203	97.4 %
	Total	**2,261**	**100%**

Based upon 58 valid cases out of 2,261 total cases.

Location: 411-412 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1324: 171B046D:TKN YR,PCP

Item Number: 02750

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

D. PCP

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	51	2.3 %
1	MARKED:(1)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	2203	97.4 %
	Total	**2,261**	**100%**

Based upon 58 valid cases out of 2,261 total cases.

Location: 413-414 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1325: 171B046E:TKN YR,CNCT THC

Item Number: 02760

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

E. Concentrated THC

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	38	1.7 %
1	MARKED:(1)	20	0.9 %
	Missing Data		
-9	MISSING:(-9)	2203	97.4 %
	Total	**2,261**	**100%**

Based upon 58 valid cases out of 2,261 total cases.

Location: 415-416 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1326: 171B046F:TKN YR,OTH PSYD

Item Number: 02770

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

F. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	45	2.0 %
1	MARKED:(1)	13	0.6 %
	Missing Data		
-9	MISSING:(-9)	2203	97.4 %
	Total	**2,261**	**100%**

Based upon 58 valid cases out of 2,261 total cases.

Location: 417-418 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1327: 171B046G:TKN YR,DK NAME

Item Number: 02780

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

G. Don't know the names of some I have used

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	53	2.3 %
1	MARKED:(1)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	2203	97.4 %
	Total	**2,261**	**100%**

Based upon 58 valid cases out of 2,261 total cases.

Location: 419-420 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1710: 171B047A:#X DIETPILL/LFT

Item Number: 21220

The next questions are about some non-prescription drugs. Some types of diet pills (also called appetite suppressants) can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These "over-the-counter" drugs include Dexatrim(R), Hydroxycut(R), and others. On how many occasions (if any) have you taken such non-prescription diet pills . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1979	87.5 %
2	1-2X:(2)	48	2.1 %
3	3-5X:(3)	26	1.1 %
4	6-9X:(4)	14	0.6 %
5	10-19X:(5)	13	0.6 %
6	20-39X:(6)	9	0.4 %
7	40+OCCAS:(7)	20	0.9 %
	Missing Data		
-9	MISSING:(-9)	152	6.7 %
	Total	**2,261**	**100%**

Based upon 2,109 valid cases out of 2,261 total cases.

Location: 421-422 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1711: 171B047B:#X DIETPILL/12M

Item Number: 21230

On how many occasions (if any) have you taken such non-prescription diet pills . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2034	90.0 %
2	1-2X:(2)	24	1.1 %
3	3-5X:(3)	14	0.6 %
4	6-9X:(4)	11	0.5 %
5	10-19X:(5)	15	0.7 %
6	20-39X:(6)	6	0.3 %
7	40+OCCAS:(7)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	149	6.6 %
	Total	**2,261**	**100%**

Based upon 2,112 valid cases out of 2,261 total cases.

Location: 423-424 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1712: 171B047C:#X DIETPILL/30D

Item Number: 21240

On how many occasions (if any) have you taken such non-prescription diet pills . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2065	91.3 %
2	1-2X:(2)	13	0.6 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	11	0.5 %
5	10-19X:(5)	8	0.4 %
6	20-39X:(6)	7	0.3 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	149	6.6 %
	Total	**2,261**	**100%**

Based upon 2,112 valid cases out of 2,261 total cases.

Location: 425-426 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1713: 171B048A:#X STA-AWAK/LFT

Item Number: 21250

Some stay-awake pills can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These non-prescription or "over-the-counter" drugs include No-Doz(R), Vivarin(R), and others. On how many occasions (if any) have you taken such non-prescription stay-awake pills . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2036	90.0 %
2	1-2X:(2)	28	1.2 %
3	3-5X:(3)	20	0.9 %
4	6-9X:(4)	10	0.4 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	150	6.6 %
	Total	**2,261**	**100%**

Based upon 2,111 valid cases out of 2,261 total cases.

Location: 427-428 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1714: 171B048B:#X STA-AWAK/12M

Item Number: 21260

On how many occasions (if any) have you taken such non-prescription stay-awake pills . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2065	91.3 %
2	1-2X:(2)	19	0.8 %
3	3-5X:(3)	8	0.4 %
4	6-9X:(4)	8	0.4 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	150	6.6 %

Value	Label	Unweighted Frequency	%
	Total	**2,261**	**100%**

Based upon 2,111 valid cases out of 2,261 total cases.

Location: 429-430 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1715: 171B048C:#X STA-AWAK/30D

Item Number: 21270

On how many occasions (if any) have you taken such non-prescription stay-awake pills . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2086	92.3 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	8	0.4 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	150	6.6 %
	Total	**2,261**	**100%**

Based upon 2,111 valid cases out of 2,261 total cases.

Location: 431-432 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1716: 171B049A:#X LOOKALIK/LFT

Item Number: 21280

In addition to non-prescription diet and stay-awake pills, there are other stimulants and pep pills which can be sold legally in most states without a prescription--usually by

mail. These are sometimes called "fake pep pills," "imitation speed," or "look-alikes," because they look like prescription amphetamines and sometimes have similar names. Other than the diet pills and stay-awake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2045	90.4 %
2	1-2X:(2)	20	0.9 %
3	3-5X:(3)	14	0.6 %
4	6-9X:(4)	8	0.4 %
5	10-19X:(5)	6	0.3 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	160	7.1 %
	Total	**2,261**	**100%**

Based upon 2,101 valid cases out of 2,261 total cases.

Location: 433-434 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1717: 171B049B:#X LOOKALIK/12M

Item Number: 21290

Other than the diet pills and stay-awake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2067	91.4 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	11	0.5 %
3	3-5X:(3)	10	0.4 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	160	7.1 %
	Total	**2,261**	**100%**

Based upon 2,101 valid cases out of 2,261 total cases.

Location: 435-436 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1718: 171B049C:#X LOOKALIK/30D

Item Number: 21300

Other than the diet pills and stay-awake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2084	92.2 %
2	1-2X:(2)	4	0.2 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	159	7.0 %
	Total	**2,261**	**100%**

Based upon 2,102 valid cases out of 2,261 total cases.

Location: 437-438 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1328: 171B050:DR TOLD TK AMPH

Item Number: 02790

The next questions are about AMPHETAMINES and OTHER STIMULANT DRUGS, which are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. Drugstores are not supposed to sell them without a prescription from a doctor.

Amphetamines are sometimes called: Uppers, Ups, Speed, Dexies, Pep Pills, Diet Pills, Meth or Crystal Meth. They include the following drugs: Dexedrine, Ritalin, Adderall, Concerta, Vyvanse, Methamphetamine.

IN YOUR ANSWERS ABOUT AMPHETAMINES AND OTHER STIMULANT DRUGS, DO NOT INCLUDE ANY NON-PRESCRIPTION OR OVER-THE-COUNTER DRUGS.

Have you ever taken amphetamines or other stimulant drugs because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."
3="Yes, and it was the first time I took any."

Value	Label	Unweighted Frequency	%
1	NO:(1)	1922	85.0 %
2	YES/BUT TRIED:(2)	26	1.1 %
3	YES/FIRST:(3)	146	6.5 %
	Missing Data		
-9	MISSING:(-9)	167	7.4 %
	Total	**2,261**	**100%**

Based upon 2,094 valid cases out of 2,261 total cases.

Location: 439-440 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1329: 171B051A:#X AMPH/LIFETIM

Item Number: 00980

On how many occasions (if any) have you taken amphetamines or other prescription stimulant drugs on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1924	85.1 %
2	1-2X:(2)	76	3.4 %
3	3-5X:(3)	35	1.5 %
4	6-9X:(4)	14	0.6 %
5	10-19X:(5)	13	0.6 %
6	20-39X:(6)	12	0.5 %
7	40+OCCAS:(7)	14	0.6 %
	Missing Data		
-9	MISSING:(-9)	173	7.7 %
	Total	**2,261**	**100%**

Based upon 2,088 valid cases out of 2,261 total cases.

Location: 441-442 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1330: 171B051B:#X AMPH/LAST12M

Item Number: 00990

On how many occasions (if any) have you taken amphetamines or other prescription stimulant drugs on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1982	87.7 %
2	1-2X:(2)	50	2.2 %
3	3-5X:(3)	21	0.9 %
4	6-9X:(4)	11	0.5 %
5	10-19X:(5)	9	0.4 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	12	0.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	172	7.6 %
	Total	**2,261**	**100%**

Based upon 2,089 valid cases out of 2,261 total cases.

Location: 443-444 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1331: 171B051C:#X AMPH/LAST30D

Item Number: 01000

On how many occasions (if any) have you taken amphetamines or other prescription stimulant drugs on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2042	90.3 %
2	1-2X:(2)	21	0.9 %
3	3-5X:(3)	11	0.5 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	170	7.5 %
	Total	**2,261**	**100%**

Based upon 2,091 valid cases out of 2,261 total cases.

Location: 445-446 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1332: 171B052A:#X/YR AMPH ALNE

Item Number: 02800

IF YOU HAVE NOT TAKEN AMPHETAMINES IN THE LAST TWELVE MONTHS, GO TO QUESTION 59. THE FOLLOWING QUESTIONS REFER ONLY TO TAKING AMPHETAMINES WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 59.

When you used amphetamines or other stimulant drugs during the last year, how often did you use them in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	45	2.0 %
2	FEW TIMES:(2)	22	1.0 %
3	SOMETIMES:(3)	7	0.3 %
4	MOST TIMES:(4)	12	0.5 %
5	EVERY TIME:(5)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	2163	95.7 %
	Total	**2,261**	**100%**

Based upon 98 valid cases out of 2,261 total cases.

Location: 447-448 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1333: 171B052B:#X/YR AMPH-2PPL

Item Number: 02810

When you used amphetamines or other stimulant drugs during the last year, how often did you use them in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	50	2.2 %
2	FEW TIMES:(2)	17	0.8 %
3	SOMETIMES:(3)	14	0.6 %

Value	Label	Unweighted Frequency	%
4	MOST TIMES:(4)	5	0.2 %
5	EVERY TIME:(5)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	2165	95.8 %
	Total	**2,261**	**100%**

Based upon 96 valid cases out of 2,261 total cases.

Location: 449-450 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1334: 171B052C:#X/YR AMPH@PRTY

Item Number: 02820

When you used amphetamines or other stimulant drugs during the last year, how often did you use them in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	65	2.9 %
2	FEW TIMES:(2)	10	0.4 %
3	SOMETIMES:(3)	8	0.4 %
4	MOST TIMES:(4)	6	0.3 %
5	EVERY TIME:(5)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	2164	95.7 %
	Total	**2,261**	**100%**

Based upon 97 valid cases out of 2,261 total cases.

Location: 451-452 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1335: 171B052D:#X/YR AMPH-DT/S

Item Number: 02830

When you used amphetamines or other stimulant drugs during the last year, how often did you use them in each of the following situations?

D: When your date or spouse/partner was present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	73	3.2 %
2	FEW TIMES:(2)	12	0.5 %
3	SOMETIMES:(3)	6	0.3 %
4	MOST TIMES:(4)	1	0.0 %
5	EVERY TIME:(5)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2163	95.7 %
	Total	**2,261**	**100%**

Based upon 98 valid cases out of 2,261 total cases.

Location: 453-454 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1336: 171B052E:#X/YR AMPH-ADLT

Item Number: 02840

When you used amphetamines or other stimulant drugs during the last year, how often did you use them in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	68	3.0 %
2	FEW TIMES:(2)	11	0.5 %
3	SOMETIMES:(3)	8	0.4 %
4	MOST TIMES:(4)	4	0.2 %
5	EVERY TIME:(5)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2164	95.7 %

Value	Label	Unweighted Frequency	%
	Total	**2,261**	**100%**

Based upon 97 valid cases out of 2,261 total cases.

Location: 455-456 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1337: 171B052F:#X/YR AMPH-DATM

Item Number: 02850

When you used amphetamines or other stimulant drugs during the last year, how often did you use them in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	39	1.7 %
2	FEW TIMES:(2)	19	0.8 %
3	SOMETIMES:(3)	17	0.8 %
4	MOST TIMES:(4)	7	0.3 %
5	EVERY TIME:(5)	16	0.7 %
	Missing Data		
-9	MISSING:(-9)	2163	95.7 %
	Total	**2,261**	**100%**

Based upon 98 valid cases out of 2,261 total cases.

Location: 457-458 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1338: 171B052G:#X/YR AMPH@HOME

Item Number: 02860

When you used amphetamines or other stimulant drugs during the last year, how often did you use them in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	47	2.1 %
2	FEW TIMES:(2)	12	0.5 %
3	SOMETIMES:(3)	15	0.7 %
4	MOST TIMES:(4)	10	0.4 %
5	EVERY TIME:(5)	14	0.6 %
	Missing Data		
-9	MISSING:(-9)	2163	95.7 %
	Total	**2,261**	**100%**

Based upon 98 valid cases out of 2,261 total cases.

Location: 459-460 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1339: 171B052H:#X/YR AMPH@SCHL

Item Number: 02880

When you used amphetamines or other stimulant drugs during the last year, how often did you use them in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	51	2.3 %
2	FEW TIMES:(2)	18	0.8 %
3	SOMETIMES:(3)	9	0.4 %
4	MOST TIMES:(4)	4	0.2 %
5	EVERY TIME:(5)	16	0.7 %
	Missing Data		
-9	MISSING:(-9)	2163	95.7 %
	Total	**2,261**	**100%**

Based upon 98 valid cases out of 2,261 total cases.

Location: 461-462 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V1340: 171B052I:#X/YR AMPH@CAR

Item Number: 02890

When you used amphetamines or other stimulant drugs during the last year, how often did you use them in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	70	3.1 %
2	FEW TIMES:(2)	9	0.4 %
3	SOMETIMES:(3)	9	0.4 %
4	MOST TIMES:(4)	3	0.1 %
5	EVERY TIME:(5)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2164	95.7 %
	Total	**2,261**	**100%**

Based upon 97 valid cases out of 2,261 total cases.

Location: 463-464 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1838: 171B053A:AMPH SRC INTERNT

Item Number = 31690

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during the last year? (Mark all that apply.)

A: Bought on the Internet

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	81	3.6 %
1	MARKED:(1)	8	0.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	2172	96.1 %
	Total	**2,261**	**100%**

Based upon 89 valid cases out of 2,261 total cases.

Location: 465-466 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1873: 171B053B:AMPH SRC FRND-ASK

Item Number = 31701

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during the last year? (Mark all that apply.)

B: Took from a friend without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	84	3.7 %
1	MARKED:(1)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	2172	96.1 %
	Total	**2,261**	**100%**

Based upon 89 valid cases out of 2,261 total cases.

Location: 467-468 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1874: 171B053C:AMPH SRC RLTV-ASK

Item Number = 31702

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during the last year? (Mark all that apply.)

C: Took from a relative without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	81	3.6 %

Value	Label	Unweighted Frequency	%
1	MARKED:(1)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	2172	96.1 %
	Total	**2,261**	**100%**

Based upon 89 valid cases out of 2,261 total cases.

Location: 469-470 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1875: 171B053D:AMPH SRC FRND FREE

Item Number = 31711

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during the last year? (Mark all that apply.)

D: Given for free by a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	52	2.3 %
1	MARKED:(1)	37	1.6 %
	Missing Data		
-9	MISSING:(-9)	2172	96.1 %
	Total	**2,261**	**100%**

Based upon 89 valid cases out of 2,261 total cases.

Location: 471-472 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1876: 171B053E:AMPH SRC RLTV FREE

Item Number = 31712

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during the last year? (Mark all that apply.)

E: Given for free by a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	77	3.4 %
1	MARKED:(1)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	2172	96.1 %
	Total	**2,261**	**100%**

Based upon 89 valid cases out of 2,261 total cases.

Location: 473-474 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1877: 171B053F:AMPH SRC FRND BGHT

Item Number = 31721

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during the last year? (Mark all that apply.)

F: Bought from a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	47	2.1 %
1	MARKED:(1)	42	1.9 %
	Missing Data		
-9	MISSING:(-9)	2172	96.1 %
	Total	**2,261**	**100%**

Based upon 89 valid cases out of 2,261 total cases.

Location: 475-476 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1878: 171B053G:AMPH SRC RLTV BGHT

Item Number = 31722

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during the last year? (Mark all that apply.)

G: Bought from a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	86	3.8 %
1	MARKED:(1)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	2172	96.1 %
	Total	**2,261**	**100%**

Based upon 89 valid cases out of 2,261 total cases.

Location: 477-478 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1842: 171B053H:AMPH SRC PRESCRP

Item Number = 31730

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during the last year? (Mark all that apply.)

H: From a prescription I had

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	83	3.7 %
1	MARKED:(1)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2172	96.1 %
	Total	**2,261**	**100%**

Based upon 89 valid cases out of 2,261 total cases.

Location: 479-480 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1843: 171B053I:AMPH SRC DEALER

Item Number = 31740

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during the last year? (Mark all that apply.)

I: Bought from drug dealer/stranger

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	81	3.6 %
1	MARKED:(1)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	2172	96.1 %
	Total	**2,261**	**100%**

Based upon 89 valid cases out of 2,261 total cases.

Location: 481-482 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1844: 171B053J:AMPH SRC OTHER

Item Number = 31750

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during the last year? (Mark all that apply.)

J: Other method

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	80	3.5 %
1	MARKED:(1)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	2172	96.1 %
	Total	**2,261**	**100%**

Based upon 89 valid cases out of 2,261 total cases.

Location: 483-484 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1345: 171B054A:AMPH EXPERIMENT

Item Number = 02940

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	59	2.6 %
1	MARKED:(1)	27	1.2 %
	Missing Data		
-9	MISSING:(-9)	2175	96.2 %
	Total	**2,261**	**100%**

Based upon 86 valid cases out of 2,261 total cases.

Location: 485-486 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1346: 171B054B:AMPH RELAX

Item Number = 02950

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	71	3.1 %
1	MARKED:(1)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	2175	96.2 %
	Total	**2,261**	**100%**

Based upon 86 valid cases out of 2,261 total cases.

Location: 487-488 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1347: 171B054C:AMPH GET HIGH

Item Number = 02960

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	59	2.6 %
1	MARKED:(1)	27	1.2 %
	Missing Data		
-9	MISSING:(-9)	2175	96.2 %
	Total	**2,261**	**100%**

Based upon 86 valid cases out of 2,261 total cases.

Location: 489-490 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1348: 171B054D:AMPH SK INSIGHT

Item Number = 02970

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	68	3.0 %
1	MARKED:(1)	18	0.8 %
	Missing Data		
-9	MISSING:(-9)	2175	96.2 %
	Total	**2,261**	**100%**

Based upon 86 valid cases out of 2,261 total cases.

Location: 491-492 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1349: 171B054E:AMPH GD TM FRND

Item Number = 02980

What have been the most important reasons for your taking amphetamines

or other stimulant drugs without a doctor's orders? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	71	3.1 %
1	MARKED:(1)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	2175	96.2 %
	Total	**2,261**	**100%**

Based upon 86 valid cases out of 2,261 total cases.

Location: 493-494 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1350: 171B054F:AMPH FIT IN GRP

Item Number = 02990

What have been the most important reasons for your taking amphetamines
or other stimulant drugs without a doctor's orders? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	84	3.7 %
1	MARKED:(1)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	2175	96.2 %
	Total	**2,261**	**100%**

Based upon 86 valid cases out of 2,261 total cases.

Location: 495-496 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1351: 171B054G:AMPH GT AWY PRB

Item Number = 03000

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	77	3.4 %
1	MARKED:(1)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	2175	96.2 %
	Total	**2,261**	**100%**

Based upon 86 valid cases out of 2,261 total cases.

Location: 497-498 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1352: 171B054H:AMPH BOREDOM

Item Number = 03010

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	79	3.5 %
1	MARKED:(1)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	2175	96.2 %
	Total	**2,261**	**100%**

Based upon 86 valid cases out of 2,261 total cases.

Location: 499-500 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1353: 171B054I:AMPH ANGR/FRSTN

Item Number = 03020

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	79	3.5 %
1	MARKED:(1)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	2175	96.2 %
	Total	**2,261**	**100%**

Based upon 86 valid cases out of 2,261 total cases.

Location: 501-502 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1354: 171B054J:AMPH GT THRU DA

Item Number = 03030

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	72	3.2 %
1	MARKED:(1)	14	0.6 %
	Missing Data		
-9	MISSING:(-9)	2175	96.2 %
	Total	**2,261**	**100%**

Based upon 86 valid cases out of 2,261 total cases.

Location: 503-504 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1355: 171B054K:AMPH INCR EF DR

Item Number = 03040

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	80	3.5 %
1	MARKED:(1)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2175	96.2 %
	Total	**2,261**	**100%**

Based upon 86 valid cases out of 2,261 total cases.

Location: 505-506 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1356: 171B054L:AMPH DCRS EF DR

Item Number = 03050

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	85	3.8 %
1	MARKED:(1)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	2175	96.2 %
	Total	**2,261**	**100%**

Based upon 86 valid cases out of 2,261 total cases.

Location: 507-508 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1357: 171B054M:AMPH STAY AWAKE

Item Number = 03060

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

M. To stay awake

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	63	2.8 %
1	MARKED:(1)	23	1.0 %
	Missing Data		
-9	MISSING:(-9)	2175	96.2 %
	Total	**2,261**	**100%**

Based upon 86 valid cases out of 2,261 total cases.

Location: 509-510 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1358: 171B054N:AMPH GET>ENERGY

Item Number = 03070

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

N. To get more energy

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	60	2.7 %
1	MARKED:(1)	26	1.1 %
	Missing Data		
-9	MISSING:(-9)	2175	96.2 %
	Total	**2,261**	**100%**

Based upon 86 valid cases out of 2,261 total cases.

Location: 511-512 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1879: 171B054O:AMPH HELP STUDY

Item Number = 03075

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

O. To help me study

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	38	1.7 %
1	MARKED:(1)	48	2.1 %
	Missing Data		
-9	MISSING:(-9)	2175	96.2 %
	Total	**2,261**	**100%**

Based upon 86 valid cases out of 2,261 total cases.

Location: 513-514 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1948: 171B054P:AMPH HELP JOB

Item Number: 34060

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

P. To help me at my job

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	82	3.6 %
1	MARKED:(1)	4	0.2 %
8	INAP:(8)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	2175	96.2 %
	Total	**2,261**	**100%**

Based upon 86 valid cases out of 2,261 total cases.

Location: 515-516 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V1359: 171B054Q:AMPH LOSE WGHT

Item Number: 03080

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

Q. To help me lose weight

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	80	3.5 %
1	MARKED:(1)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2175	96.2 %
	Total	**2,261**	**100%**

Based upon 86 valid cases out of 2,261 total cases.

Location: 517-518 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1360: 171B054R:AMPH I AM HOOKD

Item Number = 03090

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

R. Because I am "hooked"--I feel I have to have them

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	83	3.7 %
1	MARKED:(1)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	2175	96.2 %
	Total	**2,261**	**100%**

Based upon 86 valid cases out of 2,261 total cases.

Location: 519-520 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1361: 171B055:AMPH,GT VERY HI

Item Number = 03100

When you take amphetamines or other stimulant drugs, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high" 4="Very high" 5="I don't take them to get high."

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	16	0.7 %
2	A LITTLE:(2)	16	0.7 %
3	MODERATE:(3)	24	1.1 %
4	VERY:(4)	13	0.6 %
5	N TK HIGH:(5)	27	1.2 %
	Missing Data		
-9	MISSING:(-9)	2165	95.8 %
	Total	**2,261**	**100%**

Based upon 96 valid cases out of 2,261 total cases.

Location: 521-522 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1362: 171B056:AMPH,HI 24+ HRS

Item Number = 03110

When you take amphetamines or other stimulant drugs, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours"
5="More than 24 hours"

Value	Label	Unweighted Frequency	%
1	USLY DONT:(1)	29	1.3 %
2	1-2 HRS:(2)	10	0.4 %
3	3-6 HRS:(3)	29	1.3 %
4	7-24 HRS:(4)	19	0.8 %
5	> 24 HRS:(5)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	2170	96.0 %

Value	Label	Unweighted Frequency	%
	Total	**2,261**	**100%**

Based upon 91 valid cases out of 2,261 total cases.

Location: 523-524 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1364: 171B057A:TKN YR,DEXEDRIN

Item Number = 03130

What amphetamines or other stimulant drugs have you taken during the last year without a doctor's orders? (Mark all that apply.)

A. Dexedrine

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	83	3.7 %
1	MARKED:(1)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	2169	95.9 %
	Total	**2,261**	**100%**

Based upon 92 valid cases out of 2,261 total cases.

Location: 525-526 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1366: 171B057B:TKN YR,RITALIN

Item Number = 03150

What amphetamines or other stimulant drugs have you taken during the last year without a doctor's orders? (Mark all that apply.)

B. Ritalin (Methylphenidate)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	77	3.4 %
1	MARKED:(1)	15	0.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	2169	95.9 %
	Total	**2,261**	**100%**

Based upon 92 valid cases out of 2,261 total cases.

Location: 527-528 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1845: 171B057C:TKN YR,ADDERALL

Item Number = 31760

What amphetamines or other stimulant drugs have you taken during the last year without a doctor's orders? (Mark all that apply.)

C. Adderall

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	22	1.0 %
1	MARKED:(1)	70	3.1 %
	Missing Data		
-9	MISSING:(-9)	2169	95.9 %
	Total	**2,261**	**100%**

Based upon 92 valid cases out of 2,261 total cases.

Location: 529-530 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1846: 171B057D:TKN YR,CONCERTA

Item Number = 31770

What amphetamines or other stimulant drugs have you taken during the last year without a doctor's orders? (Mark all that apply.)

D. Concerta

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	85	3.8 %
1	MARKED:(1)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	2169	95.9 %
	Total	**2,261**	**100%**

Based upon 92 valid cases out of 2,261 total cases.

Location: 531-532 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1911: 171B057E:AMPH TKN VYVANSE

Item Number = 33050

What amphetamines or other stimulant drugs have you taken during the last year without a doctor's orders? (Mark all that apply.)

E. Vyvanse

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	68	3.0 %
1	MARKED:(1)	24	1.1 %
	Missing Data		
-9	MISSING:(-9)	2169	95.9 %
	Total	**2,261**	**100%**

Based upon 92 valid cases out of 2,261 total cases.

Location: 533-534 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1369: 171B057F:TKN YR,METHAMPH

Item Number = 03180

What amphetamines or other stimulant drugs have you taken during the last year without a doctor's orders? (Mark all that apply.)

F. Methamphetamine

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	85	3.8 %
1	MARKED:(1)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	2169	95.9 %
	Total	**2,261**	**100%**

Based upon 92 valid cases out of 2,261 total cases.

Location: 535-536 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1764: 171B057G:TKN YR,CRYSMETH

Item Number = 03185

What amphetamines or other stimulant drugs have you taken during the last year without a doctor's orders? (Mark all that apply.)

G. Crystal meth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	87	3.8 %
1	MARKED:(1)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	2169	95.9 %
	Total	**2,261**	**100%**

Based upon 92 valid cases out of 2,261 total cases.

Location: 537-538 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1370: 171B057H:TKN YR,OTH AMPH

Item Number = 03190

What amphetamines or other stimulant drugs have you taken during the last year without a doctor's orders? (Mark all that apply.)

H. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	86	3.8 %
1	MARKED:(1)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2169	95.9 %
	Total	**2,261**	**100%**

Based upon 92 valid cases out of 2,261 total cases.

Location: 539-540 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1371: 171B057I:TKN YR,DNT KN N

Item Number = 03200

What amphetamines or other stimulant drugs have you taken during the last year without a doctor's orders? (Mark all that apply.)

H. Don't know the names of some amphetamines or other stimulant drugs I have used

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	84	3.7 %
1	MARKED:(1)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	2169	95.9 %
	Total	**2,261**	**100%**

Based upon 92 valid cases out of 2,261 total cases.

Location: 541-542 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1372: 171B058A:MTHD AMPH-MOUTH

Item Number = 03210

What methods have you used for taking amphetamines or other stimulant drugs during the last year? (Mark all that apply.)

A. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	12	0.5 %
1	MARKED:(1)	81	3.6 %
	Missing Data		
-9	MISSING:(-9)	2168	95.9 %
	Total	**2,261**	**100%**

Based upon 93 valid cases out of 2,261 total cases.

Location: 543-544 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1765: 171B058B:MTHD AMPH-SMOKG

Item Number = 03215

What methods have you used for taking amphetamines or other stimulant drugs during the last year?
(Mark all that apply.)

B. Smoking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	83	3.7 %
1	MARKED:(1)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	2168	95.9 %
	Total	**2,261**	**100%**

Based upon 93 valid cases out of 2,261 total cases.

Location: 545-546 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1373: 171B058C:MTHD AMPH-INJCT

Item Number = 03220

What methods have you used for taking amphetamines or other stimulant drugs during the last year?
(Mark all that apply.)

C. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	89	3.9 %
1	MARKED:(1)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	2168	95.9 %
	Total	**2,261**	**100%**

Based upon 93 valid cases out of 2,261 total cases.

Location: 547-548 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1374: 171B058D:MTHD AMPH-OTHER

Item Number = 03230

What methods have you used for taking amphetamines or other stimulant drugs during the last year?
(Mark all that apply.)

D. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	79	3.5 %
1	MARKED:(1)	14	0.6 %
	Missing Data		
-9	MISSING:(-9)	2168	95.9 %
	Total	**2,261**	**100%**

Based upon 93 valid cases out of 2,261 total cases.

Location: 549-550 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1375: 171B059:*TRY STP AMP/FL

Item Number = 03240

Have you ever tried to stop using amphetamines or other stimulant drugs and found that you couldn't

stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	11	0.5 %
2	NO:(2)	84	3.7 %
	Missing Data		
-9	MISSING:(-9)	2166	95.8 %
	Total	**2,261**	**100%**

Based upon 95 valid cases out of 2,261 total cases.

Location: 551-552 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1376: 171B060:NO AMPH IN 5YR

Item Number = 03250

Do you think you will be using amphetamines or other stimulant drugs without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	32	1.4 %
2	PRB WILL:(2)	51	2.3 %
3	PRB WONT:(3)	328	14.5 %
4	DEF WONT:(4)	1649	72.9 %
	Missing Data		
-9	MISSING:(-9)	201	8.9 %
	Total	**2,261**	**100%**

Based upon 2,060 valid cases out of 2,261 total cases.

Location: 553-554 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1827: 171B061:DR TOLD TK SED

Item Number: 03282

The next questions are about SEDATIVES, including BARBITURATES,

which doctors sometimes prescribe to help people relax or get to sleep. Drugstores are not supposed to sell them without a prescription.

Sedatives are sometimes called: Downs, Downers. They include the following drugs: Phenobarbital, Seconal, Dalmane, Restoril, Halcion, Ambien, Lunesta, Sonata, Intermezzo, Zolpimist.

Have you ever taken sedatives because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."
3="Yes, and it was the first time I took any."

Value	Label	Unweighted Frequency	%
1	NO:(1)	1967	87.0 %
2	YES/BUT TRIED:(2)	23	1.0 %
3	YES/FIRST:(3)	98	4.3 %
	Missing Data		
-9	MISSING:(-9)	173	7.7 %
	Total	**2,261**	**100%**

Based upon 2,088 valid cases out of 2,261 total cases.

Location: 555-556 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1383: 171B062A:#X SED/BARB/LIFE

Item Number: 01042

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1983	87.7 %
2	1-2X:(2)	31	1.4 %
3	3-5X:(3)	16	0.7 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	11	0.5 %
6	20-39X:(6)	4	0.2 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	14	0.6 %
	Missing Data		
-9	MISSING:(-9)	198	8.8 %
	Total	**2,261**	**100%**

Based upon 2,063 valid cases out of 2,261 total cases.

Location: 557-558 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1384: 171B062B:#X SED/BARB/12MO

Item Number: 01052

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2013	89.0 %
2	1-2X:(2)	18	0.8 %
3	3-5X:(3)	8	0.4 %
4	6-9X:(4)	8	0.4 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	199	8.8 %
	Total	**2,261**	**100%**

Based upon 2,062 valid cases out of 2,261 total cases.

Location: 559-560 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1385: 171B062C:#X SED/BARB/30DA

Item Number: 01062

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2035	90.0 %
2	1-2X:(2)	13	0.6 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	196	8.7 %
	Total	**2,261**	**100%**

Based upon 2,065 valid cases out of 2,261 total cases.

Location: 561-562 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1847: 171B063A:TKN YR,PHNOBRB

Item Number: 03611

THE FOLLOWING QUESTION REFERS ONLY TO TAKING SEDATIVES WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 63.

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

A: Phenobarbital

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	41	1.8 %

Value	Label	Unweighted Frequency	%
1	MARKED:(1)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	2218	98.1 %
	Total	**2,261**	**100%**

Based upon 43 valid cases out of 2,261 total cases.

Location: 563-564 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1848: 171B063B:TKN YR,SECONAL

Item Number: 03621

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

B: Seconal

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	42	1.9 %
1	MARKED:(1)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	2218	98.1 %
	Total	**2,261**	**100%**

Based upon 43 valid cases out of 2,261 total cases.

Location: 565-566 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1850: 171B063C:TKN YR,AMBIEN

Item Number: 31780

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

C: Ambien

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	34	1.5 %
1	MARKED:(1)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	2218	98.1 %
	Total	**2,261**	**100%**

Based upon 43 valid cases out of 2,261 total cases.

Location: 567-568 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1851: 171B063D:TKN YR,LUNESTA

Item Number: 31790

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

D: Lunesta

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	38	1.7 %
1	MARKED:(1)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	2218	98.1 %
	Total	**2,261**	**100%**

Based upon 43 valid cases out of 2,261 total cases.

Location: 569-570 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1852: 171B063E:TKN YR,SONATA

Item Number: 31800

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

E: Sonata

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	41	1.8 %
1	MARKED:(1)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	2218	98.1 %
	Total	**2,261**	**100%**

Based upon 43 valid cases out of 2,261 total cases.

Location: 571-572 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1912: 171B063F:SED TKN DALMANE

Item Number: 33110

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

F: Dalmane

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	42	1.9 %
1	MARKED:(1)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	2218	98.1 %
	Total	**2,261**	**100%**

Based upon 43 valid cases out of 2,261 total cases.

Location: 573-574 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1913: 171B063G:SED TKN HALCION

Item Number: 33120

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

G: Halcion

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	37	1.6 %
1	MARKED:(1)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2218	98.1 %
	Total	**2,261**	**100%**

Based upon 43 valid cases out of 2,261 total cases.

Location: 575-576 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1914: 171B063H:SED TKN RESTORIL

Item Number: 33130

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

H: Restoril

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	42	1.9 %
1	MARKED:(1)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	2218	98.1 %
	Total	**2,261**	**100%**

Based upon 43 valid cases out of 2,261 total cases.

Location: 577-578 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1915: 171B063I:SED TKN INTERMEZZO

Item Number: 33140

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

I: Intermezzo

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	42	1.9 %
1	MARKED:(1)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	2218	98.1 %
	Total	**2,261**	**100%**

Based upon 43 valid cases out of 2,261 total cases.

Location: 579-580 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1916: 171B063J:SED TKN ZOLPIMIST

Item Number: 33150

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

J: Zolpimist

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	41	1.8 %
1	MARKED:(1)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	2218	98.1 %
	Total	**2,261**	**100%**

Based upon 43 valid cases out of 2,261 total cases.

Location: 581-582 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1853: 171B063K:TKN YR,OTHR SED

Item Number: 03691

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

K: Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	22	1.0 %
1	MARKED:(1)	21	0.9 %
	Missing Data		
-9	MISSING:(-9)	2218	98.1 %
	Total	**2,261**	**100%**

Based upon 43 valid cases out of 2,261 total cases.

Location: 583-584 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1854: 171B063L:TKN YR,DNT KNW

Item Number: 03701

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

L: Don't know the names of some sedatives I have used

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	25	1.1 %
1	MARKED:(1)	18	0.8 %
	Missing Data		
-9	MISSING:(-9)	2218	98.1 %
	Total	**2,261**	**100%**

Based upon 43 valid cases out of 2,261 total cases.

Location: 585-586 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1828: 171B064:NO SED IN 5YR

Item Number: 03722

Do you think you will be using sedatives without a doctor's

prescription five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	36	1.6 %
2	PRB WILL:(2)	39	1.7 %
3	PRB WONT:(3)	334	14.8 %
4	DEF WONT:(4)	1614	71.4 %
	Missing Data		
-9	MISSING:(-9)	238	10.5 %
	Total	**2,261**	**100%**

Based upon 2,023 valid cases out of 2,261 total cases.

Location: 587-588 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1429: 171B065:DR TOLD TK TRNQ

Item Number: 03730

The next questions are about TRANQUILIZERS, which doctors sometimes prescribe to calm people down, quiet their nerves, or relax their muscles. They include the following drugs: Librium, Valium, Xanax, Soma, Serax, Ativan, Klonopin. Have you ever taken tranquilizers because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own." 3="Yes, and it was the first time I took any."

Value	Label	Unweighted Frequency	%
1	NO:(1)	1951	86.3 %
2	YES/BUT TRIED:(2)	27	1.2 %
3	YES/FIRST:(3)	66	2.9 %
	Missing Data		
-9	MISSING:(-9)	217	9.6 %
	Total	**2,261**	**100%**

Based upon 2,044 valid cases out of 2,261 total cases.

Location: 589-590 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1430: 171B066A:#X TRQL/LIFETIM

Item Number: 01070

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1905	84.3 %
2	1-2X:(2)	51	2.3 %
3	3-5X:(3)	24	1.1 %
4	6-9X:(4)	14	0.6 %
5	10-19X:(5)	8	0.4 %
6	20-39X:(6)	7	0.3 %
7	40+OCCAS:(7)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	244	10.8 %
	Total	**2,261**	**100%**

Based upon 2,017 valid cases out of 2,261 total cases.

Location: 591-592 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1431: 171B066B:#X TRQL/LAST12M

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1949	86.2 %
2	1-2X:(2)	33	1.5 %
3	3-5X:(3)	15	0.7 %
4	6-9X:(4)	11	0.5 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	244	10.8 %
	Total	**2,261**	**100%**

Based upon 2,017 valid cases out of 2,261 total cases.

Location: 593-594 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1432: 171B066C:#X TRQL/LAST30D

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1986	87.8 %
2	1-2X:(2)	14	0.6 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	246	10.9 %
	Total	**2,261**	**100%**

Based upon 2,015 valid cases out of 2,261 total cases.

Location: 595-596 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1433: 171B067A:#X/YR TRQL ALNE

Item Number: 03740

IF YOU HAVE NOT TAKEN TRANQUILIZERS IN THE LAST TWELVE MONTHS, GO TO QUESTION 73. THE FOLLOWING QUESTIONS REFER ONLY TO TAKING TRANQUILIZERS WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 73.

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	54	2.4 %
2	FEW TIMES:(2)	10	0.4 %
3	SOMETIMES:(3)	9	0.4 %
4	MOST TIMES:(4)	4	0.2 %
5	EVERY TIME:(5)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	2176	96.2 %
	Total	**2,261**	**100%**

Based upon 85 valid cases out of 2,261 total cases.

Location: 597-598 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1434: 171B067B:#X/YR TRQL-2PPL

Item Number: 03750

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	35	1.5 %
2	FEW TIMES:(2)	22	1.0 %
3	SOMETIMES:(3)	10	0.4 %
4	MOST TIMES:(4)	8	0.4 %
5	EVERY TIME:(5)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	2178	96.3 %
	Total	**2,261**	**100%**

Based upon 83 valid cases out of 2,261 total cases.

Location: 599-600 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1435: 171B067C:#X/YR TRQL@PRTY

Item Number: 03760

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	46	2.0 %
2	FEW TIMES:(2)	11	0.5 %
3	SOMETIMES:(3)	12	0.5 %
4	MOST TIMES:(4)	9	0.4 %
5	EVERY TIME:(5)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	2176	96.2 %
	Total	**2,261**	**100%**

Based upon 85 valid cases out of 2,261 total cases.

Location: 601-602 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1436: 171B067D:#X/YR TRQL-DT/S

Item Number: 03770

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

D: When your date or spouse/partner was present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	62	2.7 %
2	FEW TIMES:(2)	5	0.2 %
3	SOMETIMES:(3)	8	0.4 %
4	MOST TIMES:(4)	3	0.1 %
5	EVERY TIME:(5)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2177	96.3 %
	Total	**2,261**	**100%**

Based upon 84 valid cases out of 2,261 total cases.

Location: 603-604 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1437: 171B067E:#X/YR TRQL-ADLT

Item Number: 03780

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	62	2.7 %
2	FEW TIMES:(2)	7	0.3 %
3	SOMETIMES:(3)	10	0.4 %
4	MOST TIMES:(4)	0	0.0 %

Value	Label	Unweighted Frequency	%
5	EVERY TIME:(5)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	2177	96.3 %
	Total	**2,261**	**100%**

Based upon 84 valid cases out of 2,261 total cases.

Location: 605-606 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1438: 171B067F:#X/YR TRQL-DATM

Item Number: 03790

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	54	2.4 %
2	FEW TIMES:(2)	12	0.5 %
3	SOMETIMES:(3)	11	0.5 %
4	MOST TIMES:(4)	4	0.2 %
5	EVERY TIME:(5)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	2177	96.3 %
	Total	**2,261**	**100%**

Based upon 84 valid cases out of 2,261 total cases.

Location: 607-608 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1439: 171B067G:#X/YR TRQL@HOME

Item Number: 03800

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	43	1.9 %
2	FEW TIMES:(2)	9	0.4 %
3	SOMETIMES:(3)	10	0.4 %
4	MOST TIMES:(4)	9	0.4 %
5	EVERY TIME:(5)	14	0.6 %
	Missing Data		
-9	MISSING:(-9)	2176	96.2 %
	Total	**2,261**	**100%**

Based upon 85 valid cases out of 2,261 total cases.

Location: 609-610 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1440: 171B067H:#X/YR TRQL@SCHL

Item Number: 03810

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	61	2.7 %
2	FEW TIMES:(2)	9	0.4 %
3	SOMETIMES:(3)	9	0.4 %
4	MOST TIMES:(4)	3	0.1 %
5	EVERY TIME:(5)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	2177	96.3 %
	Total	**2,261**	**100%**

Based upon 84 valid cases out of 2,261 total cases.

Location: 611-612 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1441: 171B067I:#X/YR TRQL@CAR

Item Number: 03830

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	64	2.8 %
2	FEW TIMES:(2)	7	0.3 %
3	SOMETIMES:(3)	9	0.4 %
4	MOST TIMES:(4)	2	0.1 %
5	EVERY TIME:(5)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	2176	96.2 %
	Total	**2,261**	**100%**

Based upon 85 valid cases out of 2,261 total cases.

Location: 613-614 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1855: 171B068A:TRQ SRC INTERNET

Item Number: 31810

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

A: Bought on the Internet

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	59	2.6 %
1	MARKED:(1)	3	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 615-616 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1880: 171B068B:TRQ SRC FRND-ASK

Item Number: 31821

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

B: Took from a friend without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	61	2.7 %
1	MARKED:(1)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 617-618 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1881: 171B068C:TRQ SRC RLTV-ASK

Item Number: 31822

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

C: Took from a relative without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	59	2.6 %
1	MARKED:(1)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 619-620 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1882: 171B068D:TRQ SRC FRND FREE

Item Number: 31831

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

D: Given for free by a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	39	1.7 %
1	MARKED:(1)	23	1.0 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 621-622 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1883: 171B068E:TRQ SRC RLTV FREE

Item Number: 31832

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

E: Given for free by a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	49	2.2 %
1	MARKED:(1)	13	0.6 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 623-624 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1884: 171B068F:TRQ SRC FRND BGHT

Item Number: 31841

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

F: Bought from a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	40	1.8 %
1	MARKED:(1)	22	1.0 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 625-626 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1885: 171B068G:TRQ SRC RLTV BGHT

Item Number: 31842

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

G: Bought from a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	59	2.6 %
1	MARKED:(1)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 627-628 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1859: 171B068H:TRQ SRC PRESCRPT

Item Number: 31850

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

H: From a prescription I had

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	56	2.5 %
1	MARKED:(1)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 629-630 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1860: 171B068I:TRQ SRC DEALER

Item Number: 31860

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

I: Bought from drug dealer/stranger

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	50	2.2 %
1	MARKED:(1)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 631-632 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1861: 171B068J:TRQ SRC OTHER

Item Number: 31870

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

J: Other method

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	55	2.4 %
1	MARKED:(1)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 633-634 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1449: 171B069A:TRNQ EXPERIMENT

Item Number: 03910

What have been the most important reasons for your taking tranquilizers without a doctor's orders?

(Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	41	1.8 %
1	MARKED:(1)	21	0.9 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 635-636 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1450: 171B069B:TRNQ RELAX

Item Number: 03920

What have been the most important reasons for your
taking tranquilizers without a doctor's orders?
(Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	27	1.2 %
1	MARKED:(1)	35	1.5 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 637-638 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1451: 171B069C:TRNQ GET HIGH

Item Number: 03930

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	31	1.4 %
1	MARKED:(1)	31	1.4 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 639-640 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1452: 171B069D:TRNQ SK INSIGHT

Item Number: 03940

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	55	2.4 %
1	MARKED:(1)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 641-642 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1453: 171B069E:TRNQ GD TM FRND

Item Number: 03950

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	42	1.9 %
1	MARKED:(1)	20	0.9 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 643-644 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1454: 171B069F:TRNQ FIT IN GRP

Item Number: 03960

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	61	2.7 %
1	MARKED:(1)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 645-646 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1455: 171B069G:TRNQ GT AWY PRB

Item Number: 03970

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	54	2.4 %
1	MARKED:(1)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 647-648 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1456: 171B069H:TRNQ BOREDOM

Item Number: 03980

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	56	2.5 %
1	MARKED:(1)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 649-650 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V1457: 171B069I:TRNQ ANGR/FRSTN

Item Number: 03990

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	56	2.5 %
1	MARKED:(1)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 651-652 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1458: 171B069J:TRNQ GT THRU DA

Item Number: 04000

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	55	2.4 %
1	MARKED:(1)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 653-654 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1459: 171B069K:TRNQ INCR EF DR

Item Number: 04010

What have been the most important reasons for your
taking tranquilizers without a doctor's orders?
(Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	58	2.6 %
1	MARKED:(1)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 655-656 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1460: 171B069L:TRNQ DCRS EF DR

Item Number: 04020

What have been the most important reasons for your
taking tranquilizers without a doctor's orders?
(Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	61	2.7 %
1	MARKED:(1)	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 657-658 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1461: 171B069M:TRNQ GET SLEEP

Item Number: 04030

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.)

M. To get to sleep

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	49	2.2 %
1	MARKED:(1)	13	0.6 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 659-660 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1696: 171B069N:TRNQ RLV PHYS P

Item Number: 04035

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.)

N. To relieve physical pain

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	50	2.2 %
1	MARKED:(1)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 661-662 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1462: 171B069O:TRNQ I AM HOOKD

Item Number: 04040

What have been the most important reasons for your
taking tranquilizers without a doctor's orders?
(Mark all that apply.)

O. Because I am "hooked"--I feel I have to have them

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	61	2.7 %
1	MARKED:(1)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 663-664 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1463: 171B070:TRNQ,GT VERY HI

Item Number: 04050

When you take tranquilizers, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high" 5="I don't take them to get high"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	13	0.6 %
2	A LITTLE:(2)	13	0.6 %
3	MODERATE:(3)	16	0.7 %
4	VERY:(4)	19	0.8 %
5	N TK HIGH:(5)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	2188	96.8 %
	Total	**2,261**	**100%**

Based upon 73 valid cases out of 2,261 total cases.

Location: 665-666 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1464: 171B071:TRNQ,HI 24+ HRS

Item Number: 04060

When you take tranquilizers, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%
1	USLY DONT:(1)	16	0.7 %
2	1-2 HRS:(2)	15	0.7 %
3	3-6 HRS:(3)	21	0.9 %
4	7-24 HRS:(4)	11	0.5 %
5	> 24 HRS:(5)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	2196	97.1 %
	Total	**2,261**	**100%**

Based upon 65 valid cases out of 2,261 total cases.

Location: 667-668 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1465: 171B072A:TKN YR,LIBRIUM

Item Number: 04070

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

A. Librium

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	63	2.8 %
1	MARKED:(1)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	2195	97.1 %
	Total	**2,261**	**100%**

Based upon 66 valid cases out of 2,261 total cases.

Location: 669-670 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1466: 171B072B:TKN YR,VALIUM

Item Number: 04080

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

B. Valium

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	59	2.6 %
1	MARKED:(1)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	2195	97.1 %
	Total	**2,261**	**100%**

Based upon 66 valid cases out of 2,261 total cases.

Location: 671-672 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1814: 171B072C:TKN YR, XANAX

Item Number: 04095

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

C. Xanax

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	15	0.7 %
1	MARKED:(1)	51	2.3 %
	Missing Data		
-9	MISSING:(-9)	2195	97.1 %
	Total	**2,261**	**100%**

Based upon 66 valid cases out of 2,261 total cases.

Location: 673-674 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1862: 171B072D:TKN YR,SOMA

Item Number: 31880

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

D. Soma

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	64	2.8 %
1	MARKED:(1)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	2195	97.1 %
	Total	**2,261**	**100%**

Based upon 66 valid cases out of 2,261 total cases.

Location: 675-676 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1470: 171B072E:TKN YR,SERAX

Item Number: 04120

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

E. Serax

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	65	2.9 %
1	MARKED:(1)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	2195	97.1 %
	Total	**2,261**	**100%**

Based upon 66 valid cases out of 2,261 total cases.

Location: 677-678 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1863: 171B072F:TKN YR,ATIVAN

Item Number: 31890

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

F. Ativan

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	62	2.7 %
1	MARKED:(1)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	2195	97.1 %
	Total	**2,261**	**100%**

Based upon 66 valid cases out of 2,261 total cases.

Location: 679-680 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1864: 171B072G:TKN YR,KLONOPIN

Item Number: 31900

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

G. Klonopin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	64	2.8 %
1	MARKED:(1)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	2195	97.1 %
	Total	**2,261**	**100%**

Based upon 66 valid cases out of 2,261 total cases.

Location: 681-682 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1815: 171B072H:TKN YR,OTH TRNQ

Item Number: 04155

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

H. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	58	2.6 %
1	MARKED:(1)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	2195	97.1 %
	Total	**2,261**	**100%**

Based upon 66 valid cases out of 2,261 total cases.

Location: 683-684 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1474: 171B072I:TKN YR,DNT KNW

Item Number: 04160

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

I. Don't know the names of some tranquilizers I have used

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	59	2.6 %
1	MARKED:(1)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	2195	97.1 %
	Total	**2,261**	**100%**

Based upon 66 valid cases out of 2,261 total cases.

Location: 685-686 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1475: 171B073:*TRY STP TRQ/FL

Item Number: 04170

Have you ever tried to stop using tranquilizers and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	5	0.2 %
2	NO:(2)	66	2.9 %
	Missing Data		
-9	MISSING:(-9)	2190	96.9 %
	Total	**2,261**	**100%**

Based upon 71 valid cases out of 2,261 total cases.

Location: 687-688 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1476: 171B074:NO TRNQ IN 5YR

Item Number: 04180

Do you think you will be using tranquilizers without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	20	0.9 %
2	PRB WILL:(2)	37	1.6 %
3	PRB WONT:(3)	289	12.8 %
4	DEF WONT:(4)	1698	75.1 %
	Missing Data		
-9	MISSING:(-9)	217	9.6 %
	Total	**2,261**	**100%**

Based upon 2,044 valid cases out of 2,261 total cases.

Location: 689-690 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1755: 171B075:EVR TK CRACK/FB

Item Number: 22250

The next questions are about the use of different forms of cocaine, such as "crack", powder, freebase, or coca paste. Have you ever taken cocaine in "crack" form or in any other freebase form--that is, where you inhaled the fumes from smoking, heating, or burning it?

1="No--GO TO QUESTION 76" 2="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	2010	88.9 %
2	YES:(2)	28	1.2 %
	Missing Data		
-9	MISSING:(-9)	223	9.9 %
	Total	**2,261**	**100%**

Based upon 2,038 valid cases out of 2,261 total cases.

Location: 691-692 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1756: 171B076A:#X CRACK/LIFTIM

Item Number: 22260

On how many occasions (if any) have you taken "crack" (cocaine in chunk or rock form) . . .

A: . . . in your lifetime?

1="0 Occasions [Includes respondents who reported nonuse on preceding question]" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2020	89.3 %
2	1-2X:(2)	9	0.4 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	220	9.7 %
	Total	**2,261**	**100%**

Based upon 2,041 valid cases out of 2,261 total cases.

Location: 693-694 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1757: 171B076B:#X CRACK/LST12M

Item Number: 22270

On how many occasions (if any) have you taken "crack" (cocaine in chunk or rock form) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2028	89.7 %
2	1-2X:(2)	6	0.3 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	221	9.8 %
	Total	**2,261**	**100%**

Based upon 2,040 valid cases out of 2,261 total cases.

Location: 695-696 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1758: 171B076C:#X CRACK/LST30D

Item Number: 22280

On how many occasions (if any) have you taken "crack" (cocaine in chunk or rock form) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2035	90.0 %
2	1-2X:(2)	1	0.0 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	220	9.7 %
	Total	**2,261**	**100%**

Based upon 2,041 valid cases out of 2,261 total cases.

Location: 697-698 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1759: 171B077A:#XOTH COKE/LIFE

Item Number: 22320

On how many occasions (if any) have you used cocaine in any other form . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1965	86.9 %
2	1-2X:(2)	31	1.4 %
3	3-5X:(3)	9	0.4 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	239	10.6 %
	Total	**2,261**	**100%**

Based upon 2,022 valid cases out of 2,261 total cases.

Location: 699-700 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1760: 171B077B:#XOTH COKE/12MO

Item Number: 22330

On how many occasions (if any) have you used cocaine in any other form . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1980	87.6 %
2	1-2X:(2)	27	1.2 %
3	3-5X:(3)	6	0.3 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	237	10.5 %
	Total	**2,261**	**100%**

Based upon 2,024 valid cases out of 2,261 total cases.

Location: 701-702 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1761: 171B077C:#XOTH COKE/30DA

Item Number: 22340

On how many occasions (if any) have you used cocaine in any other form . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2009	88.9 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	237	10.5 %
	Total	**2,261**	**100%**

Based upon 2,024 valid cases out of 2,261 total cases.

Location: 703-704 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1124: 171B74/75A:#X COKE/LIFETIME

Item number: 00950

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . A. in your lifetime?" (item 22260) and "On how many occasions (if any) have you used cocaine in any other form . . . A. in your lifetime?) (item 22320).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"
[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1913	84.6 %
2	1-2X:(2)	25	1.1 %
3	3-5X:(3)	15	0.7 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	290	12.8 %
	Total	**2,261**	**100%**

Based upon 1,971 valid cases out of 2,261 total cases.

Location: 705-706 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1125: 171B74/75B:#X COKE/LAST12MO

Item number: 00960

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . B. During the last 12 months?" (item 22270) and "On how many occasions (if any) have you used cocaine in any other form . . . B. During the last 12 months?) (item 22330).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"
[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1930	85.4 %
2	1-2X:(2)	21	0.9 %
3	3-5X:(3)	9	0.4 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	288	12.7 %
	Total	**2,261**	**100%**

Based upon 1,973 valid cases out of 2,261 total cases.

Location: 707-708 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1126: 171B74/75C:#X COKE/LAST30DA

Item number: 00970

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . C. During the last 30 days?" (item 22280) and "On how many occasions (if any) have you used cocaine in any other form . . . C. During the last 30 days?) (item 22340).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"
[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1957	86.6 %
2	1-2X:(2)	4	0.2 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	1	0.0 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	288	12.7 %
	Total	**2,261**	**100%**

Based upon 1,973 valid cases out of 2,261 total cases.

Location: 709-710 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1480: 171B078A:#X/YR COKE ALNE

Item Number: 04190

IF YOU HAVE NOT TAKEN ANY COCAINE (POWDER, CRACK, FREEBASE, ETC.) IN THE LAST 12 MONTHS, GO TO QUESTION 85.

When you used cocaine during the last year, how often did you use it in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	48	2.1 %
2	FEW TIMES:(2)	5	0.2 %
3	SOMETIMES:(3)	6	0.3 %
4	MOST TIMES:(4)	2	0.1 %
5	EVERY TIME:(5)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	2198	97.2 %
	Total	**2,261**	**100%**

Based upon 63 valid cases out of 2,261 total cases.

Location: 711-712 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1481: 171B078B:#X/YR COKE-2PPL

Item Number: 04200

When you used cocaine during the last year, how often did you use it in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	28	1.2 %
2	FEW TIMES:(2)	12	0.5 %
3	SOMETIMES:(3)	8	0.4 %
4	MOST TIMES:(4)	9	0.4 %
5	EVERY TIME:(5)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	2197	97.2 %
	Total	**2,261**	**100%**

Based upon 64 valid cases out of 2,261 total cases.

Location: 713-714 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1482: 171B078C:#X/YR COKE@PRTY

Item Number: 04210

When you used cocaine during the last year, how often did you use it in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	27	1.2 %
2	FEW TIMES:(2)	8	0.4 %
3	SOMETIMES:(3)	10	0.4 %
4	MOST TIMES:(4)	5	0.2 %
5	EVERY TIME:(5)	13	0.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	2198	97.2 %
	Total	**2,261**	**100%**

Based upon 63 valid cases out of 2,261 total cases.

Location: 715-716 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1483: 171B078D:#X/YR COKE-DT/S

Item Number: 04220

When you used cocaine during the last year, how often did you use it in each of the following situations?

D: When your date or spouse/partner was present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	45	2.0 %
2	FEW TIMES:(2)	4	0.2 %
3	SOMETIMES:(3)	6	0.3 %
4	MOST TIMES:(4)	4	0.2 %
5	EVERY TIME:(5)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 717-718 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1484: 171B078E:#X/YR COKE-ADLT

Item Number: 04230

When you used cocaine during the last year, how often did you use it in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	51	2.3 %
2	FEW TIMES:(2)	4	0.2 %
3	SOMETIMES:(3)	7	0.3 %
4	MOST TIMES:(4)	0	0.0 %
5	EVERY TIME:(5)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	2198	97.2 %
	Total	**2,261**	**100%**

Based upon 63 valid cases out of 2,261 total cases.

Location: 719-720 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1485: 171B078F:#X/YR COKE-DATM

Item Number: 04240

When you used cocaine during the last year, how often did you use it in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	40	1.8 %
2	FEW TIMES:(2)	6	0.3 %
3	SOMETIMES:(3)	12	0.5 %
4	MOST TIMES:(4)	1	0.0 %
5	EVERY TIME:(5)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 721-722 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1486: 171B078G:#X/YR COKE@HOME

Item Number: 04250

When you used cocaine during the last year, how often did you use it in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	42	1.9 %
2	FEW TIMES:(2)	4	0.2 %
3	SOMETIMES:(3)	8	0.4 %
4	MOST TIMES:(4)	3	0.1 %
5	EVERY TIME:(5)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	2201	97.3 %
	Total	**2,261**	**100%**

Based upon 60 valid cases out of 2,261 total cases.

Location: 723-724 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1487: 171B078H:#X/YR COKE@SCHL

Item Number: 04260

When you used cocaine during the last year, how often did you use it in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	51	2.3 %
2	FEW TIMES:(2)	2	0.1 %
3	SOMETIMES:(3)	6	0.3 %
4	MOST TIMES:(4)	0	0.0 %

Value	Label	Unweighted Frequency	%
5	EVERY TIME:(5)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	2200	97.3 %
	Total	**2,261**	**100%**

Based upon 61 valid cases out of 2,261 total cases.

Location: 725-726 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1488: 171B078I:#X/YR COKE@CAR

Item Number: 04280

When you used cocaine during the last year, how often did you use it in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	41	1.8 %
2	FEW TIMES:(2)	8	0.4 %
3	SOMETIMES:(3)	7	0.3 %
4	MOST TIMES:(4)	4	0.2 %
5	EVERY TIME:(5)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	2199	97.3 %
	Total	**2,261**	**100%**

Based upon 62 valid cases out of 2,261 total cases.

Location: 727-728 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1489: 171B079A:#X OVL COKE+ALC

Item Number: 04290

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs--

that is, so that their effects overlapped?

A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	28	1.2 %
2	FEW TIMES:(2)	7	0.3 %
3	SOMETIMES:(3)	10	0.4 %
4	MOST TIMES:(4)	5	0.2 %
5	EVERY TIME:(5)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	2201	97.3 %
	Total	**2,261**	**100%**

Based upon 60 valid cases out of 2,261 total cases.

Location: 729-730 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1490: 171B079B:#X OVL COKE+MJ

Item Number: 04300

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	22	1.0 %
2	FEW TIMES:(2)	11	0.5 %
3	SOMETIMES:(3)	11	0.5 %
4	MOST TIMES:(4)	6	0.3 %
5	EVERY TIME:(5)	11	0.5 %
	Missing Data		
-9	MISSING:(-9)	2200	97.3 %
	Total	**2,261**	**100%**

Based upon 61 valid cases out of 2,261 total cases.

Location: 731-732 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1491: 171B079C:#X OVL COKE+LSD

Item Number: 04310

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

C: With LSD

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	48	2.1 %
2	FEW TIMES:(2)	1	0.0 %
3	SOMETIMES:(3)	4	0.2 %
4	MOST TIMES:(4)	2	0.1 %
5	EVERY TIME:(5)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	2204	97.5 %
	Total	**2,261**	**100%**

Based upon 57 valid cases out of 2,261 total cases.

Location: 733-734 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1492: 171B079D:#X OVL COKE+PSY

Item Number: 04320

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

D: With hallucinogens other than LSD

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	49	2.2 %
2	FEW TIMES:(2)	0	0.0 %
3	SOMETIMES:(3)	4	0.2 %
4	MOST TIMES:(4)	2	0.1 %
5	EVERY TIME:(5)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	2205	97.5 %
	Total	**2,261**	**100%**

Based upon 56 valid cases out of 2,261 total cases.

Location: 735-736 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1493: 171B079E:#X OVL COKE+AMP

Item Number: 04330

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

E: With amphetamines

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	48	2.1 %
2	FEW TIMES:(2)	0	0.0 %
3	SOMETIMES:(3)	5	0.2 %
4	MOST TIMES:(4)	2	0.1 %
5	EVERY TIME:(5)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	2204	97.5 %
	Total	**2,261**	**100%**

Based upon 57 valid cases out of 2,261 total cases.

Location: 737-738 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1495: 171B079F:#X OVL COKE+BRB

Item Number: 04350

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

F: With barbiturates

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	51	2.3 %
2	FEW TIMES:(2)	0	0.0 %
3	SOMETIMES:(3)	4	0.2 %
4	MOST TIMES:(4)	0	0.0 %
5	EVERY TIME:(5)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	2205	97.5 %
	Total	**2,261**	**100%**

Based upon 56 valid cases out of 2,261 total cases.

Location: 739-740 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1496: 171B079G:#X OVL COKE+TRN

Item Number: 04360

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

G: With tranquilizers

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	47	2.1 %
2	FEW TIMES:(2)	3	0.1 %
3	SOMETIMES:(3)	4	0.2 %
4	MOST TIMES:(4)	0	0.0 %

Value	Label	Unweighted Frequency	%
5	EVERY TIME:(5)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	2205	97.5 %
	Total	**2,261**	**100%**

Based upon 56 valid cases out of 2,261 total cases.

Location: 741-742 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1512: 171B080:COK,GET VERY HI

Item Number: 04520

When you take cocaine how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high" 5="I don't take it to get high"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	10	0.4 %
2	A LITTLE:(2)	11	0.5 %
3	MODERATE:(3)	18	0.8 %
4	VERY:(4)	11	0.5 %
5	N TK HIGH:(5)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	2207	97.6 %
	Total	**2,261**	**100%**

Based upon 54 valid cases out of 2,261 total cases.

Location: 743-744 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1513: 171B081:COK,HIGH 24+ HR

Item Number: 04530

When you take cocaine how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to
six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%
1	USLY DONT:(1)	16	0.7 %
2	1-2 HRS:(2)	24	1.1 %
3	3-6 HRS:(3)	10	0.4 %
4	7-24 HRS:(4)	5	0.2 %
5	> 24 HRS:(5)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 745-746 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1514: 171B082:*TRY STP COK/FL

Item Number: 04540

Have you ever tried to stop using cocaine and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	4	0.2 %
2	NO:(2)	50	2.2 %
	Missing Data		
-9	MISSING:(-9)	2207	97.6 %
	Total	**2,261**	**100%**

Based upon 54 valid cases out of 2,261 total cases.

Location: 747-748 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1743: 171B083A:FRM COKE-POWDER

Item Number: 04531

What forms of cocaine have you used? (Mark all that apply.)

A. Cocaine powder

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	5	0.2 %
1	MARKED:(1)	43	1.9 %
	Missing Data		
-9	MISSING:(-9)	2213	97.9 %
	Total	**2,261**	**100%**

Based upon 48 valid cases out of 2,261 total cases.

Location: 749-750 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1746: 171B083B:FRM COKE-CRACK

Item Number: 04534

What forms of cocaine have you used? (Mark all that apply.)

B. "Crack" or "rock"

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	41	1.8 %
1	MARKED:(1)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	2213	97.9 %
	Total	**2,261**	**100%**

Based upon 48 valid cases out of 2,261 total cases.

Location: 751-752 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1744: 171B083C:FRM COKE-FRBASE

Item Number: 04532

What forms of cocaine have you used? (Mark all that apply.)

C. "Freebase" or "base"

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	44	1.9 %
1	MARKED:(1)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	2213	97.9 %
	Total	**2,261**	**100%**

Based upon 48 valid cases out of 2,261 total cases.

Location: 753-754 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1745: 171B083D:FRM COKE-PASTE

Item Number: 04533

What forms of cocaine have you used? (Mark all that apply.)

D. Coca paste

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	46	2.0 %
1	MARKED:(1)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	2213	97.9 %
	Total	**2,261**	**100%**

Based upon 48 valid cases out of 2,261 total cases.

Location: 755-756 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1515: 171B084A:MTHD COKE SNORT

Item Number: 04550

What methods have you used for taking cocaine?
(Mark all that apply.)

A. Sniffing or "snorting"

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	5	0.2 %
1	MARKED:(1)	42	1.9 %
	Missing Data		
-9	MISSING:(-9)	2214	97.9 %
	Total	**2,261**	**100%**

Based upon 47 valid cases out of 2,261 total cases.

Location: 757-758 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1516: 171B084B:MTHD COKE-SMOKE

Item Number: 04560

What methods have you used for taking cocaine?
(Mark all that apply.)

B. Smoking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	41	1.8 %
1	MARKED:(1)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2214	97.9 %
	Total	**2,261**	**100%**

Based upon 47 valid cases out of 2,261 total cases.

Location: 759-760 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1517: 171B084C:MTHD COKE-INJCT

Item Number: 04570

What methods have you used for taking cocaine?
(Mark all that apply.)

C. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	44	1.9 %
1	MARKED:(1)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	2214	97.9 %
	Total	**2,261**	**100%**

Based upon 47 valid cases out of 2,261 total cases.

Location: 761-762 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1747: 171B084D:MTHD COKE-INHAL

Item Number: 04575

What methods have you used for taking cocaine?
(Mark all that apply.)

D. Inhaling fumes

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	47	2.1 %
1	MARKED:(1)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	2214	97.9 %
	Total	**2,261**	**100%**

Based upon 47 valid cases out of 2,261 total cases.

Location: 763-764 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1518: 171B084E:MTHD COKE-MOUTH

Item Number: 04580

What methods have you used for taking cocaine?
(Mark all that apply.)

E. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	35	1.5 %
1	MARKED:(1)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	2214	97.9 %
	Total	**2,261**	**100%**

Based upon 47 valid cases out of 2,261 total cases.

Location: 765-766 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1519: 171B084F:MTHD COKE-OTHER

Item Number: 04590

What methods have you used for taking cocaine?
(Mark all that apply.)

F. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	46	2.0 %
1	MARKED:(1)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	2214	97.9 %
	Total	**2,261**	**100%**

Based upon 47 valid cases out of 2,261 total cases.

Location: 767-768 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1520: 171B085:NO COKE IN 5YR

Item Number: 04600

Do you think you will be using cocaine five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	14	0.6 %
2	PRB WILL:(2)	29	1.3 %
3	PRB WONT:(3)	171	7.6 %
4	DEF WONT:(4)	1841	81.4 %
	Missing Data		
-9	MISSING:(-9)	206	9.1 %
	Total	**2,261**	**100%**

Based upon 2,055 valid cases out of 2,261 total cases.

Location: 769-770 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1521: 171B086A:#X H/LIFETIME

Item Number: 01100

The next questions are about HEROIN. On how many occasions (if any) have you taken heroin . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2023	89.5 %
2	1-2X:(2)	1	0.0 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	230	10.2 %
	Total	**2,261**	**100%**

Based upon 2,031 valid cases out of 2,261 total cases.

Location: 771-772 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V1522: 171B086B:#X H/LAST 12M

Item Number: 01110

On how many occasions (if any) have you taken heroin . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2026	89.6 %
2	1-2X:(2)	1	0.0 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	229	10.1 %
	Total	**2,261**	**100%**

Based upon 2,032 valid cases out of 2,261 total cases.

Location: 773-774 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1523: 171B086C:#X H/LAST 30D

Item Number: 01120

On how many occasions (if any) have you taken heroin . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2028	89.7 %
2	1-2X:(2)	0	0.0 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	229	10.1 %
	Total	**2,261**	**100%**

Based upon 2,032 valid cases out of 2,261 total cases.

Location: 775-776 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1564: 171B087:DR TOLD TK NARC

Item Number: 05020

The next questions are about NARCOTICS OTHER THAN HEROIN, which are sometimes prescribed by doctors. Drugstores are not supposed to sell them without a prescription.

These include: Methadone, Codeine, OxyContin, Percodan, Opium, Demerol, Percocet, Ultram, Morphine, Vicodin.

Have you ever taken any narcotics other than heroin because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."
3="Yes, and it was the first time I took any."

Value	Label	Unweighted Frequency	%
1	NO:(1)	1764	78.0 %
2	YES/BUT TRIED:(2)	33	1.5 %
3	YES/FIRST:(3)	244	10.8 %
	Missing Data		
-9	MISSING:(-9)	220	9.7 %
	Total	**2,261**	**100%**

Based upon 2,041 valid cases out of 2,261 total cases.

Location: 777-778 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V1565: 171B088A:#X NARC/LIFETIM

Item Number: 01130

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1884	83.3 %
2	1-2X:(2)	51	2.3 %
3	3-5X:(3)	28	1.2 %
4	6-9X:(4)	8	0.4 %
5	10-19X:(5)	20	0.9 %
6	20-39X:(6)	10	0.4 %
7	40+OCCAS:(7)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	253	11.2 %
	Total	**2,261**	**100%**

Based upon 2,008 valid cases out of 2,261 total cases.

Location: 779-780 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1566: 171B088B:#X NARC/LAST12M

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1950	86.2 %
2	1-2X:(2)	26	1.1 %
3	3-5X:(3)	15	0.7 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	247	10.9 %
	Total	**2,261**	**100%**

Based upon 2,014 valid cases out of 2,261 total cases.

Location: 781-782 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1567: 171B088C:#X NARC/LAST30D

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1987	87.9 %
2	1-2X:(2)	13	0.6 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	248	11.0 %
	Total	**2,261**	**100%**

Based upon 2,013 valid cases out of 2,261 total cases.

Location: 783-784 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1568: 171B089A:#X/YR NARC ALNE

Item Number: 05030

IF YOU HAVE NOT TAKEN NARCOTICS OTHER THAN HEROIN IN THE LAST TWELVE MONTHS, GO TO QUESTION 98. THE FOLLOWING QUESTIONS REFER ONLY TO TAKING NARCOTICS OTHER THAN HEROIN WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 98.

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	28	1.2 %
2	FEW TIMES:(2)	11	0.5 %
3	SOMETIMES:(3)	4	0.2 %
4	MOST TIMES:(4)	5	0.2 %
5	EVERY TIME:(5)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 785-786 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1569: 171B089B:#X/YR NARC-2PPL

Item Number: 05040

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	17	0.8 %
2	FEW TIMES:(2)	14	0.6 %
3	SOMETIMES:(3)	8	0.4 %
4	MOST TIMES:(4)	7	0.3 %
5	EVERY TIME:(5)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	2208	97.7 %
	Total	**2,261**	**100%**

Based upon 53 valid cases out of 2,261 total cases.

Location: 787-788 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1570: 171B089C:#X/YR NARC@PRTY

Item Number: 05050

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	29	1.3 %
2	FEW TIMES:(2)	6	0.3 %
3	SOMETIMES:(3)	4	0.2 %
4	MOST TIMES:(4)	5	0.2 %
5	EVERY TIME:(5)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2211	97.8 %
	Total	**2,261**	**100%**

Based upon 50 valid cases out of 2,261 total cases.

Location: 789-790 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1571: 171B089D:#X/YR NARC-DT/S

Item Number: 05060

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

D: When your date or spouse/partner was present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	36	1.6 %
2	FEW TIMES:(2)	9	0.4 %
3	SOMETIMES:(3)	5	0.2 %
4	MOST TIMES:(4)	2	0.1 %
5	EVERY TIME:(5)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	2208	97.7 %
	Total	**2,261**	**100%**

Based upon 53 valid cases out of 2,261 total cases.

Location: 791-792 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1572: 171B089E:#X/YR NARC-ADLT

Item Number: 05070

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	38	1.7 %
2	FEW TIMES:(2)	3	0.1 %
3	SOMETIMES:(3)	5	0.2 %
4	MOST TIMES:(4)	3	0.1 %
5	EVERY TIME:(5)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	2208	97.7 %
	Total	**2,261**	**100%**

Based upon 53 valid cases out of 2,261 total cases.

Location: 793-794 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1573: 171B089F:#X/YR NARC-DATM

Item Number: 05080

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	30	1.3 %
2	FEW TIMES:(2)	7	0.3 %
3	SOMETIMES:(3)	9	0.4 %
4	MOST TIMES:(4)	5	0.2 %
5	EVERY TIME:(5)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	2208	97.7 %
	Total	**2,261**	**100%**

Based upon 53 valid cases out of 2,261 total cases.

Location: 795-796 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1574: 171B089G:#X/YR NARC@HOME

Item Number: 05090

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	28	1.2 %
2	FEW TIMES:(2)	4	0.2 %
3	SOMETIMES:(3)	3	0.1 %
4	MOST TIMES:(4)	10	0.4 %
5	EVERY TIME:(5)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	2208	97.7 %
	Total	**2,261**	**100%**

Based upon 53 valid cases out of 2,261 total cases.

Location: 797-798 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1575: 171B089H:#X/YR NARC@SCHL

Item Number: 05100

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	31	1.4 %
2	FEW TIMES:(2)	8	0.4 %
3	SOMETIMES:(3)	6	0.3 %
4	MOST TIMES:(4)	2	0.1 %

Value	Label	Unweighted Frequency	%
5	EVERY TIME:(5)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	2210	97.7 %
	Total	**2,261**	**100%**

Based upon 51 valid cases out of 2,261 total cases.

Location: 799-800 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1576: 171B089I:#X/YR NARC @CAR

Item Number: 05120

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	41	1.8 %
2	FEW TIMES:(2)	4	0.2 %
3	SOMETIMES:(3)	5	0.2 %
4	MOST TIMES:(4)	2	0.1 %
5	EVERY TIME:(5)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	2208	97.7 %
	Total	**2,261**	**100%**

Based upon 53 valid cases out of 2,261 total cases.

Location: 801-802 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1865: 171B090A:NARC SRC INTERNT

Item Number: 31910

Where did you get the prescription-type narcotics other than

heroin you used without a doctor's orders during the last year? (Mark all that apply.)

A: Bought on the Internet

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	53	2.3 %
1	MARKED:(1)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 803-804 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1886: 171B090B:NARC SRC FRND-ASK

Item Number: 31921

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

B: Took from a friend without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	54	2.4 %
1	MARKED:(1)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 805-806 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1887: 171B090C:NARC SRC RLTV-ASK

Item Number: 31922

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

C: Took from a relative without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	44	1.9 %
1	MARKED:(1)	11	0.5 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 807-808 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1888: 171B090D:NARC SRC FRND FREE

Item Number: 31931

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

D: Given for free by a friend

0="UNMARKED" 1="MARKED""

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	29	1.3 %
1	MARKED:(1)	26	1.1 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 809-810 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1889: 171B090E:NARC SRC RLTV FREE

Item Number: 31932

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

E: Given for free by a relative

0="UNMARKED" 1="MARKED""

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	48	2.1 %
1	MARKED:(1)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 811-812 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1890: 171B090F:NARC SRC FRND BGHT

Item Number: 31941

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

F: Bought from a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	41	1.8 %
1	MARKED:(1)	14	0.6 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 813-814 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V1891: 171B090G:NARC SRC RLTV BGHT

Item Number: 31942

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

G: Bought from a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	52	2.3 %
1	MARKED:(1)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 815-816 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1869: 171B090H:NARC SRC PRESCRP

Item Number: 31950

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

H: From a prescription I had

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	37	1.6 %
1	MARKED:(1)	18	0.8 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 817-818 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1870: 171B090I:NARC SRC DEALER

Item Number: 31960

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

I: Bought from drug dealer/stranger

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	47	2.1 %
1	MARKED:(1)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 819-820 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1871: 171B090J:NARC SRC OTHER

Item Number: 31970

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

J: Other method

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	47	2.1 %
1	MARKED:(1)	8	0.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 821-822 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1892: 171B091A:NARC SCRPT DENTST

Item Number: 32460

If you took a narcotic drug without a doctor's orders -- one for which you had a prescription in your name -- from whom did you get this prescription? (Mark all that apply.)

A. A dentist

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	40	1.8 %
1	MARKED:(1)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	2209	97.7 %
	Total	**2,261**	**100%**

Based upon 52 valid cases out of 2,261 total cases.

Location: 823-824 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1893: 171B091B:NARC SCRPT ER DOC

Item Number: 32470

If you took a narcotic drug without a doctor's orders -- one for which you had a prescription in your name -- from whom did you get this prescription? (Mark all that apply.)

B. An emergency room doctor

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	37	1.6 %
1	MARKED:(1)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	2209	97.7 %
	Total	**2,261**	**100%**

Based upon 52 valid cases out of 2,261 total cases.

Location: 825-826 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1894: 171B091C:NARC SCRPT OTH DOC

Item Number: 32480

If you took a narcotic drug without a doctor's orders -- one for which you had a prescription in your name -- from whom did you get this prescription? (Mark all that apply.)

C. Another doctor

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	42	1.9 %
1	MARKED:(1)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	2209	97.7 %
	Total	**2,261**	**100%**

Based upon 52 valid cases out of 2,261 total cases.

Location: 827-828 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1895: 171B091D:NARC SCRPT DIDNT

Item Number: 32490

If you took a narcotic drug without a doctor's orders -- one for which you had a prescription in your name -- from whom did you get this prescription? (Mark all that apply.)

D. I didn't use any narcotics from a prescription of mine

without a doctor's orders

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	22	1.0 %
1	MARKED:(1)	30	1.3 %
	Missing Data		
-9	MISSING:(-9)	2209	97.7 %
	Total	**2,261**	**100%**

Based upon 52 valid cases out of 2,261 total cases.

Location: 829-830 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1587: 171B092A:NARC EXPERIMENT

Item Number: 05230

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	36	1.6 %
1	MARKED:(1)	19	0.8 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 831-832 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1588: 171B092B:NARC RELAX

Item Number: 05240

What have been the most important reasons for your using

narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	29	1.3 %
1	MARKED:(1)	26	1.1 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 833-834 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1589: 171B092C:NARC GET HIGH

Item Number: 05250

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	32	1.4 %
1	MARKED:(1)	23	1.0 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 835-836 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1590: 171B092D:NARC SK INSIGTS

Item Number: 05260

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	51	2.3 %
1	MARKED:(1)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 837-838 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1591: 171B092E:NARC GD TM FRND

Item Number: 05270

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	40	1.8 %
1	MARKED:(1)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 839-840 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1592: 171B092F:NARC FIT IN GRP

Item Number: 05280

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	53	2.3 %
1	MARKED:(1)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 841-842 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1593: 171B092G:NARC GT AWY PBM

Item Number: 05290

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	49	2.2 %
1	MARKED:(1)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 843-844 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V1594: 171B092H:NARC BOREDOM

Item Number: 05300

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	53	2.3 %
1	MARKED:(1)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 845-846 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1595: 171B092I:NARC ANGR/FRSTN

Item Number: 05310

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	49	2.2 %
1	MARKED:(1)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 847-848 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1596: 171B092J:NARC GT THRU DA

Item Number: 05320

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	46	2.0 %
1	MARKED:(1)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 849-850 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1597: 171B092K:NARC INC EF DG

Item Number: 05330

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	51	2.3 %
1	MARKED:(1)	4	0.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 851-852 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1598: 171B092L:NARC DEC EF DG

Item Number: 05340

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	54	2.4 %
1	MARKED:(1)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 853-854 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1599: 171B092M:NARC GET SLEEP

Item Number: 05350

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.)

M. To get to sleep

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	48	2.1 %
1	MARKED:(1)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 855-856 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1600: 171B092N:NARC SBST HERIN

Item Number: 05360

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.)

N. As a substitute for heroin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	54	2.4 %
1	MARKED:(1)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 857-858 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1697: 171B092O:NARC RLV PHYS P

Item Number: 05363

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.)

O. To relieve physical pain

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	36	1.6 %
1	MARKED:(1)	19	0.8 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 859-860 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1698: 171B092P:NARC RLV COUGHN

Item Number: 05366

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.)

P. To control coughing

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	51	2.3 %
1	MARKED:(1)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 861-862 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1601: 171B092Q:NARC I AM HOOKD

Item Number: 05370

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?

(Mark all that apply.)

Q. Because I am "hooked"--I have to have them

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	52	2.3 %
1	MARKED:(1)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 863-864 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1602: 171B093:NARC,GT VERY HI

Item Number: 05380

When you take narcotics other than heroin how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high" 4="Very high" 5="I don't take them to get high"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	9	0.4 %
2	A LITTLE:(2)	11	0.5 %
3	MODERATE:(3)	17	0.8 %
4	VERY:(4)	10	0.4 %
5	N TK HIGH:(5)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	2204	97.5 %
	Total	**2,261**	**100%**

Based upon 57 valid cases out of 2,261 total cases.

Location: 865-866 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1603: 171B094:NARC,HI 24+ HRS

Item Number: 05390

When you take narcotics other than heroin how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%
1	USLY DONT:(1)	15	0.7 %
2	1-2 HRS:(2)	10	0.4 %
3	3-6 HRS:(3)	26	1.1 %
4	7-24 HRS:(4)	5	0.2 %
5	> 24 HRS:(5)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	2205	97.5 %
	Total	**2,261**	**100%**

Based upon 56 valid cases out of 2,261 total cases.

Location: 867-868 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1604: 171B095A:NARC TKN MTHDNE

Item Number: 05400

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

A. Methadone

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	54	2.4 %
1	MARKED:(1)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	2205	97.5 %
	Total	**2,261**	**100%**

Based upon 56 valid cases out of 2,261 total cases.

Location: 869-870 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1605: 171B095B:NARC TKN OPIUM

Item Number: 05410

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

B. Opium

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	50	2.2 %
1	MARKED:(1)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2205	97.5 %
	Total	**2,261**	**100%**

Based upon 56 valid cases out of 2,261 total cases.

Location: 871-872 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1606: 171B095C:NARC TKN MRPHNE

Item Number: 05420

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

C. Morphine

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	43	1.9 %
1	MARKED:(1)	13	0.6 %
	Missing Data		
-9	MISSING:(-9)	2205	97.5 %
	Total	**2,261**	**100%**

Based upon 56 valid cases out of 2,261 total cases.

Location: 873-874 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1607: 171B095D:NARC TKN CODEIN

Item Number: 05430

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

D. Codeine

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	27	1.2 %
1	MARKED:(1)	29	1.3 %
	Missing Data		
-9	MISSING:(-9)	2205	97.5 %
	Total	**2,261**	**100%**

Based upon 56 valid cases out of 2,261 total cases.

Location: 875-876 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1608: 171B095E:NARC TKN DEMROL

Item Number: 05440

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

E. Demerol

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	55	2.4 %
1	MARKED:(1)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	2205	97.5 %
	Total	**2,261**	**100%**

Based upon 56 valid cases out of 2,261 total cases.

Location: 877-878 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1816: 171B095F:NARC TKN VICODN

Item Number: 05445

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

F. Vicodin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	45	2.0 %
1	MARKED:(1)	11	0.5 %
	Missing Data		
-9	MISSING:(-9)	2205	97.5 %
	Total	**2,261**	**100%**

Based upon 56 valid cases out of 2,261 total cases.

Location: 879-880 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1817: 171B095G:NARC TKN OXYCON

Item Number: 05455

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

G. OxyContin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	41	1.8 %
1	MARKED:(1)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	2205	97.5 %
	Total	**2,261**	**100%**

Based upon 56 valid cases out of 2,261 total cases.

Location: 881-882 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1818: 171B095H:NARC TKN PERCET

Item Number: 05465

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

H. Percocet

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	43	1.9 %
1	MARKED:(1)	13	0.6 %
	Missing Data		
-9	MISSING:(-9)	2205	97.5 %
	Total	**2,261**	**100%**

Based upon 56 valid cases out of 2,261 total cases.

Location: 883-884 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1819: 171B095I:NARC TKN PERDAN

Item Number: 05475

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

I. Percodan

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	56	2.5 %
1	MARKED:(1)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	2205	97.5 %
	Total	**2,261**	**100%**

Based upon 56 valid cases out of 2,261 total cases.

Location: 885-886 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1872: 171B095J:NARC TKN ULTRAM

Item Number: 31980

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

J. Ultram

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	56	2.5 %
1	MARKED:(1)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	2205	97.5 %
	Total	**2,261**	**100%**

Based upon 56 valid cases out of 2,261 total cases.

Location: 887-888 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1917: 171B095K:NARC TKN TRAMADOL

Item Number: 33180

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

K. Tramadol

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	52	2.3 %
1	MARKED:(1)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	2205	97.5 %
	Total	**2,261**	**100%**

Based upon 56 valid cases out of 2,261 total cases.

Location: 889-890 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1918: 171B095L:NARC TKN MS CONTIN

Item Number: 33190

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

L. Contin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	56	2.5 %
1	MARKED:(1)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	2205	97.5 %
	Total	**2,261**	**100%**

Based upon 56 valid cases out of 2,261 total cases.

Location: 891-892 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1919: 171B095M:NARC TKN SUBOXONE

Item Number: 33200

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

M. Suboxone

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	55	2.4 %
1	MARKED:(1)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	2205	97.5 %
	Total	**2,261**	**100%**

Based upon 56 valid cases out of 2,261 total cases.

Location: 893-894 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1920: 171B095N:NARC TKN OXYCODONE

Item Number: 33210

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

N. Oxycodone

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	36	1.6 %
1	MARKED:(1)	20	0.9 %
	Missing Data		
-9	MISSING:(-9)	2205	97.5 %
	Total	**2,261**	**100%**

Based upon 56 valid cases out of 2,261 total cases.

Location: 895-896 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1921: 171B095O:NARC TKN TYLOX

Item Number: 33220

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

O. Tylox

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	56	2.5 %
1	MARKED:(1)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	2205	97.5 %
	Total	**2,261**	**100%**

Based upon 56 valid cases out of 2,261 total cases.

Location: 897-898 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1922: 171B095P:NARC TKN HYDROCODONE

Item Number: 33230

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

P. Hydrocodone

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	35	1.5 %
1	MARKED:(1)	21	0.9 %
	Missing Data		
-9	MISSING:(-9)	2205	97.5 %
	Total	**2,261**	**100%**

Based upon 56 valid cases out of 2,261 total cases.

Location: 899-900 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1612: 171B095Q:NARC TKN OTHER

Item Number: 05480

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

Q. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	52	2.3 %
1	MARKED:(1)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	2205	97.5 %
	Total	**2,261**	**100%**

Based upon 56 valid cases out of 2,261 total cases.

Location: 901-902 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1613: 171B095R:NARC TKN DNT KN

Item Number: 05490

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

R. Don't know the names of some I have used

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	50	2.2 %
1	MARKED:(1)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2205	97.5 %
	Total	**2,261**	**100%**

Based upon 56 valid cases out of 2,261 total cases.

Location: 903-904 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1614: 171B096:TRY STP NARC/FL

Item Number: 05500

Have you ever tried to stop using narcotics other than heroin and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	8	0.4 %
2	NO:(2)	56	2.5 %
	Missing Data		
-9	MISSING:(-9)	2197	97.2 %
	Total	**2,261**	**100%**

Based upon 64 valid cases out of 2,261 total cases.

Location: 905-906 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1615: 171B097A:METH NARC SNORT

Item Number: 05510

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

A. Sniffing or "snorting"

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	44	1.9 %
1	MARKED:(1)	11	0.5 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 907-908 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1616: 171B097B:METH NARC SMOKE

Item Number: 05520

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

B. Smoking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	49	2.2 %
1	MARKED:(1)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 909-910 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1617: 171B097C:METH NARC INJCT

Item Number: 05530

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

C. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	55	2.4 %
1	MARKED:(1)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 911-912 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1618: 171B097D:METH NARC MOUTH

Item Number: 05540

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

D. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	6	0.3 %
1	MARKED:(1)	49	2.2 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 913-914 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1619: 171B097E:METH NARC OTHER

Item Number: 05550

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

E. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	50	2.2 %
1	MARKED:(1)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	2206	97.6 %
	Total	**2,261**	**100%**

Based upon 55 valid cases out of 2,261 total cases.

Location: 915-916 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1620: 171B098:NO NARC IN 5YR

Item Number: 05560

Do you think you will be using any narcotics other than heroin without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	10	0.4 %
2	PRB WILL:(2)	28	1.2 %
3	PRB WONT:(3)	194	8.6 %
4	DEF WONT:(4)	1818	80.4 %
	Missing Data		
-9	MISSING:(-9)	211	9.3 %
	Total	**2,261**	**100%**

Based upon 2,050 valid cases out of 2,261 total cases.

Location: 917-918 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V1762: 171B099:ATTND DRG TRTMN

Item Number: 22360

Have you ever attended a treatment program for alcohol or drug abuse where you stayed overnight?

1="No, never" 2="Yes, but not in the past 12 months" 3="Yes, sometime in the past 12 months"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	2033	89.9 %
2	NOPASTYR:(2)	10	0.4 %
3	INPASTYR:(3)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	214	9.5 %
	Total	**2,261**	**100%**

Based upon 2,047 valid cases out of 2,261 total cases.

Location: 919-920 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1763: 171B100:RCV DRG COUNSEL

Item Number: 22370

Have you ever received any other kind of professional counseling, treatment, or therapy because of your use of alcohol or drugs?

1="No, never" 2="Yes, but not in the past 12 months" 3="Yes, sometime in the past 12 months"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	2016	89.2 %
2	NOPASTYR:(2)	17	0.8 %
3	INPASTYR:(3)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	218	9.6 %
	Total	**2,261**	**100%**

Based upon 2,043 valid cases out of 2,261 total cases.

Location: 921-922 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1962: 171B101 EVER VAPE

Item Number: 34230

To "vape" is to use a device such as a vape-pen, an e-cigarette, an e-hookah, or e-vaporizer to inhale a mist into the lungs. Have you ever vaped?

0="Never" 1="Yes"

Value	Label	Unweighted Frequency	%
0	NO:(0)	1345	59.5 %
1	YES:(1)	672	29.7 %
	Missing Data		
-9	MISSING:(-9)	244	10.8 %
	Total	**2,261**	**100%**

Based upon 2,017 valid cases out of 2,261 total cases.

Location: 923-924 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1945: 171B102!:LAST E-VAP MIST

Item Number: 33950

The LAST TIME you vaped, what was in the mist you inhaled?

1="Nicotine" 2="Marijuana or hash oil" 3="Just flavoring" 4="Other" 8="Don't know"

Value	Label	Unweighted Frequency	%
1	NICOTINE:(1)	194	8.6 %
2	MARJ OR HASH OIL:(2)	67	3.0 %
3	JUST FLAVORING:(3)	336	14.9 %
4	OTHER:(4)	3	0.1 %
8	DONT KNOW:(8)	28	1.2 %
	Missing Data		
-9	MISSING:(-9)	1633	72.2 %
	Total	**2,261**	**100%**

Based upon 628 valid cases out of 2,261 total cases.

Location: 925-926 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1963: 171B103A #X VAPE NIC/LIFETIME

Item Number: 34240

On how many occasions (if any) have you vaped NICOTINE . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1526	67.5 %
2	1-2X:(2)	168	7.4 %
3	3-5X:(3)	77	3.4 %
4	6-9X:(4)	57	2.5 %
5	10-19X:(5)	39	1.7 %
6	20-39X:(6)	27	1.2 %
7	40+OCCAS:(7)	117	5.2 %
	Missing Data		
-9	MISSING:(-9)	250	11.1 %
	Total	**2,261**	**100%**

Based upon 2,011 valid cases out of 2,261 total cases.

Location: 927-928 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1964: 171B103B #X VAPE NIC/LAST12MO

Item Number: 34250

On how many occasions (if any) have you vaped NICOTINE . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1658	73.3 %
2	1-2X:(2)	127	5.6 %
3	3-5X:(3)	53	2.3 %
4	6-9X:(4)	33	1.5 %
5	10-19X:(5)	31	1.4 %
6	20-39X:(6)	30	1.3 %
7	40+OCCAS:(7)	76	3.4 %
	Missing Data		
-9	MISSING:(-9)	253	11.2 %
	Total	**2,261**	**100%**

Based upon 2,008 valid cases out of 2,261 total cases.

Location: 929-930 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1965: 171B103C #X VAPE NIC/LAST30DAY

Item Number: 34260

On how many occasions (if any) have you vaped NICOTINE . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1802	79.7 %
2	1-2X:(2)	73	3.2 %
3	3-5X:(3)	26	1.1 %
4	6-9X:(4)	16	0.7 %
5	10-19X:(5)	31	1.4 %
6	20-39X:(6)	15	0.7 %
7	40+OCCAS:(7)	44	1.9 %
	Missing Data		
-9	MISSING:(-9)	254	11.2 %
	Total	**2,261**	**100%**

Based upon 2,007 valid cases out of 2,261 total cases.

Location: 931-932 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V1966: 171B104A #X VAPE MJ/LIFETIME

Item Number: 34270

On how many occasions (if any) have you vaped MARIJUANA . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1781	78.8 %
2	1-2X:(2)	91	4.0 %
3	3-5X:(3)	40	1.8 %
4	6-9X:(4)	33	1.5 %
5	10-19X:(5)	27	1.2 %
6	20-39X:(6)	10	0.4 %
7	40+OCCAS:(7)	29	1.3 %
	Missing Data		
-9	MISSING:(-9)	250	11.1 %
	Total	**2,261**	**100%**

Based upon 2,011 valid cases out of 2,261 total cases.

Location: 933-934 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1967: 171B104B #X VAPE MJ/LAST12MO

Item Number: 34280

On how many occasions (if any) have you vaped MARIJUANA . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1818	80.4 %
2	1-2X:(2)	82	3.6 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	39	1.7 %
4	6-9X:(4)	19	0.8 %
5	10-19X:(5)	17	0.8 %
6	20-39X:(6)	9	0.4 %
7	40+OCCAS:(7)	18	0.8 %
	Missing Data		
-9	MISSING:(-9)	259	11.5 %
	Total	**2,261**	**100%**

Based upon 2,002 valid cases out of 2,261 total cases.

Location: 935-936 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1968: 171B104C #X VAPE MJ/LAST30DAY

Item Number: 34290

On how many occasions (if any) have you vaped MARIJUANA . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1907	84.3 %
2	1-2X:(2)	49	2.2 %
3	3-5X:(3)	21	0.9 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	8	0.4 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	258	11.4 %
	Total	**2,261**	**100%**

Based upon 2,003 valid cases out of 2,261 total cases.

Location: 937-938 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1969: 171B105A #X VAPE FLAV/LIFETIME

Item Number: 34300

On how many occasions (if any) have you vaped just FLAVORING . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1431	63.3 %
2	1-2X:(2)	196	8.7 %
3	3-5X:(3)	98	4.3 %
4	6-9X:(4)	74	3.3 %
5	10-19X:(5)	79	3.5 %
6	20-39X:(6)	47	2.1 %
7	40+OCCAS:(7)	84	3.7 %
	Missing Data		
-9	MISSING:(-9)	252	11.1 %
	Total	**2,261**	**100%**

Based upon 2,009 valid cases out of 2,261 total cases.

Location: 939-940 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1970: 171B105B #X VAPE FLAV/LAST12MO

Item Number: 34310

On how many occasions (if any) have you vaped just FLAVORING . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1613	71.3 %
2	1-2X:(2)	154	6.8 %
3	3-5X:(3)	85	3.8 %
4	6-9X:(4)	40	1.8 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	43	1.9 %
6	20-39X:(6)	26	1.1 %
7	40+OCCAS:(7)	41	1.8 %
	Missing Data		
-9	MISSING:(-9)	259	11.5 %
	Total	**2,261**	**100%**

Based upon 2,002 valid cases out of 2,261 total cases.

Location: 941-942 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1971: 171B105C #X VAPE FLAV/LAST30DAY

Item Number: 34320

On how many occasions (if any) have you vaped just FLAVORING . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1806	79.9 %
2	1-2X:(2)	93	4.1 %
3	3-5X:(3)	25	1.1 %
4	6-9X:(4)	26	1.1 %
5	10-19X:(5)	16	0.7 %
6	20-39X:(6)	11	0.5 %
7	40+OCCAS:(7)	20	0.9 %
	Missing Data		
-9	MISSING:(-9)	264	11.7 %
	Total	**2,261**	**100%**

Based upon 1,997 valid cases out of 2,261 total cases.

Location: 943-944 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1935: 171B106A!:E-VAP QUIT REG CIG

Item Number = 33850

What have been the most important reasons for you to vape? (Mark all that apply.)

A. To help me quit regular cigarettes

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	610	27.0 %
1	MARKED:(1)	36	1.6 %
	Missing Data		
-9	MISSING:(-9)	1615	71.4 %
	Total	**2,261**	**100%**

Based upon 646 valid cases out of 2,261 total cases.

Location: 945-946 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1936: 171B106B!:E-VAP REG CIG NOT PERMIT

Item Number = 33860

What have been the most important reasons for you to vape? (Mark all that apply.)

B. Because regular cigarette use is not permitted

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	621	27.5 %
1	MARKED:(1)	25	1.1 %
	Missing Data		
-9	MISSING:(-9)	1615	71.4 %
	Total	**2,261**	**100%**

Based upon 646 valid cases out of 2,261 total cases.

Location: 947-948 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1937: 171B106C!:E-VAP EXPERIMENT

Item Number = 33870

What have been the most important reasons for you to vape? (Mark all that apply.)

C. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	247	10.9 %
1	MARKED:(1)	399	17.6 %
	Missing Data		
-9	MISSING:(-9)	1615	71.4 %
	Total	**2,261**	**100%**

Based upon 646 valid cases out of 2,261 total cases.

Location: 949-950 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1938: 171B106D!:E-VAP RELAX

Item Number = 33880

What have been the most important reasons for you to vape? (Mark all that apply.)

D. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	508	22.5 %
1	MARKED:(1)	138	6.1 %
	Missing Data		
-9	MISSING:(-9)	1615	71.4 %
	Total	**2,261**	**100%**

Based upon 646 valid cases out of 2,261 total cases.

Location: 951-952 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1939: 171B106E!:E-VAP GET HIGH

Item Number: 33890

What have been the most important reasons for you to vape? (Mark all that apply.)

E. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	564	24.9 %
1	MARKED:(1)	82	3.6 %
	Missing Data		
-9	MISSING:(-9)	1615	71.4 %
	Total	**2,261**	**100%**

Based upon 646 valid cases out of 2,261 total cases.

Location: 953-954 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1940: 171B106F!:E-VAP LOOKS COOL

Item Number: 33900

What have been the most important reasons for you to vape? (Mark all that apply.)

F. Because it looks cool

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	522	23.1 %
1	MARKED:(1)	124	5.5 %
	Missing Data		
-9	MISSING:(-9)	1615	71.4 %
	Total	**2,261**	**100%**

Based upon 646 valid cases out of 2,261 total cases.

Location: 955-956 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1941: 171B106G!:E-VAP GOOD TM FRNDS

Item Number: 33910

What have been the most important reasons for you to vape? (Mark all that apply.)

G. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	434	19.2 %
1	MARKED:(1)	212	9.4 %
	Missing Data		
-9	MISSING:(-9)	1615	71.4 %
	Total	**2,261**	**100%**

Based upon 646 valid cases out of 2,261 total cases.

Location: 957-958 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1942: 171B106H!:E-VAP BOREDOM

Item Number: 33920

What have been the most important reasons for you to vape? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	470	20.8 %
1	MARKED:(1)	176	7.8 %
	Missing Data		
-9	MISSING:(-9)	1615	71.4 %
	Total	**2,261**	**100%**

Based upon 646 valid cases out of 2,261 total cases.

Location: 959-960 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1943: 171B106I!:E-VAP TASTES GOOD

Item Number: 33930

What have been the most important reasons for you to vape? (Mark all that apply.)

I. Because it tastes good

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	353	15.6 %
1	MARKED:(1)	293	13.0 %
	Missing Data		
-9	MISSING:(-9)	1615	71.4 %
	Total	**2,261**	**100%**

Based upon 646 valid cases out of 2,261 total cases.

Location: 961-962 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1944: 171B106J!:E-VAP I AM HOOKED

Item Number: 33940

What have been the most important reasons for you to vape? (Mark all that apply.)

J. Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	639	28.3 %
1	MARKED:(1)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	1615	71.4 %
	Total	**2,261**	**100%**

Based upon 646 valid cases out of 2,261 total cases.

Location: 963-964 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1621: 171B107A:GR 1ST SMOK DLY

Item Number: 05570

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

A: Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	8	0.4 %
2	GRADE 7:(2)	3	0.1 %
3	GRADE 8:(3)	9	0.4 %
4	GRADE 9:(4)	14	0.6 %
5	GRADE 10:(5)	23	1.0 %
6	GRADE 11:(6)	40	1.8 %
7	GRADE 12:(7)	35	1.5 %
8	NEVER:(8)	1878	83.1 %
	Missing Data		
-9	MISSING:(-9)	251	11.1 %
	Total	**2,261**	**100%**

Based upon 2,010 valid cases out of 2,261 total cases.

Location: 965-966 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1622: 171B107B:GR 1ST TRY ALC

Item Number: 05580

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

B: Try an alcoholic beverage--more than just a few sips

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	60	2.7 %
2	GRADE 7:(2)	64	2.8 %

Value	Label	Unweighted Frequency	%
3	GRADE 8:(3)	156	6.9 %
4	GRADE 9:(4)	295	13.0 %
5	GRADE 10:(5)	264	11.7 %
6	GRADE 11:(6)	255	11.3 %
7	GRADE 12:(7)	191	8.4 %
8	NEVER:(8)	567	25.1 %
	Missing Data		
-9	MISSING:(-9)	409	18.1 %
	Total	**2,261**	**100%**

Based upon 1,852 valid cases out of 2,261 total cases.

Location: 967-968 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1623: 171B107C:GR 1ST TRY MJ

Item Number: 05590

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

C: Try marijuana or hashish

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	33	1.5 %
2	GRADE 7:(2)	42	1.9 %
3	GRADE 8:(3)	86	3.8 %
4	GRADE 9:(4)	165	7.3 %
5	GRADE 10:(5)	196	8.7 %
6	GRADE 11:(6)	185	8.2 %
7	GRADE 12:(7)	135	6.0 %
8	NEVER:(8)	1127	49.8 %
	Missing Data		
-9	MISSING:(-9)	292	12.9 %
	Total	**2,261**	**100%**

Based upon 1,969 valid cases out of 2,261 total cases.

Location: 969-970 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1624: 171B107D:GR 1ST TRY LSD

Item Number: 05600

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

D: Try LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	4	0.2 %
2	GRADE 7:(2)	0	0.0 %
3	GRADE 8:(3)	1	0.0 %
4	GRADE 9:(4)	9	0.4 %
5	GRADE 10:(5)	22	1.0 %
6	GRADE 11:(6)	31	1.4 %
7	GRADE 12:(7)	23	1.0 %
8	NEVER:(8)	1921	85.0 %
	Missing Data		
-9	MISSING:(-9)	250	11.1 %
	Total	**2,261**	**100%**

Based upon 2,011 valid cases out of 2,261 total cases.

Location: 971-972 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1625: 171B107E:GR 1ST TRY PSY

Item Number: 05610

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

E: Try a hallucinogen other than LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11

(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	2	0.1 %
2	GRADE 7:(2)	0	0.0 %
3	GRADE 8:(3)	2	0.1 %
4	GRADE 9:(4)	14	0.6 %
5	GRADE 10:(5)	10	0.4 %
6	GRADE 11:(6)	22	1.0 %
7	GRADE 12:(7)	24	1.1 %
8	NEVER:(8)	1924	85.1 %
	Missing Data		
-9	MISSING:(-9)	263	11.6 %
	Total	**2,261**	**100%**

Based upon 1,998 valid cases out of 2,261 total cases.

Location: 973-974 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1626: 171B107F:GR 1ST TRY AMP

Item Number: 05620

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

F: Try amphetamines

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	3	0.1 %
2	GRADE 7:(2)	2	0.1 %
3	GRADE 8:(3)	4	0.2 %
4	GRADE 9:(4)	19	0.8 %
5	GRADE 10:(5)	20	0.9 %
6	GRADE 11:(6)	23	1.0 %
7	GRADE 12:(7)	19	0.8 %
8	NEVER:(8)	1858	82.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	313	13.8 %
	Total	**2,261**	**100%**

Based upon 1,948 valid cases out of 2,261 total cases.

Location: 975-976 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1949: 171B107G:GR 1ST TRY SED/B

Item Number: 05645

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

G: Try sedatives including barbiturates

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	4	0.2 %
2	GRADE 7:(2)	1	0.0 %
3	GRADE 8:(3)	2	0.1 %
4	GRADE 9:(4)	7	0.3 %
5	GRADE 10:(5)	4	0.2 %
6	GRADE 11:(6)	7	0.3 %
7	GRADE 12:(7)	6	0.3 %
8	NEVER:(8)	1983	87.7 %
	Missing Data		
-9	MISSING:(-9)	247	10.9 %
	Total	**2,261**	**100%**

Based upon 2,014 valid cases out of 2,261 total cases.

Location: 977-978 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1629: 171B107H:GR 1ST TRY TRN

Item Number: 05650

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

H: Try tranquilizers

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	1	0.0 %
2	GRADE 7:(2)	1	0.0 %
3	GRADE 8:(3)	4	0.2 %
4	GRADE 9:(4)	16	0.7 %
5	GRADE 10:(5)	10	0.4 %
6	GRADE 11:(6)	20	0.9 %
7	GRADE 12:(7)	15	0.7 %
8	NEVER:(8)	1905	84.3 %
	Missing Data		
-9	MISSING:(-9)	289	12.8 %
	Total	**2,261**	**100%**

Based upon 1,972 valid cases out of 2,261 total cases.

Location: 979-980 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1630: 171B107I:GR 1ST TRY COK

Item Number: 05660

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

I: Try cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	1	0.0 %
2	GRADE 7:(2)	1	0.0 %
3	GRADE 8:(3)	0	0.0 %
4	GRADE 9:(4)	6	0.3 %
5	GRADE 10:(5)	9	0.4 %

Value	Label	Unweighted Frequency	%
6	GRADE 11:(6)	15	0.7 %
7	GRADE 12:(7)	28	1.2 %
8	NEVER:(8)	1957	86.6 %
	Missing Data		
-9	MISSING:(-9)	244	10.8 %
	Total	**2,261**	**100%**

Based upon 2,017 valid cases out of 2,261 total cases.

Location: 981-982 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1631: 171B107J:GR 1ST TRY HER

Item Number: 05670

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

J: Try heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	0	0.0 %
2	GRADE 7:(2)	0	0.0 %
3	GRADE 8:(3)	0	0.0 %
4	GRADE 9:(4)	3	0.1 %
5	GRADE 10:(5)	2	0.1 %
6	GRADE 11:(6)	0	0.0 %
7	GRADE 12:(7)	1	0.0 %
8	NEVER:(8)	2007	88.8 %
	Missing Data		
-9	MISSING:(-9)	248	11.0 %
	Total	**2,261**	**100%**

Based upon 2,013 valid cases out of 2,261 total cases.

Location: 983-984 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1632: 171B107K:GR 1ST TRY NRC

Item Number: 05680

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

K: Try any narcotic other than heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	5	0.2 %
2	GRADE 7:(2)	1	0.0 %
3	GRADE 8:(3)	6	0.3 %
4	GRADE 9:(4)	19	0.8 %
5	GRADE 10:(5)	11	0.5 %
6	GRADE 11:(6)	22	1.0 %
7	GRADE 12:(7)	11	0.5 %
8	NEVER:(8)	1893	83.7 %
	Missing Data		
-9	MISSING:(-9)	293	13.0 %
	Total	**2,261**	**100%**

Based upon 1,968 valid cases out of 2,261 total cases.

Location: 985-986 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1748: 171B107L:GR 1ST SMOK EVR

Item Number: 05575

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

L: Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	54	2.4 %
2	GRADE 7:(2)	29	1.3 %
3	GRADE 8:(3)	43	1.9 %
4	GRADE 9:(4)	102	4.5 %
5	GRADE 10:(5)	71	3.1 %
6	GRADE 11:(6)	71	3.1 %
7	GRADE 12:(7)	58	2.6 %
8	NEVER:(8)	1514	67.0 %
	Missing Data		
-9	MISSING:(-9)	319	14.1 %
	Total	**2,261**	**100%**

Based upon 1,942 valid cases out of 2,261 total cases.

Location: 987-988 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1946: 171B107M:GR 1ST TRY E-CIG

Item Number: 33960

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

M: Try an e-cigarette, e-pen, etc.

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	11	0.5 %
2	GRADE 7:(2)	24	1.1 %
3	GRADE 8:(3)	65	2.9 %
4	GRADE 9:(4)	146	6.5 %
5	GRADE 10:(5)	154	6.8 %
6	GRADE 11:(6)	139	6.1 %
7	GRADE 12:(7)	88	3.9 %
8	NEVER:(8)	1386	61.3 %
	Missing Data		
-9	MISSING:(-9)	248	11.0 %
	Total	**2,261**	**100%**

Based upon 2,013 valid cases out of 2,261 total cases.

Location: 989-990 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1749: 171B107N:GR 1ST DRUNK

Item Number: 05585

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

N: Drink enough to feel drunk or very high

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	14	0.6 %
2	GRADE 7:(2)	15	0.7 %
3	GRADE 8:(3)	61	2.7 %
4	GRADE 9:(4)	174	7.7 %
5	GRADE 10:(5)	234	10.3 %
6	GRADE 11:(6)	192	8.5 %
7	GRADE 12:(7)	145	6.4 %
8	NEVER:(8)	1000	44.2 %
	Missing Data		
-9	MISSING:(-9)	426	18.8 %
	Total	**2,261**	**100%**

Based upon 1,835 valid cases out of 2,261 total cases.

Location: 991-992 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1783: 171B107O:GR 1ST TRY CRAC

Item Number: 05661

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

O: Try "crack" cocaine, specifically

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	2	0.1 %
2	GRADE 7:(2)	1	0.0 %
3	GRADE 8:(3)	2	0.1 %
4	GRADE 9:(4)	2	0.1 %
5	GRADE 10:(5)	4	0.2 %
6	GRADE 11:(6)	1	0.0 %
7	GRADE 12:(7)	3	0.1 %
8	NEVER:(8)	1987	87.9 %
	Missing Data		
-9	MISSING:(-9)	259	11.5 %
	Total	**2,261**	**100%**

Based upon 2,002 valid cases out of 2,261 total cases.

Location: 993-994 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1923: 171B107P:GR 1ST TRY MDMA

Item Number: 33300

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

P: Try MDMA ("Molly","ecstasy")

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)"
7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	8	0.4 %
2	GRADE 7:(2)	0	0.0 %
3	GRADE 8:(3)	1	0.0 %
4	GRADE 9:(4)	8	0.4 %
5	GRADE 10:(5)	11	0.5 %
6	GRADE 11:(6)	20	0.9 %
7	GRADE 12:(7)	23	1.0 %
8	NEVER:(8)	1956	86.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	234	10.3 %
	Total	**2,261**	**100%**

Based upon 2,027 valid cases out of 2,261 total cases.

Location: 995-996 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1785: 171B108A:ALL FRD SMK CIG

Item Number: 07070

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	897	39.7 %
2	A FEW:(2)	734	32.5 %
3	SOME:(3)	295	13.0 %
4	MOST:(4)	100	4.4 %
5	ALL:(5)	11	0.5 %
	Missing Data		
-9	MISSING:(-9)	224	9.9 %
	Total	**2,261**	**100%**

Based upon 2,037 valid cases out of 2,261 total cases.

Location: 997-998 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1786: 171B108B:ALL FRD SMK MAR

Item Number: 07080

How many of your friends would you estimate . . .

B: . . . Smoke marijuana (pot, weed) or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	348	15.4 %
2	A FEW:(2)	564	24.9 %
3	SOME:(3)	585	25.9 %
4	MOST:(4)	458	20.3 %
5	ALL:(5)	87	3.8 %
	Missing Data		
-9	MISSING:(-9)	219	9.7 %
	Total	**2,261**	**100%**

Based upon 2,042 valid cases out of 2,261 total cases.

Location: 999-1000 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1787: 171B108C:# FRNDS TK CRAC

Item Number: 07151

How many of your friends would you estimate . . .

C: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1778	78.6 %
2	A FEW:(2)	197	8.7 %
3	SOME:(3)	37	1.6 %
4	MOST:(4)	10	0.4 %
5	ALL:(5)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	231	10.2 %
	Total	**2,261**	**100%**

Based upon 2,030 valid cases out of 2,261 total cases.

Location: 1001-1002 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1788: 171B108D:# FRNDS TK C PW

Item Number: 23990

How many of your friends would you estimate . . .

D: . . . Take cocaine powder?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1692	74.8 %
2	A FEW:(2)	260	11.5 %
3	SOME:(3)	40	1.8 %
4	MOST:(4)	14	0.6 %
5	ALL:(5)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	245	10.8 %
	Total	**2,261**	**100%**

Based upon 2,016 valid cases out of 2,261 total cases.

Location: 1003-1004 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1789: 171B108E:ALL FRD DRK ALC

Item Number: 07190

How many of your friends would you estimate . . .

E: . . . Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	287	12.7 %
2	A FEW:(2)	299	13.2 %
3	SOME:(3)	478	21.1 %
4	MOST:(4)	665	29.4 %
5	ALL:(5)	299	13.2 %
	Missing Data		
-9	MISSING:(-9)	233	10.3 %
	Total	**2,261**	**100%**

Based upon 2,028 valid cases out of 2,261 total cases.

Location: 1005-1006 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V1790: 171B108F:ALL FRD GT DRUN

Item Number: 07200

How many of your friends would you estimate . . .

F: . . . Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	864	38.2 %
2	A FEW:(2)	577	25.5 %
3	SOME:(3)	337	14.9 %
4	MOST:(4)	207	9.2 %
5	ALL:(5)	47	2.1 %
	Missing Data		
-9	MISSING:(-9)	229	10.1 %
	Total	**2,261**	**100%**

Based upon 2,032 valid cases out of 2,261 total cases.

Location: 1007-1008 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1947: 171B108G:ALL FRD SMK E-VAP

Item Number: 34000

How many of your friends would you estimate . . .

G: . . . Use an e-cigarette, e-pen, etc.?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	879	38.9 %
2	A FEW:(2)	537	23.8 %
3	SOME:(3)	387	17.1 %
4	MOST:(4)	179	7.9 %
5	ALL:(5)	46	2.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	233	10.3 %
	Total	**2,261**	**100%**

Based upon 2,028 valid cases out of 2,261 total cases.

Location: 1009-1010 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

RESPONDENT_AGE: 171C01(R):AGE <>18 DICHOTOMY

Item Number:

Item comprised of responses to question C01 "In what year were you born?" (item 00010), question C02 "In what month were you born" (item 00020), and date of questionnaire administration recorded by interviewer.

1="younger than 18" 2="18 years of age or over"

Value	Label	Unweighted Frequency	%
1	<18 YRS:(1)	873	38.6 %
2	18+ YRS:(2)	1195	52.9 %
	Missing Data		
-9	MISSING:(-9)	193	8.5 %
	Total	**2,261**	**100%**

Based upon 2,068 valid cases out of 2,261 total cases.

Location: 1011-1012 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1150: 171C03 :Rs SEX

Item Number: 00030

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%
1	MALE:(1)	981	43.4 %
2	FEMALE:(2)	1032	45.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	248	11.0 %
	Total	**2,261**	**100%**

Based upon 2,013 valid cases out of 2,261 total cases.

Location: 1013-1014 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1151: 171C04(R):Rs RACE B/W/H

Item Number:

How do you describe yourself? (Select one or more responses.) Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic..."). All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)" 3="Hispanic" [see above]

Value	Label	Unweighted Frequency	%
1	BLACK:(1)	282	12.5 %
2	WHITE:(2)	1060	46.9 %
3	HISPANIC:(3)	386	17.1 %
	Missing Data		
-9	MISSING:(-9)	533	23.6 %
	Total	**2,261**	**100%**

Based upon 1,728 valid cases out of 2,261 total cases.

Location: 1015-1016 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1152: 171C05:R SPD >TIM R-UR

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and non response

Value	Label	Unweighted Frequency	%
0	DK/MIXED:(0)	373	16.5 %
1	A FARM:(1)	75	3.3 %
2	COUNTRY:(2)	198	8.8 %
3	SM CITY:(3)	466	20.6 %
4	MED CITY:(4)	302	13.4 %
5	SUB MED:(5)	283	12.5 %
6	LGE CITY:(6)	217	9.6 %
7	SUB LGE:(7)	156	6.9 %
8	V-LGE CITY:(8)	105	4.6 %
9	SUB V-LGE:(9)	86	3.8 %
	Total	**2,261**	**100%**

Based upon 2,261 valid cases out of 2,261 total cases.

Location: 1017-1018 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1153: 171C06:R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%
1	MARRIED:(1)	118	5.2 %
2	ENGAGED:(2)	34	1.5 %
3	SEP/DIV:(3)	32	1.4 %
4	SINGLE:(4)	1856	82.1 %
	Missing Data		
-9	MISSING:(-9)	221	9.8 %
	Total	**2,261**	**100%**

Based upon 2,040 valid cases out of 2,261 total cases.

Location: 1019-1020 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1155: 171C07Cb:Rs HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	534	23.6 %
1	MARKED:(1)	1509	66.7 %
	Missing Data		
-9	MISSING:(-9)	218	9.6 %
	Total	**2,261**	**100%**

Based upon 2,043 valid cases out of 2,261 total cases.

Location: 1021-1022 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1156: 171C07Cc:Rs HSHLD MOTHER

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	214	9.5 %
1	MARKED:(1)	1829	80.9 %
	Missing Data		
-9	MISSING:(-9)	218	9.6 %
	Total	**2,261**	**100%**

Based upon 2,043 valid cases out of 2,261 total cases.

Location: 1023-1024 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1157: 171C07Cd:Rs HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	672	29.7 %
1	MARKED:(1)	1371	60.6 %
	Missing Data		
-9	MISSING:(-9)	218	9.6 %
	Total	**2,261**	**100%**

Based upon 2,043 valid cases out of 2,261 total cases.

Location: 1025-1026 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V49: 171C07(R):# SIBLINGS

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more"

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more younger or older brothers or sisters".

Value	Label	Unweighted Frequency	%
0	NONE:(0)	132	5.8 %
1	ONE:(1)	577	25.5 %
2	TWO:(2)	544	24.1 %
3	THREE+:(3-4)	796	35.2 %
	Missing Data		
-9	MISSING:(-9)	212	9.4 %
	Total	**2,261**	**100%**

Based upon 2,049 valid cases out of 2,261 total cases.

Location: 1027-1028 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1163: 171C08:FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	106	4.7 %
2	SOME HS:(2)	229	10.1 %
3	HS GRAD:(3)	477	21.1 %
4	SOME CLG:(4)	318	14.1 %
5	CLG GRAD:(5)	463	20.5 %
6	GRAD SCH:(6)	272	12.0 %
7	DK:(7)	165	7.3 %
	Missing Data		
-9	MISSING:(-9)	231	10.2 %
	Total	**2,261**	**100%**

Based upon 2,030 valid cases out of 2,261 total cases.

Location: 1029-1030 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V1164: 171C09:MOTHR EDUC LEVEL

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	102	4.5 %
2	SOME HS:(2)	154	6.8 %
3	HS GRAD:(3)	368	16.3 %
4	SOME CLG:(4)	366	16.2 %
5	CLG GRAD:(5)	610	27.0 %
6	GRAD SCH:(6)	326	14.4 %
7	DK:(7)	104	4.6 %
	Missing Data		
-9	MISSING:(-9)	231	10.2 %
	Total	**2,261**	**100%**

Based upon 2,030 valid cases out of 2,261 total cases.

Location: 1031-1032 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1165: 171C10:MOTH PD JB R YNG

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%
1	NO:(1)	293	13.0 %
2	YES/SOME:(2)	363	16.1 %
3	YES/MOST:(3)	332	14.7 %

Value	Label	Unweighted Frequency	%
4	YES/NRLY ALL:(4)	1024	45.3 %
	Missing Data		
-9	MISSING:(-9)	249	11.0 %
	Total	**2,261**	**100%**

Based upon 2,012 valid cases out of 2,261 total cases.

Location: 1033-1034 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1166: 171C11:Rs POLTL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%
1	STRG GOP:(1)	211	9.3 %
2	MILD GOP:(2)	233	10.3 %
3	MILD DEM:(3)	262	11.6 %
4	STRG DEM:(4)	295	13.0 %
5	INDEPNDT:(5)	190	8.4 %
6	NO PREF:(6)	286	12.6 %
7	OTHER:(7)	34	1.5 %
8	DK/HVNT DECID:(8)	444	19.6 %
	Missing Data		
-9	MISSING:(-9)	306	13.5 %
	Total	**2,261**	**100%**

Based upon 1,955 valid cases out of 2,261 total cases.

Location: 1035-1036 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1167: 171C12:R POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very liberal" 6="Radical" 8="None of the above, or don't know"

Value	Label	Unweighted Frequency	%
1	VRY CONS:(1)	107	4.7 %
2	CONSERV:(2)	234	10.3 %
3	MODERATE:(3)	408	18.0 %
4	LIBERAL:(4)	313	13.8 %
5	VRY LIB:(5)	152	6.7 %
6	RADICAL:(6)	21	0.9 %
8	NONE/DK:(8)	771	34.1 %
	Missing Data		
-9	MISSING:(-9)	255	11.3 %
	Total	**2,261**	**100%**

Based upon 2,006 valid cases out of 2,261 total cases.

Location: 1037-1038 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1169: 171C13B:R ATTND REL SVC

Item Number: 00370

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	331	14.6 %
2	RARELY:(2)	504	22.3 %
3	1-2X/MO:(3)	242	10.7 %
4	1/WK OR+:(4)	397	17.6 %
	Missing Data		
-9	MISSING:(-9)	787	34.8 %
	Total	**2,261**	**100%**

Based upon 1,474 valid cases out of 2,261 total cases.

Location: 1039-1040 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1170: 171C13C:RLGN IMP Rs LF

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	396	17.5 %
2	LITL IMP:(2)	364	16.1 %
3	PRTY IMP:(3)	370	16.4 %
4	VERY IMP:(4)	344	15.2 %
	Missing Data		
-9	MISSING:(-9)	787	34.8 %
	Total	**2,261**	**100%**

Based upon 1,474 valid cases out of 2,261 total cases.

Location: 1041-1042 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1171: 171C14:WHEN R XPCT GRA

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"
6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%
1	JUNE:(1)	1987	87.9 %
2	JUL-JAN:(2)	14	0.6 %
3	AFTER JAN:(3)	0	0.0 %
6	DONT EXPCT:(6)	15	0.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	245	10.8 %
	Total	**2,261**	**100%**

Based upon 2,016 valid cases out of 2,261 total cases.

Location: 1043-1044 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1172: 171C15:Rs HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%
1	CLG PREP:(1)	1045	46.2 %
2	GENERAL:(2)	678	30.0 %
3	VOC-TECH:(3)	81	3.6 %
4	OTH/DK:(4)	202	8.9 %
	Missing Data		
-9	MISSING:(-9)	255	11.3 %
	Total	**2,261**	**100%**

Based upon 2,006 valid cases out of 2,261 total cases.

Location: 1045-1046 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1173: 171C16:RT SF SCH AB>AV

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	43	1.9 %
2	BELOW AVG:(2)	53	2.3 %
3	SLIGHT BELOW:(3)	98	4.3 %
4	AVERAGE:(4)	632	28.0 %
5	SLIGHT ABOVE:(5)	476	21.1 %
6	ABOVE AVG:(6)	564	24.9 %
7	FAR ABOVE:(7)	123	5.4 %
	Missing Data		
-9	MISSING:(-9)	272	12.0 %
	Total	**2,261**	**100%**

Based upon 1,989 valid cases out of 2,261 total cases.

Location: 1047-1048 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1174: 171C17:RT SF INTELL>AV

Item Number: 00420

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	39	1.7 %
2	BELOW AVG:(2)	35	1.5 %
3	SLIGHT BELOW:(3)	102	4.5 %
4	AVERAGE:(4)	569	25.2 %
5	SLIGHT ABOVE:(5)	554	24.5 %
6	ABOVE AVG:(6)	530	23.4 %
7	FAR ABOVE:(7)	169	7.5 %
	Missing Data		
-9	MISSING:(-9)	263	11.6 %
	Total	**2,261**	**100%**

Based upon 1,998 valid cases out of 2,261 total cases.

Location: 1049-1050 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V1175: 171C18A:#DA/4W SC MS IL

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1056	46.7 %
2	1 DAY:(2)	346	15.3 %
3	2 DAYS:(3)	226	10.0 %
4	3 DAYS:(4)	143	6.3 %
5	4-5 DAYS:(5)	106	4.7 %
6	6-10 DA:(6)	48	2.1 %
7	11+ DAYS:(7)	29	1.3 %
	Missing Data		
-9	MISSING:(-9)	307	13.6 %
	Total	**2,261**	**100%**

Based upon 1,954 valid cases out of 2,261 total cases.

Location: 1051-1052 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1176: 171C18B:#DA/4W SC MS CU

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1304	57.7 %

Value	Label	Unweighted Frequency	%
2	1 DAY:(2)	252	11.1 %
3	2 DAYS:(3)	136	6.0 %
4	3 DAYS:(4)	79	3.5 %
5	4-5 DAYS:(5)	75	3.3 %
6	6-10 DA:(6)	34	1.5 %
7	11+ DAYS:(7)	35	1.5 %
	Missing Data		
-9	MISSING:(-9)	346	15.3 %
	Total	**2,261**	**100%**

Based upon 1,915 valid cases out of 2,261 total cases.

Location: 1053-1054 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1177: 171C18C:#DA/4W SC MS OT

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1065	47.1 %
2	1 DAY:(2)	381	16.9 %
3	2 DAYS:(3)	210	9.3 %
4	3 DAYS:(4)	129	5.7 %
5	4-5 DAYS:(5)	80	3.5 %
6	6-10 DA:(6)	37	1.6 %
7	11+ DAYS:(7)	42	1.9 %
	Missing Data		
-9	MISSING:(-9)	317	14.0 %
	Total	**2,261**	**100%**

Based upon 1,944 valid cases out of 2,261 total cases.

Location: 1055-1056 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1178: 171C19:#DA/4W SKP CLAS

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times" 5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1479	65.4 %
2	1-2:(2)	296	13.1 %
3	3-5:(3)	123	5.4 %
4	6-10:(4)	44	1.9 %
5	11-20:(5)	24	1.1 %
6	21+:(6)	25	1.1 %
	Missing Data		
-9	MISSING:(-9)	270	11.9 %
	Total	**2,261**	**100%**

Based upon 1,991 valid cases out of 2,261 total cases.

Location: 1057-1058 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1179: 171C20:R HS GRADE/D = 1

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)" 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)" 1="D (69 or below)"

Value	Label	Unweighted Frequency	%
1	D:(1)	15	0.7 %
2	C-:(2)	21	0.9 %
3	C:(3)	67	3.0 %
4	C+:(4)	146	6.5 %
5	B-:(5)	215	9.5 %

Value	Label	Unweighted Frequency	%
6	B:(6)	314	13.9 %
7	B+:(7)	407	18.0 %
8	A-:(8)	412	18.2 %
9	A:(9)	381	16.9 %
	Missing Data		
-9	MISSING:(-9)	283	12.5 %
	Total	**2,261**	**100%**

Based upon 1,978 valid cases out of 2,261 total cases.

Location: 1059-1060 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1180: 171C21A:R WL DO VOC/TEC

Item Number: 00480

How likely is it that you will do each of the following things after high school?

A. Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1147	50.7 %
2	PRB WONT:(2)	430	19.0 %
3	PRB WILL:(3)	192	8.5 %
4	DEF WILL:(4)	101	4.5 %
	Missing Data		
-9	MISSING:(-9)	391	17.3 %
	Total	**2,261**	**100%**

Based upon 1,870 valid cases out of 2,261 total cases.

Location: 1061-1062 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1181: 171C21B!:R WL DO MILITARY

Item Number: 00490

How likely is it that you will do each of the following things after high school?

B. Serve in the military (armed forces)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1184	52.4 %
2	PRB WONT:(2)	432	19.1 %
3	PRB WILL:(3)	135	6.0 %
4	DEF WILL:(4)	64	2.8 %
	Missing Data		
-9	MISSING:(-9)	446	19.7 %
	Total	**2,261**	**100%**

Based upon 1,815 valid cases out of 2,261 total cases.

Location: 1063-1064 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1182: 171C21C:R WL DO 2YR CLG

Item Number: 00500

How likely is it that you will do each of the following things after high school?

C. Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	796	35.2 %
2	PRB WONT:(2)	339	15.0 %
3	PRB WILL:(3)	386	17.1 %
4	DEF WILL:(4)	364	16.1 %
	Missing Data		
-9	MISSING:(-9)	376	16.6 %
	Total	**2,261**	**100%**

Based upon 1,885 valid cases out of 2,261 total cases.

Location: 1065-1066 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V1183: 171C21D:R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following things after high school?

D. Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	157	6.9 %
2	PRB WONT:(2)	138	6.1 %
3	PRB WILL:(3)	449	19.9 %
4	DEF WILL:(4)	1201	53.1 %
	Missing Data		
-9	MISSING:(-9)	316	14.0 %
	Total	**2,261**	**100%**

Based upon 1,945 valid cases out of 2,261 total cases.

Location: 1067-1068 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1184: 171C21E:R WL DO GRD/PRF

Item Number: 00520

How likely is it that you will do each of the following things after high school?

E. Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	328	14.5 %
2	PRB WONT:(2)	468	20.7 %
3	PRB WILL:(3)	618	27.3 %

Value	Label	Unweighted Frequency	%
4	DEF WILL:(4)	483	21.4 %
	Missing Data		
-9	MISSING:(-9)	364	16.1 %
	Total	**2,261**	**100%**

Based upon 1,897 valid cases out of 2,261 total cases.

Location: 1069-1070 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1185: 171C22A:R WNTDO VOC/TEC

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1736	76.8 %
1	MARKED:(1)	213	9.4 %
	Missing Data		
-9	MISSING:(-9)	312	13.8 %
	Total	**2,261**	**100%**

Based upon 1,949 valid cases out of 2,261 total cases.

Location: 1071-1072 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1186: 171C22B:R WNTDO ARMD FC

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1697	75.1 %
1	MARKED:(1)	252	11.1 %
	Missing Data		
-9	MISSING:(-9)	312	13.8 %
	Total	**2,261**	**100%**

Based upon 1,949 valid cases out of 2,261 total cases.

Location: 1073-1074 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1187: 171C22C:R WNTDO 2YR CLG

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1536	67.9 %
1	MARKED:(1)	413	18.3 %
	Missing Data		
-9	MISSING:(-9)	312	13.8 %
	Total	**2,261**	**100%**

Based upon 1,949 valid cases out of 2,261 total cases.

Location: 1075-1076 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1188: 171C22D:R WNTDO 4YR CLG

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	424	18.8 %
1	MARKED:(1)	1525	67.4 %
	Missing Data		
-9	MISSING:(-9)	312	13.8 %
	Total	**2,261**	**100%**

Based upon 1,949 valid cases out of 2,261 total cases.

Location: 1077-1078 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1189: 171C22E:R WNTDO GRD/PRF

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	904	40.0 %
1	MARKED:(1)	1045	46.2 %
	Missing Data		
-9	MISSING:(-9)	312	13.8 %
	Total	**2,261**	**100%**

Based upon 1,949 valid cases out of 2,261 total cases.

Location: 1079-1080 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1190: 171C22F:R WNTDO NONE

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1798	79.5 %
1	MARKED:(1)	151	6.7 %
	Missing Data		
-9	MISSING:(-9)	312	13.8 %
	Total	**2,261**	**100%**

Based upon 1,949 valid cases out of 2,261 total cases.

Location: 1081-1082 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1191: 171C23:HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours" 8="More than 30 hours"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	799	35.3 %
2	5 OR <:(2)	181	8.0 %
3	6-10 HRS:(3)	229	10.1 %
4	11-15 HR:(4)	181	8.0 %
5	16-20 HR:(5)	217	9.6 %
6	21-25 HR:(6)	142	6.3 %
7	26-30 HR:(7)	101	4.5 %
8	30+ HRS:(8)	103	4.6 %
	Missing Data		
-9	MISSING:(-9)	308	13.6 %
	Total	**2,261**	**100%**

Based upon 1,953 valid cases out of 2,261 total cases.

Location: 1083-1084 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1192: 171C24A:R$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50"
7="$51-75" 8="$76-125" 9="$126-175" 10="176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	840	37.2 %
2	$1-5:(2)	14	0.6 %
3	$6-10:(3)	51	2.3 %
4	$11-20:(4)	61	2.7 %
5	$21-35:(5)	49	2.2 %
6	$36-50:(6)	84	3.7 %
7	$51-75:(7)	120	5.3 %
8	$76-125:(8)	239	10.6 %
9	$126-175:(9)	171	7.6 %
10	$176+:(10)	283	12.5 %
	Missing Data		
-9	MISSING:(-9)	349	15.4 %
	Total	**2,261**	**100%**

Based upon 1,912 valid cases out of 2,261 total cases.

Location: 1085-1086 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1193: 171C24B:R$/AVG WEEK OTH

Item Number: 00610

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50"

7="$51-75" 8="$76-125" 9="$126-175" 10="176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	986	43.6 %
2	$1-5:(2)	75	3.3 %
3	$6-10:(3)	115	5.1 %
4	$11-20:(4)	232	10.3 %
5	$21-35:(5)	150	6.6 %
6	$36-50:(6)	108	4.8 %
7	$51-75:(7)	59	2.6 %
8	$76-125:(8)	50	2.2 %
9	$126-175:(9)	16	0.7 %
10	$176+:(10)	55	2.4 %
	Missing Data		
-9	MISSING:(-9)	415	18.4 %
	Total	**2,261**	**100%**

Based upon 1,846 valid cases out of 2,261 total cases.

Location: 1087-1088 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1194: 171C25:#X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or five" 6="Six or seven"

Value	Label	Unweighted Frequency	%
1	< 1:(1)	393	17.4 %
2	ONE:(2)	368	16.3 %
3	TWO:(3)	545	24.1 %
4	THREE:(4)	386	17.1 %
5	4-5:(5)	194	8.6 %
6	6-7:(6)	64	2.8 %
	Missing Data		
-9	MISSING:(-9)	311	13.8 %
	Total	**2,261**	**100%**

Based upon 1,950 valid cases out of 2,261 total cases.

Location: 1089-1090 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1195: 171C26:#X DATE 3+/WK

Item Number: 00630

On the average, how often do you go out with a date (or your spouse/partner)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month" 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	970	42.9 %
2	ONCE/MO:(2)	233	10.3 %
3	2-3X MO:(3)	225	10.0 %
4	ONCE WK:(4)	239	10.6 %
5	2-3X WK:(5)	200	8.8 %
6	3+ WEEK:(6)	77	3.4 %
	Missing Data		
-9	MISSING:(-9)	317	14.0 %
	Total	**2,261**	**100%**

Based upon 1,944 valid cases out of 2,261 total cases.

Location: 1091-1092 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1196: 171C27:DRIVE>200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	500	22.1 %
2	1-10 MI:(2)	177	7.8 %

Value	Label	Unweighted Frequency	%
3	11-50:(3)	454	20.1 %
4	51-100:(4)	394	17.4 %
5	101-200:(5)	233	10.3 %
6	> 200:(6)	185	8.2 %
	Missing Data		
-9	MISSING:(-9)	318	14.1 %
	Total	**2,261**	**100%**

Based upon 1,943 valid cases out of 2,261 total cases.

Location: 1093-1094 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1197: 171C28:#X/12MO R TCKTD

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1612	71.3 %
1	ONCE:(1)	181	8.0 %
2	TWICE:(2)	42	1.9 %
3	3 TIMES:(3)	22	1.0 %
4	4+ TIMES:(4)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	398	17.6 %
	Total	**2,261**	**100%**

Based upon 1,863 valid cases out of 2,261 total cases.

Location: 1095-1096 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1198: 171C29A:#TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	248	11.0 %
1	ONE:(1)	4	0.2 %
2	TWO:(2)	0	0.0 %
3	THREE+:(3-4)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	2009	88.9 %
	Total	**2,261**	**100%**

Based upon 252 valid cases out of 2,261 total cases.

Location: 1097-1098 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1199: 171C29B:#TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	239	10.6 %
1	ONE:(1)	9	0.4 %
2	TWO:(2)	2	0.1 %
3	THREE+:(3-4)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	2011	88.9 %

Value	Label	Unweighted Frequency	%
	Total	**2,261**	**100%**

Based upon 250 valid cases out of 2,261 total cases.

Location: 1099-1100 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1200: 171C29C:#TCKTS AFT OTDG

Item Number: 00680

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	247	10.9 %
1	ONE:(1)	1	0.0 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	2012	89.0 %
	Total	**2,261**	**100%**

Based upon 249 valid cases out of 2,261 total cases.

Location: 1101-1102 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1201: 171C30:#ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times"
4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1610	71.2 %
1	ONCE:(1)	191	8.4 %
2	TWICE:(2)	44	1.9 %
3	3 TIMES:(3)	9	0.4 %
4	4+ TIMES:(4)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	404	17.9 %
	Total	**2,261**	**100%**

Based upon 1,857 valid cases out of 2,261 total cases.

Location: 1103-1104 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1202: 171C31A:#ACDTS AFT DRNK

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	248	11.0 %
1	ONE:(1)	3	0.1 %
2	TWO:(2)	0	0.0 %
3	THREE+:(3-4)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	2010	88.9 %
	Total	**2,261**	**100%**

Based upon 251 valid cases out of 2,261 total cases.

Location: 1105-1106 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1203: 171C31B:#ACDTS AFT MARJ

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	249	11.0 %
1	ONE:(1)	1	0.0 %
2	TWO:(2)	0	0.0 %
3	THREE+:(3-4)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	2010	88.9 %
	Total	**2,261**	**100%**

Based upon 251 valid cases out of 2,261 total cases.

Location: 1107-1108 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1204: 171C31C:#ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	246	10.9 %
1	ONE:(1)	1	0.0 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	2013	89.0 %
	Total	**2,261**	**100%**

Based upon 248 valid cases out of 2,261 total cases.

Location: 1109-1110 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1205: 171C32:Rs BRANCH SERV

Item Number: 00730

If you have not entered military service, and do not expect to enter, GO TO PART D.

What is, or will be, your branch of service?

1="Army" 2="Navy" 3="Marine Corps" 4="Air Force" 5="Coast Guard" 6="Uncertain"

Value	Label	Unweighted Frequency	%
1	ARMY:(1)	47	2.1 %
2	NAVY:(2)	29	1.3 %
3	MARINES:(3)	39	1.7 %
4	AIR FORCE:(4)	40	1.8 %
5	COAST GUARD:(5)	5	0.2 %
6	UNCERTN:(6)	39	1.7 %
	Missing Data		
-9	MISSING:(-9)	2062	91.2 %
	Total	**2,261**	**100%**

Based upon 199 valid cases out of 2,261 total cases.

Location: 1111-1112 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1206: 171C33:R XPCTS B OFFCR

Item Number: 00740

Do you expect to be an officer?

1="No" 2="Uncertain" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	46	2.0 %
2	UNCERTN:(2)	88	3.9 %
3	YES:(3)	71	3.1 %
	Missing Data		
-9	MISSING:(-9)	2056	90.9 %
	Total	**2,261**	**100%**

Based upon 205 valid cases out of 2,261 total cases.

Location: 1113-1114 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1207: 171C34:R XPCTS MLTR CR

Item Number: 00750

Do you expect to have a career in the Armed Forces?

1="No" 2="Uncertain" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	41	1.8 %
2	UNCERTN:(2)	82	3.6 %
3	YES:(3)	82	3.6 %
	Missing Data		
-9	MISSING:(-9)	2056	90.9 %
	Total	**2,261**	**100%**

Based upon 205 valid cases out of 2,261 total cases.

Location: 1115-1116 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1682: 171D01:R LIKES SCHOOL

Item Number: 07630

The next questions are about your experiences in school. Some people like school very much. Others don't. How do you feel about going to school?

5="I like school very much" 4="I like school quite a bit"
3="I like school some" 2="I don't like school very much"

1="I don't like school at all"

Value	Label	Unweighted Frequency	%
1	DONT LIKE@A:(1)	187	8.3 %
2	DONT LIKE VM:(2)	304	13.4 %
3	LIKE SOME:(3)	878	38.8 %
4	LIKE QUITEBIT:(4)	387	17.1 %
5	LIKE VRYMCH:(5)	144	6.4 %
	Missing Data		
-9	MISSING:(-9)	361	16.0 %
	Total	**2,261**	**100%**

Based upon 1,900 valid cases out of 2,261 total cases.

Location: 1117-1118 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1683: 171D02:*SC WRK NVR MNG

Item Number: 05700

How often do you feel that the school work you are assigned
is meaningful and important?

5="Almost always" 4="Often" 3="Sometimes" 2="Seldom" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	181	8.0 %
2	SELDOM:(2)	433	19.2 %
3	SOMETIME:(3)	746	33.0 %
4	OFTEN:(4)	357	15.8 %
5	ALM ALWYS:(5)	172	7.6 %
	Missing Data		
-9	MISSING:(-9)	372	16.5 %
	Total	**2,261**	**100%**

Based upon 1,889 valid cases out of 2,261 total cases.

Location: 1119-1120 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1684: 171D03:*MST COUR V DUL

Item Number: 05710

How interesting are most of your courses to you?

5="Very exciting and stimulating" 4="Quite interesting"
3="Fairly interesting" 2="Slightly dull" 1="Very dull"

Value	Label	Unweighted Frequency	%
1	VERY DULL:(1)	174	7.7 %
2	SLIGHT DULL:(2)	451	19.9 %
3	FAIRLY INTR:(3)	838	37.1 %
4	QUITE INTRST:(4)	346	15.3 %
5	VRY EXCITG:(5)	79	3.5 %
	Missing Data		
-9	MISSING:(-9)	373	16.5 %
	Total	**2,261**	**100%**

Based upon 1,888 valid cases out of 2,261 total cases.

Location: 1121-1122 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1685: 171D04:*LRN SCH NT IMP

Item Number: 05720

How important do you think the things you are learning in school are going to be for your later life?

5="Very important" 4="Quite important" 3="Fairly important"
2="Slightly important" 1="Not at all important"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	199	8.8 %
2	SLIGHT:(2)	573	25.3 %
3	FAIR IMPT:(3)	539	23.8 %
4	QUITE IMPT:(4)	357	15.8 %
5	VRY IMPT:(5)	216	9.6 %
	Missing Data		
-9	MISSING:(-9)	377	16.7 %
	Total	**2,261**	**100%**

Based upon 1,884 valid cases out of 2,261 total cases.

Location: 1123-1124 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1686: 171D05:LOT CMPTN GRADE

Item Number: 05730

How much competition for grades is there among students at your school?

1="None" 2="A little" 3="Some" 4="Quite a bit" 5="A great deal"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	237	10.5 %
2	A LITTLE:(2)	419	18.5 %
3	SOME:(3)	569	25.2 %
4	QUITEBIT:(4)	425	18.8 %
5	GRT DEAL:(5)	232	10.3 %
	Missing Data		
-9	MISSING:(-9)	379	16.8 %
	Total	**2,261**	**100%**

Based upon 1,882 valid cases out of 2,261 total cases.

Location: 1125-1126 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1687: 171D06:STDTS DSLK CHTG

Item Number: 05740

How do you think most of the students in your classes would feel if you cheated on a test?

1="They would like it very much" 2="They would like it" 3="They would not care" 4="They would dislike it" 5="They would dislike it very much"

Value	Label	Unweighted Frequency	%
1	LIK VMCH:(1)	93	4.1 %
2	LIKE IT:(2)	51	2.3 %
3	NOT CARE:(3)	1435	63.5 %
4	DISLIKE:(4)	187	8.3 %

Value	Label	Unweighted Frequency	%
5	DLIK MCH:(5)	105	4.6 %
	Missing Data		
-9	MISSING:(-9)	390	17.2 %
	Total	**2,261**	**100%**

Based upon 1,871 valid cases out of 2,261 total cases.

Location: 1127-1128 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1688: 171D07:ST -LK PROV TCH

Item Number: 05750

How do you think most of the students in your classes would feel if you intentionally did things to make your teachers angry?

1="They would like it very much" 2="They would like it" 3="They would not care" 4="They would dislike it" 5="They would dislike it very much"

Value	Label	Unweighted Frequency	%
1	LIK VMCH:(1)	81	3.6 %
2	LIKE IT:(2)	152	6.7 %
3	NOT CARE:(3)	744	32.9 %
4	DISLIKE:(4)	677	29.9 %
5	DLIK MCH:(5)	212	9.4 %
	Missing Data		
-9	MISSING:(-9)	395	17.5 %
	Total	**2,261**	**100%**

Based upon 1,866 valid cases out of 2,261 total cases.

Location: 1129-1130 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1689: 171D08:FRD NCG/TCH -LK

Item Number: 05760

How often do you find that your friends encourage you to do things which your teachers wouldn't like?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	945	41.8 %
2	SELDOM:(2)	518	22.9 %
3	SOMETIME:(3)	266	11.8 %
4	OFTEN:(4)	92	4.1 %
5	ALWAYS:(5)	34	1.5 %
	Missing Data		
-9	MISSING:(-9)	406	18.0 %
	Total	**2,261**	**100%**

Based upon 1,855 valid cases out of 2,261 total cases.

Location: 1131-1132 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1690: 171D09:R IN WK-STDY PG

Item Number: 05770

Have you ever been in a work-study program--that is, a program where you work on a job as part of your schooling?

1="No, not ever" 2="Yes, for a half year or less" 3="Yes, for about a year" 4="Yes, for about two years" 5="Yes, for more than two years"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1629	72.0 %
2	1/2 YR OR <:(2)	92	4.1 %
3	1 YEAR:(3)	77	3.4 %
4	2 YEARS:(4)	20	0.9 %
5	> 2 YEARS:(5)	32	1.4 %
	Missing Data		
-9	MISSING:(-9)	411	18.2 %
	Total	**2,261**	**100%**

Based upon 1,850 valid cases out of 2,261 total cases.

Location: 1133-1134 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1691: 171D10:#X/YR COUNS IND

Item Number: 05780

How many times this school year have you seen a counselor individually?

1="No times" 2="1 time" 3="2 times" 4="3 or 4 times" 5="5-7 times" 6="8-10 times" 7="11 or more times"

Value	Label	Unweighted Frequency	%
1	NO TIMES:(1)	511	22.6 %
2	1 TIME:(2)	207	9.2 %
3	2 TIMES:(3)	312	13.8 %
4	3-4:(4)	447	19.8 %
5	5-7:(5)	187	8.3 %
6	8-10:(6)	83	3.7 %
7	11+ TIMES:(7)	107	4.7 %
	Missing Data		
-9	MISSING:(-9)	407	18.0 %
	Total	**2,261**	**100%**

Based upon 1,854 valid cases out of 2,261 total cases.

Location: 1135-1136 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1692: 171D11:#X/YR COUNS GRP

Item Number: 05790

How many times this school year have you seen a counselor as a part of a group of other students?

1="No times" 2="1 time" 3="2 times" 4="3 or 4 times" 5="5-7 times" 6="8-10 times" 7="11 or more times"

Value	Label	Unweighted Frequency	%
1	NO TIMES:(1)	1238	54.8 %
2	1 TIME:(2)	185	8.2 %
3	2 TIMES:(3)	171	7.6 %
4	3-4:(4)	140	6.2 %
5	5-7:(5)	59	2.6 %

Value	Label	Unweighted Frequency	%
6	8-10:(6)	18	0.8 %
7	11+ TIMES:(7)	36	1.6 %
	Missing Data		
-9	MISSING:(-9)	414	18.3 %
	Total	**2,261**	**100%**

Based upon 1,847 valid cases out of 2,261 total cases.

Location: 1137-1138 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1693: 171D12:R LK C COUNS MR

Item Number: 05800

Would you have preferred to see a counselor more or less often than you have during the past year?

5="Much more often" 4="A little more often" 3="About as often" 2="A little less often" 1="Much less often"

Value	Label	Unweighted Frequency	%
1	MUCH LESS:(1)	226	10.0 %
2	LITTLE LESS:(2)	124	5.5 %
3	AS OFTEN:(3)	827	36.6 %
4	LITTLE MORE:(4)	437	19.3 %
5	MUCH MORE:(5)	219	9.7 %
	Missing Data		
-9	MISSING:(-9)	428	18.9 %
	Total	**2,261**	**100%**

Based upon 1,833 valid cases out of 2,261 total cases.

Location: 1139-1140 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1694: 171D13:CSLNG VRY HLPFL

Item Number: 05810

How helpful have your sessions with a counselor been to you?

5="Extremely helpful" 4="Quite helpful" 3="Somewhat helpful"

2="A little helpful" 1="Not at all helpful" 8="Did not see a counselor this year."

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	148	6.5 %
2	A LITTLE:(2)	253	11.2 %
3	SOMEWHAT:(3)	287	12.7 %
4	QUITE:(4)	459	20.3 %
5	EXTREMELY:(5)	313	13.8 %
8	-SEE COUNSLR:(8)	361	16.0 %
	Missing Data		
-9	MISSING:(-9)	440	19.5 %
	Total	**2,261**	**100%**

Based upon 1,821 valid cases out of 2,261 total cases.

Location: 1141-1142 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1699: 171D14A:CNSL COURSES

Item Number: 05811

Would you have preferred more or less of each of the following types of counseling in the last year?

A: Choosing what courses to take

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%
1	MUCH LESS:(1)	91	4.0 %
2	LITTLE LESS:(2)	39	1.7 %
3	ABT RIGHT:(3)	768	34.0 %
4	LITTLE MORE:(4)	435	19.2 %
5	MCH MORE:(5)	464	20.5 %
	Missing Data		
-9	MISSING:(-9)	464	20.5 %
	Total	**2,261**	**100%**

Based upon 1,797 valid cases out of 2,261 total cases.

Location: 1143-1144 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V1700: 171D14B:CNSL CL PROB

Item Number: 05812

Would you have preferred more or less of each of the following types of counseling in the last year?

B: Discussing problems with course work

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%
1	MUCH LESS:(1)	174	7.7 %
2	LITTLE LESS:(2)	74	3.3 %
3	ABT RIGHT:(3)	842	37.2 %
4	LITTLE MORE:(4)	367	16.2 %
5	MCH MORE:(5)	325	14.4 %
	Missing Data		
-9	MISSING:(-9)	479	21.2 %
	Total	**2,261**	**100%**

Based upon 1,782 valid cases out of 2,261 total cases.

Location: 1145-1146 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1701: 171D14C:CNSL TRBL R IN

Item Number: 05813

Would you have preferred more or less of each of the following types of counseling in the last year?

C: Discussing any trouble you've gotten into

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%
1	MUCH LESS:(1)	335	14.8 %
2	LITTLE LESS:(2)	106	4.7 %
3	ABT RIGHT:(3)	972	43.0 %

Value	Label	Unweighted Frequency	%
4	LITTLE MORE:(4)	147	6.5 %
5	MCH MORE:(5)	199	8.8 %
	Missing Data		
-9	MISSING:(-9)	502	22.2 %
	Total	**2,261**	**100%**

Based upon 1,759 valid cases out of 2,261 total cases.

Location: 1147-1148 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1702: 171D14D:CNSL MILTRY PLN

Item Number: 05814

Would you have preferred more or less of each of the following types of counseling in the last year?

D: Discussing military plans

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%
1	MUCH LESS:(1)	595	26.3 %
2	LITTLE LESS:(2)	105	4.6 %
3	ABT RIGHT:(3)	845	37.4 %
4	LITTLE MORE:(4)	85	3.8 %
5	MCH MORE:(5)	123	5.4 %
	Missing Data		
-9	MISSING:(-9)	508	22.5 %
	Total	**2,261**	**100%**

Based upon 1,753 valid cases out of 2,261 total cases.

Location: 1149-1150 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1703: 171D14E:CNSL EDUC PLANS

Item Number: 05815

Would you have preferred more or less of each of the

following types of counseling in the last year?

E: Discussing education or training plans

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%
1	MUCH LESS:(1)	166	7.3 %
2	LITTLE LESS:(2)	58	2.6 %
3	ABT RIGHT:(3)	741	32.8 %
4	LITTLE MORE:(4)	434	19.2 %
5	MCH MORE:(5)	362	16.0 %
	Missing Data		
-9	MISSING:(-9)	500	22.1 %
	Total	**2,261**	**100%**

Based upon 1,761 valid cases out of 2,261 total cases.

Location: 1151-1152 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1704: 171D14F:CNSL CAREER PLN

Item Number: 05816

Would you have preferred more or less of each of the following types of counseling in the last year?

F: Discussing career plans or job choice

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%
1	MUCH LESS:(1)	112	5.0 %
2	LITTLE LESS:(2)	39	1.7 %
3	ABT RIGHT:(3)	625	27.6 %
4	LITTLE MORE:(4)	475	21.0 %
5	MCH MORE:(5)	521	23.0 %
	Missing Data		
-9	MISSING:(-9)	489	21.6 %
	Total	**2,261**	**100%**

Based upon 1,772 valid cases out of 2,261 total cases.

Location: 1153-1154 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1705: 171D14G:CNSL PRNL PROB

Item Number: 05817

Would you have preferred more or less of each of the following types of counseling in the last year?

G: Discussing personal problems

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%
1	MUCH LESS:(1)	342	15.1 %
2	LITTLE LESS:(2)	93	4.1 %
3	ABT RIGHT:(3)	840	37.2 %
4	LITTLE MORE:(4)	228	10.1 %
5	MCH MORE:(5)	252	11.1 %
	Missing Data		
-9	MISSING:(-9)	506	22.4 %
	Total	**2,261**	**100%**

Based upon 1,755 valid cases out of 2,261 total cases.

Location: 1155-1156 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1719: 171D15A:#DA HEADACHE

Item Number: 21310

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

A: Headache

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	427	18.9 %
2	1 DAY:(2)	329	14.6 %
3	2 DAYS:(3)	335	14.8 %
4	3-5 DAYS:(4)	369	16.3 %
5	6-9 DAYS:(5)	167	7.4 %
6	10-19 DA:(6)	107	4.7 %
7	20+ DAYS:(7)	76	3.4 %
	Missing Data		
-9	MISSING:(-9)	451	19.9 %
	Total	**2,261**	**100%**

Based upon 1,810 valid cases out of 2,261 total cases.

Location: 1157-1158 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1720: 171D15B:#DA SORE THROAT

Item Number: 21320

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

B: Sore throat or hoarse voice

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	791	35.0 %
2	1 DAY:(2)	312	13.8 %
3	2 DAYS:(3)	275	12.2 %
4	3-5 DAYS:(4)	260	11.5 %
5	6-9 DAYS:(5)	110	4.9 %
6	10-19 DA:(6)	40	1.8 %
7	20+ DAYS:(7)	13	0.6 %
	Missing Data		
-9	MISSING:(-9)	460	20.3 %
	Total	**2,261**	**100%**

Based upon 1,801 valid cases out of 2,261 total cases.

Location: 1159-1160 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1721: 171D15C:#DA SINUS CONG

Item Number: 21330

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

C: Trouble with sinus congestion, runny nose, or sneezing

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	542	24.0 %
2	1 DAY:(2)	214	9.5 %
3	2 DAYS:(3)	244	10.8 %
4	3-5 DAYS:(4)	342	15.1 %
5	6-9 DAYS:(5)	244	10.8 %
6	10-19 DA:(6)	114	5.0 %
7	20+ DAYS:(7)	97	4.3 %
	Missing Data		
-9	MISSING:(-9)	464	20.5 %
	Total	**2,261**	**100%**

Based upon 1,797 valid cases out of 2,261 total cases.

Location: 1161-1162 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1722: 171D15D:#DA COUGHING

Item Number: 21340

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

D: Coughing spells

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1072	47.4 %
2	1 DAY:(2)	216	9.6 %
3	2 DAYS:(3)	159	7.0 %
4	3-5 DAYS:(4)	173	7.7 %
5	6-9 DAYS:(5)	104	4.6 %
6	10-19 DA:(6)	48	2.1 %
7	20+ DAYS:(7)	21	0.9 %
	Missing Data		
-9	MISSING:(-9)	468	20.7 %
	Total	**2,261**	**100%**

Based upon 1,793 valid cases out of 2,261 total cases.

Location: 1163-1164 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1723: 171D15E:#DA CHEST COLD

Item Number: 21350

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

E: Chest colds

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1363	60.3 %
2	1 DAY:(2)	145	6.4 %
3	2 DAYS:(3)	108	4.8 %
4	3-5 DAYS:(4)	96	4.2 %
5	6-9 DAYS:(5)	48	2.1 %
6	10-19 DA:(6)	17	0.8 %
7	20+ DAYS:(7)	11	0.5 %
	Missing Data		
-9	MISSING:(-9)	473	20.9 %
	Total	**2,261**	**100%**

Based upon 1,788 valid cases out of 2,261 total cases.

Location: 1165-1166 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1724: 171D15F:#DA COUGH PHLM

Item Number: 21360

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

F: Coughing up phlegm or blood

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1465	64.8 %
2	1 DAY:(2)	74	3.3 %
3	2 DAYS:(3)	76	3.4 %
4	3-5 DAYS:(4)	84	3.7 %
5	6-9 DAYS:(5)	38	1.7 %
6	10-19 DA:(6)	19	0.8 %
7	20+ DAYS:(7)	20	0.9 %
	Missing Data		
-9	MISSING:(-9)	485	21.5 %
	Total	**2,261**	**100%**

Based upon 1,776 valid cases out of 2,261 total cases.

Location: 1167-1168 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1725: 171D15G:#DA SHORT BRTH

Item Number: 21370

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

G: Shortness of breath when you were not exercising

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1389	61.4 %
2	1 DAY:(2)	127	5.6 %
3	2 DAYS:(3)	97	4.3 %
4	3-5 DAYS:(4)	84	3.7 %
5	6-9 DAYS:(5)	49	2.2 %
6	10-19 DA:(6)	24	1.1 %
7	20+ DAYS:(7)	24	1.1 %
	Missing Data		
-9	MISSING:(-9)	467	20.7 %
	Total	**2,261**	**100%**

Based upon 1,794 valid cases out of 2,261 total cases.

Location: 1169-1170 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1726: 171D15H:#DA WHEEZING

Item Number: 21380

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

H: Wheezing or gasping

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1541	68.2 %
2	1 DAY:(2)	78	3.4 %
3	2 DAYS:(3)	58	2.6 %
4	3-5 DAYS:(4)	52	2.3 %
5	6-9 DAYS:(5)	29	1.3 %
6	10-19 DA:(6)	15	0.7 %
7	20+ DAYS:(7)	11	0.5 %
	Missing Data		
-9	MISSING:(-9)	477	21.1 %
	Total	**2,261**	**100%**

Based upon 1,784 valid cases out of 2,261 total cases.

Location: 1171-1172 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1727: 171D15I:#DA TRBL REMEM

Item Number: 21390

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

I: Trouble remembering things

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1149	50.8 %
2	1 DAY:(2)	172	7.6 %
3	2 DAYS:(3)	151	6.7 %
4	3-5 DAYS:(4)	110	4.9 %
5	6-9 DAYS:(5)	74	3.3 %
6	10-19 DA:(6)	48	2.1 %
7	20+ DAYS:(7)	81	3.6 %
	Missing Data		
-9	MISSING:(-9)	476	21.1 %
	Total	**2,261**	**100%**

Based upon 1,785 valid cases out of 2,261 total cases.

Location: 1173-1174 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1728: 171D15J:#DA DFCT THINK

Item Number: 21400

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

J: Difficulty thinking or concentrating

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	915	40.5 %
2	1 DAY:(2)	192	8.5 %
3	2 DAYS:(3)	176	7.8 %
4	3-5 DAYS:(4)	183	8.1 %
5	6-9 DAYS:(5)	127	5.6 %
6	10-19 DA:(6)	93	4.1 %
7	20+ DAYS:(7)	99	4.4 %
	Missing Data		
-9	MISSING:(-9)	476	21.1 %
	Total	**2,261**	**100%**

Based upon 1,785 valid cases out of 2,261 total cases.

Location: 1175-1176 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1729: 171D15K:#DA TRBL LEARN

Item Number: 21410

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

K: Trouble learning new things

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1212	53.6 %
2	1 DAY:(2)	178	7.9 %
3	2 DAYS:(3)	141	6.2 %
4	3-5 DAYS:(4)	109	4.8 %
5	6-9 DAYS:(5)	67	3.0 %
6	10-19 DA:(6)	40	1.8 %
7	20+ DAYS:(7)	43	1.9 %
	Missing Data		
-9	MISSING:(-9)	471	20.8 %
	Total	**2,261**	**100%**

Based upon 1,790 valid cases out of 2,261 total cases.

Location: 1177-1178 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1730: 171D15L:#DA TRBL SLEEP

Item Number: 21420

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

L: Trouble sleeping

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	813	36.0 %
2	1 DAY:(2)	186	8.2 %
3	2 DAYS:(3)	215	9.5 %
4	3-5 DAYS:(4)	175	7.7 %
5	6-9 DAYS:(5)	134	5.9 %
6	10-19 DA:(6)	95	4.2 %
7	20+ DAYS:(7)	159	7.0 %
	Missing Data		
-9	MISSING:(-9)	484	21.4 %
	Total	**2,261**	**100%**

Based upon 1,777 valid cases out of 2,261 total cases.

Location: 1179-1180 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1731: 171D15M:#DA TRBL START

Item Number: 21430

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

M: Trouble getting started in the morning

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	744	32.9 %
2	1 DAY:(2)	150	6.6 %
3	2 DAYS:(3)	166	7.3 %
4	3-5 DAYS:(4)	177	7.8 %
5	6-9 DAYS:(5)	134	5.9 %
6	10-19 DA:(6)	122	5.4 %
7	20+ DAYS:(7)	284	12.6 %
	Missing Data		
-9	MISSING:(-9)	484	21.4 %
	Total	**2,261**	**100%**

Based upon 1,777 valid cases out of 2,261 total cases.

Location: 1181-1182 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1732: 171D15N:#DA STAY HOME

Item Number: 21440

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

N: Stayed home most or all of a day because you were not feeling well

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1090	48.2 %
2	1 DAY:(2)	278	12.3 %
3	2 DAYS:(3)	191	8.4 %
4	3-5 DAYS:(4)	127	5.6 %
5	6-9 DAYS:(5)	51	2.3 %
6	10-19 DA:(6)	25	1.1 %
7	20+ DAYS:(7)	19	0.8 %
	Missing Data		
-9	MISSING:(-9)	480	21.2 %
	Total	**2,261**	**100%**

Based upon 1,781 valid cases out of 2,261 total cases.

Location: 1183-1184 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1733: 171D16A:#X/12M DOC-CHEK

Item Number: 21450

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

A: For a routine physical check-up

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10+ times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	637	28.2 %
2	ONCE:(2)	802	35.5 %
3	TWICE:(3)	323	14.3 %
4	3-5X:(4)	68	3.0 %
5	6-9X:(5)	13	0.6 %
6	10+ TIME:(6)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	403	17.8 %
	Total	**2,261**	**100%**

Based upon 1,858 valid cases out of 2,261 total cases.

Location: 1185-1186 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1734: 171D16B:#X/12M DOC-FGHT

Item Number: 21460

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

B: For an injury suffered in a fight, assault, or auto accident

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10+ times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1697	75.1 %
2	ONCE:(2)	88	3.9 %
3	TWICE:(3)	39	1.7 %
4	3-5X:(4)	17	0.8 %
5	6-9X:(5)	5	0.2 %
6	10+ TIME:(6)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	405	17.9 %
	Total	**2,261**	**100%**

Based upon 1,856 valid cases out of 2,261 total cases.

Location: 1187-1188 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1735: 171D16C:#X/12M DOC-INJ

Item Number: 21470

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

C: For any other accidental injury

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10+ times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1524	67.4 %
2	ONCE:(2)	156	6.9 %
3	TWICE:(3)	77	3.4 %
4	3-5X:(4)	46	2.0 %
5	6-9X:(5)	16	0.7 %
6	10+ TIME:(6)	16	0.7 %
	Missing Data		
-9	MISSING:(-9)	426	18.8 %
	Total	**2,261**	**100%**

Based upon 1,835 valid cases out of 2,261 total cases.

Location: 1189-1190 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1736: 171D16D:#X/12M DOC-ILL

Item Number: 21480

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

D: For some physical illness or symptom

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10+ times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1124	49.7 %
2	ONCE:(2)	325	14.4 %
3	TWICE:(3)	209	9.2 %
4	3-5X:(4)	111	4.9 %
5	6-9X:(5)	35	1.5 %
6	10+ TIME:(6)	34	1.5 %
	Missing Data		
-9	MISSING:(-9)	423	18.7 %
	Total	**2,261**	**100%**

Based upon 1,838 valid cases out of 2,261 total cases.

Location: 1191-1192 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1737: 171D16E:#X/12M DOC-PSY

Item Number: 21490

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

E: For some emotional or psychological problem or symptom

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10+ times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1593	70.5 %
2	ONCE:(2)	64	2.8 %
3	TWICE:(3)	51	2.3 %

Value	Label	Unweighted Frequency	%
4	3-5X:(4)	46	2.0 %
5	6-9X:(5)	22	1.0 %
6	10+ TIME:(6)	55	2.4 %
	Missing Data		
-9	MISSING:(-9)	430	19.0 %
	Total	**2,261**	**100%**

Based upon 1,831 valid cases out of 2,261 total cases.

Location: 1193-1194 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1738: 171D17A:#X/12M HSP-INJ

Item Number: 21500

In the LAST 12 MONTHS, how many times (if any) have you spent one or more nights in the hospital . . .

A: . . . because of an injury?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10+ times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1751	77.4 %
2	ONCE:(2)	60	2.7 %
3	TWICE:(3)	21	0.9 %
4	3-5X:(4)	6	0.3 %
5	6-9X:(5)	3	0.1 %
6	10+ TIME:(6)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	412	18.2 %
	Total	**2,261**	**100%**

Based upon 1,849 valid cases out of 2,261 total cases.

Location: 1195-1196 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1739: 171D17B:#X/12M HSP-ILL

Item Number: 21510

In the LAST 12 MONTHS, how many times (if any) have you spent one or more nights in the hospital . . .

B: . . . because of some physical illness?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10+ times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1710	75.6 %
2	ONCE:(2)	70	3.1 %
3	TWICE:(3)	31	1.4 %
4	3-5X:(4)	11	0.5 %
5	6-9X:(5)	6	0.3 %
6	10+ TIME:(6)	11	0.5 %
	Missing Data		
-9	MISSING:(-9)	422	18.7 %
	Total	**2,261**	**100%**

Based upon 1,839 valid cases out of 2,261 total cases.

Location: 1197-1198 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1740: 171D18:RLTV PHY HEALTH

Item Number: 21520

Overall, relative to other people your age, do you think your physical health over the past year has been . . . ?

1="Much poorer than average" 2="Somewhat poorer" 3="About average" 4="Somewhat better" 5="Much better than average"

Value	Label	Unweighted Frequency	%
1	MCH <AVG:(1)	124	5.5 %
2	SOM <AVG:(2)	265	11.7 %
3	ABT AVRG:(3)	832	36.8 %
4	SOM >AVG:(4)	368	16.3 %
5	MCH >AVG:(5)	267	11.8 %
	Missing Data		
-9	MISSING:(-9)	405	17.9 %

Value	Label	Unweighted Frequency	%
	Total	**2,261**	**100%**

Based upon 1,856 valid cases out of 2,261 total cases.

Location: 1199-1200 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1791: 171D21A:DAP SMK 1PCK CI

Item Number: 08560

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	374	16.5 %
2	DISAPPRV:(2)	682	30.2 %
3	STRG DIS:(3)	784	34.7 %
	Missing Data		
-9	MISSING:(-9)	421	18.6 %
	Total	**2,261**	**100%**

Based upon 1,840 valid cases out of 2,261 total cases.

Location: 1201-1202 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1792: 171D21B:DAP TRY MRJ 1-2

Item Number: 08570

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1103	48.8 %
2	DISAPPRV:(2)	406	18.0 %
3	STRG DIS:(3)	331	14.6 %
	Missing Data		
-9	MISSING:(-9)	421	18.6 %
	Total	**2,261**	**100%**

Based upon 1,840 valid cases out of 2,261 total cases.

Location: 1203-1204 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1793: 171D21C:DAP SMK MRJ OCC

Item Number: 08580

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	943	41.7 %
2	DISAPPRV:(2)	462	20.4 %
3	STRG DIS:(3)	427	18.9 %
	Missing Data		
-9	MISSING:(-9)	429	19.0 %
	Total	**2,261**	**100%**

Based upon 1,832 valid cases out of 2,261 total cases.

Location: 1205-1206 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1794: 171D21D:DAP SMK MRJ REG

Item Number: 08590

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people

(who are 18 or older) doing each of the following?

D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	658	29.1 %
2	DISAPPRV:(2)	588	26.0 %
3	STRG DIS:(3)	579	25.6 %
	Missing Data		
-9	MISSING:(-9)	436	19.3 %
	Total	**2,261**	**100%**

Based upon 1,825 valid cases out of 2,261 total cases.

Location: 1207-1208 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1795: 171D21E:DAP COK PWD 1-2

Item Number: 23630

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

E: Trying cocaine in powder form once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	252	11.1 %
2	DISAPPRV:(2)	435	19.2 %
3	STRG DIS:(3)	1136	50.2 %
	Missing Data		
-9	MISSING:(-9)	438	19.4 %
	Total	**2,261**	**100%**

Based upon 1,823 valid cases out of 2,261 total cases.

Location: 1209-1210 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1796: 171D21F:DAP COK PWDR OC

Item Number: 23640

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

F: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	198	8.8 %
2	DISAPPRV:(2)	380	16.8 %
3	STRG DIS:(3)	1247	55.2 %
	Missing Data		
-9	MISSING:(-9)	436	19.3 %
	Total	**2,261**	**100%**

Based upon 1,825 valid cases out of 2,261 total cases.

Location: 1211-1212 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1797: 171D21G:DAP COK PWDR REG

Item Number: 23650

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

G: Taking cocaine powder regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	172	7.6 %
2	DISAPPRV:(2)	319	14.1 %
3	STRG DIS:(3)	1329	58.8 %
	Missing Data		
-9	MISSING:(-9)	441	19.5 %
	Total	**2,261**	**100%**

Based upon 1,820 valid cases out of 2,261 total cases.

Location: 1213-1214 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1798: 171D21H:DAP TRY CRK 1-2

Item Number: 23660

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

H: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	211	9.3 %
2	DISAPPRV:(2)	375	16.6 %
3	STRG DIS:(3)	1238	54.8 %
	Missing Data		
-9	MISSING:(-9)	437	19.3 %
	Total	**2,261**	**100%**

Based upon 1,824 valid cases out of 2,261 total cases.

Location: 1215-1216 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1799: 171D21I:DAP CRACK OCC

Item Number: 23670

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

I: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	180	8.0 %
2	DISAPPRV:(2)	334	14.8 %
3	STRG DIS:(3)	1302	57.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	445	19.7 %
	Total	**2,261**	**100%**

Based upon 1,816 valid cases out of 2,261 total cases.

Location: 1217-1218 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1800: 171D21J:DAP CRACK REG

Item Number: 23680

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

J: Taking "crack" cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	175	7.7 %
2	DISAPPRV:(2)	292	12.9 %
3	STRG DIS:(3)	1339	59.2 %
	Missing Data		
-9	MISSING:(-9)	455	20.1 %
	Total	**2,261**	**100%**

Based upon 1,806 valid cases out of 2,261 total cases.

Location: 1219-1220 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1801: 171D21K:DAP TRY DRK ALC

Item Number: 08710

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

K: Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1207	53.4 %
2	DISAPPRV:(2)	324	14.3 %
3	STRG DIS:(3)	285	12.6 %
	Missing Data		
-9	MISSING:(-9)	445	19.7 %
	Total	**2,261**	**100%**

Based upon 1,816 valid cases out of 2,261 total cases.

Location: 1221-1222 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1802: 171D21L:DAP 1-2 DRK/DAY

Item Number: 08720

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

L: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	573	25.3 %
2	DISAPPRV:(2)	713	31.5 %
3	STRG DIS:(3)	536	23.7 %
	Missing Data		
-9	MISSING:(-9)	439	19.4 %
	Total	**2,261**	**100%**

Based upon 1,822 valid cases out of 2,261 total cases.

Location: 1223-1224 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1803: 171D21M:DAP 4-5 DRK/DAY

Item Number: 08730

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

M: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	267	11.8 %
2	DISAPPRV:(2)	527	23.3 %
3	STRG DIS:(3)	1020	45.1 %
	Missing Data		
-9	MISSING:(-9)	447	19.8 %
	Total	**2,261**	**100%**

Based upon 1,814 valid cases out of 2,261 total cases.

Location: 1225-1226 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1804: 171D21N:DAP 5+ DRK WKND

Item Number: 08740

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

N: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	480	21.2 %
2	DISAPPRV:(2)	510	22.6 %
3	STRG DIS:(3)	824	36.4 %
	Missing Data		
-9	MISSING:(-9)	447	19.8 %
	Total	**2,261**	**100%**

Based upon 1,814 valid cases out of 2,261 total cases.

Location: 1227-1228 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1972: 171D21O DISAP VAPE NIC OCCAS

Item number: 34210

Do YOU disapprove of people doing each of the following?

O: Vaping an e-liquid with nicotine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DONT DIS:(1)	726	32.1 %
2	DISAPPRV:(2)	576	25.5 %
3	STRG DIS:(3)	513	22.7 %
	Missing Data		
-9	MISSING:(-9)	446	19.7 %
	Total	**2,261**	**100%**

Based upon 1,815 valid cases out of 2,261 total cases.

Location: 1229-1230 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1973: 171D21P DISAP VAPE NIC REGLY

Item number: 34220

Do YOU disapprove of people doing each of the following?

P: Vaping an e-liquid with nicotine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DONT DIS:(1)	552	24.4 %
2	DISAPPRV:(2)	574	25.4 %
3	STRG DIS:(3)	680	30.1 %
	Missing Data		
-9	MISSING:(-9)	455	20.1 %
	Total	**2,261**	**100%**

Based upon 1,806 valid cases out of 2,261 total cases.

Location: 1231-1232 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

ICPSR 37182

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2017

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Form 2 Data

CASEID: CASE IDENTIFICATION NUMBER

Based upon 2,252 valid cases out of 2,252 total cases.

Location: 1-4 (width: 4; decimal: 0)
Variable Type: numeric

V1: YEAR OF ADMIN (4-DIGITS)

Value	Label	Unweighted Frequency	%
2017	-	2252	100.0 %
	Total	**2,252**	**100%**

Based upon 2,252 valid cases out of 2,252 total cases.

Location: 5-8 (width: 4; decimal: 0)
Variable Type: numeric

V3: BY17 80003 FORM ID

Value	Label	Unweighted Frequency	%
2	-	2252	100.0 %
	Total	**2,252**	**100%**

Based upon 2,252 valid cases out of 2,252 total cases.

Location: 9-9 (width: 1; decimal: 0)
Variable Type: numeric

RESPONDENT_ID: ARCHIVE ID

Based upon 2,252 valid cases out of 2,252 total cases.

Location: 10-14 (width: 5; decimal: 0)
Variable Type: numeric

ARCHIVE_WT: ARCHIVE WEIGHT

Based upon 2,252 valid cases out of 2,252 total cases.

Location: 15-29 (width: 15; decimal: 13)
Variable Type: numeric

V13: SCH REG-4 CAT

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

Value	Label	Unweighted Frequency	%
1	NORTHEAST:(1)	407	18.1 %
2	NORTH CENTRAL:(2)	486	21.6 %
3	SOUTH:(3)	768	34.1 %
4	WEST:(4)	591	26.2 %
	Total	**2,252**	**100%**

Based upon 2,252 valid cases out of 2,252 total cases.

Location: 30-30 (width: 1; decimal: 0)
Variable Type: numeric

V16: LARGE MSA = 1/NOT = 0

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	Label	Unweighted Frequency	%
0	ELSE:(0)	1304	57.9 %
1	LARGE MSA:(1)	948	42.1 %
	Total	**2,252**	**100%**

Based upon 2,252 valid cases out of 2,252 total cases.

Location: 31-31 (width: 1; decimal: 0)
Variable Type: numeric

V17: SMSA/NON SMSA = 0

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	Label	Unweighted Frequency	%
0	NOT MSA:(0)	377	16.7 %
1	MSA:(1)	1875	83.3 %

Value	Label	Unweighted Frequency	%
	Total	**2,252**	**100%**

Based upon 2,252 valid cases out of 2,252 total cases.

Location: 32-32 (width: 1; decimal: 0)
Variable Type: numeric

V2208: 172A01 :VRY HPY THS DAYS

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

Value	Label	Unweighted Frequency	%
1	NT HAPPY:(1)	328	14.6 %
2	PRTY HPY:(2)	1349	59.9 %
3	VRY HPY:(3)	434	19.3 %
	Missing Data		
-9	MISSING:(-9)	141	6.3 %
	Total	**2,252**	**100%**

Based upon 2,111 valid cases out of 2,252 total cases.

Location: 33-34 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2209: 172A02A:DALY WATCH TV

Item Number: 05820

The next questions ask about the kinds of things you might do. How often do you do each of the following?

A: Watch TV

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	79	3.5 %

Value	Label	Unweighted Frequency	%
2	FEW /YR:(2)	113	5.0 %
3	1-2 /MO:(3)	204	9.1 %
4	1 /WK:(4)	744	33.0 %
5	NR DAILY:(5)	1099	48.8 %
	Missing Data		
-9	MISSING:(-9)	13	0.6 %
	Total	**2,252**	**100%**

Based upon 2,239 valid cases out of 2,252 total cases.

Location: 35-36 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2210: 172A02B:DALY GO TO MOVIE

Item Number: 05830

How often do you do each of the following?

B: Go to movies

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	109	4.8 %
2	FEW /YR:(2)	1143	50.8 %
3	1-2 /MO:(3)	873	38.8 %
4	1 /WK:(4)	92	4.1 %
5	NR DAILY:(5)	20	0.9 %
	Missing Data		
-9	MISSING:(-9)	15	0.7 %
	Total	**2,252**	**100%**

Based upon 2,237 valid cases out of 2,252 total cases.

Location: 37-38 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2432: 172A02C:DALY MUSIC CNCRT

Item Number: 05846

How often do you do each of the following?

C: Go to music concerts

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1018	45.2 %
2	FEW /YR:(2)	1079	47.9 %
3	1-2 /MO:(3)	92	4.1 %
4	1 /WK:(4)	17	0.8 %
5	NR DAILY:(5)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	36	1.6 %
	Total	**2,252**	**100%**

Based upon 2,216 valid cases out of 2,252 total cases.

Location: 39-40 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2212: 172A02D:DALY RIDE FORFUN

Item Number: 05850

How often do you do each of the following?

D: Ride around in a car (or motorcycle) just for fun

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	410	18.2 %
2	FEW /YR:(2)	245	10.9 %
3	1-2 /MO:(3)	402	17.9 %
4	1 /WK:(4)	591	26.2 %
5	NR DAILY:(5)	587	26.1 %
	Missing Data		
-9	MISSING:(-9)	17	0.8 %
	Total	**2,252**	**100%**

Based upon 2,235 valid cases out of 2,252 total cases.

Location: 41-42 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2213: 172A02E:DALY CMNTY AFFRS

Item Number: 05860

How often do you do each of the following?

E: Participate in community affairs or volunteer work

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	507	22.5 %
2	FEW /YR:(2)	893	39.7 %
3	1-2 /MO:(3)	534	23.7 %
4	1 /WK:(4)	222	9.9 %
5	NR DAILY:(5)	76	3.4 %
	Missing Data		
-9	MISSING:(-9)	20	0.9 %
	Total	**2,252**	**100%**

Based upon 2,232 valid cases out of 2,252 total cases.

Location: 43-44 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2214: 172A02F:DALY PLA MSC,SNG

Item Number: 05870

How often do you do each of the following?

F: Play a musical instrument or sing

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	970	43.1 %
2	FEW /YR:(2)	216	9.6 %

Value	Label	Unweighted Frequency	%
3	1-2 /MO:(3)	120	5.3 %
4	1 /WK:(4)	232	10.3 %
5	NR DAILY:(5)	700	31.1 %
	Missing Data		
-9	MISSING:(-9)	14	0.6 %
	Total	**2,252**	**100%**

Based upon 2,238 valid cases out of 2,252 total cases.

Location: 45-46 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2215: 172A02G:DALY CREAT WRTNG

Item Number: 05880

How often do you do each of the following?

G: Do creative writing

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1076	47.8 %
2	FEW /YR:(2)	498	22.1 %
3	1-2 /MO:(3)	332	14.7 %
4	1 /WK:(4)	192	8.5 %
5	NR DAILY:(5)	130	5.8 %
	Missing Data		
-9	MISSING:(-9)	24	1.1 %
	Total	**2,252**	**100%**

Based upon 2,228 valid cases out of 2,252 total cases.

Location: 47-48 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2216: 172A02H:DALY ACTV SPORTS

Item Number: 05890

How often do you do each of the following?

H: Actively participate in sports, athletics or exercising

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	247	11.0 %
2	FEW /YR:(2)	220	9.8 %
3	1-2 /MO:(3)	272	12.1 %
4	1 /WK:(4)	505	22.4 %
5	NR DAILY:(5)	991	44.0 %
	Missing Data		
-9	MISSING:(-9)	17	0.8 %
	Total	**2,252**	**100%**

Based upon 2,235 valid cases out of 2,252 total cases.

Location: 49-50 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2217: 172A02I:DALY ART/CRAFTS

Item Number: 05900

How often do you do each of the following?

I: Do art or craft work

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	759	33.7 %
2	FEW /YR:(2)	529	23.5 %
3	1-2 /MO:(3)	420	18.7 %
4	1 /WK:(4)	272	12.1 %
5	NR DAILY:(5)	245	10.9 %
	Missing Data		
-9	MISSING:(-9)	27	1.2 %
	Total	**2,252**	**100%**

Based upon 2,225 valid cases out of 2,252 total cases.

Location: 51-52 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2218: 172A02J:DALY WRK HSE,CAR

Item Number: 05910

How often do you do each of the following?

J: Work around the house, yard, garden, car, etc.

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	185	8.2 %
2	FEW /YR:(2)	305	13.5 %
3	1-2 /MO:(3)	540	24.0 %
4	1 /WK:(4)	752	33.4 %
5	NR DAILY:(5)	450	20.0 %
	Missing Data		
-9	MISSING:(-9)	20	0.9 %
	Total	**2,252**	**100%**

Based upon 2,232 valid cases out of 2,252 total cases.

Location: 53-54 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2219: 172A02K:DALY VIST W/FRDS

Item Number: 05920

How often do you do each of the following?

K: Get together with friends informally

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	47	2.1 %
2	FEW /YR:(2)	135	6.0 %
3	1-2 /MO:(3)	420	18.7 %
4	1 /WK:(4)	954	42.4 %

Value	Label	Unweighted Frequency	%
5	NR DAILY:(5)	675	30.0 %
	Missing Data		
-9	MISSING:(-9)	21	0.9 %
	Total	**2,252**	**100%**

Based upon 2,231 valid cases out of 2,252 total cases.

Location: 55-56 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2521: 172A02L:DALY GO TO MALL

Item Number: 05935

How often do you do each of the following?

L: Go to a shopping mall

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	117	5.2 %
2	FEW /YR:(2)	605	26.9 %
3	1-2 /MO:(3)	1141	50.7 %
4	1 /WK:(4)	310	13.8 %
5	NR DAILY:(5)	57	2.5 %
	Missing Data		
-9	MISSING:(-9)	22	1.0 %
	Total	**2,252**	**100%**

Based upon 2,230 valid cases out of 2,252 total cases.

Location: 57-58 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2221: 172A02M:DALY ALONE LEISR

Item Number: 05940

How often do you do each of the following?

M: Spend at least an hour of leisure time alone

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	99	4.4 %
2	FEW /YR:(2)	104	4.6 %
3	1-2 /MO:(3)	198	8.8 %
4	1 /WK:(4)	543	24.1 %
5	NR DAILY:(5)	1284	57.0 %
	Missing Data		
-9	MISSING:(-9)	24	1.1 %
	Total	**2,252**	**100%**

Based upon 2,228 valid cases out of 2,252 total cases.

Location: 59-60 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2222: 172A02N:DALY READ BK,MAG

Item Number: 05950

How often do you do each of the following?

N: Read books, magazines, or newspapers

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	404	17.9 %
2	FEW /YR:(2)	451	20.0 %
3	1-2 /MO:(3)	552	24.5 %
4	1 /WK:(4)	475	21.1 %
5	NR DAILY:(5)	336	14.9 %
	Missing Data		
-9	MISSING:(-9)	34	1.5 %
	Total	**2,252**	**100%**

Based upon 2,218 valid cases out of 2,252 total cases.

Location: 61-62 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2223: 172A02O:DALY GO TO BARS

Item Number: 05960

How often do you do each of the following?

O: Go to taverns, bars or nightclubs

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1639	72.8 %
2	FEW /YR:(2)	290	12.9 %
3	1-2 /MO:(3)	177	7.9 %
4	1 /WK:(4)	82	3.6 %
5	NR DAILY:(5)	35	1.6 %
	Missing Data		
-9	MISSING:(-9)	29	1.3 %
	Total	**2,252**	**100%**

Based upon 2,223 valid cases out of 2,252 total cases.

Location: 63-64 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2224: 172A02P:DALY GO TO PARTY

Item Number: 05970

How often do you do each of the following?

P: Go to parties or other social affairs

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	328	14.6 %
2	FEW /YR:(2)	694	30.8 %
3	1-2 /MO:(3)	738	32.8 %
4	1 /WK:(4)	390	17.3 %
5	NR DAILY:(5)	70	3.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	32	1.4 %
	Total	**2,252**	**100%**

Based upon 2,220 valid cases out of 2,252 total cases.

Location: 65-66 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2533: 172A02Q:DALY WEB FACEBK

Item Number: 29625

How often do you do each of the following?

Q: Visit social networking Web sites like Facebook, Twitter, Instagram, etc.

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	100	4.4 %
2	FEW /YR:(2)	37	1.6 %
3	1-2 /MO:(3)	56	2.5 %
4	1 /WK:(4)	178	7.9 %
5	NR DAILY:(5)	1861	82.6 %
	Missing Data		
-9	MISSING:(-9)	20	0.9 %
	Total	**2,252**	**100%**

Based upon 2,232 valid cases out of 2,252 total cases.

Location: 67-68 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2225: 172A03A:US 2 MUCH PROFIT

Item Number: 05990

How much do you agree or disagree with each of the following statements?

A: In the United States, we put too much emphasis on making profits and not enough on human well-being

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	77	3.4 %
2	MOST DIS:(2)	147	6.5 %
3	NEITHER:(3)	419	18.6 %
4	MOST AGR:(4)	936	41.6 %
5	AGREE:(5)	636	28.2 %
	Missing Data		
-9	MISSING:(-9)	37	1.6 %
	Total	**2,252**	**100%**

Based upon 2,215 valid cases out of 2,252 total cases.

Location: 69-70 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2226: 172A03B:2MUCH CNCRN MTRL

Item Number: 06000

How much do you agree or disagree with each of the following statements?

B: People are too much concerned with material things these days

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	40	1.8 %
2	MOST DIS:(2)	88	3.9 %
3	NEITHER:(3)	259	11.5 %
4	MOST AGR:(4)	863	38.3 %
5	AGREE:(5)	969	43.0 %
	Missing Data		
-9	MISSING:(-9)	33	1.5 %
	Total	**2,252**	**100%**

Based upon 2,219 valid cases out of 2,252 total cases.

Location: 71-72 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V2227: 172A03C:ENCOURG PPL BUY>

Item Number: 06010

How much do you agree or disagree with each of the following statements?

C: Since it helps the economy to grow, people should be encouraged to buy more

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	204	9.1 %
2	MOST DIS:(2)	365	16.2 %
3	NEITHER:(3)	993	44.1 %
4	MOST AGR:(4)	461	20.5 %
5	AGREE:(5)	173	7.7 %
	Missing Data		
-9	MISSING:(-9)	56	2.5 %
	Total	**2,252**	**100%**

Based upon 2,196 valid cases out of 2,252 total cases.

Location: 73-74 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2228: 172A03D:-WRNG ADVERTISNG

Item Number: 06020

How much do you agree or disagree with each of the following statements?

D: There is nothing wrong with advertising that gets people to buy things they don't really need

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	316	14.0 %
2	MOST DIS:(2)	486	21.6 %

Value	Label	Unweighted Frequency	%
3	NEITHER:(3)	665	29.5 %
4	MOST AGR:(4)	463	20.6 %
5	AGREE:(5)	278	12.3 %
	Missing Data		
-9	MISSING:(-9)	44	2.0 %
	Total	**2,252**	**100%**

Based upon 2,208 valid cases out of 2,252 total cases.

Location: 75-76 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2229: 172A03E:MOR SHORTGS FUTR

Item Number: 06030

How much do you agree or disagree with each of the following statements?

E: There will probably be more shortages in the future, so Americans will have to learn how to be happy with fewer "things"

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	134	6.0 %
2	MOST DIS:(2)	207	9.2 %
3	NEITHER:(3)	656	29.1 %
4	MOST AGR:(4)	708	31.4 %
5	AGREE:(5)	498	22.1 %
	Missing Data		
-9	MISSING:(-9)	49	2.2 %
	Total	**2,252**	**100%**

Based upon 2,203 valid cases out of 2,252 total cases.

Location: 77-78 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2468: 172A04A:RSK OF CIG1+PK/D

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	138	6.1 %
2	SLIGHT:(2)	51	2.3 %
3	MOD RISK:(3)	194	8.6 %
4	GRT RISK:(4)	1759	78.1 %
5	CANT SAY:(5)	68	3.0 %
	Missing Data		
-9	MISSING:(-9)	42	1.9 %
	Total	**2,252**	**100%**

Based upon 2,210 valid cases out of 2,252 total cases.

Location: 79-80 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2469: 172A04B:RSK OF MJ 1-2 X

Item Number: 12370

How much do you think people risk harming themselves (physically or in other ways), if they . . .

B: . . . Try marijuana once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	1100	48.8 %
2	SLIGHT:(2)	591	26.2 %
3	MOD RISK:(3)	241	10.7 %
4	GRT RISK:(4)	199	8.8 %
5	CANT SAY:(5)	80	3.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	41	1.8 %
	Total	**2,252**	**100%**

Based upon 2,211 valid cases out of 2,252 total cases.

Location: 81-82 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2470: 172A04C:RSK OF MJ OCSNLY

Item Number: 12380

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	721	32.0 %
2	SLIGHT:(2)	639	28.4 %
3	MOD RISK:(3)	491	21.8 %
4	GRT RISK:(4)	282	12.5 %
5	CANT SAY:(5)	80	3.6 %
	Missing Data		
-9	MISSING:(-9)	39	1.7 %
	Total	**2,252**	**100%**

Based upon 2,213 valid cases out of 2,252 total cases.

Location: 83-84 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2471: 172A04D:RSK OF MJ REGLY

Item Number: 12390

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	416	18.5 %
2	SLIGHT:(2)	513	22.8 %
3	MOD RISK:(3)	530	23.5 %
4	GRT RISK:(4)	657	29.2 %
5	CANT SAY:(5)	83	3.7 %
	Missing Data		
-9	MISSING:(-9)	53	2.4 %
	Total	**2,252**	**100%**

Based upon 2,199 valid cases out of 2,252 total cases.

Location: 85-86 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2539: 172A04E:RSK SALVIA 1-2X

Item number: 32650

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

E. . . . Try Salvia once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	165	7.3 %
2	SLIGHT:(2)	119	5.3 %
3	MOD RISK:(3)	158	7.0 %
4	GRT RISK:(4)	214	9.5 %
5	CANT SAY:(5)	1526	67.8 %
	Missing Data		
-9	MISSING:(-9)	70	3.1 %
	Total	**2,252**	**100%**

Based upon 2,182 valid cases out of 2,252 total cases.

Location: 87-88 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V2540: 172A04F:RSK SALVIA OCC

Item Number: 32760

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

F: . . . Try Salvia occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	137	6.1 %
2	SLIGHT:(2)	72	3.2 %
3	MOD RISK:(3)	153	6.8 %
4	GRT RISK:(4)	291	12.9 %
5	CANT SAY:(5)	1531	68.0 %
	Missing Data		
-9	MISSING:(-9)	68	3.0 %
	Total	**2,252**	**100%**

Based upon 2,184 valid cases out of 2,252 total cases.

Location: 89-90 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2541: 172A04G:RSK SYNTHETIC MJ 1-2X

Item Number: 32770

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

G: . . . Try "synthetic marijuana" ("K2", "Spice") once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	218	9.7 %
2	SLIGHT:(2)	282	12.5 %
3	MOD RISK:(3)	389	17.3 %

Value	Label	Unweighted Frequency	%
4	GRT RISK:(4)	689	30.6 %
5	CANT SAY:(5)	627	27.8 %
	Missing Data		
-9	MISSING:(-9)	47	2.1 %
	Total	**2,252**	**100%**

Based upon 2,205 valid cases out of 2,252 total cases.

Location: 91-92 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2542: 172A04H:RSK SYNTHETIC MJ OCC

Item Number: 32780

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

H: . . . Take "synthetic marijuana ("K2", "Spice") occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	173	7.7 %
2	SLIGHT:(2)	162	7.2 %
3	MOD RISK:(3)	398	17.7 %
4	GRT RISK:(4)	843	37.4 %
5	CANT SAY:(5)	616	27.4 %
	Missing Data		
-9	MISSING:(-9)	60	2.7 %
	Total	**2,252**	**100%**

Based upon 2,192 valid cases out of 2,252 total cases.

Location: 93-94 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2543: 172A04I:RSK BATH SALTS 1-2X

Item Number: 32790

How much do you think people risk harming themselves

(physically or in other ways), if they . . .

I. . . . Try "bath salts" (synthetic stimulants) once or twice to get high?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	152	6.7 %
2	SLIGHT:(2)	106	4.7 %
3	MOD RISK:(3)	341	15.1 %
4	GRT RISK:(4)	1146	50.9 %
5	CANT SAY:(5)	455	20.2 %
	Missing Data		
-9	MISSING:(-9)	52	2.3 %
	Total	**2,252**	**100%**

Based upon 2,200 valid cases out of 2,252 total cases.

Location: 95-96 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2544: 172A04J:RSK BATH SALTS OCC

Item Number: 32800

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

J. . . . Try "bath salts" (synthetic stimulants) occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	139	6.2 %
2	SLIGHT:(2)	36	1.6 %
3	MOD RISK:(3)	192	8.5 %
4	GRT RISK:(4)	1382	61.4 %
5	CANT SAY:(5)	451	20.0 %
	Missing Data		
-9	MISSING:(-9)	52	2.3 %
	Total	**2,252**	**100%**

Based upon 2,200 valid cases out of 2,252 total cases.

Location: 97-98 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2545: 172A04K:RSK E-CIG REG

Item Number: 33670

How much do you think people risk harming themselves (physically or in other ways), if they . . .

K: . . . Use electronic cigarettes (e-cigarettes) regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	399	17.7 %
2	SLIGHT:(2)	684	30.4 %
3	MOD RISK:(3)	590	26.2 %
4	GRT RISK:(4)	364	16.2 %
5	CANT SAY:(5)	159	7.1 %
	Missing Data		
-9	MISSING:(-9)	56	2.5 %
	Total	**2,252**	**100%**

Based upon 2,196 valid cases out of 2,252 total cases.

Location: 99-100 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2238: 172A05 :DFNTLY PRFR MATE

Item Number: 06120

Do you think that you would prefer having a mate for most of your life, or would you prefer not having a mate?

5="Definitely prefer to have a mate" 4="Probably prefer to have a mate" 3="Not sure" 2="Probably prefer not to have a mate" 1="Definitely prefer not to have a mate"

Value	Label	Unweighted Frequency	%
1	DEF NO:(1)	32	1.4 %

Value	Label	Unweighted Frequency	%
2	PROB NO:(2)	58	2.6 %
3	NOT SURE:(3)	274	12.2 %
4	PROB YES:(4)	632	28.1 %
5	DEF YES:(5)	1206	53.6 %
	Missing Data		
-9	MISSING:(-9)	50	2.2 %
	Total	**2,252**	**100%**

Based upon 2,202 valid cases out of 2,252 total cases.

Location: 101-102 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2239: 172A06 :THINK WILL MARRY

Item Number: 06130

Which do you think you are most likely to choose in the long run?

3="Getting married" 2="I have no idea" 1="Not getting married" 8="Am already married"

Value	Label	Unweighted Frequency	%
1	NOT MAR:(1)	106	4.7 %
2	NO IDEA:(2)	379	16.8 %
3	MARRIED:(3)	1601	71.1 %
8	ALREADY MAR:(8)	13	0.6 %
	Missing Data		
-9	MISSING:(-9)	153	6.8 %
	Total	**2,252**	**100%**

Based upon 2,099 valid cases out of 2,252 total cases.

Location: 103-104 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2240: 172A07A:LIKLY STAY MARRD

Item Number: 06140

If you did get married (or are married) . . .

A: . . . How likely do you think it is that you would stay married to the same person for life?

5="Very likely" 4="Fairly likely" 3="Uncertain" 2="Fairly unlikely" 1="Very unlikely"

Value	Label	Unweighted Frequency	%
1	VRY UNLKLY:(1)	31	1.4 %
2	FAIRLY UNL:(2)	36	1.6 %
3	UNCERTN:(3)	289	12.8 %
4	FAIRLY LK:(4)	561	24.9 %
5	VRY LIKELY:(5)	1210	53.7 %
	Missing Data		
-9	MISSING:(-9)	125	5.6 %
	Total	**2,252**	**100%**

Based upon 2,127 valid cases out of 2,252 total cases.

Location: 105-106 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2241: 172A07B:LIKLY HAVE KIDS

Item Number: 06150

If you did get married (or are married) . . .

B: . . . How likely is it that you would want to have children?

5="Very likely" 4="Fairly likely" 3="Uncertain" 2="Fairly unlikely" 1="Very unlikely" 8="Already have child(ren)"

Value	Label	Unweighted Frequency	%
1	VRY UNLKLY:(1)	98	4.4 %
2	FAIRLY UNLK:(2)	88	3.9 %
3	UNCERTN:(3)	297	13.2 %
4	FAIRLY LK:(4)	457	20.3 %
5	VRY LIKELY:(5)	1181	52.4 %
8	ALRDY HAVE:(8)	26	1.2 %
	Missing Data		
-9	MISSING:(-9)	105	4.7 %
	Total	**2,252**	**100%**

Based upon 2,147 valid cases out of 2,252 total cases.

Location: 107-108 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2259: 172A08 :INTEREST IN GOVT

Item Number: 06330

Some people think about what's going on in government very often, and others are not that interested. How much of an interest do you take in government and current events?

1="No interest at all" 2="Very little interest" 3="Some interest" 4="A lot of interest" 5="A very great interest"

Value	Label	Unweighted Frequency	%
1	NO INTRST:(1)	239	10.6 %
2	VRY LITTLE:(2)	354	15.7 %
3	SOME:(3)	925	41.1 %
4	A LOT:(4)	462	20.5 %
5	VRY GRT:(5)	215	9.5 %
	Missing Data		
-9	MISSING:(-9)	57	2.5 %
	Total	**2,252**	**100%**

Based upon 2,195 valid cases out of 2,252 total cases.

Location: 109-110 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2260: 172A09 :GOVT PPL -DSHNST

Item Number: 06340

Do you think some of the people running the government are crooked or dishonest?

1="Most of them are crooked or dishonest" 2="Quite a few are" 3="Some are" 4="Hardly any are" 5="None at all are crooked or dishonest"

Value	Label	Unweighted Frequency	%
1	MOST:(1)	663	29.4 %
2	QUITE:(2)	821	36.5 %

Value	Label	Unweighted Frequency	%
3	SOME:(3)	642	28.5 %
4	HARDLY:(4)	53	2.4 %
5	NONE:(5)	16	0.7 %
	Missing Data		
-9	MISSING:(-9)	57	2.5 %
	Total	**2,252**	**100%**

Based upon 2,195 valid cases out of 2,252 total cases.

Location: 111-112 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2261: 172A10 :GOVT DSNT WASTE$

Item Number: 06350

Do you think the government wastes much of the money we pay in taxes?

1="Nearly all tax money is wasted" 2="A lot of tax money is wasted" 3="Some tax money is wasted" 4="A little tax money is wasted" 5="No tax money is wasted"

Value	Label	Unweighted Frequency	%
1	NEARLY ALL:(1)	227	10.1 %
2	A LOT:(2)	946	42.0 %
3	SOME:(3)	866	38.5 %
4	A LITTLE:(4)	122	5.4 %
5	NO WASTE:(5)	32	1.4 %
	Missing Data		
-9	MISSING:(-9)	59	2.6 %
	Total	**2,252**	**100%**

Based upon 2,193 valid cases out of 2,252 total cases.

Location: 113-114 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2262: 172A11 :NEVER TRUST GOVT

Item Number: 06360

How much of the time do you think you can trust the government

in Washington to do what is right?

1="Almost always" 2="Often" 3="Sometimes" 4="Seldom" 5="Never"

Value	Label	Unweighted Frequency	%
1	ALM ALWYS:(1)	68	3.0 %
2	OFTEN:(2)	470	20.9 %
3	SOMETIME:(3)	1080	48.0 %
4	SELDOM:(4)	415	18.4 %
5	NEVER:(5)	154	6.8 %
	Missing Data		
-9	MISSING:(-9)	65	2.9 %
	Total	**2,252**	**100%**

Based upon 2,187 valid cases out of 2,252 total cases.

Location: 115-116 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2263: 172A12 :GVT PPL DK DOING

Item Number: 06370

Do you feel that the people running the government are smart people who usually know what they are doing?

1="They almost always know what they are doing" 2="They usually know what they are doing" 3="They sometimes know what they are doing" 4="They seldom know what they are doing" 5="They never know what they are doing"

Value	Label	Unweighted Frequency	%
1	ALM ALWYS:(1)	151	6.7 %
2	USUALLY:(2)	783	34.8 %
3	SOMETIME:(3)	859	38.1 %
4	SELDOM:(4)	266	11.8 %
5	NEVER:(5)	124	5.5 %
	Missing Data		
-9	MISSING:(-9)	69	3.1 %
	Total	**2,252**	**100%**

Based upon 2,183 valid cases out of 2,252 total cases.

Location: 117-118 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V2264: 172A13 :GOVT RUN FOR PPL

Item Number: 06380

Would you say the government is pretty much run for a few big interests looking out for themselves, or is it run for the benefit of all the people?

1="Nearly always run for a few big interests" 2="Usually run for a few big interests" 3="Run some for the big interests, some for the people" 4="Usually run for the benefit of all the people" 5="Nearly always run for the benefit of all the people"

Value	Label	Unweighted Frequency	%
1	NR ALWYS FEW:(1)	352	15.6 %
2	USUALLY FEW:(2)	638	28.3 %
3	SOME BOTH:(3)	950	42.2 %
4	USUALLY ALL:(4)	195	8.7 %
5	NR ALWYS ALL:(5)	44	2.0 %
	Missing Data		
-9	MISSING:(-9)	73	3.2 %
	Total	**2,252**	**100%**

Based upon 2,179 valid cases out of 2,252 total cases.

Location: 119-120 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2265: 172A14A:DO OR PLN VOTE

Item Number: 06390

Have you ever done, or do you plan to do, the following things?

A: Vote in a public election

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	136	6.0 %
2	DK:(2)	199	8.8 %

Value	Label	Unweighted Frequency	%
3	PROB WILL:(3)	1531	68.0 %
4	ALRDY DONE:(4)	328	14.6 %
	Missing Data		
-9	MISSING:(-9)	58	2.6 %
	Total	**2,252**	**100%**

Based upon 2,194 valid cases out of 2,252 total cases.

Location: 121-122 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2266: 172A14B:DO OR PLN WRITE

Item Number: 06400

Have you ever done, or do you plan to do, the following things?

B: Write to public officials

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	907	40.3 %
2	DK:(2)	814	36.1 %
3	PROB WILL:(3)	283	12.6 %
4	ALRDY DONE:(4)	191	8.5 %
	Missing Data		
-9	MISSING:(-9)	57	2.5 %
	Total	**2,252**	**100%**

Based upon 2,195 valid cases out of 2,252 total cases.

Location: 123-124 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2267: 172A14C:DO OR PLN GIVE $

Item Number: 06410

Have you ever done, or do you plan to do, the following things?

C: Give money to a political candidate or cause

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	1096	48.7 %
2	DK:(2)	711	31.6 %
3	PROB WILL:(3)	324	14.4 %
4	ALRDY DONE:(4)	64	2.8 %
	Missing Data		
-9	MISSING:(-9)	57	2.5 %
	Total	**2,252**	**100%**

Based upon 2,195 valid cases out of 2,252 total cases.

Location: 125-126 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2268: 172A14D:DO OR PLN WK CPG

Item Number: 06420

Have you ever done, or do you plan to do, the following things?

D: Work in a political campaign

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	1392	61.8 %
2	DK:(2)	555	24.6 %
3	PROB WILL:(3)	188	8.3 %
4	ALRDY DONE:(4)	52	2.3 %
	Missing Data		
-9	MISSING:(-9)	65	2.9 %
	Total	**2,252**	**100%**

Based upon 2,187 valid cases out of 2,252 total cases.

Location: 127-128 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2269: 172A14E:DO OR PLN DEMNST

Item Number: 06430

Have you ever done, or do you plan to do, the following things?

E: Participate in a lawful demonstration

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	996	44.2 %
2	DK:(2)	761	33.8 %
3	PROB WILL:(3)	344	15.3 %
4	ALRDY DONE:(4)	88	3.9 %
	Missing Data		
-9	MISSING:(-9)	63	2.8 %
	Total	**2,252**	**100%**

Based upon 2,189 valid cases out of 2,252 total cases.

Location: 129-130 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2270: 172A14F:DO OR PLN BOYCOT

Item Number: 06440

Have you ever done, or do you plan to do, the following things?

F: Boycott certain products or stores

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	921	40.9 %
2	DK:(2)	688	30.6 %
3	PROB WILL:(3)	400	17.8 %
4	ALRDY DONE:(4)	185	8.2 %
	Missing Data		
-9	MISSING:(-9)	58	2.6 %
	Total	**2,252**	**100%**

Based upon 2,194 valid cases out of 2,252 total cases.

Location: 131-132 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2271: 172A15A:US SHD DISARM

Item Number: 06450

How much do you agree or disagree with each of the following statements?

A: The U.S. should begin a gradual program of disarming whether other countries do or not

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	493	21.9 %
2	MOST DIS:(2)	286	12.7 %
3	NEITHER:(3)	988	43.9 %
4	MOST AGR:(4)	289	12.8 %
5	AGREE:(5)	92	4.1 %
	Missing Data		
-9	MISSING:(-9)	104	4.6 %
	Total	**2,252**	**100%**

Based upon 2,148 valid cases out of 2,252 total cases.

Location: 133-134 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2272: 172A15B:US GO WAR FR OTH

Item Number: 05690

How much do you agree or disagree with each of the following statements?

B: There may be times when the U.S. should go to war to protect the rights of other countries

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	234	10.4 %
2	MOST DIS:(2)	349	15.5 %
3	NEITHER:(3)	608	27.0 %
4	MOST AGR:(4)	656	29.1 %
5	AGREE:(5)	322	14.3 %
	Missing Data		
-9	MISSING:(-9)	83	3.7 %
	Total	**2,252**	**100%**

Based upon 2,169 valid cases out of 2,252 total cases.

Location: 135-136 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2273: 172A15C:US WAR PRTCT ECN

Item Number: 06460

How much do you agree or disagree with each of the following statements?

C: The U.S. should be willing to go to war to protect its own economic interests

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	169	7.5 %
2	MOST DIS:(2)	285	12.7 %
3	NEITHER:(3)	716	31.8 %
4	MOST AGR:(4)	646	28.7 %
5	AGREE:(5)	347	15.4 %
	Missing Data		
-9	MISSING:(-9)	89	4.0 %
	Total	**2,252**	**100%**

Based upon 2,163 valid cases out of 2,252 total cases.

Location: 137-138 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2274: 172A15D:US ONLY WAR DFNS

Item Number: 06470

How much do you agree or disagree with each of the following statements?

D: The only good reason for the U.S. to go to war is to defend against an attack on our own country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	132	5.9 %
2	MOST DIS:(2)	240	10.7 %
3	NEITHER:(3)	455	20.2 %
4	MOST AGR:(4)	703	31.2 %
5	AGREE:(5)	631	28.0 %
	Missing Data		
-9	MISSING:(-9)	91	4.0 %
	Total	**2,252**	**100%**

Based upon 2,161 valid cases out of 2,252 total cases.

Location: 139-140 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2275: 172A15E:-US MIL PWR>USSR

Item Number: 06480

How much do you agree or disagree with each of the following statements?

E: The U.S. does not need to have greater military power than Russia

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	577	25.6 %
2	MOST DIS:(2)	466	20.7 %
3	NEITHER:(3)	744	33.0 %
4	MOST AGR:(4)	235	10.4 %

Value	Label	Unweighted Frequency	%
5	AGREE:(5)	127	5.6 %
	Missing Data		
-9	MISSING:(-9)	103	4.6 %
	Total	**2,252**	**100%**

Based upon 2,149 valid cases out of 2,252 total cases.

Location: 141-142 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2276: 172A15F:US NEED>PWR OTHS

Item Number: 06490

How much do you agree or disagree with each of the following statements?

F: The U.S. ought to have much more military power than any other nation in the world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	181	8.0 %
2	MOST DIS:(2)	267	11.9 %
3	NEITHER:(3)	789	35.0 %
4	MOST AGR:(4)	423	18.8 %
5	AGREE:(5)	500	22.2 %
	Missing Data		
-9	MISSING:(-9)	92	4.1 %
	Total	**2,252**	**100%**

Based upon 2,160 valid cases out of 2,252 total cases.

Location: 143-144 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2277: 172A15G:US FRN PLCY NRRW

Item Number: 06500

How much do you agree or disagree with each of the following

statements?

G: Our present foreign policy is based on our own narrow economic and power interests

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	86	3.8 %
2	MOST DIS:(2)	121	5.4 %
3	NEITHER:(3)	1093	48.5 %
4	MOST AGR:(4)	569	25.3 %
5	AGREE:(5)	278	12.3 %
	Missing Data		
-9	MISSING:(-9)	105	4.7 %
	Total	**2,252**	**100%**

Based upon 2,147 valid cases out of 2,252 total cases.

Location: 145-146 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2279: 172A16A:FRQ FIGHT PARNTS

Item Number: 06520

This section deals with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you . . .

A: . . . Argued or had a fight with either of your parents?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

[Data from the Western Region intentionally obliterated.]

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	257	11.4 %
2	ONCE:(2)	204	9.1 %
3	TWICE:(3)	225	10.0 %
4	3-4TIMES:(4)	364	16.2 %

Value	Label	Unweighted Frequency	%
5	5+ TIMES:(5)	546	24.2 %
	Missing Data		
-9	MISSING:(-9)	656	29.1 %
	Total	**2,252**	**100%**

Based upon 1,596 valid cases out of 2,252 total cases.

Location: 147-148 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2280: 172A16B:FRQ HIT SUPRVISR

Item Number: 06530

During the LAST 12 MONTHS, how often have you . . .

B: . . . Hit an instructor or supervisor?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2140	95.0 %
2	ONCE:(2)	26	1.2 %
3	TWICE:(3)	11	0.5 %
4	3-4TIMES:(4)	5	0.2 %
5	5+ TIMES:(5)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	62	2.8 %
	Total	**2,252**	**100%**

Based upon 2,190 valid cases out of 2,252 total cases.

Location: 149-150 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2281: 172A16C:FRQ FGT WRK/SCHL

Item Number: 06540

During the LAST 12 MONTHS, how often have you . . .

C: . . . Gotten into a serious fight in school or at work?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1963	87.2 %
2	ONCE:(2)	119	5.3 %
3	TWICE:(3)	55	2.4 %
4	3-4TIMES:(4)	28	1.2 %
5	5+ TIMES:(5)	18	0.8 %
	Missing Data		
-9	MISSING:(-9)	69	3.1 %
	Total	**2,252**	**100%**

Based upon 2,183 valid cases out of 2,252 total cases.

Location: 151-152 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2282: 172A16D:FRQ GANG FIGHT

Item Number: 06550

During the LAST 12 MONTHS, how often have you . . .

D: . . . Taken part in a fight where a group of your friends were against another group?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1887	83.8 %
2	ONCE:(2)	145	6.4 %
3	TWICE:(3)	81	3.6 %
4	3-4TIMES:(4)	41	1.8 %
5	5+ TIMES:(5)	28	1.2 %
	Missing Data		
-9	MISSING:(-9)	70	3.1 %
	Total	**2,252**	**100%**

Based upon 2,182 valid cases out of 2,252 total cases.

Location: 153-154 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V2283: 172A16E:FRQ HURT SM1 BAD

Item Number: 06560

During the LAST 12 MONTHS, how often have you . . .

E: . . . Hurt someone badly enough to need bandages or a doctor?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1990	88.4 %
2	ONCE:(2)	97	4.3 %
3	TWICE:(3)	55	2.4 %
4	3-4TIMES:(4)	23	1.0 %
5	5+ TIMES:(5)	18	0.8 %
	Missing Data		
-9	MISSING:(-9)	69	3.1 %
	Total	**2,252**	**100%**

Based upon 2,183 valid cases out of 2,252 total cases.

Location: 155-156 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2284: 172A16F:FRQ THREAT WEAPN

Item Number: 06570

During the LAST 12 MONTHS, how often have you . . .

F: . . . Used a knife or gun or some other thing (like a club) to get something from a person?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2130	94.6 %
2	ONCE:(2)	27	1.2 %
3	TWICE:(3)	17	0.8 %

Value	Label	Unweighted Frequency	%
4	3-4TIMES:(4)	6	0.3 %
5	5+ TIMES:(5)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	67	3.0 %
	Total	**2,252**	**100%**

Based upon 2,185 valid cases out of 2,252 total cases.

Location: 157-158 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2285: 172A16G:FRQ STEAL <$50

Item Number: 06580

During the LAST 12 MONTHS, how often have you . . .

G: . . . Taken something not belonging to you worth under $50?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1664	73.9 %
2	ONCE:(2)	240	10.7 %
3	TWICE:(3)	139	6.2 %
4	3-4TIMES:(4)	73	3.2 %
5	5+ TIMES:(5)	65	2.9 %
	Missing Data		
-9	MISSING:(-9)	71	3.2 %
	Total	**2,252**	**100%**

Based upon 2,181 valid cases out of 2,252 total cases.

Location: 159-160 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2286: 172A16H:FRQ STEAL >$50

Item Number: 06590

During the LAST 12 MONTHS, how often have you . . .

H: . . . Taken something not belonging to you worth over $50?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2010	89.3 %
2	ONCE:(2)	87	3.9 %
3	TWICE:(3)	29	1.3 %
4	3-4TIMES:(4)	25	1.1 %
5	5+ TIMES:(5)	30	1.3 %
	Missing Data		
-9	MISSING:(-9)	71	3.2 %
	Total	**2,252**	**100%**

Based upon 2,181 valid cases out of 2,252 total cases.

Location: 161-162 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2287: 172A16I:FRQ SHOPLIFT

Item Number: 06600

During the LAST 12 MONTHS, how often have you . . .

I: . . . Taken something from a store without paying for it?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1692	75.1 %
2	ONCE:(2)	222	9.9 %
3	TWICE:(3)	101	4.5 %
4	3-4TIMES:(4)	81	3.6 %
5	5+ TIMES:(5)	85	3.8 %
	Missing Data		
-9	MISSING:(-9)	71	3.2 %
	Total	**2,252**	**100%**

Based upon 2,181 valid cases out of 2,252 total cases.

Location: 163-164 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2288: 172A16J:FRQ CAR THEFT

Item Number: 06610

During the LAST 12 MONTHS, how often have you . . .

J: . . . Taken a car that didn't belong to someone in your family without permission of the owner?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2121	94.2 %
2	ONCE:(2)	34	1.5 %
3	TWICE:(3)	13	0.6 %
4	3-4TIMES:(4)	8	0.4 %
5	5+ TIMES:(5)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	70	3.1 %
	Total	**2,252**	**100%**

Based upon 2,182 valid cases out of 2,252 total cases.

Location: 165-166 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2289: 172A16K:FRQ STEAL CAR PT

Item Number: 06620

During the LAST 12 MONTHS, how often have you . . .

K: . . . Taken part of a car without permission of the owner?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2124	94.3 %
2	ONCE:(2)	25	1.1 %

Value	Label	Unweighted Frequency	%
3	TWICE:(3)	17	0.8 %
4	3-4TIMES:(4)	6	0.3 %
5	5+ TIMES:(5)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	71	3.2 %
	Total	**2,252**	**100%**

Based upon 2,181 valid cases out of 2,252 total cases.

Location: 167-168 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2290: 172A16L:FRQ TRESPAS BLDG

Item Number: 06630

During the LAST 12 MONTHS, how often have you . . .

L: . . . Gone into some house or building when you weren't supposed to be there?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1711	76.0 %
2	ONCE:(2)	214	9.5 %
3	TWICE:(3)	133	5.9 %
4	3-4TIMES:(4)	72	3.2 %
5	5+ TIMES:(5)	55	2.4 %
	Missing Data		
-9	MISSING:(-9)	67	3.0 %
	Total	**2,252**	**100%**

Based upon 2,185 valid cases out of 2,252 total cases.

Location: 169-170 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2291: 172A16M:FRQ ARSON

Item Number: 06640

During the LAST 12 MONTHS, how often have you . . .

M: . . . Set fire to someone's property on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2136	94.8 %
2	ONCE:(2)	18	0.8 %
3	TWICE:(3)	7	0.3 %
4	3-4TIMES:(4)	7	0.3 %
5	5+ TIMES:(5)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	72	3.2 %
	Total	**2,252**	**100%**

Based upon 2,180 valid cases out of 2,252 total cases.

Location: 171-172 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2292: 172A16N:FRQ DMG SCH PPTY

Item Number: 06650

During the LAST 12 MONTHS, how often have you . . .

N: . . . Damaged school property on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2031	90.2 %
2	ONCE:(2)	69	3.1 %
3	TWICE:(3)	49	2.2 %
4	3-4TIMES:(4)	15	0.7 %
5	5+ TIMES:(5)	14	0.6 %
	Missing Data		
-9	MISSING:(-9)	74	3.3 %
	Total	**2,252**	**100%**

Based upon 2,178 valid cases out of 2,252 total cases.

Location: 173-174 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2293: 172A16O:FRQ DMG WK PRPTY

Item Number: 06660

During the LAST 12 MONTHS, how often have you . . .

O: . . . Damaged property at work on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2119	94.1 %
2	ONCE:(2)	28	1.2 %
3	TWICE:(3)	22	1.0 %
4	3-4TIMES:(4)	6	0.3 %
5	5+ TIMES:(5)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	71	3.2 %
	Total	**2,252**	**100%**

Based upon 2,181 valid cases out of 2,252 total cases.

Location: 175-176 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2508: 172A16P:ARRSTD/TKN 2 POL

Item number: 25880

During the LAST 12 MONTHS, how often have you . . .

P: . . . Been arrested and taken to a police station?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2091	92.9 %
2	ONCE:(2)	52	2.3 %
3	TWICE:(3)	22	1.0 %

Value	Label	Unweighted Frequency	%
4	3-4TIMES:(4)	7	0.3 %
5	5+ TIMES:(5)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	73	3.2 %
	Total	**2,252**	**100%**

Based upon 2,179 valid cases out of 2,252 total cases.

Location: 177-178 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2295: 172A17A:SM1 ROB YRS <$50

Item Number: 06680

The next questions are about some things which may have happened TO YOU. During the LAST 12 MONTHS, how often . . .

A. . . . Has something of yours (worth under $50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1420	63.1 %
2	ONCE:(2)	458	20.3 %
3	TWICE:(3)	179	7.9 %
4	3-4TIMES:(4)	89	4.0 %
5	5+ TIMES:(5)	38	1.7 %
	Missing Data		
-9	MISSING:(-9)	68	3.0 %
	Total	**2,252**	**100%**

Based upon 2,184 valid cases out of 2,252 total cases.

Location: 179-180 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2296: 172A17B:SM1 ROB YRS >$50

Item Number: 06690

During the LAST 12 MONTHS, how often . . .

B: . . . Has something of yours (worth over $50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1700	75.5 %
2	ONCE:(2)	315	14.0 %
3	TWICE:(3)	99	4.4 %
4	3-4TIMES:(4)	44	2.0 %
5	5+ TIMES:(5)	23	1.0 %
	Missing Data		
-9	MISSING:(-9)	71	3.2 %
	Total	**2,252**	**100%**

Based upon 2,181 valid cases out of 2,252 total cases.

Location: 181-182 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2297: 172A17C:SM1 DMG YR PRPTY

Item Number: 06700

During the LAST 12 MONTHS, how often . . .

C: . . . Has someone deliberately damaged your property (your car, clothing, etc.)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1678	74.5 %
2	ONCE:(2)	303	13.5 %
3	TWICE:(3)	127	5.6 %
4	3-4TIMES:(4)	46	2.0 %
5	5+ TIMES:(5)	24	1.1 %
	Missing Data		
-9	MISSING:(-9)	74	3.3 %
	Total	**2,252**	**100%**

Based upon 2,178 valid cases out of 2,252 total cases.

Location: 183-184 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2298: 172A17D:SM1 INJR U W/WPN

Item Number: 06710

During the LAST 12 MONTHS, how often . . .

D: . . . Has someone injured you with a weapon (like a knife, gun, or club)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2085	92.6 %
2	ONCE:(2)	54	2.4 %
3	TWICE:(3)	22	1.0 %
4	3-4TIMES:(4)	8	0.4 %
5	5+ TIMES:(5)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	71	3.2 %
	Total	**2,252**	**100%**

Based upon 2,181 valid cases out of 2,252 total cases.

Location: 185-186 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2299: 172A17E:SM1 THRTN U W/WP

Item Number: 06720

During the LAST 12 MONTHS, how often . . .

E: . . . Has someone threatened you with a weapon, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1892	84.0 %
2	ONCE:(2)	145	6.4 %
3	TWICE:(3)	65	2.9 %
4	3-4TIMES:(4)	43	1.9 %
5	5+ TIMES:(5)	33	1.5 %
	Missing Data		
-9	MISSING:(-9)	74	3.3 %
	Total	**2,252**	**100%**

Based upon 2,178 valid cases out of 2,252 total cases.

Location: 187-188 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2300: 172A17F:SM1 INJR YU -WPN

Item Number: 06730

During the LAST 12 MONTHS, how often . . .

F: . . . Has someone injured you on purpose without using a weapon?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1871	83.1 %
2	ONCE:(2)	140	6.2 %
3	TWICE:(3)	79	3.5 %
4	3-4TIMES:(4)	42	1.9 %
5	5+ TIMES:(5)	45	2.0 %
	Missing Data		
-9	MISSING:(-9)	75	3.3 %
	Total	**2,252**	**100%**

Based upon 2,177 valid cases out of 2,252 total cases.

Location: 189-190 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2301: 172A17G:SM1 THRT U W/INJ

Item Number: 06740

During the LAST 12 MONTHS, how often . . .

G: . . . Has an unarmed person threatened you with injury, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1723	76.5 %
2	ONCE:(2)	191	8.5 %
3	TWICE:(3)	106	4.7 %
4	3-4TIMES:(4)	58	2.6 %
5	5+ TIMES:(5)	103	4.6 %
	Missing Data		
-9	MISSING:(-9)	71	3.2 %
	Total	**2,252**	**100%**

Based upon 2,181 valid cases out of 2,252 total cases.

Location: 191-192 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2302: 172A18A:EASY GT MARIJUANA

Item Number: 06750

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

A: Marijuana (pot, weed)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	192	8.5 %
2	VRY DIFF:(2)	94	4.2 %
3	FRLY DIF:(3)	124	5.5 %
4	FRLY EAS:(4)	556	24.7 %
5	VRY EASY:(5)	1200	53.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	86	3.8 %
	Total	**2,252**	**100%**

Based upon 2,166 valid cases out of 2,252 total cases.

Location: 193-194 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2303: 172A18B:EASY GT LSD

Item Number: 06760

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

B: LSD

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	542	24.1 %
2	VRY DIFF:(2)	383	17.0 %
3	FRLY DIF:(3)	597	26.5 %
4	FRLY EAS:(4)	433	19.2 %
5	VRY EASY:(5)	188	8.3 %
	Missing Data		
-9	MISSING:(-9)	109	4.8 %
	Total	**2,252**	**100%**

Based upon 2,143 valid cases out of 2,252 total cases.

Location: 195-196 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2304: 172A18C:EASY GT PSYDELIC

Item Number: 06770

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

C: Some other hallucinogen (mescaline, peyote, "shrooms" or psilocybin, PCP, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	558	24.8 %
2	VRY DIFF:(2)	429	19.0 %
3	FRLY DIF:(3)	507	22.5 %
4	FRLY EAS:(4)	444	19.7 %
5	VRY EASY:(5)	212	9.4 %
	Missing Data		
-9	MISSING:(-9)	102	4.5 %
	Total	**2,252**	**100%**

Based upon 2,150 valid cases out of 2,252 total cases.

Location: 197-198 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2305: 172A18D:EASY GT AMPHTMNS

Item Number: 06780

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

D: Amphetamines (uppers, speed, Adderall, Ritalin, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	518	23.0 %
2	VRY DIFF:(2)	327	14.5 %
3	FRLY DIF:(3)	434	19.3 %
4	FRLY EAS:(4)	475	21.1 %
5	VRY EASY:(5)	387	17.2 %
	Missing Data		
-9	MISSING:(-9)	111	4.9 %
	Total	**2,252**	**100%**

Based upon 2,141 valid cases out of 2,252 total cases.

Location: 199-200 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V2522: 172A18E:EASY GT SED/BARB

Item Number: 06795

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

E: Sedatives/barbiturates (downers)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	643	28.6 %
2	VRY DIFF:(2)	454	20.2 %
3	FRLY DIF:(3)	526	23.4 %
4	FRLY EAS:(4)	327	14.5 %
5	VRY EASY:(5)	181	8.0 %
	Missing Data		
-9	MISSING:(-9)	121	5.4 %
	Total	**2,252**	**100%**

Based upon 2,131 valid cases out of 2,252 total cases.

Location: 201-202 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2307: 172A18F:EASY GT TRANQLIZ

Item Number: 06800

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

F: Tranquilizers

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	836	37.1 %
2	VRY DIFF:(2)	537	23.8 %
3	FRLY DIF:(3)	438	19.4 %

Value	Label	Unweighted Frequency	%
4	FRLY EAS:(4)	187	8.3 %
5	VRY EASY:(5)	133	5.9 %
	Missing Data		
-9	MISSING:(-9)	121	5.4 %
	Total	**2,252**	**100%**

Based upon 2,131 valid cases out of 2,252 total cases.

Location: 203-204 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2308: 172A18G:EASY GT COCAINE

Item Number: 06810

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

G: Cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	664	29.5 %
2	VRY DIFF:(2)	431	19.1 %
3	FRLY DIF:(3)	459	20.4 %
4	FRLY EAS:(4)	356	15.8 %
5	VRY EASY:(5)	241	10.7 %
	Missing Data		
-9	MISSING:(-9)	101	4.5 %
	Total	**2,252**	**100%**

Based upon 2,151 valid cases out of 2,252 total cases.

Location: 205-206 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2309: 172A18H:EASY GT HEROIN

Item Number: 06820

How difficult do you think it would be for you to get each of

the following types of drugs, if you wanted some?

H: Heroin

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	817	36.3 %
2	VRY DIFF:(2)	518	23.0 %
3	FRLY DIF:(3)	412	18.3 %
4	FRLY EAS:(4)	217	9.6 %
5	VRY EASY:(5)	182	8.1 %
	Missing Data		
-9	MISSING:(-9)	106	4.7 %
	Total	**2,252**	**100%**

Based upon 2,146 valid cases out of 2,252 total cases.

Location: 207-208 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2310: 172A18I:EASY GT NARCOTIC

Item Number: 06830

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

I: Some other narcotic (codeine, Vicodin, OxyContin, Percocet, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	588	26.1 %
2	VRY DIFF:(2)	352	15.6 %
3	FRLY DIF:(3)	431	19.1 %
4	FRLY EAS:(4)	387	17.2 %
5	VRY EASY:(5)	387	17.2 %
	Missing Data		
-9	MISSING:(-9)	107	4.8 %
	Total	**2,252**	**100%**

Based upon 2,145 valid cases out of 2,252 total cases.

Location: 209-210 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2101: 172B01 :EVR SMK CIG,REGL

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1583	70.3 %
2	1-2X:(2)	301	13.4 %
3	OCCASNLY:(3)	152	6.7 %
4	REG PAST:(4)	71	3.2 %
5	REG NOW:(5)	50	2.2 %
	Missing Data		
-9	MISSING:(-9)	95	4.2 %
	Total	**2,252**	**100%**

Based upon 2,157 valid cases out of 2,252 total cases.

Location: 211-212 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2102: 172B02 :#CIGS SMKD/30DAY

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%
1	NT DAILY:(1)	1954	86.8 %
2	<1 CIG/D:(2)	121	5.4 %
3	1-5/DAY:(3)	51	2.3 %
4	1/2 PK:(4)	17	0.8 %
5	1 PK:(5)	9	0.4 %
6	1 1/2 PK:(6)	2	0.1 %
7	2+ PKS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	97	4.3 %
	Total	**2,252**	**100%**

Based upon 2,155 valid cases out of 2,252 total cases.

Location: 213-214 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2103: 172B03:EVER DRINK

Item Number: 00790

Next, we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO THE TOP OF NEXT COLUMN" 2="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	803	35.7 %
2	YES:(2)	1314	58.3 %
	Missing Data		
-9	MISSING:(-9)	135	6.0 %
	Total	**2,252**	**100%**

Based upon 2,117 valid cases out of 2,252 total cases.

Location: 215-216 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2104: 172B04A:#X ALC/LIF SIPS

Item Number: 00810

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" [includes respondents who said "No" to header question] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	803	35.7 %
2	1-2X:(2)	182	8.1 %
3	3-5X:(3)	218	9.7 %
4	6-9X:(4)	191	8.5 %
5	10-19X:(5)	216	9.6 %
6	20-39X:(6)	176	7.8 %
7	40+OCCAS:(7)	294	13.1 %
	Missing Data		
-9	MISSING:(-9)	172	7.6 %
	Total	**2,252**	**100%**

Based upon 2,080 valid cases out of 2,252 total cases.

Location: 217-218 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2105: 172B04B:#X ALC/ANN SIPS

Item Number: 00820

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	881	39.1 %
2	1-2X:(2)	342	15.2 %
3	3-5X:(3)	276	12.3 %
4	6-9X:(4)	193	8.6 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	167	7.4 %
6	20-39X:(6)	120	5.3 %
7	40+OCCAS:(7)	94	4.2 %
	Missing Data		
-9	MISSING:(-9)	179	7.9 %
	Total	**2,252**	**100%**

Based upon 2,073 valid cases out of 2,252 total cases.

Location: 219-220 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2106: 172B04C:#X ALC/30D SIPS

Item Number: 00830

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1330	59.1 %
2	1-2X:(2)	390	17.3 %
3	3-5X:(3)	187	8.3 %
4	6-9X:(4)	92	4.1 %
5	10-19X:(5)	43	1.9 %
6	20-39X:(6)	15	0.7 %
7	40+OCCAS:(7)	21	0.9 %
	Missing Data		
-9	MISSING:(-9)	174	7.7 %
	Total	**2,252**	**100%**

Based upon 2,078 valid cases out of 2,252 total cases.

Location: 221-222 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2107: 172B05 :#X DRK ENF FL HI

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty drunk or high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	378	16.8 %
2	FEW OCC:(2)	351	15.6 %
3	HALF OCC:(3)	188	8.3 %
4	MOST OCC:(4)	236	10.5 %
5	NRLY ALL:(5)	164	7.3 %
	Missing Data		
-9	MISSING:(-9)	935	41.5 %
	Total	**2,252**	**100%**

Based upon 1,317 valid cases out of 2,252 total cases.

Location: 223-224 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2108: 172B06:5+DRK ROW/LST 2WK

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a bottle of beer, a glass of wine, a wine cooler, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above] 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1642	72.9 %
2	ONCE:(2)	184	8.2 %
3	TWICE:(3)	119	5.3 %
4	3-5X:(4)	71	3.2 %
5	6-9X:(5)	18	0.8 %
6	10+ TIME:(6)	13	0.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	205	9.1 %
	Total	**2,252**	**100%**

Based upon 2,047 valid cases out of 2,252 total cases.

Location: 225-226 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2115: 172B07A:#XMJ+HS/LIFETIME

Item Number: 00860

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1151	51.1 %
2	1-2X:(2)	234	10.4 %
3	3-5X:(3)	134	6.0 %
4	6-9X:(4)	105	4.7 %
5	10-19X:(5)	110	4.9 %
6	20-39X:(6)	94	4.2 %
7	40+OCCAS:(7)	299	13.3 %
	Missing Data		
-9	MISSING:(-9)	125	5.6 %
	Total	**2,252**	**100%**

Based upon 2,127 valid cases out of 2,252 total cases.

Location: 227-228 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2116: 172B07B:#XMJ+HS/LAST12MO

Item Number: 00870

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1303	57.9 %
2	1-2X:(2)	250	11.1 %
3	3-5X:(3)	139	6.2 %
4	6-9X:(4)	81	3.6 %
5	10-19X:(5)	93	4.1 %
6	20-39X:(6)	88	3.9 %
7	40+OCCAS:(7)	174	7.7 %
	Missing Data		
-9	MISSING:(-9)	124	5.5 %
	Total	**2,252**	**100%**

Based upon 2,128 valid cases out of 2,252 total cases.

Location: 229-230 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2117: 172B07C:#XMJ+HS/LAST30DA

Item Number: 00880

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1612	71.6 %
2	1-2X:(2)	190	8.4 %
3	3-5X:(3)	91	4.0 %
4	6-9X:(4)	57	2.5 %
5	10-19X:(5)	73	3.2 %

Value	Label	Unweighted Frequency	%
6	20-39X:(6)	38	1.7 %
7	40+OCCAS:(7)	67	3.0 %
	Missing Data		
-9	MISSING:(-9)	124	5.5 %
	Total	**2,252**	**100%**

Based upon 2,128 valid cases out of 2,252 total cases.

Location: 231-232 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2565: 172B08 MED MJ EVER

Item number: 34180

Have you ever used "medical marijuana;" that is, marijuana you used because a doctor told you to use it?

1="No" 2="Yes, using med marj" 3="Used med marj, but not now"

Value	Label	Unweighted Frequency	%
1	NO:(1)	2110	93.7 %
2	YES, USING MED MARJ:(2)	18	0.8 %
3	USED MED MARJ, BUT NOT NOW:(3)	17	0.8 %
	Missing Data		
-9	MISSING:(-9)	107	4.8 %
	Total	**2,252**	**100%**

Based upon 2,145 valid cases out of 2,252 total cases.

Location: 233-234 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2118: 172B09A:#X LSD/LIFETIME

Item Number: 00890

On how many occasions (if any) have you used LSD ("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2039	90.5 %
2	1-2X:(2)	63	2.8 %
3	3-5X:(3)	29	1.3 %
4	6-9X:(4)	7	0.3 %
5	10-19X:(5)	6	0.3 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	101	4.5 %
	Total	**2,252**	**100%**

Based upon 2,151 valid cases out of 2,252 total cases.

Location: 235-236 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2119: 172B09B:#X LSD/LAST 12MO

Item Number: 00900

On how many occasions (if any) have you used LSD ("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2084	92.5 %
2	1-2X:(2)	44	2.0 %
3	3-5X:(3)	16	0.7 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	98	4.4 %
	Total	**2,252**	**100%**

Based upon 2,154 valid cases out of 2,252 total cases.

Location: 237-238 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2120: 172B09C:#X LSD/LAST 30DA

Item Number: 00910

On how many occasions (if any) have you used LSD ("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2133	94.7 %
2	1-2X:(2)	9	0.4 %
3	3-5X:(3)	6	0.3 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	98	4.4 %
	Total	**2,252**	**100%**

Based upon 2,154 valid cases out of 2,252 total cases.

Location: 239-240 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2121: 172B10A:#X PSYD/LIFETIME

Item Number: 00920

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9

Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2050	91.0 %
2	1-2X:(2)	56	2.5 %
3	3-5X:(3)	26	1.2 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	104	4.6 %
	Total	**2,252**	**100%**

Based upon 2,148 valid cases out of 2,252 total cases.

Location: 241-242 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2122: 172B10B:#X PSYD/LAST12MO

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2092	92.9 %
2	1-2X:(2)	43	1.9 %
3	3-5X:(3)	13	0.6 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	97	4.3 %

Value	Label	Unweighted Frequency	%
	Total	**2,252**	**100%**

Based upon 2,155 valid cases out of 2,252 total cases.

Location: 243-244 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2123: 172B10C:#X PSYD/LAST30DA

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2134	94.8 %
2	1-2X:(2)	15	0.7 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	99	4.4 %
	Total	**2,252**	**100%**

Based upon 2,153 valid cases out of 2,252 total cases.

Location: 245-246 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2124: 172B11A:#X COKE/LIFETIME

Item Number: 00950

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2054	91.2 %
2	1-2X:(2)	52	2.3 %
3	3-5X:(3)	13	0.6 %
4	6-9X:(4)	8	0.4 %
5	10-19X:(5)	10	0.4 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	109	4.8 %
	Total	**2,252**	**100%**

Based upon 2,143 valid cases out of 2,252 total cases.

Location: 247-248 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2125: 172B11B:#X COKE/LAST12MO

Item Number: 00960

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock") . . .

B: . . . during last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2085	92.6 %
2	1-2X:(2)	37	1.6 %
3	3-5X:(3)	12	0.5 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	1	0.0 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	104	4.6 %
	Total	**2,252**	**100%**

Based upon 2,148 valid cases out of 2,252 total cases.

Location: 249-250 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2126: 172B11C:#X COKE/LAST30DA

Item Number: 00970

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock") . . .

C: . . . during last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2124	94.3 %
2	1-2X:(2)	15	0.7 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	106	4.7 %
	Total	**2,252**	**100%**

Based upon 2,146 valid cases out of 2,252 total cases.

Location: 251-252 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2127: 172B12A:#X AMPH/LIFETIME

Item Number: 00980

Amphetamines and other stimulant drugs are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills or stay-awake pills. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1952	86.7 %
2	1-2X:(2)	81	3.6 %
3	3-5X:(3)	42	1.9 %
4	6-9X:(4)	26	1.2 %
5	10-19X:(5)	25	1.1 %
6	20-39X:(6)	7	0.3 %
7	40+OCCAS:(7)	16	0.7 %
	Missing Data		
-9	MISSING:(-9)	103	4.6 %
	Total	**2,252**	**100%**

Based upon 2,149 valid cases out of 2,252 total cases.

Location: 253-254 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2128: 172B12B:#X AMPH/LAST12MO

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2015	89.5 %
2	1-2X:(2)	67	3.0 %
3	3-5X:(3)	32	1.4 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	15	0.7 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	104	4.6 %
	Total	**2,252**	**100%**

Based upon 2,148 valid cases out of 2,252 total cases.

Location: 255-256 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2129: 172B12C:#X AMPH/LAST30DA

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2104	93.4 %
2	1-2X:(2)	27	1.2 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	104	4.6 %
	Total	**2,252**	**100%**

Based upon 2,148 valid cases out of 2,252 total cases.

Location: 257-258 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2045: 172B13A:#X ICE/LIFETIME

Item Number: 24380

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2124	94.3 %
2	1-2X:(2)	9	0.4 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	107	4.8 %
	Total	**2,252**	**100%**

Based upon 2,145 valid cases out of 2,252 total cases.

Location: 259-260 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2046: 172B13B:#X ICE/LAST12MO

Item Number: 24390

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2140	95.0 %
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	103	4.6 %
	Total	**2,252**	**100%**

Based upon 2,149 valid cases out of 2,252 total cases.

Location: 261-262 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2047: 172B13C:#X ICE/LAST30DA

Item Number: 24400

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2141	95.1 %
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	105	4.7 %
	Total	**2,252**	**100%**

Based upon 2,147 valid cases out of 2,252 total cases.

Location: 263-264 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2133: 172B14A:#X SED/BARB/LIFE

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Ambien, Lunesta, and Sonata. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2059	91.4 %
2	1-2X:(2)	38	1.7 %
3	3-5X:(3)	18	0.8 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	6	0.3 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	11	0.5 %
	Missing Data		
-9	MISSING:(-9)	108	4.8 %
	Total	**2,252**	**100%**

Based upon 2,144 valid cases out of 2,252 total cases.

Location: 265-266 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2134: 172B14B:#X SED/BARB/12MO

Item Number: 01052

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2088	92.7 %
2	1-2X:(2)	27	1.2 %
3	3-5X:(3)	12	0.5 %
4	6-9X:(4)	10	0.4 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	106	4.7 %
	Total	**2,252**	**100%**

Based upon 2,146 valid cases out of 2,252 total cases.

Location: 267-268 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2135: 172B14C:#X SED/BARB/30DA

Item Number: 01062

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2119	94.1 %
2	1-2X:(2)	13	0.6 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	109	4.8 %
	Total	**2,252**	**100%**

Based upon 2,143 valid cases out of 2,252 total cases.

Location: 269-270 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2136: 172B15A:#X TRQL/LIFETIME

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2002	88.9 %
2	1-2X:(2)	73	3.2 %
3	3-5X:(3)	26	1.2 %
4	6-9X:(4)	10	0.4 %
5	10-19X:(5)	13	0.6 %
6	20-39X:(6)	6	0.3 %
7	40+OCCAS:(7)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	110	4.9 %
	Total	**2,252**	**100%**

Based upon 2,142 valid cases out of 2,252 total cases.

Location: 271-272 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2137: 172B15B:#X TRQL/LAST12MO

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2053	91.2 %
2	1-2X:(2)	49	2.2 %
3	3-5X:(3)	15	0.7 %
4	6-9X:(4)	14	0.6 %
5	10-19X:(5)	6	0.3 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	109	4.8 %
	Total	**2,252**	**100%**

Based upon 2,143 valid cases out of 2,252 total cases.

Location: 273-274 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2138: 172B15C:#X TRQL/LAST30DA

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2104	93.4 %
2	1-2X:(2)	23	1.0 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	111	4.9 %
	Total	**2,252**	**100%**

Based upon 2,141 valid cases out of 2,252 total cases.

Location: 275-276 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2510: 172B16A:#X H LIF USE NDL

Item Number: 29630

On how many occasions (if any) have you taken heroin using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2140	95.0 %
2	1-2X:(2)	1	0.0 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	108	4.8 %
	Total	**2,252**	**100%**

Based upon 2,144 valid cases out of 2,252 total cases.

Location: 277-278 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2511: 172B16B:#X H 12M USE NDL

Item Number: 29640

On how many occasions (if any) have you taken heroin using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2144	95.2 %
2	1-2X:(2)	1	0.0 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	104	4.6 %
	Total	**2,252**	**100%**

Based upon 2,148 valid cases out of 2,252 total cases.

Location: 279-280 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2512: 172B16C:#X H 30D USE NDL

Item Number: 29650

On how many occasions (if any) have you taken heroin using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2146	95.3 %
2	1-2X:(2)	0	0.0 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	105	4.7 %
	Total	**2,252**	**100%**

Based upon 2,147 valid cases out of 2,252 total cases.

Location: 281-282 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2513: 172B17A:#X H LIF W/O NDL

Item Number: 29660

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2139	95.0 %
2	1-2X:(2)	0	0.0 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	109	4.8 %
	Total	**2,252**	**100%**

Based upon 2,143 valid cases out of 2,252 total cases.

Location: 283-284 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2514: 172B17B:#X H 12M W/O NDL

Item Number: 29670

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2142	95.1 %
2	1-2X:(2)	0	0.0 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	107	4.8 %
	Total	**2,252**	**100%**

Based upon 2,145 valid cases out of 2,252 total cases.

Location: 285-286 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2515: 172B17C:#X H 30D W/O NDL

Item Number: 29680

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2142	95.1 %
2	1-2X:(2)	1	0.0 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	108	4.8 %
	Total	**2,252**	**100%**

Based upon 2,144 valid cases out of 2,252 total cases.

Location: 287-288 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2139: 172R* :#X H/LIFETIME

Item Number: 01100

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . In your lifetime?" (item 29630)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . In your lifetime?" (item 29660)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2143	95.2 %
2	1-2X:(2)	1	0.0 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	102	4.5 %
	Total	**2,252**	**100%**

Based upon 2,150 valid cases out of 2,252 total cases.

Location: 289-290 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2140: 172R* :#X H/LAST12MO

Item Number: 01110

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 12 months?" (item 29640)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 12 months?" (item 29670)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2146	95.3 %
2	1-2X:(2)	1	0.0 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	100	4.4 %
	Total	**2,252**	**100%**

Based upon 2,152 valid cases out of 2,252 total cases.

Location: 291-292 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2141: 172R* :#X H/LAST30DA

Item Number: 01120

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 30 days?" (item 29650)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 30 days?" (item 29680)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2149	95.4 %
2	1-2X:(2)	1	0.0 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	101	4.5 %
	Total	**2,252**	**100%**

Based upon 2,151 valid cases out of 2,252 total cases.

Location: 293-294 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2142: 172B18A:#X NARC/LIFETIME

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1991	88.4 %
2	1-2X:(2)	73	3.2 %
3	3-5X:(3)	34	1.5 %
4	6-9X:(4)	16	0.7 %
5	10-19X:(5)	8	0.4 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	117	5.2 %
	Total	**2,252**	**100%**

Based upon 2,135 valid cases out of 2,252 total cases.

Location: 295-296 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2143: 172B18B:#X NARC/LAST12MO

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2045	90.8 %
2	1-2X:(2)	55	2.4 %
3	3-5X:(3)	14	0.6 %
4	6-9X:(4)	8	0.4 %
5	10-19X:(5)	8	0.4 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	116	5.2 %

Value	Label	Unweighted Frequency	%
	Total	**2,252**	**100%**

Based upon 2,136 valid cases out of 2,252 total cases.

Location: 297-298 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2144: 172B18C:#X NARC/LAST30DA

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2106	93.5 %
2	1-2X:(2)	17	0.8 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	119	5.3 %
	Total	**2,252**	**100%**

Based upon 2,133 valid cases out of 2,252 total cases.

Location: 299-300 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2145: 172B19A:#X INHL/LIFETIME

Item Number: 01160

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled

any other gases or sprays in order to get high . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2040	90.6 %
2	1-2X:(2)	58	2.6 %
3	3-5X:(3)	18	0.8 %
4	6-9X:(4)	11	0.5 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	117	5.2 %
	Total	**2,252**	**100%**

Based upon 2,135 valid cases out of 2,252 total cases.

Location: 301-302 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2146: 172B19B:#X INHL/LAST12MO

Item Number: 01170

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2106	93.5 %
2	1-2X:(2)	19	0.8 %
3	3-5X:(3)	8	0.4 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	0	0.0 %

Value	Label	Unweighted Frequency	%
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	113	5.0 %
	Total	**2,252**	**100%**

Based upon 2,139 valid cases out of 2,252 total cases.

Location: 303-304 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2147: 172B19C:#X INHL/LAST30DA

Item Number: 01180

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2123	94.3 %
2	1-2X:(2)	12	0.5 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	114	5.1 %
	Total	**2,252**	**100%**

Based upon 2,138 valid cases out of 2,252 total cases.

Location: 305-306 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2566: 172B20 EVER VAPE

Item Number: 34230

To "vape" is to use a device such as a vape-pen, an e-cigarette, an e-hookah, or e-vaporizer to inhale a mist into the lungs. Have you ever vaped?

0="Never" 1="Yes"

Value	Label	Unweighted Frequency	%
0	NO:(0)	1272	56.5 %
1	YES:(1)	828	36.8 %
	Missing Data		
-9	MISSING:(-9)	152	6.7 %
	Total	**2,252**	**100%**

Based upon 2,100 valid cases out of 2,252 total cases.

Location: 307-308 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2563: 172B21!:LAST E-VAP MIST

Item Number: 33950

The LAST TIME you vaped, what was in the mist you inhaled?

1="Nicotine" 2="Marijuana or hash oil" 3="Just flavoring" 4="Other" 8="Don't know"

Value	Label	Unweighted Frequency	%
1	NICOTINE:(1)	272	12.1 %
2	MARJ OR HASH OIL:(2)	101	4.5 %
3	JUST FLAVORING:(3)	405	18.0 %
4	OTHER:(4)	4	0.2 %
8	DONT KNOW:(8)	31	1.4 %
	Missing Data		
-9	MISSING:(-9)	1439	63.9 %
	Total	**2,252**	**100%**

Based upon 813 valid cases out of 2,252 total cases.

Location: 309-310 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2567: 172B22A #X VAPE NIC/LIFETIME

Item Number: 34240

On how many occasions (if any) have you vaped NICOTINE . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1534	68.1 %
2	1-2X:(2)	184	8.2 %
3	3-5X:(3)	87	3.9 %
4	6-9X:(4)	76	3.4 %
5	10-19X:(5)	50	2.2 %
6	20-39X:(6)	39	1.7 %
7	40+OCCAS:(7)	123	5.5 %
	Missing Data		
-9	MISSING:(-9)	159	7.1 %
	Total	**2,252**	**100%**

Based upon 2,093 valid cases out of 2,252 total cases.

Location: 311-312 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2568: 172B22B #X VAPE NIC/LAST12MO

Item Number: 34250

On how many occasions (if any) have you vaped NICOTINE . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1641	72.9 %
2	1-2X:(2)	149	6.6 %
3	3-5X:(3)	77	3.4 %
4	6-9X:(4)	59	2.6 %
5	10-19X:(5)	35	1.6 %
6	20-39X:(6)	28	1.2 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	82	3.6 %
	Missing Data		
-9	MISSING:(-9)	181	8.0 %
	Total	**2,252**	**100%**

Based upon 2,071 valid cases out of 2,252 total cases.

Location: 313-314 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2569: 172B22C #X VAPE NIC/LAST30DAY

Item Number: 34260

On how many occasions (if any) have you vaped NICOTINE . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1816	80.6 %
2	1-2X:(2)	106	4.7 %
3	3-5X:(3)	43	1.9 %
4	6-9X:(4)	26	1.2 %
5	10-19X:(5)	23	1.0 %
6	20-39X:(6)	13	0.6 %
7	40+OCCAS:(7)	43	1.9 %
	Missing Data		
-9	MISSING:(-9)	182	8.1 %
	Total	**2,252**	**100%**

Based upon 2,070 valid cases out of 2,252 total cases.

Location: 315-316 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2570: 172B23A #X VAPE MJ/LIFETIME

Item Number: 34270

On how many occasions (if any) have you vaped MARIJUANA . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1794	79.7 %
2	1-2X:(2)	109	4.8 %
3	3-5X:(3)	64	2.8 %
4	6-9X:(4)	32	1.4 %
5	10-19X:(5)	33	1.5 %
6	20-39X:(6)	22	1.0 %
7	40+OCCAS:(7)	39	1.7 %
	Missing Data		
-9	MISSING:(-9)	159	7.1 %
	Total	**2,252**	**100%**

Based upon 2,093 valid cases out of 2,252 total cases.

Location: 317-318 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2571: 172B23B #X VAPE MJ/LAST12MO

Item Number: 34280

On how many occasions (if any) have you vaped MARIJUANA . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1834	81.4 %
2	1-2X:(2)	94	4.2 %
3	3-5X:(3)	48	2.1 %
4	6-9X:(4)	25	1.1 %
5	10-19X:(5)	26	1.2 %
6	20-39X:(6)	16	0.7 %
7	40+OCCAS:(7)	27	1.2 %
	Missing Data		
-9	MISSING:(-9)	182	8.1 %

Value	Label	Unweighted Frequency	%
	Total	**2,252**	**100%**

Based upon 2,070 valid cases out of 2,252 total cases.

Location: 319-320 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2572: 172B23C #X VAPE MJ/LAST30DAY

Item Number: 34290

On how many occasions (if any) have you vaped MARIJUANA . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1939	86.1 %
2	1-2X:(2)	65	2.9 %
3	3-5X:(3)	22	1.0 %
4	6-9X:(4)	10	0.4 %
5	10-19X:(5)	14	0.6 %
6	20-39X:(6)	6	0.3 %
7	40+OCCAS:(7)	14	0.6 %
	Missing Data		
-9	MISSING:(-9)	182	8.1 %
	Total	**2,252**	**100%**

Based upon 2,070 valid cases out of 2,252 total cases.

Location: 321-322 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2573: 172B24A #X VAPE FLAV/LIFETIME

Item Number: 34300

On how many occasions (if any) have you vaped just FLAVORING . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1391	61.8 %
2	1-2X:(2)	253	11.2 %
3	3-5X:(3)	136	6.0 %
4	6-9X:(4)	101	4.5 %
5	10-19X:(5)	66	2.9 %
6	20-39X:(6)	45	2.0 %
7	40+OCCAS:(7)	96	4.3 %
	Missing Data		
-9	MISSING:(-9)	164	7.3 %
	Total	**2,252**	**100%**

Based upon 2,088 valid cases out of 2,252 total cases.

Location: 323-324 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2574: 172B24B #X VAPE FLAV/LAST12MO

Item Number: 34310

On how many occasions (if any) have you vaped just FLAVORING . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1597	70.9 %
2	1-2X:(2)	212	9.4 %
3	3-5X:(3)	80	3.6 %
4	6-9X:(4)	54	2.4 %
5	10-19X:(5)	48	2.1 %
6	20-39X:(6)	33	1.5 %
7	40+OCCAS:(7)	49	2.2 %
	Missing Data		
-9	MISSING:(-9)	179	7.9 %
	Total	**2,252**	**100%**

Based upon 2,073 valid cases out of 2,252 total cases.

Location: 325-326 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2575: 172B24C #X VAPE FLAV/LAST30DAY

Item Number: 34320

On how many occasions (if any) have you vaped just FLAVORING . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1855	82.4 %
2	1-2X:(2)	99	4.4 %
3	3-5X:(3)	40	1.8 %
4	6-9X:(4)	25	1.1 %
5	10-19X:(5)	24	1.1 %
6	20-39X:(6)	10	0.4 %
7	40+OCCAS:(7)	21	0.9 %
	Missing Data		
-9	MISSING:(-9)	178	7.9 %
	Total	**2,252**	**100%**

Based upon 2,074 valid cases out of 2,252 total cases.

Location: 327-328 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

RESPONDENT_AGE: 172C01(R):AGE <>18 DICHOTOMY

Item Number:

Component variables: 1) Q.C01 "In what year were you born?"
(item 00010), 2) Q. C02 "In what month were you born?"
(item 00020), and 3) date of questionnaire administration
as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

Value	Label	Unweighted Frequency	%
1	<18 YRS:(1)	939	41.7 %

Value	Label	Unweighted Frequency	%
2	18+ YRS:(2)	1209	53.7 %
	Missing Data		
-9	MISSING:(-9)	104	4.6 %
	Total	**2,252**	**100%**

Based upon 2,148 valid cases out of 2,252 total cases.

Location: 329-330 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2150: 172C03 :Rs SEX

Item Number: 00030

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%
1	MALE:(1)	982	43.6 %
2	FEMALE:(2)	1026	45.6 %
	Missing Data		
-9	MISSING:(-9)	244	10.8 %
	Total	**2,252**	**100%**

Based upon 2,008 valid cases out of 2,252 total cases.

Location: 331-332 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2151: 172C04(R):Rs RACE B/W/H

Item Number:

How do you describe yourself? (Select one or more responses.) Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic..."). All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"
3="Hispanic" [see above]

Value	Label	Unweighted Frequency	%
1	BLACK:(1)	274	12.2 %
2	WHITE:(2)	1087	48.3 %
3	HISPANIC:(3)	427	19.0 %
	Missing Data		
-9	MISSING:(-9)	464	20.6 %
	Total	**2,252**	**100%**

Based upon 1,788 valid cases out of 2,252 total cases.

Location: 333-334 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2152: 172C05 :R SPD >TIM R-URB

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

Value	Label	Unweighted Frequency	%
0	DK/MIXED:(0)	264	11.7 %
1	A FARM:(1)	74	3.3 %
2	COUNTRY:(2)	203	9.0 %
3	SM CITY:(3)	521	23.1 %
4	MED CITY:(4)	292	13.0 %
5	SUB MED:(5)	254	11.3 %
6	LGE CITY:(6)	227	10.1 %
7	SUB LGE:(7)	162	7.2 %
8	V-LGE CITY:(8)	159	7.1 %
9	SUB V-LGE:(9)	96	4.3 %
	Total	**2,252**	**100%**

Based upon 2,252 valid cases out of 2,252 total cases.

Location: 335-336 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2153: 172C06 :R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%
1	MARRIED:(1)	106	4.7 %
2	ENGAGED:(2)	34	1.5 %
3	SEP/DIV:(3)	36	1.6 %
4	SINGLE:(4)	1960	87.0 %
	Missing Data		
-9	MISSING:(-9)	116	5.2 %
	Total	**2,252**	**100%**

Based upon 2,136 valid cases out of 2,252 total cases.

Location: 337-338 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2155: 172C7Cb:Rs HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	576	25.6 %
1	MARKED:(1)	1565	69.5 %
	Missing Data		
-9	MISSING:(-9)	111	4.9 %
	Total	**2,252**	**100%**

Based upon 2,141 valid cases out of 2,252 total cases.

Location: 339-340 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2156: 172C7Cc:Rs HSHLD MOTHER

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	199	8.8 %
1	MARKED:(1)	1942	86.2 %
	Missing Data		
-9	MISSING:(-9)	111	4.9 %
	Total	**2,252**	**100%**

Based upon 2,141 valid cases out of 2,252 total cases.

Location: 341-342 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2157: 172C7Cd:Rs HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	717	31.8 %

Value	Label	Unweighted Frequency	%
1	MARKED:(1)	1424	63.2 %
	Missing Data		
-9	MISSING:(-9)	111	4.9 %
	Total	**2,252**	**100%**

Based upon 2,141 valid cases out of 2,252 total cases.

Location: 343-344 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V49: 172C07(R):# SIBLINGS

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more"

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more younger or older brothers or sisters".

Value	Label	Unweighted Frequency	%
0	NONE:(0)	136	6.0 %
1	ONE:(1)	588	26.1 %
2	TWO:(2)	570	25.3 %
3	THREE+:(3-4)	838	37.2 %
	Missing Data		
-9	MISSING:(-9)	120	5.3 %
	Total	**2,252**	**100%**

Based upon 2,132 valid cases out of 2,252 total cases.

Location: 345-346 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2163: 172C08 :FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	114	5.1 %
2	SOME HS:(2)	234	10.4 %
3	HS GRAD:(3)	507	22.5 %
4	SOME CLG:(4)	329	14.6 %
5	CLG GRAD:(5)	452	20.1 %
6	GRAD SCH:(6)	311	13.8 %
7	DK:(7)	192	8.5 %
	Missing Data		
-9	MISSING:(-9)	113	5.0 %
	Total	**2,252**	**100%**

Based upon 2,139 valid cases out of 2,252 total cases.

Location: 347-348 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2164: 172C09 :MOTHR EDUC LEVEL

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	102	4.5 %
2	SOME HS:(2)	162	7.2 %
3	HS GRAD:(3)	404	17.9 %
4	SOME CLG:(4)	383	17.0 %

Value	Label	Unweighted Frequency	%
5	CLG GRAD:(5)	617	27.4 %
6	GRAD SCH:(6)	365	16.2 %
7	DK:(7)	104	4.6 %
	Missing Data		
-9	MISSING:(-9)	115	5.1 %
	Total	**2,252**	**100%**

Based upon 2,137 valid cases out of 2,252 total cases.

Location: 349-350 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2165: 172C10 :MOTH PD JB R YNG

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%
1	NO:(1)	285	12.7 %
2	YES/SOME:(2)	390	17.3 %
3	YES/MOST:(3)	374	16.6 %
4	YES/NRLY ALL:(4)	1082	48.0 %
	Missing Data		
-9	MISSING:(-9)	121	5.4 %
	Total	**2,252**	**100%**

Based upon 2,131 valid cases out of 2,252 total cases.

Location: 351-352 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2166: 172C11 :Rs POLTL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly

Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%
1	STRG GOP:(1)	233	10.3 %
2	MILD GOP:(2)	244	10.8 %
3	MILD DEM:(3)	321	14.3 %
4	STRG DEM:(4)	308	13.7 %
5	INDEPNDT:(5)	206	9.1 %
6	NO PREF:(6)	289	12.8 %
7	OTHER:(7)	35	1.6 %
8	DK/HVNT DECID:(8)	417	18.5 %
	Missing Data		
-9	MISSING:(-9)	199	8.8 %
	Total	**2,252**	**100%**

Based upon 2,053 valid cases out of 2,252 total cases.

Location: 353-354 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2167: 172C12 :R POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the above, or don't know"

Value	Label	Unweighted Frequency	%
1	VRY CONS:(1)	134	6.0 %
2	CONSERV:(2)	267	11.9 %
3	MODERATE:(3)	483	21.4 %
4	LIBERAL:(4)	368	16.3 %
5	VRY LIB:(5)	150	6.7 %
6	RADICAL:(6)	23	1.0 %
8	NONE/DK:(8)	689	30.6 %
	Missing Data		
-9	MISSING:(-9)	138	6.1 %
	Total	**2,252**	**100%**

Based upon 2,114 valid cases out of 2,252 total cases.

Location: 355-356 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2169: 172C13B:R ATTND REL SVC

Item Number: 00370

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	319	14.2 %
2	RARELY:(2)	554	24.6 %
3	1-2X/MO:(3)	287	12.7 %
4	1/WK OR+:(4)	403	17.9 %
	Missing Data		
-9	MISSING:(-9)	689	30.6 %
	Total	**2,252**	**100%**

Based upon 1,563 valid cases out of 2,252 total cases.

Location: 357-358 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2170: 172C13C:RLGN IMP Rs LF

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important" 4="Very important"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	361	16.0 %
2	LITL IMP:(2)	395	17.5 %
3	PRTY IMP:(3)	425	18.9 %

Value	Label	Unweighted Frequency	%
4	VERY IMP:(4)	383	17.0 %
	Missing Data		
-9	MISSING:(-9)	688	30.6 %
	Total	**2,252**	**100%**

Based upon 1,564 valid cases out of 2,252 total cases.

Location: 359-360 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2171: 172C14 :WHEN R XPCT GRAD

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"
6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%
1	JUNE:(1)	2098	93.2 %
2	JUL-JAN:(2)	18	0.8 %
3	AFTER JAN:(3)	0	0.0 %
6	DONT EXPCT:(6)	14	0.6 %
	Missing Data		
-9	MISSING:(-9)	122	5.4 %
	Total	**2,252**	**100%**

Based upon 2,130 valid cases out of 2,252 total cases.

Location: 361-362 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2172: 172C15 :Rs HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%
1	CLG PREP:(1)	1128	50.1 %
2	GENERAL:(2)	692	30.7 %
3	VOC-TECH:(3)	85	3.8 %
4	OTH/DK:(4)	207	9.2 %
	Missing Data		
-9	MISSING:(-9)	140	6.2 %
	Total	**2,252**	**100%**

Based upon 2,112 valid cases out of 2,252 total cases.

Location: 363-364 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2173: 172C16 :RT SF SCH AB>AVG

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	43	1.9 %
2	BELOW AVG:(2)	58	2.6 %
3	SLIGHT BELOW:(3)	94	4.2 %
4	AVERAGE:(4)	675	30.0 %
5	SLIGHT ABOVE:(5)	543	24.1 %
6	ABOVE AVG:(6)	569	25.3 %
7	FAR ABOVE:(7)	133	5.9 %
	Missing Data		
-9	MISSING:(-9)	137	6.1 %
	Total	**2,252**	**100%**

Based upon 2,115 valid cases out of 2,252 total cases.

Location: 365-366 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2174: 172C17 :RT SF INTELL>AVG

Item Number: 00420

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	39	1.7 %
2	BELOW AVG:(2)	58	2.6 %
3	SLIGHT BELOW:(3)	104	4.6 %
4	AVERAGE:(4)	602	26.7 %
5	SLIGHT ABOVE:(5)	546	24.2 %
6	ABOVE AVG:(6)	565	25.1 %
7	FAR ABOVE:(7)	200	8.9 %
	Missing Data		
-9	MISSING:(-9)	138	6.1 %
	Total	**2,252**	**100%**

Based upon 2,114 valid cases out of 2,252 total cases.

Location: 367-368 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2175: 172C18A:#DA/4W SC MS ILL

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1140	50.6 %
2	1 DAY:(2)	345	15.3 %
3	2 DAYS:(3)	235	10.4 %
4	3 DAYS:(4)	171	7.6 %
5	4-5 DAYS:(5)	103	4.6 %

Value	Label	Unweighted Frequency	%
6	6-10 DA:(6)	40	1.8 %
7	11+ DAYS:(7)	29	1.3 %
	Missing Data		
-9	MISSING:(-9)	189	8.4 %
	Total	**2,252**	**100%**

Based upon 2,063 valid cases out of 2,252 total cases.

Location: 369-370 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2176: 172C18B:#DA/4W SC MS CUT

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1385	61.5 %
2	1 DAY:(2)	241	10.7 %
3	2 DAYS:(3)	165	7.3 %
4	3 DAYS:(4)	94	4.2 %
5	4-5 DAYS:(5)	78	3.5 %
6	6-10 DA:(6)	34	1.5 %
7	11+ DAYS:(7)	34	1.5 %
	Missing Data		
-9	MISSING:(-9)	221	9.8 %
	Total	**2,252**	**100%**

Based upon 2,031 valid cases out of 2,252 total cases.

Location: 371-372 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2177: 172C18C:#DA/4W SC MS OTH

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1134	50.4 %
2	1 DAY:(2)	346	15.4 %
3	2 DAYS:(3)	244	10.8 %
4	3 DAYS:(4)	152	6.7 %
5	4-5 DAYS:(5)	105	4.7 %
6	6-10 DA:(6)	41	1.8 %
7	11+ DAYS:(7)	29	1.3 %
	Missing Data		
-9	MISSING:(-9)	201	8.9 %
	Total	**2,252**	**100%**

Based upon 2,051 valid cases out of 2,252 total cases.

Location: 373-374 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2178: 172C19 :#DA/4W SKP CLASS

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times" 5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1535	68.2 %
2	1-2:(2)	307	13.6 %
3	3-5:(3)	161	7.1 %
4	6-10:(4)	67	3.0 %
5	11-20:(5)	32	1.4 %
6	21+:(6)	17	0.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	133	5.9 %
	Total	**2,252**	**100%**

Based upon 2,119 valid cases out of 2,252 total cases.

Location: 375-376 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2179: 172C20 :R HS GRADE/D = 1

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)" 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)" 1="D (69 or below)"

Value	Label	Unweighted Frequency	%
1	D:(1)	17	0.8 %
2	C-:(2)	31	1.4 %
3	C:(3)	78	3.5 %
4	C+:(4)	172	7.6 %
5	B-:(5)	219	9.7 %
6	B:(6)	322	14.3 %
7	B+:(7)	418	18.6 %
8	A-:(8)	415	18.4 %
9	A:(9)	428	19.0 %
	Missing Data		
-9	MISSING:(-9)	152	6.7 %
	Total	**2,252**	**100%**

Based upon 2,100 valid cases out of 2,252 total cases.

Location: 377-378 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2180: 172C21A:R WL DO VOC/TEC

Item Number: 00480

How likely is it that you will do each of the following things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1219	54.1 %
2	PRB WONT:(2)	468	20.8 %
3	PRB WILL:(3)	207	9.2 %
4	DEF WILL:(4)	106	4.7 %
	Missing Data		
-9	MISSING:(-9)	252	11.2 %
	Total	**2,252**	**100%**

Based upon 2,000 valid cases out of 2,252 total cases.

Location: 379-380 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2181: 172C21B!:R WL DO MILITARY

Item Number: 00490

How likely is it that you will do each of the following things after high school?

B: Serve in the military (armed forces)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1342	59.6 %
2	PRB WONT:(2)	403	17.9 %
3	PRB WILL:(3)	160	7.1 %
4	DEF WILL:(4)	103	4.6 %
	Missing Data		
-9	MISSING:(-9)	244	10.8 %
	Total	**2,252**	**100%**

Based upon 2,008 valid cases out of 2,252 total cases.

Location: 381-382 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2182: 172C21C:R WL DO 2YR CLG

Item Number: 00500

How likely is it that you will do each of the following things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	773	34.3 %
2	PRB WONT:(2)	355	15.8 %
3	PRB WILL:(3)	408	18.1 %
4	DEF WILL:(4)	469	20.8 %
	Missing Data		
-9	MISSING:(-9)	247	11.0 %
	Total	**2,252**	**100%**

Based upon 2,005 valid cases out of 2,252 total cases.

Location: 383-384 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2183: 172C21D:R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	174	7.7 %
2	PRB WONT:(2)	143	6.3 %
3	PRB WILL:(3)	463	20.6 %

Value	Label	Unweighted Frequency	%
4	DEF WILL:(4)	1279	56.8 %
	Missing Data		
-9	MISSING:(-9)	193	8.6 %
	Total	**2,252**	**100%**

Based upon 2,059 valid cases out of 2,252 total cases.

Location: 385-386 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2184: 172C21E:R WL DO GRD/PRF

Item Number: 00520

How likely is it that you will do each of the following things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	352	15.6 %
2	PRB WONT:(2)	493	21.9 %
3	PRB WILL:(3)	647	28.7 %
4	DEF WILL:(4)	523	23.2 %
	Missing Data		
-9	MISSING:(-9)	237	10.5 %
	Total	**2,252**	**100%**

Based upon 2,015 valid cases out of 2,252 total cases.

Location: 387-388 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2185: 172C22A:R WNTDO VOC/TEC

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1836	81.5 %
1	MARKED:(1)	249	11.1 %
	Missing Data		
-9	MISSING:(-9)	167	7.4 %
	Total	**2,252**	**100%**

Based upon 2,085 valid cases out of 2,252 total cases.

Location: 389-390 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2186: 172C22B:R WNTDO ARMD FC

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1736	77.1 %
1	MARKED:(1)	349	15.5 %
	Missing Data		
-9	MISSING:(-9)	167	7.4 %
	Total	**2,252**	**100%**

Based upon 2,085 valid cases out of 2,252 total cases.

Location: 391-392 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2187: 172C22C:R WNTDO 2YR CLG

Item Number: 00550

Suppose you could do just what you'd like and nothing stood

in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1523	67.6 %
1	MARKED:(1)	562	25.0 %
	Missing Data		
-9	MISSING:(-9)	167	7.4 %
	Total	**2,252**	**100%**

Based upon 2,085 valid cases out of 2,252 total cases.

Location: 393-394 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2188: 172C22D:R WNTDO 4YR CLG

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	415	18.4 %
1	MARKED:(1)	1670	74.2 %
	Missing Data		
-9	MISSING:(-9)	167	7.4 %
	Total	**2,252**	**100%**

Based upon 2,085 valid cases out of 2,252 total cases.

Location: 395-396 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2189: 172C22E:R WNTDO GRD/PRF

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	937	41.6 %
1	MARKED:(1)	1148	51.0 %
	Missing Data		
-9	MISSING:(-9)	167	7.4 %
	Total	**2,252**	**100%**

Based upon 2,085 valid cases out of 2,252 total cases.

Location: 397-398 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2190: 172C22F:R WNTDO NONE

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1959	87.0 %
1	MARKED:(1)	126	5.6 %
	Missing Data		
-9	MISSING:(-9)	167	7.4 %
	Total	**2,252**	**100%**

Based upon 2,085 valid cases out of 2,252 total cases.

Location: 399-400 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2191: 172C23 :HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26 to 30 hours" 8="More than 30 hours"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	891	39.6 %
2	5 OR <:(2)	189	8.4 %
3	6-10 HRS:(3)	217	9.6 %
4	11-15 HR:(4)	196	8.7 %
5	16-20 HR:(5)	234	10.4 %
6	21-25 HR:(6)	144	6.4 %
7	26-30 HR:(7)	102	4.5 %
8	30+ HRS:(8)	117	5.2 %
	Missing Data		
-9	MISSING:(-9)	162	7.2 %
	Total	**2,252**	**100%**

Based upon 2,090 valid cases out of 2,252 total cases.

Location: 401-402 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2192: 172C24A:R$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50" 7="$51-75" 8="$76-125" 9="$126-175" 10="176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	941	41.8 %
2	$1-5:(2)	10	0.4 %
3	$6-10:(3)	52	2.3 %

Value	Label	Unweighted Frequency	%
4	$11-20:(4)	65	2.9 %
5	$21-35:(5)	49	2.2 %
6	$36-50:(6)	81	3.6 %
7	$51-75:(7)	115	5.1 %
8	$76-125:(8)	260	11.5 %
9	$126-175:(9)	185	8.2 %
10	$176+:(10)	274	12.2 %
	Missing Data		
-9	MISSING:(-9)	220	9.8 %
	Total	**2,252**	**100%**

Based upon 2,032 valid cases out of 2,252 total cases.

Location: 403-404 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2193: 172C24B:R$/AVG WEEK OTH

Item Number: 00610

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50"
7="$51-75" 8="$76-125" 9="$126-175" 10="176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	978	43.4 %
2	$1-5:(2)	90	4.0 %
3	$6-10:(3)	122	5.4 %
4	$11-20:(4)	279	12.4 %
5	$21-35:(5)	158	7.0 %
6	$36-50:(6)	129	5.7 %
7	$51-75:(7)	71	3.2 %
8	$76-125:(8)	64	2.8 %
9	$126-175:(9)	20	0.9 %
10	$176+:(10)	67	3.0 %
	Missing Data		
-9	MISSING:(-9)	274	12.2 %
	Total	**2,252**	**100%**

Based upon 1,978 valid cases out of 2,252 total cases.

Location: 405-406 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2194: 172C25 :#X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five" 6="Six or Seven"

Value	Label	Unweighted Frequency	%
1	< 1:(1)	391	17.4 %
2	ONE:(2)	375	16.7 %
3	TWO:(3)	596	26.5 %
4	THREE:(4)	395	17.5 %
5	4-5:(5)	217	9.6 %
6	6-7:(6)	109	4.8 %
	Missing Data		
-9	MISSING:(-9)	169	7.5 %
	Total	**2,252**	**100%**

Based upon 2,083 valid cases out of 2,252 total cases.

Location: 407-408 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2195: 172C26 :#X DATE 3+/WK

Item Number: 00630

On the average, how often do you go out with a date (or your spouse/partner)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month" 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	998	44.3 %
2	ONCE/MO:(2)	275	12.2 %

Value	Label	Unweighted Frequency	%
3	2-3X MO:(3)	260	11.5 %
4	ONCE WK:(4)	268	11.9 %
5	2-3X WK:(5)	206	9.1 %
6	3+ WEEK:(6)	63	2.8 %
	Missing Data		
-9	MISSING:(-9)	182	8.1 %
	Total	**2,252**	**100%**

Based upon 2,070 valid cases out of 2,252 total cases.

Location: 409-410 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2196: 172C27 :DRIVE>200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	532	23.6 %
2	1-10 MI:(2)	210	9.3 %
3	11-50:(3)	522	23.2 %
4	51-100:(4)	407	18.1 %
5	101-200:(5)	268	11.9 %
6	> 200:(6)	139	6.2 %
	Missing Data		
-9	MISSING:(-9)	174	7.7 %
	Total	**2,252**	**100%**

Based upon 2,078 valid cases out of 2,252 total cases.

Location: 411-412 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2197: 172C28 :#X/12MO R TCKTD

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1732	76.9 %
1	ONCE:(1)	213	9.5 %
2	TWICE:(2)	65	2.9 %
3	3 TIMES:(3)	23	1.0 %
4	4+ TIMES:(4)	19	0.8 %
	Missing Data		
-9	MISSING:(-9)	200	8.9 %
	Total	**2,252**	**100%**

Based upon 2,052 valid cases out of 2,252 total cases.

Location: 413-414 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2198: 172C29A:#TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	312	13.9 %
1	ONE:(1)	5	0.2 %
2	TWO:(2)	0	0.0 %
3	THREE+:(3-4)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	1934	85.9 %
	Total	**2,252**	**100%**

Based upon 318 valid cases out of 2,252 total cases.

Location: 415-416 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2199: 172C29B:#TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	301	13.4 %
1	ONE:(1)	10	0.4 %
2	TWO:(2)	3	0.1 %
3	THREE+:(3-4)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	1936	86.0 %
	Total	**2,252**	**100%**

Based upon 316 valid cases out of 2,252 total cases.

Location: 417-418 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2200: 172C29C:#TCKTS AFT OTDG

Item Number: 00680

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	313	13.9 %
1	ONE:(1)	0	0.0 %
2	TWO:(2)	0	0.0 %
3	THREE+:(3-4)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	1938	86.1 %
	Total	**2,252**	**100%**

Based upon 314 valid cases out of 2,252 total cases.

Location: 419-420 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2201: 172C30 :#ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="One" 2="Two" 3="Three" 4="Four or more"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1736	77.1 %
1	ONCE:(1)	252	11.2 %
2	TWICE:(2)	42	1.9 %
3	3 TIMES:(3)	11	0.5 %
4	4+ TIMES:(4)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	210	9.3 %
	Total	**2,252**	**100%**

Based upon 2,042 valid cases out of 2,252 total cases.

Location: 421-422 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2202: 172C31A:#ACDTS AFT DRNK

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	305	13.5 %
1	ONE:(1)	3	0.1 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	1943	86.3 %
	Total	**2,252**	**100%**

Based upon 309 valid cases out of 2,252 total cases.

Location: 423-424 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2203: 172C31B:#ACDTS AFT MARJ

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	306	13.6 %
1	ONE:(1)	3	0.1 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	1942	86.2 %
	Total	**2,252**	**100%**

Based upon 310 valid cases out of 2,252 total cases.

Location: 425-426 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2204: 172C31C:#ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	304	13.5 %
1	ONE:(1)	1	0.0 %
2	TWO:(2)	0	0.0 %
3	THREE+:(3-4)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	1947	86.5 %
	Total	**2,252**	**100%**

Based upon 305 valid cases out of 2,252 total cases.

Location: 427-428 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2500: 172D01A:4WKS ALC@SCHOOL

Item Number: 25690

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

A: . . . Under the influence of alcohol while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days" 6="10 or more days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	2002	88.9 %

Value	Label	Unweighted Frequency	%
2	1 DAY:(2)	29	1.3 %
3	2 DAYS:(3)	19	0.8 %
4	3-5 DAYS:(4)	8	0.4 %
5	6-9 DAYS:(5)	3	0.1 %
6	10+ DAYS:(6)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	182	8.1 %
	Total	**2,252**	**100%**

Based upon 2,070 valid cases out of 2,252 total cases.

Location: 429-430 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2501: 172D01B:4WKS MJ/OTD@SCHL

Item Number: 25700

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

B: . . . Under the influence of marijuana or some other illegal drug while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days" 6="10 or more days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1866	82.9 %
2	1 DAY:(2)	75	3.3 %
3	2 DAYS:(3)	41	1.8 %
4	3-5 DAYS:(4)	35	1.6 %
5	6-9 DAYS:(5)	7	0.3 %
6	10+ DAYS:(6)	43	1.9 %
	Missing Data		
-9	MISSING:(-9)	185	8.2 %
	Total	**2,252**	**100%**

Based upon 2,067 valid cases out of 2,252 total cases.

Location: 431-432 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2502: 172D01C:4WKS TOBACCO@SCH

Item Number: 25710

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

C: . . . Smoking cigarettes or using chewing tobacco while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days" 6="10 or more days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1999	88.8 %
2	1 DAY:(2)	8	0.4 %
3	2 DAYS:(3)	12	0.5 %
4	3-5 DAYS:(4)	9	0.4 %
5	6-9 DAYS:(5)	4	0.2 %
6	10+ DAYS:(6)	31	1.4 %
	Missing Data		
-9	MISSING:(-9)	189	8.4 %
	Total	**2,252**	**100%**

Based upon 2,063 valid cases out of 2,252 total cases.

Location: 433-434 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2503: 172D01D:4WKS WEAPON@SCHL

Item Number: 25720

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

D: . . . Carrying a weapon such as a gun, knife, or club to school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days" 6="10 or more days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	2008	89.2 %
2	1 DAY:(2)	13	0.6 %

Value	Label	Unweighted Frequency	%
3	2 DAYS:(3)	6	0.3 %
4	3-5 DAYS:(4)	6	0.3 %
5	6-9 DAYS:(5)	3	0.1 %
6	10+ DAYS:(6)	26	1.2 %
	Missing Data		
-9	MISSING:(-9)	190	8.4 %
	Total	**2,252**	**100%**

Based upon 2,062 valid cases out of 2,252 total cases.

Location: 435-436 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2504: 172D02A:#X TCHR INTRUPT

Item Number: 25730

During an average school week, about how many times . . .

A: . . . Do your teachers interrupt the class to deal with student misbehavior or goofing off?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-5 times a week" 5="6-9 times a week" 6="10-19 times a week" 7="20 or more"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	516	22.9 %
2	< 1/WK:(2)	508	22.6 %
3	1-2X/WK:(3)	482	21.4 %
4	3-5X/WK:(4)	324	14.4 %
5	6-9X/WK:(5)	117	5.2 %
6	10-19X/W:(6)	51	2.3 %
7	20+:(7)	63	2.8 %
	Missing Data		
-9	MISSING:(-9)	191	8.5 %
	Total	**2,252**	**100%**

Based upon 2,061 valid cases out of 2,252 total cases.

Location: 437-438 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2505: 172D02B:#X MISBHVR INT U

Item Number: 25740

During an average school week, about how many times . . .

B: . . . Does misbehavior or goofing off by other students in your class interfere with your own learning?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-5 times a week" 5="6-9 times a week" 6="10-19 times a week" 7="20 or more"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	847	37.6 %
2	< 1/WK:(2)	426	18.9 %
3	1-2X/WK:(3)	373	16.6 %
4	3-5X/WK:(4)	215	9.5 %
5	6-9X/WK:(5)	86	3.8 %
6	10-19X/W:(6)	36	1.6 %
7	20+:(7)	69	3.1 %
	Missing Data		
-9	MISSING:(-9)	200	8.9 %
	Total	**2,252**	**100%**

Based upon 2,052 valid cases out of 2,252 total cases.

Location: 439-440 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2506: 172D02C:#X U UNEXCSD LAT

Item Number: 25750

During an average school week, about how many times . . .

C: . . . Do you come to class late (after class has begun) without an approved excuse?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-5 times a week" 5="6-9 times a week" 6="10-19 times a week" 7="20 or more"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1160	51.5 %

Value	Label	Unweighted Frequency	%
2	< 1/WK:(2)	459	20.4 %
3	1-2X/WK:(3)	226	10.0 %
4	3-5X/WK:(4)	133	5.9 %
5	6-9X/WK:(5)	28	1.2 %
6	10-19X/W:(6)	14	0.6 %
7	20+:(7)	26	1.2 %
	Missing Data		
-9	MISSING:(-9)	206	9.1 %
	Total	**2,252**	**100%**

Based upon 2,046 valid cases out of 2,252 total cases.

Location: 441-442 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2507: 172D03 :SCHL RULES FAIR

Item Number: 25760

Do you feel that the rules about student behavior in your school are generally fair and reasonable?

5="Yes" 4="Yes, mostly" 3="Don't know, can't say" 2="No, mostly" 1="No"

Value	Label	Unweighted Frequency	%
1	NO:(1)	211	9.4 %
2	NO MSTLY:(2)	296	13.1 %
3	DK:(3)	241	10.7 %
4	YES MSTL:(4)	889	39.5 %
5	YES:(5)	427	19.0 %
	Missing Data		
-9	MISSING:(-9)	188	8.3 %
	Total	**2,252**	**100%**

Based upon 2,064 valid cases out of 2,252 total cases.

Location: 443-444 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2311: 172D04 :CMP SATFD W/LIFE

Item Number: 06840

How satisfied are you with your life as a whole these days?

1="Completely dissatisfied" 2="Quite dissatisfied" 3="Somewhat dissatisfied" 4="Neither, or mixed feelings" 5="Somewhat satisfied" 6="Quite satisfied" 7="Completely satisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	96	4.3 %
2	QUITE:(2)	162	7.2 %
3	SOME DIS:(3)	183	8.1 %
4	NEITHER:(4)	302	13.4 %
5	SOME DIS:(5)	431	19.1 %
6	QUITE:(6)	652	29.0 %
7	COMPLETE:(7)	233	10.3 %
	Missing Data		
-9	MISSING:(-9)	193	8.6 %
	Total	**2,252**	**100%**

Based upon 2,059 valid cases out of 2,252 total cases.

Location: 445-446 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2312: 172D05A:HOW GD AS SPOUSE

Item Number: 06850

These next questions ask you to guess how well you might do in several different situations. How good do you think you would be . . .

A: . . . As a husband or wife?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	POOR:(1)	59	2.6 %
2	NOT GOOD:(2)	37	1.6 %
3	FAIR GOOD:(3)	172	7.6 %
4	GOOD:(4)	616	27.4 %
5	VRY GOOD:(5)	1062	47.2 %

Value	Label	Unweighted Frequency	%
8	DK:(8)	110	4.9 %
	Missing Data		
-9	MISSING:(-9)	196	8.7 %
	Total	**2,252**	**100%**

Based upon 2,056 valid cases out of 2,252 total cases.

Location: 447-448 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2313: 172D05B:HOW GD AS PARENT

Item Number: 06860

How good do you think you would be . . .

B: . . . As a parent?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	POOR:(1)	67	3.0 %
2	NOT GOOD:(2)	72	3.2 %
3	FAIR GOOD:(3)	213	9.5 %
4	GOOD:(4)	560	24.9 %
5	VRY GOOD:(5)	1005	44.6 %
8	DK:(8)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	335	14.9 %
	Total	**2,252**	**100%**

Based upon 1,917 valid cases out of 2,252 total cases.

Location: 449-450 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2314: 172D05C:HOW GD AS WORKER

Item Number: 06870

How good do you think you would be . . .

C: . . . As a worker on a job?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	POOR:(1)	32	1.4 %
2	NOT GOOD:(2)	12	0.5 %
3	FAIR GOOD:(3)	104	4.6 %
4	GOOD:(4)	554	24.6 %
5	VRY GOOD:(5)	1292	57.4 %
8	DK:(8)	53	2.4 %
	Missing Data		
-9	MISSING:(-9)	205	9.1 %
	Total	**2,252**	**100%**

Based upon 2,047 valid cases out of 2,252 total cases.

Location: 451-452 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2328: 172D06A:2MCH COMPTN SCTY

Item Number: 07010

How much do you agree or disagree with each of the following statements?

A: There is too much competition in this society

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	206	9.1 %
2	MOST DIS:(2)	206	9.1 %
3	NEITHER:(3)	446	19.8 %
4	MOST AGR:(4)	677	30.1 %
5	AGREE:(5)	483	21.4 %
	Missing Data		
-9	MISSING:(-9)	234	10.4 %
	Total	**2,252**	**100%**

Based upon 2,018 valid cases out of 2,252 total cases.

Location: 453-454 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2329: 172D06B:2MANY YNG SLOPPY

Item Number: 07020

How much do you agree or disagree with each of the following statements?

B: Too many young people are sloppy about their grooming and clothing, and just don't care how they look

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	228	10.1 %
2	MOST DIS:(2)	421	18.7 %
3	NEITHER:(3)	605	26.9 %
4	MOST AGR:(4)	503	22.3 %
5	AGREE:(5)	261	11.6 %
	Missing Data		
-9	MISSING:(-9)	234	10.4 %
	Total	**2,252**	**100%**

Based upon 2,018 valid cases out of 2,252 total cases.

Location: 455-456 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2331: 172D06C:SHD DO OWN THING

Item Number: 07040

How much do you agree or disagree with each of the following statements?

C: People should do their own thing, even if other people think it's strange

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	66	2.9 %
2	MOST DIS:(2)	51	2.3 %
3	NEITHER:(3)	275	12.2 %
4	MOST AGR:(4)	700	31.1 %
5	AGREE:(5)	922	40.9 %
	Missing Data		
-9	MISSING:(-9)	238	10.6 %
	Total	**2,252**	**100%**

Based upon 2,014 valid cases out of 2,252 total cases.

Location: 457-458 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2332: 172D06D:KICK DO DANGR TH

Item Number: 07050

How much do you agree or disagree with each of the following statements?

D: I get a real kick out of doing things that are a little dangerous

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	257	11.4 %
2	MOST DIS:(2)	290	12.9 %
3	NEITHER:(3)	613	27.2 %
4	MOST AGR:(4)	590	26.2 %
5	AGREE:(5)	262	11.6 %
	Missing Data		
-9	MISSING:(-9)	240	10.7 %
	Total	**2,252**	**100%**

Based upon 2,012 valid cases out of 2,252 total cases.

Location: 459-460 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2333: 172D06E:LIKE RISK SOME X

Item Number: 07060

How much do you agree or disagree with each of the following statements?

E: I like to test myself every now and then by doing something a little risky

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	262	11.6 %
2	MOST DIS:(2)	283	12.6 %
3	NEITHER:(3)	522	23.2 %
4	MOST AGR:(4)	647	28.7 %
5	AGREE:(5)	294	13.1 %
	Missing Data		
-9	MISSING:(-9)	244	10.8 %
	Total	**2,252**	**100%**

Based upon 2,008 valid cases out of 2,252 total cases.

Location: 461-462 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2433: 172D06F:POS ATT TWD SELF

Item Number: 12550

How much do you agree or disagree with each of the following statements?

F: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	160	7.1 %
2	MOST DIS:(2)	184	8.2 %
3	NEITHER:(3)	375	16.7 %
4	MOST AGR:(4)	736	32.7 %
5	AGREE:(5)	556	24.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	241	10.7 %
	Total	**2,252**	**100%**

Based upon 2,011 valid cases out of 2,252 total cases.

Location: 463-464 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2434: 172D06G:AM PRSN OF WORTH

Item Number: 12570

How much do you agree or disagree with each of the following statements?

G: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	119	5.3 %
2	MOST DIS:(2)	153	6.8 %
3	NEITHER:(3)	361	16.0 %
4	MOST AGR:(4)	683	30.3 %
5	AGREE:(5)	686	30.5 %
	Missing Data		
-9	MISSING:(-9)	250	11.1 %
	Total	**2,252**	**100%**

Based upon 2,002 valid cases out of 2,252 total cases.

Location: 465-466 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2435: 172D06H:DO WELL AS OTHRS

Item Number: 12580

How much do you agree or disagree with each of the following statements?

H: I am able to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	85	3.8 %
2	MOST DIS:(2)	82	3.6 %
3	NEITHER:(3)	330	14.7 %
4	MOST AGR:(4)	802	35.6 %
5	AGREE:(5)	706	31.3 %
	Missing Data		
-9	MISSING:(-9)	247	11.0 %
	Total	**2,252**	**100%**

Based upon 2,005 valid cases out of 2,252 total cases.

Location: 467-468 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2436: 172D06I:SATISFD W MYSELF

Item Number: 12620

How much do you agree or disagree with each of the following statements?

I: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	141	6.3 %
2	MOST DIS:(2)	176	7.8 %
3	NEITHER:(3)	346	15.4 %
4	MOST AGR:(4)	709	31.5 %
5	AGREE:(5)	635	28.2 %
	Missing Data		
-9	MISSING:(-9)	245	10.9 %
	Total	**2,252**	**100%**

Based upon 2,007 valid cases out of 2,252 total cases.

Location: 469-470 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2437: 172D06J:-MUCH TO B PROUD

Item Number: 12660

How much do you agree or disagree with each of the following statements?

J: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	614	27.3 %
2	MOST DIS:(2)	550	24.4 %
3	NEITHER:(3)	403	17.9 %
4	MOST AGR:(4)	277	12.3 %
5	AGREE:(5)	156	6.9 %
	Missing Data		
-9	MISSING:(-9)	252	11.2 %
	Total	**2,252**	**100%**

Based upon 2,000 valid cases out of 2,252 total cases.

Location: 471-472 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2438: 172D06K:I AM NO GOOD

Item Number: 12680

How much do you agree or disagree with each of the following statements?

K: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	596	26.5 %
2	MOST DIS:(2)	386	17.1 %

Value	Label	Unweighted Frequency	%
3	NEITHER:(3)	384	17.1 %
4	MOST AGR:(4)	375	16.7 %
5	AGREE:(5)	257	11.4 %
	Missing Data		
-9	MISSING:(-9)	254	11.3 %
	Total	**2,252**	**100%**

Based upon 1,998 valid cases out of 2,252 total cases.

Location: 473-474 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2439: 172D06L:I DO WRONG THING

Item Number: 12720

How much do you agree or disagree with each of the following statements?

L: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	700	31.1 %
2	MOST DIS:(2)	449	19.9 %
3	NEITHER:(3)	437	19.4 %
4	MOST AGR:(4)	239	10.6 %
5	AGREE:(5)	167	7.4 %
	Missing Data		
-9	MISSING:(-9)	260	11.5 %
	Total	**2,252**	**100%**

Based upon 1,992 valid cases out of 2,252 total cases.

Location: 475-476 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2440: 172D06M:MY LIFE NT USEFL

Item Number: 12750

How much do you agree or disagree with each of the following statements?

M: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	918	40.8 %
2	MOST DIS:(2)	362	16.1 %
3	NEITHER:(3)	379	16.8 %
4	MOST AGR:(4)	181	8.0 %
5	AGREE:(5)	153	6.8 %
	Missing Data		
-9	MISSING:(-9)	259	11.5 %
	Total	**2,252**	**100%**

Based upon 1,993 valid cases out of 2,252 total cases.

Location: 477-478 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2334: 172D07A:ALL FRD SMK CIGS

Item Number: 07070

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	884	39.3 %
2	A FEW:(2)	710	31.5 %
3	SOME:(3)	277	12.3 %
4	MOST:(4)	108	4.8 %
5	ALL:(5)	20	0.9 %
	Missing Data		
-9	MISSING:(-9)	253	11.2 %
	Total	**2,252**	**100%**

Based upon 1,999 valid cases out of 2,252 total cases.

Location: 479-480 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2335: 172D07B:ALL FRD SMK MARJ

Item Number: 07080

How many of your friends would you estimate . . .

B: . . . Smoke marijuana (pot, weed) or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	407	18.1 %
2	A FEW:(2)	571	25.4 %
3	SOME:(3)	502	22.3 %
4	MOST:(4)	426	18.9 %
5	ALL:(5)	92	4.1 %
	Missing Data		
-9	MISSING:(-9)	254	11.3 %
	Total	**2,252**	**100%**

Based upon 1,998 valid cases out of 2,252 total cases.

Location: 481-482 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2336: 172D07C:ALL FRD TAKE LSD

Item Number: 07090

How many of your friends would you estimate . . .

C: . . . Take LSD?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1537	68.3 %
2	A FEW:(2)	309	13.7 %
3	SOME:(3)	115	5.1 %
4	MOST:(4)	17	0.8 %

Value	Label	Unweighted Frequency	%
5	ALL:(5)	14	0.6 %
	Missing Data		
-9	MISSING:(-9)	260	11.5 %
	Total	**2,252**	**100%**

Based upon 1,992 valid cases out of 2,252 total cases.

Location: 483-484 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2337: 172D07D:ALL FRD TK PSYDL

Item Number: 07100

How many of your friends would you estimate . . .

D: . . . Take other hallucinogens (mescaline, peyote, "shrooms" or psilocybin, PCP, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1554	69.0 %
2	A FEW:(2)	320	14.2 %
3	SOME:(3)	95	4.2 %
4	MOST:(4)	15	0.7 %
5	ALL:(5)	11	0.5 %
	Missing Data		
-9	MISSING:(-9)	257	11.4 %
	Total	**2,252**	**100%**

Based upon 1,995 valid cases out of 2,252 total cases.

Location: 485-486 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2338: 172D07E:ALL FRD TK AMPH

Item Number: 07110

How many of your friends would you estimate . . .

E: . . . Take amphetamines (uppers, speed, Adderall,

Ritalin, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1516	67.3 %
2	A FEW:(2)	302	13.4 %
3	SOME:(3)	133	5.9 %
4	MOST:(4)	30	1.3 %
5	ALL:(5)	11	0.5 %
	Missing Data		
-9	MISSING:(-9)	260	11.5 %
	Total	**2,252**	**100%**

Based upon 1,992 valid cases out of 2,252 total cases.

Location: 487-488 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2523: 172D07F:ALL FRD TK SED/B

Item Number: 07135

How many of your friends would you estimate . . .

F: . . . Take sedatives/barbiturates (downers)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1714	76.1 %
2	A FEW:(2)	189	8.4 %
3	SOME:(3)	60	2.7 %
4	MOST:(4)	11	0.5 %
5	ALL:(5)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	266	11.8 %
	Total	**2,252**	**100%**

Based upon 1,986 valid cases out of 2,252 total cases.

Location: 489-490 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2341: 172D07G:ALL FRD TK TRNQL

Item Number: 07140

How many of your friends would you estimate . . .

G: . . . Take tranquilizers?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1750	77.7 %
2	A FEW:(2)	163	7.2 %
3	SOME:(3)	54	2.4 %
4	MOST:(4)	11	0.5 %
5	ALL:(5)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	262	11.6 %
	Total	**2,252**	**100%**

Based upon 1,990 valid cases out of 2,252 total cases.

Location: 491-492 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2342: 172D07H:ALL FRD TK COKE

Item Number: 07150

How many of your friends would you estimate . . .

H: . . . Take cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1611	71.5 %
2	A FEW:(2)	287	12.7 %
3	SOME:(3)	60	2.7 %
4	MOST:(4)	8	0.4 %
5	ALL:(5)	16	0.7 %
	Missing Data		
-9	MISSING:(-9)	270	12.0 %

Value	Label	Unweighted Frequency	%
	Total	**2,252**	**100%**

Based upon 1,982 valid cases out of 2,252 total cases.

Location: 493-494 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2343: 172D07I:ALL FRD TK HERON

Item Number: 07160

How many of your friends would you estimate . . .

I: . . . Take heroin?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1869	83.0 %
2	A FEW:(2)	73	3.2 %
3	SOME:(3)	18	0.8 %
4	MOST:(4)	6	0.3 %
5	ALL:(5)	14	0.6 %
	Missing Data		
-9	MISSING:(-9)	272	12.1 %
	Total	**2,252**	**100%**

Based upon 1,980 valid cases out of 2,252 total cases.

Location: 495-496 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2344: 172D07J:ALL FRD TK NARC

Item Number: 07170

How many of your friends would you estimate . . .

J: . . . Take other narcotics (codeine, Vicodin,
OxyContin, Percocet, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1599	71.0 %
2	A FEW:(2)	264	11.7 %
3	SOME:(3)	84	3.7 %
4	MOST:(4)	16	0.7 %
5	ALL:(5)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	274	12.2 %
	Total	**2,252**	**100%**

Based upon 1,978 valid cases out of 2,252 total cases.

Location: 497-498 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2345: 172D07K:ALL FRD TK INHL

Item Number: 07180

How many of your friends would you estimate . . .

K: . . . Use inhalants (sniff glue, aerosols, laughing gas, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1810	80.4 %
2	A FEW:(2)	113	5.0 %
3	SOME:(3)	29	1.3 %
4	MOST:(4)	5	0.2 %
5	ALL:(5)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	283	12.6 %
	Total	**2,252**	**100%**

Based upon 1,969 valid cases out of 2,252 total cases.

Location: 499-500 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2346: 172D07L:ALL FRD DRK ALCL

Item Number: 07190

How many of your friends would you estimate . . .

L: . . . Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	442	19.6 %
2	A FEW:(2)	310	13.8 %
3	SOME:(3)	376	16.7 %
4	MOST:(4)	552	24.5 %
5	ALL:(5)	298	13.2 %
	Missing Data		
-9	MISSING:(-9)	274	12.2 %
	Total	**2,252**	**100%**

Based upon 1,978 valid cases out of 2,252 total cases.

Location: 501-502 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2347: 172D07M:ALL FRD GT DRUNK

Item Number: 07200

How many of your friends would you estimate . . .

M: . . . Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	803	35.7 %
2	A FEW:(2)	547	24.3 %
3	SOME:(3)	341	15.1 %
4	MOST:(4)	207	9.2 %
5	ALL:(5)	81	3.6 %
	Missing Data		
-9	MISSING:(-9)	273	12.1 %
	Total	**2,252**	**100%**

Based upon 1,979 valid cases out of 2,252 total cases.

Location: 503-504 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2451: 172D07N:# FRNDS TK CRACK

Item Number: 07151

How many of your friends would you estimate . . .

N: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1809	80.3 %
2	A FEW:(2)	115	5.1 %
3	SOME:(3)	29	1.3 %
4	MOST:(4)	8	0.4 %
5	ALL:(5)	14	0.6 %
	Missing Data		
-9	MISSING:(-9)	277	12.3 %
	Total	**2,252**	**100%**

Based upon 1,975 valid cases out of 2,252 total cases.

Location: 505-506 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2452: 172E01A:RSK COK PWDR 1-2

Item Number: 12501

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

A: . . . Try cocaine in powder form once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	181	8.0 %
2	SLIGHT:(2)	346	15.4 %

Value	Label	Unweighted Frequency	%
3	MOD RISK:(3)	447	19.8 %
4	GRT RISK:(4)	889	39.5 %
5	CANT SAY:(5)	93	4.1 %
	Missing Data		
-9	MISSING:(-9)	296	13.1 %
	Total	**2,252**	**100%**

Based upon 1,956 valid cases out of 2,252 total cases.

Location: 507-508 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2453: 172E01B:RSK COK PWDR OCC

Item Number: 12502

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

B: . . . Take cocaine powder occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	146	6.5 %
2	SLIGHT:(2)	86	3.8 %
3	MOD RISK:(3)	458	20.3 %
4	GRT RISK:(4)	1169	51.9 %
5	CANT SAY:(5)	95	4.2 %
	Missing Data		
-9	MISSING:(-9)	298	13.2 %
	Total	**2,252**	**100%**

Based upon 1,954 valid cases out of 2,252 total cases.

Location: 509-510 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2454: 172E01C:RSK COK PWDR REG

Item Number: 12503

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Take cocaine powder regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	144	6.4 %
2	SLIGHT:(2)	33	1.5 %
3	MOD RISK:(3)	126	5.6 %
4	GRT RISK:(4)	1556	69.1 %
5	CANT SAY:(5)	92	4.1 %
	Missing Data		
-9	MISSING:(-9)	301	13.4 %
	Total	**2,252**	**100%**

Based upon 1,951 valid cases out of 2,252 total cases.

Location: 511-512 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2455: 172E01D:RSK CRACK 1-2X

Item Number: 12504

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

D: . . . Try "crack" cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	158	7.0 %
2	SLIGHT:(2)	264	11.7 %
3	MOD RISK:(3)	418	18.6 %
4	GRT RISK:(4)	1005	44.6 %
5	CANT SAY:(5)	110	4.9 %
	Missing Data		
-9	MISSING:(-9)	297	13.2 %
	Total	**2,252**	**100%**

Based upon 1,955 valid cases out of 2,252 total cases.

Location: 513-514 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2456: 172E01E:RSK CRACK OCC

Item Number: 12505

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

E: . . . Take "crack" cocaine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	135	6.0 %
2	SLIGHT:(2)	53	2.4 %
3	MOD RISK:(3)	365	16.2 %
4	GRT RISK:(4)	1286	57.1 %
5	CANT SAY:(5)	107	4.8 %
	Missing Data		
-9	MISSING:(-9)	306	13.6 %
	Total	**2,252**	**100%**

Based upon 1,946 valid cases out of 2,252 total cases.

Location: 515-516 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2457: 172E01F:RSK CRACK REG

Item Number: 12506

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

F: . . . Take "crack" cocaine regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	134	6.0 %
2	SLIGHT:(2)	26	1.2 %
3	MOD RISK:(3)	100	4.4 %
4	GRT RISK:(4)	1584	70.3 %
5	CANT SAY:(5)	105	4.7 %
	Missing Data		
-9	MISSING:(-9)	303	13.5 %
	Total	**2,252**	**100%**

Based upon 1,949 valid cases out of 2,252 total cases.

Location: 517-518 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2534: 172E01G:RSK NARC 1-2X

Item number: 32600

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

G: . . . Try any narcotic other than heroin (codeine,
Vicodin, OxyContin, Percocet, etc.) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	183	8.1 %
2	SLIGHT:(2)	339	15.1 %
3	MOD RISK:(3)	457	20.3 %
4	GRT RISK:(4)	813	36.1 %
5	CANT SAY:(5)	155	6.9 %
	Missing Data		
-9	MISSING:(-9)	305	13.5 %
	Total	**2,252**	**100%**

Based upon 1,947 valid cases out of 2,252 total cases.

Location: 519-520 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2535: 172E01H:RSK NARC OCCAS

Item number: 32610

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

H: . . . Take any narcotic other than heroin occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	143	6.3 %
2	SLIGHT:(2)	122	5.4 %
3	MOD RISK:(3)	456	20.2 %
4	GRT RISK:(4)	1083	48.1 %
5	CANT SAY:(5)	146	6.5 %
	Missing Data		
-9	MISSING:(-9)	302	13.4 %
	Total	**2,252**	**100%**

Based upon 1,950 valid cases out of 2,252 total cases.

Location: 521-522 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2536: 172E01I:RSK NARC REGLY

Item number: 32620

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

I: . . . Take any narcotic other than heroin regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	134	6.0 %
2	SLIGHT:(2)	47	2.1 %
3	MOD RISK:(3)	206	9.1 %
4	GRT RISK:(4)	1416	62.9 %
5	CANT SAY:(5)	142	6.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	307	13.6 %
	Total	**2,252**	**100%**

Based upon 1,945 valid cases out of 2,252 total cases.

Location: 523-524 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2537: 172E01J:RSK ADDERALL 1-2X

Item number: 32630

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

J: . . . Try Adderall once or twice without a doctor's orders?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	340	15.1 %
2	SLIGHT:(2)	476	21.1 %
3	MOD RISK:(3)	340	15.1 %
4	GRT RISK:(4)	607	27.0 %
5	CANT SAY:(5)	182	8.1 %
	Missing Data		
-9	MISSING:(-9)	307	13.6 %
	Total	**2,252**	**100%**

Based upon 1,945 valid cases out of 2,252 total cases.

Location: 525-526 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2538: 172E01K:RSK ADDERALL OCC

Item number: 32640

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

K: . . . Take Adderall occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	212	9.4 %
2	SLIGHT:(2)	307	13.6 %
3	MOD RISK:(3)	469	20.8 %
4	GRT RISK:(4)	768	34.1 %
5	CANT SAY:(5)	183	8.1 %
	Missing Data		
-9	MISSING:(-9)	313	13.9 %
	Total	**2,252**	**100%**

Based upon 1,939 valid cases out of 2,252 total cases.

Location: 527-528 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2458: 172E01L:RSK PCP 1-2X

Item Number: 12415

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

L: . . . Try PCP once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	144	6.4 %
2	SLIGHT:(2)	145	6.4 %
3	MOD RISK:(3)	276	12.3 %
4	GRT RISK:(4)	1052	46.7 %
5	CANT SAY:(5)	326	14.5 %
	Missing Data		
-9	MISSING:(-9)	309	13.7 %
	Total	**2,252**	**100%**

Based upon 1,943 valid cases out of 2,252 total cases.

Location: 529-530 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2476: 172E01M:RSK ICE 1-2X

Item Number: 24420

How much do you think people risk harming themselves (physically or in other ways), if they . . .

M: . . . Try crystal meth ("ice")?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	140	6.2 %
2	SLIGHT:(2)	94	4.2 %
3	MOD RISK:(3)	211	9.4 %
4	GRT RISK:(4)	1342	59.6 %
5	CANT SAY:(5)	150	6.7 %
	Missing Data		
-9	MISSING:(-9)	315	14.0 %
	Total	**2,252**	**100%**

Based upon 1,937 valid cases out of 2,252 total cases.

Location: 531-532 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2459: 172E02A:#X CRACK/LIFETIM

Item Number: 22260

On how many occasions (if any) have you used "crack" cocaine . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1935	85.9 %
2	1-2X:(2)	8	0.4 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	4	0.2 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	293	13.0 %
	Total	**2,252**	**100%**

Based upon 1,959 valid cases out of 2,252 total cases.

Location: 533-534 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2460: 172E02B:#X CRACK/LAST12M

Item Number: 22270

On how many occasions (if any) have you used "crack" cocaine . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1941	86.2 %
2	1-2X:(2)	7	0.3 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	292	13.0 %
	Total	**2,252**	**100%**

Based upon 1,960 valid cases out of 2,252 total cases.

Location: 535-536 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2461: 172E02C:#X CRACK/LAST30D

Item Number: 22280

On how many occasions (if any) have you used "crack" cocaine . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1949	86.5 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	291	12.9 %
	Total	**2,252**	**100%**

Based upon 1,961 valid cases out of 2,252 total cases.

Location: 537-538 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2493: 172E03A:#X STRD/LIFETIME

Item Number: 22690

Anabolic steroids are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1919	85.2 %
2	1-2X:(2)	13	0.6 %
3	3-5X:(3)	8	0.4 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	302	13.4 %
	Total	**2,252**	**100%**

Based upon 1,950 valid cases out of 2,252 total cases.

Location: 539-540 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2494: 172E03B:#X STRD/LAST12MO

Item Number: 22700

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1933	85.8 %
2	1-2X:(2)	9	0.4 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	299	13.3 %
	Total	**2,252**	**100%**

Based upon 1,953 valid cases out of 2,252 total cases.

Location: 541-542 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2495: 172E03C:#X STRD/LAST30DA

Item Number: 22710

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1941	86.2 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	299	13.3 %
	Total	**2,252**	**100%**

Based upon 1,953 valid cases out of 2,252 total cases.

Location: 543-544 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2496: 172E04A:MTHD STRD-INJECT

Item Number: 23790

What methods have you used for taking steroids on your own? (Mark all that apply.)

A. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	28	1.2 %
1	MARKED:(1)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2218	98.5 %
	Total	**2,252**	**100%**

Based upon 34 valid cases out of 2,252 total cases.

Location: 545-546 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2497: 172E04B:MTHD STRD-MOUTH

Item Number: 23800

What methods have you used for taking steroids on your own?
(Mark all that apply.)

B. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	19	0.8 %
1	MARKED:(1)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	2218	98.5 %
	Total	**2,252**	**100%**

Based upon 34 valid cases out of 2,252 total cases.

Location: 547-548 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2516: 172E04C:HVNT USED STRDS

Item Number: 30940

What methods have you used for taking steroids on your own?

C. Haven't used steroids

0="UNMARKED" 1="MARKED [Includes respondents who reported nonuse on preceding prevalence question]"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	19	0.8 %
1	MARKED:(1)	1934	85.9 %
	Missing Data		
-9	MISSING:(-9)	299	13.3 %
	Total	**2,252**	**100%**

Based upon 1,953 valid cases out of 2,252 total cases.

Location: 549-550 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2547: 172E05A:#X LRG CIGAR/30DAY

Item Number: 33720

During the LAST 30 DAYS, on how many occasions (if any) have you smoked large cigars?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days"
5="10-19 days" 6="20-30 days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1835	81.5 %
2	1-2 DAYS:(2)	88	3.9 %
3	3-5 DAYS:(3)	13	0.6 %
4	6-9 DAYS:(4)	8	0.4 %
5	10-19 DAYS:(5)	5	0.2 %
6	20-30 DAYS:(6)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	298	13.2 %
	Total	**2,252**	**100%**

Based upon 1,954 valid cases out of 2,252 total cases.

Location: 551-552 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2548: 172E05B:#X FLVD SML CIGAR/30DAY

Item Number: 33730

During the LAST 30 DAYS, on how many occasions (if any) have you smoked flavored little cigars or cigarillos?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days"
5="10-19 days" 6="20-30 days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1764	78.3 %
2	1-2 DAYS:(2)	121	5.4 %
3	3-5 DAYS:(3)	33	1.5 %
4	6-9 DAYS:(4)	14	0.6 %
5	10-19 DAYS:(5)	8	0.4 %
6	20-30 DAYS:(6)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	302	13.4 %
	Total	**2,252**	**100%**

Based upon 1,950 valid cases out of 2,252 total cases.

Location: 553-554 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2549: 172E05C:#X REG SML CIGAR/30DAY

Item Number: 33740

During the LAST 30 DAYS, on how many occasions (if any) have you smoked regular little cigars or cigarillos?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days"
5="10-19 days" 6="20-30 days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1823	81.0 %
2	1-2 DAYS:(2)	76	3.4 %
3	3-5 DAYS:(3)	22	1.0 %
4	6-9 DAYS:(4)	10	0.4 %
5	10-19 DAYS:(5)	7	0.3 %
6	20-30 DAYS:(6)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	306	13.6 %

Value	Label	Unweighted Frequency	%
	Total	**2,252**	**100%**

Based upon 1,946 valid cases out of 2,252 total cases.

Location: 555-556 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2564: 172E05D:#X TOB HOOKAH/30DAY

Item Number: 34050

During the LAST 30 DAYS, on how many occasions (if any) have you smoked tobacco using a hookah (water pipe)?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1855	82.4 %
2	1-2 DAYS:(2)	58	2.6 %
3	3-5 DAYS:(3)	18	0.8 %
4	6-9 DAYS:(4)	5	0.2 %
5	10-19 DAYS:(5)	4	0.2 %
6	20-30 DAYS:(6)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	303	13.5 %
	Total	**2,252**	**100%**

Based upon 1,949 valid cases out of 2,252 total cases.

Location: 557-558 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2576: 172E05E:# DAYS SMKLESS TOB/30DAY

Item Number: 34390

During the LAST 30 DAYS, on how many occasions (if any) have you used smokeless tobacco?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days"
5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1858	82.5 %
2	1-2 DAYS:(2)	24	1.1 %
3	3-5 DAYS:(3)	10	0.4 %
4	6-9 DAYS:(4)	10	0.4 %
5	10-19 DAYS:(5)	3	0.1 %
6	20-30 DAYS:(6)	29	1.3 %
	Missing Data		
-9	MISSING:(-9)	318	14.1 %
	Total	**2,252**	**100%**

Based upon 1,934 valid cases out of 2,252 total cases.

Location: 559-560 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2550: 172E05F:#X SYNTH MJ/30DAY

Item Number: 33750

During the LAST 30 DAYS, on how many occasions (if any) have you taken "synthetic marijuana" ("K2," "Spice") to get high?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days"
5="10-19 days" 6="20-30 days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1900	84.4 %
2	1-2 DAYS:(2)	20	0.9 %
3	3-5 DAYS:(3)	6	0.3 %
4	6-9 DAYS:(4)	1	0.0 %
5	10-19 DAYS:(5)	3	0.1 %
6	20-30 DAYS:(6)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	316	14.0 %
	Total	**2,252**	**100%**

Based upon 1,936 valid cases out of 2,252 total cases.

Location: 561-562 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2462: 172E06A:GR 1ST TRY CRACK

Item Number: 05661

When (if ever) did you FIRST do each of the following things?

A: Try "crack" cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	0	0.0 %
2	GRADE 7:(2)	3	0.1 %
3	GRADE 8:(3)	0	0.0 %
4	GRADE 9:(4)	2	0.1 %
5	GRADE 10:(5)	1	0.0 %
6	GRADE 11:(6)	6	0.3 %
7	GRADE 12:(7)	4	0.2 %
8	NEVER:(8)	1880	83.5 %
	Missing Data		
-9	MISSING:(-9)	356	15.8 %
	Total	**2,252**	**100%**

Based upon 1,896 valid cases out of 2,252 total cases.

Location: 563-564 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2463: 172E06B:GR 1ST TR OT COK

Item Number: 05662

When (if ever) did you FIRST do each of the following things?

B: Try any other form of cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	1	0.0 %
2	GRADE 7:(2)	1	0.0 %
3	GRADE 8:(3)	6	0.3 %

Value	Label	Unweighted Frequency	%
4	GRADE 9:(4)	2	0.1 %
5	GRADE 10:(5)	7	0.3 %
6	GRADE 11:(6)	16	0.7 %
7	GRADE 12:(7)	17	0.8 %
8	NEVER:(8)	1840	81.7 %
	Missing Data		
-9	MISSING:(-9)	362	16.1 %
	Total	**2,252**	**100%**

Based upon 1,890 valid cases out of 2,252 total cases.

Location: 565-566 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2477: 172E06C:GR 1ST TRY ICE

Item Number: 24430

When (if ever) did you FIRST do each of the following things?

C: Try crystal meth ("ice")

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	1	0.0 %
2	GRADE 7:(2)	0	0.0 %
3	GRADE 8:(3)	1	0.0 %
4	GRADE 9:(4)	2	0.1 %
5	GRADE 10:(5)	1	0.0 %
6	GRADE 11:(6)	1	0.0 %
7	GRADE 12:(7)	0	0.0 %
8	NEVER:(8)	1889	83.9 %
	Missing Data		
-9	MISSING:(-9)	357	15.9 %
	Total	**2,252**	**100%**

Based upon 1,895 valid cases out of 2,252 total cases.

Location: 567-568 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2498: 172E06D:GR 1ST TRY STRDS

Item Number: 23810

When (if ever) did you FIRST do each of the following things?

D: Try steroids (anabolic steroids)

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	1	0.0 %
2	GRADE 7:(2)	0	0.0 %
3	GRADE 8:(3)	0	0.0 %
4	GRADE 9:(4)	3	0.1 %
5	GRADE 10:(5)	2	0.1 %
6	GRADE 11:(6)	3	0.1 %
7	GRADE 12:(7)	2	0.1 %
8	NEVER:(8)	1826	81.1 %
	Missing Data		
-9	MISSING:(-9)	415	18.4 %
	Total	**2,252**	**100%**

Based upon 1,837 valid cases out of 2,252 total cases.

Location: 569-570 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2464: 172E07A:EASY GT CRACK

Item Number: 06811

How difficult do you think it would be for you to get each of the following, if you wanted some?

A: "Crack" cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	674	29.9 %

Value	Label	Unweighted Frequency	%
2	VRY DIFF:(2)	459	20.4 %
3	FRLY DIF:(3)	433	19.2 %
4	FRLY EAS:(4)	235	10.4 %
5	VRY EASY:(5)	117	5.2 %
	Missing Data		
-9	MISSING:(-9)	334	14.8 %
	Total	**2,252**	**100%**

Based upon 1,918 valid cases out of 2,252 total cases.

Location: 571-572 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2465: 172E07B:EASY GT COK PWDR

Item Number: 06812

How difficult do you think it would be for you to get each of the following, if you wanted some?

B: Cocaine powder

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	655	29.1 %
2	VRY DIFF:(2)	434	19.3 %
3	FRLY DIF:(3)	406	18.0 %
4	FRLY EAS:(4)	283	12.6 %
5	VRY EASY:(5)	139	6.2 %
	Missing Data		
-9	MISSING:(-9)	335	14.9 %
	Total	**2,252**	**100%**

Based upon 1,917 valid cases out of 2,252 total cases.

Location: 573-574 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2466: 172E07C:EASY GT PCP

Item Number: 06771

How difficult do you think it would be for you to get each of the following, if you wanted some?

C: PCP

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	782	34.7 %
2	VRY DIFF:(2)	530	23.5 %
3	FRLY DIF:(3)	379	16.8 %
4	FRLY EAS:(4)	140	6.2 %
5	VRY EASY:(5)	71	3.2 %
	Missing Data		
-9	MISSING:(-9)	350	15.5 %
	Total	**2,252**	**100%**

Based upon 1,902 valid cases out of 2,252 total cases.

Location: 575-576 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2478: 172E07D:EASY GT ICE

Item Number: 24410

How difficult do you think it would be for you to get each of the following, if you wanted some?

D: Crystal meth ("ice")

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	818	36.3 %
2	VRY DIFF:(2)	507	22.5 %
3	FRLY DIF:(3)	340	15.1 %
4	FRLY EAS:(4)	159	7.1 %
5	VRY EASY:(5)	91	4.0 %
8	CANT SAY:(8)	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	337	15.0 %
	Total	**2,252**	**100%**

Based upon 1,915 valid cases out of 2,252 total cases.

Location: 577-578 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2499: 172E07E:EASY GT STEROIDS

Item Number: 23060

How difficult do you think it would be for you to get each of the following, if you wanted some?

E: Steroids (anabolic steroids)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	701	31.1 %
2	VRY DIFF:(2)	439	19.5 %
3	FRLY DIF:(3)	379	16.8 %
4	FRLY EAS:(4)	250	11.1 %
5	VRY EASY:(5)	140	6.2 %
8	CANT SAY:(8)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	343	15.2 %
	Total	**2,252**	**100%**

Based upon 1,909 valid cases out of 2,252 total cases.

Location: 579-580 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2479: 172E08A:DAP SMK 1PCK CIG

Item Number: 08560

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people

(who are 18 or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	358	15.9 %
2	DISAPPRV:(2)	757	33.6 %
3	STRG DIS:(3)	802	35.6 %
	Missing Data		
-9	MISSING:(-9)	335	14.9 %
	Total	**2,252**	**100%**

Based upon 1,917 valid cases out of 2,252 total cases.

Location: 581-582 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2480: 172E08B:DAP TRY MRJ 1-2T

Item Number: 08570

Do YOU disapprove of people (who are 18 or older) doing each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1232	54.7 %
2	DISAPPRV:(2)	412	18.3 %
3	STRG DIS:(3)	266	11.8 %
	Missing Data		
-9	MISSING:(-9)	342	15.2 %
	Total	**2,252**	**100%**

Based upon 1,910 valid cases out of 2,252 total cases.

Location: 583-584 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2481: 172E08C:DAP SMK MRJ OCCS

Item Number: 08580

Do YOU disapprove of people (who are 18 or older) doing each of the following?

C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1068	47.4 %
2	DISAPPRV:(2)	492	21.8 %
3	STRG DIS:(3)	344	15.3 %
	Missing Data		
-9	MISSING:(-9)	348	15.5 %
	Total	**2,252**	**100%**

Based upon 1,904 valid cases out of 2,252 total cases.

Location: 585-586 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2482: 172E08D:DAP SMK MRJ REGL

Item Number: 08590

Do YOU disapprove of people (who are 18 or older) doing each of the following?

D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	721	32.0 %
2	DISAPPRV:(2)	665	29.5 %
3	STRG DIS:(3)	527	23.4 %
	Missing Data		
-9	MISSING:(-9)	339	15.1 %
	Total	**2,252**	**100%**

Based upon 1,913 valid cases out of 2,252 total cases.

Location: 587-588 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2483: 172E08E:DAP COK PWD 1-2T

Item Number: 23630

Do YOU disapprove of people (who are 18 or older) doing each of the following?

E: Trying cocaine in powder form once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	290	12.9 %
2	DISAPPRV:(2)	586	26.0 %
3	STRG DIS:(3)	1024	45.5 %
	Missing Data		
-9	MISSING:(-9)	352	15.6 %
	Total	**2,252**	**100%**

Based upon 1,900 valid cases out of 2,252 total cases.

Location: 589-590 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2484: 172E08F:DAP COK PWDR OCC

Item Number: 23640

Do YOU disapprove of people (who are 18 or older) doing each of the following?

F: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	187	8.3 %
2	DISAPPRV:(2)	483	21.4 %
3	STRG DIS:(3)	1220	54.2 %
	Missing Data		
-9	MISSING:(-9)	362	16.1 %
	Total	**2,252**	**100%**

Based upon 1,890 valid cases out of 2,252 total cases.

Location: 591-592 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2485: 172E08G:DAP COK PWDR REG

Item Number: 23650

Do YOU disapprove of people (who are 18 or older) doing each of the following?

G: Taking cocaine powder regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	151	6.7 %
2	DISAPPRV:(2)	395	17.5 %
3	STRG DIS:(3)	1354	60.1 %
	Missing Data		
-9	MISSING:(-9)	352	15.6 %
	Total	**2,252**	**100%**

Based upon 1,900 valid cases out of 2,252 total cases.

Location: 593-594 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2486: 172E08H:DAP TRY CRK 1-2T

Item Number: 23660

Do YOU disapprove of people (who are 18 or older) doing each of the following?

H: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	207	9.2 %
2	DISAPPRV:(2)	495	22.0 %
3	STRG DIS:(3)	1190	52.8 %
	Missing Data		
-9	MISSING:(-9)	360	16.0 %

Value	Label	Unweighted Frequency	%
	Total	**2,252**	**100%**

Based upon 1,892 valid cases out of 2,252 total cases.

Location: 595-596 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2487: 172E08I:DAP CRACK OCC

Item Number: 23670

Do YOU disapprove of people (who are 18 or older) doing each of the following?

I: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	157	7.0 %
2	DISAPPRV:(2)	411	18.3 %
3	STRG DIS:(3)	1334	59.2 %
	Missing Data		
-9	MISSING:(-9)	350	15.5 %
	Total	**2,252**	**100%**

Based upon 1,902 valid cases out of 2,252 total cases.

Location: 597-598 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2488: 172E08J:DAP CRACK REG

Item Number: 23680

Do YOU disapprove of people (who are 18 or older) doing each of the following?

J: Taking "crack" cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	143	6.3 %

Value	Label	Unweighted Frequency	%
2	DISAPPRV:(2)	349	15.5 %
3	STRG DIS:(3)	1403	62.3 %
	Missing Data		
-9	MISSING:(-9)	357	15.9 %
	Total	**2,252**	**100%**

Based upon 1,895 valid cases out of 2,252 total cases.

Location: 599-600 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2489: 172E08K:DAP TRY DRK ALCL

Item Number: 08710

Do YOU disapprove of people (who are 18 or older) doing each of the following?

K: Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1316	58.4 %
2	DISAPPRV:(2)	305	13.5 %
3	STRG DIS:(3)	278	12.3 %
	Missing Data		
-9	MISSING:(-9)	353	15.7 %
	Total	**2,252**	**100%**

Based upon 1,899 valid cases out of 2,252 total cases.

Location: 601-602 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2490: 172E08L:DAP 1-2 DRK/DAY

Item Number: 08720

Do YOU disapprove of people (who are 18 or older) doing each of the following?

L: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	556	24.7 %
2	DISAPPRV:(2)	799	35.5 %
3	STRG DIS:(3)	543	24.1 %
	Missing Data		
-9	MISSING:(-9)	354	15.7 %
	Total	**2,252**	**100%**

Based upon 1,898 valid cases out of 2,252 total cases.

Location: 603-604 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2491: 172E08M:DAP 4-5 DRK/DAY

Item Number: 08730

Do YOU disapprove of people (who are 18 or older) doing each of the following?

M: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	223	9.9 %
2	DISAPPRV:(2)	582	25.8 %
3	STRG DIS:(3)	1094	48.6 %
	Missing Data		
-9	MISSING:(-9)	353	15.7 %
	Total	**2,252**	**100%**

Based upon 1,899 valid cases out of 2,252 total cases.

Location: 605-606 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2492: 172E08N:DAP 5+ DRK WKNDS

Item Number: 08740

Do YOU disapprove of people (who are 18 or older) doing each of the following?

N: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	540	24.0 %
2	DISAPPRV:(2)	552	24.5 %
3	STRG DIS:(3)	798	35.4 %
	Missing Data		
-9	MISSING:(-9)	362	16.1 %
	Total	**2,252**	**100%**

Based upon 1,890 valid cases out of 2,252 total cases.

Location: 607-608 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2428: 172E09A:FAVOR MLTY DRAFT

Item Number: 21060

The next two questions are about military service. Do you favor or oppose a military draft at the present time?

5="Strongly favor" 4="Mostly favor" 3="No opinion, or mixed"
2="Mostly oppose" 1="Strongly oppose"

Value	Label	Unweighted Frequency	%
1	STRG OPPOS:(1)	495	22.0 %
2	MST OPPOS:(2)	359	15.9 %
3	NO OP/MXD:(3)	808	35.9 %
4	MOST FAVR:(4)	151	6.7 %
5	STRG FAVR:(5)	102	4.5 %
	Missing Data		
-9	MISSING:(-9)	337	15.0 %
	Total	**2,252**	**100%**

Based upon 1,915 valid cases out of 2,252 total cases.

Location: 609-610 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2429: 172E09B:DRAFT INCL WOMEN

Item Number: 21070

Do you think any military draft in the U.S. should include women as well as men?

3="Yes" 2="Uncertain" 1="No"

Value	Label	Unweighted Frequency	%
1	NO:(1)	426	18.9 %
2	UNCERTN:(2)	556	24.7 %
3	YES:(3)	1017	45.2 %
	Missing Data		
-9	MISSING:(-9)	253	11.2 %
	Total	**2,252**	**100%**

Based upon 1,999 valid cases out of 2,252 total cases.

Location: 611-612 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2371: 172E10 :R LIKES SCHOOL

Item Number: 07630

The next questions are about your experiences at school. Some people like school very much. Others don't. How do you feel about going to school?

5="I like school very much" 4="I like school quite a lot"
3="I like school some" 2="I don't like school very much"
1="I don't like school at all"

Value	Label	Unweighted Frequency	%
1	DONT LIKE@A:(1)	221	9.8 %
2	DONT LIKE VM:(2)	372	16.5 %
3	LIKE SOME:(3)	829	36.8 %
4	LIKE QUITEBIT:(4)	360	16.0 %
5	LIKE VRYMCH:(5)	224	9.9 %
	Missing Data		
-9	MISSING:(-9)	246	10.9 %
	Total	**2,252**	**100%**

Based upon 2,006 valid cases out of 2,252 total cases.

Location: 613-614 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2372: 172E11 :HRS/WK SPND HMWK

Item Number: 07640

About how many hours do you spend in an average week on all of your homework including both in school and out of school?

1="0 hours" 2="1-4 hours" 3="5-9 hours" 4="10-14 hours" 5="15-19 hours" 6="20-24 hours" 7="25 or more hours"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	223	9.9 %
2	1-4 HRS:(2)	833	37.0 %
3	5-9 HRS:(3)	434	19.3 %
4	10-14HRS:(4)	224	9.9 %
5	15-19HRS:(5)	109	4.8 %
6	20-24HRS:(6)	90	4.0 %
7	25+ HRS:(7)	85	3.8 %
	Missing Data		
-9	MISSING:(-9)	254	11.3 %
	Total	**2,252**	**100%**

Based upon 1,998 valid cases out of 2,252 total cases.

Location: 615-616 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2445: 172E12A:SCH ACTV-PBLCTNS

Item Number: 22170

To what extent have you participated in the following school activities during this school year?

A: School newspaper or yearbook

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1556	69.1 %
2	SLIGHT:(2)	179	7.9 %
3	MODERATE:(3)	80	3.6 %
4	CONSDRBL:(4)	38	1.7 %
5	GRT EXT:(5)	107	4.8 %
	Missing Data		
-9	MISSING:(-9)	292	13.0 %
	Total	**2,252**	**100%**

Based upon 1,960 valid cases out of 2,252 total cases.

Location: 617-618 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2446: 172E12B:SCH ACTV-PRF ART

Item Number: 22180

To what extent have you participated in the following school activities during this school year?

B: Music or other performing arts

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1271	56.4 %
2	SLIGHT:(2)	139	6.2 %
3	MODERATE:(3)	114	5.1 %
4	CONSDRBL:(4)	88	3.9 %
5	GRT EXT:(5)	351	15.6 %
	Missing Data		
-9	MISSING:(-9)	289	12.8 %
	Total	**2,252**	**100%**

Based upon 1,963 valid cases out of 2,252 total cases.

Location: 619-620 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2447: 172E12C:SCH ACTV-ATHLTCS

Item Number: 22190

To what extent have you participated in the following school activities during this school year?

C: Athletic teams

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	892	39.6 %
2	SLIGHT:(2)	120	5.3 %
3	MODERATE:(3)	192	8.5 %
4	CONSDRBL:(4)	163	7.2 %
5	GRT EXT:(5)	605	26.9 %
	Missing Data		
-9	MISSING:(-9)	280	12.4 %
	Total	**2,252**	**100%**

Based upon 1,972 valid cases out of 2,252 total cases.

Location: 621-622 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2448: 172E12D:SCH ACTV-OTH ACT

Item Number: 22200

To what extent have you participated in the following school activities during this school year?

D: Other school clubs or activities

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	728	32.3 %
2	SLIGHT:(2)	235	10.4 %
3	MODERATE:(3)	315	14.0 %
4	CONSDRBL:(4)	226	10.0 %
5	GRT EXT:(5)	458	20.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	290	12.9 %
	Total	**2,252**	**100%**

Based upon 1,962 valid cases out of 2,252 total cases.

Location: 623-624 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2373: 172E13A:PRCL INFL SCL RN

Item Number: 07650

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

A: The principal

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

Value	Label	Unweighted Frequency	%
1	LITTLE/NO:(1)	354	15.7 %
2	SOME:(2)	260	11.5 %
3	MODERATE:(3)	338	15.0 %
4	CONSDRBL:(4)	448	19.9 %
5	GREAT:(5)	566	25.1 %
	Missing Data		
-9	MISSING:(-9)	286	12.7 %
	Total	**2,252**	**100%**

Based upon 1,966 valid cases out of 2,252 total cases.

Location: 625-626 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2374: 172E13B:TCHR INFL SCL RN

Item Number: 07660

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

B: The teachers

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

Value	Label	Unweighted Frequency	%
1	LITTLE/NO:(1)	262	11.6 %
2	SOME:(2)	336	14.9 %
3	MODERATE:(3)	593	26.3 %
4	CONSDRBL:(4)	474	21.0 %
5	GREAT:(5)	306	13.6 %
	Missing Data		
-9	MISSING:(-9)	281	12.5 %
	Total	**2,252**	**100%**

Based upon 1,971 valid cases out of 2,252 total cases.

Location: 627-628 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2375: 172E13C:STDS INFL SCL RN

Item Number: 07670

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

C: The students

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

Value	Label	Unweighted Frequency	%
1	LITTLE/NO:(1)	578	25.7 %
2	SOME:(2)	377	16.7 %
3	MODERATE:(3)	392	17.4 %
4	CONSDRBL:(4)	305	13.5 %
5	GREAT:(5)	304	13.5 %
	Missing Data		
-9	MISSING:(-9)	296	13.1 %
	Total	**2,252**	**100%**

Based upon 1,956 valid cases out of 2,252 total cases.

Location: 629-630 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2376: 172E13D:PRTS INFL SCL RN

Item Number: 07680

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

D: Parents of students

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

Value	Label	Unweighted Frequency	%
1	LITTLE/NO:(1)	637	28.3 %
2	SOME:(2)	472	21.0 %
3	MODERATE:(3)	410	18.2 %
4	CONSDRBL:(4)	219	9.7 %
5	GREAT:(5)	218	9.7 %
	Missing Data		
-9	MISSING:(-9)	296	13.1 %
	Total	**2,252**	**100%**

Based upon 1,956 valid cases out of 2,252 total cases.

Location: 631-632 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2377: 172E14 :HAD DRUG EDUCATN

Item Number: 07690

Have you had any drug education courses or lectures in school?

1="No--GO TO QUESTION 20" 2="No, and I wish I had--GO TO QUESTION 20" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	586	26.0 %
2	WISH HAD:(2)	92	4.1 %

Value	Label	Unweighted Frequency	%
3	YES:(3)	1179	52.4 %
	Missing Data		
-9	MISSING:(-9)	395	17.5 %
	Total	**2,252**	**100%**

Based upon 1,857 valid cases out of 2,252 total cases.

Location: 633-634 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2378: 172E15 :DG ED,>DG INTRST

Item Number: 07840

Would you say that the information about drugs that you received in school classes or programs has . . . ?

1="Made you less interested in trying drugs" 2="Not changed your interest in trying drugs" 3="Made you more interested in trying drugs"

Value	Label	Unweighted Frequency	%
1	LESS INTERST:(1)	584	25.9 %
2	NO CHNGE:(2)	561	24.9 %
3	MORE INTERST:(3)	34	1.5 %
	Missing Data		
-9	MISSING:(-9)	1073	47.6 %
	Total	**2,252**	**100%**

Based upon 1,179 valid cases out of 2,252 total cases.

Location: 635-636 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2379: 172E16A:DG ED,SPC COURSE

Item Number: 07850

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

A. A special course about drugs

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	792	35.2 %
1	MARKED:(1)	361	16.0 %
	Missing Data		
-9	MISSING:(-9)	1099	48.8 %
	Total	**2,252**	**100%**

Based upon 1,153 valid cases out of 2,252 total cases.

Location: 637-638 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2380: 172E16B:DG ED,IN REG CRS

Item Number: 07860

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

B. Films, lectures, or discussions in one of my regular courses

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	409	18.2 %
1	MARKED:(1)	744	33.0 %
	Missing Data		
-9	MISSING:(-9)	1099	48.8 %
	Total	**2,252**	**100%**

Based upon 1,153 valid cases out of 2,252 total cases.

Location: 639-640 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2381: 172E16C:DG ED,NT REG CRS

Item Number: 07870

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

C. Films or lectures, outside of my regular courses

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	819	36.4 %
1	MARKED:(1)	334	14.8 %
	Missing Data		
-9	MISSING:(-9)	1099	48.8 %
	Total	**2,252**	**100%**

Based upon 1,153 valid cases out of 2,252 total cases.

Location: 641-642 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2382: 172E16D:DG ED,SPC DISCUS

Item Number: 07880

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

D. Special group discussions about drugs

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	955	42.4 %
1	MARKED:(1)	198	8.8 %
	Missing Data		
-9	MISSING:(-9)	1099	48.8 %
	Total	**2,252**	**100%**

Based upon 1,153 valid cases out of 2,252 total cases.

Location: 643-644 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2383: 172E17 :DG ED,GRT VALUE

Item Number: 07890

Overall, how valuable were the experiences to you?

1="Little or no value" 2="Some value" 3="Considerable value"
4="Great value"

Value	Label	Unweighted Frequency	%
1	NO VALUE:(1)	310	13.8 %
2	SOME:(2)	457	20.3 %
3	CNSIDRBL:(3)	265	11.8 %
4	GT VALUE:(4)	130	5.8 %
	Missing Data		
-9	MISSING:(-9)	1090	48.4 %
	Total	**2,252**	**100%**

Based upon 1,162 valid cases out of 2,252 total cases.

Location: 645-646 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2441: 172E18A:#X/2W DRIVE+ALCL

Item Number: 01811

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

A: . . . drinking alcohol?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1864	82.8 %
2	ONCE:(2)	55	2.4 %
3	TWICE:(3)	22	1.0 %
4	3-5X:(4)	15	0.7 %
5	6-9X:(5)	0	0.0 %
6	10+ TIME:(6)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	288	12.8 %
	Total	**2,252**	**100%**

Based upon 1,964 valid cases out of 2,252 total cases.

Location: 647-648 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2442: 172E18B:#X/2W DRIVE+5DRK

Item Number: 01812

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

B: . . . having 5 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1906	84.6 %
2	ONCE:(2)	18	0.8 %
3	TWICE:(3)	15	0.7 %
4	3-5X:(4)	8	0.4 %
5	6-9X:(5)	0	0.0 %
6	10+ TIME:(6)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	297	13.2 %
	Total	**2,252**	**100%**

Based upon 1,955 valid cases out of 2,252 total cases.

Location: 649-650 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2517: 172E18C:#X/2W DRIVE+MJ

Item Number: 01813

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

C. . . . smoking marijuana?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1738	77.2 %
2	ONCE:(2)	62	2.8 %
3	TWICE:(3)	52	2.3 %

Value	Label	Unweighted Frequency	%
4	3-5X:(4)	36	1.6 %
5	6-9X:(5)	22	1.0 %
6	10+ TIME:(6)	45	2.0 %
	Missing Data		
-9	MISSING:(-9)	297	13.2 %
	Total	**2,252**	**100%**

Based upon 1,955 valid cases out of 2,252 total cases.

Location: 651-652 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2518: 172E18D:#X/2W DRIVE+OTDG

Item Number: 01814

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

D. . . . using other illicit drugs?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1926	85.5 %
2	ONCE:(2)	8	0.4 %
3	TWICE:(3)	3	0.1 %
4	3-5X:(4)	4	0.2 %
5	6-9X:(5)	0	0.0 %
6	10+ TIME:(6)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	307	13.6 %
	Total	**2,252**	**100%**

Based upon 1,945 valid cases out of 2,252 total cases.

Location: 653-654 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2443: 172E19A:#X/2W RIDE+ALCL

Item Number: 01815

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

A: . . . when the driver had been drinking?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1749	77.7 %
2	ONCE:(2)	105	4.7 %
3	TWICE:(3)	52	2.3 %
4	3-5X:(4)	22	1.0 %
5	6-9X:(5)	9	0.4 %
6	10+ TIME:(6)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	300	13.3 %
	Total	**2,252**	**100%**

Based upon 1,952 valid cases out of 2,252 total cases.

Location: 655-656 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2444: 172E19B:#X/2W RIDE+5DRK

Item Number: 01816

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

B: . . . when you think the driver had 5 or more drinks?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1868	82.9 %
2	ONCE:(2)	31	1.4 %
3	TWICE:(3)	23	1.0 %
4	3-5X:(4)	10	0.4 %
5	6-9X:(5)	4	0.2 %

Value	Label	Unweighted Frequency	%
6	10+ TIME:(6)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	308	13.7 %
	Total	**2,252**	**100%**

Based upon 1,944 valid cases out of 2,252 total cases.

Location: 657-658 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2519: 172E19C:#X/2W RIDE+MJ

Item Number: 01817

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

C. . . . when the driver had been smoking marijuana?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1601	71.1 %
2	ONCE:(2)	131	5.8 %
3	TWICE:(3)	77	3.4 %
4	3-5X:(4)	66	2.9 %
5	6-9X:(5)	26	1.2 %
6	10+ TIME:(6)	47	2.1 %
	Missing Data		
-9	MISSING:(-9)	304	13.5 %
	Total	**2,252**	**100%**

Based upon 1,948 valid cases out of 2,252 total cases.

Location: 659-660 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2520: 172E19D:#X/2W RIDE+OTDG

Item Number: 01818

During the LAST TWO WEEKS, how many times (if any) have you

been a passenger in a car . . .

D. . . . when the driver had been using other illicit drugs?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1901	84.4 %
2	ONCE:(2)	15	0.7 %
3	TWICE:(3)	6	0.3 %
4	3-5X:(4)	2	0.1 %
5	6-9X:(5)	3	0.1 %
6	10+ TIME:(6)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	319	14.2 %
	Total	**2,252**	**100%**

Based upon 1,933 valid cases out of 2,252 total cases.

Location: 661-662 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2414: 172E20A:OFTN EAT BRKFST

Item Number: 20740

How often do you . . .

A: . . . Eat breakfast?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	208	9.2 %
2	SELDOM:(2)	364	16.2 %
3	SOMETIME:(3)	484	21.5 %
4	MST DAYS:(4)	238	10.6 %
5	NR EV DA:(5)	175	7.8 %
6	EVERYDAY:(6)	509	22.6 %
	Missing Data		
-9	MISSING:(-9)	274	12.2 %
	Total	**2,252**	**100%**

Based upon 1,978 valid cases out of 2,252 total cases.

Location: 663-664 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2415: 172E20B:OFTN EAT GN VEG

Item Number: 20750

How often do you . . .

B: . . . Eat at least some green vegetables?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	143	6.3 %
2	SELDOM:(2)	174	7.7 %
3	SOMETIME:(3)	475	21.1 %
4	MST DAYS:(4)	498	22.1 %
5	NR EV DA:(5)	313	13.9 %
6	EVERYDAY:(6)	367	16.3 %
	Missing Data		
-9	MISSING:(-9)	282	12.5 %
	Total	**2,252**	**100%**

Based upon 1,970 valid cases out of 2,252 total cases.

Location: 665-666 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2416: 172E20C:OFTN EAT FRUIT

Item Number: 20760

How often do you . . .

C: . . . Eat at least some fruit?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	93	4.1 %

Value	Label	Unweighted Frequency	%
2	SELDOM:(2)	99	4.4 %
3	SOMETIME:(3)	377	16.7 %
4	MST DAYS:(4)	520	23.1 %
5	NR EV DA:(5)	385	17.1 %
6	EVERYDAY:(6)	489	21.7 %
	Missing Data		
-9	MISSING:(-9)	289	12.8 %
	Total	**2,252**	**100%**

Based upon 1,963 valid cases out of 2,252 total cases.

Location: 667-668 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2417: 172E20D:OFTN EXERCISE

Item Number: 20770

How often do you . . .

D: . . . Exercise vigorously (jogging, swimming, calisthenics, or any other active sports)?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	187	8.3 %
2	SELDOM:(2)	289	12.8 %
3	SOMETIME:(3)	460	20.4 %
4	MST DAYS:(4)	321	14.3 %
5	NR EV DA:(5)	271	12.0 %
6	EVERYDAY:(6)	389	17.3 %
	Missing Data		
-9	MISSING:(-9)	335	14.9 %
	Total	**2,252**	**100%**

Based upon 1,917 valid cases out of 2,252 total cases.

Location: 669-670 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2418: 172E20E:OFTN 7HRS SLEEP

Item Number: 20780

How often do you . . .

E: . . . Get at least seven hours of sleep?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	191	8.5 %
2	SELDOM:(2)	355	15.8 %
3	SOMETIME:(3)	541	24.0 %
4	MST DAYS:(4)	399	17.7 %
5	NR EV DA:(5)	246	10.9 %
6	EVERYDAY:(6)	231	10.3 %
	Missing Data		
-9	MISSING:(-9)	289	12.8 %
	Total	**2,252**	**100%**

Based upon 1,963 valid cases out of 2,252 total cases.

Location: 671-672 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2419: 172E20F:OFTN SLEEP <SHLD

Item Number: 20790

How often do you . . .

F: . . . Get less sleep than you think you should?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	181	8.0 %
2	SELDOM:(2)	173	7.7 %
3	SOMETIME:(3)	428	19.0 %
4	MST DAYS:(4)	399	17.7 %
5	NR EV DA:(5)	342	15.2 %
6	EVERYDAY:(6)	441	19.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	288	12.8 %
	Total	**2,252**	**100%**

Based upon 1,964 valid cases out of 2,252 total cases.

Location: 673-674 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

ICPSR 37182

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2017

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Form 3 Data

CASEID: CASE IDENTIFICATION NUMBER

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 1-4 (width: 4; decimal: 0)
Variable Type: numeric

V1: YEAR OF ADMIN (4-DIGITS)

Value	Label	Unweighted Frequency	%
2017	-	2245	100.0 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 5-8 (width: 4; decimal: 0)
Variable Type: numeric

V3: BY17 80003 FORM ID

Value	Label	Unweighted Frequency	%
3	-	2245	100.0 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 9-9 (width: 1; decimal: 0)
Variable Type: numeric

RESPONDENT_ID: ARCHIVE ID

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 10-14 (width: 5; decimal: 0)
Variable Type: numeric

ARCHIVE_WT: ARCHIVE WEIGHT

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 15-29 (width: 15; decimal: 13)
Variable Type: numeric

V13: SCH REG-4 CAT

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

Value	Label	Unweighted Frequency	%
1	NORTHEAST:(1)	399	17.8 %
2	NORTH CENTRAL:(2)	486	21.6 %
3	SOUTH:(3)	772	34.4 %
4	WEST:(4)	588	26.2 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 30-30 (width: 1; decimal: 0)
Variable Type: numeric

V16: LARGE MSA = 1/NOT = 0

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	Label	Unweighted Frequency	%
0	ELSE:(0)	1301	58.0 %
1	LARGE MSA:(1)	944	42.0 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 31-31 (width: 1; decimal: 0)
Variable Type: numeric

V17: SMSA/NON SMSA = 0

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	Label	Unweighted Frequency	%
0	NOT MSA:(0)	364	16.2 %
1	MSA:(1)	1881	83.8 %

Value	Label	Unweighted Frequency	%
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 32-32 (width: 1; decimal: 0)
Variable Type: numeric

V3208: 173A01 :VRY HPY THS DAYS

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

Value	Label	Unweighted Frequency	%
1	NT HAPPY:(1)	412	18.4 %
2	PRTY HPY:(2)	1400	62.4 %
3	VRY HPY:(3)	411	18.3 %
	Missing Data		
-9	MISSING:(-9)	22	1.0 %
	Total	**2,245**	**100%**

Based upon 2,223 valid cases out of 2,245 total cases.

Location: 33-34 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3209: 173A02 :THK ABT SOC ISSU

Item Number: 06880

Some people think a lot about the social problems of the nation and the world, and about how they might be solved. Others spend little time thinking about these issues. How much do you think about such things?

1="Never" 2="Seldom" 3="Sometimes" 4="Quite often" 5="A great deal"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	83	3.7 %

Value	Label	Unweighted Frequency	%
2	SELDOM:(2)	333	14.8 %
3	SOMETIME:(3)	1041	46.4 %
4	QUITE OFTN:(4)	580	25.8 %
5	GREAT DEAL:(5)	188	8.4 %
	Missing Data		
-9	MISSING:(-9)	20	0.9 %
	Total	**2,245**	**100%**

Based upon 2,225 valid cases out of 2,245 total cases.

Location: 35-36 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3210: 173A03A:MEN/WOMN/ = $, = WRK

Item Number: 07930

The next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A: Men and women should be paid the same money if they do the same work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	38	1.7 %
2	MOST DIS:(2)	19	0.8 %
3	NEITHER:(3)	66	2.9 %
4	MOST AGR:(4)	259	11.5 %
5	AGREE:(5)	1840	82.0 %
	Missing Data		
-9	MISSING:(-9)	23	1.0 %
	Total	**2,245**	**100%**

Based upon 2,222 valid cases out of 2,245 total cases.

Location: 37-38 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3211: 173A03B:CNSDR WMN/HI JOB

Item Number: 07940

How much do you agree or disagree with each statement below?

B: Women should be considered as seriously as men for jobs as executives or politicians

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	32	1.4 %
2	MOST DIS:(2)	47	2.1 %
3	NEITHER:(3)	95	4.2 %
4	MOST AGR:(4)	335	14.9 %
5	AGREE:(5)	1716	76.4 %
	Missing Data		
-9	MISSING:(-9)	20	0.9 %
	Total	**2,245**	**100%**

Based upon 2,225 valid cases out of 2,245 total cases.

Location: 39-40 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3212: 173A03C:WMN SHD = JOB OPP

Item Number: 07950

How much do you agree or disagree with each statement below?

C: A woman should have exactly the same job opportunities as a man

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	56	2.5 %
2	MOST DIS:(2)	59	2.6 %
3	NEITHER:(3)	109	4.9 %
4	MOST AGR:(4)	403	18.0 %
5	AGREE:(5)	1580	70.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	38	1.7 %
	Total	**2,245**	**100%**

Based upon 2,207 valid cases out of 2,245 total cases.

Location: 41-42 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3213: 173A03D:WMN SHD = ED OPP

Item Number: 07960

How much do you agree or disagree with each statement below?

D: A woman should have exactly the same educational opportunities as a man

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	17	0.8 %
2	MOST DIS:(2)	11	0.5 %
3	NEITHER:(3)	50	2.2 %
4	MOST AGR:(4)	155	6.9 %
5	AGREE:(5)	1961	87.3 %
	Missing Data		
-9	MISSING:(-9)	51	2.3 %
	Total	**2,245**	**100%**

Based upon 2,194 valid cases out of 2,245 total cases.

Location: 43-44 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3214: 173A03E:MN = ACHV/WMN = HOME

Item Number: 07970

How much do you agree or disagree with each statement below?

E: It is usually better for everyone involved if the man is the achiever outside the home and the woman takes care of the home and family

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	750	33.4 %
2	MOST DIS:(2)	360	16.0 %
3	NEITHER:(3)	574	25.6 %
4	MOST AGR:(4)	291	13.0 %
5	AGREE:(5)	232	10.3 %
	Missing Data		
-9	MISSING:(-9)	38	1.7 %
	Total	**2,245**	**100%**

Based upon 2,207 valid cases out of 2,245 total cases.

Location: 45-46 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3215: 173A03F:CHL SUFF W WK MO

Item Number: 07980

How much do you agree or disagree with each statement below?

F: A preschool child is likely to suffer if the mother works

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	859	38.3 %
2	MOST DIS:(2)	442	19.7 %
3	NEITHER:(3)	556	24.8 %
4	MOST AGR:(4)	216	9.6 %
5	AGREE:(5)	126	5.6 %
	Missing Data		
-9	MISSING:(-9)	46	2.0 %
	Total	**2,245**	**100%**

Based upon 2,199 valid cases out of 2,245 total cases.

Location: 47-48 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3216: 173A03G:WK MO AS WRM REL

Item Number: 07990

How much do you agree or disagree with each statement below?

G: A working mother can establish just as warm and secure a relationship with her children as a mother who does not work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	104	4.6 %
2	MOST DIS:(2)	192	8.6 %
3	NEITHER:(3)	229	10.2 %
4	MOST AGR:(4)	551	24.5 %
5	AGREE:(5)	1131	50.4 %
	Missing Data		
-9	MISSING:(-9)	38	1.7 %
	Total	**2,245**	**100%**

Based upon 2,207 valid cases out of 2,245 total cases.

Location: 49-50 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3217: 173A04A:POLLUT INCREASED

Item Number: 08000

The next questions are about pollution and the environment.
How much do you agree or disagree with each statement below?

A: Pollution of most types has increased in the U.S. in the last ten years

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	39	1.7 %
2	MOST DIS:(2)	70	3.1 %
3	NEITHER:(3)	313	13.9 %
4	MOST AGR:(4)	645	28.7 %

Value	Label	Unweighted Frequency	%
5	AGREE:(5)	1134	50.5 %
	Missing Data		
-9	MISSING:(-9)	44	2.0 %
	Total	**2,245**	**100%**

Based upon 2,201 valid cases out of 2,245 total cases.

Location: 51-52 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3218: 173A04B:GOVT DEAL ENV PR

Item Number: 08010

How much do you agree or disagree with each statement below?

B: Government should take steps to deal with our environmental problems, even if it means that most of us pay higher prices or taxes

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	122	5.4 %
2	MOST DIS:(2)	215	9.6 %
3	NEITHER:(3)	501	22.3 %
4	MOST AGR:(4)	710	31.6 %
5	AGREE:(5)	657	29.3 %
	Missing Data		
-9	MISSING:(-9)	40	1.8 %
	Total	**2,245**	**100%**

Based upon 2,205 valid cases out of 2,245 total cases.

Location: 53-54 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3219: 173A04C:MR$ FR LASTG THG

Item Number: 08020

How much do you agree or disagree with each statement below?

C: I would prefer to pay more money for things that will last
a long time, rather than have them cost less and break sooner

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	38	1.7 %
2	MOST DIS:(2)	38	1.7 %
3	NEITHER:(3)	217	9.7 %
4	MOST AGR:(4)	615	27.4 %
5	AGREE:(5)	1292	57.6 %
	Missing Data		
-9	MISSING:(-9)	45	2.0 %
	Total	**2,245**	**100%**

Based upon 2,200 valid cases out of 2,245 total cases.

Location: 55-56 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3220: 173A04D:USE BYC/MAS TRAN

Item Number: 08030

How much do you agree or disagree with each statement below?

D: I would probably be willing to use a bicycle or mass
transit (if available) rather than a car to get to work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	610	27.2 %
2	MOST DIS:(2)	456	20.3 %
3	NEITHER:(3)	421	18.8 %
4	MOST AGR:(4)	399	17.8 %
5	AGREE:(5)	314	14.0 %
	Missing Data		
-9	MISSING:(-9)	45	2.0 %
	Total	**2,245**	**100%**

Based upon 2,200 valid cases out of 2,245 total cases.

Location: 57-58 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3221: 173A04E:EAT DIF->FD STRV

Item Number: 08040

How much do you agree or disagree with each statement below?

E: I would be willing to eat less meat and more grains and vegetables, if it would help provide food for starving people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	292	13.0 %
2	MOST DIS:(2)	229	10.2 %
3	NEITHER:(3)	424	18.9 %
4	MOST AGR:(4)	579	25.8 %
5	AGREE:(5)	671	29.9 %
	Missing Data		
-9	MISSING:(-9)	50	2.2 %
	Total	**2,245**	**100%**

Based upon 2,195 valid cases out of 2,245 total cases.

Location: 59-60 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3222: 173A05A:LIK WRK CAN FRGT

Item Number: 08050

In the following list you will find some statements about leisure time and work. Please show whether you agree or disagree with each statement.

A: I like the kind of work you can forget about after the work day is over

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	255	11.4 %
2	MOST DIS:(2)	333	14.8 %
3	NEITHER:(3)	601	26.8 %
4	MOST AGR:(4)	569	25.3 %
5	AGREE:(5)	442	19.7 %
	Missing Data		
-9	MISSING:(-9)	45	2.0 %
	Total	**2,245**	**100%**

Based upon 2,200 valid cases out of 2,245 total cases.

Location: 61-62 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3223: 173A05B:WRK = ONLY MK LVNG

Item Number: 08060

Please show whether you agree or disagree with each statement.

B: To me, work is nothing more than making a living

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	498	22.2 %
2	MOST DIS:(2)	549	24.5 %
3	NEITHER:(3)	403	18.0 %
4	MOST AGR:(4)	456	20.3 %
5	AGREE:(5)	295	13.1 %
	Missing Data		
-9	MISSING:(-9)	44	2.0 %
	Total	**2,245**	**100%**

Based upon 2,201 valid cases out of 2,245 total cases.

Location: 63-64 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3224: 173A05C:WRK CNTRL PRT LF

Item Number: 08070

Please show whether you agree or disagree with each statement.

C: I expect my work to be a very central part of my life

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	58	2.6 %
2	MOST DIS:(2)	158	7.0 %
3	NEITHER:(3)	481	21.4 %
4	MOST AGR:(4)	943	42.0 %
5	AGREE:(5)	548	24.4 %
	Missing Data		
-9	MISSING:(-9)	57	2.5 %
	Total	**2,245**	**100%**

Based upon 2,188 valid cases out of 2,245 total cases.

Location: 65-66 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3225: 173A05D:OVTM 2DO BST JOB

Item Number: 08080

Please show whether you agree or disagree with each statement.

D: I want to do my best in my job, even if this sometimes
means working overtime

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	34	1.5 %
2	MOST DIS:(2)	47	2.1 %
3	NEITHER:(3)	198	8.8 %
4	MOST AGR:(4)	782	34.8 %
5	AGREE:(5)	1135	50.6 %
	Missing Data		
-9	MISSING:(-9)	49	2.2 %

Value	Label	Unweighted Frequency	%
	Total	**2,245**	**100%**

Based upon 2,196 valid cases out of 2,245 total cases.

Location: 67-68 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3226: 173A05E:SAME JOB MST LIF

Item Number: 08090

Please show whether you agree or disagree with each statement.

E: I would like to stay in the same job for most of my adult life

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	189	8.4 %
2	MOST DIS:(2)	235	10.5 %
3	NEITHER:(3)	495	22.0 %
4	MOST AGR:(4)	618	27.5 %
5	AGREE:(5)	657	29.3 %
	Missing Data		
-9	MISSING:(-9)	51	2.3 %
	Total	**2,245**	**100%**

Based upon 2,194 valid cases out of 2,245 total cases.

Location: 69-70 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3227: 173A06 :ENUF$,NT WNT WRK

Item Number: 08100

If you were to get enough money to live as comfortably as you'd like for the rest of your life, would you want to work?

1="I would want to work" 2="I would not want to work"

Value	Label	Unweighted Frequency	%
1	WORK:(1)	1570	69.9 %
2	NOT WORK:(2)	545	24.3 %
	Missing Data		
-9	MISSING:(-9)	130	5.8 %
	Total	**2,245**	**100%**

Based upon 2,115 valid cases out of 2,245 total cases.

Location: 71-72 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3228: 173A07A:DES FRND OTH RC

Item Number: 08110

The next questions are about living or working with people of different races. Please rate each of the statements below using the following terms:

Not at all acceptable: I'd avoid this if I possibly could.

Somewhat acceptable: I could live with this, but not be happy about it.

Acceptable: This would be O.K., or I'd be neutral about this.

Desirable: I'd really like this.

How would you feel about . . .

A: . . . Having close personal friends of another race?

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	26	1.2 %
2	SOMEWHAT:(2)	42	1.9 %
3	ACCEPTBL:(3)	967	43.1 %
4	DESIRBL:(4)	1151	51.3 %
	Missing Data		
-9	MISSING:(-9)	59	2.6 %
	Total	**2,245**	**100%**

Based upon 2,186 valid cases out of 2,245 total cases.

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V3229: 173A07B:DES SUPVR DIF RC

Item Number: 08120

How would you feel about . . .

B: . . . Having a job with a supervisor of a different race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	26	1.2 %
2	SOMEWHAT:(2)	53	2.4 %
3	ACCEPTBL:(3)	1302	58.0 %
4	DESIRBL:(4)	803	35.8 %
	Missing Data		
-9	MISSING:(-9)	61	2.7 %
	Total	**2,245**	**100%**

Based upon 2,184 valid cases out of 2,245 total cases.

Location: 75-76 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3230: 173A07C:DES FAM NX DF RC

Item Number: 08130

How would you feel about . . .

C: . . . Having a family of a different race (but same level of education and income) move next door to you?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	29	1.3 %
2	SOMEWHAT:(2)	53	2.4 %
3	ACCEPTBL:(3)	1147	51.1 %
4	DESIRBL:(4)	953	42.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	63	2.8 %
	Total	**2,245**	**100%**

Based upon 2,182 valid cases out of 2,245 total cases.

Location: 77-78 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3231: 173A07D:DES CHL FD SM RC

Item Number: 08140

How would you feel about . . .

D: . . . Having your (future) children's friends be all of your race?

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	251	11.2 %
2	SOMEWHAT:(2)	405	18.0 %
3	ACCEPTBL:(3)	1155	51.4 %
4	DESIRBL:(4)	355	15.8 %
	Missing Data		
-9	MISSING:(-9)	79	3.5 %
	Total	**2,245**	**100%**

Based upon 2,166 valid cases out of 2,245 total cases.

Location: 79-80 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3232: 173A07E:DES CHL FD OT RC

Item Number: 08150

How would you feel about . . .

E: . . . Having some of your (future) children's friends be of other races?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	29	1.3 %
2	SOMEWHAT:(2)	60	2.7 %
3	ACCEPTBL:(3)	1066	47.5 %
4	DESIRBL:(4)	1019	45.4 %
	Missing Data		
-9	MISSING:(-9)	71	3.2 %
	Total	**2,245**	**100%**

Based upon 2,174 valid cases out of 2,245 total cases.

Location: 81-82 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3233: 173A08A:DES AL WKS SM RC

Item Number: 08160

How would you feel about having a job where . . .

A: . . . all the employees are of your race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	232	10.3 %
2	SOMEWHAT:(2)	495	22.0 %
3	ACCEPTBL:(3)	1191	53.1 %
4	DESIRBL:(4)	257	11.4 %
	Missing Data		
-9	MISSING:(-9)	70	3.1 %
	Total	**2,245**	**100%**

Based upon 2,175 valid cases out of 2,245 total cases.

Location: 83-84 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3234: 173A08B:DES SO WKS DF RC

Item Number: 08170

How would you feel about having a job where . . .

B: . . . some employees are of a different race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	19	0.8 %
2	SOMEWHAT:(2)	80	3.6 %
3	ACCEPTBL:(3)	1336	59.5 %
4	DESIRBL:(4)	745	33.2 %
	Missing Data		
-9	MISSING:(-9)	65	2.9 %
	Total	**2,245**	**100%**

Based upon 2,180 valid cases out of 2,245 total cases.

Location: 85-86 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3235: 173A08C:DES MS WKS DF RC

Item Number: 08180

How would you feel about having a job where . . .

C: . . . most employees are of a different race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	50	2.2 %
2	SOMEWHAT:(2)	238	10.6 %
3	ACCEPTBL:(3)	1339	59.6 %
4	DESIRBL:(4)	546	24.3 %
	Missing Data		
-9	MISSING:(-9)	72	3.2 %
	Total	**2,245**	**100%**

Based upon 2,173 valid cases out of 2,245 total cases.

Location: 87-88 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3236: 173A09A:DES AL NGB SM RC

Item Number: 08190

How would you feel about living in an area where . . .

A: . . . all the neighbors are of your race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	171	7.6 %
2	SOMEWHAT:(2)	422	18.8 %
3	ACCEPTBL:(3)	1289	57.4 %
4	DESIRBL:(4)	291	13.0 %
	Missing Data		
-9	MISSING:(-9)	72	3.2 %
	Total	**2,245**	**100%**

Based upon 2,173 valid cases out of 2,245 total cases.

Location: 89-90 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3237: 173A09B:DES SO NGB OT RC

Item Number: 08200

How would you feel about living in an area where . . .

B: . . . some of the neighbors are of other races?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	22	1.0 %
2	SOMEWHAT:(2)	93	4.1 %
3	ACCEPTBL:(3)	1423	63.4 %
4	DESIRBL:(4)	633	28.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	74	3.3 %
	Total	**2,245**	**100%**

Based upon 2,171 valid cases out of 2,245 total cases.

Location: 91-92 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3238: 173A09C:DES MS NGB OT RC

Item Number: 08210

How would you feel about living in an area where . . .

C: . . . most of the neighbors are of other races?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	87	3.9 %
2	SOMEWHAT:(2)	286	12.7 %
3	ACCEPTBL:(3)	1307	58.2 %
4	DESIRBL:(4)	482	21.5 %
	Missing Data		
-9	MISSING:(-9)	83	3.7 %
	Total	**2,245**	**100%**

Based upon 2,162 valid cases out of 2,245 total cases.

Location: 93-94 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3239: 173A10A:DES AL CHL SM RC

Item Number: 08220

How would you feel about having your (future) children go to schools where . . .

A: . . . all the children are of your race?

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	362	16.1 %
2	SOMEWHAT:(2)	408	18.2 %
3	ACCEPTBL:(3)	1141	50.8 %
4	DESIRBL:(4)	259	11.5 %
	Missing Data		
-9	MISSING:(-9)	75	3.3 %
	Total	**2,245**	**100%**

Based upon 2,170 valid cases out of 2,245 total cases.

Location: 95-96 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3240: 173A10B:DES SM CHL OT RC

Item Number: 08230

How would you feel about having your (future) children go to schools where . . .

B: . . . some of the children are of other races?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	23	1.0 %
2	SOMEWHAT:(2)	97	4.3 %
3	ACCEPTBL:(3)	1338	59.6 %
4	DESIRBL:(4)	708	31.5 %
	Missing Data		
-9	MISSING:(-9)	79	3.5 %
	Total	**2,245**	**100%**

Based upon 2,166 valid cases out of 2,245 total cases.

Location: 97-98 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3241: 173A10C:DES MS CHL OT RC

Item Number: 08240

How would you feel about having your (future) children go to schools where . . .

C: . . . most of the children are of other races?

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	112	5.0 %
2	SOMEWHAT:(2)	305	13.6 %
3	ACCEPTBL:(3)	1248	55.6 %
4	DESIRBL:(4)	501	22.3 %
	Missing Data		
-9	MISSING:(-9)	79	3.5 %
	Total	**2,245**	**100%**

Based upon 2,166 valid cases out of 2,245 total cases.

Location: 99-100 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3242: 173A11 :FRNDS AL OT RC

Item Number: 08250

What race are your close friends?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race" 4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost All Other Race(s)"

Value	Label	Unweighted Frequency	%
1	ALL MY:(1)	265	11.8 %
2	ALM ALL MY:(2)	484	21.6 %
3	MOST MY:(3)	540	24.1 %
4	HALF MY:(4)	403	18.0 %
5	MOST OTH:(5)	271	12.1 %
6	ALM ALL OTH:(6)	195	8.7 %
	Missing Data		
-9	MISSING:(-9)	87	3.9 %
	Total	**2,245**	**100%**

Based upon 2,158 valid cases out of 2,245 total cases.

Location: 101-102 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3243: 173A12 :NGBHD AL OT RC

Item Number: 08260

What race are the people in your neighborhood?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race" 4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost All Other Race(s)"

Value	Label	Unweighted Frequency	%
1	ALL MY:(1)	359	16.0 %
2	ALM ALL MY:(2)	512	22.8 %
3	MOST MY:(3)	431	19.2 %
4	HALF MY:(4)	317	14.1 %
5	MOST OTH:(5)	302	13.5 %
6	ALM ALL OTH:(6)	229	10.2 %
	Missing Data		
-9	MISSING:(-9)	95	4.2 %
	Total	**2,245**	**100%**

Based upon 2,150 valid cases out of 2,245 total cases.

Location: 103-104 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3244: 173A13 :ELEMSCH AL OT RC

Item Number: 08270

What race were the students in the elementary school where you spent the most time?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race" 4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost All Other Race(s)"

Value	Label	Unweighted Frequency	%
1	ALL MY:(1)	281	12.5 %
2	ALM ALL MY:(2)	542	24.1 %

Value	Label	Unweighted Frequency	%
3	MOST MY:(3)	408	18.2 %
4	HALF MY:(4)	401	17.9 %
5	MOST OTH:(5)	279	12.4 %
6	ALM ALL OTH:(6)	240	10.7 %
	Missing Data		
-9	MISSING:(-9)	94	4.2 %
	Total	**2,245**	**100%**

Based upon 2,151 valid cases out of 2,245 total cases.

Location: 105-106 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3245: 173A14 :HISCH AL OT RC

Item Number: 08280

What race are the students in your present school (if you are in school)?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race" 4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost All Other Race(s)"

Value	Label	Unweighted Frequency	%
1	ALL MY:(1)	68	3.0 %
2	ALM ALL MY:(2)	445	19.8 %
3	MOST MY:(3)	553	24.6 %
4	HALF MY:(4)	463	20.6 %
5	MOST OTH:(5)	343	15.3 %
6	ALM ALL OTH:(6)	275	12.2 %
	Missing Data		
-9	MISSING:(-9)	98	4.4 %
	Total	**2,245**	**100%**

Based upon 2,147 valid cases out of 2,245 total cases.

Location: 107-108 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3246: 173A15 :WRKRS AL OT RC

Item Number: 08290

What race are the people that you work with on your job (if you have a job)?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race" 4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost All Other Race(s)"

Value	Label	Unweighted Frequency	%
1	ALL MY:(1)	277	12.3 %
2	ALM ALL MY:(2)	371	16.5 %
3	MOST MY:(3)	360	16.0 %
4	HALF MY:(4)	326	14.5 %
5	MOST OTH:(5)	252	11.2 %
6	ALM ALL OTH:(6)	211	9.4 %
	Missing Data		
-9	MISSING:(-9)	448	20.0 %
	Total	**2,245**	**100%**

Based upon 1,797 valid cases out of 2,245 total cases.

Location: 109-110 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3247: 173A16 :DO LOT THG OT RC

Item Number: 08300

How often do you do things (like having a conversation, eating together, playing sports) with people of other races?

1="Not at all" 2="A little" 3="Some" 4="A lot"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	75	3.3 %
2	A LITTLE:(2)	302	13.5 %
3	SOME:(3)	684	30.5 %
4	A LOT:(4)	1099	49.0 %
	Missing Data		
-9	MISSING:(-9)	85	3.8 %
	Total	**2,245**	**100%**

Based upon 2,160 valid cases out of 2,245 total cases.

Location: 111-112 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3248: 173A17 :VRY GD EXP OT RC

Item Number: 08310

Generally, how do you feel about the experiences you have had with people of other races?

5="Very good" 4="Mostly good" 3="Mixed" 2="Mostly bad" 1="Very bad"

Value	Label	Unweighted Frequency	%
1	VERY BAD:(1)	19	0.8 %
2	MSTLY BAD:(2)	28	1.2 %
3	MIXED:(3)	412	18.4 %
4	MSTLY GOOD:(4)	909	40.5 %
5	VRY GOOD:(5)	781	34.8 %
	Missing Data		
-9	MISSING:(-9)	96	4.3 %
	Total	**2,245**	**100%**

Based upon 2,149 valid cases out of 2,245 total cases.

Location: 113-114 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3249: 173A18 :MARRD OR ENGAGED

Item Number: 08320

The next questions are about some of your own plans. Are you married or engaged?

1="Married--SKIP TO QUESTION 20" 2="Engaged" 3="Neither"

Value	Label	Unweighted Frequency	%
1	MARRIED:(1)	13	0.6 %
2	ENGAGED:(2)	35	1.6 %
3	NEITHER:(3)	1946	86.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	251	11.2 %
	Total	**2,245**	**100%**

Based upon 1,994 valid cases out of 2,245 total cases.

Location: 115-116 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3250: 173A19 :WHN WANT GT MARR

Item Number: 08330

If it were just up to you, what would be the ideal time for you to get married?

1="Within the next year or so" 2="Two or three years from now" 3="Four or five years from now" 4="Over five years from now" 5="I don't want to marry"

Value	Label	Unweighted Frequency	%
1	NEXT YR:(1)	45	2.0 %
2	2-3 YRS:(2)	135	6.0 %
3	4-5 YRS:(3)	548	24.4 %
4	OVER 5 YRS:(4)	1163	51.8 %
5	WONT MARRY:(5)	129	5.7 %
	Missing Data		
-9	MISSING:(-9)	225	10.0 %
	Total	**2,245**	**100%**

Based upon 2,020 valid cases out of 2,245 total cases.

Location: 117-118 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3251: 173A20 :THGT LOT HAV CHL

Item Number: 08340

Have you thought at all about whether you'd like to have children or how many you'd like to have?

3="I've thought about it a lot" 2="I've thought about it a little" 1="I haven't thought about it at all"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	223	9.9 %
2	A LITTLE:(2)	1145	51.0 %
3	A LOT:(3)	757	33.7 %
	Missing Data		
-9	MISSING:(-9)	120	5.3 %
	Total	**2,245**	**100%**

Based upon 2,125 valid cases out of 2,245 total cases.

Location: 119-120 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3252: 173A21 :# CHLDN WANT(6+)

Item Number: 08350

All things considered, if you could have exactly the number of children you want, what number would you choose to have?

1="None" 2="One" 3="Two" 4="Three" 5="Four" 6="Five" 7="Six or more" 8="Don't know"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	143	6.4 %
2	ONE:(2)	112	5.0 %
3	TWO:(3)	894	39.8 %
4	THREE:(4)	497	22.1 %
5	FOUR:(5)	191	8.5 %
6	FIVE:(6)	66	2.9 %
7	SIX+:(7)	60	2.7 %
8	DK:(8)	181	8.1 %
	Missing Data		
-9	MISSING:(-9)	101	4.5 %
	Total	**2,245**	**100%**

Based upon 2,144 valid cases out of 2,245 total cases.

Location: 121-122 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3253: 173A22 :IF -POP, MR CHLD

Item Number: 08360

If the "population explosion" were NOT a problem, would you choose to have a larger number of children?

4="Yes, I'm sure I would want more" 3="I probably would want more" 2="I probably would not want more" 1="I'm sure I would not want more" 8="Don't know, no idea"

Value	Label	Unweighted Frequency	%
1	SURE NOT:(1)	714	31.8 %
2	PROBLY NOT:(2)	607	27.0 %
3	PROBABLY:(3)	164	7.3 %
4	YES:(4)	110	4.9 %
8	DK:(8)	577	25.7 %
	Missing Data		
-9	MISSING:(-9)	73	3.3 %
	Total	**2,245**	**100%**

Based upon 2,172 valid cases out of 2,245 total cases.

Location: 123-124 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3254: 173A23 :WHN 1ST CHL(5+Y)

Item Number: 08370

If it were just up to you, how soon after getting married would you want to have your first child?

1="I don't want to have children (or get married)" 2="I wouldn't wait at all" 3="I would wait one year" 4="I would wait two years" 5="I would wait three years" 6="I would wait four or five years" 7="I would wait more than five years" 8="Don't know, or already have a child"

Value	Label	Unweighted Frequency	%
1	DONT WANT:(1)	150	6.7 %
2	NO WAIT:(2)	129	5.7 %
3	WAIT 1 YR:(3)	630	28.1 %
4	WAIT 2 YRS:(4)	492	21.9 %
5	WAIT 3 YRS:(5)	270	12.0 %
6	WAIT 4-5 YRS:(6)	134	6.0 %

Value	Label	Unweighted Frequency	%
7	WAIT >5 YRS:(7)	48	2.1 %
8	DK/HAV KID:(8)	289	12.9 %
	Missing Data		
-9	MISSING:(-9)	103	4.6 %
	Total	**2,245**	**100%**

Based upon 2,142 valid cases out of 2,245 total cases.

Location: 125-126 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3255: 173A24A:GD JB LARG CORPS

Item Number: 08380

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that best describes how you feel. How good or bad a job is being done for the country as a whole by . . .

A: . . . Large corporations?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%
1	VRY POOR:(1)	138	6.1 %
2	POOR:(2)	283	12.6 %
3	FAIR:(3)	607	27.0 %
4	GOOD:(4)	430	19.2 %
5	VRY GOOD:(5)	137	6.1 %
8	NO OPINION:(8)	558	24.9 %
	Missing Data		
-9	MISSING:(-9)	92	4.1 %
	Total	**2,245**	**100%**

Based upon 2,153 valid cases out of 2,245 total cases.

Location: 127-128 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3256: 173A24B:GD JB LBR UNIONS

Item Number: 08390

How good or bad a job is being done for the country as a whole by . . .

B: . . . Major labor unions?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%
1	VRY POOR:(1)	52	2.3 %
2	POOR:(2)	185	8.2 %
3	FAIR:(3)	649	28.9 %
4	GOOD:(4)	426	19.0 %
5	VRY GOOD:(5)	126	5.6 %
8	NO OPINION:(8)	708	31.5 %
	Missing Data		
-9	MISSING:(-9)	99	4.4 %
	Total	**2,245**	**100%**

Based upon 2,146 valid cases out of 2,245 total cases.

Location: 129-130 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3257: 173A24C:GD JB COLLG/UNIV

Item Number: 08400

How good or bad a job is being done for the country as a whole by . . .

C: . . . The nation's colleges and universities?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%
1	VRY POOR:(1)	90	4.0 %
2	POOR:(2)	225	10.0 %
3	FAIR:(3)	549	24.5 %
4	GOOD:(4)	644	28.7 %
5	VRY GOOD:(5)	323	14.4 %

Value	Label	Unweighted Frequency	%
8	NO OPINION:(8)	314	14.0 %
	Missing Data		
-9	MISSING:(-9)	100	4.5 %
	Total	**2,245**	**100%**

Based upon 2,145 valid cases out of 2,245 total cases.

Location: 131-132 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3258: 173A24D:GD JB PBLC SCHOL

Item Number: 08410

How good or bad a job is being done for the country as a whole by . . .

D: . . . The nation's public schools?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%
1	VRY POOR:(1)	189	8.4 %
2	POOR:(2)	427	19.0 %
3	FAIR:(3)	693	30.9 %
4	GOOD:(4)	415	18.5 %
5	VRY GOOD:(5)	158	7.0 %
8	NO OPINION:(8)	266	11.8 %
	Missing Data		
-9	MISSING:(-9)	97	4.3 %
	Total	**2,245**	**100%**

Based upon 2,148 valid cases out of 2,245 total cases.

Location: 133-134 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3259: 173A24E:GD JB CHURCHES

Item Number: 08420

How good or bad a job is being done for the country as a

whole by . . .

E: . . . Churches and religious organizations?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%
1	VRY POOR:(1)	130	5.8 %
2	POOR:(2)	161	7.2 %
3	FAIR:(3)	578	25.7 %
4	GOOD:(4)	526	23.4 %
5	VRY GOOD:(5)	228	10.2 %
8	NO OPINION:(8)	525	23.4 %
	Missing Data		
-9	MISSING:(-9)	97	4.3 %
	Total	**2,245**	**100%**

Based upon 2,148 valid cases out of 2,245 total cases.

Location: 135-136 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3260: 173A24F:GD JB NEWS MEDIA

Item Number: 08430

How good or bad a job is being done for the country as a whole by . . .

F: . . . The national news media (TV, magazines, news services)?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%
1	VRY POOR:(1)	379	16.9 %
2	POOR:(2)	417	18.6 %
3	FAIR:(3)	551	24.5 %
4	GOOD:(4)	314	14.0 %
5	VRY GOOD:(5)	164	7.3 %
8	NO OPINION:(8)	321	14.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	99	4.4 %
	Total	**2,245**	**100%**

Based upon 2,146 valid cases out of 2,245 total cases.

Location: 137-138 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3261: 173A24G:GD JB PRES/ADMIN

Item Number: 08440

How good or bad a job is being done for the country as a whole by . . .

G: . . . The President and his administration?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%
1	VRY POOR:(1)	629	28.0 %
2	POOR:(2)	327	14.6 %
3	FAIR:(3)	400	17.8 %
4	GOOD:(4)	262	11.7 %
5	VRY GOOD:(5)	162	7.2 %
8	NO OPINION:(8)	370	16.5 %
	Missing Data		
-9	MISSING:(-9)	95	4.2 %
	Total	**2,245**	**100%**

Based upon 2,150 valid cases out of 2,245 total cases.

Location: 139-140 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3262: 173A24H:GD JB CONGRESS

Item Number: 08450

How good or bad a job is being done for the country as a whole by . . .

H: . . . Congress--that is, the U.S. Senate and House of

Representatives?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%
1	VRY POOR:(1)	272	12.1 %
2	POOR:(2)	355	15.8 %
3	FAIR:(3)	580	25.8 %
4	GOOD:(4)	301	13.4 %
5	VRY GOOD:(5)	82	3.7 %
8	NO OPINION:(8)	555	24.7 %
	Missing Data		
-9	MISSING:(-9)	100	4.5 %
	Total	**2,245**	**100%**

Based upon 2,145 valid cases out of 2,245 total cases.

Location: 141-142 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3263: 173A24I:GD JB SUPRM CRT

Item Number: 08460

How good or bad a job is being done for the country as a whole by . . .

I: . . . The U.S. Supreme Court?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%
1	VRY POOR:(1)	135	6.0 %
2	POOR:(2)	191	8.5 %
3	FAIR:(3)	654	29.1 %
4	GOOD:(4)	433	19.3 %
5	VRY GOOD:(5)	121	5.4 %
8	NO OPINION:(8)	604	26.9 %
	Missing Data		
-9	MISSING:(-9)	107	4.8 %
	Total	**2,245**	**100%**

Based upon 2,138 valid cases out of 2,245 total cases.

Location: 143-144 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3264: 173A24J:GD JB JUSTC SYST

Item Number: 08470

How good or bad a job is being done for the country as a whole by . . .

J: . . . All the courts and the justice system in general?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%
1	VRY POOR:(1)	188	8.4 %
2	POOR:(2)	273	12.2 %
3	FAIR:(3)	677	30.2 %
4	GOOD:(4)	375	16.7 %
5	VRY GOOD:(5)	91	4.1 %
8	NO OPINION:(8)	532	23.7 %
	Missing Data		
-9	MISSING:(-9)	109	4.9 %
	Total	**2,245**	**100%**

Based upon 2,136 valid cases out of 2,245 total cases.

Location: 145-146 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3265: 173A24K:GD JB POLICE

Item Number: 08480

How good or bad a job is being done for the country as a whole by . . .

K: . . . The police and other law enforcement agencies?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%
1	VRY POOR:(1)	243	10.8 %
2	POOR:(2)	305	13.6 %
3	FAIR:(3)	584	26.0 %
4	GOOD:(4)	455	20.3 %
5	VRY GOOD:(5)	196	8.7 %
8	NO OPINION:(8)	353	15.7 %
	Missing Data		
-9	MISSING:(-9)	109	4.9 %
	Total	**2,245**	**100%**

Based upon 2,136 valid cases out of 2,245 total cases.

Location: 147-148 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3266: 173A24L:GD JB MILITARY

Item Number: 08490

How good or bad a job is being done for the country as a whole by . . .

L: . . . The U.S. military?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%
1	VRY POOR:(1)	70	3.1 %
2	POOR:(2)	82	3.7 %
3	FAIR:(3)	403	18.0 %
4	GOOD:(4)	598	26.6 %
5	VRY GOOD:(5)	563	25.1 %
8	NO OPINION:(8)	417	18.6 %
	Missing Data		
-9	MISSING:(-9)	112	5.0 %
	Total	**2,245**	**100%**

Based upon 2,133 valid cases out of 2,245 total cases.

Location: 149-150 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3267: 173A25 :MIL TOO MCH INFL

Item Number: 08500

All things considered, do you think the armed services presently have too much or too little influence on the way this country is run?

1="Far too little" 2="Too little" 3="About right" 4="Too much" 5="Far too much"

Value	Label	Unweighted Frequency	%
1	FAR TOO LTL:(1)	96	4.3 %
2	TOO LITTL:(2)	322	14.3 %
3	ABT RIGHT:(3)	1265	56.3 %
4	TOO MUCH:(4)	352	15.7 %
5	FAR TOO MCH:(5)	102	4.5 %
	Missing Data		
-9	MISSING:(-9)	108	4.8 %
	Total	**2,245**	**100%**

Based upon 2,137 valid cases out of 2,245 total cases.

Location: 151-152 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3268: 173A26 :US TOO MCH$ MILT

Item Number: 08510

Do you think the U.S. spends too much or too little on the armed services?

1="Far too little" 2="Too little" 3="About right" 4="Too much" 5="Far too much"

Value	Label	Unweighted Frequency	%
1	FAR TOO LTL:(1)	103	4.6 %
2	TOO LITTL:(2)	368	16.4 %
3	ABT RIGHT:(3)	883	39.3 %
4	TOO MUCH:(4)	486	21.6 %
5	FAR TOO MCH:(5)	289	12.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	116	5.2 %
	Total	**2,245**	**100%**

Based upon 2,129 valid cases out of 2,245 total cases.

Location: 153-154 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3273: 173A27A:DAP SMK 1PCK CIG

Item Number: 08560

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	279	12.4 %
2	DISAPPRV:(2)	641	28.6 %
3	STRG DIS:(3)	1234	55.0 %
	Missing Data		
-9	MISSING:(-9)	91	4.1 %
	Total	**2,245**	**100%**

Based upon 2,154 valid cases out of 2,245 total cases.

Location: 155-156 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3274: 173A27B:DAP TRY MRJ 1-2T

Item Number: 08570

Do YOU disapprove of people (who are 18 or older) doing each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1350	60.1 %
2	DISAPPRV:(2)	436	19.4 %
3	STRG DIS:(3)	369	16.4 %
	Missing Data		
-9	MISSING:(-9)	90	4.0 %
	Total	**2,245**	**100%**

Based upon 2,155 valid cases out of 2,245 total cases.

Location: 157-158 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3275: 173A27C:DAP SMK MRJ OCCS

Item Number: 08580

Do YOU disapprove of people (who are 18 or older) doing each of the following?

C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1166	51.9 %
2	DISAPPRV:(2)	486	21.6 %
3	STRG DIS:(3)	492	21.9 %
	Missing Data		
-9	MISSING:(-9)	101	4.5 %
	Total	**2,245**	**100%**

Based upon 2,144 valid cases out of 2,245 total cases.

Location: 159-160 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3276: 173A27D:DAP SMK MRJ REGL

Item Number: 08590

Do YOU disapprove of people (who are 18 or older) doing each of the following?

D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	752	33.5 %
2	DISAPPRV:(2)	660	29.4 %
3	STRG DIS:(3)	731	32.6 %
	Missing Data		
-9	MISSING:(-9)	102	4.5 %
	Total	**2,245**	**100%**

Based upon 2,143 valid cases out of 2,245 total cases.

Location: 161-162 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3277: 173A27E:DAP TRY LSD 1-2T

Item Number: 08600

Do YOU disapprove of people (who are 18 or older) doing each of the following?

E: Trying LSD once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	498	22.2 %
2	DISAPPRV:(2)	519	23.1 %
3	STRG DIS:(3)	1121	49.9 %
	Missing Data		
-9	MISSING:(-9)	107	4.8 %
	Total	**2,245**	**100%**

Based upon 2,138 valid cases out of 2,245 total cases.

Location: 163-164 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3278: 173A27F:DAP TKG LSD REGL

Item Number: 08610

Do YOU disapprove of people (who are 18 or older) doing each of the following?

F: Taking LSD regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	157	7.0 %
2	DISAPPRV:(2)	469	20.9 %
3	STRG DIS:(3)	1514	67.4 %
	Missing Data		
-9	MISSING:(-9)	105	4.7 %
	Total	**2,245**	**100%**

Based upon 2,140 valid cases out of 2,245 total cases.

Location: 165-166 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3279: 173A27G:DAP TRY HRN 1-2T

Item Number: 08620

Do YOU disapprove of people (who are 18 or older) doing each of the following?

G: Trying heroin once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	131	5.8 %
2	DISAPPRV:(2)	238	10.6 %
3	STRG DIS:(3)	1777	79.2 %
	Missing Data		
-9	MISSING:(-9)	99	4.4 %
	Total	**2,245**	**100%**

Based upon 2,146 valid cases out of 2,245 total cases.

Location: 167-168 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3280: 173A27H:DAP TKG HRN OCCS

Item Number: 08630

Do YOU disapprove of people (who are 18 or older) doing each of the following?

H: Taking heroin occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	90	4.0 %
2	DISAPPRV:(2)	252	11.2 %
3	STRG DIS:(3)	1828	81.4 %
	Missing Data		
-9	MISSING:(-9)	75	3.3 %
	Total	**2,245**	**100%**

Based upon 2,170 valid cases out of 2,245 total cases.

Location: 169-170 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3281: 173A27I:DAP TKG HRN REGL

Item Number: 08640

Do YOU disapprove of people (who are 18 or older) doing each of the following?

I: Taking heroin regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	80	3.6 %
2	DISAPPRV:(2)	198	8.8 %
3	STRG DIS:(3)	1885	84.0 %
	Missing Data		
-9	MISSING:(-9)	82	3.7 %
	Total	**2,245**	**100%**

Based upon 2,163 valid cases out of 2,245 total cases.

Location: 171-172 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3501: 173A27J:DAP TRY SED/B1-2

Item Number: 08655

Do YOU disapprove of people (who are 18 or older) doing each of the following?

J: Taking a sedative/barbiturate (downer) once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	310	13.8 %
2	DISAPPRV:(2)	586	26.1 %
3	STRG DIS:(3)	1260	56.1 %
	Missing Data		
-9	MISSING:(-9)	89	4.0 %
	Total	**2,245**	**100%**

Based upon 2,156 valid cases out of 2,245 total cases.

Location: 173-174 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3502: 173A27K:DAP USE SED/BREG

Item Number: 08665

Do YOU disapprove of people (who are 18 or older) doing each of the following?

K: Taking a sedative/barbiturate (downer) regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	116	5.2 %
2	DISAPPRV:(2)	468	20.8 %
3	STRG DIS:(3)	1562	69.6 %
	Missing Data		
-9	MISSING:(-9)	99	4.4 %

Value	Label	Unweighted Frequency	%
	Total	**2,245**	**100%**

Based upon 2,146 valid cases out of 2,245 total cases.

Location: 175-176 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3284: 173A27L:DAP TRY AMP 1-2T

Item Number: 08670

Do YOU disapprove of people (who are 18 or older) doing each of the following?

L: Trying an amphetamine (uppers, speed, Adderall, Ritalin, etc.) once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	421	18.8 %
2	DISAPPRV:(2)	513	22.9 %
3	STRG DIS:(3)	1230	54.8 %
	Missing Data		
-9	MISSING:(-9)	81	3.6 %
	Total	**2,245**	**100%**

Based upon 2,164 valid cases out of 2,245 total cases.

Location: 177-178 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3285: 173A27M:DAP TKG AMP REGL

Item Number: 08680

Do YOU disapprove of people (who are 18 or older) doing each of the following?

M: Taking amphetamines regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	174	7.8 %
2	DISAPPRV:(2)	462	20.6 %
3	STRG DIS:(3)	1519	67.7 %
	Missing Data		
-9	MISSING:(-9)	90	4.0 %
	Total	**2,245**	**100%**

Based upon 2,155 valid cases out of 2,245 total cases.

Location: 179-180 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3286: 173A27N:DAP TRY COC 1-2T

Item Number: 08690

Do YOU disapprove of people (who are 18 or older) doing each of the following?

N: Trying cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	272	12.1 %
2	DISAPPRV:(2)	371	16.5 %
3	STRG DIS:(3)	1523	67.8 %
	Missing Data		
-9	MISSING:(-9)	79	3.5 %
	Total	**2,245**	**100%**

Based upon 2,166 valid cases out of 2,245 total cases.

Location: 181-182 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3287: 173A27O:DAP TKG COC REGL

Item Number: 08700

Do YOU disapprove of people (who are 18 or older) doing each of the following?

O: Taking cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	106	4.7 %
2	DISAPPRV:(2)	278	12.4 %
3	STRG DIS:(3)	1764	78.6 %
	Missing Data		
-9	MISSING:(-9)	97	4.3 %
	Total	**2,245**	**100%**

Based upon 2,148 valid cases out of 2,245 total cases.

Location: 183-184 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3288: 173A27P:DAP TRY DRK ALCL

Item Number: 08710

Do YOU disapprove of people (who are 18 or older) doing each of the following?

P: Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1599	71.2 %
2	DISAPPRV:(2)	294	13.1 %
3	STRG DIS:(3)	266	11.8 %
	Missing Data		
-9	MISSING:(-9)	86	3.8 %
	Total	**2,245**	**100%**

Based upon 2,159 valid cases out of 2,245 total cases.

Location: 185-186 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3289: 173A27Q:DAP 1-2 DRK/DAY

Item Number: 08720

Do YOU disapprove of people (who are 18 or older) doing each of the following?

Q: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	640	28.5 %
2	DISAPPRV:(2)	801	35.7 %
3	STRG DIS:(3)	707	31.5 %
	Missing Data		
-9	MISSING:(-9)	97	4.3 %
	Total	**2,245**	**100%**

Based upon 2,148 valid cases out of 2,245 total cases.

Location: 187-188 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3290: 173A27R:DAP 4-5 DRK/DAY

Item Number: 08730

Do YOU disapprove of people (who are 18 or older) doing each of the following?

R: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	185	8.2 %
2	DISAPPRV:(2)	554	24.7 %
3	STRG DIS:(3)	1423	63.4 %
	Missing Data		
-9	MISSING:(-9)	83	3.7 %
	Total	**2,245**	**100%**

Based upon 2,162 valid cases out of 2,245 total cases.

Location: 189-190 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3291: 173A27S:DAP 5+ DRK WKNDS

Item Number: 08740

Do YOU disapprove of people (who are 18 or older) doing each of the following?

S: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	591	26.3 %
2	DISAPPRV:(2)	652	29.0 %
3	STRG DIS:(3)	918	40.9 %
	Missing Data		
-9	MISSING:(-9)	84	3.7 %
	Total	**2,245**	**100%**

Based upon 2,161 valid cases out of 2,245 total cases.

Location: 191-192 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3604: 173A27T DISAP VAPE NIC OCCAS

Item number: 34210

Do YOU disapprove of people doing each of the following?

T: Vaping an e-liquid with nicotine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DONT DIS:(1)	823	36.7 %
2	DISAPPRV:(2)	603	26.9 %
3	STRG DIS:(3)	732	32.6 %
	Missing Data		
-9	MISSING:(-9)	87	3.9 %
	Total	**2,245**	**100%**

Based upon 2,158 valid cases out of 2,245 total cases.

Location: 193-194 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V3605: 173A27U DISAP VAPE NIC REGLY

Item number: 34220

Do YOU disapprove of people doing each of the following?

U: Vaping an e-liquid with nicotine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DONT DIS:(1)	566	25.2 %
2	DISAPPRV:(2)	632	28.2 %
3	STRG DIS:(3)	957	42.6 %
	Missing Data		
-9	MISSING:(-9)	90	4.0 %
	Total	**2,245**	**100%**

Based upon 2,155 valid cases out of 2,245 total cases.

Location: 195-196 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3292: 173A28A:12MO NR OTH MARJ

Item Number: 20590

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high?

A: Marijuana (pot, weed) or hashish

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	545	24.3 %
2	1-2X:(2)	429	19.1 %
3	OCCASNLY:(3)	516	23.0 %
4	OFTEN:(4)	674	30.0 %
	Missing Data		
-9	MISSING:(-9)	81	3.6 %

Value	Label	Unweighted Frequency	%
	Total	**2,245**	**100%**

Based upon 2,164 valid cases out of 2,245 total cases.

Location: 197-198 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3293: 173A28B:12MO NR OTH LSD

Item Number: 20600

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high?

B: LSD

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1758	78.3 %
2	1-2X:(2)	237	10.6 %
3	OCCASNLY:(3)	102	4.5 %
4	OFTEN:(4)	59	2.6 %
	Missing Data		
-9	MISSING:(-9)	89	4.0 %
	Total	**2,245**	**100%**

Based upon 2,156 valid cases out of 2,245 total cases.

Location: 199-200 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3294: 173A28C:12MO NR OTH PSYC

Item Number: 20610

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high?

C: Other hallucinogens (mescaline, peyote, "shrooms" or psilocybin, PCP, etc.)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1751	78.0 %
2	1-2X:(2)	255	11.4 %
3	OCCASNLY:(3)	98	4.4 %
4	OFTEN:(4)	57	2.5 %
	Missing Data		
-9	MISSING:(-9)	84	3.7 %
	Total	**2,245**	**100%**

Based upon 2,161 valid cases out of 2,245 total cases.

Location: 201-202 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3295: 173A28D:12MO NR OTH AMPH

Item Number: 20620

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high?

D: Amphetamines (uppers, speed, Adderall, Ritalin, etc.)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1627	72.5 %
2	1-2X:(2)	258	11.5 %
3	OCCASNLY:(3)	155	6.9 %
4	OFTEN:(4)	121	5.4 %
	Missing Data		
-9	MISSING:(-9)	84	3.7 %
	Total	**2,245**	**100%**

Based upon 2,161 valid cases out of 2,245 total cases.

Location: 203-204 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3503: 173A28E:12MO NR SED/BARB

Item Number: 20635

During the LAST 12 MONTHS, how often have you been around

people who were taking each of the following to get high?

E: Sedatives/barbiturates (downers)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1886	84.0 %
2	1-2X:(2)	142	6.3 %
3	OCCASNLY:(3)	67	3.0 %
4	OFTEN:(4)	53	2.4 %
	Missing Data		
-9	MISSING:(-9)	97	4.3 %
	Total	**2,245**	**100%**

Based upon 2,148 valid cases out of 2,245 total cases.

Location: 205-206 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3297: 173A28F:12MO NR OTH TRQL

Item Number: 20640

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high?

F: Tranquilizers (Librium, Valium, Xanax)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1669	74.3 %
2	1-2X:(2)	247	11.0 %
3	OCCASNLY:(3)	139	6.2 %
4	OFTEN:(4)	96	4.3 %
	Missing Data		
-9	MISSING:(-9)	94	4.2 %
	Total	**2,245**	**100%**

Based upon 2,151 valid cases out of 2,245 total cases.

Location: 207-208 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3298: 173A28G:12MO NR OTH COKE

Item Number: 20650

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high?

G: Cocaine ("coke")

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1756	78.2 %
2	1-2X:(2)	243	10.8 %
3	OCCASNLY:(3)	92	4.1 %
4	OFTEN:(4)	61	2.7 %
	Missing Data		
-9	MISSING:(-9)	93	4.1 %
	Total	**2,245**	**100%**

Based upon 2,152 valid cases out of 2,245 total cases.

Location: 209-210 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3299: 173A28H:12MO NR OTH HRN

Item Number: 20660

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high?

H: Heroin

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2017	89.8 %
2	1-2X:(2)	85	3.8 %
3	OCCASNLY:(3)	18	0.8 %
4	OFTEN:(4)	26	1.2 %
	Missing Data		
-9	MISSING:(-9)	99	4.4 %
	Total	**2,245**	**100%**

Based upon 2,146 valid cases out of 2,245 total cases.

Location: 211-212 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3300: 173A28I:12MO NR OTH NARC

Item Number: 20670

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high?

I: Other narcotics (codeine, Vicodin, OxyContin, Percocet, etc.)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1715	76.4 %
2	1-2X:(2)	243	10.8 %
3	OCCASNLY:(3)	115	5.1 %
4	OFTEN:(4)	67	3.0 %
	Missing Data		
-9	MISSING:(-9)	105	4.7 %
	Total	**2,245**	**100%**

Based upon 2,140 valid cases out of 2,245 total cases.

Location: 213-214 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3301: 173A28J:12MO NR OTH ALCL

Item Number: 20680

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high?

J: Alcoholic beverages (beer, wine, liquor)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	425	18.9 %
2	1-2X:(2)	328	14.6 %
3	OCCASNLY:(3)	587	26.1 %

Value	Label	Unweighted Frequency	%
4	OFTEN:(4)	805	35.9 %
	Missing Data		
-9	MISSING:(-9)	100	4.5 %
	Total	**2,245**	**100%**

Based upon 2,145 valid cases out of 2,245 total cases.

Location: 215-216 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3460: 173A29A:RSK OF CIG1+PK/D

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	91	4.1 %
2	SLIGHT:(2)	78	3.5 %
3	MOD RISK:(3)	314	14.0 %
4	GRT RISK:(4)	1606	71.5 %
5	CANT SAY:(5)	56	2.5 %
	Missing Data		
-9	MISSING:(-9)	100	4.5 %
	Total	**2,245**	**100%**

Based upon 2,145 valid cases out of 2,245 total cases.

Location: 217-218 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3461: 173A29B:RSK OF MJ 1-2 X

Item Number: 12370

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

B: . . . Try marijuana once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	1107	49.3 %
2	SLIGHT:(2)	553	24.6 %
3	MOD RISK:(3)	224	10.0 %
4	GRT RISK:(4)	195	8.7 %
5	CANT SAY:(5)	66	2.9 %
	Missing Data		
-9	MISSING:(-9)	100	4.5 %
	Total	**2,245**	**100%**

Based upon 2,145 valid cases out of 2,245 total cases.

Location: 219-220 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3462: 173A29C:RSK OF MJ OCSNLY

Item Number: 12380

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	771	34.3 %
2	SLIGHT:(2)	583	26.0 %
3	MOD RISK:(3)	401	17.9 %
4	GRT RISK:(4)	318	14.2 %
5	CANT SAY:(5)	69	3.1 %
	Missing Data		
-9	MISSING:(-9)	103	4.6 %
	Total	**2,245**	**100%**

Based upon 2,142 valid cases out of 2,245 total cases.

Location: 221-222 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3463: 173A29D:RSK OF MJ REGLY

Item Number: 12390

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	445	19.8 %
2	SLIGHT:(2)	523	23.3 %
3	MOD RISK:(3)	494	22.0 %
4	GRT RISK:(4)	608	27.1 %
5	CANT SAY:(5)	67	3.0 %
	Missing Data		
-9	MISSING:(-9)	108	4.8 %
	Total	**2,245**	**100%**

Based upon 2,137 valid cases out of 2,245 total cases.

Location: 223-224 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3470: 173A29E:RSK OF 1-2 DRINK

Item Number: 12510

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

E: . . . Try one or two drinks of an alcoholic beverage
(beer, wine, liquor)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	1069	47.6 %
2	SLIGHT:(2)	654	29.1 %
3	MOD RISK:(3)	185	8.2 %
4	GRT RISK:(4)	171	7.6 %
5	CANT SAY:(5)	58	2.6 %
	Missing Data		
-9	MISSING:(-9)	108	4.8 %
	Total	**2,245**	**100%**

Based upon 2,137 valid cases out of 2,245 total cases.

Location: 225-226 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3471: 173A29F:RSK OF 1-2 DR/DA

Item Number: 12520

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

F: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	233	10.4 %
2	SLIGHT:(2)	680	30.3 %
3	MOD RISK:(3)	719	32.0 %
4	GRT RISK:(4)	450	20.0 %
5	CANT SAY:(5)	59	2.6 %
	Missing Data		
-9	MISSING:(-9)	104	4.6 %
	Total	**2,245**	**100%**

Based upon 2,141 valid cases out of 2,245 total cases.

Location: 227-228 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3472: 173A29G:RSK OF 4-5 DR/DA

Item Number: 12530

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

G: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	88	3.9 %
2	SLIGHT:(2)	137	6.1 %
3	MOD RISK:(3)	538	24.0 %
4	GRT RISK:(4)	1315	58.6 %
5	CANT SAY:(5)	60	2.7 %
	Missing Data		
-9	MISSING:(-9)	107	4.8 %
	Total	**2,245**	**100%**

Based upon 2,138 valid cases out of 2,245 total cases.

Location: 229-230 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3473: 173A29H:RSK OF 5+DR/WKND

Item Number: 12540

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

H: . . . Have five or more drinks once or twice each weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	174	7.8 %
2	SLIGHT:(2)	296	13.2 %
3	MOD RISK:(3)	564	25.1 %
4	GRT RISK:(4)	1042	46.4 %
5	CANT SAY:(5)	65	2.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	104	4.6 %
	Total	**2,245**	**100%**

Based upon 2,141 valid cases out of 2,245 total cases.

Location: 231-232 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3606: 173A29I RSK VAPE NIC OCC

Item Number: 34190

How much do you think people risk harming themselves (physically or in other ways), if they . . .

I: . . . Vape an e-liquid with nicotine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	509	22.7 %
2	SLIGHT:(2)	712	31.7 %
3	MOD RISK:(3)	342	15.2 %
4	GRT RISK:(4)	363	16.2 %
5	CANT SAY:(5)	213	9.5 %
	Missing Data		
-9	MISSING:(-9)	106	4.7 %
	Total	**2,245**	**100%**

Based upon 2,139 valid cases out of 2,245 total cases.

Location: 233-234 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3607: 173A29J RSK VAPE NIC REGLY

Item Number: 34200

How much do you think people risk harming themselves (physically or in other ways), if they . . .

J: . . . Vape an e-liquid with nicotine regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	297	13.2 %
2	SLIGHT:(2)	496	22.1 %
3	MOD RISK:(3)	550	24.5 %
4	GRT RISK:(4)	585	26.1 %
5	CANT SAY:(5)	212	9.4 %
	Missing Data		
-9	MISSING:(-9)	105	4.7 %
	Total	**2,245**	**100%**

Based upon 2,140 valid cases out of 2,245 total cases.

Location: 235-236 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3608: 173A30A EASY GT CIG

Item number: 34460

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

A: Cigarettes

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	144	6.4 %
2	VRY DIFF:(2)	89	4.0 %
3	FRLY DIF:(3)	224	10.0 %
4	FRLY EAS:(4)	556	24.8 %
5	VRY EASY:(5)	1119	49.8 %
	Missing Data		
-9	MISSING:(-9)	113	5.0 %
	Total	**2,245**	**100%**

Based upon 2,132 valid cases out of 2,245 total cases.

Location: 237-238 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3609: 173A30B EASY GT VAPE DEVICE

Item number: 34330

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

B: Vaping device (like an e-pen or e-cigarette)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	126	5.6 %
2	VRY DIFF:(2)	81	3.6 %
3	FRLY DIF:(3)	245	10.9 %
4	FRLY EAS:(4)	604	26.9 %
5	VRY EASY:(5)	1071	47.7 %
	Missing Data		
-9	MISSING:(-9)	118	5.3 %
	Total	**2,245**	**100%**

Based upon 2,127 valid cases out of 2,245 total cases.

Location: 239-240 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3610: 173A30C EASY GT NICOTIN VAPE

Item number: 34340

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

C: E-liquid with nicotine (for vaping)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	141	6.3 %
2	VRY DIFF:(2)	94	4.2 %
3	FRLY DIF:(3)	272	12.1 %
4	FRLY EAS:(4)	604	26.9 %

Value	Label	Unweighted Frequency	%
5	VRY EASY:(5)	1016	45.3 %
	Missing Data		
-9	MISSING:(-9)	118	5.3 %
	Total	**2,245**	**100%**

Based upon 2,127 valid cases out of 2,245 total cases.

Location: 241-242 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3101: 173B01 :EVR SMK CIG,REGL

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1539	68.6 %
2	1-2X:(2)	312	13.9 %
3	OCCASNLY:(3)	139	6.2 %
4	REG PAST:(4)	49	2.2 %
5	REG NOW:(5)	74	3.3 %
	Missing Data		
-9	MISSING:(-9)	132	5.9 %
	Total	**2,245**	**100%**

Based upon 2,113 valid cases out of 2,245 total cases.

Location: 243-244 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3102: 173B02 :#CIGS SMKD/30DAY

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on

question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%
1	NT DAILY:(1)	1906	84.9 %
2	<1 CIG/D:(2)	112	5.0 %
3	1-5/DAY:(3)	66	2.9 %
4	1/2 PK:(4)	18	0.8 %
5	1 PK:(5)	9	0.4 %
6	1 1/2 PK:(6)	3	0.1 %
7	2+ PKS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	127	5.7 %
	Total	**2,245**	**100%**

Based upon 2,118 valid cases out of 2,245 total cases.

Location: 245-246 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3103: 173B03 :EVER DRINK

Item Number: 00790

Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO THE TOP OF THE NEXT COLUMN" 2="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	769	34.3 %
2	YES:(2)	1283	57.1 %
	Missing Data		
-9	MISSING:(-9)	193	8.6 %
	Total	**2,245**	**100%**

Based upon 2,052 valid cases out of 2,245 total cases.

Location: 247-248 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3104: 173B04A:#X ALC/LIF SIPS

Item Number: 00810

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" [includes respondents who said No to header question] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	770	34.3 %
2	1-2X:(2)	166	7.4 %
3	3-5X:(3)	232	10.3 %
4	6-9X:(4)	178	7.9 %
5	10-19X:(5)	238	10.6 %
6	20-39X:(6)	177	7.9 %
7	40+OCCAS:(7)	272	12.1 %
	Missing Data		
-9	MISSING:(-9)	212	9.4 %
	Total	**2,245**	**100%**

Based upon 2,033 valid cases out of 2,245 total cases.

Location: 249-250 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3105: 173B04B:#X ALC/ANN SIPS

Item Number: 00820

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	849	37.8 %
2	1-2X:(2)	308	13.7 %
3	3-5X:(3)	304	13.5 %
4	6-9X:(4)	203	9.0 %
5	10-19X:(5)	181	8.1 %
6	20-39X:(6)	94	4.2 %
7	40+OCCAS:(7)	98	4.4 %
	Missing Data		
-9	MISSING:(-9)	208	9.3 %
	Total	**2,245**	**100%**

Based upon 2,037 valid cases out of 2,245 total cases.

Location: 251-252 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3106: 173B04C:#X ALC/30D SIPS

Item Number: 00830

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1274	56.7 %
2	1-2X:(2)	423	18.8 %
3	3-5X:(3)	163	7.3 %
4	6-9X:(4)	92	4.1 %
5	10-19X:(5)	42	1.9 %
6	20-39X:(6)	19	0.8 %
7	40+OCCAS:(7)	17	0.8 %
	Missing Data		
-9	MISSING:(-9)	215	9.6 %
	Total	**2,245**	**100%**

Based upon 2,030 valid cases out of 2,245 total cases.

Location: 253-254 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3107: 173B05 :#X DRK ENF FL HI

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty drunk or high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	352	15.7 %
2	FEW OCC:(2)	358	15.9 %
3	HALF OCC:(3)	199	8.9 %
4	MOST OCC:(4)	238	10.6 %
5	NRLY ALL:(5)	157	7.0 %
	Missing Data		
-9	MISSING:(-9)	941	41.9 %
	Total	**2,245**	**100%**

Based upon 1,304 valid cases out of 2,245 total cases.

Location: 255-256 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3108: 173B06 :5+DRK ROW/LST 2W

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a glass of wine, a bottle of beer, a wine cooler, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above] 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1624	72.3 %
2	ONCE:(2)	166	7.4 %

Value	Label	Unweighted Frequency	%
3	TWICE:(3)	113	5.0 %
4	3-5X:(4)	77	3.4 %
5	6-9X:(5)	17	0.8 %
6	10+ TIME:(6)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	239	10.6 %
	Total	**2,245**	**100%**

Based upon 2,006 valid cases out of 2,245 total cases.

Location: 257-258 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3115: 173B07A:#XMJ+HS/LIFETIME

Item Number: 00860

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1122	50.0 %
2	1-2X:(2)	229	10.2 %
3	3-5X:(3)	136	6.1 %
4	6-9X:(4)	94	4.2 %
5	10-19X:(5)	106	4.7 %
6	20-39X:(6)	93	4.1 %
7	40+OCCAS:(7)	314	14.0 %
	Missing Data		
-9	MISSING:(-9)	151	6.7 %
	Total	**2,245**	**100%**

Based upon 2,094 valid cases out of 2,245 total cases.

Location: 259-260 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3116: 173B07B:#XMJ+HS/LAST12MO

Item Number: 00870

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1266	56.4 %
2	1-2X:(2)	240	10.7 %
3	3-5X:(3)	125	5.6 %
4	6-9X:(4)	90	4.0 %
5	10-19X:(5)	90	4.0 %
6	20-39X:(6)	73	3.3 %
7	40+OCCAS:(7)	205	9.1 %
	Missing Data		
-9	MISSING:(-9)	156	6.9 %
	Total	**2,245**	**100%**

Based upon 2,089 valid cases out of 2,245 total cases.

Location: 261-262 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3117: 173B07C:#XMJ+HS/LAST30DA

Item Number: 00880

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1574	70.1 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	173	7.7 %
3	3-5X:(3)	85	3.8 %
4	6-9X:(4)	52	2.3 %
5	10-19X:(5)	67	3.0 %
6	20-39X:(6)	59	2.6 %
7	40+OCCAS:(7)	77	3.4 %
	Missing Data		
-9	MISSING:(-9)	158	7.0 %
	Total	**2,245**	**100%**

Based upon 2,087 valid cases out of 2,245 total cases.

Location: 263-264 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3118: 173B08A:#X LSD/LIFETIME

Item Number: 00890

On how many occasions (if any) have you used LSD ("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2009	89.5 %
2	1-2X:(2)	68	3.0 %
3	3-5X:(3)	29	1.3 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	9	0.4 %
6	20-39X:(6)	7	0.3 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	113	5.0 %
	Total	**2,245**	**100%**

Based upon 2,132 valid cases out of 2,245 total cases.

Location: 265-266 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V3119: 173B08B:#X LSD/LAST 12MO

Item Number: 00900

On how many occasions (if any) have you used LSD ("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2051	91.4 %
2	1-2X:(2)	51	2.3 %
3	3-5X:(3)	16	0.7 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	114	5.1 %
	Total	**2,245**	**100%**

Based upon 2,131 valid cases out of 2,245 total cases.

Location: 267-268 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3120: 173B08C:#X LSD/LAST 30DA

Item Number: 00910

On how many occasions (if any) have you used LSD ("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2103	93.7 %
2	1-2X:(2)	18	0.8 %
3	3-5X:(3)	6	0.3 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	114	5.1 %
	Total	**2,245**	**100%**

Based upon 2,131 valid cases out of 2,245 total cases.

Location: 269-270 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3121: 173B09A:#X PSYD/LIFETIME

Item Number: 00920

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2021	90.0 %
2	1-2X:(2)	56	2.5 %
3	3-5X:(3)	25	1.1 %
4	6-9X:(4)	11	0.5 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	117	5.2 %
	Total	**2,245**	**100%**

Based upon 2,128 valid cases out of 2,245 total cases.

Location: 271-272 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3122: 173B09B:#X PSYD/LAST12MO

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2056	91.6 %
2	1-2X:(2)	52	2.3 %
3	3-5X:(3)	11	0.5 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	114	5.1 %
	Total	**2,245**	**100%**

Based upon 2,131 valid cases out of 2,245 total cases.

Location: 273-274 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3123: 173B09C:#X PSYD/LAST30DA

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2106	93.8 %
2	1-2X:(2)	11	0.5 %
3	3-5X:(3)	6	0.3 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	117	5.2 %
	Total	**2,245**	**100%**

Based upon 2,128 valid cases out of 2,245 total cases.

Location: 275-276 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3127: 173B10A:#X AMPH/LIFETIME

Item Number: 00980

Amphetamines and other stimulant drugs are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any nonprescription drugs, such as over-the-counter diet pills or stay-awake pills. On how many occasions (if any) have you taken amphetamines or other prescription stimulant drugs on your own - that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1887	84.1 %
2	1-2X:(2)	89	4.0 %
3	3-5X:(3)	47	2.1 %
4	6-9X:(4)	33	1.5 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	32	1.4 %
6	20-39X:(6)	19	0.8 %
7	40+OCCAS:(7)	24	1.1 %
	Missing Data		
-9	MISSING:(-9)	114	5.1 %
	Total	**2,245**	**100%**

Based upon 2,131 valid cases out of 2,245 total cases.

Location: 277-278 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3128: 173B10B:#X AMPH/LAST12MO

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1960	87.3 %
2	1-2X:(2)	67	3.0 %
3	3-5X:(3)	45	2.0 %
4	6-9X:(4)	28	1.2 %
5	10-19X:(5)	9	0.4 %
6	20-39X:(6)	11	0.5 %
7	40+OCCAS:(7)	11	0.5 %
	Missing Data		
-9	MISSING:(-9)	114	5.1 %
	Total	**2,245**	**100%**

Based upon 2,131 valid cases out of 2,245 total cases.

Location: 279-280 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3129: 173B10C:#X AMPH/LAST30DA

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2052	91.4 %
2	1-2X:(2)	40	1.8 %
3	3-5X:(3)	16	0.7 %
4	6-9X:(4)	8	0.4 %
5	10-19X:(5)	6	0.3 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	115	5.1 %
	Total	**2,245**	**100%**

Based upon 2,130 valid cases out of 2,245 total cases.

Location: 281-282 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3039: 173B11A:#X CRACK/LIFETIM

Item Number: 22260

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A. . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2092	93.2 %
2	1-2X:(2)	18	0.8 %
3	3-5X:(3)	6	0.3 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	114	5.1 %
	Total	**2,245**	**100%**

Based upon 2,131 valid cases out of 2,245 total cases.

Location: 283-284 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3040: 173B11B:#X CRACK/LAST12M

Item Number: 22270

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2107	93.9 %
2	1-2X:(2)	8	0.4 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	112	5.0 %
	Total	**2,245**	**100%**

Based upon 2,133 valid cases out of 2,245 total cases.

Location: 285-286 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3041: 173B11C:#X CRACK/LAST30D

Item Number: 22280

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2113	94.1 %
2	1-2X:(2)	7	0.3 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	113	5.0 %
	Total	**2,245**	**100%**

Based upon 2,132 valid cases out of 2,245 total cases.

Location: 287-288 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3042: 173B12A:#XOTH COKE/LIFE

Item Number: 22320

On how many occasions (if any) have you used cocaine in any other form . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2034	90.6 %
2	1-2X:(2)	41	1.8 %
3	3-5X:(3)	17	0.8 %
4	6-9X:(4)	7	0.3 %
5	10-19X:(5)	12	0.5 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	121	5.4 %
	Total	**2,245**	**100%**

Based upon 2,124 valid cases out of 2,245 total cases.

Location: 289-290 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3043: 173B12B:#XOTH COKE/12MO

Item Number: 22330

On how many occasions (if any) have you used cocaine in any other form . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2062	91.8 %
2	1-2X:(2)	29	1.3 %
3	3-5X:(3)	16	0.7 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	8	0.4 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	120	5.3 %
	Total	**2,245**	**100%**

Based upon 2,125 valid cases out of 2,245 total cases.

Location: 291-292 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3044: 173B12C:#XOTH COKE/30DA

Item Number: 22340

On how many occasions (if any) have you used cocaine in any other form . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2090	93.1 %
2	1-2X:(2)	19	0.8 %
3	3-5X:(3)	8	0.4 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	120	5.3 %
	Total	**2,245**	**100%**

Based upon 2,125 valid cases out of 2,245 total cases.

Location: 293-294 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3124: 173R :#X COKE/LIFETIME

Item Number: 00950

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A. . . . in your lifetime?" [item 22260]

and "On how many occasions (if any) have you used cocaine in any other form . . .

A. . . . in your lifetime? [item 22320]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2018	89.9 %
2	1-2X:(2)	42	1.9 %
3	3-5X:(3)	21	0.9 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	12	0.5 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	16	0.7 %
	Missing Data		
-9	MISSING:(-9)	124	5.5 %
	Total	**2,245**	**100%**

Based upon 2,121 valid cases out of 2,245 total cases.

Location: 295-296 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3125: 173R :#X COKE/LAST12MO

Item Number: 00960

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B. . . . During the last 12 months?" [item 22270]

and "On how many occasions (if any) have you used cocaine in any other form . . .

B. . . . During the last 12 months? [item 22330]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2049	91.3 %
2	1-2X:(2)	29	1.3 %
3	3-5X:(3)	16	0.7 %
4	6-9X:(4)	7	0.3 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	12	0.5 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	123	5.5 %
	Total	**2,245**	**100%**

Based upon 2,122 valid cases out of 2,245 total cases.

Location: 297-298 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3126: 173R :#X COKE/LAST30DA

Item Number: 00970

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C. . . . During the last 30 days?" [item 22280]

and "On how many occasions (if any) have you used cocaine in any other form . . .

C. . . . During the last 30 days? [item 22340]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2079	92.6 %
2	1-2X:(2)	20	0.9 %
3	3-5X:(3)	8	0.4 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	6	0.3 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	124	5.5 %
	Total	**2,245**	**100%**

Based upon 2,121 valid cases out of 2,245 total cases.

Location: 299-300 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V3133: 173B13A:#X SED/BARB/LIFE

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Ambien, Lunesta, and Sonata. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2002	89.2 %
2	1-2X:(2)	43	1.9 %
3	3-5X:(3)	28	1.2 %
4	6-9X:(4)	15	0.7 %
5	10-19X:(5)	13	0.6 %
6	20-39X:(6)	7	0.3 %
7	40+OCCAS:(7)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	130	5.8 %
	Total	**2,245**	**100%**

Based upon 2,115 valid cases out of 2,245 total cases.

Location: 301-302 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3134: 173B13B:#X SED/BARB/12MO

Item Number: 01052

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2031	90.5 %
2	1-2X:(2)	39	1.7 %
3	3-5X:(3)	24	1.1 %
4	6-9X:(4)	13	0.6 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	128	5.7 %
	Total	**2,245**	**100%**

Based upon 2,117 valid cases out of 2,245 total cases.

Location: 303-304 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3135: 173B13C:#X SED/BARB/30DA

Item Number: 01062

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2079	92.6 %
2	1-2X:(2)	20	0.9 %
3	3-5X:(3)	10	0.4 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	130	5.8 %
	Total	**2,245**	**100%**

Based upon 2,115 valid cases out of 2,245 total cases.

Location: 305-306 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3136: 173B14A:#X TRQL/LIFETIME

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1936	86.2 %
2	1-2X:(2)	80	3.6 %
3	3-5X:(3)	41	1.8 %
4	6-9X:(4)	23	1.0 %
5	10-19X:(5)	17	0.8 %
6	20-39X:(6)	9	0.4 %
7	40+OCCAS:(7)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	124	5.5 %
	Total	**2,245**	**100%**

Based upon 2,121 valid cases out of 2,245 total cases.

Location: 307-308 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3137: 173B14B:#X TRQL/LAST12MO

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2003	89.2 %
2	1-2X:(2)	53	2.4 %
3	3-5X:(3)	31	1.4 %
4	6-9X:(4)	18	0.8 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	123	5.5 %
	Total	**2,245**	**100%**

Based upon 2,122 valid cases out of 2,245 total cases.

Location: 309-310 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3138: 173B14C:#X TRQL/LAST30DA

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2064	91.9 %
2	1-2X:(2)	36	1.6 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	11	0.5 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	126	5.6 %
	Total	**2,245**	**100%**

Based upon 2,119 valid cases out of 2,245 total cases.

Location: 311-312 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3139: 173B15A:#X H/LIFETIME

Item Number: 01100

On how many occasions (if any) have you used heroin . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2092	93.2 %
2	1-2X:(2)	8	0.4 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	134	6.0 %
	Total	**2,245**	**100%**

Based upon 2,111 valid cases out of 2,245 total cases.

Location: 313-314 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3140: 173B15B:#X H/LAST 12MO

Item Number: 01110

On how many occasions (if any) have you used heroin . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2102	93.6 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	131	5.8 %
	Total	**2,245**	**100%**

Based upon 2,114 valid cases out of 2,245 total cases.

Location: 315-316 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3141: 173B15C:#X H/LAST 30DA

Item Number: 01120

On how many occasions (if any) have you used heroin . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2105	93.8 %
2	1-2X:(2)	2	0.1 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	132	5.9 %
	Total	**2,245**	**100%**

Based upon 2,113 valid cases out of 2,245 total cases.

Location: 317-318 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3142: 173B16A:#X NARC/LIFETIME

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1944	86.6 %
2	1-2X:(2)	83	3.7 %
3	3-5X:(3)	35	1.6 %
4	6-9X:(4)	19	0.8 %
5	10-19X:(5)	12	0.5 %
6	20-39X:(6)	8	0.4 %
7	40+OCCAS:(7)	11	0.5 %
	Missing Data		
-9	MISSING:(-9)	133	5.9 %
	Total	**2,245**	**100%**

Based upon 2,112 valid cases out of 2,245 total cases.

Location: 319-320 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3143: 173B16B:#X NARC/LAST12MO

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2007	89.4 %
2	1-2X:(2)	66	2.9 %
3	3-5X:(3)	17	0.8 %
4	6-9X:(4)	10	0.4 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	132	5.9 %
	Total	**2,245**	**100%**

Based upon 2,113 valid cases out of 2,245 total cases.

Location: 321-322 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3144: 173B16C:#X NARC/LAST30DA

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2076	92.5 %
2	1-2X:(2)	22	1.0 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	133	5.9 %
	Total	**2,245**	**100%**

Based upon 2,112 valid cases out of 2,245 total cases.

Location: 323-324 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3145: 173B17A:#X INHL/LIFETIME

Item Number: 01160

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1987	88.5 %
2	1-2X:(2)	77	3.4 %
3	3-5X:(3)	16	0.7 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	10	0.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	140	6.2 %
	Total	**2,245**	**100%**

Based upon 2,105 valid cases out of 2,245 total cases.

Location: 325-326 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3146: 173B17B:#X INHL/LAST12MO

Item Number: 01170

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2073	92.3 %
2	1-2X:(2)	17	0.8 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	138	6.1 %
	Total	**2,245**	**100%**

Based upon 2,107 valid cases out of 2,245 total cases.

Location: 327-328 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3147: 173B17C:#X INHL/LAST30DA

Item Number: 01180

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2087	93.0 %
2	1-2X:(2)	10	0.4 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	140	6.2 %
	Total	**2,245**	**100%**

Based upon 2,105 valid cases out of 2,245 total cases.

Location: 329-330 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3487: 173B18A:#X MDMA/LIFETIME

Item Number: 22660

On how many occasions (if any) have you used MDMA ("Molly","ecstasy") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1982	88.3 %
2	1-2X:(2)	73	3.3 %
3	3-5X:(3)	21	0.9 %
4	6-9X:(4)	12	0.5 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	10	0.4 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	138	6.1 %
	Total	**2,245**	**100%**

Based upon 2,107 valid cases out of 2,245 total cases.

Location: 331-332 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3488: 173B18B:#X MDMA/LAST12MO

Item Number: 22670

On how many occasions (if any) have you used MDMA ("Molly","ecstasy") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2038	90.8 %
2	1-2X:(2)	39	1.7 %
3	3-5X:(3)	15	0.7 %
4	6-9X:(4)	7	0.3 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	140	6.2 %
	Total	**2,245**	**100%**

Based upon 2,105 valid cases out of 2,245 total cases.

Location: 333-334 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3489: 173B18C:#X MDMA/LAST30DA

Item Number: 22680

On how many occasions (if any) have you used MDMA ("Molly","ecstasy") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2080	92.7 %
2	1-2X:(2)	14	0.6 %
3	3-5X:(3)	8	0.4 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	142	6.3 %
	Total	**2,245**	**100%**

Based upon 2,103 valid cases out of 2,245 total cases.

Location: 335-336 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

RESPONDENT_AGE: 173C01(R):AGE <>18 DICHOTOMY

Item Number:

Component variables: 1) Q.C01 "In what year were you born?" [item 00010], 2) Q.C02 "In what month were you born?" [item 00020], and 3) date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

Value	Label	Unweighted Frequency	%
1	<18 YRS:(1)	900	40.1 %
2	18+ YRS:(2)	1223	54.5 %
	Missing Data		
-9	MISSING:(-9)	122	5.4 %

Value	Label	Unweighted Frequency	%
	Total	**2,245**	**100%**

Based upon 2,123 valid cases out of 2,245 total cases.

Location: 337-338 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3150: 173C03 :Rs SEX

Item Number: 00030

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%
1	MALE:(1)	996	44.4 %
2	FEMALE:(2)	1008	44.9 %
	Missing Data		
-9	MISSING:(-9)	241	10.7 %
	Total	**2,245**	**100%**

Based upon 2,004 valid cases out of 2,245 total cases.

Location: 339-340 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3151: 173C04(R):Rs RACE B/W/H

Item Number:

How do you describe yourself? (Select one or more responses.) Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic..."). All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)" 3="Hispanic" [see above]

Value	Label	Unweighted Frequency	%
1	BLACK:(1)	282	12.6 %
2	WHITE:(2)	1096	48.8 %
3	HISPANIC:(3)	392	17.5 %
	Missing Data		
-9	MISSING:(-9)	475	21.2 %
	Total	**2,245**	**100%**

Based upon 1,770 valid cases out of 2,245 total cases.

Location: 341-342 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3152: 173C05 :R SPD >TIM R-URB

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

Value	Label	Unweighted Frequency	%
0	DK/MIXED:(0)	301	13.4 %
1	A FARM:(1)	87	3.9 %
2	COUNTRY:(2)	213	9.5 %
3	SM CITY:(3)	501	22.3 %
4	MED CITY:(4)	302	13.5 %
5	SUB MED:(5)	275	12.2 %
6	LGE CITY:(6)	186	8.3 %
7	SUB LGE:(7)	163	7.3 %
8	V-LGE CITY:(8)	123	5.5 %
9	SUB V-LGE:(9)	94	4.2 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 343-344 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3153: 173C06 :R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%
1	MARRIED:(1)	19	0.8 %
2	ENGAGED:(2)	47	2.1 %
3	SEP/DIV:(3)	20	0.9 %
4	SINGLE:(4)	1938	86.3 %
	Missing Data		
-9	MISSING:(-9)	221	9.8 %
	Total	**2,245**	**100%**

Based upon 2,024 valid cases out of 2,245 total cases.

Location: 345-346 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3155: 173C7Cb:Rs HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	592	26.4 %
1	MARKED:(1)	1522	67.8 %
	Missing Data		
-9	MISSING:(-9)	131	5.8 %
	Total	**2,245**	**100%**

Based upon 2,114 valid cases out of 2,245 total cases.

Location: 347-348 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3156: 173C7Cc:Rs HSHLD MOTHER

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	223	9.9 %
1	MARKED:(1)	1891	84.2 %
	Missing Data		
-9	MISSING:(-9)	131	5.8 %
	Total	**2,245**	**100%**

Based upon 2,114 valid cases out of 2,245 total cases.

Location: 349-350 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3157: 173C7Cd:Rs HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	716	31.9 %
1	MARKED:(1)	1398	62.3 %
	Missing Data		
-9	MISSING:(-9)	131	5.8 %
	Total	**2,245**	**100%**

Based upon 2,114 valid cases out of 2,245 total cases.

Location: 351-352 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V49: 173C07(R):# SIBLINGS

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more"

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more siblings".

Value	Label	Unweighted Frequency	%
0	NONE:(0)	140	6.2 %
1	ONE:(1)	596	26.5 %
2	TWO:(2)	539	24.0 %
3	THREE+:(3-4)	833	37.1 %
	Missing Data		
-9	MISSING:(-9)	137	6.1 %
	Total	**2,245**	**100%**

Based upon 2,108 valid cases out of 2,245 total cases.

Location: 353-354 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3163: 173C08 :FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed

college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	113	5.0 %
2	SOME HS:(2)	231	10.3 %
3	HS GRAD:(3)	505	22.5 %
4	SOME CLG:(4)	299	13.3 %
5	CLG GRAD:(5)	476	21.2 %
6	GRAD SCH:(6)	283	12.6 %
7	DK:(7)	203	9.0 %
	Missing Data		
-9	MISSING:(-9)	135	6.0 %
	Total	**2,245**	**100%**

Based upon 2,110 valid cases out of 2,245 total cases.

Location: 355-356 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3164: 173C09 :MOTHR EDUC LEVEL

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed
college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	95	4.2 %
2	SOME HS:(2)	161	7.2 %
3	HS GRAD:(3)	393	17.5 %
4	SOME CLG:(4)	389	17.3 %
5	CLG GRAD:(5)	635	28.3 %
6	GRAD SCH:(6)	322	14.3 %
7	DK:(7)	117	5.2 %
	Missing Data		
-9	MISSING:(-9)	133	5.9 %
	Total	**2,245**	**100%**

Based upon 2,112 valid cases out of 2,245 total cases.

Location: 357-358 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3165: 173C10 :MOTH PD JB R YNG

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%
1	NO:(1)	294	13.1 %
2	YES/SOME:(2)	391	17.4 %
3	YES/MOST:(3)	382	17.0 %
4	YES/NRLY ALL:(4)	1034	46.1 %
	Missing Data		
-9	MISSING:(-9)	144	6.4 %
	Total	**2,245**	**100%**

Based upon 2,101 valid cases out of 2,245 total cases.

Location: 359-360 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3166: 173C11 :Rs POLTL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%
1	STRG GOP:(1)	223	9.9 %
2	MILD GOP:(2)	234	10.4 %
3	MILD DEM:(3)	290	12.9 %
4	STRG DEM:(4)	307	13.7 %

Value	Label	Unweighted Frequency	%
5	INDEPNDT:(5)	227	10.1 %
6	NO PREF:(6)	267	11.9 %
7	OTHER:(7)	36	1.6 %
8	DK/HVNT DECID:(8)	440	19.6 %
	Missing Data		
-9	MISSING:(-9)	221	9.8 %
	Total	**2,245**	**100%**

Based upon 2,024 valid cases out of 2,245 total cases.

Location: 361-362 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3167: 173C12 :Rs POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the above, or don't know"

Value	Label	Unweighted Frequency	%
1	VRY CONS:(1)	103	4.6 %
2	CONSERV:(2)	252	11.2 %
3	MODERATE:(3)	460	20.5 %
4	LIBERAL:(4)	358	15.9 %
5	VRY LIB:(5)	159	7.1 %
6	RADICAL:(6)	26	1.2 %
8	NONE/DK:(8)	731	32.6 %
	Missing Data		
-9	MISSING:(-9)	156	6.9 %
	Total	**2,245**	**100%**

Based upon 2,089 valid cases out of 2,245 total cases.

Location: 363-364 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3169: 173C13B:R ATTND REL SVC

Item Number: 00370

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

[Responses from the western region intentionally obliterated.]

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	390	17.4 %
2	RARELY:(2)	530	23.6 %
3	1-2X/MO:(3)	229	10.2 %
4	1/WK OR+:(4)	393	17.5 %
	Missing Data		
-9	MISSING:(-9)	703	31.3 %
	Total	**2,245**	**100%**

Based upon 1,542 valid cases out of 2,245 total cases.

Location: 365-366 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3170: 173C13C:RLGN IMP Rs LF

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important" 4="Very important"

[Responses from the western region intentionally obliterated.]

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	396	17.6 %
2	LITL IMP:(2)	393	17.5 %
3	PRTY IMP:(3)	392	17.5 %
4	VERY IMP:(4)	362	16.1 %
	Missing Data		
-9	MISSING:(-9)	702	31.3 %
	Total	**2,245**	**100%**

Based upon 1,543 valid cases out of 2,245 total cases.

Location: 367-368 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3171: 173C14 :WHEN R XPCT GRAD

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"
6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%
1	JUNE:(1)	2055	91.5 %
2	JUL-JAN:(2)	15	0.7 %
3	AFTER JAN:(3)	0	0.0 %
6	DONT EXPCT:(6)	19	0.8 %
	Missing Data		
-9	MISSING:(-9)	156	6.9 %
	Total	**2,245**	**100%**

Based upon 2,089 valid cases out of 2,245 total cases.

Location: 369-370 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3172: 173C15 :Rs HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%
1	CLG PREP:(1)	1100	49.0 %
2	GENERAL:(2)	666	29.7 %
3	VOC-TECH:(3)	93	4.1 %
4	OTH/DK:(4)	221	9.8 %
	Missing Data		
-9	MISSING:(-9)	165	7.3 %

Value	Label	Unweighted Frequency	%
	Total	**2,245**	**100%**

Based upon 2,080 valid cases out of 2,245 total cases.

Location: 371-372 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3173: 173C16 :RT SF SCH AB>AVG

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	50	2.2 %
2	BELOW AVG:(2)	35	1.6 %
3	SLIGHT BELOW:(3)	98	4.4 %
4	AVERAGE:(4)	645	28.7 %
5	SLIGHT ABOVE:(5)	531	23.7 %
6	ABOVE AVG:(6)	548	24.4 %
7	FAR ABOVE:(7)	157	7.0 %
	Missing Data		
-9	MISSING:(-9)	181	8.1 %
	Total	**2,245**	**100%**

Based upon 2,064 valid cases out of 2,245 total cases.

Location: 373-374 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3174: 173C17 :RT SF INTELL>AVG

Item Number: 00420

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above

Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	37	1.6 %
2	BELOW AVG:(2)	48	2.1 %
3	SLIGHT BELOW:(3)	77	3.4 %
4	AVERAGE:(4)	636	28.3 %
5	SLIGHT ABOVE:(5)	536	23.9 %
6	ABOVE AVG:(6)	560	24.9 %
7	FAR ABOVE:(7)	176	7.8 %
	Missing Data		
-9	MISSING:(-9)	175	7.8 %
	Total	**2,245**	**100%**

Based upon 2,070 valid cases out of 2,245 total cases.

Location: 375-376 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3175: 173C18A:#DA/4W SC MS ILL

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1110	49.4 %
2	1 DAY:(2)	330	14.7 %
3	2 DAYS:(3)	231	10.3 %
4	3 DAYS:(4)	168	7.5 %
5	4-5 DAYS:(5)	106	4.7 %
6	6-10 DA:(6)	51	2.3 %
7	11+ DAYS:(7)	22	1.0 %
	Missing Data		
-9	MISSING:(-9)	227	10.1 %
	Total	**2,245**	**100%**

Based upon 2,018 valid cases out of 2,245 total cases.

Location: 377-378 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3176: 173C18B:#DA/4W SC MS CUT

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1375	61.2 %
2	1 DAY:(2)	232	10.3 %
3	2 DAYS:(3)	140	6.2 %
4	3 DAYS:(4)	81	3.6 %
5	4-5 DAYS:(5)	90	4.0 %
6	6-10 DA:(6)	35	1.6 %
7	11+ DAYS:(7)	34	1.5 %
	Missing Data		
-9	MISSING:(-9)	258	11.5 %
	Total	**2,245**	**100%**

Based upon 1,987 valid cases out of 2,245 total cases.

Location: 379-380 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3177: 173C18C:#DA/4W SC MS OTH

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1050	46.8 %
2	1 DAY:(2)	377	16.8 %
3	2 DAYS:(3)	247	11.0 %
4	3 DAYS:(4)	158	7.0 %
5	4-5 DAYS:(5)	103	4.6 %
6	6-10 DA:(6)	52	2.3 %
7	11+ DAYS:(7)	20	0.9 %
	Missing Data		
-9	MISSING:(-9)	238	10.6 %
	Total	**2,245**	**100%**

Based upon 2,007 valid cases out of 2,245 total cases.

Location: 381-382 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3178: 173C19 :#DA/4W SKP CLASS

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school,
but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"
5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1506	67.1 %
2	1-2:(2)	296	13.2 %
3	3-5:(3)	160	7.1 %
4	6-10:(4)	67	3.0 %
5	11-20:(5)	21	0.9 %
6	21+:(6)	23	1.0 %
	Missing Data		
-9	MISSING:(-9)	172	7.7 %
	Total	**2,245**	**100%**

Based upon 2,073 valid cases out of 2,245 total cases.

Location: 383-384 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3179: 173C20 :R HS GRADE/D = 1

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)" 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)" 1="D (69 or below)"

Value	Label	Unweighted Frequency	%
1	D:(1)	21	0.9 %
2	C-:(2)	25	1.1 %
3	C:(3)	78	3.5 %
4	C+:(4)	171	7.6 %
5	B-:(5)	233	10.4 %
6	B:(6)	344	15.3 %
7	B+:(7)	372	16.6 %
8	A-:(8)	409	18.2 %
9	A:(9)	402	17.9 %
	Missing Data		
-9	MISSING:(-9)	190	8.5 %
	Total	**2,245**	**100%**

Based upon 2,055 valid cases out of 2,245 total cases.

Location: 385-386 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3180: 173C21A:R WL DO VOC/TEC

Item Number: 00480

How likely is it that you will do each of the following things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1130	50.3 %

Value	Label	Unweighted Frequency	%
2	PRB WONT:(2)	523	23.3 %
3	PRB WILL:(3)	214	9.5 %
4	DEF WILL:(4)	102	4.5 %
	Missing Data		
-9	MISSING:(-9)	276	12.3 %
	Total	**2,245**	**100%**

Based upon 1,969 valid cases out of 2,245 total cases.

Location: 387-388 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3181: 173C21B!:R WL DO MILITARY

Item Number: 00490

How likely is it that you will do each of the following
things after high school?

B: Serve in the military (armed forces)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1294	57.6 %
2	PRB WONT:(2)	439	19.6 %
3	PRB WILL:(3)	153	6.8 %
4	DEF WILL:(4)	98	4.4 %
	Missing Data		
-9	MISSING:(-9)	261	11.6 %
	Total	**2,245**	**100%**

Based upon 1,984 valid cases out of 2,245 total cases.

Location: 389-390 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3182: 173C21C:R WL DO 2YR CLG

Item Number: 00500

How likely is it that you will do each of the following

things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	723	32.2 %
2	PRB WONT:(2)	394	17.6 %
3	PRB WILL:(3)	467	20.8 %
4	DEF WILL:(4)	381	17.0 %
	Missing Data		
-9	MISSING:(-9)	280	12.5 %
	Total	**2,245**	**100%**

Based upon 1,965 valid cases out of 2,245 total cases.

Location: 391-392 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3183: 173C21D:R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following
things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	155	6.9 %
2	PRB WONT:(2)	169	7.5 %
3	PRB WILL:(3)	481	21.4 %
4	DEF WILL:(4)	1214	54.1 %
	Missing Data		
-9	MISSING:(-9)	226	10.1 %
	Total	**2,245**	**100%**

Based upon 2,019 valid cases out of 2,245 total cases.

Location: 393-394 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V3184: 173C21E:R WL DO GRD/PRF

Item Number: 00520

How likely is it that you will do each of the following things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	352	15.7 %
2	PRB WONT:(2)	549	24.5 %
3	PRB WILL:(3)	617	27.5 %
4	DEF WILL:(4)	462	20.6 %
	Missing Data		
-9	MISSING:(-9)	265	11.8 %
	Total	**2,245**	**100%**

Based upon 1,980 valid cases out of 2,245 total cases.

Location: 395-396 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3185: 173C22A:R WNTDO VOC/TEC

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1783	79.4 %
1	MARKED:(1)	234	10.4 %
	Missing Data		
-9	MISSING:(-9)	228	10.2 %

Value	Label	Unweighted Frequency	%
	Total	**2,245**	**100%**

Based upon 2,017 valid cases out of 2,245 total cases.

Location: 397-398 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3186: 173C22B:R WNTDO ARMD FC

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1706	76.0 %
1	MARKED:(1)	311	13.9 %
	Missing Data		
-9	MISSING:(-9)	228	10.2 %
	Total	**2,245**	**100%**

Based upon 2,017 valid cases out of 2,245 total cases.

Location: 399-400 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3187: 173C22C:R WNTDO 2YR CLG

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1537	68.5 %
1	MARKED:(1)	480	21.4 %
	Missing Data		
-9	MISSING:(-9)	228	10.2 %
	Total	**2,245**	**100%**

Based upon 2,017 valid cases out of 2,245 total cases.

Location: 401-402 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3188: 173C22D:R WNTDO 4YR CLG

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	419	18.7 %
1	MARKED:(1)	1598	71.2 %
	Missing Data		
-9	MISSING:(-9)	228	10.2 %
	Total	**2,245**	**100%**

Based upon 2,017 valid cases out of 2,245 total cases.

Location: 403-404 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3189: 173C22E:R WNTDO GRD/PRF

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	949	42.3 %
1	MARKED:(1)	1068	47.6 %
	Missing Data		
-9	MISSING:(-9)	228	10.2 %
	Total	**2,245**	**100%**

Based upon 2,017 valid cases out of 2,245 total cases.

Location: 405-406 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3190: 173C22F:R WNTDO NONE

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1870	83.3 %
1	MARKED:(1)	147	6.5 %
	Missing Data		
-9	MISSING:(-9)	228	10.2 %
	Total	**2,245**	**100%**

Based upon 2,017 valid cases out of 2,245 total cases.

Location: 407-408 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3191: 173C23 :HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours" 8="More than 30 hours"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	778	34.7 %
2	5 OR <:(2)	192	8.6 %
3	6-10 HRS:(3)	234	10.4 %
4	11-15 HRS:(4)	205	9.1 %
5	16-20 HRS:(5)	220	9.8 %
6	21-25 HRS:(6)	156	6.9 %
7	26-30 HRS:(7)	107	4.8 %
8	30+ HRS:(8)	125	5.6 %
	Missing Data		
-9	MISSING:(-9)	228	10.2 %
	Total	**2,245**	**100%**

Based upon 2,017 valid cases out of 2,245 total cases.

Location: 409-410 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3192: 173C24A:R$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50" 7="$51-75" 8="$76-125" 9="$126-175" 10="176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	797	35.5 %
2	$1-5:(2)	18	0.8 %
3	$6-10:(3)	73	3.3 %
4	$11-20:(4)	80	3.6 %
5	$21-35:(5)	62	2.8 %
6	$36-50:(6)	91	4.1 %
7	$51-75:(7)	104	4.6 %
8	$76-125:(8)	264	11.8 %

Value	Label	Unweighted Frequency	%
9	$126-175:(9)	194	8.6 %
10	$176+:(10)	297	13.2 %
	Missing Data		
-9	MISSING:(-9)	265	11.8 %
	Total	**2,245**	**100%**

Based upon 1,980 valid cases out of 2,245 total cases.

Location: 411-412 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3193: 173C24B:R$/AVG WEEK OTH

Item Number: 00610

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50"
7="$51-75" 8="$76-125" 9="$126-175" 10="176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	956	42.6 %
2	$1-5:(2)	81	3.6 %
3	$6-10:(3)	134	6.0 %
4	$11-20:(4)	272	12.1 %
5	$21-35:(5)	162	7.2 %
6	$36-50:(6)	128	5.7 %
7	$51-75:(7)	54	2.4 %
8	$76-125:(8)	53	2.4 %
9	$126-175:(9)	22	1.0 %
10	$176+:(10)	63	2.8 %
	Missing Data		
-9	MISSING:(-9)	320	14.3 %
	Total	**2,245**	**100%**

Based upon 1,925 valid cases out of 2,245 total cases.

Location: 413-414 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3194: 173C25 :#X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five" 6="Six or Seven"

Value	Label	Unweighted Frequency	%
1	< 1:(1)	374	16.7 %
2	ONE:(2)	371	16.5 %
3	TWO:(3)	531	23.7 %
4	THREE:(4)	410	18.3 %
5	4-5:(5)	237	10.6 %
6	6-7:(6)	93	4.1 %
	Missing Data		
-9	MISSING:(-9)	229	10.2 %
	Total	**2,245**	**100%**

Based upon 2,016 valid cases out of 2,245 total cases.

Location: 415-416 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3195: 173C26 :#X DATE 3+/WK

Item Number: 00630

On the average, how often do you go out with a date (or your spouse/partner)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month" 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	910	40.5 %
2	ONCE/MO:(2)	266	11.8 %
3	2-3X MO:(3)	233	10.4 %
4	ONCE WK:(4)	239	10.6 %
5	2-3X WK:(5)	266	11.8 %

Value	Label	Unweighted Frequency	%
6	3+ WEEK:(6)	114	5.1 %
	Missing Data		
-9	MISSING:(-9)	217	9.7 %
	Total	**2,245**	**100%**

Based upon 2,028 valid cases out of 2,245 total cases.

Location: 417-418 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3196: 173C27 :DRIVE>200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	543	24.2 %
2	1-10 MI:(2)	180	8.0 %
3	11-50:(3)	455	20.3 %
4	51-100:(4)	410	18.3 %
5	101-200:(5)	246	11.0 %
6	> 200:(6)	197	8.8 %
	Missing Data		
-9	MISSING:(-9)	214	9.5 %
	Total	**2,245**	**100%**

Based upon 2,031 valid cases out of 2,245 total cases.

Location: 419-420 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3197: 173C28 :#X/12MO R TCKTD

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or

improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"
4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1634	72.8 %
1	ONCE:(1)	237	10.6 %
2	TWICE:(2)	63	2.8 %
3	3 TIMES:(3)	36	1.6 %
4	4+ TIMES:(4)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	266	11.8 %
	Total	**2,245**	**100%**

Based upon 1,979 valid cases out of 2,245 total cases.

Location: 421-422 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3198: 173C29A:#TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	322	14.3 %
1	ONE:(1)	11	0.5 %
2	TWO:(2)	2	0.1 %
3	THREE+:(3-4)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	1906	84.9 %
	Total	**2,245**	**100%**

Based upon 339 valid cases out of 2,245 total cases.

Location: 423-424 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V3199: 173C29B:#TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	316	14.1 %
1	ONE:(1)	12	0.5 %
2	TWO:(2)	2	0.1 %
3	THREE+:(3-4)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	1909	85.0 %
	Total	**2,245**	**100%**

Based upon 336 valid cases out of 2,245 total cases.

Location: 425-426 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3200: 173C29C:#TCKTS AFT OTDG

Item Number: 00680

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	328	14.6 %
1	ONE:(1)	4	0.2 %
2	TWO:(2)	1	0.0 %

Value	Label	Unweighted Frequency	%
3	THREE+:(3-4)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	1911	85.1 %
	Total	**2,245**	**100%**

Based upon 334 valid cases out of 2,245 total cases.

Location: 427-428 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3201: 173C30 :#ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury-- not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO TOP OF NEXT COLUMN " 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1669	74.3 %
1	ONCE:(1)	218	9.7 %
2	TWICE:(2)	72	3.2 %
3	3 TIMES:(3)	12	0.5 %
4	4+ TIMES:(4)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	268	11.9 %
	Total	**2,245**	**100%**

Based upon 1,977 valid cases out of 2,245 total cases.

Location: 429-430 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3202: 173C31A:#ACDTS AFT DRNK

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	301	13.4 %
1	ONE:(1)	5	0.2 %
2	TWO:(2)	3	0.1 %
3	THREE+:(3-4)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	1935	86.2 %
	Total	**2,245**	**100%**

Based upon 310 valid cases out of 2,245 total cases.

Location: 431-432 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3203: 173C31B:#ACDTS AFT MARJ

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	294	13.1 %
1	ONE:(1)	8	0.4 %
2	TWO:(2)	4	0.2 %
3	THREE+:(3-4)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	1937	86.3 %
	Total	**2,245**	**100%**

Based upon 308 valid cases out of 2,245 total cases.

Location: 433-434 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V3204: 173C31C:#ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	301	13.4 %
1	ONE:(1)	4	0.2 %
2	TWO:(2)	2	0.1 %
3	THREE+:(3-4)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	1938	86.3 %
	Total	**2,245**	**100%**

Based upon 307 valid cases out of 2,245 total cases.

Location: 435-436 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3484: 173D01 :FEEL UNSAFE@SCHL

Item Number: 25770

The next questions are about feeling unsafe--that is, feeling that someone might try to harm or injure you. How often do you feel unsafe when you are at school?

1="Never" 2="Rarely" 3="Some days" 4="Most days" 5="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1172	52.2 %
2	RARELY:(2)	585	26.1 %
3	SOMEDAYS:(3)	157	7.0 %
4	MOSTDAYS:(4)	56	2.5 %
5	EVERYDAY:(5)	63	2.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	212	9.4 %
	Total	**2,245**	**100%**

Based upon 2,033 valid cases out of 2,245 total cases.

Location: 437-438 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3485: 173D02 :UNSAF TO/FRM SCH

Item Number: 25780

How often do you feel unsafe going to or from school?

1="Never" 2="Rarely" 3="Some days" 4="Most days" 5="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1262	56.2 %
2	RARELY:(2)	532	23.7 %
3	SOMEDAYS:(3)	149	6.6 %
4	MOSTDAYS:(4)	45	2.0 %
5	EVERYDAY:(5)	41	1.8 %
	Missing Data		
-9	MISSING:(-9)	216	9.6 %
	Total	**2,245**	**100%**

Based upon 2,029 valid cases out of 2,245 total cases.

Location: 439-440 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3486: 173D03 :4WK/UNSAF AVDSCH

Item Number: 25790

During the LAST FOUR WEEKS, how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

1="0 days" 2="1 day" 3="2 or 3 days" 4="4 or more days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1923	85.7 %
2	1 DAY:(2)	49	2.2 %
3	2 OR 3:(3)	32	1.4 %
4	4+ DAYS:(4)	23	1.0 %
	Missing Data		
-9	MISSING:(-9)	218	9.7 %
	Total	**2,245**	**100%**

Based upon 2,027 valid cases out of 2,245 total cases.

Location: 441-442 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3497: 173D04A:#X ANDRO/12MO

Item Number: 31160

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

A. . . . taken "andro" (androstenedione, non-prescription steroid)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2002	89.2 %
2	1-2X:(2)	4	0.2 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	231	10.3 %
	Total	**2,245**	**100%**

Based upon 2,014 valid cases out of 2,245 total cases.

Location: 443-444 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3498: 173D04B:#X CREATINE/12MO

Item Number: 31170

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

B. . . . taken creatine (amino acid used to build muscles)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1822	81.2 %
2	1-2X:(2)	39	1.7 %
3	3-5X:(3)	28	1.2 %
4	6-9X:(4)	19	0.8 %
5	10-19X:(5)	24	1.1 %
6	20-39X:(6)	23	1.0 %
7	40+OCCAS:(7)	47	2.1 %
	Missing Data		
-9	MISSING:(-9)	243	10.8 %
	Total	**2,245**	**100%**

Based upon 2,002 valid cases out of 2,245 total cases.

Location: 445-446 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3499: 173D04C:#X RITALIN/12MO

Item Number: 31180

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

C. . . . taken Ritalin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1978	88.1 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	9	0.4 %
3	3-5X:(3)	10	0.4 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	242	10.8 %
	Total	**2,245**	**100%**

Based upon 2,003 valid cases out of 2,245 total cases.

Location: 447-448 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3520: 173D04D:#X ADDERALL/12MO

Item Number: 32450

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

D. . . . taken Adderall (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1867	83.2 %
2	1-2X:(2)	70	3.1 %
3	3-5X:(3)	30	1.3 %
4	6-9X:(4)	10	0.4 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	8	0.4 %
7	40+OCCAS:(7)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	245	10.9 %
	Total	**2,245**	**100%**

Based upon 2,000 valid cases out of 2,245 total cases.

Location: 449-450 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V3515: 173D04E:#X COUGHMED/12MO

Item Number: 31670

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

E. . . . taken a non-prescription cough or cold medicine (robos, DXM, etc.) to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1928	85.9 %
2	1-2X:(2)	37	1.6 %
3	3-5X:(3)	17	0.8 %
4	6-9X:(4)	10	0.4 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	245	10.9 %
	Total	**2,245**	**100%**

Based upon 2,000 valid cases out of 2,245 total cases.

Location: 451-452 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3516: 173D04F:#X OXYCONTN/12MO

Item Number: 31310

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

F. . . . taken OxyContin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1954	87.0 %
2	1-2X:(2)	22	1.0 %
3	3-5X:(3)	11	0.5 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	243	10.8 %
	Total	**2,245**	**100%**

Based upon 2,002 valid cases out of 2,245 total cases.

Location: 453-454 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3517: 173D04G:#X VICODIN/12MO

Item Number: 31320

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

G. . . . taken Vicodin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1956	87.1 %
2	1-2X:(2)	24	1.1 %
3	3-5X:(3)	8	0.4 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	249	11.1 %
	Total	**2,245**	**100%**

Based upon 1,996 valid cases out of 2,245 total cases.

Location: 455-456 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3521: 173D04H:#X HOOKAH/12MO

Item number: 32660

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

H. . . . smoked tobacco using a hookah (water pipe)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1787	79.6 %
2	1-2X:(2)	107	4.8 %
3	3-5X:(3)	40	1.8 %
4	6-9X:(4)	26	1.2 %
5	10-19X:(5)	13	0.6 %
6	20-39X:(6)	9	0.4 %
7	40+OCCAS:(7)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	248	11.0 %
	Total	**2,245**	**100%**

Based upon 1,997 valid cases out of 2,245 total cases.

Location: 457-458 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3522: 173D04I:#X SMALL CIGARS/12MO

Item number: 32670

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

I. . . . smoked small cigars?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1712	76.3 %
2	1-2X:(2)	127	5.7 %
3	3-5X:(3)	58	2.6 %
4	6-9X:(4)	35	1.6 %
5	10-19X:(5)	36	1.6 %
6	20-39X:(6)	11	0.5 %
7	40+OCCAS:(7)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	251	11.2 %
	Total	**2,245**	**100%**

Based upon 1,994 valid cases out of 2,245 total cases.

Location: 459-460 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3525: 173D04J:#X SYNTHETIC MJ/12MO

Item number: 32700

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

J. . . . taken "synthetic marijuana" ("K2", "Spice") to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1921	85.6 %
2	1-2X:(2)	28	1.2 %
3	3-5X:(3)	21	0.9 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	13	0.6 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	11	0.5 %
	Missing Data		
-9	MISSING:(-9)	240	10.7 %
	Total	**2,245**	**100%**

Based upon 2,005 valid cases out of 2,245 total cases.

Location: 461-462 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3526: 173D04K:#X BATH SALTS/12MO

Item number: 32730

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

K. . . . taken "bath salts" (synthetic stimulants) to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1980	88.2 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	254	11.3 %
	Total	**2,245**	**100%**

Based upon 1,991 valid cases out of 2,245 total cases.

Location: 463-464 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3309: 173D05A:12MO REDUCE ALCL

Item Number: 08910

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

A: . . . Alcohol?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%
0	NO:(0)	754	33.6 %
1	YES:(1)	259	11.5 %
8	HVNT USD:(8)	656	29.2 %
	Missing Data		
-9	MISSING:(-9)	576	25.7 %
	Total	**2,245**	**100%**

Based upon 1,669 valid cases out of 2,245 total cases.

Location: 465-466 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3310: 173D05B:12MO REDUCE CIG

Item Number: 08920

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

B: . . . Cigarettes?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%
0	NO:(0)	337	15.0 %
1	YES:(1)	188	8.4 %
8	HVNT USD:(8)	1428	63.6 %
	Missing Data		
-9	MISSING:(-9)	292	13.0 %
	Total	**2,245**	**100%**

Based upon 1,953 valid cases out of 2,245 total cases.

Location: 467-468 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3311: 173D05C:12MO REDUCE MARJ

Item Number: 08930

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

C: . . . Marijuana?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%
0	NO:(0)	461	20.5 %
1	YES:(1)	250	11.1 %
8	HVNT USD:(8)	1018	45.3 %
	Missing Data		
-9	MISSING:(-9)	516	23.0 %
	Total	**2,245**	**100%**

Based upon 1,729 valid cases out of 2,245 total cases.

Location: 469-470 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3312: 173D05D:12MO REDUCE PSYC

Item Number: 08940

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

D: . . . Hallucinogens (LSD, etc.)?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%
0	NO:(0)	66	2.9 %
1	YES:(1)	21	0.9 %
8	HVNT USD:(8)	1613	71.8 %
	Missing Data		
-9	MISSING:(-9)	545	24.3 %
	Total	**2,245**	**100%**

Based upon 1,700 valid cases out of 2,245 total cases.

Location: 471-472 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3313: 173D05E:12MO REDUCE AMPH

Item Number: 08950

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

E: . . . Amphetamines (uppers)?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%
0	NO:(0)	54	2.4 %
1	YES:(1)	28	1.2 %
8	HVNT USD:(8)	1566	69.8 %
	Missing Data		
-9	MISSING:(-9)	597	26.6 %
	Total	**2,245**	**100%**

Based upon 1,648 valid cases out of 2,245 total cases.

Location: 473-474 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3443: 173D05F:12MO REDUCE TRQL

Item Number: 09005

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

F: . . . Tranquilizers?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%
0	NO:(0)	41	1.8 %
1	YES:(1)	21	0.9 %
8	HVNT USD:(8)	1605	71.5 %
	Missing Data		
-9	MISSING:(-9)	578	25.7 %
	Total	**2,245**	**100%**

Based upon 1,667 valid cases out of 2,245 total cases.

Location: 475-476 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3504: 173D05G:12MO REDUCE SD/B

Item Number: 08975

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

G: . . . Sedatives/barbiturates (downers)?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%
0	NO:(0)	247	11.0 %
1	YES:(1)	34	1.5 %
8	HVNT USD:(8)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	1964	87.5 %
	Total	**2,245**	**100%**

Based upon 281 valid cases out of 2,245 total cases.

Location: 477-478 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3316: 173D05H:12MO REDUCE COKE

Item Number: 08980

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

H: . . . Cocaine?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%
0	NO:(0)	34	1.5 %
1	YES:(1)	27	1.2 %
8	HVNT USD:(8)	1634	72.8 %
	Missing Data		
-9	MISSING:(-9)	550	24.5 %
	Total	**2,245**	**100%**

Based upon 1,695 valid cases out of 2,245 total cases.

Location: 479-480 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3317: 173D05I:12MO REDUCE HRN

Item Number: 08990

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

I: . . . Heroin?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%
0	NO:(0)	13	0.6 %
1	YES:(1)	3	0.1 %
8	HVNT USD:(8)	1690	75.3 %
	Missing Data		
-9	MISSING:(-9)	539	24.0 %
	Total	**2,245**	**100%**

Based upon 1,706 valid cases out of 2,245 total cases.

Location: 481-482 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3318: 173D05J:12MO REDUCE NARC

Item Number: 09000

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

J: . . . Other narcotics?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%
0	NO:(0)	30	1.3 %
1	YES:(1)	16	0.7 %
8	HVNT USD:(8)	1602	71.4 %
	Missing Data		
-9	MISSING:(-9)	597	26.6 %

Value	Label	Unweighted Frequency	%
	Total	**2,245**	**100%**

Based upon 1,648 valid cases out of 2,245 total cases.

Location: 483-484 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3319: 173D06 :NXT 12MOS USE MJ

Item Number: 09010

How likely is it that you will use marijuana in the next
12 months?

1="Definitely will--GO TO QUESTION 8" 2="Probably will--GO TO
QUESTION 8" 3="Probably will not" 4="Definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	311	13.9 %
2	PRB WILL:(2)	280	12.5 %
3	PRB NOT:(3)	399	17.8 %
4	DEF NOT:(4)	895	39.9 %
	Missing Data		
-9	MISSING:(-9)	360	16.0 %
	Total	**2,245**	**100%**

Based upon 1,885 valid cases out of 2,245 total cases.

Location: 485-486 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3320: 173D07A:CNCRN PSYCH DAMG

Item Number: 09020

Here are some reasons people give for not using marijuana,
or for stopping use. Please tell us which reasons are true
for you. (Mark ALL that apply.)

A. Concerned about possible psychological damage

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	650	29.0 %
1	MARKED:(1)	566	25.2 %
	Missing Data		
-9	MISSING:(-9)	1029	45.8 %
	Total	**2,245**	**100%**

Based upon 1,216 valid cases out of 2,245 total cases.

Location: 487-488 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3321: 173D07B:CNCRN PHYSCL DMG

Item Number: 09030

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

B. Concerned about possible physical damage

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	748	33.3 %
1	MARKED:(1)	468	20.8 %
	Missing Data		
-9	MISSING:(-9)	1029	45.8 %
	Total	**2,245**	**100%**

Based upon 1,216 valid cases out of 2,245 total cases.

Location: 489-490 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3322: 173D07C:CNCRN GT ARRESTD

Item Number: 09040

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

C. Concerned about getting arrested

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	695	31.0 %
1	MARKED:(1)	521	23.2 %
	Missing Data		
-9	MISSING:(-9)	1029	45.8 %
	Total	**2,245**	**100%**

Based upon 1,216 valid cases out of 2,245 total cases.

Location: 491-492 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3323: 173D07D:CNCRN BECOM ADCT

Item Number: 09050

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

D. Concerned about becoming addicted to marijuana

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	769	34.3 %
1	MARKED:(1)	447	19.9 %
	Missing Data		
-9	MISSING:(-9)	1029	45.8 %
	Total	**2,245**	**100%**

Based upon 1,216 valid cases out of 2,245 total cases.

Location: 493-494 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3324: 173D07E:AGST MY BELIEFS

Item Number: 09060

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true

for you. (Mark ALL that apply.)

E. It's against my beliefs

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	877	39.1 %
1	MARKED:(1)	339	15.1 %
	Missing Data		
-9	MISSING:(-9)	1029	45.8 %
	Total	**2,245**	**100%**

Based upon 1,216 valid cases out of 2,245 total cases.

Location: 495-496 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3325: 173D07F:CNCRN LEGY/AMBTN

Item Number: 09070

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

F. Concerned about loss of energy or ambition

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	886	39.5 %
1	MARKED:(1)	330	14.7 %
	Missing Data		
-9	MISSING:(-9)	1029	45.8 %
	Total	**2,245**	**100%**

Based upon 1,216 valid cases out of 2,245 total cases.

Location: 497-498 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3326: 173D07G:CNCRN LOSS CNTRL

Item Number: 09080

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

G. Concerned about possible loss of control of myself

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	775	34.5 %
1	MARKED:(1)	441	19.6 %
	Missing Data		
-9	MISSING:(-9)	1029	45.8 %
	Total	**2,245**	**100%**

Based upon 1,216 valid cases out of 2,245 total cases.

Location: 499-500 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3327: 173D07H:MJ ->STRNGR DRGS

Item Number: 09090

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

H. It might lead to stronger drugs

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	772	34.4 %
1	MARKED:(1)	444	19.8 %
	Missing Data		
-9	MISSING:(-9)	1029	45.8 %
	Total	**2,245**	**100%**

Based upon 1,216 valid cases out of 2,245 total cases.

Location: 501-502 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3328: 173D07I:MJ NOT ENJOYABLE

Item Number: 09100

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

I. Not enjoyable, I didn't like it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	980	43.7 %
1	MARKED:(1)	236	10.5 %
	Missing Data		
-9	MISSING:(-9)	1029	45.8 %
	Total	**2,245**	**100%**

Based upon 1,216 valid cases out of 2,245 total cases.

Location: 503-504 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3329: 173D07J:PRNTS DISAPPROVE

Item Number: 09110

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

J. My parents would disapprove

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	570	25.4 %
1	MARKED:(1)	646	28.8 %
	Missing Data		
-9	MISSING:(-9)	1029	45.8 %
	Total	**2,245**	**100%**

Based upon 1,216 valid cases out of 2,245 total cases.

Location: 505-506 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3330: 173D07K:HS/WF DISAPPROVE

Item Number: 09120

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

K. My husband/wife (or boyfriend/girlfriend) would disapprove

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	991	44.1 %
1	MARKED:(1)	225	10.0 %
	Missing Data		
-9	MISSING:(-9)	1029	45.8 %
	Total	**2,245**	**100%**

Based upon 1,216 valid cases out of 2,245 total cases.

Location: 507-508 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3331: 173D07L:DONT LIKE USERS

Item Number: 09130

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

L. I don't like being with the people who use it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	875	39.0 %
1	MARKED:(1)	341	15.2 %
	Missing Data		
-9	MISSING:(-9)	1029	45.8 %
	Total	**2,245**	**100%**

Based upon 1,216 valid cases out of 2,245 total cases.

Location: 509-510 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V3332: 173D07M:FRNDS DNT USE IT

Item Number: 09140

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

M. My friends don't use it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	956	42.6 %
1	MARKED:(1)	260	11.6 %
	Missing Data		
-9	MISSING:(-9)	1029	45.8 %
	Total	**2,245**	**100%**

Based upon 1,216 valid cases out of 2,245 total cases.

Location: 511-512 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3333: 173D07N:PSSBLY BAD TRIP

Item Number: 09150

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

N. I might have a bad trip

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1005	44.8 %
1	MARKED:(1)	211	9.4 %
	Missing Data		
-9	MISSING:(-9)	1029	45.8 %
	Total	**2,245**	**100%**

Based upon 1,216 valid cases out of 2,245 total cases.

Location: 513-514 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3334: 173D07O:TOO EXPENSIVE

Item Number: 09160

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

O. Too expensive

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1014	45.2 %
1	MARKED:(1)	202	9.0 %
	Missing Data		
-9	MISSING:(-9)	1029	45.8 %
	Total	**2,245**	**100%**

Based upon 1,216 valid cases out of 2,245 total cases.

Location: 515-516 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3335: 173D07P:NOT AVAILABLE

Item Number: 09170

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

P. Not available

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1099	49.0 %
1	MARKED:(1)	117	5.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	1029	45.8 %
	Total	**2,245**	**100%**

Based upon 1,216 valid cases out of 2,245 total cases.

Location: 517-518 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3336: 173D07Q:NOT WNT GET HIGH

Item Number: 09180

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

Q. Don't feel like getting high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	505	22.5 %
1	MARKED:(1)	711	31.7 %
	Missing Data		
-9	MISSING:(-9)	1029	45.8 %
	Total	**2,245**	**100%**

Based upon 1,216 valid cases out of 2,245 total cases.

Location: 519-520 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3529: 173D08AA:A-BEHV REGRT-1YR

Item Number: 09193

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

A. . . . caused you to behave in ways that you later regretted?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	1856	82.7 %
1	MARKED:(1)	389	17.3 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 521-522 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3530: 173D08AB:A-HURT REL SPS-1YR

Item Number: 09213

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

B. . . . hurt your relationship with your spouse/partner or girlfriend/boyfriend?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2098	93.5 %
1	MARKED:(1)	147	6.5 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 523-524 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3531: 173D08AC:A-HURT REL CHILD-1YR

Item Number: 31198

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

C. . . . hurt your relationship with your child(ren)?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2200	98.0 %

Value	Label	Unweighted Frequency	%
1	MARKED:(1)	45	2.0 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 525-526 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3532: 173D08AD:A-HURT REL PRN-1YR

Item Number: 09203

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

D. . . . hurt your relationship with your parents?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2141	95.4 %
1	MARKED:(1)	104	4.6 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 527-528 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3533: 173D08AE:A-HURT REL FRN-1YR

Item Number: 09223

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

E. . . . hurt your relationship with your friends?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2134	95.1 %
1	MARKED:(1)	111	4.9 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 529-530 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3534: 173D08AF:A-INV P BD INF-1YR

Item Number: 09243

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

F. . . . involved you with people who were a bad influence on you?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2098	93.5 %
1	MARKED:(1)	147	6.5 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 531-532 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3535: 173D08AG:A-HURT PRF JOB-1YR

Item Number: 09253

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

G. . . . hurt your performance in school and/or on the job?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2173	96.8 %
1	MARKED:(1)	72	3.2 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 533-534 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3536: 173D08AH:A-CS $ DIFFCLT-1YR

Item Number: 26468

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

H. . . . caused you financial difficulties?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2199	98.0 %
1	MARKED:(1)	46	2.0 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 535-536 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3537: 173D08AI:A-CS<STBL EMTN-1YR

Item Number: 09273

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

I. . . . caused you to be less stable emotionally?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2114	94.2 %
1	MARKED:(1)	131	5.8 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 537-538 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3538: 173D08AJ:A-CS HV<ENERGY-1YR

Item Number: 09283

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

J. . . . caused you to have less energy?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2122	94.5 %
1	MARKED:(1)	123	5.5 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 539-540 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3539: 173D08AK:A-CS FEEL BAD-1YR

Item Number: 09303

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

K. . . . made you feel bad (e.g., depressed, anxious, ashamed) for more than just a few days?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2127	94.7 %
1	MARKED:(1)	118	5.3 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 541-542 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3540: 173D08AL:A-CS HLTH BAD-1YR

Item Number: 09313

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

L. . . . caused your physical health to be bad?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2158	96.1 %
1	MARKED:(1)	87	3.9 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 543-544 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3541: 173D08AM:A-CS DRV UNSAF-1YR

Item Number: 09323

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

M. . . . caused you to drive unsafely?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2159	96.2 %
1	MARKED:(1)	86	3.8 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 545-546 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3542: 173D08AN:A-CS ARGUMENT-1YR

Item Number: 26478

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

N. . . . caused you to get into an angry argument?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2100	93.5 %
1	MARKED:(1)	145	6.5 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 547-548 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3543: 173D08AO:A-CS<INTRST-1YR

Item Number: 09263

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

O. . . . caused you to be less interested in other activities?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2181	97.1 %
1	MARKED:(1)	64	2.9 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 549-550 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3544: 173D08AP:A-GT TRBL POL-1YR

Item Number: 09333

Think back over the last 12 months. Did your use of alcohol cause you any of the following problems, even just a little?

Has your use of alcohol in the LAST 12 MONTHS . . .

P. . . . gotten you into trouble with the police?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2188	97.5 %
1	MARKED:(1)	57	2.5 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 551-552 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3545: 173D08MA:M-BEHV REGRT-1YR

Item Number: 09363

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

A. . . . caused you to behave in ways that you later regretted?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2158	96.1 %
1	MARKED:(1)	87	3.9 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 553-554 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3546: 173D08MB:M-HURT REL SPS-1YR

Item Number: 09383

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

B. . . . hurt your relationship with your spouse/partner or girlfriend/boyfriend?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2169	96.6 %

Value	Label	Unweighted Frequency	%
1	MARKED:(1)	76	3.4 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 555-556 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3547: 173D08MC:M-HURT REL CHILD-1YR

Item Number: 31208

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

C. . . . hurt your relationship with your child(ren)?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2219	98.8 %
1	MARKED:(1)	26	1.2 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 557-558 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3548: 173D08MD:M-HURT REL PRN-1YR

Item Number: 09373

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

D. . . . hurt your relationship with your parents?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2130	94.9 %
1	MARKED:(1)	115	5.1 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 559-560 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3549: 173D08ME:M-HURT REL FRN-1YR

Item Number: 09393

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

E. . . . hurt your relationship with your friends?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2192	97.6 %
1	MARKED:(1)	53	2.4 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 561-562 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3550: 173D08MF:M-INV P BD INF-1YR

Item Number: 09413

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

F. . . . involved you with people who were a bad influence on you?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2111	94.0 %
1	MARKED:(1)	134	6.0 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 563-564 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3551: 173D08MG:M-HURT PRF JOB-1YR

Item Number: 09423

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

G. . . . hurt your performance in school and/or on the job?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2164	96.4 %
1	MARKED:(1)	81	3.6 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 565-566 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3552: 173D08MH:M-CS $ DIFFCLT-1YR

Item Number: 26498

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

H. . . . caused you financial difficulties?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2161	96.3 %
1	MARKED:(1)	84	3.7 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 567-568 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3553: 173D08MI:M-CS<STBL EMTN-1YR

Item Number: 09443

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

I. . . . caused you to be less stable emotionally?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2181	97.1 %
1	MARKED:(1)	64	2.9 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 569-570 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3554: 173D08MJ:M-CS HV<ENERGY-1YR

Item Number: 09453

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

J. . . . caused you to have less energy?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2079	92.6 %
1	MARKED:(1)	166	7.4 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 571-572 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3555: 173D08MK:M-CS FEEL BAD-1YR

Item Number: 09473

Think back over the last 12 months. Did your use of marijuana cause

you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

K. . . . made you feel bad (e.g., depressed, anxious, ashamed) for more than just a few days?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2170	96.7 %
1	MARKED:(1)	75	3.3 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 573-574 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3556: 173D08ML:M-CS HLTH BAD-1YR

Item Number: 09483

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

L. . . . caused your physical health to be bad?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2200	98.0 %
1	MARKED:(1)	45	2.0 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 575-576 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3557: 173D08MM:M-CS DRV UNSAF-1YR

Item Number: 09493

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

M. . . . caused you to drive unsafely?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2184	97.3 %
1	MARKED:(1)	61	2.7 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 577-578 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3558: 173D08MN:M-CS ARGUMENT-1YR

Item Number: 26518

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

N. . . . caused you to get into an angry argument?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2193	97.7 %
1	MARKED:(1)	52	2.3 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 579-580 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3559: 173D08MO:M-CS<INTRST-1YR

Item Number: 09433

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

O. . . . caused you to be less interested in other activities?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2163	96.3 %
1	MARKED:(1)	82	3.7 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 581-582 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3560: 173D08MP:M-GT TRBL POL-1YR

Item Number: 09503

Think back over the last 12 months. Did your use of marijuana cause you any of the following problems, even just a little?

Has your use of marijuana in the LAST 12 MONTHS . . .

P. . . . gotten you into trouble with the police?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2190	97.6 %
1	MARKED:(1)	55	2.4 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 583-584 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3561: 173D08OA:O-BEHV REGRT-1YR

Item Number: 09533

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

A. . . . caused you to behave in ways that you later regretted?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2187	97.4 %
1	MARKED:(1)	58	2.6 %

Value	Label	Unweighted Frequency	%
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 585-586 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3562: 173D08OB:O-HURT REL SPS-1YR

Item Number: 09553

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

B. . . . hurt your relationship with your spouse/partner or girlfriend/boyfriend?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2189	97.5 %
1	MARKED:(1)	56	2.5 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 587-588 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3563: 173D08OC:O-HURT REL CHILD-1YR

Item Number: 31218

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

C. . . . hurt your relationship with your child(ren)?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2195	97.8 %
1	MARKED:(1)	50	2.2 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 589-590 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3564: 173D08OD:O-HURT REL PRN-1YR

Item Number: 09543

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

D. . . . hurt your relationship with your parents?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2192	97.6 %
1	MARKED:(1)	53	2.4 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 591-592 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3565: 173D08OE:O-HURT REL FRN-1YR

Item Number: 09563

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

E. . . . hurt your relationship with your friends?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2187	97.4 %
1	MARKED:(1)	58	2.6 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 593-594 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3566: 173D08OF:O-INV P BD INF-1YR

Item Number: 09583

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

F. . . . involved you with people who were a bad influence on you?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2177	97.0 %
1	MARKED:(1)	68	3.0 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 595-596 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3567: 173D08OG:O-HURT PRF JOB-1YR

Item Number: 09593

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

G. . . . hurt your performance in school and/or on the job?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2186	97.4 %
1	MARKED:(1)	59	2.6 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 597-598 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3568: 173D08OH:O-CS $ DIFFCLT-1YR

Item Number: 26538

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

H. . . . caused you financial difficulties?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2191	97.6 %
1	MARKED:(1)	54	2.4 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 599-600 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3569: 173D08OI:O-CS<STBL EMTN-1YR

Item Number: 09613

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

I. . . . caused you to be less stable emotionally?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2186	97.4 %
1	MARKED:(1)	59	2.6 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 601-602 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3570: 173D08OJ:O-CS HV<ENERGY-1YR

Item Number: 09623

Think back over the last 12 months. Did your use of other illicit drugs cause

you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

J. . . . caused you to have less energy?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2192	97.6 %
1	MARKED:(1)	53	2.4 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 603-604 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3571: 173D08OK:O-CS FEEL BAD-1YR

Item Number: 09643

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

K. . . . made you feel bad (e.g., depressed, anxious, ashamed) for more than just a few days?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2182	97.2 %
1	MARKED:(1)	63	2.8 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 605-606 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3572: 173D08OL:O-CS HLTH BAD-1YR

Item Number: 09653

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

L. . . . caused your physical health to be bad?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2188	97.5 %
1	MARKED:(1)	57	2.5 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 607-608 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3573: 173D08OM:O-CS DRV UNSAF-1YR

Item Number: 09663

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

M. . . . caused you to drive unsafely?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2192	97.6 %
1	MARKED:(1)	53	2.4 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 609-610 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3574: 173D08ON:O-CS ARGUMENT-1YR

Item Number: 26558

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

N. . . . caused you to get into an angry argument?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2188	97.5 %
1	MARKED:(1)	57	2.5 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 611-612 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3575: 173D08OO:O-CS<INTRST-1YR

Item Number: 09603

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

O. . . . caused you to be less interested in other activities?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2190	97.6 %
1	MARKED:(1)	55	2.4 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 613-614 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3576: 173D08OP:O-GT TRBL POL-1YR

Item Number: 09673

Think back over the last 12 months. Did your use of other illicit drugs cause you any of the following problems, even just a little?

Has your use of other illicit drugs in the LAST 12 MONTHS . . .

P. . . . gotten you into trouble with the police?

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2194	97.7 %
1	MARKED:(1)	51	2.3 %

Value	Label	Unweighted Frequency	%
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 615-616 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3577: 173D09Aa:ANEED>SM EFCT-1YR

Item Number: 26578

Did your use of alcohol DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

A. You found that over time you needed more alcohol to get the same effect.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2122	94.5 %
1	MARKED:(1)	123	5.5 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 617-618 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3578: 173D09Ab:ASTPNG MD SICK-1YR

Item Number: 26588

Did your use of alcohol DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

B. Stopping or reducing your use of alcohol made you physically ill or sick.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2204	98.2 %
1	MARKED:(1)	41	1.8 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 619-620 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3579: 173D09Ac:AUSE AVD HNGOV-1YR

Item Number: 26598

Did your use of alcohol DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

C. You used alcohol to avoid "hangovers" or aftereffects of the drug.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2199	98.0 %
1	MARKED:(1)	46	2.0 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 621-622 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3580: 173D09Ad:ATRY STP&FAILD-1YR

Item Number: 26608

Did your use of alcohol DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

D. You wanted to try to stop or cut down, but you found that you could not.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2214	98.6 %
1	MARKED:(1)	31	1.4 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 623-624 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3581: 173D09Ae:AUSE KNWNG HRM-1YR

Item Number: 26618

Did your use of alcohol DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

E. You continued to use alcohol even though you knew it was harmful to do so.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2137	95.2 %
1	MARKED:(1)	108	4.8 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 625-626 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3582: 173D09Af:ACLDN'T RESIST-1YR

Item Number: 26628

Did your use of alcohol DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

F. You felt such a strong desire to use alcohol that you could not resist it or think of anything else.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2212	98.5 %
1	MARKED:(1)	33	1.5 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 627-628 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3583: 173D09Ag:ASPND>TIME DRUG-1YR

Item Number: 32018

Did your use of alcohol DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

G. You found yourself spending more time obtaining or getting over the aftereffects of alcohol.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2211	98.5 %
1	MARKED:(1)	34	1.5 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 629-630 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3584: 173D09Ah:AUSE > MEANT-1YR

Item Number: 32028

Did your use of alcohol DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

H. You found yourself using more alcohol than you meant to.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2168	96.6 %
1	MARKED:(1)	77	3.4 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 631-632 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3585: 173D09Ai:ARCVD COUNSEL-1YR

Item Number: 30958

Did your use of alcohol DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

I. You got some type of counseling or therapy to assist you in quitting or reducing your use of alcohol.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2212	98.5 %
1	MARKED:(1)	33	1.5 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 633-634 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3586: 173D09Ma:MNEED>SM EFCT-1YR

Item Number: 26638

Did your use of marijuana DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

A. You found that over time you needed more marijuana to get the same effect.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2120	94.4 %
1	MARKED:(1)	125	5.6 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 635-636 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3587: 173D09Mb:MSTPNG MD SICK-1YR

Item Number: 26648

Did your use of marijuana DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

B. Stopping or reducing your use of marijuana made you physically ill or sick.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2213	98.6 %
1	MARKED:(1)	32	1.4 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 637-638 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3588: 173D09Mc:MUSE AVD HNGOV-1YR

Item Number: 26658

Did your use of marijuana DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

C. You used marijuana to avoid "hangovers" or aftereffects of the drug.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2185	97.3 %
1	MARKED:(1)	60	2.7 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 639-640 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3589: 173D09Md:MTRY STP&FAILD-1YR

Item Number: 26668

Did your use of marijuana DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

D. You wanted to try to stop or cut down, but you found that you could not.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2200	98.0 %
1	MARKED:(1)	45	2.0 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 641-642 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3590: 173D09Me:MUSE KNWNG HRM-1YR

Item Number: 26678

Did your use of marijuana DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

E. You continued to use marijuana even though you knew it was harmful to do so.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2167	96.5 %
1	MARKED:(1)	78	3.5 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 643-644 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3591: 173D09Mf:MCLDN'T RESIST-1YR

Item Number: 26688

Did your use of marijuana DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

F. You felt such a strong desire to use marijuana that you could not resist it or think of anything else.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2204	98.2 %
1	MARKED:(1)	41	1.8 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 645-646 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3592: 173D09Mg:MSPND>TIME DRUG-1YR

Item Number: 32038

Did your use of marijuana DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

G. You found yourself spending more time obtaining or getting over the aftereffects of marijuana.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2215	98.7 %
1	MARKED:(1)	30	1.3 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 647-648 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3593: 173D09Mh:MUSE > MEANT-1YR

Item Number: 32048

Did your use of marijuana DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

H. You found yourself using more marijuana than you meant to.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2176	96.9 %
1	MARKED:(1)	69	3.1 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 649-650 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3594: 173D09Mi:MRCVD COUNSEL-1YR

Item Number: 30968

Did your use of marijuana DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

I. You got some type of counseling or therapy to assist you in quitting or reducing your use of marijuana.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2219	98.8 %
1	MARKED:(1)	26	1.2 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 651-652 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3595: 173D09Oa:ONEED>SM EFCT-1YR

Item Number: 26698

Did your use of other illicit drugs DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

A. You found that over time you needed more of the drug to get the same effect.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2172	96.7 %
1	MARKED:(1)	73	3.3 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 653-654 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3596: 173D09Ob:OSTPNG MD SICK-1YR

Item Number: 26708

Did your use of other illicit drugs DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

B. Stopping or reducing your use of the drug made you physically ill or sick.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2185	97.3 %
1	MARKED:(1)	60	2.7 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 655-656 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3597: 173D09Oc:OUSE AVD HNGOV-1YR

Item Number: 26718

Did your use of other illicit drugs DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

C. You used the drug to avoid "hangovers" or aftereffects of the drug.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2190	97.6 %
1	MARKED:(1)	55	2.4 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 657-658 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3598: 173D09Od:OTRY STP&FAILD-1YR

Item Number: 26728

Did your use of other illicit drugs DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

D. You wanted to try to stop or cut down, but you found that you could not.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2183	97.2 %
1	MARKED:(1)	62	2.8 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 659-660 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3599: 173D09Oe:OUSE KNWNG HRM-1YR

Item Number: 26738

Did your use of other illicit drugs DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

E. You continued to use the drug even though you knew it was harmful to do so.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2164	96.4 %
1	MARKED:(1)	81	3.6 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 661-662 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3600: 173D09Of:OCLDN'T RESIST-1YR

Item Number: 26748

Did your use of other illicit drugs DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

F. You felt such a strong desire to use the drug that you could not resist it or think of anything else.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2185	97.3 %
1	MARKED:(1)	60	2.7 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 663-664 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3601: 173D09Og:OSPND>TIME DRUG-1YR

Item Number: 32058

Did your use of other illicit drugs DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

G. You found yourself spending more time obtaining or getting over the aftereffects of the drug.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2184	97.3 %
1	MARKED:(1)	61	2.7 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 665-666 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3602: 173D09Oh:OUSE > MEANT-1YR

Item Number: 32068

Did your use of other illicit drugs DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

H. You found yourself using more of the drug than you meant to.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2179	97.1 %
1	MARKED:(1)	66	2.9 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 667-668 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3603: 173D09Oi:ORCVD COUNSEL-1YR

Item Number: 30978

Did your use of other illicit drugs DURING THE LAST 12 MONTHS lead you to any of following, even just a little?

I. You got some type of counseling or therapy to assist you in quitting or reducing your use of the drug.

Value	Label	Unweighted Frequency	%
0	NT MRKED:(0)	2187	97.4 %
1	MARKED:(1)	58	2.6 %
	Total	**2,245**	**100%**

Based upon 2,245 valid cases out of 2,245 total cases.

Location: 669-670 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3477: 173E01A:ALL FRD SMK CIGS

Item Number: 07070

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	801	35.7 %
2	A FEW:(2)	693	30.9 %
3	SOME:(3)	309	13.8 %
4	MOST:(4)	77	3.4 %
5	ALL:(5)	20	0.9 %
	Missing Data		
-9	MISSING:(-9)	345	15.4 %
	Total	**2,245**	**100%**

Based upon 1,900 valid cases out of 2,245 total cases.

Location: 671-672 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3478: 173E01B:ALL FRD SMK MARJ

Item Number: 07080

How many of your friends would you estimate . . .

B: . . . Smoke marijuana (pot, weed) or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	344	15.3 %
2	A FEW:(2)	560	24.9 %
3	SOME:(3)	517	23.0 %
4	MOST:(4)	405	18.0 %
5	ALL:(5)	72	3.2 %
	Missing Data		
-9	MISSING:(-9)	347	15.5 %
	Total	**2,245**	**100%**

Based upon 1,898 valid cases out of 2,245 total cases.

Location: 673-674 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3479: 173E01C:# FRNDS TK CRACK

Item Number: 07151

How many of your friends would you estimate . . .

C: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1680	74.8 %
2	A FEW:(2)	155	6.9 %
3	SOME:(3)	29	1.3 %
4	MOST:(4)	11	0.5 %
5	ALL:(5)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	360	16.0 %
	Total	**2,245**	**100%**

Based upon 1,885 valid cases out of 2,245 total cases.

Location: 675-676 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3480: 173E01D:# FRNDS TK C PWD

Item Number: 23990

How many of your friends would you estimate . . .

D: . . . Take cocaine powder?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1589	70.8 %
2	A FEW:(2)	232	10.3 %
3	SOME:(3)	41	1.8 %
4	MOST:(4)	11	0.5 %
5	ALL:(5)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	362	16.1 %
	Total	**2,245**	**100%**

Based upon 1,883 valid cases out of 2,245 total cases.

Location: 677-678 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3481: 173E01E:ALL FRD DRK ALCL

Item Number: 07190

How many of your friends would you estimate . . .

E: . . . Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	296	13.2 %
2	A FEW:(2)	328	14.6 %
3	SOME:(3)	388	17.3 %
4	MOST:(4)	615	27.4 %
5	ALL:(5)	253	11.3 %
	Missing Data		
-9	MISSING:(-9)	365	16.3 %
	Total	**2,245**	**100%**

Based upon 1,880 valid cases out of 2,245 total cases.

Location: 679-680 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3482: 173E01F:ALL FRD GT DRUNK

Item Number: 07200

How many of your friends would you estimate . . .

F: . . . Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	694	30.9 %
2	A FEW:(2)	528	23.5 %
3	SOME:(3)	368	16.4 %

Value	Label	Unweighted Frequency	%
4	MOST:(4)	218	9.7 %
5	ALL:(5)	68	3.0 %
	Missing Data		
-9	MISSING:(-9)	369	16.4 %
	Total	**2,245**	**100%**

Based upon 1,876 valid cases out of 2,245 total cases.

Location: 681-682 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3445: 173E02A:STS SCH RT FAMLY

Item Number: 13580

How important is each of the following for being looked up to or having high status in your school?

A: Coming from the right family

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%
1	NO IMPRT:(1)	470	20.9 %
2	LITL IMP:(2)	367	16.3 %
3	MOD IMPT:(3)	469	20.9 %
4	GRT IMPT:(4)	276	12.3 %
5	VGRT IMP:(5)	286	12.7 %
	Missing Data		
-9	MISSING:(-9)	377	16.8 %
	Total	**2,245**	**100%**

Based upon 1,868 valid cases out of 2,245 total cases.

Location: 683-684 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3446: 173E02B:STS SCH LDS STU

Item Number: 13590

How important is each of the following for being looked up

to or having high status in your school?

B: Being a leader in student activities

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%
1	NO IMPRT:(1)	252	11.2 %
2	LITL IMP:(2)	260	11.6 %
3	MOD IMPT:(3)	569	25.3 %
4	GRT IMPT:(4)	461	20.5 %
5	VGRT IMP:(5)	305	13.6 %
	Missing Data		
-9	MISSING:(-9)	398	17.7 %
	Total	**2,245**	**100%**

Based upon 1,847 valid cases out of 2,245 total cases.

Location: 685-686 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3447: 173E02C:STS SCH NIC CAR

Item Number: 13600

How important is each of the following for being looked up to or having high status in your school?

C: Having a nice car

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%
1	NO IMPRT:(1)	521	23.2 %
2	LITL IMP:(2)	486	21.6 %
3	MOD IMPT:(3)	457	20.4 %
4	GRT IMPT:(4)	224	10.0 %
5	VGRT IMP:(5)	167	7.4 %
	Missing Data		
-9	MISSING:(-9)	390	17.4 %
	Total	**2,245**	**100%**

Based upon 1,855 valid cases out of 2,245 total cases.

Location: 687-688 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3448: 173E02D:STS SCH HI GRDE

Item Number: 13610

How important is each of the following for being looked up to or having high status in your school?

D: Getting good grades

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%
1	NO IMPRT:(1)	194	8.6 %
2	LITL IMP:(2)	208	9.3 %
3	MOD IMPT:(3)	514	22.9 %
4	GRT IMPT:(4)	481	21.4 %
5	VGRT IMP:(5)	460	20.5 %
	Missing Data		
-9	MISSING:(-9)	388	17.3 %
	Total	**2,245**	**100%**

Based upon 1,857 valid cases out of 2,245 total cases.

Location: 689-690 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3449: 173E02E:STS SCH GD ATHLT

Item Number: 13620

How important is each of the following for being looked up to or having high status in your school?

E: Being a good athlete

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%
1	NO IMPRT:(1)	246	11.0 %
2	LITL IMP:(2)	187	8.3 %
3	MOD IMPT:(3)	441	19.6 %
4	GRT IMPT:(4)	480	21.4 %
5	VGRT IMP:(5)	494	22.0 %
	Missing Data		
-9	MISSING:(-9)	397	17.7 %
	Total	**2,245**	**100%**

Based upon 1,848 valid cases out of 2,245 total cases.

Location: 691-692 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3450: 173E02F:STS SCH INTLCTL

Item Number: 13630

How important is each of the following for being looked up to or having high status in your school?

F: Knowing a lot about intellectual matters

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%
1	NO IMPRT:(1)	261	11.6 %
2	LITL IMP:(2)	333	14.8 %
3	MOD IMPT:(3)	585	26.1 %
4	GRT IMPT:(4)	423	18.8 %
5	VGRT IMP:(5)	247	11.0 %
	Missing Data		
-9	MISSING:(-9)	396	17.6 %
	Total	**2,245**	**100%**

Based upon 1,849 valid cases out of 2,245 total cases.

Location: 693-694 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3451: 173E02G:STS SCH PLN CLG

Item Number: 13640

How important is each of the following for being looked up to or having high status in your school?

G: Planning to go to college

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%
1	NO IMPRT:(1)	248	11.0 %
2	LITL IMP:(2)	242	10.8 %
3	MOD IMPT:(3)	441	19.6 %
4	GRT IMPT:(4)	432	19.2 %
5	VGRT IMP:(5)	491	21.9 %
	Missing Data		
-9	MISSING:(-9)	391	17.4 %
	Total	**2,245**	**100%**

Based upon 1,854 valid cases out of 2,245 total cases.

Location: 695-696 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3452: 173E03:DRG USE+,MAJ STD

Item Number: 13650

How about using drugs (other than marijuana or alcohol)--does that cause a student to be looked up to or looked down on?

Among the majority of students in my school, such drug use is . . .

1="Looked down on a lot" 2="Looked down on some" 3="Neither, mixed" 4="Looked up to some" 5="Looked up to a lot"

Value	Label	Unweighted Frequency	%
1	DOWN LOT:(1)	304	13.5 %
2	DOWN SOME:(2)	274	12.2 %
3	NEITHR/MIXD:(3)	1067	47.5 %
4	UP SOME:(4)	160	7.1 %
5	UP A LOT:(5)	41	1.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	399	17.8 %
	Total	**2,245**	**100%**

Based upon 1,846 valid cases out of 2,245 total cases.

Location: 697-698 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3490: 173E04:#HR/W CMPUTR SCH

Item Number: 29930

About how many hours a week do you spend using a computer to do school work?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours" 5="6-9 hours" 6="10-19 hours" 7="20-29 hours" 8="30 or More" 9="40 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	177	7.9 %
2	< 1 HR:(2)	184	8.2 %
3	1-2 HRS:(3)	354	15.8 %
4	3-5 HRS:(4)	512	22.8 %
5	6-9 HRS:(5)	273	12.2 %
6	10-19 HRS:(6)	215	9.6 %
7	20-29 HRS:(7)	82	3.7 %
8	30-39 HRS:(8)	31	1.4 %
9	40+ HRS:(9)	56	2.5 %
	Missing Data		
-9	MISSING:(-9)	361	16.1 %
	Total	**2,245**	**100%**

Based upon 1,884 valid cases out of 2,245 total cases.

Location: 699-700 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3518: 173E05:HR/W INTERNET S

Item Number: 31680

Not counting work for school or a job, about how many hours a week do you spend on the Internet e-mailing, instant messaging, gaming, shopping, searching, downloading music, etc.?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours" 5="6-9 hours" 6="10-19 hours" 7="20-29 hours" 8="30 or More" 9="40 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	110	4.9 %
2	< 1 HR:(2)	74	3.3 %
3	1-2 HRS:(3)	156	6.9 %
4	3-5 HRS:(4)	284	12.7 %
5	6-9 HRS:(5)	299	13.3 %
6	10-19 HRS:(6)	336	15.0 %
7	20-29 HRS:(7)	227	10.1 %
8	30-39 HRS:(8)	98	4.4 %
9	40+ HRS:(9)	286	12.7 %
	Missing Data		
-9	MISSING:(-9)	375	16.7 %
	Total	**2,245**	**100%**

Based upon 1,870 valid cases out of 2,245 total cases.

Location: 701-702 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3519: 173E06A:#HR/W GAMING

Item Number: 31990

About how many hours a week do you spend . . .

A. . . . playing electronic games on a computer, TV, phone, or other device?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours" 5="6-9 hours" 6="10-19 hours" 7="20-29 hours" 8="30 or More" 9="40 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	300	13.4 %
2	< 1 HR:(2)	207	9.2 %

Value	Label	Unweighted Frequency	%
3	1-2 HRS:(3)	250	11.1 %
4	3-5 HRS:(4)	301	13.4 %
5	6-9 HRS:(5)	219	9.8 %
6	10-19 HRS:(6)	218	9.7 %
7	20-29 HRS:(7)	150	6.7 %
8	30-39 HRS:(8)	56	2.5 %
9	40+ HRS:(9)	163	7.3 %
	Missing Data		
-9	MISSING:(-9)	381	17.0 %
	Total	**2,245**	**100%**

Based upon 1,864 valid cases out of 2,245 total cases.

Location: 703-704 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3523: 173E06B:#HR/W TEXT CELL PHO

Item number: 32580

About how many hours a week do you spend . . .

B: . . . texting on a cell phone?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"
5="6-9 hours" 6="10-19 hours" 7="20-29 hours" 8="30-39 hours"
9="40 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	89	4.0 %
2	< 1 HR:(2)	185	8.2 %
3	1-2 HRS:(3)	297	13.2 %
4	3-5 HRS:(4)	349	15.5 %
5	6-9 HRS:(5)	244	10.9 %
6	10-19 HRS:(6)	240	10.7 %
7	20-29 HRS:(7)	150	6.7 %
8	30-39 HRS:(8)	84	3.7 %
9	40+ HRS:(9)	226	10.1 %
	Missing Data		
-9	MISSING:(-9)	381	17.0 %
	Total	**2,245**	**100%**

Based upon 1,864 valid cases out of 2,245 total cases.

Location: 705-706 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3524: 173E06C:#HR/W TALK CELL PHO

Item number: 32590

About how many hours a week do you spend . . .

C: . . . talking on a cell phone?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"
5="6-9 hours" 6="10-19 hours" 7="20-29 hours" 8="30-39 hours"
9="40 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	216	9.6 %
2	< 1 HR:(2)	653	29.1 %
3	1-2 HRS:(3)	396	17.6 %
4	3-5 HRS:(4)	223	9.9 %
5	6-9 HRS:(5)	119	5.3 %
6	10-19 HRS:(6)	91	4.1 %
7	20-29 HRS:(7)	57	2.5 %
8	30-39 HRS:(8)	26	1.2 %
9	40+ HRS:(9)	76	3.4 %
	Missing Data		
-9	MISSING:(-9)	388	17.3 %
	Total	**2,245**	**100%**

Based upon 1,857 valid cases out of 2,245 total cases.

Location: 707-708 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3527: 173E06D:#HR/W SOCIAL NET WEB

Item number: 33250

About how many hours a week do you spend . . .

D: . . . visiting social networking sites like Facebook,
Twitter, Instagram, etc?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"

5="6-9 hours" 6="10-19 hours" 7="20-29 hours" 8="30-39 hours"
9="40 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	146	6.5 %
2	< 1 HR:(2)	174	7.8 %
3	1-2 HRS:(3)	279	12.4 %
4	3-5 HRS:(4)	347	15.5 %
5	6-9 HRS:(5)	271	12.1 %
6	10-19 HRS:(6)	228	10.2 %
7	20-29 HRS:(7)	124	5.5 %
8	30-39 HRS:(8)	77	3.4 %
9	40+ HRS:(9)	216	9.6 %
	Missing Data		
-9	MISSING:(-9)	383	17.1 %
	Total	**2,245**	**100%**

Based upon 1,862 valid cases out of 2,245 total cases.

Location: 709-710 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3528: 173E06E:#HR/W VIDEO CHAT

Item number: 33260

About how many hours a week do you spend . . .

E: . . . video chatting (Skype, etc.)?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"
5="6-9 hours" 6="10-19 hours" 7="20-29 hours" 8="30-39 hours"
9="40 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	854	38.0 %
2	< 1 HR:(2)	396	17.6 %
3	1-2 HRS:(3)	220	9.8 %
4	3-5 HRS:(4)	116	5.2 %
5	6-9 HRS:(5)	91	4.1 %
6	10-19 HRS:(6)	61	2.7 %
7	20-29 HRS:(7)	41	1.8 %
8	30-39 HRS:(8)	21	0.9 %

Value	Label	Unweighted Frequency	%
9	40+ HRS:(9)	57	2.5 %
	Missing Data		
-9	MISSING:(-9)	388	17.3 %
	Total	**2,245**	**100%**

Based upon 1,857 valid cases out of 2,245 total cases.

Location: 711-712 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3407: 173E07A:SM1 SCL ROB <$50

Item Number: 09871

The next questions are about some things which may have happened TO YOU while you were at school (inside or outside or in a school bus). During the LAST 12 MONTHS, how often . . .

A: . . . Has something of yours (worth under $50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1484	66.1 %
2	ONCE:(2)	308	13.7 %
3	TWICE:(3)	87	3.9 %
4	3-4TIMES:(4)	36	1.6 %
5	5+ TIMES:(5)	26	1.2 %
	Missing Data		
-9	MISSING:(-9)	304	13.5 %
	Total	**2,245**	**100%**

Based upon 1,941 valid cases out of 2,245 total cases.

Location: 713-714 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3408: 173E07B:SM1 SCL ROB >$50

Item Number: 09872

During the LAST 12 MONTHS, how often . . .

B: . . . Has something of yours (worth over $50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1625	72.4 %
2	ONCE:(2)	203	9.0 %
3	TWICE:(3)	70	3.1 %
4	3-4TIMES:(4)	21	0.9 %
5	5+ TIMES:(5)	16	0.7 %
	Missing Data		
-9	MISSING:(-9)	310	13.8 %
	Total	**2,245**	**100%**

Based upon 1,935 valid cases out of 2,245 total cases.

Location: 715-716 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3409: 173E07C:SM1 SCL DMG PRTY

Item Number: 09873

During the LAST 12 MONTHS, how often . . .

C: . . . Has someone deliberately damaged your property (your car, clothing, etc.)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1616	72.0 %
2	ONCE:(2)	227	10.1 %
3	TWICE:(3)	58	2.6 %
4	3-4TIMES:(4)	18	0.8 %
5	5+ TIMES:(5)	14	0.6 %
	Missing Data		
-9	MISSING:(-9)	312	13.9 %
	Total	**2,245**	**100%**

Based upon 1,933 valid cases out of 2,245 total cases.

Location: 717-718 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3410: 173E07D:SM1 SCL IN U W/W

Item Number: 09874

During the LAST 12 MONTHS, how often . . .

D: . . . Has someone injured you with a weapon (like a knife, gun, or club)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1869	83.3 %
2	ONCE:(2)	37	1.6 %
3	TWICE:(3)	13	0.6 %
4	3-4TIMES:(4)	5	0.2 %
5	5+ TIMES:(5)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	316	14.1 %
	Total	**2,245**	**100%**

Based upon 1,929 valid cases out of 2,245 total cases.

Location: 719-720 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3411: 173E07E:SM1 SCL TH U W/W

Item Number: 09875

During the LAST 12 MONTHS, how often . . .

E: . . . Has someone threatened you with a weapon, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1717	76.5 %
2	ONCE:(2)	115	5.1 %
3	TWICE:(3)	53	2.4 %
4	3-4TIMES:(4)	18	0.8 %
5	5+ TIMES:(5)	21	0.9 %
	Missing Data		
-9	MISSING:(-9)	321	14.3 %
	Total	**2,245**	**100%**

Based upon 1,924 valid cases out of 2,245 total cases.

Location: 721-722 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3412: 173E07F:SM1 SCL IN U -WP

Item Number: 09876

During the LAST 12 MONTHS, how often . . .

F: . . . Has someone injured you on purpose without using a weapon?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1736	77.3 %
2	ONCE:(2)	90	4.0 %
3	TWICE:(3)	57	2.5 %
4	3-4TIMES:(4)	19	0.8 %
5	5+ TIMES:(5)	20	0.9 %
	Missing Data		
-9	MISSING:(-9)	323	14.4 %
	Total	**2,245**	**100%**

Based upon 1,922 valid cases out of 2,245 total cases.

Location: 723-724 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3413: 173E07G:SM1 SCL TH U W/I

Item Number: 09877

During the LAST 12 MONTHS, how often . . .

G: . . . Has an unarmed person threatened you with injury, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1651	73.5 %
2	ONCE:(2)	120	5.3 %
3	TWICE:(3)	54	2.4 %
4	3-4TIMES:(4)	40	1.8 %
5	5+ TIMES:(5)	50	2.2 %
	Missing Data		
-9	MISSING:(-9)	330	14.7 %
	Total	**2,245**	**100%**

Based upon 1,915 valid cases out of 2,245 total cases.

Location: 725-726 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3434: 173E08A:IMP HAV NW CR OF

Item Number: 13860

Looking toward the future, how important would it be for you to have each of the following things?

A: A new car every two or three years

1="Not Important" 2="Somewhat Important" 3="Quite Important" 4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	1156	51.5 %
2	SOM IMPT:(2)	540	24.1 %
3	QUITE IM:(3)	141	6.3 %
4	EXTR IMP:(4)	92	4.1 %
	Missing Data		
-9	MISSING:(-9)	316	14.1 %

Value	Label	Unweighted Frequency	%
	Total	**2,245**	**100%**

Based upon 1,929 valid cases out of 2,245 total cases.

Location: 727-728 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3435: 173E08B:IMP HAV NW CLTHS

Item Number: 13870

Looking toward the future, how important would it be for you
to have each of the following things?

B: Clothes in the latest style

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	648	28.9 %
2	SOM IMPT:(2)	756	33.7 %
3	QUITE IM:(3)	369	16.4 %
4	EXTR IMP:(4)	152	6.8 %
	Missing Data		
-9	MISSING:(-9)	320	14.3 %
	Total	**2,245**	**100%**

Based upon 1,925 valid cases out of 2,245 total cases.

Location: 729-730 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3436: 173E08C:IMP HAV OWN HSE

Item Number: 13880

Looking toward the future, how important would it be for you
to have each of the following things?

C: A house of my own (instead of an apartment or condominium)

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	272	12.1 %
2	SOM IMPT:(2)	381	17.0 %
3	QUITE IM:(3)	629	28.0 %
4	EXTR IMP:(4)	640	28.5 %
	Missing Data		
-9	MISSING:(-9)	323	14.4 %
	Total	**2,245**	**100%**

Based upon 1,922 valid cases out of 2,245 total cases.

Location: 731-732 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3437: 173E08D:IMP HAV BIG YARD

Item Number: 13890

Looking toward the future, how important would it be for you to have each of the following things?

D: Lots of space around my house, a big yard

1="Not Important" 2="Somewhat Important" 3="Quite Important" 4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	382	17.0 %
2	SOM IMPT:(2)	535	23.8 %
3	QUITE IM:(3)	603	26.9 %
4	EXTR IMP:(4)	397	17.7 %
	Missing Data		
-9	MISSING:(-9)	328	14.6 %
	Total	**2,245**	**100%**

Based upon 1,917 valid cases out of 2,245 total cases.

Location: 733-734 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3441: 173E08E:IMP HAV VAC HSE

Item Number: 13930

Looking toward the future, how important would it be for you to have each of the following things?

E: A vacation house

1="Not Important" 2="Somewhat Important" 3="Quite Important" 4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	1084	48.3 %
2	SOM IMPT:(2)	484	21.6 %
3	QUITE IM:(3)	198	8.8 %
4	EXTR IMP:(4)	145	6.5 %
	Missing Data		
-9	MISSING:(-9)	334	14.9 %
	Total	**2,245**	**100%**

Based upon 1,911 valid cases out of 2,245 total cases.

Location: 735-736 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3442: 173E08F:IMP HAV REC VEH

Item Number: 13940

Looking toward the future, how important would it be for you to have each of the following things?

F: A motor-powered, recreational vehicle (powerboat, snowmobile, etc.)

1="Not Important" 2="Somewhat Important" 3="Quite Important" 4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	1207	53.8 %
2	SOM IMPT:(2)	374	16.7 %
3	QUITE IM:(3)	177	7.9 %
4	EXTR IMP:(4)	148	6.6 %
	Missing Data		
-9	MISSING:(-9)	339	15.1 %
	Total	**2,245**	**100%**

Based upon 1,906 valid cases out of 2,245 total cases.

Location: 737-738 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3418: 173E09A:GR 1ST SMOK DLY

Item Number: 05570

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

A: Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	4	0.2 %
2	GRADE 7:(2)	13	0.6 %
3	GRADE 8:(3)	13	0.6 %
4	GRADE 9:(4)	37	1.6 %
5	GRADE 10:(5)	28	1.2 %
6	GRADE 11:(6)	39	1.7 %
7	GRADE 12:(7)	33	1.5 %
8	NEVER:(8)	1649	73.5 %
	Missing Data		
-9	MISSING:(-9)	429	19.1 %
	Total	**2,245**	**100%**

Based upon 1,816 valid cases out of 2,245 total cases.

Location: 739-740 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3419: 173E09B:GR 1ST TRY ALC

Item Number: 05580

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

B: Try an alcoholic beverage--more than just a few sips

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11

(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	72	3.2 %
2	GRADE 7:(2)	64	2.9 %
3	GRADE 8:(3)	134	6.0 %
4	GRADE 9:(4)	219	9.8 %
5	GRADE 10:(5)	227	10.1 %
6	GRADE 11:(6)	208	9.3 %
7	GRADE 12:(7)	144	6.4 %
8	NEVER:(8)	636	28.3 %
	Missing Data		
-9	MISSING:(-9)	541	24.1 %
	Total	**2,245**	**100%**

Based upon 1,704 valid cases out of 2,245 total cases.

Location: 741-742 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3420: 173E09C:GR 1ST TRY MJ

Item Number: 05590

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

C: Try marijuana or hashish

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	25	1.1 %
2	GRADE 7:(2)	69	3.1 %
3	GRADE 8:(3)	81	3.6 %
4	GRADE 9:(4)	186	8.3 %
5	GRADE 10:(5)	143	6.4 %
6	GRADE 11:(6)	161	7.2 %
7	GRADE 12:(7)	133	5.9 %
8	NEVER:(8)	1004	44.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	443	19.7 %
	Total	**2,245**	**100%**

Based upon 1,802 valid cases out of 2,245 total cases.

Location: 743-744 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3421: 173E09D:GR 1ST TRY LSD

Item Number: 05600

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

D: Try LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	2	0.1 %
2	GRADE 7:(2)	7	0.3 %
3	GRADE 8:(3)	8	0.4 %
4	GRADE 9:(4)	10	0.4 %
5	GRADE 10:(5)	25	1.1 %
6	GRADE 11:(6)	15	0.7 %
7	GRADE 12:(7)	24	1.1 %
8	NEVER:(8)	1768	78.8 %
	Missing Data		
-9	MISSING:(-9)	386	17.2 %
	Total	**2,245**	**100%**

Based upon 1,859 valid cases out of 2,245 total cases.

Location: 745-746 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3422: 173E09E:GR 1ST TRY PSY

Item Number: 05610

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

E: Try any hallucinogen other than LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	2	0.1 %
2	GRADE 7:(2)	3	0.1 %
3	GRADE 8:(3)	6	0.3 %
4	GRADE 9:(4)	7	0.3 %
5	GRADE 10:(5)	17	0.8 %
6	GRADE 11:(6)	13	0.6 %
7	GRADE 12:(7)	15	0.7 %
8	NEVER:(8)	1779	79.2 %
	Missing Data		
-9	MISSING:(-9)	403	18.0 %
	Total	**2,245**	**100%**

Based upon 1,842 valid cases out of 2,245 total cases.

Location: 747-748 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3423: 173E09F:GR 1ST TRY AMP

Item Number: 05620

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

F: Try amphetamines

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	4	0.2 %
2	GRADE 7:(2)	3	0.1 %
3	GRADE 8:(3)	7	0.3 %
4	GRADE 9:(4)	21	0.9 %

Value	Label	Unweighted Frequency	%
5	GRADE 10:(5)	19	0.8 %
6	GRADE 11:(6)	22	1.0 %
7	GRADE 12:(7)	11	0.5 %
8	NEVER:(8)	1671	74.4 %
	Missing Data		
-9	MISSING:(-9)	487	21.7 %
	Total	**2,245**	**100%**

Based upon 1,758 valid cases out of 2,245 total cases.

Location: 749-750 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3505: 173E09G:GR 1ST TRY SED/B

Item Number: 05645

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

G: Try sedatives/barbiturates

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	3	0.1 %
2	GRADE 7:(2)	5	0.2 %
3	GRADE 8:(3)	11	0.5 %
4	GRADE 9:(4)	12	0.5 %
5	GRADE 10:(5)	18	0.8 %
6	GRADE 11:(6)	11	0.5 %
7	GRADE 12:(7)	8	0.4 %
8	NEVER:(8)	1763	78.5 %
	Missing Data		
-9	MISSING:(-9)	414	18.4 %
	Total	**2,245**	**100%**

Based upon 1,831 valid cases out of 2,245 total cases.

Location: 751-752 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3426: 173E09H:GR 1ST TRY TRN

Item Number: 05650

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

H: Try tranquilizers

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	4	0.2 %
2	GRADE 7:(2)	0	0.0 %
3	GRADE 8:(3)	4	0.2 %
4	GRADE 9:(4)	12	0.5 %
5	GRADE 10:(5)	11	0.5 %
6	GRADE 11:(6)	15	0.7 %
7	GRADE 12:(7)	14	0.6 %
8	NEVER:(8)	1711	76.2 %
	Missing Data		
-9	MISSING:(-9)	474	21.1 %
	Total	**2,245**	**100%**

Based upon 1,771 valid cases out of 2,245 total cases.

Location: 753-754 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3427: 173E09I:GR 1ST TRY COK

Item Number: 05660

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

I: Try cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	2	0.1 %
2	GRADE 7:(2)	1	0.0 %
3	GRADE 8:(3)	5	0.2 %
4	GRADE 9:(4)	9	0.4 %
5	GRADE 10:(5)	18	0.8 %
6	GRADE 11:(6)	23	1.0 %
7	GRADE 12:(7)	19	0.8 %
8	NEVER:(8)	1785	79.5 %
	Missing Data		
-9	MISSING:(-9)	383	17.1 %
	Total	**2,245**	**100%**

Based upon 1,862 valid cases out of 2,245 total cases.

Location: 755-756 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3428: 173E09J:GR 1ST TRY HER

Item Number: 05670

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

J: Try heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	2	0.1 %
2	GRADE 7:(2)	0	0.0 %
3	GRADE 8:(3)	0	0.0 %
4	GRADE 9:(4)	3	0.1 %
5	GRADE 10:(5)	2	0.1 %
6	GRADE 11:(6)	2	0.1 %
7	GRADE 12:(7)	2	0.1 %
8	NEVER:(8)	1856	82.7 %
	Missing Data		
-9	MISSING:(-9)	378	16.8 %
	Total	**2,245**	**100%**

Based upon 1,867 valid cases out of 2,245 total cases.

Location: 757-758 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3429: 173E09K:GR 1ST TRY NRC

Item Number: 05680

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

K: Try any narcotic other than heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	3	0.1 %
2	GRADE 7:(2)	0	0.0 %
3	GRADE 8:(3)	5	0.2 %
4	GRADE 9:(4)	4	0.2 %
5	GRADE 10:(5)	14	0.6 %
6	GRADE 11:(6)	9	0.4 %
7	GRADE 12:(7)	8	0.4 %
8	NEVER:(8)	1718	76.5 %
	Missing Data		
-9	MISSING:(-9)	484	21.6 %
	Total	**2,245**	**100%**

Based upon 1,761 valid cases out of 2,245 total cases.

Location: 759-760 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3430: 173E09L:GR 1ST TRY INHAL

Item Number: 05685

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

L: Try inhalants

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	6	0.3 %
2	GRADE 7:(2)	1	0.0 %
3	GRADE 8:(3)	6	0.3 %
4	GRADE 9:(4)	8	0.4 %
5	GRADE 10:(5)	5	0.2 %
6	GRADE 11:(6)	5	0.2 %
7	GRADE 12:(7)	3	0.1 %
8	NEVER:(8)	1751	78.0 %
	Missing Data		
-9	MISSING:(-9)	460	20.5 %
	Total	**2,245**	**100%**

Based upon 1,785 valid cases out of 2,245 total cases.

Location: 761-762 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3457: 173E09M:GR 1ST SMOKE EVR

Item Number: 05575

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

M: Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	42	1.9 %
2	GRADE 7:(2)	45	2.0 %
3	GRADE 8:(3)	64	2.9 %
4	GRADE 9:(4)	65	2.9 %
5	GRADE 10:(5)	72	3.2 %
6	GRADE 11:(6)	62	2.8 %
7	GRADE 12:(7)	46	2.0 %
8	NEVER:(8)	1363	60.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	486	21.6 %
	Total	**2,245**	**100%**

Based upon 1,759 valid cases out of 2,245 total cases.

Location: 763-764 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3458: 173E09N:GR 1ST SMOKELESS

Item Number: 05576

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

N: Try smokeless tobacco (snuff, plug, chewing tobacco, snus, dissolvable tobacco)

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	21	0.9 %
2	GRADE 7:(2)	21	0.9 %
3	GRADE 8:(3)	36	1.6 %
4	GRADE 9:(4)	46	2.0 %
5	GRADE 10:(5)	41	1.8 %
6	GRADE 11:(6)	36	1.6 %
7	GRADE 12:(7)	29	1.3 %
8	NEVER:(8)	1653	73.6 %
	Missing Data		
-9	MISSING:(-9)	362	16.1 %
	Total	**2,245**	**100%**

Based upon 1,883 valid cases out of 2,245 total cases.

Location: 765-766 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3459: 173E09O:GR 1ST DRUNK

Item Number: 05585

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

O: Drink enough to feel drunk or very high

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	19	0.8 %
2	GRADE 7:(2)	28	1.2 %
3	GRADE 8:(3)	57	2.5 %
4	GRADE 9:(4)	156	6.9 %
5	GRADE 10:(5)	182	8.1 %
6	GRADE 11:(6)	171	7.6 %
7	GRADE 12:(7)	124	5.5 %
8	NEVER:(8)	1116	49.7 %
	Missing Data		
-9	MISSING:(-9)	392	17.5 %
	Total	**2,245**	**100%**

Based upon 1,853 valid cases out of 2,245 total cases.

Location: 767-768 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3483: 173E09P:GR 1ST TRY CRACK

Item Number: 05661

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

P: Try "crack" cocaine, specifically

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	5	0.2 %
2	GRADE 7:(2)	0	0.0 %

Value	Label	Unweighted Frequency	%
3	GRADE 8:(3)	2	0.1 %
4	GRADE 9:(4)	2	0.1 %
5	GRADE 10:(5)	2	0.1 %
6	GRADE 11:(6)	1	0.0 %
7	GRADE 12:(7)	3	0.1 %
8	NEVER:(8)	1823	81.2 %
	Missing Data		
-9	MISSING:(-9)	407	18.1 %
	Total	**2,245**	**100%**

Based upon 1,838 valid cases out of 2,245 total cases.

Location: 769-770 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3611: 173E10A PRNT DAP CIGS

Item Number: 11380

How do you think your parents feel about YOU doing each of the following things?

A: Smoking one or more packs of cigarettes per day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DONT DIS:(1)	135	6.0 %
2	DISAPPRV:(2)	213	9.5 %
3	STRG DIS:(3)	1508	67.2 %
	Missing Data		
-9	MISSING:(-9)	389	17.3 %
	Total	**2,245**	**100%**

Based upon 1,856 valid cases out of 2,245 total cases.

Location: 771-772 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3612: 173E10B PRNT DAP TRY MARJ

Item Number: 11390

How do you think your parents feel about YOU doing each of the following things?

B: Trying marijuana once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DONT DIS:(1)	408	18.2 %
2	DISAPPRV:(2)	456	20.3 %
3	STRG DIS:(3)	998	44.5 %
	Missing Data		
-9	MISSING:(-9)	383	17.1 %
	Total	**2,245**	**100%**

Based upon 1,862 valid cases out of 2,245 total cases.

Location: 773-774 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3613: 173E10C PRNT DAP MARJ OCC

Item Number: 11400

How do you think your parents feel about YOU doing each of the following things?

C: Smoking marijuana occasionally

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DONT DIS:(1)	296	13.2 %
2	DISAPPRV:(2)	340	15.1 %
3	STRG DIS:(3)	1219	54.3 %
	Missing Data		
-9	MISSING:(-9)	390	17.4 %
	Total	**2,245**	**100%**

Based upon 1,855 valid cases out of 2,245 total cases.

Location: 775-776 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3614: 173E10D PRNT DAP MARJ REG

Item Number: 11410

How do you think your parents feel about YOU doing each of the following things?

D: Smoking marijuana regularly

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DONT DIS:(1)	209	9.3 %
2	DISAPPRV:(2)	305	13.6 %
3	STRG DIS:(3)	1337	59.6 %
	Missing Data		
-9	MISSING:(-9)	394	17.6 %
	Total	**2,245**	**100%**

Based upon 1,851 valid cases out of 2,245 total cases.

Location: 777-778 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3615: 173E10E PRNT DAP 5+DR/WE

Item Number: 11460

How do you think your parents feel about YOU doing each of the following things?

E: Having five or more drinks once or twice each weekend

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DONT DIS:(1)	245	10.9 %
2	DISAPPRV:(2)	419	18.7 %
3	STRG DIS:(3)	1188	52.9 %
	Missing Data		
-9	MISSING:(-9)	393	17.5 %
	Total	**2,245**	**100%**

Based upon 1,852 valid cases out of 2,245 total cases.

Location: 779-780 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

ICPSR 37182

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2017

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Form 4 Data

CASEID: CASE IDENTIFICATION NUMBER

Based upon 2,236 valid cases out of 2,236 total cases.

Location: 1-4 (width: 4; decimal: 0)
Variable Type: numeric

V1: YEAR OF ADMIN (4-DIGITS)

Value	Label	Unweighted Frequency	%
2017	-	2236	100.0 %
	Total	**2,236**	**100%**

Based upon 2,236 valid cases out of 2,236 total cases.

Location: 5-8 (width: 4; decimal: 0)
Variable Type: numeric

V3: BY17 80003 FORM ID

Value	Label	Unweighted Frequency	%
4	-	2236	100.0 %
	Total	**2,236**	**100%**

Based upon 2,236 valid cases out of 2,236 total cases.

Location: 9-9 (width: 1; decimal: 0)
Variable Type: numeric

RESPONDENT_ID: ARCHIVE ID

Based upon 2,236 valid cases out of 2,236 total cases.

Location: 10-14 (width: 5; decimal: 0)
Variable Type: numeric

ARCHIVE_WT: ARCHIVE WEIGHT

Based upon 2,236 valid cases out of 2,236 total cases.

Location: 15-29 (width: 15; decimal: 13)
Variable Type: numeric

V13: SCH REG-4 CAT

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

Value	Label	Unweighted Frequency	%
1	NORTHEAST:(1)	404	18.1 %
2	NORTH CENTRAL:(2)	478	21.4 %
3	SOUTH:(3)	767	34.3 %
4	WEST:(4)	587	26.3 %
	Total	**2,236**	**100%**

Based upon 2,236 valid cases out of 2,236 total cases.

Location: 30-30 (width: 1; decimal: 0)
Variable Type: numeric

V16: LARGE MSA = 1/NOT = 0

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	Label	Unweighted Frequency	%
0	ELSE:(0)	1313	58.7 %
1	LARGE MSA:(1)	923	41.3 %
	Total	**2,236**	**100%**

Based upon 2,236 valid cases out of 2,236 total cases.

Location: 31-31 (width: 1; decimal: 0)
Variable Type: numeric

V17: SMSA/NON SMSA = 0

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	Label	Unweighted Frequency	%
0	NOT MSA:(0)	377	16.9 %
1	MSA:(1)	1859	83.1 %

Value	Label	Unweighted Frequency	%
	Total	**2,236**	**100%**

Based upon 2,236 valid cases out of 2,236 total cases.

Location: 32-32 (width: 1; decimal: 0)
Variable Type: numeric

V4208: 174A01 :VRY HPY THS DAYS

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

Value	Label	Unweighted Frequency	%
1	NT HAPPY:(1)	386	17.3 %
2	PRTY HPY:(2)	1427	63.8 %
3	VRY HPY:(3)	409	18.3 %
	Missing Data		
-9	MISSING:(-9)	14	0.6 %
	Total	**2,236**	**100%**

Based upon 2,222 valid cases out of 2,236 total cases.

Location: 33-34 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4209: 174A02 :FUTR CNTRY WORSE

Item Number: 09940

Looking ahead to the next five years, do you think that things in this country will get better or worse?

1="Get much better" 2="Get somewhat better" 3="Stay about the same" 4="Get somewhat worse" 5="Get much worse"

Value	Label	Unweighted Frequency	%
1	MCH BETR:(1)	139	6.2 %
2	SMWT BTR:(2)	427	19.1 %
3	SAME:(3)	477	21.3 %

Value	Label	Unweighted Frequency	%
4	SMWT WSE:(4)	866	38.7 %
5	MCH WRSE:(5)	315	14.1 %
	Missing Data		
-9	MISSING:(-9)	12	0.5 %
	Total	**2,236**	**100%**

Based upon 2,224 valid cases out of 2,236 total cases.

Location: 35-36 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4210: 174A03 :FUTR WORLD WORSE

Item Number: 09950

Looking ahead to the next five years, do you think that things in the rest of the world will get better or worse?

1="Get much better" 2="Get somewhat better" 3="Stay about the same" 4="Get somewhat worse" 5="Get much worse"

Value	Label	Unweighted Frequency	%
1	MCH BETR:(1)	54	2.4 %
2	SMWT BTR:(2)	380	17.0 %
3	SAME:(3)	683	30.5 %
4	SMWT WSE:(4)	819	36.6 %
5	MCH WRSE:(5)	287	12.8 %
	Missing Data		
-9	MISSING:(-9)	13	0.6 %
	Total	**2,236**	**100%**

Based upon 2,223 valid cases out of 2,236 total cases.

Location: 37-38 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4211: 174A04 :FUTR R LIFE WRSE

Item Number: 09960

How do you think your own life will go in the next five years-- do you think it will get better or worse?

1="Get much better" 2="Get somewhat better" 3="Stay about the same" 4="Get somewhat worse" 5="Get much worse"

Value	Label	Unweighted Frequency	%
1	MCH BETR:(1)	1008	45.1 %
2	SMWT BTR:(2)	909	40.7 %
3	SAME:(3)	221	9.9 %
4	SMWT WSE:(4)	59	2.6 %
5	MCH WRSE:(5)	24	1.1 %
	Missing Data		
-9	MISSING:(-9)	15	0.7 %
	Total	**2,236**	**100%**

Based upon 2,221 valid cases out of 2,236 total cases.

Location: 39-40 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4212: 174A05 :THK ABT SOC ISSU

Item Number: 06880

Some people think a lot about the social problems of the nation and the world, and about how they might be solved. Others spend little time thinking about these issues. How much do you think about such things?

1="Never" 2="Seldom" 3="Sometimes" 4="Quite often" 5="A great deal"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	127	5.7 %
2	SELDOM:(2)	388	17.4 %
3	SOMETIME:(3)	989	44.2 %
4	QUITE OFTN:(4)	545	24.4 %
5	GREAT DEAL:(5)	171	7.6 %
	Missing Data		
-9	MISSING:(-9)	16	0.7 %
	Total	**2,236**	**100%**

Based upon 2,220 valid cases out of 2,236 total cases.

Location: 41-42 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4213: 174A06A:PLLTN INCR IN US

Item Number: 09970

These questions are about pollution and the environment. Please mark the circle that shows how much you agree or disagree with each statement below.

A: In general, pollution has increased in the U.S. in the last ten years

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	41	1.8 %
2	MOST DIS:(2)	97	4.3 %
3	NEITHER:(3)	256	11.4 %
4	MOST AGR:(4)	796	35.6 %
5	AGREE:(5)	1015	45.4 %
	Missing Data		
-9	MISSING:(-9)	31	1.4 %
	Total	**2,236**	**100%**

Based upon 2,205 valid cases out of 2,236 total cases.

Location: 43-44 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4214: 174A06B:PLLTN NT SO DANG

Item Number: 09980

Please mark the circle that shows how much you agree or disagree with each statement below.

B: The dangers of pollution are not really as great as government, the media, and environmental groups would like us to believe

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	702	31.4 %
2	MOST DIS:(2)	490	21.9 %

Value	Label	Unweighted Frequency	%
3	NEITHER:(3)	427	19.1 %
4	MOST AGR:(4)	353	15.8 %
5	AGREE:(5)	224	10.0 %
	Missing Data		
-9	MISSING:(-9)	40	1.8 %
	Total	**2,236**	**100%**

Based upon 2,196 valid cases out of 2,236 total cases.

Location: 45-46 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4215: 174A06C:PLLTN NEC 4 GRTH

Item Number: 09990

Please mark the circle that shows how much you agree or disagree with each statement below.

C: America needs growth to survive, and that is going to require some increase in pollution

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	696	31.1 %
2	MOST DIS:(2)	522	23.3 %
3	NEITHER:(3)	470	21.0 %
4	MOST AGR:(4)	333	14.9 %
5	AGREE:(5)	163	7.3 %
	Missing Data		
-9	MISSING:(-9)	52	2.3 %
	Total	**2,236**	**100%**

Based upon 2,184 valid cases out of 2,236 total cases.

Location: 47-48 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4216: 174A06D:INDVL RESP 4 ENV

Item Number: 10000

Please mark the circle that shows how much you agree or disagree with each statement below.

D: People will have to change their buying habits and way of life to correct our environmental problems

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	130	5.8 %
2	MOST DIS:(2)	195	8.7 %
3	NEITHER:(3)	378	16.9 %
4	MOST AGR:(4)	830	37.1 %
5	AGREE:(5)	656	29.3 %
	Missing Data		
-9	MISSING:(-9)	47	2.1 %
	Total	**2,236**	**100%**

Based upon 2,189 valid cases out of 2,236 total cases.

Location: 49-50 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4217: 174A06E:GOVT RESP 4 ENV

Item Number: 10010

Please mark the circle that shows how much you agree or disagree with each statement below.

E: Government should take action to solve our environmental problems even if it means that some of the products we now use would have to be changed or banned

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	131	5.9 %
2	MOST DIS:(2)	191	8.5 %
3	NEITHER:(3)	428	19.1 %
4	MOST AGR:(4)	731	32.7 %
5	AGREE:(5)	711	31.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	44	2.0 %
	Total	**2,236**	**100%**

Based upon 2,192 valid cases out of 2,236 total cases.

Location: 51-52 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4218: 174A06F:GOVT TAX PLLTRS

Item Number: 10020

Please mark the circle that shows how much you agree or disagree with each statement below.

F: Government should place higher taxes on products which cause pollution in their manufacture or disposal, so that companies will be encouraged to find better ways to produce them

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	299	13.4 %
2	MOST DIS:(2)	238	10.6 %
3	NEITHER:(3)	466	20.8 %
4	MOST AGR:(4)	596	26.7 %
5	AGREE:(5)	593	26.5 %
	Missing Data		
-9	MISSING:(-9)	44	2.0 %
	Total	**2,236**	**100%**

Based upon 2,192 valid cases out of 2,236 total cases.

Location: 53-54 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4219: 174A06G:GOVT BAN DSPSBLE

Item Number: 10030

Please mark the circle that shows how much you agree or disagree with each statement below.

G: I wish that government would ban throwaway bottles and beverage cans

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	371	16.6 %
2	MOST DIS:(2)	357	16.0 %
3	NEITHER:(3)	774	34.6 %
4	MOST AGR:(4)	392	17.5 %
5	AGREE:(5)	291	13.0 %
	Missing Data		
-9	MISSING:(-9)	51	2.3 %
	Total	**2,236**	**100%**

Based upon 2,185 valid cases out of 2,236 total cases.

Location: 55-56 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4220: 174A06H:TV COMM CRT NDS

Item Number: 10040

Please mark the circle that shows how much you agree or disagree with each statement below.

H: T.V. commercials stimulate people to buy a lot of things they don't really need

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	60	2.7 %
2	MOST DIS:(2)	94	4.2 %
3	NEITHER:(3)	309	13.8 %
4	MOST AGR:(4)	683	30.5 %
5	AGREE:(5)	1038	46.4 %
	Missing Data		
-9	MISSING:(-9)	52	2.3 %
	Total	**2,236**	**100%**

Based upon 2,184 valid cases out of 2,236 total cases.

Location: 57-58 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4221: 174A06I:TV COMMRCLS GOOD

Item Number: 10050

Please mark the circle that shows how much you agree or disagree with each statement below.

I: T.V. commercials do a lot of good by showing new products that we might not know about otherwise

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	167	7.5 %
2	MOST DIS:(2)	317	14.2 %
3	NEITHER:(3)	684	30.6 %
4	MOST AGR:(4)	694	31.0 %
5	AGREE:(5)	323	14.4 %
	Missing Data		
-9	MISSING:(-9)	51	2.3 %
	Total	**2,236**	**100%**

Based upon 2,185 valid cases out of 2,236 total cases.

Location: 59-60 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4222: 174A06J:FAM BUYS THG -ND

Item Number: 10060

Please mark the circle that shows how much you agree or disagree with each statement below.

J: My family and I often buy things we really don't need; we could get along with much less

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	248	11.1 %
2	MOST DIS:(2)	340	15.2 %
3	NEITHER:(3)	555	24.8 %
4	MOST AGR:(4)	626	28.0 %
5	AGREE:(5)	418	18.7 %
	Missing Data		
-9	MISSING:(-9)	49	2.2 %
	Total	**2,236**	**100%**

Based upon 2,187 valid cases out of 2,236 total cases.

Location: 61-62 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4223: 174A06K:POL SLVD NXT 25YR

Item Number: 10070

Please mark the circle that shows how much you agree or disagree with each statement below.

K: Within the next 25 years, engineers and scientists will probably have invented devices that will solve our pollution problems

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	102	4.6 %
2	MOST DIS:(2)	243	10.9 %
3	NEITHER:(3)	597	26.7 %
4	MOST AGR:(4)	869	38.9 %
5	AGREE:(5)	386	17.3 %
	Missing Data		
-9	MISSING:(-9)	39	1.7 %
	Total	**2,236**	**100%**

Based upon 2,197 valid cases out of 2,236 total cases.

Location: 63-64 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4224: 174A07 :R EFRT 2 HLP ENV

Item Number: 10080

In your own actions--the things you buy and the things you do--how much of an effort do you make to conserve energy and protect the environment?

1="None" 2="A little" 3="Some" 4="Quite a bit"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	274	12.3 %
2	A LITTLE:(2)	668	29.9 %
3	SOME:(3)	961	43.0 %
4	QUITE A BIT:(4)	226	10.1 %
	Missing Data		
-9	MISSING:(-9)	107	4.8 %
	Total	**2,236**	**100%**

Based upon 2,129 valid cases out of 2,236 total cases.

Location: 65-66 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4225: 174A08A:JOB IMPC SE RSLT

Item Number: 10090

The next questions are about work. Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

A: A job where you can see the results of what you do

1="Not important" 2="A little important" 3="Pretty important" 4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	35	1.6 %
2	LITL IMP:(2)	246	11.0 %
3	PRTY IMP:(3)	942	42.1 %
4	VERY IMP:(4)	971	43.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	42	1.9 %
	Total	**2,236**	**100%**

Based upon 2,194 valid cases out of 2,236 total cases.

Location: 67-68 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4226: 174A08B:JOB IMPC STATUS

Item Number: 10100

Indicate how important this thing is for you.

B: A job that has high status and prestige

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	252	11.3 %
2	LITL IMP:(2)	660	29.5 %
3	PRTY IMP:(3)	811	36.3 %
4	VERY IMP:(4)	466	20.8 %
	Missing Data		
-9	MISSING:(-9)	47	2.1 %
	Total	**2,236**	**100%**

Based upon 2,189 valid cases out of 2,236 total cases.

Location: 69-70 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4227: 174A08C:JOB IMPC INTRSTG

Item Number: 10110

Indicate how important this thing is for you.

C: A job which is interesting to do

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	25	1.1 %
2	LITL IMP:(2)	74	3.3 %
3	PRTY IMP:(3)	469	21.0 %
4	VERY IMP:(4)	1603	71.7 %
	Missing Data		
-9	MISSING:(-9)	65	2.9 %
	Total	**2,236**	**100%**

Based upon 2,171 valid cases out of 2,236 total cases.

Location: 71-72 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4228: 174A08D:JOB IMPC ADVNCMT

Item Number: 10120

Indicate how important this thing is for you.

D: A job where the chances for advancement and promotion are good

1="Not important" 2="A little important" 3="Pretty important" 4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	52	2.3 %
2	LITL IMP:(2)	226	10.1 %
3	PRTY IMP:(3)	761	34.0 %
4	VERY IMP:(4)	1151	51.5 %
	Missing Data		
-9	MISSING:(-9)	46	2.1 %
	Total	**2,236**	**100%**

Based upon 2,190 valid cases out of 2,236 total cases.

Location: 73-74 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4229: 174A08E:JOB IMPC HLP OTH

Item Number: 10130

Indicate how important this thing is for you.

E: A job that gives you an opportunity to be directly helpful to others

1="Not important" 2="A little important" 3="Pretty important" 4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	55	2.5 %
2	LITL IMP:(2)	329	14.7 %
3	PRTY IMP:(3)	741	33.1 %
4	VERY IMP:(4)	1066	47.7 %
	Missing Data		
-9	MISSING:(-9)	45	2.0 %
	Total	**2,236**	**100%**

Based upon 2,191 valid cases out of 2,236 total cases.

Location: 75-76 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4230: 174A08F:JOB IMPC EARN $

Item Number: 10140

Indicate how important this thing is for you.

F: A job which provides you with a chance to earn a good deal of money

1="Not important" 2="A little important" 3="Pretty important" 4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	50	2.2 %
2	LITL IMP:(2)	204	9.1 %
3	PRTY IMP:(3)	699	31.3 %
4	VERY IMP:(4)	1236	55.3 %
	Missing Data		
-9	MISSING:(-9)	47	2.1 %
	Total	**2,236**	**100%**

Based upon 2,189 valid cases out of 2,236 total cases.

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V4231: 174A08G:JOB IMPC CREATVY

Item Number: 10150

Indicate how important this thing is for you.

G: A job where you have the chance to be creative

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	137	6.1 %
2	LITL IMP:(2)	487	21.8 %
3	PRTY IMP:(3)	687	30.7 %
4	VERY IMP:(4)	878	39.3 %
	Missing Data		
-9	MISSING:(-9)	47	2.1 %
	Total	**2,236**	**100%**

Based upon 2,189 valid cases out of 2,236 total cases.

Location: 79-80 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4232: 174A08H:JOB IMPC UTILITY

Item Number: 10160

Indicate how important this thing is for you.

H: A job where the skills you learn will not go out of date

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	103	4.6 %
2	LITL IMP:(2)	299	13.4 %
3	PRTY IMP:(3)	665	29.7 %
4	VERY IMP:(4)	1121	50.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	48	2.1 %
	Total	**2,236**	**100%**

Based upon 2,188 valid cases out of 2,236 total cases.

Location: 81-82 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4233: 174A08I:JOB IMPC MK FRND

Item Number: 10170

Indicate how important this thing is for you.

I: A job that gives you a chance to make friends

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	155	6.9 %
2	LITL IMP:(2)	510	22.8 %
3	PRTY IMP:(3)	705	31.5 %
4	VERY IMP:(4)	816	36.5 %
	Missing Data		
-9	MISSING:(-9)	50	2.2 %
	Total	**2,236**	**100%**

Based upon 2,186 valid cases out of 2,236 total cases.

Location: 83-84 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4234: 174A08J:JOB IMPC USE SKL

Item Number: 10180

Indicate how important this thing is for you.

J: A job which uses your skills and abilities--lets you do
the things you can do best

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	27	1.2 %
2	LITL IMP:(2)	132	5.9 %
3	PRTY IMP:(3)	638	28.5 %
4	VERY IMP:(4)	1391	62.2 %
	Missing Data		
-9	MISSING:(-9)	48	2.1 %
	Total	**2,236**	**100%**

Based upon 2,188 valid cases out of 2,236 total cases.

Location: 85-86 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4235: 174A08K:JOB IMPC WRTHWLE

Item Number: 10190

Indicate how important this thing is for you.

K: A job that is worthwhile to society

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	107	4.8 %
2	LITL IMP:(2)	344	15.4 %
3	PRTY IMP:(3)	784	35.1 %
4	VERY IMP:(4)	932	41.7 %
	Missing Data		
-9	MISSING:(-9)	69	3.1 %
	Total	**2,236**	**100%**

Based upon 2,167 valid cases out of 2,236 total cases.

Location: 87-88 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4236: 174A08L:JOB IMPC VACATN

Item Number: 10200

Indicate how important this thing is for you.

L: A job where you have more than two weeks vacation

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	253	11.3 %
2	LITL IMP:(2)	656	29.3 %
3	PRTY IMP:(3)	612	27.4 %
4	VERY IMP:(4)	659	29.5 %
	Missing Data		
-9	MISSING:(-9)	56	2.5 %
	Total	**2,236**	**100%**

Based upon 2,180 valid cases out of 2,236 total cases.

Location: 89-90 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4237: 174A08M:JOB IMPC MK DCSN

Item Number: 10210

Indicate how important this thing is for you.

M: A job where you get a chance to participate in decision making

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	96	4.3 %
2	LITL IMP:(2)	398	17.8 %
3	PRTY IMP:(3)	946	42.3 %
4	VERY IMP:(4)	741	33.1 %
	Missing Data		
-9	MISSING:(-9)	55	2.5 %
	Total	**2,236**	**100%**

Based upon 2,181 valid cases out of 2,236 total cases.

Location: 91-92 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4238: 174A08N:JOB IMPC FRE TIM

Item Number: 10220

Indicate how important this thing is for you.

N: A job which leaves a lot of time for other things in your life

1="Not important" 2="A little important" 3="Pretty important" 4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	63	2.8 %
2	LITL IMP:(2)	398	17.8 %
3	PRTY IMP:(3)	811	36.3 %
4	VERY IMP:(4)	902	40.3 %
	Missing Data		
-9	MISSING:(-9)	62	2.8 %
	Total	**2,236**	**100%**

Based upon 2,174 valid cases out of 2,236 total cases.

Location: 93-94 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4239: 174A08O:JOB IMPC NO MVNG

Item Number: 10230

Indicate how important this thing is for you.

O: A job which allows you to establish roots in a community and not have to move from place to place

1="Not important" 2="A little important" 3="Pretty important" 4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	213	9.5 %
2	LITL IMP:(2)	505	22.6 %
3	PRTY IMP:(3)	739	33.1 %
4	VERY IMP:(4)	723	32.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	56	2.5 %
	Total	**2,236**	**100%**

Based upon 2,180 valid cases out of 2,236 total cases.

Location: 95-96 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4240: 174A08P:JOB IMPC NO SPRV

Item Number: 10240

Indicate how important this thing is for you.

P: A job which leaves you mostly free of supervision by others

1="Not important" 2="A little important" 3="Pretty important" 4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	224	10.0 %
2	LITL IMP:(2)	673	30.1 %
3	PRTY IMP:(3)	790	35.3 %
4	VERY IMP:(4)	492	22.0 %
	Missing Data		
-9	MISSING:(-9)	57	2.5 %
	Total	**2,236**	**100%**

Based upon 2,179 valid cases out of 2,236 total cases.

Location: 97-98 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4241: 174A08Q:JOB IMPC SECURTY

Item Number: 10250

Indicate how important this thing is for you.

Q: A job that offers a reasonably predictable, secure future

1="Not important" 2="A little important" 3="Pretty important" 4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	59	2.6 %
2	LITL IMP:(2)	203	9.1 %
3	PRTY IMP:(3)	705	31.5 %
4	VERY IMP:(4)	1203	53.8 %
	Missing Data		
-9	MISSING:(-9)	66	3.0 %
	Total	**2,236**	**100%**

Based upon 2,170 valid cases out of 2,236 total cases.

Location: 99-100 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4242: 174A08R:JOB IMPC LRNING

Item Number: 10260

Indicate how important this thing is for you.

R: A job where you can learn new things, learn new skills

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	46	2.1 %
2	LITL IMP:(2)	286	12.8 %
3	PRTY IMP:(3)	799	35.7 %
4	VERY IMP:(4)	1034	46.2 %
	Missing Data		
-9	MISSING:(-9)	71	3.2 %
	Total	**2,236**	**100%**

Based upon 2,165 valid cases out of 2,236 total cases.

Location: 101-102 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4243: 174A08S:JOB IMPC BE SELF

Item Number: 10270

Indicate how important this thing is for you.

S: A job where you do not have to pretend to be a type
of person that you are not

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	120	5.4 %
2	LITL IMP:(2)	177	7.9 %
3	PRTY IMP:(3)	521	23.3 %
4	VERY IMP:(4)	1340	59.9 %
	Missing Data		
-9	MISSING:(-9)	78	3.5 %
	Total	**2,236**	**100%**

Based upon 2,158 valid cases out of 2,236 total cases.

Location: 103-104 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4244: 174A08T:JOB IMPC RESPECT

Item Number: 10280

Indicate how important this thing is for you.

T: A job that most people look up to and respect

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	142	6.4 %
2	LITL IMP:(2)	364	16.3 %
3	PRTY IMP:(3)	718	32.1 %
4	VERY IMP:(4)	933	41.7 %
	Missing Data		
-9	MISSING:(-9)	79	3.5 %
	Total	**2,236**	**100%**

Based upon 2,157 valid cases out of 2,236 total cases.

Location: 105-106 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4245: 174A08U:JOB IMPC CNTC PL

Item Number: 10290

Indicate how important this thing is for you.

U: A job that permits contact with a lot of people

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	292	13.1 %
2	LITL IMP:(2)	632	28.3 %
3	PRTY IMP:(3)	658	29.4 %
4	VERY IMP:(4)	579	25.9 %
	Missing Data		
-9	MISSING:(-9)	75	3.4 %
	Total	**2,236**	**100%**

Based upon 2,161 valid cases out of 2,236 total cases.

Location: 107-108 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4246: 174A08V:JOB IMPC EZ PACE

Item Number: 10300

Indicate how important this thing is for you.

V: A job with an easy pace that lets you work slowly

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	469	21.0 %
2	LITL IMP:(2)	817	36.5 %
3	PRTY IMP:(3)	548	24.5 %
4	VERY IMP:(4)	327	14.6 %
	Missing Data		
-9	MISSING:(-9)	75	3.4 %
	Total	**2,236**	**100%**

Based upon 2,161 valid cases out of 2,236 total cases.

Location: 109-110 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4247: 174A08W:JOB IMPC HRD PRB

Item Number: 10310

Indicate how important this thing is for you.

W: A job where most problems are quite difficult and challenging

1="Not important" 2="A little important" 3="Pretty important" 4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	383	17.1 %
2	LITL IMP:(2)	845	37.8 %
3	PRTY IMP:(3)	624	27.9 %
4	VERY IMP:(4)	304	13.6 %
	Missing Data		
-9	MISSING:(-9)	80	3.6 %
	Total	**2,236**	**100%**

Based upon 2,156 valid cases out of 2,236 total cases.

Location: 111-112 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4248: 174A09 :KIND OF WORK @30

Item Number: 10320

What kind of work do you think you will be doing when you are 30 years old? Mark the one that comes closest to what you expect to be doing.

01="Laborer (custodian, material mover, maid, landscape worker, farm worker)"
02="Service worker (food preparer or food service worker including fast food, waiter/waitress, call center worker, stock clerk, order filler, nursing aide/orderly, teacher assistant, childcare worker)"
03="Operative or semi-skilled worker (bus or truck driver, maintenance or repair worker, assembly line worker)"
04="Sales clerk in a retail store or by phone (cashier, supervisor of retail workers)"
05="Clerical or office worker (secretary, receptionist, bookkeeper, supervisor of office workers, bank teller, postal clerk or carrier)"

06="Protective service (police, firefighter, paramedic)"
07="Military service"
08="Craftsman or skilled worker (carpenter, mechanic, machinist, welder)"
09="Farm owner, farm manager"
10="Owner of a small business"
11="Sales representative (insurance agent, real estate)"
12="Manager or administrator (office manager, government official, sales manager)"
13="Professional without doctoral degree (registered nurse, school teacher, accountant, architect, artist, information technology worker)"
14="Professional with doctoral degree or equivalent (lawyer, physician, dentist, scientist, college professor)"
15="Full-time homemaker"
16="Don't know--GO TO QUESTION 13"

Value	Label	Unweighted Frequency	%
1	LABORER:(1)	22	1.0 %
2	SERV WKR:(2)	83	3.7 %
3	SEMISKL:(3)	18	0.8 %
4	RETAIL:(4)	11	0.5 %
5	CLERICAL:(5)	28	1.3 %
6	PROTECT:(6)	85	3.8 %
7	MILITARY:(7)	88	3.9 %
8	SKLD WKR:(8)	123	5.5 %
9	FARM:(9)	22	1.0 %
10	OWN SHOP:(10)	167	7.5 %
11	SALESREP:(11)	31	1.4 %
12	MANAGER:(12)	72	3.2 %
13	NOPHDPRO:(13)	597	26.7 %
14	PHD PRO:(14)	466	20.8 %
15	HOMEMKR:(15)	10	0.4 %
16	DK:(16)	150	6.7 %
	Missing Data		
-9	MISSING:(-9)	263	11.8 %
	Total	**2,236**	**100%**

Based upon 1,973 valid cases out of 2,236 total cases.

Location: 113-114 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4249: 174A10 :R SURE GT THS WK

Item Number: 10330

How likely do you think it is that you will actually get

to do this kind of work?

1="Not very likely" 2="Somewhat likely" 3="Fairly likely" 4="Very likely" 5="Certain" 6="I already do this kind of work"

Value	Label	Unweighted Frequency	%
1	NOT LKLY:(1)	37	1.7 %
2	SMWT LIK:(2)	164	7.3 %
3	FRLY LIK:(3)	517	23.1 %
4	VY LIKELY:(4)	734	32.8 %
5	CERTAIN:(5)	386	17.3 %
6	ALRDY DO:(6)	111	5.0 %
	Missing Data		
-9	MISSING:(-9)	287	12.8 %
	Total	**2,236**	**100%**

Based upon 1,949 valid cases out of 2,236 total cases.

Location: 115-116 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4250: 174A11 :R SURE WK GD CHC

Item Number: 10340

How certain are you that this kind of work is a good choice for you?

1="Not at all certain" 2="Somewhat certain" 3="Fairly certain" 4="Very certain" 5="Completely certain"

Value	Label	Unweighted Frequency	%
1	NT CERTN:(1)	67	3.0 %
2	SMWT CTN:(2)	171	7.6 %
3	FRLY CTN:(3)	478	21.4 %
4	VY CERTN:(4)	714	31.9 %
5	COMP CTN:(5)	529	23.7 %
	Missing Data		
-9	MISSING:(-9)	277	12.4 %
	Total	**2,236**	**100%**

Based upon 1,959 valid cases out of 2,236 total cases.

Location: 117-118 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V4251: 174A12 :R THNK WK BE SAT

Item Number: 10350

How satisfying do you think this kind of work will be for you?

1="Not very satisfying" 2="Somewhat satisfying" 3="Quite satisfying" 4="Very satisfying" 5="Extremely satisfying"

Value	Label	Unweighted Frequency	%
1	NT SATIS:(1)	21	0.9 %
2	SMWT SAT:(2)	113	5.1 %
3	QUITE ST:(3)	448	20.0 %
4	VY SATIS:(4)	700	31.3 %
5	EXTR SAT:(5)	670	30.0 %
	Missing Data		
-9	MISSING:(-9)	284	12.7 %
	Total	**2,236**	**100%**

Based upon 1,952 valid cases out of 2,236 total cases.

Location: 119-120 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4252: 174A13A:JOB OBSTC RELGN

Item Number: 10360

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

A: Your religion

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1746	78.1 %
2	SOMEWHAT:(2)	191	8.5 %
3	A LOT:(3)	58	2.6 %
8	DK:(8)	141	6.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	100	4.5 %
	Total	**2,236**	**100%**

Based upon 2,136 valid cases out of 2,236 total cases.

Location: 121-122 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4253: 174A13B:JOB OBSTC SEX

Item Number: 10370

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

B: Your sex

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1458	65.2 %
2	SOMEWHAT:(2)	445	19.9 %
3	A LOT:(3)	149	6.7 %
8	DK:(8)	91	4.1 %
	Missing Data		
-9	MISSING:(-9)	93	4.2 %
	Total	**2,236**	**100%**

Based upon 2,143 valid cases out of 2,236 total cases.

Location: 123-124 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4254: 174A13C:JOB OBSTC RACE

Item Number: 10380

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

C: Your race

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1497	66.9 %
2	SOMEWHAT:(2)	377	16.9 %
3	A LOT:(3)	170	7.6 %
8	DK:(8)	93	4.2 %
	Missing Data		
-9	MISSING:(-9)	99	4.4 %
	Total	**2,236**	**100%**

Based upon 2,137 valid cases out of 2,236 total cases.

Location: 125-126 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4255: 174A13D:JOB OBSTC BKGRND

Item Number: 10390

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

D: Your family background

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1607	71.9 %
2	SOMEWHAT:(2)	307	13.7 %
3	A LOT:(3)	114	5.1 %
8	DK:(8)	111	5.0 %
	Missing Data		
-9	MISSING:(-9)	97	4.3 %
	Total	**2,236**	**100%**

Based upon 2,139 valid cases out of 2,236 total cases.

Location: 127-128 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4256: 174A13E:JOB OBSTC POL VW

Item Number: 10400

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

E: Your political views

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1567	70.1 %
2	SOMEWHAT:(2)	329	14.7 %
3	A LOT:(3)	84	3.8 %
8	DK:(8)	155	6.9 %
	Missing Data		
-9	MISSING:(-9)	101	4.5 %
	Total	**2,236**	**100%**

Based upon 2,135 valid cases out of 2,236 total cases.

Location: 129-130 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4257: 174A13F:JOB OBSTC EDUCTN

Item Number: 10410

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

F: Your education

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	861	38.5 %
2	SOMEWHAT:(2)	501	22.4 %
3	A LOT:(3)	693	31.0 %
8	DK:(8)	86	3.8 %
	Missing Data		
-9	MISSING:(-9)	95	4.2 %
	Total	**2,236**	**100%**

Based upon 2,141 valid cases out of 2,236 total cases.

Location: 131-132 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4258: 174A13G:JOB OBSTC -VOC T

Item Number: 10420

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

G: Lack of vocational training

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	932	41.7 %
2	SOMEWHAT:(2)	548	24.5 %
3	A LOT:(3)	342	15.3 %
8	DK:(8)	304	13.6 %
	Missing Data		
-9	MISSING:(-9)	110	4.9 %
	Total	**2,236**	**100%**

Based upon 2,126 valid cases out of 2,236 total cases.

Location: 133-134 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4259: 174A13H:JOB OBSTC -ABLTY

Item Number: 10430

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

H: Lack of ability

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	939	42.0 %

Value	Label	Unweighted Frequency	%
2	SOMEWHAT:(2)	460	20.6 %
3	A LOT:(3)	616	27.5 %
8	DK:(8)	119	5.3 %
	Missing Data		
-9	MISSING:(-9)	102	4.6 %
	Total	**2,236**	**100%**

Based upon 2,134 valid cases out of 2,236 total cases.

Location: 135-136 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4260: 174A13I:JOB OBSTC - PULL

Item Number: 10440

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

I: Not knowing the right people

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	757	33.9 %
2	SOMEWHAT:(2)	840	37.6 %
3	A LOT:(3)	391	17.5 %
8	DK:(8)	142	6.4 %
	Missing Data		
-9	MISSING:(-9)	106	4.7 %
	Total	**2,236**	**100%**

Based upon 2,130 valid cases out of 2,236 total cases.

Location: 137-138 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4261: 174A13J:JOB OBSTC -WK HD

Item Number: 10450

To what extent do you think the things listed below will

prevent you from getting the kind of work you would like to have?

J: Not wanting to work hard

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	983	44.0 %
2	SOMEWHAT:(2)	256	11.4 %
3	A LOT:(3)	802	35.9 %
8	DK:(8)	88	3.9 %
	Missing Data		
-9	MISSING:(-9)	107	4.8 %
	Total	**2,236**	**100%**

Based upon 2,129 valid cases out of 2,236 total cases.

Location: 139-140 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4262: 174A13K:JOB OBSTC -CONFM

Item Number: 10460

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

K: Not wanting to conform

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	929	41.5 %
2	SOMEWHAT:(2)	495	22.1 %
3	A LOT:(3)	471	21.1 %
8	DK:(8)	232	10.4 %
	Missing Data		
-9	MISSING:(-9)	109	4.9 %
	Total	**2,236**	**100%**

Based upon 2,127 valid cases out of 2,236 total cases.

Location: 141-142 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V4263: 174A14 :ENUF$,NT WNT WRK

Item Number: 08100

If you were to get enough money to live as comfortably as you'd like for the rest of your life, would you want to work?

1="I would want to work" 2="I would not want to work"

Value	Label	Unweighted Frequency	%
1	WORK:(1)	1678	75.0 %
2	NOT WORK:(2)	489	21.9 %
	Missing Data		
-9	MISSING:(-9)	69	3.1 %
	Total	**2,236**	**100%**

Based upon 2,167 valid cases out of 2,236 total cases.

Location: 143-144 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4264: 174A15A:FEW GD MAR, ? IT

Item Number: 10470

How much do you agree or disagree with each statement below?

A: One sees so few good or happy marriages that one questions it as a way of life

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	272	12.2 %
2	MOST DIS:(2)	211	9.4 %
3	NEITHER:(3)	529	23.7 %
4	MOST AGR:(4)	339	15.2 %
5	AGREE:(5)	233	10.4 %
	Missing Data		
-9	MISSING:(-9)	652	29.2 %

Value	Label	Unweighted Frequency	%
	Total	**2,236**	**100%**

Based upon 1,584 valid cases out of 2,236 total cases.

Location: 145-146 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4265: 174A15B:GD LIV TG BF MRG

Item Number: 10480

How much do you agree or disagree with each statement below?

B: It is usually a good idea for a couple to live together before getting married in order to find out whether they really get along

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	129	5.8 %
2	MOST DIS:(2)	99	4.4 %
3	NEITHER:(3)	205	9.2 %
4	MOST AGR:(4)	525	23.5 %
5	AGREE:(5)	632	28.3 %
	Missing Data		
-9	MISSING:(-9)	646	28.9 %
	Total	**2,236**	**100%**

Based upon 1,590 valid cases out of 2,236 total cases.

Location: 147-148 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4266: 174A15C:1 PRTNR = RSTRCTVE

Item Number: 10490

How much do you agree or disagree with each statement below?

C: Having a close intimate relationship with only one partner is too restrictive for the average person

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	727	32.5 %
2	MOST DIS:(2)	290	13.0 %
3	NEITHER:(3)	330	14.8 %
4	MOST AGR:(4)	148	6.6 %
5	AGREE:(5)	92	4.1 %
	Missing Data		
-9	MISSING:(-9)	649	29.0 %
	Total	**2,236**	**100%**

Based upon 1,587 valid cases out of 2,236 total cases.

Location: 149-150 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4269: 174A15D:BNG FATH V FULFL

Item Number: 10520

How much do you agree or disagree with each statement below?

D: Being a father and raising children is one of the most
fulfilling experiences a man can have

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	87	3.9 %
2	MOST DIS:(2)	77	3.4 %
3	NEITHER:(3)	462	20.7 %
4	MOST AGR:(4)	650	29.1 %
5	AGREE:(5)	870	38.9 %
	Missing Data		
-9	MISSING:(-9)	90	4.0 %
	Total	**2,236**	**100%**

Based upon 2,146 valid cases out of 2,236 total cases.

Location: 151-152 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4442: 174A15E:BNG MOTH V FULFL

Item Number: 12170

How much do you agree or disagree with each statement below?

E: Being a mother and raising children is one of the most fulfilling experiences a woman can have

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	105	4.7 %
2	MOST DIS:(2)	84	3.8 %
3	NEITHER:(3)	431	19.3 %
4	MOST AGR:(4)	578	25.8 %
5	AGREE:(5)	946	42.3 %
	Missing Data		
-9	MISSING:(-9)	92	4.1 %
	Total	**2,236**	**100%**

Based upon 2,144 valid cases out of 2,236 total cases.

Location: 153-154 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4270: 174A15F:MO SH B W CHL>TM

Item Number: 10530

How much do you agree or disagree with each statement below?

F: Most mothers should spend more time with their children than they do now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	72	3.2 %
2	MOST DIS:(2)	125	5.6 %

Value	Label	Unweighted Frequency	%
3	NEITHER:(3)	703	31.4 %
4	MOST AGR:(4)	665	29.7 %
5	AGREE:(5)	575	25.7 %
	Missing Data		
-9	MISSING:(-9)	96	4.3 %
	Total	**2,236**	**100%**

Based upon 2,140 valid cases out of 2,236 total cases.

Location: 155-156 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4443: 174A15G:FTHR>TIME W CHLD

Item Number: 12180

How much do you agree or disagree with each statement below?

G: Most fathers should spend more time with their children than they do now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	58	2.6 %
2	MOST DIS:(2)	76	3.4 %
3	NEITHER:(3)	580	25.9 %
4	MOST AGR:(4)	703	31.4 %
5	AGREE:(5)	722	32.3 %
	Missing Data		
-9	MISSING:(-9)	97	4.3 %
	Total	**2,236**	**100%**

Based upon 2,139 valid cases out of 2,236 total cases.

Location: 157-158 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4272: 174A16 :#HRS TV/DAY/5+

Item Number: 10550

How much TV do you estimate you watch on an average weekday?

1="None" 2="Half-hour or less" 3="About one hour" 4="About two hours" 5="About three hours" 6="About four hours" 7="Five hours or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	283	12.7 %
2	<1/2 HOUR:(2)	444	19.9 %
3	ONE HOUR:(3)	480	21.5 %
4	2 HOURS:(4)	374	16.7 %
5	3 HOURS:(5)	268	12.0 %
6	4 HOURS:(6)	147	6.6 %
7	5+ HRS:(7)	173	7.7 %
	Missing Data		
-9	MISSING:(-9)	67	3.0 %
	Total	**2,236**	**100%**

Based upon 2,169 valid cases out of 2,236 total cases.

Location: 159-160 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4465: 174A17:HOW OFTEN HV DINNER W/PARENTS

Item Number: 32740

During a typical week, how often do you have dinner with one or both of your parents?

1="Less than one day per week" 2="One day" 3="Two days" 4="Three days" 5="Four or five days" 6="Six or seven days per week"

Value	Label	Unweighted Frequency	%
1	< 1 DAY/WEEK:(1)	533	23.8 %
2	1 DAY:(2)	175	7.8 %
3	2 DAYS:(3)	253	11.3 %
4	3 DAYS:(4)	305	13.6 %
5	4-5 DAYS:(5)	449	20.1 %
6	6-7 DAYS:(6)	445	19.9 %
	Missing Data		
-9	MISSING:(-9)	76	3.4 %
	Total	**2,236**	**100%**

Based upon 2,160 valid cases out of 2,236 total cases.

Location: 161-162 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4273: 174A18 :#BKS LAST YR/10+

Item Number: 10560

In the past year, how many books have you read just because you wanted to--that is, without their being assigned?

1="None" 2="One" 3="Two to five" 4="Six to nine" 5="Ten or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	794	35.5 %
2	1:(2)	350	15.7 %
3	2-5:(3)	640	28.6 %
4	6-9:(4)	161	7.2 %
5	10+:(5)	216	9.7 %
	Missing Data		
-9	MISSING:(-9)	75	3.4 %
	Total	**2,236**	**100%**

Based upon 2,161 valid cases out of 2,236 total cases.

Location: 163-164 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4274: 174A19 :INTEREST IN GOVT

Item Number: 06330

Some people think about what's going on in government very often, and others are not that interested. How much of an interest do you take in government and current events?

1="No interest at all" 2="Very little interest" 3="Some interest" 4="A lot of interest" 5="A very great interest"

Value	Label	Unweighted Frequency	%
1	NO INTRST:(1)	245	11.0 %
2	VRY LITTLE:(2)	401	17.9 %
3	SOME:(3)	843	37.7 %

Value	Label	Unweighted Frequency	%
4	A LOT:(4)	423	18.9 %
5	VRY GRT:(5)	244	10.9 %
	Missing Data		
-9	MISSING:(-9)	80	3.6 %
	Total	**2,236**	**100%**

Based upon 2,156 valid cases out of 2,236 total cases.

Location: 165-166 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4275: 174A20A:>INFLC LARG CORP

Item Number: 10570

Some people think that there ought to be changes in the amount of influence and power that certain organizations have in our society. Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

A: Large corporations

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More" 8="No opinion"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	242	10.8 %
2	LESS:(2)	606	27.1 %
3	SAME:(3)	565	25.3 %
4	MORE:(4)	202	9.0 %
5	MCH MORE:(5)	87	3.9 %
8	NO OPIN:(8)	437	19.5 %
	Missing Data		
-9	MISSING:(-9)	97	4.3 %
	Total	**2,236**	**100%**

Based upon 2,139 valid cases out of 2,236 total cases.

Location: 167-168 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4276: 174A20B:>INFLC LBR UNION

Item Number: 10580

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

B: Major labor unions

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More" 8="No opinion"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	98	4.4 %
2	LESS:(2)	260	11.6 %
3	SAME:(3)	632	28.3 %
4	MORE:(4)	460	20.6 %
5	MCH MORE:(5)	145	6.5 %
8	NO OPIN:(8)	536	24.0 %
	Missing Data		
-9	MISSING:(-9)	105	4.7 %
	Total	**2,236**	**100%**

Based upon 2,131 valid cases out of 2,236 total cases.

Location: 169-170 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4277: 174A20C:>INFLC CHURCHES

Item Number: 10590

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

C: Churches and religious organizations

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More" 8="No opinion"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	278	12.4 %
2	LESS:(2)	286	12.8 %
3	SAME:(3)	605	27.1 %
4	MORE:(4)	377	16.9 %

Value	Label	Unweighted Frequency	%
5	MCH MORE:(5)	230	10.3 %
8	NO OPIN:(8)	362	16.2 %
	Missing Data		
-9	MISSING:(-9)	98	4.4 %
	Total	**2,236**	**100%**

Based upon 2,138 valid cases out of 2,236 total cases.

Location: 171-172 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4278: 174A20D:>INFLC NEWS MDIA

Item Number: 10600

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

D: The national news media (TV, magazines, news services)

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More" 8="No opinion"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	342	15.3 %
2	LESS:(2)	654	29.2 %
3	SAME:(3)	523	23.4 %
4	MORE:(4)	199	8.9 %
5	MCH MORE:(5)	113	5.1 %
8	NO OPIN:(8)	307	13.7 %
	Missing Data		
-9	MISSING:(-9)	98	4.4 %
	Total	**2,236**	**100%**

Based upon 2,138 valid cases out of 2,236 total cases.

Location: 173-174 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4279: 174A20E:>INFLC PRES/ADMN

Item Number: 10610

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

E: The Presidency and the administration

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More" 8="No opinion"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	139	6.2 %
2	LESS:(2)	287	12.8 %
3	SAME:(3)	820	36.7 %
4	MORE:(4)	322	14.4 %
5	MCH MORE:(5)	178	8.0 %
8	NO OPIN:(8)	393	17.6 %
	Missing Data		
-9	MISSING:(-9)	97	4.3 %
	Total	**2,236**	**100%**

Based upon 2,139 valid cases out of 2,236 total cases.

Location: 175-176 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4280: 174A20F:>INFLC CONGRESS

Item Number: 10620

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

F: The Congress--that is, the U.S. Senate and House of Representatives

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More" 8="No opinion"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	99	4.4 %
2	LESS:(2)	193	8.6 %
3	SAME:(3)	835	37.3 %
4	MORE:(4)	407	18.2 %
5	MCH MORE:(5)	161	7.2 %

Value	Label	Unweighted Frequency	%
8	NO OPIN:(8)	435	19.5 %
	Missing Data		
-9	MISSING:(-9)	106	4.7 %
	Total	**2,236**	**100%**

Based upon 2,130 valid cases out of 2,236 total cases.

Location: 177-178 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4281: 174A20G:>INFLC SUPRM CRT

Item Number: 10630

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

G: The U.S. Supreme Court

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More" 8="No opinion"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	66	3.0 %
2	LESS:(2)	144	6.4 %
3	SAME:(3)	868	38.8 %
4	MORE:(4)	426	19.1 %
5	MCH MORE:(5)	191	8.5 %
8	NO OPIN:(8)	436	19.5 %
	Missing Data		
-9	MISSING:(-9)	105	4.7 %
	Total	**2,236**	**100%**

Based upon 2,131 valid cases out of 2,236 total cases.

Location: 179-180 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4282: 174A20H:>INFLC JUSTC SYS

Item Number: 10640

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

H: All the courts and the justice system in general

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More" 8="No opinion"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	65	2.9 %
2	LESS:(2)	148	6.6 %
3	SAME:(3)	883	39.5 %
4	MORE:(4)	425	19.0 %
5	MCH MORE:(5)	165	7.4 %
8	NO OPIN:(8)	438	19.6 %
	Missing Data		
-9	MISSING:(-9)	112	5.0 %
	Total	**2,236**	**100%**

Based upon 2,124 valid cases out of 2,236 total cases.

Location: 181-182 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4283: 174A20I:>INFLC POLICE

Item Number: 10650

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

I: The police and other law enforcement agencies

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More" 8="No opinion"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	106	4.7 %
2	LESS:(2)	264	11.8 %
3	SAME:(3)	693	31.0 %
4	MORE:(4)	469	21.0 %
5	MCH MORE:(5)	234	10.5 %
8	NO OPIN:(8)	362	16.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	108	4.8 %
	Total	**2,236**	**100%**

Based upon 2,128 valid cases out of 2,236 total cases.

Location: 183-184 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4284: 174A20J:>INFLC MILITARY

Item Number: 10660

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

J: The U.S. military

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More" 8="No opinion"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	104	4.7 %
2	LESS:(2)	161	7.2 %
3	SAME:(3)	694	31.0 %
4	MORE:(4)	460	20.6 %
5	MCH MORE:(5)	340	15.2 %
8	NO OPIN:(8)	371	16.6 %
	Missing Data		
-9	MISSING:(-9)	106	4.7 %
	Total	**2,236**	**100%**

Based upon 2,130 valid cases out of 2,236 total cases.

Location: 185-186 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4285: 174A21A:ILGL AD MRJ PRIV

Item Number: 10780

Do you think that people (who are 18 or older) should be

prohibited by law from doing each of the following?

A: Smoking marijuana (pot, weed) in private

1="No" 2="Not Sure" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	1358	60.7 %
2	NOT SURE:(2)	312	14.0 %
3	YES:(3)	478	21.4 %
	Missing Data		
-9	MISSING:(-9)	88	3.9 %
	Total	**2,236**	**100%**

Based upon 2,148 valid cases out of 2,236 total cases.

Location: 187-188 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4286: 174A21B:ILGL AD MRJ PUBL

Item Number: 10790

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

B: Smoking marijuana in public places

1="No" 2="Not Sure" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	643	28.8 %
2	NOT SURE:(2)	396	17.7 %
3	YES:(3)	1107	49.5 %
	Missing Data		
-9	MISSING:(-9)	90	4.0 %
	Total	**2,236**	**100%**

Based upon 2,146 valid cases out of 2,236 total cases.

Location: 189-190 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4287: 174A21C:ILGL AD LSD PRIV

Item Number: 10800

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

C: Taking LSD in private

1="No" 2="Not Sure" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	646	28.9 %
2	NOT SURE:(2)	481	21.5 %
3	YES:(3)	1008	45.1 %
	Missing Data		
-9	MISSING:(-9)	101	4.5 %
	Total	**2,236**	**100%**

Based upon 2,135 valid cases out of 2,236 total cases.

Location: 191-192 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4288: 174A21D:ILGL AD LSD PUBL

Item Number: 10810

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

D: Taking LSD in public places

1="No" 2="Not Sure" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	327	14.6 %
2	NOT SURE:(2)	318	14.2 %
3	YES:(3)	1490	66.6 %
	Missing Data		
-9	MISSING:(-9)	101	4.5 %
	Total	**2,236**	**100%**

Based upon 2,135 valid cases out of 2,236 total cases.

Location: 193-194 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4447: 174A21E:ILGL AD AM/SD PV

Item Number: 10825

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

E: Taking amphetamines (uppers) or sedatives (downers) in private

1="No" 2="Not Sure" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	663	29.7 %
2	NOT SURE:(2)	557	24.9 %
3	YES:(3)	911	40.7 %
	Missing Data		
-9	MISSING:(-9)	105	4.7 %
	Total	**2,236**	**100%**

Based upon 2,131 valid cases out of 2,236 total cases.

Location: 195-196 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4448: 174A21F:ILGL AD AM/SD PB

Item Number: 10835

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

F: Taking amphetamines or sedatives in public places

1="No" 2="Not Sure" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	348	15.6 %
2	NOT SURE:(2)	441	19.7 %
3	YES:(3)	1341	60.0 %
	Missing Data		
-9	MISSING:(-9)	106	4.7 %
	Total	**2,236**	**100%**

Based upon 2,130 valid cases out of 2,236 total cases.

Location: 197-198 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4291: 174A21G:ILGL AD HRN PRIV

Item Number: 10840

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

G: Taking heroin in private

1="No" 2="Not Sure" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	453	20.3 %
2	NOT SURE:(2)	220	9.8 %
3	YES:(3)	1467	65.6 %
	Missing Data		
-9	MISSING:(-9)	96	4.3 %
	Total	**2,236**	**100%**

Based upon 2,140 valid cases out of 2,236 total cases.

Location: 199-200 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4292: 174A21H:ILGL AD HRN PUBL

Item Number: 10850

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

H: Taking heroin in public places

1="No" 2="Not Sure" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	333	14.9 %
2	NOT SURE:(2)	140	6.3 %
3	YES:(3)	1661	74.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	102	4.6 %
	Total	**2,236**	**100%**

Based upon 2,134 valid cases out of 2,236 total cases.

Location: 201-202 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4293: 174A21I:ILGL AD DRNK PRV

Item Number: 10860

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

I: Getting drunk in private

1="No" 2="Not Sure" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	1457	65.2 %
2	NOT SURE:(2)	285	12.7 %
3	YES:(3)	391	17.5 %
	Missing Data		
-9	MISSING:(-9)	103	4.6 %
	Total	**2,236**	**100%**

Based upon 2,133 valid cases out of 2,236 total cases.

Location: 203-204 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4294: 174A21J:ILGL AD DRNK PBL

Item Number: 10870

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

J: Getting drunk in public places

1="No" 2="Not Sure" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	692	30.9 %
2	NOT SURE:(2)	520	23.3 %
3	YES:(3)	925	41.4 %
	Missing Data		
-9	MISSING:(-9)	99	4.4 %
	Total	**2,236**	**100%**

Based upon 2,137 valid cases out of 2,236 total cases.

Location: 205-206 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4295: 174A21K:LAW 4 SMK TOBPUB

Item Number: 10760

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

K: Smoking tobacco in certain specified public places

1="No" 2="Not Sure" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	929	41.5 %
2	NOT SURE:(2)	404	18.1 %
3	YES:(3)	805	36.0 %
	Missing Data		
-9	MISSING:(-9)	98	4.4 %
	Total	**2,236**	**100%**

Based upon 2,138 valid cases out of 2,236 total cases.

Location: 207-208 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4296: 174A22:CRIME 2 USE MARJ

Item Number: 10880

In particular, there has been a great deal of public debate about whether marijuana use should be legal. Not counting "medical marijuana" (with a doctor's prescription) which of

the following policies would you favor?

1="Using marijuana should be entirely legal" 2="It should be a minor violation--like a parking ticket--but not a crime" 3="It should be a crime" 4="Don't know"

Value	Label	Unweighted Frequency	%
1	LEGAL:(1)	1054	47.1 %
2	MINOR:(2)	577	25.8 %
3	CRIME:(3)	248	11.1 %
4	DK:(4)	247	11.0 %
	Missing Data		
-9	MISSING:(-9)	110	4.9 %
	Total	**2,236**	**100%**

Based upon 2,126 valid cases out of 2,236 total cases.

Location: 209-210 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4297: 174A23:LEGAL 2 SELL MRJ

Item Number: 10890

Aside from "medical marijuana," if it were legal for people to USE marijuana, should it also be legal to SELL marijuana?

1="No" 2="Yes, but only to adults" 3="Yes, to anyone" 4="Don't know"

Value	Label	Unweighted Frequency	%
1	NO:(1)	436	19.5 %
2	ADULTS ONLY:(2)	1192	53.3 %
3	YES ALL:(3)	244	10.9 %
4	DK:(4)	257	11.5 %
	Missing Data		
-9	MISSING:(-9)	107	4.8 %
	Total	**2,236**	**100%**

Based upon 2,129 valid cases out of 2,236 total cases.

Location: 211-212 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4298: 174A24:USE<MJ IF LEGAL

Item Number: 10900

Aside from "medical marijuana," if marijuana were legal to use and legally available, which of the following would you be most likely to do?

1="Not use it, even if it were legal and available" 2="Try it" 3="Use it about as often as I do now" 4="Use it more often than I do now" 5="Use it less than I do now" 6="Don't know"

Value	Label	Unweighted Frequency	%
1	NO:(1)	970	43.4 %
2	TRY:(2)	336	15.0 %
3	USE AS OFTN:(3)	360	16.1 %
4	MORE OFTN:(4)	219	9.8 %
5	LESS OFTN:(5)	26	1.2 %
6	DK:(6)	206	9.2 %
	Missing Data		
-9	MISSING:(-9)	119	5.3 %
	Total	**2,236**	**100%**

Based upon 2,117 valid cases out of 2,236 total cases.

Location: 213-214 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4101: 174B01 :EVR SMK CIG,REGL

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1538	68.8 %
2	1-2X:(2)	287	12.8 %
3	OCCASNLY:(3)	169	7.6 %
4	REG PAST:(4)	56	2.5 %
5	REG NOW:(5)	76	3.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	110	4.9 %
	Total	**2,236**	**100%**

Based upon 2,126 valid cases out of 2,236 total cases.

Location: 215-216 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4102: 174B02 :#CIGS SMKD/30DAY

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%
1	NT DAILY:(1)	1915	85.6 %
2	<1 CIG/D:(2)	115	5.1 %
3	1-5/DAY:(3)	50	2.2 %
4	1/2 PK:(4)	29	1.3 %
5	1 PK:(5)	7	0.3 %
6	1 1/2 PK:(6)	3	0.1 %
7	2+ PKS:(7)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	111	5.0 %
	Total	**2,236**	**100%**

Based upon 2,125 valid cases out of 2,236 total cases.

Location: 217-218 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4103: 174B03 :EVER DRINK

Item Number: 00790

Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO TOP OF NEXT COLUMN" 2="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	797	35.6 %
2	YES:(2)	1265	56.6 %
	Missing Data		
-9	MISSING:(-9)	174	7.8 %
	Total	**2,236**	**100%**

Based upon 2,062 valid cases out of 2,236 total cases.

Location: 219-220 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4104: 174B04A:#X ALC/LIF SIPS

Item Number: 00810

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" [includes respondents who said no to header question] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	797	35.6 %
2	1-2X:(2)	186	8.3 %
3	3-5X:(3)	217	9.7 %
4	6-9X:(4)	190	8.5 %
5	10-19X:(5)	217	9.7 %
6	20-39X:(6)	182	8.1 %
7	40+OCCAS:(7)	243	10.9 %
	Missing Data		
-9	MISSING:(-9)	204	9.1 %
	Total	**2,236**	**100%**

Based upon 2,032 valid cases out of 2,236 total cases.

Location: 221-222 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4105: 174B04B:#X ALC/ANN SIPS

Item Number: 00820

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	894	40.0 %
2	1-2X:(2)	331	14.8 %
3	3-5X:(3)	271	12.1 %
4	6-9X:(4)	193	8.6 %
5	10-19X:(5)	166	7.4 %
6	20-39X:(6)	87	3.9 %
7	40+OCCAS:(7)	90	4.0 %
	Missing Data		
-9	MISSING:(-9)	204	9.1 %
	Total	**2,236**	**100%**

Based upon 2,032 valid cases out of 2,236 total cases.

Location: 223-224 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4106: 174B04C:#X ALC/30D SIPS

Item Number: 00830

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1329	59.4 %
2	1-2X:(2)	383	17.1 %
3	3-5X:(3)	178	8.0 %
4	6-9X:(4)	65	2.9 %
5	10-19X:(5)	39	1.7 %
6	20-39X:(6)	14	0.6 %
7	40+OCCAS:(7)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	213	9.5 %
	Total	**2,236**	**100%**

Based upon 2,023 valid cases out of 2,236 total cases.

Location: 225-226 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4107: 174B05 :#X DRK ENF FL HI

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty drunk or high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	340	15.2 %
2	FEW OCC:(2)	384	17.2 %
3	HALF OCC:(3)	187	8.4 %
4	MOST OCC:(4)	226	10.1 %
5	NRLY ALL:(5)	139	6.2 %
	Missing Data		
-9	MISSING:(-9)	960	42.9 %
	Total	**2,236**	**100%**

Based upon 1,276 valid cases out of 2,236 total cases.

Location: 227-228 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4108: 174B06 :5+DRK ROW/LST 2W

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a bottle of beer, a glass of wine, a wine cooler, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above] 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1619	72.4 %
2	ONCE:(2)	173	7.7 %
3	TWICE:(3)	113	5.1 %
4	3-5X:(4)	69	3.1 %
5	6-9X:(5)	11	0.5 %
6	10+ TIME:(6)	16	0.7 %
	Missing Data		
-9	MISSING:(-9)	235	10.5 %
	Total	**2,236**	**100%**

Based upon 2,001 valid cases out of 2,236 total cases.

Location: 229-230 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4115: 174B07A:#XMJ+HS/LIFETIME

Item Number: 00860

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1136	50.8 %
2	1-2X:(2)	223	10.0 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	142	6.4 %
4	6-9X:(4)	86	3.8 %
5	10-19X:(5)	118	5.3 %
6	20-39X:(6)	93	4.2 %
7	40+OCCAS:(7)	275	12.3 %
	Missing Data		
-9	MISSING:(-9)	163	7.3 %
	Total	**2,236**	**100%**

Based upon 2,073 valid cases out of 2,236 total cases.

Location: 231-232 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4116: 174B07B:#XMJ+HS/LAST12MO

Item Number: 00870

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1311	58.6 %
2	1-2X:(2)	211	9.4 %
3	3-5X:(3)	141	6.3 %
4	6-9X:(4)	81	3.6 %
5	10-19X:(5)	88	3.9 %
6	20-39X:(6)	60	2.7 %
7	40+OCCAS:(7)	178	8.0 %
	Missing Data		
-9	MISSING:(-9)	166	7.4 %
	Total	**2,236**	**100%**

Based upon 2,070 valid cases out of 2,236 total cases.

Location: 233-234 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4117: 174B07C:#XMJ+HS/LAST30DA

Item Number: 00880

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1591	71.2 %
2	1-2X:(2)	168	7.5 %
3	3-5X:(3)	82	3.7 %
4	6-9X:(4)	53	2.4 %
5	10-19X:(5)	62	2.8 %
6	20-39X:(6)	42	1.9 %
7	40+OCCAS:(7)	67	3.0 %
	Missing Data		
-9	MISSING:(-9)	171	7.6 %
	Total	**2,236**	**100%**

Based upon 2,065 valid cases out of 2,236 total cases.

Location: 235-236 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4118: 174B08A:#X LSD/LIFETIME

Item Number: 00890

On how many occasions (if any) have you used LSD ("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1990	89.0 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	56	2.5 %
3	3-5X:(3)	25	1.1 %
4	6-9X:(4)	13	0.6 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	142	6.4 %
	Total	**2,236**	**100%**

Based upon 2,094 valid cases out of 2,236 total cases.

Location: 237-238 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4119: 174B08B:#X LSD/LAST 12MO

Item Number: 00900

On how many occasions (if any) have you used LSD ("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2023	90.5 %
2	1-2X:(2)	44	2.0 %
3	3-5X:(3)	17	0.8 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	139	6.2 %
	Total	**2,236**	**100%**

Based upon 2,097 valid cases out of 2,236 total cases.

Location: 239-240 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V4120: 174B08C:#X LSD/LAST 30DA

Item Number: 00910

On how many occasions (if any) have you used LSD ("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2065	92.4 %
2	1-2X:(2)	21	0.9 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	142	6.4 %
	Total	**2,236**	**100%**

Based upon 2,094 valid cases out of 2,236 total cases.

Location: 241-242 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4121: 174B09A:#X PSYD/LIFETIME

Item Number: 00920

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1981	88.6 %
2	1-2X:(2)	79	3.5 %
3	3-5X:(3)	16	0.7 %
4	6-9X:(4)	10	0.4 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	6	0.3 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	142	6.4 %
	Total	**2,236**	**100%**

Based upon 2,094 valid cases out of 2,236 total cases.

Location: 243-244 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4122: 174B09B:#X PSYD/LAST12MO

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2034	91.0 %
2	1-2X:(2)	39	1.7 %
3	3-5X:(3)	9	0.4 %
4	6-9X:(4)	8	0.4 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	144	6.4 %
	Total	**2,236**	**100%**

Based upon 2,092 valid cases out of 2,236 total cases.

Location: 245-246 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4123: 174B09C:#X PSYD/LAST30DA

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2072	92.7 %
2	1-2X:(2)	13	0.6 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	144	6.4 %
	Total	**2,236**	**100%**

Based upon 2,092 valid cases out of 2,236 total cases.

Location: 247-248 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4127: 174B10A:#X AMPH/LIFETIME

Item Number: 00980

Amphetamines and other stimulant drugs are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT

include any non-prescription drugs, such as over-the-counter diet pills or stay-awake pills. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1898	84.9 %
2	1-2X:(2)	69	3.1 %
3	3-5X:(3)	31	1.4 %
4	6-9X:(4)	27	1.2 %
5	10-19X:(5)	26	1.2 %
6	20-39X:(6)	12	0.5 %
7	40+OCCAS:(7)	21	0.9 %
	Missing Data		
-9	MISSING:(-9)	152	6.8 %
	Total	**2,236**	**100%**

Based upon 2,084 valid cases out of 2,236 total cases.

Location: 249-250 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4128: 174B10B:#X AMPH/LAST12MO

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1973	88.2 %
2	1-2X:(2)	45	2.0 %
3	3-5X:(3)	21	0.9 %

Value	Label	Unweighted Frequency	%
4	6-9X:(4)	16	0.7 %
5	10-19X:(5)	17	0.8 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	153	6.8 %
	Total	**2,236**	**100%**

Based upon 2,083 valid cases out of 2,236 total cases.

Location: 251-252 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4129: 174B10C:#X AMPH/LAST30DA

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2038	91.1 %
2	1-2X:(2)	23	1.0 %
3	3-5X:(3)	6	0.3 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	153	6.8 %
	Total	**2,236**	**100%**

Based upon 2,083 valid cases out of 2,236 total cases.

Location: 253-254 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4039: 174B11A:#X CRACK/LIFETIM

Item Number: 22260

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2082	93.1 %
2	1-2X:(2)	10	0.4 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	129	5.8 %
	Total	**2,236**	**100%**

Based upon 2,107 valid cases out of 2,236 total cases.

Location: 255-256 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4040: 174B11B:#X CRACK/LAST12M

Item Number: 22270

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2092	93.6 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	129	5.8 %
	Total	**2,236**	**100%**

Based upon 2,107 valid cases out of 2,236 total cases.

Location: 257-258 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4041: 174B11C:#X CRACK/LAST30D

Item Number: 22280

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2100	93.9 %
2	1-2X:(2)	1	0.0 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	129	5.8 %
	Total	**2,236**	**100%**

Based upon 2,107 valid cases out of 2,236 total cases.

Location: 259-260 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V4042: 174B12A:#XOTH COKE/LIFE

Item Number: 22320

On how many occasions (if any) have you used cocaine in any other form . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2021	90.4 %
2	1-2X:(2)	50	2.2 %
3	3-5X:(3)	13	0.6 %
4	6-9X:(4)	7	0.3 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	7	0.3 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	131	5.9 %
	Total	**2,236**	**100%**

Based upon 2,105 valid cases out of 2,236 total cases.

Location: 261-262 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4043: 174B12B:#XOTH COKE/12MO

Item Number: 22330

On how many occasions (if any) have you used cocaine in any other form . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2055	91.9 %
2	1-2X:(2)	26	1.2 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	8	0.4 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	133	5.9 %
	Total	**2,236**	**100%**

Based upon 2,103 valid cases out of 2,236 total cases.

Location: 263-264 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4044: 174B12C:#XOTH COKE/30DA

Item Number: 22340

On how many occasions (if any) have you used cocaine in any other form . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2080	93.0 %
2	1-2X:(2)	15	0.7 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	134	6.0 %
	Total	**2,236**	**100%**

Based upon 2,102 valid cases out of 2,236 total cases.

Location: 265-266 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4124: 174R :#X COKE/LIFETIME

Item Number: 00950

Component questions: On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

. . . in your lifetime? [item 22260]

and On how many occasions (if any) have you used cocaine in any other form . . .

. . . in your lifetime? [item 22320]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2006	89.7 %
2	1-2X:(2)	50	2.2 %
3	3-5X:(3)	17	0.8 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	8	0.4 %
6	20-39X:(6)	8	0.4 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	137	6.1 %
	Total	**2,236**	**100%**

Based upon 2,099 valid cases out of 2,236 total cases.

Location: 267-268 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4125: 174R :#X COKE/LAST12MO

Item Number: 00960

Component questions: On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

. . . During the last 12 months? [item 22270]

and On how many occasions (if any) have you used cocaine in any other form . . .

. . . During the last 12 months? [item 22330]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2044	91.4 %
2	1-2X:(2)	28	1.3 %
3	3-5X:(3)	6	0.3 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	10	0.4 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	138	6.2 %
	Total	**2,236**	**100%**

Based upon 2,098 valid cases out of 2,236 total cases.

Location: 269-270 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4126: 174R :#X COKE/LAST30DA

Item Number: 00970

Component questions: On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

. . . During the last 30 days? [item 22280]

and On how many occasions (if any) have you used cocaine in any other form . . .

. . . During the last 30 days? [item 22340]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2072	92.7 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	15	0.7 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	140	6.3 %
	Total	**2,236**	**100%**

Based upon 2,096 valid cases out of 2,236 total cases.

Location: 271-272 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4133: 174B13A:#X SED/BARB/LIFE

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Ambien, Lunesta, and Sonata. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2025	90.6 %
2	1-2X:(2)	36	1.6 %
3	3-5X:(3)	16	0.7 %
4	6-9X:(4)	13	0.6 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	130	5.8 %
	Total	**2,236**	**100%**

Based upon 2,106 valid cases out of 2,236 total cases.

Location: 273-274 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4134: 174B13B:#X SED/BARB/12MO

Item Number: 01052

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2048	91.6 %
2	1-2X:(2)	27	1.2 %
3	3-5X:(3)	16	0.7 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	130	5.8 %
	Total	**2,236**	**100%**

Based upon 2,106 valid cases out of 2,236 total cases.

Location: 275-276 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4135: 174B13C:#X SED/BARB/30DA

Item Number: 01062

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2072	92.7 %
2	1-2X:(2)	19	0.8 %
3	3-5X:(3)	6	0.3 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	131	5.9 %
	Total	**2,236**	**100%**

Based upon 2,105 valid cases out of 2,236 total cases.

Location: 277-278 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4136: 174B14A:#X TRQL/LIFETIME

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1946	87.0 %
2	1-2X:(2)	79	3.5 %
3	3-5X:(3)	31	1.4 %
4	6-9X:(4)	11	0.5 %
5	10-19X:(5)	18	0.8 %
6	20-39X:(6)	5	0.2 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	136	6.1 %
	Total	**2,236**	**100%**

Based upon 2,100 valid cases out of 2,236 total cases.

Location: 279-280 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4137: 174B14B:#X TRQL/LAST12MO

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2004	89.6 %
2	1-2X:(2)	50	2.2 %
3	3-5X:(3)	20	0.9 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	137	6.1 %
	Total	**2,236**	**100%**

Based upon 2,099 valid cases out of 2,236 total cases.

Location: 281-282 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4138: 174B14C:#X TRQL/LAST30DA

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2062	92.2 %
2	1-2X:(2)	21	0.9 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	138	6.2 %
	Total	**2,236**	**100%**

Based upon 2,098 valid cases out of 2,236 total cases.

Location: 283-284 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4139: 174B15A:#X H/LIFETIME

Item Number: 01100

On how many occasions (if any) have you taken heroin . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2088	93.4 %
2	1-2X:(2)	4	0.2 %
3	3-5X:(3)	1	0.0 %

Value	Label	Unweighted Frequency	%
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	135	6.0 %
	Total	**2,236**	**100%**

Based upon 2,101 valid cases out of 2,236 total cases.

Location: 285-286 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4140: 174B15B:#X H/LAST 12MO

Item Number: 01110

On how many occasions (if any) have you taken heroin . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2090	93.5 %
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	136	6.1 %
	Total	**2,236**	**100%**

Based upon 2,100 valid cases out of 2,236 total cases.

Location: 287-288 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4141: 174B15C:#X H/LAST 30DA

Item Number: 01120

On how many occasions (if any) have you taken heroin . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2093	93.6 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	134	6.0 %
	Total	**2,236**	**100%**

Based upon 2,102 valid cases out of 2,236 total cases.

Location: 289-290 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4142: 174B16A:#X NARC/LIFETIME

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1952	87.3 %
2	1-2X:(2)	58	2.6 %
3	3-5X:(3)	29	1.3 %
4	6-9X:(4)	13	0.6 %
5	10-19X:(5)	15	0.7 %
6	20-39X:(6)	6	0.3 %
7	40+OCCAS:(7)	14	0.6 %
	Missing Data		
-9	MISSING:(-9)	149	6.7 %
	Total	**2,236**	**100%**

Based upon 2,087 valid cases out of 2,236 total cases.

Location: 291-292 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4143: 174B16B:#X NARC/LAST12MO

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2000	89.4 %
2	1-2X:(2)	42	1.9 %
3	3-5X:(3)	20	0.9 %
4	6-9X:(4)	12	0.5 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	146	6.5 %
	Total	**2,236**	**100%**

Based upon 2,090 valid cases out of 2,236 total cases.

Location: 293-294 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4144: 174B16C:#X NARC/LAST30DA

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2048	91.6 %
2	1-2X:(2)	22	1.0 %
3	3-5X:(3)	6	0.3 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	150	6.7 %
	Total	**2,236**	**100%**

Based upon 2,086 valid cases out of 2,236 total cases.

Location: 295-296 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4462: 174B17A:#X METHAMPH/LIFE

Item Number: 30800

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2068	92.5 %
2	1-2X:(2)	12	0.5 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	144	6.4 %
	Total	**2,236**	**100%**

Based upon 2,092 valid cases out of 2,236 total cases.

Location: 297-298 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4463: 174B17B:#X METHAMPH/12MO

Item Number: 30810

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2076	92.8 %
2	1-2X:(2)	8	0.4 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	144	6.4 %
	Total	**2,236**	**100%**

Based upon 2,092 valid cases out of 2,236 total cases.

Location: 299-300 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4464: 174B17C:#X METHAMPH/30DA

Item Number: 30820

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2084	93.2 %
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	144	6.4 %
	Total	**2,236**	**100%**

Based upon 2,092 valid cases out of 2,236 total cases.

Location: 301-302 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4444: 174B18A:#X MDMA/LIFETIME

Item Number: 22660

On how many occasions (if any) have you used MDMA ("Molly","ecstasy") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1995	89.2 %
2	1-2X:(2)	61	2.7 %
3	3-5X:(3)	14	0.6 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	150	6.7 %
	Total	**2,236**	**100%**

Based upon 2,086 valid cases out of 2,236 total cases.

Location: 303-304 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4445: 174B18B:#X MDMA/LAST12MO

Item Number: 22670

On how many occasions (if any) have you used MDMA ("Molly","ecstasy") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2033	90.9 %
2	1-2X:(2)	34	1.5 %
3	3-5X:(3)	10	0.4 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	151	6.8 %
	Total	**2,236**	**100%**

Based upon 2,085 valid cases out of 2,236 total cases.

Location: 305-306 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4446: 174B18C:#X MDMA/LAST30DA

Item Number: 22680

On how many occasions (if any) have you used MDMA ("Molly","ecstasy") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2071	92.6 %
2	1-2X:(2)	7	0.3 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	151	6.8 %
	Total	**2,236**	**100%**

Based upon 2,085 valid cases out of 2,236 total cases.

Location: 307-308 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

RESPONDENT_AGE: 174C01(R):AGE <>18 DICHOTOMY

Item Number:

Component questions: 1) "In what year were you born?" (item and 3) date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

Value	Label	Unweighted Frequency	%
1	-	914	40.9 %
2	-	1205	53.9 %
	Missing Data		
-9	MISSING:(-9)	117	5.2 %
	Total	**2,236**	**100%**

Based upon 2,119 valid cases out of 2,236 total cases.

Location: 309-310 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4150: 174C03 :Rs SEX

Item Number: 00030

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%
1	MALE:(1)	935	41.8 %
2	FEMALE:(2)	1058	47.3 %
	Missing Data		
-9	MISSING:(-9)	243	10.9 %
	Total	**2,236**	**100%**

Based upon 1,993 valid cases out of 2,236 total cases.

Location: 311-312 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4151: 174C04(R):Rs RACE B/W/H

Item Number:

How do you describe yourself? (Select one or more responses.) Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic..."). All

other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)" 3="Hispanic" [see above].

Value	Label	Unweighted Frequency	%
1	BLACK:(1)	265	11.9 %
2	WHITE:(2)	1123	50.2 %
3	HISPANIC:(3)	410	18.3 %
	Missing Data		
-9	MISSING:(-9)	438	19.6 %
	Total	**2,236**	**100%**

Based upon 1,798 valid cases out of 2,236 total cases.

Location: 313-314 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4152: 174C05 :R SPD >TIM R-URB

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

Value	Label	Unweighted Frequency	%
0	DK/MIXED:(0)	278	12.4 %
1	A FARM:(1)	79	3.5 %
2	COUNTRY:(2)	202	9.0 %
3	SM CITY:(3)	536	24.0 %
4	MED CITY:(4)	286	12.8 %
5	SUB MED:(5)	273	12.2 %
6	LGE CITY:(6)	216	9.7 %
7	SUB LGE:(7)	166	7.4 %
8	V-LGE CITY:(8)	128	5.7 %
9	SUB V-LGE:(9)	72	3.2 %

Value	Label	Unweighted Frequency	%
	Total	**2,236**	**100%**

Based upon 2,236 valid cases out of 2,236 total cases.

Location: 315-316 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4153: 174C06 :R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%
1	MARRIED:(1)	117	5.2 %
2	ENGAGED:(2)	47	2.1 %
3	SEP/DIV:(3)	38	1.7 %
4	SINGLE:(4)	1902	85.1 %
	Missing Data		
-9	MISSING:(-9)	132	5.9 %
	Total	**2,236**	**100%**

Based upon 2,104 valid cases out of 2,236 total cases.

Location: 317-318 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4155: 174C7Cb:Rs HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	621	27.8 %
1	MARKED:(1)	1482	66.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	133	5.9 %
	Total	**2,236**	**100%**

Based upon 2,103 valid cases out of 2,236 total cases.

Location: 319-320 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4156: 174C7Cc:Rs HSHLD MOTHER

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	241	10.8 %
1	MARKED:(1)	1862	83.3 %
	Missing Data		
-9	MISSING:(-9)	133	5.9 %
	Total	**2,236**	**100%**

Based upon 2,103 valid cases out of 2,236 total cases.

Location: 321-322 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4157: 174C7Cd:Rs HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s),"

"I live alone" -- have been deleted for reasons of confidentiality.

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	692	30.9 %
1	MARKED:(1)	1411	63.1 %
	Missing Data		
-9	MISSING:(-9)	133	5.9 %
	Total	**2,236**	**100%**

Based upon 2,103 valid cases out of 2,236 total cases.

Location: 323-324 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V49: 174C07(R):# SIBLINGS

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more".

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more brothers or sisters".

Value	Label	Unweighted Frequency	%
0	NONE:(0)	115	5.1 %
1	ONE:(1)	607	27.1 %
2	TWO:(2)	544	24.3 %
3	THREE+:(3-4)	839	37.5 %
	Missing Data		
-9	MISSING:(-9)	131	5.9 %
	Total	**2,236**	**100%**

Based upon 2,105 valid cases out of 2,236 total cases.

Location: 325-326 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4163: 174C08 :FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	96	4.3 %
2	SOME HS:(2)	245	11.0 %
3	HS GRAD:(3)	514	23.0 %
4	SOME CLG:(4)	307	13.7 %
5	CLG GRAD:(5)	477	21.3 %
6	GRAD SCH:(6)	272	12.2 %
7	DK:(7)	196	8.8 %
	Missing Data		
-9	MISSING:(-9)	129	5.8 %
	Total	**2,236**	**100%**

Based upon 2,107 valid cases out of 2,236 total cases.

Location: 327-328 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4164: 174C09 :MOTHR EDUC LEVEL

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	92	4.1 %
2	SOME HS:(2)	169	7.6 %
3	HS GRAD:(3)	400	17.9 %
4	SOME CLG:(4)	397	17.8 %
5	CLG GRAD:(5)	592	26.5 %
6	GRAD SCH:(6)	341	15.3 %
7	DK:(7)	113	5.1 %
	Missing Data		
-9	MISSING:(-9)	132	5.9 %
	Total	**2,236**	**100%**

Based upon 2,104 valid cases out of 2,236 total cases.

Location: 329-330 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4165: 174C10 :MOTH PD JB R YNG

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%
1	NO:(1)	302	13.5 %
2	YES/SOME:(2)	374	16.7 %
3	YES/MOST:(3)	379	16.9 %
4	YES/NRLY ALL:(4)	1038	46.4 %
	Missing Data		
-9	MISSING:(-9)	143	6.4 %
	Total	**2,236**	**100%**

Based upon 2,093 valid cases out of 2,236 total cases.

Location: 331-332 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4166: 174C11 :Rs POLTL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%
1	STRG GOP:(1)	220	9.8 %
2	MILD GOP:(2)	233	10.4 %
3	MILD DEM:(3)	265	11.9 %
4	STRG DEM:(4)	303	13.6 %
5	INDEPNDT:(5)	224	10.0 %
6	NO PREF:(6)	297	13.3 %
7	OTHER:(7)	39	1.7 %
8	DK/HVNT DECID:(8)	450	20.1 %
	Missing Data		
-9	MISSING:(-9)	205	9.2 %
	Total	**2,236**	**100%**

Based upon 2,031 valid cases out of 2,236 total cases.

Location: 333-334 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4167: 174C12 :R POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the above, or don't know"

Value	Label	Unweighted Frequency	%
1	VRY CONS:(1)	117	5.2 %
2	CONSERV:(2)	244	10.9 %
3	MODERATE:(3)	449	20.1 %
4	LIBERAL:(4)	344	15.4 %
5	VRY LIB:(5)	148	6.6 %
6	RADICAL:(6)	25	1.1 %

Value	Label	Unweighted Frequency	%
8	NONE/DK:(8)	752	33.6 %
	Missing Data		
-9	MISSING:(-9)	157	7.0 %
	Total	**2,236**	**100%**

Based upon 2,079 valid cases out of 2,236 total cases.

Location: 335-336 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4169: 174C13B:R ATTND REL SVC

Item Number: 00370

The next three questions are about religion.

B: How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	383	17.1 %
2	RARELY:(2)	527	23.6 %
3	1-2X/MO:(3)	228	10.2 %
4	1/WK OR+:(4)	394	17.6 %
	Missing Data		
-9	MISSING:(-9)	704	31.5 %
	Total	**2,236**	**100%**

Based upon 1,532 valid cases out of 2,236 total cases.

Location: 337-338 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4170: 174C13C:RLGN IMP Rs LF

Item Number: 00380

C: How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"

4="Very important"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	414	18.5 %
2	LITL IMP:(2)	374	16.7 %
3	PRTY IMP:(3)	386	17.3 %
4	VERY IMP:(4)	359	16.1 %
	Missing Data		
-9	MISSING:(-9)	703	31.4 %
	Total	**2,236**	**100%**

Based upon 1,533 valid cases out of 2,236 total cases.

Location: 339-340 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4171: 174C14 :WHEN R XPCT GRAD

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"
6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%
1	JUNE:(1)	2056	91.9 %
2	JUL-JAN:(2)	22	1.0 %
3	AFTER JAN:(3)	0	0.0 %
6	DONT EXPCT:(6)	21	0.9 %
	Missing Data		
-9	MISSING:(-9)	137	6.1 %
	Total	**2,236**	**100%**

Based upon 2,099 valid cases out of 2,236 total cases.

Location: 341-342 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4172: 174C15 :Rs HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%
1	CLG PREP:(1)	1057	47.3 %
2	GENERAL:(2)	707	31.6 %
3	VOC-TECH:(3)	96	4.3 %
4	OTH/DK:(4)	228	10.2 %
	Missing Data		
-9	MISSING:(-9)	148	6.6 %
	Total	**2,236**	**100%**

Based upon 2,088 valid cases out of 2,236 total cases.

Location: 343-344 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4173: 174C16 :RT SF SCH AB>AVG

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	40	1.8 %
2	BELOW AVG:(2)	57	2.5 %
3	SLIGHT BELOW:(3)	118	5.3 %
4	AVERAGE:(4)	689	30.8 %
5	SLIGHT ABOVE:(5)	543	24.3 %
6	ABOVE AVG:(6)	494	22.1 %
7	FAR ABOVE:(7)	128	5.7 %
	Missing Data		
-9	MISSING:(-9)	167	7.5 %

Value	Label	Unweighted Frequency	%
	Total	**2,236**	**100%**

Based upon 2,069 valid cases out of 2,236 total cases.

Location: 345-346 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4174: 174C17 :RT SF INTELL>AVG

Item Number: 00420

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	47	2.1 %
2	BELOW AVG:(2)	52	2.3 %
3	SLIGHT BELOW:(3)	103	4.6 %
4	AVERAGE:(4)	657	29.4 %
5	SLIGHT ABOVE:(5)	509	22.8 %
6	ABOVE AVG:(6)	536	24.0 %
7	FAR ABOVE:(7)	165	7.4 %
	Missing Data		
-9	MISSING:(-9)	167	7.5 %
	Total	**2,236**	**100%**

Based upon 2,069 valid cases out of 2,236 total cases.

Location: 347-348 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4175: 174C18A:#DA/4W SC MS ILL

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1141	51.0 %
2	1 DAY:(2)	343	15.3 %
3	2 DAYS:(3)	222	9.9 %
4	3 DAYS:(4)	148	6.6 %
5	4-5 DAYS:(5)	79	3.5 %
6	6-10 DA:(6)	47	2.1 %
7	11+ DAYS:(7)	22	1.0 %
	Missing Data		
-9	MISSING:(-9)	234	10.5 %
	Total	**2,236**	**100%**

Based upon 2,002 valid cases out of 2,236 total cases.

Location: 349-350 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4176: 174C18B:#DA/4W SC MS CUT

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1379	61.7 %
2	1 DAY:(2)	257	11.5 %
3	2 DAYS:(3)	140	6.3 %
4	3 DAYS:(4)	73	3.3 %
5	4-5 DAYS:(5)	60	2.7 %
6	6-10 DA:(6)	26	1.2 %
7	11+ DAYS:(7)	25	1.1 %
	Missing Data		
-9	MISSING:(-9)	276	12.3 %
	Total	**2,236**	**100%**

Based upon 1,960 valid cases out of 2,236 total cases.

Location: 351-352 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4177: 174C18C:#DA/4W SC MS OTH

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1121	50.1 %
2	1 DAY:(2)	380	17.0 %
3	2 DAYS:(3)	208	9.3 %
4	3 DAYS:(4)	146	6.5 %
5	4-5 DAYS:(5)	87	3.9 %
6	6-10 DA:(6)	40	1.8 %
7	11+ DAYS:(7)	23	1.0 %
	Missing Data		
-9	MISSING:(-9)	231	10.3 %
	Total	**2,236**	**100%**

Based upon 2,005 valid cases out of 2,236 total cases.

Location: 353-354 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4178: 174C19 :#DA/4W SKP CLASS

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times" 5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1544	69.1 %
2	1-2:(2)	314	14.0 %
3	3-5:(3)	126	5.6 %
4	6-10:(4)	50	2.2 %
5	11-20:(5)	24	1.1 %
6	21+:(6)	23	1.0 %
	Missing Data		
-9	MISSING:(-9)	155	6.9 %
	Total	**2,236**	**100%**

Based upon 2,081 valid cases out of 2,236 total cases.

Location: 355-356 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4179: 174C20 :R HS GRADE/D = 1

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)" 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)" 1="D (69 or below)"

Value	Label	Unweighted Frequency	%
1	D:(1)	14	0.6 %
2	C-:(2)	41	1.8 %
3	C:(3)	87	3.9 %
4	C+:(4)	153	6.8 %
5	B-:(5)	191	8.5 %
6	B:(6)	362	16.2 %
7	B+:(7)	428	19.1 %
8	A-:(8)	402	18.0 %
9	A:(9)	388	17.4 %
	Missing Data		
-9	MISSING:(-9)	170	7.6 %
	Total	**2,236**	**100%**

Based upon 2,066 valid cases out of 2,236 total cases.

Location: 357-358 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V4180: 174C21A:R WL DO VOC/TEC

Item Number: 00480

How likely is it that you will do each of the following things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1115	49.9 %
2	PRB WONT:(2)	480	21.5 %
3	PRB WILL:(3)	226	10.1 %
4	DEF WILL:(4)	112	5.0 %
	Missing Data		
-9	MISSING:(-9)	303	13.6 %
	Total	**2,236**	**100%**

Based upon 1,933 valid cases out of 2,236 total cases.

Location: 359-360 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4181: 174C21B!:R WL DO MILITARY

Item Number: 00490

How likely is it that you will do each of the following things after high school?

B: Serve in the military (armed forces)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1320	59.0 %
2	PRB WONT:(2)	392	17.5 %
3	PRB WILL:(3)	134	6.0 %

Value	Label	Unweighted Frequency	%
4	DEF WILL:(4)	100	4.5 %
	Missing Data		
-9	MISSING:(-9)	290	13.0 %
	Total	**2,236**	**100%**

Based upon 1,946 valid cases out of 2,236 total cases.

Location: 361-362 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4182: 174C21C:R WL DO 2YR CLG

Item Number: 00500

How likely is it that you will do each of the following things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	732	32.7 %
2	PRB WONT:(2)	365	16.3 %
3	PRB WILL:(3)	417	18.6 %
4	DEF WILL:(4)	422	18.9 %
	Missing Data		
-9	MISSING:(-9)	300	13.4 %
	Total	**2,236**	**100%**

Based upon 1,936 valid cases out of 2,236 total cases.

Location: 363-364 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4183: 174C21D:R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	168	7.5 %
2	PRB WONT:(2)	182	8.1 %
3	PRB WILL:(3)	482	21.6 %
4	DEF WILL:(4)	1175	52.5 %
	Missing Data		
-9	MISSING:(-9)	229	10.2 %
	Total	**2,236**	**100%**

Based upon 2,007 valid cases out of 2,236 total cases.

Location: 365-366 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4184: 174C21E:R WL DO GRD/PRF

Item Number: 00520

How likely is it that you will do each of the following things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	357	16.0 %
2	PRB WONT:(2)	529	23.7 %
3	PRB WILL:(3)	650	29.1 %
4	DEF WILL:(4)	425	19.0 %
	Missing Data		
-9	MISSING:(-9)	275	12.3 %
	Total	**2,236**	**100%**

Based upon 1,961 valid cases out of 2,236 total cases.

Location: 367-368 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4185: 174C22A:R WNTDO VOC/TEC

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1782	79.7 %
1	MARKED:(1)	263	11.8 %
	Missing Data		
-9	MISSING:(-9)	191	8.5 %
	Total	**2,236**	**100%**

Based upon 2,045 valid cases out of 2,236 total cases.

Location: 369-370 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4186: 174C22B:R WNTDO ARMD FC

Item Number: 00540

How many of the following things would you WANT to do? (Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1759	78.7 %
1	MARKED:(1)	286	12.8 %
	Missing Data		
-9	MISSING:(-9)	191	8.5 %
	Total	**2,236**	**100%**

Based upon 2,045 valid cases out of 2,236 total cases.

Location: 371-372 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V4187: 174C22C:R WNTDO 2YR CLG

Item Number: 00550

How many of the following things would you WANT to do?
(Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1539	68.8 %
1	MARKED:(1)	506	22.6 %
	Missing Data		
-9	MISSING:(-9)	191	8.5 %
	Total	**2,236**	**100%**

Based upon 2,045 valid cases out of 2,236 total cases.

Location: 373-374 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4188: 174C22D:R WNTDO 4YR CLG

Item Number: 00560

How many of the following things would you WANT to do?
(Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	455	20.3 %
1	MARKED:(1)	1590	71.1 %
	Missing Data		
-9	MISSING:(-9)	191	8.5 %
	Total	**2,236**	**100%**

Based upon 2,045 valid cases out of 2,236 total cases.

Location: 375-376 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V4189: 174C22E:R WNTDO GRD/PRF

Item Number: 00570

How many of the following things would you WANT to do?
(Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	932	41.7 %
1	MARKED:(1)	1113	49.8 %
	Missing Data		
-9	MISSING:(-9)	191	8.5 %
	Total	**2,236**	**100%**

Based upon 2,045 valid cases out of 2,236 total cases.

Location: 377-378 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4190: 174C22F:R WNTDO NONE

Item Number: 00580

How many of the following things would you WANT to do?
(Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1912	85.5 %
1	MARKED:(1)	133	5.9 %
	Missing Data		
-9	MISSING:(-9)	191	8.5 %
	Total	**2,236**	**100%**

Based upon 2,045 valid cases out of 2,236 total cases.

Location: 379-380 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4191: 174C23 :HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours" 8="More than 30 hours"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	833	37.3 %
2	5 OR <:(2)	189	8.5 %
3	6-10 HRS:(3)	218	9.7 %
4	11-15 HRS:(4)	191	8.5 %
5	16-20 HRS:(5)	209	9.3 %
6	21-25 HRS:(6)	181	8.1 %
7	26-30 HRS:(7)	108	4.8 %
8	30+ HRS:(8)	118	5.3 %
	Missing Data		
-9	MISSING:(-9)	189	8.5 %
	Total	**2,236**	**100%**

Based upon 2,047 valid cases out of 2,236 total cases.

Location: 381-382 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4192: 174C24A:R$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money do you get from . . .

A: . . . A job or other work?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50" 7="$51-75" 8="$76-125" 9="$126-175" 10="$176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	870	38.9 %
2	$1-5:(2)	11	0.5 %
3	$6-10:(3)	57	2.5 %
4	$11-20:(4)	50	2.2 %
5	$21-35:(5)	66	3.0 %
6	$36-50:(6)	81	3.6 %
7	$51-75:(7)	117	5.2 %
8	$76-125:(8)	256	11.4 %
9	$126-175:(9)	212	9.5 %
10	$176+:(10)	298	13.3 %
	Missing Data		
-9	MISSING:(-9)	218	9.7 %
	Total	**2,236**	**100%**

Based upon 2,018 valid cases out of 2,236 total cases.

Location: 383-384 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4193: 174C24B:R$/AVG WEEK OTH

Item Number: 00610

During an average week, how much money do you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50"
7="$51-75" 8="$76-125" 9="$126-175" 10="$176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1038	46.4 %
2	$1-5:(2)	79	3.5 %
3	$6-10:(3)	110	4.9 %
4	$11-20:(4)	267	11.9 %
5	$21-35:(5)	157	7.0 %
6	$36-50:(6)	118	5.3 %
7	$51-75:(7)	54	2.4 %
8	$76-125:(8)	54	2.4 %
9	$126-175:(9)	11	0.5 %
10	$176+:(10)	51	2.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	297	13.3 %
	Total	**2,236**	**100%**

Based upon 1,939 valid cases out of 2,236 total cases.

Location: 385-386 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4194: 174C25 :#X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or five" 6="Six or seven"

Value	Label	Unweighted Frequency	%
1	< 1:(1)	414	18.5 %
2	ONE:(2)	387	17.3 %
3	TWO:(3)	564	25.2 %
4	THREE:(4)	399	17.8 %
5	4-5:(5)	185	8.3 %
6	6-7:(6)	90	4.0 %
	Missing Data		
-9	MISSING:(-9)	197	8.8 %
	Total	**2,236**	**100%**

Based upon 2,039 valid cases out of 2,236 total cases.

Location: 387-388 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4195: 174C26 :#X DATE 3+/WK

Item Number: 00630

On the average, how often do you go out with a date (or your spouse/partner)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"

4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	965	43.2 %
2	ONCE/MO:(2)	298	13.3 %
3	2-3X MO:(3)	221	9.9 %
4	ONCE WK:(4)	254	11.4 %
5	2-3X WK:(5)	208	9.3 %
6	3+ WEEK:(6)	98	4.4 %
	Missing Data		
-9	MISSING:(-9)	192	8.6 %
	Total	**2,236**	**100%**

Based upon 2,044 valid cases out of 2,236 total cases.

Location: 389-390 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4196: 174C27 :DRIVE>200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	563	25.2 %
2	1-10 MI:(2)	194	8.7 %
3	11-50:(3)	451	20.2 %
4	51-100:(4)	402	18.0 %
5	101-200:(5)	255	11.4 %
6	> 200:(6)	180	8.1 %
	Missing Data		
-9	MISSING:(-9)	191	8.5 %
	Total	**2,236**	**100%**

Based upon 2,045 valid cases out of 2,236 total cases.

Location: 391-392 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4197: 174C28 :#X/12MO R TCKTD

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1701	76.1 %
1	ONCE:(1)	213	9.5 %
2	TWICE:(2)	67	3.0 %
3	3 TIMES:(3)	29	1.3 %
4	4+ TIMES:(4)	18	0.8 %
	Missing Data		
-9	MISSING:(-9)	208	9.3 %
	Total	**2,236**	**100%**

Based upon 2,028 valid cases out of 2,236 total cases.

Location: 393-394 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4198: 174C29A:#TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	311	13.9 %
1	ONE:(1)	9	0.4 %
2	TWO:(2)	3	0.1 %
3	THREE+:(3-4)	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	1913	85.6 %
	Total	**2,236**	**100%**

Based upon 323 valid cases out of 2,236 total cases.

Location: 395-396 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4199: 174C29B:#TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	307	13.7 %
1	ONE:(1)	12	0.5 %
2	TWO:(2)	2	0.1 %
3	THREE+:(3-4)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	1915	85.6 %
	Total	**2,236**	**100%**

Based upon 321 valid cases out of 2,236 total cases.

Location: 397-398 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4200: 174C29C:#TCKTS AFT OTDG

Item Number: 00680

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	319	14.3 %
1	ONE:(1)	1	0.0 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	1915	85.6 %
	Total	**2,236**	**100%**

Based upon 321 valid cases out of 2,236 total cases.

Location: 399-400 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4201: 174C30 :#ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1694	75.8 %
1	ONCE:(1)	248	11.1 %
2	TWICE:(2)	45	2.0 %
3	3 TIMES:(3)	13	0.6 %
4	4+ TIMES:(4)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	230	10.3 %
	Total	**2,236**	**100%**

Based upon 2,006 valid cases out of 2,236 total cases.

Location: 401-402 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V4202: 174C31A:#ACDTS AFT DRNK

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	304	13.6 %
1	ONE:(1)	4	0.2 %
2	TWO:(2)	0	0.0 %
3	THREE+:(3-4)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	1927	86.2 %
	Total	**2,236**	**100%**

Based upon 309 valid cases out of 2,236 total cases.

Location: 403-404 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4203: 174C31B:#ACDTS AFT MARJ

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	301	13.5 %
1	ONE:(1)	6	0.3 %
2	TWO:(2)	1	0.0 %

Value	Label	Unweighted Frequency	%
3	THREE+:(3-4)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	1926	86.1 %
	Total	**2,236**	**100%**

Based upon 310 valid cases out of 2,236 total cases.

Location: 405-406 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4204: 174C31C:#ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	303	13.6 %
1	ONE:(1)	1	0.0 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	1929	86.3 %
	Total	**2,236**	**100%**

Based upon 307 valid cases out of 2,236 total cases.

Location: 407-408 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4434: 174D01A:# HRS PREF WORK

Item Number: 25800

Think about the kinds of paid jobs that people your age usually have. If you could work just the number of hours that you wanted, how many hours per week would you PREFER to work during the school year?

1="None" 2="5 or less hours" 3="6 - 10" 4="11 - 15" 5="16 - 20" 6="21 - 25" 7="26 - 30" 8="31 or more hours" 9="Don't know, can't say"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	167	7.5 %
2	5 OR <:(2)	141	6.3 %
3	6-10:(3)	279	12.5 %
4	11-15:(4)	310	13.9 %
5	16-20:(5)	386	17.3 %
6	21-25:(6)	218	9.7 %
7	26-30:(7)	204	9.1 %
8	31+:(8)	195	8.7 %
9	DK:(9)	129	5.8 %
	Missing Data		
-9	MISSING:(-9)	207	9.3 %
	Total	**2,236**	**100%**

Based upon 2,029 valid cases out of 2,236 total cases.

Location: 409-410 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4435: 174D01B:PRT #HR PREF WRK

Item Number: 25810

How many hours per week do you think your PARENTS would prefer that you work in a paid job during the school year?

1="None" 2="5 or less hours" 3="6 - 10" 4="11 - 15" 5="16 - 20" 6="21 - 25" 7="26 - 30" 8="31 or more hours" 9="Don't know, can't say"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	257	11.5 %
2	5 OR <:(2)	146	6.5 %
3	6-10:(3)	266	11.9 %
4	11-15:(4)	290	13.0 %
5	16-20:(5)	326	14.6 %
6	21-25:(6)	172	7.7 %
7	26-30:(7)	112	5.0 %

Value	Label	Unweighted Frequency	%
8	31+:(8)	146	6.5 %
9	DK:(9)	314	14.0 %
	Missing Data		
-9	MISSING:(-9)	207	9.3 %
	Total	**2,236**	**100%**

Based upon 2,029 valid cases out of 2,236 total cases.

Location: 411-412 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4385: 174D02A:RCNT EMPLYMT EXP

Item Number: 21530

Which best describes your recent employment experience?

1="I have a paid job now." 2="No paid job now, but I had one during the past 3 months" 3="No paid job in the past three months--GO TO QUESTION 8" 4="Never had a paid job--GO TO QUESTION 8"

Value	Label	Unweighted Frequency	%
1	JOB NOW:(1)	989	44.2 %
2	JOB PAST3MO:(2)	179	8.0 %
3	NO JOB 3MO:(3)	324	14.5 %
4	NEVER:(4)	524	23.4 %
	Missing Data		
-9	MISSING:(-9)	220	9.8 %
	Total	**2,236**	**100%**

Based upon 2,016 valid cases out of 2,236 total cases.

Location: 413-414 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4432: 174D02B:KIND OF PAID JOB

Item Number: 25160

Which of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you

worked the most hours. Do not include work around the house.)

01="Have not worked for pay" 02="Lawn or yard work" 03="Fast food worker" 04="Waiter or waitress" 05="Other restaurant worker" 06="Newspaper route" 07="Babysitting or childcare" 08="Farm or agricultural work" 09="Store clerk or salesperson" 10="Office or clerical" 11="Odd jobs" 12="Other"

Value	Label	Unweighted Frequency	%
1	NO WORK:(1)	45	2.0 %
2	LAWN WK:(2)	47	2.1 %
3	FASTFOOD:(3)	189	8.5 %
4	WAITER:(4)	78	3.5 %
5	OTH REST:(5)	126	5.6 %
6	PAPER RT:(6)	0	0.0 %
7	BABYSIT:(7)	101	4.5 %
8	FARM WK:(8)	30	1.3 %
9	SALES WK:(9)	208	9.3 %
10	OFFICE:(10)	44	2.0 %
11	ODD JOBS:(11)	20	0.9 %
12	OTHER:(12)	264	11.8 %
	Missing Data		
-9	MISSING:(-9)	1084	48.5 %
	Total	**2,236**	**100%**

Based upon 1,152 valid cases out of 2,236 total cases.

Location: 415-416 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4300: 174D02C:CMP SATFD W/JOB

Item Number: 10910

All things considered, how satisfied are (were) you with that job?

1="Completely dissatisfied" 2="Quite dissatisfied" 3="Somewhat dissatisfied" 4="Neither, or mixed feelings" 5="Somewhat satisfied" 6="Quite satisfied" 7="Completely satisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	50	2.2 %
2	QUITE:(2)	79	3.5 %

Value	Label	Unweighted Frequency	%
3	SOME DIS:(3)	69	3.1 %
4	NEITHER:(4)	154	6.9 %
5	SOME SAT:(5)	242	10.8 %
6	QUITE:(6)	300	13.4 %
7	COMPLETE:(7)	180	8.1 %
	Missing Data		
-9	MISSING:(-9)	1162	52.0 %
	Total	**2,236**	**100%**

Based upon 1,074 valid cases out of 2,236 total cases.

Location: 417-418 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4386: 174D03 :JOB-#HRS/WEEK

Item Number: 21540

The next questions are about your present or most recent paid job. (If you presently hold more than one paid job, answer for the more important one.) On the average, how many hours per week do (did) you work on this particular job?

1="5 or less hours" 2="6 to 10 hours" 3="11 to 15 hours" 4="16 to 20 hours" 5="21 to 25 hours" 6="26 to 30 hours" 7="31 to 35 hours" 8="36 or more hours"

Value	Label	Unweighted Frequency	%
1	5 OR <:(1)	172	7.7 %
2	6-10 HRS:(2)	239	10.7 %
3	11-15:(3)	194	8.7 %
4	16-20:(4)	214	9.6 %
5	21-25:(5)	185	8.3 %
6	26-30:(6)	126	5.6 %
7	31-35:(7)	51	2.3 %
8	36+ HRS:(8)	71	3.2 %
	Missing Data		
-9	MISSING:(-9)	984	44.0 %
	Total	**2,236**	**100%**

Based upon 1,252 valid cases out of 2,236 total cases.

Location: 419-420 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V4387: 174D04 :JOB-SUPERVSR AGE

Item Number: 21550

About how old is (was) your supervisor?

1="Age 20 or younger" 2="21 to 25" 3="26 to 30" 4="31 or older"

Value	Label	Unweighted Frequency	%
1	20 OR <:(1)	56	2.5 %
2	21-25:(2)	164	7.3 %
3	26-30:(3)	249	11.1 %
4	31+:(4)	774	34.6 %
	Missing Data		
-9	MISSING:(-9)	993	44.4 %
	Total	**2,236**	**100%**

Based upon 1,243 valid cases out of 2,236 total cases.

Location: 421-422 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4388: 174D05 :JOB-#WKRS OWN AG

Item Number: 21560

How many of the other workers are within 2 or 3 years of your own age?

1="None" 2="A few" 3="About half" 4="Most" 5="Nearly all" 6="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	229	10.2 %
2	FEW:(2)	372	16.6 %
3	HALF:(3)	249	11.1 %
4	MOST:(4)	208	9.3 %
5	NRLY ALL:(5)	130	5.8 %
6	ALL:(6)	48	2.1 %
	Missing Data		
-9	MISSING:(-9)	1000	44.7 %

Value	Label	Unweighted Frequency	%
	Total	**2,236**	**100%**

Based upon 1,236 valid cases out of 2,236 total cases.

Location: 423-424 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4403: 174D06 :JOB-TCHR HELP GT

Item Number: 21710

To what extent did any high school teacher or counselor help you get this job?

1="Not At All" 2="A Little" 3="Some Extent" 4="Considerable Extent" 5="A Great Extent"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1099	49.2 %
2	A LITTLE:(2)	45	2.0 %
3	SOME:(3)	37	1.7 %
4	CNSDRBL:(4)	23	1.0 %
5	GREAT:(5)	23	1.0 %
	Missing Data		
-9	MISSING:(-9)	1009	45.1 %
	Total	**2,236**	**100%**

Based upon 1,227 valid cases out of 2,236 total cases.

Location: 425-426 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4404: 174D07 :JOB-WORK STUDY

Item Number: 21720

Is (was) this job part of a work-study program?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	81	3.6 %

Value	Label	Unweighted Frequency	%
2	NO:(2)	1153	51.6 %
	Missing Data		
-9	MISSING:(-9)	1002	44.8 %
	Total	**2,236**	**100%**

Based upon 1,234 valid cases out of 2,236 total cases.

Location: 427-428 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4449: 174D08:EVER AD STIM DR

Item Number: 31460

The next questions are about drugs that doctors sometimes prescribe for people who have problems concentrating on one task at a time (attention deficit disorder), or with being too active or too disruptive (hyperactive), or both (ADHD). Stimulant-type drugs (i.e., amphetamine, methylphenidate, and pemoline) are prescribed for these conditions. These drugs include Ritalin, Adderall, Concerta, Metadate, Dexedrine, Focalin, Vyvanse, and others. Have you ever taken any of these stimulant-type prescription drugs under a doctor's supervision for these conditions? (Do not count drugs that are not stimulant-type, like Strattera, Wellbutrin, Provigil, Tenex, Intuniv, or Catapres.)

1="No--GO TO QUESTION 11" 2="Yes, in the past, but not now" 3="Yes, I take them now"

Value	Label	Unweighted Frequency	%
1	NO:(1)	1826	81.7 %
2	YES PAST:(2)	103	4.6 %
3	YES NOW:(3)	64	2.9 %
	Missing Data		
-9	MISSING:(-9)	243	10.9 %
	Total	**2,236**	**100%**

Based upon 1,993 valid cases out of 2,236 total cases.

Location: 429-430 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4450: 174D09:AGE 1ST AD STIM

Item Number: 31470

How old were you when you first took one of these stimulant-type drugs under a doctor's supervision?

1="1-4 yrs. old" 2="5-9" 3="10-14" 4="15+ yrs. old"

Value	Label	Unweighted Frequency	%
1	1-4 YRS OLD:(1)	12	0.5 %
2	5-9:(2)	43	1.9 %
3	10-14:(3)	45	2.0 %
4	15+ YRS OLD:(4)	68	3.0 %
	Missing Data		
-9	MISSING:(-9)	2068	92.5 %
	Total	**2,236**	**100%**

Based upon 168 valid cases out of 2,236 total cases.

Location: 431-432 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4451: 174D10:# YRS TK AD STIM

Item Number: 31480

Altogether, for about how many years have you actually taken such drugs under a doctor's supervision?

1="Less than 1 yr." 2="1 year" 3="2 yrs." 4="3-5 yrs." 5="6-9 yrs." 6="10 or more yrs."

Value	Label	Unweighted Frequency	%
1	<1 YR:(1)	56	2.5 %
2	1 YR:(2)	12	0.5 %
3	2 YRS:(3)	28	1.3 %
4	3-5 YRS:(4)	34	1.5 %
5	6-9 YRS:(5)	19	0.8 %
6	10+ YRS:(6)	21	0.9 %
	Missing Data		
-9	MISSING:(-9)	2066	92.4 %
	Total	**2,236**	**100%**

Based upon 170 valid cases out of 2,236 total cases.

Location: 433-434 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4452: 174D11:EVER AD NONSTIM

Item Number: 31490

Have you ever taken a non-stimulant-type prescription drug under a doctor's supervision for these conditions (like Strattera, Wellbutrin, Provigil, Tenex, Intuniv, or Catapres)?

1="No" 2="Yes, in the past, but not now" 3="Yes, I take them now" 8="Don't know"

Value	Label	Unweighted Frequency	%
1	NO:(1)	1748	78.2 %
2	YES IN PAST:(2)	72	3.2 %
3	YES NOW:(3)	39	1.7 %
8	DK:(8)	126	5.6 %
	Missing Data		
-9	MISSING:(-9)	251	11.2 %
	Total	**2,236**	**100%**

Based upon 1,985 valid cases out of 2,236 total cases.

Location: 435-436 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4301: 174D12A:I CNT CHNG WORLD

Item Number: 10920

People have different opinions about world problems. How much do you agree or disagree with each of the following statements?

A: I feel that I can do very little to change the way the world is today

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	281	12.6 %
2	MOST DIS:(2)	409	18.3 %

Value	Label	Unweighted Frequency	%
3	NEITHER:(3)	505	22.6 %
4	MOST AGR:(4)	525	23.5 %
5	AGREE:(5)	258	11.5 %
	Missing Data		
-9	MISSING:(-9)	258	11.5 %
	Total	**2,236**	**100%**

Based upon 1,978 valid cases out of 2,236 total cases.

Location: 437-438 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4302: 174D12B:SOCTY WONT LAST

Item Number: 10930

How much do you agree or disagree with each of the following statements?

B: It does little good to clean up air and water pollution because this society will not last long enough for it to matter

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	637	28.5 %
2	MOST DIS:(2)	450	20.1 %
3	NEITHER:(3)	469	21.0 %
4	MOST AGR:(4)	255	11.4 %
5	AGREE:(5)	161	7.2 %
	Missing Data		
-9	MISSING:(-9)	264	11.8 %
	Total	**2,236**	**100%**

Based upon 1,972 valid cases out of 2,236 total cases.

Location: 439-440 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4303: 174D12C:THG TUF,TCHN SLV

Item Number: 10940

How much do you agree or disagree with each of the following statements?

C: When things get tough enough, we'll put our minds to it and find a technological solution

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	120	5.4 %
2	MOST DIS:(2)	163	7.3 %
3	NEITHER:(3)	573	25.6 %
4	MOST AGR:(4)	766	34.3 %
5	AGREE:(5)	338	15.1 %
	Missing Data		
-9	MISSING:(-9)	276	12.3 %
	Total	**2,236**	**100%**

Based upon 1,960 valid cases out of 2,236 total cases.

Location: 441-442 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4304: 174D12D:NO HOPE 4 WORLD

Item Number: 10950

How much do you agree or disagree with each of the following statements?

D: When I think about all the terrible things that have been happening, it is hard for me to hold out much hope for the world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	234	10.5 %
2	MOST DIS:(2)	364	16.3 %
3	NEITHER:(3)	619	27.7 %
4	MOST AGR:(4)	500	22.4 %

Value	Label	Unweighted Frequency	%
5	AGREE:(5)	242	10.8 %
	Missing Data		
-9	MISSING:(-9)	277	12.4 %
	Total	**2,236**	**100%**

Based upon 1,959 valid cases out of 2,236 total cases.

Location: 443-444 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4305: 174D12E:WNDR PURPS 2 LIF

Item Number: 10960

How much do you agree or disagree with each of the following statements?

E: I often wonder if there is any real purpose to my life in light of the world situation

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	461	20.6 %
2	MOST DIS:(2)	303	13.6 %
3	NEITHER:(3)	603	27.0 %
4	MOST AGR:(4)	363	16.2 %
5	AGREE:(5)	225	10.1 %
	Missing Data		
-9	MISSING:(-9)	281	12.6 %
	Total	**2,236**	**100%**

Based upon 1,955 valid cases out of 2,236 total cases.

Location: 445-446 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4306: 174D12F:WRLD UPHVL 10 YR

Item Number: 10970

How much do you agree or disagree with each of the following

statements?

F: My guess is that this country will be caught up in a major world upheaval in the next 10 years

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	146	6.5 %
2	MOST DIS:(2)	198	8.9 %
3	NEITHER:(3)	813	36.4 %
4	MOST AGR:(4)	506	22.6 %
5	AGREE:(5)	292	13.1 %
	Missing Data		
-9	MISSING:(-9)	281	12.6 %
	Total	**2,236**	**100%**

Based upon 1,955 valid cases out of 2,236 total cases.

Location: 447-448 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4307: 174D12G:ANNIHLTN IN LFTM

Item Number: 10980

How much do you agree or disagree with each of the following statements?

G: Nuclear or biological annihilation will probably be the fate of all mankind, within my lifetime

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	377	16.9 %
2	MOST DIS:(2)	318	14.2 %
3	NEITHER:(3)	785	35.1 %
4	MOST AGR:(4)	300	13.4 %
5	AGREE:(5)	179	8.0 %
	Missing Data		
-9	MISSING:(-9)	277	12.4 %
	Total	**2,236**	**100%**

Based upon 1,959 valid cases out of 2,236 total cases.

Location: 449-450 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4308: 174D12H:HMN RCE RSILIENT

Item Number: 10990

How much do you agree or disagree with each of the following statements?

H: The human race has come through tough times before, and will do so again

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	98	4.4 %
2	MOST DIS:(2)	86	3.8 %
3	NEITHER:(3)	583	26.1 %
4	MOST AGR:(4)	697	31.2 %
5	AGREE:(5)	489	21.9 %
	Missing Data		
-9	MISSING:(-9)	283	12.7 %
	Total	**2,236**	**100%**

Based upon 1,953 valid cases out of 2,236 total cases.

Location: 451-452 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4309: 174D13A:#X BEER/LIFETIME

Item Number: 11000

The next questions are about alcohol use -- this time asking separately about beer, wine, wine coolers, and hard liquor. On how many occasions (if any) have you had beer to drink . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	745	33.3 %
2	1-2X:(2)	248	11.1 %
3	3-5X:(3)	185	8.3 %
4	6-9X:(4)	130	5.8 %
5	10-19X:(5)	132	5.9 %
6	20-39X:(6)	112	5.0 %
7	40+OCCAS:(7)	191	8.5 %
	Missing Data		
-9	MISSING:(-9)	493	22.0 %
	Total	**2,236**	**100%**

Based upon 1,743 valid cases out of 2,236 total cases.

Location: 453-454 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4310: 174D13B:#X BEER/LAST12MO

Item Number: 11010

On how many occasions (if any) have you had beer to drink . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	940	42.0 %
2	1-2X:(2)	254	11.4 %
3	3-5X:(3)	157	7.0 %
4	6-9X:(4)	135	6.0 %
5	10-19X:(5)	98	4.4 %
6	20-39X:(6)	68	3.0 %
7	40+OCCAS:(7)	79	3.5 %
	Missing Data		
-9	MISSING:(-9)	505	22.6 %
	Total	**2,236**	**100%**

Based upon 1,731 valid cases out of 2,236 total cases.

Location: 455-456 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4311: 174D13C:#X BEER/LAST30DA

Item Number: 11020

On how many occasions (if any) have you had beer to drink . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1258	56.3 %
2	1-2X:(2)	226	10.1 %
3	3-5X:(3)	123	5.5 %
4	6-9X:(4)	59	2.6 %
5	10-19X:(5)	31	1.4 %
6	20-39X:(6)	13	0.6 %
7	40+OCCAS:(7)	17	0.8 %
	Missing Data		
-9	MISSING:(-9)	509	22.8 %
	Total	**2,236**	**100%**

Based upon 1,727 valid cases out of 2,236 total cases.

Location: 457-458 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4312: 174D14 :5+BR/LST2WK,10+X

Item Number: 11030

Think back over the LAST TWO WEEKS. How many times have you had five or more 12-ounce cans of beer (or the equivalent) in a row?

1="None" 2="Once" 3="Twice" 4="Three to five times" 5="Six to nine times" 6="Ten or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1452	64.9 %
2	ONCE:(2)	111	5.0 %
3	TWICE:(3)	77	3.4 %
4	3-5X:(4)	45	2.0 %
5	6-9X:(5)	17	0.8 %
6	10+ TIME:(6)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	522	23.3 %
	Total	**2,236**	**100%**

Based upon 1,714 valid cases out of 2,236 total cases.

Location: 459-460 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4428: 174D15A:#X WIN COOL/LIFE

Item Number: 22620

On how many occasions (if any) have you had wine cooler(s) to drink . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1115	49.9 %
2	1-2X:(2)	209	9.3 %
3	3-5X:(3)	135	6.0 %
4	6-9X:(4)	99	4.4 %
5	10-19X:(5)	79	3.5 %
6	20-39X:(6)	49	2.2 %
7	40+OCCAS:(7)	56	2.5 %
	Missing Data		
-9	MISSING:(-9)	494	22.1 %
	Total	**2,236**	**100%**

Based upon 1,742 valid cases out of 2,236 total cases.

Location: 461-462 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V4429: 174D15B:#X WIN COOL/12MO

Item Number: 22630

On how many occasions (if any) have you had wine cooler(s) to drink . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1277	57.1 %
2	1-2X:(2)	209	9.3 %
3	3-5X:(3)	112	5.0 %
4	6-9X:(4)	76	3.4 %
5	10-19X:(5)	35	1.6 %
6	20-39X:(6)	16	0.7 %
7	40+OCCAS:(7)	18	0.8 %
	Missing Data		
-9	MISSING:(-9)	493	22.0 %
	Total	**2,236**	**100%**

Based upon 1,743 valid cases out of 2,236 total cases.

Location: 463-464 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4430: 174D15C:#X WIN COOL/30DA

Item Number: 22640

On how many occasions (if any) have you had wine cooler(s) to drink . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1550	69.3 %
2	1-2X:(2)	121	5.4 %
3	3-5X:(3)	32	1.4 %
4	6-9X:(4)	12	0.5 %
5	10-19X:(5)	13	0.6 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	501	22.4 %
	Total	**2,236**	**100%**

Based upon 1,735 valid cases out of 2,236 total cases.

Location: 465-466 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4431: 174D16 :5+WINCOOL/LST2WK

Item Number: 22650

Think back over the LAST TWO WEEKS. How many times have you had five or more 12-ounce bottles of wine cooler (or the equivalent) in a row?

1="None" 2="Once" 3="Twice" 4="Three to five times" 5="Six to nine times" 6="Ten or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1615	72.2 %
2	ONCE:(2)	43	1.9 %
3	TWICE:(3)	31	1.4 %
4	3-5X:(4)	14	0.6 %
5	6-9X:(5)	4	0.2 %
6	10+ TIME:(6)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	525	23.5 %
	Total	**2,236**	**100%**

Based upon 1,711 valid cases out of 2,236 total cases.

Location: 467-468 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4313: 174D17A:#X WINE/LIFETIME

Item Number: 11040

On how many occasions (if any) have you had wine to drink, not counting wine coolers . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1043	46.6 %
2	1-2X:(2)	298	13.3 %
3	3-5X:(3)	165	7.4 %
4	6-9X:(4)	94	4.2 %
5	10-19X:(5)	61	2.7 %
6	20-39X:(6)	36	1.6 %
7	40+OCCAS:(7)	46	2.1 %
	Missing Data		
-9	MISSING:(-9)	493	22.0 %
	Total	**2,236**	**100%**

Based upon 1,743 valid cases out of 2,236 total cases.

Location: 469-470 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4314: 174D17B:#X WINE/LAST12MO

Item Number: 11050

On how many occasions (if any) have you had wine to drink, not counting wine coolers . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1229	55.0 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	287	12.8 %
3	3-5X:(3)	94	4.2 %
4	6-9X:(4)	68	3.0 %
5	10-19X:(5)	30	1.3 %
6	20-39X:(6)	17	0.8 %
7	40+OCCAS:(7)	14	0.6 %
	Missing Data		
-9	MISSING:(-9)	497	22.2 %
	Total	**2,236**	**100%**

Based upon 1,739 valid cases out of 2,236 total cases.

Location: 471-472 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4315: 174D17C:#X WINE/LAST30DA

Item Number: 11060

On how many occasions (if any) have you had wine to drink, not counting wine coolers . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1536	68.7 %
2	1-2X:(2)	136	6.1 %
3	3-5X:(3)	33	1.5 %
4	6-9X:(4)	14	0.6 %
5	10-19X:(5)	6	0.3 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	503	22.5 %
	Total	**2,236**	**100%**

Based upon 1,733 valid cases out of 2,236 total cases.

Location: 473-474 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V4316: 174D18 :#X 20OZ+ WN/2 WK

Item Number: 11070

Think back over the LAST TWO WEEKS. How many times have you had five or more 4-ounce glasses of wine in a row (or the equivalent, which is about three-fourths of a bottle)?

1="None" 2="Once" 3="Twice" 4="Three to five times" 5="Six to nine times" 6="Ten or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1633	73.0 %
2	ONCE:(2)	36	1.6 %
3	TWICE:(3)	22	1.0 %
4	3-5X:(4)	12	0.5 %
5	6-9X:(5)	3	0.1 %
6	10+ TIME:(6)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	525	23.5 %
	Total	**2,236**	**100%**

Based upon 1,711 valid cases out of 2,236 total cases.

Location: 475-476 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4317: 174D19A:#X LIQR/LIFETIME

Item Number: 11080

The next questions are about hard liquor. (Hard liquor includes whiskey, Scotch, bourbon, gin, vodka, rum, etc., or mixed drinks made with liquor.) On how many occasions (if any) have you had liquor to drink . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	712	31.8 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	201	9.0 %
3	3-5X:(3)	186	8.3 %
4	6-9X:(4)	148	6.6 %
5	10-19X:(5)	180	8.1 %
6	20-39X:(6)	135	6.0 %
7	40+OCCAS:(7)	169	7.6 %
	Missing Data		
-9	MISSING:(-9)	505	22.6 %
	Total	**2,236**	**100%**

Based upon 1,731 valid cases out of 2,236 total cases.

Location: 477-478 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4318: 174D19B:#X LIQR/LAST12MO

Item Number: 11090

On how many occasions (if any) have you had liquor to drink . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	850	38.0 %
2	1-2X:(2)	258	11.5 %
3	3-5X:(3)	205	9.2 %
4	6-9X:(4)	152	6.8 %
5	10-19X:(5)	127	5.7 %
6	20-39X:(6)	65	2.9 %
7	40+OCCAS:(7)	64	2.9 %
	Missing Data		
-9	MISSING:(-9)	515	23.0 %
	Total	**2,236**	**100%**

Based upon 1,721 valid cases out of 2,236 total cases.

Location: 479-480 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V4319: 174D19C:#X LIQR/LAST30DA

Item Number: 11100

On how many occasions (if any) have you had liquor to drink . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1227	54.9 %
2	1-2X:(2)	257	11.5 %
3	3-5X:(3)	133	5.9 %
4	6-9X:(4)	52	2.3 %
5	10-19X:(5)	24	1.1 %
6	20-39X:(6)	11	0.5 %
7	40+OCCAS:(7)	11	0.5 %
	Missing Data		
-9	MISSING:(-9)	521	23.3 %
	Total	**2,236**	**100%**

Based upon 1,715 valid cases out of 2,236 total cases.

Location: 481-482 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4320: 174D20 :#X 5+LIQ/LST 2WK

Item Number: 11110

Think back over the LAST TWO WEEKS. How many times have you had five or more mixed drinks or shot glasses of hard liquor in a row?

1="None" 2="Once" 3="Twice" 4="Three to five times" 5="Six to nine times" 6="Ten or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1340	59.9 %

Value	Label	Unweighted Frequency	%
2	ONCE:(2)	119	5.3 %
3	TWICE:(3)	100	4.5 %
4	3-5X:(4)	62	2.8 %
5	6-9X:(5)	17	0.8 %
6	10+ TIME:(6)	17	0.8 %
	Missing Data		
-9	MISSING:(-9)	581	26.0 %
	Total	**2,236**	**100%**

Based upon 1,655 valid cases out of 2,236 total cases.

Location: 483-484 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4439: 174D21:COST MJ/OZ.$500+

Item Number: 20506

The next questions are on another topic. Do you know about how much an ounce of marijuana would cost in your area?

88="Don't Know" 1="Less than $50" 2="$50 - $99" 3="$100 - $149" 4="$150 - $199" 5="$200 - $249" 6="$250 - $299" 7="$300 - $399" 8="$400 - $499" 9="$500 or more"

Value	Label	Unweighted Frequency	%
1	Less than $50:(1)	255	11.4 %
2	$50-$99:(2)	133	5.9 %
3	$100-$149:(3)	98	4.4 %
4	$150-$199:(4)	77	3.4 %
5	$200-$249:(5)	90	4.0 %
6	$250-$299:(6)	29	1.3 %
7	$300-$399:(7)	15	0.7 %
8	$400-$499:(8)	8	0.4 %
9	$500 or more:(9)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	1522	68.1 %
	Total	**2,236**	**100%**

Based upon 714 valid cases out of 2,236 total cases.

Location: 485-486 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V4440: 174D22:DRG SL NBHD/12MO

Item Number: 30880

During the past 12 months, how often have you seen people selling illegal drugs in your neighborhood?

1="Never" 2="A few times a year" 3="Once or twice a month" 4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1260	56.4 %
2	1-2X:(2)	311	13.9 %
3	3-5X:(3)	128	5.7 %
4	6-9X:(4)	143	6.4 %
5	10-19X:(5)	106	4.7 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	288	12.9 %
	Total	**2,236**	**100%**

Based upon 1,948 valid cases out of 2,236 total cases.

Location: 487-488 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4356: 174E01A:FRD DAP CIGS

Item Number: 11470

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

A: Smoking one or more packs of cigarettes per day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISAP:(1)	262	11.7 %
2	DISAPRV:(2)	596	26.7 %
3	ST DISAP:(3)	1095	49.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	283	12.7 %
	Total	**2,236**	**100%**

Based upon 1,953 valid cases out of 2,236 total cases.

Location: 489-490 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4357: 174E01B:FRD DAP TRY MARJ

Item Number: 11480

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

B: Trying marijuana (pot, weed) once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISAP:(1)	1134	50.7 %
2	DISAPRV:(2)	427	19.1 %
3	ST DISAP:(3)	383	17.1 %
	Missing Data		
-9	MISSING:(-9)	292	13.1 %
	Total	**2,236**	**100%**

Based upon 1,944 valid cases out of 2,236 total cases.

Location: 491-492 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4358: 174E01C:FRD DAP MJ OCC

Item Number: 11490

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

C: Smoking marijuana occasionally

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISAP:(1)	991	44.3 %
2	DISAPRV:(2)	447	20.0 %
3	ST DISAP:(3)	511	22.9 %
	Missing Data		
-9	MISSING:(-9)	287	12.8 %
	Total	**2,236**	**100%**

Based upon 1,949 valid cases out of 2,236 total cases.

Location: 493-494 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4359: 174E01D:FRD DAP MJ REG

Item Number: 11500

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

D: Smoking marijuana regularly

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISAP:(1)	687	30.7 %
2	DISAPRV:(2)	542	24.2 %
3	ST DISAP:(3)	711	31.8 %
	Missing Data		
-9	MISSING:(-9)	296	13.2 %
	Total	**2,236**	**100%**

Based upon 1,940 valid cases out of 2,236 total cases.

Location: 495-496 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4360: 174E01E:FRD DAP TRY LSD

Item Number: 11510

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

E: Trying LSD once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISAP:(1)	376	16.8 %
2	DISAPRV:(2)	506	22.6 %
3	ST DISAP:(3)	1049	46.9 %
	Missing Data		
-9	MISSING:(-9)	305	13.6 %
	Total	**2,236**	**100%**

Based upon 1,931 valid cases out of 2,236 total cases.

Location: 497-498 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4361: 174E01F:FRD DAP TRY AMP

Item Number: 11520

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

F: Trying an amphetamine (upper, speed, Adderall, Ritalin, etc.) once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISAP:(1)	332	14.8 %
2	DISAPRV:(2)	493	22.0 %
3	ST DISAP:(3)	1108	49.6 %
	Missing Data		
-9	MISSING:(-9)	303	13.6 %
	Total	**2,236**	**100%**

Based upon 1,933 valid cases out of 2,236 total cases.

Location: 499-500 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4414: 174E01G:FRD DAP TRY COKE

Item Number: 11525

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

G: Trying cocaine once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISAP:(1)	233	10.4 %
2	DISAPRV:(2)	386	17.3 %
3	ST DISAP:(3)	1314	58.8 %
	Missing Data		
-9	MISSING:(-9)	303	13.6 %
	Total	**2,236**	**100%**

Based upon 1,933 valid cases out of 2,236 total cases.

Location: 501-502 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4415: 174E01H:FRD DAP COKE OCC

Item Number: 11526

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

H: Taking cocaine occasionally

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISAP:(1)	157	7.0 %
2	DISAPRV:(2)	349	15.6 %
3	ST DISAP:(3)	1416	63.3 %
	Missing Data		
-9	MISSING:(-9)	314	14.0 %
	Total	**2,236**	**100%**

Based upon 1,922 valid cases out of 2,236 total cases.

Location: 503-504 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4362: 174E01I:FRD DAP 1-2DR/DA

Item Number: 11530

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

I: Taking one or two drinks nearly every day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISAP:(1)	444	19.9 %
2	DISAPRV:(2)	622	27.8 %
3	ST DISAP:(3)	865	38.7 %
	Missing Data		
-9	MISSING:(-9)	305	13.6 %
	Total	**2,236**	**100%**

Based upon 1,931 valid cases out of 2,236 total cases.

Location: 505-506 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4363: 174E01J:FRD DAP 4-5DR/DA

Item Number: 11540

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

J: Taking four or five drinks nearly every day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISAP:(1)	237	10.6 %
2	DISAPRV:(2)	495	22.1 %
3	ST DISAP:(3)	1189	53.2 %
	Missing Data		
-9	MISSING:(-9)	315	14.1 %
	Total	**2,236**	**100%**

Based upon 1,921 valid cases out of 2,236 total cases.

Location: 507-508 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4364: 174E01K:FRD DAP 5+DR/WKD

Item Number: 11550

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

K: Having five or more drinks once or twice each weekend

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISAP:(1)	638	28.5 %
2	DISAPRV:(2)	475	21.2 %
3	ST DISAP:(3)	823	36.8 %
	Missing Data		
-9	MISSING:(-9)	300	13.4 %
	Total	**2,236**	**100%**

Based upon 1,936 valid cases out of 2,236 total cases.

Location: 509-510 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4412: 174E01L:FRD DAP DRIV+2DR

Item Number: 11551

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

L: Driving a car after having 1-2 drinks

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISAP:(1)	227	10.2 %
2	DISAPRV:(2)	510	22.8 %
3	ST DISAP:(3)	1198	53.6 %
	Missing Data		
-9	MISSING:(-9)	301	13.5 %

Value	Label	Unweighted Frequency	%
	Total	**2,236**	**100%**

Based upon 1,935 valid cases out of 2,236 total cases.

Location: 511-512 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4413: 174E01M:FRD DAP DRIV+5DR

Item Number: 11552

How do you think your CLOSE FRIENDS feel (or would feel) about
YOU doing each of the following things?

M: Driving a car after having 5 or more drinks

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISAP:(1)	128	5.7 %
2	DISAPRV:(2)	229	10.2 %
3	ST DISAP:(3)	1572	70.3 %
	Missing Data		
-9	MISSING:(-9)	307	13.7 %
	Total	**2,236**	**100%**

Based upon 1,929 valid cases out of 2,236 total cases.

Location: 513-514 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4416: 174E02A:USE DRUGS-ATHLTS

Item Number: 22380

How many people in the following groups would you guess use
illicit drugs (like marijuana, cocaine, etc.) occasionally
or regularly?

A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	320	14.3 %
2	11%-30%:(2)	393	17.6 %
3	31%-50%:(3)	415	18.6 %
4	51%-70%:(4)	325	14.5 %
5	71%-90%:(5)	152	6.8 %
6	91%-100%:(6)	74	3.3 %
8	NO IDEA:(8)	303	13.6 %
	Missing Data		
-9	MISSING:(-9)	254	11.4 %
	Total	**2,236**	**100%**

Based upon 1,982 valid cases out of 2,236 total cases.

Location: 515-516 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4417: 174E02B:USE DRUGS-ROCKRS

Item Number: 22390

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

B: Rock music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%" 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	114	5.1 %
2	11%-30%:(2)	101	4.5 %
3	31%-50%:(3)	218	9.7 %
4	51%-70%:(4)	360	16.1 %
5	71%-90%:(5)	561	25.1 %
6	91%-100%:(6)	363	16.2 %
8	NO IDEA:(8)	265	11.9 %
	Missing Data		
-9	MISSING:(-9)	254	11.4 %
	Total	**2,236**	**100%**

Based upon 1,982 valid cases out of 2,236 total cases.

Location: 517-518 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4418: 174E02C:USE DRUGS-ACTORS

Item Number: 22400

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%" 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	137	6.1 %
2	11%-30%:(2)	182	8.1 %
3	31%-50%:(3)	332	14.8 %
4	51%-70%:(4)	425	19.0 %
5	71%-90%:(5)	399	17.8 %
6	91%-100%:(6)	220	9.8 %
8	NO IDEA:(8)	288	12.9 %
	Missing Data		
-9	MISSING:(-9)	253	11.3 %
	Total	**2,236**	**100%**

Based upon 1,983 valid cases out of 2,236 total cases.

Location: 519-520 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4419: 174E03A:DISAP USE-ATHLTS

Item Number: 22420

How many people in the following groups would you guess strongly disapprove of such illicit drug use?

A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%" 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	263	11.8 %
2	11%-30%:(2)	391	17.5 %
3	31%-50%:(3)	303	13.6 %
4	51%-70%:(4)	254	11.4 %
5	71%-90%:(5)	238	10.6 %
6	91%-100%:(6)	136	6.1 %
8	NO IDEA:(8)	395	17.7 %
	Missing Data		
-9	MISSING:(-9)	256	11.4 %
	Total	**2,236**	**100%**

Based upon 1,980 valid cases out of 2,236 total cases.

Location: 521-522 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4420: 174E03B:DISAP USE-ROCKRS

Item Number: 22430

How many people in the following groups would you guess
strongly disapprove of such illicit drug use?

B: Rock music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	541	24.2 %
2	11%-30%:(2)	527	23.6 %
3	31%-50%:(3)	252	11.3 %
4	51%-70%:(4)	144	6.4 %
5	71%-90%:(5)	51	2.3 %
6	91%-100%:(6)	55	2.5 %
8	NO IDEA:(8)	402	18.0 %
	Missing Data		
-9	MISSING:(-9)	264	11.8 %
	Total	**2,236**	**100%**

Based upon 1,972 valid cases out of 2,236 total cases.

Location: 523-524 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V4421: 174E03C:DISAP USE-ACTORS

Item Number: 22440

How many people in the following groups would you guess strongly disapprove of such illicit drug use?

C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%" 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	347	15.5 %
2	11%-30%:(2)	460	20.6 %
3	31%-50%:(3)	379	16.9 %
4	51%-70%:(4)	199	8.9 %
5	71%-90%:(5)	109	4.9 %
6	91%-100%:(6)	59	2.6 %
8	NO IDEA:(8)	413	18.5 %
	Missing Data		
-9	MISSING:(-9)	270	12.1 %
	Total	**2,236**	**100%**

Based upon 1,966 valid cases out of 2,236 total cases.

Location: 525-526 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V4422: 174E03D:DISAP USE-PEOPLE

Item Number: 22450

How many people in the following groups would you guess strongly disapprove of such illicit drug use?

D: People your age (in general)

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%" 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	337	15.1 %
2	11%-30%:(2)	412	18.4 %
3	31%-50%:(3)	417	18.6 %
4	51%-70%:(4)	266	11.9 %
5	71%-90%:(5)	123	5.5 %
6	91%-100%:(6)	75	3.4 %
8	NO IDEA:(8)	332	14.8 %
	Missing Data		
-9	MISSING:(-9)	274	12.3 %
	Total	**2,236**	**100%**

Based upon 1,962 valid cases out of 2,236 total cases.

Location: 527-528 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

ICPSR 37182

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2017

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Form 5 Data

CASEID: CASE IDENTIFICATION NUMBER

Based upon 2,256 valid cases out of 2,256 total cases.

Location: 1-4 (width: 4; decimal: 0)
Variable Type: numeric

V1: YEAR OF ADMIN (4-DIGITS)

Value	Label	Unweighted Frequency	%
2017	-	2256	100.0 %
	Total	**2,256**	**100%**

Based upon 2,256 valid cases out of 2,256 total cases.

Location: 5-8 (width: 4; decimal: 0)
Variable Type: numeric

V3: BY17 80003 FORM ID

Value	Label	Unweighted Frequency	%
5	-	2256	100.0 %
	Total	**2,256**	**100%**

Based upon 2,256 valid cases out of 2,256 total cases.

Location: 9-9 (width: 1; decimal: 0)
Variable Type: numeric

RESPONDENT_ID: R'S ID-SERIAL

Based upon 2,256 valid cases out of 2,256 total cases.

Location: 10-14 (width: 5; decimal: 0)
Variable Type: numeric

ARCHIVE_WT: ARCHIVE WEIGHT

Based upon 2,256 valid cases out of 2,256 total cases.

Location: 15-29 (width: 15; decimal: 13)
Variable Type: numeric

V13: SCH REG-4 CAT

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

Value	Label	Unweighted Frequency	%
1	NORTHEAST:(1)	409	18.1 %
2	NORTH CENTRAL:(2)	480	21.3 %
3	SOUTH:(3)	771	34.2 %
4	WEST:(4)	596	26.4 %
	Total	**2,256**	**100%**

Based upon 2,256 valid cases out of 2,256 total cases.

Location: 30-30 (width: 1; decimal: 0)
Variable Type: numeric

V16: LARGE MSA = 1/NOT = 0

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	Label	Unweighted Frequency	%
0	ELSE:(0)	1309	58.0 %
1	LARGE MSA:(1)	947	42.0 %
	Total	**2,256**	**100%**

Based upon 2,256 valid cases out of 2,256 total cases.

Location: 31-31 (width: 1; decimal: 0)
Variable Type: numeric

V17: SMSA/NON SMSA = 0

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	Label	Unweighted Frequency	%
0	NOT MSA:(0)	373	16.5 %
1	MSA:(1)	1883	83.5 %

Value	Label	Unweighted Frequency	%
	Total	**2,256**	**100%**

Based upon 2,256 valid cases out of 2,256 total cases.

Location: 32-32 (width: 1; decimal: 0)
Variable Type: numeric

V5208: 175A01 :VRY HPY THS DAYS

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

Value	Label	Unweighted Frequency	%
1	NT HAPPY:(1)	376	16.7 %
2	PRTY HPY:(2)	1429	63.3 %
3	VRY HPY:(3)	435	19.3 %
	Missing Data		
-9	MISSING:(-9)	16	0.7 %
	Total	**2,256**	**100%**

Based upon 2,240 valid cases out of 2,256 total cases.

Location: 33-34 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5209: 175A02 :THK ABT SOC ISSU

Item Number: 06880

Some people think a lot about the social problems of the nation and the world, and about how they might be solved. Others spend little time thinking about these issues. How much do you think about such things?

1="Never" 2="Seldom" 3="Sometimes" 4="Quite often" 5="A great deal"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	109	4.8 %

Value	Label	Unweighted Frequency	%
2	SELDOM:(2)	312	13.8 %
3	SOMETIME:(3)	1039	46.1 %
4	QUITE OFTN:(4)	560	24.8 %
5	GREAT DEAL:(5)	215	9.5 %
	Missing Data		
-9	MISSING:(-9)	21	0.9 %
	Total	**2,256**	**100%**

Based upon 2,235 valid cases out of 2,256 total cases.

Location: 35-36 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5210: 175A03A:WR/NT NUCLER WAR

Item Number: 11660

Of all the problems facing the nation today, how often do you worry about each of the following?

A: Chance of nuclear war

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	611	27.1 %
2	SELDOM:(2)	740	32.8 %
3	SOMETIME:(3)	607	26.9 %
4	OFTEN:(4)	275	12.2 %
	Missing Data		
-9	MISSING:(-9)	23	1.0 %
	Total	**2,256**	**100%**

Based upon 2,233 valid cases out of 2,256 total cases.

Location: 37-38 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5211: 175A03B:WR/NT POP GROWTH

Item Number: 11670

Of all the problems facing the nation today, how often do you

worry about each of the following?

B: Population growth

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	749	33.2 %
2	SELDOM:(2)	746	33.1 %
3	SOMETIME:(3)	507	22.5 %
4	OFTEN:(4)	225	10.0 %
	Missing Data		
-9	MISSING:(-9)	29	1.3 %
	Total	**2,256**	**100%**

Based upon 2,227 valid cases out of 2,256 total cases.

Location: 39-40 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5212: 175A03C:WR/NT CRIME/VLNC

Item Number: 11680

Of all the problems facing the nation today, how often do you worry about each of the following?

C: Crime and violence

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	123	5.5 %
2	SELDOM:(2)	411	18.2 %
3	SOMETIME:(3)	901	39.9 %
4	OFTEN:(4)	798	35.4 %
	Missing Data		
-9	MISSING:(-9)	23	1.0 %
	Total	**2,256**	**100%**

Based upon 2,233 valid cases out of 2,256 total cases.

Location: 41-42 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5213: 175A03D:WR/NT POLLUTION

Item Number: 11690

Of all the problems facing the nation today, how often do you worry about each of the following?

D: Pollution

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	387	17.2 %
2	SELDOM:(2)	661	29.3 %
3	SOMETIME:(3)	655	29.0 %
4	OFTEN:(4)	523	23.2 %
	Missing Data		
-9	MISSING:(-9)	30	1.3 %
	Total	**2,256**	**100%**

Based upon 2,226 valid cases out of 2,256 total cases.

Location: 43-44 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5214: 175A03E:WR/NT ENRGY SHRT

Item Number: 11700

Of all the problems facing the nation today, how often do you worry about each of the following?

E: Energy shortages

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	917	40.6 %
2	SELDOM:(2)	785	34.8 %
3	SOMETIME:(3)	363	16.1 %
4	OFTEN:(4)	164	7.3 %
	Missing Data		
-9	MISSING:(-9)	27	1.2 %
	Total	**2,256**	**100%**

Based upon 2,229 valid cases out of 2,256 total cases.

Location: 45-46 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5215: 175A03F:WR/NT RACE RELTN

Item Number: 11710

Of all the problems facing the nation today, how often do you worry about each of the following?

F: Race relations

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	418	18.5 %
2	SELDOM:(2)	475	21.1 %
3	SOMETIME:(3)	638	28.3 %
4	OFTEN:(4)	691	30.6 %
	Missing Data		
-9	MISSING:(-9)	34	1.5 %
	Total	**2,256**	**100%**

Based upon 2,222 valid cases out of 2,256 total cases.

Location: 47-48 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5216: 175A03G:WR/NT HNGR/PVRTY

Item Number: 11720

Of all the problems facing the nation today, how often do you worry about each of the following?

G: Hunger and poverty

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	260	11.5 %
2	SELDOM:(2)	602	26.7 %
3	SOMETIME:(3)	796	35.3 %

Value	Label	Unweighted Frequency	%
4	OFTEN:(4)	561	24.9 %
	Missing Data		
-9	MISSING:(-9)	37	1.6 %
	Total	**2,256**	**100%**

Based upon 2,219 valid cases out of 2,256 total cases.

Location: 49-50 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5217: 175A03H:WR/NT USE OPN LD

Item Number: 11730

Of all the problems facing the nation today, how often do you worry about each of the following?

H: Using open land for housing or industry

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1046	46.4 %
2	SELDOM:(2)	639	28.3 %
3	SOMETIME:(3)	365	16.2 %
4	OFTEN:(4)	175	7.8 %
	Missing Data		
-9	MISSING:(-9)	31	1.4 %
	Total	**2,256**	**100%**

Based upon 2,225 valid cases out of 2,256 total cases.

Location: 51-52 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5218: 175A03I:WR/NT URBN DECAY

Item Number: 11740

Of all the problems facing the nation today, how often do you worry about each of the following?

I: Urban decay

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1223	54.2 %
2	SELDOM:(2)	628	27.8 %
3	SOMETIME:(3)	253	11.2 %
4	OFTEN:(4)	104	4.6 %
	Missing Data		
-9	MISSING:(-9)	48	2.1 %
	Total	**2,256**	**100%**

Based upon 2,208 valid cases out of 2,256 total cases.

Location: 53-54 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5219: 175A03J:WR/NT ECON PRBLM

Item Number: 11750

Of all the problems facing the nation today, how often do you worry about each of the following?

J: Economic problems

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	368	16.3 %
2	SELDOM:(2)	578	25.6 %
3	SOMETIME:(3)	795	35.2 %
4	OFTEN:(4)	475	21.1 %
	Missing Data		
-9	MISSING:(-9)	40	1.8 %
	Total	**2,256**	**100%**

Based upon 2,216 valid cases out of 2,256 total cases.

Location: 55-56 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5220: 175A03K:WR/NT DRUG ABUSE

Item Number: 11760

Of all the problems facing the nation today, how often do you worry about each of the following?

K: Drug abuse

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	452	20.0 %
2	SELDOM:(2)	643	28.5 %
3	SOMETIME:(3)	696	30.9 %
4	OFTEN:(4)	431	19.1 %
	Missing Data		
-9	MISSING:(-9)	34	1.5 %
	Total	**2,256**	**100%**

Based upon 2,222 valid cases out of 2,256 total cases.

Location: 57-58 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5221: 175A04A:XPRC MK R GD SPS

Item Number: 11770

How well do you think your experiences and training (at home, school, work, etc.) have prepared you to be a good . . .

A: . . . husband or wife?

1="Poorly" 2="Not So Well" 3="Fairly Well" 4="Well" 5="Very Well"

Value	Label	Unweighted Frequency	%
1	POORLY:(1)	134	5.9 %
2	NOT WELL:(2)	194	8.6 %
3	FAIR WELL:(3)	503	22.3 %
4	WELL:(4)	685	30.4 %
5	VERY WELL:(5)	668	29.6 %
	Missing Data		
-9	MISSING:(-9)	72	3.2 %
	Total	**2,256**	**100%**

Based upon 2,184 valid cases out of 2,256 total cases.

Location: 59-60 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5222: 175A04B:XPRC MK R GD PRT

Item Number: 11780

How well do you think your experiences and training (at home, school, work, etc.) have prepared you to be a good . . .

B: . . . parent?

1="Poorly" 2="Not So Well" 3="Fairly Well" 4="Well" 5="Very Well"

Value	Label	Unweighted Frequency	%
1	POORLY:(1)	120	5.3 %
2	NOT WELL:(2)	206	9.1 %
3	FAIR WELL:(3)	461	20.4 %
4	WELL:(4)	628	27.8 %
5	VERY WELL:(5)	791	35.1 %
	Missing Data		
-9	MISSING:(-9)	50	2.2 %
	Total	**2,256**	**100%**

Based upon 2,206 valid cases out of 2,256 total cases.

Location: 61-62 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5223: 175A04C:XPRC MK R GD WKR

Item Number: 11790

How well do you think your experiences and training (at home, school, work, etc.) have prepared you to be a good . . .

C: . . . worker on a job?

1="Poorly" 2="Not So Well" 3="Fairly Well" 4="Well" 5="Very Well"

Value	Label	Unweighted Frequency	%
1	POORLY:(1)	60	2.7 %
2	NOT WELL:(2)	99	4.4 %
3	FAIR WELL:(3)	397	17.6 %
4	WELL:(4)	664	29.4 %
5	VERY WELL:(5)	988	43.8 %
	Missing Data		
-9	MISSING:(-9)	48	2.1 %
	Total	**2,256**	**100%**

Based upon 2,208 valid cases out of 2,256 total cases.

Location: 63-64 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5224: 175A05A:PLC WRK LG CORPN

Item Number: 11800

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

A: Working in a large corporation

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	177	7.8 %
2	SOMEWHAT:(2)	625	27.7 %
3	ACCEPTBL:(3)	1114	49.4 %
4	DESIRBL:(4)	297	13.2 %
	Missing Data		
-9	MISSING:(-9)	43	1.9 %
	Total	**2,256**	**100%**

Based upon 2,213 valid cases out of 2,256 total cases.

Location: 65-66 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5225: 175A05B:PLC WRK SM BSNSS

Item Number: 11810

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

B: Working in a small business

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	100	4.4 %
2	SOMEWHAT:(2)	516	22.9 %
3	ACCEPTBL:(3)	1276	56.6 %
4	DESIRBL:(4)	321	14.2 %
	Missing Data		
-9	MISSING:(-9)	43	1.9 %
	Total	**2,256**	**100%**

Based upon 2,213 valid cases out of 2,256 total cases.

Location: 67-68 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5226: 175A05C:PLC WRK GVT AGCY

Item Number: 11820

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

C: Working in a government agency

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	416	18.4 %
2	SOMEWHAT:(2)	611	27.1 %
3	ACCEPTBL:(3)	845	37.5 %
4	DESIRBL:(4)	338	15.0 %
	Missing Data		
-9	MISSING:(-9)	46	2.0 %

Value	Label	Unweighted Frequency	%
	Total	**2,256**	**100%**

Based upon 2,210 valid cases out of 2,256 total cases.

Location: 69-70 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5227: 175A05D:PLC WRK MLTY SVC

Item Number: 11830

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

D: Working in the military service

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	790	35.0 %
2	SOMEWHAT:(2)	501	22.2 %
3	ACCEPTBL:(3)	623	27.6 %
4	DESIRBL:(4)	292	12.9 %
	Missing Data		
-9	MISSING:(-9)	50	2.2 %
	Total	**2,256**	**100%**

Based upon 2,206 valid cases out of 2,256 total cases.

Location: 71-72 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5228: 175A05E:PLC WRK SCH/UNIV

Item Number: 11840

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

E: Working in a school or university

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	489	21.7 %
2	SOMEWHAT:(2)	616	27.3 %
3	ACCEPTBL:(3)	795	35.2 %
4	DESIRBL:(4)	303	13.4 %
	Missing Data		
-9	MISSING:(-9)	53	2.3 %
	Total	**2,256**	**100%**

Based upon 2,203 valid cases out of 2,256 total cases.

Location: 73-74 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5229: 175A05F:PLC WRK PLC DEPT

Item Number: 11850

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

F: Working in a police department or police agency

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	636	28.2 %
2	SOMEWHAT:(2)	591	26.2 %
3	ACCEPTBL:(3)	696	30.9 %
4	DESIRBL:(4)	291	12.9 %
	Missing Data		
-9	MISSING:(-9)	42	1.9 %
	Total	**2,256**	**100%**

Based upon 2,214 valid cases out of 2,256 total cases.

Location: 75-76 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5230: 175A05G:PLC WRK SOC SVCS

Item Number: 11860

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

G: Working in a social service organization

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	480	21.3 %
2	SOMEWHAT:(2)	710	31.5 %
3	ACCEPTBL:(3)	746	33.1 %
4	DESIRBL:(4)	264	11.7 %
	Missing Data		
-9	MISSING:(-9)	56	2.5 %
	Total	**2,256**	**100%**

Based upon 2,200 valid cases out of 2,256 total cases.

Location: 77-78 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5231: 175A05H:PLC WRK SML GRP

Item Number: 11870

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

H: Working with a small group of partners

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	215	9.5 %
2	SOMEWHAT:(2)	616	27.3 %
3	ACCEPTBL:(3)	1035	45.9 %
4	DESIRBL:(4)	341	15.1 %
	Missing Data		
-9	MISSING:(-9)	49	2.2 %

Value	Label	Unweighted Frequency	%
	Total	**2,256**	**100%**

Based upon 2,207 valid cases out of 2,256 total cases.

Location: 79-80 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5232: 175A05I:PLC WRK SLF EMPL

Item Number: 11880

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

I: Working on your own (self-employed)

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	241	10.7 %
2	SOMEWHAT:(2)	461	20.4 %
3	ACCEPTBL:(3)	785	34.8 %
4	DESIRBL:(4)	720	31.9 %
	Missing Data		
-9	MISSING:(-9)	49	2.2 %
	Total	**2,256**	**100%**

Based upon 2,207 valid cases out of 2,256 total cases.

Location: 81-82 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5233: 175A06 :ENUF$,NT WNT WRK

Item Number: 08100

If you were to get enough money to live as comfortably as you'd like for the rest of your life, would you want to work?

1="I would want to work" 2="I would not want to work"

Value	Label	Unweighted Frequency	%
1	WORK:(1)	1687	74.8 %
2	NOT WORK:(2)	498	22.1 %
	Missing Data		
-9	MISSING:(-9)	71	3.1 %
	Total	**2,256**	**100%**

Based upon 2,185 valid cases out of 2,256 total cases.

Location: 83-84 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5234: 175A07A:RCL CNTCT SCHOOL

Item Number: 11890

The next questions are about race relations. How much have you gotten to know people of other races . . .

A: . . . In school?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	103	4.6 %
2	LITTLE:(2)	387	17.2 %
3	SOME:(3)	592	26.2 %
4	A LOT:(4)	1096	48.6 %
8	NOT APPL:(8)	35	1.6 %
	Missing Data		
-9	MISSING:(-9)	43	1.9 %
	Total	**2,256**	**100%**

Based upon 2,213 valid cases out of 2,256 total cases.

Location: 85-86 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5235: 175A07B:RCL CNTCT NGHBHD

Item Number: 11900

The next questions are about race relations. How much have

you gotten to know people of other races . . .

B: . . . In your neighborhood?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	658	29.2 %
2	LITTLE:(2)	628	27.8 %
3	SOME:(3)	473	21.0 %
4	A LOT:(4)	345	15.3 %
8	NOT APPL:(8)	102	4.5 %
	Missing Data		
-9	MISSING:(-9)	50	2.2 %
	Total	**2,256**	**100%**

Based upon 2,206 valid cases out of 2,256 total cases.

Location: 87-88 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5236: 175A07C:RCL CNTCT CHURCH

Item Number: 11910

The next questions are about race relations. How much have you gotten to know people of other races . . .

C: . . . In church?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	549	24.3 %
2	LITTLE:(2)	446	19.8 %
3	SOME:(3)	329	14.6 %
4	A LOT:(4)	242	10.7 %
8	NOT APPL:(8)	626	27.7 %
	Missing Data		
-9	MISSING:(-9)	64	2.8 %
	Total	**2,256**	**100%**

Based upon 2,192 valid cases out of 2,256 total cases.

Location: 89-90 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5237: 175A07D:RCL CNTCT SPORTS

Item Number: 11920

The next questions are about race relations. How much have you gotten to know people of other races . . .

D: . . . On sports teams?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	260	11.5 %
2	LITTLE:(2)	293	13.0 %
3	SOME:(3)	481	21.3 %
4	A LOT:(4)	725	32.1 %
8	NOT APPL:(8)	448	19.9 %
	Missing Data		
-9	MISSING:(-9)	49	2.2 %
	Total	**2,256**	**100%**

Based upon 2,207 valid cases out of 2,256 total cases.

Location: 91-92 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5238: 175A07E:RCL CNTCT CLUBS

Item Number: 11930

The next questions are about race relations. How much have you gotten to know people of other races . . .

E: . . . In clubs?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	408	18.1 %
2	LITTLE:(2)	362	16.0 %
3	SOME:(3)	458	20.3 %
4	A LOT:(4)	468	20.7 %
8	NOT APPL:(8)	508	22.5 %
	Missing Data		
-9	MISSING:(-9)	52	2.3 %
	Total	**2,256**	**100%**

Based upon 2,204 valid cases out of 2,256 total cases.

Location: 93-94 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5239: 175A07F:RCL CNTCT JOB

Item Number: 11940

The next questions are about race relations. How much have you gotten to know people of other races . . .

F: . . . On a job?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	237	10.5 %
2	LITTLE:(2)	338	15.0 %
3	SOME:(3)	497	22.0 %
4	A LOT:(4)	708	31.4 %
8	NOT APPL:(8)	429	19.0 %
	Missing Data		
-9	MISSING:(-9)	47	2.1 %
	Total	**2,256**	**100%**

Based upon 2,209 valid cases out of 2,256 total cases.

Location: 95-96 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5240: 175A08 :B/W RLTNS WRSE

Item Number: 11950

Thinking about the country as a whole, would you say relations between white people and black people have been getting better, getting worse, or staying pretty much the same?

1="Better" 2="A little better" 3="Same" 4="A little worse" 5="Worse"

Value	Label	Unweighted Frequency	%
1	BETTER:(1)	260	11.5 %
2	LTL BTR:(2)	612	27.1 %
3	SAME:(3)	517	22.9 %
4	LTL WRS:(4)	486	21.5 %
5	WORSE:(5)	325	14.4 %
	Missing Data		
-9	MISSING:(-9)	56	2.5 %
	Total	**2,256**	**100%**

Based upon 2,200 valid cases out of 2,256 total cases.

Location: 97-98 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5241: 175A09 :DNT HV DRVR LCNS

Item Number: 11960

The next questions are about driving. Do you have a driver's license?

1="Yes" 2="No, but I soon will--GO TO TOP OF NEXT COLUMN" 3="No--GO TO TOP OF NEXT COLUMN"

Value	Label	Unweighted Frequency	%
1	YES:(1)	1434	63.6 %
2	SOON:(2)	451	20.0 %
3	NO:(3)	127	5.6 %
	Missing Data		
-9	MISSING:(-9)	244	10.8 %
	Total	**2,256**	**100%**

Based upon 2,012 valid cases out of 2,256 total cases.

Location: 99-100 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V5242: 175A10 :DONT OWN CAR

Item Number: 11970

Do you own a car?

1="Yes" 2="No, but I expect to own one in another year or two"
3="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	1092	48.4 %
2	EXPECT:(2)	223	9.9 %
3	NO:(3)	124	5.5 %
	Missing Data		
-9	MISSING:(-9)	817	36.2 %
	Total	**2,256**	**100%**

Based upon 1,439 valid cases out of 2,256 total cases.

Location: 101-102 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5243: 175A11 :NEVR USE OTHS CR

Item Number: 11980

Are you able to use someone else's car when you want to?

1="Yes, whenever I wish" 2="Yes, most of the time"
3="Sometimes" 4="Rarely" 5="Never"

Value	Label	Unweighted Frequency	%
1	YES WHNVR:(1)	415	18.4 %
2	MOST TIME:(2)	587	26.0 %
3	SOME TIME:(3)	280	12.4 %
4	RARELY:(4)	103	4.6 %
5	NEVER:(5)	50	2.2 %
	Missing Data		
-9	MISSING:(-9)	821	36.4 %
	Total	**2,256**	**100%**

Based upon 1,435 valid cases out of 2,256 total cases.

Location: 103-104 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5244: 175A12 :R CUT DRIVING

Item Number: 11990

Do you make an effort to cut down on driving, in order to save gasoline?

1="Not at all" 2="Not very much" 3="Yes, to some extent" 4="Yes, quite a bit" 8="Don't know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	324	14.4 %
2	NOT VMCH:(2)	447	19.8 %
3	YES SOME:(3)	499	22.1 %
4	YES QUITE:(4)	122	5.4 %
8	DK:(8)	44	2.0 %
	Missing Data		
-9	MISSING:(-9)	820	36.3 %
	Total	**2,256**	**100%**

Based upon 1,436 valid cases out of 2,256 total cases.

Location: 105-106 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5245: 175A13 :R CUT ELECTRICTY

Item Number: 12000

Do you make an effort to cut down on the amount of electricity you use, in order to save energy?

1="Not at all" 2="Not very much" 3="Yes, to some extent" 4="Yes, quite a bit" 8="Don't know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	312	13.8 %
2	NOT VMCH:(2)	650	28.8 %
3	YES SOME:(3)	845	37.5 %

Value	Label	Unweighted Frequency	%
4	YES QUITE:(4)	277	12.3 %
8	DK:(8)	124	5.5 %
	Missing Data		
-9	MISSING:(-9)	48	2.1 %
	Total	**2,256**	**100%**

Based upon 2,208 valid cases out of 2,256 total cases.

Location: 107-108 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5246: 175A14 :RDCE HEAT Rs HM

Item Number: 12010

In the house or apartment where you live, is an effort made to reduce heat during the winter, in order to save energy?

1="Not at all" 2="Not very much" 3="Yes, to some extent" 4="Yes, quite a bit" 8="Don't know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	350	15.5 %
2	NOT VMCH:(2)	590	26.2 %
3	YES SOME:(3)	688	30.5 %
4	YES QUITE:(4)	340	15.1 %
8	DK:(8)	243	10.8 %
	Missing Data		
-9	MISSING:(-9)	45	2.0 %
	Total	**2,256**	**100%**

Based upon 2,211 valid cases out of 2,256 total cases.

Location: 109-110 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5247: 175A15A:ENJOY SHOPPING

Item Number: 12020

How do you feel about each of the following?

A: How much do you enjoy shopping for things like clothes,

music, videos, sporting goods, and books?

1="Not At All" 2="Not Very Much" 3="Pretty Much" 4="Very Much"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	88	3.9 %
2	NOT VMCH:(2)	309	13.7 %
3	PRTY MCH:(3)	759	33.6 %
4	VERY MCH:(4)	1046	46.4 %
	Missing Data		
-9	MISSING:(-9)	54	2.4 %
	Total	**2,256**	**100%**

Based upon 2,202 valid cases out of 2,256 total cases.

Location: 111-112 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5248: 175A15B:CARE LATST FASHN

Item Number: 12030

How do you feel about each of the following?

B: How much do you care about having the latest fashion in your clothes, music, videos, leisure activities, and so on?

1="Not At All" 2="Not Very Much" 3="Pretty Much" 4="Very Much"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	400	17.7 %
2	NOT VMCH:(2)	870	38.6 %
3	PRTY MCH:(3)	627	27.8 %
4	VERY MCH:(4)	302	13.4 %
	Missing Data		
-9	MISSING:(-9)	57	2.5 %
	Total	**2,256**	**100%**

Based upon 2,199 valid cases out of 2,256 total cases.

Location: 113-114 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5249: 175A15C:CR FAM HV NBR HV

Item Number: 12040

How do you feel about each of the following?

C: How much do you care about whether your family has most of the things your friends and neighbors have?

1="Not At All" 2="Not Very Much" 3="Pretty Much" 4="Very Much"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	892	39.5 %
2	NOT VMCH:(2)	924	41.0 %
3	PRTY MCH:(3)	264	11.7 %
4	VERY MCH:(4)	111	4.9 %
	Missing Data		
-9	MISSING:(-9)	65	2.9 %
	Total	**2,256**	**100%**

Based upon 2,191 valid cases out of 2,256 total cases.

Location: 115-116 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5250: 175A16 :XPCT 2 OWN>PRNTS

Item Number: 12050

When you are older, do you expect to own more possessions than your parents do now, or about the same, or less?
I expect to own . . . ?

1="Much less than my parents" 2="Somewhat less than my parents" 3="About as much as my parents" 4="Somewhat more than my parents" 5="Much more than my parents"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	72	3.2 %
2	SMWT LESS:(2)	208	9.2 %
3	ABT AS MCH:(3)	678	30.1 %
4	SMWT MORE:(4)	765	33.9 %
5	MCH MORE:(5)	481	21.3 %
	Missing Data		
-9	MISSING:(-9)	52	2.3 %
	Total	**2,256**	**100%**

Based upon 2,204 valid cases out of 2,256 total cases.

Location: 117-118 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5251: 175A17 :LST CNT OWN>PRNT

Item Number: 12060

Compared with your parents, what is the smallest amount that you could be content or satisfied to own? The least I could be content to own is . . . ?

1="Much less than my parents" 2="Somewhat less than my parents" 3="About as much as my parents" 4="Somewhat more than my parents" 5="Much more than my parents"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	276	12.2 %
2	SMWT LESS:(2)	557	24.7 %
3	ABT AS MCH:(3)	862	38.2 %
4	SMWT MORE:(4)	331	14.7 %
5	MCH MORE:(5)	164	7.3 %
	Missing Data		
-9	MISSING:(-9)	66	2.9 %
	Total	**2,256**	**100%**

Based upon 2,190 valid cases out of 2,256 total cases.

Location: 119-120 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5252: 175A18A:WRRY ABT OW CTRY

Item Number: 12070

These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A: We ought to worry about our own country and let the rest of the world take care of itself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	370	16.4 %
2	MOST DIS:(2)	523	23.2 %
3	NEITHER:(3)	502	22.3 %
4	MOST AGR:(4)	519	23.0 %
5	AGREE:(5)	285	12.6 %
	Missing Data		
-9	MISSING:(-9)	57	2.5 %
	Total	**2,256**	**100%**

Based upon 2,199 valid cases out of 2,256 total cases.

Location: 121-122 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5253: 175A18B:BTTR IF CTZ WRLD

Item Number: 12080

How much do you agree or disagree with each statement below?

B: It would be better if we all felt more like citizens of
the world than of any particular country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	221	9.8 %
2	MOST DIS:(2)	238	10.5 %
3	NEITHER:(3)	595	26.4 %
4	MOST AGR:(4)	597	26.5 %
5	AGREE:(5)	543	24.1 %
	Missing Data		
-9	MISSING:(-9)	62	2.7 %
	Total	**2,256**	**100%**

Based upon 2,194 valid cases out of 2,256 total cases.

Location: 123-124 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5254: 175A18C:-SYMP TWD STARVG

Item Number: 12090

How much do you agree or disagree with each statement below?

C: I find it hard to be sympathetic toward starving people in foreign lands, when there is so much trouble in our own country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	874	38.7 %
2	MOST DIS:(2)	503	22.3 %
3	NEITHER:(3)	435	19.3 %
4	MOST AGR:(4)	236	10.5 %
5	AGREE:(5)	144	6.4 %
	Missing Data		
-9	MISSING:(-9)	64	2.8 %
	Total	**2,256**	**100%**

Based upon 2,192 valid cases out of 2,256 total cases.

Location: 125-126 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5255: 175A18D:MNRTY NT MY BSNS

Item Number: 12100

How much do you agree or disagree with each statement below?

D: Maybe some minority groups do get unfair treatment, but that's no business of mine

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	944	41.8 %
2	MOST DIS:(2)	490	21.7 %
3	NEITHER:(3)	467	20.7 %
4	MOST AGR:(4)	158	7.0 %
5	AGREE:(5)	129	5.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	68	3.0 %
	Total	**2,256**	**100%**

Based upon 2,188 valid cases out of 2,256 total cases.

Location: 127-128 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5256: 175A18E:UPST PL TR -FAIR

Item Number: 12110

How much do you agree or disagree with each statement below?

E: I get very upset when I see other people treated unfairly

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	65	2.9 %
2	MOST DIS:(2)	89	3.9 %
3	NEITHER:(3)	227	10.1 %
4	MOST AGR:(4)	624	27.7 %
5	AGREE:(5)	1187	52.6 %
	Missing Data		
-9	MISSING:(-9)	64	2.8 %
	Total	**2,256**	**100%**

Based upon 2,192 valid cases out of 2,256 total cases.

Location: 129-130 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5257: 175A18F:HELP POOR W MY $

Item Number: 12120

How much do you agree or disagree with each statement below?

F: I would agree to a good plan to make a better life for the
poor, even if it cost me money

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	118	5.2 %
2	MOST DIS:(2)	168	7.4 %
3	NEITHER:(3)	523	23.2 %
4	MOST AGR:(4)	756	33.5 %
5	AGREE:(5)	623	27.6 %
	Missing Data		
-9	MISSING:(-9)	68	3.0 %
	Total	**2,256**	**100%**

Based upon 2,188 valid cases out of 2,256 total cases.

Location: 131-132 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5258: 175A18G:-MY PRB OT ND HP

Item Number: 12130

How much do you agree or disagree with each statement below?

G: It's not really my problem if others are in trouble and need help

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	864	38.3 %
2	MOST DIS:(2)	691	30.6 %
3	NEITHER:(3)	415	18.4 %
4	MOST AGR:(4)	142	6.3 %
5	AGREE:(5)	71	3.1 %
	Missing Data		
-9	MISSING:(-9)	73	3.2 %
	Total	**2,256**	**100%**

Based upon 2,183 valid cases out of 2,256 total cases.

Location: 133-134 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5259: 175A18H:RB CHNG ETG HABT

Item Number: 12140

How much do you agree or disagree with each statement below?

H: Americans could change their eating habits to provide more food for the hungry people in other parts of the world, and at the same time be healthier themselves

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	121	5.4 %
2	MOST DIS:(2)	167	7.4 %
3	NEITHER:(3)	492	21.8 %
4	MOST AGR:(4)	694	30.8 %
5	AGREE:(5)	712	31.6 %
	Missing Data		
-9	MISSING:(-9)	70	3.1 %
	Total	**2,256**	**100%**

Based upon 2,186 valid cases out of 2,256 total cases.

Location: 135-136 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5260: 175A18I:FAM BUYS THG -ND

Item Number: 10060

How much do you agree or disagree with each statement below?

I: My family and I often buy things we really don't need; we could get along with much less

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	173	7.7 %
2	MOST DIS:(2)	244	10.8 %

Value	Label	Unweighted Frequency	%
3	NEITHER:(3)	410	18.2 %
4	MOST AGR:(4)	488	21.6 %
5	AGREE:(5)	289	12.8 %
	Missing Data		
-9	MISSING:(-9)	652	28.9 %
	Total	**2,256**	**100%**

Based upon 1,604 valid cases out of 2,256 total cases.

Location: 137-138 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5261: 175A18J:FULLR LVS IF MRY

Item Number: 12150

How much do you agree or disagree with each statement below?

J: Most people will have fuller and happier lives if they choose legal marriage rather than staying single, or just living with someone

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	360	16.0 %
2	MOST DIS:(2)	218	9.7 %
3	NEITHER:(3)	602	26.7 %
4	MOST AGR:(4)	243	10.8 %
5	AGREE:(5)	180	8.0 %
	Missing Data		
-9	MISSING:(-9)	653	28.9 %
	Total	**2,256**	**100%**

Based upon 1,603 valid cases out of 2,256 total cases.

Location: 139-140 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5262: 175A18K:ENCRG = INDP DT/SN

Item Number: 12160

How much do you agree or disagree with each statement below?

K: Parents should encourage just as much independence in their daughters as in their sons

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	57	2.5 %
2	MOST DIS:(2)	73	3.2 %
3	NEITHER:(3)	301	13.3 %
4	MOST AGR:(4)	470	20.8 %
5	AGREE:(5)	1278	56.6 %
	Missing Data		
-9	MISSING:(-9)	77	3.4 %
	Total	**2,256**	**100%**

Based upon 2,179 valid cases out of 2,256 total cases.

Location: 141-142 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5263: 175A18L:BNG MOTH V FULFL

Item Number: 12170

How much do you agree or disagree with each statement below?

L: Being a mother and raising children is one of the most fulfilling experiences a woman can have

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	186	8.2 %
2	MOST DIS:(2)	146	6.5 %
3	NEITHER:(3)	729	32.3 %
4	MOST AGR:(4)	580	25.7 %
5	AGREE:(5)	526	23.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	89	3.9 %
	Total	**2,256**	**100%**

Based upon 2,167 valid cases out of 2,256 total cases.

Location: 143-144 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5264: 175A18M:FTHR>TIME W CHLD

Item Number: 12180

How much do you agree or disagree with each statement below?

M: Most fathers should spend more time with their children than they do now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	44	2.0 %
2	MOST DIS:(2)	65	2.9 %
3	NEITHER:(3)	623	27.6 %
4	MOST AGR:(4)	714	31.6 %
5	AGREE:(5)	721	32.0 %
	Missing Data		
-9	MISSING:(-9)	89	3.9 %
	Total	**2,256**	**100%**

Based upon 2,167 valid cases out of 2,256 total cases.

Location: 145-146 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5265: 175A18N:HSB MAK IMP DCSN

Item Number: 12190

How much do you agree or disagree with each statement below?

N: The husband should make all the important decisions in the family

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	745	33.0 %
2	MOST DIS:(2)	294	13.0 %
3	NEITHER:(3)	350	15.5 %
4	MOST AGR:(4)	123	5.5 %
5	AGREE:(5)	80	3.5 %
	Missing Data		
-9	MISSING:(-9)	664	29.4 %
	Total	**2,256**	**100%**

Based upon 1,592 valid cases out of 2,256 total cases.

Location: 147-148 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5266: 175A19 :INTEREST IN GOVT

Item Number: 06330

Some people think about what's going on in government very often, and others are not that interested. How much of an interest do you take in government and current events?

1="No interest at all" 2="Very little interest" 3="Some interest" 4="A lot of interest" 5="A very great interest"

Value	Label	Unweighted Frequency	%
1	NO INTRST:(1)	222	9.8 %
2	VRY LITTLE:(2)	411	18.2 %
3	SOME:(3)	881	39.1 %
4	A LOT:(4)	431	19.1 %
5	VRY GRT:(5)	240	10.6 %
	Missing Data		
-9	MISSING:(-9)	71	3.1 %
	Total	**2,256**	**100%**

Based upon 2,185 valid cases out of 2,256 total cases.

Location: 149-150 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V5267: 175A20A:CTB TO UNTD FUND

Item Number: 12200

If you have at least an average income in the future, how likely is it that you will contribute money to the following organizations? If you have already contributed, mark the last circle only. Are you likely to contribute to . . .

A: . . . The United Fund or other community charities?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

Value	Label	Unweighted Frequency	%
1	DEF NOT:(1)	178	7.9 %
2	PROB NOT:(2)	314	13.9 %
3	DK:(3)	1004	44.5 %
4	PROB WILL:(4)	487	21.6 %
5	DEF WILL:(5)	136	6.0 %
6	ALRDY HAV:(6)	45	2.0 %
	Missing Data		
-9	MISSING:(-9)	92	4.1 %
	Total	**2,256**	**100%**

Based upon 2,164 valid cases out of 2,256 total cases.

Location: 151-152 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5268: 175A20B:CTB TO INTL RELF

Item Number: 12210

Are you likely to contribute to . . .

B: . . . International relief organizations (CARE, UNICEF, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

Value	Label	Unweighted Frequency	%
1	DEF NOT:(1)	171	7.6 %

Value	Label	Unweighted Frequency	%
2	PROB NOT:(2)	317	14.1 %
3	DK:(3)	870	38.6 %
4	PROB WILL:(4)	559	24.8 %
5	DEF WILL:(5)	174	7.7 %
6	ALRDY HAV:(6)	67	3.0 %
	Missing Data		
-9	MISSING:(-9)	98	4.3 %
	Total	**2,256**	**100%**

Based upon 2,158 valid cases out of 2,256 total cases.

Location: 153-154 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5269: 175A20C:CTB TO MNRTY GRP

Item Number: 12220

Are you likely to contribute to . . .

C: . . . Minority group organizations (NAACP, SCLC, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

Value	Label	Unweighted Frequency	%
1	DEF NOT:(1)	230	10.2 %
2	PROB NOT:(2)	389	17.2 %
3	DK:(3)	907	40.2 %
4	PROB WILL:(4)	406	18.0 %
5	DEF WILL:(5)	175	7.8 %
6	ALRDY HAV:(6)	41	1.8 %
	Missing Data		
-9	MISSING:(-9)	108	4.8 %
	Total	**2,256**	**100%**

Based upon 2,148 valid cases out of 2,256 total cases.

Location: 155-156 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5270: 175A20D:CTB TO RELGS ORG

Item Number: 12230

Are you likely to contribute to . . .

D: . . . Church or religious organizations?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

Value	Label	Unweighted Frequency	%
1	DEF NOT:(1)	370	16.4 %
2	PROB NOT:(2)	313	13.9 %
3	DK:(3)	478	21.2 %
4	PROB WILL:(4)	449	19.9 %
5	DEF WILL:(5)	259	11.5 %
6	ALRDY HAV:(6)	284	12.6 %
	Missing Data		
-9	MISSING:(-9)	103	4.6 %
	Total	**2,256**	**100%**

Based upon 2,153 valid cases out of 2,256 total cases.

Location: 157-158 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5271: 175A20E:CTB TO PLTCL PTY

Item Number: 12240

Are you likely to contribute to . . .

E: . . . Political parties or organizations?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

Value	Label	Unweighted Frequency	%
1	DEF NOT:(1)	518	23.0 %
2	PROB NOT:(2)	604	26.8 %
3	DK:(3)	705	31.2 %
4	PROB WILL:(4)	208	9.2 %
5	DEF WILL:(5)	76	3.4 %
6	ALRDY HAV:(6)	41	1.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	104	4.6 %
	Total	**2,256**	**100%**

Based upon 2,152 valid cases out of 2,256 total cases.

Location: 159-160 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5272: 175A20F:CTB TO CTZN LBBY

Item Number: 12250

Are you likely to contribute to . . .

F: . . . Citizen lobbies (Common Cause, Public Citizen, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

Value	Label	Unweighted Frequency	%
1	DEF NOT:(1)	314	13.9 %
2	PROB NOT:(2)	485	21.5 %
3	DK:(3)	1017	45.1 %
4	PROB WILL:(4)	242	10.7 %
5	DEF WILL:(5)	65	2.9 %
6	ALRDY HAV:(6)	24	1.1 %
	Missing Data		
-9	MISSING:(-9)	109	4.8 %
	Total	**2,256**	**100%**

Based upon 2,147 valid cases out of 2,256 total cases.

Location: 161-162 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5273: 175A20G:CTB TO VS DISEAS

Item Number: 12260

Are you likely to contribute to . . .

G: . . . Charities to help fight diseases (cancer, heart disease, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

Value	Label	Unweighted Frequency	%
1	DEF NOT:(1)	101	4.5 %
2	PROB NOT:(2)	147	6.5 %
3	DK:(3)	431	19.1 %
4	PROB WILL:(4)	682	30.2 %
5	DEF WILL:(5)	598	26.5 %
6	ALRDY HAV:(6)	203	9.0 %
	Missing Data		
-9	MISSING:(-9)	94	4.2 %
	Total	**2,256**	**100%**

Based upon 2,162 valid cases out of 2,256 total cases.

Location: 163-164 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5274: 175A20H:CTB TO POP PRBMS

Item Number: 12270

Are you likely to contribute to . . .

H: . . . Organizations concerned with population problems (Planned Parenthood, ZPG, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

Value	Label	Unweighted Frequency	%
1	DEF NOT:(1)	329	14.6 %
2	PROB NOT:(2)	363	16.1 %
3	DK:(3)	775	34.4 %
4	PROB WILL:(4)	371	16.4 %
5	DEF WILL:(5)	263	11.7 %
6	ALRDY HAV:(6)	62	2.7 %
	Missing Data		
-9	MISSING:(-9)	93	4.1 %
	Total	**2,256**	**100%**

Based upon 2,163 valid cases out of 2,256 total cases.

Location: 165-166 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V5275: 175A20I:CTB TO ENVIR PBM

Item Number: 12280

Are you likely to contribute to . . .

I: . . . Organizations concerned with environmental problems (Sierra Club, Friends of the Earth, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

Value	Label	Unweighted Frequency	%
1	DEF NOT:(1)	214	9.5 %
2	PROB NOT:(2)	320	14.2 %
3	DK:(3)	765	33.9 %
4	PROB WILL:(4)	467	20.7 %
5	DEF WILL:(5)	321	14.2 %
6	ALRDY HAV:(6)	70	3.1 %
	Missing Data		
-9	MISSING:(-9)	99	4.4 %
	Total	**2,256**	**100%**

Based upon 2,157 valid cases out of 2,256 total cases.

Location: 167-168 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5503: 175A23A:OFTN EAT BRKFST

Item Number: 20740

How often do you . . .

A: . . . Eat breakfast?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	160	7.1 %
2	SELDOM:(2)	411	18.2 %

Value	Label	Unweighted Frequency	%
3	SOMETIME:(3)	549	24.3 %
4	MST DAYS:(4)	331	14.7 %
5	NR EV DA:(5)	269	11.9 %
6	EVERYDAY:(6)	483	21.4 %
	Missing Data		
-9	MISSING:(-9)	53	2.3 %
	Total	**2,256**	**100%**

Based upon 2,203 valid cases out of 2,256 total cases.

Location: 169-170 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5504: 175A23B:OFTN EAT GN VEG

Item Number: 20750

How often do you . . .

B: . . . Eat at least some green vegetables?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	86	3.8 %
2	SELDOM:(2)	199	8.8 %
3	SOMETIME:(3)	527	23.4 %
4	MST DAYS:(4)	577	25.6 %
5	NR EV DA:(5)	410	18.2 %
6	EVERYDAY:(6)	401	17.8 %
	Missing Data		
-9	MISSING:(-9)	56	2.5 %
	Total	**2,256**	**100%**

Based upon 2,200 valid cases out of 2,256 total cases.

Location: 171-172 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5505: 175A23C:OFTN EAT FRUIT

Item Number: 20760

How often do you . . .

C: . . . Eat at least some fruit?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	33	1.5 %
2	SELDOM:(2)	92	4.1 %
3	SOMETIME:(3)	475	21.1 %
4	MST DAYS:(4)	584	25.9 %
5	NR EV DA:(5)	454	20.1 %
6	EVERYDAY:(6)	552	24.5 %
	Missing Data		
-9	MISSING:(-9)	66	2.9 %
	Total	**2,256**	**100%**

Based upon 2,190 valid cases out of 2,256 total cases.

Location: 173-174 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5506: 175A23D:OFTN EXERCISE

Item Number: 20770

How often do you . . .

D: . . . Exercise vigorously (jogging, swimming, calisthenics, or any other active sports)?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	132	5.9 %
2	SELDOM:(2)	368	16.3 %
3	SOMETIME:(3)	532	23.6 %
4	MST DAYS:(4)	399	17.7 %
5	NR EV DA:(5)	358	15.9 %
6	EVERYDAY:(6)	412	18.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	55	2.4 %
	Total	**2,256**	**100%**

Based upon 2,201 valid cases out of 2,256 total cases.

Location: 175-176 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5507: 175A23E:OFTN 7HRS SLEEP

Item Number: 20780

How often do you . . .

E: . . . Get at least seven hours of sleep?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	172	7.6 %
2	SELDOM:(2)	441	19.5 %
3	SOMETIME:(3)	579	25.7 %
4	MST DAYS:(4)	489	21.7 %
5	NR EV DA:(5)	283	12.5 %
6	EVERYDAY:(6)	232	10.3 %
	Missing Data		
-9	MISSING:(-9)	60	2.7 %
	Total	**2,256**	**100%**

Based upon 2,196 valid cases out of 2,256 total cases.

Location: 177-178 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5508: 175A23F:OFTN SLEEP<SHLD

Item Number: 20790

How often do you . . .

F: . . . Get less sleep than you think you should?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	110	4.9 %
2	SELDOM:(2)	233	10.3 %
3	SOMETIME:(3)	518	23.0 %
4	MST DAYS:(4)	455	20.2 %
5	NR EV DA:(5)	409	18.1 %
6	EVERYDAY:(6)	466	20.7 %
	Missing Data		
-9	MISSING:(-9)	65	2.9 %
	Total	**2,256**	**100%**

Based upon 2,191 valid cases out of 2,256 total cases.

Location: 179-180 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5277: 175A24A:DSCM WN COLLG ED

Item Number: 12290

These questions are about whether you think women are discriminated against in each of the following areas.
To what extent are women discriminated against . . .

A: . . . In getting a college education?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	594	26.3 %
2	VRY LITL:(2)	465	20.6 %
3	SOME:(3)	476	21.1 %
4	GOOD DEAL:(4)	184	8.2 %
5	GREAT DL:(5)	107	4.7 %
8	DK:(8)	344	15.2 %
	Missing Data		
-9	MISSING:(-9)	86	3.8 %
	Total	**2,256**	**100%**

Based upon 2,170 valid cases out of 2,256 total cases.

Location: 181-182 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5278: 175A24B:DSCM WN LDRSHP

Item Number: 12300

To what extent are women discriminated against . . .

B: . . . In gaining positions of leadership over men and women?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	218	9.7 %
2	VRY LITL:(2)	183	8.1 %
3	SOME:(3)	501	22.2 %
4	GOOD DEAL:(4)	533	23.6 %
5	GREAT DL:(5)	467	20.7 %
8	DK:(8)	268	11.9 %
	Missing Data		
-9	MISSING:(-9)	86	3.8 %
	Total	**2,256**	**100%**

Based upon 2,170 valid cases out of 2,256 total cases.

Location: 183-184 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5279: 175A24C:DSCM WN EXEC/BSN

Item Number: 12310

To what extent are women discriminated against . . .

C: . . . In obtaining executive positions in business?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	242	10.7 %
2	VRY LITL:(2)	184	8.2 %
3	SOME:(3)	495	21.9 %
4	GOOD DEAL:(4)	490	21.7 %
5	GREAT DL:(5)	431	19.1 %
8	DK:(8)	323	14.3 %
	Missing Data		
-9	MISSING:(-9)	91	4.0 %
	Total	**2,256**	**100%**

Based upon 2,165 valid cases out of 2,256 total cases.

Location: 185-186 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5280: 175A24D:DSCM WN TOP/PRFN

Item Number: 12320

To what extent are women discriminated against . . .

D: . . . In obtaining top jobs in the professions?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	283	12.5 %
2	VRY LITL:(2)	225	10.0 %
3	SOME:(3)	456	20.2 %
4	GOOD DEAL:(4)	462	20.5 %
5	GREAT DL:(5)	423	18.8 %
8	DK:(8)	311	13.8 %
	Missing Data		
-9	MISSING:(-9)	96	4.3 %
	Total	**2,256**	**100%**

Based upon 2,160 valid cases out of 2,256 total cases.

Location: 187-188 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5281: 175A24E:DSCM WN SKL LABR

Item Number: 12330

To what extent are women discriminated against . . .

E: . . . In getting skilled labor jobs?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	233	10.3 %
2	VRY LITL:(2)	251	11.1 %
3	SOME:(3)	490	21.7 %
4	GOOD DEAL:(4)	447	19.8 %
5	GREAT DL:(5)	358	15.9 %
8	DK:(8)	380	16.8 %
	Missing Data		
-9	MISSING:(-9)	97	4.3 %
	Total	**2,256**	**100%**

Based upon 2,159 valid cases out of 2,256 total cases.

Location: 189-190 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5282: 175A24F:DSCM WN PLTCL OF

Item Number: 12340

To what extent are women discriminated against . . .

F: . . . In getting elected to political office?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	259	11.5 %
2	VRY LITL:(2)	220	9.8 %
3	SOME:(3)	413	18.3 %
4	GOOD DEAL:(4)	427	18.9 %
5	GREAT DL:(5)	547	24.2 %

Value	Label	Unweighted Frequency	%
8	DK:(8)	297	13.2 %
	Missing Data		
-9	MISSING:(-9)	93	4.1 %
	Total	**2,256**	**100%**

Based upon 2,163 valid cases out of 2,256 total cases.

Location: 191-192 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5283: 175A24G:DSCM WN = PAY = WK

Item Number: 12350

To what extent are women discriminated against . . .

G: . . . In getting equal pay for equal work?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	318	14.1 %
2	VRY LITL:(2)	225	10.0 %
3	SOME:(3)	376	16.7 %
4	GOOD DEAL:(4)	348	15.4 %
5	GREAT DL:(5)	613	27.2 %
8	DK:(8)	278	12.3 %
	Missing Data		
-9	MISSING:(-9)	98	4.3 %
	Total	**2,256**	**100%**

Based upon 2,158 valid cases out of 2,256 total cases.

Location: 193-194 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5284: 175A25A:RSK OF CIG1+PK/D

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you

think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	132	5.9 %
2	SLIGHT:(2)	73	3.2 %
3	MOD RISK:(3)	234	10.4 %
4	GRT RISK:(4)	1656	73.4 %
5	CANT SAY:(5)	77	3.4 %
	Missing Data		
-9	MISSING:(-9)	84	3.7 %
	Total	**2,256**	**100%**

Based upon 2,172 valid cases out of 2,256 total cases.

Location: 195-196 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5285: 175A25B:RSK OF MJ 1-2 X

Item Number: 12370

How much do you think people risk harming themselves (physically or in other ways), if they . . .

B: . . . Try marijuana (pot, weed) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	1109	49.2 %
2	SLIGHT:(2)	537	23.8 %
3	MOD RISK:(3)	206	9.1 %
4	GRT RISK:(4)	239	10.6 %
5	CANT SAY:(5)	76	3.4 %
	Missing Data		
-9	MISSING:(-9)	89	3.9 %
	Total	**2,256**	**100%**

Based upon 2,167 valid cases out of 2,256 total cases.

Location: 197-198 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5286: 175A25C:RSK OF MJ OCSNLY

Item Number: 12380

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	787	34.9 %
2	SLIGHT:(2)	605	26.8 %
3	MOD RISK:(3)	410	18.2 %
4	GRT RISK:(4)	288	12.8 %
5	CANT SAY:(5)	77	3.4 %
	Missing Data		
-9	MISSING:(-9)	89	3.9 %
	Total	**2,256**	**100%**

Based upon 2,167 valid cases out of 2,256 total cases.

Location: 199-200 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5287: 175A25D:RSK OF MJ REGLY

Item Number: 12390

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	461	20.4 %
2	SLIGHT:(2)	532	23.6 %
3	MOD RISK:(3)	472	20.9 %
4	GRT RISK:(4)	617	27.3 %
5	CANT SAY:(5)	83	3.7 %
	Missing Data		
-9	MISSING:(-9)	91	4.0 %
	Total	**2,256**	**100%**

Based upon 2,165 valid cases out of 2,256 total cases.

Location: 201-202 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5288: 175A25E:RSK OF LSD 1-2 X

Item Number: 12400

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

E: . . . Try LSD once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	272	12.1 %
2	SLIGHT:(2)	414	18.4 %
3	MOD RISK:(3)	495	21.9 %
4	GRT RISK:(4)	645	28.6 %
5	CANT SAY:(5)	337	14.9 %
	Missing Data		
-9	MISSING:(-9)	93	4.1 %
	Total	**2,256**	**100%**

Based upon 2,163 valid cases out of 2,256 total cases.

Location: 203-204 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5289: 175A25F:RSK OF LSD REGLY

Item Number: 12410

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

F: . . . Take LSD regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	149	6.6 %
2	SLIGHT:(2)	92	4.1 %
3	MOD RISK:(3)	322	14.3 %
4	GRT RISK:(4)	1255	55.6 %
5	CANT SAY:(5)	337	14.9 %
	Missing Data		
-9	MISSING:(-9)	101	4.5 %
	Total	**2,256**	**100%**

Based upon 2,155 valid cases out of 2,256 total cases.

Location: 205-206 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5290: 175A25G:RSK OF H 1-2 X

Item Number: 12420

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

G: . . . Try heroin once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	151	6.7 %
2	SLIGHT:(2)	143	6.3 %
3	MOD RISK:(3)	359	15.9 %
4	GRT RISK:(4)	1372	60.8 %
5	CANT SAY:(5)	140	6.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	91	4.0 %
	Total	**2,256**	**100%**

Based upon 2,165 valid cases out of 2,256 total cases.

Location: 207-208 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5291: 175A25H:RSK OF H OCSNL

Item Number: 12430

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

H: . . . Take heroin occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	141	6.2 %
2	SLIGHT:(2)	32	1.4 %
3	MOD RISK:(3)	204	9.0 %
4	GRT RISK:(4)	1646	73.0 %
5	CANT SAY:(5)	141	6.2 %
	Missing Data		
-9	MISSING:(-9)	92	4.1 %
	Total	**2,256**	**100%**

Based upon 2,164 valid cases out of 2,256 total cases.

Location: 209-210 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5292: 175A25I:RSK OF H REGLY

Item Number: 12440

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

I: . . . Take heroin regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	141	6.2 %
2	SLIGHT:(2)	14	0.6 %
3	MOD RISK:(3)	43	1.9 %
4	GRT RISK:(4)	1826	80.9 %
5	CANT SAY:(5)	135	6.0 %
	Missing Data		
-9	MISSING:(-9)	97	4.3 %
	Total	**2,256**	**100%**

Based upon 2,159 valid cases out of 2,256 total cases.

Location: 211-212 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5509: 175A25J:RSK SED/BRB 1-2X

Item Number: 12455

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

J: . . . Try sedatives/barbiturates (downers) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	223	9.9 %
2	SLIGHT:(2)	344	15.2 %
3	MOD RISK:(3)	471	20.9 %
4	GRT RISK:(4)	553	24.5 %
5	CANT SAY:(5)	563	25.0 %
	Missing Data		
-9	MISSING:(-9)	102	4.5 %
	Total	**2,256**	**100%**

Based upon 2,154 valid cases out of 2,256 total cases.

Location: 213-214 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5510: 175A25K:RSK SED/BRB REGY

Item Number: 12465

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

K: . . . Take sedatives/barbiturates regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	136	6.0 %
2	SLIGHT:(2)	94	4.2 %
3	MOD RISK:(3)	386	17.1 %
4	GRT RISK:(4)	968	42.9 %
5	CANT SAY:(5)	561	24.9 %
	Missing Data		
-9	MISSING:(-9)	111	4.9 %
	Total	**2,256**	**100%**

Based upon 2,145 valid cases out of 2,256 total cases.

Location: 215-216 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5295: 175A25L:RSK OF AMPH 1-2X

Item Number: 12470

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

L: . . . Try amphetamines (uppers, speed, Adderall,
Ritalin, etc.) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	281	12.5 %
2	SLIGHT:(2)	437	19.4 %
3	MOD RISK:(3)	437	19.4 %
4	GRT RISK:(4)	651	28.9 %

Value	Label	Unweighted Frequency	%
5	CANT SAY:(5)	345	15.3 %
	Missing Data		
-9	MISSING:(-9)	105	4.7 %
	Total	**2,256**	**100%**

Based upon 2,151 valid cases out of 2,256 total cases.

Location: 217-218 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5296: 175A25M:RSK OF AMPH REG

Item Number: 12480

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

M: . . . Take amphetamines regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	152	6.7 %
2	SLIGHT:(2)	148	6.6 %
3	MOD RISK:(3)	388	17.2 %
4	GRT RISK:(4)	1085	48.1 %
5	CANT SAY:(5)	370	16.4 %
	Missing Data		
-9	MISSING:(-9)	113	5.0 %
	Total	**2,256**	**100%**

Based upon 2,143 valid cases out of 2,256 total cases.

Location: 219-220 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5297: 175A25N:RSK OF COKE 1-2X

Item Number: 12490

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

N: . . . Try cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	206	9.1 %
2	SLIGHT:(2)	304	13.5 %
3	MOD RISK:(3)	449	19.9 %
4	GRT RISK:(4)	1060	47.0 %
5	CANT SAY:(5)	134	5.9 %
	Missing Data		
-9	MISSING:(-9)	103	4.6 %
	Total	**2,256**	**100%**

Based upon 2,153 valid cases out of 2,256 total cases.

Location: 221-222 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5298: 175A25O:RSK OF COKE REG

Item Number: 12500

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

O: . . . Take cocaine regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	135	6.0 %
2	SLIGHT:(2)	39	1.7 %
3	MOD RISK:(3)	197	8.7 %
4	GRT RISK:(4)	1642	72.8 %
5	CANT SAY:(5)	136	6.0 %
	Missing Data		
-9	MISSING:(-9)	107	4.7 %
	Total	**2,256**	**100%**

Based upon 2,149 valid cases out of 2,256 total cases.

Location: 223-224 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5299: 175A25P:RSK OF 1-2 DRINK

Item Number: 12510

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

P: . . . Try one or two drinks of an alcoholic beverage
(beer, wine, liquor)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	1028	45.6 %
2	SLIGHT:(2)	676	30.0 %
3	MOD RISK:(3)	184	8.2 %
4	GRT RISK:(4)	191	8.5 %
5	CANT SAY:(5)	80	3.5 %
	Missing Data		
-9	MISSING:(-9)	97	4.3 %
	Total	**2,256**	**100%**

Based upon 2,159 valid cases out of 2,256 total cases.

Location: 225-226 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5300: 175A25Q:RSK OF 1-2 DR/DA

Item Number: 12520

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

Q: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	302	13.4 %

Value	Label	Unweighted Frequency	%
2	SLIGHT:(2)	593	26.3 %
3	MOD RISK:(3)	721	32.0 %
4	GRT RISK:(4)	462	20.5 %
5	CANT SAY:(5)	78	3.5 %
	Missing Data		
-9	MISSING:(-9)	100	4.4 %
	Total	**2,256**	**100%**

Based upon 2,156 valid cases out of 2,256 total cases.

Location: 227-228 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5301: 175A25R:RSK OF 4-5 DR/DA

Item Number: 12530

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

R: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	162	7.2 %
2	SLIGHT:(2)	147	6.5 %
3	MOD RISK:(3)	464	20.6 %
4	GRT RISK:(4)	1298	57.5 %
5	CANT SAY:(5)	86	3.8 %
	Missing Data		
-9	MISSING:(-9)	99	4.4 %
	Total	**2,256**	**100%**

Based upon 2,157 valid cases out of 2,256 total cases.

Location: 229-230 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5302: 175A25S:RSK OF 5+DR/WKND

Item Number: 12540

How much do you think people risk harming themselves (physically or in other ways), if they . . .

S: . . . Have five or more drinks once or twice each weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	225	10.0 %
2	SLIGHT:(2)	291	12.9 %
3	MOD RISK:(3)	574	25.4 %
4	GRT RISK:(4)	981	43.5 %
5	CANT SAY:(5)	87	3.9 %
	Missing Data		
-9	MISSING:(-9)	98	4.3 %
	Total	**2,256**	**100%**

Based upon 2,158 valid cases out of 2,256 total cases.

Location: 231-232 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5483: 175A25T:RSK OF COKE OCSN

Item Number: 12495

How much do you think people risk harming themselves (physically or in other ways), if they . . .

T: . . . Take cocaine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	143	6.3 %
2	SLIGHT:(2)	120	5.3 %
3	MOD RISK:(3)	364	16.1 %
4	GRT RISK:(4)	1398	62.0 %
5	CANT SAY:(5)	121	5.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	110	4.9 %
	Total	**2,256**	**100%**

Based upon 2,146 valid cases out of 2,256 total cases.

Location: 233-234 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5484: 175A25U:RSK OF SMKLSS RG

Item Number: 12365

How much do you think people risk harming themselves (physically or in other ways), if they . . .

U: . . . Use smokeless tobacco regularly (chewing tobacco, plug, dipping tobacco, snuff)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	195	8.6 %
2	SLIGHT:(2)	341	15.1 %
3	MOD RISK:(3)	629	27.9 %
4	GRT RISK:(4)	842	37.3 %
5	CANT SAY:(5)	141	6.2 %
	Missing Data		
-9	MISSING:(-9)	108	4.8 %
	Total	**2,256**	**100%**

Based upon 2,148 valid cases out of 2,256 total cases.

Location: 235-236 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5569: 175A25V:RSK SML CIGAR REG

Item Number: 33690

How much do you think people risk harming themselves (physically or in other ways), if they. . .

V: . . . Smoke little cigars or cigarillos regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	199	8.8 %
2	SLIGHT:(2)	333	14.8 %
3	MOD RISK:(3)	646	28.6 %
4	GRT RISK:(4)	835	37.0 %
5	CANT SAY:(5)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	243	10.8 %
	Total	**2,256**	**100%**

Based upon 2,013 valid cases out of 2,256 total cases.

Location: 237-238 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5101: 175B01 :EVR SMK CIG,REGL

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1627	72.1 %
2	1-2X:(2)	298	13.2 %
3	OCCASNLY:(3)	147	6.5 %
4	REG PAST:(4)	43	1.9 %
5	REG NOW:(5)	68	3.0 %
	Missing Data		
-9	MISSING:(-9)	73	3.2 %
	Total	**2,256**	**100%**

Based upon 2,183 valid cases out of 2,256 total cases.

Location: 239-240 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5102: 175B02 :#CIGS SMKD/30DAY

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%
1	NT DAILY:(1)	1986	88.0 %
2	<1 CIG/D:(2)	106	4.7 %
3	1-5/DAY:(3)	49	2.2 %
4	1/2 PK:(4)	24	1.1 %
5	1 PK:(5)	10	0.4 %
6	1 1/2 PK:(6)	4	0.2 %
7	2+ PKS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	72	3.2 %
	Total	**2,256**	**100%**

Based upon 2,184 valid cases out of 2,256 total cases.

Location: 241-242 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5103: 175B03 :EVER DRINK

Item Number: 00790

Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, or any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO TOP OF NEXT COLUMN" 2="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	800	35.5 %
2	YES:(2)	1321	58.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	135	6.0 %
	Total	**2,256**	**100%**

Based upon 2,121 valid cases out of 2,256 total cases.

Location: 243-244 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5104: 175B04A:#X ALC/LIF SIPS

Item Number: 00810

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	800	35.5 %
2	1-2X:(2)	200	8.9 %
3	3-5X:(3)	236	10.5 %
4	6-9X:(4)	210	9.3 %
5	10-19X:(5)	209	9.3 %
6	20-39X:(6)	169	7.5 %
7	40+OCCAS:(7)	275	12.2 %
	Missing Data		
-9	MISSING:(-9)	157	7.0 %
	Total	**2,256**	**100%**

Based upon 2,099 valid cases out of 2,256 total cases.

Location: 245-246 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5105: 175B04B:#X ALC/ANN SIPS

Item Number: 00820

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	885	39.2 %
2	1-2X:(2)	366	16.2 %
3	3-5X:(3)	260	11.5 %
4	6-9X:(4)	191	8.5 %
5	10-19X:(5)	190	8.4 %
6	20-39X:(6)	92	4.1 %
7	40+OCCAS:(7)	104	4.6 %
	Missing Data		
-9	MISSING:(-9)	168	7.4 %
	Total	**2,256**	**100%**

Based upon 2,088 valid cases out of 2,256 total cases.

Location: 247-248 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5106: 175B04C:#X ALC/30D SIPS

Item Number: 00830

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1359	60.2 %
2	1-2X:(2)	393	17.4 %
3	3-5X:(3)	182	8.1 %
4	6-9X:(4)	76	3.4 %
5	10-19X:(5)	39	1.7 %

Value	Label	Unweighted Frequency	%
6	20-39X:(6)	15	0.7 %
7	40+OCCAS:(7)	23	1.0 %
	Missing Data		
-9	MISSING:(-9)	169	7.5 %
	Total	**2,256**	**100%**

Based upon 2,087 valid cases out of 2,256 total cases.

Location: 249-250 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5107: 175B05 :#X DRK ENF FL HI

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty drunk or high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	368	16.3 %
2	FEW OCC:(2)	359	15.9 %
3	HALF OCC:(3)	183	8.1 %
4	MOST OCC:(4)	255	11.3 %
5	NRLY ALL:(5)	165	7.3 %
	Missing Data		
-9	MISSING:(-9)	926	41.0 %
	Total	**2,256**	**100%**

Based upon 1,330 valid cases out of 2,256 total cases.

Location: 251-252 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5108: 175B06 :5+DRK ROW/LST 2W

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a glass of

wine, a bottle of beer, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above] 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1672	74.1 %
2	ONCE:(2)	171	7.6 %
3	TWICE:(3)	125	5.5 %
4	3-5X:(4)	79	3.5 %
5	6-9X:(5)	17	0.8 %
6	10+ TIME:(6)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	185	8.2 %
	Total	**2,256**	**100%**

Based upon 2,071 valid cases out of 2,256 total cases.

Location: 253-254 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5115: 175B07A:#XMJ+HS/LIFETIME

Item Number: 00860

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1176	52.1 %
2	1-2X:(2)	205	9.1 %
3	3-5X:(3)	131	5.8 %
4	6-9X:(4)	103	4.6 %
5	10-19X:(5)	119	5.3 %
6	20-39X:(6)	98	4.3 %
7	40+OCCAS:(7)	289	12.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	135	6.0 %
	Total	**2,256**	**100%**

Based upon 2,121 valid cases out of 2,256 total cases.

Location: 255-256 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5116: 175B07B:#XMJ+HS/LAST12MO

Item Number: 00870

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1326	58.8 %
2	1-2X:(2)	208	9.2 %
3	3-5X:(3)	148	6.6 %
4	6-9X:(4)	94	4.2 %
5	10-19X:(5)	81	3.6 %
6	20-39X:(6)	71	3.1 %
7	40+OCCAS:(7)	191	8.5 %
	Missing Data		
-9	MISSING:(-9)	137	6.1 %
	Total	**2,256**	**100%**

Based upon 2,119 valid cases out of 2,256 total cases.

Location: 257-258 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5117: 175B07C:#XMJ+HS/LAST30DA

Item Number: 00880

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1621	71.9 %
2	1-2X:(2)	183	8.1 %
3	3-5X:(3)	73	3.2 %
4	6-9X:(4)	53	2.3 %
5	10-19X:(5)	58	2.6 %
6	20-39X:(6)	39	1.7 %
7	40+OCCAS:(7)	92	4.1 %
	Missing Data		
-9	MISSING:(-9)	137	6.1 %
	Total	**2,256**	**100%**

Based upon 2,119 valid cases out of 2,256 total cases.

Location: 259-260 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5118: 175B08A:#X LSD/LIFETIME

Item Number: 00890

On how many occasions (if any) have you used LSD ("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2023	89.7 %
2	1-2X:(2)	75	3.3 %
3	3-5X:(3)	26	1.2 %
4	6-9X:(4)	12	0.5 %
5	10-19X:(5)	7	0.3 %

Value	Label	Unweighted Frequency	%
6	20-39X:(6)	9	0.4 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	101	4.5 %
	Total	**2,256**	**100%**

Based upon 2,155 valid cases out of 2,256 total cases.

Location: 261-262 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5119: 175B08B:#X LSD/LAST 12MO

Item Number: 00900

On how many occasions (if any) have you used LSD ("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2062	91.4 %
2	1-2X:(2)	56	2.5 %
3	3-5X:(3)	20	0.9 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	101	4.5 %
	Total	**2,256**	**100%**

Based upon 2,155 valid cases out of 2,256 total cases.

Location: 263-264 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5120: 175B08C:#X LSD/LAST 30DA

Item Number: 00910

On how many occasions (if any) have you used LSD ("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2118	93.9 %
2	1-2X:(2)	24	1.1 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	103	4.6 %
	Total	**2,256**	**100%**

Based upon 2,153 valid cases out of 2,256 total cases.

Location: 265-266 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5121: 175B09A:#X PSYD/LIFETIME

Item Number: 00920

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2035	90.2 %
2	1-2X:(2)	63	2.8 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	25	1.1 %
4	6-9X:(4)	11	0.5 %
5	10-19X:(5)	8	0.4 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	106	4.7 %
	Total	**2,256**	**100%**

Based upon 2,150 valid cases out of 2,256 total cases.

Location: 267-268 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5122: 175B09B:#X PSYD/LAST12MO

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2080	92.2 %
2	1-2X:(2)	44	2.0 %
3	3-5X:(3)	11	0.5 %
4	6-9X:(4)	8	0.4 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	105	4.7 %
	Total	**2,256**	**100%**

Based upon 2,151 valid cases out of 2,256 total cases.

Location: 269-270 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V5123: 175B09C:#X PSYD/LAST30DA

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2127	94.3 %
2	1-2X:(2)	14	0.6 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	104	4.6 %
	Total	**2,256**	**100%**

Based upon 2,152 valid cases out of 2,256 total cases.

Location: 271-272 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5124: 175B10A:#X COKE/LIFETIME

Item Number: 00950

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2049	90.8 %
2	1-2X:(2)	48	2.1 %
3	3-5X:(3)	26	1.2 %
4	6-9X:(4)	13	0.6 %
5	10-19X:(5)	10	0.4 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	101	4.5 %
	Total	**2,256**	**100%**

Based upon 2,155 valid cases out of 2,256 total cases.

Location: 273-274 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5125: 175B10B:#X COKE/LAST12MO

Item Number: 00960

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock") . . .

B: . . . during last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2083	92.3 %
2	1-2X:(2)	37	1.6 %
3	3-5X:(3)	13	0.6 %
4	6-9X:(4)	10	0.4 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	102	4.5 %
	Total	**2,256**	**100%**

Based upon 2,154 valid cases out of 2,256 total cases.

Location: 275-276 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5126: 175B10C:#X COKE/LAST30DA

Item Number: 00970

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock") . . .

C: . . . during last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2126	94.2 %
2	1-2X:(2)	14	0.6 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	104	4.6 %
	Total	**2,256**	**100%**

Based upon 2,152 valid cases out of 2,256 total cases.

Location: 277-278 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5127: 175B11A:#X AMPH/LIFETIME

Item Number: 00980

Amphetamines and other stimulant drugs are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. They do NOT include any nonprescription drugs such as over-the-counter diet pills or stay-awake pills. On how many occasions (if any) have you taken amphetamines or other prescription stimulant drugs on your own-that is, without a doctor telling you to take them...

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1939	85.9 %
2	1-2X:(2)	83	3.7 %
3	3-5X:(3)	48	2.1 %
4	6-9X:(4)	23	1.0 %
5	10-19X:(5)	28	1.2 %
6	20-39X:(6)	16	0.7 %
7	40+OCCAS:(7)	20	0.9 %
	Missing Data		
-9	MISSING:(-9)	99	4.4 %
	Total	**2,256**	**100%**

Based upon 2,157 valid cases out of 2,256 total cases.

Location: 279-280 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5128: 175B11B:#X AMPH/LAST12MO

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2018	89.5 %
2	1-2X:(2)	64	2.8 %
3	3-5X:(3)	25	1.1 %
4	6-9X:(4)	22	1.0 %
5	10-19X:(5)	14	0.6 %
6	20-39X:(6)	5	0.2 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	99	4.4 %
	Total	**2,256**	**100%**

Based upon 2,157 valid cases out of 2,256 total cases.

Location: 281-282 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5129: 175B11C:#X AMPH/LAST30DA

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2094	92.8 %
2	1-2X:(2)	35	1.6 %
3	3-5X:(3)	12	0.5 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	6	0.3 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	99	4.4 %
	Total	**2,256**	**100%**

Based upon 2,157 valid cases out of 2,256 total cases.

Location: 283-284 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5045: 175B12A:#X ICE/LIFETIME

Item Number: 24380

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2127	94.3 %
2	1-2X:(2)	16	0.7 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	98	4.3 %
	Total	**2,256**	**100%**

Based upon 2,158 valid cases out of 2,256 total cases.

Location: 285-286 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5046: 175B12B:#X ICE/LAST12MO

Item Number: 24390

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2141	94.9 %
2	1-2X:(2)	10	0.4 %
3	3-5X:(3)	2	0.1 %

Value	Label	Unweighted Frequency	%
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	99	4.4 %
	Total	**2,256**	**100%**

Based upon 2,157 valid cases out of 2,256 total cases.

Location: 287-288 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5047: 175B12C:#X ICE/LAST30DA

Item Number: 24400

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2147	95.2 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	100	4.4 %
	Total	**2,256**	**100%**

Based upon 2,156 valid cases out of 2,256 total cases.

Location: 289-290 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5133: 175B13A:#X SED/BARB/LIFE

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Ambien, Lunesta, and Sonata. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2048	90.8 %
2	1-2X:(2)	52	2.3 %
3	3-5X:(3)	15	0.7 %
4	6-9X:(4)	10	0.4 %
5	10-19X:(5)	17	0.8 %
6	20-39X:(6)	9	0.4 %
7	40+OCCAS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	100	4.4 %
	Total	**2,256**	**100%**

Based upon 2,156 valid cases out of 2,256 total cases.

Location: 291-292 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5134: 175B13B:#X SED/BARB/12MO

Item Number: 01052

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2098	93.0 %
2	1-2X:(2)	25	1.1 %
3	3-5X:(3)	12	0.5 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	8	0.4 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	103	4.6 %
	Total	**2,256**	**100%**

Based upon 2,153 valid cases out of 2,256 total cases.

Location: 293-294 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5135: 175B13C:#X SED/BARB/30DA

Item Number: 01062

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2129	94.4 %
2	1-2X:(2)	10	0.4 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	101	4.5 %

Value	Label	Unweighted Frequency	%
	Total	**2,256**	**100%**

Based upon 2,155 valid cases out of 2,256 total cases.

Location: 295-296 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5136: 175B14A:#X TRQL/LIFETIME

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1963	87.0 %
2	1-2X:(2)	91	4.0 %
3	3-5X:(3)	39	1.7 %
4	6-9X:(4)	18	0.8 %
5	10-19X:(5)	19	0.8 %
6	20-39X:(6)	11	0.5 %
7	40+OCCAS:(7)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	107	4.7 %
	Total	**2,256**	**100%**

Based upon 2,149 valid cases out of 2,256 total cases.

Location: 297-298 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5137: 175B14B:#X TRQL/LAST12MO

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2034	90.2 %
2	1-2X:(2)	61	2.7 %
3	3-5X:(3)	17	0.8 %
4	6-9X:(4)	11	0.5 %
5	10-19X:(5)	10	0.4 %
6	20-39X:(6)	6	0.3 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	114	5.1 %
	Total	**2,256**	**100%**

Based upon 2,142 valid cases out of 2,256 total cases.

Location: 299-300 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5138: 175B14C:#X TRQL/LAST30DA

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2106	93.4 %
2	1-2X:(2)	17	0.8 %
3	3-5X:(3)	7	0.3 %

Value	Label	Unweighted Frequency	%
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	114	5.1 %
	Total	**2,256**	**100%**

Based upon 2,142 valid cases out of 2,256 total cases.

Location: 301-302 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5489: 175B15A:#X H LIF USE NDL

Item Number: 29630

On how many occasions (if any) have you taken heroin using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2129	94.4 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	116	5.1 %
	Total	**2,256**	**100%**

Based upon 2,140 valid cases out of 2,256 total cases.

Location: 303-304 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5490: 175B15B:#X H 12M USE NDL

Item Number: 29640

On how many occasions (if any) have you taken heroin using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2135	94.6 %
2	1-2X:(2)	1	0.0 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	116	5.1 %
	Total	**2,256**	**100%**

Based upon 2,140 valid cases out of 2,256 total cases.

Location: 305-306 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5491: 175B15C:#X H 30D USE NDL

Item Number: 29650

On how many occasions (if any) have you taken heroin using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2137	94.7 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	0	0.0 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	115	5.1 %
	Total	**2,256**	**100%**

Based upon 2,141 valid cases out of 2,256 total cases.

Location: 307-308 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5492: 175B16A:#X H LIF W/O NDL

Item Number: 29660

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2129	94.4 %
2	1-2X:(2)	8	0.4 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	116	5.1 %
	Total	**2,256**	**100%**

Based upon 2,140 valid cases out of 2,256 total cases.

Location: 309-310 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V5493: 175B16B:#X H 12M W/O NDL

Item Number: 29670

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2138	94.8 %
2	1-2X:(2)	1	0.0 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	115	5.1 %
	Total	**2,256**	**100%**

Based upon 2,141 valid cases out of 2,256 total cases.

Location: 311-312 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5494: 175B16C:#X H 30D W/O NDL

Item Number: 29680

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2140	94.9 %
2	1-2X:(2)	0	0.0 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	113	5.0 %
	Total	**2,256**	**100%**

Based upon 2,143 valid cases out of 2,256 total cases.

Location: 313-314 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5139: 175R* :#X H/LIFETIME

Item Number: 01100

Component questions for "any heroin" measure:

"On how many occasions (if any) have you taken heroin using a needle . . .

. . . In your lifetime?" (item 29630)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . In your lifetime?" (item 29660)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2138	94.8 %
2	1-2X:(2)	8	0.4 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	100	4.4 %
	Total	**2,256**	**100%**

Based upon 2,156 valid cases out of 2,256 total cases.

Location: 315-316 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5140: 175R* :#X H/LAST12MO

Item Number: 01110

Component questions for "any heroin" measure:

"On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 12 months?" (item 29640)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 12 months?" (item 29670)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2149	95.3 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	100	4.4 %
	Total	**2,256**	**100%**

Based upon 2,156 valid cases out of 2,256 total cases.

Location: 317-318 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5141: 175R* :#X H/LAST30DAY

Item Number: 01120

Component questions for "any heroin" measure:

"On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 30 days?" (item 29650)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 30 days?" (item 29680)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2152	95.4 %
2	1-2X:(2)	0	0.0 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	99	4.4 %
	Total	**2,256**	**100%**

Based upon 2,157 valid cases out of 2,256 total cases.

Location: 319-320 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5142: 175B17A:#X NARC/LIFETIME

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1989	88.2 %
2	1-2X:(2)	63	2.8 %
3	3-5X:(3)	33	1.5 %
4	6-9X:(4)	13	0.6 %
5	10-19X:(5)	14	0.6 %
6	20-39X:(6)	13	0.6 %
7	40+OCCAS:(7)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	121	5.4 %
	Total	**2,256**	**100%**

Based upon 2,135 valid cases out of 2,256 total cases.

Location: 321-322 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5143: 175B17B:#X NARC/LAST12MO

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2043	90.6 %
2	1-2X:(2)	50	2.2 %
3	3-5X:(3)	9	0.4 %
4	6-9X:(4)	12	0.5 %
5	10-19X:(5)	13	0.6 %
6	20-39X:(6)	4	0.2 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	121	5.4 %
	Total	**2,256**	**100%**

Based upon 2,135 valid cases out of 2,256 total cases.

Location: 323-324 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5144: 175B17C:#X NARC/LAST30DA

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2100	93.1 %
2	1-2X:(2)	18	0.8 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	120	5.3 %
	Total	**2,256**	**100%**

Based upon 2,136 valid cases out of 2,256 total cases.

Location: 325-326 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5145: 175B18A:#X INHL/LIFETIME

Item Number: 01160

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2040	90.4 %
2	1-2X:(2)	50	2.2 %
3	3-5X:(3)	19	0.8 %
4	6-9X:(4)	8	0.4 %
5	10-19X:(5)	6	0.3 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	124	5.5 %
	Total	**2,256**	**100%**

Based upon 2,132 valid cases out of 2,256 total cases.

Location: 327-328 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5146: 175B18B:#X INHL/LAST12MO

Item Number: 01170

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2102	93.2 %
2	1-2X:(2)	11	0.5 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	8	0.4 %
4	6-9X:(4)	7	0.3 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	126	5.6 %
	Total	**2,256**	**100%**

Based upon 2,130 valid cases out of 2,256 total cases.

Location: 329-330 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5147: 175B18C:#X INHL/LAST30DA

Item Number: 01180

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2115	93.8 %
2	1-2X:(2)	6	0.3 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	125	5.5 %
	Total	**2,256**	**100%**

Based upon 2,131 valid cases out of 2,256 total cases.

Location: 331-332 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

RESPONDENT_AGE: 175C01(R):AGE <>18 DICHOTOMY

Item Number:

Component questions: 1) "In what year were you born?" (item and 3) date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

Value	Label	Unweighted Frequency	%
1	<18 YRS:(1)	929	41.2 %
2	18+ YRS:(2)	1236	54.8 %
	Missing Data		
-9	MISSING:(-9)	91	4.0 %
	Total	**2,256**	**100%**

Based upon 2,165 valid cases out of 2,256 total cases.

Location: 333-334 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5150: 175C03 :Rs SEX

Item Number: 00030

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%
1	MALE:(1)	1031	45.7 %
2	FEMALE:(2)	1080	47.9 %
	Missing Data		
-9	MISSING:(-9)	145	6.4 %
	Total	**2,256**	**100%**

Based upon 2,111 valid cases out of 2,256 total cases.

Location: 335-336 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5151: 175C04(R):Rs RACE B/W/H

Item Number: 00041-00049

How do you describe yourself? (Select one or more responses.) Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic..."). All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)" 3="Hispanic" [see above]

Value	Label	Unweighted Frequency	%
1	BLACK:(1)	277	12.3 %
2	WHITE:(2)	1110	49.2 %
3	HISPANIC:(3)	415	18.4 %
	Missing Data		
-9	MISSING:(-9)	454	20.1 %
	Total	**2,256**	**100%**

Based upon 1,802 valid cases out of 2,256 total cases.

Location: 337-338 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5152: 175C05 :R SPD >TIM R-URB

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

Value	Label	Unweighted Frequency	%
0	DK/MIXED:(0)	270	12.0 %
1	A FARM:(1)	88	3.9 %
2	COUNTRY:(2)	198	8.8 %
3	SM CITY:(3)	509	22.6 %
4	MED CITY:(4)	305	13.5 %
5	SUB MED:(5)	278	12.3 %
6	LGE CITY:(6)	202	9.0 %
7	SUB LGE:(7)	184	8.2 %
8	V-LGE CITY:(8)	141	6.2 %
9	SUB V-LGE:(9)	81	3.6 %
	Total	**2,256**	**100%**

Based upon 2,256 valid cases out of 2,256 total cases.

Location: 339-340 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5153: 175C06 :R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%
1	MARRIED:(1)	141	6.2 %
2	ENGAGED:(2)	53	2.3 %
3	SEP/DIV:(3)	48	2.1 %
4	SINGLE:(4)	1908	84.6 %
	Missing Data		
-9	MISSING:(-9)	106	4.7 %
	Total	**2,256**	**100%**

Based upon 2,150 valid cases out of 2,256 total cases.

Location: 341-342 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5155: 175C7Cb:Rs HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	630	27.9 %
1	MARKED:(1)	1525	67.6 %
	Missing Data		
-9	MISSING:(-9)	101	4.5 %
	Total	**2,256**	**100%**

Based upon 2,155 valid cases out of 2,256 total cases.

Location: 343-344 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5156: 175C7Cc:Rs HSHLD MOTHER

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	229	10.2 %
1	MARKED:(1)	1926	85.4 %
	Missing Data		
-9	MISSING:(-9)	101	4.5 %
	Total	**2,256**	**100%**

Based upon 2,155 valid cases out of 2,256 total cases.

Location: 345-346 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5157: 175C7Cd:Rs HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	695	30.8 %
1	MARKED:(1)	1460	64.7 %
	Missing Data		
-9	MISSING:(-9)	101	4.5 %
	Total	**2,256**	**100%**

Based upon 2,155 valid cases out of 2,256 total cases.

Location: 347-348 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V49: 175C07(R):# SIBLINGS

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more"

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more siblings".

Value	Label	Unweighted Frequency	%
0	NONE:(0)	115	5.1 %
1	ONE:(1)	601	26.6 %
2	TWO:(2)	583	25.8 %

Value	Label	Unweighted Frequency	%
3	THREE+:(3-4)	843	37.4 %
	Missing Data		
-9	MISSING:(-9)	114	5.1 %
	Total	**2,256**	**100%**

Based upon 2,142 valid cases out of 2,256 total cases.

Location: 349-350 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5163: 175C08 :FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	110	4.9 %
2	SOME HS:(2)	239	10.6 %
3	HS GRAD:(3)	533	23.6 %
4	SOME CLG:(4)	315	14.0 %
5	CLG GRAD:(5)	447	19.8 %
6	GRAD SCH:(6)	279	12.4 %
7	DK:(7)	234	10.4 %
	Missing Data		
-9	MISSING:(-9)	99	4.4 %
	Total	**2,256**	**100%**

Based upon 2,157 valid cases out of 2,256 total cases.

Location: 351-352 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5164: 175C09 :MOTHR EDUC LEVEL

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	104	4.6 %
2	SOME HS:(2)	182	8.1 %
3	HS GRAD:(3)	416	18.4 %
4	SOME CLG:(4)	400	17.7 %
5	CLG GRAD:(5)	584	25.9 %
6	GRAD SCH:(6)	351	15.6 %
7	DK:(7)	119	5.3 %
	Missing Data		
-9	MISSING:(-9)	100	4.4 %
	Total	**2,256**	**100%**

Based upon 2,156 valid cases out of 2,256 total cases.

Location: 353-354 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5165: 175C10 :MOTH PD JB R YNG

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%
1	NO:(1)	309	13.7 %
2	YES/SOME:(2)	395	17.5 %
3	YES/MOST:(3)	346	15.3 %
4	YES/NRLY ALL:(4)	1093	48.4 %
	Missing Data		
-9	MISSING:(-9)	113	5.0 %

Value	Label	Unweighted Frequency	%
	Total	**2,256**	**100%**

Based upon 2,143 valid cases out of 2,256 total cases.

Location: 355-356 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5166: 175C11 :Rs POLTL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%
1	STRG GOP:(1)	223	9.9 %
2	MILD GOP:(2)	255	11.3 %
3	MILD DEM:(3)	275	12.2 %
4	STRG DEM:(4)	296	13.1 %
5	INDEPNDT:(5)	193	8.6 %
6	NO PREF:(6)	310	13.7 %
7	OTHER:(7)	43	1.9 %
8	DK/HVNT DECID:(8)	484	21.5 %
	Missing Data		
-9	MISSING:(-9)	177	7.8 %
	Total	**2,256**	**100%**

Based upon 2,079 valid cases out of 2,256 total cases.

Location: 357-358 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5167: 175C12 :R POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of

the above, or don't know"

Value	Label	Unweighted Frequency	%
1	VRY CONS:(1)	109	4.8 %
2	CONSERV:(2)	260	11.5 %
3	MODERATE:(3)	483	21.4 %
4	LIBERAL:(4)	341	15.1 %
5	VRY LIB:(5)	151	6.7 %
6	RADICAL:(6)	34	1.5 %
8	NONE/DK:(8)	758	33.6 %
	Missing Data		
-9	MISSING:(-9)	120	5.3 %
	Total	**2,256**	**100%**

Based upon 2,136 valid cases out of 2,256 total cases.

Location: 359-360 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5169: 175C13B:R ATTND REL SVC

Item Number: 00370

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	411	18.2 %
2	RARELY:(2)	500	22.2 %
3	1-2X/MO:(3)	263	11.7 %
4	1/WK OR+:(4)	399	17.7 %
	Missing Data		
-9	MISSING:(-9)	683	30.3 %
	Total	**2,256**	**100%**

Based upon 1,573 valid cases out of 2,256 total cases.

Location: 361-362 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5170: 175C13C:RLGN IMP Rs LF

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	448	19.9 %
2	LITL IMP:(2)	370	16.4 %
3	PRTY IMP:(3)	385	17.1 %
4	VERY IMP:(4)	367	16.3 %
	Missing Data		
-9	MISSING:(-9)	686	30.4 %
	Total	**2,256**	**100%**

Based upon 1,570 valid cases out of 2,256 total cases.

Location: 363-364 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5171: 175C14 :WHEN R XPCT GRAD

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"
6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%
1	JUNE:(1)	2096	92.9 %
2	JUL-JAN:(2)	26	1.2 %
3	AFTER JAN:(3)	0	0.0 %
6	DONT EXPCT:(6)	11	0.5 %
	Missing Data		
-9	MISSING:(-9)	123	5.5 %
	Total	**2,256**	**100%**

Based upon 2,133 valid cases out of 2,256 total cases.

Location: 365-366 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5172: 175C15 :Rs HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%
1	CLG PREP:(1)	1102	48.8 %
2	GENERAL:(2)	706	31.3 %
3	VOC-TECH:(3)	96	4.3 %
4	OTH/DK:(4)	213	9.4 %
	Missing Data		
-9	MISSING:(-9)	139	6.2 %
	Total	**2,256**	**100%**

Based upon 2,117 valid cases out of 2,256 total cases.

Location: 367-368 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5173: 175C16 :RT SF SCH AB>AVG

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	41	1.8 %
2	BELOW AVG:(2)	73	3.2 %
3	SLIGHT BELOW:(3)	119	5.3 %
4	AVERAGE:(4)	667	29.6 %

Value	Label	Unweighted Frequency	%
5	SLIGHT ABOVE:(5)	524	23.2 %
6	ABOVE AVG:(6)	538	23.8 %
7	FAR ABOVE:(7)	147	6.5 %
	Missing Data		
-9	MISSING:(-9)	147	6.5 %
	Total	**2,256**	**100%**

Based upon 2,109 valid cases out of 2,256 total cases.

Location: 369-370 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5174: 175C17 :RT SF INTELL>AVG

Item Number: 00420

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	44	2.0 %
2	BELOW AVG:(2)	57	2.5 %
3	SLIGHT BELOW:(3)	116	5.1 %
4	AVERAGE:(4)	655	29.0 %
5	SLIGHT ABOVE:(5)	497	22.0 %
6	ABOVE AVG:(6)	550	24.4 %
7	FAR ABOVE:(7)	187	8.3 %
	Missing Data		
-9	MISSING:(-9)	150	6.6 %
	Total	**2,256**	**100%**

Based upon 2,106 valid cases out of 2,256 total cases.

Location: 371-372 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5175: 175C18A:#DA/4W SC MS ILL

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1229	54.5 %
2	1 DAY:(2)	347	15.4 %
3	2 DAYS:(3)	210	9.3 %
4	3 DAYS:(4)	141	6.2 %
5	4-5 DAYS:(5)	100	4.4 %
6	6-10 DA:(6)	35	1.6 %
7	11+ DAYS:(7)	23	1.0 %
	Missing Data		
-9	MISSING:(-9)	171	7.6 %
	Total	**2,256**	**100%**

Based upon 2,085 valid cases out of 2,256 total cases.

Location: 373-374 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5176: 175C18B:#DA/4W SC MS CUT

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1426	63.2 %
2	1 DAY:(2)	288	12.8 %
3	2 DAYS:(3)	125	5.5 %
4	3 DAYS:(4)	69	3.1 %

Value	Label	Unweighted Frequency	%
5	4-5 DAYS:(5)	82	3.6 %
6	6-10 DA:(6)	22	1.0 %
7	11+ DAYS:(7)	24	1.1 %
	Missing Data		
-9	MISSING:(-9)	220	9.8 %
	Total	**2,256**	**100%**

Based upon 2,036 valid cases out of 2,256 total cases.

Location: 375-376 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5177: 175C18C:#DA/4W SC MS OTH

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1136	50.4 %
2	1 DAY:(2)	380	16.8 %
3	2 DAYS:(3)	224	9.9 %
4	3 DAYS:(4)	134	5.9 %
5	4-5 DAYS:(5)	105	4.7 %
6	6-10 DA:(6)	37	1.6 %
7	11+ DAYS:(7)	39	1.7 %
	Missing Data		
-9	MISSING:(-9)	201	8.9 %
	Total	**2,256**	**100%**

Based upon 2,055 valid cases out of 2,256 total cases.

Location: 377-378 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5178: 175C19 :#DA/4W SKP CLASS

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times" 5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1544	68.4 %
2	1-2:(2)	348	15.4 %
3	3-5:(3)	128	5.7 %
4	6-10:(4)	45	2.0 %
5	11-20:(5)	19	0.8 %
6	21+:(6)	24	1.1 %
	Missing Data		
-9	MISSING:(-9)	148	6.6 %
	Total	**2,256**	**100%**

Based upon 2,108 valid cases out of 2,256 total cases.

Location: 379-380 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5179: 175C20 :R HS GRADE/D = 1

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)" 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)" 1="D (69 or below)"

Value	Label	Unweighted Frequency	%
1	D:(1)	15	0.7 %
2	C-:(2)	34	1.5 %
3	C:(3)	82	3.6 %
4	C+:(4)	141	6.2 %
5	B-:(5)	202	9.0 %
6	B:(6)	389	17.2 %
7	B+:(7)	398	17.6 %

Value	Label	Unweighted Frequency	%
8	A-:(8)	434	19.2 %
9	A:(9)	407	18.0 %
	Missing Data		
-9	MISSING:(-9)	154	6.8 %
	Total	**2,256**	**100%**

Based upon 2,102 valid cases out of 2,256 total cases.

Location: 381-382 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5180: 175C21A:R WL DO VOC/TEC

Item Number: 00480

How likely is it that you will do each of the following things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1185	52.5 %
2	PRB WONT:(2)	499	22.1 %
3	PRB WILL:(3)	220	9.8 %
4	DEF WILL:(4)	113	5.0 %
	Missing Data		
-9	MISSING:(-9)	239	10.6 %
	Total	**2,256**	**100%**

Based upon 2,017 valid cases out of 2,256 total cases.

Location: 383-384 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5181: 175C21B!:R WL DO MILITARY

Item Number: 00490

How likely is it that you will do each of the following things after high school?

B: Serve in the military (armed forces)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1216	53.9 %
2	PRB WONT:(2)	426	18.9 %
3	PRB WILL:(3)	175	7.8 %
4	DEF WILL:(4)	117	5.2 %
	Missing Data		
-9	MISSING:(-9)	322	14.3 %
	Total	**2,256**	**100%**

Based upon 1,934 valid cases out of 2,256 total cases.

Location: 385-386 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5182: 175C21C:R WL DO 2YR CLG

Item Number: 00500

How likely is it that you will do each of the following
things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	765	33.9 %
2	PRB WONT:(2)	387	17.2 %
3	PRB WILL:(3)	455	20.2 %
4	DEF WILL:(4)	401	17.8 %
	Missing Data		
-9	MISSING:(-9)	248	11.0 %
	Total	**2,256**	**100%**

Based upon 2,008 valid cases out of 2,256 total cases.

Location: 387-388 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5183: 175C21D:R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	156	6.9 %
2	PRB WONT:(2)	179	7.9 %
3	PRB WILL:(3)	472	20.9 %
4	DEF WILL:(4)	1241	55.0 %
	Missing Data		
-9	MISSING:(-9)	208	9.2 %
	Total	**2,256**	**100%**

Based upon 2,048 valid cases out of 2,256 total cases.

Location: 389-390 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5184: 175C21E:R WL DO GRD/PRF

Item Number: 00520

How likely is it that you will do each of the following things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	362	16.0 %
2	PRB WONT:(2)	521	23.1 %
3	PRB WILL:(3)	658	29.2 %
4	DEF WILL:(4)	490	21.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	225	10.0 %
	Total	**2,256**	**100%**

Based upon 2,031 valid cases out of 2,256 total cases.

Location: 391-392 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5185: 175C22A:R WNTDO VOC/TEC

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1804	80.0 %
1	MARKED:(1)	256	11.3 %
	Missing Data		
-9	MISSING:(-9)	196	8.7 %
	Total	**2,256**	**100%**

Based upon 2,060 valid cases out of 2,256 total cases.

Location: 393-394 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5186: 175C22B:R WNTDO ARMD FC

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1725	76.5 %
1	MARKED:(1)	335	14.8 %
	Missing Data		
-9	MISSING:(-9)	196	8.7 %
	Total	**2,256**	**100%**

Based upon 2,060 valid cases out of 2,256 total cases.

Location: 395-396 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5187: 175C22C:R WNTDO 2YR CLG

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1528	67.7 %
1	MARKED:(1)	532	23.6 %
	Missing Data		
-9	MISSING:(-9)	196	8.7 %
	Total	**2,256**	**100%**

Based upon 2,060 valid cases out of 2,256 total cases.

Location: 397-398 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5188: 175C22D:R WNTDO 4YR CLG

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	455	20.2 %
1	MARKED:(1)	1605	71.1 %
	Missing Data		
-9	MISSING:(-9)	196	8.7 %
	Total	**2,256**	**100%**

Based upon 2,060 valid cases out of 2,256 total cases.

Location: 399-400 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5189: 175C22E:R WNTDO GRD/PRF

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	955	42.3 %
1	MARKED:(1)	1105	49.0 %
	Missing Data		
-9	MISSING:(-9)	196	8.7 %
	Total	**2,256**	**100%**

Based upon 2,060 valid cases out of 2,256 total cases.

Location: 401-402 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5190: 175C22F:R WNTDO NONE

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT

to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1932	85.6 %
1	MARKED:(1)	128	5.7 %
	Missing Data		
-9	MISSING:(-9)	196	8.7 %
	Total	**2,256**	**100%**

Based upon 2,060 valid cases out of 2,256 total cases.

Location: 403-404 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5191: 175C23 :HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours" 8="More than 30 hours"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	797	35.3 %
2	5 OR <:(2)	200	8.9 %
3	6-10 HRS:(3)	256	11.3 %
4	11-15 HR:(4)	208	9.2 %
5	16-20 HR:(5)	207	9.2 %
6	21-25 HR:(6)	176	7.8 %
7	26-30 HR:(7)	126	5.6 %
8	30+ HRS:(8)	106	4.7 %
	Missing Data		
-9	MISSING:(-9)	180	8.0 %
	Total	**2,256**	**100%**

Based upon 2,076 valid cases out of 2,256 total cases.

Location: 405-406 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V5192: 175C24A:R$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50"
7="$51-75" 8="$76-125" 9="$126-175" 10="$176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	847	37.5 %
2	$1-5:(2)	18	0.8 %
3	$6-10:(3)	66	2.9 %
4	$11-20:(4)	73	3.2 %
5	$21-35:(5)	66	2.9 %
6	$36-50:(6)	80	3.5 %
7	$51-75:(7)	111	4.9 %
8	$76-125:(8)	279	12.4 %
9	$126-175:(9)	223	9.9 %
10	$176+:(10)	276	12.2 %
	Missing Data		
-9	MISSING:(-9)	217	9.6 %
	Total	**2,256**	**100%**

Based upon 2,039 valid cases out of 2,256 total cases.

Location: 407-408 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5193: 175C24B:R$/AVG WEEK OTH

Item Number: 00610

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50"
7="$51-75" 8="$76-125" 9="$126-175" 10="$176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1027	45.5 %
2	$1-5:(2)	83	3.7 %
3	$6-10:(3)	131	5.8 %
4	$11-20:(4)	270	12.0 %
5	$21-35:(5)	153	6.8 %
6	$36-50:(6)	118	5.2 %
7	$51-75:(7)	59	2.6 %
8	$76-125:(8)	49	2.2 %
9	$126-175:(9)	21	0.9 %
10	$176+:(10)	51	2.3 %
	Missing Data		
-9	MISSING:(-9)	294	13.0 %
	Total	**2,256**	**100%**

Based upon 1,962 valid cases out of 2,256 total cases.

Location: 409-410 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5194: 175C25 :#X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or five" 6="Six or seven"

Value	Label	Unweighted Frequency	%
1	< 1:(1)	391	17.3 %
2	ONE:(2)	393	17.4 %
3	TWO:(3)	548	24.3 %
4	THREE:(4)	418	18.5 %
5	4-5:(5)	210	9.3 %
6	6-7:(6)	108	4.8 %
	Missing Data		
-9	MISSING:(-9)	188	8.3 %
	Total	**2,256**	**100%**

Based upon 2,068 valid cases out of 2,256 total cases.

Location: 411-412 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V5195: 175C26 :#X DATE 3+/WK

Item Number: 00630

On the average, how often do you go out with a date (or your spouse/partner)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month" 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1033	45.8 %
2	ONCE/MO:(2)	216	9.6 %
3	2-3X MO:(3)	239	10.6 %
4	ONCE WK:(4)	252	11.2 %
5	2-3X WK:(5)	216	9.6 %
6	3+ WEEK:(6)	93	4.1 %
	Missing Data		
-9	MISSING:(-9)	207	9.2 %
	Total	**2,256**	**100%**

Based upon 2,049 valid cases out of 2,256 total cases.

Location: 413-414 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5196: 175C27 :DRIVE>200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	555	24.6 %
2	1-10 MI:(2)	210	9.3 %
3	11-50:(3)	510	22.6 %

Value	Label	Unweighted Frequency	%
4	51-100:(4)	425	18.8 %
5	101-200:(5)	206	9.1 %
6	> 200:(6)	153	6.8 %
	Missing Data		
-9	MISSING:(-9)	197	8.7 %
	Total	**2,256**	**100%**

Based upon 2,059 valid cases out of 2,256 total cases.

Location: 415-416 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5197: 175C28 :#X/12MO R TCKTD

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1734	76.9 %
1	ONCE:(1)	202	9.0 %
2	TWICE:(2)	59	2.6 %
3	3 TIMES:(3)	22	1.0 %
4	4+ TIMES:(4)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	227	10.1 %
	Total	**2,256**	**100%**

Based upon 2,029 valid cases out of 2,256 total cases.

Location: 417-418 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5198: 175C29A:#TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	283	12.5 %
1	ONE:(1)	9	0.4 %
2	TWO:(2)	4	0.2 %
3	THREE+:(3-4)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	1958	86.8 %
	Total	**2,256**	**100%**

Based upon 298 valid cases out of 2,256 total cases.

Location: 419-420 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5199: 175C29B:#TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	279	12.4 %
1	ONE:(1)	11	0.5 %
2	TWO:(2)	5	0.2 %
3	THREE+:(3-4)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	1958	86.8 %
	Total	**2,256**	**100%**

Based upon 298 valid cases out of 2,256 total cases.

Location: 421-422 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5200: 175C29C:#TCKTS AFT OTDG

Item Number: 00680

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	289	12.8 %
1	ONE:(1)	3	0.1 %
2	TWO:(2)	3	0.1 %
3	THREE+:(3-4)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	1961	86.9 %
	Total	**2,256**	**100%**

Based upon 295 valid cases out of 2,256 total cases.

Location: 423-424 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5201: 175C30 :#ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1689	74.9 %
1	ONCE:(1)	254	11.3 %
2	TWICE:(2)	48	2.1 %
3	3 TIMES:(3)	16	0.7 %
4	4+ TIMES:(4)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	245	10.9 %
	Total	**2,256**	**100%**

Based upon 2,011 valid cases out of 2,256 total cases.

Location: 425-426 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5202: 175C31A:#ACDTS AFT DRNK

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	311	13.8 %
1	ONE:(1)	5	0.2 %
2	TWO:(2)	2	0.1 %
3	THREE+:(3-4)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	1937	85.9 %
	Total	**2,256**	**100%**

Based upon 319 valid cases out of 2,256 total cases.

Location: 427-428 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5203: 175C31B:#ACDTS AFT MARJ

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	311	13.8 %
1	ONE:(1)	9	0.4 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	1935	85.8 %
	Total	**2,256**	**100%**

Based upon 321 valid cases out of 2,256 total cases.

Location: 429-430 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5204: 175C31C:#ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	315	14.0 %
1	ONE:(1)	3	0.1 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	1937	85.9 %
	Total	**2,256**	**100%**

Based upon 319 valid cases out of 2,256 total cases.

Location: 431-432 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5205: 175C32 :Rs BRANCH SERV

Item Number: 00730

If you have not entered military service, and do not expect to enter, GO TO PART D.

What is, or will be, your branch of service?

1="Army" 2="Navy" 3="Marine Corps" 4="Air Force" 5="Coast Guard" 6="Uncertain"

Value	Label	Unweighted Frequency	%
1	ARMY:(1)	85	3.8 %
2	NAVY:(2)	45	2.0 %
3	MARINES:(3)	40	1.8 %
4	AIR FORCE:(4)	54	2.4 %
5	COAST GUARD:(5)	10	0.4 %
6	UNCERTN:(6)	55	2.4 %
	Missing Data		
-9	MISSING:(-9)	1967	87.2 %
	Total	**2,256**	**100%**

Based upon 289 valid cases out of 2,256 total cases.

Location: 433-434 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5206: 175C33 :R XPCTS B OFFCR

Item Number: 00740

Do you expect to be an officer?

1="No" 2="Uncertain" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	51	2.3 %
2	UNCERTN:(2)	145	6.4 %

Value	Label	Unweighted Frequency	%
3	YES:(3)	104	4.6 %
	Missing Data		
-9	MISSING:(-9)	1956	86.7 %
	Total	**2,256**	**100%**

Based upon 300 valid cases out of 2,256 total cases.

Location: 435-436 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5207: 175C34 :R XPCTS MLTR CR

Item Number: 00750

Do you expect to have a career in the Armed Forces?

1="No" 2="Uncertain" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	52	2.3 %
2	UNCERTN:(2)	132	5.9 %
3	YES:(3)	120	5.3 %
	Missing Data		
-9	MISSING:(-9)	1952	86.5 %
	Total	**2,256**	**100%**

Based upon 304 valid cases out of 2,256 total cases.

Location: 437-438 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5303: 175D01A:POS ATT TWD SELF

Item Number: 12550

This section asks for your views and feelings about a number of different things. How much do you agree or disagree with each of the following?

A: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	114	5.1 %
2	MOST DIS:(2)	229	10.2 %
3	NEITHER:(3)	263	11.7 %
4	MOST AGR:(4)	851	37.7 %
5	AGREE:(5)	595	26.4 %
	Missing Data		
-9	MISSING:(-9)	204	9.0 %
	Total	**2,256**	**100%**

Based upon 2,052 valid cases out of 2,256 total cases.

Location: 439-440 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5304: 175D01B:LUCK>IMP HRD WRK

Item Number: 12560

How much do you agree or disagree with each of the following?

B: Good luck is more important than hard work for success

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	713	31.6 %
2	MOST DIS:(2)	650	28.8 %
3	NEITHER:(3)	433	19.2 %
4	MOST AGR:(4)	146	6.5 %
5	AGREE:(5)	106	4.7 %
	Missing Data		
-9	MISSING:(-9)	208	9.2 %
	Total	**2,256**	**100%**

Based upon 2,048 valid cases out of 2,256 total cases.

Location: 441-442 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5305: 175D01C:AM PRSN OF WORTH

Item Number: 12570

How much do you agree or disagree with each of the following?

C: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	99	4.4 %
2	MOST DIS:(2)	167	7.4 %
3	NEITHER:(3)	346	15.3 %
4	MOST AGR:(4)	774	34.3 %
5	AGREE:(5)	653	28.9 %
	Missing Data		
-9	MISSING:(-9)	217	9.6 %
	Total	**2,256**	**100%**

Based upon 2,039 valid cases out of 2,256 total cases.

Location: 443-444 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5306: 175D01D:DO WELL AS OTHRS

Item Number: 12580

How much do you agree or disagree with each of the following?

D: I am able to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	55	2.4 %
2	MOST DIS:(2)	102	4.5 %
3	NEITHER:(3)	263	11.7 %
4	MOST AGR:(4)	872	38.7 %
5	AGREE:(5)	750	33.2 %
	Missing Data		
-9	MISSING:(-9)	214	9.5 %

Value	Label	Unweighted Frequency	%
	Total	**2,256**	**100%**

Based upon 2,042 valid cases out of 2,256 total cases.

Location: 445-446 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5307: 175D01E:TRY GT AHD,STOPD

Item Number: 12590

How much do you agree or disagree with each of the following?

E: Every time I try to get ahead, something or somebody stops me

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	296	13.1 %
2	MOST DIS:(2)	533	23.6 %
3	NEITHER:(3)	667	29.6 %
4	MOST AGR:(4)	371	16.4 %
5	AGREE:(5)	174	7.7 %
	Missing Data		
-9	MISSING:(-9)	215	9.5 %
	Total	**2,256**	**100%**

Based upon 2,041 valid cases out of 2,256 total cases.

Location: 447-448 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5308: 175D01F:PLNNG MKS UNHPPY

Item Number: 12600

How much do you agree or disagree with each of the following?

F: Planning only makes a person unhappy since plans hardly ever work out anyway

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	494	21.9 %
2	MOST DIS:(2)	614	27.2 %
3	NEITHER:(3)	526	23.3 %
4	MOST AGR:(4)	278	12.3 %
5	AGREE:(5)	120	5.3 %
	Missing Data		
-9	MISSING:(-9)	224	9.9 %
	Total	**2,256**	**100%**

Based upon 2,032 valid cases out of 2,256 total cases.

Location: 449-450 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5309: 175D01G:ACPT LIFE->HAPPR

Item Number: 12610

How much do you agree or disagree with each of the following?

G: People who accept their condition in life are happier
than those who try to change things

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	302	13.4 %
2	MOST DIS:(2)	408	18.1 %
3	NEITHER:(3)	579	25.7 %
4	MOST AGR:(4)	458	20.3 %
5	AGREE:(5)	278	12.3 %
	Missing Data		
-9	MISSING:(-9)	231	10.2 %
	Total	**2,256**	**100%**

Based upon 2,025 valid cases out of 2,256 total cases.

Location: 451-452 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5310: 175D01H:SATISFD W MYSELF

Item Number: 12620

How much do you agree or disagree with each of the following?

H: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	144	6.4 %
2	MOST DIS:(2)	220	9.8 %
3	NEITHER:(3)	344	15.2 %
4	MOST AGR:(4)	709	31.4 %
5	AGREE:(5)	606	26.9 %
	Missing Data		
-9	MISSING:(-9)	233	10.3 %
	Total	**2,256**	**100%**

Based upon 2,023 valid cases out of 2,256 total cases.

Location: 453-454 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5311: 175D01I:PPL LK ME -CHANC

Item Number: 12630

How much do you agree or disagree with each of the following?

I: People like me don't have much of a chance to be successful
in life

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	909	40.3 %
2	MOST DIS:(2)	478	21.2 %
3	NEITHER:(3)	405	18.0 %
4	MOST AGR:(4)	140	6.2 %
5	AGREE:(5)	98	4.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	226	10.0 %
	Total	**2,256**	**100%**

Based upon 2,030 valid cases out of 2,256 total cases.

Location: 455-456 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5312: 175D01J:MY PLANS DO WORK

Item Number: 12640

How much do you agree or disagree with each of the following?

J: When I make plans, I am almost certain that I can make them work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	74	3.3 %
2	MOST DIS:(2)	162	7.2 %
3	NEITHER:(3)	450	19.9 %
4	MOST AGR:(4)	879	39.0 %
5	AGREE:(5)	463	20.5 %
	Missing Data		
-9	MISSING:(-9)	228	10.1 %
	Total	**2,256**	**100%**

Based upon 2,028 valid cases out of 2,256 total cases.

Location: 457-458 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5313: 175D01K:OFTN FEEL LONELY

Item Number: 12650

How much do you agree or disagree with each of the following?

K: A lot of times I feel lonely

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	396	17.6 %
2	MOST DIS:(2)	379	16.8 %
3	NEITHER:(3)	466	20.7 %
4	MOST AGR:(4)	410	18.2 %
5	AGREE:(5)	376	16.7 %
	Missing Data		
-9	MISSING:(-9)	229	10.2 %
	Total	**2,256**	**100%**

Based upon 2,027 valid cases out of 2,256 total cases.

Location: 459-460 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5314: 175D01L:-MUCH TO B PROUD

Item Number: 12660

How much do you agree or disagree with each of the following?

L: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	687	30.5 %
2	MOST DIS:(2)	441	19.5 %
3	NEITHER:(3)	374	16.6 %
4	MOST AGR:(4)	310	13.7 %
5	AGREE:(5)	205	9.1 %
	Missing Data		
-9	MISSING:(-9)	239	10.6 %
	Total	**2,256**	**100%**

Based upon 2,017 valid cases out of 2,256 total cases.

Location: 461-462 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5315: 175D01M:ALWYS SM1 HELP R

Item Number: 12670

How much do you agree or disagree with each of the following?

M: There is always someone I can turn to if I need help

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	99	4.4 %
2	MOST DIS:(2)	104	4.6 %
3	NEITHER:(3)	215	9.5 %
4	MOST AGR:(4)	631	28.0 %
5	AGREE:(5)	956	42.4 %
	Missing Data		
-9	MISSING:(-9)	251	11.1 %
	Total	**2,256**	**100%**

Based upon 2,005 valid cases out of 2,256 total cases.

Location: 463-464 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5316: 175D01N:I AM NO GOOD

Item Number: 12680

How much do you agree or disagree with each of the following?

N: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	556	24.6 %
2	MOST DIS:(2)	378	16.8 %
3	NEITHER:(3)	411	18.2 %
4	MOST AGR:(4)	391	17.3 %
5	AGREE:(5)	256	11.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	264	11.7 %
	Total	**2,256**	**100%**

Based upon 1,992 valid cases out of 2,256 total cases.

Location: 465-466 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5317: 175D01O:OFTN FL LEFT OUT

Item Number: 12690

How much do you agree or disagree with each of the following?

O: I often feel left out of things

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	347	15.4 %
2	MOST DIS:(2)	379	16.8 %
3	NEITHER:(3)	501	22.2 %
4	MOST AGR:(4)	452	20.0 %
5	AGREE:(5)	311	13.8 %
	Missing Data		
-9	MISSING:(-9)	266	11.8 %
	Total	**2,256**	**100%**

Based upon 1,990 valid cases out of 2,256 total cases.

Location: 467-468 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5318: 175D01P:PPL MASTER FATE

Item Number: 12700

How much do you agree or disagree with each of the following?

P: I believe a person is master of his/her own fate

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	84	3.7 %
2	MOST DIS:(2)	96	4.3 %
3	NEITHER:(3)	447	19.8 %
4	MOST AGR:(4)	656	29.1 %
5	AGREE:(5)	697	30.9 %
	Missing Data		
-9	MISSING:(-9)	276	12.2 %
	Total	**2,256**	**100%**

Based upon 1,980 valid cases out of 2,256 total cases.

Location: 469-470 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5319: 175D01Q:USLY SM1 TALK TO

Item Number: 12710

How much do you agree or disagree with each of the following?

Q: There is usually someone I can talk to if I need to

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	87	3.9 %
2	MOST DIS:(2)	97	4.3 %
3	NEITHER:(3)	220	9.8 %
4	MOST AGR:(4)	622	27.6 %
5	AGREE:(5)	956	42.4 %
	Missing Data		
-9	MISSING:(-9)	274	12.1 %
	Total	**2,256**	**100%**

Based upon 1,982 valid cases out of 2,256 total cases.

Location: 471-472 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5320: 175D01R:I DO WRONG THING

Item Number: 12720

How much do you agree or disagree with each of the following?

R: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	630	27.9 %
2	MOST DIS:(2)	487	21.6 %
3	NEITHER:(3)	476	21.1 %
4	MOST AGR:(4)	242	10.7 %
5	AGREE:(5)	149	6.6 %
	Missing Data		
-9	MISSING:(-9)	272	12.1 %
	Total	**2,256**	**100%**

Based upon 1,984 valid cases out of 2,256 total cases.

Location: 473-474 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5321: 175D01S:OFT WSH MOR FRND

Item Number: 12730

How much do you agree or disagree with each of the following?

S: I often wish I had more good friends

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	412	18.3 %
2	MOST DIS:(2)	302	13.4 %
3	NEITHER:(3)	433	19.2 %
4	MOST AGR:(4)	433	19.2 %
5	AGREE:(5)	403	17.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	273	12.1 %
	Total	**2,256**	**100%**

Based upon 1,983 valid cases out of 2,256 total cases.

Location: 475-476 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5322: 175D01T:PLANS->BTR RSLTS

Item Number: 12740

How much do you agree or disagree with each of the following?

T: Planning ahead makes things turn out better

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	75	3.3 %
2	MOST DIS:(2)	124	5.5 %
3	NEITHER:(3)	524	23.2 %
4	MOST AGR:(4)	739	32.8 %
5	AGREE:(5)	520	23.0 %
	Missing Data		
-9	MISSING:(-9)	274	12.1 %
	Total	**2,256**	**100%**

Based upon 1,982 valid cases out of 2,256 total cases.

Location: 477-478 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5323: 175D01U:MY LIFE NT USEFL

Item Number: 12750

How much do you agree or disagree with each of the following?

U: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	811	35.9 %
2	MOST DIS:(2)	413	18.3 %
3	NEITHER:(3)	418	18.5 %
4	MOST AGR:(4)	195	8.6 %
5	AGREE:(5)	134	5.9 %
	Missing Data		
-9	MISSING:(-9)	285	12.6 %
	Total	**2,256**	**100%**

Based upon 1,971 valid cases out of 2,256 total cases.

Location: 479-480 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5324: 175D01V:USLY FRDS BE WTH

Item Number: 12760

How much do you agree or disagree with each of the following?

V: I usually have a few friends around that I can get
together with

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	122	5.4 %
2	MOST DIS:(2)	147	6.5 %
3	NEITHER:(3)	315	14.0 %
4	MOST AGR:(4)	713	31.6 %
5	AGREE:(5)	681	30.2 %
	Missing Data		
-9	MISSING:(-9)	278	12.3 %
	Total	**2,256**	**100%**

Based upon 1,978 valid cases out of 2,256 total cases.

Location: 481-482 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5570: 175D01W:OFTEN BORED

Item Number: 33820

Do you agree or disagree with each of the following?

W. I am often bored

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	270	12.0 %
2	MOST DIS:(2)	339	15.0 %
3	NEITHER:(3)	469	20.8 %
4	MOST AGR:(4)	500	22.2 %
5	AGREE:(5)	399	17.7 %
	Missing Data		
-9	MISSING:(-9)	279	12.4 %
	Total	**2,256**	**100%**

Based upon 1,977 valid cases out of 2,256 total cases.

Location: 483-484 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5414: 175D01AA:EAGR TO LEAV HOM

Item Number: 13950

How much do you agree or disagree with each of the following?

AA: I am eager to leave home and live on my own--independent from my parents

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	217	9.6 %
2	MOST DIS:(2)	241	10.7 %
3	NEITHER:(3)	515	22.8 %
4	MOST AGR:(4)	488	21.6 %
5	AGREE:(5)	509	22.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	286	12.7 %
	Total	**2,256**	**100%**

Based upon 1,970 valid cases out of 2,256 total cases.

Location: 485-486 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5415: 175D01BB:HEST PRT ADLT WL

Item Number: 13960

How much do you agree or disagree with each of the following?

BB: I feel hesitant about taking a full-time job and becoming part of the "adult" world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	415	18.4 %
2	MOST DIS:(2)	363	16.1 %
3	NEITHER:(3)	458	20.3 %
4	MOST AGR:(4)	427	18.9 %
5	AGREE:(5)	303	13.4 %
	Missing Data		
-9	MISSING:(-9)	290	12.9 %
	Total	**2,256**	**100%**

Based upon 1,966 valid cases out of 2,256 total cases.

Location: 487-488 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5416: 175D02A:%$SAVE FUTR EDUC

Item Number: 20830

Please think about all the money you earned during the past year, including last summer. About how much of your past year's earnings have gone into . . .

A: . . . Savings for your future education?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	902	40.0 %
2	LITL (20%):(2)	404	17.9 %
3	SOME(40%):(3)	251	11.1 %
4	HALF(60%):(4)	165	7.3 %
5	MOST(80%):(5)	123	5.5 %
6	ALMST(99%):(6)	59	2.6 %
7	ALL:(7)	43	1.9 %
	Missing Data		
-9	MISSING:(-9)	309	13.7 %
	Total	**2,256**	**100%**

Based upon 1,947 valid cases out of 2,256 total cases.

Location: 489-490 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5417: 175D02B:%$SAVE/SPEND CAR

Item Number: 20840

About how much of your past year's earnings have gone into . . .

B: . . . Savings or payments for a car or car expenses?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1036	45.9 %
2	LITL (20%):(2)	281	12.5 %
3	SOME(40%):(3)	258	11.4 %
4	HALF(60%):(4)	153	6.8 %
5	MOST(80%):(5)	115	5.1 %
6	ALMST(99%):(6)	54	2.4 %
7	ALL:(7)	47	2.1 %
	Missing Data		
-9	MISSING:(-9)	312	13.8 %

Value	Label	Unweighted Frequency	%
	Total	**2,256**	**100%**

Based upon 1,944 valid cases out of 2,256 total cases.

Location: 491-492 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5418: 175D02C:%$SAVE OTHER

Item Number: 20850

About how much of your past year's earnings have gone into . . .

C: . . . Other savings for long-range purposes?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	890	39.5 %
2	LITL (20%):(2)	395	17.5 %
3	SOME(40%):(3)	254	11.3 %
4	HALF(60%):(4)	165	7.3 %
5	MOST(80%):(5)	103	4.6 %
6	ALMST(99%):(6)	73	3.2 %
7	ALL:(7)	56	2.5 %
	Missing Data		
-9	MISSING:(-9)	320	14.2 %
	Total	**2,256**	**100%**

Based upon 1,936 valid cases out of 2,256 total cases.

Location: 493-494 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5419: 175D02D:%$SPEND ON SELF

Item Number: 20860

About how much of your past year's earnings have gone into . . .

D: . . . Spending on your own needs and activities--things such

as clothing, electronic equipment, videos, other possessions, movies, eating out, other recreation, hobbies, gifts for others, and other personal expenses?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	259	11.5 %
2	LITL (20%):(2)	365	16.2 %
3	SOME(40%):(3)	307	13.6 %
4	HALF(60%):(4)	268	11.9 %
5	MOST(80%):(5)	354	15.7 %
6	ALMST(99%):(6)	209	9.3 %
7	ALL:(7)	135	6.0 %
	Missing Data		
-9	MISSING:(-9)	359	15.9 %
	Total	**2,256**	**100%**

Based upon 1,897 valid cases out of 2,256 total cases.

Location: 495-496 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5420: 175D02E:%$SPEND HELP FAM

Item Number: 20870

About how much of your past year's earnings have gone into . . .

E: . . . Helping to pay family living expenses (groceries, housing, etc.)?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1015	45.0 %
2	LITL (20%):(2)	409	18.1 %
3	SOME(40%):(3)	239	10.6 %
4	HALF(60%):(4)	109	4.8 %
5	MOST(80%):(5)	70	3.1 %
6	ALMST(99%):(6)	36	1.6 %

Value	Label	Unweighted Frequency	%
7	ALL:(7)	30	1.3 %
	Missing Data		
-9	MISSING:(-9)	348	15.4 %
	Total	**2,256**	**100%**

Based upon 1,908 valid cases out of 2,256 total cases.

Location: 497-498 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5523: 175D03:EVER AD STIM DR

Item Number: 31460

The next questions are about drugs that doctors sometimes prescribe for people who have problems concentrating on one task at a time (attention deficit disorder), or with being too active or too disruptive (hyperactive), or both (ADHD). Stimulant-type drugs (i.e., amphetamine, methylphenidate, and pemoline) are prescribed for these conditions. These drugs include Ritalin, Adderall, Concerta, Metadate, Dexedrine, Focalin, Vyvanse, and others. Have you ever taken any of these stimulant-type prescription drugs under a doctor's supervision for these conditions? (Do not count drugs that are not stimulant-type, like Strattera, Wellbutrin, Provigil, Tenex, Intuniv, or Catapres.)

1="No--GO TO QUESTION 6" 2="Yes, in the past, but not now"
3="Yes, I take them now"

Value	Label	Unweighted Frequency	%
1	NO:(1)	1726	76.5 %
2	YES PAST:(2)	92	4.1 %
3	YES NOW:(3)	75	3.3 %
	Missing Data		
-9	MISSING:(-9)	363	16.1 %
	Total	**2,256**	**100%**

Based upon 1,893 valid cases out of 2,256 total cases.

Location: 499-500 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5524: 175D04:AGE 1ST AD STIM

Item Number: 31470

How old were you when you first took one of these stimulant-type drugs under a doctor's supervision?

1="1-4 yrs. old" 2="5-9" 3="10-14" 4="15+ yrs. old"

Value	Label	Unweighted Frequency	%
1	1-4 YRS:(1)	20	0.9 %
2	5-9:(2)	47	2.1 %
3	10-14:(3)	56	2.5 %
4	15+ YRS:(4)	47	2.1 %
	Missing Data		
-9	MISSING:(-9)	2086	92.5 %
	Total	**2,256**	**100%**

Based upon 170 valid cases out of 2,256 total cases.

Location: 501-502 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5525: 175D05:# YRS TK AD STIM

Item Number: 31480

Altogether, for about how many years have you actually taken such drugs under a doctor's supervision?

1="Less than 1 yr." 2="1 year" 3="2 yrs." 4="3-5 yrs." 5="6-9 yrs." 6="10 or more yrs."

Value	Label	Unweighted Frequency	%
1	<1 YEAR:(1)	38	1.7 %
2	1 YEAR:(2)	22	1.0 %
3	2 YRS:(3)	18	0.8 %
4	3-5 YRS:(4)	35	1.6 %
5	6-9 YRS:(5)	28	1.2 %
6	10+ YRS:(6)	27	1.2 %
	Missing Data		
-9	MISSING:(-9)	2088	92.6 %
	Total	**2,256**	**100%**

Based upon 168 valid cases out of 2,256 total cases.

Location: 503-504 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5526: 175D06:EVER AD NONSTIM

Item Number: 31490

Have you ever taken a non-stimulant-type prescription drug under a doctor's supervision for these conditions (like Strattera, Wellbutrin, Provigil, Tenex, Intuniv, or Catapres)?

1="No' 2="Yes, in the past, but not now" 3="Yes, I take them now" 8="Don't know"

Value	Label	Unweighted Frequency	%
1	NO:(1)	1605	71.1 %
2	YES PAST:(2)	78	3.5 %
3	YES NOW:(3)	50	2.2 %
8	DONT KNOW:(8)	148	6.6 %
	Missing Data		
-9	MISSING:(-9)	375	16.6 %
	Total	**2,256**	**100%**

Based upon 1,881 valid cases out of 2,256 total cases.

Location: 505-506 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5552: 175E01:# ENERGY DRINKS/DAY

Item number: 32540

"Energy drinks" are non-alcoholic beverages that usually contain high amounts of caffeine, including such drinks as Red Bull, Full Throttle, Monster, and Rockstar. They are usually sold in 8- or 16-ounce cans or bottles. About how many (if any) energy drinks do you drink PER DAY, on average?

0="None" 1="Less than 1" 2="One" 3="Two" 4="Three" 5="Four" 6="Five or six" 7="7 or more"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1456	64.5 %
1	< 1:(1)	299	13.3 %

Value	Label	Unweighted Frequency	%
2	1:(2)	100	4.4 %
3	2:(3)	42	1.9 %
4	3:(4)	17	0.8 %
5	4:(5)	5	0.2 %
6	5-6:(6)	1	0.0 %
7	7 OR +:(7)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	326	14.5 %
	Total	**2,256**	**100%**

Based upon 1,930 valid cases out of 2,256 total cases.

Location: 507-508 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5553: 175E02:# ENERGY SHOTS/DAY

Item number: 32550

Energy drinks are also sold as small "shots", that usually contain just 2 or 3 ounces. How many (if any) energy drink shots do you drink PER DAY, on average?

0="None" 1="Less than 1" 2="One" 3="Two" 4="Three" 5="Four" 6="Five or six" 7="7 or more"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1798	79.7 %
1	< 1:(1)	69	3.1 %
2	1:(2)	33	1.5 %
3	2:(3)	15	0.7 %
4	3:(4)	10	0.4 %
5	4:(5)	3	0.1 %
6	5-6:(6)	7	0.3 %
7	7 OR +:(7)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	312	13.8 %
	Total	**2,256**	**100%**

Based upon 1,944 valid cases out of 2,256 total cases.

Location: 509-510 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V5554: 175E03:# REG SOFT DRINKS/DAY

Item number: 32560

Regular (non-diet) soft drinks include Coke, Pepsi, Mountain Dew, Dr. Pepper, etc. How many (if any) 12-ounce cans or bottles (or the equivalent) of regular (non-diet) soft drinks do you drink PER DAY, on average?

0="None" 1="Less than 1" 2="One" 3="Two" 4="Three" 5="Four" 6="Five or six" 7="7 or more"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	804	35.6 %
1	< 1:(1)	489	21.7 %
2	1:(2)	310	13.7 %
3	2:(3)	185	8.2 %
4	3:(4)	76	3.4 %
5	4:(5)	26	1.2 %
6	5-6:(6)	25	1.1 %
7	7 OR +:(7)	21	0.9 %
	Missing Data		
-9	MISSING:(-9)	320	14.2 %
	Total	**2,256**	**100%**

Based upon 1,936 valid cases out of 2,256 total cases.

Location: 511-512 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5555: 175E04:# DIET SOFT DRINKS/DAY

Item number: 32570

How many (if any) 12-ounce cans or bottles (or the equivalent) of diet soft drinks (like Diet Coke, Diet Pepsi, etc.) do you drink PER DAY, on average?

0="None" 1="Less than 1" 2="One" 3="Two" 4="Three" 5="Four" 6="Five or six" 7="7 or more"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1388	61.5 %

Value	Label	Unweighted Frequency	%
1	< 1:(1)	258	11.4 %
2	1:(2)	134	5.9 %
3	2:(3)	78	3.5 %
4	3:(4)	36	1.6 %
5	4:(5)	13	0.6 %
6	5-6:(6)	6	0.3 %
7	7 OR +:(7)	17	0.8 %
	Missing Data		
-9	MISSING:(-9)	326	14.5 %
	Total	**2,256**	**100%**

Based upon 1,930 valid cases out of 2,256 total cases.

Location: 513-514 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5334: 175E05A:I/MJ USR,>CREATV

Item Number: 13060

The next questions ask about characteristics which some people associate with the use of particular drugs. We want to know what you think. Do YOU think that people who smoke marijuana several times a week tend to be . . .

A: . . . more creative than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

Value	Label	Unweighted Frequency	%
1	NO:(1)	677	30.0 %
2	YES:(2)	691	30.6 %
3	NT SUR/NO OP:(3)	545	24.2 %
	Missing Data		
-9	MISSING:(-9)	343	15.2 %
	Total	**2,256**	**100%**

Based upon 1,913 valid cases out of 2,256 total cases.

Location: 515-516 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5335: 175E05B:I/MJ USR,<SENSBL

Item Number: 13070

Do YOU think that people who smoke marijuana several times a week tend to be . . .

B: . . . less sensible than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

Value	Label	Unweighted Frequency	%
1	NO:(1)	717	31.8 %
2	YES:(2)	675	29.9 %
3	NT SUR/NO OP:(3)	516	22.9 %
	Missing Data		
-9	MISSING:(-9)	348	15.4 %
	Total	**2,256**	**100%**

Based upon 1,908 valid cases out of 2,256 total cases.

Location: 517-518 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5336: 175E05C:I/MJ USR,>INTRST

Item Number: 13080

Do YOU think that people who smoke marijuana several times a week tend to be . . .

C: . . . more interesting people than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

Value	Label	Unweighted Frequency	%
1	NO:(1)	714	31.6 %
2	YES:(2)	682	30.2 %
3	NT SUR/NO OP:(3)	508	22.5 %
	Missing Data		
-9	MISSING:(-9)	352	15.6 %
	Total	**2,256**	**100%**

Based upon 1,904 valid cases out of 2,256 total cases.

Location: 519-520 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V5337: 175E05D:I/MJ USR,<HRDWKG

Item Number: 13090

Do YOU think that people who smoke marijuana several times a week tend to be . . .

D: . . . less hard-working than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

Value	Label	Unweighted Frequency	%
1	NO:(1)	743	32.9 %
2	YES:(2)	658	29.2 %
3	NT SUR/NO OP:(3)	503	22.3 %
	Missing Data		
-9	MISSING:(-9)	352	15.6 %
	Total	**2,256**	**100%**

Based upon 1,904 valid cases out of 2,256 total cases.

Location: 521-522 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5338: 175E05E:I/MJ USR,>INDPND

Item Number: 13100

Do YOU think that people who smoke marijuana several times a week tend to be . . .

E: . . . more independent than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

Value	Label	Unweighted Frequency	%
1	NO:(1)	809	35.9 %
2	YES:(2)	483	21.4 %
3	NT SUR/NO OP:(3)	609	27.0 %
	Missing Data		
-9	MISSING:(-9)	355	15.7 %
	Total	**2,256**	**100%**

Based upon 1,901 valid cases out of 2,256 total cases.

Location: 523-524 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5339: 175E05F:I/MJ USR,>UNSTBL

Item Number: 13110

Do YOU think that people who smoke marijuana several times a week tend to be . . .

F: . . . more emotionally unstable than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

Value	Label	Unweighted Frequency	%
1	NO:(1)	747	33.1 %
2	YES:(2)	603	26.7 %
3	NT SUR/NO OP:(3)	551	24.4 %
	Missing Data		
-9	MISSING:(-9)	355	15.7 %
	Total	**2,256**	**100%**

Based upon 1,901 valid cases out of 2,256 total cases.

Location: 525-526 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5340: 175E05G:I/MJ USR,>CNCRND

Item Number: 13120

Do YOU think that people who smoke marijuana several times a week tend to be . . .

G: . . . more concerned about other people than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

Value	Label	Unweighted Frequency	%
1	NO:(1)	911	40.4 %
2	YES:(2)	359	15.9 %
3	NT SUR/NO OP:(3)	627	27.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	359	15.9 %
	Total	**2,256**	**100%**

Based upon 1,897 valid cases out of 2,256 total cases.

Location: 527-528 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5341: 175E05H:I/MJ USR,>WKWLD

Item Number: 13130

Do YOU think that people who smoke marijuana several times a week tend to be . . .

H: . . . more weak-willed than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

Value	Label	Unweighted Frequency	%
1	NO:(1)	783	34.7 %
2	YES:(2)	498	22.1 %
3	NT SUR/NO OP:(3)	607	26.9 %
	Missing Data		
-9	MISSING:(-9)	368	16.3 %
	Total	**2,256**	**100%**

Based upon 1,888 valid cases out of 2,256 total cases.

Location: 529-530 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5342: 175E05I:I/MJ USR,>CRMNL

Item Number: 13140

Do YOU think that people who smoke marijuana several times a week tend to be . . .

I: . . . more criminal than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

Value	Label	Unweighted Frequency	%
1	NO:(1)	935	41.4 %
2	YES:(2)	436	19.3 %
3	NT SUR/NO OP:(3)	515	22.8 %
	Missing Data		
-9	MISSING:(-9)	370	16.4 %
	Total	**2,256**	**100%**

Based upon 1,886 valid cases out of 2,256 total cases.

Location: 531-532 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5433: 175E06A:SMKRS ENJOY LIFE

Item Number: 21000

Do you agree or disagree?

A: Smokers know how to enjoy life more than non-smokers

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	1010	44.8 %
2	MOST DIS:(2)	189	8.4 %
3	NEITHER:(3)	534	23.7 %
4	MOST AGR:(4)	89	3.9 %
5	AGREE:(5)	77	3.4 %
	Missing Data		
-9	MISSING:(-9)	357	15.8 %
	Total	**2,256**	**100%**

Based upon 1,899 valid cases out of 2,256 total cases.

Location: 533-534 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5434: 175E06B:PRFR DATE N-SMKR

Item Number: 21010

Do you agree or disagree?

B: I would prefer to date people who don't smoke

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	154	6.8 %
2	MOST DIS:(2)	79	3.5 %
3	NEITHER:(3)	383	17.0 %
4	MOST AGR:(4)	279	12.4 %
5	AGREE:(5)	997	44.2 %
	Missing Data		
-9	MISSING:(-9)	364	16.1 %
	Total	**2,256**	**100%**

Based upon 1,892 valid cases out of 2,256 total cases.

Location: 535-536 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5435: 175E06C:HARMFUL CIG EXAG

Item Number: 21020

Do you agree or disagree?

C: The harmful effects of cigarettes have been exaggerated

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	1009	44.7 %
2	MOST DIS:(2)	312	13.8 %
3	NEITHER:(3)	348	15.4 %
4	MOST AGR:(4)	110	4.9 %
5	AGREE:(5)	108	4.8 %
	Missing Data		
-9	MISSING:(-9)	369	16.4 %
	Total	**2,256**	**100%**

Based upon 1,887 valid cases out of 2,256 total cases.

Location: 537-538 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V5436: 175E06D:SMKR POOR JDGMNT

Item Number: 21030

Do you agree or disagree?

D: I think that becoming a smoker reflects poor judgment

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	253	11.2 %
2	MOST DIS:(2)	185	8.2 %
3	NEITHER:(3)	597	26.5 %
4	MOST AGR:(4)	385	17.1 %
5	AGREE:(5)	468	20.7 %
	Missing Data		
-9	MISSING:(-9)	368	16.3 %
	Total	**2,256**	**100%**

Based upon 1,888 valid cases out of 2,256 total cases.

Location: 539-540 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5437: 175E06E:DONT MIND SMOKNG

Item Number: 21040

Do you agree or disagree?

E: I personally don't mind being around people who are smoking

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	642	28.5 %
2	MOST DIS:(2)	344	15.2 %
3	NEITHER:(3)	394	17.5 %

Value	Label	Unweighted Frequency	%
4	MOST AGR:(4)	290	12.9 %
5	AGREE:(5)	214	9.5 %
	Missing Data		
-9	MISSING:(-9)	372	16.5 %
	Total	**2,256**	**100%**

Based upon 1,884 valid cases out of 2,256 total cases.

Location: 541-542 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5438: 175E06F:SMKG DIRTY HABIT

Item Number: 21050

Do you agree or disagree?

F: Smoking is a dirty habit

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	173	7.7 %
2	MOST DIS:(2)	95	4.2 %
3	NEITHER:(3)	397	17.6 %
4	MOST AGR:(4)	391	17.3 %
5	AGREE:(5)	831	36.8 %
	Missing Data		
-9	MISSING:(-9)	369	16.4 %
	Total	**2,256**	**100%**

Based upon 1,887 valid cases out of 2,256 total cases.

Location: 543-544 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5485: 175E06G:DTEST NEAR SMKRS

Item Number: 21055

Do you agree or disagree?

G: I strongly dislike being near people who are smoking

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	264	11.7 %
2	MOST DIS:(2)	172	7.6 %
3	NEITHER:(3)	496	22.0 %
4	MOST AGR:(4)	310	13.7 %
5	AGREE:(5)	635	28.1 %
	Missing Data		
-9	MISSING:(-9)	379	16.8 %
	Total	**2,256**	**100%**

Based upon 1,877 valid cases out of 2,256 total cases.

Location: 545-546 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5511: 175E07A:#X FLVRDALC/LIFE

Item Number: 31360

On how many occasions (if any) have you had flavored alcoholic beverages like Mike's Hard Lemonade, Smirnoff Ice, Baccardi Silver, wine coolers, etc. to drink--more than just a few sips . . .

A: . . . in your lifetime?

Do not include regular liquor, beer, or wine.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	870	38.6 %
2	1-2X:(2)	301	13.3 %
3	3-5X:(3)	202	9.0 %
4	6-9X:(4)	148	6.6 %
5	10-19X:(5)	138	6.1 %
6	20-39X:(6)	85	3.8 %
7	40+OCCAS:(7)	108	4.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	404	17.9 %
	Total	**2,256**	**100%**

Based upon 1,852 valid cases out of 2,256 total cases.

Location: 547-548 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5512: 175E07B:#X FLVRDALC/12MO

Item Number: 31370

On how many occasions (if any) have you had flavored alcoholic beverages like Mike's Hard Lemonade, Smirnoff Ice, Baccardi Silver, wine coolers, etc. to drink--more than just a few sips . . .

B: . . . During the last 12 months?

Do not include regular liquor, beer, or wine.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1076	47.7 %
2	1-2X:(2)	318	14.1 %
3	3-5X:(3)	170	7.5 %
4	6-9X:(4)	109	4.8 %
5	10-19X:(5)	105	4.7 %
6	20-39X:(6)	31	1.4 %
7	40+OCCAS:(7)	37	1.6 %
	Missing Data		
-9	MISSING:(-9)	410	18.2 %
	Total	**2,256**	**100%**

Based upon 1,846 valid cases out of 2,256 total cases.

Location: 549-550 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5513: 175E07C:#X FLVRDALC/30DA

Item Number: 31380

On how many occasions (if any) have you had flavored alcoholic beverages like Mike's Hard Lemonade, Smirnoff Ice, Baccardi Silver, wine coolers, etc. to drink--more than just a few sips . . .

C: . . . During the last 30 days?

Do not include regular liquor, beer, or wine.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1455	64.5 %
2	1-2X:(2)	242	10.7 %
3	3-5X:(3)	85	3.8 %
4	6-9X:(4)	31	1.4 %
5	10-19X:(5)	15	0.7 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	414	18.4 %
	Total	**2,256**	**100%**

Based upon 1,842 valid cases out of 2,256 total cases.

Location: 551-552 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5486: 175E08A:#X CRACK/LIFETIM

Item Number: 22260

Lately, there has been some attention paid to certain drugs, including "crack" (cocaine in chunks or rocks). On how many occasions have you used "crack" cocaine . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1809	80.2 %
2	1-2X:(2)	23	1.0 %
3	3-5X:(3)	12	0.5 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	398	17.6 %
	Total	**2,256**	**100%**

Based upon 1,858 valid cases out of 2,256 total cases.

Location: 553-554 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5487: 175E08B:#X CRACK/LAST12M

Item Number: 22270

On how many occasions have you used "crack" cocaine . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1830	81.1 %
2	1-2X:(2)	17	0.8 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	390	17.3 %
	Total	**2,256**	**100%**

Based upon 1,866 valid cases out of 2,256 total cases.

Location: 555-556 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V5488: 175E08C:#X CRACK/LAST30D

Item Number: 22280

On how many occasions have you used "crack" cocaine . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1845	81.8 %
2	1-2X:(2)	8	0.4 %
3	3-5X:(3)	6	0.3 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	392	17.4 %
	Total	**2,256**	**100%**

Based upon 1,864 valid cases out of 2,256 total cases.

Location: 557-558 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5527: 175E09A:#X STRD/LIFETIME

Item Number: 22690

Anabolic steroids are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1828	81.0 %
2	1-2X:(2)	17	0.8 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	395	17.5 %
	Total	**2,256**	**100%**

Based upon 1,861 valid cases out of 2,256 total cases.

Location: 559-560 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5528: 175E09B:#X STRD/LAST12MO

Item Number: 22700

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1849	82.0 %
2	1-2X:(2)	9	0.4 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	388	17.2 %
	Total	**2,256**	**100%**

Based upon 1,868 valid cases out of 2,256 total cases.

Location: 561-562 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5529: 175E09C:#X STRD/LAST30DA

Item Number: 22710

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1857	82.3 %
2	1-2X:(2)	4	0.2 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	387	17.2 %
	Total	**2,256**	**100%**

Based upon 1,869 valid cases out of 2,256 total cases.

Location: 563-564 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5530: 175E10A:MTHD STRD-INJECT

Item Number: 23790

What methods have you used for taking steroids on your own? (Mark all that apply.)

A. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	38	1.7 %
1	MARKED:(1)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2212	98.0 %
	Total	**2,256**	**100%**

Based upon 44 valid cases out of 2,256 total cases.

Location: 565-566 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5531: 175E10B:MTHD STRD-MOUTH

Item Number: 23800

What methods have you used for taking steroids on your own?
(Mark all that apply.)

B. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	20	0.9 %
1	MARKED:(1)	24	1.1 %
	Missing Data		
-9	MISSING:(-9)	2212	98.0 %
	Total	**2,256**	**100%**

Based upon 44 valid cases out of 2,256 total cases.

Location: 567-568 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5532: 175E10C:HVNT USED STRDS

Item Number: 30940

What methods have you used for taking steroids on your own?
(Mark all that apply.)

C. Haven't used steroids

0="UNMARKED" 1="MARKED [Includes respondents who reported

nonuse on preceding prevalence question]"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	29	1.3 %
1	MARKED:(1)	1843	81.7 %
	Missing Data		
-9	MISSING:(-9)	384	17.0 %
	Total	**2,256**	**100%**

Based upon 1,872 valid cases out of 2,256 total cases.

Location: 569-570 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5496: 175E11A:#X KETAMINE/12M

Item Number: 31060

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

A. . . . taken ketamine ("special K," "super K")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1904	84.4 %
2	1-2X:(2)	17	0.8 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	324	14.4 %
	Total	**2,256**	**100%**

Based upon 1,932 valid cases out of 2,256 total cases.

Location: 571-572 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5571: 175E11B:#X PCP/LAST12M

Item Number: 01187

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

B. . . . used PCP?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1912	84.8 %
2	1-2X:(2)	8	0.4 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	326	14.5 %
	Total	**2,256**	**100%**

Based upon 1,930 valid cases out of 2,256 total cases.

Location: 573-574 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5499: 175E11C:#X OXYCONTN/12MO

Item Number: 31310

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

C. . . . taken OxyContin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1864	82.6 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	27	1.2 %
3	3-5X:(3)	12	0.5 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	336	14.9 %
	Total	**2,256**	**100%**

Based upon 1,920 valid cases out of 2,256 total cases.

Location: 575-576 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5500: 175E11D:#X VICODIN/12MO

Item Number: 31320

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

D. . . . taken Vicodin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1865	82.7 %
2	1-2X:(2)	23	1.0 %
3	3-5X:(3)	12	0.5 %
4	6-9X:(4)	8	0.4 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	341	15.1 %
	Total	**2,256**	**100%**

Based upon 1,915 valid cases out of 2,256 total cases.

Location: 577-578 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V5564: 175E11E:#X COUGHMED/12MO

Item Number: 31675

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

E. . . . taken a nonprescription cough or cold medicine ("robos", "DXM", etc.) to get high?

Do NOT include prescription cough medicines with codeine.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1837	81.4 %
2	1-2X:(2)	48	2.1 %
3	3-5X:(3)	16	0.7 %
4	6-9X:(4)	11	0.5 %
5	10-19X:(5)	10	0.4 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	328	14.5 %
	Total	**2,256**	**100%**

Based upon 1,928 valid cases out of 2,256 total cases.

Location: 579-580 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5565: 175E11F:#X DISSOVBL TOBAC/12MO

Item Number: 32710

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

F. . . . used dissolvable tobacco products (Ariva, Stonewall, Orbs)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1895	84.0 %
2	1-2X:(2)	10	0.4 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	336	14.9 %
	Total	**2,256**	**100%**

Based upon 1,920 valid cases out of 2,256 total cases.

Location: 581-582 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5566: 175E11G:#X SNUS/12MO

Item Number: 32720

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

G. . . . used snus (a small packet of tobacco that is put in the mouth)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1844	81.7 %
2	1-2X:(2)	34	1.5 %
3	3-5X:(3)	14	0.6 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	10	0.4 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	334	14.8 %

Value	Label	Unweighted Frequency	%
	Total	**2,256**	**100%**

Based upon 1,922 valid cases out of 2,256 total cases.

Location: 583-584 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5567: 175E11H:#X ALC BVRG W-CAFF/12MO

Item Number: 32690

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

H. . . . had an alcoholic beverage mixed with an energy drink (like Red Bull)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1603	71.1 %
2	1-2X:(2)	178	7.9 %
3	3-5X:(3)	56	2.5 %
4	6-9X:(4)	33	1.5 %
5	10-19X:(5)	30	1.3 %
6	20-39X:(6)	7	0.3 %
7	40+OCCAS:(7)	17	0.8 %
	Missing Data		
-9	MISSING:(-9)	332	14.7 %
	Total	**2,256**	**100%**

Based upon 1,924 valid cases out of 2,256 total cases.

Location: 585-586 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5578: 175E11I:#X PWD ALCOHOL/12MO

Item number: 34040

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

I. . . . had powdered alcohol?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1894	84.0 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	6	0.3 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	339	15.0 %
	Total	**2,256**	**100%**

Based upon 1,917 valid cases out of 2,256 total cases.

Location: 587-588 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5577: 175E11J!:#X HASH/OIL LAST 12M

Item Number: 33980

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

J. . . . used hash oil ("dabs," "honey oil," "budder," "shatter")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1694	75.1 %
2	1-2X:(2)	70	3.1 %
3	3-5X:(3)	45	2.0 %
4	6-9X:(4)	24	1.1 %
5	10-19X:(5)	15	0.7 %
6	20-39X:(6)	20	0.9 %
7	40+OCCAS:(7)	44	2.0 %
	Missing Data		
-9	MISSING:(-9)	344	15.2 %

Value	Label	Unweighted Frequency	%
	Total	**2,256**	**100%**

Based upon 1,912 valid cases out of 2,256 total cases.

Location: 589-590 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5573: 175E12A:#X LRG CIGAR/30DAY

Item Number: 33720

During the LAST 30 DAYS, on how many occasions (if any) have you . . .

A: . . .smoked large cigars?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1809	80.2 %
2	1-2 DAYS:(2)	73	3.2 %
3	3-5 DAYS:(3)	26	1.2 %
4	6-9 DAYS:(4)	4	0.2 %
5	10-19 DAYS:(5)	3	0.1 %
6	20-30 DAYS:(6)	11	0.5 %
	Missing Data		
-9	MISSING:(-9)	330	14.6 %
	Total	**2,256**	**100%**

Based upon 1,926 valid cases out of 2,256 total cases.

Location: 591-592 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5574: 175E12B:#X FLVD SML CIGAR/30DAY

Item Number: 33730

During the LAST 30 DAYS, on how many occasions (if any) have you . . .

B: . . .smoked flavored little cigars or cigarillos?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days"
5="10-19 days" 6="20-30 days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1730	76.7 %
2	1-2 DAYS:(2)	112	5.0 %
3	3-5 DAYS:(3)	43	1.9 %
4	6-9 DAYS:(4)	12	0.5 %
5	10-19 DAYS:(5)	6	0.3 %
6	20-30 DAYS:(6)	20	0.9 %
	Missing Data		
-9	MISSING:(-9)	333	14.8 %
	Total	**2,256**	**100%**

Based upon 1,923 valid cases out of 2,256 total cases.

Location: 593-594 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5575: 175E12C:#X REG SML CIGAR/30DAY

Item Number: 33740

During the LAST 30 DAYS, on how many occasions (if any) have you . . .

C: . . . smoked regular little cigars or cigarillos?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days"
5="10-19 days" 6="20-30 days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1799	79.7 %
2	1-2 DAYS:(2)	69	3.1 %
3	3-5 DAYS:(3)	28	1.2 %
4	6-9 DAYS:(4)	9	0.4 %
5	10-19 DAYS:(5)	3	0.1 %
6	20-30 DAYS:(6)	16	0.7 %
	Missing Data		
-9	MISSING:(-9)	332	14.7 %
	Total	**2,256**	**100%**

Based upon 1,924 valid cases out of 2,256 total cases.

Location: 595-596 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V5579: 175E12D:#X TOB HOOKAH/30DA

Item Number: 34050

During the LAST 30 DAYS, on how many occasions (if any) have you

D. . . . smoked tobacco using a hookah (water pipe)?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1824	80.9 %
2	1-2 DAYS:(2)	53	2.3 %
3	3-5 DAYS:(3)	15	0.7 %
4	6-9 DAYS:(4)	11	0.5 %
5	10-19 DAYS:(5)	4	0.2 %
6	20-30 DAYS:(6)	16	0.7 %
	Missing Data		
-9	MISSING:(-9)	333	14.8 %
	Total	**2,256**	**100%**

Based upon 1,923 valid cases out of 2,256 total cases.

Location: 597-598 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5590: 175E12E # DAYS SMKLESS TOB/30DAY

Item Number: 34390

During the LAST 30 DAYS, on how many days (if any) have you . . .

E. . . . used smokeless tobacco?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1808	80.1 %
2	1-2 DAYS:(2)	32	1.4 %
3	3-5 DAYS:(3)	23	1.0 %
4	6-9 DAYS:(4)	14	0.6 %

Value	Label	Unweighted Frequency	%
5	10-19 DAYS:(5)	8	0.4 %
6	20-30 DAYS:(6)	28	1.2 %
	Missing Data		
-9	MISSING:(-9)	343	15.2 %
	Total	**2,256**	**100%**

Based upon 1,913 valid cases out of 2,256 total cases.

Location: 599-600 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5576: 175E12F:#X SYNTH MJ/30DAY

Item Number: 33750

During the LAST 30 DAYS, on how many occasions (if any) have you . . .

F: . . . taken "synthetic marijuana" ("K2," "Spice") to get high?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days"
5="10-19 days" 6="20-30 days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1861	82.5 %
2	1-2 DAYS:(2)	24	1.1 %
3	3-5 DAYS:(3)	14	0.6 %
4	6-9 DAYS:(4)	1	0.0 %
5	10-19 DAYS:(5)	2	0.1 %
6	20-30 DAYS:(6)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	344	15.2 %
	Total	**2,256**	**100%**

Based upon 1,912 valid cases out of 2,256 total cases.

Location: 601-602 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5591: 175E12G # DAYS VAPE NIC/30DAY

Item Number: 34370

During the LAST 30 DAYS, on how many days (if any) have you . . .

G. . . . vaped an e-liquid with nicotine?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1599	70.9 %
2	1-2 DAYS:(2)	120	5.3 %
3	3-5 DAYS:(3)	55	2.4 %
4	6-9 DAYS:(4)	38	1.7 %
5	10-19 DAYS:(5)	22	1.0 %
6	20-30 DAYS:(6)	71	3.1 %
	Missing Data		
-9	MISSING:(-9)	351	15.6 %
	Total	**2,256**	**100%**

Based upon 1,905 valid cases out of 2,256 total cases.

Location: 603-604 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5580: 175E13A:LIFE MEANINGLESS

Item Number: 23700

How much do you agree or disagree with each of the following statements?

A: Life often seems meaningless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	932	41.3 %
2	MOST DIS:(2)	344	15.2 %
3	NEITHER:(3)	360	16.0 %
4	MOST AGR:(4)	160	7.1 %
5	AGREE:(5)	121	5.4 %
	Missing Data		
-9	MISSING:(-9)	339	15.0 %
	Total	**2,256**	**100%**

Based upon 1,917 valid cases out of 2,256 total cases.

Location: 605-606 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V5581: 175E13B:I ENJOY LIFE

Item Number: 23710

How much do you agree or disagree with each of the following statements?

B: I enjoy life as much as anyone

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	136	6.0 %
2	MOST DIS:(2)	186	8.2 %
3	NEITHER:(3)	375	16.6 %
4	MOST AGR:(4)	639	28.3 %
5	AGREE:(5)	584	25.9 %
	Missing Data		
-9	MISSING:(-9)	336	14.9 %
	Total	**2,256**	**100%**

Based upon 1,920 valid cases out of 2,256 total cases.

Location: 607-608 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5582: 175E13C:KICK DO DANGR TH

Item Number: 07050

How much do you agree or disagree with each of the following statements?

C: I get a real kick out of doing things that are a little dangerous

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	296	13.1 %
2	MOST DIS:(2)	285	12.6 %
3	NEITHER:(3)	510	22.6 %
4	MOST AGR:(4)	549	24.3 %
5	AGREE:(5)	278	12.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	338	15.0 %
	Total	**2,256**	**100%**

Based upon 1,918 valid cases out of 2,256 total cases.

Location: 609-610 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5583: 175E13D:FUTURE HOPELESS

Item Number: 23720

How much do you agree or disagree with each of the following statements?

D: The future often seems hopeless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	828	36.7 %
2	MOST DIS:(2)	382	16.9 %
3	NEITHER:(3)	404	17.9 %
4	MOST AGR:(4)	190	8.4 %
5	AGREE:(5)	99	4.4 %
	Missing Data		
-9	MISSING:(-9)	353	15.6 %
	Total	**2,256**	**100%**

Based upon 1,903 valid cases out of 2,256 total cases.

Location: 611-612 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5584: 175E13E:LIKE RISK SOME X

Item Number: 07060

How much do you agree or disagree with each of the following statements?

E: I like to test myself every now and then by doing something a little risky

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	324	14.4 %
2	MOST DIS:(2)	286	12.7 %
3	NEITHER:(3)	457	20.3 %
4	MOST AGR:(4)	568	25.2 %
5	AGREE:(5)	271	12.0 %
	Missing Data		
-9	MISSING:(-9)	350	15.5 %
	Total	**2,256**	**100%**

Based upon 1,906 valid cases out of 2,256 total cases.

Location: 613-614 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5585: 175E13F:GOOD TO BE ALIVE

Item Number: 23730

How much do you agree or disagree with each of the following statements?

F: It feels good to be alive

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	104	4.6 %
2	MOST DIS:(2)	85	3.8 %
3	NEITHER:(3)	272	12.1 %
4	MOST AGR:(4)	472	20.9 %
5	AGREE:(5)	970	43.0 %
	Missing Data		
-9	MISSING:(-9)	353	15.6 %
	Total	**2,256**	**100%**

Based upon 1,903 valid cases out of 2,256 total cases.

Location: 615-616 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5533: 175E14A:SPORT/12M NONE

Item Number: 31500

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

A: None

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1249	55.4 %
1	MARKED:(1)	650	28.8 %
	Missing Data		
-9	MISSING:(-9)	357	15.8 %
	Total	**2,256**	**100%**

Based upon 1,899 valid cases out of 2,256 total cases.

Location: 617-618 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5534: 175E14B:SPORT/12M BASEBL

Item Number: 31510

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

B: Baseball/Softball

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1677	74.3 %
1	MARKED:(1)	222	9.8 %
	Missing Data		
-9	MISSING:(-9)	357	15.8 %
	Total	**2,256**	**100%**

Based upon 1,899 valid cases out of 2,256 total cases.

Location: 619-620 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5535: 175E14C:SPORT/12M BSKTBL

Item Number: 31520

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

C: Basketball

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1580	70.0 %
1	MARKED:(1)	319	14.1 %
	Missing Data		
-9	MISSING:(-9)	357	15.8 %
	Total	**2,256**	**100%**

Based upon 1,899 valid cases out of 2,256 total cases.

Location: 621-622 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5556: 175E14D:SPORT/12M CHEERLDG

Item Number: 31525

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

D. Cheerleading / Spirit Squad

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1815	80.5 %
1	MARKED:(1)	84	3.7 %
	Missing Data		
-9	MISSING:(-9)	357	15.8 %
	Total	**2,256**	**100%**

Based upon 1,899 valid cases out of 2,256 total cases.

Location: 623-624 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5557: 175E14E:SPORT/12M CREW

Item Number: 31528

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

E. Crew

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1895	84.0 %
1	MARKED:(1)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	357	15.8 %
	Total	**2,256**	**100%**

Based upon 1,899 valid cases out of 2,256 total cases.

Location: 625-626 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5536: 175E14F:SPORT/12M XCNTRY

Item Number: 31530

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

F: Cross country

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1786	79.2 %
1	MARKED:(1)	113	5.0 %
	Missing Data		
-9	MISSING:(-9)	357	15.8 %
	Total	**2,256**	**100%**

Based upon 1,899 valid cases out of 2,256 total cases.

Location: 627-628 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V5558: 175E14G:SPORT/12M EQUESTRN

Item Number: 31535

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

G. Equestrian

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1873	83.0 %
1	MARKED:(1)	26	1.2 %
	Missing Data		
-9	MISSING:(-9)	357	15.8 %
	Total	**2,256**	**100%**

Based upon 1,899 valid cases out of 2,256 total cases.

Location: 629-630 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5537: 175E14H:SPORT/12M FLDHKY

Item Number: 31540

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

H: Field hockey

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1884	83.5 %
1	MARKED:(1)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	357	15.8 %
	Total	**2,256**	**100%**

Based upon 1,899 valid cases out of 2,256 total cases.

Location: 631-632 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5538: 175E14I:SPORT/12M FOOTBL

Item Number: 31550

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

I: Football

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1678	74.4 %
1	MARKED:(1)	221	9.8 %
	Missing Data		
-9	MISSING:(-9)	357	15.8 %
	Total	**2,256**	**100%**

Based upon 1,899 valid cases out of 2,256 total cases.

Location: 633-634 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5559: 175E14J:SPORT/12M GOLF

Item Number: 31555

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

J. Golf

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1825	80.9 %
1	MARKED:(1)	74	3.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	357	15.8 %
	Total	**2,256**	**100%**

Based upon 1,899 valid cases out of 2,256 total cases.

Location: 635-636 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5539: 175E14K:SPORT/12M GYMNST

Item Number: 31560

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

K: Gymnastics

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1887	83.6 %
1	MARKED:(1)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	357	15.8 %
	Total	**2,256**	**100%**

Based upon 1,899 valid cases out of 2,256 total cases.

Location: 637-638 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5540: 175E14L:SPORT/12M ICEHKY

Item Number: 31570

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

L: Ice hockey

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1863	82.6 %
1	MARKED:(1)	36	1.6 %
	Missing Data		
-9	MISSING:(-9)	357	15.8 %
	Total	**2,256**	**100%**

Based upon 1,899 valid cases out of 2,256 total cases.

Location: 639-640 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5541: 175E14M:SPORT/12M LCRSSE

Item Number: 31580

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

M: Lacrosse

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1841	81.6 %
1	MARKED:(1)	58	2.6 %
	Missing Data		
-9	MISSING:(-9)	357	15.8 %
	Total	**2,256**	**100%**

Based upon 1,899 valid cases out of 2,256 total cases.

Location: 641-642 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5543: 175E14N:SPORT/12M SOCCER

Item Number: 31600

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

N: Soccer

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1650	73.1 %
1	MARKED:(1)	249	11.0 %
	Missing Data		
-9	MISSING:(-9)	357	15.8 %
	Total	**2,256**	**100%**

Based upon 1,899 valid cases out of 2,256 total cases.

Location: 643-644 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5542: 175E14O:SPORT/12M SWIM

Item Number: 31590

In which competitive sports (if any) did you participate
during the LAST 12 MONTHS? Include school, community, and
other organized sports. (Mark all that apply.)

O: Swimming/Diving

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1763	78.1 %
1	MARKED:(1)	136	6.0 %
	Missing Data		
-9	MISSING:(-9)	357	15.8 %
	Total	**2,256**	**100%**

Based upon 1,899 valid cases out of 2,256 total cases.

Location: 645-646 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5544: 175E14P:SPORT/12M TENNIS

Item Number: 31610

In which competitive sports (if any) did you participate
during the LAST 12 MONTHS? Include school, community, and

other organized sports. (Mark all that apply.)

P: Tennis

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1811	80.3 %
1	MARKED:(1)	88	3.9 %
	Missing Data		
-9	MISSING:(-9)	357	15.8 %
	Total	**2,256**	**100%**

Based upon 1,899 valid cases out of 2,256 total cases.

Location: 647-648 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5545: 175E14Q:SPORT/12M TRACK

Item Number: 31620

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

Q: Track & Field

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1683	74.6 %
1	MARKED:(1)	216	9.6 %
	Missing Data		
-9	MISSING:(-9)	357	15.8 %
	Total	**2,256**	**100%**

Based upon 1,899 valid cases out of 2,256 total cases.

Location: 649-650 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5546: 175E14R:SPORT/12M VLLYBL

Item Number: 31630

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

R: Volleyball

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1731	76.7 %
1	MARKED:(1)	168	7.4 %
	Missing Data		
-9	MISSING:(-9)	357	15.8 %
	Total	**2,256**	**100%**

Based upon 1,899 valid cases out of 2,256 total cases.

Location: 651-652 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5560: 175E14S:SPORT/12M WATER POLO

Item Number: 31635

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

S. Water polo

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1881	83.4 %
1	MARKED:(1)	18	0.8 %
	Missing Data		
-9	MISSING:(-9)	357	15.8 %
	Total	**2,256**	**100%**

Based upon 1,899 valid cases out of 2,256 total cases.

Location: 653-654 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5547: 175E14T:SPORT/12M WTLIFT

Item Number: 31640

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

T: Weight lifting

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1770	78.5 %
1	MARKED:(1)	129	5.7 %
	Missing Data		
-9	MISSING:(-9)	357	15.8 %
	Total	**2,256**	**100%**

Based upon 1,899 valid cases out of 2,256 total cases.

Location: 655-656 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5548: 175E14U:SPORT/12M WRESTL

Item Number: 31650

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

U: Wrestling

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1840	81.6 %
1	MARKED:(1)	59	2.6 %
	Missing Data		
-9	MISSING:(-9)	357	15.8 %
	Total	**2,256**	**100%**

Based upon 1,899 valid cases out of 2,256 total cases.

Location: 657-658 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5549: 175E14V:SPORT/12M OTHER

Item Number: 31660

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

V: Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1653	73.3 %
1	MARKED:(1)	246	10.9 %
	Missing Data		
-9	MISSING:(-9)	357	15.8 %
	Total	**2,256**	**100%**

Based upon 1,899 valid cases out of 2,256 total cases.

Location: 659-660 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V5561: 175E15:#DA/WK ACTV 60 MIN

Item number: 32520

During the LAST 7 DAYS, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you get out of breath some of the time.)

0="0 days" 1="1 day" 2="2 days" 3="3 days" 4="4 days" 5="5 days" 6="6 days" 7="7 days"

Value	Label	Unweighted Frequency	%
0	0 DAYS:(0)	362	16.0 %
1	1 DAY:(1)	157	7.0 %
2	2 DAYS:(2)	238	10.5 %
3	3 DAYS:(3)	239	10.6 %
4	4 DAYS:(4)	193	8.6 %
5	5 DAYS:(5)	281	12.5 %
6	6 DAYS:(6)	140	6.2 %

Value	Label	Unweighted Frequency	%
7	7 DAYS:(7)	308	13.7 %
	Missing Data		
-9	MISSING:(-9)	338	15.0 %
	Total	**2,256**	**100%**

Based upon 1,918 valid cases out of 2,256 total cases.

Location: 661-662 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

ICPSR 37182

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2017

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Form 6 Data

CASEID: CASE IDENTIFICATION NUMBER

Based upon 2,272 valid cases out of 2,272 total cases.

Location: 1-4 (width: 4; decimal: 0)
Variable Type: numeric

V1: YEAR OF ADMIN (4-DIGITS)

Value	Label	Unweighted Frequency	%
2017	-	2272	100.0 %
	Total	**2,272**	**100%**

Based upon 2,272 valid cases out of 2,272 total cases.

Location: 5-8 (width: 4; decimal: 0)
Variable Type: numeric

V3: BY17 80003 FORM ID

Value	Label	Unweighted Frequency	%
6	-	2272	100.0 %
	Total	**2,272**	**100%**

Based upon 2,272 valid cases out of 2,272 total cases.

Location: 9-9 (width: 1; decimal: 0)
Variable Type: numeric

RESPONDENT_ID: R'S ID-SERIAL

Based upon 2,272 valid cases out of 2,272 total cases.

Location: 10-14 (width: 5; decimal: 0)
Variable Type: numeric

ARCHIVE_WT: ARCHIVE WEIGHT

Based upon 2,272 valid cases out of 2,272 total cases.

Location: 15-29 (width: 15; decimal: 13)
Variable Type: numeric

V13: SCH REG-4 CAT

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

Value	Label	Unweighted Frequency	%
1	NORTHEAST:(1)	400	17.6 %
2	NORTH CENTRAL:(2)	491	21.6 %
3	SOUTH:(3)	784	34.5 %
4	WEST:(4)	597	26.3 %
	Total	**2,272**	**100%**

Based upon 2,272 valid cases out of 2,272 total cases.

Location: 30-30 (width: 1; decimal: 0)
Variable Type: numeric

V16: LARGE MSA = 1/NOT = 0

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	Label	Unweighted Frequency	%
0	ELSE:(0)	1316	57.9 %
1	LARGE MSA:(1)	956	42.1 %
	Total	**2,272**	**100%**

Based upon 2,272 valid cases out of 2,272 total cases.

Location: 31-31 (width: 1; decimal: 0)
Variable Type: numeric

V17: SMSA/NON SMSA = 0

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	Label	Unweighted Frequency	%
0	NOT MSA:(0)	378	16.6 %
1	MSA:(1)	1894	83.4 %

Value	Label	Unweighted Frequency	%
	Total	**2,272**	**100%**

Based upon 2,272 valid cases out of 2,272 total cases.

Location: 32-32 (width: 1; decimal: 0)
Variable Type: numeric

V6207: 176A01 :CMP SATFD W/LIFE

Item Number: 06840

How satisfied are you with your life as a whole these days?

1="Completely dissatisfied" 2="Quite dissatisfied" 3="Somewhat dissatisfied" 4="Neither, or mixed feelings" 5="Somewhat satisfied" 6="Quite satisfied" 7="Completely satisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	50	2.2 %
2	QUITE:(2)	118	5.2 %
3	SOME DIS:(3)	154	6.8 %
4	NEITHER:(4)	298	13.1 %
5	SOME DIS:(5)	504	22.2 %
6	QUITE:(6)	786	34.6 %
7	COMPLETE:(7)	299	13.2 %
	Missing Data		
-9	MISSING:(-9)	63	2.8 %
	Total	**2,272**	**100%**

Based upon 2,209 valid cases out of 2,272 total cases.

Location: 33-34 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6208: 176A02A:DALY WATCH TV

Item Number: 05820

The next questions ask about the kinds of things you might do.
How often do you do each of the following?

A: Watch TV

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	97	4.3 %
2	FEW/YR:(2)	133	5.9 %
3	1X-2X/MO:(3)	261	11.5 %
4	ONCE+/WK:(4)	783	34.5 %
5	ALM EVERYDAY:(5)	982	43.2 %
	Missing Data		
-9	MISSING:(-9)	16	0.7 %
	Total	**2,272**	**100%**

Based upon 2,256 valid cases out of 2,272 total cases.

Location: 35-36 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6209: 176A02B:DALY GO TO MOVIE

Item Number: 05830

How often do you do each of the following?

B: Go to movies

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	96	4.2 %
2	FEW/YR:(2)	1140	50.2 %
3	1X-2X/MO:(3)	900	39.6 %
4	ONCE+/WK:(4)	106	4.7 %
5	ALM EVERYDAY:(5)	18	0.8 %
	Missing Data		
-9	MISSING:(-9)	12	0.5 %
	Total	**2,272**	**100%**

Based upon 2,260 valid cases out of 2,272 total cases.

Location: 37-38 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6210: 176A02C:DALY MUSIC CNCRT

Item Number: 05846

How often do you do each of the following?

C: Go to music concerts

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1038	45.7 %
2	FEW/YR:(2)	1070	47.1 %
3	1X-2X/MO:(3)	116	5.1 %
4	ONCE+/WK:(4)	17	0.7 %
5	ALM EVERYDAY:(5)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	25	1.1 %
	Total	**2,272**	**100%**

Based upon 2,247 valid cases out of 2,272 total cases.

Location: 39-40 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6211: 176A02D:DALY RIDE FORFUN

Item Number: 05850

How often do you do each of the following?

D: Ride around in a car (or motorcycle) just for fun

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	420	18.5 %
2	FEW/YR:(2)	279	12.3 %
3	1X-2X/MO:(3)	375	16.5 %
4	ONCE+/WK:(4)	630	27.7 %
5	ALM EVERYDAY:(5)	553	24.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	15	0.7 %
	Total	**2,272**	**100%**

Based upon 2,257 valid cases out of 2,272 total cases.

Location: 41-42 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6212: 176A02E:DALY CMNTY AFFRS

Item Number: 05860

How often do you do each of the following?

E: Participate in community affairs or volunteer work

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	521	22.9 %
2	FEW/YR:(2)	929	40.9 %
3	1X-2X/MO:(3)	493	21.7 %
4	ONCE+/WK:(4)	255	11.2 %
5	ALM EVERYDAY:(5)	52	2.3 %
	Missing Data		
-9	MISSING:(-9)	22	1.0 %
	Total	**2,272**	**100%**

Based upon 2,250 valid cases out of 2,272 total cases.

Location: 43-44 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6213: 176A02F:DALY ACTV SPORTS

Item Number: 05890

How often do you do each of the following?

F: Actively participate in sports, athletics or exercising

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	271	11.9 %
2	FEW/YR:(2)	268	11.8 %
3	1X-2X/MO:(3)	283	12.5 %
4	ONCE+/WK:(4)	485	21.3 %
5	ALM EVERYDAY:(5)	944	41.5 %
	Missing Data		
-9	MISSING:(-9)	21	0.9 %
	Total	**2,272**	**100%**

Based upon 2,251 valid cases out of 2,272 total cases.

Location: 45-46 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6214: 176A02G:DALY VIST W/FRDS

Item Number: 05920

How often do you do each of the following?

G: Get together with friends informally

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	73	3.2 %
2	FEW/YR:(2)	152	6.7 %
3	1X-2X/MO:(3)	478	21.0 %
4	ONCE+/WK:(4)	980	43.1 %
5	ALM EVERYDAY:(5)	560	24.6 %
	Missing Data		
-9	MISSING:(-9)	29	1.3 %
	Total	**2,272**	**100%**

Based upon 2,243 valid cases out of 2,272 total cases.

Location: 47-48 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6597: 176A02H:DALY GO TO MALL

Item Number: 05935

How often do you do each of the following?

H. Go to a shopping mall

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	125	5.5 %
2	FEW/YR:(2)	703	30.9 %
3	1X-2X/MO:(3)	1111	48.9 %
4	ONCE+/WK:(4)	275	12.1 %
5	ALM EVERYDAY:(5)	39	1.7 %
	Missing Data		
-9	MISSING:(-9)	19	0.8 %
	Total	**2,272**	**100%**

Based upon 2,253 valid cases out of 2,272 total cases.

Location: 49-50 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6216: 176A02I:DALY ALONE LEISR

Item Number: 05940

How often do you do each of the following?

I: Spend at least an hour of leisure time alone

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	93	4.1 %
2	FEW/YR:(2)	95	4.2 %
3	1X-2X/MO:(3)	216	9.5 %
4	ONCE+/WK:(4)	579	25.5 %
5	ALM EVERYDAY:(5)	1258	55.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	31	1.4 %
	Total	**2,272**	**100%**

Based upon 2,241 valid cases out of 2,272 total cases.

Location: 51-52 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6217: 176A02J:DALY READ MAGZNS

Item Number: 23070

How often do you do each of the following?

J: Read magazines

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1213	53.4 %
2	FEW/YR:(2)	576	25.4 %
3	1X-2X/MO:(3)	321	14.1 %
4	ONCE+/WK:(4)	116	5.1 %
5	ALM EVERYDAY:(5)	25	1.1 %
	Missing Data		
-9	MISSING:(-9)	21	0.9 %
	Total	**2,272**	**100%**

Based upon 2,251 valid cases out of 2,272 total cases.

Location: 53-54 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6218: 176A02K:DALY READ NWSPPR

Item Number: 23080

How often do you do each of the following?

K: Read newspapers

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1258	55.4 %
2	FEW/YR:(2)	514	22.6 %
3	1X-2X/MO:(3)	255	11.2 %
4	ONCE+/WK:(4)	162	7.1 %
5	ALM EVERYDAY:(5)	58	2.6 %
	Missing Data		
-9	MISSING:(-9)	25	1.1 %
	Total	**2,272**	**100%**

Based upon 2,247 valid cases out of 2,272 total cases.

Location: 55-56 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6219: 176A02L:DALY GO TO BARS

Item Number: 05960

How often do you do each of the following?

L: Go to taverns, bars or nightclubs

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1719	75.7 %
2	FEW/YR:(2)	274	12.1 %
3	1X-2X/MO:(3)	151	6.6 %
4	ONCE+/WK:(4)	65	2.9 %
5	ALM EVERYDAY:(5)	37	1.6 %
	Missing Data		
-9	MISSING:(-9)	26	1.1 %
	Total	**2,272**	**100%**

Based upon 2,246 valid cases out of 2,272 total cases.

Location: 57-58 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6220: 176A02M:DALY GO TO PARTY

Item Number: 05970

How often do you do each of the following?

M: Go to parties or other social affairs

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	359	15.8 %
2	FEW/YR:(2)	773	34.0 %
3	1X-2X/MO:(3)	734	32.3 %
4	ONCE+/WK:(4)	342	15.1 %
5	ALM EVERYDAY:(5)	41	1.8 %
	Missing Data		
-9	MISSING:(-9)	23	1.0 %
	Total	**2,272**	**100%**

Based upon 2,249 valid cases out of 2,272 total cases.

Location: 59-60 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6598: 176A02N:DALY GO TO RAVES

Item Number: 29760

How often do you do each of the following?

N: Go to raves or other dance music events

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1406	61.9 %
2	FEW/YR:(2)	577	25.4 %
3	1X-2X/MO:(3)	185	8.1 %
4	ONCE+/WK:(4)	49	2.2 %
5	ALM EVERYDAY:(5)	27	1.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	28	1.2 %
	Total	**2,272**	**100%**

Based upon 2,244 valid cases out of 2,272 total cases.

Location: 61-62 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6221: 176A03 :*SC WRK NVR MNG

Item Number: 05700

The next questions are about your experiences in school.
How often do you feel that the school work you are assigned
is meaningful and important?

5="Almost always" 4="Often" 3="Sometimes" 2="Seldom" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	143	6.3 %
2	SELDOM:(2)	446	19.6 %
3	SOMETIME:(3)	1044	46.0 %
4	OFTEN:(4)	407	17.9 %
5	ALM ALWYS:(5)	165	7.3 %
	Missing Data		
-9	MISSING:(-9)	67	2.9 %
	Total	**2,272**	**100%**

Based upon 2,205 valid cases out of 2,272 total cases.

Location: 63-64 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6222: 176A04 :*MST COUR V DUL

Item Number: 05710

How interesting are most of your courses to you?

5="Very exciting and stimulating" 4="Quite interesting"
3="Fairly interesting" 2="Slightly dull" 1="Very dull"

Value	Label	Unweighted Frequency	%
1	VERY DULL:(1)	218	9.6 %
2	SLIGHT DULL:(2)	611	26.9 %
3	FAIRLY INTR:(3)	951	41.9 %
4	QUITE INTRST:(4)	399	17.6 %
5	VRY EXCITG:(5)	70	3.1 %
	Missing Data		
-9	MISSING:(-9)	23	1.0 %
	Total	**2,272**	**100%**

Based upon 2,249 valid cases out of 2,272 total cases.

Location: 65-66 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6223: 176A05 :*LRN SCH NT IMP

Item Number: 05720

How important do you think the things you are learning in school are going to be for your later life?

5="Very important" 4="Quite important" 3="Fairly important" 2="Slightly important" 1="Not at all important"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	167	7.4 %
2	SLIGHT:(2)	760	33.5 %
3	FAIR IMPT:(3)	743	32.7 %
4	QUITE IMPT:(4)	374	16.5 %
5	VRY IMPT:(5)	193	8.5 %
	Missing Data		
-9	MISSING:(-9)	35	1.5 %
	Total	**2,272**	**100%**

Based upon 2,237 valid cases out of 2,272 total cases.

Location: 67-68 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6224: 176A06A:LSTYR/ENJOY SCHL

Item Number: 23090

Now thinking back over the past year in school, how often did you . . .

A: . . . Enjoy being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	165	7.3 %
2	SELDOM:(2)	389	17.1 %
3	SOMETIME:(3)	949	41.8 %
4	OFTEN:(4)	609	26.8 %
5	ALWAYS:(5)	142	6.2 %
	Missing Data		
-9	MISSING:(-9)	18	0.8 %
	Total	**2,272**	**100%**

Based upon 2,254 valid cases out of 2,272 total cases.

Location: 69-70 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6225: 176A06B:LSTYR/HATE SCHL

Item Number: 23100

Now thinking back over the past year in school, how often did you . . .

B: . . . Hate being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	146	6.4 %
2	SELDOM:(2)	510	22.4 %
3	SOMETIME:(3)	782	34.4 %
4	OFTEN:(4)	551	24.3 %
5	ALWAYS:(5)	266	11.7 %
	Missing Data		
-9	MISSING:(-9)	17	0.7 %
	Total	**2,272**	**100%**

Based upon 2,255 valid cases out of 2,272 total cases.

Location: 71-72 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6226: 176A06C:LSTYR/DO BEST WK

Item Number: 23110

Now thinking back over the past year in school, how often did you . . .

C: . . . Try to do your best work in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	36	1.6 %
2	SELDOM:(2)	116	5.1 %
3	SOMETIME:(3)	498	21.9 %
4	OFTEN:(4)	809	35.6 %
5	ALWAYS:(5)	790	34.8 %
	Missing Data		
-9	MISSING:(-9)	23	1.0 %
	Total	**2,272**	**100%**

Based upon 2,249 valid cases out of 2,272 total cases.

Location: 73-74 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6227: 176A06D:LSTYR/SCH 2 HARD

Item Number: 23120

Now thinking back over the past year in school, how often did you . . .

D: . . . Find the school work too hard to understand?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	263	11.6 %
2	SELDOM:(2)	865	38.1 %

Value	Label	Unweighted Frequency	%
3	SOMETIME:(3)	829	36.5 %
4	OFTEN:(4)	235	10.3 %
5	ALWAYS:(5)	57	2.5 %
	Missing Data		
-9	MISSING:(-9)	23	1.0 %
	Total	**2,272**	**100%**

Based upon 2,249 valid cases out of 2,272 total cases.

Location: 75-76 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6228: 176A06E:LSTYR/FOOL ROUND

Item Number: 23130

Now thinking back over the past year in school, how often did you . . .

E: . . . Fool around in class?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	377	16.6 %
2	SELDOM:(2)	655	28.8 %
3	SOMETIME:(3)	743	32.7 %
4	OFTEN:(4)	325	14.3 %
5	ALWAYS:(5)	148	6.5 %
	Missing Data		
-9	MISSING:(-9)	24	1.1 %
	Total	**2,272**	**100%**

Based upon 2,248 valid cases out of 2,272 total cases.

Location: 77-78 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6229: 176A06F:LSTYR/WK NT DONE

Item Number: 23140

Now thinking back over the past year in school, how often did

you . . .

F: . . . Fail to complete or turn in your assignments?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	586	25.8 %
2	SELDOM:(2)	795	35.0 %
3	SOMETIME:(3)	610	26.8 %
4	OFTEN:(4)	203	8.9 %
5	ALWAYS:(5)	56	2.5 %
	Missing Data		
-9	MISSING:(-9)	22	1.0 %
	Total	**2,272**	**100%**

Based upon 2,250 valid cases out of 2,272 total cases.

Location: 79-80 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6230: 176A06G:LSTYR/GT GD GRDS

Item Number: 23150

Now thinking back over the past year in school, how often did you . . .

G: . . . Get good grades (like A's or B's)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	34	1.5 %
2	SELDOM:(2)	138	6.1 %
3	SOMETIME:(3)	465	20.5 %
4	OFTEN:(4)	609	26.8 %
5	ALWAYS:(5)	1001	44.1 %
	Missing Data		
-9	MISSING:(-9)	25	1.1 %
	Total	**2,272**	**100%**

Based upon 2,247 valid cases out of 2,272 total cases.

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V6231: 176A06H:LSTYR/U MISBEHAV

Item Number: 23160

Now thinking back over the past year in school, how often did you . . .

H: . . . Get sent to the office, or have to stay after school, because you misbehaved?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1833	80.7 %
2	SELDOM:(2)	295	13.0 %
3	SOMETIME:(3)	69	3.0 %
4	OFTEN:(4)	34	1.5 %
5	ALWAYS:(5)	19	0.8 %
	Missing Data		
-9	MISSING:(-9)	22	1.0 %
	Total	**2,272**	**100%**

Based upon 2,250 valid cases out of 2,272 total cases.

Location: 83-84 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6232: 176A06I:LSTYR/SKIP SCHL

Item Number: 23170

Now thinking back over the past year in school, how often did you . . .

I: . . . Skip a day of school, or part of a day (without permission)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1308	57.6 %
2	SELDOM:(2)	415	18.3 %

Value	Label	Unweighted Frequency	%
3	SOMETIME:(3)	321	14.1 %
4	OFTEN:(4)	141	6.2 %
5	ALWAYS:(5)	64	2.8 %
	Missing Data		
-9	MISSING:(-9)	23	1.0 %
	Total	**2,272**	**100%**

Based upon 2,249 valid cases out of 2,272 total cases.

Location: 85-86 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6242: 176A07A:5-6GR/ENJOY SCHL

Item Number: 23270

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

A: . . . Enjoy being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	201	8.8 %
2	SELDOM:(2)	232	10.2 %
3	SOMETIME:(3)	556	24.5 %
4	OFTEN:(4)	686	30.2 %
5	ALWAYS:(5)	575	25.3 %
	Missing Data		
-9	MISSING:(-9)	22	1.0 %
	Total	**2,272**	**100%**

Based upon 2,250 valid cases out of 2,272 total cases.

Location: 87-88 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6243: 176A07B:5-6GR/HATE SCHL

Item Number: 23280

Now thinking back to the time when you were in fifth and sixth

grade, how often did you . . .

B: . . . Hate being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	458	20.2 %
2	SELDOM:(2)	683	30.1 %
3	SOMETIME:(3)	598	26.3 %
4	OFTEN:(4)	299	13.2 %
5	ALWAYS:(5)	210	9.2 %
	Missing Data		
-9	MISSING:(-9)	24	1.1 %
	Total	**2,272**	**100%**

Based upon 2,248 valid cases out of 2,272 total cases.

Location: 89-90 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6244: 176A07C:5-6GR/DO BEST WK

Item Number: 23290

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

C: . . . Try to do your best work in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	71	3.1 %
2	SELDOM:(2)	139	6.1 %
3	SOMETIME:(3)	396	17.4 %
4	OFTEN:(4)	583	25.7 %
5	ALWAYS:(5)	1055	46.4 %
	Missing Data		
-9	MISSING:(-9)	28	1.2 %
	Total	**2,272**	**100%**

Based upon 2,244 valid cases out of 2,272 total cases.

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V6245: 176A07D:5-6GR/SCH 2 HARD

Item Number: 23300

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

D: . . . Find the school work too hard to understand?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	626	27.6 %
2	SELDOM:(2)	653	28.7 %
3	SOMETIME:(3)	625	27.5 %
4	OFTEN:(4)	239	10.5 %
5	ALWAYS:(5)	96	4.2 %
	Missing Data		
-9	MISSING:(-9)	33	1.5 %
	Total	**2,272**	**100%**

Based upon 2,239 valid cases out of 2,272 total cases.

Location: 93-94 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6246: 176A07E:5-6GR/FOOL ROUND

Item Number: 23310

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

E: . . . Fool around in class?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	542	23.9 %
2	SELDOM:(2)	443	19.5 %
3	SOMETIME:(3)	590	26.0 %
4	OFTEN:(4)	412	18.1 %

Value	Label	Unweighted Frequency	%
5	ALWAYS:(5)	250	11.0 %
	Missing Data		
-9	MISSING:(-9)	35	1.5 %
	Total	**2,272**	**100%**

Based upon 2,237 valid cases out of 2,272 total cases.

Location: 95-96 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6247: 176A07F:5-6GR/WK NT DONE

Item Number: 23320

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

F: . . . Fail to complete or turn in your assignments?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1014	44.6 %
2	SELDOM:(2)	575	25.3 %
3	SOMETIME:(3)	403	17.7 %
4	OFTEN:(4)	176	7.7 %
5	ALWAYS:(5)	69	3.0 %
	Missing Data		
-9	MISSING:(-9)	35	1.5 %
	Total	**2,272**	**100%**

Based upon 2,237 valid cases out of 2,272 total cases.

Location: 97-98 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6248: 176A07G:5-6GR/GT GD GRDS

Item Number: 23330

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

G: . . . Get good grades (like A's or B's)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	57	2.5 %
2	SELDOM:(2)	154	6.8 %
3	SOMETIME:(3)	339	14.9 %
4	OFTEN:(4)	528	23.2 %
5	ALWAYS:(5)	1158	51.0 %
	Missing Data		
-9	MISSING:(-9)	36	1.6 %
	Total	**2,272**	**100%**

Based upon 2,236 valid cases out of 2,272 total cases.

Location: 99-100 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6249: 176A07H:5-6GR/U MISBEHAV

Item Number: 23340

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

H: . . . Get sent to the office, or have to stay after school, because you misbehaved?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1494	65.8 %
2	SELDOM:(2)	425	18.7 %
3	SOMETIME:(3)	183	8.1 %
4	OFTEN:(4)	97	4.3 %
5	ALWAYS:(5)	44	1.9 %
	Missing Data		
-9	MISSING:(-9)	29	1.3 %
	Total	**2,272**	**100%**

Based upon 2,243 valid cases out of 2,272 total cases.

Location: 101-102 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V6250: 176A07I:5-6GR/SKIP SCHL

Item Number: 23350

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

I: . . . Skip a day of school, or part of a day (without permission)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1942	85.5 %
2	SELDOM:(2)	144	6.3 %
3	SOMETIME:(3)	96	4.2 %
4	OFTEN:(4)	37	1.6 %
5	ALWAYS:(5)	26	1.1 %
	Missing Data		
-9	MISSING:(-9)	27	1.2 %
	Total	**2,272**	**100%**

Based upon 2,245 valid cases out of 2,272 total cases.

Location: 103-104 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6491: 176A08A:#X PRNT CHK HMWK

Item Number: 25180

How often do your parents (or stepparents or guardians) do the following?

A: Check on whether you have done your homework

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	615	27.1 %
2	RARELY:(2)	426	18.8 %

Value	Label	Unweighted Frequency	%
3	SOMETIME:(3)	311	13.7 %
4	OFTEN:(4)	296	13.0 %
	Missing Data		
-9	MISSING:(-9)	624	27.5 %
	Total	**2,272**	**100%**

Based upon 1,648 valid cases out of 2,272 total cases.

Location: 105-106 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6492: 176A08B:#X PRNT HLP HMWK

Item Number: 25190

How often do your parents (or stepparents or guardians)
do the following?

B: Provide help with your homework when it's needed

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	513	22.6 %
2	RARELY:(2)	346	15.2 %
3	SOMETIME:(3)	420	18.5 %
4	OFTEN:(4)	365	16.1 %
	Missing Data		
-9	MISSING:(-9)	628	27.6 %
	Total	**2,272**	**100%**

Based upon 1,644 valid cases out of 2,272 total cases.

Location: 107-108 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6493: 176A08C:#X PRNT GV CHORE

Item Number: 25200

How often do your parents (or stepparents or guardians)

do the following?

C: Require you to do work or chores around the home

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	118	5.2 %
2	RARELY:(2)	229	10.1 %
3	SOMETIME:(3)	458	20.2 %
4	OFTEN:(4)	835	36.8 %
	Missing Data		
-9	MISSING:(-9)	632	27.8 %
	Total	**2,272**	**100%**

Based upon 1,640 valid cases out of 2,272 total cases.

Location: 109-110 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6494: 176A08D:#X PRNT LIMIT TV

Item Number: 25210

How often do your parents (or stepparents or guardians)
do the following?

D: Limit the amount of time you can spend watching TV

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1104	48.6 %
2	RARELY:(2)	280	12.3 %
3	SOMETIME:(3)	169	7.4 %
4	OFTEN:(4)	85	3.7 %
	Missing Data		
-9	MISSING:(-9)	634	27.9 %
	Total	**2,272**	**100%**

Based upon 1,638 valid cases out of 2,272 total cases.

Location: 111-112 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6495: 176A08E:#X PRNT LMT OUT

Item Number: 25220

How often do your parents (or stepparents or guardians) do the following?

E: Limit the amount of time you can go out with friends on school nights

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	474	20.9 %
2	RARELY:(2)	335	14.7 %
3	SOMETIME:(3)	397	17.5 %
4	OFTEN:(4)	429	18.9 %
	Missing Data		
-9	MISSING:(-9)	637	28.0 %
	Total	**2,272**	**100%**

Based upon 1,635 valid cases out of 2,272 total cases.

Location: 113-114 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6251: 176A09A:SCH ACTV-PBLCTNS

Item Number: 22170

To what extent have you participated in the following school activities during this school year?

A: School newspaper or yearbook

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1752	77.1 %

Value	Label	Unweighted Frequency	%
2	SLIGHT:(2)	223	9.8 %
3	MODERATE:(3)	95	4.2 %
4	CONSDRBL:(4)	67	2.9 %
5	GRT EXT:(5)	92	4.0 %
	Missing Data		
-9	MISSING:(-9)	43	1.9 %
	Total	**2,272**	**100%**

Based upon 2,229 valid cases out of 2,272 total cases.

Location: 115-116 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6252: 176A09B:SCH ACTV-PRF ART

Item Number: 22180

To what extent have you participated in the following school activities during this school year?

B: Music or other performing arts

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1373	60.4 %
2	SLIGHT:(2)	183	8.1 %
3	MODERATE:(3)	139	6.1 %
4	CONSDRBL:(4)	137	6.0 %
5	GRT EXT:(5)	398	17.5 %
	Missing Data		
-9	MISSING:(-9)	42	1.8 %
	Total	**2,272**	**100%**

Based upon 2,230 valid cases out of 2,272 total cases.

Location: 117-118 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6253: 176A09C:SCH ACTV-ATHLTCS

Item Number: 22190

To what extent have you participated in the following school activities during this school year?

C: Athletic teams

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	911	40.1 %
2	SLIGHT:(2)	166	7.3 %
3	MODERATE:(3)	195	8.6 %
4	CONSDRBL:(4)	219	9.6 %
5	GRT EXT:(5)	733	32.3 %
	Missing Data		
-9	MISSING:(-9)	48	2.1 %
	Total	**2,272**	**100%**

Based upon 2,224 valid cases out of 2,272 total cases.

Location: 119-120 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6254: 176A09D:SCH ATV-ACDMC CL

Item Number: 23360

To what extent have you participated in the following school activities during this school year?

D: Academic clubs (e.g., science, math, language)

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1511	66.5 %
2	SLIGHT:(2)	229	10.1 %
3	MODERATE:(3)	182	8.0 %
4	CONSDRBL:(4)	124	5.5 %
5	GRT EXT:(5)	184	8.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	42	1.8 %
	Total	**2,272**	**100%**

Based upon 2,230 valid cases out of 2,272 total cases.

Location: 121-122 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6255: 176A09E:SCH ATV-STDN GVT

Item Number: 23370

To what extent have you participated in the following school activities during this school year?

E: Student council or government

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1808	79.6 %
2	SLIGHT:(2)	133	5.9 %
3	MODERATE:(3)	102	4.5 %
4	CONSDRBL:(4)	61	2.7 %
5	GRT EXT:(5)	125	5.5 %
	Missing Data		
-9	MISSING:(-9)	43	1.9 %
	Total	**2,272**	**100%**

Based upon 2,229 valid cases out of 2,272 total cases.

Location: 123-124 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6256: 176A09F:SCH ACTV-OTH ACT

Item Number: 22200

To what extent have you participated in the following school activities during this school year?

F: Other school clubs or activities

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	906	39.9 %
2	SLIGHT:(2)	263	11.6 %
3	MODERATE:(3)	378	16.6 %
4	CONSDRBL:(4)	276	12.1 %
5	GRT EXT:(5)	405	17.8 %
	Missing Data		
-9	MISSING:(-9)	44	1.9 %
	Total	**2,272**	**100%**

Based upon 2,228 valid cases out of 2,272 total cases.

Location: 125-126 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6272: 176A10(R):EVER HELD BACK

Item Number: 23530

Have you ever had to repeat a grade in school?

1="No" 2="Yes, one time" 3="Yes, two or more times"

Codes 2 and 3 are combined in this dataset.

Value	Label	Unweighted Frequency	%
1	NO:(1)	2027	89.2 %
2	YES:(2-3)	210	9.2 %
	Missing Data		
-9	MISSING:(-9)	35	1.5 %
	Total	**2,272**	**100%**

Based upon 2,237 valid cases out of 2,272 total cases.

Location: 127-128 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6273: 176A11(R):NEED SUMMER SCHL

Item Number: 23540

Did you ever attend summer school to make up for poor grades or to keep from being held back?

1="No" 2="Yes, one summer" 3="Yes, two summers" 4="Yes, three or more summers"

Codes 2, 3, and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
1	NO:(1)	1715	75.5 %
2	YES:(2-4)	524	23.1 %
	Missing Data		
-9	MISSING:(-9)	33	1.5 %
	Total	**2,272**	**100%**

Based upon 2,239 valid cases out of 2,272 total cases.

Location: 129-130 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6496: 176A12(R):EVER SUSPENDED

Item Number: 25140

Have you ever been suspended or expelled from school?

1="No" 2="Yes, one time" 3="Yes, two or more times"

Codes 2 and 3 are combined in this dataset.

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1764	77.6 %
2	YES:(2-3)	473	20.8 %
	Missing Data		
-9	MISSING:(-9)	35	1.5 %
	Total	**2,272**	**100%**

Based upon 2,237 valid cases out of 2,272 total cases.

Location: 131-132 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6507: 176A13:#DA GUN SCHL/4WK

Item Number: 29590

During the LAST FOUR WEEKS, on how many days (if any) did you carry a gun to school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days" 6="10 or more days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	2198	96.7 %
2	1 DAY:(2)	3	0.1 %
3	2 DAYS:(3)	3	0.1 %
4	3-5 DAYS:(4)	9	0.4 %
5	6-9 DAYS:(5)	7	0.3 %
6	10+ DAYS:(6)	17	0.7 %
	Missing Data		
-9	MISSING:(-9)	35	1.5 %
	Total	**2,272**	**100%**

Based upon 2,237 valid cases out of 2,272 total cases.

Location: 133-134 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6504: 176A14 :ILL DRG SOLD@SCH

Item Number: 25820

During the past 12 months, has anyone made an offer at school to sell or give you an illegal drug (or actually sold or given you one at school)?

1="No" 2="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	1760	77.5 %
2	YES:(2)	463	20.4 %
	Missing Data		
-9	MISSING:(-9)	49	2.2 %
	Total	**2,272**	**100%**

Based upon 2,223 valid cases out of 2,272 total cases.

Location: 135-136 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V6274: 176A15A:TCHR PRVNT SMKNG

Item Number: 23550

In your present school, how vigorous are the teachers and administrators in their attempts to prevent students from . . .

A: . . . Smoking?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous" 5="Very vigorous" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	360	15.8 %
2	SLIGHT:(2)	364	16.0 %
3	SOMEWHAT:(3)	388	17.1 %
4	FRLY VIGOR:(4)	315	13.9 %
5	VRY VIGOR:(5)	324	14.3 %
8	DK:(8)	471	20.7 %
	Missing Data		
-9	MISSING:(-9)	50	2.2 %
	Total	**2,272**	**100%**

Based upon 2,222 valid cases out of 2,272 total cases.

Location: 137-138 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6275: 176A15B:TCHR PRVNT DRNKG

Item Number: 23560

In your present school, how vigorous are the teachers and administrators in their attempts to prevent students from . . .

B: . . . Drinking?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous" 5="Very vigorous" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	351	15.4 %

Value	Label	Unweighted Frequency	%
2	SLIGHT:(2)	352	15.5 %
3	SOMEWHAT:(3)	389	17.1 %
4	FRLY VIGOR:(4)	339	14.9 %
5	VRY VIGOR:(5)	314	13.8 %
8	DK:(8)	472	20.8 %
	Missing Data		
-9	MISSING:(-9)	55	2.4 %
	Total	**2,272**	**100%**

Based upon 2,217 valid cases out of 2,272 total cases.

Location: 139-140 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6276: 176A15C:TCHR PRVNT DRUGS

Item Number: 23570

In your present school, how vigorous are the teachers and administrators in their attempts to prevent students from . . .

C: . . . Drug use?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous" 5="Very vigorous" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	298	13.1 %
2	SLIGHT:(2)	303	13.3 %
3	SOMEWHAT:(3)	356	15.7 %
4	FRLY VIGOR:(4)	358	15.8 %
5	VRY VIGOR:(5)	463	20.4 %
8	DK:(8)	440	19.4 %
	Missing Data		
-9	MISSING:(-9)	54	2.4 %
	Total	**2,272**	**100%**

Based upon 2,218 valid cases out of 2,272 total cases.

Location: 141-142 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6277: 176A16A:CNSEQNC 4 SMOKNG

Item Number: 23580

How severe do you think the consequences would be for a student in your school who gets caught . . .

A: . . . Smoking?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe"
8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NO:(1)	95	4.2 %
2	MILD:(2)	426	18.8 %
3	MODERATE:(3)	648	28.5 %
4	SEVERE:(4)	797	35.1 %
8	DK:(8)	251	11.0 %
	Missing Data		
-9	MISSING:(-9)	55	2.4 %
	Total	**2,272**	**100%**

Based upon 2,217 valid cases out of 2,272 total cases.

Location: 143-144 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6278: 176A16B:CNSEQNC 4 ALCOHL

Item Number: 23590

How severe do you think the consequences would be for a student in your school who gets caught . . .

B: . . . Using (or possessing) alcohol?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe"
8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NO:(1)	59	2.6 %
2	MILD:(2)	226	9.9 %
3	MODERATE:(3)	568	25.0 %
4	SEVERE:(4)	1117	49.2 %

Value	Label	Unweighted Frequency	%
8	DK:(8)	247	10.9 %
	Missing Data		
-9	MISSING:(-9)	55	2.4 %
	Total	**2,272**	**100%**

Based upon 2,217 valid cases out of 2,272 total cases.

Location: 145-146 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6279: 176A16C:CNSEQNC 4 DRUGS

Item Number: 23600

How severe do you think the consequences would be for a student in your school who gets caught . . .

C: . . . Using (or possessing) an illegal drug?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NO:(1)	46	2.0 %
2	MILD:(2)	134	5.9 %
3	MODERATE:(3)	332	14.6 %
4	SEVERE:(4)	1470	64.7 %
8	DK:(8)	233	10.3 %
	Missing Data		
-9	MISSING:(-9)	57	2.5 %
	Total	**2,272**	**100%**

Based upon 2,215 valid cases out of 2,272 total cases.

Location: 147-148 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6297: 176A17A:RSK OF CIG1+PK/D

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you

think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	102	4.5 %
2	SLIGHT:(2)	81	3.6 %
3	MOD RISK:(3)	277	12.2 %
4	GRT RISK:(4)	1676	73.8 %
5	CANT SAY:(5)	78	3.4 %
	Missing Data		
-9	MISSING:(-9)	58	2.6 %
	Total	**2,272**	**100%**

Based upon 2,214 valid cases out of 2,272 total cases.

Location: 149-150 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6298: 176A17B:RSK OF MJ 1-2 X

Item Number: 12370

How much do you think people risk harming themselves (physically or in other ways), if they . . .

B: . . . Try marijuana (pot, weed) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	1130	49.7 %
2	SLIGHT:(2)	586	25.8 %
3	MOD RISK:(3)	213	9.4 %
4	GRT RISK:(4)	207	9.1 %
5	CANT SAY:(5)	80	3.5 %
	Missing Data		
-9	MISSING:(-9)	56	2.5 %
	Total	**2,272**	**100%**

Based upon 2,216 valid cases out of 2,272 total cases.

Location: 151-152 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6299: 176A17C:RSK OF MJ OCSNLY

Item Number: 12380

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	737	32.4 %
2	SLIGHT:(2)	665	29.3 %
3	MOD RISK:(3)	411	18.1 %
4	GRT RISK:(4)	314	13.8 %
5	CANT SAY:(5)	84	3.7 %
	Missing Data		
-9	MISSING:(-9)	61	2.7 %
	Total	**2,272**	**100%**

Based upon 2,211 valid cases out of 2,272 total cases.

Location: 153-154 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6300: 176A17D:RSK OF MJ REGLY

Item Number: 12390

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	436	19.2 %
2	SLIGHT:(2)	531	23.4 %
3	MOD RISK:(3)	530	23.3 %
4	GRT RISK:(4)	631	27.8 %
5	CANT SAY:(5)	82	3.6 %
	Missing Data		
-9	MISSING:(-9)	62	2.7 %
	Total	**2,272**	**100%**

Based upon 2,210 valid cases out of 2,272 total cases.

Location: 155-156 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6517: 176A17E:RSK OF COKE 1-2X

Item Number: 12490

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

E: . . . Try cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	157	6.9 %
2	SLIGHT:(2)	280	12.3 %
3	MOD RISK:(3)	461	20.3 %
4	GRT RISK:(4)	1193	52.5 %
5	CANT SAY:(5)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	181	8.0 %
	Total	**2,272**	**100%**

Based upon 2,091 valid cases out of 2,272 total cases.

Location: 157-158 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6316: 176A17F:RSK OF 1-2 DR/DA

Item Number: 12520

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

F: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	225	9.9 %
2	SLIGHT:(2)	450	19.8 %
3	MOD RISK:(3)	725	31.9 %
4	GRT RISK:(4)	727	32.0 %
5	CANT SAY:(5)	84	3.7 %
	Missing Data		
-9	MISSING:(-9)	61	2.7 %
	Total	**2,272**	**100%**

Based upon 2,211 valid cases out of 2,272 total cases.

Location: 159-160 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6317: 176A17G:RSK OF 4-5 DR/DA

Item Number: 12530

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

G: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	121	5.3 %
2	SLIGHT:(2)	129	5.7 %
3	MOD RISK:(3)	407	17.9 %
4	GRT RISK:(4)	1470	64.7 %
5	CANT SAY:(5)	86	3.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	59	2.6 %
	Total	**2,272**	**100%**

Based upon 2,213 valid cases out of 2,272 total cases.

Location: 161-162 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6318: 176A17H:RSK OF 5+DR/WKND

Item Number: 12540

How much do you think people risk harming themselves (physically or in other ways), if they . . .

H: . . . Have five or more drinks once or twice each weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	184	8.1 %
2	SLIGHT:(2)	300	13.2 %
3	MOD RISK:(3)	601	26.5 %
4	GRT RISK:(4)	1044	46.0 %
5	CANT SAY:(5)	86	3.8 %
	Missing Data		
-9	MISSING:(-9)	57	2.5 %
	Total	**2,272**	**100%**

Based upon 2,215 valid cases out of 2,272 total cases.

Location: 163-164 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6478: 176A17I:RSK STEROID ATHL

Item Number: 24510

How much do you think people risk harming themselves (physically or in other ways), if they . . .

I: . . . Take steroids for body-building or improved athletic performance?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	119	5.2 %
2	SLIGHT:(2)	200	8.8 %
3	MOD RISK:(3)	613	27.0 %
4	GRT RISK:(4)	1103	48.5 %
5	CANT SAY:(5)	175	7.7 %
	Missing Data		
-9	MISSING:(-9)	62	2.7 %
	Total	**2,272**	**100%**

Based upon 2,210 valid cases out of 2,272 total cases.

Location: 165-166 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6518: 176A17J:RSK MDMA 1-2X

Item Number: 23040

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

J: . . . Try MDMA (Molly, ecstasy) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	171	7.5 %
2	SLIGHT:(2)	282	12.4 %
3	MOD RISK:(3)	426	18.8 %
4	GRT RISK:(4)	1074	47.3 %
5	CANT SAY:(5)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	319	14.0 %
	Total	**2,272**	**100%**

Based upon 1,953 valid cases out of 2,272 total cases.

Location: 167-168 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V6320: 176A18A:DAP SMK 1PCK CIG

Item Number: 08560

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	387	17.0 %
2	DISAPPRV:(2)	817	36.0 %
3	STRG DIS:(3)	1015	44.7 %
	Missing Data		
-9	MISSING:(-9)	53	2.3 %
	Total	**2,272**	**100%**

Based upon 2,219 valid cases out of 2,272 total cases.

Location: 169-170 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6321: 176A18B:DAP TRY MRJ 1-2T

Item Number: 08570

Do YOU disapprove of people (who are 18 or older) doing each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1430	62.9 %
2	DISAPPRV:(2)	475	20.9 %
3	STRG DIS:(3)	312	13.7 %
	Missing Data		
-9	MISSING:(-9)	55	2.4 %
	Total	**2,272**	**100%**

Based upon 2,217 valid cases out of 2,272 total cases.

Location: 171-172 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6322: 176A18C:DAP SMK MRJ OCCS

Item Number: 08580

Do YOU disapprove of people (who are 18 or older) doing each of the following?

C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1234	54.3 %
2	DISAPPRV:(2)	547	24.1 %
3	STRG DIS:(3)	433	19.1 %
	Missing Data		
-9	MISSING:(-9)	58	2.6 %
	Total	**2,272**	**100%**

Based upon 2,214 valid cases out of 2,272 total cases.

Location: 173-174 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6323: 176A18D:DAP SMK MRJ REGL

Item Number: 08590

Do YOU disapprove of people (who are 18 or older) doing each of the following?

D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	821	36.1 %
2	DISAPPRV:(2)	712	31.3 %
3	STRG DIS:(3)	679	29.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	60	2.6 %
	Total	**2,272**	**100%**

Based upon 2,212 valid cases out of 2,272 total cases.

Location: 175-176 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6519: 176A18E:DAP TRY COC 1-2T

Item Number: 08690

Do YOU disapprove of people (who are 18 or older) doing each of the following?

E: Trying cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	308	13.6 %
2	DISAPPRV:(2)	602	26.5 %
3	STRG DIS:(3)	1293	56.9 %
	Missing Data		
-9	MISSING:(-9)	69	3.0 %
	Total	**2,272**	**100%**

Based upon 2,203 valid cases out of 2,272 total cases.

Location: 177-178 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6339: 176A18F:DAP 1-2 DRK/DAY

Item Number: 08720

Do YOU disapprove of people (who are 18 or older) doing each of the following?

F: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	637	28.0 %
2	DISAPPRV:(2)	884	38.9 %
3	STRG DIS:(3)	694	30.5 %
	Missing Data		
-9	MISSING:(-9)	57	2.5 %
	Total	**2,272**	**100%**

Based upon 2,215 valid cases out of 2,272 total cases.

Location: 179-180 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6340: 176A18G:DAP 4-5 DRK/DAY

Item Number: 08730

Do YOU disapprove of people (who are 18 or older) doing each of the following?

G: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	263	11.6 %
2	DISAPPRV:(2)	686	30.2 %
3	STRG DIS:(3)	1262	55.5 %
	Missing Data		
-9	MISSING:(-9)	61	2.7 %
	Total	**2,272**	**100%**

Based upon 2,211 valid cases out of 2,272 total cases.

Location: 181-182 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6341: 176A18H:DAP 5+ DRK WKNDS

Item Number: 08740

Do YOU disapprove of people (who are 18 or older) doing each of the following?

H: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	605	26.6 %
2	DISAPPRV:(2)	715	31.5 %
3	STRG DIS:(3)	888	39.1 %
	Missing Data		
-9	MISSING:(-9)	64	2.8 %
	Total	**2,272**	**100%**

Based upon 2,208 valid cases out of 2,272 total cases.

Location: 183-184 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6479: 176A18I:DAP STEROID ATHL

Item Number: 24520

Do YOU disapprove of people (who are 18 or older) doing each of the following?

I: Taking steroids for body-building or improved athletic performance

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	270	11.9 %
2	DISAPPRV:(2)	773	34.0 %
3	STRG DIS:(3)	1167	51.4 %
	Missing Data		
-9	MISSING:(-9)	62	2.7 %
	Total	**2,272**	**100%**

Based upon 2,210 valid cases out of 2,272 total cases.

Location: 185-186 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6509: 176A18J:DAP H -NDL 1-2X

Item Number: 29690

Do YOU disapprove of people (who are 18 or older) doing each of the following?

J: Trying heroin once or twice without using a needle

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	153	6.7 %
2	DISAPPRV:(2)	339	14.9 %
3	STRG DIS:(3)	1720	75.7 %
	Missing Data		
-9	MISSING:(-9)	60	2.6 %
	Total	**2,272**	**100%**

Based upon 2,212 valid cases out of 2,272 total cases.

Location: 187-188 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6510: 176A18K:DAP H -NDL OCC

Item Number: 29700

Do YOU disapprove of people (who are 18 or older) doing each of the following?

K: Taking heroin occasionally without using a needle

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	132	5.8 %
2	DISAPPRV:(2)	277	12.2 %
3	STRG DIS:(3)	1801	79.3 %
	Missing Data		
-9	MISSING:(-9)	62	2.7 %
	Total	**2,272**	**100%**

Based upon 2,210 valid cases out of 2,272 total cases.

Location: 189-190 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6520: 176A18L:DAP MDMA 1-2X

Item Number: 29960

Do YOU disapprove of people (who are 18 or older) doing each of the following?

L: Taking MDMA (Molly, ecstasy) once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	342	15.1 %
2	DISAPPRV:(2)	581	25.6 %
3	STRG DIS:(3)	1282	56.4 %
	Missing Data		
-9	MISSING:(-9)	67	2.9 %
	Total	**2,272**	**100%**

Based upon 2,205 valid cases out of 2,272 total cases.

Location: 191-192 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6342: 176A19A:EASY GT MARIJUAN

Item Number: 06750

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

A: Marijuana (pot, weed)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	115	5.1 %
2	VRY DIFF:(2)	82	3.6 %
3	FRLY DIF:(3)	126	5.5 %
4	FRLY EAS:(4)	541	23.8 %
5	VRY EASY:(5)	1352	59.5 %
	Missing Data		
-9	MISSING:(-9)	56	2.5 %

Value	Label	Unweighted Frequency	%
	Total	**2,272**	**100%**

Based upon 2,216 valid cases out of 2,272 total cases.

Location: 193-194 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6343: 176A19B:EASY GT LSD

Item Number: 06760

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

B: LSD

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	412	18.1 %
2	VRY DIFF:(2)	482	21.2 %
3	FRLY DIF:(3)	686	30.2 %
4	FRLY EAS:(4)	403	17.7 %
5	VRY EASY:(5)	203	8.9 %
	Missing Data		
-9	MISSING:(-9)	86	3.8 %
	Total	**2,272**	**100%**

Based upon 2,186 valid cases out of 2,272 total cases.

Location: 195-196 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6344: 176A19C:EASY GT PCP

Item Number: 06771

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

C: PCP (angel dust)

1="Probably Impossible" 2="Very Difficult" 3="Fairly

Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	631	27.8 %
2	VRY DIFF:(2)	726	32.0 %
3	FRLY DIF:(3)	561	24.7 %
4	FRLY EAS:(4)	152	6.7 %
5	VRY EASY:(5)	116	5.1 %
	Missing Data		
-9	MISSING:(-9)	86	3.8 %
	Total	**2,272**	**100%**

Based upon 2,186 valid cases out of 2,272 total cases.

Location: 197-198 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6345: 176A19D:EASY GT MDMA

Item Number: 23050

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

D: MDMA (Molly, ecstasy)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	433	19.1 %
2	VRY DIFF:(2)	541	23.8 %
3	FRLY DIF:(3)	576	25.4 %
4	FRLY EAS:(4)	419	18.4 %
5	VRY EASY:(5)	228	10.0 %
	Missing Data		
-9	MISSING:(-9)	75	3.3 %
	Total	**2,272**	**100%**

Based upon 2,197 valid cases out of 2,272 total cases.

Location: 199-200 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6480: 176A19E:EASY GT ICE

Item Number: 24410

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

E: Crystal meth ("ice")

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	731	32.2 %
2	VRY DIFF:(2)	700	30.8 %
3	FRLY DIF:(3)	430	18.9 %
4	FRLY EAS:(4)	191	8.4 %
5	VRY EASY:(5)	139	6.1 %
	Missing Data		
-9	MISSING:(-9)	81	3.6 %
	Total	**2,272**	**100%**

Based upon 2,191 valid cases out of 2,272 total cases.

Location: 201-202 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6481: 176A19F:EASY GT STEROIDS

Item Number: 23060

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

F: Steroids

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	468	20.6 %
2	VRY DIFF:(2)	487	21.4 %
3	FRLY DIF:(3)	569	25.0 %
4	FRLY EAS:(4)	415	18.3 %

Value	Label	Unweighted Frequency	%
5	VRY EASY:(5)	259	11.4 %
	Missing Data		
-9	MISSING:(-9)	74	3.3 %
	Total	**2,272**	**100%**

Based upon 2,198 valid cases out of 2,272 total cases.

Location: 203-204 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6574: 176A19G:EASY GT ALCOHOL

Item Number: 30950

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

G. Alcohol

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	97	4.3 %
2	VRY DIFF:(2)	58	2.6 %
3	FRLY DIF:(3)	111	4.9 %
4	FRLY EAS:(4)	359	15.8 %
5	VRY EASY:(5)	1585	69.8 %
	Missing Data		
-9	MISSING:(-9)	62	2.7 %
	Total	**2,272**	**100%**

Based upon 2,210 valid cases out of 2,272 total cases.

Location: 205-206 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6101: 176B01 :EVR SMK CIG,REGL

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 13" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1665	73.3 %
2	1-2X:(2)	296	13.0 %
3	OCCASNLY:(3)	144	6.3 %
4	REG PAST:(4)	54	2.4 %
5	REG NOW:(5)	50	2.2 %
	Missing Data		
-9	MISSING:(-9)	63	2.8 %
	Total	**2,272**	**100%**

Based upon 2,209 valid cases out of 2,272 total cases.

Location: 207-208 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6102: 176B02 :#CIGS SMKD/30DAY

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all--GO TO QUESTION 6" [Includes respondents who marked "1" on question B01]" 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%
1	NT DAILY:(1)	2002	88.1 %
2	<1 CIG/D:(2)	134	5.9 %
3	1-5/DAY:(3)	52	2.3 %
4	1/2 PK:(4)	12	0.5 %
5	1 PK:(5)	6	0.3 %
6	1 1/2 PK:(6)	0	0.0 %
7	2+ PKS:(7)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	60	2.6 %
	Total	**2,272**	**100%**

Based upon 2,212 valid cases out of 2,272 total cases.

Location: 209-210 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6521: 176B03A:CIG HOW BUY-FRND

Item Number: 29970

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

A: . . . by having a friend or relative buy them for you?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	136	6.0 %
2	1 TIME:(2)	32	1.4 %
3	2 TIMES:(3)	18	0.8 %
4	3-5 TMS:(4)	13	0.6 %
5	6-9 TMS:(5)	3	0.1 %
6	10+ TMS:(6)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	2065	90.9 %
	Total	**2,272**	**100%**

Based upon 207 valid cases out of 2,272 total cases.

Location: 211-212 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6522: 176B03B:CIG HOW BUY-VEND

Item Number: 29980

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

B: . . . on your own from vending machines?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	187	8.2 %
2	1 TIME:(2)	6	0.3 %
3	2 TIMES:(3)	4	0.2 %
4	3-5 TMS:(4)	3	0.1 %
5	6-9 TMS:(5)	2	0.1 %
6	10+ TMS:(6)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	2066	90.9 %
	Total	**2,272**	**100%**

Based upon 206 valid cases out of 2,272 total cases.

Location: 213-214 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6523: 176B03C:CIG HOW BUY-MAIL

Item Number: 29990

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

C: . . . through the mail?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	192	8.5 %
2	1 TIME:(2)	4	0.2 %
3	2 TIMES:(3)	2	0.1 %
4	3-5 TMS:(4)	2	0.1 %
5	6-9 TMS:(5)	0	0.0 %
6	10+ TMS:(6)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	2070	91.1 %
	Total	**2,272**	**100%**

Based upon 202 valid cases out of 2,272 total cases.

Location: 215-216 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6524: 176B03D:CIG HOW BUY-PKUP

Item Number: 30000

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

D: . . . in a store where you pick up the pack (or carton) and bring it to the check-out counter?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	159	7.0 %
2	1 TIME:(2)	19	0.8 %
3	2 TIMES:(3)	8	0.4 %
4	3-5 TMS:(4)	11	0.5 %
5	6-9 TMS:(5)	2	0.1 %
6	10+ TMS:(6)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	2064	90.8 %
	Total	**2,272**	**100%**

Based upon 208 valid cases out of 2,272 total cases.

Location: 217-218 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6525: 176B03E:CIG HOW BUY-CLRK

Item Number: 30010

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

E: . . . in a store where the clerk has to hand you the pack or carton?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	102	4.5 %
2	1 TIME:(2)	43	1.9 %

Value	Label	Unweighted Frequency	%
3	2 TIMES:(3)	21	0.9 %
4	3-5 TMS:(4)	17	0.7 %
5	6-9 TMS:(5)	8	0.4 %
6	10+ TMS:(6)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	2066	90.9 %
	Total	**2,272**	**100%**

Based upon 206 valid cases out of 2,272 total cases.

Location: 219-220 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6592: 176B03F:CIG HOW BUY-OTHR

Item Number: 31330

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

F: . . . bought them in some other way?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	169	7.4 %
2	1 TIME:(2)	10	0.4 %
3	2 TIMES:(3)	6	0.3 %
4	3-5 TMS:(4)	7	0.3 %
5	6-9 TMS:(5)	6	0.3 %
6	10+ TMS:(6)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2068	91.0 %
	Total	**2,272**	**100%**

Based upon 204 valid cases out of 2,272 total cases.

Location: 221-222 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6526: 176B04A:CIG WHERE-SUPMKT

Item Number: 30020

During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use . . .

A: . . . at a big supermarket?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	185	8.1 %
2	1 TIME:(2)	11	0.5 %
3	2 TIMES:(3)	6	0.3 %
4	3-5 TMS:(4)	5	0.2 %
5	6-9 TMS:(5)	0	0.0 %
6	10+ TMS:(6)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	2062	90.8 %
	Total	**2,272**	**100%**

Based upon 210 valid cases out of 2,272 total cases.

Location: 223-224 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6527: 176B04B:CIG WHERE-SMLGRC

Item Number: 30030

During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use . . .

B: . . . at a small grocery store?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	174	7.7 %
2	1 TIME:(2)	12	0.5 %
3	2 TIMES:(3)	9	0.4 %
4	3-5 TMS:(4)	6	0.3 %
5	6-9 TMS:(5)	3	0.1 %

Value	Label	Unweighted Frequency	%
6	10+ TMS:(6)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	2063	90.8 %
	Total	**2,272**	**100%**

Based upon 209 valid cases out of 2,272 total cases.

Location: 225-226 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6528: 176B04C:CIG WHERE-DRGSTR

Item Number: 30040

During the last 30 days, about how many times (if any) did
YOU buy cigarettes for your own use . . .

C: . . . at a drugstore?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9
Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	174	7.7 %
2	1 TIME:(2)	13	0.6 %
3	2 TIMES:(3)	10	0.4 %
4	3-5 TMS:(4)	7	0.3 %
5	6-9 TMS:(5)	2	0.1 %
6	10+ TMS:(6)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	2062	90.8 %
	Total	**2,272**	**100%**

Based upon 210 valid cases out of 2,272 total cases.

Location: 227-228 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6529: 176B04D:CIG WHERE-CNVGAS

Item Number: 30050

During the last 30 days, about how many times (if any) did

YOU buy cigarettes for your own use . . .

D: . . . at a convenience store (like a Hop-In or 7-11) or
a gas station?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9
Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	92	4.0 %
2	1 TIME:(2)	49	2.2 %
3	2 TIMES:(3)	27	1.2 %
4	3-5 TMS:(4)	14	0.6 %
5	6-9 TMS:(5)	10	0.4 %
6	10+ TMS:(6)	19	0.8 %
	Missing Data		
-9	MISSING:(-9)	2061	90.7 %
	Total	**2,272**	**100%**

Based upon 211 valid cases out of 2,272 total cases.

Location: 229-230 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6593: 176B04E:CIG WHERE-WEB

Item Number: 31340

During the last 30 days, about how many times (if any) did
YOU buy cigarettes for your own use . . .

E: . . . from a Web site?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9
Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	199	8.8 %
2	1 TIME:(2)	2	0.1 %
3	2 TIMES:(3)	2	0.1 %
4	3-5 TMS:(4)	1	0.0 %
5	6-9 TMS:(5)	0	0.0 %
6	10+ TMS:(6)	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	2067	91.0 %
	Total	**2,272**	**100%**

Based upon 205 valid cases out of 2,272 total cases.

Location: 231-232 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6530: 176B05 :USUAL CIG BRAND

Item Number: 30065

What brand of cigarettes do you usually smoke? (Brands are in alphabetical order. Mark only one.)

1="Basic" 2="Benson & Hedges" 3="Black & Whites" 4="Cambridge"
5="Camel" 6="Capri" 7="Carlton" 8="Doral" 9="GPC" 10="Kent"
11="Kool" 12="Marlboro" 13="Merit" 14="Misty" 15="Monarch"
16="More" 17="Newport" 18="Pall Mall" 19="Parliament"
20="Salem" 22="Virginia Slims" 23="Winston"
24="Other" 25="No usual brand" 26 "American Spirit"

Value	Label	Unweighted Frequency	%
1	BASIC:(1)	1	0.0 %
2	BNSN HDGS:(2)	0	0.0 %
3	BLACK WHT:(3)	0	0.0 %
4	CAMBRDGE:(4)	0	0.0 %
5	CAMEL:(5)	15	0.7 %
6	CAPRI:(6)	2	0.1 %
7	CARLTON:(7)	0	0.0 %
8	DORAL:(8)	0	0.0 %
9	GPC:(9)	0	0.0 %
10	KENT:(10)	0	0.0 %
11	KOOL:(11)	2	0.1 %
12	MARLBORO:(12)	75	3.3 %
13	MERIT:(13)	0	0.0 %
14	MISTY:(14)	0	0.0 %
15	MONARCH: (15)	0	0.0 %
16	MORE:(16)	0	0.0 %
17	NEWPORT:(17)	15	0.7 %
18	PALLMALL:(18)	2	0.1 %
19	PARLMENT:(19)	2	0.1 %

Value	Label	Unweighted Frequency	%
20	SALEM:(20)	0	0.0 %
22	VA SLIMS:(22)	0	0.0 %
23	WINSTON:(23)	1	0.0 %
24	OTHER:(24)	8	0.4 %
25	NO USUAL:(25)	37	1.6 %
26	AMERICAN SPIRIT:(26)	16	0.7 %
	Missing Data		
-9	MISSING:(-9)	2096	92.3 %
	Total	**2,272**	**100%**

Based upon 176 valid cases out of 2,272 total cases.

Location: 233-234 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6619: 176B05A:CIGS USUALLY MENTHOL

Item Number: 32890

Are the cigarettes you usually smoke menthol?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES(1)	118	5.2 %
2	NO:(2)	168	7.4 %
	Missing Data		
-9	MISSING:(-9)	1986	87.4 %
	Total	**2,272**	**100%**

Based upon 286 valid cases out of 2,272 total cases.

Location: 235-236 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6531: 176B06 :CIG PROOF OF AGE

Item Number: 30070

The last time that you tried to buy cigarettes in a store or gas station, were you asked for proof of age?

1="I never tried to buy cigarettes at a store or a gas

station." 2="No, they didn't ask me and they sold me the cigarettes." 3="No, they didn't ask but they didn't sell me the cigarettes." 4="Yes, I was asked for proof of age." [arrow to Q.B06A]

Value	Label	Unweighted Frequency	%
1	NEVER TRIED TO BUY:(1)	292	12.9 %
2	DID NOT ASK BUT SOLD:(2)	74	3.3 %
3	DID NOT ASK/DID NOT SELL:(3)	6	0.3 %
4	YES I WAS AKSED:(4)	159	7.0 %
	Missing Data		
-9	MISSING:(-9)	1741	76.6 %
	Total	**2,272**	**100%**

Based upon 531 valid cases out of 2,272 total cases.

Location: 237-238 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6532: 176B06A:CIG SHOW ID/SELL

Item Number: 30080

The last time that you tried to buy cigarettes in a store or gas station, were you asked for proof of age?

A: If yes, what happened?

1="I showed some ID and got the cigarettes" 2="I showed some ID but they refused to sell me the cigarettes" 3="I didn't show ID and they sold them to me anyway" 4="I didn't show ID and they didn't sell me any cigarettes"

Value	Label	Unweighted Frequency	%
1	ID & GOT:(1)	144	6.3 %
2	ID & NOSALE:(2)	3	0.1 %
3	NO ID & SOLD:(3)	6	0.3 %
4	NO ID & NOSALE:(4)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	2111	92.9 %
	Total	**2,272**	**100%**

Based upon 161 valid cases out of 2,272 total cases.

Location: 239-240 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V6533: 176B07 :CIG STORE BUY<20

Item Number: 30090

Have you ever gone to a store and bought just one or a few cigarettes (fewer than the usual pack of 20)?

1="No, never" 2="Yes, in the past 12 months" 3="Yes, but not in the past 12 months"

Value	Label	Unweighted Frequency	%
1	NO:(1)	459	20.2 %
2	PAST 12MO:(2)	64	2.8 %
3	NOT PAST12MO:(3)	14	0.6 %
	Missing Data		
-9	MISSING:(-9)	1735	76.4 %
	Total	**2,272**	**100%**

Based upon 537 valid cases out of 2,272 total cases.

Location: 241-242 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6534: 176B08 :*TRY STP SMK/FL

Item Number: 01690

Have you ever tried to stop smoking and found that you could not?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	37	1.6 %
2	NO:(2)	486	21.4 %
	Missing Data		
-9	MISSING:(-9)	1749	77.0 %
	Total	**2,272**	**100%**

Based upon 523 valid cases out of 2,272 total cases.

Location: 243-244 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6535: 176B09 :#X TRY STOP SMK

Item Number: 01691

How many times, if any, have you tried to stop smoking?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	369	16.2 %
2	1 TIME:(2)	85	3.7 %
3	2 TIMES:(3)	33	1.5 %
4	3-5 TMS:(4)	21	0.9 %
5	6-9 TMS:(5)	1	0.0 %
6	10+ TMS:(6)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	1754	77.2 %
	Total	**2,272**	**100%**

Based upon 518 valid cases out of 2,272 total cases.

Location: 245-246 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6536: 176B10 :*WNT STP SMK NW

Item Number: 01700

Do you want to stop smoking now?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	40	1.8 %
2	NO:(2)	105	4.6 %
	Missing Data		
-9	MISSING:(-9)	2127	93.6 %
	Total	**2,272**	**100%**

Based upon 145 valid cases out of 2,272 total cases.

Location: 247-248 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V6537: 176B11 :QUIT SMK WRY FAT

Item Number: 30100

Do you (or did you) worry that quitting smoking would make you gain weight?

1="No, not at all" 2="Yes, a little" 3="Yes, some" 4="Yes, a lot"

Value	Label	Unweighted Frequency	%
1	NO, NOT AT ALL:(1)	475	20.9 %
2	YES, A LITTLE:(2)	25	1.1 %
3	YES, SOME:(3)	6	0.3 %
4	YES, A LOT:(4)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	1758	77.4 %
	Total	**2,272**	**100%**

Based upon 514 valid cases out of 2,272 total cases.

Location: 249-250 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6538: 176B12 :START SMK LOSEWT

Item Number: 30110

Some people start to smoke because they think it will help them lose weight. Was losing weight one of the reasons you started to smoke?

1="No, not at all" 2="Yes, a little" 3="Yes, some" 4="Yes, a lot"

Value	Label	Unweighted Frequency	%
1	NO:(1)	487	21.4 %
2	A LITTLE:(2)	11	0.5 %
3	SOME:(3)	8	0.4 %
4	A LOT:(4)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	1761	77.5 %

Value	Label	Unweighted Frequency	%
	Total	**2,272**	**100%**

Based upon 511 valid cases out of 2,272 total cases.

Location: 251-252 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6539: 176B13 :START SMK THISYR

Item Number: 30120

If you have never smoked, do you think you will try smoking cigarettes sometime this year?

1="I already have tried cigarettes" 2="I definitely will" 3="I probably will" 4="I probably will not" 5="I definitely will not"

Value	Label	Unweighted Frequency	%
1	ALREADY TRIED:(1)	360	15.8 %
2	DEF WILL:(2)	14	0.6 %
3	PROB WILL:(3)	38	1.7 %
4	PROB WONT:(4)	298	13.1 %
5	DEF WONT:(5)	1434	63.1 %
	Missing Data		
-9	MISSING:(-9)	128	5.6 %
	Total	**2,272**	**100%**

Based upon 2,144 valid cases out of 2,272 total cases.

Location: 253-254 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6540: 176B14 :NO SMK IN 5 YR

Item Number: 01710

Do you think you will be smoking cigarettes five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	29	1.3 %
2	PRB WILL:(2)	98	4.3 %
3	PRB WONT:(3)	426	18.8 %
4	DEF WONT:(4)	1617	71.2 %
	Missing Data		
-9	MISSING:(-9)	102	4.5 %
	Total	**2,272**	**100%**

Based upon 2,170 valid cases out of 2,272 total cases.

Location: 255-256 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6541: 176B15A:NEVER CIG ADDICT

Item Number: 30130

How much do you agree or disagree with the following statements?

A: I will never get addicted to cigarettes

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	224	9.9 %
2	MOST DIS:(2)	114	5.0 %
3	NEITHER:(3)	138	6.1 %
4	MOST AGR:(4)	200	8.8 %
5	AGREE:(5)	1485	65.4 %
	Missing Data		
-9	MISSING:(-9)	111	4.9 %
	Total	**2,272**	**100%**

Based upon 2,161 valid cases out of 2,272 total cases.

Location: 257-258 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6542: 176B15B:QUIT CIG WN WANT

Item Number: 30140

How much do you agree or disagree with the following statements?

B: I could smoke a pack a day for a year or more and still be able to quit if I wanted to

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	1159	51.0 %
2	MOST DIS:(2)	271	11.9 %
3	NEITHER:(3)	294	12.9 %
4	MOST AGR:(4)	105	4.6 %
5	AGREE:(5)	311	13.7 %
	Missing Data		
-9	MISSING:(-9)	132	5.8 %
	Total	**2,272**	**100%**

Based upon 2,140 valid cases out of 2,272 total cases.

Location: 259-260 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6543: 176B15C:SMK -DANGER QUIT

Item Number: 30150

How much do you agree or disagree with the following statements?

C: At my age, smoking is not too dangerous because you can always quit later

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	1636	72.0 %
2	MOST DIS:(2)	241	10.6 %
3	NEITHER:(3)	152	6.7 %
4	MOST AGR:(4)	38	1.7 %
5	AGREE:(5)	78	3.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	127	5.6 %
	Total	**2,272**	**100%**

Based upon 2,145 valid cases out of 2,272 total cases.

Location: 261-262 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6625: 176B16:#X E-CIG/30DAY

Item Number: 33710

During the LAST 30 DAYS, on how many days (if any) have you used electronic cigarettes (e-cigarettes)?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 days"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1916	84.3 %
2	1-2X:(2)	103	4.5 %
3	3-5X:(3)	42	1.8 %
4	6-9X:(4)	33	1.5 %
5	10-19X:(5)	28	1.2 %
6	20-39X:(6)	49	2.2 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	101	4.4 %
	Total	**2,272**	**100%**

Based upon 2,171 valid cases out of 2,272 total cases.

Location: 263-264 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6505: 176B17 :EVR USE SMOKLESS

Item Number: 22230

Have you ever taken or used smokeless tobacco (snuff, plug, dipping tobacco, chewing tobacco, snus, dissolvable tobacco)?

1="Never--GO TO QUESTION 21" 2="Once or twice" 3="Occasionally

but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1923	84.6 %
2	1-2X:(2)	126	5.5 %
3	OCCASNLY:(3)	43	1.9 %
4	REG PAST:(4)	26	1.1 %
5	REG NOW:(5)	40	1.8 %
	Missing Data		
-9	MISSING:(-9)	114	5.0 %
	Total	**2,272**	**100%**

Based upon 2,158 valid cases out of 2,272 total cases.

Location: 265-266 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6506: 176B18 :#X SMKLESS/30 DA

Item Number: 22240

How frequently have you taken smokeless tobacco during the past 30 days?

1="Not at all" [includes respondents who marked '1' on Q. 19] 2="Once or twice" 3="Once or twice per week" 4="Three to five times per week" 5="About once a day" 6="More than once a day"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	2051	90.3 %
2	1-2 X:(2)	40	1.8 %
3	1-2/WK:(3)	16	0.7 %
4	3-5/WK:(4)	12	0.5 %
5	1/DAY:(5)	7	0.3 %
6	>1/DAY:(6)	31	1.4 %
	Missing Data		
-9	MISSING:(-9)	115	5.1 %
	Total	**2,272**	**100%**

Based upon 2,157 valid cases out of 2,272 total cases.

Location: 267-268 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6103: 176B19 :EVER DRINK

Item Number: 00790

Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO TOP OF NEXT COLUMN" 2="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	853	37.5 %
2	YES:(2)	1289	56.7 %
	Missing Data		
-9	MISSING:(-9)	130	5.7 %
	Total	**2,272**	**100%**

Based upon 2,142 valid cases out of 2,272 total cases.

Location: 269-270 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6104: 176B20A:#X ALC/LIF SIPS

Item Number: 00810

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" [includes respondents who indicated nonuse above] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	853	37.5 %
2	1-2X:(2)	182	8.0 %
3	3-5X:(3)	234	10.3 %
4	6-9X:(4)	194	8.5 %
5	10-19X:(5)	227	10.0 %
6	20-39X:(6)	167	7.4 %
7	40+OCCAS:(7)	261	11.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	154	6.8 %
	Total	**2,272**	**100%**

Based upon 2,118 valid cases out of 2,272 total cases.

Location: 271-272 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6105: 176B20B:#X ALC/ANN SIPS

Item Number: 00820

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	947	41.7 %
2	1-2X:(2)	307	13.5 %
3	3-5X:(3)	287	12.6 %
4	6-9X:(4)	200	8.8 %
5	10-19X:(5)	189	8.3 %
6	20-39X:(6)	91	4.0 %
7	40+OCCAS:(7)	99	4.4 %
	Missing Data		
-9	MISSING:(-9)	152	6.7 %
	Total	**2,272**	**100%**

Based upon 2,120 valid cases out of 2,272 total cases.

Location: 273-274 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6106: 176B20C:#X ALC/30D SIPS

Item Number: 00830

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1382	60.8 %
2	1-2X:(2)	399	17.6 %
3	3-5X:(3)	188	8.3 %
4	6-9X:(4)	83	3.7 %
5	10-19X:(5)	40	1.8 %
6	20-39X:(6)	11	0.5 %
7	40+OCCAS:(7)	16	0.7 %
	Missing Data		
-9	MISSING:(-9)	153	6.7 %
	Total	**2,272**	**100%**

Based upon 2,119 valid cases out of 2,272 total cases.

Location: 275-276 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6107: 176B21 :#X DRK ENF FL HI

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty drunk or high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	336	14.8 %
2	FEW OCC:(2)	362	15.9 %
3	HALF OCC:(3)	182	8.0 %
4	MOST OCC:(4)	254	11.2 %
5	NRLY ALL:(5)	156	6.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	982	43.2 %
	Total	**2,272**	**100%**

Based upon 1,290 valid cases out of 2,272 total cases.

Location: 277-278 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6108: 176B22 :5+DRK ROW/LST 2W

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a glass of wine, a bottle of beer, a wine cooler, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above] 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1729	76.1 %
2	ONCE:(2)	162	7.1 %
3	TWICE:(3)	111	4.9 %
4	3-5X:(4)	80	3.5 %
5	6-9X:(5)	14	0.6 %
6	10+ TIME:(6)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	164	7.2 %
	Total	**2,272**	**100%**

Based upon 2,108 valid cases out of 2,272 total cases.

Location: 279-280 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6626: 176B23:10+DRK ROW/2WK

Item Number: 00853

During the last two weeks, how many times have you had ten or more drinks in a row?

1="None" [includes respondents who indicated nonuse above] 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1258	55.4 %
2	1 TIME:(2)	79	3.5 %
3	2 TIMES:(3)	42	1.8 %
4	3-5 TMS:(4)	29	1.3 %
5	6-9 TMS:(5)	11	0.5 %
6	10+ TMS:(6)	13	0.6 %
	Missing Data		
-9	MISSING:(-9)	840	37.0 %
	Total	**2,272**	**100%**

Based upon 1,432 valid cases out of 2,272 total cases.

Location: 281-282 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6115: 176B24A:#XMJ+HS/LIFETIME

Item Number: 00860

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1200	52.8 %
2	1-2X:(2)	228	10.0 %
3	3-5X:(3)	133	5.9 %
4	6-9X:(4)	101	4.4 %
5	10-19X:(5)	110	4.8 %
6	20-39X:(6)	96	4.2 %
7	40+OCCAS:(7)	278	12.2 %
	Missing Data		
-9	MISSING:(-9)	126	5.5 %
	Total	**2,272**	**100%**

Based upon 2,146 valid cases out of 2,272 total cases.

Location: 283-284 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6116: 176B24B:#XMJ+HS/LAST12MO

Item Number: 00870

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1356	59.7 %
2	1-2X:(2)	244	10.7 %
3	3-5X:(3)	134	5.9 %
4	6-9X:(4)	91	4.0 %
5	10-19X:(5)	75	3.3 %
6	20-39X:(6)	75	3.3 %
7	40+OCCAS:(7)	165	7.3 %
	Missing Data		
-9	MISSING:(-9)	132	5.8 %
	Total	**2,272**	**100%**

Based upon 2,140 valid cases out of 2,272 total cases.

Location: 285-286 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6117: 176B24C:#XMJ+HS/LAST30DA

Item Number: 00880

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1663	73.2 %
2	1-2X:(2)	180	7.9 %
3	3-5X:(3)	83	3.7 %
4	6-9X:(4)	50	2.2 %
5	10-19X:(5)	51	2.2 %
6	20-39X:(6)	40	1.8 %
7	40+OCCAS:(7)	77	3.4 %
	Missing Data		
-9	MISSING:(-9)	128	5.6 %
	Total	**2,272**	**100%**

Based upon 2,144 valid cases out of 2,272 total cases.

Location: 287-288 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6633: 176B25 MED MJ EVER

Item number: 34180

Have you ever used "medical marijuana;" that is, marijuana you used because a doctor told you to use it?

1="No" 2="Yes, using med marj" 3="Used med marj, but not now"

Value	Label	Unweighted Frequency	%
1	NO:(1)	2144	94.4 %
2	YES, USING MED MARJ:(2)	15	0.7 %
3	USED MED MARJ, BUT NOT NOW:(3)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	98	4.3 %
	Total	**2,272**	**100%**

Based upon 2,174 valid cases out of 2,272 total cases.

Location: 289-290 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6627: 176B26A:#X MDMA/LIFETIME

Item Number: 22660

On how many occasions (if any) have you used MDMA ("Molly," "ecstasy") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2075	91.3 %
2	1-2X:(2)	71	3.1 %
3	3-5X:(3)	22	1.0 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	84	3.7 %
	Total	**2,272**	**100%**

Based upon 2,188 valid cases out of 2,272 total cases.

Location: 291-292 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6628: 176B26B:#X MDMA/LAST12MO

Item Number: 22670

On how many occasions (if any) have you used MDMA ("Molly," "ecstasy") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2118	93.2 %
2	1-2X:(2)	50	2.2 %
3	3-5X:(3)	10	0.4 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	1	0.0 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	81	3.6 %
	Total	**2,272**	**100%**

Based upon 2,191 valid cases out of 2,272 total cases.

Location: 293-294 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6629: 176B26C:#X MDMA/LAST30DA

Item Number: 22680

On how many occasions (if any) have you used MDMA ("Molly," "ecstasy") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2165	95.3 %
2	1-2X:(2)	14	0.6 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	84	3.7 %
	Total	**2,272**	**100%**

Based upon 2,188 valid cases out of 2,272 total cases.

Location: 295-296 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6127: 176B27A:#X AMPH/LIFETIME

Item Number: 00980

Amphetamines are sometimes prescribed by doctors for people

who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any nonprescription drugs, such as over-the-counter diet pills or stay-awake pills. On how many occasions (if any) have you taken amphetamines on your own, that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1969	86.7 %
2	1-2X:(2)	83	3.7 %
3	3-5X:(3)	42	1.8 %
4	6-9X:(4)	26	1.1 %
5	10-19X:(5)	17	0.7 %
6	20-39X:(6)	16	0.7 %
7	40+OCCAS:(7)	24	1.1 %
	Missing Data		
-9	MISSING:(-9)	95	4.2 %
	Total	**2,272**	**100%**

Based upon 2,177 valid cases out of 2,272 total cases.

Location: 297-298 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6128: 176B27B:#X AMPH/LAST12MO

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2045	90.0 %
2	1-2X:(2)	72	3.2 %
3	3-5X:(3)	16	0.7 %
4	6-9X:(4)	16	0.7 %
5	10-19X:(5)	11	0.5 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	97	4.3 %
	Total	**2,272**	**100%**

Based upon 2,175 valid cases out of 2,272 total cases.

Location: 299-300 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6129: 176B27C:#X AMPH/LAST30DA

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2124	93.5 %
2	1-2X:(2)	24	1.1 %
3	3-5X:(3)	11	0.5 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	98	4.3 %
	Total	**2,272**	**100%**

Based upon 2,174 valid cases out of 2,272 total cases.

Location: 301-302 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6039: 176B28A:#X CRACK/LIFETIM

Item Number: 22260

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2132	93.8 %
2	1-2X:(2)	23	1.0 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	104	4.6 %
	Total	**2,272**	**100%**

Based upon 2,168 valid cases out of 2,272 total cases.

Location: 303-304 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6040: 176B28B:#X CRACK/LAST12M

Item Number: 22270

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2150	94.6 %
2	1-2X:(2)	10	0.4 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	102	4.5 %
	Total	**2,272**	**100%**

Based upon 2,170 valid cases out of 2,272 total cases.

Location: 305-306 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6041: 176B28C:#X CRACK/LAST30D

Item Number: 22280

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2159	95.0 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	102	4.5 %
	Total	**2,272**	**100%**

Based upon 2,170 valid cases out of 2,272 total cases.

Location: 307-308 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6042: 176B29A:#XOTH COKE/LIFE

Item Number: 22320

On how many occasions (if any) have you used cocaine in any other form . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2084	91.7 %
2	1-2X:(2)	43	1.9 %
3	3-5X:(3)	14	0.6 %
4	6-9X:(4)	7	0.3 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	111	4.9 %
	Total	**2,272**	**100%**

Based upon 2,161 valid cases out of 2,272 total cases.

Location: 309-310 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6043: 176B29B:#XOTH COKE/12MO

Item Number: 22330

On how many occasions (if any) have you used cocaine in any other form . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2110	92.9 %
2	1-2X:(2)	35	1.5 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	109	4.8 %
	Total	**2,272**	**100%**

Based upon 2,163 valid cases out of 2,272 total cases.

Location: 311-312 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6044: 176B29C:#XOTH COKE/30DA

Item Number: 22340

On how many occasions (if any) have you used cocaine in any other form . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2145	94.4 %
2	1-2X:(2)	14	0.6 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	107	4.7 %
	Total	**2,272**	**100%**

Based upon 2,165 valid cases out of 2,272 total cases.

Location: 313-314 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6124: 176R :#X COKE/LIFETIME

Item Number: 00950

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A. . . . in your lifetime?" [item 22260]

and "On how many occasions (if any) have you used cocaine in any other form . . .

A. . . . in your lifetime? [item 22320]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2069	91.1 %
2	1-2X:(2)	44	1.9 %
3	3-5X:(3)	23	1.0 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	114	5.0 %
	Total	**2,272**	**100%**

Based upon 2,158 valid cases out of 2,272 total cases.

Location: 315-316 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6125: 176R :#X COKE/LAST12MO

Item Number: 00960

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B. . . . During the last 12 months?" [item 22270]

and "On how many occasions (if any) have you used cocaine in any other form . . .

B. . . . During the last 12 months? [item 22330]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2102	92.5 %
2	1-2X:(2)	36	1.6 %
3	3-5X:(3)	8	0.4 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	111	4.9 %
	Total	**2,272**	**100%**

Based upon 2,161 valid cases out of 2,272 total cases.

Location: 317-318 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6126: 176R :#X COKE/LAST30DA

Item Number: 00970

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C. . . . During the last 30 days?" [item 22280]

and "On how many occasions (if any) have you used cocaine in any other form . . .

C. . . . During the last 30 days? [item 22340]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2139	94.1 %
2	1-2X:(2)	12	0.5 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	110	4.8 %
	Total	**2,272**	**100%**

Based upon 2,162 valid cases out of 2,272 total cases.

Location: 319-320 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6133: 176B30A:#X SED/BARB/LIFE

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Ambien, Lunesta, and Sonata. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2083	91.7 %
2	1-2X:(2)	33	1.5 %
3	3-5X:(3)	18	0.8 %
4	6-9X:(4)	10	0.4 %
5	10-19X:(5)	10	0.4 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	11	0.5 %
	Missing Data		
-9	MISSING:(-9)	104	4.6 %

Value	Label	Unweighted Frequency	%
	Total	**2,272**	**100%**

Based upon 2,168 valid cases out of 2,272 total cases.

Location: 321-322 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6134: 176B30B:#X SED/BARB/12MO

Item Number: 01052

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2111	92.9 %
2	1-2X:(2)	30	1.3 %
3	3-5X:(3)	8	0.4 %
4	6-9X:(4)	8	0.4 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	105	4.6 %
	Total	**2,272**	**100%**

Based upon 2,167 valid cases out of 2,272 total cases.

Location: 323-324 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6135: 176B30C:#X SED/BARB/30DA

Item Number: 01062

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take

them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2144	94.4 %
2	1-2X:(2)	13	0.6 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	106	4.7 %
	Total	**2,272**	**100%**

Based upon 2,166 valid cases out of 2,272 total cases.

Location: 325-326 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6136: 176B31A:#X TRQL/LIFETIME

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2013	88.6 %
2	1-2X:(2)	82	3.6 %
3	3-5X:(3)	32	1.4 %
4	6-9X:(4)	13	0.6 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	6	0.3 %
6	20-39X:(6)	6	0.3 %
7	40+OCCAS:(7)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	110	4.8 %
	Total	**2,272**	**100%**

Based upon 2,162 valid cases out of 2,272 total cases.

Location: 327-328 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6137: 176B31B:#X TRQL/LAST12MO

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2067	91.0 %
2	1-2X:(2)	56	2.5 %
3	3-5X:(3)	19	0.8 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	111	4.9 %
	Total	**2,272**	**100%**

Based upon 2,161 valid cases out of 2,272 total cases.

Location: 329-330 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6138: 176B31C:#X TRQL/LAST30DA

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2124	93.5 %
2	1-2X:(2)	22	1.0 %
3	3-5X:(3)	8	0.4 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	112	4.9 %
	Total	**2,272**	**100%**

Based upon 2,160 valid cases out of 2,272 total cases.

Location: 331-332 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6511: 176B32A:#X H LIF USE NDL

Item Number: 29630

On how many occasions (if any) have you taken heroin using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2142	94.3 %
2	1-2X:(2)	8	0.4 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	114	5.0 %
	Total	**2,272**	**100%**

Based upon 2,158 valid cases out of 2,272 total cases.

Location: 333-334 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6512: 176B32B:#X H 12M USE NDL

Item Number: 29640

On how many occasions (if any) have you taken heroin using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2149	94.6 %
2	1-2X:(2)	4	0.2 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	114	5.0 %
	Total	**2,272**	**100%**

Based upon 2,158 valid cases out of 2,272 total cases.

Location: 335-336 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6513: 176B32C:#X H 30D USE NDL

Item Number: 29650

On how many occasions (if any) have you taken heroin using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2152	94.7 %
2	1-2X:(2)	1	0.0 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	115	5.1 %
	Total	**2,272**	**100%**

Based upon 2,157 valid cases out of 2,272 total cases.

Location: 337-338 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6514: 176B33A:#X H LIF W/O NDL

Item Number: 29660

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2131	93.8 %
2	1-2X:(2)	4	0.2 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	131	5.8 %
	Total	**2,272**	**100%**

Based upon 2,141 valid cases out of 2,272 total cases.

Location: 339-340 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6515: 176B33B:#X H 12M W/O NDL

Item Number: 29670

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2136	94.0 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	127	5.6 %
	Total	**2,272**	**100%**

Based upon 2,145 valid cases out of 2,272 total cases.

Location: 341-342 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6516: 176B33C:#X H 30D W/O NDL

Item Number: 29680

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2139	94.1 %
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	128	5.6 %
	Total	**2,272**	**100%**

Based upon 2,144 valid cases out of 2,272 total cases.

Location: 343-344 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6139: 176R* :#X H/LIFETIME

Item Number: 01100

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . In your lifetime?" (item 29630)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . In your lifetime?" (item 29660)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2141	94.2 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	113	5.0 %
	Total	**2,272**	**100%**

Based upon 2,159 valid cases out of 2,272 total cases.

Location: 345-346 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6140: 176R* :#X H/LAST12MO

Item Number: 01110

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 12 months?" (item 29640)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 12 months?" (item 29670)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2148	94.5 %
2	1-2X:(2)	0	0.0 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	4	0.2 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	113	5.0 %
	Total	**2,272**	**100%**

Based upon 2,159 valid cases out of 2,272 total cases.

Location: 347-348 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6141: 176R* :#X H/LAST30DAY

Item Number: 01120

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 30 days?" (item 29650)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 30 days?" (item 29680)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2150	94.6 %
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	113	5.0 %
	Total	**2,272**	**100%**

Based upon 2,159 valid cases out of 2,272 total cases.

Location: 349-350 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V6142: 176B34A:#X NARC/LIFETIME

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2004	88.2 %
2	1-2X:(2)	66	2.9 %
3	3-5X:(3)	23	1.0 %
4	6-9X:(4)	15	0.7 %
5	10-19X:(5)	13	0.6 %
6	20-39X:(6)	6	0.3 %
7	40+OCCAS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	140	6.2 %
	Total	**2,272**	**100%**

Based upon 2,132 valid cases out of 2,272 total cases.

Location: 351-352 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6143: 176B34B:#X NARC/LAST12MO

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2056	90.5 %
2	1-2X:(2)	45	2.0 %
3	3-5X:(3)	19	0.8 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	138	6.1 %
	Total	**2,272**	**100%**

Based upon 2,134 valid cases out of 2,272 total cases.

Location: 353-354 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6144: 176B34C:#X NARC/LAST30DA

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2106	92.7 %
2	1-2X:(2)	18	0.8 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	138	6.1 %
	Total	**2,272**	**100%**

Based upon 2,134 valid cases out of 2,272 total cases.

Location: 355-356 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6614: 176B35A:#X METHAMPH/LIFE

Item Number: 30800

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

A. . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2109	92.8 %
2	1-2X:(2)	9	0.4 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	140	6.2 %
	Total	**2,272**	**100%**

Based upon 2,132 valid cases out of 2,272 total cases.

Location: 357-358 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6615: 176B35B:#X METHAMPH/12MO

Item Number: 30810

On how many occasions (if any) have you used methamphetamine

(meth, speed, crank, crystal meth) by any method . . .

B. . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2059	90.6 %
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	200	8.8 %
	Total	**2,272**	**100%**

Based upon 2,072 valid cases out of 2,272 total cases.

Location: 359-360 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6616: 176B35C:#X METHAMPH/30DA

Item Number: 30820

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

C. . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2058	90.6 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	205	9.0 %
	Total	**2,272**	**100%**

Based upon 2,067 valid cases out of 2,272 total cases.

Location: 361-362 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

RESPONDENT_AGE: 176C01(R):AGE <>18 DICHOTOMY

Item Number:

Component variables: 1) Q. C01 "In what year were you born?" (item 00010), 2) Q. C02 "In what month were you born?" (item 00020), and 3) date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

Value	Label	Unweighted Frequency	%
1	<18 YRS:(1)	966	42.5 %
2	18+ YRS:(2)	1195	52.6 %
	Missing Data		
-9	MISSING:(-9)	111	4.9 %
	Total	**2,272**	**100%**

Based upon 2,161 valid cases out of 2,272 total cases.

Location: 363-364 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6150: 176C03 :Rs SEX

Item Number: 00030

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%
1	MALE:(1)	1016	44.7 %

Value	Label	Unweighted Frequency	%
2	FEMALE:(2)	1057	46.5 %
	Missing Data		
-9	MISSING:(-9)	199	8.8 %
	Total	**2,272**	**100%**

Based upon 2,073 valid cases out of 2,272 total cases.

Location: 365-366 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6151: 176C04(R):Rs RACE B/W/H

Item Number: 00041-00049

How do you describe yourself?

(Select one or more responses.) Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; "Hispanic" = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic...").

All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)" 3="Hispanic" [see above].

Value	Label	Unweighted Frequency	%
1	BLACK:(1)	284	12.5 %
2	WHITE:(2)	1086	47.8 %
3	HISPANIC:(3)	436	19.2 %
	Missing Data		
-9	MISSING:(-9)	466	20.5 %
	Total	**2,272**	**100%**

Based upon 1,806 valid cases out of 2,272 total cases.

Location: 367-368 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6152: 176C05 :R SPD >TIM R-URB

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

Value	Label	Unweighted Frequency	%
0	DK/MIXED:(0)	297	13.1 %
1	A FARM:(1)	57	2.5 %
2	COUNTRY:(2)	215	9.5 %
3	SM CITY:(3)	533	23.5 %
4	MED CITY:(4)	269	11.8 %
5	SUB MED:(5)	254	11.2 %
6	LGE CITY:(6)	219	9.6 %
7	SUB LGE:(7)	182	8.0 %
8	V-LGE CITY:(8)	152	6.7 %
9	SUB V-LGE:(9)	94	4.1 %
	Total	**2,272**	**100%**

Based upon 2,272 valid cases out of 2,272 total cases.

Location: 369-370 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6153: 176C06 :R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%
1	MARRIED:(1)	102	4.5 %
2	ENGAGED:(2)	49	2.2 %
3	SEP/DIV:(3)	36	1.6 %
4	SINGLE:(4)	1962	86.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	123	5.4 %
	Total	**2,272**	**100%**

Based upon 2,149 valid cases out of 2,272 total cases.

Location: 371-372 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6155: 176C7Cb:Rs HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	612	26.9 %
1	MARKED:(1)	1546	68.0 %
	Missing Data		
-9	MISSING:(-9)	114	5.0 %
	Total	**2,272**	**100%**

Based upon 2,158 valid cases out of 2,272 total cases.

Location: 373-374 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6156: 176C7Cc:Rs HSHLD MOTHER

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	226	9.9 %
1	MARKED:(1)	1932	85.0 %
	Missing Data		
-9	MISSING:(-9)	114	5.0 %
	Total	**2,272**	**100%**

Based upon 2,158 valid cases out of 2,272 total cases.

Location: 375-376 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6157: 176C7Cd:Rs HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	684	30.1 %
1	MARKED:(1)	1474	64.9 %
	Missing Data		
-9	MISSING:(-9)	114	5.0 %
	Total	**2,272**	**100%**

Based upon 2,158 valid cases out of 2,272 total cases.

Location: 377-378 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V49: 176C07R:# SIBLINGS

Item Number:

Component questions: "How many brothers and sisters do you

have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more".

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more younger or older brothers or sisters".

Value	Label	Unweighted Frequency	%
0	NONE:(0)	143	6.3 %
1	ONE:(1)	621	27.3 %
2	TWO:(2)	597	26.3 %
3	THREE+:(3-4)	797	35.1 %
	Missing Data		
-9	MISSING:(-9)	114	5.0 %
	Total	**2,272**	**100%**

Based upon 2,158 valid cases out of 2,272 total cases.

Location: 379-380 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6163: 176C08 :FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	115	5.1 %
2	SOME HS:(2)	227	10.0 %
3	HS GRAD:(3)	527	23.2 %
4	SOME CLG:(4)	347	15.3 %
5	CLG GRAD:(5)	432	19.0 %

Value	Label	Unweighted Frequency	%
6	GRAD SCH:(6)	292	12.9 %
7	DK:(7)	216	9.5 %
	Missing Data		
-9	MISSING:(-9)	116	5.1 %
	Total	**2,272**	**100%**

Based upon 2,156 valid cases out of 2,272 total cases.

Location: 381-382 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6164: 176C09 :MOTHR EDUC LEVEL

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	98	4.3 %
2	SOME HS:(2)	189	8.3 %
3	HS GRAD:(3)	394	17.3 %
4	SOME CLG:(4)	408	18.0 %
5	CLG GRAD:(5)	632	27.8 %
6	GRAD SCH:(6)	327	14.4 %
7	DK:(7)	111	4.9 %
	Missing Data		
-9	MISSING:(-9)	113	5.0 %
	Total	**2,272**	**100%**

Based upon 2,159 valid cases out of 2,272 total cases.

Location: 383-384 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6165: 176C10 :MOTH PD JB R YNG

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%
1	NO:(1)	295	13.0 %
2	YES/SOME:(2)	410	18.0 %
3	YES/MOST:(3)	383	16.9 %
4	YES/NRLY ALL:(4)	1065	46.9 %
	Missing Data		
-9	MISSING:(-9)	119	5.2 %
	Total	**2,272**	**100%**

Based upon 2,153 valid cases out of 2,272 total cases.

Location: 385-386 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6166: 176C11 :Rs POLTL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%
1	STRG GOP:(1)	216	9.5 %
2	MILD GOP:(2)	258	11.4 %
3	MILD DEM:(3)	279	12.3 %
4	STRG DEM:(4)	309	13.6 %
5	INDEPNDT:(5)	220	9.7 %
6	NO PREF:(6)	293	12.9 %
7	OTHER:(7)	40	1.8 %
8	DK/HVNT DECID:(8)	473	20.8 %
	Missing Data		
-9	MISSING:(-9)	184	8.1 %
	Total	**2,272**	**100%**

Based upon 2,088 valid cases out of 2,272 total cases.

Location: 387-388 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6167: 176C12 :R POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the above, or don't know"

Value	Label	Unweighted Frequency	%
1	VRY CONS:(1)	106	4.7 %
2	CONSERV:(2)	267	11.8 %
3	MODERATE:(3)	451	19.9 %
4	LIBERAL:(4)	375	16.5 %
5	VRY LIB:(5)	131	5.8 %
6	RADICAL:(6)	34	1.5 %
8	NONE/DK:(8)	771	33.9 %
	Missing Data		
-9	MISSING:(-9)	137	6.0 %
	Total	**2,272**	**100%**

Based upon 2,135 valid cases out of 2,272 total cases.

Location: 389-390 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6169: 176C13B:R ATTND REL SVC

Item Number: 00370

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	373	16.4 %

Value	Label	Unweighted Frequency	%
2	RARELY:(2)	526	23.2 %
3	1-2X/MO:(3)	267	11.8 %
4	1/WK OR+:(4)	413	18.2 %
	Missing Data		
-9	MISSING:(-9)	693	30.5 %
	Total	**2,272**	**100%**

Based upon 1,579 valid cases out of 2,272 total cases.

Location: 391-392 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6170: 176C13C:RLGN IMP Rs LF

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	407	17.9 %
2	LITL IMP:(2)	376	16.5 %
3	PRTY IMP:(3)	399	17.6 %
4	VERY IMP:(4)	395	17.4 %
	Missing Data		
-9	MISSING:(-9)	695	30.6 %
	Total	**2,272**	**100%**

Based upon 1,577 valid cases out of 2,272 total cases.

Location: 393-394 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6171: 176C14 :WHEN R XPCT GRAD

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"
6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%
1	JUNE:(1)	2128	93.7 %
2	JUL-JAN:(2)	15	0.7 %
3	AFTER JAN:(3)	0	0.0 %
6	DONT EXPCT:(6)	22	1.0 %
	Missing Data		
-9	MISSING:(-9)	107	4.7 %
	Total	**2,272**	**100%**

Based upon 2,165 valid cases out of 2,272 total cases.

Location: 395-396 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6172: 176C15 :Rs HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%
1	CLG PREP:(1)	1131	49.8 %
2	GENERAL:(2)	682	30.0 %
3	VOC-TECH:(3)	102	4.5 %
4	OTH/DK:(4)	234	10.3 %
	Missing Data		
-9	MISSING:(-9)	123	5.4 %
	Total	**2,272**	**100%**

Based upon 2,149 valid cases out of 2,272 total cases.

Location: 397-398 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6173: 176C16 :RT SF SCH AB>AVG

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	31	1.4 %
2	BELOW AVG:(2)	47	2.1 %
3	SLIGHT BELOW:(3)	106	4.7 %
4	AVERAGE:(4)	724	31.9 %
5	SLIGHT ABOVE:(5)	532	23.4 %
6	ABOVE AVG:(6)	548	24.1 %
7	FAR ABOVE:(7)	152	6.7 %
	Missing Data		
-9	MISSING:(-9)	132	5.8 %
	Total	**2,272**	**100%**

Based upon 2,140 valid cases out of 2,272 total cases.

Location: 399-400 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6174: 176C17 :RT SF INTELL>AVG

Item Number: 00420

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	37	1.6 %
2	BELOW AVG:(2)	50	2.2 %
3	SLIGHT BELOW:(3)	102	4.5 %
4	AVERAGE:(4)	675	29.7 %
5	SLIGHT ABOVE:(5)	556	24.5 %
6	ABOVE AVG:(6)	553	24.3 %

Value	Label	Unweighted Frequency	%
7	FAR ABOVE:(7)	172	7.6 %
	Missing Data		
-9	MISSING:(-9)	127	5.6 %
	Total	**2,272**	**100%**

Based upon 2,145 valid cases out of 2,272 total cases.

Location: 401-402 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6175: 176C18A:#DA/4W SC MS ILL

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1133	49.9 %
2	1 DAY:(2)	376	16.5 %
3	2 DAYS:(3)	254	11.2 %
4	3 DAYS:(4)	164	7.2 %
5	4-5 DAYS:(5)	117	5.1 %
6	6-10 DA:(6)	35	1.5 %
7	11+ DAYS:(7)	30	1.3 %
	Missing Data		
-9	MISSING:(-9)	163	7.2 %
	Total	**2,272**	**100%**

Based upon 2,109 valid cases out of 2,272 total cases.

Location: 403-404 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6176: 176C18B:#DA/4W SC MS CUT

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1440	63.4 %
2	1 DAY:(2)	239	10.5 %
3	2 DAYS:(3)	148	6.5 %
4	3 DAYS:(4)	87	3.8 %
5	4-5 DAYS:(5)	78	3.4 %
6	6-10 DA:(6)	42	1.8 %
7	11+ DAYS:(7)	28	1.2 %
	Missing Data		
-9	MISSING:(-9)	210	9.2 %
	Total	**2,272**	**100%**

Based upon 2,062 valid cases out of 2,272 total cases.

Location: 405-406 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6177: 176C18C:#DA/4W SC MS OTH

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1089	47.9 %
2	1 DAY:(2)	417	18.4 %
3	2 DAYS:(3)	247	10.9 %
4	3 DAYS:(4)	135	5.9 %
5	4-5 DAYS:(5)	118	5.2 %
6	6-10 DA:(6)	39	1.7 %

Value	Label	Unweighted Frequency	%
7	11+ DAYS:(7)	34	1.5 %
	Missing Data		
-9	MISSING:(-9)	193	8.5 %
	Total	**2,272**	**100%**

Based upon 2,079 valid cases out of 2,272 total cases.

Location: 407-408 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6178: 176C19 :#DA/4W SKP CLASS

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times" 5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1582	69.6 %
2	1-2:(2)	339	14.9 %
3	3-5:(3)	141	6.2 %
4	6-10:(4)	54	2.4 %
5	11-20:(5)	21	0.9 %
6	21+:(6)	14	0.6 %
	Missing Data		
-9	MISSING:(-9)	121	5.3 %
	Total	**2,272**	**100%**

Based upon 2,151 valid cases out of 2,272 total cases.

Location: 409-410 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6179: 176C20 :R HS GRADE/D = 1

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"
5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"
1="D (69 or below)"

Value	Label	Unweighted Frequency	%
1	D:(1)	15	0.7 %
2	C-:(2)	44	1.9 %
3	C:(3)	91	4.0 %
4	C+:(4)	150	6.6 %
5	B-:(5)	246	10.8 %
6	B:(6)	363	16.0 %
7	B+:(7)	387	17.0 %
8	A-:(8)	432	19.0 %
9	A:(9)	402	17.7 %
	Missing Data		
-9	MISSING:(-9)	142	6.2 %
	Total	**2,272**	**100%**

Based upon 2,130 valid cases out of 2,272 total cases.

Location: 411-412 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6180: 176C21A:R WL DO VOC/TEC

Item Number: 00480

How likely is it that you will do each of the following
things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1217	53.6 %
2	PRB WONT:(2)	495	21.8 %
3	PRB WILL:(3)	216	9.5 %
4	DEF WILL:(4)	107	4.7 %
	Missing Data		
-9	MISSING:(-9)	237	10.4 %
	Total	**2,272**	**100%**

Based upon 2,035 valid cases out of 2,272 total cases.

Location: 413-414 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6181: 176C21B!:R WL DO MILITARY

Item Number: 00490

How likely is it that you will do each of the following things after high school?

B: Serve in the military (armed forces)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1355	59.6 %
2	PRB WONT:(2)	442	19.5 %
3	PRB WILL:(3)	143	6.3 %
4	DEF WILL:(4)	101	4.4 %
	Missing Data		
-9	MISSING:(-9)	231	10.2 %
	Total	**2,272**	**100%**

Based upon 2,041 valid cases out of 2,272 total cases.

Location: 415-416 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6182: 176C21C:R WL DO 2YR CLG

Item Number: 00500

How likely is it that you will do each of the following things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	789	34.7 %

Value	Label	Unweighted Frequency	%
2	PRB WONT:(2)	399	17.6 %
3	PRB WILL:(3)	456	20.1 %
4	DEF WILL:(4)	381	16.8 %
	Missing Data		
-9	MISSING:(-9)	247	10.9 %
	Total	**2,272**	**100%**

Based upon 2,025 valid cases out of 2,272 total cases.

Location: 417-418 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6183: 176C21D:R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following
things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	179	7.9 %
2	PRB WONT:(2)	181	8.0 %
3	PRB WILL:(3)	500	22.0 %
4	DEF WILL:(4)	1221	53.7 %
	Missing Data		
-9	MISSING:(-9)	191	8.4 %
	Total	**2,272**	**100%**

Based upon 2,081 valid cases out of 2,272 total cases.

Location: 419-420 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6184: 176C21E:R WL DO GRD/PRF

Item Number: 00520

How likely is it that you will do each of the following

things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	367	16.2 %
2	PRB WONT:(2)	539	23.7 %
3	PRB WILL:(3)	666	29.3 %
4	DEF WILL:(4)	461	20.3 %
	Missing Data		
-9	MISSING:(-9)	239	10.5 %
	Total	**2,272**	**100%**

Based upon 2,033 valid cases out of 2,272 total cases.

Location: 421-422 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6185: 176C22A:R WNTDO VOC/TEC

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1822	80.2 %
1	MARKED:(1)	268	11.8 %
	Missing Data		
-9	MISSING:(-9)	182	8.0 %
	Total	**2,272**	**100%**

Based upon 2,090 valid cases out of 2,272 total cases.

Location: 423-424 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6186: 176C22B:R WNTDO ARMD FC

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1763	77.6 %
1	MARKED:(1)	327	14.4 %
	Missing Data		
-9	MISSING:(-9)	182	8.0 %
	Total	**2,272**	**100%**

Based upon 2,090 valid cases out of 2,272 total cases.

Location: 425-426 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6187: 176C22C:R WNTDO 2YR CLG

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1552	68.3 %
1	MARKED:(1)	538	23.7 %
	Missing Data		
-9	MISSING:(-9)	182	8.0 %
	Total	**2,272**	**100%**

Based upon 2,090 valid cases out of 2,272 total cases.

Location: 427-428 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V6188: 176C22D:R WNTDO 4YR CLG

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	443	19.5 %
1	MARKED:(1)	1647	72.5 %
	Missing Data		
-9	MISSING:(-9)	182	8.0 %
	Total	**2,272**	**100%**

Based upon 2,090 valid cases out of 2,272 total cases.

Location: 429-430 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6189: 176C22E:R WNTDO GRD/PRF

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	913	40.2 %
1	MARKED:(1)	1177	51.8 %
	Missing Data		
-9	MISSING:(-9)	182	8.0 %
	Total	**2,272**	**100%**

Based upon 2,090 valid cases out of 2,272 total cases.

Location: 431-432 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6190: 176C22F:R WNTDO NONE

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1960	86.3 %
1	MARKED:(1)	130	5.7 %
	Missing Data		
-9	MISSING:(-9)	182	8.0 %
	Total	**2,272**	**100%**

Based upon 2,090 valid cases out of 2,272 total cases.

Location: 433-434 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6191: 176C23 :HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours" 8="More than 30 hours"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	873	38.4 %
2	5 OR <:(2)	223	9.8 %
3	6-10 HRS:(3)	228	10.0 %
4	11-15 HRS:(4)	189	8.3 %

Value	Label	Unweighted Frequency	%
5	16-20 HRS:(5)	223	9.8 %
6	21-25 HRS:(6)	160	7.0 %
7	26-30 HRS:(7)	108	4.8 %
8	30+ HRS:(8)	109	4.8 %
	Missing Data		
-9	MISSING:(-9)	159	7.0 %
	Total	**2,272**	**100%**

Based upon 2,113 valid cases out of 2,272 total cases.

Location: 435-436 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6192: 176C24A:R$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50"
7="$51-75" 8="$76-125" 9="$126-175" 10="$176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	886	39.0 %
2	$1-5:(2)	16	0.7 %
3	$6-10:(3)	62	2.7 %
4	$11-20:(4)	57	2.5 %
5	$21-35:(5)	59	2.6 %
6	$36-50:(6)	101	4.4 %
7	$51-75:(7)	120	5.3 %
8	$76-125:(8)	275	12.1 %
9	$126-175:(9)	201	8.8 %
10	$176+:(10)	297	13.1 %
	Missing Data		
-9	MISSING:(-9)	198	8.7 %
	Total	**2,272**	**100%**

Based upon 2,074 valid cases out of 2,272 total cases.

Location: 437-438 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V6193: 176C24B:R$/AVG WEEK OTH

Item Number: 00610

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50"
7="$51-75" 8="$76-125" 9="$126-175" 10="$176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1005	44.2 %
2	$1-5:(2)	91	4.0 %
3	$6-10:(3)	96	4.2 %
4	$11-20:(4)	296	13.0 %
5	$21-35:(5)	176	7.7 %
6	$36-50:(6)	133	5.9 %
7	$51-75:(7)	59	2.6 %
8	$76-125:(8)	52	2.3 %
9	$126-175:(9)	13	0.6 %
10	$176+:(10)	78	3.4 %
	Missing Data		
-9	MISSING:(-9)	273	12.0 %
	Total	**2,272**	**100%**

Based upon 1,999 valid cases out of 2,272 total cases.

Location: 439-440 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6194: 176C25 :#X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out
for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five"
6="Six or Seven"

Value	Label	Unweighted Frequency	%
1	< 1:(1)	401	17.6 %
2	ONE:(2)	418	18.4 %
3	TWO:(3)	558	24.6 %
4	THREE:(4)	419	18.4 %
5	4-5:(5)	214	9.4 %
6	6-7:(6)	91	4.0 %
	Missing Data		
-9	MISSING:(-9)	171	7.5 %
	Total	**2,272**	**100%**

Based upon 2,101 valid cases out of 2,272 total cases.

Location: 441-442 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6195: 176C26 :#X DATE 3+/WK

Item Number: 00630

On the average, how often do you go out with a date (or your spouse/partner)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month" 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1015	44.7 %
2	ONCE/MO:(2)	287	12.6 %
3	2-3X MO:(3)	229	10.1 %
4	ONCE WK:(4)	240	10.6 %
5	2-3X WK:(5)	213	9.4 %
6	3+ WEEK:(6)	125	5.5 %
	Missing Data		
-9	MISSING:(-9)	163	7.2 %
	Total	**2,272**	**100%**

Based upon 2,109 valid cases out of 2,272 total cases.

Location: 443-444 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6196: 176C27 :DRIVE>200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	565	24.9 %
2	1-10 MI:(2)	206	9.1 %
3	11-50:(3)	488	21.5 %
4	51-100:(4)	433	19.1 %
5	101-200:(5)	254	11.2 %
6	> 200:(6)	156	6.9 %
	Missing Data		
-9	MISSING:(-9)	170	7.5 %
	Total	**2,272**	**100%**

Based upon 2,102 valid cases out of 2,272 total cases.

Location: 445-446 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6197: 176C28 :#X/12MO R TCKTD

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1793	78.9 %
1	ONCE:(1)	197	8.7 %
2	TWICE:(2)	65	2.9 %
3	3 TIMES:(3)	17	0.7 %
4	4+ TIMES:(4)	11	0.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	189	8.3 %
	Total	**2,272**	**100%**

Based upon 2,083 valid cases out of 2,272 total cases.

Location: 447-448 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6198: 176C29A:#TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	275	12.1 %
1	ONE:(1)	9	0.4 %
2	TWO:(2)	0	0.0 %
3	THREE+:(3-4)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	1988	87.5 %
	Total	**2,272**	**100%**

Based upon 284 valid cases out of 2,272 total cases.

Location: 449-450 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6199: 176C29B:#TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	269	11.8 %
1	ONE:(1)	7	0.3 %
2	TWO:(2)	6	0.3 %
3	THREE+:(3-4)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	1990	87.6 %
	Total	**2,272**	**100%**

Based upon 282 valid cases out of 2,272 total cases.

Location: 451-452 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6200: 176C29C:#TCKTS AFT OTDG

Item Number: 00680

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	276	12.1 %
1	ONE:(1)	2	0.1 %
2	TWO:(2)	2	0.1 %
3	THREE+:(3-4)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	1992	87.7 %
	Total	**2,272**	**100%**

Based upon 280 valid cases out of 2,272 total cases.

Location: 453-454 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6201: 176C30 :#ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1745	76.8 %
1	ONCE:(1)	247	10.9 %
2	TWICE:(2)	54	2.4 %
3	3 TIMES:(3)	13	0.6 %
4	4+ TIMES:(4)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	207	9.1 %
	Total	**2,272**	**100%**

Based upon 2,065 valid cases out of 2,272 total cases.

Location: 455-456 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6202: 176C31A:#ACDTS AFT DRNK

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	313	13.8 %
1	ONE:(1)	8	0.4 %
2	TWO:(2)	0	0.0 %
3	THREE+:(3-4)	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	1951	85.9 %
	Total	**2,272**	**100%**

Based upon 321 valid cases out of 2,272 total cases.

Location: 457-458 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6203: 176C31B:#ACDTS AFT MARJ

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	315	13.9 %
1	ONE:(1)	5	0.2 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	1951	85.9 %
	Total	**2,272**	**100%**

Based upon 321 valid cases out of 2,272 total cases.

Location: 459-460 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6204: 176C31C:#ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	316	13.9 %
1	ONE:(1)	5	0.2 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	1949	85.8 %
	Total	**2,272**	**100%**

Based upon 323 valid cases out of 2,272 total cases.

Location: 461-462 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6205: 176C32 :USE SEATBLT-DRVR

Item Number: 22210

When you drive a car, how often do you wear a seatbelt?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Always"
8="Does Not Apply"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	62	2.7 %
2	SELDOM:(2)	42	1.8 %
3	SOMETIME:(3)	66	2.9 %
4	OFTEN:(4)	149	6.6 %
5	ALWAYS:(5)	1587	69.9 %
8	INAP:(8)	173	7.6 %
	Missing Data		
-9	MISSING:(-9)	193	8.5 %
	Total	**2,272**	**100%**

Based upon 2,079 valid cases out of 2,272 total cases.

Location: 463-464 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6206: 176C33 :USE SEATBLT-RIDR

Item Number: 22220

When you are riding in the front passenger seat of a car, how often do you wear a seatbelt?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Always" 8="Does Not Apply"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	59	2.6 %
2	SELDOM:(2)	59	2.6 %
3	SOMETIME:(3)	111	4.9 %
4	OFTEN:(4)	231	10.2 %
5	ALWAYS:(5)	1595	70.2 %
8	INAP:(8)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	209	9.2 %
	Total	**2,272**	**100%**

Based upon 2,063 valid cases out of 2,272 total cases.

Location: 465-466 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6554: 176D01 :#X ANTISMK TV/RD

Item Number: 30260

The next questions are about anti-smoking commercials or "spots" that are intended to discourage cigarette smoking. In recent months, about how often have you seen such anti-smoking commercials on TV, or heard them on the radio?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	325	14.3 %
2	1-2 X:(2)	326	14.3 %
3	1-2/WK:(3)	568	25.0 %
4	3-5/WK:(4)	496	21.8 %
5	1/DAY:(5)	281	12.4 %
6	>1/DAY:(6)	95	4.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	181	8.0 %
	Total	**2,272**	**100%**

Based upon 2,091 valid cases out of 2,272 total cases.

Location: 467-468 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6555: 176D02 :#X ANTISMK PRINT

Item Number: 30270

In recent months, about how often have you seen anti-smoking ads on billboards or in magazines and newspapers?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	578	25.4 %
2	1-2 X:(2)	555	24.4 %
3	1-2/WK:(3)	567	25.0 %
4	3-5/WK:(4)	246	10.8 %
5	1/DAY:(5)	121	5.3 %
6	>1/DAY:(6)	25	1.1 %
	Missing Data		
-9	MISSING:(-9)	180	7.9 %
	Total	**2,272**	**100%**

Based upon 2,092 valid cases out of 2,272 total cases.

Location: 469-470 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6556: 176D03A:ANTISMK ADS<FVRB

Item Number: 30280

To what extent do you think such ads on TV, radio, and billboards or in magazines and newspapers have . . .

A: . . . made you less favorable toward smoking cigarettes?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	598	26.3 %
2	LTTL EXT:(2)	337	14.8 %
3	SOME EXT:(3)	547	24.1 %
4	GRT EXT:(4)	273	12.0 %
5	VRGR EXT:(5)	310	13.6 %
	Missing Data		
-9	MISSING:(-9)	207	9.1 %
	Total	**2,272**	**100%**

Based upon 2,065 valid cases out of 2,272 total cases.

Location: 471-472 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6557: 176D03B:ANTISMK ADS<LKLY

Item Number: 30290

To what extent do you think such ads on TV, radio, and billboards or in magazines and newspapers have . . .

B: . . . made you less likely to smoke cigarettes?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	599	26.4 %
2	LTTL EXT:(2)	329	14.5 %
3	SOME EXT:(3)	490	21.6 %
4	GRT EXT:(4)	278	12.2 %
5	VRGR EXT:(5)	362	15.9 %
	Missing Data		
-9	MISSING:(-9)	214	9.4 %
	Total	**2,272**	**100%**

Based upon 2,058 valid cases out of 2,272 total cases.

Location: 473-474 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V6558: 176D03C:ANTISMK ADS EXAG

Item Number: 30300

To what extent do you think such ads on TV, radio, and billboards or in magazines and newspapers have . . .

C: . . . overstated the dangers or risks of cigarette smoking?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	712	31.3 %
2	LTTL EXT:(2)	346	15.2 %
3	SOME EXT:(3)	457	20.1 %
4	GRT EXT:(4)	250	11.0 %
5	VRGR EXT:(5)	284	12.5 %
	Missing Data		
-9	MISSING:(-9)	223	9.8 %
	Total	**2,272**	**100%**

Based upon 2,049 valid cases out of 2,272 total cases.

Location: 475-476 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6559: 176D04A:CIG SMKRS-ATHLTS

Item Number: 30310

These days, how many people in the following groups would you guess are regular cigarette smokers?

A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%" 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	1074	47.3 %
2	11%-30%:(2)	372	16.4 %

Value	Label	Unweighted Frequency	%
3	31%-50%:(3)	177	7.8 %
4	51%-70%:(4)	114	5.0 %
5	71%-90%:(5)	35	1.5 %
6	91%-100%:(6)	19	0.8 %
8	NO IDEA:(8)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	481	21.2 %
	Total	**2,272**	**100%**

Based upon 1,791 valid cases out of 2,272 total cases.

Location: 477-478 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6622: 176D04B:CIG SMKRS-MUSIC

Item Number: 33270

These days, how many people in the following groups would you guess are regular cigarette smokers?

B: Popular music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%" 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	249	11.0 %
2	11%-30%:(2)	378	16.6 %
3	31%-50%:(3)	453	19.9 %
4	51%-70%:(4)	398	17.5 %
5	71%-90%:(5)	230	10.1 %
6	91%-100%:(6)	109	4.8 %
8	NO IDEA:(8)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	455	20.0 %
	Total	**2,272**	**100%**

Based upon 1,817 valid cases out of 2,272 total cases.

Location: 479-480 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6561: 176D04C:CIG SMKRS-ACTORS

Item Number: 30330

These days, how many people in the following groups would you guess are regular cigarette smokers?

C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%" 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	174	7.7 %
2	11%-30%:(2)	400	17.6 %
3	31%-50%:(3)	514	22.6 %
4	51%-70%:(4)	380	16.7 %
5	71%-90%:(5)	237	10.4 %
6	91%-100%:(6)	104	4.6 %
8	NO IDEA:(8)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	463	20.4 %
	Total	**2,272**	**100%**

Based upon 1,809 valid cases out of 2,272 total cases.

Location: 481-482 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6562: 176D04D:CIG SMKRS-PEERS

Item Number: 30340

These days, how many people in the following groups would you guess are regular cigarette smokers?

D: Students in your school

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%" 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	499	22.0 %
2	11%-30%:(2)	545	24.0 %

Value	Label	Unweighted Frequency	%
3	31%-50%:(3)	368	16.2 %
4	51%-70%:(4)	237	10.4 %
5	71%-90%:(5)	139	6.1 %
6	91%-100%:(6)	74	3.3 %
8	NO IDEA:(8)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	410	18.0 %
	Total	**2,272**	**100%**

Based upon 1,862 valid cases out of 2,272 total cases.

Location: 483-484 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6563: 176D05A:USE DRUGS-ATHLTS

Item Number: 22380

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%" 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	491	21.6 %
2	11%-30%:(2)	465	20.5 %
3	31%-50%:(3)	331	14.6 %
4	51%-70%:(4)	243	10.7 %
5	71%-90%:(5)	154	6.8 %
6	91%-100%:(6)	104	4.6 %
8	NO IDEA:(8)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	484	21.3 %
	Total	**2,272**	**100%**

Based upon 1,788 valid cases out of 2,272 total cases.

Location: 485-486 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6623: 176D05B:USE DRUGS-MUSIC

Item Number: 33280

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

B: Popular music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%" 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	127	5.6 %
2	11%-30%:(2)	195	8.6 %
3	31%-50%:(3)	377	16.6 %
4	51%-70%:(4)	427	18.8 %
5	71%-90%:(5)	411	18.1 %
6	91%-100%:(6)	290	12.8 %
8	NO IDEA:(8)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	445	19.6 %
	Total	**2,272**	**100%**

Based upon 1,827 valid cases out of 2,272 total cases.

Location: 487-488 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6565: 176D05C:USE DRUGS-ACTORS

Item Number: 22400

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%" 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	143	6.3 %

Value	Label	Unweighted Frequency	%
2	11%-30%:(2)	255	11.2 %
3	31%-50%:(3)	444	19.5 %
4	51%-70%:(4)	405	17.8 %
5	71%-90%:(5)	338	14.9 %
6	91%-100%:(6)	222	9.8 %
8	NO IDEA:(8)	236	10.4 %
	Missing Data		
-9	MISSING:(-9)	229	10.1 %
	Total	**2,272**	**100%**

Based upon 2,043 valid cases out of 2,272 total cases.

Location: 489-490 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6566: 176D05D:USE DRUGS-PEERS

Item Number: 22405

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

D: Students in your school

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%" 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%
1	0%-10%:(1)	223	9.8 %
2	11%-30%:(2)	352	15.5 %
3	31%-50%:(3)	417	18.4 %
4	51%-70%:(4)	380	16.7 %
5	71%-90%:(5)	307	13.5 %
6	91%-100%:(6)	181	8.0 %
8	NO IDEA:(8)	180	7.9 %
	Missing Data		
-9	MISSING:(-9)	232	10.2 %
	Total	**2,272**	**100%**

Based upon 2,040 valid cases out of 2,272 total cases.

Location: 491-492 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V6624: 176D06:SMKRS IN MOVIE

Item Number: 33290

Think about the movie that you watched most recently. Did any of the characters in the movie smoke cigarettes?

1="No" 2="Yes, some" 3="Yes, a lot" 4="Don't remember"

Value	Label	Unweighted Frequency	%
1	NO:(1)	698	30.7 %
2	SOME:(2)	820	36.1 %
3	A LOT:(3)	199	8.8 %
4	DONT REMEMBER:(4)	340	15.0 %
	Missing Data		
-9	MISSING:(-9)	215	9.5 %
	Total	**2,272**	**100%**

Based upon 2,057 valid cases out of 2,272 total cases.

Location: 493-494 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6353: 176D07A:POS ATT TWD SELF

Item Number: 12550

How much do you agree or disagree with each of the following statements?

A: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	110	4.8 %
2	MOST DIS:(2)	170	7.5 %
3	NEITHER:(3)	269	11.8 %
4	MOST AGR:(4)	807	35.5 %
5	AGREE:(5)	675	29.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	241	10.6 %
	Total	**2,272**	**100%**

Based upon 2,031 valid cases out of 2,272 total cases.

Location: 495-496 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6354: 176D07B:LIFE MEANINGLESS

Item Number: 23700

How much do you agree or disagree with each of the following statements?

B: Life often seems meaningless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	671	29.5 %
2	MOST DIS:(2)	545	24.0 %
3	NEITHER:(3)	420	18.5 %
4	MOST AGR:(4)	270	11.9 %
5	AGREE:(5)	124	5.5 %
	Missing Data		
-9	MISSING:(-9)	242	10.7 %
	Total	**2,272**	**100%**

Based upon 2,030 valid cases out of 2,272 total cases.

Location: 497-498 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6355: 176D07C:SHD DO OWN THING

Item Number: 07040

How much do you agree or disagree with each of the following statements?

C: People should do their own thing, even if other people think it's strange

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	41	1.8 %
2	MOST DIS:(2)	55	2.4 %
3	NEITHER:(3)	172	7.6 %
4	MOST AGR:(4)	668	29.4 %
5	AGREE:(5)	1085	47.8 %
	Missing Data		
-9	MISSING:(-9)	251	11.0 %
	Total	**2,272**	**100%**

Based upon 2,021 valid cases out of 2,272 total cases.

Location: 499-500 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6356: 176D07D:-MUCH TO B PROUD

Item Number: 12660

How much do you agree or disagree with each of the following statements?

D: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	730	32.1 %
2	MOST DIS:(2)	525	23.1 %
3	NEITHER:(3)	356	15.7 %
4	MOST AGR:(4)	269	11.8 %
5	AGREE:(5)	141	6.2 %
	Missing Data		
-9	MISSING:(-9)	251	11.0 %
	Total	**2,272**	**100%**

Based upon 2,021 valid cases out of 2,272 total cases.

Location: 501-502 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

V6357: 176D07E:AM PRSN OF WORTH

Item Number: 12570

How much do you agree or disagree with each of the following statements?

E: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	80	3.5 %
2	MOST DIS:(2)	150	6.6 %
3	NEITHER:(3)	370	16.3 %
4	MOST AGR:(4)	602	26.5 %
5	AGREE:(5)	816	35.9 %
	Missing Data		
-9	MISSING:(-9)	254	11.2 %
	Total	**2,272**	**100%**

Based upon 2,018 valid cases out of 2,272 total cases.

Location: 503-504 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6358: 176D07F:I ENJOY LIFE

Item Number: 23710

How much do you agree or disagree with each of the following statements?

F: I enjoy life as much as anyone

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	99	4.4 %
2	MOST DIS:(2)	190	8.4 %

Value	Label	Unweighted Frequency	%
3	NEITHER:(3)	372	16.4 %
4	MOST AGR:(4)	641	28.2 %
5	AGREE:(5)	718	31.6 %
	Missing Data		
-9	MISSING:(-9)	252	11.1 %
	Total	**2,272**	**100%**

Based upon 2,020 valid cases out of 2,272 total cases.

Location: 505-506 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6359: 176D07G:KICK DO DANGR TH

Item Number: 07050

How much do you agree or disagree with each of the following statements?

G: I get a real kick out of doing things that are a little dangerous

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	278	12.2 %
2	MOST DIS:(2)	342	15.1 %
3	NEITHER:(3)	526	23.2 %
4	MOST AGR:(4)	564	24.8 %
5	AGREE:(5)	313	13.8 %
	Missing Data		
-9	MISSING:(-9)	249	11.0 %
	Total	**2,272**	**100%**

Based upon 2,023 valid cases out of 2,272 total cases.

Location: 507-508 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6360: 176D07H:I AM NO GOOD

Item Number: 12680

How much do you agree or disagree with each of the following statements?

H: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	600	26.4 %
2	MOST DIS:(2)	453	19.9 %
3	NEITHER:(3)	428	18.8 %
4	MOST AGR:(4)	354	15.6 %
5	AGREE:(5)	180	7.9 %
	Missing Data		
-9	MISSING:(-9)	257	11.3 %
	Total	**2,272**	**100%**

Based upon 2,015 valid cases out of 2,272 total cases.

Location: 509-510 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6361: 176D07I:DO WELL AS OTHRS

Item Number: 12580

How much do you agree or disagree with each of the following statements?

I: I am able to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	69	3.0 %
2	MOST DIS:(2)	145	6.4 %
3	NEITHER:(3)	409	18.0 %
4	MOST AGR:(4)	769	33.8 %
5	AGREE:(5)	626	27.6 %
	Missing Data		
-9	MISSING:(-9)	254	11.2 %
	Total	**2,272**	**100%**

Based upon 2,018 valid cases out of 2,272 total cases.

Location: 511-512 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6362: 176D07J:FUTURE HOPELESS

Item Number: 23720

How much do you agree or disagree with each of the following statements?

J: The future often seems hopeless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	798	35.1 %
2	MOST DIS:(2)	492	21.7 %
3	NEITHER:(3)	409	18.0 %
4	MOST AGR:(4)	215	9.5 %
5	AGREE:(5)	97	4.3 %
	Missing Data		
-9	MISSING:(-9)	261	11.5 %
	Total	**2,272**	**100%**

Based upon 2,011 valid cases out of 2,272 total cases.

Location: 513-514 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6363: 176D07K:LIKE RISK SOME X

Item Number: 07060

How much do you agree or disagree with each of the following statements?

K: I like to test myself every now and then by doing something a little risky

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	326	14.3 %
2	MOST DIS:(2)	326	14.3 %
3	NEITHER:(3)	513	22.6 %
4	MOST AGR:(4)	538	23.7 %
5	AGREE:(5)	305	13.4 %
	Missing Data		
-9	MISSING:(-9)	264	11.6 %
	Total	**2,272**	**100%**

Based upon 2,008 valid cases out of 2,272 total cases.

Location: 515-516 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6364: 176D07L:I DO WRONG THING

Item Number: 12720

How much do you agree or disagree with each of the following statements?

L: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	779	34.3 %
2	MOST DIS:(2)	493	21.7 %
3	NEITHER:(3)	422	18.6 %
4	MOST AGR:(4)	211	9.3 %
5	AGREE:(5)	100	4.4 %
	Missing Data		
-9	MISSING:(-9)	267	11.8 %
	Total	**2,272**	**100%**

Based upon 2,005 valid cases out of 2,272 total cases.

Location: 517-518 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6365: 176D07M:SATISFD W MYSELF

Item Number: 12620

How much do you agree or disagree with each of the following statements?

M: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	98	4.3 %
2	MOST DIS:(2)	188	8.3 %
3	NEITHER:(3)	374	16.5 %
4	MOST AGR:(4)	643	28.3 %
5	AGREE:(5)	702	30.9 %
	Missing Data		
-9	MISSING:(-9)	267	11.8 %
	Total	**2,272**	**100%**

Based upon 2,005 valid cases out of 2,272 total cases.

Location: 519-520 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6366: 176D07N:MY LIFE NT USEFL

Item Number: 12750

How much do you agree or disagree with each of the following statements?

N: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	858	37.8 %
2	MOST DIS:(2)	478	21.0 %
3	NEITHER:(3)	410	18.0 %
4	MOST AGR:(4)	173	7.6 %
5	AGREE:(5)	87	3.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	266	11.7 %
	Total	**2,272**	**100%**

Based upon 2,006 valid cases out of 2,272 total cases.

Location: 521-522 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6367: 176D07O:GOOD TO BE ALIVE

Item Number: 23730

How much do you agree or disagree with each of the following statements?

O: It feels good to be alive

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	58	2.6 %
2	MOST DIS:(2)	82	3.6 %
3	NEITHER:(3)	329	14.5 %
4	MOST AGR:(4)	525	23.1 %
5	AGREE:(5)	1007	44.3 %
	Missing Data		
-9	MISSING:(-9)	271	11.9 %
	Total	**2,272**	**100%**

Based upon 2,001 valid cases out of 2,272 total cases.

Location: 523-524 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6581: 176D07P:LIK XPLOR STRANG

Item Number: 31080

How much do you agree or disagree with each of the following statements?

P: I would like to explore strange places

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	91	4.0 %
2	MOST DIS:(2)	85	3.7 %
3	NEITHER:(3)	275	12.1 %
4	MOST AGR:(4)	529	23.3 %
5	AGREE:(5)	1016	44.7 %
	Missing Data		
-9	MISSING:(-9)	276	12.1 %
	Total	**2,272**	**100%**

Based upon 1,996 valid cases out of 2,272 total cases.

Location: 525-526 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6582: 176D07Q:LIK DO FRIGHT TG

Item Number: 31090

How much do you agree or disagree with each of the following statements?

Q: I like to do frightening things

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	367	16.2 %
2	MOST DIS:(2)	351	15.4 %
3	NEITHER:(3)	523	23.0 %
4	MOST AGR:(4)	443	19.5 %
5	AGREE:(5)	311	13.7 %
	Missing Data		
-9	MISSING:(-9)	277	12.2 %
	Total	**2,272**	**100%**

Based upon 1,995 valid cases out of 2,272 total cases.

Location: 527-528 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6583: 176D07R:LIK EVN BRK RULE

Item Number: 31100

How much do you agree or disagree with each of the following statements?

R: I like new and exciting experiences, even if I have to break the rules

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	215	9.5 %
2	MOST DIS:(2)	263	11.6 %
3	NEITHER:(3)	471	20.7 %
4	MOST AGR:(4)	559	24.6 %
5	AGREE:(5)	492	21.7 %
	Missing Data		
-9	MISSING:(-9)	272	12.0 %
	Total	**2,272**	**100%**

Based upon 2,000 valid cases out of 2,272 total cases.

Location: 529-530 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6584: 176D07S:PRF FRND EXCITNG

Item Number: 31110

How much do you agree or disagree with each of the following statements?

S: I prefer friends who are exciting and unpredictable

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	134	5.9 %
2	MOST DIS:(2)	218	9.6 %
3	NEITHER:(3)	564	24.8 %
4	MOST AGR:(4)	568	25.0 %

Value	Label	Unweighted Frequency	%
5	AGREE:(5)	509	22.4 %
	Missing Data		
-9	MISSING:(-9)	279	12.3 %
	Total	**2,272**	**100%**

Based upon 1,993 valid cases out of 2,272 total cases.

Location: 531-532 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6610: 176D07T:I AM OFTEN BORED

Item Number: 32000

How much do you agree or disagree with each of the following statements?

T: I am often bored

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	246	10.8 %
2	MOST DIS:(2)	327	14.4 %
3	NEITHER:(3)	526	23.2 %
4	MOST AGR:(4)	554	24.4 %
5	AGREE:(5)	343	15.1 %
	Missing Data		
-9	MISSING:(-9)	276	12.1 %
	Total	**2,272**	**100%**

Based upon 1,996 valid cases out of 2,272 total cases.

Location: 533-534 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6497: 176D08A:#XDRUNK/LIFETIME

Item Number: 25020

The different questionnaire forms used in this study emphasize different topics. In the rest of this questionnaire, we ask

more about your experiences and attitudes relating to alcohol and other drugs.

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1016	44.7 %
2	1-2X:(2)	275	12.1 %
3	3-5X:(3)	173	7.6 %
4	6-9X:(4)	131	5.8 %
5	10-19X:(5)	118	5.2 %
6	20-39X:(6)	100	4.4 %
7	40+OCCAS:(7)	155	6.8 %
	Missing Data		
-9	MISSING:(-9)	304	13.4 %
	Total	**2,272**	**100%**

Based upon 1,968 valid cases out of 2,272 total cases.

Location: 535-536 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6498: 176D08B:#XDRUNK/LAST12MO

Item Number: 25030

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1182	52.0 %
2	1-2X:(2)	300	13.2 %
3	3-5X:(3)	155	6.8 %

Value	Label	Unweighted Frequency	%
4	6-9X:(4)	109	4.8 %
5	10-19X:(5)	97	4.3 %
6	20-39X:(6)	62	2.7 %
7	40+OCCAS:(7)	63	2.8 %
	Missing Data		
-9	MISSING:(-9)	304	13.4 %
	Total	**2,272**	**100%**

Based upon 1,968 valid cases out of 2,272 total cases.

Location: 537-538 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6499: 176D08C:#XDRUNK/LAST30DA

Item Number: 25040

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1488	65.5 %
2	1-2X:(2)	257	11.3 %
3	3-5X:(3)	128	5.6 %
4	6-9X:(4)	43	1.9 %
5	10-19X:(5)	20	0.9 %
6	20-39X:(6)	9	0.4 %
7	40+OCCAS:(7)	20	0.9 %
	Missing Data		
-9	MISSING:(-9)	307	13.5 %
	Total	**2,272**	**100%**

Based upon 1,965 valid cases out of 2,272 total cases.

Location: 539-540 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6368: 176D09A:#X STRD/LIFETIME

Item Number: 22690

Anabolic steroids are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1937	85.3 %
2	1-2X:(2)	14	0.6 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	304	13.4 %
	Total	**2,272**	**100%**

Based upon 1,968 valid cases out of 2,272 total cases.

Location: 541-542 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6369: 176D09B:#X STRD/LAST12MO

Item Number: 22700

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1954	86.0 %
2	1-2X:(2)	9	0.4 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	296	13.0 %
	Total	**2,272**	**100%**

Based upon 1,976 valid cases out of 2,272 total cases.

Location: 543-544 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6370: 176D09C:#X STRD/LAST30DA

Item Number: 22710

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1954	86.0 %
2	1-2X:(2)	8	0.4 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	298	13.1 %
	Total	**2,272**	**100%**

Based upon 1,974 valid cases out of 2,272 total cases.

Location: 545-546 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6376: 176D10A:MTHD STRD-INJECT

Item Number: 23790

What methods have you used for taking steroids on your own?
(Mark ALL that apply.)

A. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	21	0.9 %
1	MARKED:(1)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	2248	98.9 %
	Total	**2,272**	**100%**

Based upon 24 valid cases out of 2,272 total cases.

Location: 547-548 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6377: 176D10B:MTHD STRD-MOUTH

Item Number: 23800

What methods have you used for taking steroids on your own?
(Mark all that apply.)

B. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	13	0.6 %
1	MARKED:(1)	11	0.5 %
	Missing Data		
-9	MISSING:(-9)	2248	98.9 %
	Total	**2,272**	**100%**

Based upon 24 valid cases out of 2,272 total cases.

Location: 549-550 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6580: 176D10C:HVNT USED STRDS

Item Number: 30940

What methods have you used for taking steroids on your own?

C: Haven't used steroids.

0="UNMARKED" 1="MARKED [Includes respondents who reported nonuse on preceding prevalence question]"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	13	0.6 %
1	MARKED:(1)	1948	85.7 %
	Missing Data		
-9	MISSING:(-9)	311	13.7 %
	Total	**2,272**	**100%**

Based upon 1,961 valid cases out of 2,272 total cases.

Location: 551-552 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6500: 176D11A:#X INJECT/LIFE

Item Number: 25050

On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . .

A: . . . in your lifetime?

Do NOT include anything you took under a doctor's orders.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1940	85.4 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	7	0.3 %
3	3-5X:(3)	6	0.3 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	305	13.4 %
	Total	**2,272**	**100%**

Based upon 1,967 valid cases out of 2,272 total cases.

Location: 553-554 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6501: 176D11B:#X INJECT/LST12M

Item Number: 25060

On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . .

B: . . . during the last 12 months?

Do NOT include anything you took under a doctor's orders.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1957	86.1 %
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	298	13.1 %
	Total	**2,272**	**100%**

Based upon 1,974 valid cases out of 2,272 total cases.

Location: 555-556 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6502: 176D11C:#X INJECT/LST30D

Item Number: 25070

On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . .

C: . . . during the last 30 days?

Do NOT include anything you took under a doctor's orders.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1956	86.1 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	302	13.3 %
	Total	**2,272**	**100%**

Based upon 1,970 valid cases out of 2,272 total cases.

Location: 557-558 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6503: 176D12 :GR 1ST INJECT

Item Number: 25680

When (if ever) did you FIRST inject any drug with a needle (without doctor's orders)?

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9" 5="Grade 10" 6="Grade 11" 7="Grade 12"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	4	0.2 %
2	GRADE 7:(2)	6	0.3 %
3	GRADE 8:(3)	1	0.0 %
4	GRADE 9:(4)	1	0.0 %
5	GRADE 10:(5)	4	0.2 %
6	GRADE 11:(6)	1	0.0 %
7	GRADE 12:(7)	3	0.1 %
8	NEVER:(8)	1919	84.5 %
	Missing Data		
-9	MISSING:(-9)	333	14.7 %
	Total	**2,272**	**100%**

Based upon 1,939 valid cases out of 2,272 total cases.

Location: 559-560 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6378: 176D13A:GR 1ST SMOK EVR

Item Number: 05575

When (if ever) did you FIRST do each of the following things?

A: Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	59	2.6 %
2	GRADE 7:(2)	39	1.7 %
3	GRADE 8:(3)	51	2.2 %
4	GRADE 9:(4)	72	3.2 %
5	GRADE 10:(5)	74	3.3 %
6	GRADE 11:(6)	78	3.4 %
7	GRADE 12:(7)	70	3.1 %
8	NEVER:(8)	1458	64.2 %
	Missing Data		
-9	MISSING:(-9)	371	16.3 %

Value	Label	Unweighted Frequency	%
	Total	**2,272**	**100%**

Based upon 1,901 valid cases out of 2,272 total cases.

Location: 561-562 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6379: 176D13B:GR 1ST SMOK DLY

Item Number: 05570

When (if ever) did you FIRST do each of the following things?

B: Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	5	0.2 %
2	GRADE 7:(2)	7	0.3 %
3	GRADE 8:(3)	8	0.4 %
4	GRADE 9:(4)	14	0.6 %
5	GRADE 10:(5)	15	0.7 %
6	GRADE 11:(6)	41	1.8 %
7	GRADE 12:(7)	33	1.5 %
8	NEVER:(8)	1813	79.8 %
	Missing Data		
-9	MISSING:(-9)	336	14.8 %
	Total	**2,272**	**100%**

Based upon 1,936 valid cases out of 2,272 total cases.

Location: 563-564 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6380: 176D13C:GR 1ST SMOKELESS

Item Number: 05576

When (if ever) did you FIRST do each of the following things?

C: Try smokeless tobacco (snuff, plug, chewing tobacco, snus, dissolvable tobacco)

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	28	1.2 %
2	GRADE 7:(2)	13	0.6 %
3	GRADE 8:(3)	24	1.1 %
4	GRADE 9:(4)	50	2.2 %
5	GRADE 10:(5)	51	2.2 %
6	GRADE 11:(6)	38	1.7 %
7	GRADE 12:(7)	30	1.3 %
8	NEVER:(8)	1729	76.1 %
	Missing Data		
-9	MISSING:(-9)	309	13.6 %
	Total	**2,272**	**100%**

Based upon 1,963 valid cases out of 2,272 total cases.

Location: 565-566 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6482: 176D14A:FUTR SMOKE CIGS

Item Number: 24440

In the future, do you think that you will . . .

A: . . . Smoke cigarettes?

1="Definitely will" 2="Probably will" 3="Don't know" 4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	90	4.0 %
2	PROB WILL:(2)	89	3.9 %
3	DK:(3)	104	4.6 %
4	PRB WONT:(4)	230	10.1 %
5	DEF WONT:(5)	1466	64.5 %
	Missing Data		
-9	MISSING:(-9)	293	12.9 %

Value	Label	Unweighted Frequency	%
	Total	**2,272**	**100%**

Based upon 1,979 valid cases out of 2,272 total cases.

Location: 567-568 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6483: 176D14B:FUTR DRINK ALCOL

Item Number: 24450

In the future, do you think that you will . . .

B: . . . Drink alcoholic beverages?

1="Definitely will" 2="Probably will" 3="Don't know"
4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	574	25.3 %
2	PROB WILL:(2)	661	29.1 %
3	DK:(3)	255	11.2 %
4	PRB WONT:(4)	136	6.0 %
5	DEF WONT:(5)	350	15.4 %
	Missing Data		
-9	MISSING:(-9)	296	13.0 %
	Total	**2,272**	**100%**

Based upon 1,976 valid cases out of 2,272 total cases.

Location: 569-570 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6484: 176D14C:FUTR TRY/USE MJ

Item Number: 24460

In the future, do you think that you will . . .

C: . . . Try or use marijuana?

1="Definitely will" 2="Probably will" 3="Don't know"
4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	351	15.4 %
2	PROB WILL:(2)	418	18.4 %
3	DK:(3)	275	12.1 %
4	PRB WONT:(4)	233	10.3 %
5	DEF WONT:(5)	700	30.8 %
	Missing Data		
-9	MISSING:(-9)	295	13.0 %
	Total	**2,272**	**100%**

Based upon 1,977 valid cases out of 2,272 total cases.

Location: 571-572 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6485: 176D14D:FUTR TRY/USE CRK

Item Number: 24470

In the future, do you think that you will . . .

D: . . . Try or use "crack" cocaine?

1="Definitely will" 2="Probably will" 3="Don't know"
4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	75	3.3 %
2	PROB WILL:(2)	13	0.6 %
3	DK:(3)	62	2.7 %
4	PRB WONT:(4)	94	4.1 %
5	DEF WONT:(5)	1728	76.1 %
	Missing Data		
-9	MISSING:(-9)	300	13.2 %
	Total	**2,272**	**100%**

Based upon 1,972 valid cases out of 2,272 total cases.

Location: 573-574 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6486: 176D14E:FUTR TRY/US COKP

Item Number: 24480

In the future, do you think that you will . . .

E: . . . Try or use cocaine in powder form?

1="Definitely will" 2="Probably will" 3="Don't know"
4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	79	3.5 %
2	PROB WILL:(2)	30	1.3 %
3	DK:(3)	75	3.3 %
4	PRB WONT:(4)	107	4.7 %
5	DEF WONT:(5)	1678	73.9 %
	Missing Data		
-9	MISSING:(-9)	303	13.3 %
	Total	**2,272**	**100%**

Based upon 1,969 valid cases out of 2,272 total cases.

Location: 575-576 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6487: 176D14F:FUTR TR/U OTH DG

Item Number: 24490

In the future, do you think that you will . . .

F: . . . Try or use any other illegal drugs?

1="Definitely will" 2="Probably will" 3="Don't know"
4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	95	4.2 %
2	PROB WILL:(2)	65	2.9 %
3	DK:(3)	133	5.9 %
4	PRB WONT:(4)	154	6.8 %
5	DEF WONT:(5)	1518	66.8 %
	Missing Data		
-9	MISSING:(-9)	307	13.5 %
	Total	**2,272**	**100%**

Based upon 1,965 valid cases out of 2,272 total cases.

Location: 577-578 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6569: 176D15A:FRND DAP CIG OCC

Item Number: 30380

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

A: Smoking cigarettes occasionally

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	367	16.2 %
2	DISAPPRV:(2)	704	31.0 %
3	STRG DIS:(3)	893	39.3 %
	Missing Data		
-9	MISSING:(-9)	308	13.6 %
	Total	**2,272**	**100%**

Based upon 1,964 valid cases out of 2,272 total cases.

Location: 579-580 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6570: 176D15B:FRND DAP CIG DLY

Item Number: 30390

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

B: Smoking cigarettes every day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	215	9.5 %
2	DISAPPRV:(2)	563	24.8 %
3	STRG DIS:(3)	1186	52.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	308	13.6 %
	Total	**2,272**	**100%**

Based upon 1,964 valid cases out of 2,272 total cases.

Location: 581-582 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6408: 176D15C:FRD DAP CIGS

Item Number: 11470

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

C: Smoking one or more packs of cigarettes per day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	159	7.0 %
2	DISAPPRV:(2)	432	19.0 %
3	STRG DIS:(3)	1367	60.2 %
	Missing Data		
-9	MISSING:(-9)	314	13.8 %
	Total	**2,272**	**100%**

Based upon 1,958 valid cases out of 2,272 total cases.

Location: 583-584 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6571: 176D15D:FRND DAP SMKL OC

Item Number: 30400

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

D: Using smokeless tobacco occasionally

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	340	15.0 %
2	DISAPPRV:(2)	601	26.5 %
3	STRG DIS:(3)	1014	44.6 %
	Missing Data		
-9	MISSING:(-9)	317	14.0 %
	Total	**2,272**	**100%**

Based upon 1,955 valid cases out of 2,272 total cases.

Location: 585-586 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6572: 176D15E:FRND DAP SMKL DL

Item Number: 30410

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

E: Using smokeless tobacco every day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	249	11.0 %
2	DISAPPRV:(2)	538	23.7 %
3	STRG DIS:(3)	1158	51.0 %
	Missing Data		
-9	MISSING:(-9)	327	14.4 %
	Total	**2,272**	**100%**

Based upon 1,945 valid cases out of 2,272 total cases.

Location: 587-588 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6573: 176D15F:FRND DAP SMKL D+

Item Number: 30420

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

F: Using smokeless tobacco several times per day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	224	9.9 %
2	DISAPPRV:(2)	476	21.0 %
3	STRG DIS:(3)	1250	55.0 %
	Missing Data		
-9	MISSING:(-9)	322	14.2 %
	Total	**2,272**	**100%**

Based upon 1,950 valid cases out of 2,272 total cases.

Location: 589-590 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6409: 176D15G:FRD DAP TRY MARJ

Item Number: 11480

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

G: Trying marijuana once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	1097	48.3 %
2	DISAPPRV:(2)	426	18.8 %
3	STRG DIS:(3)	435	19.1 %
	Missing Data		
-9	MISSING:(-9)	314	13.8 %
	Total	**2,272**	**100%**

Based upon 1,958 valid cases out of 2,272 total cases.

Location: 591-592 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6410: 176D15H:FRD DAP MJ OCC

Item Number: 11490

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

H: Smoking marijuana occasionally

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	886	39.0 %
2	DISAPPRV:(2)	507	22.3 %
3	STRG DIS:(3)	556	24.5 %
	Missing Data		
-9	MISSING:(-9)	323	14.2 %
	Total	**2,272**	**100%**

Based upon 1,949 valid cases out of 2,272 total cases.

Location: 593-594 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6411: 176D15I:FRD DAP MJ REG

Item Number: 11500

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

I: Smoking marijuana regularly

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	564	24.8 %
2	DISAPPRV:(2)	611	26.9 %
3	STRG DIS:(3)	769	33.8 %
	Missing Data		
-9	MISSING:(-9)	328	14.4 %
	Total	**2,272**	**100%**

Based upon 1,944 valid cases out of 2,272 total cases.

Location: 595-596 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6414: 176D15J:FRD DAP TRY CRCK

Item Number: 23940

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

J: Trying "crack" cocaine once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	144	6.3 %
2	DISAPPRV:(2)	332	14.6 %
3	STRG DIS:(3)	1533	67.5 %
	Missing Data		
-9	MISSING:(-9)	263	11.6 %
	Total	**2,272**	**100%**

Based upon 2,009 valid cases out of 2,272 total cases.

Location: 597-598 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6415: 176D15K:FRD DAP CRCK OCC

Item Number: 23950

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

K: Taking "crack" cocaine occasionally

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	94	4.1 %
2	DISAPPRV:(2)	301	13.2 %
3	STRG DIS:(3)	1611	70.9 %
	Missing Data		
-9	MISSING:(-9)	266	11.7 %
	Total	**2,272**	**100%**

Based upon 2,006 valid cases out of 2,272 total cases.

Location: 599-600 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6416: 176D15L:FRD DAP TRY PWDR

Item Number: 23960

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

L: Trying cocaine powder once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	165	7.3 %
2	DISAPPRV:(2)	329	14.5 %
3	STRG DIS:(3)	1509	66.4 %
	Missing Data		
-9	MISSING:(-9)	269	11.8 %
	Total	**2,272**	**100%**

Based upon 2,003 valid cases out of 2,272 total cases.

Location: 601-602 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6417: 176D15M:FRD DAP PWDR OCC

Item Number: 23970

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

M: Taking cocaine powder occasionally

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	109	4.8 %
2	DISAPPRV:(2)	317	14.0 %
3	STRG DIS:(3)	1569	69.1 %
	Missing Data		
-9	MISSING:(-9)	277	12.2 %

Value	Label	Unweighted Frequency	%
	Total	**2,272**	**100%**

Based upon 1,995 valid cases out of 2,272 total cases.

Location: 603-604 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6418: 176D15N:FRD DAP 1-2DR/DA

Item Number: 11530

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

N: Taking one or two drinks nearly every day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	456	20.1 %
2	DISAPPRV:(2)	621	27.3 %
3	STRG DIS:(3)	926	40.8 %
	Missing Data		
-9	MISSING:(-9)	269	11.8 %
	Total	**2,272**	**100%**

Based upon 2,003 valid cases out of 2,272 total cases.

Location: 605-606 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6419: 176D15O:FRD DAP 4-5DR/DA

Item Number: 11540

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

O: Taking four or five drinks nearly every day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	221	9.7 %

Value	Label	Unweighted Frequency	%
2	DISAPPRV:(2)	541	23.8 %
3	STRG DIS:(3)	1247	54.9 %
	Missing Data		
-9	MISSING:(-9)	263	11.6 %
	Total	**2,272**	**100%**

Based upon 2,009 valid cases out of 2,272 total cases.

Location: 607-608 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6420: 176D15P:FRD DAP 5+DR/WKD

Item Number: 11550

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

P: Having five or more drinks once or twice each weekend

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	568	25.0 %
2	DISAPPRV:(2)	508	22.4 %
3	STRG DIS:(3)	930	40.9 %
	Missing Data		
-9	MISSING:(-9)	266	11.7 %
	Total	**2,272**	**100%**

Based upon 2,006 valid cases out of 2,272 total cases.

Location: 609-610 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6421: 176D15Q:FRD DAP DRIV+2DR

Item Number: 11551

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

Q: Driving a car after having 1-2 drinks

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	207	9.1 %
2	DISAPPRV:(2)	523	23.0 %
3	STRG DIS:(3)	1275	56.1 %
	Missing Data		
-9	MISSING:(-9)	267	11.8 %
	Total	**2,272**	**100%**

Based upon 2,005 valid cases out of 2,272 total cases.

Location: 611-612 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6422: 176D15R:FRD DAP DRIV+5DR

Item Number: 11552

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

R: Driving a car after having 5 or more drinks

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	NT DISP:(1)	94	4.1 %
2	DISAPPRV:(2)	220	9.7 %
3	STRG DIS:(3)	1679	73.9 %
	Missing Data		
-9	MISSING:(-9)	279	12.3 %
	Total	**2,272**	**100%**

Based upon 1,993 valid cases out of 2,272 total cases.

Location: 613-614 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6423: 176D16A:ALL FRD SMK CIGS

Item Number: 07070

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	974	42.9 %
2	A FEW:(2)	708	31.2 %
3	SOME:(3)	243	10.7 %
4	MOST:(4)	73	3.2 %
5	ALL:(5)	21	0.9 %
	Missing Data		
-9	MISSING:(-9)	253	11.1 %
	Total	**2,272**	**100%**

Based upon 2,019 valid cases out of 2,272 total cases.

Location: 615-616 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6424: 176D16B:ALL FRD SMK MARJ

Item Number: 07080

How many of your friends would you estimate . . .

B: . . . Smoke marijuana or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	462	20.3 %
2	A FEW:(2)	582	25.6 %
3	SOME:(3)	523	23.0 %
4	MOST:(4)	370	16.3 %
5	ALL:(5)	79	3.5 %
	Missing Data		
-9	MISSING:(-9)	256	11.3 %
	Total	**2,272**	**100%**

Based upon 2,016 valid cases out of 2,272 total cases.

Location: 617-618 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6432: 176D16C:# FRNDS TK CRACK

Item Number: 07151

How many of your friends would you estimate . . .

C: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1726	76.0 %
2	A FEW:(2)	198	8.7 %
3	SOME:(3)	54	2.4 %
4	MOST:(4)	11	0.5 %
5	ALL:(5)	25	1.1 %
	Missing Data		
-9	MISSING:(-9)	258	11.4 %
	Total	**2,272**	**100%**

Based upon 2,014 valid cases out of 2,272 total cases.

Location: 619-620 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6433: 176D16D:# FRNDS TK C PWD

Item Number: 23990

How many of your friends would you estimate . . .

D: . . . Take cocaine powder?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1664	73.2 %
2	A FEW:(2)	246	10.8 %
3	SOME:(3)	62	2.7 %
4	MOST:(4)	15	0.7 %
5	ALL:(5)	25	1.1 %
	Missing Data		
-9	MISSING:(-9)	260	11.4 %

Value	Label	Unweighted Frequency	%
	Total	**2,272**	**100%**

Based upon 2,012 valid cases out of 2,272 total cases.

Location: 621-622 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6436: 176D16E:ALL FRD TK INHL

Item Number: 07180

How many of your friends would you estimate . . .

E: . . . Use inhalants (sniff glue, aerosols, laughing gas, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1777	78.2 %
2	A FEW:(2)	152	6.7 %
3	SOME:(3)	49	2.2 %
4	MOST:(4)	12	0.5 %
5	ALL:(5)	21	0.9 %
	Missing Data		
-9	MISSING:(-9)	261	11.5 %
	Total	**2,272**	**100%**

Based upon 2,011 valid cases out of 2,272 total cases.

Location: 623-624 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6488: 176D16F:ALL FRD TK MDMA

Item Number: 23020

How many of your friends would you estimate . . .

F: . . . Take MDMA ("Molly," "ecstasy")?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1548	68.1 %
2	A FEW:(2)	320	14.1 %
3	SOME:(3)	94	4.1 %
4	MOST:(4)	20	0.9 %
5	ALL:(5)	22	1.0 %
	Missing Data		
-9	MISSING:(-9)	268	11.8 %
	Total	**2,272**	**100%**

Based upon 2,004 valid cases out of 2,272 total cases.

Location: 625-626 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6489: 176D16G:ALL FRD TK ICE

Item Number: 24500

How many of your friends would you estimate . . .

G: . . . Take crystal meth ("ice")?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1833	80.7 %
2	A FEW:(2)	103	4.5 %
3	SOME:(3)	36	1.6 %
4	MOST:(4)	10	0.4 %
5	ALL:(5)	20	0.9 %
	Missing Data		
-9	MISSING:(-9)	270	11.9 %
	Total	**2,272**	**100%**

Based upon 2,002 valid cases out of 2,272 total cases.

Location: 627-628 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6490: 176D16H:ALL FRD TK STERS

Item Number: 23030

How many of your friends would you estimate . . .

H: . . . Take steroids?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1723	75.8 %
2	A FEW:(2)	189	8.3 %
3	SOME:(3)	50	2.2 %
4	MOST:(4)	12	0.5 %
5	ALL:(5)	22	1.0 %
	Missing Data		
-9	MISSING:(-9)	276	12.1 %
	Total	**2,272**	**100%**

Based upon 1,996 valid cases out of 2,272 total cases.

Location: 629-630 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6585: 176D17A:#X GHB/LAST12MO

Item Number: 31050

Lately there has been some attention paid to certain drugs. During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

A. . . . taken GHB ("liquid G," "grievous bodily harm")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1986	87.4 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	278	12.2 %
	Total	**2,272**	**100%**

Based upon 1,994 valid cases out of 2,272 total cases.

Location: 631-632 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6586: 176D17B:#X KETAMINE/12M

Item Number: 31060

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

B. . . . taken ketamine ("special K," "super K")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1968	86.6 %
2	1-2X:(2)	11	0.5 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	285	12.5 %
	Total	**2,272**	**100%**

Based upon 1,987 valid cases out of 2,272 total cases.

Location: 633-634 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6590: 176D17C:#X CREATINE/12MO

Item Number: 31170

During the LAST 12 MONTHS, on how many occasions (if any)

have you . . .

C. . . . taken creatine (amino acid used to build muscles)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1831	80.6 %
2	1-2X:(2)	44	1.9 %
3	3-5X:(3)	27	1.2 %
4	6-9X:(4)	23	1.0 %
5	10-19X:(5)	18	0.8 %
6	20-39X:(6)	14	0.6 %
7	40+OCCAS:(7)	29	1.3 %
	Missing Data		
-9	MISSING:(-9)	286	12.6 %
	Total	**2,272**	**100%**

Based upon 1,986 valid cases out of 2,272 total cases.

Location: 635-636 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6591: 176D17D:#X RITALIN/12MO

Item Number: 31180

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

D. . . . taken ritalin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1955	86.0 %
2	1-2X:(2)	17	0.7 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	1	0.0 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	287	12.6 %
	Total	**2,272**	**100%**

Based upon 1,985 valid cases out of 2,272 total cases.

Location: 637-638 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6611: 176D17E:#X ADDERALL/12MO

Item Number: 32540

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

E. . . . taken Adderall (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1866	82.1 %
2	1-2X:(2)	64	2.8 %
3	3-5X:(3)	21	0.9 %
4	6-9X:(4)	16	0.7 %
5	10-19X:(5)	12	0.5 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	288	12.7 %
	Total	**2,272**	**100%**

Based upon 1,984 valid cases out of 2,272 total cases.

Location: 639-640 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6594: 176D17F:#X OXYCONTN/12MO

Item Number: 31310

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

F: . . . taken OxyContin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1929	84.9 %
2	1-2X:(2)	28	1.2 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	293	12.9 %
	Total	**2,272**	**100%**

Based upon 1,979 valid cases out of 2,272 total cases.

Location: 641-642 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6595: 176D17G:#X VICODIN/12MO

Item Number: 31320

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

G: . . . taken Vicodin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1938	85.3 %
2	1-2X:(2)	19	0.8 %
3	3-5X:(3)	8	0.4 %
4	6-9X:(4)	3	0.1 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	299	13.2 %
	Total	**2,272**	**100%**

Based upon 1,973 valid cases out of 2,272 total cases.

Location: 643-644 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6596: 176D17H:#X ROHYPNL/12MO

Item Number: 29785

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

H: . . . taken Rohypnol ("rophies," "roofies")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1959	86.2 %
2	1-2X:(2)	6	0.3 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	297	13.1 %
	Total	**2,272**	**100%**

Based upon 1,975 valid cases out of 2,272 total cases.

Location: 645-646 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6609: 176D17I:#X COUGHMED/12MO

Item Number: 31670

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

I. . . . taken a non-prescription cough or cold medicine (robos, DXM, etc.) to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1915	84.3 %
2	1-2X:(2)	30	1.3 %
3	3-5X:(3)	18	0.8 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	294	12.9 %
	Total	**2,272**	**100%**

Based upon 1,978 valid cases out of 2,272 total cases.

Location: 647-648 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6612: 176D17J:#X SALVIA/12MO

Item Number: 32500

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

J. . . . taken Salvia?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1949	85.8 %
2	1-2X:(2)	11	0.5 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	6	0.3 %
4	6-9X:(4)	7	0.3 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	295	13.0 %
	Total	**2,272**	**100%**

Based upon 1,977 valid cases out of 2,272 total cases.

Location: 649-650 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6617: 176D17K:#X SYNTHETIC MJ/12MO

Item Number: 32700

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

K. . . . taken "synthetic marijuana" ("K2", "Spice") to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1929	84.9 %
2	1-2X:(2)	29	1.3 %
3	3-5X:(3)	12	0.5 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	287	12.6 %
	Total	**2,272**	**100%**

Based upon 1,985 valid cases out of 2,272 total cases.

Location: 651-652 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6631: 176D17L:#X FLAKKA/12MO

Item Number: 34070

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

L: . . . taken Flakka ("gravel")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1957	86.1 %
2	1-2X:(2)	4	0.2 %
3	3-5X:(3)	9	0.4 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	298	13.1 %
	Total	**2,272**	**100%**

Based upon 1,974 valid cases out of 2,272 total cases.

Location: 653-654 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6621: 176D17M:#X BATH SALTS/12MO

Item Number: 32730

During the LAST 12 MONTHS, on how many occasions (if any)
have you . . .

M. . . . taken any other "bath salts" (synthetic stimulants) to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1961	86.3 %
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	6	0.3 %

Value	Label	Unweighted Frequency	%
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	298	13.1 %
	Total	**2,272**	**100%**

Based upon 1,974 valid cases out of 2,272 total cases.

Location: 655-656 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6637: 176D17N #X HASH/OIL LAST 12M

Item number: 33980

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

N. . . . used hash oil ("dabs," "honey oil," "budder," "shatter")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1787	78.7 %
2	1-2X:(2)	75	3.3 %
3	3-5X:(3)	32	1.4 %
4	6-9X:(4)	25	1.1 %
5	10-19X:(5)	22	1.0 %
6	20-39X:(6)	10	0.4 %
7	40+OCCAS:(7)	25	1.1 %
	Missing Data		
-9	MISSING:(-9)	296	13.0 %
	Total	**2,272**	**100%**

Based upon 1,976 valid cases out of 2,272 total cases.

Location: 657-658 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6618: 176D17O:#X ALC BVRG W-CAFF/12MO

Item Number: 32690

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

O. . . . had an alcoholic beverage mixed with an energy drink (like Red Bull)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1616	71.1 %
2	1-2X:(2)	179	7.9 %
3	3-5X:(3)	85	3.7 %
4	6-9X:(4)	48	2.1 %
5	10-19X:(5)	25	1.1 %
6	20-39X:(6)	10	0.4 %
7	40+OCCAS:(7)	23	1.0 %
	Missing Data		
-9	MISSING:(-9)	286	12.6 %
	Total	**2,272**	**100%**

Based upon 1,986 valid cases out of 2,272 total cases.

Location: 659-660 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6632: 176D17P:#X PWD ALCOHOL/12MO

Item Number: 34040

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

P: . . . had powdered alcohol?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1954	86.0 %
2	1-2X:(2)	4	0.2 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	2	0.1 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	301	13.2 %
	Total	**2,272**	**100%**

Based upon 1,971 valid cases out of 2,272 total cases.

Location: 661-662 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

APPENDIX

Appendix A: Publications

In previous years, Monitoring the Future publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future Publications web page.

Publications are divided into the following categories:

- Monographs
- Reference Volumes
- Books
- Journal Articles
- Chapters
- Research Reports
- Occasional Papers
- Congressional Testimony
- Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	Number of Public Schools	Number of Private Schools	Total Number of Schools	Total Number of Students	Student Response Rate*
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83

	Number of Public Schools	Number of Private Schools	Total Number of Schools	Total Number of Students	Student Response Rate*
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83
2007	111	21	132	15,132	81
2008	103	17	120	14,577	79
2009	106	19	125	14,268	82
2010	104	22	126	15,127	85
2011	110	19	129	14,855	83
2012	107	20	127	14,343	83
2013	106	20	126	13,180	82
2014	105	17	122	13,015	82
2015	100	20	120	13,730	83
2016	100	20	120	12,600	80
2017	105	18	123	13,522	79

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.