

ICPSR 36408

**Monitoring the Future: A
Continuing Study of American
Youth (12th-Grade Survey), 2015**

Form 1 Data Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2015

Lloyd D. Johnston

University of Michigan. Institute for Social Research. Survey Research Center

Jerald G. Bachman

University of Michigan. Institute for Social Research. Survey Research Center

Patrick M. O'Malley

University of Michigan. Institute for Social Research. Survey Research Center

John E. Schulenberg

University of Michigan. Institute for Social Research. Survey Research Center

Richard A. Miech

University of Michigan. Institute for Social Research. Survey Research Center

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36408/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2015 is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, John Schulenberg, and Richard A. Miech, co-principal investigators.) The research project is unusually comprehensive in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort—between 9 and 20 percent—though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency, tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions that drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate only very small decreases in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationally representative sample of high school seniors in public and private schools is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 350 seniors may be included in the data collection. In schools with fewer than 350 seniors, we attempt to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. A sampling weight is assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two- year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and

examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A local SRC representative is assigned to work with the school to set a mutually agreeable date for the survey and to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter describing the study and a copy of the student flyer to the parents. The letter provides parents with an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward.

Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automated scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer file at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the [cross-time index](#) of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

- A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others

- regarding drugs.
- B. EDUCATION. Educational lifestyle, values, experiences, and environments
 - C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities including computer use, preferences regarding occupational characteristics and type of work setting.
 - D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
 - E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
 - F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
 - G. RELIGION. Religious affiliation, practices, and views.
 - H. POLITICS. Political affiliation, activities, and views.
 - I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
 - J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
 - K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
 - L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
 - M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
 - N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
 - O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
 - P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.
 - Q. OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility, boredom.
 - R. BACKGROUND. Demographic and family background characteristics, living arrangements.
 - S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
 - T. HEALTH. Health habits, somatic symptoms, illness, medical treatment.
-
-

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples.

About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors attending private or public schools throughout the 48 contiguous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate

are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all 12th graders sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire, either on their own or because their parents refused consent. However, SRC representatives in the field estimate this proportion to be only about two percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 3 – 4 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of

schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The [annual volumes](#) from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- each of which constitutes approximately 8-15 percent of each year's sample -- are represented by perhaps as few as 200 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the [annual volumes](#) for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial

comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to under represent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and descriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

Frequency and percentage distributions displayed in codebooks produced after 2007 are unweighted, rather than weighted by variable ARCHIVE_WT (previously V5) as they had been in previous years. This change was made to simplify both the production of the codebooks and their interpretation by the analyst.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2015 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ASCII text file.

part #	form	# of variables	Logical record length	Unweighted n
1	Core	173	363	13,730
2	Form 1	619	1,254	2,299
3	Form 2	329	674	2,292
4	Form 3	361	738	2,278
5	Form 4	271	557	2,280
6	Form 5	318	652	2,293
7	Form 6	327	670	2,288

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

For reasons of confidentiality, the weight variable (ARCHIVE_WT) was altered from its original version to a modified version prior to public distribution of the data. THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND THOSE FROM WEIGHTED ANALYSES OF THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

OMITTED VARIABLES:

All datasets	C01. R'S BIRTH YEAR C02. R'S BIRTH MONTH C04A-I, R'S RACE (9 categories) C07A-B. # OLDER BR/SR, # YOUNGER BR/SR C07Ca,e-i. R'S HSHLD (other than mother/father/sibling) C13A. R'S RELGS PRFNC
Form 1	D19. CURRENT HEIGHT D20. CURRENT WEIGHT
Form 2	2A19P. ARRSTD&TKN 2 POL
Form 5	5A21. CURRENT HEIGHT 5A22. CURRENT WEIGHT

RECODED VARIABLES:

Core dataset and Part C section of individual forms

AGE <> 18 DICHOTOMY

1=younger than 18 years old,

2=18 years old or more

-9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy

1=BLACK 2=WHITE 3=HISPANIC, -9>All Other Codes, multiple responses, and missing data on Q. C04.

From 2006 on, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS

Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)

0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING

0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

Core dataset (Part B)

*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]

Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]

Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

Form 6

A10. EVER HELD BACK

1=No, 2=Yes

A11. NEED SUMMER SCHL

1=No, 2=Yes

A12. EVER SUSPENDED

1=No, 2=Yes

MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT 4A15B GD LIV TG BF MRG 4A15C 1 PRTNRR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND 5A18J FULLR LVS IF MRY 5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK 6A08B #X PRNT HLP HMWK 6A08C #X PRNT GV CHORE 6A08D #X PRNT LIMIT TV 6A08E #X PRNT LMT OUT

QUESTIONNAIRE FORM 1 PROCESSING

The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

REVISED QUESTION TEXT FOR THE CORE DATASET

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series. This additional text is meant to clarify and provide detail about the question for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.

ICPSR 36408

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2015

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Form 1 Data

CASEID: CASE IDENTIFICATION NUMBER

Based upon 2,299 valid cases out of 2,299 total cases.

Location: 1-4 (width: 4; decimal: 0)

Variable Type: numeric

V1: YEAR OF ADMIN (4-DIGITS)

Value	Label	Unweighted Frequency	%
2015	-	2299	100.0 %
	Total	2,299	100%

Based upon 2,299 valid cases out of 2,299 total cases.

Location: 5-8 (width: 4; decimal: 0)

Variable Type: numeric

V3: 156:FORM ID

Value	Label	Unweighted Frequency	%
1	-	2299	100.0 %
	Total	2,299	100%

Based upon 2,299 valid cases out of 2,299 total cases.

Location: 9-9 (width: 1; decimal: 0)

Variable Type: numeric

RESPONDENT_ID: R'S ID-SERIAL

Based upon 2,299 valid cases out of 2,299 total cases.

Location: 10-14 (width: 5; decimal: 0)

Variable Type: numeric

ARCHIVE_WT: ARCHIVE WEIGHT

Based upon 2,299 valid cases out of 2,299 total cases.

Location: 15-29 (width: 15; decimal: 13)

Variable Type: numeric

V13: SCH REG-4 CAT

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

Value	Label	Unweighted Frequency	%
1	NORTHEAST:(1)	455	19.8 %
2	NORTH CENTRL:(2)	492	21.4 %
3	SOUTH:(3)	939	40.8 %
4	WEST:(4)	413	18.0 %
	Total	2,299	100%

Based upon 2,299 valid cases out of 2,299 total cases.

Location: 30-30 (width: 1; decimal: 0)

Variable Type: numeric

V16: LARGE MSA = 1/NOT = 0

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	Label	Unweighted Frequency	%
0	NOT:(0)	1556	67.7 %
1	LARGE MSA:(1)	743	32.3 %
	Total	2,299	100%

Based upon 2,299 valid cases out of 2,299 total cases.

Location: 31-31 (width: 1; decimal: 0)

Variable Type: numeric

V17: SMSA/NON SMSA = 0

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	Label	Unweighted Frequency	%
0	NOT:(0)	436	19.0 %
1	MSA:(1)	1863	81.0 %
	Total	2,299	100%

Based upon 2,299 valid cases out of 2,299 total cases.

Location: 32-32 (width: 1; decimal: 0)

Variable Type: numeric

V1633: 151A001:VRY HPY THS DAY

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

Value	Label	Unweighted Frequency	%
1	NT HAPPY:(1)	346	15.1 %
2	PRTY HPY:(2)	1444	62.8 %
3	VRY HPY:(3)	483	21.0 %
	Missing Data		
-9	MISSING:(-9)	26	1.1 %
	Total	2,299	100%

Based upon 2,273 valid cases out of 2,299 total cases.

Location: 33-34 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1634: 151A002A:US NEEDS PLANNG

Item Number: 01200

How much do you agree or disagree with each of the following statements?

A: The nation needs much more long-range planning and coordination to be prepared for the future

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	38	1.7 %
2	MOST DIS:(2)	59	2.6 %
3	NEITHER:(3)	423	18.4 %
4	MOST AGR:(4)	921	40.1 %
5	AGREE:(5)	808	35.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	50	2.2 %
	Total	2,299	100%

Based upon 2,249 valid cases out of 2,299 total cases.

Location: 35-36 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1635: 151A002B:ENJOY FAST PACE

Item Number: 01210

How much do you agree or disagree with each of the following statements?

B: I enjoy the fast pace and changes of today's world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	172	7.5 %
2	MOST DIS:(2)	299	13.0 %
3	NEITHER:(3)	739	32.1 %
4	MOST AGR:(4)	730	31.8 %
5	AGREE:(5)	308	13.4 %
	Missing Data		
-9	MISSING:(-9)	51	2.2 %
	Total	2,299	100%

Based upon 2,248 valid cases out of 2,299 total cases.

Location: 37-38 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1636: 151A002C:THG CHG 2 QUICK

Item Number: 01220

How much do you agree or disagree with each of the following statements?

C: Things change too quickly in today's world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	171	7.4 %
2	MOST DIS:(2)	394	17.1 %
3	NEITHER:(3)	654	28.4 %
4	MOST AGR:(4)	583	25.4 %
5	AGREE:(5)	446	19.4 %
Missing Data			
-9	MISSING:(-9)	51	2.2 %
Total		2,299	100%

Based upon 2,248 valid cases out of 2,299 total cases.

Location: 39-40 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1637: 151A002D:X AHEAD TOUGHER

Item Number: 01230

How much do you agree or disagree with each of the following statements?

D: I think the times ahead for me will be tougher and less fun than things are now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	344	15.0 %
2	MOST DIS:(2)	413	18.0 %
3	NEITHER:(3)	500	21.7 %
4	MOST AGR:(4)	531	23.1 %
5	AGREE:(5)	441	19.2 %
Missing Data			
-9	MISSING:(-9)	70	3.0 %
Total		2,299	100%

Based upon 2,229 valid cases out of 2,299 total cases.

Location: 41-42 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1638: 151A003:TM SPT ADLT MST

Item Number: 01240

Of all the time you spend with other people, about how much is spent with people over 30?

1="Very Little" 2="Some" 3="About Half" 4="Most" 5="Nearly All"

Value	Label	Unweighted Frequency	%
1	VRY LITL:(1)	566	24.6 %
2	SOME:(2)	816	35.5 %
3	ABT HALF:(3)	605	26.3 %
4	MOST:(4)	238	10.4 %
5	NRLY ALL:(5)	53	2.3 %
Missing Data			
-9	MISSING:(-9)	21	0.9 %
Total		2,299	100%

Based upon 2,278 valid cases out of 2,299 total cases.

Location: 43-44 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1639: 151A004:LK MR TM ADLT

Item Number: 01250

Would you like to spend more time, or less time, with people over 30 if you could?

1="Much less time" 2="Somewhat less time" 3="About the same as now" 4="Somewhat more time" 5="Much more time"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	175	7.6 %
2	SMWT LESS:(2)	294	12.8 %
3	SAME:(3)	1371	59.6 %
4	SMWT MORE:(4)	349	15.2 %
5	MCH MORE:(5)	86	3.7 %
Missing Data			
-9	MISSING:(-9)	24	1.0 %
Total		2,299	100%

Based upon 2,275 valid cases out of 2,299 total cases.

Location: 45-46 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1640: 151A005:LK MR TM YG CHD

Item Number: 01260

Would you like to spend more time, or less time, working with or helping younger children?

1="Much less time" 2="Somewhat less time" 3="About the same as now" 4="Somewhat more time" 5="Much more time"

Value	Label	Unweighted Frequency	%
1	MCH LESS:(1)	224	9.7 %
2	SMWT LESS:(2)	204	8.9 %
3	SAME:(3)	745	32.4 %
4	SMWT MORE:(4)	701	30.5 %
5	MCH MORE:(5)	401	17.4 %
Missing Data			
-9	MISSING:(-9)	24	1.0 %
Total		2,299	100%

Based upon 2,275 valid cases out of 2,299 total cases.

Location: 47-48 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1641: 151A006A:SAT PRESENT JOB

Item Number: 01270

The next questions ask how satisfied or dissatisfied you are with several aspects of your life. For each question, mark the circle that shows best how you feel. If you are neutral about something, or are just as satisfied as you are dissatisfied, mark the middle answer. How satisfied are you with . . .

A: . . . Your job? (If you have no job, leave blank)

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	74	3.2 %
2	-	53	2.3 %
3	-	80	3.5 %
4	NEUTRAL:(4)	382	16.6 %
5	-	218	9.5 %
6	-	218	9.5 %
7	COMP SAT:(7)	282	12.3 %
Missing Data			
-9	MISSING:(-9)	992	43.1 %
Total		2,299	100%

Based upon 1,307 valid cases out of 2,299 total cases.

Location: 49-50 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1642: 151A006B:SAT NEIGHBORHOD

Item Number: 01280

How satisfied are you with . . .

B: . . . The neighborhood where you live?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	74	3.2 %
2	-	107	4.7 %
3	-	152	6.6 %
4	NEUTRAL:(4)	507	22.1 %
5	-	270	11.7 %
6	-	434	18.9 %
7	COMP SAT:(7)	730	31.8 %
Missing Data			
-9	MISSING:(-9)	25	1.1 %
Total		2,299	100%

Based upon 2,274 valid cases out of 2,299 total cases.

Location: 51-52 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1643: 151A006C:SAT PRSNL SAFTY

Item Number: 01290

How satisfied are you with . . .

C: . . . Your personal safety in your neighborhood, on your job, and in your school--safety from being attacked and injured in some way?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	63	2.7 %
2	-	64	2.8 %
3	-	114	5.0 %
4	NEUTRAL:(4)	435	18.9 %
5	-	231	10.0 %
6	-	488	21.2 %
7	COMP SAT:(7)	877	38.1 %
Missing Data			
-9	MISSING:(-9)	27	1.2 %
Total		2,299	100%

Based upon 2,272 valid cases out of 2,299 total cases.

Location: 53-54 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1644: 151A006D:SAT OWN PROP SF

Item Number: 01300

How satisfied are you with . . .

D: . . . The safety of things you own from being stolen or destroyed in your neighborhood, on your job, and in your school?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	120	5.2 %
2	-	105	4.6 %

Value	Label	Unweighted Frequency	%
3	-	192	8.4 %
4	NEUTRAL:(4)	449	19.5 %
5	-	349	15.2 %
6	-	470	20.4 %
7	COMP SAT:(7)	575	25.0 %
Missing Data			
-9	MISSING:(-9)	39	1.7 %
Total		2,299	100%

Based upon 2,260 valid cases out of 2,299 total cases.

Location: 55-56 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9

V1645: 151A006E:SAT EDUC EXPRNC

Item Number: 01310

How satisfied are you . . .

E: . . . Your educational experiences?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	88	3.8 %
2	-	100	4.3 %
3	-	153	6.7 %
4	NEUTRAL:(4)	448	19.5 %
5	-	431	18.7 %
6	-	575	25.0 %
7	COMP SAT:(7)	471	20.5 %
Missing Data			
-9	MISSING:(-9)	33	1.4 %
Total		2,299	100%

Based upon 2,266 valid cases out of 2,299 total cases.

Location: 57-58 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9

V1646: 151A006F:SAT OWN FRIENDS

Item Number: 01320

How satisfied are you with . . .

F: . . . Your friends and other people you spend time with?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	35	1.5 %
2	-	42	1.8 %
3	-	76	3.3 %
4	NEUTRAL:(4)	278	12.1 %
5	-	286	12.4 %
6	-	600	26.1 %
7	COMP SAT:(7)	949	41.3 %
Missing Data			
-9	MISSING:(-9)	33	1.4 %
Total		2,299	100%

Based upon 2,266 valid cases out of 2,299 total cases.

Location: 59-60 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1647: 151A006G:SAT GT ALNG PRN

Item Number: 01330

How satisfied are you with . . .

G: . . . The way you get along with your parents?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	112	4.9 %
2	-	77	3.3 %
3	-	134	5.8 %
4	NEUTRAL:(4)	373	16.2 %
5	-	291	12.7 %
6	-	518	22.5 %

Value	Label	Unweighted Frequency	%
7	COMP SAT:(7)	761	33.1 %
	Missing Data		
-9	MISSING:(-9)	33	1.4 %
	Total	2,299	100%

Based upon 2,266 valid cases out of 2,299 total cases.

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1648: 151A006H:SAT YOURSELF

Item Number: 01340

How satisfied are you with . . .

H: . . . Yourself?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	104	4.5 %
2	-	96	4.2 %
3	-	147	6.4 %
4	NEUTRAL:(4)	404	17.6 %
5	-	303	13.2 %
6	-	445	19.4 %
7	COMP SAT:(7)	759	33.0 %
	Missing Data		
-9	MISSING:(-9)	41	1.8 %
	Total	2,299	100%

Based upon 2,258 valid cases out of 2,299 total cases.

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1649: 151A006I:SAT STD OF LVG

Item Number: 01350

How satisfied are you with . . .

I: . . . Your standard of living--the things you have like

housing, car, furniture, recreation, and the like?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	55	2.4 %
2	-	48	2.1 %
3	-	125	5.4 %
4	NEUTRAL:(4)	320	13.9 %
5	-	307	13.4 %
6	-	533	23.2 %
7	COMP SAT:(7)	880	38.3 %
Missing Data			
-9	MISSING:(-9)	31	1.3 %
Total		2,299	100%

Based upon 2,268 valid cases out of 2,299 total cases.

Location: 65-66 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1650: 151A006J:SAT TIME FR THG

Item Number: 01360

How satisfied are you with . . .

J: . . . The amount of time you have for doing things you want to do?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	177	7.7 %
2	-	182	7.9 %
3	-	275	12.0 %
4	NEUTRAL:(4)	427	18.6 %
5	-	402	17.5 %
6	-	386	16.8 %
7	COMP SAT:(7)	418	18.2 %
Missing Data			
-9	MISSING:(-9)	32	1.4 %

Value	Label	Unweighted Frequency	%
Total		2,299	100%

Based upon 2,267 valid cases out of 2,299 total cases.

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1651: 151A006K:SAT SPD LEISR

Item Number: 01370

How satisfied are you with . . .

K: . . . The way you spend your leisure time--recreation, relaxation, and so on?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	89	3.9 %
2	-	112	4.9 %
3	-	185	8.0 %
4	NEUTRAL:(4)	402	17.5 %
5	-	400	17.4 %
6	-	472	20.5 %
7	COMP SAT:(7)	604	26.3 %
Missing Data			
-9	MISSING:(-9)	35	1.5 %
Total		2,299	100%

Based upon 2,264 valid cases out of 2,299 total cases.

Location: 69-70 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1652: 151A006L:SAT LIFE AS WHL

Item Number: 01380

How satisfied are you with . . .

L: . . . Your life as a whole these days?

7="Completely Satisfied" 4="Neutral" 1="Completely

Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	83	3.6 %
2	-	86	3.7 %
3	-	190	8.3 %
4	NEUTRAL:(4)	484	21.1 %
5	-	400	17.4 %
6	-	528	23.0 %
7	COMP SAT:(7)	494	21.5 %
Missing Data			
-9	MISSING:(-9)	34	1.5 %
Total		2,299	100%

Based upon 2,265 valid cases out of 2,299 total cases.

Location: 71-72 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1653: 151A006M:SAT GOVT OPRTNG

Item Number: 01390

How satisfied are you with . . .

M: . . . The way our national government is operating?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	370	16.1 %
2	-	282	12.3 %
3	-	343	14.9 %
4	NEUTRAL:(4)	844	36.7 %
5	-	244	10.6 %
6	-	101	4.4 %
7	COMP SAT:(7)	77	3.3 %
Missing Data			
-9	MISSING:(-9)	38	1.7 %
Total		2,299	100%

Based upon 2,261 valid cases out of 2,299 total cases.

Location: 73-74 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1654: 151A006N:SAT AMT OF FUN

Item Number: 01400

How satisfied are you with . . .

N: . . . The amount of fun you are having?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	117	5.1 %
2	-	112	4.9 %
3	-	176	7.7 %
4	NEUTRAL:(4)	487	21.2 %
5	-	462	20.1 %
6	-	462	20.1 %
7	COMP SAT:(7)	452	19.7 %
Missing Data			
-9	MISSING:(-9)	31	1.3 %
Total		2,299	100%

Based upon 2,268 valid cases out of 2,299 total cases.

Location: 75-76 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1655: 151A007A:IMP B SUCCSS WK

Item Number: 01410

How important is each of the following to you in your life?

A: Being successful in my line of work

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	31	1.3 %
2	SOM IMPT:(2)	126	5.5 %

Value	Label	Unweighted Frequency	%
3	QUITE IM:(3)	540	23.5 %
4	EXTR IMP:(4)	1542	67.1 %
	Missing Data		
-9	MISSING:(-9)	60	2.6 %
	Total	2,299	100%

Based upon 2,239 valid cases out of 2,299 total cases.

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1656: 151A007B:IMP GD MRRG/FAM

Item Number: 01420

How important is each of the following to you in your life?

B: Having a good marriage and family life

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	83	3.6 %
2	SOM IMPT:(2)	176	7.7 %
3	QUITE IM:(3)	377	16.4 %
4	EXTR IMP:(4)	1605	69.8 %
	Missing Data		
-9	MISSING:(-9)	58	2.5 %
	Total	2,299	100%

Based upon 2,241 valid cases out of 2,299 total cases.

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1657: 151A007C:IMP LOTS OF \$

Item Number: 01430

How important is each of the following to you in your life?

C: Having lots of money

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	110	4.8 %
2	SOM IMPT:(2)	550	23.9 %
3	QUITE IM:(3)	794	34.5 %
4	EXTR IMP:(4)	777	33.8 %
	Missing Data		
-9	MISSING:(-9)	68	3.0 %
	Total	2,299	100%

Based upon 2,231 valid cases out of 2,299 total cases.

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1658: 151A007D:IMP TM RCRN/HBY

Item Number: 01440

How important is each of the following to you in your life?

D: Having plenty of time for recreation and hobbies

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	42	1.8 %
2	SOM IMPT:(2)	452	19.7 %
3	QUITE IM:(3)	988	43.0 %
4	EXTR IMP:(4)	761	33.1 %
	Missing Data		
-9	MISSING:(-9)	56	2.4 %
	Total	2,299	100%

Based upon 2,243 valid cases out of 2,299 total cases.

Location: 83-84 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1659: 151A007E:IMP STRG FRDSHP

Item Number: 01450

How important is each of the following to you in your life?

E: Having strong friendships

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	55	2.4 %
2	SOM IMPT:(2)	214	9.3 %
3	QUITE IM:(3)	601	26.1 %
4	EXTR IMP:(4)	1372	59.7 %
Missing Data			
-9	MISSING:(-9)	57	2.5 %
Total		2,299	100%

Based upon 2,242 valid cases out of 2,299 total cases.

Location: 85-86 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1660: 151A007F:IMP STEADY WORK

Item Number: 01460

How important is each of the following to you in your life?

F: Being able to find steady work

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	37	1.6 %
2	SOM IMPT:(2)	99	4.3 %
3	QUITE IM:(3)	474	20.6 %
4	EXTR IMP:(4)	1628	70.8 %
Missing Data			
-9	MISSING:(-9)	61	2.7 %
Total		2,299	100%

Based upon 2,238 valid cases out of 2,299 total cases.

Location: 87-88 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1661: 151A007G:IMP CNTRBTN SOC

Item Number: 01470

How important is each of the following to you in your life?

G: Making a contribution to society

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	100	4.3 %
2	SOM IMPT:(2)	542	23.6 %
3	QUITE IM:(3)	832	36.2 %
4	EXTR IMP:(4)	758	33.0 %
	Missing Data		
-9	MISSING:(-9)	67	2.9 %
	Total	2,299	100%

Based upon 2,232 valid cases out of 2,299 total cases.

Location: 89-90 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1662: 151A007H:IMP LDR COMUNTY

Item Number: 01480

How important is each of the following to you in your life?

H: Being a leader in my community

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	344	15.0 %
2	SOM IMPT:(2)	725	31.5 %
3	QUITE IM:(3)	631	27.4 %
4	EXTR IMP:(4)	533	23.2 %
	Missing Data		
-9	MISSING:(-9)	66	2.9 %
	Total	2,299	100%

Based upon 2,233 valid cases out of 2,299 total cases.

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1663: 151A007I:IMP CHLD BTR OP

Item Number: 01490

How important is each of the following to you in your life?

I: Being able to give my children better opportunities than I've had

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	56	2.4 %
2	SOM IMPT:(2)	128	5.6 %
3	QUITE IM:(3)	420	18.3 %
4	EXTR IMP:(4)	1629	70.9 %
	Missing Data		
-9	MISSING:(-9)	66	2.9 %
	Total	2,299	100%

Based upon 2,233 valid cases out of 2,299 total cases.

Location: 93-94 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1664: 151A007J:IMP LIV CLS PRN

Item Number: 01500

How important is each of the following to you in your life?

J: Living close to parents and relatives

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	320	13.9 %
2	SOM IMPT:(2)	810	35.2 %
3	QUITE IM:(3)	657	28.6 %

Value	Label	Unweighted Frequency	%
4	EXTR IMP:(4)	446	19.4 %
	Missing Data		
-9	MISSING:(-9)	66	2.9 %
	Total	2,299	100%

Based upon 2,233 valid cases out of 2,299 total cases.

Location: 95-96 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1665: 151A007K:IMP GT AWY AREA

Item Number: 01510

How important is each of the following to you in your life?

K: Getting away from this area of the country

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	821	35.7 %
2	SOM IMPT:(2)	584	25.4 %
3	QUITE IM:(3)	379	16.5 %
4	EXTR IMP:(4)	451	19.6 %
	Missing Data		
-9	MISSING:(-9)	64	2.8 %
	Total	2,299	100%

Based upon 2,235 valid cases out of 2,299 total cases.

Location: 97-98 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1666: 151A007L:IMP CRRCT INEQL

Item Number: 01520

How important is each of the following to you in your life?

L: Working to correct social and economic inequalities

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	367	16.0 %
2	SOM IMPT:(2)	784	34.1 %
3	QUITE IM:(3)	624	27.1 %
4	EXTR IMP:(4)	450	19.6 %
	Missing Data		
-9	MISSING:(-9)	74	3.2 %
	Total	2,299	100%

Based upon 2,225 valid cases out of 2,299 total cases.

Location: 99-100 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1667: 151A007M:IMP NEW XPRNCE

Item Number: 01530

How important is each of the following to you in your life?

M: Discovering new ways to experience things

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	144	6.3 %
2	SOM IMPT:(2)	502	21.8 %
3	QUITE IM:(3)	816	35.5 %
4	EXTR IMP:(4)	775	33.7 %
	Missing Data		
-9	MISSING:(-9)	62	2.7 %
	Total	2,299	100%

Based upon 2,237 valid cases out of 2,299 total cases.

Location: 101-102 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1668: 151A007N:IMP FND PRPS LF

Item Number: 01540

How important is each of the following to you in your life?

N: Finding purpose and meaning in my life

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	75	3.3 %
2	SOM IMPT:(2)	196	8.5 %
3	QUITE IM:(3)	483	21.0 %
4	EXTR IMP:(4)	1483	64.5 %
	Missing Data		
-9	MISSING:(-9)	62	2.7 %
	Total	2,299	100%

Based upon 2,237 valid cases out of 2,299 total cases.

Location: 103-104 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1669: 151A008:PPL CAN B TRSTD

Item Number: 01550

Generally speaking, would you say that most people can be trusted or that you can't be too careful in dealing with people?

3="Most people can be trusted" 2="Don't know, undecided"

1="Can't be too careful"

Value	Label	Unweighted Frequency	%
1	CANT BE TOO CAREFUL:(1)	1165	50.7 %
2	DONT KNOW:(2)	621	27.0 %
3	MOST CAN BE TRUSTD:(3)	355	15.4 %
	Missing Data		
-9	MISSING:(-9)	158	6.9 %
	Total	2,299	100%

Based upon 2,141 valid cases out of 2,299 total cases.

Location: 105-106 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1670: 151A009:PPL TRY B HLPFL

Item Number: 01560

Would you say that most of the time people try to be helpful or that they are mostly just looking out for themselves?

3="Try to be helpful" 2="Don't know, undecided" 1="Just looking out for themselves"

Value	Label	Unweighted Frequency	%
1	FOR THEMSELVES:(1)	906	39.4 %
2	DONT KNOW:(2)	794	34.5 %
3	TRY BE HELPFUL:(3)	517	22.5 %
	Missing Data		
-9	MISSING:(-9)	82	3.6 %
	Total	2,299	100%

Based upon 2,217 valid cases out of 2,299 total cases.

Location: 107-108 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1671: 151A010:PPL TRY BE FAIR

Item Number: 01570

Do you think most people would try to take advantage of you if they got a chance or would they try to be fair?

3="Would try to be fair" 2="Don't know, undecided" 1="Would try to take advantage of you"

Value	Label	Unweighted Frequency	%
1	TRY TK ADVNTG:(1)	1002	43.6 %
2	DONT KNOW:(2)	821	35.7 %
3	TRY BE FAIR:(3)	389	16.9 %
	Missing Data		
-9	MISSING:(-9)	87	3.8 %
	Total	2,299	100%

Based upon 2,212 valid cases out of 2,299 total cases.

Location: 109-110 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1672: 151A011A:-OBY LW = -GD CTZ

Item Number: 01580

These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A: I feel that you can't be a good citizen unless you always obey the law

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	445	19.4 %
2	MOST DIS:(2)	418	18.2 %
3	NEITHER:(3)	620	27.0 %
4	MOST AGR:(4)	560	24.4 %
5	AGREE:(5)	178	7.7 %
Missing Data			
-9	MISSING:(-9)	78	3.4 %
Total		2,299	100%

Based upon 2,221 valid cases out of 2,299 total cases.

Location: 111-112 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1673: 151A011B:GD CTZN ALG GOV

Item Number: 01590

How much do you agree or disagree with each statement below?

B: I feel good citizens should go along with whatever the government does even if they disagree with it

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	880	38.3 %
2	MOST DIS:(2)	531	23.1 %
3	NEITHER:(3)	540	23.5 %
4	MOST AGR:(4)	200	8.7 %
5	AGREE:(5)	70	3.0 %
Missing Data			
-9	MISSING:(-9)	78	3.4 %

Value	Label	Unweighted Frequency	%
Total		2,299	100%

Based upon 2,221 valid cases out of 2,299 total cases.

Location: 113-114 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1674: 151A011C:GD CTZN CHG GOV

Item Number: 01600

How much do you agree or disagree with each statement below?

C: I feel good citizens try to change the government policies
they disagree with

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	117	5.1 %
2	MOST DIS:(2)	160	7.0 %
3	NEITHER:(3)	736	32.0 %
4	MOST AGR:(4)	680	29.6 %
5	AGREE:(5)	512	22.3 %
Missing Data			
-9	MISSING:(-9)	94	4.1 %
Total		2,299	100%

Based upon 2,205 valid cases out of 2,299 total cases.

Location: 115-116 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1675: 151A011D:VOTE->MAJ IMPCT

Item Number: 01610

How much do you agree or disagree with each statement below?

D: The way people vote has a major impact on how things are
run in this country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	212	9.2 %
2	MOST DIS:(2)	249	10.8 %
3	NEITHER:(3)	513	22.3 %
4	MOST AGR:(4)	655	28.5 %
5	AGREE:(5)	575	25.0 %
Missing Data			
-9	MISSING:(-9)	95	4.1 %
Total		2,299	100%

Based upon 2,204 valid cases out of 2,299 total cases.

Location: 117-118 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1676: 151A011E:CTZN GRP HV EFC

Item Number: 01620

How much do you agree or disagree with each statement below?

E: People who get together in citizen action groups to influence government policies can have a real effect

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	131	5.7 %
2	MOST DIS:(2)	240	10.4 %
3	NEITHER:(3)	826	35.9 %
4	MOST AGR:(4)	667	29.0 %
5	AGREE:(5)	342	14.9 %
Missing Data			
-9	MISSING:(-9)	93	4.0 %
Total		2,299	100%

Based upon 2,206 valid cases out of 2,299 total cases.

Location: 119-120 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1677: 151A011F:OUR SYST ST BS

Item Number: 01630

How much do you agree or disagree with each statement below?

F: Despite its many faults, our system of doing things is still the best in the world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	296	12.9 %
2	MOST DIS:(2)	336	14.6 %
3	NEITHER:(3)	837	36.4 %
4	MOST AGR:(4)	481	20.9 %
5	AGREE:(5)	256	11.1 %
Missing Data			
-9	MISSING:(-9)	93	4.0 %
Total		2,299	100%

Based upon 2,206 valid cases out of 2,299 total cases.

Location: 121-122 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1678: 151A011G:US NEEDS GROWTH

Item Number: 01640

How much do you agree or disagree with each statement below?

G: America needs growth to survive, and that is going to require some increase in pollution

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	622	27.1 %
2	MOST DIS:(2)	442	19.2 %
3	NEITHER:(3)	723	31.4 %
4	MOST AGR:(4)	265	11.5 %
5	AGREE:(5)	147	6.4 %
Missing Data			
-9	MISSING:(-9)	100	4.3 %
Total		2,299	100%

Based upon 2,199 valid cases out of 2,299 total cases.

Location: 123-124 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1679: 151A011H:LV THNGS TO GOD

Item Number: 01650

How much do you agree or disagree with each statement below?

H: If we just leave things to God, they will turn out for
the best

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	558	24.3 %
2	MOST DIS:(2)	172	7.5 %
3	NEITHER:(3)	567	24.7 %
4	MOST AGR:(4)	376	16.4 %
5	AGREE:(5)	525	22.8 %
Missing Data			
-9	MISSING:(-9)	101	4.4 %
Total		2,299	100%

Based upon 2,198 valid cases out of 2,299 total cases.

Location: 125-126 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1680: 151A011I:GO SCH ENJY XPR

Item Number: 01660

How much do you agree or disagree with each statement below?

I: Going to school has been an enjoyable experience for me

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	224	9.7 %
2	MOST DIS:(2)	241	10.5 %

Value	Label	Unweighted Frequency	%
3	NEITHER:(3)	587	25.5 %
4	MOST AGR:(4)	727	31.6 %
5	AGREE:(5)	434	18.9 %
	Missing Data		
-9	MISSING:(-9)	86	3.7 %
	Total	2,299	100%

Based upon 2,213 valid cases out of 2,299 total cases.

Location: 127-128 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1681: 151A011J:DO WL SC IMP/JB

Item Number: 01670

How much do you agree or disagree with each statement below?

J: Doing well in school is important for getting a good job

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	71	3.1 %
2	MOST DIS:(2)	86	3.7 %
3	NEITHER:(3)	331	14.4 %
4	MOST AGR:(4)	581	25.3 %
5	AGREE:(5)	1148	49.9 %
	Missing Data		
-9	MISSING:(-9)	82	3.6 %
	Total	2,299	100%

Based upon 2,217 valid cases out of 2,299 total cases.

Location: 129-130 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1766: 151A012A:RSK OF CIG1+PK/

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other

ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	142	6.2 %
2	SLIGHT:(2)	71	3.1 %
3	MOD RISK:(3)	278	12.1 %
4	GRT RISK:(4)	1614	70.2 %
5	CANT SAY:(5)	121	5.3 %
Missing Data			
-9	MISSING:(-9)	73	3.2 %
Total		2,299	100%

Based upon 2,226 valid cases out of 2,299 total cases.

Location: 131-132 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1767: 151A012B:RSK OF MJ 1-2 X

Item Number: 12370

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

B: . . . Try marijuana (pot, grass) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	1044	45.4 %
2	SLIGHT:(2)	531	23.1 %
3	MOD RISK:(3)	242	10.5 %
4	GRT RISK:(4)	260	11.3 %
5	CANT SAY:(5)	144	6.3 %
Missing Data			
-9	MISSING:(-9)	78	3.4 %
Total		2,299	100%

Based upon 2,221 valid cases out of 2,299 total cases.

Location: 133-134 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1768: 151A012C:RSK OF MJ OCSNLY

Item Number: 12380

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	706	30.7 %
2	SLIGHT:(2)	586	25.5 %
3	MOD RISK:(3)	422	18.4 %
4	GRT RISK:(4)	359	15.6 %
5	CANT SAY:(5)	148	6.4 %
Missing Data			
-9	MISSING:(-9)	78	3.4 %
Total		2,299	100%

Based upon 2,221 valid cases out of 2,299 total cases.

Location: 135-136 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1769: 151A012D:RSK OF MJ REGLY

Item Number: 12390

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	436	19.0 %
2	SLIGHT:(2)	442	19.2 %
3	MOD RISK:(3)	469	20.4 %

Value	Label	Unweighted Frequency	%
4	GRT RISK:(4)	721	31.4 %
5	CANT SAY:(5)	148	6.4 %
	Missing Data		
-9	MISSING:(-9)	83	3.6 %
	Total	2,299	100%

Based upon 2,216 valid cases out of 2,299 total cases.

Location: 137-138 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1770: 151A012E:RSK COK PWDR 1-2X

Item Number: 12501

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

E: . . . Try cocaine in powder form once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	199	8.7 %
2	SLIGHT:(2)	302	13.1 %
3	MOD RISK:(3)	477	20.7 %
4	GRT RISK:(4)	1043	45.4 %
5	CANT SAY:(5)	195	8.5 %
	Missing Data		
-9	MISSING:(-9)	83	3.6 %
	Total	2,299	100%

Based upon 2,216 valid cases out of 2,299 total cases.

Location: 139-140 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1771: 151A012F:RSK COK PWDR OCC

Item Number: 12502

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

F: . . . Take cocaine powder occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	158	6.9 %
2	SLIGHT:(2)	81	3.5 %
3	MOD RISK:(3)	406	17.7 %
4	GRT RISK:(4)	1376	59.9 %
5	CANT SAY:(5)	199	8.7 %
Missing Data			
-9	MISSING:(-9)	79	3.4 %
Total		2,299	100%

Based upon 2,220 valid cases out of 2,299 total cases.

Location: 141-142 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1772: 151A012G:RSK COK PWDR REG

Item Number: 12503

How much do you think people risk harming themselves
 (physically or in other ways), if they . . .

G: . . . Take cocaine powder regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	149	6.5 %
2	SLIGHT:(2)	23	1.0 %
3	MOD RISK:(3)	92	4.0 %
4	GRT RISK:(4)	1748	76.0 %
5	CANT SAY:(5)	204	8.9 %
Missing Data			
-9	MISSING:(-9)	83	3.6 %
Total		2,299	100%

Based upon 2,216 valid cases out of 2,299 total cases.

Location: 143-144 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1773: 151A012H:RSK CRACK 1-2X

Item Number: 12504

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

H: . . . Try "crack" cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	179	7.8 %
2	SLIGHT:(2)	201	8.7 %
3	MOD RISK:(3)	396	17.2 %
4	GRT RISK:(4)	1222	53.2 %
5	CANT SAY:(5)	218	9.5 %
Missing Data			
-9	MISSING:(-9)	83	3.6 %
Total		2,299	100%

Based upon 2,216 valid cases out of 2,299 total cases.

Location: 145-146 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1774: 151A012I:RSK CRACK OCC

Item Number: 12505

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

I: . . . Take "crack" cocaine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	147	6.4 %
2	SLIGHT:(2)	52	2.3 %
3	MOD RISK:(3)	294	12.8 %
4	GRT RISK:(4)	1504	65.4 %

Value	Label	Unweighted Frequency	%
5	CANT SAY:(5)	220	9.6 %
	Missing Data		
-9	MISSING:(-9)	82	3.6 %
	Total	2,299	100%

Based upon 2,217 valid cases out of 2,299 total cases.

Location: 147-148 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1775: 151A012J:RSK CRACK REG

Item Number: 12506

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

J: . . . Take "crack" cocaine regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	145	6.3 %
2	SLIGHT:(2)	27	1.2 %
3	MOD RISK:(3)	63	2.7 %
4	GRT RISK:(4)	1760	76.6 %
5	CANT SAY:(5)	217	9.4 %
	Missing Data		
-9	MISSING:(-9)	87	3.8 %
	Total	2,299	100%

Based upon 2,212 valid cases out of 2,299 total cases.

Location: 149-150 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1776: 151A012K:RSK OF 1-2 DRIN

Item Number: 12510

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

K: . . . Try one or two drinks of an alcoholic beverage
(beer, wine, liquor)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	1031	44.8 %
2	SLIGHT:(2)	676	29.4 %
3	MOD RISK:(3)	197	8.6 %
4	GRT RISK:(4)	202	8.8 %
5	CANT SAY:(5)	107	4.7 %
Missing Data			
-9	MISSING:(-9)	86	3.7 %
Total		2,299	100%

Based upon 2,213 valid cases out of 2,299 total cases.

Location: 151-152 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1777: 151A012L:RSK OF 1-2 DR/DAY

Item Number: 12520

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

L: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	317	13.8 %
2	SLIGHT:(2)	647	28.1 %
3	MOD RISK:(3)	719	31.3 %
4	GRT RISK:(4)	417	18.1 %
5	CANT SAY:(5)	115	5.0 %
Missing Data			
-9	MISSING:(-9)	84	3.7 %
Total		2,299	100%

Based upon 2,215 valid cases out of 2,299 total cases.

Location: 153-154 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1778: 151A012M:RSK OF 4-5 DR/DAY

Item Number: 12530

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

M: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	164	7.1 %
2	SLIGHT:(2)	161	7.0 %
3	MOD RISK:(3)	540	23.5 %
4	GRT RISK:(4)	1231	53.5 %
5	CANT SAY:(5)	117	5.1 %
Missing Data			
-9	MISSING:(-9)	86	3.7 %
Total		2,299	100%

Based upon 2,213 valid cases out of 2,299 total cases.

Location: 155-156 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1779: 151A012N:RSK OF 5+DR/WKN

Item Number: 12540

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

N: . . . Have five or more drinks once or twice each
weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	208	9.0 %
2	SLIGHT:(2)	306	13.3 %
3	MOD RISK:(3)	611	26.6 %
4	GRT RISK:(4)	972	42.3 %
5	CANT SAY:(5)	112	4.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	90	3.9 %
	Total	2,299	100%

Based upon 2,209 valid cases out of 2,299 total cases.

Location: 157-158 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1808: 151A012O:RSK H -NDL 1-2X

Item Number: 29600

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

O: . . . Try heroin once or twice without using a needle?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	169	7.4 %
2	SLIGHT:(2)	99	4.3 %
3	MOD RISK:(3)	267	11.6 %
4	GRT RISK:(4)	1405	61.1 %
5	CANT SAY:(5)	274	11.9 %
	Missing Data		
-9	MISSING:(-9)	85	3.7 %
	Total	2,299	100%

Based upon 2,214 valid cases out of 2,299 total cases.

Location: 159-160 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1809: 151A012P:RSK H -NDL OCC

Item Number: 29610

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

P: . . . Take heroin occasionally without using a needle?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	153	6.7 %
2	SLIGHT:(2)	33	1.4 %
3	MOD RISK:(3)	162	7.0 %
4	GRT RISK:(4)	1590	69.2 %
5	CANT SAY:(5)	273	11.9 %
Missing Data			
-9	MISSING:(-9)	88	3.8 %
Total		2,299	100%

Based upon 2,211 valid cases out of 2,299 total cases.

Location: 161-162 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1924: 141A012Q:RSK E-CIG REG

Item Number: 33670

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

Q: . . . Use electronic cigarettes (e-cigarettes) regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	483	21.0 %
2	SLIGHT:(2)	667	29.0 %
3	MOD RISK:(3)	419	18.2 %
4	GRT RISK:(4)	387	16.8 %
5	CANT SAY:(5)	243	10.6 %
Missing Data			
-9	MISSING:(-9)	100	4.3 %
Total		2,299	100%

Based upon 2,199 valid cases out of 2,299 total cases.

Location: 163-164 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1780: 151A013A:EASY GT MARIJUANA

Item Number: 06750

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

A: Marijuana

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	158	6.9 %
2	VRY DIFF:(2)	69	3.0 %
3	FRLY DIF:(3)	180	7.8 %
4	FRLY EAS:(4)	558	24.3 %
5	VRY EASY:(5)	1221	53.1 %
Missing Data			
-9	MISSING:(-9)	113	4.9 %
Total		2,299	100%

Based upon 2,186 valid cases out of 2,299 total cases.

Location: 165-166 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1781: 151A013B:EASY GT CRACK

Item Number: 06811

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

B: "Crack" cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	463	20.1 %
2	VRY DIFF:(2)	501	21.8 %
3	FRLY DIF:(3)	659	28.7 %
4	FRLY EAS:(4)	368	16.0 %
5	VRY EASY:(5)	187	8.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	121	5.3 %
	Total	2,299	100%

Based upon 2,178 valid cases out of 2,299 total cases.

Location: 167-168 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1782: 151A013C:EASY GT COK PWD

Item Number: 06812

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

C: Cocaine powder

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	460	20.0 %
2	VRY DIFF:(2)	505	22.0 %
3	FRLY DIF:(3)	599	26.1 %
4	FRLY EAS:(4)	393	17.1 %
5	VRY EASY:(5)	216	9.4 %
	Missing Data		
-9	MISSING:(-9)	126	5.5 %
	Total	2,299	100%

Based upon 2,173 valid cases out of 2,299 total cases.

Location: 169-170 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1208: 151B001:EVR SMK CIG,REG

Item Number: 00760

The following questions are about CIGARETTE SMOKING. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 6" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1533	66.7 %
2	1-2X:(2)	344	15.0 %
3	OCCASONLY:(3)	164	7.1 %
4	REG PAST:(4)	43	1.9 %
5	REG NOW:(5)	82	3.6 %
Missing Data			
-9	MISSING:(-9)	133	5.8 %
Total		2,299	100%

Based upon 2,166 valid cases out of 2,299 total cases.

Location: 171-172 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1210: 151B002:#CIGS SMKD/30DA

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day"
5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%
1	NT DAILY:(1)	392	17.1 %
2	<1 CIG/D:(2)	120	5.2 %
3	1-5/DAY:(3)	71	3.1 %
4	1/2 PK:(4)	35	1.5 %
5	1 PK:(5)	10	0.4 %
6	1 1/2 PK:(6)	3	0.1 %
7	2+ PKS:(7)	5	0.2 %
Missing Data			
-9	MISSING:(-9)	1663	72.3 %
Total		2,299	100%

Based upon 636 valid cases out of 2,299 total cases.

Location: 173-174 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1752: 151B003:#CIG/DAY-30DAYS

Item Number: 00781

To be more precise, during the past 30 days about how many cigarettes have you smoked per day?

01="None" 02="Less than one per day" 03="1 to 2" 04="3 to 7"
05="8 to 12" 06="13 to 17" 07="18 to 22" 08="23 to 27" 09="28
to 32" 10="33 to 37" 11="38 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	394	17.1 %
2	LT 1/DAY:(2)	76	3.3 %
3	1-2:(3)	54	2.3 %
4	3-7:(4)	55	2.4 %
5	8-12:(5)	21	0.9 %
6	13-17:(6)	9	0.4 %
7	18-22:(7)	10	0.4 %
8	23-27:(8)	1	0.0 %
9	28-32:(9)	0	0.0 %
10	33-37:(10)	0	0.0 %
11	38+:(11)	14	0.6 %
Missing Data			
-9	MISSING:(-9)	1665	72.4 %
Total		2,299	100%

Based upon 634 valid cases out of 2,299 total cases.

Location: 175-176 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1211: 151B004:*TRY STP SMK/FL

Item Number: 01690

Have you ever tried to stop smoking and found that you could not?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	64	2.8 %
2	NO:(2)	560	24.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	1675	72.9 %
	Total	2,299	100%

Based upon 624 valid cases out of 2,299 total cases.

Location: 177-178 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1754: 151B005:#X TRY STOP SMK

Item Number: 01691

How many times (if any) have you tried to stop smoking?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"

6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	442	19.2 %
2	ONCE:(2)	97	4.2 %
3	TWICE:(3)	46	2.0 %
4	3-5X:(4)	24	1.0 %
5	6-9X:(5)	0	0.0 %
6	10+ TIME:(6)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	1683	73.2 %
	Total	2,299	100%

Based upon 616 valid cases out of 2,299 total cases.

Location: 179-180 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1212: 151B006:*WNT STP SMK NW

Item Number: 01700

Do you want to stop smoking now?

1="Yes" 2="No" 8="Don't smoke now"

Value	Label	Unweighted Frequency	%
1	YES:(1)	55	2.4 %
2	NO:(2)	128	5.6 %
8	DONT SMOKE NOW:(8)	442	19.2 %
	Missing Data		
-9	MISSING:(-9)	1674	72.8 %
	Total	2,299	100%

Based upon 625 valid cases out of 2,299 total cases.

Location: 181-182 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1810: 151B007:USUAL CIG BRAND

Item Number: 30065

What brand of cigarettes do you usually smoke? (Brands are in alphabetical order. Mark only one.)

01="Basic" 02="Benson & Hedges" 03="Black & Whites"
 04="Cambridge" 05="Camel" 06="Capri" 07="Carlton" 08="Doral"
 09="GPC" 10="Kent" 11="Kool" 12="Marlboro" 13="Merit"
 14="Misty" 15="Monarch" 16="More" 17="Newport" 18="Pall Mall"
 19="Parliament" 20="Salem" 22="Virginia Slims"
 23="Winston" 24="Other" 25="No Usual Brand" 26="American Spirit"

Value	Label	Unweighted Frequency	%
1	BASIC:(1)	2	0.1 %
2	BNSN HDGS:(2)	0	0.0 %
3	BLACK WHT:(3)	2	0.1 %
4	CAMBRDGE:(4)	1	0.0 %
5	CAMEL:(5)	51	2.2 %
6	CAPRI:(6)	1	0.0 %
7	CARLTON:(7)	0	0.0 %
8	DORAL:(8)	1	0.0 %
9	GPC:(9)	0	0.0 %
10	KENT:(10)	0	0.0 %
11	KOOL:(11)	2	0.1 %
12	MARLBORO:(12)	139	6.0 %
13	MERIT:(13)	0	0.0 %
14	MISTY:(14)	0	0.0 %
15	MONARCH: (15)	0	0.0 %
16	MORE:(16)	0	0.0 %

Value	Label	Unweighted Frequency	%
17	NEWPORT:(17)	70	3.0 %
18	PALLMALL:(18)	5	0.2 %
19	PARLMENT:(19)	2	0.1 %
20	SALEM:(20)	0	0.0 %
22	VA SLIMS:(22)	1	0.0 %
23	WINSTON:(23)	0	0.0 %
24	OTHER:(24)	31	1.3 %
25	NO USUAL:(25)	191	8.3 %
26	AMERICAN SPIRIT:(26)	17	0.7 %
Missing Data			
-9	MISSING:(-9)	1783	77.6 %
Total		2,299	100%

Based upon 516 valid cases out of 2,299 total cases.

Location: 183-184 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1213: 151B008:NO SMK IN 5 YR

Item Number: 01710

Do you think you will be smoking cigarettes five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	24	1.0 %
2	PRB WILL:(2)	110	4.8 %
3	PRB WONT:(3)	393	17.1 %
4	DEF WONT:(4)	1704	74.1 %
Missing Data			
-9	MISSING:(-9)	68	3.0 %
Total		2,299	100%

Based upon 2,231 valid cases out of 2,299 total cases.

Location: 185-186 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1896: 151B009:NOTICE WARNINGS ON CIG PACKS

Item Number: 32750

In recent months, have you noticed the health warnings on cigarette packs?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	983	42.8 %
2	NO:(2)	1214	52.8 %
	Missing Data		
-9	MISSING:(-9)	102	4.4 %
	Total	2,299	100%

Based upon 2,197 valid cases out of 2,299 total cases.

Location: 187-188 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1925: 141B006b:#X E-CIG/30DAY

Item Number: 33710

During the LAST 30 DAYS, on how many occasions (if any) have you used electronic cigarettes (e-cigarettes)?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days"
6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1912	83.2 %
2	1-2 DAYS:(2)	125	5.4 %
3	3-5 DAYS:(3)	43	1.9 %
4	6-9 DAYS:(4)	43	1.9 %
5	10-19 DAYS:(5)	37	1.6 %
6	20-30 DAYS:(6)	64	2.8 %
	Missing Data		
-9	MISSING:(-9)	75	3.3 %
	Total	2,299	100%

Based upon 2,224 valid cases out of 2,299 total cases.

Location: 189-190 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1214: 151B011A:#X ALC/LIF SIPS

Item Number: 00810

The next questions are about ALCOHOLIC BEVERAGES, including beer, wine, liquor, and any other beverage that contains alcohol. On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	625	27.2 %
2	1-2X:(2)	314	13.7 %
3	3-5X:(3)	273	11.9 %
4	6-9X:(4)	216	9.4 %
5	10-19X:(5)	267	11.6 %
6	20-39X:(6)	159	6.9 %
7	40+OCCAS:(7)	290	12.6 %
Missing Data			
-9	MISSING:(-9)	155	6.7 %
Total		2,299	100%

Based upon 2,144 valid cases out of 2,299 total cases.

Location: 191-192 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1215: 151B011B:#X ALC/ANN SIPS

Item Number: 00820

On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	846	36.8 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	403	17.5 %
3	3-5X:(3)	288	12.5 %
4	6-9X:(4)	213	9.3 %
5	10-19X:(5)	172	7.5 %
6	20-39X:(6)	114	5.0 %
7	40+OCCAS:(7)	99	4.3 %
Missing Data			
-9	MISSING:(-9)	164	7.1 %
Total		2,299	100%

Based upon 2,135 valid cases out of 2,299 total cases.

Location: 193-194 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1216: 151B011C:#X ALC/30D SIPS

Item Number: 00830

On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1363	59.3 %
2	1-2X:(2)	410	17.8 %
3	3-5X:(3)	173	7.5 %
4	6-9X:(4)	98	4.3 %
5	10-19X:(5)	46	2.0 %
6	20-39X:(6)	20	0.9 %
7	40+OCCAS:(7)	23	1.0 %
Missing Data			
-9	MISSING:(-9)	166	7.2 %
Total		2,299	100%

Based upon 2,133 valid cases out of 2,299 total cases.

Location: 195-196 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1217: 151B012A:#X/YR ALC ALONE

Item Number: 01720

IF YOU HAVE NOT HAD ANY BEER, WINE, LIQUOR, OR OTHER
ALCOHOLIC BEVERAGE IN THE LAST TWELVE MONTHS, GO TO
QUESTION 16.

When you used alcohol during the last year, how often did
you use it in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	970	42.2 %
2	FEW TIMES:(2)	222	9.7 %
3	SOMETIMES:(3)	54	2.3 %
4	MOST TIMES:(4)	24	1.0 %
5	EVERY TIME:(5)	17	0.7 %
Missing Data			
-9	MISSING:(-9)	1012	44.0 %
Total		2,299	100%

Based upon 1,287 valid cases out of 2,299 total cases.

Location: 197-198 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1218: 151B012B:#X/YR ALC-2 PPL

Item Number: 01730

When you used alcohol during the last year, how often did
you use it in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	349	15.2 %
2	FEW TIMES:(2)	488	21.2 %
3	SOMETIMES:(3)	201	8.7 %

Value	Label	Unweighted Frequency	%
4	MOST TIMES:(4)	157	6.8 %
5	EVERY TIME:(5)	90	3.9 %
Missing Data			
-9	MISSING:(-9)	1014	44.1 %
Total		2,299	100%

Based upon 1,285 valid cases out of 2,299 total cases.

Location: 199-200 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1219: 151B012C:#X/YR ALC@PARTY

Item Number: 01740

When you used alcohol during the last year, how often did you use it in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	255	11.1 %
2	FEW TIMES:(2)	241	10.5 %
3	SOMETIMES:(3)	169	7.4 %
4	MOST TIMES:(4)	368	16.0 %
5	EVERY TIME:(5)	253	11.0 %
Missing Data			
-9	MISSING:(-9)	1013	44.1 %
Total		2,299	100%

Based upon 1,286 valid cases out of 2,299 total cases.

Location: 201-202 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1220: 151B012D:#X/YR ALC-DT/SP

Item Number: 01750

When you used alcohol during the last year, how often did you use it in each of the following situations?

D: When your date or spouse/partner was present

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	772	33.6 %
2	FEW TIMES:(2)	233	10.1 %
3	SOMETIMES:(3)	126	5.5 %
4	MOST TIMES:(4)	88	3.8 %
5	EVERY TIME:(5)	58	2.5 %
Missing Data			
-9	MISSING:(-9)	1022	44.5 %
Total		2,299	100%

Based upon 1,277 valid cases out of 2,299 total cases.

Location: 203-204 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1221: 151B012E:#X/YR ALC-ADLTS

Item Number: 01760

When you used alcohol during the last year, how often did you use it in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	590	25.7 %
2	FEW TIMES:(2)	308	13.4 %
3	SOMETIMES:(3)	162	7.0 %
4	MOST TIMES:(4)	114	5.0 %
5	EVERY TIME:(5)	111	4.8 %
Missing Data			
-9	MISSING:(-9)	1014	44.1 %
Total		2,299	100%

Based upon 1,285 valid cases out of 2,299 total cases.

Location: 205-206 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1222: 151B012F:#X/YR ALC-DATIM

Item Number: 01770

When you used alcohol during the last year, how often did you use it in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	899	39.1 %
2	FEW TIMES:(2)	242	10.5 %
3	SOMETIMES:(3)	98	4.3 %
4	MOST TIMES:(4)	24	1.0 %
5	EVERY TIME:(5)	22	1.0 %
Missing Data			
-9	MISSING:(-9)	1014	44.1 %
Total		2,299	100%

Based upon 1,285 valid cases out of 2,299 total cases.

Location: 207-208 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1223: 151B012G:#X/YR ALC@HOME

Item Number: 01780

When you used alcohol during the last year, how often did you use it in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	574	25.0 %
2	FEW TIMES:(2)	311	13.5 %
3	SOMETIMES:(3)	167	7.3 %
4	MOST TIMES:(4)	108	4.7 %

Value	Label	Unweighted Frequency	%
5	EVERY TIME:(5)	126	5.5 %
	Missing Data		
-9	MISSING:(-9)	1013	44.1 %
	Total	2,299	100%

Based upon 1,286 valid cases out of 2,299 total cases.

Location: 209-210 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1224: 151B012H:#X/YR ALC@SCHL

Item Number: 01790

When you used alcohol during the last year, how often did you use it in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1204	52.4 %
2	FEW TIMES:(2)	42	1.8 %
3	SOMETIMES:(3)	22	1.0 %
4	MOST TIMES:(4)	4	0.2 %
5	EVERY TIME:(5)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	1017	44.2 %
	Total	2,299	100%

Based upon 1,282 valid cases out of 2,299 total cases.

Location: 211-212 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1225: 151B012I:#X/YR ALC-IN CAR

Item Number: 01810

When you used alcohol during the last year, how often did you use it in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1018	44.3 %
2	FEW TIMES:(2)	157	6.8 %
3	SOMETIMES:(3)	68	3.0 %
4	MOST TIMES:(4)	21	0.9 %
5	EVERY TIME:(5)	17	0.7 %
Missing Data			
-9	MISSING:(-9)	1018	44.3 %
Total		2,299	100%

Based upon 1,281 valid cases out of 2,299 total cases.

Location: 213-214 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1811: 151B012J:#X/YR ALC@PARK/B

Item Number: 30910

When you used alcohol during the last year, how often did you use it in each of the following situations?

J. At a park or beach

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	947	41.2 %
2	FEW TIMES:(2)	175	7.6 %
3	SOMETIMES:(3)	111	4.8 %
4	MOST TIMES:(4)	30	1.3 %
5	EVERY TIME:(5)	18	0.8 %
Missing Data			
-9	MISSING:(-9)	1018	44.3 %
Total		2,299	100%

Based upon 1,281 valid cases out of 2,299 total cases.

Location: 215-216 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1812: 151B012K:#X/YR ALC@BAR/RT

Item Number: 30920

When you used alcohol during the last year, how often did you use it in each of the following situations?

K. At a bar or restaurant

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1030	44.8 %
2	FEW TIMES:(2)	131	5.7 %
3	SOMETIMES:(3)	69	3.0 %
4	MOST TIMES:(4)	30	1.3 %
5	EVERY TIME:(5)	23	1.0 %
Missing Data			
-9	MISSING:(-9)	1016	44.2 %
Total		2,299	100%

Based upon 1,283 valid cases out of 2,299 total cases.

Location: 217-218 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1226: 151B013A:ALC EXPERIMENT

Item Number: 01820

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	587	25.5 %
1	MARKED:(1)	677	29.4 %
Missing Data			
-9	MISSING:(-9)	1035	45.0 %
Total		2,299	100%

Based upon 1,264 valid cases out of 2,299 total cases.

Location: 219-220 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1227: 151B013B:ALC RELAX

Item Number: 01830

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	732	31.8 %
1	MARKED:(1)	532	23.1 %
	Missing Data		
-9	MISSING:(-9)	1035	45.0 %
	Total	2,299	100%

Based upon 1,264 valid cases out of 2,299 total cases.

Location: 221-222 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1228: 151B013C:ALC GET HIGH

Item Number: 01840

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	878	38.2 %
1	MARKED:(1)	386	16.8 %
	Missing Data		
-9	MISSING:(-9)	1035	45.0 %
	Total	2,299	100%

Based upon 1,264 valid cases out of 2,299 total cases.

Location: 223-224 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1229: 151B013D:ALC SEEK INSGHT

Item Number: 01850

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1174	51.1 %
1	MARKED:(1)	90	3.9 %
	Missing Data		
-9	MISSING:(-9)	1035	45.0 %
	Total	2,299	100%

Based upon 1,264 valid cases out of 2,299 total cases.

Location: 225-226 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1230: 151B013E:ALC GD TM FRNDS

Item Number: 01860

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	377	16.4 %
1	MARKED:(1)	887	38.6 %
	Missing Data		
-9	MISSING:(-9)	1035	45.0 %
	Total	2,299	100%

Based upon 1,264 valid cases out of 2,299 total cases.

Location: 227-228 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1231: 151B013F:ALC FIT IN GRP

Item Number: 01870

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1181	51.4 %
1	MARKED:(1)	83	3.6 %
	Missing Data		
-9	MISSING:(-9)	1035	45.0 %
	Total	2,299	100%

Based upon 1,264 valid cases out of 2,299 total cases.

Location: 229-230 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1232: 151B013G:ALC GET AWY PRB

Item Number: 01880

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	998	43.4 %
1	MARKED:(1)	266	11.6 %
	Missing Data		
-9	MISSING:(-9)	1035	45.0 %
	Total	2,299	100%

Based upon 1,264 valid cases out of 2,299 total cases.

Location: 231-232 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1233: 151B013H:ALC BOREDOM

Item Number: 01890

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1068	46.5 %
1	MARKED:(1)	196	8.5 %
	Missing Data		
-9	MISSING:(-9)	1035	45.0 %
	Total	2,299	100%

Based upon 1,264 valid cases out of 2,299 total cases.

Location: 233-234 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1234: 151B013I:ALC ANGR/FRSTRN

Item Number: 01900

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1128	49.1 %
1	MARKED:(1)	136	5.9 %
	Missing Data		
-9	MISSING:(-9)	1035	45.0 %
	Total	2,299	100%

Based upon 1,264 valid cases out of 2,299 total cases.

Location: 235-236 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1235: 151B013J:ALC GT THRU DAY

Item Number: 01910

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1228	53.4 %
1	MARKED:(1)	36	1.6 %
	Missing Data		
-9	MISSING:(-9)	1035	45.0 %
	Total	2,299	100%

Based upon 1,264 valid cases out of 2,299 total cases.

Location: 237-238 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1236: 151B013K:ALC INCRS EF DR

Item Number: 01920

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1213	52.8 %
1	MARKED:(1)	51	2.2 %
	Missing Data		
-9	MISSING:(-9)	1035	45.0 %
	Total	2,299	100%

Based upon 1,264 valid cases out of 2,299 total cases.

Location: 239-240 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1237: 151B013L:ALC DECRS EF DR

Item Number: 01930

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1246	54.2 %
1	MARKED:(1)	18	0.8 %
	Missing Data		
-9	MISSING:(-9)	1035	45.0 %
	Total	2,299	100%

Based upon 1,264 valid cases out of 2,299 total cases.

Location: 241-242 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1238: 151B013M:ALC GET SLEEP

Item Number: 01940

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

M. To get to sleep

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1202	52.3 %
1	MARKED:(1)	62	2.7 %
	Missing Data		
-9	MISSING:(-9)	1035	45.0 %
	Total	2,299	100%

Based upon 1,264 valid cases out of 2,299 total cases.

Location: 243-244 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1239: 151B013N:ALC TASTES GOOD

Item Number: 01950

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

N. Because it tastes good

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	892	38.8 %
1	MARKED:(1)	372	16.2 %
	Missing Data		
-9	MISSING:(-9)	1035	45.0 %
	Total	2,299	100%

Based upon 1,264 valid cases out of 2,299 total cases.

Location: 245-246 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1240: 151B013O:ALC I AM HOOKED

Item Number: 01960

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

O. Because I am "hooked"--I feel I have to drink

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1249	54.3 %
1	MARKED:(1)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	1035	45.0 %
	Total	2,299	100%

Based upon 1,264 valid cases out of 2,299 total cases.

Location: 247-248 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1241: 151B014:#ALCOHOL, VERY HIGH

Item Number: 01970

When you drink alcoholic beverages, how drunk or high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"

4="Very high"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	379	16.5 %
2	A LITTLE:(2)	342	14.9 %
3	MODERATE:(3)	441	19.2 %
4	VERY:(4)	125	5.4 %
Missing Data			
-9	MISSING:(-9)	1012	44.0 %
Total		2,299	100%

Based upon 1,287 valid cases out of 2,299 total cases.

Location: 249-250 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1242: 151B015:DRK AL,HI24+HR

Item Number: 01980

When you drink alcoholic beverages, how long do you usually stay drunk or high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%
1	USLY DONT:(1)	379	16.5 %
2	1-2 HRS:(2)	396	17.2 %
3	3-6 HRS:(3)	452	19.7 %
4	7-24 HRS:(4)	45	2.0 %
5	> 24 HRS:(5)	12	0.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	1015	44.1 %
	Total	2,299	100%

Based upon 1,284 valid cases out of 2,299 total cases.

Location: 251-252 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1824: 151B016:4+DRK ROW/2WK

Item Number: 00845

The following questions ask about how much you have to drink on the occasions when you drink alcoholic beverages. For these questions, a "drink" means any of the following: A 12-ounce can (or bottle) of beer. A 4-ounce glass of wine. A 12-ounce bottle (or can) of wine cooler. A mixed drink, shot glass of liquor, or the equivalent.

Think back over the LAST TWO WEEKS. How many times (if any) have you had four or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	903	39.3 %
2	ONCE:(2)	159	6.9 %
3	TWICE:(3)	97	4.2 %
4	3-5X:(4)	76	3.3 %
5	6-9X:(5)	12	0.5 %
6	10+ TIME:(6)	14	0.6 %
	Missing Data		
-9	MISSING:(-9)	1038	45.2 %
	Total	2,299	100%

Based upon 1,261 valid cases out of 2,299 total cases.

Location: 253-254 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1243: 151B017:5+DRK ROW/LST 2

Item Number: 00850

During the last two weeks, how many times (if any) have you had five or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1010	43.9 %
2	ONCE:(2)	112	4.9 %
3	TWICE:(3)	88	3.8 %
4	3-5X:(4)	43	1.9 %
5	6-9X:(5)	12	0.5 %
6	10+ TIME:(6)	8	0.3 %
Missing Data			
-9	MISSING:(-9)	1026	44.6 %
Total		2,299	100%

Based upon 1,273 valid cases out of 2,299 total cases.

Location: 255-256 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1825: 151B018:10+DRK ROW/2WK

Item Number: 00853

During the last two weeks, how many times (if any) have you had 10 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1148	49.9 %
2	ONCE:(2)	54	2.3 %
3	TWICE:(3)	41	1.8 %
4	3-5X:(4)	25	1.1 %
5	6-9X:(5)	1	0.0 %
6	10+ TIME:(6)	10	0.4 %
Missing Data			
-9	MISSING:(-9)	1020	44.4 %
Total		2,299	100%

Based upon 1,279 valid cases out of 2,299 total cases.

Location: 257-258 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1826: 151B019:15+DRK ROW/2WK

Item Number: 00855

During the last two weeks, how many times (if any) have you had 15 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1203	52.3 %
2	ONCE:(2)	34	1.5 %
3	TWICE:(3)	20	0.9 %
4	3-5X:(4)	12	0.5 %
5	6-9X:(5)	4	0.2 %
6	10+ TIME:(6)	7	0.3 %
Missing Data			
-9	MISSING:(-9)	1019	44.3 %
Total		2,299	100%

Based upon 1,280 valid cases out of 2,299 total cases.

Location: 259-260 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1247: 151B020:*TRY STP ALC/FL

Item Number: 02020

Have you ever tried to stop using alcoholic beverages and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	38	1.7 %
2	NO:(2)	1244	54.1 %
Missing Data			
-9	MISSING:(-9)	1017	44.2 %
Total		2,299	100%

Based upon 1,282 valid cases out of 2,299 total cases.

Location: 261-262 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1805: 151B021A:#XDRUNK/LIFETIM

Item Number: 25020

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1116	48.5 %
2	1-2X:(2)	311	13.5 %
3	3-5X:(3)	181	7.9 %
4	6-9X:(4)	129	5.6 %
5	10-19X:(5)	118	5.1 %
6	20-39X:(6)	72	3.1 %
7	40+OCCAS:(7)	93	4.0 %
Missing Data			
-9	MISSING:(-9)	279	12.1 %
Total		2,299	100%

Based upon 2,020 valid cases out of 2,299 total cases.

Location: 263-264 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1806: 151B021B:#XDRUNK/LAST12M

Item Number: 25030

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1286	55.9 %
2	1-2X:(2)	320	13.9 %
3	3-5X:(3)	171	7.4 %
4	6-9X:(4)	92	4.0 %
5	10-19X:(5)	69	3.0 %
6	20-39X:(6)	39	1.7 %
7	40+OCCAS:(7)	38	1.7 %
Missing Data			
-9	MISSING:(-9)	284	12.4 %
Total		2,299	100%

Based upon 2,015 valid cases out of 2,299 total cases.

Location: 265-266 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1807: 151B021C:#XDRUNK/LAST30D

Item Number: 25040

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1643	71.5 %
2	1-2X:(2)	220	9.6 %
3	3-5X:(3)	76	3.3 %
4	6-9X:(4)	43	1.9 %
5	10-19X:(5)	10	0.4 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	9	0.4 %
Missing Data			
-9	MISSING:(-9)	294	12.8 %
Total		2,299	100%

Based upon 2,005 valid cases out of 2,299 total cases.

Location: 267-268 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V1248: 151B022:NO ALC IN 5 YR

Item Number: 02030

Do you think you will be drinking alcoholic beverages five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	463	20.1 %
2	PRB WILL:(2)	1002	43.6 %
3	PRB WONT:(3)	352	15.3 %
4	DEF WONT:(4)	355	15.4 %
Missing Data			
-9	MISSING:(-9)	127	5.5 %
Total		2,299	100%

Based upon 2,172 valid cases out of 2,299 total cases.

Location: 269-270 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1249: 151B023A:#X HASH/LIFETIM

Item Number: 02040

The next questions are about MARIJUANA and HASHISH. Marijuana is sometimes called: Weed, Pot, Dope. Hashish is sometimes called: Hash, Hash oil. On how many occasions (if any) have you used hashish . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1940	84.4 %
2	1-2X:(2)	75	3.3 %
3	3-5X:(3)	36	1.6 %
4	6-9X:(4)	23	1.0 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	14	0.6 %
6	20-39X:(6)	9	0.4 %
7	40+OCCAS:(7)	52	2.3 %
	Missing Data		
-9	MISSING:(-9)	150	6.5 %
	Total	2,299	100%

Based upon 2,149 valid cases out of 2,299 total cases.

Location: 271-272 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1250: 151B023B:#X HASH/LAST12M

Item Number: 02050

On how many occasions (if any) have you used hashish . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1984	86.3 %
2	1-2X:(2)	69	3.0 %
3	3-5X:(3)	28	1.2 %
4	6-9X:(4)	19	0.8 %
5	10-19X:(5)	10	0.4 %
6	20-39X:(6)	8	0.3 %
7	40+OCCAS:(7)	34	1.5 %
	Missing Data		
-9	MISSING:(-9)	147	6.4 %
	Total	2,299	100%

Based upon 2,152 valid cases out of 2,299 total cases.

Location: 273-274 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1251: 151B023C:#X HASH/LAST30D

Item Number: 02060

On how many occasions (if any) have you used hashish . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2051	89.2 %
2	1-2X:(2)	41	1.8 %
3	3-5X:(3)	12	0.5 %
4	6-9X:(4)	9	0.4 %
5	10-19X:(5)	8	0.3 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	25	1.1 %
Missing Data			
-9	MISSING:(-9)	150	6.5 %
Total		2,299	100%

Based upon 2,149 valid cases out of 2,299 total cases.

Location: 275-276 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1252: 151B024A:#X MARJ/LIFETIM

Item Number: 02070

On how many occasions (if any) have you used marijuana . . .

A: . . .in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1207	52.5 %
2	1-2X:(2)	221	9.6 %
3	3-5X:(3)	122	5.3 %
4	6-9X:(4)	99	4.3 %
5	10-19X:(5)	113	4.9 %
6	20-39X:(6)	88	3.8 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	287	12.5 %
	Missing Data		
-9	MISSING:(-9)	162	7.0 %
	Total	2,299	100%

Based upon 2,137 valid cases out of 2,299 total cases.

Location: 277-278 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1253: 151B024B:#X MARJ/LAST12M

Item Number: 02080

On how many occasions (if any) have you used marijuana . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1395	60.7 %
2	1-2X:(2)	190	8.3 %
3	3-5X:(3)	128	5.6 %
4	6-9X:(4)	87	3.8 %
5	10-19X:(5)	97	4.2 %
6	20-39X:(6)	55	2.4 %
7	40+OCCAS:(7)	184	8.0 %
	Missing Data		
-9	MISSING:(-9)	163	7.1 %
	Total	2,299	100%

Based upon 2,136 valid cases out of 2,299 total cases.

Location: 279-280 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1254: 151B024C:#X MARJ/LAST30D

Item Number: 02090

On how many occasions (if any) have you used marijuana . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1669	72.6 %
2	1-2X:(2)	149	6.5 %
3	3-5X:(3)	84	3.7 %
4	6-9X:(4)	50	2.2 %
5	10-19X:(5)	48	2.1 %
6	20-39X:(6)	45	2.0 %
7	40+OCCAS:(7)	84	3.7 %
Missing Data			
-9	MISSING:(-9)	170	7.4 %
Total		2,299	100%

Based upon 2,129 valid cases out of 2,299 total cases.

Location: 281-282 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1115: 151B019X:#XMJ+HS/LIFETIM

Item Number: 00860

Component questions are "On how many occasions (if any) have you used hashish in your lifetime?" (Item 02040) and "On how many occasions (if any) have you used marijuana in your lifetime?" (Item 02070).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1201	52.2 %
2	1-2X:(2)	204	8.9 %
3	3-5X:(3)	133	5.8 %
4	6-9X:(4)	96	4.2 %
5	10-19X:(5)	116	5.0 %
6	20-39X:(6)	87	3.8 %
7	40+OCCAS:(7)	291	12.7 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	171	7.4 %
Total		2,299	100%

Based upon 2,128 valid cases out of 2,299 total cases.

Location: 283-284 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1116: 151B019Y:#XMJ+HS/LAST12M

Item Number: 00870

Component questions are "On how many occasions (if any) have you used hashish during the last 12 months?" (Item 02050) and "On how many occasions (if any) have you used marijuana during the last 12 months?" (Item 02080).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1388	60.4 %
2	1-2X:(2)	174	7.6 %
3	3-5X:(3)	140	6.1 %
4	6-9X:(4)	82	3.6 %
5	10-19X:(5)	102	4.4 %
6	20-39X:(6)	53	2.3 %
7	40+OCCAS:(7)	190	8.3 %
Missing Data			
-9	MISSING:(-9)	170	7.4 %
Total		2,299	100%

Based upon 2,129 valid cases out of 2,299 total cases.

Location: 285-286 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1117: 151B019Z:#XMJ+HS/LAST30D

Item Number: 00880

Component questions are "On how many occasions (if any) have you used hashish during the last 30 days?" (Item 02060) and "On how many occasions (if any) have you used marijuana during the last 30 days?" (Item 02090).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1659	72.2 %
2	1-2X:(2)	141	6.1 %
3	3-5X:(3)	92	4.0 %
4	6-9X:(4)	45	2.0 %
5	10-19X:(5)	49	2.1 %
6	20-39X:(6)	46	2.0 %
7	40+OCCAS:(7)	90	3.9 %
Missing Data			
-9	MISSING:(-9)	177	7.7 %
Total		2,299	100%

Based upon 2,122 valid cases out of 2,299 total cases.

Location: 287-288 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1255: 151B025A:#X/YR MJ ALONE

Item Number: 02100

IF YOU HAVE NOT USED MARIJUANA OR HASHISH IN THE LAST TWELVE MONTHS GO TO QUESTION 28.

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	438	19.1 %
2	FEW TIMES:(2)	131	5.7 %
3	SOMETIMES:(3)	96	4.2 %
4	MOST TIMES:(4)	37	1.6 %
5	EVERY TIME:(5)	35	1.5 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	1562	67.9 %
Total		2,299	100%

Based upon 737 valid cases out of 2,299 total cases.

Location: 289-290 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1256: 151B025B:#X/YR MJ-2 PPL

Item Number: 02110

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	56	2.4 %
2	FEW TIMES:(2)	209	9.1 %
3	SOMETIMES:(3)	133	5.8 %
4	MOST TIMES:(4)	197	8.6 %
5	EVERY TIME:(5)	142	6.2 %
	Missing Data		
-9	MISSING:(-9)	1562	67.9 %
Total		2,299	100%

Based upon 737 valid cases out of 2,299 total cases.

Location: 291-292 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1257: 151B025C:#X/YR MJ@PARTY

Item Number: 02120

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	219	9.5 %
2	FEW TIMES:(2)	165	7.2 %
3	SOMETIMES:(3)	153	6.7 %
4	MOST TIMES:(4)	98	4.3 %
5	EVERY TIME:(5)	101	4.4 %
Missing Data			
-9	MISSING:(-9)	1563	68.0 %
Total		2,299	100%

Based upon 736 valid cases out of 2,299 total cases.

Location: 293-294 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1258: 151B025D:#X/YR MJ-DT/SP

Item Number: 02130

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

D: When your date or spouse/partner was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	405	17.6 %
2	FEW TIMES:(2)	122	5.3 %
3	SOMETIMES:(3)	86	3.7 %
4	MOST TIMES:(4)	57	2.5 %
5	EVERY TIME:(5)	63	2.7 %
Missing Data			
-9	MISSING:(-9)	1566	68.1 %
Total		2,299	100%

Based upon 733 valid cases out of 2,299 total cases.

Location: 295-296 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1259: 151B025E:#X/YR MJ-ADLTS

Item Number: 02140

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	529	23.0 %
2	FEW TIMES:(2)	98	4.3 %
3	SOMETIMES:(3)	58	2.5 %
4	MOST TIMES:(4)	21	0.9 %
5	EVERY TIME:(5)	27	1.2 %
Missing Data			
-9	MISSING:(-9)	1566	68.1 %
Total		2,299	100%

Based upon 733 valid cases out of 2,299 total cases.

Location: 297-298 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1260: 151B025F:#X/YR MJ-DATIME

Item Number: 02150

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	296	12.9 %
2	FEW TIMES:(2)	154	6.7 %
3	SOMETIMES:(3)	151	6.6 %
4	MOST TIMES:(4)	78	3.4 %
5	EVERY TIME:(5)	55	2.4 %
Missing Data			
-9	MISSING:(-9)	1565	68.1 %
Total		2,299	100%

Based upon 734 valid cases out of 2,299 total cases.

Location: 299-300 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1261: 151B025G:#X/YR MJ@HOME

Item Number: 02160

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	362	15.7 %
2	FEW TIMES:(2)	137	6.0 %
3	SOMETIMES:(3)	85	3.7 %
4	MOST TIMES:(4)	79	3.4 %
5	EVERY TIME:(5)	70	3.0 %
Missing Data			
-9	MISSING:(-9)	1566	68.1 %
Total		2,299	100%

Based upon 733 valid cases out of 2,299 total cases.

Location: 301-302 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1262: 151B025H:#X/YR MJ@SCHL

Item Number: 02170

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	621	27.0 %
2	FEW TIMES:(2)	59	2.6 %

Value	Label	Unweighted Frequency	%
3	SOMETIMES:(3)	30	1.3 %
4	MOST TIMES:(4)	5	0.2 %
5	EVERY TIME:(5)	17	0.7 %
	Missing Data		
-9	MISSING:(-9)	1567	68.2 %
	Total	2,299	100%

Based upon 732 valid cases out of 2,299 total cases.

Location: 303-304 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1263: 151B025I:#X/YR MJ-IN CAR

Item Number: 02190

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	268	11.7 %
2	FEW TIMES:(2)	174	7.6 %
3	SOMETIMES:(3)	153	6.7 %
4	MOST TIMES:(4)	92	4.0 %
5	EVERY TIME:(5)	48	2.1 %
	Missing Data		
-9	MISSING:(-9)	1564	68.0 %
	Total	2,299	100%

Based upon 735 valid cases out of 2,299 total cases.

Location: 305-306 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1813: 151B025J:#X/YR MJ@PARK/BH

Item Number: 30930

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

J. At a park or beach

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	426	18.5 %
2	FEW TIMES:(2)	130	5.7 %
3	SOMETIMES:(3)	93	4.0 %
4	MOST TIMES:(4)	45	2.0 %
5	EVERY TIME:(5)	40	1.7 %
Missing Data			
-9	MISSING:(-9)	1565	68.1 %
Total		2,299	100%

Based upon 734 valid cases out of 2,299 total cases.

Location: 307-308 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1264: 151B025K:#X OVL MJ+ ALC

Item Number: 02200

How many of the times when you used marijuana or hashish during the last year did you use it along with alcohol—that is, so that their effects overlapped?

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	324	14.1 %
2	FEW TIMES:(2)	189	8.2 %
3	SOMETIMES:(3)	125	5.4 %
4	MOST TIMES:(4)	34	1.5 %
5	EVERY TIME:(5)	26	1.1 %
Missing Data			
-9	MISSING:(-9)	1601	69.6 %
Total		2,299	100%

Based upon 698 valid cases out of 2,299 total cases.

Location: 309-310 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1897: 151B026A:TOOK FROM FRIEND W/O ASKING

Item Number: 32910

Where did you get the marijuana or hashish you used during the last year?
(Mark all that apply.)

Took from a friend without asking

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	700	30.4 %
1	MARKED:(1)	21	0.9 %
	Missing Data		
-9	MISSING:(-9)	1578	68.6 %
	Total	2,299	100%

Based upon 721 valid cases out of 2,299 total cases.

Location: 311-312 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1898: 151B026B:TOOK FROM RELATIVE W/O ASKING

Item Number: 32920

Where did you get the marijuana or hashish you used during the last year?
(Mark all that apply.)

Took from a relative without asking

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	706	30.7 %
1	MARKED:(1)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	1578	68.6 %
	Total	2,299	100%

Based upon 721 valid cases out of 2,299 total cases.

Location: 313-314 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1899: 151B026C:GIVEN FOR FREE BY FRIEND

Item Number: 32930

Where did you get the marijuana or hashish you used during the last year?
(Mark all that apply.)

Given for free by a friend

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	299	13.0 %
1	MARKED:(1)	422	18.4 %
	Missing Data		
-9	MISSING:(-9)	1578	68.6 %
	Total	2,299	100%

Based upon 721 valid cases out of 2,299 total cases.

Location: 315-316 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1900: 151B026D:GIVEN FOR FREE BY RELATIVE

Item Number: 32940

Where did you get the marijuana or hashish you used during the last year?
(Mark all that apply.)

Given for free by a relative

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	635	27.6 %
1	MARKED:(1)	86	3.7 %
	Missing Data		
-9	MISSING:(-9)	1578	68.6 %
	Total	2,299	100%

Based upon 721 valid cases out of 2,299 total cases.

Location: 317-318 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1901: 151B026E:BOUGHT FROM FRIEND

Item Number: 32950

Where did you get the marijuana or hashish you used during the last year?
(Mark all that apply.)

Bought from a friend

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	356	15.5 %
1	MARKED:(1)	365	15.9 %
	Missing Data		
-9	MISSING:(-9)	1578	68.6 %
	Total	2,299	100%

Based upon 721 valid cases out of 2,299 total cases.

Location: 319-320 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1902: 151B026F:BOUGHT FROM RELATIVE

Item Number: 32960

Where did you get the marijuana or hashish you used during the last year?
(Mark all that apply.)

Bought from a relative

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	682	29.7 %
1	MARKED:(1)	39	1.7 %
	Missing Data		
-9	MISSING:(-9)	1578	68.6 %
	Total	2,299	100%

Based upon 721 valid cases out of 2,299 total cases.

Location: 321-322 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1903: 151B026G:FROM MY OWN MED MARIJ RX

Item Number: 32970

Where did you get the marijuana or hashish you used during the last year?
(Mark all that apply.)

From my own "medical marijuana" prescription

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	698	30.4 %
1	MARKED:(1)	23	1.0 %
Missing Data			
-9	MISSING:(-9)	1578	68.6 %
Total		2,299	100%

Based upon 721 valid cases out of 2,299 total cases.

Location: 323-324 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1904: 151B026H:BOUGHT FROM DRUG DEALER/STRNGR

Item Number: 32980

Where did you get the marijuana or hashish you used during the last year?
(Mark all that apply.)

Bought from a drug dealer / stranger

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	525	22.8 %
1	MARKED:(1)	196	8.5 %
Missing Data			
-9	MISSING:(-9)	1578	68.6 %
Total		2,299	100%

Based upon 721 valid cases out of 2,299 total cases.

Location: 325-326 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1905: 151B026I:OTHER METHOD

Item Number: 32990

Where did you get the marijuana or hashish you used during the last year?
(Mark all that apply.)

Other method

0="Not Marked" 1="Marked"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	640	27.8 %
1	MARKED:(1)	81	3.5 %
Missing Data			
-9	MISSING:(-9)	1578	68.6 %
Total		2,299	100%

Based upon 721 valid cases out of 2,299 total cases.

Location: 327-328 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1906: 151B027:FROM ANOTHERS MED MARJ RX

Item Number: 33000

Did you get any of the marijuana or hashish you used during the last year from someone else's medical marijuana prescription?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	90	3.9 %
2	NO:(2)	646	28.1 %
Missing Data			
-9	MISSING:(-9)	1563	68.0 %
Total		2,299	100%

Based upon 736 valid cases out of 2,299 total cases.

Location: 329-330 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1265: 151B028A:MJ EXPERIMENT

Item Number: 02210

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	342	14.9 %
1	MARKED:(1)	385	16.7 %
	Missing Data		
-9	MISSING:(-9)	1572	68.4 %
	Total	2,299	100%

Based upon 727 valid cases out of 2,299 total cases.

Location: 331-332 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1266: 151B028B:MJ RELAX

Item Number: 02220

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	219	9.5 %
1	MARKED:(1)	508	22.1 %
	Missing Data		
-9	MISSING:(-9)	1572	68.4 %
	Total	2,299	100%

Based upon 727 valid cases out of 2,299 total cases.

Location: 333-334 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1267: 151B028C:MJ GET HIGH

Item Number: 02230

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	254	11.0 %
1	MARKED:(1)	473	20.6 %
	Missing Data		
-9	MISSING:(-9)	1572	68.4 %
	Total	2,299	100%

Based upon 727 valid cases out of 2,299 total cases.

Location: 335-336 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1268: 151B028D:MJ SEEK INSIGHT

Item Number: 02240

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	498	21.7 %
1	MARKED:(1)	229	10.0 %
	Missing Data		
-9	MISSING:(-9)	1572	68.4 %
	Total	2,299	100%

Based upon 727 valid cases out of 2,299 total cases.

Location: 337-338 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1269: 151B028E:MJ GD TM FRNDS

Item Number: 02250

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	243	10.6 %
1	MARKED:(1)	484	21.1 %
	Missing Data		
-9	MISSING:(-9)	1572	68.4 %
	Total	2,299	100%

Based upon 727 valid cases out of 2,299 total cases.

Location: 339-340 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1270: 151B028F:MJ FIT IN GRP

Item Number: 02260

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	679	29.5 %
1	MARKED:(1)	48	2.1 %
	Missing Data		
-9	MISSING:(-9)	1572	68.4 %
	Total	2,299	100%

Based upon 727 valid cases out of 2,299 total cases.

Location: 341-342 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1271: 151B028G:MJ GET AWY PRB

Item Number: 02270

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	496	21.6 %
1	MARKED:(1)	231	10.0 %
	Missing Data		
-9	MISSING:(-9)	1572	68.4 %
	Total	2,299	100%

Based upon 727 valid cases out of 2,299 total cases.

Location: 343-344 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1272: 151B028H:MJ BOREDOM

Item Number: 02280

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	542	23.6 %
1	MARKED:(1)	185	8.0 %
	Missing Data		
-9	MISSING:(-9)	1572	68.4 %
	Total	2,299	100%

Based upon 727 valid cases out of 2,299 total cases.

Location: 345-346 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1273: 151B028I:MJ ANGR/FRUSTRN

Item Number: 02290

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	556	24.2 %
1	MARKED:(1)	171	7.4 %
	Missing Data		
-9	MISSING:(-9)	1572	68.4 %
	Total	2,299	100%

Based upon 727 valid cases out of 2,299 total cases.

Location: 347-348 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1274: 151B028J:MJ GET THRU DAY

Item Number: 02300

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	607	26.4 %
1	MARKED:(1)	120	5.2 %
	Missing Data		
-9	MISSING:(-9)	1572	68.4 %
	Total	2,299	100%

Based upon 727 valid cases out of 2,299 total cases.

Location: 349-350 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1275: 151B028K:MJ INCRS EF DRG

Item Number: 02310

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	686	29.8 %
1	MARKED:(1)	41	1.8 %
	Missing Data		
-9	MISSING:(-9)	1572	68.4 %
	Total	2,299	100%

Based upon 727 valid cases out of 2,299 total cases.

Location: 351-352 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1276: 151B028L:MJ DECRS EF DRG

Item Number: 02320

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	706	30.7 %
1	MARKED:(1)	21	0.9 %
	Missing Data		
-9	MISSING:(-9)	1572	68.4 %
	Total	2,299	100%

Based upon 727 valid cases out of 2,299 total cases.

Location: 353-354 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1277: 151B028M:MJ I AM HOOKED

Item Number: 02330

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

M. Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	707	30.8 %
1	MARKED:(1)	20	0.9 %
	Missing Data		
-9	MISSING:(-9)	1572	68.4 %
	Total	2,299	100%

Based upon 727 valid cases out of 2,299 total cases.

Location: 355-356 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1278: 151B029: MJ/HSH, VRY HIGH

Item Number: 02340

When you use marijuana or hashish, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"

4="Very high"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	51	2.2 %
2	A LITTLE:(2)	156	6.8 %
3	MODERATE:(3)	323	14.0 %
4	VERY:(4)	200	8.7 %
	Missing Data		
-9	MISSING:(-9)	1569	68.2 %
	Total	2,299	100%

Based upon 730 valid cases out of 2,299 total cases.

Location: 357-358 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1279: 151B030:MJ/HSH,HI 24+HR

Item Number: 02350

When you use marijuana or hashish, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%
1	USLY DONT:(1)	61	2.7 %
2	1-2 HRS:(2)	357	15.5 %
3	3-6 HRS:(3)	263	11.4 %
4	7-24 HRS:(4)	43	1.9 %
5	> 24 HRS:(5)	7	0.3 %
Missing Data			
-9	MISSING:(-9)	1568	68.2 %
Total		2,299	100%

Based upon 731 valid cases out of 2,299 total cases.

Location: 359-360 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1280: 151B031:JOINT/DA LST MO

Item Number: 02360

During the LAST MONTH, about how many marijuana cigarettes (joints, reefers), or the equivalent, did you smoke a day, on the average? (If you shared them with other people, count only the amount YOU smoked.)

1="None" 2="Less than 1 a day" 3="1 a day" 4="2-3 a day"
5="4-6 a day" 6="7-10 a day" 7="11 or more a day"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	295	12.8 %
2	< 1/DAY:(2)	181	7.9 %
3	1/DAY:(3)	67	2.9 %
4	2-3/DAY:(4)	72	3.1 %
5	4-6/DAY:(5)	31	1.3 %
6	7-10/DAY:(6)	9	0.4 %
7	11+/DAY:(7)	13	0.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	1631	70.9 %
	Total	2,299	100%

Based upon 668 valid cases out of 2,299 total cases.

Location: 361-362 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1281: 151B032:OZS.MJ LST MO/6

Item Number: 02370

Do you know how much marijuana you have used (in ounces)
during the LAST MONTH?

1="None" 2="Less than 1/2 ounce" 3="About 1/2 ounce" 4="About
1 ounce" 5="About 2 ounces" 6="3 to 5 ounces" 7="6 or more
ounces" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	229	10.0 %
2	< 1/2 OZ:(2)	88	3.8 %
3	1/2 OZ:(3)	42	1.8 %
4	1 OZ:(4)	66	2.9 %
5	2 OZ:(5)	38	1.7 %
6	3-5 OZ:(6)	25	1.1 %
7	6+ OZ:(7)	25	1.1 %
8	DK:(8)	154	6.7 %
	Missing Data		
-9	MISSING:(-9)	1632	71.0 %
	Total	2,299	100%

Based upon 667 valid cases out of 2,299 total cases.

Location: 363-364 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1907: 141B026A:MTHD MJ SMOKING

Item Number: 33010

What methods have you used for taking marijuana or hashish during
the last year? (Mark all that apply.)

Smoking

0 = "UNMARKED" 1 = "MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	35	1.5 %
1	MARKED:(1)	686	29.8 %
	Missing Data		
-9	MISSING:(-9)	1578	68.6 %
	Total	2,299	100%

Based upon 721 valid cases out of 2,299 total cases.

Location: 365-366 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1932: 3397015B033B:MTHD MJ VAPORIZER

Item Number = 33970

What methods have you used for taking marijuana or hashish during the last year? (Mark all that apply.)

In a vaporizer

0 = "UNMARKED" 1 = "MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	543	23.6 %
1	MARKED:(1)	178	7.7 %
	Missing Data		
-9	MISSING:(-9)	1578	68.6 %
	Total	2,299	100%

Based upon 721 valid cases out of 2,299 total cases.

Location: 367-368 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1908: 141B026B:MTHD MJ IN FOOD

Item Number: 33020

What methods have you used for taking marijuana or hashish during the last year? (Mark all that apply.)

Eating in food

0 = "UNMARKED" 1 = "MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	501	21.8 %
1	MARKED:(1)	220	9.6 %
	Missing Data		
-9	MISSING:(-9)	1578	68.6 %
	Total	2,299	100%

Based upon 721 valid cases out of 2,299 total cases.

Location: 369-370 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1909: 141B026C:MTHD MJ IN DRINK

Item Number: 33030

What methods have you used for taking marijuana or hashish during the last year? (Mark all that apply.)

In a drink

0 = "UNMARKED" 1 = "MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	702	30.5 %
1	MARKED:(1)	19	0.8 %
	Missing Data		
-9	MISSING:(-9)	1578	68.6 %
	Total	2,299	100%

Based upon 721 valid cases out of 2,299 total cases.

Location: 371-372 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1910: 141B026D:MTHD MJ OTHER

Item Number: 33040

What methods have you used for taking marijuana or hashish during the last year? (Mark all that apply.)

Other

0 = "UNMARKED" 1 = "MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	647	28.1 %
1	MARKED:(1)	74	3.2 %
	Missing Data		
-9	MISSING:(-9)	1578	68.6 %
	Total	2,299	100%

Based upon 721 valid cases out of 2,299 total cases.

Location: 373-374 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1282: 151B034:*TRY STP MJ FL

Item Number: 02380

Have you ever tried to stop using marijuana or hashish and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	35	1.5 %
2	NO:(2)	693	30.1 %
	Missing Data		
-9	MISSING:(-9)	1571	68.3 %
	Total	2,299	100%

Based upon 728 valid cases out of 2,299 total cases.

Location: 375-376 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1706: 151B035:MJ/HSH EVR DLY

Item Number: 21180

Thinking back over your whole life, has there ever been a period when you used marijuana or hashish on a daily, or almost daily, basis for at least a month?

1="No--GO TO QUESTION 32" 2="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	1816	79.0 %
2	YES:(2)	266	11.6 %
	Missing Data		
-9	MISSING:(-9)	217	9.4 %
	Total	2,299	100%

Based upon 2,082 valid cases out of 2,299 total cases.

Location: 377-378 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1707: 151B036:GR 1ST DAILY MJ

Item Number: 21190

How old were you when you first smoked marijuana or hashish that frequently?

1="Grade 6 or earlier" 2="Grade 7 or 8" 3="Grade 9 (Freshman)"
4="Grade 10 (Sophomore)" 5="Grade 11 (Junior)" 6="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	32	1.4 %
2	GRADE 7-8:(2)	71	3.1 %
3	GRADE 9:(3)	60	2.6 %
4	GRADE 10:(4)	83	3.6 %
5	GRADE 11:(5)	57	2.5 %
6	GRADE 12:(6)	41	1.8 %
	Missing Data		
-9	MISSING:(-9)	1955	85.0 %
	Total	2,299	100%

Based upon 344 valid cases out of 2,299 total cases.

Location: 379-380 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1708: 151B037:RECENT DAILY MJ

Item Number: 21200

How recently did you use marijuana or hashish on a daily, or almost daily, basis for at least a month?

1="During the past month" 2="2 months ago" 3="3 to 9 months ago" 4="About 1 year ago" 5="About 2 years ago" 6="3 or more years ago"

Value	Label	Unweighted Frequency	%
1	PAST MON:(1)	120	5.2 %
2	2 MON:(2)	34	1.5 %
3	3-9 MON:(3)	51	2.2 %
4	1 YEAR:(4)	50	2.2 %
5	2 YEARS:(5)	40	1.7 %
6	3+ YEARS:(6)	32	1.4 %
Missing Data			
-9	MISSING:(-9)	1972	85.8 %
Total		2,299	100%

Based upon 327 valid cases out of 2,299 total cases.

Location: 381-382 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1709: 151B038:#X DAILY MJ/LFT

Item Number: 21210

Over your whole lifetime, during how many months have you used marijuana or hashish on a daily or near-daily basis?

1="Less than 3 months" 2="3 to 9 months" 3="About 1 year"
4="About 1 and 1/2 years" 5="About 2 years" 6="About 3 to 5 years" 7="6 to 9 years" 8="10 or more years"

Value	Label	Unweighted Frequency	%
1	< 3MO:(1)	131	5.7 %
2	3-9 MO:(2)	42	1.8 %
3	1 YEAR:(3)	38	1.7 %
4	1 1/2 YRS:(4)	16	0.7 %
5	2 YRS:(5)	47	2.0 %
6	3-5 YRS:(6)	41	1.8 %
7	6-9 YRS:(7)	7	0.3 %
8	10+ YRS:(8)	8	0.3 %
Missing Data			
-9	MISSING:(-9)	1969	85.6 %
Total		2,299	100%

Based upon 330 valid cases out of 2,299 total cases.

Location: 383-384 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1283: 151B039:NO MJ/HSH IN5YR

Item Number: 02390

Do you think you will be using marijuana or hashish five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	154	6.7 %
2	PRB WILL:(2)	318	13.8 %
3	PRB WONT:(3)	518	22.5 %
4	DEF WONT:(4)	1147	49.9 %
Missing Data			
-9	MISSING:(-9)	162	7.0 %
Total		2,299	100%

Based upon 2,137 valid cases out of 2,299 total cases.

Location: 385-386 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1926: 141B033A:MJ ADS STOREFRONT

Item Number = 33760

In recent months, about how often have you seen ads promoting marijuana use. . .

A: . . . on storefronts?

1="Not at all" 2="Less than Once a Month" 3="1-3 Times per Month" 4="1-3 Times per Week" 5="Daily or Almost Daily" 6="More than Once a Week"

Value	Label	Unweighted Frequency	%
1	NOT AT ALL:(1)	1786	77.7 %
2	<ONCE PER MONTH:(2)	186	8.1 %
3	1-3X PER MONTH:(3)	104	4.5 %
4	1-3X PER WEEK:(4)	26	1.1 %
5	DAILY:(5)	16	0.7 %

Value	Label	Unweighted Frequency	%
6	>ONCE PER DAY:(6)	17	0.7 %
	Missing Data		
-9	MISSING:(-9)	164	7.1 %
	Total	2,299	100%

Based upon 2,135 valid cases out of 2,299 total cases.

Location: 387-388 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1927: 141B033B:MJ ADS BILLBOARD

Item Number: 33770

In recent months, about how often have you seen ads promoting marijuana or hashish use . . .

B: . . . on billboards?

1="Not at all" 2="Less than Once a Month" 3="1-3 Times per Month"

4="1-3 Times per Week" 5="Daily or Almost Daily" 6="More than Once a Day"

Value	Label	Unweighted Frequency	%
1	NOT AT ALL:(1)	1836	79.9 %
2	<ONCE PER MONTH:(2)	184	8.0 %
3	1-3X PER MONTH:(3)	69	3.0 %
4	1-3X PER WEEK:(4)	24	1.0 %
5	DAILY:(5)	6	0.3 %
6	>ONCE PER DAY:(6)	13	0.6 %
	Missing Data		
-9	MISSING:(-9)	167	7.3 %
	Total	2,299	100%

Based upon 2,132 valid cases out of 2,299 total cases.

Location: 389-390 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1928: 141B033C:MJ ADS MAG/NEWSP

Item Number: 33780

In recent months, about how often have you seen ads promoting marijuana or hashish use . . .

C: . . . in magazines or newspapers?

1="Not at all" 2="Less than Once a Month" 3="1-3 Times per Month"
 4="1-3 Times per Week" 5="Daily or Almost Daily" 6="More than Once a Day"

Value	Label	Unweighted Frequency	%
1	NOT AT ALL:(1)	1606	69.9 %
2	<ONCE PER MONTH:(2)	278	12.1 %
3	1-3X PER MONTH:(3)	136	5.9 %
4	1-3X PER WEEK:(4)	60	2.6 %
5	DAILY:(5)	17	0.7 %
6	>ONCE PER DAY:(6)	29	1.3 %
Missing Data			
-9	MISSING:(-9)	173	7.5 %
Total		2,299	100%

Based upon 2,126 valid cases out of 2,299 total cases.

Location: 391-392 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1929: 141B033D:MJ ADS INTERNET

Item Number = 33790

In recent months, about how often have you seen ads promoting marijuana use. . .

D: . . . on the internet?

1="Not at all" 2="Less than Once a Month" 3="1-3 Times per Month" 4="1-3 Times per Week" 5="Daily or Almost Daily" 6="More than Once a Day"

Value	Label	Unweighted Frequency	%
1	NOT AT ALL:(1)	935	40.7 %
2	<ONCE PER MONTH:(2)	309	13.4 %
3	1-3X PER MONTH:(3)	336	14.6 %
4	1-3X PER WEEK:(4)	185	8.0 %
5	DAILY:(5)	157	6.8 %
6	>ONCE PER DAY:(6)	209	9.1 %
Missing Data			
-9	MISSING:(-9)	168	7.3 %
Total		2,299	100%

Based upon 2,131 valid cases out of 2,299 total cases.

Location: 393-394 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V1930: 141B033E:MJ ADS ON TV

Item Number = 33800

In recent months, about how often have you seen ads promoting marijuana use. . .

E: . . . on TV?

1="Not at all" 2="Less than Once a Month" 3="1-3 Times per Month" 4="1-3 Times per Week" 5="Daily or Almost Daily" 6="More than Once a Week"

Value	Label	Unweighted Frequency	%
1	NOT AT ALL:(1)	1491	64.9 %
2	<ONCE PER MONTH:(2)	261	11.4 %
3	1-3X PER MONTH:(3)	164	7.1 %
4	1-3X PER WEEK:(4)	91	4.0 %
5	DAILY:(5)	51	2.2 %
6	>ONCE PER DAY:(6)	68	3.0 %
Missing Data			
-9	MISSING:(-9)	173	7.5 %
Total		2,299	100%

Based upon 2,126 valid cases out of 2,299 total cases.

Location: 395-396 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1931: 141B033F:MJ ADS ON RADIO

Item Number = 33810

In recent months, about how often have you seen ads promoting marijuana use. . .

F: . . . on the radio?

1="Not at all" 2="Less than Once a Month" 3="1-3 Times per Month" 4="1-3 Times per Week" 5="Daily or Almost Daily" 6="More than Once a Week"

Value	Label	Unweighted Frequency	%
1	NOT AT ALL:(1)	1728	75.2 %
2	<ONCE PER MONTH:(2)	188	8.2 %
3	1-3X PER MONTH:(3)	64	2.8 %
4	1-3X PER WEEK:(4)	53	2.3 %
5	DAILY:(5)	36	1.6 %

Value	Label	Unweighted Frequency	%
6	>ONCE PER DAY:(6)	49	2.1 %
	Missing Data		
-9	MISSING:(-9)	181	7.9 %
	Total	2,299	100%

Based upon 2,118 valid cases out of 2,299 total cases.

Location: 397-398 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1284: 151B041A:#X LSD/LIFETIME

Item Number: 00890

The next questions are about LSD, the hallucinogenic drug which is sometimes called "acid". On how many occasions (if any) have you used LSD . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2045	89.0 %
2	1-2X:(2)	48	2.1 %
3	3-5X:(3)	21	0.9 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	8	0.3 %
	Missing Data		
-9	MISSING:(-9)	167	7.3 %
	Total	2,299	100%

Based upon 2,132 valid cases out of 2,299 total cases.

Location: 399-400 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1285: 151B041B:#X LSD/LAST 12M

Item Number: 00900

On how many occasions (if any) have you used LSD) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2070	90.0 %
2	1-2X:(2)	31	1.3 %
3	3-5X:(3)	15	0.7 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	6	0.3 %
Missing Data			
-9	MISSING:(-9)	167	7.3 %
Total		2,299	100%

Based upon 2,132 valid cases out of 2,299 total cases.

Location: 401-402 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9

V1286: 151B041C:#X LSD/LAST 30D

Item Number: 00910

On how many occasions (if any) have you used LSD . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2103	91.5 %
2	1-2X:(2)	13	0.6 %
3	3-5X:(3)	6	0.3 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	5	0.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	169	7.4 %
	Total	2,299	100%

Based upon 2,130 valid cases out of 2,299 total cases.

Location: 403-404 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1316: 151B042A:#X PSYD/LIFETIM

Item Number: 00920

The next questions are about HALLUCINOGENS OTHER THAN LSD.

This group would include the following drugs: Mescaline,

Peyote, "Shrooms" or psilocybin, PCP. On how many occasions

(if any) have you taken hallucinogens other than LSD . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2017	87.7 %
2	1-2X:(2)	54	2.3 %
3	3-5X:(3)	22	1.0 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	189	8.2 %
	Total	2,299	100%

Based upon 2,110 valid cases out of 2,299 total cases.

Location: 405-406 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1317: 151B042B:#X PSYD/LAST12M

Item Number: 00930

On how many occasions (if any) have you taken hallucinogens other than LSD . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2047	89.0 %
2	1-2X:(2)	45	2.0 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
Missing Data			
-9	MISSING:(-9)	188	8.2 %
Total		2,299	100%

Based upon 2,111 valid cases out of 2,299 total cases.

Location: 407-408 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1318: 151B042C:#X PSYD/LAST30D

Item Number: 00940

On how many occasions (if any) have you taken hallucinogens other than LSD . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2086	90.7 %
2	1-2X:(2)	16	0.7 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	189	8.2 %
	Total	2,299	100%

Based upon 2,110 valid cases out of 2,299 total cases.

Location: 409-410 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1319: 151B043:PSYD,GT VERY HI

Item Number: 02700

IF YOU HAVE NOT TAKEN ANY HALLUCINOGENS OTHER THAN LSD IN THE LAST TWELVE MONTHS, GO TO QUESTION 46.

When you take hallucinogens other than LSD how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"

4="Very high"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1	0.0 %
2	A LITTLE:(2)	5	0.2 %
3	MODERATE:(3)	13	0.6 %
4	VERY:(4)	42	1.8 %
	Missing Data		
-9	MISSING:(-9)	2238	97.3 %
	Total	2,299	100%

Based upon 61 valid cases out of 2,299 total cases.

Location: 411-412 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1320: 151B044:PSYD,HI 24+ HRS

Item Number: 02710

When you take hallucinogens other than LSD, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to

six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%
1	USLY DONT:(1)	2	0.1 %
2	1-2 HRS:(2)	5	0.2 %
3	3-6 HRS:(3)	28	1.2 %
4	7-24 HRS:(4)	19	0.8 %
5	> 24 HRS:(5)	6	0.3 %
Missing Data			
-9	MISSING:(-9)	2239	97.4 %
Total		2,299	100%

Based upon 60 valid cases out of 2,299 total cases.

Location: 413-414 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1321: 151B045A:TKN YR,MESCALIN

Item Number: 02720

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

A. Mescaline

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	56	2.4 %
1	MARKED:(1)	5	0.2 %
Missing Data			
-9	MISSING:(-9)	2238	97.3 %
Total		2,299	100%

Based upon 61 valid cases out of 2,299 total cases.

Location: 415-416 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1322: 151B045B:TKN YR,PEYOTE

Item Number: 02730

What hallucinogens other than LSD have you taken during the

last year? (Mark all that apply.)

B. Peyote

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	53	2.3 %
1	MARKED:(1)	8	0.3 %
	Missing Data		
-9	MISSING:(-9)	2238	97.3 %
	Total	2,299	100%

Based upon 61 valid cases out of 2,299 total cases.

Location: 417-418 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1323: 151B045C:TKN YR,PSILOCYB

Item Number: 02740

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

C. Psilocybin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	9	0.4 %
1	MARKED:(1)	52	2.3 %
	Missing Data		
-9	MISSING:(-9)	2238	97.3 %
	Total	2,299	100%

Based upon 61 valid cases out of 2,299 total cases.

Location: 419-420 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1324: 151B045D:TKN YR,PCP

Item Number: 02750

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

D. PCP

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	53	2.3 %
1	MARKED:(1)	8	0.3 %
Missing Data			
-9	MISSING:(-9)	2238	97.3 %
Total		2,299	100%

Based upon 61 valid cases out of 2,299 total cases.

Location: 421-422 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1325: 151B045E:TKN YR,CNCT THC

Item Number: 02760

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

E. Concentrated THC

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	38	1.7 %
1	MARKED:(1)	23	1.0 %
Missing Data			
-9	MISSING:(-9)	2238	97.3 %
Total		2,299	100%

Based upon 61 valid cases out of 2,299 total cases.

Location: 423-424 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1326: 151B045F:TKN YR,OTH PSYD

Item Number: 02770

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

F. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	49	2.1 %
1	MARKED:(1)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	2238	97.3 %
	Total	2,299	100%

Based upon 61 valid cases out of 2,299 total cases.

Location: 425-426 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1327: 151B045G:TKN YR,DK NAME

Item Number: 02780

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

G. Don't know the names of some I have used

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	53	2.3 %
1	MARKED:(1)	8	0.3 %
	Missing Data		
-9	MISSING:(-9)	2238	97.3 %
	Total	2,299	100%

Based upon 61 valid cases out of 2,299 total cases.

Location: 427-428 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1710: 151B046A:#X DIETPILL/LFT

Item Number: 21220

The next questions are about some non-prescription drugs. Some types of diet pills (also called appetite suppressants) can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These "over-the-counter"

drugs include Dexatrim(R), Hydroxycut(R), and others. On how many occasions (if any) have you taken such non-prescription diet pills . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1959	85.2 %
2	1-2X:(2)	67	2.9 %
3	3-5X:(3)	23	1.0 %
4	6-9X:(4)	18	0.8 %
5	10-19X:(5)	14	0.6 %
6	20-39X:(6)	19	0.8 %
7	40+OCCAS:(7)	18	0.8 %
Missing Data			
-9	MISSING:(-9)	181	7.9 %
Total		2,299	100%

Based upon 2,118 valid cases out of 2,299 total cases.

Location: 429-430 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1711: 151B046B:#X DIETPILL/12M

Item Number: 21230

On how many occasions (if any) have you taken such non-prescription diet pills . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2009	87.4 %
2	1-2X:(2)	48	2.1 %
3	3-5X:(3)	11	0.5 %
4	6-9X:(4)	14	0.6 %
5	10-19X:(5)	3	0.1 %

Value	Label	Unweighted Frequency	%
6	20-39X:(6)	17	0.7 %
7	40+OCCAS:(7)	11	0.5 %
Missing Data			
-9	MISSING:(-9)	186	8.1 %
Total		2,299	100%

Based upon 2,113 valid cases out of 2,299 total cases.

Location: 431-432 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1712: 151B046C:#X DIETPILL/30D

Item Number: 21240

On how many occasions (if any) have you taken such non-prescription diet pills . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2069	90.0 %
2	1-2X:(2)	21	0.9 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	8	0.3 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	6	0.3 %
7	40+OCCAS:(7)	5	0.2 %
Missing Data			
-9	MISSING:(-9)	183	8.0 %
Total		2,299	100%

Based upon 2,116 valid cases out of 2,299 total cases.

Location: 433-434 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1713: 151B047A:#X STA-AWAK/LFT

Item Number: 21250

Some stay-aware pills can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These non-prescription or "over-the-counter" drugs include No-Doz(R), Vivarin(R), and others. On how many occasions (if any) have you taken such non-prescription stay-aware pills . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2040	88.7 %
2	1-2X:(2)	37	1.6 %
3	3-5X:(3)	15	0.7 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	10	0.4 %
6	20-39X:(6)	6	0.3 %
7	40+OCCAS:(7)	13	0.6 %
Missing Data			
-9	MISSING:(-9)	173	7.5 %
Total		2,299	100%

Based upon 2,126 valid cases out of 2,299 total cases.

Location: 435-436 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1714: 151B047B:#X STA-AWAK/12M

Item Number: 21260

On how many occasions (if any) have you taken such non-prescription stay-aware pills . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2064	89.8 %
2	1-2X:(2)	30	1.3 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	7	0.3 %
Missing Data			
-9	MISSING:(-9)	173	7.5 %
Total		2,299	100%

Based upon 2,126 valid cases out of 2,299 total cases.

Location: 437-438 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1715: 151B047C:#X STA-AWAK/30D

Item Number: 21270

On how many occasions (if any) have you taken such non-prescription stay-awake pills . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2096	91.2 %
2	1-2X:(2)	15	0.7 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	4	0.2 %
Missing Data			
-9	MISSING:(-9)	175	7.6 %
Total		2,299	100%

Based upon 2,124 valid cases out of 2,299 total cases.

Location: 439-440 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1716: 151B048A:#X LOOKALIK/LFT

Item Number: 21280

In addition to non-prescription diet and stay-aware pills, there are other stimulants and pep pills which can be sold legally in most states without a prescription--usually by mail. These are sometimes called "fake pep pills," "imitation speed," or "look-alikes," because they look like prescription amphetamines and sometimes have similar names. Other than the diet pills and stay-aware pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2039	88.7 %
2	1-2X:(2)	35	1.5 %
3	3-5X:(3)	22	1.0 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	6	0.3 %
Missing Data			
-9	MISSING:(-9)	182	7.9 %
Total		2,299	100%

Based upon 2,117 valid cases out of 2,299 total cases.

Location: 441-442 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1717: 151B048B:#X LOOKALIK/12M

Item Number: 21290

Other than the diet pills and stay-aware pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9

Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2066	89.9 %
2	1-2X:(2)	27	1.2 %
3	3-5X:(3)	15	0.7 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	4	0.2 %
Missing Data			
-9	MISSING:(-9)	178	7.7 %
Total		2,299	100%

Based upon 2,121 valid cases out of 2,299 total cases.

Location: 443-444 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1718: 151B048C:#X LOOKALIK/30D

Item Number: 21300

Other than the diet pills and stay-aware pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2096	91.2 %
2	1-2X:(2)	12	0.5 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	182	7.9 %
Total		2,299	100%

Based upon 2,117 valid cases out of 2,299 total cases.

Location: 445-446 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1328: 151B049:DR TOLD TK AMPH

Item Number = 02790

The next questions are about AMPHETAMINES and OTHER STIMULANT DRUGS, which are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. Drugstores are not supposed to sell them without a prescription from a doctor.

Amphetamines are sometimes called: Uppers, Ups, Speed, Dexies, Pep Pills, Diet Pills, Meth or Crystal Meth. They include the following drugs: Dexedrine, Ritalin, Adderall, Concerta, Vyvanse, Methamphetamine.

IN YOUR ANSWERS ABOUT AMPHETAMINES, DO NOT INCLUDE ANY NON-PRESCRIPTION OR OVER-THE-COUNTER DRUGS.

Have you ever taken amphetamines or other stimulant drugs because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own." 3="Yes, and it was the first time I took any."

Value	Label	Unweighted Frequency	%
1	NO:(1)	1938	84.3 %
2	YES/BUT TRIED:(2)	42	1.8 %
3	YES/FIRST:(3)	136	5.9 %
	Missing Data		
-9	MISSING:(-9)	183	8.0 %
Total		2,299	100%

Based upon 2,116 valid cases out of 2,299 total cases.

Location: 447-448 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1329: 151B050A:#X AMPH/LIFETIM

Item Number = 00980

On how many occasions (if any) have you taken amphetamines or other prescription stimulant drugs on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1944	84.6 %
2	1-2X:(2)	59	2.6 %
3	3-5X:(3)	34	1.5 %
4	6-9X:(4)	18	0.8 %
5	10-19X:(5)	19	0.8 %
6	20-39X:(6)	8	0.3 %
7	40+OCCAS:(7)	13	0.6 %
Missing Data			
-9	MISSING:(-9)	204	8.9 %
Total		2,299	100%

Based upon 2,095 valid cases out of 2,299 total cases.

Location: 449-450 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1330: 151B050B:#X AMPH/LAST12M

Item Number: 00990

On how many occasions (if any) have you taken amphetamines or other prescription stimulant drugs on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1996	86.8 %
2	1-2X:(2)	42	1.8 %
3	3-5X:(3)	24	1.0 %
4	6-9X:(4)	13	0.6 %
5	10-19X:(5)	9	0.4 %
6	20-39X:(6)	5	0.2 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	8	0.3 %
	Missing Data		
-9	MISSING:(-9)	202	8.8 %
	Total	2,299	100%

Based upon 2,097 valid cases out of 2,299 total cases.

Location: 451-452 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1331: 151B050C:#X AMPH/LAST30D

Item Number = 01000

On how many occasions (if any) have you taken amphetamines or other prescription stimulant drugs on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2047	89.0 %
2	1-2X:(2)	21	0.9 %
3	3-5X:(3)	11	0.5 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	6	0.3 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	204	8.9 %
	Total	2,299	100%

Based upon 2,095 valid cases out of 2,299 total cases.

Location: 453-454 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1332: 151B051A:#X/YR AMPH ALNE

Item Number = 02800

IF YOU HAVE NOT TAKEN AMPHETAMINES IN THE LAST TWELVE MONTHS, GO TO QUESTION 59. THE FOLLOWING QUESTIONS REFER ONLY TO TAKING AMPHETAMINES WITHOUT A DOCTORs ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO

QUESTION 59.

When you used amphetamines or other stimulant drugs during the last year, how often did you use them in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	43	1.9 %
2	FEW TIMES:(2)	19	0.8 %
3	SOMETIMES:(3)	12	0.5 %
4	MOST TIMES:(4)	12	0.5 %
5	EVERY TIME:(5)	12	0.5 %
Missing Data			
-9	MISSING:(-9)	2201	95.7 %
Total		2,299	100%

Based upon 98 valid cases out of 2,299 total cases.

Location: 455-456 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1333: 151B051B:#X/YR AMPH-2PPL

Item Number = 02810

When you used amphetamines or other stimulant drugs during the last year, how often did you use them in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	37	1.6 %
2	FEW TIMES:(2)	28	1.2 %
3	SOMETIMES:(3)	17	0.7 %
4	MOST TIMES:(4)	6	0.3 %
5	EVERY TIME:(5)	11	0.5 %
Missing Data			
-9	MISSING:(-9)	2200	95.7 %
Total		2,299	100%

Based upon 99 valid cases out of 2,299 total cases.

Location: 457-458 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1334: 151B051C:#X/YR AMPH@PRTY

Item Number: 02820

When you used amphetamines or other stimulant drugs during the last year, how often did you use them in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	61	2.7 %
2	FEW TIMES:(2)	11	0.5 %
3	SOMETIMES:(3)	17	0.7 %
4	MOST TIMES:(4)	5	0.2 %
5	EVERY TIME:(5)	5	0.2 %
Missing Data			
-9	MISSING:(-9)	2200	95.7 %
Total		2,299	100%

Based upon 99 valid cases out of 2,299 total cases.

Location: 459-460 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1335: 151B051D:#X/YR AMPH-DT/S

Item Number: 02830

When you used amphetamines or other stimulant drugs during the last year, how often did you use them in each of the following situations?

D: When your date or spouse/partner was present

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	68	3.0 %

Value	Label	Unweighted Frequency	%
2	FEW TIMES:(2)	11	0.5 %
3	SOMETIMES:(3)	10	0.4 %
4	MOST TIMES:(4)	4	0.2 %
5	EVERY TIME:(5)	6	0.3 %
Missing Data			
-9	MISSING:(-9)	2200	95.7 %
Total		2,299	100%

Based upon 99 valid cases out of 2,299 total cases.

Location: 461-462 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1336: 151B051E:#X/YR AMPH-ADLT

Item Number = 02840

When you used amphetamines or other stimulant drugs during the last year, how often did you use them in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	69	3.0 %
2	FEW TIMES:(2)	11	0.5 %
3	SOMETIMES:(3)	6	0.3 %
4	MOST TIMES:(4)	5	0.2 %
5	EVERY TIME:(5)	8	0.3 %
Missing Data			
-9	MISSING:(-9)	2200	95.7 %
Total		2,299	100%

Based upon 99 valid cases out of 2,299 total cases.

Location: 463-464 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1337: 151B051F:#X/YR AMPH-DATM

Item Number = 02850

When you used amphetamines or other stimulant drugs during the last year, how often did you use them

in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	39	1.7 %
2	FEW TIMES:(2)	17	0.7 %
3	SOMETIMES:(3)	14	0.6 %
4	MOST TIMES:(4)	14	0.6 %
5	EVERY TIME:(5)	16	0.7 %
Missing Data			
-9	MISSING:(-9)	2199	95.7 %
Total		2,299	100%

Based upon 100 valid cases out of 2,299 total cases.

Location: 465-466 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1338: 151B051G:#X/YR AMPH@HOME

Item Number = 02860

When you used amphetamines or other stimulant drugs during the last year, how often did you use them in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	39	1.7 %
2	FEW TIMES:(2)	13	0.6 %
3	SOMETIMES:(3)	18	0.8 %
4	MOST TIMES:(4)	16	0.7 %
5	EVERY TIME:(5)	14	0.6 %
Missing Data			
-9	MISSING:(-9)	2199	95.7 %
Total		2,299	100%

Based upon 100 valid cases out of 2,299 total cases.

Location: 467-468 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1339: 151B051H:#X/YR AMPH@SCHL

Item Number: 02880

When you used amphetamines or other stimulant drugs during the last year, how often did you use them in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	48	2.1 %
2	FEW TIMES:(2)	18	0.8 %
3	SOMETIMES:(3)	15	0.7 %
4	MOST TIMES:(4)	10	0.4 %
5	EVERY TIME:(5)	8	0.3 %
Missing Data			
-9	MISSING:(-9)	2200	95.7 %
Total		2,299	100%

Based upon 99 valid cases out of 2,299 total cases.

Location: 469-470 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1340: 151B051I:#X/YR AMPH@CAR

Item Number = 02890

When you used amphetamines or other stimulant drugs during the last year, how often did you use them in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	67	2.9 %
2	FEW TIMES:(2)	15	0.7 %
3	SOMETIMES:(3)	9	0.4 %
4	MOST TIMES:(4)	5	0.2 %
5	EVERY TIME:(5)	2	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	2201	95.7 %
	Total	2,299	100%

Based upon 98 valid cases out of 2,299 total cases.

Location: 471-472 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1838: 151B052A:AMPH SRC INTERNT

Item Number = 31690

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during the last year? (Mark all that apply.)

A: Bought on the Internet

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	88	3.8 %
1	MARKED:(1)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	2207	96.0 %
	Total	2,299	100%

Based upon 92 valid cases out of 2,299 total cases.

Location: 473-474 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1873: 151B052B:AMPH SRC FRND-ASK

Item Number: 31701

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during the last year?
(Mark all that apply.)

B: Took from a friend without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	84	3.7 %
1	MARKED:(1)	8	0.3 %
Missing Data			
-9	MISSING:(-9)	2207	96.0 %
Total		2,299	100%

Based upon 92 valid cases out of 2,299 total cases.

Location: 475-476 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1874: 151B052C:AMPH SRC RLTV-ASK

Item Number: 31702

Where did you get the amphetamines or other stimulant drugs
you used without a doctor's orders during the last year?
(Mark all that apply.)

C: Took from a relative without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	83	3.6 %
1	MARKED:(1)	9	0.4 %
Missing Data			
-9	MISSING:(-9)	2207	96.0 %
Total		2,299	100%

Based upon 92 valid cases out of 2,299 total cases.

Location: 477-478 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1875: 151B052D:AMPH SRC FRND FREE

Item Number = 31711

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during
the last year? (Mark all that apply.)

D: Given for free by a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	41	1.8 %
1	MARKED:(1)	51	2.2 %
	Missing Data		
-9	MISSING:(-9)	2207	96.0 %
	Total	2,299	100%

Based upon 92 valid cases out of 2,299 total cases.

Location: 479-480 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1876: 151B052E:AMPH SRC RLT FREE

Item Number = 31712

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during the last year? (Mark all that apply.)

E: Given for free by a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	81	3.5 %
1	MARKED:(1)	11	0.5 %
	Missing Data		
-9	MISSING:(-9)	2207	96.0 %
	Total	2,299	100%

Based upon 92 valid cases out of 2,299 total cases.

Location: 481-482 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1877: 151B052F:AMPH SRC FRND BGHT

Item Number = 31721

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during the last year? (Mark all that apply.)

F: Bought from a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	50	2.2 %
1	MARKED:(1)	42	1.8 %
Missing Data			
-9	MISSING:(-9)	2207	96.0 %
Total		2,299	100%

Based upon 92 valid cases out of 2,299 total cases.

Location: 483-484 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1878: 151B052G:AMPH SRC RLT BGHT

Item Number: 31722

Where did you get the amphetamines or other stimulant drugs
you used without a doctor's orders during the last year?
(Mark all that apply.)

G: Bought from a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	85	3.7 %
1	MARKED:(1)	7	0.3 %
Missing Data			
-9	MISSING:(-9)	2207	96.0 %
Total		2,299	100%

Based upon 92 valid cases out of 2,299 total cases.

Location: 485-486 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1842: 151B052H:AMPH SRC PRESCRIP

Item Number: 31730

Where did you get the amphetamines or other stimulant drugs
you used without a doctor's orders during the last year?
(Mark all that apply.)

H: From a prescription I had

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	76	3.3 %
1	MARKED:(1)	16	0.7 %
	Missing Data		
-9	MISSING:(-9)	2207	96.0 %
	Total	2,299	100%

Based upon 92 valid cases out of 2,299 total cases.

Location: 487-488 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1843: 151B052I:AMPH SRC DEALER

Item Number = 31740

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during the last year? (Mark all that apply.)

I: Bought from drug dealer/stranger

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	78	3.4 %
1	MARKED:(1)	14	0.6 %
	Missing Data		
-9	MISSING:(-9)	2207	96.0 %
	Total	2,299	100%

Based upon 92 valid cases out of 2,299 total cases.

Location: 489-490 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1844: 151B052J:AMPH SRC OTHER

Item Number = 31750

Where did you get the amphetamines or other stimulant drugs you used without a doctor's orders during the last year? (Mark all that apply.)

J: Other method

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	80	3.5 %
1	MARKED:(1)	12	0.5 %
Missing Data			
-9	MISSING:(-9)	2207	96.0 %
Total		2,299	100%

Based upon 92 valid cases out of 2,299 total cases.

Location: 491-492 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1345: 151B053A:AMPH EXPERIMENT

Item Number = 02940

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	53	2.3 %
1	MARKED:(1)	38	1.7 %
Missing Data			
-9	MISSING:(-9)	2208	96.0 %
Total		2,299	100%

Based upon 91 valid cases out of 2,299 total cases.

Location: 493-494 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1346: 151B053B:AMPH RELAX

Item Number: 02950

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	65	2.8 %
1	MARKED:(1)	26	1.1 %
Missing Data			
-9	MISSING:(-9)	2208	96.0 %
Total		2,299	100%

Based upon 91 valid cases out of 2,299 total cases.

Location: 495-496 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1347: 151B053C:AMPH GET HIGH

Item Number: 02960

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	66	2.9 %
1	MARKED:(1)	25	1.1 %
Missing Data			
-9	MISSING:(-9)	2208	96.0 %
Total		2,299	100%

Based upon 91 valid cases out of 2,299 total cases.

Location: 497-498 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1348: 151B053D:AMPH SK INSIGHT

Item Number = 02970

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	76	3.3 %
1	MARKED:(1)	15	0.7 %
Missing Data			
-9	MISSING:(-9)	2208	96.0 %
Total		2,299	100%

Based upon 91 valid cases out of 2,299 total cases.

Location: 499-500 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1349: 151B053E:AMPH GD TM FRND

Item Number = 02980

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	73	3.2 %
1	MARKED:(1)	18	0.8 %
Missing Data			
-9	MISSING:(-9)	2208	96.0 %
Total		2,299	100%

Based upon 91 valid cases out of 2,299 total cases.

Location: 501-502 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1350: 151B053F:AMPH FIT IN GRP

Item Number: 02990

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	86	3.7 %
1	MARKED:(1)	5	0.2 %
Missing Data			
-9	MISSING:(-9)	2208	96.0 %
Total		2,299	100%

Based upon 91 valid cases out of 2,299 total cases.

Location: 503-504 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1351: 151B053G:AMPH GT AWY PRB

Item Number = 03000

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	79	3.4 %
1	MARKED:(1)	12	0.5 %
Missing Data			
-9	MISSING:(-9)	2208	96.0 %
Total		2,299	100%

Based upon 91 valid cases out of 2,299 total cases.

Location: 505-506 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1352: 151B053H:AMPH BOREDOM

Item Number = 03010

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	82	3.6 %
1	MARKED:(1)	9	0.4 %
Missing Data			
-9	MISSING:(-9)	2208	96.0 %
Total		2,299	100%

Based upon 91 valid cases out of 2,299 total cases.

Location: 507-508 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1353: 151B053I:AMPH ANGR/FRSTN

Item Number = 03020

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

- I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	84	3.7 %
1	MARKED:(1)	7	0.3 %
Missing Data			
-9	MISSING:(-9)	2208	96.0 %
Total		2,299	100%

Based upon 91 valid cases out of 2,299 total cases.

Location: 509-510 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1354: 151B053J:AMPH GT THRU DA

Item Number: 03030

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

- J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	73	3.2 %
1	MARKED:(1)	18	0.8 %
	Missing Data		
-9	MISSING:(-9)	2208	96.0 %
	Total	2,299	100%

Based upon 91 valid cases out of 2,299 total cases.

Location: 511-512 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1355: 151B053K:AMPH INCR EF DR

Item Number = 03040

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	83	3.6 %
1	MARKED:(1)	8	0.3 %
	Missing Data		
-9	MISSING:(-9)	2208	96.0 %
	Total	2,299	100%

Based upon 91 valid cases out of 2,299 total cases.

Location: 513-514 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1356: 151B053L:AMPH DCRS EF DR

Item Number = 03050

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	87	3.8 %
1	MARKED:(1)	4	0.2 %
Missing Data			
-9	MISSING:(-9)	2208	96.0 %
Total		2,299	100%

Based upon 91 valid cases out of 2,299 total cases.

Location: 515-516 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1357: 151B053M:AMPH STAY AWAKE

Item Number: 03060

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

M. To stay awake

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	52	2.3 %
1	MARKED:(1)	39	1.7 %
Missing Data			
-9	MISSING:(-9)	2208	96.0 %
Total		2,299	100%

Based upon 91 valid cases out of 2,299 total cases.

Location: 517-518 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1358: 151B053N:AMPH GET>ENERGY

Item Number: 03070

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

N. To get more energy

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	48	2.1 %
1	MARKED:(1)	43	1.9 %
	Missing Data		
-9	MISSING:(-9)	2208	96.0 %
	Total	2,299	100%

Based upon 91 valid cases out of 2,299 total cases.

Location: 519-520 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1879: 151B053O:AMPH HELP STUDY

Item Number = 03075

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

O. To help me study

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	43	1.9 %
1	MARKED:(1)	48	2.1 %
	Missing Data		
-9	MISSING:(-9)	2208	96.0 %
	Total	2,299	100%

Based upon 91 valid cases out of 2,299 total cases.

Location: 521-522 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1359: 151B053P:AMPH LOSE WGHT

Item Number: 03080

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

P. To help me lose weight

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	78	3.4 %
1	MARKED:(1)	13	0.6 %
Missing Data			
-9	MISSING:(-9)	2208	96.0 %
Total		2,299	100%

Based upon 91 valid cases out of 2,299 total cases.

Location: 523-524 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1360: 151B053Q:AMPH I AM HOOKD

Item Number: 03090

What have been the most important reasons for your taking amphetamines or other stimulant drugs without a doctor's orders? (Mark all that apply.)

Q. Because I am "hooked"--I feel I have to have them

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	85	3.7 %
1	MARKED:(1)	6	0.3 %
Missing Data			
-9	MISSING:(-9)	2208	96.0 %
Total		2,299	100%

Based upon 91 valid cases out of 2,299 total cases.

Location: 525-526 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1361: 151B054:AMPH,GT VERY HI

Item Number: 03100

When you take amphetamines or other stimulant drugs, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"

4="Very high" 5="I don't take them to get high"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	12	0.5 %
2	A LITTLE:(2)	24	1.0 %
3	MODERATE:(3)	19	0.8 %
4	VERY:(4)	15	0.7 %
5	N TK HIGH:(5)	27	1.2 %
Missing Data			
-9	MISSING:(-9)	2202	95.8 %
Total		2,299	100%

Based upon 97 valid cases out of 2,299 total cases.

Location: 527-528 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1362: 151B055:AMPH,HI 24+ HRS

Item Number = 03110

When you take amphetamines or other stimulant drugs, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%
1	USLY DONT:(1)	28	1.2 %
2	1-2 HRS:(2)	16	0.7 %
3	3-6 HRS:(3)	27	1.2 %
4	7-24 HRS:(4)	17	0.7 %
5	> 24 HRS:(5)	7	0.3 %
Missing Data			
-9	MISSING:(-9)	2204	95.9 %
Total		2,299	100%

Based upon 95 valid cases out of 2,299 total cases.

Location: 529-530 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1364: 151B056A:TKN YR,DEXEDRIN

Item Number = 03130

What amphetamines or other stimulant drugs have you taken during the last year without a doctor's orders? (Mark all that apply.)

A. Dexedrine

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	94	4.1 %
1	MARKED:(1)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	2203	95.8 %
	Total	2,299	100%

Based upon 96 valid cases out of 2,299 total cases.

Location: 531-532 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1366: 151B056B:TKN YR,RITALIN

Item Number = 03150

What amphetamines or other stimulant drugs have you taken during the last year without a doctor's orders? (Mark all that apply.)

B. Ritalin (Methylphenidate)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	72	3.1 %
1	MARKED:(1)	24	1.0 %
	Missing Data		
-9	MISSING:(-9)	2203	95.8 %
	Total	2,299	100%

Based upon 96 valid cases out of 2,299 total cases.

Location: 533-534 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1845: 151B056C:TKN YR,ADDERALL

Item Number = 31760

What amphetamines or other stimulant drugs have you taken during the last year without a doctor's orders? (Mark all that apply.)

C. Adderall

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	32	1.4 %
1	MARKED:(1)	64	2.8 %
	Missing Data		
-9	MISSING:(-9)	2203	95.8 %
	Total	2,299	100%

Based upon 96 valid cases out of 2,299 total cases.

Location: 535-536 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1846: 151B056D:TKN YR,CONCERTA

Item Number: 31770

What amphetamines or other stimulant drugs have you taken during the last year without a doctor's orders? (Mark all that apply.)

D. Concerta (Methylphenidate)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	80	3.5 %
1	MARKED:(1)	16	0.7 %
	Missing Data		
-9	MISSING:(-9)	2203	95.8 %
	Total	2,299	100%

Based upon 96 valid cases out of 2,299 total cases.

Location: 537-538 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1911: 141B057E:AMPH TKN VYVANSE

Item Number: 33050

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

D. Vyvanse

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	67	2.9 %
1	MARKED:(1)	29	1.3 %
	Missing Data		
-9	MISSING:(-9)	2203	95.8 %
	Total	2,299	100%

Based upon 96 valid cases out of 2,299 total cases.

Location: 539-540 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1369: 151B056F:TKN YR,METHAMPH

Item Number: 03180

What amphetamines or other stimulant drugs have you taken during the last year without a doctor's orders? (Mark all that apply.)

E. Methamphetamine

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	84	3.7 %
1	MARKED:(1)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	2203	95.8 %
	Total	2,299	100%

Based upon 96 valid cases out of 2,299 total cases.

Location: 541-542 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1764: 151B056G:TKN YR,CRYSMETH

Item Number: 03185

What amphetamines or other stimulant drugs have you taken during the last year without a doctor's orders? (Mark all that apply.)

F. Crystal meth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	87	3.8 %
1	MARKED:(1)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	2203	95.8 %
	Total	2,299	100%

Based upon 96 valid cases out of 2,299 total cases.

Location: 543-544 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1370: 151B056H:TKN YR,OTH AMPH

Item Number = 03190

What amphetamines or other stimulant drugs have you taken during the last year without a doctor's orders? (Mark all that apply.)

H. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	71	3.1 %
1	MARKED:(1)	25	1.1 %
	Missing Data		
-9	MISSING:(-9)	2203	95.8 %
	Total	2,299	100%

Based upon 96 valid cases out of 2,299 total cases.

Location: 545-546 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1371: 151B056I:TKN YR,DNT KN N

Item Number = 03200

What amphetamines or other stimulant drugs have you taken during the last year without a doctor's orders? (Mark all that apply.)

H. Don't know the names of some amphetamines or other stimulant drugs I have used

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	87	3.8 %
1	MARKED:(1)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	2203	95.8 %
	Total	2,299	100%

Based upon 96 valid cases out of 2,299 total cases.

Location: 547-548 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1372: 151B057A:MTHD AMPH-MOUTH

Item Number: 03210

What methods have you used for taking amphetamines or other stimulant drugs during the last year? (Mark all that apply.)

A. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	17	0.7 %
1	MARKED:(1)	77	3.3 %
	Missing Data		
-9	MISSING:(-9)	2205	95.9 %
	Total	2,299	100%

Based upon 94 valid cases out of 2,299 total cases.

Location: 549-550 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1765: 151B057B:MTHD AMPH-SMOKG

Item Number = 03215

What methods have you used for taking amphetamines or other stimulant drugs during the last year? (Mark all that apply.)

B. Smoking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	85	3.7 %
1	MARKED:(1)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	2205	95.9 %
	Total	2,299	100%

Based upon 94 valid cases out of 2,299 total cases.

Location: 551-552 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1373: 151B057C:MTHD AMPH-INJCT

Item Number: 03220

What methods have you used for taking amphetamines or other stimulant drugs during the last year? (Mark all that apply.)

C. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	88	3.8 %
1	MARKED:(1)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2205	95.9 %
	Total	2,299	100%

Based upon 94 valid cases out of 2,299 total cases.

Location: 553-554 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1374: 151B057D:MTHD AMPH-OTHER

Item Number = 03230

What methods have you used for taking amphetamines or other stimulant drugs during the last year?
(Mark all that apply.)

D. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	78	3.4 %
1	MARKED:(1)	16	0.7 %
	Missing Data		
-9	MISSING:(-9)	2205	95.9 %
	Total	2,299	100%

Based upon 94 valid cases out of 2,299 total cases.

Location: 555-556 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1375: 151B058:*TRY STP AMP/FL

Item Number = 03240

Have you ever tried to stop using amphetamines or other stimulant drugs and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	8	0.3 %
2	NO:(2)	86	3.7 %
	Missing Data		
-9	MISSING:(-9)	2205	95.9 %
	Total	2,299	100%

Based upon 94 valid cases out of 2,299 total cases.

Location: 557-558 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1376: 151B059:NO AMPH IN 5YR

Item Number = 03250

Do you think you will be using amphetamines or other stimulant drugs without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	39	1.7 %
2	PRB WILL:(2)	57	2.5 %
3	PRB WONT:(3)	309	13.4 %
4	DEF WONT:(4)	1669	72.6 %
	Missing Data		
-9	MISSING:(-9)	225	9.8 %
	Total	2,299	100%

Based upon 2,074 valid cases out of 2,299 total cases.

Location: 559-560 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1827: 151B060:DR TOLD TK SED

Item Number: 03282

The next questions are about SEDATIVES, including BARBITURATES, which doctors sometimes prescribe to help people relax or get to sleep. Drugstores are not supposed to sell them without a prescription.

Sedatives are sometimes called: Downs, Downers. They include the following drugs: Phenobarbital, Seconal, Dalmane, Restoril, Halcion, Ambien, Lunesta, Sonata, Intermezzo, Zolpimist.

Have you ever taken sedatives because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."

3="Yes, and it was the first time I took any."

Value	Label	Unweighted Frequency	%
1	NO:(1)	1978	86.0 %
2	YES/BUT TRIED:(2)	24	1.0 %
3	YES/FIRST:(3)	116	5.0 %
	Missing Data		
-9	MISSING:(-9)	181	7.9 %
	Total	2,299	100%

Based upon 2,118 valid cases out of 2,299 total cases.

Location: 561-562 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1383: 151B061A:#X SED/BARB/LIFE

Item Number: 01042

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2000	87.0 %
2	1-2X:(2)	49	2.1 %
3	3-5X:(3)	21	0.9 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	11	0.5 %
6	20-39X:(6)	6	0.3 %
7	40+OCCAS:(7)	7	0.3 %
Missing Data			
-9	MISSING:(-9)	199	8.7 %
Total		2,299	100%

Based upon 2,100 valid cases out of 2,299 total cases.

Location: 563-564 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1384: 151B061B:#X SED/BARB/12MO

Item Number: 01052

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2034	88.5 %
2	1-2X:(2)	38	1.7 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	6	0.3 %
4	6-9X:(4)	8	0.3 %
5	10-19X:(5)	6	0.3 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	6	0.3 %
Missing Data			
-9	MISSING:(-9)	199	8.7 %
Total		2,299	100%

Based upon 2,100 valid cases out of 2,299 total cases.

Location: 565-566 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1385: 151B061C:#X SED/BARB/30DA

Item Number: 01062

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2068	90.0 %
2	1-2X:(2)	17	0.7 %
3	3-5X:(3)	6	0.3 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	200	8.7 %
Total		2,299	100%

Based upon 2,099 valid cases out of 2,299 total cases.

Location: 567-568 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1847: 151B062A:TKN YR,PHNOBRB

Item Number: 03611

THE FOLLOWING QUESTION REFERS ONLY TO TAKING SEDATIVES WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 64.

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

A: Phenobarbital

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	53	2.3 %
1	MARKED:(1)	4	0.2 %
Missing Data			
-9	MISSING:(-9)	2242	97.5 %
Total		2,299	100%

Based upon 57 valid cases out of 2,299 total cases.

Location: 569-570 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1848: 151B062B:TKN YR,SECONAL

Item Number: 03621

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

B: Seconal

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	53	2.3 %
1	MARKED:(1)	4	0.2 %
Missing Data			
-9	MISSING:(-9)	2242	97.5 %
Total		2,299	100%

Based upon 57 valid cases out of 2,299 total cases.

Location: 571-572 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V1850: 151B062C:TKN YR,AMBIEN

Item Number: 31780

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

C: Ambien

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	39	1.7 %
1	MARKED:(1)	18	0.8 %
	Missing Data		
-9	MISSING:(-9)	2242	97.5 %
	Total	2,299	100%

Based upon 57 valid cases out of 2,299 total cases.

Location: 573-574 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1851: 151B062D:TKN YR,LUNESTA

Item Number: 31790

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

D: Lunesta

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	56	2.4 %
1	MARKED:(1)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	2242	97.5 %
	Total	2,299	100%

Based upon 57 valid cases out of 2,299 total cases.

Location: 575-576 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1852: 151B062E:TKN YR,SONATA

Item Number: 31800

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

E: Sonata

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	56	2.4 %
1	MARKED:(1)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	2242	97.5 %
Total		2,299	100%

Based upon 57 valid cases out of 2,299 total cases.

Location: 577-578 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1912: 141B063F:SED TKN DALMANE

Item Number: 33110

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

F: Dalmane

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	56	2.4 %
1	MARKED:(1)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	2242	97.5 %
Total		2,299	100%

Based upon 57 valid cases out of 2,299 total cases.

Location: 579-580 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1913: 141B063G:SED TKN HALCION

Item Number: 33120

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

G: Halcion

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	54	2.3 %
1	MARKED:(1)	3	0.1 %
Missing Data			
-9	MISSING:(-9)	2242	97.5 %
Total		2,299	100%

Based upon 57 valid cases out of 2,299 total cases.

Location: 581-582 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1914: 141B063H:SED TKN RESTORIL

Item Number: 33130

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

H: Restoril

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	53	2.3 %
1	MARKED:(1)	4	0.2 %
Missing Data			
-9	MISSING:(-9)	2242	97.5 %
Total		2,299	100%

Based upon 57 valid cases out of 2,299 total cases.

Location: 583-584 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1915: 141B063I:SED TKN INTERMEZZO

Item Number: 33140

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

I: Intermezzo

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	56	2.4 %
1	MARKED:(1)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	2242	97.5 %
Total		2,299	100%

Based upon 57 valid cases out of 2,299 total cases.

Location: 585-586 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1916: 141B063J:SED TKN ZOLPIMIST

Item Number: 33150

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

J: Zolpimist

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	55	2.4 %
1	MARKED:(1)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	2242	97.5 %
Total		2,299	100%

Based upon 57 valid cases out of 2,299 total cases.

Location: 587-588 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1853: 151B062K:TKN YR,OTHR SED

Item Number: 03691

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

K: Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	34	1.5 %
1	MARKED:(1)	23	1.0 %
Missing Data			
-9	MISSING:(-9)	2242	97.5 %
Total		2,299	100%

Based upon 57 valid cases out of 2,299 total cases.

Location: 589-590 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1854: 151B062L:TKN YR,DNT KNW

Item Number: 03701

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

L: Don't know the names of some sedatives I have used

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	37	1.6 %
1	MARKED:(1)	20	0.9 %
Missing Data			
-9	MISSING:(-9)	2242	97.5 %
Total		2,299	100%

Based upon 57 valid cases out of 2,299 total cases.

Location: 591-592 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1828: 151B063:NO SED IN 5YR

Item Number: 03722

Do you think you will be using sedatives without a doctor's prescription five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	33	1.4 %
2	PRB WILL:(2)	42	1.8 %
3	PRB WONT:(3)	348	15.1 %
4	DEF WONT:(4)	1646	71.6 %
	Missing Data		
-9	MISSING:(-9)	230	10.0 %
	Total	2,299	100%

Based upon 2,069 valid cases out of 2,299 total cases.

Location: 593-594 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1429: 151B064:DR TOLD TK TRNQ

Item Number: 03730

The next questions are about TRANQUILIZERS, which doctors sometimes prescribe to calm people down, quiet their nerves, or relax their muscles. They include the following drugs:

Librium, Valium, Xanax, Soma, Serax, Ativan, Klonopin. Have you ever taken tranquilizers because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."

3="Yes, and it was the first time I took any."

Value	Label	Unweighted Frequency	%
1	NO:(1)	1961	85.3 %
2	YES/BUT TRIED:(2)	28	1.2 %
3	YES/FIRST:(3)	84	3.7 %
	Missing Data		
-9	MISSING:(-9)	226	9.8 %
	Total	2,299	100%

Based upon 2,073 valid cases out of 2,299 total cases.

Location: 595-596 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1430: 151B065A:#X TRQL/LIFETIM

Item Number: 01070

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1937	84.3 %
2	1-2X:(2)	67	2.9 %
3	3-5X:(3)	13	0.6 %
4	6-9X:(4)	19	0.8 %
5	10-19X:(5)	8	0.3 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	6	0.3 %
Missing Data			
-9	MISSING:(-9)	244	10.6 %
Total		2,299	100%

Based upon 2,055 valid cases out of 2,299 total cases.

Location: 597-598 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1431: 151B065B:#X TRQL/LAST12M

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1976	86.0 %
2	1-2X:(2)	48	2.1 %
3	3-5X:(3)	11	0.5 %
4	6-9X:(4)	12	0.5 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	3	0.1 %
Missing Data			
-9	MISSING:(-9)	243	10.6 %
Total		2,299	100%

Based upon 2,056 valid cases out of 2,299 total cases.

Location: 599-600 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1432: 151B065C:#X TRQL/LAST30D

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2029	88.3 %
2	1-2X:(2)	16	0.7 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	241	10.5 %
Total		2,299	100%

Based upon 2,058 valid cases out of 2,299 total cases.

Location: 601-602 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1433: 151B066A:#X/YR TRQL ALNE

Item Number: 03740

IF YOU HAVE NOT TAKEN TRANQUILIZERS IN THE LAST TWELVE MONTHS,
GO TO QUESTION 74. THE FOLLOWING QUESTIONS REFER ONLY TO
TAKING TRANQUILIZERS WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE
NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 74.

When you used tranquilizers during the last year, how often
did you use them in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	59	2.6 %
2	FEW TIMES:(2)	16	0.7 %
3	SOMETIMES:(3)	5	0.2 %
4	MOST TIMES:(4)	4	0.2 %
5	EVERY TIME:(5)	7	0.3 %
Missing Data			
-9	MISSING:(-9)	2208	96.0 %
Total		2,299	100%

Based upon 91 valid cases out of 2,299 total cases.

Location: 603-604 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1434: 151B066B:#X/YR TRQL-2PPL

Item Number: 03750

When you used tranquilizers during the last year, how often
did you use them in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	32	1.4 %
2	FEW TIMES:(2)	22	1.0 %
3	SOMETIMES:(3)	17	0.7 %
4	MOST TIMES:(4)	6	0.3 %
5	EVERY TIME:(5)	10	0.4 %
Missing Data			
-9	MISSING:(-9)	2212	96.2 %
Total		2,299	100%

Based upon 87 valid cases out of 2,299 total cases.

Location: 605-606 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1435: 151B066C:#X/YR TRQL@PRTY

Item Number: 03760

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	63	2.7 %
2	FEW TIMES:(2)	9	0.4 %
3	SOMETIMES:(3)	10	0.4 %
4	MOST TIMES:(4)	4	0.2 %
5	EVERY TIME:(5)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	2211	96.2 %
Total		2,299	100%

Based upon 88 valid cases out of 2,299 total cases.

Location: 607-608 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1436: 151B066D:#X/YR TRQL-DT/S

Item Number: 03770

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

D: When your date or spouse/partner was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	63	2.7 %
2	FEW TIMES:(2)	12	0.5 %
3	SOMETIMES:(3)	2	0.1 %
4	MOST TIMES:(4)	4	0.2 %
5	EVERY TIME:(5)	3	0.1 %
Missing Data			
-9	MISSING:(-9)	2215	96.3 %
Total		2,299	100%

Based upon 84 valid cases out of 2,299 total cases.

Location: 609-610 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1437: 151B066E:#X/YR TRQL-ADLT

Item Number: 03780

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	63	2.7 %
2	FEW TIMES:(2)	8	0.3 %
3	SOMETIMES:(3)	5	0.2 %
4	MOST TIMES:(4)	5	0.2 %
5	EVERY TIME:(5)	4	0.2 %
Missing Data			
-9	MISSING:(-9)	2214	96.3 %
Total		2,299	100%

Based upon 85 valid cases out of 2,299 total cases.

Location: 611-612 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1438: 151B066F:#X/YR TRQL-DATM

Item Number: 03790

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	54	2.3 %
2	FEW TIMES:(2)	13	0.6 %
3	SOMETIMES:(3)	11	0.5 %
4	MOST TIMES:(4)	7	0.3 %
5	EVERY TIME:(5)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	2212	96.2 %
Total		2,299	100%

Based upon 87 valid cases out of 2,299 total cases.

Location: 613-614 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1439: 151B066G:#X/YR TRQL@HOME

Item Number: 03800

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	47	2.0 %
2	FEW TIMES:(2)	9	0.4 %

Value	Label	Unweighted Frequency	%
3	SOMETIMES:(3)	12	0.5 %
4	MOST TIMES:(4)	10	0.4 %
5	EVERY TIME:(5)	9	0.4 %
Missing Data			
-9	MISSING:(-9)	2212	96.2 %
Total		2,299	100%

Based upon 87 valid cases out of 2,299 total cases.

Location: 615-616 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1440: 151B066H:#X/YR TRQL@SCHL

Item Number: 03810

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	68	3.0 %
2	FEW TIMES:(2)	8	0.3 %
3	SOMETIMES:(3)	3	0.1 %
4	MOST TIMES:(4)	3	0.1 %
5	EVERY TIME:(5)	4	0.2 %
Missing Data			
-9	MISSING:(-9)	2213	96.3 %
Total		2,299	100%

Based upon 86 valid cases out of 2,299 total cases.

Location: 617-618 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1441: 151B066I:#X/YR TRQL@CAR

Item Number: 03830

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	66	2.9 %
2	FEW TIMES:(2)	5	0.2 %
3	SOMETIMES:(3)	7	0.3 %
4	MOST TIMES:(4)	1	0.0 %
5	EVERY TIME:(5)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	2218	96.5 %
Total		2,299	100%

Based upon 81 valid cases out of 2,299 total cases.

Location: 619-620 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1855: 151B067A:TRQ SRC INTERNET

Item Number: 31810

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

A: Bought on the Internet

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	71	3.1 %
1	MARKED:(1)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	2226	96.8 %
Total		2,299	100%

Based upon 73 valid cases out of 2,299 total cases.

Location: 621-622 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1880: 151B067B:TRQ SRC FRND-ASK

Item Number: 31821

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

B: Took from a friend without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	68	3.0 %
1	MARKED:(1)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	2226	96.8 %
	Total	2,299	100%

Based upon 73 valid cases out of 2,299 total cases.

Location: 623-624 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1881: 151B067C:TRQ SRC RLTV-ASK

Item Number: 31822

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

C: Took from a relative without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	68	3.0 %
1	MARKED:(1)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	2226	96.8 %
	Total	2,299	100%

Based upon 73 valid cases out of 2,299 total cases.

Location: 625-626 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1882: 151B067D:TRQ SRC FRND FREE

Item Number: 31831

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

D: Given for free by a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	45	2.0 %
1	MARKED:(1)	28	1.2 %
	Missing Data		
-9	MISSING:(-9)	2226	96.8 %
	Total	2,299	100%

Based upon 73 valid cases out of 2,299 total cases.

Location: 627-628 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1883: 151B067E:TRQ SRC RLTV FREE

Item Number: 31832

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

E: Given for free by a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	57	2.5 %
1	MARKED:(1)	16	0.7 %
	Missing Data		
-9	MISSING:(-9)	2226	96.8 %
	Total	2,299	100%

Based upon 73 valid cases out of 2,299 total cases.

Location: 629-630 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1884: 151B067F:TRQ SRC FRND BGHT

Item Number: 31841

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

F: Bought from a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	49	2.1 %
1	MARKED:(1)	24	1.0 %
	Missing Data		
-9	MISSING:(-9)	2226	96.8 %
	Total	2,299	100%

Based upon 73 valid cases out of 2,299 total cases.

Location: 631-632 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1885: 151B067G:TRQ SRC RLTB BGHT

Item Number: 31842

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

G: Bought from a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	70	3.0 %
1	MARKED:(1)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	2226	96.8 %
	Total	2,299	100%

Based upon 73 valid cases out of 2,299 total cases.

Location: 633-634 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1859: 151B067H:TRQ SRC PRESCRPT

Item Number: 31850

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

H: From a prescription I had

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	65	2.8 %
1	MARKED:(1)	8	0.3 %
Missing Data			
-9	MISSING:(-9)	2226	96.8 %
Total		2,299	100%

Based upon 73 valid cases out of 2,299 total cases.

Location: 635-636 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1860: 151B067I:TRQ SRC DEALER

Item Number: 31860

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

I: Bought from drug dealer/stranger

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	62	2.7 %
1	MARKED:(1)	11	0.5 %
Missing Data			
-9	MISSING:(-9)	2226	96.8 %
Total		2,299	100%

Based upon 73 valid cases out of 2,299 total cases.

Location: 637-638 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1861: 151B067J:TRQ SRC OTHER

Item Number: 31870

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

J: Other method

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	62	2.7 %
1	MARKED:(1)	11	0.5 %
Missing Data			
-9	MISSING:(-9)	2226	96.8 %
Total		2,299	100%

Based upon 73 valid cases out of 2,299 total cases.

Location: 639-640 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1449: 151B068A:TRNQ EXPERIMENT

Item Number: 03910

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	38	1.7 %
1	MARKED:(1)	34	1.5 %
Missing Data			
-9	MISSING:(-9)	2227	96.9 %
Total		2,299	100%

Based upon 72 valid cases out of 2,299 total cases.

Location: 641-642 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1450: 151B068B:TRNQ RELAX

Item Number: 03920

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	37	1.6 %
1	MARKED:(1)	35	1.5 %
	Missing Data		
-9	MISSING:(-9)	2227	96.9 %
	Total	2,299	100%

Based upon 72 valid cases out of 2,299 total cases.

Location: 643-644 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1451: 151B068C:TRNQ GET HIGH

Item Number: 03930

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	44	1.9 %
1	MARKED:(1)	28	1.2 %
	Missing Data		
-9	MISSING:(-9)	2227	96.9 %
	Total	2,299	100%

Based upon 72 valid cases out of 2,299 total cases.

Location: 645-646 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1452: 151B068D:TRNQ SK INSIGHT

Item Number: 03940

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	67	2.9 %
1	MARKED:(1)	5	0.2 %
Missing Data			
-9	MISSING:(-9)	2227	96.9 %
Total		2,299	100%

Based upon 72 valid cases out of 2,299 total cases.

Location: 647-648 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1453: 151B068E:TRNQ GD TM FRND

Item Number: 03950

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	55	2.4 %
1	MARKED:(1)	17	0.7 %
Missing Data			
-9	MISSING:(-9)	2227	96.9 %
Total		2,299	100%

Based upon 72 valid cases out of 2,299 total cases.

Location: 649-650 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1454: 151B068F:TRNQ FIT IN GRP

Item Number: 03960

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	67	2.9 %
1	MARKED:(1)	5	0.2 %
Missing Data			
-9	MISSING:(-9)	2227	96.9 %
Total		2,299	100%

Based upon 72 valid cases out of 2,299 total cases.

Location: 651-652 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1455: 151B068G:TRNQ GT AWY PRB

Item Number: 03970

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	60	2.6 %
1	MARKED:(1)	12	0.5 %
Missing Data			
-9	MISSING:(-9)	2227	96.9 %
Total		2,299	100%

Based upon 72 valid cases out of 2,299 total cases.

Location: 653-654 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1456: 151B068H:TRNQ BOREDOM

Item Number: 03980

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	60	2.6 %
1	MARKED:(1)	12	0.5 %
Missing Data			
-9	MISSING:(-9)	2227	96.9 %
Total		2,299	100%

Based upon 72 valid cases out of 2,299 total cases.

Location: 655-656 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1457: 151B068I:TRNQ ANGR/FRSTN

Item Number: 03990

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	65	2.8 %
1	MARKED:(1)	7	0.3 %
Missing Data			
-9	MISSING:(-9)	2227	96.9 %
Total		2,299	100%

Based upon 72 valid cases out of 2,299 total cases.

Location: 657-658 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1458: 151B068J:TRNQ GT THRU DA

Item Number: 04000

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	64	2.8 %
1	MARKED:(1)	8	0.3 %
Missing Data			
-9	MISSING:(-9)	2227	96.9 %
Total		2,299	100%

Based upon 72 valid cases out of 2,299 total cases.

Location: 659-660 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1459: 151B068K:TRNQ INCR EF DR

Item Number: 04010

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	66	2.9 %
1	MARKED:(1)	6	0.3 %
Missing Data			
-9	MISSING:(-9)	2227	96.9 %
Total		2,299	100%

Based upon 72 valid cases out of 2,299 total cases.

Location: 661-662 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1460: 151B068L:TRNQ DCRS EF DR

Item Number: 04020

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	70	3.0 %
1	MARKED:(1)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	2227	96.9 %
Total		2,299	100%

Based upon 72 valid cases out of 2,299 total cases.

Location: 663-664 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1461: 151B068M:TRNQ GET SLEEP

Item Number: 04030

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

M. To get to sleep

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	59	2.6 %
1	MARKED:(1)	13	0.6 %
Missing Data			
-9	MISSING:(-9)	2227	96.9 %
Total		2,299	100%

Based upon 72 valid cases out of 2,299 total cases.

Location: 665-666 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1696: 151B068N:TRNQ RLV PHYS P

Item Number: 04035

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

N. To relieve physical pain

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	57	2.5 %
1	MARKED:(1)	15	0.7 %
Missing Data			
-9	MISSING:(-9)	2227	96.9 %
Total		2,299	100%

Based upon 72 valid cases out of 2,299 total cases.

Location: 667-668 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1462: 151B068O:TRNQ I AM HOOKD

Item Number: 04040

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

O. Because I am "hooked"--I feel I have to have them

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	70	3.0 %
1	MARKED:(1)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	2227	96.9 %
Total		2,299	100%

Based upon 72 valid cases out of 2,299 total cases.

Location: 669-670 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1463: 151B069:TRNQ,GT VERY HI

Item Number: 04050

When you take tranquilizers, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"

4="Very high" 5="I don't take them to get high"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	15	0.7 %
2	A LITTLE:(2)	14	0.6 %
3	MODERATE:(3)	23	1.0 %
4	VERY:(4)	14	0.6 %
5	N TK HIGH:(5)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	2218	96.5 %
	Total	2,299	100%

Based upon 81 valid cases out of 2,299 total cases.

Location: 671-672 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1464: 151B070:TRNQ,HI 24+ HRS

Item Number: 04060

When you take tranquilizers, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%
1	USLY DONT:(1)	23	1.0 %
2	1-2 HRS:(2)	20	0.9 %
3	3-6 HRS:(3)	27	1.2 %
4	7-24 HRS:(4)	8	0.3 %
5	> 24 HRS:(5)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	2220	96.6 %
	Total	2,299	100%

Based upon 79 valid cases out of 2,299 total cases.

Location: 673-674 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1465: 151B071A:TKN YR,LIBRIUM

Item Number: 04070

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

A. Librium

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	73	3.2 %
1	MARKED:(1)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	2224	96.7 %
	Total	2,299	100%

Based upon 75 valid cases out of 2,299 total cases.

Location: 675-676 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1466: 151B071B:TKN YR,VALIUM

Item Number: 04080

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

B. Valium

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	53	2.3 %
1	MARKED:(1)	22	1.0 %
	Missing Data		
-9	MISSING:(-9)	2224	96.7 %
	Total	2,299	100%

Based upon 75 valid cases out of 2,299 total cases.

Location: 677-678 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1814: 151B071C:TKN YR, XANAX

Item Number: 04095

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

C. Xanax

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	22	1.0 %
1	MARKED:(1)	53	2.3 %
	Missing Data		
-9	MISSING:(-9)	2224	96.7 %
	Total	2,299	100%

Based upon 75 valid cases out of 2,299 total cases.

Location: 679-680 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1862: 151B071D:TKN YR,SOMA

Item Number: 31880

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

D. Soma

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	72	3.1 %
1	MARKED:(1)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	2224	96.7 %
	Total	2,299	100%

Based upon 75 valid cases out of 2,299 total cases.

Location: 681-682 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1470: 151B071E:TKN YR,SERAX

Item Number: 04120

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

E. Serax

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	75	3.3 %
1	MARKED:(1)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	2224	96.7 %
	Total	2,299	100%

Based upon 75 valid cases out of 2,299 total cases.

Location: 683-684 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1863: 151B071F:TKN YR,ATIVAN

Item Number: 31890

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

F. Ativan

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	72	3.1 %
1	MARKED:(1)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	2224	96.7 %
	Total	2,299	100%

Based upon 75 valid cases out of 2,299 total cases.

Location: 685-686 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1864: 151B071G:TKN YR,KLONOPIN

Item Number: 31900

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

G. Klonopin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	63	2.7 %
1	MARKED:(1)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	2224	96.7 %
	Total	2,299	100%

Based upon 75 valid cases out of 2,299 total cases.

Location: 687-688 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1815: 151B071H:TKN YR,OTH TRNQ

Item Number: 04155

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

H. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	65	2.8 %
1	MARKED:(1)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	2224	96.7 %
	Total	2,299	100%

Based upon 75 valid cases out of 2,299 total cases.

Location: 689-690 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1474: 151B071I:TKN YR,DNT KNW

Item Number: 04160

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

I. Don't know the names of some tranquilizers I have used

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	62	2.7 %
1	MARKED:(1)	13	0.6 %
	Missing Data		
-9	MISSING:(-9)	2224	96.7 %
	Total	2,299	100%

Based upon 75 valid cases out of 2,299 total cases.

Location: 691-692 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1475: 151B072:*TRY STP TRQ/FL

Item Number: 04170

Have you ever tried to stop using tranquilizers and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	6	0.3 %
2	NO:(2)	72	3.1 %
	Missing Data		
-9	MISSING:(-9)	2221	96.6 %
	Total	2,299	100%

Based upon 78 valid cases out of 2,299 total cases.

Location: 693-694 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V1476: 151B073:NO TRNQ IN 5YR

Item Number: 04180

Do you think you will be using tranquilizers without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	30	1.3 %
2	PRB WILL:(2)	39	1.7 %
3	PRB WONT:(3)	307	13.4 %
4	DEF WONT:(4)	1700	73.9 %
Missing Data			
-9	MISSING:(-9)	223	9.7 %
Total		2,299	100%

Based upon 2,076 valid cases out of 2,299 total cases.

Location: 695-696 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1755: 151B074:EVR TK CRACK/FB

Item Number: 22250

The next questions are about the use of different forms of cocaine, such as "crack", powder, freebase, or coca paste. Have you ever taken cocaine in "crack" form or in any other freebase form--that is, where you inhaled the fumes from smoking, heating, or burning it?

1="No--GO TO QUESTION 77" 2="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	2031	88.3 %
2	YES:(2)	31	1.3 %
Missing Data			
-9	MISSING:(-9)	237	10.3 %
Total		2,299	100%

Based upon 2,062 valid cases out of 2,299 total cases.

Location: 697-698 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1756: 151B075A:#X CRACK/LIFTIM

Item Number: 22260

On how many occasions (if any) have you taken "crack"
(cocaine in chunk or rock form) . . .

A: . . . in your lifetime?

1="0 Occasions [Includes respondents who reported nonuse on preceding question]" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2037	88.6 %
2	1-2X:(2)	14	0.6 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	237	10.3 %
Total		2,299	100%

Based upon 2,062 valid cases out of 2,299 total cases.

Location: 699-700 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1757: 151B075B:#X CRACK/LST12M

Item Number: 22270

On how many occasions (if any) have you taken "crack"
(cocaine in chunk or rock form) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2047	89.0 %
2	1-2X:(2)	8	0.3 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	237	10.3 %
Total		2,299	100%

Based upon 2,062 valid cases out of 2,299 total cases.

Location: 701-702 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1758: 151B075C:#X CRACK/LST30D

Item Number: 22280

On how many occasions (if any) have you taken "crack"
(cocaine in chunk or rock form) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2054	89.3 %
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	237	10.3 %
Total		2,299	100%

Based upon 2,062 valid cases out of 2,299 total cases.

Location: 703-704 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V1759: 151B076A:#XOTH COKE/LIFE

Item Number: 22320

On how many occasions (if any) have you used cocaine in any other form . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2002	87.1 %
2	1-2X:(2)	34	1.5 %
3	3-5X:(3)	6	0.3 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	240	10.4 %
Total		2,299	100%

Based upon 2,059 valid cases out of 2,299 total cases.

Location: 705-706 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1760: 151B076B:#XOTH COKE/12MO

Item Number: 22330

On how many occasions (if any) have you used cocaine in any other form . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2020	87.9 %
2	1-2X:(2)	21	0.9 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	8	0.3 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	241	10.5 %
Total		2,299	100%

Based upon 2,058 valid cases out of 2,299 total cases.

Location: 707-708 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1761: 151B076C:#XOTH COKE/30DA

Item Number: 22340

On how many occasions (if any) have you used cocaine in any other form . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2039	88.7 %
2	1-2X:(2)	10	0.4 %
3	3-5X:(3)	6	0.3 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	240	10.4 %
Total		2,299	100%

Based upon 2,059 valid cases out of 2,299 total cases.

Location: 709-710 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1124: 151R :#X COKE/LIFETIME

Item number: 00950

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . A. in your lifetime?" (item 22260) and "On how many occasions (if any) have you used cocaine in any other form . . . A. in your lifetime?" (item 22320).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1946	84.6 %
2	1-2X:(2)	20	0.9 %
3	3-5X:(3)	15	0.7 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	7	0.3 %
Missing Data			
-9	MISSING:(-9)	298	13.0 %
Total		2,299	100%

Based upon 2,001 valid cases out of 2,299 total cases.

Location: 711-712 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1125: 151R :#X COKE/LAST12MO

Item number: 00960

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . B. During the last 12 months?" (item 22270) and "On how many occasions (if any) have you used cocaine in any other form . . . B. During the last 12 months?" (item 22330).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1964	85.4 %
2	1-2X:(2)	12	0.5 %
3	3-5X:(3)	10	0.4 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	299	13.0 %
Total		2,299	100%

Based upon 2,000 valid cases out of 2,299 total cases.

Location: 713-714 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1126: 151R :#X COKE/LAST30DA

Item number: 00970

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . C. During the last 30 days?" (item 22280) and "On how many occasions (if any) have you used cocaine in any other form . . . C. During the last 30 days?" (item 22340).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1982	86.2 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	8	0.3 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	299	13.0 %
Total		2,299	100%

Based upon 2,000 valid cases out of 2,299 total cases.

Location: 715-716 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1480: 151B077A:#X/YR COKE ALNE

Item Number: 04190

IF YOU HAVE NOT TAKEN ANY COCAINE (POWDER, CRACK, FREEBASE, ETC.) IN THE LAST 12 MONTHS, GO TO QUESTION 86.

When you used cocaine during the last year, how often did you use it in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	40	1.7 %
2	FEW TIMES:(2)	7	0.3 %
3	SOMETIMES:(3)	2	0.1 %
4	MOST TIMES:(4)	0	0.0 %
5	EVERY TIME:(5)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	2248	97.8 %
Total		2,299	100%

Based upon 51 valid cases out of 2,299 total cases.

Location: 717-718 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1481: 151B077B:#X/YR COKE-2PPL

Item Number: 04200

When you used cocaine during the last year, how often did you use it in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	16	0.7 %

Value	Label	Unweighted Frequency	%
2	FEW TIMES:(2)	18	0.8 %
3	SOMETIMES:(3)	4	0.2 %
4	MOST TIMES:(4)	3	0.1 %
5	EVERY TIME:(5)	6	0.3 %
Missing Data			
-9	MISSING:(-9)	2252	98.0 %
Total		2,299	100%

Based upon 47 valid cases out of 2,299 total cases.

Location: 719-720 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1482: 151B077C:#X/YR COKE@PRTY

Item Number: 04210

When you used cocaine during the last year, how often did you use it in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	19	0.8 %
2	FEW TIMES:(2)	11	0.5 %
3	SOMETIMES:(3)	2	0.1 %
4	MOST TIMES:(4)	4	0.2 %
5	EVERY TIME:(5)	10	0.4 %
Missing Data			
-9	MISSING:(-9)	2253	98.0 %
Total		2,299	100%

Based upon 46 valid cases out of 2,299 total cases.

Location: 721-722 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1483: 151B077D:#X/YR COKE-DT/S

Item Number: 04220

When you used cocaine during the last year, how often did you use it in each of the following situations?

D: When your date or spouse/partner was present

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	33	1.4 %
2	FEW TIMES:(2)	8	0.3 %
3	SOMETIMES:(3)	1	0.0 %
4	MOST TIMES:(4)	3	0.1 %
5	EVERY TIME:(5)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	2253	98.0 %
Total		2,299	100%

Based upon 46 valid cases out of 2,299 total cases.

Location: 723-724 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1484: 151B077E:#X/YR COKE-ADLT

Item Number: 04230

When you used cocaine during the last year, how often did you use it in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	36	1.6 %
2	FEW TIMES:(2)	6	0.3 %
3	SOMETIMES:(3)	1	0.0 %
4	MOST TIMES:(4)	1	0.0 %
5	EVERY TIME:(5)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	2255	98.1 %
Total		2,299	100%

Based upon 44 valid cases out of 2,299 total cases.

Location: 725-726 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1485: 151B077F:#X/YR COKE-DATM

Item Number: 04240

When you used cocaine during the last year, how often did you use it in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	28	1.2 %
2	FEW TIMES:(2)	10	0.4 %
3	SOMETIMES:(3)	2	0.1 %
4	MOST TIMES:(4)	3	0.1 %
5	EVERY TIME:(5)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	2256	98.1 %
Total		2,299	100%

Based upon 43 valid cases out of 2,299 total cases.

Location: 727-728 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1486: 151B077G:#X/YR COKE@HOME

Item Number: 04250

When you used cocaine during the last year, how often did you use it in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	31	1.3 %
2	FEW TIMES:(2)	9	0.4 %

Value	Label	Unweighted Frequency	%
3	SOMETIMES:(3)	2	0.1 %
4	MOST TIMES:(4)	1	0.0 %
5	EVERY TIME:(5)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	2254	98.0 %
Total		2,299	100%

Based upon 45 valid cases out of 2,299 total cases.

Location: 729-730 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1487: 151B077H:#X/YR COKE@SCHL

Item Number: 04260

When you used cocaine during the last year, how often did you use it in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	36	1.6 %
2	FEW TIMES:(2)	6	0.3 %
3	SOMETIMES:(3)	2	0.1 %
4	MOST TIMES:(4)	1	0.0 %
5	EVERY TIME:(5)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	2253	98.0 %
Total		2,299	100%

Based upon 46 valid cases out of 2,299 total cases.

Location: 731-732 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1488: 151B077I:#X/YR COKE@CAR

Item Number: 04280

When you used cocaine during the last year, how often did you use it in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	31	1.3 %
2	FEW TIMES:(2)	7	0.3 %
3	SOMETIMES:(3)	2	0.1 %
4	MOST TIMES:(4)	3	0.1 %
5	EVERY TIME:(5)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	2255	98.1 %
Total		2,299	100%

Based upon 44 valid cases out of 2,299 total cases.

Location: 733-734 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1489: 151B078A:#X OVL COKE+ALC

Item Number: 04290

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times"
 4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	25	1.1 %
2	FEW TIMES:(2)	5	0.2 %
3	SOMETIMES:(3)	5	0.2 %
4	MOST TIMES:(4)	5	0.2 %
5	EVERY TIME:(5)	10	0.4 %
Missing Data			
-9	MISSING:(-9)	2249	97.8 %
Total		2,299	100%

Based upon 50 valid cases out of 2,299 total cases.

Location: 735-736 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1490: 151B078B:#X OVL COKE+MJ

Item Number: 04300

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	21	0.9 %
2	FEW TIMES:(2)	8	0.3 %
3	SOMETIMES:(3)	8	0.3 %
4	MOST TIMES:(4)	3	0.1 %
5	EVERY TIME:(5)	8	0.3 %
Missing Data			
-9	MISSING:(-9)	2251	97.9 %
Total		2,299	100%

Based upon 48 valid cases out of 2,299 total cases.

Location: 737-738 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1491: 151B078C:#X OVL COKE+LSD

Item Number: 04310

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

C: With LSD

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	38	1.7 %

Value	Label	Unweighted Frequency	%
2	FEW TIMES:(2)	5	0.2 %
3	SOMETIMES:(3)	2	0.1 %
4	MOST TIMES:(4)	1	0.0 %
5	EVERY TIME:(5)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	2251	97.9 %
Total		2,299	100%

Based upon 48 valid cases out of 2,299 total cases.

Location: 739-740 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1492: 151B078D:#X OVL COKE+PSY

Item Number: 04320

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

D: With hallucinogens other than LSD

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	37	1.6 %
2	FEW TIMES:(2)	3	0.1 %
3	SOMETIMES:(3)	3	0.1 %
4	MOST TIMES:(4)	0	0.0 %
5	EVERY TIME:(5)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	2255	98.1 %
Total		2,299	100%

Based upon 44 valid cases out of 2,299 total cases.

Location: 741-742 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1493: 151B078E:#X OVL COKE+AMP

Item Number: 04330

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

E: With amphetamines

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	32	1.4 %
2	FEW TIMES:(2)	7	0.3 %
3	SOMETIMES:(3)	2	0.1 %
4	MOST TIMES:(4)	2	0.1 %
5	EVERY TIME:(5)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	2255	98.1 %
Total		2,299	100%

Based upon 44 valid cases out of 2,299 total cases.

Location: 743-744 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1494: 151B078F:#X OVL COKE+QUA

Item Number: 04340

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

F: With Quaaludes

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	37	1.6 %
2	FEW TIMES:(2)	1	0.0 %
3	SOMETIMES:(3)	4	0.2 %
4	MOST TIMES:(4)	0	0.0 %
5	EVERY TIME:(5)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	2256	98.1 %

Value	Label	Unweighted Frequency	%
Total		2,299	100%

Based upon 43 valid cases out of 2,299 total cases.

Location: 745-746 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1495: 151B078G:#X OVL COKE+BRB

Item Number: 04350

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

G: With barbiturates

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	38	1.7 %
2	FEW TIMES:(2)	1	0.0 %
3	SOMETIMES:(3)	1	0.0 %
4	MOST TIMES:(4)	1	0.0 %
5	EVERY TIME:(5)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	2257	98.2 %
Total		2,299	100%

Based upon 42 valid cases out of 2,299 total cases.

Location: 747-748 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1496: 151B078H:#X OVL COKE+TRN

Item Number: 04360

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

H: With tranquilizers

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	35	1.5 %
2	FEW TIMES:(2)	3	0.1 %
3	SOMETIMES:(3)	2	0.1 %
4	MOST TIMES:(4)	0	0.0 %
5	EVERY TIME:(5)	3	0.1 %
Missing Data			
-9	MISSING:(-9)	2256	98.1 %
Total		2,299	100%

Based upon 43 valid cases out of 2,299 total cases.

Location: 749-750 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1497: 151B079A:COKE EXPERIMENT

Item Number: 04370

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	12	0.5 %
1	MARKED:(1)	27	1.2 %
Missing Data			
-9	MISSING:(-9)	2260	98.3 %
Total		2,299	100%

Based upon 39 valid cases out of 2,299 total cases.

Location: 751-752 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1498: 151B079B:COKE RELAX

Item Number: 04380

What have been the most important reasons for your taking

cocaine? (Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	35	1.5 %
1	MARKED:(1)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	2260	98.3 %
	Total	2,299	100%

Based upon 39 valid cases out of 2,299 total cases.

Location: 753-754 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1499: 151B079C:COKE GET HIGH

Item Number: 04390

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	22	1.0 %
1	MARKED:(1)	17	0.7 %
	Missing Data		
-9	MISSING:(-9)	2260	98.3 %
	Total	2,299	100%

Based upon 39 valid cases out of 2,299 total cases.

Location: 755-756 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1500: 151B079D:COKE SK INSIGHT

Item Number: 04400

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	36	1.6 %
1	MARKED:(1)	3	0.1 %
Missing Data			
-9	MISSING:(-9)	2260	98.3 %
Total		2,299	100%

Based upon 39 valid cases out of 2,299 total cases.

Location: 757-758 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1501: 151B079E:COKE GD TM FRND

Item Number: 04410

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	27	1.2 %
1	MARKED:(1)	12	0.5 %
Missing Data			
-9	MISSING:(-9)	2260	98.3 %
Total		2,299	100%

Based upon 39 valid cases out of 2,299 total cases.

Location: 759-760 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1502: 151B079F:COKE FIT IN GRP

Item Number: 04420

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	35	1.5 %
1	MARKED:(1)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	2260	98.3 %
	Total	2,299	100%

Based upon 39 valid cases out of 2,299 total cases.

Location: 761-762 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1503: 151B079G:COKE GT AWY PRB

Item Number: 04430

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	34	1.5 %
1	MARKED:(1)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	2260	98.3 %
	Total	2,299	100%

Based upon 39 valid cases out of 2,299 total cases.

Location: 763-764 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1504: 151B079H:COKE BOREDOM

Item Number: 04440

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	33	1.4 %
1	MARKED:(1)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2260	98.3 %
	Total	2,299	100%

Based upon 39 valid cases out of 2,299 total cases.

Location: 765-766 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1505: 151B079I:COKE ANGR/FRSTN

Item Number: 04450

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	36	1.6 %
1	MARKED:(1)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	2260	98.3 %
	Total	2,299	100%

Based upon 39 valid cases out of 2,299 total cases.

Location: 767-768 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1506: 151B079J:COKE GT THRU DA

Item Number: 04460

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	36	1.6 %
1	MARKED:(1)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	2260	98.3 %
	Total	2,299	100%

Based upon 39 valid cases out of 2,299 total cases.

Location: 769-770 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1507: 151B079K:COKE INCR EF DR

Item Number: 04470

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	30	1.3 %
1	MARKED:(1)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	2260	98.3 %
	Total	2,299	100%

Based upon 39 valid cases out of 2,299 total cases.

Location: 771-772 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1508: 151B079L:COKE DCRS EF DR

Item Number: 04480

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	36	1.6 %
1	MARKED:(1)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	2260	98.3 %
	Total	2,299	100%

Based upon 39 valid cases out of 2,299 total cases.

Location: 773-774 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1509: 151B079M:COKE STAY AWAKE

Item Number: 04490

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

M. To stay awake

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	27	1.2 %
1	MARKED:(1)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	2260	98.3 %
	Total	2,299	100%

Based upon 39 valid cases out of 2,299 total cases.

Location: 775-776 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1510: 151B079N:COKE GET>ENERGY

Item Number: 04500

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

N. To get more energy

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	24	1.0 %
1	MARKED:(1)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	2260	98.3 %
	Total	2,299	100%

Based upon 39 valid cases out of 2,299 total cases.

Location: 777-778 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1511: 151B079O:COKE I AM HOOKD

Item Number: 04510

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

O. Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	35	1.5 %
1	MARKED:(1)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	2260	98.3 %
	Total	2,299	100%

Based upon 39 valid cases out of 2,299 total cases.

Location: 779-780 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1512: 151B080:COK,GET VERY HI

Item Number: 04520

When you take cocaine how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"

4="Very high" 5="I don't take it to get high"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	4	0.2 %
2	A LITTLE:(2)	7	0.3 %
3	MODERATE:(3)	14	0.6 %
4	VERY:(4)	11	0.5 %
5	N TK HIGH:(5)	4	0.2 %
Missing Data			
-9	MISSING:(-9)	2259	98.3 %
Total		2,299	100%

Based upon 40 valid cases out of 2,299 total cases.

Location: 781-782 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1513: 151B081:COK,HIGH 24+ HR

Item Number: 04530

When you take cocaine how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%
1	USLY DONT:(1)	3	0.1 %
2	1-2 HRS:(2)	22	1.0 %
3	3-6 HRS:(3)	10	0.4 %
4	7-24 HRS:(4)	5	0.2 %
5	> 24 HRS:(5)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	2257	98.2 %
Total		2,299	100%

Based upon 42 valid cases out of 2,299 total cases.

Location: 783-784 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1514: 151B082:*TRY STP COK/FL

Item Number: 04540

Have you ever tried to stop using cocaine and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	5	0.2 %
2	NO:(2)	36	1.6 %
	Missing Data		
-9	MISSING:(-9)	2258	98.2 %
	Total	2,299	100%

Based upon 41 valid cases out of 2,299 total cases.

Location: 785-786 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1743: 151B083A:FRM COKE-POWDER

Item Number: 04531

What forms of cocaine have you used? (Mark all that apply.)

A. Cocaine powder

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	6	0.3 %
1	MARKED:(1)	36	1.6 %
	Missing Data		
-9	MISSING:(-9)	2257	98.2 %
	Total	2,299	100%

Based upon 42 valid cases out of 2,299 total cases.

Location: 787-788 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1746: 151B083B:FRM COKE-CRACK

Item Number: 04534

What forms of cocaine have you used? (Mark all that apply.)

B. "Crack" or "rock"

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	27	1.2 %
1	MARKED:(1)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	2257	98.2 %
	Total	2,299	100%

Based upon 42 valid cases out of 2,299 total cases.

Location: 789-790 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1744: 151B083C:FRM COKE-FRBASE

Item Number: 04532

What forms of cocaine have you used? (Mark all that apply.)

C. "Freebase" or "base"

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	37	1.6 %
1	MARKED:(1)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	2257	98.2 %
	Total	2,299	100%

Based upon 42 valid cases out of 2,299 total cases.

Location: 791-792 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1745: 151B083D:FRM COKE-PASTE

Item Number: 04533

What forms of cocaine have you used? (Mark all that apply.)

D. Coca paste

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	39	1.7 %
1	MARKED:(1)	3	0.1 %
Missing Data			
-9	MISSING:(-9)	2257	98.2 %
Total		2,299	100%

Based upon 42 valid cases out of 2,299 total cases.

Location: 793-794 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1515: 151B084A:MTHD COKE SNORT

Item Number: 04550

What methods have you used for taking cocaine?

(Mark all that apply.)

A. Sniffing or "snorting"

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	7	0.3 %
1	MARKED:(1)	36	1.6 %
Missing Data			
-9	MISSING:(-9)	2256	98.1 %
Total		2,299	100%

Based upon 43 valid cases out of 2,299 total cases.

Location: 795-796 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1516: 151B084B:MTHD COKE-SMOKE

Item Number: 04560

What methods have you used for taking cocaine?

(Mark all that apply.)

B. Smoking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	29	1.3 %
1	MARKED:(1)	14	0.6 %
	Missing Data		
-9	MISSING:(-9)	2256	98.1 %
	Total	2,299	100%

Based upon 43 valid cases out of 2,299 total cases.

Location: 797-798 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1517: 151B084C:MTHD COKE-INJCT

Item Number: 04570

What methods have you used for taking cocaine?

(Mark all that apply.)

C. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	39	1.7 %
1	MARKED:(1)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	2256	98.1 %
	Total	2,299	100%

Based upon 43 valid cases out of 2,299 total cases.

Location: 799-800 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1747: 151B084D:MTHD COKE-INHAL

Item Number: 04575

What methods have you used for taking cocaine?

(Mark all that apply.)

D. Inhaling fumes

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	40	1.7 %
1	MARKED:(1)	3	0.1 %
Missing Data			
-9	MISSING:(-9)	2256	98.1 %
Total		2,299	100%

Based upon 43 valid cases out of 2,299 total cases.

Location: 801-802 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1518: 151B084E:MTHD COKE-MOUTH

Item Number: 04580

What methods have you used for taking cocaine?

(Mark all that apply.)

E. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	29	1.3 %
1	MARKED:(1)	14	0.6 %
Missing Data			
-9	MISSING:(-9)	2256	98.1 %
Total		2,299	100%

Based upon 43 valid cases out of 2,299 total cases.

Location: 803-804 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1519: 151B084F:MTHD COKE-OTHER

Item Number: 04590

What methods have you used for taking cocaine?

(Mark all that apply.)

F. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	41	1.8 %
1	MARKED:(1)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	2256	98.1 %
Total		2,299	100%

Based upon 43 valid cases out of 2,299 total cases.

Location: 805-806 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1520: 151B085:NO COKE IN 5YR

Item Number: 04600

Do you think you will be using cocaine five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	19	0.8 %
2	PRB WILL:(2)	29	1.3 %
3	PRB WONT:(3)	159	6.9 %
4	DEF WONT:(4)	1878	81.7 %
Missing Data			
-9	MISSING:(-9)	214	9.3 %
Total		2,299	100%

Based upon 2,085 valid cases out of 2,299 total cases.

Location: 807-808 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1521: 151B086A:#X H/LIFETIME

Item Number: 01100

The next questions are about HEROIN. On how many occasions (if any) have you taken heroin . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2065	89.8 %
2	1-2X:(2)	6	0.3 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	3	0.1 %
Missing Data			
-9	MISSING:(-9)	218	9.5 %
Total		2,299	100%

Based upon 2,081 valid cases out of 2,299 total cases.

Location: 809-810 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1522: 151B086B:#X H/LAST 12M

Item Number: 01110

On how many occasions (if any) have you taken heroin . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2071	90.1 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	218	9.5 %
Total		2,299	100%

Based upon 2,081 valid cases out of 2,299 total cases.

Location: 811-812 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1523: 151B086C:#X H/LAST 30D

Item Number: 01120

On how many occasions (if any) have you taken heroin . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2072	90.1 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	218	9.5 %
Total		2,299	100%

Based upon 2,081 valid cases out of 2,299 total cases.

Location: 813-814 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1564: 151B087:DR TOLD TK NARC

Item Number: 05020

The next questions are about NARCOTICS OTHER THAN HEROIN, which are sometimes prescribed by doctors. Drugstores are not supposed to sell them without a prescription.

These include: Methadone, Codeine, OxyContin, Percodan, Opium, Demerol, Percocet, Ultram, Morphine, Vicodin.

Have you ever taken any narcotics other than heroin because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."

3="Yes, and it was the first time I took any."

Value	Label	Unweighted Frequency	%
1	NO:(1)	1774	77.2 %
2	YES/BUT TRIED:(2)	41	1.8 %
3	YES/FIRST:(3)	261	11.4 %
	Missing Data		
-9	MISSING:(-9)	223	9.7 %
	Total	2,299	100%

Based upon 2,076 valid cases out of 2,299 total cases.

Location: 815-816 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1565: 151B088A:#X NARC/LIFETIM

Item Number: 01130

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1903	82.8 %
2	1-2X:(2)	65	2.8 %
3	3-5X:(3)	27	1.2 %
4	6-9X:(4)	22	1.0 %
5	10-19X:(5)	15	0.7 %
6	20-39X:(6)	9	0.4 %
7	40+OCCAS:(7)	18	0.8 %
	Missing Data		
-9	MISSING:(-9)	240	10.4 %
	Total	2,299	100%

Based upon 2,059 valid cases out of 2,299 total cases.

Location: 817-818 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1566: 151B088B:#X NARC/LAST12M

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1959	85.2 %
2	1-2X:(2)	51	2.2 %
3	3-5X:(3)	17	0.7 %
4	6-9X:(4)	12	0.5 %
5	10-19X:(5)	9	0.4 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	8	0.3 %
Missing Data			
-9	MISSING:(-9)	238	10.4 %
Total		2,299	100%

Based upon 2,061 valid cases out of 2,299 total cases.

Location: 819-820 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1567: 151B088C:#X NARC/LAST30D

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2019	87.8 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	20	0.9 %
3	3-5X:(3)	6	0.3 %
4	6-9X:(4)	8	0.3 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
Missing Data			
-9	MISSING:(-9)	241	10.5 %
Total		2,299	100%

Based upon 2,058 valid cases out of 2,299 total cases.

Location: 821-822 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1568: 151B089A:#X/YR NARC ALNE

Item Number: 05030

IF YOU HAVE NOT TAKEN NARCOTICS OTHER THAN HEROIN IN THE LAST TWELVE MONTHS, GO TO QUESTION 98. THE FOLLOWING QUESTIONS REFER ONLY TO TAKING NARCOTICS OTHER THAN HEROIN WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 98.

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	39	1.7 %
2	FEW TIMES:(2)	19	0.8 %
3	SOMETIMES:(3)	10	0.4 %
4	MOST TIMES:(4)	4	0.2 %
5	EVERY TIME:(5)	15	0.7 %
Missing Data			
-9	MISSING:(-9)	2212	96.2 %
Total		2,299	100%

Based upon 87 valid cases out of 2,299 total cases.

Location: 823-824 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1569: 151B089B:#X/YR NARC-2PPL

Item Number: 05040

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	26	1.1 %
2	FEW TIMES:(2)	26	1.1 %
3	SOMETIMES:(3)	18	0.8 %
4	MOST TIMES:(4)	7	0.3 %
5	EVERY TIME:(5)	13	0.6 %
Missing Data			
-9	MISSING:(-9)	2209	96.1 %
Total		2,299	100%

Based upon 90 valid cases out of 2,299 total cases.

Location: 825-826 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1570: 151B089C:#X/YR NARC@PRTY

Item Number: 05050

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	52	2.3 %
2	FEW TIMES:(2)	11	0.5 %
3	SOMETIMES:(3)	13	0.6 %
4	MOST TIMES:(4)	6	0.3 %
5	EVERY TIME:(5)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	2215	96.3 %
Total		2,299	100%

Based upon 84 valid cases out of 2,299 total cases.

Location: 827-828 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1571: 151B089D:#X/YR NARC-DT/S

Item Number: 05060

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

D: When your date or spouse/partner was present

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	55	2.4 %
2	FEW TIMES:(2)	15	0.7 %
3	SOMETIMES:(3)	7	0.3 %
4	MOST TIMES:(4)	5	0.2 %
5	EVERY TIME:(5)	3	0.1 %
Missing Data			
-9	MISSING:(-9)	2214	96.3 %
Total		2,299	100%

Based upon 85 valid cases out of 2,299 total cases.

Location: 829-830 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1572: 151B089E:#X/YR NARC-ADLT

Item Number: 05070

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	52	2.3 %
2	FEW TIMES:(2)	12	0.5 %
3	SOMETIMES:(3)	6	0.3 %
4	MOST TIMES:(4)	5	0.2 %
5	EVERY TIME:(5)	14	0.6 %
Missing Data			
-9	MISSING:(-9)	2210	96.1 %
Total		2,299	100%

Based upon 89 valid cases out of 2,299 total cases.

Location: 831-832 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1573: 151B089F:#X/YR NARC-DATM

Item Number: 05080

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	40	1.7 %
2	FEW TIMES:(2)	12	0.5 %
3	SOMETIMES:(3)	14	0.6 %
4	MOST TIMES:(4)	12	0.5 %
5	EVERY TIME:(5)	6	0.3 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	2215	96.3 %
Total		2,299	100%

Based upon 84 valid cases out of 2,299 total cases.

Location: 833-834 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1574: 151B089G:#X/YR NARC@HOME

Item Number: 05090

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	32	1.4 %
2	FEW TIMES:(2)	16	0.7 %
3	SOMETIMES:(3)	10	0.4 %
4	MOST TIMES:(4)	7	0.3 %
5	EVERY TIME:(5)	21	0.9 %
Missing Data			
-9	MISSING:(-9)	2213	96.3 %
Total		2,299	100%

Based upon 86 valid cases out of 2,299 total cases.

Location: 835-836 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1575: 151B089H:#X/YR NARC@SCHL

Item Number: 05100

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	67	2.9 %
2	FEW TIMES:(2)	5	0.2 %
3	SOMETIMES:(3)	10	0.4 %
4	MOST TIMES:(4)	1	0.0 %
5	EVERY TIME:(5)	3	0.1 %
Missing Data			
-9	MISSING:(-9)	2213	96.3 %
Total		2,299	100%

Based upon 86 valid cases out of 2,299 total cases.

Location: 837-838 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1576: 151B089I:#X/YR NARC @CAR

Item Number: 05120

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	65	2.8 %
2	FEW TIMES:(2)	9	0.4 %
3	SOMETIMES:(3)	9	0.4 %
4	MOST TIMES:(4)	3	0.1 %
5	EVERY TIME:(5)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	2213	96.3 %
Total		2,299	100%

Based upon 86 valid cases out of 2,299 total cases.

Location: 839-840 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1865: 151B090A:NARC SRC INTERNT

Item Number: 31910

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

A: Bought on the Internet

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	83	3.6 %
1	MARKED:(1)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	2214	96.3 %
Total		2,299	100%

Based upon 85 valid cases out of 2,299 total cases.

Location: 841-842 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1886: 151B090B:NARC SRC FRND-ASK

Item Number: 31921

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

B: Took from a friend without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	80	3.5 %
1	MARKED:(1)	5	0.2 %
Missing Data			
-9	MISSING:(-9)	2214	96.3 %
Total		2,299	100%

Based upon 85 valid cases out of 2,299 total cases.

Location: 843-844 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1887: 151B090C:NARC SRC RLTV-ASK

Item Number: 31922

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

C: Took from a relative without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	75	3.3 %
1	MARKED:(1)	10	0.4 %
Missing Data			
-9	MISSING:(-9)	2214	96.3 %
Total		2,299	100%

Based upon 85 valid cases out of 2,299 total cases.

Location: 845-846 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1888: 151B090D:NARC SRC FRND FREE

Item Number: 31931

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

D: Given for free by a friend

0="UNMARKED" 1="MARKED""

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	51	2.2 %
1	MARKED:(1)	34	1.5 %
Missing Data			
-9	MISSING:(-9)	2214	96.3 %
Total		2,299	100%

Based upon 85 valid cases out of 2,299 total cases.

Location: 847-848 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1889: 151B090E:NARC SRC RLTV FREE

Item Number: 31932

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

E: Given for free by a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	70	3.0 %
1	MARKED:(1)	15	0.7 %
Missing Data			
-9	MISSING:(-9)	2214	96.3 %
Total		2,299	100%

Based upon 85 valid cases out of 2,299 total cases.

Location: 849-850 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1890: 151B090F:NARC SRC FRND BGHT

Item Number: 31941

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

F: Bought from a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	61	2.7 %
1	MARKED:(1)	24	1.0 %
Missing Data			
-9	MISSING:(-9)	2214	96.3 %
Total		2,299	100%

Based upon 85 valid cases out of 2,299 total cases.

Location: 851-852 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1891: 151B090G:NARC SRC RLTB BGHT

Item Number: 31942

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

G: Bought from a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	82	3.6 %
1	MARKED:(1)	3	0.1 %
Missing Data			
-9	MISSING:(-9)	2214	96.3 %
Total		2,299	100%

Based upon 85 valid cases out of 2,299 total cases.

Location: 853-854 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1869: 151B090H:NARC SRC PRESCRIP

Item Number: 31950

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

H: From a prescription I had

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	53	2.3 %
1	MARKED:(1)	32	1.4 %
Missing Data			
-9	MISSING:(-9)	2214	96.3 %
Total		2,299	100%

Based upon 85 valid cases out of 2,299 total cases.

Location: 855-856 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1870: 151B090I:NARC SRC DEALER

Item Number: 31960

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

I: Bought from drug dealer/stranger

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	71	3.1 %
1	MARKED:(1)	14	0.6 %
Missing Data			
-9	MISSING:(-9)	2214	96.3 %
Total		2,299	100%

Based upon 85 valid cases out of 2,299 total cases.

Location: 857-858 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1871: 151B090J:NARC SRC OTHER

Item Number: 31970

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

J: Other method

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	77	3.3 %
1	MARKED:(1)	8	0.3 %
Missing Data			
-9	MISSING:(-9)	2214	96.3 %
Total		2,299	100%

Based upon 85 valid cases out of 2,299 total cases.

Location: 859-860 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1892: 151B091A:NARC SCRPT DENTST

Item Number: 32460

If you took a narcotic drug without a doctor's orders -- one for which you had a prescription in your name -- from whom did you get this prescription? (Mark all that apply.)

A. A dentist

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	61	2.7 %
1	MARKED:(1)	20	0.9 %
Missing Data			
-9	MISSING:(-9)	2218	96.5 %
Total		2,299	100%

Based upon 81 valid cases out of 2,299 total cases.

Location: 861-862 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1893: 151B091B:NARC SCRPT ER DOC

Item Number: 32470

If you took a narcotic drug without a doctor's orders -- one for which you had a prescription in your name -- from whom did you get this prescription? (Mark all that apply.)

B. An emergency room doctor

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	67	2.9 %
1	MARKED:(1)	14	0.6 %
Missing Data			
-9	MISSING:(-9)	2218	96.5 %
Total		2,299	100%

Based upon 81 valid cases out of 2,299 total cases.

Location: 863-864 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1894: 151B091C:NARC SCRPT OTH DOC

Item Number: 32480

If you took a narcotic drug without a doctor's orders -- one for which you had a prescription in your name -- from whom did you get this prescription? (Mark all that apply.)

C. Another doctor

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	55	2.4 %
1	MARKED:(1)	26	1.1 %
	Missing Data		
-9	MISSING:(-9)	2218	96.5 %
	Total	2,299	100%

Based upon 81 valid cases out of 2,299 total cases.

Location: 865-866 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1895: 151B091D:NARC SCRPT DIDNT

Item Number: 32490

If you took a narcotic drug without a doctor's orders -- one for which you had a prescription in your name -- from whom did you get this prescription? (Mark all that apply.)

D. I didn't use any narcotics from a prescription of mine without a doctor's orders

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	44	1.9 %
1	MARKED:(1)	37	1.6 %
	Missing Data		
-9	MISSING:(-9)	2218	96.5 %
	Total	2,299	100%

Based upon 81 valid cases out of 2,299 total cases.

Location: 867-868 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1587: 151B092A:NARC EXPERIMENT

Item Number: 05230

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?

(Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	49	2.1 %
1	MARKED:(1)	34	1.5 %
	Missing Data		
-9	MISSING:(-9)	2216	96.4 %
	Total	2,299	100%

Based upon 83 valid cases out of 2,299 total cases.

Location: 869-870 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1588: 151B092B:NARC RELAX

Item Number: 05240

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?

(Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	37	1.6 %
1	MARKED:(1)	46	2.0 %
	Missing Data		
-9	MISSING:(-9)	2216	96.4 %
	Total	2,299	100%

Based upon 83 valid cases out of 2,299 total cases.

Location: 871-872 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V1589: 151B092C:NARC GET HIGH

Item Number: 05250

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	49	2.1 %
1	MARKED:(1)	34	1.5 %
	Missing Data		
-9	MISSING:(-9)	2216	96.4 %
	Total	2,299	100%

Based upon 83 valid cases out of 2,299 total cases.

Location: 873-874 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1590: 151B092D:NARC SK INSIGHTS

Item Number: 05260

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	77	3.3 %
1	MARKED:(1)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2216	96.4 %
	Total	2,299	100%

Based upon 83 valid cases out of 2,299 total cases.

Location: 875-876 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1591: 151B092E:NARC GD TM FRND

Item Number: 05270

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	69	3.0 %
1	MARKED:(1)	14	0.6 %
Missing Data			
-9	MISSING:(-9)	2216	96.4 %
Total		2,299	100%

Based upon 83 valid cases out of 2,299 total cases.

Location: 877-878 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1592: 151B092F:NARC FIT IN GRP

Item Number: 05280

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	81	3.5 %
1	MARKED:(1)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	2216	96.4 %
Total		2,299	100%

Based upon 83 valid cases out of 2,299 total cases.

Location: 879-880 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1593: 151B092G:NARC GT AWY PBM

Item Number: 05290

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	68	3.0 %
1	MARKED:(1)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	2216	96.4 %
	Total	2,299	100%

Based upon 83 valid cases out of 2,299 total cases.

Location: 881-882 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1594: 151B092H:NARC BOREDOM

Item Number: 05300

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	70	3.0 %
1	MARKED:(1)	13	0.6 %
	Missing Data		
-9	MISSING:(-9)	2216	96.4 %
	Total	2,299	100%

Based upon 83 valid cases out of 2,299 total cases.

Location: 883-884 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1595: 151B092I:NARC ANGR/FRSTN

Item Number: 05310

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	77	3.3 %
1	MARKED:(1)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2216	96.4 %
	Total	2,299	100%

Based upon 83 valid cases out of 2,299 total cases.

Location: 885-886 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1596: 151B092J:NARC GT THRU DA

Item Number: 05320

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	68	3.0 %
1	MARKED:(1)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	2216	96.4 %
	Total	2,299	100%

Based upon 83 valid cases out of 2,299 total cases.

Location: 887-888 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1597: 151B092K:NARC INC EF DG

Item Number: 05330

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	77	3.3 %
1	MARKED:(1)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2216	96.4 %
	Total	2,299	100%

Based upon 83 valid cases out of 2,299 total cases.

Location: 889-890 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1598: 151B092L:NARC DEC EF DG

Item Number: 05340

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	80	3.5 %
1	MARKED:(1)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	2216	96.4 %
	Total	2,299	100%

Based upon 83 valid cases out of 2,299 total cases.

Location: 891-892 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1599: 151B092M:NARC GET SLEEP

Item Number: 05350

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

M. To get to sleep

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	69	3.0 %
1	MARKED:(1)	14	0.6 %
	Missing Data		
-9	MISSING:(-9)	2216	96.4 %
	Total	2,299	100%

Based upon 83 valid cases out of 2,299 total cases.

Location: 893-894 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1600: 151B092N:NARC SBST HERIN

Item Number: 05360

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

N. As a substitute for heroin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	81	3.5 %
1	MARKED:(1)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	2216	96.4 %
	Total	2,299	100%

Based upon 83 valid cases out of 2,299 total cases.

Location: 895-896 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1697: 151B092O:NARC RLV PHYS P

Item Number: 05363

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?

(Mark all that apply.)

O. To relieve physical pain

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	35	1.5 %
1	MARKED:(1)	48	2.1 %
	Missing Data		
-9	MISSING:(-9)	2216	96.4 %
	Total	2,299	100%

Based upon 83 valid cases out of 2,299 total cases.

Location: 897-898 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1698: 151B092P:NARC RLV COUGHN

Item Number: 05366

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?

(Mark all that apply.)

P. To control coughing

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	77	3.3 %
1	MARKED:(1)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	2216	96.4 %
	Total	2,299	100%

Based upon 83 valid cases out of 2,299 total cases.

Location: 899-900 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1601: 151B092Q:NARC I AM HOOKD

Item Number: 05370

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?

(Mark all that apply.)

Q. Because I am "hooked"--I have to have them

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	80	3.5 %
1	MARKED:(1)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	2216	96.4 %
	Total	2,299	100%

Based upon 83 valid cases out of 2,299 total cases.

Location: 901-902 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1602: 151B093:NARC,GT VERY HI

Item Number: 05380

When you take narcotics other than heroin how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"

4="Very high" 5="I don't take them to get high"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	9	0.4 %
2	A LITTLE:(2)	22	1.0 %
3	MODERATE:(3)	29	1.3 %
4	VERY:(4)	9	0.4 %
5	N TK HIGH:(5)	22	1.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	2208	96.0 %
Total		2,299	100%

Based upon 91 valid cases out of 2,299 total cases.

Location: 903-904 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1603: 151B094:NARC,HI 24+ HRS

Item Number: 05390

When you take narcotics other than heroin how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

Value	Label	Unweighted Frequency	%
1	USLY DONT:(1)	22	1.0 %
2	1-2 HRS:(2)	20	0.9 %
3	3-6 HRS:(3)	36	1.6 %
4	7-24 HRS:(4)	9	0.4 %
5	> 24 HRS:(5)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	2212	96.2 %
Total		2,299	100%

Based upon 87 valid cases out of 2,299 total cases.

Location: 905-906 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1604: 151B095A:NARC TKN MTHDNE

Item Number: 05400

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

A. Methadone

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	79	3.4 %
1	MARKED:(1)	5	0.2 %
Missing Data			
-9	MISSING:(-9)	2215	96.3 %
Total		2,299	100%

Based upon 84 valid cases out of 2,299 total cases.

Location: 907-908 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1605: 151B095B:NARC TKN OPIUM

Item Number: 05410

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

B. Opium

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	80	3.5 %
1	MARKED:(1)	4	0.2 %
Missing Data			
-9	MISSING:(-9)	2215	96.3 %
Total		2,299	100%

Based upon 84 valid cases out of 2,299 total cases.

Location: 909-910 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1606: 151B095C:NARC TKN MRPHNE

Item Number: 05420

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

C. Morphine

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	59	2.6 %
1	MARKED:(1)	25	1.1 %
	Missing Data		
-9	MISSING:(-9)	2215	96.3 %
	Total	2,299	100%

Based upon 84 valid cases out of 2,299 total cases.

Location: 911-912 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1607: 151B095D:NARC TKN CODEIN

Item Number: 05430

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

D. Codeine

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	41	1.8 %
1	MARKED:(1)	43	1.9 %
	Missing Data		
-9	MISSING:(-9)	2215	96.3 %
	Total	2,299	100%

Based upon 84 valid cases out of 2,299 total cases.

Location: 913-914 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1608: 151B095E:NARC TKN DEMROL

Item Number: 05440

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

E. Demerol

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	81	3.5 %
1	MARKED:(1)	3	0.1 %
Missing Data			
-9	MISSING:(-9)	2215	96.3 %
Total		2,299	100%

Based upon 84 valid cases out of 2,299 total cases.

Location: 915-916 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1816: 151B095F:NARC TKN VICODN

Item Number: 05445

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

F. Vicodin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	49	2.1 %
1	MARKED:(1)	35	1.5 %
Missing Data			
-9	MISSING:(-9)	2215	96.3 %
Total		2,299	100%

Based upon 84 valid cases out of 2,299 total cases.

Location: 917-918 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1817: 151B095G:NARC TKN OXYCON

Item Number: 05455

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

G. OxyContin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	60	2.6 %
1	MARKED:(1)	24	1.0 %
Missing Data			
-9	MISSING:(-9)	2215	96.3 %
Total		2,299	100%

Based upon 84 valid cases out of 2,299 total cases.

Location: 919-920 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1818: 151B095H:NARC TKN PERCET

Item Number: 05465

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

H. Percocet

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	61	2.7 %
1	MARKED:(1)	23	1.0 %
Missing Data			
-9	MISSING:(-9)	2215	96.3 %
Total		2,299	100%

Based upon 84 valid cases out of 2,299 total cases.

Location: 921-922 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1819: 151B095I:NARC TKN PERDAN

Item Number: 05475

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

I. Percodan

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	84	3.7 %
1	MARKED:(1)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	2215	96.3 %
Total		2,299	100%

Based upon 84 valid cases out of 2,299 total cases.

Location: 923-924 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1872: 151B095J:NARC TKN ULTRAM

Item Number: 31980

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

J. Ultram

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	84	3.7 %
1	MARKED:(1)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	2215	96.3 %
Total		2,299	100%

Based upon 84 valid cases out of 2,299 total cases.

Location: 925-926 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1917: 141B096K:NARC TKN TRAMADOL

Item Number: 33180

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

K. Tramadol

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	67	2.9 %
1	MARKED:(1)	17	0.7 %
	Missing Data		
-9	MISSING:(-9)	2215	96.3 %
	Total	2,299	100%

Based upon 84 valid cases out of 2,299 total cases.

Location: 927-928 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1918: 141B096L:NARC TKN MS CONTIN

Item Number: 33190

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

L. Contin

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	83	3.6 %
1	MARKED:(1)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	2215	96.3 %
	Total	2,299	100%

Based upon 84 valid cases out of 2,299 total cases.

Location: 929-930 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1919: 141B096M:NARC TKN SUBOXONE

Item Number: 33200

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

M. Suboxone

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	79	3.4 %
1	MARKED:(1)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	2215	96.3 %
	Total	2,299	100%

Based upon 84 valid cases out of 2,299 total cases.

Location: 931-932 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1920: 141B096N:NARC TKN OXYCODONE

Item Number: 33210

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

N. Oxycodone

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	50	2.2 %
1	MARKED:(1)	34	1.5 %
	Missing Data		
-9	MISSING:(-9)	2215	96.3 %
	Total	2,299	100%

Based upon 84 valid cases out of 2,299 total cases.

Location: 933-934 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1921: 141B096O:NARC TKN TYLOX

Item Number: 33220

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

O. Tylox

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	83	3.6 %
1	MARKED:(1)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	2215	96.3 %
Total		2,299	100%

Based upon 84 valid cases out of 2,299 total cases.

Location: 935-936 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1922: 141B096P:NARC TKN HYDROCODONE

Item Number: 33230

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

P. Hydrocodone

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	42	1.8 %
1	MARKED:(1)	42	1.8 %
Missing Data			
-9	MISSING:(-9)	2215	96.3 %
Total		2,299	100%

Based upon 84 valid cases out of 2,299 total cases.

Location: 937-938 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1612: 151B095Q:NARC TKN OTHER

Item Number: 05480

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

K. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	73	3.2 %
1	MARKED:(1)	11	0.5 %
Missing Data			
-9	MISSING:(-9)	2215	96.3 %
Total		2,299	100%

Based upon 84 valid cases out of 2,299 total cases.

Location: 939-940 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1613: 151B095R:NARC TKN DNT KN

Item Number: 05490

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

L. Don't know the names of some I have used

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	74	3.2 %
1	MARKED:(1)	10	0.4 %
Missing Data			
-9	MISSING:(-9)	2215	96.3 %
Total		2,299	100%

Based upon 84 valid cases out of 2,299 total cases.

Location: 941-942 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1614: 151B096:TRY STP NARC/FL

Item Number: 05500

Have you ever tried to stop using narcotics other than heroin and found that you couldn't stop?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	4	0.2 %
2	NO:(2)	86	3.7 %
	Missing Data		
-9	MISSING:(-9)	2209	96.1 %
	Total	2,299	100%

Based upon 90 valid cases out of 2,299 total cases.

Location: 943-944 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1615: 151B097A:METH NARC SNORT

Item Number: 05510

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

A. Sniffing or "snorting"

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	55	2.4 %
1	MARKED:(1)	29	1.3 %
	Missing Data		
-9	MISSING:(-9)	2215	96.3 %
	Total	2,299	100%

Based upon 84 valid cases out of 2,299 total cases.

Location: 945-946 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1616: 151B097B:METH NARC SMOKE

Item Number: 05520

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

B. Smoking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	75	3.3 %
1	MARKED:(1)	9	0.4 %
Missing Data			
-9	MISSING:(-9)	2215	96.3 %
Total		2,299	100%

Based upon 84 valid cases out of 2,299 total cases.

Location: 947-948 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1617: 151B097C:METH NARC INJCT

Item Number: 05530

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

C. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	79	3.4 %
1	MARKED:(1)	5	0.2 %
Missing Data			
-9	MISSING:(-9)	2215	96.3 %
Total		2,299	100%

Based upon 84 valid cases out of 2,299 total cases.

Location: 949-950 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1618: 151B097D:METH NARC MOUTH

Item Number: 05540

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

D. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	8	0.3 %
1	MARKED:(1)	76	3.3 %
Missing Data			
-9	MISSING:(-9)	2215	96.3 %
Total		2,299	100%

Based upon 84 valid cases out of 2,299 total cases.

Location: 951-952 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1619: 151B097E:METH NARC OTHER

Item Number: 05550

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

E. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	82	3.6 %
1	MARKED:(1)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	2215	96.3 %
Total		2,299	100%

Based upon 84 valid cases out of 2,299 total cases.

Location: 953-954 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1620: 151B098:NO NARC IN 5YR

Item Number: 05560

Do you think you will be using any narcotics other than heroin without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	21	0.9 %
2	PRB WILL:(2)	31	1.3 %
3	PRB WONT:(3)	249	10.8 %
4	DEF WONT:(4)	1793	78.0 %
	Missing Data		
-9	MISSING:(-9)	205	8.9 %
	Total	2,299	100%

Based upon 2,094 valid cases out of 2,299 total cases.

Location: 955-956 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1762: 151B099:ATTND DRG TRTMN

Item Number: 22360

Have you ever attended a treatment program for alcohol or drug abuse where you stayed overnight?

1="No, never" 2="Yes, but not in the past 12 months" 3="Yes, sometime in the past 12 months"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	2041	88.8 %
2	NOPASTYR:(2)	10	0.4 %
3	INPASTYR:(3)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	243	10.6 %
	Total	2,299	100%

Based upon 2,056 valid cases out of 2,299 total cases.

Location: 957-958 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1763: 151B100:RCV DRG COUNSEL

Item Number: 22370

Have you ever received any other kind of professional counseling, treatment, or therapy because of your use of alcohol or drugs?

1="No, never" 2="Yes, but not in the past 12 months" 3="Yes,

sometime in the past 12 months"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	2015	87.6 %
2	NOPASTYR:(2)	26	1.1 %
3	INPASTYR:(3)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	243	10.6 %
	Total	2,299	100%

Based upon 2,056 valid cases out of 2,299 total cases.

Location: 959-960 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1933: 151B101:USED E-VAP EVER

Item Number = 33830

Electronic vaporizers make a mist that is inhaled and have the feel of cigarette smoking. Examples include e-cigarettes and e-pens.

Have you ever used an electronic vaporizer such as an e-cigarette?

1="Never" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1395	60.7 %
2	1-2X:(2)	281	12.2 %
3	OCCASONLY:(3)	251	10.9 %
4	REG PAST:(4)	44	1.9 %
5	REG NOW:(5)	59	2.6 %
	Missing Data		
-9	MISSING:(-9)	269	11.7 %
	Total	2,299	100%

Based upon 2,030 valid cases out of 2,299 total cases.

Location: 961-962 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1934: 151B102:#X E-VAP/LAST 30 DAYS

Item Number = 33840

During the LAST 30 DAYS, on how many days (if any) have you used an electronic vaporizer such as an e-cigarette?

1="None" 2="1-2 Days" 3="3-5 Days" 4="6-9 Days" 5="10-19 Days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1741	75.7 %
2	1-2 DAYS:(2)	121	5.3 %
3	3-5 DAYS:(3)	74	3.2 %
4	6-9 DAYS:(4)	31	1.3 %
5	10-19 DAYS:(5)	22	1.0 %
6	20-30 DAYS:(6)	50	2.2 %
Missing Data			
-9	MISSING:(-9)	260	11.3 %
Total		2,299	100%

Based upon 2,039 valid cases out of 2,299 total cases.

Location: 963-964 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1935: 151B103A:E-VAP QUIT REG CIG

Item Number = 33850

What have been the most important reasons for your using an electronic vaporizer such as an e-cigarette? (Mark all that apply.)

A.To help me quit regular cigarettes

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	569	24.7 %
1	MARKED:(1)	49	2.1 %
Missing Data			
-9	MISSING:(-9)	1681	73.1 %
Total		2,299	100%

Based upon 618 valid cases out of 2,299 total cases.

Location: 965-966 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1936: 151B103B:E-VAP REG CIG NOT PERMIT

Item Number = 33860

What have been the most important reasons for your using an electronic vaporizer such as an e-cigarette? (Mark all that apply.)

B.Because regular cigarette use is not permitted

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	586	25.5 %
1	MARKED:(1)	32	1.4 %
	Missing Data		
-9	MISSING:(-9)	1681	73.1 %
	Total	2,299	100%

Based upon 618 valid cases out of 2,299 total cases.

Location: 967-968 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1937: 151B103C:E-VAP EXPERIMENT

Item Number = 33870

What have been the most important reasons for your using an electronic vaporizer such as an e-cigarette? (Mark all that apply.)

C.To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	250	10.9 %
1	MARKED:(1)	368	16.0 %
	Missing Data		
-9	MISSING:(-9)	1681	73.1 %
	Total	2,299	100%

Based upon 618 valid cases out of 2,299 total cases.

Location: 969-970 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1938: 151B103D:E-VAP RELAX

Item Number = 33880

What have been the most important reasons for your using an electronic vaporizer such as an e-cigarette? (Mark all that apply.)

D.To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	503	21.9 %
1	MARKED:(1)	115	5.0 %
	Missing Data		
-9	MISSING:(-9)	1681	73.1 %
	Total	2,299	100%

Based upon 618 valid cases out of 2,299 total cases.

Location: 971-972 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1939: 151B103E:E-VAP GET HIGH

Item Number: 33890

What have been the most important reasons for your using an electronic vaporizer such as an e-cigarette? (Mark all that apply.)

E.To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	572	24.9 %
1	MARKED:(1)	46	2.0 %
	Missing Data		
-9	MISSING:(-9)	1681	73.1 %
	Total	2,299	100%

Based upon 618 valid cases out of 2,299 total cases.

Location: 973-974 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1940: 151B103F:E-VAP LOOKS COOL

Item Number: 33900

What have been the most important reasons for your using an electronic vaporizer such as an e-cigarette? (Mark all that apply.)

F.Because it looks cool

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	527	22.9 %
1	MARKED:(1)	91	4.0 %
	Missing Data		
-9	MISSING:(-9)	1681	73.1 %
	Total	2,299	100%

Based upon 618 valid cases out of 2,299 total cases.

Location: 975-976 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1941: 151B103G:E-VAP GOOD TM FRNDS

Item Number: 33910

What have been the most important reasons for your using an electronic vaporizer such as an e-cigarette? (Mark all that apply.)

G.To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	484	21.1 %
1	MARKED:(1)	134	5.8 %
	Missing Data		
-9	MISSING:(-9)	1681	73.1 %
	Total	2,299	100%

Based upon 618 valid cases out of 2,299 total cases.

Location: 977-978 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1942: 151B103H:E-VAP BOREDOM

Item Number: 33920

What have been the most important reasons for your using an electronic vaporizer such as an e-cigarette? (Mark all that apply.)

H.Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	481	20.9 %
1	MARKED:(1)	137	6.0 %
	Missing Data		
-9	MISSING:(-9)	1681	73.1 %
	Total	2,299	100%

Based upon 618 valid cases out of 2,299 total cases.

Location: 979-980 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1943: 151B103I:E-VAP TASTES GOOD

Item Number: 33930

What have been the most important reasons for your using an electronic vaporizer such as an e-cigarette? (Mark all that apply.)

I.Because it tastes good

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	364	15.8 %
1	MARKED:(1)	254	11.0 %
	Missing Data		
-9	MISSING:(-9)	1681	73.1 %
	Total	2,299	100%

Based upon 618 valid cases out of 2,299 total cases.

Location: 981-982 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1944: 151B103J:E-VAP I AM HOOKED

Item Number: 33940

What have been the most important reasons for your using an electronic vaporizer such as an e-cigarette? (Mark all that apply.)

J.Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	611	26.6 %
1	MARKED:(1)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	1681	73.1 %
	Total	2,299	100%

Based upon 618 valid cases out of 2,299 total cases.

Location: 983-984 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1945: 151B104:LAST E-VAP MIST

Item Number: 33950

The LAST TIME you used an electronic vaporizer such as an e-cigarette, what was in the mist you inhaled?

1="Nicotine" 2="Marijuana or hash oil" 3="Just flavoring" 4="Other" 8="Don't know"

Value	Label	Unweighted Frequency	%
1	NICOTINE:(1)	136	5.9 %
2	MARJ OR HASH OIL:(2)	32	1.4 %
3	JUST FLAVORING:(3)	379	16.5 %
4	OTHER:(4)	4	0.2 %
8	DONT KNOW:(8)	45	2.0 %
	Missing Data		
-9	MISSING:(-9)	1703	74.1 %
	Total	2,299	100%

Based upon 596 valid cases out of 2,299 total cases.

Location: 985-986 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1621: 151B105A:GR 1ST SMOK DLY

Item Number: 05570

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

A: Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	12	0.5 %
2	GRADE 7:(2)	8	0.3 %
3	GRADE 8:(3)	13	0.6 %
4	GRADE 9:(4)	29	1.3 %
5	GRADE 10:(5)	22	1.0 %
6	GRADE 11:(6)	35	1.5 %
7	GRADE 12:(7)	42	1.8 %
8	NEVER:(8)	1858	80.8 %
Missing Data			
-9	MISSING:(-9)	280	12.2 %
Total		2,299	100%

Based upon 2,019 valid cases out of 2,299 total cases.

Location: 987-988 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1622: 151B105B:GR 1ST TRY ALC

Item Number: 05580

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

B: Try an alcoholic beverage--more than just a few sips

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	81	3.5 %

Value	Label	Unweighted Frequency	%
2	GRADE 7:(2)	71	3.1 %
3	GRADE 8:(3)	152	6.6 %
4	GRADE 9:(4)	319	13.9 %
5	GRADE 10:(5)	259	11.3 %
6	GRADE 11:(6)	256	11.1 %
7	GRADE 12:(7)	162	7.0 %
8	NEVER:(8)	584	25.4 %
Missing Data			
-9	MISSING:(-9)	415	18.1 %
Total		2,299	100%

Based upon 1,884 valid cases out of 2,299 total cases.

Location: 989-990 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1623: 151B105C:GR 1ST TRY MJ

Item Number: 05590

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

C: Try marijuana or hashish

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	33	1.4 %
2	GRADE 7:(2)	55	2.4 %
3	GRADE 8:(3)	96	4.2 %
4	GRADE 9:(4)	208	9.0 %
5	GRADE 10:(5)	177	7.7 %
6	GRADE 11:(6)	154	6.7 %
7	GRADE 12:(7)	129	5.6 %
8	NEVER:(8)	1156	50.3 %
Missing Data			
-9	MISSING:(-9)	291	12.7 %
Total		2,299	100%

Based upon 2,008 valid cases out of 2,299 total cases.

Location: 991-992 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1624: 151B105D:GR 1ST TRY LSD

Item Number: 05600

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

D: Try LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	3	0.1 %
2	GRADE 7:(2)	2	0.1 %
3	GRADE 8:(3)	7	0.3 %
4	GRADE 9:(4)	6	0.3 %
5	GRADE 10:(5)	13	0.6 %
6	GRADE 11:(6)	21	0.9 %
7	GRADE 12:(7)	30	1.3 %
8	NEVER:(8)	1966	85.5 %
Missing Data			
-9	MISSING:(-9)	251	10.9 %
Total		2,299	100%

Based upon 2,048 valid cases out of 2,299 total cases.

Location: 993-994 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1625: 151B105E:GR 1ST TRY PSY

Item Number: 05610

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

E: Try a hallucinogen other than LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	2	0.1 %
2	GRADE 7:(2)	2	0.1 %
3	GRADE 8:(3)	6	0.3 %
4	GRADE 9:(4)	11	0.5 %
5	GRADE 10:(5)	7	0.3 %
6	GRADE 11:(6)	26	1.1 %
7	GRADE 12:(7)	25	1.1 %
8	NEVER:(8)	1961	85.3 %
Missing Data			
-9	MISSING:(-9)	259	11.3 %
Total		2,299	100%

Based upon 2,040 valid cases out of 2,299 total cases.

Location: 995-996 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1626: 151B105F:GR 1ST TRY AMP

Item Number: 05620

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

F: Try amphetamines

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	7	0.3 %
2	GRADE 7:(2)	2	0.1 %
3	GRADE 8:(3)	7	0.3 %
4	GRADE 9:(4)	18	0.8 %
5	GRADE 10:(5)	19	0.8 %
6	GRADE 11:(6)	22	1.0 %
7	GRADE 12:(7)	13	0.6 %
8	NEVER:(8)	1908	83.0 %
Missing Data			
-9	MISSING:(-9)	303	13.2 %
Total		2,299	100%

Based upon 1,996 valid cases out of 2,299 total cases.

Location: 997-998 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1628: 151B105G:GR 1ST TRY BRB

Item Number: 05640

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

G: Try barbiturates

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	3	0.1 %
2	GRADE 7:(2)	2	0.1 %
3	GRADE 8:(3)	5	0.2 %
4	GRADE 9:(4)	3	0.1 %
5	GRADE 10:(5)	3	0.1 %
6	GRADE 11:(6)	3	0.1 %
7	GRADE 12:(7)	4	0.2 %
8	NEVER:(8)	2018	87.8 %
Missing Data			
-9	MISSING:(-9)	258	11.2 %
Total		2,299	100%

Based upon 2,041 valid cases out of 2,299 total cases.

Location: 999-1000 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1629: 151B105H:GR 1ST TRY TRN

Item Number: 05650

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

H: Try tranquilizers

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11

(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	8	0.3 %
2	GRADE 7:(2)	2	0.1 %
3	GRADE 8:(3)	7	0.3 %
4	GRADE 9:(4)	9	0.4 %
5	GRADE 10:(5)	20	0.9 %
6	GRADE 11:(6)	30	1.3 %
7	GRADE 12:(7)	15	0.7 %
8	NEVER:(8)	1928	83.9 %
Missing Data			
-9	MISSING:(-9)	280	12.2 %
Total		2,299	100%

Based upon 2,019 valid cases out of 2,299 total cases.

Location: 1001-1002 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9

V1630: 151B105I:GR 1ST TRY COK

Item Number: 05660

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

I: Try cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11

(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	4	0.2 %
2	GRADE 7:(2)	2	0.1 %
3	GRADE 8:(3)	7	0.3 %
4	GRADE 9:(4)	9	0.4 %
5	GRADE 10:(5)	10	0.4 %
6	GRADE 11:(6)	15	0.7 %
7	GRADE 12:(7)	13	0.6 %
8	NEVER:(8)	1975	85.9 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	264	11.5 %
Total		2,299	100%

Based upon 2,035 valid cases out of 2,299 total cases.

Location: 1003-1004 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1631: 151B105J:GR 1ST TRY HER

Item Number: 05670

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

J: Try heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	4	0.2 %
2	GRADE 7:(2)	0	0.0 %
3	GRADE 8:(3)	2	0.1 %
4	GRADE 9:(4)	4	0.2 %
5	GRADE 10:(5)	1	0.0 %
6	GRADE 11:(6)	2	0.1 %
7	GRADE 12:(7)	2	0.1 %
8	NEVER:(8)	2023	88.0 %
Missing Data			
-9	MISSING:(-9)	261	11.4 %
Total		2,299	100%

Based upon 2,038 valid cases out of 2,299 total cases.

Location: 1005-1006 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1632: 151B105K:GR 1ST TRY NRC

Item Number: 05680

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

K: Try any narcotic other than heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	10	0.4 %
2	GRADE 7:(2)	3	0.1 %
3	GRADE 8:(3)	6	0.3 %
4	GRADE 9:(4)	20	0.9 %
5	GRADE 10:(5)	20	0.9 %
6	GRADE 11:(6)	34	1.5 %
7	GRADE 12:(7)	17	0.7 %
8	NEVER:(8)	1876	81.6 %
Missing Data			
-9	MISSING:(-9)	313	13.6 %
Total		2,299	100%

Based upon 1,986 valid cases out of 2,299 total cases.

Location: 1007-1008 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1748: 151B105L:GR 1ST SMOK EVR

Item Number: 05575

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

L: Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	62	2.7 %
2	GRADE 7:(2)	43	1.9 %
3	GRADE 8:(3)	74	3.2 %
4	GRADE 9:(4)	91	4.0 %
5	GRADE 10:(5)	76	3.3 %
6	GRADE 11:(6)	83	3.6 %

Value	Label	Unweighted Frequency	%
7	GRADE 12:(7)	64	2.8 %
8	NEVER:(8)	1445	62.9 %
	Missing Data		
-9	MISSING:(-9)	361	15.7 %
	Total	2,299	100%

Based upon 1,938 valid cases out of 2,299 total cases.

Location: 1009-1010 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1946: 151B105M:GR 1ST TRY E-CIG

Item Number: 33960

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. M: Try an e-cigarette, e-pen, etc.

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)"
5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	18	0.8 %
2	GRADE 7:(2)	4	0.2 %
3	GRADE 8:(3)	16	0.7 %
4	GRADE 9:(4)	55	2.4 %
5	GRADE 10:(5)	150	6.5 %
6	GRADE 11:(6)	259	11.3 %
7	GRADE 12:(7)	168	7.3 %
8	NEVER:(8)	1393	60.6 %
	Missing Data		
-9	MISSING:(-9)	236	10.3 %
	Total	2,299	100%

Based upon 2,063 valid cases out of 2,299 total cases.

Location: 1011-1012 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1749: 151B105N:GR 1ST DRUNK

Item Number: 05585

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

M: Drink enough to feel drunk or very high

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	22	1.0 %
2	GRADE 7:(2)	28	1.2 %
3	GRADE 8:(3)	67	2.9 %
4	GRADE 9:(4)	180	7.8 %
5	GRADE 10:(5)	182	7.9 %
6	GRADE 11:(6)	221	9.6 %
7	GRADE 12:(7)	135	5.9 %
8	NEVER:(8)	1035	45.0 %
Missing Data			
-9	MISSING:(-9)	429	18.7 %
Total		2,299	100%

Based upon 1,870 valid cases out of 2,299 total cases.

Location: 1013-1014 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1783: 151B105O:GR 1ST TRY CRAC

Item Number: 05661

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

N: Try "crack" cocaine, specifically

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	5	0.2 %
2	GRADE 7:(2)	1	0.0 %
3	GRADE 8:(3)	2	0.1 %
4	GRADE 9:(4)	7	0.3 %
5	GRADE 10:(5)	1	0.0 %

Value	Label	Unweighted Frequency	%
6	GRADE 11:(6)	6	0.3 %
7	GRADE 12:(7)	1	0.0 %
8	NEVER:(8)	2013	87.6 %
Missing Data			
-9	MISSING:(-9)	263	11.4 %
Total		2,299	100%

Based upon 2,036 valid cases out of 2,299 total cases.

Location: 1015-1016 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1923: 141B102P:GR 1ST TRY MDMA

Item Number: 33300

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

P: Try MDMA ("Molly","ecstasy")

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)"

7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	21	0.9 %
2	GRADE 7:(2)	4	0.2 %
3	GRADE 8:(3)	3	0.1 %
4	GRADE 9:(4)	15	0.7 %
5	GRADE 10:(5)	14	0.6 %
6	GRADE 11:(6)	28	1.2 %
7	GRADE 12:(7)	19	0.8 %
8	NEVER:(8)	1965	85.5 %
Missing Data			
-9	MISSING:(-9)	230	10.0 %
Total		2,299	100%

Based upon 2,069 valid cases out of 2,299 total cases.

Location: 1017-1018 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1785: 151B106A:ALL FRD SMK CIG

Item Number: 07070

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	770	33.5 %
2	A FEW:(2)	858	37.3 %
3	SOME:(3)	334	14.5 %
4	MOST:(4)	99	4.3 %
5	ALL:(5)	11	0.5 %
Missing Data			
-9	MISSING:(-9)	227	9.9 %
Total		2,299	100%

Based upon 2,072 valid cases out of 2,299 total cases.

Location: 1019-1020 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1786: 151B106B:ALL FRD SMK MAR

Item Number: 07080

How many of your friends would you estimate . . .

B: . . . Smoke marijuana (pot, weed) or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	434	18.9 %
2	A FEW:(2)	541	23.5 %
3	SOME:(3)	542	23.6 %
4	MOST:(4)	478	20.8 %
5	ALL:(5)	77	3.3 %
Missing Data			
-9	MISSING:(-9)	227	9.9 %
Total		2,299	100%

Based upon 2,072 valid cases out of 2,299 total cases.

Location: 1021-1022 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1787: 151B106C:# FRNDS TK CRAC

Item Number: 07151

How many of your friends would you estimate . . .

C: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1783	77.6 %
2	A FEW:(2)	232	10.1 %
3	SOME:(3)	33	1.4 %
4	MOST:(4)	7	0.3 %
5	ALL:(5)	9	0.4 %
Missing Data			
-9	MISSING:(-9)	235	10.2 %
Total		2,299	100%

Based upon 2,064 valid cases out of 2,299 total cases.

Location: 1023-1024 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1788: 151B106D:# FRNDS TK C PW

Item Number: 23990

How many of your friends would you estimate . . .

D: . . . Take cocaine powder?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1709	74.3 %
2	A FEW:(2)	281	12.2 %
3	SOME:(3)	35	1.5 %
4	MOST:(4)	10	0.4 %

Value	Label	Unweighted Frequency	%
5	ALL:(5)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	257	11.2 %
	Total	2,299	100%

Based upon 2,042 valid cases out of 2,299 total cases.

Location: 1025-1026 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1789: 151B106E:ALL FRD DRK ALC

Item Number: 07190

How many of your friends would you estimate . . .

E: . . . Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	314	13.7 %
2	A FEW:(2)	300	13.0 %
3	SOME:(3)	430	18.7 %
4	MOST:(4)	721	31.4 %
5	ALL:(5)	295	12.8 %
	Missing Data		
-9	MISSING:(-9)	239	10.4 %
	Total	2,299	100%

Based upon 2,060 valid cases out of 2,299 total cases.

Location: 1027-1028 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1790: 151B106F:ALL FRD GT DRUN

Item Number: 07200

How many of your friends would you estimate . . .

F: . . . Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	775	33.7 %
2	A FEW:(2)	610	26.5 %
3	SOME:(3)	402	17.5 %
4	MOST:(4)	233	10.1 %
5	ALL:(5)	45	2.0 %
Missing Data			
-9	MISSING:(-9)	234	10.2 %
Total		2,299	100%

Based upon 2,065 valid cases out of 2,299 total cases.

Location: 1029-1030 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1947: 151B106G:ALL FRD SMK E-VAP

Item Number: 34000

How many of your friends would you estimate . . .

G: Use an e-cigarette, e-pen, etc.?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	866	37.7 %
2	A FEW:(2)	565	24.6 %
3	SOME:(3)	403	17.5 %
4	MOST:(4)	184	8.0 %
5	ALL:(5)	40	1.7 %
Missing Data			
-9	MISSING:(-9)	241	10.5 %
Total		2,299	100%

Based upon 2,058 valid cases out of 2,299 total cases.

Location: 1031-1032 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1102: 151B002(R):#CIGS SMKD/30DA

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all [includes respondents who reported nonuse above]" 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	NT DAILY:(1)	1925	83.7 %
2	<1 CIG/D:(2)	120	5.2 %
3	1-5/DAY:(3)	71	3.1 %
4	1/2 PK:(4)	35	1.5 %
5	1 PK:(5)	10	0.4 %
6	1 1/2 PK:(6)	3	0.1 %
7	2+ PKS:(7)	5	0.2 %
Missing Data			
-9	MISSING:(-9)	130	5.7 %
Total		2,299	100%

Based upon 2,169 valid cases out of 2,299 total cases.

Location: 1033-1034 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1108: 151B017(R):5+DRK ROW/LST 2

Item Number: 00850

During the last two weeks, how many times (if any) have you had five or more drinks in a row?

1="None" [includes respondents who reported nonuse above] 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1856	80.7 %
2	ONCE:(2)	112	4.9 %
3	TWICE:(3)	88	3.8 %
4	3-5X:(4)	43	1.9 %
5	6-9X:(5)	12	0.5 %
6	10+ TIME:(6)	8	0.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	180	7.8 %
	Total	2,299	100%

Based upon 2,119 valid cases out of 2,299 total cases.

Location: 1035-1036 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RESPONDENT_AGE: 151C01(R):AGE <>18 DICHOTOMY

Item Number:

Item comprised of responses to question C01 "In what year were you born?" (item 00010), question C02 "In what month were you born" (item 00020), and date of questionnaire administration recorded by interviewer.

1="younger than 18" 2="18 years of age or over"

Value	Label	Unweighted Frequency	%
1	< 18 YRS:(1)	855	37.2 %
2	18+ YRS:(2)	1237	53.8 %
	Missing Data		
-9	MISSING:(-9)	207	9.0 %
	Total	2,299	100%

Based upon 2,092 valid cases out of 2,299 total cases.

Location: 1037-1038 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1150: 151C003:Rs SEX

Item Number: 00030

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%
1	MALE:(1)	1022	44.5 %
2	FEMALE:(2)	1011	44.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	266	11.6 %
Total		2,299	100%

Based upon 2,033 valid cases out of 2,299 total cases.

Location: 1039-1040 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1151: 151C04(R):Rs RACE B/W/H

Item Number:

How do you describe yourself? (Select one or more responses.)
 Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic..."). All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"

3="Hispanic" [see above]

Value	Label	Unweighted Frequency	%
1	BLACK:(1)	300	13.0 %
2	WHITE:(2)	1106	48.1 %
3	HISPANIC:(3)	366	15.9 %
Missing Data			
-9	MISSING:(-9)	527	22.9 %
Total		2,299	100%

Based upon 1,772 valid cases out of 2,299 total cases.

Location: 1041-1042 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1152: 151C005:R SPD >TIM R-UR

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small

city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and non response

Value	Label	Unweighted Frequency	%
0	DK/MIXED:(0)	429	18.7 %
1	A FARM:(1)	82	3.6 %
2	COUNTRY:(2)	203	8.8 %
3	SM CITY:(3)	541	23.5 %
4	MED CITY:(4)	301	13.1 %
5	SUB MED:(5)	251	10.9 %
6	LGE CITY:(6)	182	7.9 %
7	SUB LGE:(7)	143	6.2 %
8	V-LGE CITY:(8)	82	3.6 %
9	SUB V-LGE:(9)	85	3.7 %
Total		2,299	100%

Based upon 2,299 valid cases out of 2,299 total cases.

Location: 1043-1044 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1153: 151C006:R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%
1	MARRIED:(1)	108	4.7 %
2	ENGAGED:(2)	59	2.6 %
3	SEP/DIV:(3)	38	1.7 %
4	SINGLE:(4)	1861	80.9 %
Missing Data			
-9	MISSING:(-9)	233	10.1 %
Total		2,299	100%

Based upon 2,066 valid cases out of 2,299 total cases.

Location: 1045-1046 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V49: 151C07(R):# SIBLINGS

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more"

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more younger or older brothers or sisters".

Value	Label	Unweighted Frequency	%
0	NONE:(0)	143	6.2 %
1	ONE:(1)	549	23.9 %
2	TWO:(2)	543	23.6 %
3	THREE+:(3-4)	834	36.3 %
Missing Data			
-9	MISSING:(-9)	230	10.0 %
Total		2,299	100%

Based upon 2,069 valid cases out of 2,299 total cases.

Location: 1047-1048 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1155: 151C07Cb:Rs HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	619	26.9 %
1	MARKED:(1)	1448	63.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	232	10.1 %
	Total	2,299	100%

Based upon 2,067 valid cases out of 2,299 total cases.

Location: 1049-1050 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1156: 151C07Cc:Rs HSHLD MOTHER

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	250	10.9 %
1	MARKED:(1)	1817	79.0 %
	Missing Data		
-9	MISSING:(-9)	232	10.1 %
	Total	2,299	100%

Based upon 2,067 valid cases out of 2,299 total cases.

Location: 1051-1052 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1157: 151C07Cd:Rs HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of

confidentiality.

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	659	28.7 %
1	MARKED:(1)	1408	61.2 %
	Missing Data		
-9	MISSING:(-9)	232	10.1 %
	Total	2,299	100%

Based upon 2,067 valid cases out of 2,299 total cases.

Location: 1053-1054 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1163: 151C008:FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"
 3="Completed high school" 4="Some college" 5="Completed college"
 6="Graduate or professional school after college"
 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	111	4.8 %
2	SOME HS:(2)	256	11.1 %
3	HS GRAD:(3)	491	21.4 %
4	SOME CLG:(4)	333	14.5 %
5	CLG GRAD:(5)	413	18.0 %
6	GRAD SCH:(6)	254	11.0 %
7	DK:(7)	190	8.3 %
	Missing Data		
-9	MISSING:(-9)	251	10.9 %
	Total	2,299	100%

Based upon 2,048 valid cases out of 2,299 total cases.

Location: 1055-1056 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1164: 151C009:MOTHR EDUC LEVEL

Item Number: 00320

What is the highest level of schooling your mother completed?

- 1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed
college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	100	4.3 %
2	SOME HS:(2)	190	8.3 %
3	HS GRAD:(3)	397	17.3 %
4	SOME CLG:(4)	405	17.6 %
5	CLG GRAD:(5)	548	23.8 %
6	GRAD SCH:(6)	302	13.1 %
7	DK:(7)	102	4.4 %
Missing Data			
-9	MISSING:(-9)	255	11.1 %
Total		2,299	100%

Based upon 2,044 valid cases out of 2,299 total cases.

Location: 1057-1058 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9

V1165: 151C010:MOTH PD JB R YNG

Item Number: 00330

Did your mother have a paid job (half-time or more) during
the time you were growing up?

- 1="No" 2="Yes, some of the time when I was growing up" 3="Yes,
most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%
1	NO:(1)	297	12.9 %
2	YES/SOME:(2)	391	17.0 %
3	YES/MOST:(3)	362	15.7 %
4	YES/NRLY ALL:(4)	996	43.3 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	253	11.0 %
Total		2,299	100%

Based upon 2,046 valid cases out of 2,299 total cases.

Location: 1059-1060 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1166: 151C011:Rs POLTL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%
1	STRG GOP:(1)	202	8.8 %
2	MILD GOP:(2)	250	10.9 %
3	MILD DEM:(3)	234	10.2 %
4	STRG DEM:(4)	190	8.3 %
5	INDEPNNDT:(5)	236	10.3 %
6	NO PREF:(6)	279	12.1 %
7	OTHER:(7)	33	1.4 %
8	DK/HVNT DECID:(8)	537	23.4 %
Missing Data			
-9	MISSING:(-9)	338	14.7 %
Total		2,299	100%

Based upon 1,961 valid cases out of 2,299 total cases.

Location: 1061-1062 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1167: 151C012:R POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very liberal" 6="Radical" 8="None of

the above, or don't know"

Value	Label	Unweighted Frequency	%
1	VRY CONS:(1)	101	4.4 %
2	CONSERV:(2)	243	10.6 %
3	MODERATE:(3)	393	17.1 %
4	LIBERAL:(4)	283	12.3 %
5	VRY LIB:(5)	95	4.1 %
6	RADICAL:(6)	29	1.3 %
8	NONE/DK:(8)	881	38.3 %
Missing Data			
-9	MISSING:(-9)	274	11.9 %
Total		2,299	100%

Based upon 2,025 valid cases out of 2,299 total cases.

Location: 1063-1064 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1169: 151C013B:R ATTND REL SVC

Item Number: 00370

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	379	16.5 %
2	RARELY:(2)	545	23.7 %
3	1-2X/MO:(3)	280	12.2 %
4	1/WK OR+:(4)	440	19.1 %
Missing Data			
-9	MISSING:(-9)	655	28.5 %
Total		2,299	100%

Based upon 1,644 valid cases out of 2,299 total cases.

Location: 1065-1066 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1170: 151C013C:RLGN IMP Rs LF

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	389	16.9 %
2	LITL IMP:(2)	382	16.6 %
3	PRTY IMP:(3)	447	19.4 %
4	VERY IMP:(4)	432	18.8 %
Missing Data			
-9	MISSING:(-9)	649	28.2 %
Total		2,299	100%

Based upon 1,650 valid cases out of 2,299 total cases.

Location: 1067-1068 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1171: 151C014:WHEN R XPCT GRA

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"
6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%
1	JUNE:(1)	2000	87.0 %
2	JUL-JAN:(2)	26	1.1 %
3	AFTER JAN:(3)	0	0.0 %
6	DONT EXPCT:(6)	17	0.7 %
Missing Data			
-9	MISSING:(-9)	256	11.1 %
Total		2,299	100%

Based upon 2,043 valid cases out of 2,299 total cases.

Location: 1069-1070 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V1172: 151C015:Rs HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%
1	CLG PREP:(1)	1088	47.3 %
2	GENERAL:(2)	667	29.0 %
3	VOC-TECH:(3)	64	2.8 %
4	OTH/DK:(4)	206	9.0 %
Missing Data			
-9	MISSING:(-9)	274	11.9 %
Total		2,299	100%

Based upon 2,025 valid cases out of 2,299 total cases.

Location: 1071-1072 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1173: 151C016:RT SF SCH AB>AV

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	49	2.1 %
2	BELOW AVG:(2)	31	1.3 %
3	SLIGHT BELOW:(3)	105	4.6 %
4	AVERAGE:(4)	617	26.8 %
5	SLIGHT ABOVE:(5)	499	21.7 %
6	ABOVE AVG:(6)	547	23.8 %
7	FAR ABOVE:(7)	151	6.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	300	13.0 %
	Total	2,299	100%

Based upon 1,999 valid cases out of 2,299 total cases.

Location: 1073-1074 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1174: 151C017:RT SF INTELL>AV

Item Number: 00420

How intelligent do you think you are compared with others
your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below
Average" 4="Average" 5="Slightly Above Average" 6="Above
Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	38	1.7 %
2	BELOW AVG:(2)	36	1.6 %
3	SLIGHT BELOW:(3)	91	4.0 %
4	AVERAGE:(4)	569	24.7 %
5	SLIGHT ABOVE:(5)	519	22.6 %
6	ABOVE AVG:(6)	584	25.4 %
7	FAR ABOVE:(7)	182	7.9 %
	Missing Data		
-9	MISSING:(-9)	280	12.2 %
	Total	2,299	100%

Based upon 2,019 valid cases out of 2,299 total cases.

Location: 1075-1076 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1175: 151C018A:#DA/4W SC MS IL

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school
have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1058	46.0 %
2	1 DAY:(2)	358	15.6 %
3	2 DAYS:(3)	237	10.3 %
4	3 DAYS:(4)	156	6.8 %
5	4-5 DAYS:(5)	113	4.9 %
6	6-10 DA:(6)	40	1.7 %
7	11+ DAYS:(7)	32	1.4 %
Missing Data			
-9	MISSING:(-9)	305	13.3 %
Total		2,299	100%

Based upon 1,994 valid cases out of 2,299 total cases.

Location: 1077-1078 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1176: 151C018B:#DA/4W SC MS CU

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1386	60.3 %
2	1 DAY:(2)	246	10.7 %
3	2 DAYS:(3)	132	5.7 %
4	3 DAYS:(4)	83	3.6 %
5	4-5 DAYS:(5)	64	2.8 %
6	6-10 DA:(6)	34	1.5 %
7	11+ DAYS:(7)	26	1.1 %
Missing Data			
-9	MISSING:(-9)	328	14.3 %
Total		2,299	100%

Based upon 1,971 valid cases out of 2,299 total cases.

Location: 1079-1080 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1177: 151C018C:#DA/4W SC MS OT

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	994	43.2 %
2	1 DAY:(2)	398	17.3 %
3	2 DAYS:(3)	263	11.4 %
4	3 DAYS:(4)	133	5.8 %
5	4-5 DAYS:(5)	106	4.6 %
6	6-10 DA:(6)	44	1.9 %
7	11+ DAYS:(7)	38	1.7 %
Missing Data			
-9	MISSING:(-9)	323	14.0 %
Total		2,299	100%

Based upon 1,976 valid cases out of 2,299 total cases.

Location: 1081-1082 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1178: 151C019:#DA/4W SKP CLAS

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"

5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1461	63.5 %

Value	Label	Unweighted Frequency	%
2	1-2:(2)	321	14.0 %
3	3-5:(3)	146	6.4 %
4	6-10:(4)	49	2.1 %
5	11-20:(5)	23	1.0 %
6	21+:(6)	22	1.0 %
Missing Data			
-9	MISSING:(-9)	277	12.0 %
Total		2,299	100%

Based upon 2,022 valid cases out of 2,299 total cases.

Location: 1083-1084 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1179: 151C020:R HS GRADE/D = 1

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"
 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"
 1="D (69 or below)"

Value	Label	Unweighted Frequency	%
1	D:(1)	23	1.0 %
2	C-:(2)	41	1.8 %
3	C:(3)	80	3.5 %
4	C+:(4)	153	6.7 %
5	B-:(5)	197	8.6 %
6	B:(6)	322	14.0 %
7	B+:(7)	393	17.1 %
8	A-:(8)	370	16.1 %
9	A:(9)	425	18.5 %
Missing Data			
-9	MISSING:(-9)	295	12.8 %
Total		2,299	100%

Based upon 2,004 valid cases out of 2,299 total cases.

Location: 1085-1086 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1180: 151C021A:R WL DO VOC/TEC

Item Number: 00480

How likely is it that you will do each of the following things after high school?

A. Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1149	50.0 %
2	PRB WONT:(2)	412	17.9 %
3	PRB WILL:(3)	247	10.7 %
4	DEF WILL:(4)	118	5.1 %
Missing Data			
-9	MISSING:(-9)	373	16.2 %
Total		2,299	100%

Based upon 1,926 valid cases out of 2,299 total cases.

Location: 1087-1088 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1181: 151C021B:R WL DO ARMD FC

Item Number: 00490

How likely is it that you will do each of the following things after high school?

B. Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1177	51.2 %
2	PRB WONT:(2)	415	18.1 %
3	PRB WILL:(3)	147	6.4 %
4	DEF WILL:(4)	99	4.3 %
Missing Data			
-9	MISSING:(-9)	461	20.1 %

Value	Label	Unweighted Frequency	%
Total		2,299	100%

Based upon 1,838 valid cases out of 2,299 total cases.

Location: 1089-1090 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1182: 151C021C:R WL DO 2YR CLG

Item Number: 00500

How likely is it that you will do each of the following things after high school?

C. Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	793	34.5 %
2	PRB WONT:(2)	312	13.6 %
3	PRB WILL:(3)	414	18.0 %
4	DEF WILL:(4)	394	17.1 %
Missing Data			
-9	MISSING:(-9)	386	16.8 %
Total		2,299	100%

Based upon 1,913 valid cases out of 2,299 total cases.

Location: 1091-1092 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1183: 151C021D:R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following things after high school?

D. Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	160	7.0 %
2	PRB WONT:(2)	148	6.4 %
3	PRB WILL:(3)	423	18.4 %
4	DEF WILL:(4)	1247	54.2 %
Missing Data			
-9	MISSING:(-9)	321	14.0 %
Total		2,299	100%

Based upon 1,978 valid cases out of 2,299 total cases.

Location: 1093-1094 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1184: 151C021E:R WL DO GRD/PRF

Item Number: 00520

How likely is it that you will do each of the following things after high school?

E. Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	332	14.4 %
2	PRB WONT:(2)	450	19.6 %
3	PRB WILL:(3)	612	26.6 %
4	DEF WILL:(4)	539	23.4 %
Missing Data			
-9	MISSING:(-9)	366	15.9 %
Total		2,299	100%

Based upon 1,933 valid cases out of 2,299 total cases.

Location: 1095-1096 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1185: 151C022A:R WNTDO VOC/TEC

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT

to do? (Mark ALL that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1711	74.4 %
1	MARKED:(1)	243	10.6 %
	Missing Data		
-9	MISSING:(-9)	345	15.0 %
	Total	2,299	100%

Based upon 1,954 valid cases out of 2,299 total cases.

Location: 1097-1098 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1186: 151C022B:R WNTDO ARMD FC

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1662	72.3 %
1	MARKED:(1)	292	12.7 %
	Missing Data		
-9	MISSING:(-9)	345	15.0 %
	Total	2,299	100%

Based upon 1,954 valid cases out of 2,299 total cases.

Location: 1099-1100 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1187: 151C022C:R WNTDO 2YR CLG

Item Number: 00550

Suppose you could do just what you'd like and nothing stood

in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1455	63.3 %
1	MARKED:(1)	499	21.7 %
	Missing Data		
-9	MISSING:(-9)	345	15.0 %
	Total	2,299	100%

Based upon 1,954 valid cases out of 2,299 total cases.

Location: 1101-1102 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1188: 151C022D:R WNTDO 4YR CLG

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	421	18.3 %
1	MARKED:(1)	1533	66.7 %
	Missing Data		
-9	MISSING:(-9)	345	15.0 %
	Total	2,299	100%

Based upon 1,954 valid cases out of 2,299 total cases.

Location: 1103-1104 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1189: 151C022E:R WNTDO GRD/PRF

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	897	39.0 %
1	MARKED:(1)	1057	46.0 %
	Missing Data		
-9	MISSING:(-9)	345	15.0 %
	Total	2,299	100%

Based upon 1,954 valid cases out of 2,299 total cases.

Location: 1105-1106 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1190: 151C022F:R WNTDO NONE

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1806	78.6 %
1	MARKED:(1)	148	6.4 %
	Missing Data		
-9	MISSING:(-9)	345	15.0 %
	Total	2,299	100%

Based upon 1,954 valid cases out of 2,299 total cases.

Location: 1107-1108 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1191: 151C023:HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours"
8="More than 30 hours"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	867	37.7 %
2	5 OR <:(2)	162	7.0 %
3	6-10 HRS:(3)	211	9.2 %
4	11-15 HR:(4)	168	7.3 %
5	16-20 HR:(5)	200	8.7 %
6	21-25 HR:(6)	138	6.0 %
7	26-30 HR:(7)	123	5.4 %
8	30+ HRS:(8)	108	4.7 %
Missing Data			
-9	MISSING:(-9)	322	14.0 %
Total		2,299	100%

Based upon 1,977 valid cases out of 2,299 total cases.

Location: 1109-1110 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1192: 151C024A:R\$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	882	38.4 %
2	\$1-5:(2)	12	0.5 %
3	\$6-10:(3)	55	2.4 %
4	\$11-20:(4)	60	2.6 %
5	\$21-35:(5)	44	1.9 %
6	\$36-50:(6)	81	3.5 %
7	\$51-75:(7)	135	5.9 %

Value	Label	Unweighted Frequency	%
8	\$76-125:(8)	240	10.4 %
9	\$126-175:(9)	179	7.8 %
10	\$176+:(10)	244	10.6 %
Missing Data			
-9	MISSING:(-9)	367	16.0 %
Total		2,299	100%

Based upon 1,932 valid cases out of 2,299 total cases.

Location: 1111-1112 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1193: 151C024B:R\$/AVG WEEK OTH

Item Number: 00610

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	937	40.8 %
2	\$1-5:(2)	72	3.1 %
3	\$6-10:(3)	128	5.6 %
4	\$11-20:(4)	274	11.9 %
5	\$21-35:(5)	151	6.6 %
6	\$36-50:(6)	114	5.0 %
7	\$51-75:(7)	65	2.8 %
8	\$76-125:(8)	52	2.3 %
9	\$126-175:(9)	11	0.5 %
10	\$176+:(10)	62	2.7 %
Missing Data			
-9	MISSING:(-9)	433	18.8 %
Total		2,299	100%

Based upon 1,866 valid cases out of 2,299 total cases.

Location: 1113-1114 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1194: 151C025:#X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or five"
6="Six or seven"

Value	Label	Unweighted Frequency	%
1	< 1:(1)	366	15.9 %
2	ONE:(2)	354	15.4 %
3	TWO:(3)	538	23.4 %
4	THREE:(4)	383	16.7 %
5	4-5:(5)	231	10.0 %
6	6-7:(6)	91	4.0 %
Missing Data			
-9	MISSING:(-9)	336	14.6 %
Total		2,299	100%

Based upon 1,963 valid cases out of 2,299 total cases.

Location: 1115-1116 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1195: 151C026:#X DATE 3+/WK

Item Number: 00630

On the average, how often do you go out with a date (or your spouse/partner)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"
4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	912	39.7 %
2	ONCE/MO:(2)	263	11.4 %
3	2-3X MO:(3)	245	10.7 %
4	ONCE WK:(4)	246	10.7 %
5	2-3X WK:(5)	213	9.3 %
6	3+ WEEK:(6)	83	3.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	337	14.7 %
	Total	2,299	100%

Based upon 1,962 valid cases out of 2,299 total cases.

Location: 1117-1118 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1196: 151C027:DRIVE>200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	514	22.4 %
2	1-10 MI:(2)	205	8.9 %
3	11-50:(3)	453	19.7 %
4	51-100:(4)	405	17.6 %
5	101-200:(5)	231	10.0 %
6	> 200:(6)	157	6.8 %
	Missing Data		
-9	MISSING:(-9)	334	14.5 %
	Total	2,299	100%

Based upon 1,965 valid cases out of 2,299 total cases.

Location: 1119-1120 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1197: 151C028:#X/12MO R TCKTD

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"

4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1641	71.4 %
1	ONCE:(1)	158	6.9 %
2	TWICE:(2)	46	2.0 %
3	3 TIMES:(3)	18	0.8 %
4	4+ TIMES:(4)	11	0.5 %
Missing Data			
-9	MISSING:(-9)	425	18.5 %
Total		2,299	100%

Based upon 1,874 valid cases out of 2,299 total cases.

Location: 1121-1122 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1198: 151C029A:#TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you
were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	221	9.6 %
1	ONE:(1)	5	0.2 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	2071	90.1 %
Total		2,299	100%

Based upon 228 valid cases out of 2,299 total cases.

Location: 1123-1124 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1199: 151C029B:#TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you
were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	218	9.5 %
1	ONE:(1)	5	0.2 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	2073	90.2 %
	Total	2,299	100%

Based upon 226 valid cases out of 2,299 total cases.

Location: 1125-1126 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1200: 151C029C:#TCKTS AFT OTDG

Item Number: 00680

How many of these tickets or warnings occurred after you
were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	223	9.7 %
1	ONE:(1)	2	0.1 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	2072	90.1 %
	Total	2,299	100%

Based upon 227 valid cases out of 2,299 total cases.

Location: 1127-1128 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1201: 151C030:#ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times"

4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1642	71.4 %
1	ONCE:(1)	205	8.9 %
2	TWICE:(2)	27	1.2 %
3	3 TIMES:(3)	7	0.3 %
4	4+ TIMES:(4)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	416	18.1 %
Total		2,299	100%

Based upon 1,883 valid cases out of 2,299 total cases.

Location: 1129-1130 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1202: 151C031A:#ACDTS AFT DRNK

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	238	10.4 %
1	ONE:(1)	4	0.2 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	2055	89.4 %
Total		2,299	100%

Based upon 244 valid cases out of 2,299 total cases.

Location: 1131-1132 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1203: 151C031B:#ACDTS AFT MARJ

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	240	10.4 %
1	ONE:(1)	2	0.1 %
2	TWO:(2)	0	0.0 %
3	THREE+:(3-4)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	2056	89.4 %
Total		2,299	100%

Based upon 243 valid cases out of 2,299 total cases.

Location: 1133-1134 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1204: 151C031C:#ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	239	10.4 %
1	ONE:(1)	2	0.1 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	2055	89.4 %
Total		2,299	100%

Based upon 244 valid cases out of 2,299 total cases.

Location: 1135-1136 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1205: 151C032:Rs BRANCH SERV

Item Number: 00730

If you have not entered military service, and do not expect to enter, GO TO PART D.

What is, or will be, your branch of service?

1="Army" 2="Navy" 3="Marine Corps" 4="Air Force" 5="Coast Guard" 6="Uncertain"

Value	Label	Unweighted Frequency	%
1	ARMY:(1)	56	2.4 %
2	NAVY:(2)	38	1.7 %
3	MARINES:(3)	52	2.3 %
4	AIR FORCE:(4)	36	1.6 %
5	COAST GUARD:(5)	10	0.4 %
6	UNCERTN:(6)	52	2.3 %
Missing Data			
-9	MISSING:(-9)	2055	89.4 %
Total		2,299	100%

Based upon 244 valid cases out of 2,299 total cases.

Location: 1137-1138 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V1206: 151C033:R XPCTS B OFFCR

Item Number: 00740

Do you expect to be an officer?

1="No" 2="Uncertain" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	47	2.0 %
2	UNCERTN:(2)	118	5.1 %
3	YES:(3)	90	3.9 %
Missing Data			
-9	MISSING:(-9)	2044	88.9 %
Total		2,299	100%

Based upon 255 valid cases out of 2,299 total cases.

Location: 1139-1140 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1207: 151C034:R XPCTS MLTR CR

Item Number: 00750

Do you expect to have a career in the Armed Forces?

1="No" 2="Uncertain" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	46	2.0 %
2	UNCERTN:(2)	103	4.5 %
3	YES:(3)	101	4.4 %
Missing Data			
-9	MISSING:(-9)	2049	89.1 %
Total		2,299	100%

Based upon 250 valid cases out of 2,299 total cases.

Location: 1141-1142 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1682: 151D001:R LIKES SCHOOL

Item Number: 07630

The next questions are about your experiences in school. Some people like school very much. Others don't. How do you feel about going to school?

5="I like school very much" 4="I like school quite a bit"
3="I like school some" 2="I don't like school very much"
1="I don't like school at all"

Value	Label	Unweighted Frequency	%
1	DONT LIKE@A:(1)	154	6.7 %
2	DONT LIKE VM:(2)	293	12.7 %
3	LIKE SOME:(3)	926	40.3 %
4	LIKE QUITEBIT:(4)	356	15.5 %
5	LIKE VRYMCH:(5)	197	8.6 %
Missing Data			
-9	MISSING:(-9)	373	16.2 %
Total		2,299	100%

Based upon 1,926 valid cases out of 2,299 total cases.

Location: 1143-1144 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1683: 151D002:*SC WRK NVR MNG

Item Number: 05700

How often do you feel that the school work you are assigned is meaningful and important?

5="Almost always" 4="Often" 3="Sometimes" 2="Seldom" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	160	7.0 %
2	SELDOM:(2)	465	20.2 %
3	SOMETIMES:(3)	717	31.2 %
4	OFTEN:(4)	397	17.3 %
5	ALM ALWYS:(5)	188	8.2 %
Missing Data			
-9	MISSING:(-9)	372	16.2 %

Value	Label	Unweighted Frequency	%
Total		2,299	100%

Based upon 1,927 valid cases out of 2,299 total cases.

Location: 1145-1146 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1684: 151D003:*MST COUR V DUL

Item Number: 05710

How interesting are most of your courses to you?

5="Very exciting and stimulating" 4="Quite interesting"

3="Fairly interesting" 2="Slightly dull" 1="Very dull"

Value	Label	Unweighted Frequency	%
1	VERY DULL:(1)	180	7.8 %
2	SLIGHT DULL:(2)	417	18.1 %
3	FAIRLY INTR:(3)	801	34.8 %
4	QUITE INTRST:(4)	412	17.9 %
5	VRY EXCITG:(5)	106	4.6 %
Missing Data			
-9	MISSING:(-9)	383	16.7 %
Total		2,299	100%

Based upon 1,916 valid cases out of 2,299 total cases.

Location: 1147-1148 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1685: 151D004:*LRN SCH NT IMP

Item Number: 05720

How important do you think the things you are learning in school are going to be for your later life?

5="Very important" 4="Quite important" 3="Fairly important"

2="Slightly important" 1="Not at all important"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	155	6.7 %
2	SLIGHT:(2)	567	24.7 %

Value	Label	Unweighted Frequency	%
3	FAIR IMPT:(3)	546	23.7 %
4	QUITE IMPT:(4)	365	15.9 %
5	VRY IMPT:(5)	281	12.2 %
	Missing Data		
-9	MISSING:(-9)	385	16.7 %
	Total	2,299	100%

Based upon 1,914 valid cases out of 2,299 total cases.

Location: 1149-1150 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1686: 151D005:LOT CMPTN GRADE

Item Number: 05730

How much competition for grades is there among students at your school?

1="None" 2="A little" 3="Some" 4="Quite a bit" 5="A great deal"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	246	10.7 %
2	A LITTLE:(2)	421	18.3 %
3	SOME:(3)	572	24.9 %
4	QUITEBIT:(4)	489	21.3 %
5	GRT DEAL:(5)	186	8.1 %
	Missing Data		
-9	MISSING:(-9)	385	16.7 %
	Total	2,299	100%

Based upon 1,914 valid cases out of 2,299 total cases.

Location: 1151-1152 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1687: 151D006:STDTS DSLK CHTG

Item Number: 05740

How do you think most of the students in your classes would feel if you cheated on a test?

1="They would like it very much" 2="They would like it"

3="They would not care" 4="They would dislike it" 5="They would dislike it very much"

Value	Label	Unweighted Frequency	%
1	LIK VMCH:(1)	88	3.8 %
2	LIKE IT:(2)	65	2.8 %
3	NOT CARE:(3)	1439	62.6 %
4	DISLIKE:(4)	228	9.9 %
5	DLIK MCH:(5)	91	4.0 %
Missing Data			
-9	MISSING:(-9)	388	16.9 %
Total		2,299	100%

Based upon 1,911 valid cases out of 2,299 total cases.

Location: 1153-1154 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1688: 151D007:ST -LK PROV TCH

Item Number: 05750

How do you think most of the students in your classes would feel if you intentionally did things to make your teachers angry?

1="They would like it very much" 2="They would like it"

3="They would not care" 4="They would dislike it" 5="They would dislike it very much"

Value	Label	Unweighted Frequency	%
1	LIK VMCH:(1)	102	4.4 %
2	LIKE IT:(2)	186	8.1 %
3	NOT CARE:(3)	783	34.1 %
4	DISLIKE:(4)	632	27.5 %
5	DLIK MCH:(5)	194	8.4 %
Missing Data			
-9	MISSING:(-9)	402	17.5 %
Total		2,299	100%

Based upon 1,897 valid cases out of 2,299 total cases.

Location: 1155-1156 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1689: 151D008:FRD NCG/TCH -LK

Item Number: 05760

How often do you find that your friends encourage you to do things which your teachers wouldn't like?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	877	38.1 %
2	SELDOM:(2)	530	23.1 %
3	SOMETIMES:(3)	322	14.0 %
4	OFTEN:(4)	125	5.4 %
5	ALWAYS:(5)	39	1.7 %
	Missing Data		
-9	MISSING:(-9)	406	17.7 %
	Total	2,299	100%

Based upon 1,893 valid cases out of 2,299 total cases.

Location: 1157-1158 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1690: 151D009:R IN WK-STDY PG

Item Number: 05770

Have you ever been in a work-study program--that is, a program where you work on a job as part of your schooling?

1="No, not ever" 2="Yes, for a half year or less" 3="Yes, for about a year" 4="Yes, for about two years" 5="Yes, for more than two years"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1643	71.5 %
2	1/2 YR OR <:(2)	91	4.0 %
3	1 YEAR:(3)	97	4.2 %
4	2 YEARS:(4)	41	1.8 %
5	> 2 YEARS:(5)	19	0.8 %
	Missing Data		
-9	MISSING:(-9)	408	17.7 %
	Total	2,299	100%

Based upon 1,891 valid cases out of 2,299 total cases.

Location: 1159-1160 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1691: 151D010:#X/YR COUNS IND

Item Number: 05780

How many times this school year have you seen a counselor individually?

1="No times" 2="1 time" 3="2 times" 4="3 or 4 times" 5="5-7 times" 6="8-10 times" 7="11 or more times"

Value	Label	Unweighted Frequency	%
1	NO TIMES:(1)	557	24.2 %
2	1 TIME:(2)	221	9.6 %
3	2 TIMES:(3)	305	13.3 %
4	3-4:(4)	433	18.8 %
5	5-7:(5)	195	8.5 %
6	8-10:(6)	85	3.7 %
7	11+ TIMES:(7)	90	3.9 %
Missing Data			
-9	MISSING:(-9)	413	18.0 %
Total		2,299	100%

Based upon 1,886 valid cases out of 2,299 total cases.

Location: 1161-1162 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1692: 151D011:#X/YR COUNS GRP

Item Number: 05790

How many times this school year have you seen a counselor as a part of a group of other students?

1="No times" 2="1 time" 3="2 times" 4="3 or 4 times" 5="5-7 times" 6="8-10 times" 7="11 or more times"

Value	Label	Unweighted Frequency	%
1	NO TIMES:(1)	1189	51.7 %
2	1 TIME:(2)	195	8.5 %

Value	Label	Unweighted Frequency	%
3	2 TIMES:(3)	214	9.3 %
4	3-4:(4)	161	7.0 %
5	5-7:(5)	44	1.9 %
6	8-10:(6)	42	1.8 %
7	11+ TIMES:(7)	39	1.7 %
Missing Data			
-9	MISSING:(-9)	415	18.1 %
Total		2,299	100%

Based upon 1,884 valid cases out of 2,299 total cases.

Location: 1163-1164 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1693: 151D012:R LK C COUNS MR

Item Number: 05800

Would you have preferred to see a counselor more or less often than you have during the past year?

5="Much more often" 4="A little more often" 3="About as often"
2="A little less often" 1="Much less often"

Value	Label	Unweighted Frequency	%
1	MUCH LESS:(1)	256	11.1 %
2	LITTLE LESS:(2)	145	6.3 %
3	AS OFTEN:(3)	832	36.2 %
4	LITTLE MORE:(4)	377	16.4 %
5	MUCH MORE:(5)	243	10.6 %
Missing Data			
-9	MISSING:(-9)	446	19.4 %
Total		2,299	100%

Based upon 1,853 valid cases out of 2,299 total cases.

Location: 1165-1166 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1694: 151D013:CSLNG VRY HLPFL

Item Number: 05810

How helpful have your sessions with a counselor been to you?

5="Extremely helpful" 4="Quite helpful" 3="Somewhat helpful"
 2="A little helpful" 1="Not at all helpful" 8="Did not see a
 counselor this year."

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	164	7.1 %
2	A LITTLE:(2)	266	11.6 %
3	SOMEWHAT:(3)	314	13.7 %
4	QUITE:(4)	416	18.1 %
5	EXTREMELY:(5)	299	13.0 %
8	-SEE COUNSLR:(8)	397	17.3 %
Missing Data			
-9	MISSING:(-9)	443	19.3 %
Total		2,299	100%

Based upon 1,856 valid cases out of 2,299 total cases.

Location: 1167-1168 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1699: 151D014A:CNSL COURSES

Item Number: 05811

Would you have preferred more or less of each of the following types of counseling in the last year?

A: Choosing what courses to take

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%
1	MUCH LESS:(1)	109	4.7 %
2	LITTLE LESS:(2)	34	1.5 %
3	ABT RIGHT:(3)	689	30.0 %
4	LITTLE MORE:(4)	438	19.1 %
5	MCH MORE:(5)	566	24.6 %
Missing Data			
-9	MISSING:(-9)	463	20.1 %
Total		2,299	100%

Based upon 1,836 valid cases out of 2,299 total cases.

Location: 1169-1170 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V1700: 151D014B:CNSL CL PROB

Item Number: 05812

Would you have preferred more or less of each of the following types of counseling in the last year?

B: Discussing problems with course work

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%
1	MUCH LESS:(1)	197	8.6 %
2	LITTLE LESS:(2)	63	2.7 %
3	ABT RIGHT:(3)	790	34.4 %
4	LITTLE MORE:(4)	408	17.7 %
5	MCH MORE:(5)	357	15.5 %
Missing Data			
-9	MISSING:(-9)	484	21.1 %
Total		2,299	100%

Based upon 1,815 valid cases out of 2,299 total cases.

Location: 1171-1172 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1701: 151D014C:CNSL TRBL R IN

Item Number: 05813

Would you have preferred more or less of each of the following types of counseling in the last year?

C: Discussing any trouble you've gotten into

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%
1	MUCH LESS:(1)	333	14.5 %
2	LITTLE LESS:(2)	94	4.1 %
3	ABT RIGHT:(3)	945	41.1 %

Value	Label	Unweighted Frequency	%
4	LITTLE MORE:(4)	172	7.5 %
5	MCH MORE:(5)	262	11.4 %
	Missing Data		
-9	MISSING:(-9)	493	21.4 %
	Total	2,299	100%

Based upon 1,806 valid cases out of 2,299 total cases.

Location: 1173-1174 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1702: 151D014D:CNSL MILTRY PLN

Item Number: 05814

Would you have preferred more or less of each of the following types of counseling in the last year?

D: Discussing military plans

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%
1	MUCH LESS:(1)	584	25.4 %
2	LITTLE LESS:(2)	100	4.3 %
3	ABT RIGHT:(3)	817	35.5 %
4	LITTLE MORE:(4)	109	4.7 %
5	MCH MORE:(5)	171	7.4 %
	Missing Data		
-9	MISSING:(-9)	518	22.5 %
	Total	2,299	100%

Based upon 1,781 valid cases out of 2,299 total cases.

Location: 1175-1176 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1703: 151D014E:CNSL EDUC PLANS

Item Number: 05815

Would you have preferred more or less of each of the following types of counseling in the last year?

E: Discussing education or training plans

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%
1	MUCH LESS:(1)	181	7.9 %
2	LITTLE LESS:(2)	62	2.7 %
3	ABT RIGHT:(3)	702	30.5 %
4	LITTLE MORE:(4)	433	18.8 %
5	MCH MORE:(5)	426	18.5 %
Missing Data			
-9	MISSING:(-9)	495	21.5 %
Total		2,299	100%

Based upon 1,804 valid cases out of 2,299 total cases.

Location: 1177-1178 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1704: 151D014F:CNSL CAREER PLN

Item Number: 05816

Would you have preferred more or less of each of the following types of counseling in the last year?

F: Discussing career plans or job choice

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%
1	MUCH LESS:(1)	149	6.5 %
2	LITTLE LESS:(2)	43	1.9 %
3	ABT RIGHT:(3)	599	26.1 %
4	LITTLE MORE:(4)	450	19.6 %
5	MCH MORE:(5)	565	24.6 %
Missing Data			
-9	MISSING:(-9)	493	21.4 %
Total		2,299	100%

Based upon 1,806 valid cases out of 2,299 total cases.

Location: 1179-1180 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1705: 151D014G:CNSL PRNL PROB

Item Number: 05817

Would you have preferred more or less of each of the following types of counseling in the last year?

G: Discussing personal problems

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

Value	Label	Unweighted Frequency	%
1	MUCH LESS:(1)	351	15.3 %
2	LITTLE LESS:(2)	98	4.3 %
3	ABT RIGHT:(3)	848	36.9 %
4	LITTLE MORE:(4)	204	8.9 %
5	MCH MORE:(5)	286	12.4 %
Missing Data			
-9	MISSING:(-9)	512	22.3 %
Total		2,299	100%

Based upon 1,787 valid cases out of 2,299 total cases.

Location: 1181-1182 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1719: 151D015A:#DA HEADACHE

Item Number: 21310

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

A: Headache

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	468	20.4 %
2	1 DAY:(2)	318	13.8 %
3	2 DAYS:(3)	321	14.0 %

Value	Label	Unweighted Frequency	%
4	3-5 DAYS:(4)	379	16.5 %
5	6-9 DAYS:(5)	178	7.7 %
6	10-19 DA:(6)	115	5.0 %
7	20+ DAYS:(7)	63	2.7 %
	Missing Data		
-9	MISSING:(-9)	457	19.9 %
	Total	2,299	100%

Based upon 1,842 valid cases out of 2,299 total cases.

Location: 1183-1184 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1720: 151D015B:#DA SORE THROAT

Item Number: 21320

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

B: Sore throat or hoarse voice

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	840	36.5 %
2	1 DAY:(2)	287	12.5 %
3	2 DAYS:(3)	265	11.5 %
4	3-5 DAYS:(4)	279	12.1 %
5	6-9 DAYS:(5)	103	4.5 %
6	10-19 DA:(6)	43	1.9 %
7	20+ DAYS:(7)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	467	20.3 %
	Total	2,299	100%

Based upon 1,832 valid cases out of 2,299 total cases.

Location: 1185-1186 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1721: 151D015C:#DA SINUS CONG

Item Number: 21330

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

C: Trouble with sinus congestion, runny nose, or sneezing

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	597	26.0 %
2	1 DAY:(2)	189	8.2 %
3	2 DAYS:(3)	254	11.0 %
4	3-5 DAYS:(4)	347	15.1 %
5	6-9 DAYS:(5)	209	9.1 %
6	10-19 DA:(6)	128	5.6 %
7	20+ DAYS:(7)	105	4.6 %
Missing Data			
-9	MISSING:(-9)	470	20.4 %
Total		2,299	100%

Based upon 1,829 valid cases out of 2,299 total cases.

Location: 1187-1188 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1722: 151D015D:#DA COUGHING

Item Number: 21340

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

D: Coughing spells

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1111	48.3 %
2	1 DAY:(2)	218	9.5 %

Value	Label	Unweighted Frequency	%
3	2 DAYS:(3)	171	7.4 %
4	3-5 DAYS:(4)	175	7.6 %
5	6-9 DAYS:(5)	79	3.4 %
6	10-19 DA:(6)	43	1.9 %
7	20+ DAYS:(7)	30	1.3 %
Missing Data			
-9	MISSING:(-9)	472	20.5 %
Total		2,299	100%

Based upon 1,827 valid cases out of 2,299 total cases.

Location: 1189-1190 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1723: 151D015E:#DA CHEST COLD

Item Number: 21350

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

E: Chest colds

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1412	61.4 %
2	1 DAY:(2)	133	5.8 %
3	2 DAYS:(3)	118	5.1 %
4	3-5 DAYS:(4)	100	4.3 %
5	6-9 DAYS:(5)	32	1.4 %
6	10-19 DA:(6)	17	0.7 %
7	20+ DAYS:(7)	11	0.5 %
Missing Data			
-9	MISSING:(-9)	476	20.7 %
Total		2,299	100%

Based upon 1,823 valid cases out of 2,299 total cases.

Location: 1191-1192 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1724: 151D015F:#DA COUGH PHLM

Item Number: 21360

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

F: Coughing up phlegm or blood

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1538	66.9 %
2	1 DAY:(2)	73	3.2 %
3	2 DAYS:(3)	64	2.8 %
4	3-5 DAYS:(4)	71	3.1 %
5	6-9 DAYS:(5)	42	1.8 %
6	10-19 DA:(6)	18	0.8 %
7	20+ DAYS:(7)	21	0.9 %
Missing Data			
-9	MISSING:(-9)	472	20.5 %
Total		2,299	100%

Based upon 1,827 valid cases out of 2,299 total cases.

Location: 1193-1194 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1725: 151D015G:#DA SHORT BRTH

Item Number: 21370

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

G: Shortness of breath when you were not exercising

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1450	63.1 %
2	1 DAY:(2)	129	5.6 %

Value	Label	Unweighted Frequency	%
3	2 DAYS:(3)	79	3.4 %
4	3-5 DAYS:(4)	67	2.9 %
5	6-9 DAYS:(5)	38	1.7 %
6	10-19 DA:(6)	20	0.9 %
7	20+ DAYS:(7)	42	1.8 %
Missing Data			
-9	MISSING:(-9)	474	20.6 %
Total		2,299	100%

Based upon 1,825 valid cases out of 2,299 total cases.

Location: 1195-1196 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1726: 151D015H:#DA WHEEZING

Item Number: 21380

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

H: Wheezing or gasping

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1566	68.1 %
2	1 DAY:(2)	89	3.9 %
3	2 DAYS:(3)	63	2.7 %
4	3-5 DAYS:(4)	45	2.0 %
5	6-9 DAYS:(5)	18	0.8 %
6	10-19 DA:(6)	17	0.7 %
7	20+ DAYS:(7)	24	1.0 %
Missing Data			
-9	MISSING:(-9)	477	20.7 %
Total		2,299	100%

Based upon 1,822 valid cases out of 2,299 total cases.

Location: 1197-1198 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1727: 151D015I:#DA TRBL REMEM

Item Number: 21390

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

I: Trouble remembering things

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1240	53.9 %
2	1 DAY:(2)	174	7.6 %
3	2 DAYS:(3)	123	5.4 %
4	3-5 DAYS:(4)	98	4.3 %
5	6-9 DAYS:(5)	66	2.9 %
6	10-19 DA:(6)	43	1.9 %
7	20+ DAYS:(7)	83	3.6 %
Missing Data			
-9	MISSING:(-9)	472	20.5 %
Total		2,299	100%

Based upon 1,827 valid cases out of 2,299 total cases.

Location: 1199-1200 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1728: 151D015J:#DA DFCT THINK

Item Number: 21400

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

J: Difficulty thinking or concentrating

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	984	42.8 %
2	1 DAY:(2)	216	9.4 %

Value	Label	Unweighted Frequency	%
3	2 DAYS:(3)	186	8.1 %
4	3-5 DAYS:(4)	172	7.5 %
5	6-9 DAYS:(5)	90	3.9 %
6	10-19 DA:(6)	66	2.9 %
7	20+ DAYS:(7)	108	4.7 %
Missing Data			
-9	MISSING:(-9)	477	20.7 %
Total		2,299	100%

Based upon 1,822 valid cases out of 2,299 total cases.

Location: 1201-1202 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1729: 151D015K:#DA TRBL LEARN

Item Number: 21410

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

K: Trouble learning new things

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1308	56.9 %
2	1 DAY:(2)	158	6.9 %
3	2 DAYS:(3)	126	5.5 %
4	3-5 DAYS:(4)	100	4.3 %
5	6-9 DAYS:(5)	48	2.1 %
6	10-19 DA:(6)	32	1.4 %
7	20+ DAYS:(7)	42	1.8 %
Missing Data			
-9	MISSING:(-9)	485	21.1 %
Total		2,299	100%

Based upon 1,814 valid cases out of 2,299 total cases.

Location: 1203-1204 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1730: 151D015L:#DA TRBL SLEEP

Item Number: 21420

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

L: Trouble sleeping

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	831	36.1 %
2	1 DAY:(2)	184	8.0 %
3	2 DAYS:(3)	191	8.3 %
4	3-5 DAYS:(4)	192	8.4 %
5	6-9 DAYS:(5)	131	5.7 %
6	10-19 DA:(6)	117	5.1 %
7	20+ DAYS:(7)	171	7.4 %
Missing Data			
-9	MISSING:(-9)	482	21.0 %
Total		2,299	100%

Based upon 1,817 valid cases out of 2,299 total cases.

Location: 1205-1206 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1731: 151D015M:#DA TRBL START

Item Number: 21430

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

M: Trouble getting started in the morning

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	792	34.4 %
2	1 DAY:(2)	154	6.7 %

Value	Label	Unweighted Frequency	%
3	2 DAYS:(3)	173	7.5 %
4	3-5 DAYS:(4)	168	7.3 %
5	6-9 DAYS:(5)	124	5.4 %
6	10-19 DA:(6)	118	5.1 %
7	20+ DAYS:(7)	285	12.4 %
Missing Data			
-9	MISSING:(-9)	485	21.1 %
Total		2,299	100%

Based upon 1,814 valid cases out of 2,299 total cases.

Location: 1207-1208 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1732: 151D015N:#DA STAY HOME

Item Number: 21440

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

N: Stayed home most or all of a day because you were not feeling well

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1132	49.2 %
2	1 DAY:(2)	266	11.6 %
3	2 DAYS:(3)	210	9.1 %
4	3-5 DAYS:(4)	116	5.0 %
5	6-9 DAYS:(5)	44	1.9 %
6	10-19 DA:(6)	26	1.1 %
7	20+ DAYS:(7)	23	1.0 %
Missing Data			
-9	MISSING:(-9)	482	21.0 %
Total		2,299	100%

Based upon 1,817 valid cases out of 2,299 total cases.

Location: 1209-1210 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1733: 151D016A:#X/12M DOC-CHEK

Item Number: 21450

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

A: For a routine physical check-up

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10+ times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	698	30.4 %
2	ONCE:(2)	750	32.6 %
3	TWICE:(3)	313	13.6 %
4	3-5X:(4)	80	3.5 %
5	6-9X:(5)	15	0.7 %
6	10+ TIME:(6)	28	1.2 %
Missing Data			
-9	MISSING:(-9)	415	18.1 %
Total		2,299	100%

Based upon 1,884 valid cases out of 2,299 total cases.

Location: 1211-1212 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1734: 151D016B:#X/12M DOC-FGHT

Item Number: 21460

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

B: For an injury suffered in a fight, assault, or auto accident

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10+ times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1737	75.6 %
2	ONCE:(2)	70	3.0 %
3	TWICE:(3)	32	1.4 %
4	3-5X:(4)	19	0.8 %

Value	Label	Unweighted Frequency	%
5	6-9X:(5)	4	0.2 %
6	10+ TIME:(6)	14	0.6 %
Missing Data			
-9	MISSING:(-9)	423	18.4 %
Total		2,299	100%

Based upon 1,876 valid cases out of 2,299 total cases.

Location: 1213-1214 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1735: 151D016C:#X/12M DOC-INJ

Item Number: 21470

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

C: For any other accidental injury

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"

6="10+ times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1530	66.6 %
2	ONCE:(2)	152	6.6 %
3	TWICE:(3)	85	3.7 %
4	3-5X:(4)	50	2.2 %
5	6-9X:(5)	23	1.0 %
6	10+ TIME:(6)	23	1.0 %
Missing Data			
-9	MISSING:(-9)	436	19.0 %
Total		2,299	100%

Based upon 1,863 valid cases out of 2,299 total cases.

Location: 1215-1216 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1736: 151D016D:#X/12M DOC-ILL

Item Number: 21480

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

D: For some physical illness or symptom

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10+ times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1172	51.0 %
2	ONCE:(2)	308	13.4 %
3	TWICE:(3)	196	8.5 %
4	3-5X:(4)	121	5.3 %
5	6-9X:(5)	35	1.5 %
6	10+ TIME:(6)	35	1.5 %
Missing Data			
-9	MISSING:(-9)	432	18.8 %
Total		2,299	100%

Based upon 1,867 valid cases out of 2,299 total cases.

Location: 1217-1218 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1737: 151D016E:#X/12M DOC-PSY

Item Number: 21490

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

E: For some emotional or psychological problem or symptom

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10+ times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1668	72.6 %
2	ONCE:(2)	68	3.0 %
3	TWICE:(3)	33	1.4 %
4	3-5X:(4)	27	1.2 %
5	6-9X:(5)	19	0.8 %
6	10+ TIME:(6)	48	2.1 %
Missing Data			
-9	MISSING:(-9)	436	19.0 %
Total		2,299	100%

Based upon 1,863 valid cases out of 2,299 total cases.

Location: 1219-1220 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1738: 151D017A:#X/12M HSP-INJ

Item Number: 21500

In the LAST 12 MONTHS, how many times (if any) have you spent one or more nights in the hospital . . .

A: . . . because of an injury?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"

6="10+ times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1746	75.9 %
2	ONCE:(2)	70	3.0 %
3	TWICE:(3)	28	1.2 %
4	3-5X:(4)	9	0.4 %
5	6-9X:(5)	7	0.3 %
6	10+ TIME:(6)	15	0.7 %
Missing Data			
-9	MISSING:(-9)	424	18.4 %
Total		2,299	100%

Based upon 1,875 valid cases out of 2,299 total cases.

Location: 1221-1222 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1739: 151D017B:#X/12M HSP-ILL

Item Number: 21510

In the LAST 12 MONTHS, how many times (if any) have you spent one or more nights in the hospital . . .

B: . . . because of some physical illness?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"

6="10+ times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1734	75.4 %

Value	Label	Unweighted Frequency	%
2	ONCE:(2)	64	2.8 %
3	TWICE:(3)	26	1.1 %
4	3-5X:(4)	10	0.4 %
5	6-9X:(5)	8	0.3 %
6	10+ TIME:(6)	15	0.7 %
Missing Data			
-9	MISSING:(-9)	442	19.2 %
Total		2,299	100%

Based upon 1,857 valid cases out of 2,299 total cases.

Location: 1223-1224 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1740: 151D018:RLTV PHY HEALTH

Item Number: 21520

Overall, relative to other people your age, do you think
your physical health over the past year has been . . . ?

1="Much poorer than average" 2="Somewhat poorer" 3="About
average" 4="Somewhat better" 5="Much better than average"

Value	Label	Unweighted Frequency	%
1	MCH <AVG:(1)	132	5.7 %
2	SOM <AVG:(2)	248	10.8 %
3	ABT AVRG:(3)	802	34.9 %
4	SOM >AVG:(4)	373	16.2 %
5	MCH >AVG:(5)	289	12.6 %
Missing Data			
-9	MISSING:(-9)	455	19.8 %
Total		2,299	100%

Based upon 1,844 valid cases out of 2,299 total cases.

Location: 1225-1226 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1791: 151D021A:DAP SMK 1PCK CI

Item Number: 08560

Individuals differ in whether or not they disapprove of

people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	441	19.2 %
2	DISAPPRV:(2)	627	27.3 %
3	STRG DIS:(3)	786	34.2 %
	Missing Data		
-9	MISSING:(-9)	445	19.4 %
	Total	2,299	100%

Based upon 1,854 valid cases out of 2,299 total cases.

Location: 1227-1228 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1792: 151D021B:DAP TRY MRJ 1-2

Item Number: 08570

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1038	45.2 %
2	DISAPPRV:(2)	431	18.7 %
3	STRG DIS:(3)	383	16.7 %
	Missing Data		
-9	MISSING:(-9)	447	19.4 %
	Total	2,299	100%

Based upon 1,852 valid cases out of 2,299 total cases.

Location: 1229-1230 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1793: 151D021C:DAP SMK MRJ OCC

Item Number: 08580

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	876	38.1 %
2	DISAPPRV:(2)	470	20.4 %
3	STRG DIS:(3)	499	21.7 %
	Missing Data		
-9	MISSING:(-9)	454	19.7 %
	Total	2,299	100%

Based upon 1,845 valid cases out of 2,299 total cases.

Location: 1231-1232 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1794: 151D021D:DAP SMK MRJ REG

Item Number: 08590

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	621	27.0 %
2	DISAPPRV:(2)	559	24.3 %
3	STRG DIS:(3)	655	28.5 %
	Missing Data		
-9	MISSING:(-9)	464	20.2 %
	Total	2,299	100%

Based upon 1,835 valid cases out of 2,299 total cases.

Location: 1233-1234 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1795: 151D021E:DAP COK PWD 1-2

Item Number: 23630

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

E: Trying cocaine in powder form once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	298	13.0 %
2	DISAPPRV:(2)	431	18.7 %
3	STRG DIS:(3)	1115	48.5 %
Missing Data			
-9	MISSING:(-9)	455	19.8 %
Total		2,299	100%

Based upon 1,844 valid cases out of 2,299 total cases.

Location: 1235-1236 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1796: 151D021F:DAP COK PWDR OC

Item Number: 23640

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

F: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	235	10.2 %
2	DISAPPRV:(2)	387	16.8 %
3	STRG DIS:(3)	1220	53.1 %
Missing Data			
-9	MISSING:(-9)	457	19.9 %
Total		2,299	100%

Based upon 1,842 valid cases out of 2,299 total cases.

Location: 1237-1238 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1797: 151D021G:DAP COK PWDR REG

Item Number: 23650

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

G: Taking cocaine powder regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	209	9.1 %
2	DISAPPRV:(2)	329	14.3 %
3	STRG DIS:(3)	1302	56.6 %
Missing Data			
-9	MISSING:(-9)	459	20.0 %
Total		2,299	100%

Based upon 1,840 valid cases out of 2,299 total cases.

Location: 1239-1240 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1798: 151D021H:DAP TRY CRK 1-2

Item Number: 23660

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

H: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	250	10.9 %
2	DISAPPRV:(2)	366	15.9 %
3	STRG DIS:(3)	1228	53.4 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	455	19.8 %
Total		2,299	100%

Based upon 1,844 valid cases out of 2,299 total cases.

Location: 1241-1242 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1799: 151D021I:DAP CRACK OCC

Item Number: 23670

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

I: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	211	9.2 %
2	DISAPPRV:(2)	353	15.4 %
3	STRG DIS:(3)	1280	55.7 %
Missing Data			
-9	MISSING:(-9)	455	19.8 %
Total		2,299	100%

Based upon 1,844 valid cases out of 2,299 total cases.

Location: 1243-1244 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1800: 151D021J:DAP CRACK REG

Item Number: 23680

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

J: Taking "crack" cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	206	9.0 %
2	DISAPPRV:(2)	303	13.2 %
3	STRG DIS:(3)	1318	57.3 %
	Missing Data		
-9	MISSING:(-9)	472	20.5 %
	Total	2,299	100%

Based upon 1,827 valid cases out of 2,299 total cases.

Location: 1245-1246 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1801: 151D021K:DAP TRY DRK ALC

Item Number: 08710

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

K: Trying one or two drinks of an alcoholic beverage
(beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1210	52.6 %
2	DISAPPRV:(2)	324	14.1 %
3	STRG DIS:(3)	308	13.4 %
	Missing Data		
-9	MISSING:(-9)	457	19.9 %
	Total	2,299	100%

Based upon 1,842 valid cases out of 2,299 total cases.

Location: 1247-1248 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1802: 151D021L:DAP 1-2 DRK/DAY

Item Number: 08720

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

L: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	639	27.8 %
2	DISAPPRV:(2)	654	28.4 %
3	STRG DIS:(3)	545	23.7 %
	Missing Data		
-9	MISSING:(-9)	461	20.1 %
	Total	2,299	100%

Based upon 1,838 valid cases out of 2,299 total cases.

Location: 1249-1250 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1803: 151D021M:DAP 4-5 DRK/DAY

Item Number: 08730

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

M: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	305	13.3 %
2	DISAPPRV:(2)	537	23.4 %
3	STRG DIS:(3)	997	43.4 %
	Missing Data		
-9	MISSING:(-9)	460	20.0 %
	Total	2,299	100%

Based upon 1,839 valid cases out of 2,299 total cases.

Location: 1251-1252 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V1804: 151D021N:DAP 5+ DRK WKND

Item Number: 08740

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

N: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	512	22.3 %
2	DISAPPRV:(2)	507	22.1 %
3	STRG DIS:(3)	815	35.5 %
Missing Data			
-9	MISSING:(-9)	465	20.2 %
Total		2,299	100%

Based upon 1,834 valid cases out of 2,299 total cases.

Location: 1253-1254 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

APPENDIX

Appendix A: Publications

In previous years, Monitoring the Future publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future [Publications](#) web page.

Publications are divided into the following categories:

- Monographs
- Reference Volumes
- Books
- Journal Articles
- Chapters
- Research Reports
- Occasional Papers
- Congressional Testimony
- Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83
2007	111	21	132	15,132	81
2008	103	17	120	14,577	79
2009	106	19	125	14,268	82
2010	104	22	126	15,127	85
2011	110	19	129	14,855	83
2012	107	20	127	14,343	83
2013	106	20	126	13,180	82
2014	105	17	122	13,015	82
2015	101	20	120	13,730	83

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.