

ICPSR 28401

## **Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2009**

Lloyd D. Johnston

*University of Michigan. Institute for Social  
Research. Survey Research Center*

Jerald G. Bachman

*University of Michigan. Institute for Social  
Research. Survey Research Center*

Patrick M. O'Malley

*University of Michigan. Institute for Social  
Research. Survey Research Center*

John E. Schulenberg

*University of Michigan. Institute for Social  
Research. Survey Research Center*

Form 2 Data Codebook



is sponsored by



**U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES**  
Substance Abuse and Mental Health Services Administration  
Office of Applied Studies  
[www.samhsa.gov](http://www.samhsa.gov)

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)



# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/28401.xml>

## Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.



## TABLE OF CONTENTS

<b>INTRODUCTION.....</b>	<b>1</b>
DATA COLLECTION DESCRIPTION .....	1
DATA COLLECTION PROCEDURES .....	1
SAMPLING INFORMATION .....	2
Stage 1: Geographic Areas.....	2
Stage 2: Schools .....	2
Stage 3: Students .....	2
School Recruiting Procedures .....	3
Advance Contact With Teachers and Students .....	3
Questionnaire Administration .....	3
Procedures for Protecting Confidentiality. ....	4
CONTENT AREAS AND QUESTIONNAIRE DESIGN .....	4
MEASUREMENT CONTENT AREAS .....	4
REPRESENTATIVENESS AND VALIDITY .....	6
School Participation .....	6
Student Participation .....	7
Validity of Self-Report Data .....	7
Accuracy of the Sample .....	7
Consistency and the Measurement of Trends .....	8
Interpreting Racial Differences .....	8
Differential Representation .....	9
Differential Response Tendencies. ....	9
Covariance With Other Factors .....	10
WEIGHTING INFORMATION .....	11
FILE STRUCTURE .....	11
CODEBOOK INFORMATION .....	12
ICPSR PROCESSING INFORMATION .....	14
Omitted Variables .....	14
Recoded Variables .....	15
Missing Data for Western Region.....	16
Questionnaire Form 1 Processing .....	16
Revised Question Text for the Core Dataset.....	17
 <b>FREQUENCIES.....</b>	 <b>19</b>
<b>APPENDICES .....</b>	<b>209</b>
Appendix A: Publications .....	211
Appendix B: Sample Size and Student Response Rates.....	213



## **INTRODUCTION**

### **DATA COLLECTION DESCRIPTION**

**MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH,** 2009 is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, and John Schulenberg, co-principal investigators.) The research project is unusually comprehensive in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

### **DATA COLLECTION PROCEDURES**

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 11 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate only very small decreases in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

### **SAMPLING INFORMATION**

The procedure for securing a nationally representative sample of high school seniors in public and private schools is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

**STAGE 1: GEOGRAPHIC AREAS.** The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

**STAGE 2: SCHOOLS.** In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

**STAGE 3: STUDENTS.** Within each selected school, up to about 350 seniors may be included in the data collection. In schools with fewer than 350 seniors, we attempt to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. A sampling weight is assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two-year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and



examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

**SCHOOL RECRUITING PROCEDURES.** Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A local SRC representative is assigned to work with the school to set a mutually agreeable date for the survey and to carry out the administration.

**ADVANCE CONTACT WITH TEACHERS AND STUDENTS.** The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter to the parents describing the study and providing them an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

**QUESTIONNAIRE ADMINISTRATION.** The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward.

Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automated scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

**PROCEDURES FOR PROTECTING CONFIDENTIALITY.** In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer file at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

## **CONTENT AREAS AND QUESTIONNAIRE DESIGN**

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the [cross-time index](#) of base year grade 12 questionnaire items provided separately in this archive.

### **MEASUREMENT CONTENT AREAS**

---

---

- A. **DRUGS.** Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others

regarding drugs.

- B. EDUCATION. Educational lifestyle, values, experiences, and environments
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities including computer use, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.
- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
- J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
- K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
- L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
- M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
- O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
- P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.
- Q OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility, boredom.
- R. BACKGROUND. Demographic and family background characteristics, living arrangements.
- S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
- T. HEALTH. Health habits, somatic symptoms, illness, medical treatment.

---

---

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples.

About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

### **REPRESENTATIVENESS AND VALIDITY**

The samples for this study are intended to be representative of high school seniors attending private or public schools throughout the 48 contiguous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

**SCHOOL PARTICIPATION.** As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate

are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

**STUDENT PARTICIPATION.** Completed questionnaires are obtained from three-fourths to four-fifths of all 12<sup>th</sup> graders sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire, either on their own or because their parents refused consent. However, SRC representatives in the field estimate this proportion to be only about two percent.

**VALIDITY OF SELF-REPORT DATA.** Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

**ACCURACY OF THE SAMPLE.** A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 3 – 4 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of

schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The [annual volumes](#) from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

**CONSISTENCY AND THE MEASUREMENT OF TRENDS.** One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

**INTERPRETING RACIAL DIFFERENCES.** Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- each of which constitutes approximately 8-15 percent of each year's sample -- are represented by perhaps as few as 200 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the [annual volumes](#) for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial

comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

**DIFFERENTIAL REPRESENTATION.** Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to under represent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

**DIFFERENTIAL RESPONSE TENDENCIES.** In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

**COVARIANCE WITH OTHER FACTORS.** Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and descriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.



## WEIGHTING INFORMATION

Frequency and percentage distributions displayed in codebooks produced after 2007 are unweighted, rather than weighted by variable V5 as they had been in previous years. This change was made to simplify both the production of the codebooks and their interpretation by the analyst.

## FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2009 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ascii text file.

part #	form	# of variables	Logical record length	Unweighted n
1	Core	188	390	14,268
2	Form 1	638	1,287	2,392
3	Form 2	332	677	2,381
4	Form 3	358	730	2,357
5	Form 4	270	556	2,385
6	Form 5	327	667	2,371
7	Form 6	336	686	2,382

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

## CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers. The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V2119	[2] 082A04E #X INTERNET NEWS																																								
[3] Location:	64-65(width: 2, decimal: 0)																																								
[4] Variable Type:	numeric (ISO)																																								
[5] Range of Missing Values (M):	-9																																								
Question:																																									
	[6] Item Number: 24815																																								
	[7] Question Number(s): 2A04E																																								
	[8] How often do you use each of the following to get information about news and current events?																																								
	E: The Internet																																								
	[9] 5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"																																								
<table><tr><th colspan="5">V2119:082A04E #X INTERNET NEWS</th></tr><tr><th>Value [10]</th><th>Label [11]</th><th>Unweighted Frequency [12]</th><th>% [13]</th><th>Valid % [14]</th></tr><tr><td>1</td><td>NEVER:(1)</td><td>280</td><td>5.2%</td><td>5.2%</td></tr><tr><td>2</td><td>FEW/YR:(2)</td><td>216</td><td>4.0%</td><td>4.0%</td></tr><tr><td>3</td><td>1-2/MO:(3)</td><td>576</td><td>10.6%</td><td>10.8%</td></tr><tr><td>4</td><td>1 /WK:(4)</td><td>1235</td><td>22.8%</td><td>23.1%</td></tr><tr><td>5</td><td>NR DAILY:(5)</td><td>3050</td><td>56.3%</td><td>56.9%</td></tr><tr><td>-9(M)</td><td>MISSING:(-9)</td><td>59</td><td>1.1%</td><td>-</td></tr></table>		V2119:082A04E #X INTERNET NEWS					Value [10]	Label [11]	Unweighted Frequency [12]	% [13]	Valid % [14]	1	NEVER:(1)	280	5.2%	5.2%	2	FEW/YR:(2)	216	4.0%	4.0%	3	1-2/MO:(3)	576	10.6%	10.8%	4	1 /WK:(4)	1235	22.8%	23.1%	5	NR DAILY:(5)	3050	56.3%	56.9%	-9(M)	MISSING:(-9)	59	1.1%	-
V2119:082A04E #X INTERNET NEWS																																									
Value [10]	Label [11]	Unweighted Frequency [12]	% [13]	Valid % [14]																																					
1	NEVER:(1)	280	5.2%	5.2%																																					
2	FEW/YR:(2)	216	4.0%	4.0%																																					
3	1-2/MO:(3)	576	10.6%	10.8%																																					
4	1 /WK:(4)	1235	22.8%	23.1%																																					
5	NR DAILY:(5)	3050	56.3%	56.9%																																					
-9(M)	MISSING:(-9)	59	1.1%	-																																					

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

[2] Indicates the abbreviated variable name used to identify the variable for the user.

[3]Indicates starting and ending column locations of this variable. Variable width and number of decimal places are noted within parentheses.

[4]Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (\_), pound signs (#), and ampersands (&).

[5]Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes:-9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.

[6] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.

[7] The question number, which consists of the number of the questionnaire form, the alphabetic section, the question number itself, and, if part of a series, the alphabetic part.

[8] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.

[9] Response category codes and the full text of the answer categories as they are worded in the questionnaire.

[10] Indicates the code values occurring in the data for this variable.

[11] Indicates the text labels of the codes for this variable, as they are provided in the data.

[12] Indicates the frequency of occurrence of each code value for this variable.

[13] Indicates the percentage distribution of each code value for this variable including cases where the value is missing.

[14] Indicates the percentage distribution of each code value for this variable excluding cases where the value is missing.

## ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

For reasons of confidentiality, the weight variable (V5) was altered from its original version to a modified version prior to public distribution of the data. THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND THOSE FROM WEIGHTED ANALYSES OF THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

### OMITTED VARIABLES:

All datasets	C01. R'S BIRTH YEAR C02. R'S BIRTH MONTH C04A-I, R'S RACE (9 categories) C07A-B. # OLDER BR/SR, # YOUNGER BR/SR C07Ca,e-i. R'S HSHLD (other than mother/father/sibling) C13A. R'S RELGS PRFNC
Form 1	D19. CURRENT HEIGHT D20. CURRENT WEIGHT
Form 2	2A19P. ARRSTD&TKN 2 POL
Form 5	5A21. CURRENT HEIGHT 5A22. CURRENT WEIGHT

## **RECODED VARIABLES:**

### **Core dataset and Part C section of individual forms**

AGE < 18 DICHOTOMY

1=younger than 18 years old,

2=18 years old or more

-9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy

1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing data on Q. C04.

From 2006 on, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS

Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)

0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING

0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

### **Core dataset (Part B)**

\*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]

Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

\*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]

Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

**Form 6**

A10. EVER HELD BACK

1=No, 2=Yes

A11. NEED SUMMER SCHL

1=No, 2=Yes

A12. EVER SUSPENDED

1=No, 2=Yes

**MISSING DATA FOR WESTERN REGION:**

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT 4A15B GD LIV TG BF MRG 4A15C 1 PRTNR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND 5A18J FULLR LVS IF MRY 5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK 6A08B #X PRNT HLP HMWK 6A08C #X PRNT GV CHORE 6A08D #X PRNT LIMIT TV 6A08E #X PRNT LMT OUT

**QUESTIONNAIRE FORM 1 PROCESSING**

The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

## **REVISED QUESTION TEXT FOR THE CORE DATASET**

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series. This additional text is meant to clarify and provide detail about the question for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.





## **ICPSR 28401**

# **Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2009**

## **Variable Description and Frequencies**

**Note:** Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

# Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2009

## Form 2 Data

CASEID	CASE IDENTIFICATION NUMBER
--------	----------------------------

Location: 1-4 (width: 4; decimal: 0)  
Variable Type: numeric  
Based upon 2381 valid cases out of 2381 total cases.

V1	YEAR OF ADMIN (4-DIGITS)
----	--------------------------

Location: 5-8 (width: 4; decimal: 0)  
Variable Type: numeric

Value	Unweighted Frequency	%	Valid %
2009	2381	100.0 %	100.0%

Based upon 2381 valid cases out of 2381 total cases.

V3	092:FORM ID
----	-------------

Location: 9-10 (width: 2; decimal: 0)  
Variable Type: numeric

Value	Unweighted Frequency	%	Valid %
2	2381	100.0 %	100.0%

Based upon 2381 valid cases out of 2381 total cases.

V4	092:Rs ID-SERIAL #
----	--------------------

Location: 11-15 (width: 5; decimal: 0)  
Variable Type: numeric  
Based upon 2381 valid cases out of 2381 total cases.

V5	SAMPLING WEIGHT
----	-----------------

Location: 16-21 (width: 6; decimal: 4)  
Variable Type: numeric  
Based upon 2381 valid cases out of 2381 total cases.

V13	SCH REG-4 CAT
-----	---------------

Location: 22-23 (width: 2; decimal: 0)  
Variable Type: numeric  
Question: Region of the country, based on Census categories, in which respondent's school is located.  
  
1=Northeast 2=North Central 3=South 4=West

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NE:(1)	578	24.3 %	24.3%
2	NC:(2)	575	24.1 %	24.1%
3	S:(3)	724	30.4 %	30.4%
4	W:(4)	504	21.2 %	21.2%

Based upon 2381 valid cases out of 2381 total cases.

**V16 LARGE MSA=1/NOT=0**

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NOT:(0)	1514	63.6 %	63.6%
1	LARGE MSA:(1)	867	36.4 %	36.4%

Based upon 2381 valid cases out of 2381 total cases.

**V17 MSA/NON-MSA=0**

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

Question:

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NON-MSA:(0)	409	17.2 %	17.2%
1	MSA:(1)	1972	82.8 %	82.8%

Based upon 2381 valid cases out of 2381 total cases.

**V2208 092A01 :VRY HPY THS DAYS**

Location: 28-29 (width: 2; decimal: 0)

- Study 28401 -

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01190

Question Number(s): 2A01

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT HAPPY:(1)	309	13.0 %	13.6%
2	PRTY HPY:(2)	1439	60.4 %	63.5%
3	VRV HPY:(3)	518	21.8 %	22.9%
-9 (M)	MISSING:(-9)	115	4.8 %	-

Based upon 2266 valid cases out of 2381 total cases.

**V2209**

**092A02A:DALY WATCH TV**

Location: 30-31 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05820

Question Number(s): 2A02A

The next questions ask about the kinds of things you might do.  
How often do you do each of the following?

A: Watch TV

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	24	1.0 %	1.0%
2	FEW /YR:(2)	35	1.5 %	1.5%
3	1-2 /MO:(3)	95	4.0 %	4.0%
4	1 /WK:(4)	618	26.0 %	26.1%
5	NR DAILY:(5)	1599	67.2 %	67.4%
-9 (M)	MISSING:(-9)	10	0.4 %	-

Based upon 2371 valid cases out of 2381 total cases.

- Study 28401 -

**V2210 092A02B:DALY GO TO MOVIE**

Location: 32-33 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05830

Question Number(s): 2A02B

How often do you do each of the following?

B: Go to movies

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	59	2.5 %	2.5%
2	FEW /YR:(2)	921	38.7 %	38.8%
3	1-2 /MO:(3)	1209	50.8 %	51.0%
4	1 /WK:(4)	171	7.2 %	7.2%
5	NR DAILY:(5)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	9	0.4 %	-

Based upon 2372 valid cases out of 2381 total cases.

**V2432 092A02C:DALY MUSIC CNCRT**

Location: 34-35 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05846

Question Number(s): 2A02C

How often do you do each of the following?

C: Go to music concerts

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1012	42.5 %	42.9%
2	FEW /YR:(2)	1174	49.3 %	49.8%
3	1-2 /MO:(3)	149	6.3 %	6.3%
4	1 /WK:(4)	16	0.7 %	0.7%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	NR DAILY:(5)	6	0.3 %	0.3%
-9 (M)	MISSING:(-9)	24	1.0 %	-

Based upon 2357 valid cases out of 2381 total cases.

**V2212 092A02D:DALY RIDE FORFUN**

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05850

Question Number(s): 2A02D

How often do you do each of the following?

D: Ride around in a car (or motorcycle) just for fun

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	329	13.8 %	13.9%
2	FEW /YR:(2)	269	11.3 %	11.3%
3	1-2 /MO:(3)	386	16.2 %	16.3%
4	1 /WK:(4)	653	27.4 %	27.5%
5	NR DAILY:(5)	735	30.9 %	31.0%
-9 (M)	MISSING:(-9)	9	0.4 %	-

Based upon 2372 valid cases out of 2381 total cases.

**V2213 092A02E:DALY CMNTY AFFRS**

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05860

Question Number(s): 2A02E

How often do you do each of the following?

E: Participate in community affairs or volunteer work

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	559	23.5 %	23.6%
2	FEW /YR:(2)	981	41.2 %	41.5%
3	1-2 /MO:(3)	514	21.6 %	21.7%
4	1 /WK:(4)	247	10.4 %	10.4%
5	NR DAILY:(5)	63	2.6 %	2.7%
-9 (M)	MISSING:(-9)	17	0.7 %	-

Based upon 2364 valid cases out of 2381 total cases.

**V2214** **092A02F:DALY PLA MSC,SNG**

Location: 40-41 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05870

Question Number(s): 2A02F

How often do you do each of the following?

F: Play a musical instrument or sing

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	943	39.6 %	39.9%
2	FEW /YR:(2)	228	9.6 %	9.6%
3	1-2 /MO:(3)	121	5.1 %	5.1%
4	1 /WK:(4)	246	10.3 %	10.4%
5	NR DAILY:(5)	828	34.8 %	35.0%
-9 (M)	MISSING:(-9)	15	0.6 %	-

Based upon 2366 valid cases out of 2381 total cases.

**V2215** **092A02G:DALY CREAT WRTNG**

Location: 42-43 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05880

Question Number(s): 2A02G

How often do you do each of the following?

- Study 28401 -

G: Do creative writing

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	863	36.2 %	36.5%
2	FEW /YR:(2)	594	24.9 %	25.1%
3	1-2 /MO:(3)	433	18.2 %	18.3%
4	1 /WK:(4)	295	12.4 %	12.5%
5	NR DAILY:(5)	181	7.6 %	7.7%
-9 (M)	MISSING:(-9)	15	0.6 %	-

Based upon 2366 valid cases out of 2381 total cases.

**V2216** **092A02H:DALY ACTV SPORTS**

Location: 44-45 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05890

Question Number(s): 2A02H

How often do you do each of the following?

H: Actively participate in sports, athletics or exercising

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	221	9.3 %	9.3%
2	FEW /YR:(2)	212	8.9 %	8.9%
3	1-2 /MO:(3)	287	12.1 %	12.1%
4	1 /WK:(4)	601	25.2 %	25.3%
5	NR DAILY:(5)	1051	44.1 %	44.3%
-9 (M)	MISSING:(-9)	9	0.4 %	-

Based upon 2372 valid cases out of 2381 total cases.

**V2217** **092A02I:DALY ART/CRAFTS**

Location: 46-47 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9



- Study 28401 -

Question:

Item Number: 05900

Question Number(s): 2A02I

How often do you do each of the following?

I: Do art or craft work

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	669	28.1 %	28.4%
2	FEW /YR:(2)	625	26.2 %	26.5%
3	1-2 /MO:(3)	462	19.4 %	19.6%
4	1 /WK:(4)	294	12.3 %	12.5%
5	NR DAILY:(5)	305	12.8 %	13.0%
-9 (M)	MISSING:(-9)	26	1.1 %	-

Based upon 2355 valid cases out of 2381 total cases.

**V2218**

**092A02J:DALY WRK HSE,CAR**

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05910

Question Number(s): 2A02J

How often do you do each of the following?

J: Work around the house, yard, garden, car, etc.

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	153	6.4 %	6.5%
2	FEW /YR:(2)	270	11.3 %	11.4%
3	1-2 /MO:(3)	562	23.6 %	23.7%
4	1 /WK:(4)	814	34.2 %	34.4%
5	NR DAILY:(5)	569	23.9 %	24.0%
-9 (M)	MISSING:(-9)	13	0.5 %	-

Based upon 2368 valid cases out of 2381 total cases.

- Study 28401 -

**V2219 092A02K:DALY VIST W/FRDS**

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05920

Question Number(s): 2A02K

How often do you do each of the following?

K: Get together with friends informally

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	28	1.2 %	1.2%
2	FEW /YR:(2)	77	3.2 %	3.3%
3	1-2 /MO:(3)	270	11.3 %	11.4%
4	1 /WK:(4)	1000	42.0 %	42.4%
5	NR DAILY:(5)	986	41.4 %	41.8%
-9 (M)	MISSING:(-9)	20	0.8 %	-

Based upon 2361 valid cases out of 2381 total cases.

**V2521 092A02L:DALY GO TO MALL**

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05935

Question Number(s): 2A02L

How often do you do each of the following?

L: Go to a shopping mall

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	80	3.4 %	3.4%
2	FEW /YR:(2)	493	20.7 %	20.8%
3	1-2 /MO:(3)	1292	54.3 %	54.6%
4	1 /WK:(4)	438	18.4 %	18.5%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	NR DAILY:(5)	64	2.7 %	2.7%
-9 (M)	MISSING:(-9)	14	0.6 %	-

Based upon 2367 valid cases out of 2381 total cases.

**V2221 092A02M:DALY ALONE LEISR**

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05940

Question Number(s): 2A02M

How often do you do each of the following?

M: Spend at least an hour of leisure time alone

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	104	4.4 %	4.4%
2	FEW /YR:(2)	112	4.7 %	4.7%
3	1-2 /MO:(3)	260	10.9 %	11.0%
4	1 /WK:(4)	712	29.9 %	30.1%
5	NR DAILY:(5)	1178	49.5 %	49.8%
-9 (M)	MISSING:(-9)	15	0.6 %	-

Based upon 2366 valid cases out of 2381 total cases.

**V2222 092A02N:DALY READ BK,MAG**

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05950

Question Number(s): 2A02N

How often do you do each of the following?

N: Read books, magazines, or newspapers

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	144	6.0 %	6.1%
2	FEW /YR:(2)	195	8.2 %	8.2%
3	1-2 /MO:(3)	512	21.5 %	21.6%
4	1 /WK:(4)	797	33.5 %	33.6%
5	NR DAILY:(5)	721	30.3 %	30.4%
-9 (M)	MISSING:(-9)	12	0.5 %	-

Based upon 2369 valid cases out of 2381 total cases.

**V2223 092A02O:DALY GO TO BARS**

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05960

Question Number(s): 2A02O

How often do you do each of the following?

O: Go to taverns, bars or nightclubs

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1360	57.1 %	57.5%
2	FEW /YR:(2)	455	19.1 %	19.2%
3	1-2 /MO:(3)	338	14.2 %	14.3%
4	1 /WK:(4)	169	7.1 %	7.1%
5	NR DAILY:(5)	43	1.8 %	1.8%
-9 (M)	MISSING:(-9)	16	0.7 %	-

Based upon 2365 valid cases out of 2381 total cases.

**V2224 092A02P:DALY GO TO PARTY**

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05970

Question Number(s): 2A02P

How often do you do each of the following?

- Study 28401 -

P: Go to parties or other social affairs

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	194	8.1 %	8.2%
2	FEW /YR:(2)	573	24.1 %	24.2%
3	1-2 /MO:(3)	864	36.3 %	36.5%
4	1 /WK:(4)	644	27.0 %	27.2%
5	NR DAILY:(5)	89	3.7 %	3.8%
-9 (M)	MISSING:(-9)	17	0.7 %	-

Based upon 2364 valid cases out of 2381 total cases.

**V2533**

**092A02Q:DALY WEB MYSPC**

Location: 62-63 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29620

Question Number(s): 2A02Q

How often do you do each of the following?

Q: Visit social networking Web sites like MySpace or Facebook

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	256	10.8 %	10.8%
2	FEW /YR:(2)	93	3.9 %	3.9%
3	1-2 /MO:(3)	257	10.8 %	10.8%
4	1 /WK:(4)	519	21.8 %	21.9%
5	NR DAILY:(5)	1250	52.5 %	52.6%
-9 (M)	MISSING:(-9)	6	0.3 %	-

Based upon 2375 valid cases out of 2381 total cases.

**V2225**

**092A03A:US 2 MUCH PROFIT**

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 05990

Question Number(s): 2A03A

How much do you agree or disagree with each of the following statements?

A: In the United States, we put too much emphasis on making profits and not enough on human well-being

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	77	3.2 %	3.3%
2	MOST DIS:(2)	185	7.8 %	7.9%
3	NEITHER:(3)	526	22.1 %	22.4%
4	MOST AGR:(4)	1020	42.8 %	43.4%
5	AGREE:(5)	542	22.8 %	23.1%
-9 (M)	MISSING:(-9)	31	1.3 %	-

Based upon 2350 valid cases out of 2381 total cases.

**V2226 092A03B:2MUCH CNCRN MTRL**

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06000

Question Number(s): 2A03B

How much do you agree or disagree with each of the following statements?

B: People are too much concerned with material things these days

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	34	1.4 %	1.4%
2	MOST DIS:(2)	72	3.0 %	3.1%
3	NEITHER:(3)	225	9.4 %	9.5%
4	MOST AGR:(4)	910	38.2 %	38.6%
5	AGREE:(5)	1118	47.0 %	47.4%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	22	0.9 %	-

Based upon 2359 valid cases out of 2381 total cases.

**V2227                      092A03C:ENCOURG PPL BUY>**

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06010

Question Number(s): 2A03C

How much do you agree or disagree with each of the following statements?

C: Since it helps the economy to grow, people should be encouraged to buy more

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	257	10.8 %	10.9%
2	MOST DIS:(2)	422	17.7 %	17.9%
3	NEITHER:(3)	822	34.5 %	35.0%
4	MOST AGR:(4)	577	24.2 %	24.5%
5	AGREE:(5)	273	11.5 %	11.6%
-9 (M)	MISSING:(-9)	30	1.3 %	-

Based upon 2351 valid cases out of 2381 total cases.

**V2228                      092A03D:-WRNG ADVERTISNG**

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06020

Question Number(s): 2A03D

How much do you agree or disagree with each of the following statements?

D: There is nothing wrong with advertising that gets people to buy things they don't really need

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

- Study 28401 -

5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	515	21.6 %	21.9%
2	MOST DIS:(2)	526	22.1 %	22.4%
3	NEITHER:(3)	575	24.1 %	24.4%
4	MOST AGR:(4)	457	19.2 %	19.4%
5	AGREE:(5)	280	11.8 %	11.9%
-9 (M)	MISSING:(-9)	28	1.2 %	-

Based upon 2353 valid cases out of 2381 total cases.

**V2229 092A03E:MOR SHORTGS FUTR**

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06030

Question Number(s): 2A03E

How much do you agree or disagree with each of the following statements?

E: There will probably be more shortages in the future, so Americans will have to learn how to be happy with fewer "things"

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	139	5.8 %	5.9%
2	MOST DIS:(2)	162	6.8 %	6.9%
3	NEITHER:(3)	515	21.6 %	21.8%
4	MOST AGR:(4)	760	31.9 %	32.2%
5	AGREE:(5)	782	32.8 %	33.2%
-9 (M)	MISSING:(-9)	23	1.0 %	-

Based upon 2358 valid cases out of 2381 total cases.

**V2468 092A04A:RSK OF CIG1+PK/D**

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9



- Study 28401 -

Question:

Item Number: 12360

Question Number(s): 2A04A

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	63	2.6 %	2.7%
2	SLIGHT:(2)	66	2.8 %	2.8%
3	MOD RISK:(3)	314	13.2 %	13.3%
4	GRT RISK:(4)	1863	78.2 %	78.9%
5	CANT SAY:(5)	54	2.3 %	2.3%
-9 (M)	MISSING:(-9)	21	0.9 %	-

Based upon 2360 valid cases out of 2381 total cases.

**V2469**

**092A04B:RSK OF MJ 1-2 X**

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12370

Question Number(s): 2A04B

How much do you think people risk harming themselves (physically or in other ways), if they . . .

B: . . . Try marijuana once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	838	35.2 %	35.6%
2	SLIGHT:(2)	738	31.0 %	31.3%
3	MOD RISK:(3)	328	13.8 %	13.9%
4	GRT RISK:(4)	383	16.1 %	16.2%
5	CANT SAY:(5)	70	2.9 %	3.0%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	24	1.0 %	-

Based upon 2357 valid cases out of 2381 total cases.

**V2470                      092A04C:RSK OF MJ OCSNLY**

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12380

Question Number(s): 2A04C

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	429	18.0 %	18.3%
2	SLIGHT:(2)	560	23.5 %	23.9%
3	MOD RISK:(3)	679	28.5 %	28.9%
4	GRT RISK:(4)	601	25.2 %	25.6%
5	CANT SAY:(5)	79	3.3 %	3.4%
-9 (M)	MISSING:(-9)	33	1.4 %	-

Based upon 2348 valid cases out of 2381 total cases.

**V2471                      092A04D:RSK OF MJ REGLY**

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12390

Question Number(s): 2A04D

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	197	8.3 %	8.4%
2	SLIGHT:(2)	324	13.6 %	13.8%
3	MOD RISK:(3)	510	21.4 %	21.8%
4	GRT RISK:(4)	1225	51.4 %	52.3%
5	CANT SAY:(5)	88	3.7 %	3.8%
-9 (M)	MISSING:(-9)	37	1.6 %	-

Based upon 2344 valid cases out of 2381 total cases.

**V2472**

**092A04E:RSK OF 1-2 DRINK**

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12510

Question Number(s): 2A04E

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

E: . . . Try one or two drinks of an alcoholic beverage  
(beer, wine, liquor)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	953	40.0 %	40.5%
2	SLIGHT:(2)	859	36.1 %	36.5%
3	MOD RISK:(3)	309	13.0 %	13.1%
4	GRT RISK:(4)	189	7.9 %	8.0%
5	CANT SAY:(5)	42	1.8 %	1.8%
-9 (M)	MISSING:(-9)	29	1.2 %	-

Based upon 2352 valid cases out of 2381 total cases.

**V2473**

**092A04F:RSK OF 1-2 DR/DA**

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12520

Question Number(s): 2A04F

- Study 28401 -

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

F: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	205	8.6 %	8.7%
2	SLIGHT:(2)	461	19.4 %	19.6%
3	MOD RISK:(3)	908	38.1 %	38.6%
4	GRT RISK:(4)	736	30.9 %	31.3%
5	CANT SAY:(5)	44	1.8 %	1.9%
-9 (M)	MISSING:(-9)	27	1.1 %	-

Based upon 2354 valid cases out of 2381 total cases.

**V2474**

**092A04G:RSK OF 4-5 DR/DA**

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12530

Question Number(s): 2A04G

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

G: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	99	4.2 %	4.2%
2	SLIGHT:(2)	115	4.8 %	4.9%
3	MOD RISK:(3)	378	15.9 %	16.1%
4	GRT RISK:(4)	1707	71.7 %	72.5%
5	CANT SAY:(5)	55	2.3 %	2.3%
-9 (M)	MISSING:(-9)	27	1.1 %	-

Based upon 2354 valid cases out of 2381 total cases.

**V2475**

**092A04H:RSK OF 5+DR/WKND**

Location: 88-89 (width: 2; decimal: 0)

- Study 28401 -

Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 12540

Question Number(s): 2A04H

How much do you think people risk harming themselves  
 (physically or in other ways), if they . . .

H: . . . Have five or more drinks once or twice each  
 weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
 5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	158	6.6 %	6.7%
2	SLIGHT:(2)	315	13.2 %	13.3%
3	MOD RISK:(3)	633	26.6 %	26.8%
4	GRT RISK:(4)	1202	50.5 %	50.9%
5	CANT SAY:(5)	52	2.2 %	2.2%
-9 (M)	MISSING:(-9)	21	0.9 %	-

Based upon 2360 valid cases out of 2381 total cases.

**V2238 092A05 :DFNTLY PRFR MATE**

Location: 90-91 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 06120

Question Number(s): 2A05

Do you think that you would prefer having a mate for most of  
 your life, or would you prefer not having a mate?

5="Definitely prefer to have a mate" 4="Probably prefer to  
 have a mate" 3="Not sure" 2="Probably prefer not to have a  
 mate" 1="Definitely prefer not to have a mate"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF NOT:(1)	20	0.8 %	0.9%
2	PROB NOT:(2)	55	2.3 %	2.4%
3	NOT SURE:(3)	255	10.7 %	11.1%
4	PROBABLY:(4)	533	22.4 %	23.2%
5	DEFINTLY:(5)	1430	60.1 %	62.4%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	88	3.7 %	-

Based upon 2293 valid cases out of 2381 total cases.

**V2239 092A06 :THINK WILL MARRY**

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06130

Question Number(s): 2A06

Which do you think you are most likely to choose in the long run?

3="Getting married" 2="I have no idea" 1="Not getting married"  
8="Am already married"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT MARRY:(1)	82	3.4 %	3.7%
2	NO IDEA:(2)	336	14.1 %	15.2%
3	MARRY:(3)	1779	74.7 %	80.5%
8	MARRIED:(8)	13	0.5 %	0.6%
-9 (M)	MISSING:(-9)	171	7.2 %	-

Based upon 2210 valid cases out of 2381 total cases.

**V2240 092A07A:LIKLY STAY MARRD**

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06140

Question Number(s): 2A07A

If you did get married (or are married) . . .

A: . . . How likely do you think it is that you would stay married to the same person for life?

5="Very likely" 4="Fairly likely" 3="Uncertain" 2="Fairly unlikely" 1="Very unlikely"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	V UNLKLY:(1)	18	0.8 %	0.8%
2	FRLY UNL:(2)	42	1.8 %	1.9%
3	UNCERTN:(3)	284	11.9 %	13.1%
4	FRLY LIK:(4)	550	23.1 %	25.3%
5	VY LIKLY:(5)	1277	53.6 %	58.8%
-9 (M)	MISSING:(-9)	210	8.8 %	-

Based upon 2171 valid cases out of 2381 total cases.

**V2241 092A07B:LIKLY HAVE KIDS**

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06150

Question Number(s): 2A07B

If you did get married (or are married) . . .

B: . . . How likely is it that you would want to have children?

5="Very likely" 4="Fairly likely" 3="Uncertain" 2="Fairly unlikely" 1="Very unlikely" 8="Already have child(ren)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	V UNLKLY:(1)	71	3.0 %	3.2%
2	FRLY UNL:(2)	47	2.0 %	2.1%
3	UNCERTN:(3)	202	8.5 %	9.2%
4	FRLY LIK:(4)	438	18.4 %	20.0%
5	VY LIKLY:(5)	1389	58.3 %	63.4%
8	HAVE KID:(8)	44	1.8 %	2.0%
-9 (M)	MISSING:(-9)	190	8.0 %	-

Based upon 2191 valid cases out of 2381 total cases.

**V2242 092A08A:-CHL,HB WK1.,W = 0**

Location: 98-99 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06160

Question Number(s): 2A08A

- Study 28401 -

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

A: Husband works full-time, wife doesn't work

1="Not at all acceptable" 2="Somewhat acceptable"  
3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT ACCEP:(1)	797	33.5 %	34.9%
2	SM ACCEP:(2)	838	35.2 %	36.7%
3	ACCEPTBL:(3)	518	21.8 %	22.7%
4	DESIRABL:(4)	131	5.5 %	5.7%
-9 (M)	MISSING:(-9)	97	4.1 %	-

Based upon 2284 valid cases out of 2381 total cases.

**V2243 092A08B:-CHL,HB WK1.,W.5**

Location: 100-101 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06170

Question Number(s): 2A08B

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

B: Husband works full-time, wife works about half-time

1="Not at all acceptable" 2="Somewhat acceptable"  
3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT ACCEP:(1)	119	5.0 %	5.2%
2	SM ACCEP:(2)	708	29.7 %	31.0%
3	ACCEPTBL:(3)	1246	52.3 %	54.6%
4	DESIRABL:(4)	211	8.9 %	9.2%
-9 (M)	MISSING:(-9)	97	4.1 %	-

Based upon 2284 valid cases out of 2381 total cases.

**V2244 092A08C:-CHL,HB/WF WK 1.**

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric



- Study 28401 -

Range of Missing Values (M): -9

Question:

Item Number: 06180

Question Number(s): 2A08C

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

C: Both work full-time

1="Not at all acceptable" 2="Somewhat acceptable"  
3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT ACCEP:(1)	216	9.1 %	9.5%
2	SM ACCEP:(2)	325	13.6 %	14.3%
3	ACCEPTBL:(3)	1091	45.8 %	48.0%
4	DESIRABL:(4)	639	26.8 %	28.1%
-9 (M)	MISSING:(-9)	110	4.6 %	-

Based upon 2271 valid cases out of 2381 total cases.

**V2245**

**092A08D:-CHL,HB/WF WK .5**

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06190

Question Number(s): 2A08D

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

D: Both work about half-time

1="Not at all acceptable" 2="Somewhat acceptable"  
3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT ACCEP:(1)	532	22.3 %	23.5%
2	SM ACCEP:(2)	730	30.7 %	32.2%
3	ACCEPTBL:(3)	743	31.2 %	32.8%
4	DESIRABL:(4)	261	11.0 %	11.5%
-9 (M)	MISSING:(-9)	115	4.8 %	-

Based upon 2266 valid cases out of 2381 total cases.

- Study 28401 -

**V2246 092A08E:-CHL,W WK 1.,H.5**

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06200

Question Number(s): 2A08E

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

E: Husband works about half-time, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT ACCEP:(1)	819	34.4 %	35.9%
2	SM ACCEP:(2)	812	34.1 %	35.6%
3	ACCEPTBL:(3)	583	24.5 %	25.6%
4	DESIRABL:(4)	65	2.7 %	2.9%
-9 (M)	MISSING:(-9)	102	4.3 %	-

Based upon 2279 valid cases out of 2381 total cases.

**V2247 092A08F:-CHL,W WK 1.,H = 0**

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06210

Question Number(s): 2A08F

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

F: Husband doesn't work, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT ACCEP:(1)	1654	69.5 %	72.6%
2	SM ACCEP:(2)	365	15.3 %	16.0%
3	ACCEPTBL:(3)	170	7.1 %	7.5%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	DESIRABL:(4)	90	3.8 %	3.9%
-9 (M)	MISSING:(-9)	102	4.3 %	-

Based upon 2279 valid cases out of 2381 total cases.

**V2248 092A09A:PSCH,HB WK1.,W = 0**

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06220

Question Number(s): 2A09A

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

A: Husband works full-time, wife doesn't work

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT ACCEP:(1)	359	15.1 %	15.7%
2	SM ACCEP:(2)	565	23.7 %	24.8%
3	ACCEPTBL:(3)	894	37.5 %	39.2%
4	DESIRABL:(4)	462	19.4 %	20.3%
-9 (M)	MISSING:(-9)	101	4.2 %	-

Based upon 2280 valid cases out of 2381 total cases.

**V2249 092A09B:PSCH,HB WK1.,W.5**

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06230

Question Number(s): 2A09B

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

B: Husband works full-time, wife works about half-time

1="Not at all acceptable" 2="Somewhat acceptable"

- Study 28401 -

3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT ACCEP:(1)	109	4.6 %	4.8%
2	SM ACCEP:(2)	586	24.6 %	25.7%
3	ACCEPTBL:(3)	1248	52.4 %	54.8%
4	DESIRABL:(4)	334	14.0 %	14.7%
-9 (M)	MISSING:(-9)	104	4.4 %	-

Based upon 2277 valid cases out of 2381 total cases.

**V2250 092A09C:PSCH,HB/WF WK 1.**

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06240

Question Number(s): 2A09C

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

C: Both work full-time

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT ACCEP:(1)	852	35.8 %	37.4%
2	SM ACCEP:(2)	616	25.9 %	27.1%
3	ACCEPTBL:(3)	547	23.0 %	24.0%
4	DESIRABL:(4)	261	11.0 %	11.5%
-9 (M)	MISSING:(-9)	105	4.4 %	-

Based upon 2276 valid cases out of 2381 total cases.

**V2251 092A09D:PSCH,HB/WF WK .5**

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06250

Question Number(s): 2A09D

- Study 28401 -

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

D: Both work about half-time

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT ACCEP:(1)	492	20.7 %	21.7%
2	SM ACCEP:(2)	832	34.9 %	36.7%
3	ACCEPTBL:(3)	735	30.9 %	32.4%
4	DESIRABL:(4)	210	8.8 %	9.3%
-9 (M)	MISSING:(-9)	112	4.7 %	-

Based upon 2269 valid cases out of 2381 total cases.

**V2252 092A09E:PSCH,WF WK1.,H.5**

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06260

Question Number(s): 2A09E

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

E: Husband works about half-time, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT ACCEP:(1)	833	35.0 %	36.6%
2	SM ACCEP:(2)	803	33.7 %	35.3%
3	ACCEPTBL:(3)	553	23.2 %	24.3%
4	DESIRABL:(4)	88	3.7 %	3.9%
-9 (M)	MISSING:(-9)	104	4.4 %	-

Based upon 2277 valid cases out of 2381 total cases.

**V2253 092A09F:PSCH,WF WK1.,H = 0**

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28401 -

Range of Missing Values (M): -9

Question:

Item Number: 06270

Question Number(s): 2A09F

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

F: Husband doesn't work, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT ACCEP:(1)	1361	57.2 %	59.9%
2	SM ACCEP:(2)	431	18.1 %	19.0%
3	ACCEPTBL:(3)	373	15.7 %	16.4%
4	DESIRABL:(4)	109	4.6 %	4.8%
-9 (M)	MISSING:(-9)	107	4.5 %	-

Based upon 2274 valid cases out of 2381 total cases.

**V2254**

**092A10A:H WK,W -WK,W CCR**

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06280

Question Number(s): 2A10A

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

A: Wife does all child care

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT ACCEP:(1)	717	30.1 %	31.7%
2	SM ACCEP:(2)	647	27.2 %	28.6%
3	ACCEPTBL:(3)	644	27.0 %	28.4%
4	DESIRABL:(4)	256	10.8 %	11.3%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	117	4.9 %	-

Based upon 2264 valid cases out of 2381 total cases.

**V2255** **092A10B:H WK,W -WK,W>CCR**

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06290

Question Number(s): 2A10B

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

B: Wife does most of it

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT ACCEP:(1)	297	12.5 %	13.1%
2	SM ACCEP:(2)	715	30.0 %	31.5%
3	ACCEPTBL:(3)	948	39.8 %	41.8%
4	DESIRABL:(4)	309	13.0 %	13.6%
-9 (M)	MISSING:(-9)	112	4.7 %	-

Based upon 2269 valid cases out of 2381 total cases.

**V2256** **092A10C:H WK,W -WK, = CHCR**

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06300

Question Number(s): 2A10C

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

- Study 28401 -

C: Both do it equally

1="Not at all acceptable" 2="Somewhat acceptable"  
3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT ACCEP:(1)	75	3.1 %	3.3%
2	SM ACCEP:(2)	331	13.9 %	14.6%
3	ACCEPTBL:(3)	861	36.2 %	38.0%
4	DESIRABL:(4)	998	41.9 %	44.1%
-9 (M)	MISSING:(-9)	116	4.9 %	-

Based upon 2265 valid cases out of 2381 total cases.

**V2257 092A10D:H WK,W -WK,H>CCR**

Location: 128-129 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9  
Question:  
Item Number: 06310

Question Number(s): 2A10D

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

D: Husband does most of it

1="Not at all acceptable" 2="Somewhat acceptable"  
3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT ACCEP:(1)	880	37.0 %	38.9%
2	SM ACCEP:(2)	961	40.4 %	42.5%
3	ACCEPTBL:(3)	352	14.8 %	15.6%
4	DESIRABL:(4)	69	2.9 %	3.1%
-9 (M)	MISSING:(-9)	119	5.0 %	-

Based upon 2262 valid cases out of 2381 total cases.

**V2258 092A10E:H WK,W -WK,H CCR**

Location: 130-131 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9



- Study 28401 -

Question:

Item Number: 06320

Question Number(s): 2A10E

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

E: Husband does all of it

1="Not at all acceptable" 2="Somewhat acceptable"  
3="Acceptable" 4="Desirable"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NT ACCEP:(1)	1700	71.4 %	75.1%
2	SM ACCEP:(2)	344	14.4 %	15.2%
3	ACCEPTBL:(3)	151	6.3 %	6.7%
4	DESIRABL:(4)	68	2.9 %	3.0%
-9 (M)	MISSING:(-9)	118	5.0 %	-

Based upon 2263 valid cases out of 2381 total cases.

**V2259**

**092A11 :INTEREST IN GOVT**

Location: 132-133 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06330

Question Number(s): 2A11

Some people think about what's going on in government very often, and others are not that interested. How much of an interest do you take in government and current events?

1="No interest at all" 2="Very little interest" 3="Some interest" 4="A lot of interest" 5="A very great interest"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO INTR:(1)	153	6.4 %	6.7%
2	LIT INTR:(2)	449	18.9 %	19.7%
3	SOM INTR:(3)	1055	44.3 %	46.2%
4	LOT INTR:(4)	419	17.6 %	18.3%
5	VGRT INT:(5)	208	8.7 %	9.1%
-9 (M)	MISSING:(-9)	97	4.1 %	-

- Study 28401 -

Based upon 2284 valid cases out of 2381 total cases.

**V2260 092A12 :GOVT PPL -DSHNST**

Location: 134-135 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06340

Question Number(s): 2A12

Do you think some of the people running the government are crooked or dishonest?

1="Most of them are crooked or dishonest" 2="Quite a few are"  
3="Some are" 4="Hardly any are" 5="None at all are crooked or dishonest"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MOST CRK:(1)	478	20.1 %	21.0%
2	QT A FEW:(2)	840	35.3 %	36.9%
3	SOME:(3)	874	36.7 %	38.4%
4	HDLY ANY:(4)	71	3.0 %	3.1%
5	NONE@ALL:(5)	16	0.7 %	0.7%
-9 (M)	MISSING:(-9)	102	4.3 %	-

Based upon 2279 valid cases out of 2381 total cases.

**V2261 092A13 :GOVT DSNT WASTE\$**

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06350

Question Number(s): 2A13

Do you think the government wastes much of the money we pay in taxes?

1="Nearly all tax money is wasted" 2="A lot of tax money is wasted" 3="Some tax money is wasted" 4="A little tax money is wasted" 5="No tax money is wasted"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NRLY ALL:(1)	287	12.1 %	12.6%
2	A LOT:(2)	1057	44.4 %	46.5%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	SOME:(3)	786	33.0 %	34.6%
4	A LITTLE:(4)	123	5.2 %	5.4%
5	NO WASTE:(5)	18	0.8 %	0.8%
-9 (M)	MISSING:(-9)	110	4.6 %	-

Based upon 2271 valid cases out of 2381 total cases.

**V2262                      092A14 :NEVER TRUST GOVT**

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06360

Question Number(s): 2A14

How much of the time do you think you can trust the government  
in Washington to do what is right?

1="Almost always" 2="Often" 3="Sometimes" 4="Seldom" 5="Never"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALWYS TR:(1)	87	3.7 %	3.8%
2	OFTEN:(2)	635	26.7 %	27.9%
3	SOMETIME:(3)	1067	44.8 %	46.9%
4	SELDOM:(4)	399	16.8 %	17.5%
5	NEVER:(5)	86	3.6 %	3.8%
-9 (M)	MISSING:(-9)	107	4.5 %	-

Based upon 2274 valid cases out of 2381 total cases.

**V2263                      092A15 :GVT PPL DK DOING**

Location: 140-141 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06370

Question Number(s): 2A15

Do you feel that the people running the government are smart  
people who usually know what they are doing?

1="They almost always know what they are doing" 2="They  
usually know what they are doing" 3="They sometimes know  
what they are doing" 4="They seldom know what they are

- Study 28401 -

doing" 5="They never know what they are doing"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALWYS KN:(1)	181	7.6 %	8.0%
2	USUALLY:(2)	1000	42.0 %	44.0%
3	SOMETIME:(3)	831	34.9 %	36.6%
4	SELDOM:(4)	204	8.6 %	9.0%
5	NEVER:(5)	57	2.4 %	2.5%
-9 (M)	MISSING:(-9)	108	4.5 %	-

Based upon 2273 valid cases out of 2381 total cases.

**V2264** **092A16 :GOVT RUN FOR PPL**

Location: 142-143 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06380

Question Number(s): 2A16

Would you say the government is pretty much run for a few big interests looking out for themselves, or is it run for the benefit of all the people?

1="Nearly always run for a few big interests" 2="Usually run for a few big interests" 3="Run some for the big interests, some for the people" 4="Usually run for the benefit of all the people" 5="Nearly always run for the benefit of all the people"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALWS FEW:(1)	273	11.5 %	12.1%
2	USLY FEW:(2)	597	25.1 %	26.5%
3	SOME:(3)	1054	44.3 %	46.7%
4	USLY ALL:(4)	274	11.5 %	12.2%
5	ALWS ALL:(5)	57	2.4 %	2.5%
-9 (M)	MISSING:(-9)	126	5.3 %	-

Based upon 2255 valid cases out of 2381 total cases.

**V2265** **092A17A:DO OR PLN VOTE**

Location: 144-145 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 06390

Question Number(s): 2A17A

Have you ever done, or do you plan to do, the following things?

A: Vote in a public election

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRB WONT:(1)	116	4.9 %	5.1%
2	DK:(2)	174	7.3 %	7.7%
3	PRB WILL:(3)	1626	68.3 %	71.5%
4	HAV DONE:(4)	357	15.0 %	15.7%
-9 (M)	MISSING:(-9)	108	4.5 %	-

Based upon 2273 valid cases out of 2381 total cases.

**V2266**

**092A17B:DO OR PLN WRITE**

Location: 146-147 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06400

Question Number(s): 2A17B

Have you ever done, or do you plan to do, the following things?

B: Write to public officials

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRB WONT:(1)	794	33.3 %	34.9%
2	DK:(2)	957	40.2 %	42.1%
3	PRB WILL:(3)	310	13.0 %	13.6%
4	HAV DONE:(4)	211	8.9 %	9.3%
-9 (M)	MISSING:(-9)	109	4.6 %	-

Based upon 2272 valid cases out of 2381 total cases.

**V2267**

**092A17C:DO OR PLN GIVE \$**

Location: 148-149 (width: 2; decimal: 0)

- Study 28401 -

Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 06410

Question Number(s): 2A17C

Have you ever done, or do you plan to do, the following things?

C: Give money to a political candidate or cause

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRB WONT:(1)	944	39.6 %	41.6%
2	DK:(2)	860	36.1 %	37.9%
3	PRB WILL:(3)	382	16.0 %	16.8%
4	HAV DONE:(4)	83	3.5 %	3.7%
-9 (M)	MISSING:(-9)	112	4.7 %	-

Based upon 2269 valid cases out of 2381 total cases.

**V2268 092A17D:DO OR PLN WK CPG**

Location: 150-151 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 06420

Question Number(s): 2A17D

Have you ever done, or do you plan to do, the following things?

D: Work in a political campaign

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRB WONT:(1)	1237	52.0 %	54.5%
2	DK:(2)	712	29.9 %	31.4%
3	PRB WILL:(3)	218	9.2 %	9.6%
4	HAV DONE:(4)	104	4.4 %	4.6%
-9 (M)	MISSING:(-9)	110	4.6 %	-

Based upon 2271 valid cases out of 2381 total cases.

- Study 28401 -

**V2269 092A17E:DO OR PLN DEMNST**

Location: 152-153 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06430

Question Number(s): 2A17E

Have you ever done, or do you plan to do, the following things?

E: Participate in a lawful demonstration

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRB WONT:(1)	911	38.3 %	40.0%
2	DK:(2)	918	38.6 %	40.4%
3	PRB WILL:(3)	364	15.3 %	16.0%
4	HAV DONE:(4)	82	3.4 %	3.6%
-9 (M)	MISSING:(-9)	106	4.5 %	-

Based upon 2275 valid cases out of 2381 total cases.

**V2270 092A17F:DO OR PLN BOYCOT**

Location: 154-155 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06440

Question Number(s): 2A17F

Have you ever done, or do you plan to do, the following things?

F: Boycott certain products or stores

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRB WONT:(1)	884	37.1 %	39.0%
2	DK:(2)	827	34.7 %	36.5%
3	PRB WILL:(3)	399	16.8 %	17.6%
4	HAV DONE:(4)	157	6.6 %	6.9%
-9 (M)	MISSING:(-9)	114	4.8 %	-

- Study 28401 -

Based upon 2267 valid cases out of 2381 total cases.

**V2271 092A18A:US SHD DISARM**

Location: 156-157 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06450

Question Number(s): 2A18A

How much do you agree or disagree with each of the following statements?

A: The U.S. should begin a gradual program of disarming whether other countries do or not

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	605	25.4 %	27.0%
2	MOST DIS:(2)	320	13.4 %	14.3%
3	NEITHER:(3)	918	38.6 %	41.0%
4	MOST AGR:(4)	269	11.3 %	12.0%
5	AGREE:(5)	125	5.2 %	5.6%
-9 (M)	MISSING:(-9)	144	6.0 %	-

Based upon 2237 valid cases out of 2381 total cases.

**V2272 092A18B:US GO WAR FR OTH**

Location: 158-159 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05690

Question Number(s): 2A18B

How much do you agree or disagree with each of the following statements?

B: There may be times when the U.S. should go to war to protect the rights of other countries

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"



- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	302	12.7 %	13.4%
2	MOST DIS:(2)	385	16.2 %	17.1%
3	NEITHER:(3)	573	24.1 %	25.4%
4	MOST AGR:(4)	664	27.9 %	29.4%
5	AGREE:(5)	333	14.0 %	14.8%
-9 (M)	MISSING:(-9)	124	5.2 %	-

Based upon 2257 valid cases out of 2381 total cases.

**V2273 092A18C:US WAR PRTCT ECN**

Location: 160-161 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06460

Question Number(s): 2A18C

How much do you agree or disagree with each of the following statements?

C: The U.S. should be willing to go to war to protect its own economic interests

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	215	9.0 %	9.6%
2	MOST DIS:(2)	337	14.2 %	15.0%
3	NEITHER:(3)	662	27.8 %	29.4%
4	MOST AGR:(4)	643	27.0 %	28.6%
5	AGREE:(5)	391	16.4 %	17.4%
-9 (M)	MISSING:(-9)	133	5.6 %	-

Based upon 2248 valid cases out of 2381 total cases.

**V2274 092A18D:US ONLY WAR DFNS**

Location: 162-163 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06470

Question Number(s): 2A18D

- Study 28401 -

How much do you agree or disagree with each of the following statements?

D: The only good reason for the U.S. to go to war is to defend against an attack on our own country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	165	6.9 %	7.3%
2	MOST DIS:(2)	225	9.4 %	10.0%
3	NEITHER:(3)	398	16.7 %	17.7%
4	MOST AGR:(4)	788	33.1 %	35.0%
5	AGREE:(5)	678	28.5 %	30.1%
-9 (M)	MISSING:(-9)	127	5.3 %	-

Based upon 2254 valid cases out of 2381 total cases.

**V2275 092A18E:-US MIL PWR>USSR**

Location: 164-165 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06480

Question Number(s): 2A18E

How much do you agree or disagree with each of the following statements?

E: The U.S. does not need to have greater military power than Russia

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	577	24.2 %	25.8%
2	MOST DIS:(2)	407	17.1 %	18.2%
3	NEITHER:(3)	840	35.3 %	37.6%
4	MOST AGR:(4)	238	10.0 %	10.6%
5	AGREE:(5)	174	7.3 %	7.8%
-9 (M)	MISSING:(-9)	145	6.1 %	-

Based upon 2236 valid cases out of 2381 total cases.

**V2276 092A18F:US NEED>PWR OTHS**

- Study 28401 -

Location: 166-167 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 06490

Question Number(s): 2A18F

How much do you agree or disagree with each of the following statements?

F: The U.S. ought to have much more military power than any other nation in the world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
 5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	244	10.2 %	10.8%
2	MOST DIS:(2)	274	11.5 %	12.2%
3	NEITHER:(3)	791	33.2 %	35.2%
4	MOST AGR:(4)	432	18.1 %	19.2%
5	AGREE:(5)	508	21.3 %	22.6%
-9 (M)	MISSING:(-9)	132	5.5 %	-

Based upon 2249 valid cases out of 2381 total cases.

**V2277 092A18G:US FRN PLCY NRRW**

Location: 168-169 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 06500

Question Number(s): 2A18G

How much do you agree or disagree with each of the following statements?

G: Our present foreign policy is based on our own narrow economic and power interests

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
 5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	83	3.5 %	3.7%
2	MOST DIS:(2)	140	5.9 %	6.2%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	NEITHER:(3)	1165	48.9 %	52.0%
4	MOST AGR:(4)	573	24.1 %	25.6%
5	AGREE:(5)	280	11.8 %	12.5%
-9 (M)	MISSING:(-9)	140	5.9 %	-

Based upon 2241 valid cases out of 2381 total cases.

**V2279 092A19A:FRQ FIGHT PARNTS**

Location: 170-171 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06520

Question Number(s): 2A19A

This section deals with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you . . .

A: . . . Argued or had a fight with either of your parents?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

[Data from the Western Region intentionally obliterated.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	193	8.1 %	10.6%
2	ONCE:(2)	220	9.2 %	12.0%
3	TWICE:(3)	267	11.2 %	14.6%
4	3-4TIMES:(4)	448	18.8 %	24.5%
5	5+ TIMES:(5)	700	29.4 %	38.3%
-9 (M)	MISSING:(-9)	553	23.2 %	-

Based upon 1828 valid cases out of 2381 total cases.

**V2280 092A19B:FRQ HIT SUPRVISR**

Location: 172-173 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06530

- Study 28401 -

Question Number(s): 2A19B

During the LAST 12 MONTHS, how often have you . . .

B: . . . Hit an instructor or supervisor?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	2242	94.2 %	96.4%
2	ONCE:(2)	36	1.5 %	1.5%
3	TWICE:(3)	22	0.9 %	0.9%
4	3-4TIMES:(4)	10	0.4 %	0.4%
5	5+ TIMES:(5)	16	0.7 %	0.7%
-9 (M)	MISSING:(-9)	55	2.3 %	-

Based upon 2326 valid cases out of 2381 total cases.

**V2281 092A19C:FRQ FGT WRK/SCHL**

Location: 174-175 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06540

Question Number(s): 2A19C

During the LAST 12 MONTHS, how often have you . . .

C: . . . Gotten into a serious fight in school or at work?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	2038	85.6 %	87.8%
2	ONCE:(2)	157	6.6 %	6.8%
3	TWICE:(3)	66	2.8 %	2.8%
4	3-4TIMES:(4)	23	1.0 %	1.0%
5	5+ TIMES:(5)	38	1.6 %	1.6%
-9 (M)	MISSING:(-9)	59	2.5 %	-

Based upon 2322 valid cases out of 2381 total cases.

**V2282 092A19D:FRQ GANG FIGHT**

- Study 28401 -

Location: 176-177 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 06550

Question Number(s): 2A19D

During the LAST 12 MONTHS, how often have you . . .

D: . . . Taken part in a fight where a group of your friends were against another group?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1941	81.5 %	83.6%
2	ONCE:(2)	202	8.5 %	8.7%
3	TWICE:(3)	98	4.1 %	4.2%
4	3-4TIMES:(4)	47	2.0 %	2.0%
5	5+ TIMES:(5)	35	1.5 %	1.5%
-9 (M)	MISSING:(-9)	58	2.4 %	-

Based upon 2323 valid cases out of 2381 total cases.

**V2283 092A19E:FRQ HURT SM1 BAD**

Location: 178-179 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 06560

Question Number(s): 2A19E

During the LAST 12 MONTHS, how often have you . . .

E: . . . Hurt someone badly enough to need bandages or a doctor?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	2061	86.6 %	88.7%
2	ONCE:(2)	133	5.6 %	5.7%
3	TWICE:(3)	55	2.3 %	2.4%
4	3-4TIMES:(4)	38	1.6 %	1.6%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	5+ TIMES:(5)	37	1.6 %	1.6%
-9 (M)	MISSING:(-9)	57	2.4 %	-

Based upon 2324 valid cases out of 2381 total cases.

**V2284 092A19F:FRQ THREAT WEAPN**

Location: 180-181 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06570

Question Number(s): 2A19F

During the LAST 12 MONTHS, how often have you . . .

F: . . . Used a knife or gun or some other thing (like a club)  
to get something from a person?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or  
More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	2248	94.4 %	96.9%
2	ONCE:(2)	35	1.5 %	1.5%
3	TWICE:(3)	9	0.4 %	0.4%
4	3-4TIMES:(4)	6	0.3 %	0.3%
5	5+ TIMES:(5)	21	0.9 %	0.9%
-9 (M)	MISSING:(-9)	62	2.6 %	-

Based upon 2319 valid cases out of 2381 total cases.

**V2285 092A19G:FRQ STEAL <\$50**

Location: 182-183 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06580

Question Number(s): 2A19G

During the LAST 12 MONTHS, how often have you . . .

G: . . . Taken something not belonging to you worth  
under \$50?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or  
More Times"

- Study 28401 -

More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1733	72.8 %	74.9%
2	ONCE:(2)	262	11.0 %	11.3%
3	TWICE:(3)	144	6.0 %	6.2%
4	3-4TIMES:(4)	76	3.2 %	3.3%
5	5+ TIMES:(5)	99	4.2 %	4.3%
-9 (M)	MISSING:(-9)	67	2.8 %	-

Based upon 2314 valid cases out of 2381 total cases.

**V2286                      092A19H:FRQ STEAL >\$50**

Location:                      184-185 (width: 2; decimal: 0)

Variable Type:                numeric

Range of Missing Values (M): -9

Question:

Item Number: 06590

Question Number(s): 2A19H

During the LAST 12 MONTHS, how often have you . . .

H: . . . Taken something not belonging to you worth  
over \$50?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or  
More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	2099	88.2 %	90.7%
2	ONCE:(2)	96	4.0 %	4.1%
3	TWICE:(3)	37	1.6 %	1.6%
4	3-4TIMES:(4)	31	1.3 %	1.3%
5	5+ TIMES:(5)	52	2.2 %	2.2%
-9 (M)	MISSING:(-9)	66	2.8 %	-

Based upon 2315 valid cases out of 2381 total cases.

**V2287                      092A19I:FRQ SHOPLIFT**

Location:                      186-187 (width: 2; decimal: 0)

Variable Type:                numeric

Range of Missing Values (M): -9

Question:

Item Number: 06600



- Study 28401 -

Question Number(s): 2A19I

During the LAST 12 MONTHS, how often have you . . .

I: . . . Taken something from a store without paying for it?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1708	71.7 %	73.7%
2	ONCE:(2)	282	11.8 %	12.2%
3	TWICE:(3)	112	4.7 %	4.8%
4	3-4TIMES:(4)	90	3.8 %	3.9%
5	5+ TIMES:(5)	126	5.3 %	5.4%
-9 (M)	MISSING:(-9)	63	2.6 %	-

Based upon 2318 valid cases out of 2381 total cases.

**V2288**

**092A19J:FRQ CAR THEFT**

Location: 188-189 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06610

Question Number(s): 2A19J

During the LAST 12 MONTHS, how often have you . . .

J: . . . Taken a car that didn't belong to someone in your family without permission of the owner?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	2207	92.7 %	95.0%
2	ONCE:(2)	62	2.6 %	2.7%
3	TWICE:(3)	20	0.8 %	0.9%
4	3-4TIMES:(4)	15	0.6 %	0.6%
5	5+ TIMES:(5)	20	0.8 %	0.9%
-9 (M)	MISSING:(-9)	57	2.4 %	-

Based upon 2324 valid cases out of 2381 total cases.

**V2289**

**092A19K:FRQ STEAL CAR PT**

- Study 28401 -

Location: 190-191 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 06620

Question Number(s): 2A19K

During the LAST 12 MONTHS, how often have you . . .

K: . . . Taken part of a car without permission of the owner?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	2232	93.7 %	96.1%
2	ONCE:(2)	44	1.8 %	1.9%
3	TWICE:(3)	19	0.8 %	0.8%
4	3-4TIMES:(4)	10	0.4 %	0.4%
5	5+ TIMES:(5)	17	0.7 %	0.7%
-9 (M)	MISSING:(-9)	59	2.5 %	-

Based upon 2322 valid cases out of 2381 total cases.

**V2290 092A19L:FRQ TRESPAS BLDG**

Location: 192-193 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 06630

Question Number(s): 2A19L

During the LAST 12 MONTHS, how often have you . . .

L: . . . Gone into some house or building when you weren't supposed to be there?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1775	74.5 %	76.5%
2	ONCE:(2)	262	11.0 %	11.3%
3	TWICE:(3)	136	5.7 %	5.9%
4	3-4TIMES:(4)	86	3.6 %	3.7%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	5+ TIMES:(5)	62	2.6 %	2.7%
-9 (M)	MISSING:(-9)	60	2.5 %	-

Based upon 2321 valid cases out of 2381 total cases.

**V2291 092A19M:FRQ ARSON**

Location: 194-195 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06640

Question Number(s): 2A19M

During the LAST 12 MONTHS, how often have you . . .

M: . . . Set fire to someone's property on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	2254	94.7 %	97.1%
2	ONCE:(2)	38	1.6 %	1.6%
3	TWICE:(3)	10	0.4 %	0.4%
4	3-4TIMES:(4)	4	0.2 %	0.2%
5	5+ TIMES:(5)	15	0.6 %	0.6%
-9 (M)	MISSING:(-9)	60	2.5 %	-

Based upon 2321 valid cases out of 2381 total cases.

**V2292 092A19N:FRQ DMG SCH PPTY**

Location: 196-197 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06650

Question Number(s): 2A19N

During the LAST 12 MONTHS, how often have you . . .

N: . . . Damaged school property on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	2070	86.9 %	89.3%
2	ONCE:(2)	135	5.7 %	5.8%
3	TWICE:(3)	54	2.3 %	2.3%
4	3-4TIMES:(4)	24	1.0 %	1.0%
5	5+ TIMES:(5)	35	1.5 %	1.5%
-9 (M)	MISSING:(-9)	63	2.6 %	-

Based upon 2318 valid cases out of 2381 total cases.

**V2293 092A190:FRQ DMG WK PRPTY**

Location: 198-199 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06660

Question Number(s): 2A190

During the LAST 12 MONTHS, how often have you . . .

O: . . . Damaged property at work on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	2205	92.6 %	95.1%
2	ONCE:(2)	54	2.3 %	2.3%
3	TWICE:(3)	27	1.1 %	1.2%
4	3-4TIMES:(4)	15	0.6 %	0.6%
5	5+ TIMES:(5)	17	0.7 %	0.7%
-9 (M)	MISSING:(-9)	63	2.6 %	-

Based upon 2318 valid cases out of 2381 total cases.

**V2295 092A20A:SM1 ROB YRS <\$50**

Location: 200-201 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06680

Question Number(s): 2A20A

The next questions are about some things which may have happened TO YOU. During the LAST 12 MONTHS, how often . . .

- Study 28401 -

A. . . . Has something of yours (worth under \$50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1383	58.1 %	59.8%
2	ONCE:(2)	553	23.2 %	23.9%
3	TWICE:(3)	230	9.7 %	10.0%
4	3-4TIMES:(4)	102	4.3 %	4.4%
5	5+ TIMES:(5)	43	1.8 %	1.9%
-9 (M)	MISSING:(-9)	70	2.9 %	-

Based upon 2311 valid cases out of 2381 total cases.

**V2296 092A20B:SM1 ROB YRS >\$50**

Location: 202-203 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06690

Question Number(s): 2A20B

During the LAST 12 MONTHS, how often . . .

B: . . . Has something of yours (worth over \$50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1652	69.4 %	71.5%
2	ONCE:(2)	453	19.0 %	19.6%
3	TWICE:(3)	128	5.4 %	5.5%
4	3-4TIMES:(4)	54	2.3 %	2.3%
5	5+ TIMES:(5)	23	1.0 %	1.0%
-9 (M)	MISSING:(-9)	71	3.0 %	-

Based upon 2310 valid cases out of 2381 total cases.

**V2297 092A20C:SM1 DMG YR PRPTY**

Location: 204-205 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28401 -

Range of Missing Values (M): -9

Question:

Item Number: 06700

Question Number(s): 2A20C

During the LAST 12 MONTHS, how often . . .

C: . . . Has someone deliberately damaged your property (your car, clothing, etc.)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1631	68.5 %	70.7%
2	ONCE:(2)	412	17.3 %	17.9%
3	TWICE:(3)	159	6.7 %	6.9%
4	3-4TIMES:(4)	79	3.3 %	3.4%
5	5+ TIMES:(5)	26	1.1 %	1.1%
-9 (M)	MISSING:(-9)	74	3.1 %	-

Based upon 2307 valid cases out of 2381 total cases.

**V2298**

**092A20D:SM1 INJR U W/WPN**

Location: 206-207 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06710

Question Number(s): 2A20D

During the LAST 12 MONTHS, how often . . .

D: . . . Has someone injured you with a weapon (like a knife, gun, or club)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	2192	92.1 %	94.9%
2	ONCE:(2)	68	2.9 %	2.9%
3	TWICE:(3)	24	1.0 %	1.0%
4	3-4TIMES:(4)	10	0.4 %	0.4%
5	5+ TIMES:(5)	15	0.6 %	0.6%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	72	3.0 %	-

Based upon 2309 valid cases out of 2381 total cases.

**V2299 092A20E:SM1 THRTN U W/WP**

Location: 208-209 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06720

Question Number(s): 2A20E

During the LAST 12 MONTHS, how often . . .

E: . . . Has someone threatened you with a weapon, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1889	79.3 %	81.8%
2	ONCE:(2)	217	9.1 %	9.4%
3	TWICE:(3)	107	4.5 %	4.6%
4	3-4TIMES:(4)	44	1.8 %	1.9%
5	5+ TIMES:(5)	51	2.1 %	2.2%
-9 (M)	MISSING:(-9)	73	3.1 %	-

Based upon 2308 valid cases out of 2381 total cases.

**V2300 092A20F:SM1 INJR YU -WPN**

Location: 210-211 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06730

Question Number(s): 2A20F

During the LAST 12 MONTHS, how often . . .

F: . . . Has someone injured you on purpose without using a weapon?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1903	79.9 %	82.3%
2	ONCE:(2)	236	9.9 %	10.2%
3	TWICE:(3)	76	3.2 %	3.3%
4	3-4TIMES:(4)	46	1.9 %	2.0%
5	5+ TIMES:(5)	50	2.1 %	2.2%
-9 (M)	MISSING:(-9)	70	2.9 %	-

Based upon 2311 valid cases out of 2381 total cases.

**V2301**

**092A20G:SM1 THRT U W/INJ**

Location: 212-213 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06740

Question Number(s): 2A20G

During the LAST 12 MONTHS, how often . . .

G: . . . Has an unarmed person threatened you with injury, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1672	70.2 %	72.5%
2	ONCE:(2)	289	12.1 %	12.5%
3	TWICE:(3)	135	5.7 %	5.9%
4	3-4TIMES:(4)	80	3.4 %	3.5%
5	5+ TIMES:(5)	131	5.5 %	5.7%
-9 (M)	MISSING:(-9)	74	3.1 %	-

Based upon 2307 valid cases out of 2381 total cases.

**V2302**

**092A21A:EASY GT MARIJUAN**

Location: 214-215 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06750

Question Number(s): 2A21A

How difficult do you think it would be for you to get each of



- Study 28401 -

the following types of drugs, if you wanted some?

A: Marijuana (pot, weed)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	189	7.9 %	8.2%
2	VRY DIFF:(2)	72	3.0 %	3.1%
3	FRLY DIF:(3)	148	6.2 %	6.4%
4	FRLY EAS:(4)	548	23.0 %	23.8%
5	VRY EASY:(5)	1344	56.4 %	58.4%
-9 (M)	MISSING:(-9)	80	3.4 %	-

Based upon 2301 valid cases out of 2381 total cases.

**V2303**

**092A21B:EASY GT LSD**

Location: 216-217 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06760

Question Number(s): 2A21B

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

B: LSD

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	510	21.4 %	22.7%
2	VRY DIFF:(2)	469	19.7 %	20.8%
3	FRLY DIF:(3)	682	28.6 %	30.3%
4	FRLY EAS:(4)	420	17.6 %	18.7%
5	VRY EASY:(5)	170	7.1 %	7.6%
-9 (M)	MISSING:(-9)	130	5.5 %	-

Based upon 2251 valid cases out of 2381 total cases.

**V2304**

**092A21C:EASY GT PSYDELIC**

Location: 218-219 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28401 -

Range of Missing Values (M): -9

Question:

Item Number: 06770

Question Number(s): 2A21C

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

C: Some other hallucinogen (mescaline, peyote, "shrooms" or psilocybin, PCP, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	455	19.1 %	20.0%
2	VRY DIFF:(2)	352	14.8 %	15.5%
3	FRLY DIF:(3)	545	22.9 %	24.0%
4	FRLY EAS:(4)	599	25.2 %	26.3%
5	VRY EASY:(5)	324	13.6 %	14.2%
-9 (M)	MISSING:(-9)	106	4.5 %	-

Based upon 2275 valid cases out of 2381 total cases.

**V2305**

**092A21D:EASY GT AMPHTMNS**

Location: 220-221 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06780

Question Number(s): 2A21D

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

D: Amphetamines (uppers, pep pills, bennies, speed)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	431	18.1 %	19.0%
2	VRY DIFF:(2)	301	12.6 %	13.3%
3	FRLY DIF:(3)	471	19.8 %	20.8%
4	FRLY EAS:(4)	607	25.5 %	26.8%
5	VRY EASY:(5)	458	19.2 %	20.2%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	113	4.7 %	-

Based upon 2268 valid cases out of 2381 total cases.

**V2522 092A21E:EASY GT SED/BARB**

Location: 222-223 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06795

Question Number(s): 2A21E

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

E: Sedatives/barbiturates (downers)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	493	20.7 %	21.9%
2	VRY DIFF:(2)	382	16.0 %	16.9%
3	FRLY DIF:(3)	541	22.7 %	24.0%
4	FRLY EAS:(4)	499	21.0 %	22.1%
5	VRY EASY:(5)	340	14.3 %	15.1%
-9 (M)	MISSING:(-9)	126	5.3 %	-

Based upon 2255 valid cases out of 2381 total cases.

**V2307 092A21F:EASY GT TRANQLIZ**

Location: 224-225 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06800

Question Number(s): 2A21F

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

F: Tranquilizers

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	689	28.9 %	30.5%
2	VRY DIFF:(2)	546	22.9 %	24.1%
3	FRLY DIF:(3)	558	23.4 %	24.7%
4	FRLY EAS:(4)	288	12.1 %	12.7%
5	VRY EASY:(5)	180	7.6 %	8.0%
-9 (M)	MISSING:(-9)	120	5.0 %	-

Based upon 2261 valid cases out of 2381 total cases.

**V2308**      **092A21G:EASY GT COCAINE**

Location: 226-227 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06810

Question Number(s): 2A21G

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

G: Cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	498	20.9 %	21.9%
2	VRY DIFF:(2)	421	17.7 %	18.5%
3	FRLY DIF:(3)	471	19.8 %	20.7%
4	FRLY EAS:(4)	511	21.5 %	22.5%
5	VRY EASY:(5)	375	15.7 %	16.5%
-9 (M)	MISSING:(-9)	105	4.4 %	-

Based upon 2276 valid cases out of 2381 total cases.

**V2309**      **092A21H:EASY GT HEROIN**

Location: 228-229 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06820

Question Number(s): 2A21H

How difficult do you think it would be for you to get each of

- Study 28401 -

the following types of drugs, if you wanted some?

H: Heroin

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	638	26.8 %	28.0%
2	VRY DIFF:(2)	536	22.5 %	23.6%
3	FRLY DIF:(3)	502	21.1 %	22.1%
4	FRLY EAS:(4)	355	14.9 %	15.6%
5	VRY EASY:(5)	245	10.3 %	10.8%
-9 (M)	MISSING:(-9)	105	4.4 %	-

Based upon 2276 valid cases out of 2381 total cases.

**V2310 092A21I:EASY GT NARCOTIC**

Location: 230-231 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06830

Question Number(s): 2A21I

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

I: Some other narcotic (methadone, opium, codeine, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	558	23.4 %	24.6%
2	VRY DIFF:(2)	426	17.9 %	18.8%
3	FRLY DIF:(3)	492	20.7 %	21.7%
4	FRLY EAS:(4)	409	17.2 %	18.0%
5	VRY EASY:(5)	384	16.1 %	16.9%
-9 (M)	MISSING:(-9)	112	4.7 %	-

Based upon 2269 valid cases out of 2381 total cases.

**V2101 092B01 :EVR SMK CIG,REGL**

Location: 232-233 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28401 -

Range of Missing Values (M): -9

Question:

Item Number: 00760

Question Number(s): 2B01

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1264	53.1 %	54.6%
2	1-2X:(2)	444	18.6 %	19.2%
3	OCCASNLY:(3)	288	12.1 %	12.4%
4	REG PAST:(4)	110	4.6 %	4.8%
5	REG NOW:(5)	209	8.8 %	9.0%
-9 (M)	MISSING:(-9)	66	2.8 %	-

Based upon 2315 valid cases out of 2381 total cases.

**V2102 092B02 :#CIGS SMKD/30DAY**

Location: 234-235 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00780

Question Number(s): 2B02

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1818	76.4 %	78.6%
2	<1 CIG/D:(2)	232	9.7 %	10.0%
3	1-5/DAY:(3)	150	6.3 %	6.5%
4	1/2PK/D:(4)	71	3.0 %	3.1%
5	1 PK/DA:(5)	28	1.2 %	1.2%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	1 1/2 PK/D:(6)	10	0.4 %	0.4%
7	2+ PKS/D:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	68	2.9 %	-

Based upon 2313 valid cases out of 2381 total cases.

**V2103 092B03:EVER DRINK**

Location: 236-237 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00790

Question Number(s): 2B03

Next, we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO THE TOP OF NEXT COLUMN" 2="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	663	27.8 %	29.3%
2	YES:(2)	1601	67.2 %	70.7%
-9 (M)	MISSING:(-9)	117	4.9 %	-

Based upon 2264 valid cases out of 2381 total cases.

**V2104 092B04A:#X ALC/LIF SIPS**

Location: 238-239 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00810

Question Number(s): 2B04A

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" [includes respondents who said "No" to header question] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	663	27.8 %	29.8%
2	1-2X:(2)	167	7.0 %	7.5%
3	3-5X:(3)	214	9.0 %	9.6%
4	6-9X:(4)	226	9.5 %	10.2%
5	10-19X:(5)	250	10.5 %	11.2%
6	20-39X:(6)	226	9.5 %	10.2%
7	40+OCCAS:(7)	480	20.2 %	21.6%
-9 (M)	MISSING:(-9)	155	6.5 %	-

Based upon 2226 valid cases out of 2381 total cases.

**V2105 092B04B:#X ALC/ANN SIPS**

Location: 240-241 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9  
Question:  
Item Number: 00820

Question Number(s): 2B04B

On how many occasions (if any) have you had alcoholic  
beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	771	32.4 %	34.7%
2	1-2X:(2)	350	14.7 %	15.8%
3	3-5X:(3)	270	11.3 %	12.2%
4	6-9X:(4)	254	10.7 %	11.4%
5	10-19X:(5)	237	10.0 %	10.7%
6	20-39X:(6)	150	6.3 %	6.8%
7	40+OCCAS:(7)	187	7.9 %	8.4%
-9 (M)	MISSING:(-9)	162	6.8 %	-

Based upon 2219 valid cases out of 2381 total cases.

**V2106 092B04C:#X ALC/30D SIPS**

Location: 242-243 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9



- Study 28401 -

Question:

Item Number: 00830

Question Number(s): 2B04C

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1223	51.4 %	54.9%
2	1-2X:(2)	458	19.2 %	20.6%
3	3-5X:(3)	250	10.5 %	11.2%
4	6-9X:(4)	143	6.0 %	6.4%
5	10-19X:(5)	90	3.8 %	4.0%
6	20-39X:(6)	31	1.3 %	1.4%
7	40+OCCAS:(7)	31	1.3 %	1.4%
-9 (M)	MISSING:(-9)	155	6.5 %	-

Based upon 2226 valid cases out of 2381 total cases.

**V2107**

**092B05 :#X DRK ENF FL HI**

Location: 244-245 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00840

Question Number(s): 2B05

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	408	17.1 %	25.6%
2	FEW:(2)	423	17.8 %	26.6%
3	HALF:(3)	240	10.1 %	15.1%
4	MOST:(4)	298	12.5 %	18.7%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	NRLY ALL:(5)	224	9.4 %	14.1%
-9 (M)	MISSING:(-9)	788	33.1 %	-

Based upon 1593 valid cases out of 2381 total cases.

**V2108 092B06:5+DRK ROW/LST 2W**

Location: 246-247 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00850

Question Number(s): 2B06

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a bottle of beer, a glass of wine, a wine cooler, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above]

2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10

or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1573	66.1 %	72.2%
2	ONCE:(2)	227	9.5 %	10.4%
3	TWICE:(3)	160	6.7 %	7.3%
4	3-5X:(4)	138	5.8 %	6.3%
5	6-9X:(5)	49	2.1 %	2.2%
6	10+ TIME:(6)	32	1.3 %	1.5%
-9 (M)	MISSING:(-9)	202	8.5 %	-

Based upon 2179 valid cases out of 2381 total cases.

**V2115 092B07A:#XMJ+HS/LIFETIME**

Location: 248-249 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00860

Question Number(s): 2B07A

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

- Study 28401 -

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1304	54.8 %	57.3%
2	1-2X:(2)	189	7.9 %	8.3%
3	3-5X:(3)	151	6.3 %	6.6%
4	6-9X:(4)	87	3.7 %	3.8%
5	10-19X:(5)	126	5.3 %	5.5%
6	20-39X:(6)	102	4.3 %	4.5%
7	40+OCCAS:(7)	318	13.4 %	14.0%
-9 (M)	MISSING:(-9)	104	4.4 %	-

Based upon 2277 valid cases out of 2381 total cases.

**V2116 092B07B:#XMJ+HS/LAST12MO**

Location: 250-251 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00870

Question Number(s): 2B07B

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1508	63.3 %	66.2%
2	1-2X:(2)	203	8.5 %	8.9%
3	3-5X:(3)	117	4.9 %	5.1%
4	6-9X:(4)	100	4.2 %	4.4%
5	10-19X:(5)	84	3.5 %	3.7%
6	20-39X:(6)	72	3.0 %	3.2%
7	40+OCCAS:(7)	193	8.1 %	8.5%
-9 (M)	MISSING:(-9)	104	4.4 %	-

Based upon 2277 valid cases out of 2381 total cases.

- Study 28401 -

**V2117                      092B07C:#XMJ+HS/LAST30DA**

Location: 252-253 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00880

Question Number(s): 2B07C

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	1789	75.1 %	78.6%
2	1-2X:(2)	177	7.4 %	7.8%
3	3-5X:(3)	69	2.9 %	3.0%
4	6-9X:(4)	58	2.4 %	2.5%
5	10-19X:(5)	52	2.2 %	2.3%
6	20-39X:(6)	45	1.9 %	2.0%
7	40+OCCAS:(7)	86	3.6 %	3.8%
-9 (M)	MISSING:(-9)	105	4.4 %	-

Based upon 2276 valid cases out of 2381 total cases.

**V2118                      092B08A:#X LSD/LIFETIME**

Location: 254-255 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00890

Question Number(s): 2B08A

On how many occasions (if any) have you used LSD ("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2216	93.1 %	96.4%
2	1-2X:(2)	53	2.2 %	2.3%
3	3-5X:(3)	13	0.5 %	0.6%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	82	3.4 %	-

Based upon 2299 valid cases out of 2381 total cases.

**V2119                      092B08B:#X LSD/LAST 12MO**

Location:                      256-257 (width: 2; decimal: 0)

Variable Type:                numeric

Range of Missing Values (M): -9

Question:

Item Number: 00900

Question Number(s): 2B08B

On how many occasions (if any) have you used LSD  
("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2259	94.9 %	98.3%
2	1-2X:(2)	26	1.1 %	1.1%
3	3-5X:(3)	6	0.3 %	0.3%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	82	3.4 %	-

Based upon 2299 valid cases out of 2381 total cases.

**V2120                      092B08C:#X LSD/LAST 30DA**

Location:                      258-259 (width: 2; decimal: 0)

Variable Type:                numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 00910

Question Number(s): 2B08C

On how many occasions (if any) have you used LSD  
("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2286	96.0 %	99.4%
2	1-2X:(2)	7	0.3 %	0.3%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	82	3.4 %	-

Based upon 2299 valid cases out of 2381 total cases.

**V2121**

**092B09A:#X PSYD/LIFETIME**

Location: 260-261 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00920

Question Number(s): 2B09A

On how many occasions (if any) have you used hallucinogens  
other than LSD (like mescaline, peyote, "shrooms" or  
psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2115	88.8 %	92.1%
2	1-2X:(2)	109	4.6 %	4.7%
3	3-5X:(3)	36	1.5 %	1.6%
4	6-9X:(4)	15	0.6 %	0.7%
5	10-19X:(5)	8	0.3 %	0.3%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	20-39X:(6)	9	0.4 %	0.4%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	85	3.6 %	-

Based upon 2296 valid cases out of 2381 total cases.

**V2122**      **092B09B:#X PSYD/LAST12MO**

Location: 262-263 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00930

Question Number(s): 2B09B

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2173	91.3 %	94.6%
2	1-2X:(2)	90	3.8 %	3.9%
3	3-5X:(3)	15	0.6 %	0.7%
4	6-9X:(4)	8	0.3 %	0.3%
5	10-19X:(5)	8	0.3 %	0.3%
6	20-39X:(6)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	84	3.5 %	-

Based upon 2297 valid cases out of 2381 total cases.

**V2123**      **092B09C:#X PSYD/LAST30DA**

Location: 264-265 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00940

Question Number(s): 2B09C

On how many occasions (if any) have you used hallucinogens

- Study 28401 -

other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2257	94.8 %	98.3%
2	1-2X:(2)	29	1.2 %	1.3%
3	3-5X:(3)	8	0.3 %	0.3%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	85	3.6 %	-

Based upon 2296 valid cases out of 2381 total cases.

**V2124**

**092B10A:#X COKE/LIFETIME**

Location: 266-267 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00950

Question Number(s): 2B10A

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2135	89.7 %	93.0%
2	1-2X:(2)	68	2.9 %	3.0%
3	3-5X:(3)	21	0.9 %	0.9%
4	6-9X:(4)	16	0.7 %	0.7%
5	10-19X:(5)	19	0.8 %	0.8%
6	20-39X:(6)	14	0.6 %	0.6%
7	40+OCCAS:(7)	23	1.0 %	1.0%
-9 (M)	MISSING:(-9)	85	3.6 %	-



- Study 28401 -

Based upon 2296 valid cases out of 2381 total cases.

**V2125                      092B10B:#X COKE/LAST12MO**

Location: 268-269 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00960

Question Number(s): 2B10B

On how many occasions (if any) have you taken cocaine  
(sometimes called "coke", "crack", "rock") . . .

B: . . . during last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2194	92.1 %	95.5%
2	1-2X:(2)	48	2.0 %	2.1%
3	3-5X:(3)	18	0.8 %	0.8%
4	6-9X:(4)	15	0.6 %	0.7%
5	10-19X:(5)	13	0.5 %	0.6%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	6	0.3 %	0.3%
-9 (M)	MISSING:(-9)	84	3.5 %	-

Based upon 2297 valid cases out of 2381 total cases.

**V2126                      092B10C:#X COKE/LAST30DA**

Location: 270-271 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00970

Question Number(s): 2B10C

On how many occasions (if any) have you taken cocaine  
(sometimes called "coke", "crack", "rock") . . .

C: . . . during last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

- Study 28401 -

More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2264	95.1 %	98.6%
2	1-2X:(2)	20	0.8 %	0.9%
3	3-5X:(3)	10	0.4 %	0.4%
5	10-19X:(5)	2	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	84	3.5 %	-

Based upon 2297 valid cases out of 2381 total cases.

**V2127                      092B11A:#X AMPH/LIFETIME**

Location:                      272-273 (width: 2; decimal: 0)

Variable Type:                numeric

Range of Missing Values (M):    -9

Question:

Item Number: 00980

Question Number(s): 2B11A

Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills or stay-awake pills. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2003	84.1 %	87.1%
2	1-2X:(2)	103	4.3 %	4.5%
3	3-5X:(3)	60	2.5 %	2.6%
4	6-9X:(4)	28	1.2 %	1.2%
5	10-19X:(5)	44	1.8 %	1.9%
6	20-39X:(6)	20	0.8 %	0.9%
7	40+OCCAS:(7)	42	1.8 %	1.8%
-9 (M)	MISSING:(-9)	81	3.4 %	-

## - Study 28401 -

Based upon 2300 valid cases out of 2381 total cases.

### V2128 092B11B:#X AMPH/LAST12MO

Location: 274-275 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00990

Question Number(s): 2B11B

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2086	87.6 %	90.8%
2	1-2X:(2)	94	3.9 %	4.1%
3	3-5X:(3)	34	1.4 %	1.5%
4	6-9X:(4)	27	1.1 %	1.2%
5	10-19X:(5)	24	1.0 %	1.0%
6	20-39X:(6)	12	0.5 %	0.5%
7	40+OCCAS:(7)	21	0.9 %	0.9%
-9 (M)	MISSING:(-9)	83	3.5 %	-

Based upon 2298 valid cases out of 2381 total cases.

### V2129 092B11C:#X AMPH/LAST30DA

Location: 276-277 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01000

Question Number(s): 2B11C

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9

- Study 28401 -

Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2204	92.6 %	95.9%
2	1-2X:(2)	54	2.3 %	2.3%
3	3-5X:(3)	14	0.6 %	0.6%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	10	0.4 %	0.4%
6	20-39X:(6)	8	0.3 %	0.3%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	82	3.4 %	-

Based upon 2299 valid cases out of 2381 total cases.

**V2130 092B12A:#X ICE/LIFETIME**

Location: 278-279 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24380

Question Number(s): 2B12A

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2259	94.9 %	98.0%
2	1-2X:(2)	18	0.8 %	0.8%
3	3-5X:(3)	12	0.5 %	0.5%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	77	3.2 %	-

Based upon 2304 valid cases out of 2381 total cases.

**V2131 092B12B:#X ICE/LAST12MO**

- Study 28401 -

Location: 280-281 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 24390

Question Number(s): 2B12B

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2286	96.0 %	99.1%
2	1-2X:(2)	11	0.5 %	0.5%
3	3-5X:(3)	6	0.3 %	0.3%
5	10-19X:(5)	2	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	75	3.1 %	-

Based upon 2306 valid cases out of 2381 total cases.

**V2132 092B12C:#X ICE/LAST30DA**

Location: 282-283 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 24400

Question Number(s): 2B12C

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2301	96.6 %	99.7%
2	1-2X:(2)	4	0.2 %	0.2%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	3-5X:(3)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	74	3.1 %	-

Based upon 2307 valid cases out of 2381 total cases.

**V2133 092B13A:#X SED/BARB/LIFE**

Location: 284-285 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01042

Question Number(s): 2B13A

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2104	88.4 %	91.6%
2	1-2X:(2)	70	2.9 %	3.0%
3	3-5X:(3)	45	1.9 %	2.0%
4	6-9X:(4)	18	0.8 %	0.8%
5	10-19X:(5)	18	0.8 %	0.8%
6	20-39X:(6)	17	0.7 %	0.7%
7	40+OCCAS:(7)	25	1.0 %	1.1%
-9 (M)	MISSING:(-9)	84	3.5 %	-

Based upon 2297 valid cases out of 2381 total cases.

**V2134 092B13B:#X SED/BARB/12MO**

Location: 286-287 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01052

- Study 28401 -

Question Number(s): 2B13B

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2165	90.9 %	94.2%
2	1-2X:(2)	56	2.4 %	2.4%
3	3-5X:(3)	31	1.3 %	1.3%
4	6-9X:(4)	11	0.5 %	0.5%
5	10-19X:(5)	15	0.6 %	0.7%
6	20-39X:(6)	9	0.4 %	0.4%
7	40+OCCAS:(7)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	82	3.4 %	-

Based upon 2299 valid cases out of 2381 total cases.

**V2135**

**092B13C:#X SED/BARB/30DA**

Location: 288-289 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01062

Question Number(s): 2B13C

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2240	94.1 %	97.4%
2	1-2X:(2)	31	1.3 %	1.3%
3	3-5X:(3)	7	0.3 %	0.3%
4	6-9X:(4)	10	0.4 %	0.4%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	82	3.4 %	-

Based upon 2299 valid cases out of 2381 total cases.

**V2136**

**092B14A:#X TRQL/LIFETIME**

Location: 290-291 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01070

Question Number(s): 2B14A

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2099	88.2 %	91.4%
2	1-2X:(2)	63	2.6 %	2.7%
3	3-5X:(3)	44	1.8 %	1.9%
4	6-9X:(4)	32	1.3 %	1.4%
5	10-19X:(5)	25	1.0 %	1.1%
6	20-39X:(6)	10	0.4 %	0.4%
7	40+OCCAS:(7)	23	1.0 %	1.0%
-9 (M)	MISSING:(-9)	85	3.6 %	-

Based upon 2296 valid cases out of 2381 total cases.

**V2137**

**092B14B:#X TRQL/LAST12MO**

Location: 292-293 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9



- Study 28401 -

Question:

Item Number: 01080

Question Number(s): 2B14B

On how many occasions (if any) have you taken tranquilizers  
on your own--that is, without a doctor telling you to take  
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2153	90.4 %	93.7%
2	1-2X:(2)	62	2.6 %	2.7%
3	3-5X:(3)	39	1.6 %	1.7%
4	6-9X:(4)	16	0.7 %	0.7%
5	10-19X:(5)	13	0.5 %	0.6%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	10	0.4 %	0.4%
-9 (M)	MISSING:(-9)	83	3.5 %	-

Based upon 2298 valid cases out of 2381 total cases.

**V2138**

**092B14C:#X TRQL/LAST30DA**

Location: 294-295 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01090

Question Number(s): 2B14C

On how many occasions (if any) have you taken tranquilizers  
on your own--that is, without a doctor telling you to take  
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2237	94.0 %	97.4%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	1-2X:(2)	34	1.4 %	1.5%
3	3-5X:(3)	12	0.5 %	0.5%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	84	3.5 %	-

Based upon 2297 valid cases out of 2381 total cases.

**V2510 092B15A:#X H LIF USE NDL**

Location: 296-297 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29630

Question Number(s): 2B15A

On how many occasions (if any) have you taken heroin using  
a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2285	96.0 %	99.6%
2	1-2X:(2)	3	0.1 %	0.1%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	86	3.6 %	-

Based upon 2295 valid cases out of 2381 total cases.

**V2511 092B15B:#X H 12M USE NDL**

Location: 298-299 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29640

- Study 28401 -

Question Number(s): 2B15B

On how many occasions (if any) have you taken heroin using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2289	96.1 %	99.7%
2	1-2X:(2)	1	0.0 %	0.0%
3	3-5X:(3)	4	0.2 %	0.2%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	85	3.6 %	-

Based upon 2296 valid cases out of 2381 total cases.

**V2512**

**092B15C:#X H 30D USE NDL**

Location: 300-301 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29650

Question Number(s): 2B15C

On how many occasions (if any) have you taken heroin using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2291	96.2 %	99.8%
3	3-5X:(3)	3	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	86	3.6 %	-

Based upon 2295 valid cases out of 2381 total cases.

**V2513**

**092B16A:#X H LIF W/O NDL**

- Study 28401 -

Location: 302-303 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29660

Question Number(s): 2B16A

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2262	95.0 %	98.9%
2	1-2X:(2)	16	0.7 %	0.7%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	94	3.9 %	-

Based upon 2287 valid cases out of 2381 total cases.

**V2514**

**092B16B:#X H 12M W/O NDL**

Location: 304-305 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29670

Question Number(s): 2B16B

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2275	95.5 %	99.4%
2	1-2X:(2)	7	0.3 %	0.3%
3	3-5X:(3)	2	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	92	3.9 %	-

Based upon 2289 valid cases out of 2381 total cases.

**V2515                      092B16C:#X H 30D W/O NDL**

Location: 306-307 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29680

Question Number(s): 2B16C

On how many occasions (if any) have you taken heroin WITHOUT  
using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2278	95.7 %	99.6%
2	1-2X:(2)	7	0.3 %	0.3%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	93	3.9 %	-

Based upon 2288 valid cases out of 2381 total cases.

**V2139                      092R\* :#X H/LIFETIME**

Location: 308-309 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01100

Question Number(s): 2B16X

## - Study 28401 -

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . In your lifetime?" (item 29630)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . In your lifetime?" (item 29660)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2276	95.6 %	98.8%
2	1-2X:(2)	14	0.6 %	0.6%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	6	0.3 %	0.3%
-9 (M)	MISSING:(-9)	77	3.2 %	-

Based upon 2304 valid cases out of 2381 total cases.

**V2140**

**092R\* :#X H/LAST12MO**

Location: 310-311 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01110

Question Number(s): 2B16Y

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 12 months?" (item 29640)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 12 months?" (item 29670)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2287	96.1 %	99.3%
2	1-2X:(2)	7	0.3 %	0.3%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	77	3.2 %	-

Based upon 2304 valid cases out of 2381 total cases.

**V2141** **092R\* :#X H/LAST30DA**

Location: 312-313 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01120

Question Number(s): 2B16Z

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 30 days?" (item 29650)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 30 days?" (item 29680)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2292	96.3 %	99.5%
2	1-2X:(2)	6	0.3 %	0.3%
3	3-5X:(3)	3	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	77	3.2 %	-

Based upon 2304 valid cases out of 2381 total cases.

**V2142** **092B17A:#X NARC/LIFETIME**

Location: 314-315 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28401 -

Range of Missing Values (M): -9

Question:

Item Number: 01130

Question Number(s): 2B17A

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1979	83.1 %	86.7%
2	1-2X:(2)	102	4.3 %	4.5%
3	3-5X:(3)	57	2.4 %	2.5%
4	6-9X:(4)	40	1.7 %	1.8%
5	10-19X:(5)	35	1.5 %	1.5%
6	20-39X:(6)	25	1.0 %	1.1%
7	40+OCCAS:(7)	45	1.9 %	2.0%
-9 (M)	MISSING:(-9)	98	4.1 %	-

Based upon 2283 valid cases out of 2381 total cases.

**V2143**

**092B17B:#X NARC/LAST12MO**

Location: 316-317 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01140

Question Number(s): 2B17B

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"



- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2069	86.9 %	90.6%
2	1-2X:(2)	73	3.1 %	3.2%
3	3-5X:(3)	47	2.0 %	2.1%
4	6-9X:(4)	34	1.4 %	1.5%
5	10-19X:(5)	27	1.1 %	1.2%
6	20-39X:(6)	15	0.6 %	0.7%
7	40+OCCAS:(7)	19	0.8 %	0.8%
-9 (M)	MISSING:(-9)	97	4.1 %	-

Based upon 2284 valid cases out of 2381 total cases.

**V2144** **092B17C:#X NARC/LAST30DA**

Location: 318-319 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9  
Question:  
Item Number: 01150

Question Number(s): 2B17C

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2183	91.7 %	95.6%
2	1-2X:(2)	43	1.8 %	1.9%
3	3-5X:(3)	23	1.0 %	1.0%
4	6-9X:(4)	16	0.7 %	0.7%
5	10-19X:(5)	6	0.3 %	0.3%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	10	0.4 %	0.4%
-9 (M)	MISSING:(-9)	98	4.1 %	-

Based upon 2283 valid cases out of 2381 total cases.

**V2145** **092B18A:#X INHL/LIFETIME**

Location: 320-321 (width: 2; decimal: 0)  
Variable Type: numeric

- Study 28401 -

Range of Missing Values (M): -9

Question:

Item Number: 01160

Question Number(s): 2B18A

On how many occasions (if any) have you sniffed glue, or  
breathed the contents of aerosol spray cans, or inhaled  
any other gases or sprays in order to get high . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2085	87.6 %	91.2%
2	1-2X:(2)	113	4.7 %	4.9%
3	3-5X:(3)	34	1.4 %	1.5%
4	6-9X:(4)	19	0.8 %	0.8%
5	10-19X:(5)	16	0.7 %	0.7%
6	20-39X:(6)	11	0.5 %	0.5%
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	94	3.9 %	-

Based upon 2287 valid cases out of 2381 total cases.

**V2146 092B18B:#X INHL/LAST12MO**

Location: 322-323 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01170

Question Number(s): 2B18B

On how many occasions (if any) have you sniffed glue, or  
breathed the contents of aerosol spray cans, or inhaled  
any other gases or sprays in order to get high . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2207	92.7 %	96.6%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	1-2X:(2)	39	1.6 %	1.7%
3	3-5X:(3)	20	0.8 %	0.9%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	97	4.1 %	-

Based upon 2284 valid cases out of 2381 total cases.

**V2147** **092B18C:#X INHL/LAST30DA**

Location: 324-325 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01180

Question Number(s): 2B18C

On how many occasions (if any) have you sniffed glue, or  
breathed the contents of aerosol spray cans, or inhaled  
any other gases or sprays in order to get high . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2258	94.8 %	98.9%
2	1-2X:(2)	21	0.9 %	0.9%
3	3-5X:(3)	3	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	97	4.1 %	-

Based upon 2284 valid cases out of 2381 total cases.

**V2148** **092C01(R):AGE <>18 DICHOTOMY**

Location: 326-327 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

Question Number(s): 2C01-2

- Study 28401 -

Component variables: 1) Q.C01 "In what year were you born?" (item 00010), 2) Q. C02 "In what month were you born?" (item 00020), and 3) date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	< 18:(1)	986	41.4 %	42.7%
2	18+:(2)	1324	55.6 %	57.3%
-9 (M)	MISSING:(-9)	71	3.0 %	-

Based upon 2310 valid cases out of 2381 total cases.

**V2150 092C03 :Rs SEX**

Location: 328-329 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 00030

Question Number(s): 2C03

What is your sex?

1="Male" 2="Female"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MALE:(1)	1070	44.9 %	48.0%
2	FEMALE:(2)	1161	48.8 %	52.0%
-9 (M)	MISSING:(-9)	150	6.3 %	-

Based upon 2231 valid cases out of 2381 total cases.

**V2151 092C04(R):R'S RACE B/W/H**

Location: 330-331 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number:

Question Number(s): 2C04

How do you describe yourself? (Select one or more responses.)  
 Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

- Study 28401 -

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic..."). All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"  
3="Hispanic" [see above]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	BLACK: (1)	254	10.7 %	12.6%
2	WHITE: (2)	1341	56.3 %	66.7%
3	HISPANIC: (3)	417	17.5 %	20.7%
-9 (M)	MISSING:(-9)	369	15.5 %	-

Based upon 2012 valid cases out of 2381 total cases.

**V2152 092C05 :R SPD >TIM R-URB**

Location: 332-333 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00050

Question Number(s): 2C05

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	DK/MIXED:(0)	225	9.4 %	9.4%
1	FARM:(1)	97	4.1 %	4.1%
2	COUNTRY:(2)	214	9.0 %	9.0%
3	SML TOWN:(3)	555	23.3 %	23.3%
4	MED CITY:(4)	330	13.9 %	13.9%
5	SUBURB 4:(5)	211	8.9 %	8.9%
6	LRG CITY:(6)	293	12.3 %	12.3%
7	SUBURB 6:(7)	178	7.5 %	7.5%
8	VRYLG CY:(8)	177	7.4 %	7.4%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
9	SUBURB 8:(9)	101	4.2 %	4.2%

Based upon 2381 valid cases out of 2381 total cases.

**V2153                      092C06 :R NOT MARRIED**

Location: 334-335 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00060

Question Number(s): 2C06

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MARRIED:(1)	86	3.6 %	3.7%
2	ENGAGED:(2)	118	5.0 %	5.1%
3	SEP/DIV:(3)	31	1.3 %	1.3%
4	SINGLE:(4)	2068	86.9 %	89.8%
-9 (M)	MISSING:(-9)	78	3.3 %	-

Based upon 2303 valid cases out of 2381 total cases.

**V49                              092C07(R):# SIBLINGS**

Location: 336-337 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

Question Number(s): 2C07A-B

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more"

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more younger or older brothers or sisters".

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	139	5.8 %	6.1%
1	ONE:(1)	639	26.8 %	27.9%
2	TWO:(2)	632	26.5 %	27.6%
3	3 OR MORE:(3)	882	37.0 %	38.5%
-9 (M)	MISSING:(-9)	89	3.7 %	-

Based upon 2292 valid cases out of 2381 total cases.

**V2155 092C07Cb(R):R'S HSHLD FATHER**

Location: 338-339 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00090

Question Number(s): 2C07Cb

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	670	28.1 %	29.1%
1	MARKED:(1)	1633	68.6 %	70.9%
-9 (M)	MISSING:(-9)	78	3.3 %	-

Based upon 2303 valid cases out of 2381 total cases.

**V2156 092C07Cc(R):R'S HSHLD MOTHER**

Location: 340-341 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00100

Question Number(s): 2C07Cc

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	253	10.6 %	11.0%
1	MARKED:(1)	2050	86.1 %	89.0%
-9 (M)	MISSING:(-9)	78	3.3 %	-

Based upon 2303 valid cases out of 2381 total cases.

**V2157                      092C07Cd(R):R'S HSHLD BR/SR**

Location: 342-343 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00110

Question Number(s): 2C07Cd

Which of the following people live in the same household with you? (Mark all that apply.)

D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	770	32.3 %	33.4%
1	MARKED:(1)	1533	64.4 %	66.6%
-9 (M)	MISSING:(-9)	78	3.3 %	-

Based upon 2303 valid cases out of 2381 total cases.

**V2163                      092C08 :FATHR EDUC LEVEL**

Location: 344-345 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00310

Question Number(s): 2C08

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of



- Study 28401 -

schooling your father completed?

1="Completed grade school or less" 2="Some high school"  
3="Completed high school" 4="Some college" 5="Completed college"  
6="Graduate or professional school after college"  
7="Don't know, or does not apply"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRDE SCH:(1)	109	4.6 %	4.7%
2	SOME HS:(2)	297	12.5 %	12.9%
3	HS GRAD:(3)	596	25.0 %	25.9%
4	SOME CLG:(4)	375	15.7 %	16.3%
5	CLG GRAD:(5)	476	20.0 %	20.7%
6	GRAD SCH:(6)	283	11.9 %	12.3%
7	DK:(7)	168	7.1 %	7.3%
-9 (M)	MISSING:(-9)	77	3.2 %	-

Based upon 2304 valid cases out of 2381 total cases.

**V2164**

**092C09 :MOTHR EDUC LEVEL**

Location: 346-347 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00320

Question Number(s): 2C09

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"  
3="Completed high school" 4="Some college" 5="Completed college"  
6="Graduate or professional school after college"  
7="Don't know, or does not apply"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRDE SCH:(1)	103	4.3 %	4.5%
2	SOME HS:(2)	218	9.2 %	9.5%
3	HS GRAD:(3)	563	23.6 %	24.4%
4	SOME CLG:(4)	462	19.4 %	20.1%
5	CLG GRAD:(5)	579	24.3 %	25.1%
6	GRAD SCH:(6)	274	11.5 %	11.9%
7	DK:(7)	104	4.4 %	4.5%
-9 (M)	MISSING:(-9)	78	3.3 %	-

Based upon 2303 valid cases out of 2381 total cases.

- Study 28401 -

**V2165 092C10 :MOTH PD JB R YNG**

Location: 348-349 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00330

Question Number(s): 2C10

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	303	12.7 %	13.2%
2	SOMETIME:(2)	461	19.4 %	20.1%
3	MOSTTIME:(3)	416	17.5 %	18.1%
4	ALL TIME:(4)	1115	46.8 %	48.6%
-9 (M)	MISSING:(-9)	86	3.6 %	-

Based upon 2295 valid cases out of 2381 total cases.

**V2166 092C11 :Rs POLTL PRFNC**

Location: 350-351 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00340

Question Number(s): 2C11

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	STRG GOP:(1)	216	9.1 %	9.9%
2	MILD GOP:(2)	290	12.2 %	13.3%
3	MILD DEM:(3)	366	15.4 %	16.8%
4	STRG DEM:(4)	306	12.9 %	14.0%
5	INDEPNDT:(5)	243	10.2 %	11.1%
6	NO PREF:(6)	310	13.0 %	14.2%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7	OTHER:(7)	31	1.3 %	1.4%
8	DK:(8)	422	17.7 %	19.3%
-9 (M)	MISSING:(-9)	197	8.3 %	-

Based upon 2184 valid cases out of 2381 total cases.

**V2167                      092C12 :R POL BLF RADCL**

Location: 352-353 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00350

Question Number(s): 2C12

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate"  
4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the  
above, or don't know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VRY CONS:(1)	106	4.5 %	4.7%
2	CONSERV:(2)	273	11.5 %	12.0%
3	MODERATE:(3)	578	24.3 %	25.4%
4	LIBERAL:(4)	393	16.5 %	17.3%
5	VRY LIB:(5)	122	5.1 %	5.4%
6	RADICAL:(6)	39	1.6 %	1.7%
8	NONE/DK:(8)	764	32.1 %	33.6%
-9 (M)	MISSING:(-9)	106	4.5 %	-

Based upon 2275 valid cases out of 2381 total cases.

**V2169                      092C13B:R ATTND REL SVC**

Location: 354-355 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00370

Question Number(s): 2C13B

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a  
week or more"

- Study 28401 -

Responses from the western region intentionally obliterated.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	334	14.0 %	19.1%
2	RARELY:(2)	607	25.5 %	34.7%
3	1-2X/MO:(3)	297	12.5 %	17.0%
4	1/WK OR+:(4)	512	21.5 %	29.3%
-9 (M)	MISSING:(-9)	631	26.5 %	-

Based upon 1750 valid cases out of 2381 total cases.

**V2170                      092C13C:RLGN IMP Rs LF**

Location: 356-357 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00380

Question Number(s): 2C13C

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"  
4="Very important"

Responses from the western region intentionally obliterated.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT IMPT:(1)	325	13.6 %	18.6%
2	LITL IMP:(2)	453	19.0 %	25.9%
3	PRTY IMP:(3)	473	19.9 %	27.1%
4	VERY IMP:(4)	495	20.8 %	28.4%
-9 (M)	MISSING:(-9)	635	26.7 %	-

Based upon 1746 valid cases out of 2381 total cases.

**V2171                      092C14 :WHEN R XPCT GRAD**

Location: 358-359 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00390

Question Number(s): 2C14

When are you most likely to graduate from high school?

- Study 28401 -

1="By this June" 2="July to January" 3="After next January"  
6="Don't expect to graduate"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	BY JUNE:(1)	2243	94.2 %	98.4%
2	JULY-JAN:(2)	22	0.9 %	1.0%
6	WONT:(6)	15	0.6 %	0.7%
-9 (M)	MISSING:(-9)	101	4.2 %	-

Based upon 2280 valid cases out of 2381 total cases.

**V2172**

**092C15 :Rs HS PROGRAM**

Location: 360-361 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00400

Question Number(s): 2C15

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	CLG PREP:(1)	1240	52.1 %	54.6%
2	GENERAL:(2)	735	30.9 %	32.4%
3	VOC-TECH:(3)	105	4.4 %	4.6%
4	OTH/DK:(4)	190	8.0 %	8.4%
-9 (M)	MISSING:(-9)	111	4.7 %	-

Based upon 2270 valid cases out of 2381 total cases.

**V2173**

**092C16 :RT SF SCH AB>AVG**

Location: 362-363 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00410

Question Number(s): 2C16

Compared with others your age throughout the country, how do you rate yourself on school ability?

- Study 28401 -

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FAR BLOW:(1)	24	1.0 %	1.1%
2	BELOW AV:(2)	39	1.6 %	1.7%
3	SL BELOW:(3)	92	3.9 %	4.1%
4	AVERAGE:(4)	723	30.4 %	31.9%
5	SL ABOVE:(5)	561	23.6 %	24.8%
6	ABOVE AV:(6)	653	27.4 %	28.8%
7	FAR ABOV:(7)	174	7.3 %	7.7%
-9 (M)	MISSING:(-9)	115	4.8 %	-

Based upon 2266 valid cases out of 2381 total cases.

**V2174 092C17 :RT SF INTELL>AVG**

Location: 364-365 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00420

Question Number(s): 2C17

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FAR BLOW:(1)	25	1.0 %	1.1%
2	BELOW AV:(2)	39	1.6 %	1.7%
3	SL BELOW:(3)	90	3.8 %	4.0%
4	AVERAGE:(4)	658	27.6 %	29.1%
5	SL ABOVE:(5)	568	23.9 %	25.1%
6	ABOVE AV:(6)	673	28.3 %	29.7%
7	FAR ABOV:(7)	210	8.8 %	9.3%
-9 (M)	MISSING:(-9)	118	5.0 %	-

Based upon 2263 valid cases out of 2381 total cases.

**V2175 092C18A:#DA/4W SC MS ILL**

Location: 366-367 (width: 2; decimal: 0)

- Study 28401 -

Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 00430

Question Number(s): 2C18A

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1235	51.9 %	55.2%
2	1 DAY:(2)	414	17.4 %	18.5%
3	2 DAYS:(3)	263	11.0 %	11.7%
4	3 DAYS:(4)	153	6.4 %	6.8%
5	4-5 DAYS:(5)	110	4.6 %	4.9%
6	6-10 DA:(6)	38	1.6 %	1.7%
7	11+ DAYS:(7)	26	1.1 %	1.2%
-9 (M)	MISSING:(-9)	142	6.0 %	-

Based upon 2239 valid cases out of 2381 total cases.

**V2176 092C18B:#DA/4W SC MS CUT**

Location: 368-369 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 00440

Question Number(s): 2C18B

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1543	64.8 %	69.7%
2	1 DAY:(2)	290	12.2 %	13.1%
3	2 DAYS:(3)	155	6.5 %	7.0%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	3 DAYS:(4)	101	4.2 %	4.6%
5	4-5 DAYS:(5)	75	3.1 %	3.4%
6	6-10 DA:(6)	34	1.4 %	1.5%
7	11+ DAYS:(7)	15	0.6 %	0.7%
-9 (M)	MISSING:(-9)	168	7.1 %	-

Based upon 2213 valid cases out of 2381 total cases.

**V2177                      092C18C:#DA/4W SC MS OTH**

Location: 370-371 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00450

Question Number(s): 2C18C

During the LAST FOUR WEEKS, how many whole days of school  
have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10  
Days" 7="11 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1257	52.8 %	56.5%
2	1 DAY:(2)	452	19.0 %	20.3%
3	2 DAYS:(3)	220	9.2 %	9.9%
4	3 DAYS:(4)	146	6.1 %	6.6%
5	4-5 DAYS:(5)	82	3.4 %	3.7%
6	6-10 DA:(6)	47	2.0 %	2.1%
7	11+ DAYS:(7)	21	0.9 %	0.9%
-9 (M)	MISSING:(-9)	156	6.6 %	-

Based upon 2225 valid cases out of 2381 total cases.

**V2178                      092C19 :#DA/4W SKP CLASS**

Location: 372-373 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00460

Question Number(s): 2C19



- Study 28401 -

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"  
5="11-20 times" 6="More than 20 times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1571	66.0 %	69.4%
2	1-2:(2)	410	17.2 %	18.1%
3	3-5:(3)	188	7.9 %	8.3%
4	6-10:(4)	51	2.1 %	2.3%
5	11-20:(5)	22	0.9 %	1.0%
6	21+:(6)	22	0.9 %	1.0%
-9 (M)	MISSING:(-9)	117	4.9 %	-

Based upon 2264 valid cases out of 2381 total cases.

**V2179**

**092C20 :R HS GRADE/D = 1**

Location: 374-375 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00470

Question Number(s): 2C20

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"  
5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"  
1="D (69 or below)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	D:(1)	31	1.3 %	1.4%
2	C-:(2)	50	2.1 %	2.2%
3	C:(3)	97	4.1 %	4.3%
4	C+:(4)	193	8.1 %	8.5%
5	B-:(5)	256	10.8 %	11.3%
6	B:(6)	368	15.5 %	16.3%
7	B+:(7)	449	18.9 %	19.8%
8	A-:(8)	382	16.0 %	16.9%
9	A:(9)	436	18.3 %	19.3%
-9 (M)	MISSING:(-9)	119	5.0 %	-

- Study 28401 -

Based upon 2262 valid cases out of 2381 total cases.

**V2180 092C21A:R WL DO VOC/TEC**

Location: 376-377 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00480

Question Number(s): 2C21A

How likely is it that you will do each of the following things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	1207	50.7 %	55.9%
2	PRB WONT:(2)	509	21.4 %	23.6%
3	PRB WILL:(3)	276	11.6 %	12.8%
4	DEF WILL:(4)	169	7.1 %	7.8%
-9 (M)	MISSING:(-9)	220	9.2 %	-

Based upon 2161 valid cases out of 2381 total cases.

**V2181 092C21B:R WL DO ARMD FC**

Location: 378-379 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00490

Question Number(s): 2C21B

How likely is it that you will do each of the following things after high school?

B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	1544	64.8 %	70.9%
2	PRB WONT:(2)	384	16.1 %	17.6%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	PRB WILL:(3)	154	6.5 %	7.1%
4	DEF WILL:(4)	95	4.0 %	4.4%
-9 (M)	MISSING:(-9)	204	8.6 %	-

Based upon 2177 valid cases out of 2381 total cases.

**V2182 092C21C:R WL DO 2YR CLG**

Location: 380-381 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00500

Question Number(s): 2C21C

How likely is it that you will do each of the following things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	796	33.4 %	36.7%
2	PRB WONT:(2)	383	16.1 %	17.6%
3	PRB WILL:(3)	493	20.7 %	22.7%
4	DEF WILL:(4)	498	20.9 %	22.9%
-9 (M)	MISSING:(-9)	211	8.9 %	-

Based upon 2170 valid cases out of 2381 total cases.

**V2183 092C21D:R WL DO 4YR CLG**

Location: 382-383 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00510

Question Number(s): 2C21D

How likely is it that you will do each of the following things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

- Study 28401 -

4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	160	6.7 %	7.3%
2	PRB WONT:(2)	192	8.1 %	8.7%
3	PRB WILL:(3)	499	21.0 %	22.7%
4	DEF WILL:(4)	1348	56.6 %	61.3%
-9 (M)	MISSING:(-9)	182	7.6 %	-

Based upon 2199 valid cases out of 2381 total cases.

**V2184**

**092C21E:R WL DO GRD/PRF**

Location: 384-385 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00520

Question Number(s): 2C21E

How likely is it that you will do each of the following things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DEF WONT:(1)	338	14.2 %	15.6%
2	PRB WONT:(2)	554	23.3 %	25.6%
3	PRB WILL:(3)	741	31.1 %	34.2%
4	DEF WILL:(4)	532	22.3 %	24.6%
-9 (M)	MISSING:(-9)	216	9.1 %	-

Based upon 2165 valid cases out of 2381 total cases.

**V2185**

**092C22A:R WNTDO VOC/TEC**

Location: 386-387 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00530

Question Number(s): 2C22A

Suppose you could do just what you'd like and nothing stood

- Study 28401 -

in your way. How many of the following things would you WANT to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1890	79.4 %	85.3%
1	MARKED:(1)	327	13.7 %	14.7%
-9 (M)	MISSING:(-9)	164	6.9 %	-

Based upon 2217 valid cases out of 2381 total cases.

**V2186                      092C22B:R WNTDO ARMD FC**

Location: 388-389 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00540

Question Number(s): 2C22B

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1936	81.3 %	87.3%
1	MARKED:(1)	281	11.8 %	12.7%
-9 (M)	MISSING:(-9)	164	6.9 %	-

Based upon 2217 valid cases out of 2381 total cases.

**V2187                      092C22C:R WNTDO 2YR CLG**

Location: 390-391 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00550

Question Number(s): 2C22C

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT

- Study 28401 -

to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	1543	64.8 %	69.6%
1	MARKED:(1)	674	28.3 %	30.4%
-9 (M)	MISSING:(-9)	164	6.9 %	-

Based upon 2217 valid cases out of 2381 total cases.

**V2188** **092C22D:R WNTDO 4YR CLG**

Location: 392-393 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00560

Question Number(s): 2C22D

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	414	17.4 %	18.7%
1	MARKED:(1)	1803	75.7 %	81.3%
-9 (M)	MISSING:(-9)	164	6.9 %	-

Based upon 2217 valid cases out of 2381 total cases.

**V2189** **092C22E:R WNTDO GRD/PRF**

Location: 394-395 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00570

Question Number(s): 2C22E

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

- Study 28401 -

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	948	39.8 %	42.8%
1	MARKED:(1)	1269	53.3 %	57.2%
-9 (M)	MISSING:(-9)	164	6.9 %	-

Based upon 2217 valid cases out of 2381 total cases.

**V2190 092C22F:R WNTDO NONE**

Location: 396-397 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00580

Question Number(s): 2C22F

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MARKD:(0)	2130	89.5 %	96.1%
1	MARKED:(1)	87	3.7 %	3.9%
-9 (M)	MISSING:(-9)	164	6.9 %	-

Based upon 2217 valid cases out of 2381 total cases.

**V2191 092C23 :HRS/W WRK SCHYR**

Location: 398-399 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00590

Question Number(s): 2C23

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15

- Study 28401 -

hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26 to 30 hours" 8="More than 30 hours"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	842	35.4 %	37.7%
2	5 OR <:(2)	238	10.0 %	10.7%
3	6-10 HRS:(3)	210	8.8 %	9.4%
4	11-15 HR:(4)	262	11.0 %	11.7%
5	16-20 HR:(5)	255	10.7 %	11.4%
6	21-25 HR:(6)	182	7.6 %	8.2%
7	26-30 HR:(7)	119	5.0 %	5.3%
8	30+ HRS:(8)	124	5.2 %	5.6%
-9 (M)	MISSING:(-9)	149	6.3 %	-

Based upon 2232 valid cases out of 2381 total cases.

**V2192 092C24A:R\$/AVG WEEK JOB**

Location: 400-402 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00600

Question Number(s): 2C24A

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="176+"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	950	39.9 %	43.3%
2	\$1-5:(2)	22	0.9 %	1.0%
3	\$6-10:(3)	44	1.8 %	2.0%
4	\$11-20:(4)	57	2.4 %	2.6%
5	\$21-35:(5)	69	2.9 %	3.1%
6	\$36-50:(6)	123	5.2 %	5.6%
7	\$51-75:(7)	175	7.3 %	8.0%
8	\$76-125:(8)	339	14.2 %	15.5%
9	\$126-175:(9)	205	8.6 %	9.3%
10	\$176+:(10)	209	8.8 %	9.5%
-9 (M)	MISSING:(-9)	188	7.9 %	-



- Study 28401 -

Based upon 2193 valid cases out of 2381 total cases.

**V2193                      092C24B:R\$/AVG WEEK OTH**

Location: 403-405 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00610

Question Number(s): 2C24B

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	892	37.5 %	41.4%
2	\$1-5:(2)	103	4.3 %	4.8%
3	\$6-10:(3)	177	7.4 %	8.2%
4	\$11-20:(4)	413	17.3 %	19.1%
5	\$21-35:(5)	228	9.6 %	10.6%
6	\$36-50:(6)	140	5.9 %	6.5%
7	\$51-75:(7)	60	2.5 %	2.8%
8	\$76-125:(8)	64	2.7 %	3.0%
9	\$126-175:(9)	19	0.8 %	0.9%
10	\$176+:(10)	61	2.6 %	2.8%
-9 (M)	MISSING:(-9)	224	9.4 %	-

Based upon 2157 valid cases out of 2381 total cases.

**V2194                      092C25 :#X/AV WK GO OUT**

Location: 406-407 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00620

Question Number(s): 2C25

During a typical week, on how many evenings do you go out  
for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five"  
6="Six or Seven"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	< 1:(1)	254	10.7 %	11.4%
2	ONE:(2)	329	13.8 %	14.8%
3	TWO:(3)	622	26.1 %	28.0%
4	THREE:(4)	545	22.9 %	24.5%
5	4-5:(5)	299	12.6 %	13.5%
6	6-7:(6)	172	7.2 %	7.7%
-9 (M)	MISSING:(-9)	160	6.7 %	-

Based upon 2221 valid cases out of 2381 total cases.

**V2195                      092C26 :#X DATE 3+/WK**

Location: 408-409 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00630

Question Number(s): 2C26

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"  
4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	689	28.9 %	31.3%
2	1/MO OR<:(2)	399	16.8 %	18.1%
3	2-3/MO:(3)	349	14.7 %	15.9%
4	1/WK:(4)	317	13.3 %	14.4%
5	2-3/WK:(5)	289	12.1 %	13.1%
6	3+/WK:(6)	157	6.6 %	7.1%
-9 (M)	MISSING:(-9)	181	7.6 %	-

Based upon 2200 valid cases out of 2381 total cases.

**V2196                      092C27 :DRIVE>200 MI/WK**

Location: 410-411 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00640

Question Number(s): 2C27

- Study 28401 -

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	490	20.6 %	22.0%
2	1-10 MI:(2)	238	10.0 %	10.7%
3	11-50:(3)	553	23.2 %	24.9%
4	51-100:(4)	444	18.6 %	20.0%
5	101-200:(5)	312	13.1 %	14.0%
6	> 200:(6)	187	7.9 %	8.4%
-9 (M)	MISSING:(-9)	157	6.6 %	-

Based upon 2224 valid cases out of 2381 total cases.

**V2197 092C28 :#X/12MO R TCKTD**

Location: 412-413 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00650

Question Number(s): 2C28

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	1673	70.3 %	75.8%
1	ONE:(1)	325	13.6 %	14.7%
2	TWO:(2)	133	5.6 %	6.0%
3	THREE:(3)	55	2.3 %	2.5%
4	4+:(4)	21	0.9 %	1.0%
-9 (M)	MISSING:(-9)	174	7.3 %	-

Based upon 2207 valid cases out of 2381 total cases.

**V2198 092C29AR:#TCKTS AFT DRNK**

Location: 414-415 (width: 2; decimal: 0)

- Study 28401 -

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00660

Question Number(s): 2C29A

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	486	20.4 %	92.0%
1	ONE:(1)	33	1.4 %	6.2%
2	TWO:(2)	5	0.2 %	0.9%
3	3 - 4 OR +:(3-4)	4	0.2 %	0.8%
-9 (M)	MISSING:(-9)	1853	77.8 %	-

Based upon 528 valid cases out of 2381 total cases.

**V2199**

**092C29BR:#TCKTS AFT MARJ**

Location: 416-417 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00670

Question Number(s): 2C29B

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	492	20.7 %	93.0%
1	ONE:(1)	29	1.2 %	5.5%
2	TWO:(2)	7	0.3 %	1.3%
3	3 - 4 OR +:(3-4)	1	0.0 %	0.2%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	1852	77.8 %	-

Based upon 529 valid cases out of 2381 total cases.

**V2200 092C29CR:#TCKTS AFT OTDG**

Location: 418-419 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00680

Question Number(s): 2C29C

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	513	21.5 %	97.9%
1	ONE:(1)	5	0.2 %	1.0%
2	TWO:(2)	2	0.1 %	0.4%
3	3 - 4 OR +:(3-4)	4	0.2 %	0.8%
-9 (M)	MISSING:(-9)	1857	78.0 %	-

Based upon 524 valid cases out of 2381 total cases.

**V2201 092C30 :#ACCIDNTS/12 MO**

Location: 420-421 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00690

Question Number(s): 2C30

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="One" 2="Two" 3="Three" 4="Four

- Study 28401 -

or more"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	1741	73.1 %	79.6%
1	ONE:(1)	334	14.0 %	15.3%
2	TWO:(2)	82	3.4 %	3.7%
3	THREE:(3)	24	1.0 %	1.1%
4	4+:(4)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	193	8.1 %	-

Based upon 2188 valid cases out of 2381 total cases.

**V2202** **092C31AR:#ACDTS AFT DRNK**

Location: 422-423 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00700

Question Number(s): 2C31A

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	426	17.9 %	94.5%
1	ONE:(1)	17	0.7 %	3.8%
2	TWO:(2)	4	0.2 %	0.9%
3	3 - 4 OR +:(3-4)	4	0.2 %	0.9%
-9 (M)	MISSING:(-9)	1930	81.1 %	-

Based upon 451 valid cases out of 2381 total cases.

**V2203** **092C31BR:#ACDTS AFT MARJ**

Location: 424-425 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00710

Question Number(s): 2C31B

- Study 28401 -

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	434	18.2 %	96.4%
1	ONE:(1)	12	0.5 %	2.7%
2	TWO:(2)	1	0.0 %	0.2%
3	3 - 4 OR +:(3-4)	3	0.1 %	0.7%
-9 (M)	MISSING:(-9)	1931	81.1 %	-

Based upon 450 valid cases out of 2381 total cases.

**V2204 092C31CR:#ACDTS AFT OTDG**

Location: 426-427 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00720

Question Number(s): 2C31C

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE:(0)	440	18.5 %	97.6%
1	ONE:(1)	6	0.3 %	1.3%
2	TWO:(2)	2	0.1 %	0.4%
3	3 - 4 OR +:(3-4)	3	0.1 %	0.7%
-9 (M)	MISSING:(-9)	1930	81.1 %	-

Based upon 451 valid cases out of 2381 total cases.

**V2500 092D01A:4WKS ALC@SCHOOL**

Location: 428-429 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 25690

Question Number(s): 2D01A

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

A: . . . Under the influence of alcohol while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"  
6="10 or more days"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	2082	87.4 %	93.6%
2	1 DAY:(2)	74	3.1 %	3.3%
3	2 DAYS:(3)	28	1.2 %	1.3%
4	3-5 DAYS:(4)	18	0.8 %	0.8%
5	6-9 DAYS:(5)	12	0.5 %	0.5%
6	10+ DAYS:(6)	10	0.4 %	0.4%
-9 (M)	MISSING:(-9)	157	6.6 %	-

Based upon 2224 valid cases out of 2381 total cases.

**V2501**

**092D01B:4WKS MJ/OTD@SCHL**

Location: 430-431 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25700

Question Number(s): 2D01B

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

B: . . . Under the influence of marijuana or some other illegal drug while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"  
6="10 or more days"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1989	83.5 %	89.5%
2	1 DAY:(2)	71	3.0 %	3.2%
3	2 DAYS:(3)	47	2.0 %	2.1%
4	3-5 DAYS:(4)	38	1.6 %	1.7%



- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	6-9 DAYS:(5)	18	0.8 %	0.8%
6	10+ DAYS:(6)	59	2.5 %	2.7%
-9 (M)	MISSING:(-9)	159	6.7 %	-

Based upon 2222 valid cases out of 2381 total cases.

**V2502 092D01C:4WKS TOBACCO@SCH**

Location: 432-433 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25710

Question Number(s): 2D01C

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

C: . . . Smoking cigarettes or using chewing tobacco while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"  
6="10 or more days"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	2050	86.1 %	92.4%
2	1 DAY:(2)	39	1.6 %	1.8%
3	2 DAYS:(3)	28	1.2 %	1.3%
4	3-5 DAYS:(4)	23	1.0 %	1.0%
5	6-9 DAYS:(5)	15	0.6 %	0.7%
6	10+ DAYS:(6)	64	2.7 %	2.9%
-9 (M)	MISSING:(-9)	162	6.8 %	-

Based upon 2219 valid cases out of 2381 total cases.

**V2503 092D01D:4WKS WEAPON@SCHL**

Location: 434-435 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25720

Question Number(s): 2D01D

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

- Study 28401 -

D: . . . Carrying a weapon such as a gun, knife, or club to school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"  
6="10 or more days"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	2133	89.6 %	96.1%
2	1 DAY:(2)	24	1.0 %	1.1%
3	2 DAYS:(3)	13	0.5 %	0.6%
4	3-5 DAYS:(4)	10	0.4 %	0.5%
5	6-9 DAYS:(5)	7	0.3 %	0.3%
6	10+ DAYS:(6)	33	1.4 %	1.5%
-9 (M)	MISSING:(-9)	161	6.8 %	-

Based upon 2220 valid cases out of 2381 total cases.

**V2504 092D02A:#X TCHR INTRUPT**

Location: 436-437 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25730

Question Number(s): 2D02A

During an average school week, about how many times . . .

A: . . . Do your teachers interrupt the class to deal with student misbehavior or goofing off?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-5 times a week" 5="6-9 times a week" 6="10-19 times a week"  
7="20 or more"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	343	14.4 %	15.5%
2	<1/WK:(2)	524	22.0 %	23.7%
3	1-2X/WK:(3)	593	24.9 %	26.9%
4	3-5X/WK:(4)	400	16.8 %	18.1%
5	6-9X/WK:(5)	173	7.3 %	7.8%
6	10-19X/W:(6)	88	3.7 %	4.0%
7	20+X/WK:(7)	86	3.6 %	3.9%
-9 (M)	MISSING:(-9)	174	7.3 %	-

Based upon 2207 valid cases out of 2381 total cases.

- Study 28401 -

**V2505 092D02B:#X MISBHVR INT U**

Location: 438-439 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25740

Question Number(s): 2D02B

During an average school week, about how many times . . .

B: . . . Does misbehavior or goofing off by other students in your class interfere with your own learning?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-5 times a week" 5="6-9 times a week" 6="10-19 times a week" 7="20 or more"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	841	35.3 %	38.1%
2	<1/WK:(2)	474	19.9 %	21.5%
3	1-2X/WK:(3)	436	18.3 %	19.8%
4	3-5X/WK:(4)	233	9.8 %	10.6%
5	6-9X/WK:(5)	102	4.3 %	4.6%
6	10-19X/W:(6)	63	2.6 %	2.9%
7	20+X/WK:(7)	58	2.4 %	2.6%
-9 (M)	MISSING:(-9)	174	7.3 %	-

Based upon 2207 valid cases out of 2381 total cases.

**V2506 092D02C:#X U UNEXCSD LAT**

Location: 440-441 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25750

Question Number(s): 2D02C

During an average school week, about how many times . . .

C: . . . Do you come to class late (after class has begun) without an approved excuse?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-5 times a week" 5="6-9 times a week" 6="10-19 times a week" 7="20 or more"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	1069	44.9 %	48.6%
2	<1/WK:(2)	581	24.4 %	26.4%
3	1-2X/WK:(3)	298	12.5 %	13.5%
4	3-5X/WK:(4)	144	6.0 %	6.5%
5	6-9X/WK:(5)	59	2.5 %	2.7%
6	10-19X/W:(6)	15	0.6 %	0.7%
7	20+X/WK:(7)	35	1.5 %	1.6%
-9 (M)	MISSING:(-9)	180	7.6 %	-

Based upon 2201 valid cases out of 2381 total cases.

**V2507                      092D03 :SCHL RULES FAIR**

Location: 442-443 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25760

Question Number(s): 2D03

Do you feel that the rules about student behavior in your school are generally fair and reasonable?

5="Yes" 4="Yes, mostly" 3="Don't know, can't say" 2="No, mostly" 1="No"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	223	9.4 %	10.1%
2	NO MSTLY:(2)	361	15.2 %	16.4%
3	DK:(3)	221	9.3 %	10.0%
4	YESMSTLY:(4)	970	40.7 %	44.0%
5	YES:(5)	430	18.1 %	19.5%
-9 (M)	MISSING:(-9)	176	7.4 %	-

Based upon 2205 valid cases out of 2381 total cases.

**V2311                      092D04 :CMP SATFD W/LIFE**

Location: 444-445 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06840

Question Number(s): 2D04

- Study 28401 -

How satisfied are you with your life as a whole these days?

1="Completely dissatisfied" 2="Quite dissatisfied" 3="Somewhat dissatisfied" 4="Neither, or mixed feelings" 5="Somewhat satisfied" 6="Quite satisfied" 7="Completely satisfied"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	COMP DIS:(1)	62	2.6 %	2.8%
2	QUITE DS:(2)	151	6.3 %	6.9%
3	SMWT DIS:(3)	136	5.7 %	6.2%
4	NEITHER:(4)	240	10.1 %	11.0%
5	SMWT SAT:(5)	500	21.0 %	22.8%
6	QUITE ST:(6)	832	34.9 %	38.0%
7	COMP SAT:(7)	270	11.3 %	12.3%
-9 (M)	MISSING:(-9)	190	8.0 %	-

Based upon 2191 valid cases out of 2381 total cases.

**V2312 092D05A:HOW GD AS SPOUSE**

Location: 446-447 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06850

Question Number(s): 2D05A

These next questions ask you to guess how well you might do in several different situations. How good do you think you would be . . .

A: . . . As a husband or wife?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	POOR:(1)	44	1.8 %	2.0%
2	NOT GOOD:(2)	33	1.4 %	1.5%
3	FRLY GD:(3)	163	6.8 %	7.5%
4	GOOD:(4)	630	26.5 %	28.8%
5	VRY GOOD:(5)	1224	51.4 %	56.0%
8	DK:(8)	93	3.9 %	4.3%
-9 (M)	MISSING:(-9)	194	8.1 %	-

Based upon 2187 valid cases out of 2381 total cases.

- Study 28401 -

**V2313 092D05B:HOW GD AS PARENT**

Location: 448-449 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06860

Question Number(s): 2D05B

How good do you think you would be . . .

B: . . . As a parent?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	POOR:(1)	47	2.0 %	2.2%
2	NOT GOOD:(2)	57	2.4 %	2.6%
3	FRLY GD:(3)	155	6.5 %	7.1%
4	GOOD:(4)	612	25.7 %	28.0%
5	VRY GOOD:(5)	1199	50.4 %	54.9%
8	DK:(8)	113	4.7 %	5.2%
-9 (M)	MISSING:(-9)	198	8.3 %	-

Based upon 2183 valid cases out of 2381 total cases.

**V2314 092D05C:HOW GD AS WORKER**

Location: 450-451 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06870

Question Number(s): 2D05C

How good do you think you would be . . .

C: . . . As a worker on a job?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	POOR:(1)	21	0.9 %	1.0%
2	NOT GOOD:(2)	10	0.4 %	0.5%
3	FRLY GD:(3)	100	4.2 %	4.6%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	GOOD:(4)	613	25.7 %	28.1%
5	VRV GOOD:(5)	1404	59.0 %	64.3%
8	DK:(8)	37	1.6 %	1.7%
-9 (M)	MISSING:(-9)	196	8.2 %	-

Based upon 2185 valid cases out of 2381 total cases.

**V2328 092D06A:2MCH COMPTN SCTY**

Location: 452-453 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07010

Question Number(s): 2D06A

How much do you agree or disagree with each of the following statements?

A: There is too much competition in this society

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	233	9.8 %	10.8%
2	MOST DIS:(2)	258	10.8 %	11.9%
3	NEITHER:(3)	476	20.0 %	22.0%
4	MOST AGR:(4)	751	31.5 %	34.7%
5	AGREE:(5)	449	18.9 %	20.7%
-9 (M)	MISSING:(-9)	214	9.0 %	-

Based upon 2167 valid cases out of 2381 total cases.

**V2329 092D06B:2MANY YNG SLOPPY**

Location: 454-455 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07020

Question Number(s): 2D06B

How much do you agree or disagree with each of the following statements?

- Study 28401 -

B: Too many young people are sloppy about their grooming and clothing, and just don't care how they look

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	255	10.7 %	11.8%
2	MOST DIS:(2)	424	17.8 %	19.5%
3	NEITHER:(3)	617	25.9 %	28.4%
4	MOST AGR:(4)	560	23.5 %	25.8%
5	AGREE:(5)	313	13.1 %	14.4%
-9 (M)	MISSING:(-9)	212	8.9 %	-

Based upon 2169 valid cases out of 2381 total cases.

**V2330 092D06C:2MUCH HARD ROCK**

Location: 456-457 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07030

Question Number(s): 2D06C

How much do you agree or disagree with each of the following statements?

C: There is too much hard rock music on the radio these days

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	803	33.7 %	37.2%
2	MOST DIS:(2)	431	18.1 %	20.0%
3	NEITHER:(3)	698	29.3 %	32.3%
4	MOST AGR:(4)	134	5.6 %	6.2%
5	AGREE:(5)	93	3.9 %	4.3%
-9 (M)	MISSING:(-9)	222	9.3 %	-

Based upon 2159 valid cases out of 2381 total cases.

**V2331 092D06D:SHD DO OWN THING**

Location: 458-459 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9



- Study 28401 -

Question:

Item Number: 07040

Question Number(s): 2D06D

How much do you agree or disagree with each of the following statements?

D: People should do their own thing, even if other people think it's strange

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	68	2.9 %	3.1%
2	MOST DIS:(2)	77	3.2 %	3.6%
3	NEITHER:(3)	292	12.3 %	13.5%
4	MOST AGR:(4)	732	30.7 %	33.9%
5	AGREE:(5)	990	41.6 %	45.9%
-9 (M)	MISSING:(-9)	222	9.3 %	-

Based upon 2159 valid cases out of 2381 total cases.

**V2332 092D06E:KICK DO DANGR TH**

Location: 460-461 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07050

Question Number(s): 2D06E

How much do you agree or disagree with each of the following statements?

E: I get a real kick out of doing things that are a little dangerous

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	265	11.1 %	12.3%
2	MOST DIS:(2)	291	12.2 %	13.5%
3	NEITHER:(3)	642	27.0 %	29.8%
4	MOST AGR:(4)	612	25.7 %	28.4%
5	AGREE:(5)	345	14.5 %	16.0%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	226	9.5 %	-

Based upon 2155 valid cases out of 2381 total cases.

**V2333**

**092D06F:LIKE RISK SOME X**

Location: 462-463 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07060

Question Number(s): 2D06F

How much do you agree or disagree with each of the following statements?

F: I like to test myself every now and then by doing something a little risky

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	261	11.0 %	12.1%
2	MOST DIS:(2)	330	13.9 %	15.3%
3	NEITHER:(3)	541	22.7 %	25.1%
4	MOST AGR:(4)	670	28.1 %	31.1%
5	AGREE:(5)	350	14.7 %	16.3%
-9 (M)	MISSING:(-9)	229	9.6 %	-

Based upon 2152 valid cases out of 2381 total cases.

**V2433**

**092D06G:POS ATT TWD SELF**

Location: 464-465 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12550

Question Number(s): 2D06G

How much do you agree or disagree with each of the following statements?

G: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

- Study 28401 -

5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	91	3.8 %	4.2%
2	MOST DIS:(2)	145	6.1 %	6.7%
3	NEITHER:(3)	351	14.7 %	16.3%
4	MOST AGR:(4)	811	34.1 %	37.7%
5	AGREE:(5)	753	31.6 %	35.0%
-9 (M)	MISSING:(-9)	230	9.7 %	-

Based upon 2151 valid cases out of 2381 total cases.

**V2434 092D06H:AM PRSN OF WORTH**

Location: 466-467 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12570

Question Number(s): 2D06H

How much do you agree or disagree with each of the following statements?

H: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	92	3.9 %	4.3%
2	MOST DIS:(2)	114	4.8 %	5.3%
3	NEITHER:(3)	292	12.3 %	13.6%
4	MOST AGR:(4)	745	31.3 %	34.7%
5	AGREE:(5)	907	38.1 %	42.2%
-9 (M)	MISSING:(-9)	231	9.7 %	-

Based upon 2150 valid cases out of 2381 total cases.

**V2435 092D06I:DO WELL AS OTHRS**

Location: 468-469 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12580

- Study 28401 -

Question Number(s): 2D06I

How much do you agree or disagree with each of the following statements?

I: I am able to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	50	2.1 %	2.3%
2	MOST DIS:(2)	71	3.0 %	3.3%
3	NEITHER:(3)	213	8.9 %	9.9%
4	MOST AGR:(4)	842	35.4 %	39.2%
5	AGREE:(5)	972	40.8 %	45.3%
-9 (M)	MISSING:(-9)	233	9.8 %	-

Based upon 2148 valid cases out of 2381 total cases.

**V2436**

**092D06J:SATISFD W MYSELF**

Location: 470-471 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12620

Question Number(s): 2D06J

How much do you agree or disagree with each of the following statements?

J: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	90	3.8 %	4.2%
2	MOST DIS:(2)	125	5.2 %	5.8%
3	NEITHER:(3)	280	11.8 %	13.1%
4	MOST AGR:(4)	748	31.4 %	34.9%
5	AGREE:(5)	901	37.8 %	42.0%
-9 (M)	MISSING:(-9)	237	10.0 %	-

Based upon 2144 valid cases out of 2381 total cases.

- Study 28401 -

**V2437 092D06K:-MUCH TO B PROUD**

Location: 472-473 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12660

Question Number(s): 2D06K

How much do you agree or disagree with each of the following statements?

K: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	870	36.5 %	40.5%
2	MOST DIS:(2)	598	25.1 %	27.9%
3	NEITHER:(3)	357	15.0 %	16.6%
4	MOST AGR:(4)	204	8.6 %	9.5%
5	AGREE:(5)	117	4.9 %	5.5%
-9 (M)	MISSING:(-9)	235	9.9 %	-

Based upon 2146 valid cases out of 2381 total cases.

**V2438 092D06L:I AM NO GOOD**

Location: 474-475 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12680

Question Number(s): 2D06L

How much do you agree or disagree with each of the following statements?

L: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	885	37.2 %	41.4%
2	MOST DIS:(2)	477	20.0 %	22.3%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	NEITHER:(3)	368	15.5 %	17.2%
4	MOST AGR:(4)	266	11.2 %	12.4%
5	AGREE:(5)	143	6.0 %	6.7%
-9 (M)	MISSING:(-9)	242	10.2 %	-

Based upon 2139 valid cases out of 2381 total cases.

**V2439 092D06M:I DO WRONG THING**

Location: 476-477 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12720

Question Number(s): 2D06M

How much do you agree or disagree with each of the following statements?

M: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	1004	42.2 %	46.9%
2	MOST DIS:(2)	535	22.5 %	25.0%
3	NEITHER:(3)	358	15.0 %	16.7%
4	MOST AGR:(4)	158	6.6 %	7.4%
5	AGREE:(5)	85	3.6 %	4.0%
-9 (M)	MISSING:(-9)	241	10.1 %	-

Based upon 2140 valid cases out of 2381 total cases.

**V2440 092D06N:MY LIFE NT USEFL**

Location: 478-479 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12750

Question Number(s): 2D06N

How much do you agree or disagree with each of the following statements?

- Study 28401 -

N: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DISAGREE:(1)	1220	51.2 %	57.2%
2	MOST DIS:(2)	412	17.3 %	19.3%
3	NEITHER:(3)	278	11.7 %	13.0%
4	MOST AGR:(4)	135	5.7 %	6.3%
5	AGREE:(5)	87	3.7 %	4.1%
-9 (M)	MISSING:(-9)	249	10.5 %	-

Based upon 2132 valid cases out of 2381 total cases.

**V2334 092D07A:ALL FRD SMK CIGS**

Location: 480-481 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07070

Question Number(s): 2D07A

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	449	18.9 %	21.0%
2	A FEW:(2)	813	34.1 %	38.0%
3	SOME:(3)	589	24.7 %	27.5%
4	MOST:(4)	260	10.9 %	12.1%
5	ALL:(5)	31	1.3 %	1.4%
-9 (M)	MISSING:(-9)	239	10.0 %	-

Based upon 2142 valid cases out of 2381 total cases.

**V2335 092D07B:ALL FRD SMK MARJ**

Location: 482-483 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07080

- Study 28401 -

Question Number(s): 2D07B

How many of your friends would you estimate . . .

B: . . . Smoke marijuana (pot, weed) or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	477	20.0 %	22.3%
2	A FEW:(2)	648	27.2 %	30.3%
3	SOME:(3)	563	23.6 %	26.3%
4	MOST:(4)	390	16.4 %	18.2%
5	ALL:(5)	62	2.6 %	2.9%
-9 (M)	MISSING:(-9)	241	10.1 %	-

Based upon 2140 valid cases out of 2381 total cases.

**V2336 092D07C:ALL FRD TAKE LSD**

Location: 484-485 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07090

Question Number(s): 2D07C

How many of your friends would you estimate . . .

C: . . . Take LSD?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1698	71.3 %	79.6%
2	A FEW:(2)	334	14.0 %	15.7%
3	SOME:(3)	76	3.2 %	3.6%
4	MOST:(4)	15	0.6 %	0.7%
5	ALL:(5)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	249	10.5 %	-

Based upon 2132 valid cases out of 2381 total cases.

**V2337 092D07D:ALL FRD TK PSYDL**

Location: 486-487 (width: 2; decimal: 0)

Variable Type: numeric



- Study 28401 -

Range of Missing Values (M): -9

Question:

Item Number: 07100

Question Number(s): 2D07D

How many of your friends would you estimate . . .

D: . . . Take other hallucinogens (mescaline, peyote, "shrooms" or psilocybin, PCP, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1498	62.9 %	70.3%
2	A FEW:(2)	467	19.6 %	21.9%
3	SOME:(3)	128	5.4 %	6.0%
4	MOST:(4)	29	1.2 %	1.4%
5	ALL:(5)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	250	10.5 %	-

Based upon 2131 valid cases out of 2381 total cases.

**V2338**

**092D07E:ALL FRD TK AMPH**

Location: 488-489 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07110

Question Number(s): 2D07E

How many of your friends would you estimate . . .

E: . . . Take amphetamines (uppers, pep pills, bennies, speed)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1509	63.4 %	70.9%
2	A FEW:(2)	425	17.8 %	20.0%
3	SOME:(3)	149	6.3 %	7.0%
4	MOST:(4)	34	1.4 %	1.6%
5	ALL:(5)	10	0.4 %	0.5%
-9 (M)	MISSING:(-9)	254	10.7 %	-

Based upon 2127 valid cases out of 2381 total cases.

- Study 28401 -

**V2339 092D07F:ALL FRD TK QUALD**

Location: 490-491 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07120

Question Number(s): 2D07F

How many of your friends would you estimate . . .

F: . . . Take quaaludes (quads, methaqualone)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1841	77.3 %	86.7%
2	A FEW:(2)	206	8.7 %	9.7%
3	SOME:(3)	53	2.2 %	2.5%
4	MOST:(4)	12	0.5 %	0.6%
5	ALL:(5)	11	0.5 %	0.5%
-9 (M)	MISSING:(-9)	258	10.8 %	-

Based upon 2123 valid cases out of 2381 total cases.

**V2523 092D07G:ALL FRD TK SED/B**

Location: 492-493 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07135

Question Number(s): 2D07G

How many of your friends would you estimate . . .

G: . . . Take sedatives/barbiturates (downers)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1683	70.7 %	79.5%
2	A FEW:(2)	310	13.0 %	14.7%
3	SOME:(3)	94	3.9 %	4.4%
4	MOST:(4)	22	0.9 %	1.0%
5	ALL:(5)	7	0.3 %	0.3%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	265	11.1 %	-

Based upon 2116 valid cases out of 2381 total cases.

**V2341 092D07H:ALL FRD TK TRNQL**

Location: 494-495 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07140

Question Number(s): 2D07H

How many of your friends would you estimate . . .

H: . . . Take tranquilizers?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1789	75.1 %	84.7%
2	A FEW:(2)	221	9.3 %	10.5%
3	SOME:(3)	72	3.0 %	3.4%
4	MOST:(4)	25	1.0 %	1.2%
5	ALL:(5)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	269	11.3 %	-

Based upon 2112 valid cases out of 2381 total cases.

**V2342 092D07I:ALL FRD TK COKE**

Location: 496-497 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07150

Question Number(s): 2D07I

How many of your friends would you estimate . . .

I: . . . Take cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1609	67.6 %	76.2%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	A FEW:(2)	363	15.2 %	17.2%
3	SOME:(3)	101	4.2 %	4.8%
4	MOST:(4)	29	1.2 %	1.4%
5	ALL:(5)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	270	11.3 %	-

Based upon 2111 valid cases out of 2381 total cases.

**V2343**

**092D07J:ALL FRD TK HERON**

Location: 498-499 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07160

Question Number(s): 2D07J

How many of your friends would you estimate . . .

J: . . . Take heroin?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1842	77.4 %	87.9%
2	A FEW:(2)	193	8.1 %	9.2%
3	SOME:(3)	45	1.9 %	2.1%
4	MOST:(4)	12	0.5 %	0.6%
5	ALL:(5)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	286	12.0 %	-

Based upon 2095 valid cases out of 2381 total cases.

**V2344**

**092D07K:ALL FRD TK NARC**

Location: 500-501 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07170

Question Number(s): 2D07K

How many of your friends would you estimate . . .

K: . . . Take other narcotics (methadone, opium, codeine, etc.)?

- Study 28401 -

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1664	69.9 %	79.2%
2	A FEW:(2)	304	12.8 %	14.5%
3	SOME:(3)	97	4.1 %	4.6%
4	MOST:(4)	27	1.1 %	1.3%
5	ALL:(5)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	280	11.8 %	-

Based upon 2101 valid cases out of 2381 total cases.

<b>V2345</b>	<b>092D07L:ALL FRD TK INHL</b>
--------------	--------------------------------

Location: 502-503 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07180

Question Number(s): 2D07L

How many of your friends would you estimate . . .

L: . . . Use inhalants (sniff glue, aerosols, laughing gas, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1740	73.1 %	82.9%
2	A FEW:(2)	266	11.2 %	12.7%
3	SOME:(3)	76	3.2 %	3.6%
4	MOST:(4)	13	0.5 %	0.6%
5	ALL:(5)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	282	11.8 %	-

Based upon 2099 valid cases out of 2381 total cases.

<b>V2346</b>	<b>092D07M:ALL FRD DRK ALCL</b>
--------------	---------------------------------

Location: 504-505 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07190

- Study 28401 -

Question Number(s): 2D07M

How many of your friends would you estimate . . .

M: . . . Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	338	14.2 %	16.0%
2	A FEW:(2)	258	10.8 %	12.2%
3	SOME:(3)	421	17.7 %	19.9%
4	MOST:(4)	737	31.0 %	34.8%
5	ALL:(5)	361	15.2 %	17.1%
-9 (M)	MISSING:(-9)	266	11.2 %	-

Based upon 2115 valid cases out of 2381 total cases.

**V2347 092D07N:ALL FRD GT DRUNK**

Location: 506-507 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07200

Question Number(s): 2D07N

How many of your friends would you estimate . . .

N: . . . Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	505	21.2 %	23.9%
2	A FEW:(2)	553	23.2 %	26.2%
3	SOME:(3)	540	22.7 %	25.6%
4	MOST:(4)	371	15.6 %	17.6%
5	ALL:(5)	144	6.0 %	6.8%
-9 (M)	MISSING:(-9)	268	11.3 %	-

Based upon 2113 valid cases out of 2381 total cases.

**V2451 092E01A:# FRNDS TK CRACK**

Location: 508-509 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 07151

Question Number(s): 2E01A

Lately there has been some attention paid to certain drugs, including "crack" (cocaine in chunks or rocks). How many of your friends would you estimate . . .

A: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1721	72.3 %	81.8%
2	A FEW:(2)	298	12.5 %	14.2%
3	SOME:(3)	65	2.7 %	3.1%
4	MOST:(4)	12	0.5 %	0.6%
5	ALL:(5)	8	0.3 %	0.4%
-9 (M)	MISSING:(-9)	277	11.6 %	-

Based upon 2104 valid cases out of 2381 total cases.

**V2401**

**092E01B:# FRNDS TAKE PCP**

Location: 510-511 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07201

Question Number(s): 2E01B

How many of your friends would you estimate . . .

B: . . . Take PCP (angel dust)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1912	80.3 %	91.2%
2	A FEW:(2)	141	5.9 %	6.7%
3	SOME:(3)	31	1.3 %	1.5%
4	MOST:(4)	9	0.4 %	0.4%
5	ALL:(5)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	285	12.0 %	-

Based upon 2096 valid cases out of 2381 total cases.

- Study 28401 -

**V2402 092E01C:# FRNDS TK PPRS**

Location: 512-513 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07202

Question Number(s): 2E01C

How many of your friends would you estimate . . .

C: . . . Take amyl or butyl nitrites (poppers, snappers, Locker Room, Vaporole, Rush, Kick, Bullet)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE:(1)	1941	81.5 %	92.9%
2	A FEW:(2)	115	4.8 %	5.5%
3	SOME:(3)	26	1.1 %	1.2%
4	MOST:(4)	4	0.2 %	0.2%
5	ALL:(5)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	292	12.3 %	-

Based upon 2089 valid cases out of 2381 total cases.

**V2452 092E02A:RSK COK PWDR 1-2**

Location: 514-515 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12501

Question Number(s): 2E02A

How much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Try cocaine in powder form once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	187	7.9 %	9.0%
2	SLIGHT:(2)	355	14.9 %	17.1%
3	MOD RISK:(3)	472	19.8 %	22.8%



- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	GRT RISK:(4)	962	40.4 %	46.5%
5	CANT SAY:(5)	94	3.9 %	4.5%
-9 (M)	MISSING:(-9)	311	13.1 %	-

Based upon 2070 valid cases out of 2381 total cases.

**V2453 092E02B:RSK COK PWDR OCC**

Location: 516-517 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12502

Question Number(s): 2E02B

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

B: . . . Take cocaine powder occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	117	4.9 %	5.7%
2	SLIGHT:(2)	100	4.2 %	4.8%
3	MOD RISK:(3)	472	19.8 %	22.8%
4	GRT RISK:(4)	1289	54.1 %	62.3%
5	CANT SAY:(5)	92	3.9 %	4.4%
-9 (M)	MISSING:(-9)	311	13.1 %	-

Based upon 2070 valid cases out of 2381 total cases.

**V2454 092E02C:RSK COK PWDR REG**

Location: 518-519 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12503

Question Number(s): 2E02C

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

C: . . . Take cocaine powder regularly?

- Study 28401 -

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	110	4.6 %	5.3%
2	SLIGHT:(2)	35	1.5 %	1.7%
3	MOD RISK:(3)	106	4.5 %	5.1%
4	GRT RISK:(4)	1719	72.2 %	83.4%
5	CANT SAY:(5)	92	3.9 %	4.5%
-9 (M)	MISSING:(-9)	319	13.4 %	-

Based upon 2062 valid cases out of 2381 total cases.

**V2455 092E02D:RSK CRACK 1-2X**

Location: 520-521 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12504

Question Number(s): 2E02D

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

D: . . . Try "crack" cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	157	6.6 %	7.6%
2	SLIGHT:(2)	356	15.0 %	17.2%
3	MOD RISK:(3)	453	19.0 %	21.9%
4	GRT RISK:(4)	1003	42.1 %	48.6%
5	CANT SAY:(5)	96	4.0 %	4.6%
-9 (M)	MISSING:(-9)	316	13.3 %	-

Based upon 2065 valid cases out of 2381 total cases.

**V2456 092E02E:RSK CRACK OCC**

Location: 522-523 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12505

- Study 28401 -

Question Number(s): 2E02E

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

E: . . . Take "crack" cocaine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	112	4.7 %	5.4%
2	SLIGHT:(2)	72	3.0 %	3.5%
3	MOD RISK:(3)	456	19.2 %	22.1%
4	GRT RISK:(4)	1325	55.6 %	64.3%
5	CANT SAY:(5)	96	4.0 %	4.7%
-9 (M)	MISSING:(-9)	320	13.4 %	-

Based upon 2061 valid cases out of 2381 total cases.

**V2457**

**092E02F:RSK CRACK REG**

Location: 524-525 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12506

Question Number(s): 2E02F

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

F: . . . Take "crack" cocaine regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	104	4.4 %	5.0%
2	SLIGHT:(2)	25	1.0 %	1.2%
3	MOD RISK:(3)	95	4.0 %	4.6%
4	GRT RISK:(4)	1737	73.0 %	84.2%
5	CANT SAY:(5)	101	4.2 %	4.9%
-9 (M)	MISSING:(-9)	319	13.4 %	-

Based upon 2062 valid cases out of 2381 total cases.

- Study 28401 -

**V2458 092E02G:RSK PCP 1-2X**

Location: 526-527 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12415

Question Number(s): 2E02G

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

G: . . . Try PCP once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	171	7.2 %	8.3%
2	SLIGHT:(2)	287	12.1 %	13.9%
3	MOD RISK:(3)	413	17.3 %	20.0%
4	GRT RISK:(4)	1013	42.5 %	49.0%
5	CANT SAY:(5)	182	7.6 %	8.8%
-9 (M)	MISSING:(-9)	315	13.2 %	-

Based upon 2066 valid cases out of 2381 total cases.

**V2476 092E02H:RSK ICE 1-2X**

Location: 528-529 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24420

Question Number(s): 2E02H

How much do you think people risk harming themselves  
(physically or in other ways), if they . . .

H: . . . Try crystal meth ("ice")?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO RISK:(1)	135	5.7 %	6.6%
2	SLIGHT:(2)	169	7.1 %	8.2%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	MOD RISK:(3)	336	14.1 %	16.3%
4	GRT RISK:(4)	1289	54.1 %	62.7%
5	CANT SAY:(5)	128	5.4 %	6.2%
-9 (M)	MISSING:(-9)	324	13.6 %	-

Based upon 2057 valid cases out of 2381 total cases.

**V2459**

**092E03A:#X CRACK/LIFETIM**

Location: 530-531 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22260

Question Number(s): 2E03A

On how many occasions (if any) have you used "crack"  
cocaine . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2007	84.3 %	97.1%
2	1-2X:(2)	28	1.2 %	1.4%
3	3-5X:(3)	8	0.3 %	0.4%
4	6-9X:(4)	9	0.4 %	0.4%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	314	13.2 %	-

Based upon 2067 valid cases out of 2381 total cases.

**V2460**

**092E03B:#X CRACK/LAST12M**

Location: 532-533 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22270

Question Number(s): 2E03B

- Study 28401 -

On how many occasions (if any) have you used "crack"  
cocaine . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2028	85.2 %	98.0%
2	1-2X:(2)	19	0.8 %	0.9%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	5	0.2 %	0.2%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	312	13.1 %	-

Based upon 2069 valid cases out of 2381 total cases.

**V2461**

**092E03C:#X CRACK/LAST30D**

Location: 534-535 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22280

Question Number(s): 2E03C

On how many occasions (if any) have you used "crack"  
cocaine . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2053	86.2 %	99.3%
2	1-2X:(2)	5	0.2 %	0.2%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	3	0.1 %	0.1%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	313	13.1 %	-

Based upon 2068 valid cases out of 2381 total cases.

- Study 28401 -

**V2403 092E04A:#X PCP/LIFETIME**

Location: 536-537 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01181

Question Number(s): 2E04A

On how many occasions (if any) have you used PCP . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2028	85.2 %	98.3%
2	1-2X:(2)	18	0.8 %	0.9%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	318	13.4 %	-

Based upon 2063 valid cases out of 2381 total cases.

**V2404 092E04B:#X PCP/LAST12MO**

Location: 538-539 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01182

Question Number(s): 2E04B

On how many occasions (if any) have you used PCP . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2044	85.8 %	99.0%
2	1-2X:(2)	6	0.3 %	0.3%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	6	0.3 %	0.3%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	316	13.3 %	-

Based upon 2065 valid cases out of 2381 total cases.

**V2405 092E04C:#X PCP/LAST30DA**

Location: 540-541 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01183

Question Number(s): 2E04C

On how many occasions (if any) have you used PCP . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2050	86.1 %	99.4%
2	1-2X:(2)	3	0.1 %	0.1%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	318	13.4 %	-

Based upon 2063 valid cases out of 2381 total cases.

**V2406 092E05A:#X PPRS/LIFETIME**

Location: 542-543 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01184



- Study 28401 -

Question Number(s): 2E05A

On how many occasions (if any) have you used amyl or butyl nitrites . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2030	85.3 %	98.9%
2	1-2X:(2)	6	0.3 %	0.3%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	328	13.8 %	-

Based upon 2053 valid cases out of 2381 total cases.

**V2407**

**092E05B:#X PPRS/LAST12MO**

Location: 544-545 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01185

Question Number(s): 2E05B

On how many occasions (if any) have you used amyl or butyl nitrites . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2036	85.5 %	99.1%
2	1-2X:(2)	5	0.2 %	0.2%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	5	0.2 %	0.2%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	10-19X:(5)	3	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	326	13.7 %	-

Based upon 2055 valid cases out of 2381 total cases.

**V2408**      **092E05C:#X PPRS/LAST30DA**

Location: 546-547 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01186

Question Number(s): 2E05C

On how many occasions (if any) have you used amyl or butyl nitrites . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2042	85.8 %	99.3%
2	1-2X:(2)	4	0.2 %	0.2%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	4	0.2 %	0.2%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	325	13.6 %	-

Based upon 2056 valid cases out of 2381 total cases.

**V2493**      **092E06A:#X STRD/LIFETIME**

Location: 548-549 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22690

Question Number(s): 2E06A

Anabolic steroids are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your

- Study 28401 -

own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2008	84.3 %	97.8%
2	1-2X:(2)	23	1.0 %	1.1%
3	3-5X:(3)	6	0.3 %	0.3%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	327	13.7 %	-

Based upon 2054 valid cases out of 2381 total cases.

**V2494**

**092E06B:#X STRD/LAST12MO**

Location: 550-551 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22700

Question Number(s): 2E06B

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2024	85.0 %	98.5%
2	1-2X:(2)	13	0.5 %	0.6%
3	3-5X:(3)	6	0.3 %	0.3%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	4	0.2 %	0.2%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING:(-9)	326	13.7 %	-

Based upon 2055 valid cases out of 2381 total cases.

**V2495 092E06C:#X STRD/LAST30DA**

Location: 552-553 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22710

Question Number(s): 2E06C

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2033	85.4 %	99.0%
2	1-2X:(2)	9	0.4 %	0.4%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	5	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	327	13.7 %	-

Based upon 2054 valid cases out of 2381 total cases.

**V2496 092E07A:MTHD STRD-INJECT**

Location: 554-555 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23790

Question Number(s): 2E07A

What methods have you used for taking steroids on your own?  
(Mark all that apply.)

A. Injection

- Study 28401 -

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MRKED:(0)	29	1.2 %	72.5%
1	MARKED:(1)	11	0.5 %	27.5%
-9 (M)	MISSING:(-9)	2341	98.3 %	-

Based upon 40 valid cases out of 2381 total cases.

**V2497 092E07B:MTHD STRD-MOUTH**

Location: 556-557 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23800

Question Number(s): 2E07B

What methods have you used for taking steroids on your own?  
(Mark all that apply.)

B. By mouth

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MRKED:(0)	16	0.7 %	40.0%
1	MARKED:(1)	24	1.0 %	60.0%
-9 (M)	MISSING:(-9)	2341	98.3 %	-

Based upon 40 valid cases out of 2381 total cases.

**V2516 092E07C:HVNT USED STRDS**

Location: 558-559 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30940

Question Number(s): 2E07C

What methods have you used for taking steroids on your own?

C. Haven't used steroids

0="UNMARKED" 1="MARKED [Includes respondents who reported  
nonuse on preceding prevalence question]"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NOT MARKED:(0)	31	1.3 %	1.5%
1	MARKED:(1)	2017	84.7 %	98.5%
-9 (M)	MISSING:(-9)	333	14.0 %	-

Based upon 2048 valid cases out of 2381 total cases.

**V2462 092E08A:GR 1ST TRY CRACK**

Location: 560-561 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05661

Question Number(s): 2E08A

When (if ever) did you FIRST do each of the following things?

A: Try "crack" cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	1	0.0 %	0.0%
2	GRADE 7:(2)	1	0.0 %	0.0%
3	GRADE 8:(3)	7	0.3 %	0.3%
4	GRADE 9:(4)	9	0.4 %	0.4%
5	GRADE 10:(5)	10	0.4 %	0.5%
6	GRADE 11:(6)	15	0.6 %	0.7%
7	GRADE 12:(7)	13	0.5 %	0.6%
8	NEVER:(8)	1953	82.0 %	97.2%
-9 (M)	MISSING:(-9)	372	15.6 %	-

Based upon 2009 valid cases out of 2381 total cases.

**V2463 092E08B:GR 1ST TR OT COK**

Location: 562-563 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05662

Question Number(s): 2E08B

When (if ever) did you FIRST do each of the following things?

- Study 28401 -

B: Try any other form of cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
(Junior)" 7="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	1	0.0 %	0.0%
3	GRADE 8:(3)	5	0.2 %	0.2%
4	GRADE 9:(4)	23	1.0 %	1.1%
5	GRADE 10:(5)	23	1.0 %	1.1%
6	GRADE 11:(6)	24	1.0 %	1.2%
7	GRADE 12:(7)	18	0.8 %	0.9%
8	NEVER:(8)	1917	80.5 %	95.3%
-9 (M)	MISSING:(-9)	370	15.5 %	-

Based upon 2011 valid cases out of 2381 total cases.

**V2420**

**092E08C:GR 1ST TRY PCP**

Location: 564-565 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05686

Question Number(s): 2E08C

When (if ever) did you FIRST do each of the following things?

C: Try PCP

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
(Junior)" 7="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	GRADE 7:(2)	2	0.1 %	0.1%
3	GRADE 8:(3)	5	0.2 %	0.2%
4	GRADE 9:(4)	7	0.3 %	0.3%
5	GRADE 10:(5)	9	0.4 %	0.4%
6	GRADE 11:(6)	3	0.1 %	0.1%
7	GRADE 12:(7)	7	0.3 %	0.3%
8	NEVER:(8)	2001	84.0 %	98.4%
-9 (M)	MISSING:(-9)	347	14.6 %	-

Based upon 2034 valid cases out of 2381 total cases.

- Study 28401 -

**V2421 092E08D:GR 1ST TRY PPRS**

Location: 566-567 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05687

Question Number(s): 2E08D

When (if ever) did you FIRST do each of the following things?

D: Try amyl or butyl nitrites

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	1	0.0 %	0.0%
2	GRADE 7:(2)	1	0.0 %	0.0%
3	GRADE 8:(3)	2	0.1 %	0.1%
4	GRADE 9:(4)	7	0.3 %	0.3%
5	GRADE 10:(5)	3	0.1 %	0.1%
6	GRADE 11:(6)	4	0.2 %	0.2%
7	GRADE 12:(7)	2	0.1 %	0.1%
8	NEVER:(8)	2013	84.5 %	99.0%
-9 (M)	MISSING:(-9)	348	14.6 %	-

Based upon 2033 valid cases out of 2381 total cases.

**V2477 092E08E:GR 1ST TRY ICE**

Location: 568-569 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24430

Question Number(s): 2E08E

When (if ever) did you FIRST do each of the following things?

E: Try crystal meth ("ice")

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"



- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	GRADE 8:(3)	2	0.1 %	0.1%
4	GRADE 9:(4)	6	0.3 %	0.3%
5	GRADE 10:(5)	5	0.2 %	0.2%
6	GRADE 11:(6)	6	0.3 %	0.3%
7	GRADE 12:(7)	3	0.1 %	0.1%
8	NEVER:(8)	1992	83.7 %	98.9%
-9 (M)	MISSING:(-9)	367	15.4 %	-

Based upon 2014 valid cases out of 2381 total cases.

**V2498 092E08F:GR 1ST TRY STRDS**

Location: 570-571 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23810

Question Number(s): 2E08F

When (if ever) did you FIRST do each of the following things?

F: Try steroids (anabolic steroids)

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE 6:(1)	3	0.1 %	0.1%
2	GRADE 7:(2)	1	0.0 %	0.0%
3	GRADE 8:(3)	3	0.1 %	0.1%
4	GRADE 9:(4)	4	0.2 %	0.2%
5	GRADE 10:(5)	6	0.3 %	0.3%
6	GRADE 11:(6)	12	0.5 %	0.6%
7	GRADE 12:(7)	6	0.3 %	0.3%
8	NEVER:(8)	1982	83.2 %	98.3%
-9 (M)	MISSING:(-9)	364	15.3 %	-

Based upon 2017 valid cases out of 2381 total cases.

**V2464 092E09A:EASY GT CRACK**

Location: 572-573 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 06811

Question Number(s): 2E09A

How difficult do you think it would be for you to get each of the following, if you wanted some?

A: "Crack" cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	545	22.9 %	27.1%
2	VRY DIFF:(2)	391	16.4 %	19.4%
3	FRLY DIF:(3)	441	18.5 %	21.9%
4	FRLY EAS:(4)	403	16.9 %	20.0%
5	VRY EASY:(5)	231	9.7 %	11.5%
-9 (M)	MISSING:(-9)	370	15.5 %	-

Based upon 2011 valid cases out of 2381 total cases.

**V2465**

**092E09B:EASY GT COK PWDR**

Location: 574-575 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06812

Question Number(s): 2E09B

How difficult do you think it would be for you to get each of the following, if you wanted some?

B: Cocaine in powder form

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	533	22.4 %	26.5%
2	VRY DIFF:(2)	375	15.7 %	18.6%
3	FRLY DIF:(3)	422	17.7 %	21.0%
4	FRLY EAS:(4)	417	17.5 %	20.7%
5	VRY EASY:(5)	264	11.1 %	13.1%
-9 (M)	MISSING:(-9)	370	15.5 %	-

- Study 28401 -

Based upon 2011 valid cases out of 2381 total cases.

**V2466 092E09C:EASY GT PCP**

Location: 576-577 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06771

Question Number(s): 2E09C

How difficult do you think it would be for you to get each of the following, if you wanted some?

C: PCP

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	655	27.5 %	32.7%
2	VRD DIFF:(2)	471	19.8 %	23.5%
3	FRLY DIF:(3)	498	20.9 %	24.8%
4	FRLY EAS:(4)	263	11.0 %	13.1%
5	VRD EASY:(5)	118	5.0 %	5.9%
-9 (M)	MISSING:(-9)	376	15.8 %	-

Based upon 2005 valid cases out of 2381 total cases.

**V2467 092E09D:EASY GT NITRITES**

Location: 578-579 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22350

Question Number(s): 2E09D

How difficult do you think it would be for you to get each of the following, if you wanted some?

D: Amyl or butyl nitrites

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	697	29.3 %	34.9%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	VRY DIFF:(2)	498	20.9 %	24.9%
3	FRLY DIF:(3)	501	21.0 %	25.1%
4	FRLY EAS:(4)	200	8.4 %	10.0%
5	VRY EASY:(5)	103	4.3 %	5.2%
-9 (M)	MISSING:(-9)	382	16.0 %	-

Based upon 1999 valid cases out of 2381 total cases.

**V2478**

**092E09E:EASY GT ICE**

Location: 580-581 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24410

Question Number(s): 2E09E

How difficult do you think it would be for you to get each of the following, if you wanted some?

E: Crystal meth ("ice")

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	688	28.9 %	34.3%
2	VRY DIFF:(2)	458	19.2 %	22.8%
3	FRLY DIF:(3)	425	17.8 %	21.2%
4	FRLY EAS:(4)	277	11.6 %	13.8%
5	VRY EASY:(5)	159	6.7 %	7.9%
-9 (M)	MISSING:(-9)	374	15.7 %	-

Based upon 2007 valid cases out of 2381 total cases.

**V2499**

**092E09F:EASY GT STEROIDS**

Location: 582-583 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23060

Question Number(s): 2E09F

How difficult do you think it would be for you to get each of the following, if you wanted some?

- Study 28401 -

F: Steroids (anabolic steroids)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PROB IMP:(1)	549	23.1 %	27.4%
2	VRy DIFF:(2)	374	15.7 %	18.7%
3	FRLY DIF:(3)	471	19.8 %	23.5%
4	FRLY EAS:(4)	371	15.6 %	18.5%
5	VRy EASY:(5)	239	10.0 %	11.9%
-9 (M)	MISSING:(-9)	377	15.8 %	-

Based upon 2004 valid cases out of 2381 total cases.

**V2479 092E10A:DAP SMK 1PCK CIG**

Location: 584-585 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08560

Question Number(s): 2E10A

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DONT DIS:(1)	507	21.3 %	25.1%
2	DISAPPRV:(2)	829	34.8 %	41.1%
3	STRG DIS:(3)	682	28.6 %	33.8%
-9 (M)	MISSING:(-9)	363	15.2 %	-

Based upon 2018 valid cases out of 2381 total cases.

**V2480 092E10B:DAP TRY MRJ 1-2T**

Location: 586-587 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08570

- Study 28401 -

Question Number(s): 2E10B

Do YOU disapprove of people (who are 18 or older) doing each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DONT DIS:(1)	959	40.3 %	47.6%
2	DISAPPRV:(2)	571	24.0 %	28.4%
3	STRG DIS:(3)	484	20.3 %	24.0%
-9 (M)	MISSING:(-9)	367	15.4 %	-

Based upon 2014 valid cases out of 2381 total cases.

**V2481 092E10C:DAP SMK MRJ OCCS**

Location: 588-589 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08580

Question Number(s): 2E10C

Do YOU disapprove of people (who are 18 or older) doing each of the following?

C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DONT DIS:(1)	753	31.6 %	37.4%
2	DISAPPRV:(2)	614	25.8 %	30.5%
3	STRG DIS:(3)	647	27.2 %	32.1%
-9 (M)	MISSING:(-9)	367	15.4 %	-

Based upon 2014 valid cases out of 2381 total cases.

**V2482 092E10D:DAP SMK MRJ REGL**

Location: 590-591 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08590

- Study 28401 -

Question Number(s): 2E10D

Do YOU disapprove of people (who are 18 or older) doing each of the following?

D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DONT DIS:(1)	481	20.2 %	23.9%
2	DISAPPRV:(2)	634	26.6 %	31.5%
3	STRG DIS:(3)	895	37.6 %	44.5%
-9 (M)	MISSING:(-9)	371	15.6 %	-

Based upon 2010 valid cases out of 2381 total cases.

**V2483 092E10E:DAP COK PWD 1-2T**

Location: 592-593 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23630

Question Number(s): 2E10E

Do YOU disapprove of people (who are 18 or older) doing each of the following?

E: Trying cocaine in powder form once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DONT DIS:(1)	265	11.1 %	13.2%
2	DISAPPRV:(2)	619	26.0 %	30.8%
3	STRG DIS:(3)	1123	47.2 %	56.0%
-9 (M)	MISSING:(-9)	374	15.7 %	-

Based upon 2007 valid cases out of 2381 total cases.

**V2484 092E10F:DAP COK PWDR OCC**

Location: 594-595 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23640

- Study 28401 -

Question Number(s): 2E10F

Do YOU disapprove of people (who are 18 or older) doing each of the following?

F: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DONT DIS:(1)	156	6.6 %	7.8%
2	DISAPPRV:(2)	527	22.1 %	26.2%
3	STRG DIS:(3)	1327	55.7 %	66.0%
-9 (M)	MISSING:(-9)	371	15.6 %	-

Based upon 2010 valid cases out of 2381 total cases.

**V2485 092E10G:DAP COK PWDR REG**

Location: 596-597 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23650

Question Number(s): 2E10G

Do YOU disapprove of people (who are 18 or older) doing each of the following?

G: Taking cocaine powder regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DONT DIS:(1)	120	5.0 %	6.0%
2	DISAPPRV:(2)	412	17.3 %	20.5%
3	STRG DIS:(3)	1476	62.0 %	73.5%
-9 (M)	MISSING:(-9)	373	15.7 %	-

Based upon 2008 valid cases out of 2381 total cases.

**V2486 092E10H:DAP TRY CRK 1-2T**

Location: 598-599 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23660



- Study 28401 -

Question Number(s): 2E10H

Do YOU disapprove of people (who are 18 or older) doing each of the following?

H: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DONT DIS:(1)	188	7.9 %	9.4%
2	DISAPPRV:(2)	572	24.0 %	28.5%
3	STRG DIS:(3)	1248	52.4 %	62.2%
-9 (M)	MISSING:(-9)	373	15.7 %	-

Based upon 2008 valid cases out of 2381 total cases.

**V2487                      092E10I:DAP CRACK OCC**

Location: 600-601 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23670

Question Number(s): 2E10I

Do YOU disapprove of people (who are 18 or older) doing each of the following?

I: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DONT DIS:(1)	118	5.0 %	5.9%
2	DISAPPRV:(2)	486	20.4 %	24.2%
3	STRG DIS:(3)	1406	59.1 %	70.0%
-9 (M)	MISSING:(-9)	371	15.6 %	-

Based upon 2010 valid cases out of 2381 total cases.

**V2488                      092E10J:DAP CRACK REG**

Location: 602-603 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23680

- Study 28401 -

Question Number(s): 2E10J

Do YOU disapprove of people (who are 18 or older) doing each of the following?

J: Taking "crack" cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DONT DIS:(1)	110	4.6 %	5.5%
2	DISAPPRV:(2)	375	15.7 %	18.8%
3	STRG DIS:(3)	1512	63.5 %	75.7%
-9 (M)	MISSING:(-9)	384	16.1 %	-

Based upon 1997 valid cases out of 2381 total cases.

**V2489 092E10K:DAP TRY DRK ALCL**

Location: 604-605 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08710

Question Number(s): 2E10K

Do YOU disapprove of people (who are 18 or older) doing each of the following?

K: Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DONT DIS:(1)	1315	55.2 %	65.7%
2	DISAPPRV:(2)	386	16.2 %	19.3%
3	STRG DIS:(3)	302	12.7 %	15.1%
-9 (M)	MISSING:(-9)	378	15.9 %	-

Based upon 2003 valid cases out of 2381 total cases.

**V2490 092E10L:DAP 1-2 DRK/DAY**

Location: 606-607 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 08720

Question Number(s): 2E10L

Do YOU disapprove of people (who are 18 or older) doing each of the following?

L: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DONT DIS:(1)	603	25.3 %	30.1%
2	DISAPPRV:(2)	836	35.1 %	41.8%
3	STRG DIS:(3)	563	23.6 %	28.1%
-9 (M)	MISSING:(-9)	379	15.9 %	-

Based upon 2002 valid cases out of 2381 total cases.

**V2491**

**092E10M:DAP 4-5 DRK/DAY**

Location: 608-609 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08730

Question Number(s): 2E10M

Do YOU disapprove of people (who are 18 or older) doing each of the following?

M: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DONT DIS:(1)	243	10.2 %	12.1%
2	DISAPPRV:(2)	648	27.2 %	32.3%
3	STRG DIS:(3)	1115	46.8 %	55.6%
-9 (M)	MISSING:(-9)	375	15.7 %	-

Based upon 2006 valid cases out of 2381 total cases.

**V2492**

**092E10N:DAP 5+ DRK WKND**

Location: 610-611 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 28401 -

Question:

Item Number: 08740

Question Number(s): 2E10N

Do YOU disapprove of people (who are 18 or older) doing each of the following?

N: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DONT DIS:(1)	588	24.7 %	29.4%
2	DISAPPRV:(2)	557	23.4 %	27.9%
3	STRG DIS:(3)	854	35.9 %	42.7%
-9 (M)	MISSING:(-9)	382	16.0 %	-

Based upon 1999 valid cases out of 2381 total cases.

**V2428**

**092E11A:FAVOR MLTY DRAFT**

Location: 612-613 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21060

Question Number(s): 2E11A

The next two questions are about military service. Do you favor or oppose a military draft at the present time?

5="Strongly favor" 4="Mostly favor" 3="No opinion, or mixed"  
2="Mostly oppose" 1="Strongly oppose"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	STRG OPP:(1)	868	36.5 %	43.5%
2	MOST OPP:(2)	371	15.6 %	18.6%
3	DK/MIXED:(3)	588	24.7 %	29.5%
4	MOST FAV:(4)	101	4.2 %	5.1%
5	STRG FAV:(5)	67	2.8 %	3.4%
-9 (M)	MISSING:(-9)	386	16.2 %	-

Based upon 1995 valid cases out of 2381 total cases.

**V2429**

**092E11B:DRAFT INCL WOMEN**

Location: 614-615 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28401 -

Range of Missing Values (M): -9

Question:

Item Number: 21070

Question Number(s): 2E11B

Do you think any military draft in the U.S. should include women as well as men?

3="Yes" 2="Uncertain" 1="No"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	699	29.4 %	34.4%
2	UNCERTN:(2)	659	27.7 %	32.4%
3	YES:(3)	673	28.3 %	33.1%
-9 (M)	MISSING:(-9)	350	14.7 %	-

Based upon 2031 valid cases out of 2381 total cases.

**V2371**

**092E12 :R LIKES SCHOOL**

Location: 616-617 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07630

Question Number(s): 2E12

The next questions are about your experiences at school. Some people like school very much. Others don't. How do you feel about going to school?

5="I like school very much" 4="I like school quite a lot"  
3="I like school some" 2="I don't like school very much"  
1="I don't like school at all"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DLIK@ALL:(1)	162	6.8 %	8.0%
2	DNT LIKE:(2)	341	14.3 %	16.8%
3	LIK SOME:(3)	869	36.5 %	42.9%
4	LIK ALOT:(4)	424	17.8 %	20.9%
5	LIK VMCH:(5)	232	9.7 %	11.4%
-9 (M)	MISSING:(-9)	353	14.8 %	-

Based upon 2028 valid cases out of 2381 total cases.

**V2372**

**092E13 :HRS/WK SPND HMWK**

Location: 618-619 (width: 2; decimal: 0)

- Study 28401 -

Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 07640

Question Number(s): 2E13

About how many hours do you spend in an average week on all of your homework including both in school and out of school?

1="0 hours" 2="1-4 hours" 3="5-9 hours" 4="10-14 hours" 5="15-19 hours" 6="20-24 hours" 7="25 or more hours"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 HOURS:(1)	254	10.7 %	12.6%
2	1-4 HRS:(2)	956	40.2 %	47.3%
3	5-9 HRS:(3)	408	17.1 %	20.2%
4	10-14 HR:(4)	191	8.0 %	9.4%
5	15-19 HR:(5)	103	4.3 %	5.1%
6	20-24 HR:(6)	50	2.1 %	2.5%
7	25+ HRS:(7)	61	2.6 %	3.0%
-9 (M)	MISSING:(-9)	358	15.0 %	-

Based upon 2023 valid cases out of 2381 total cases.

**V2445 092E14A:SCH ACTV-PBLCTNS**

Location: 620-621 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Item Number: 22170

Question Number(s): 2E14A

To what extent have you participated in the following school activities during this school year?

A: School newspaper or yearbook

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
 5="Great"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1529	64.2 %	77.0%
2	SLIGHT:(2)	203	8.5 %	10.2%
3	MODERATE:(3)	79	3.3 %	4.0%
4	CONSDBLE:(4)	53	2.2 %	2.7%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	GREAT:(5)	121	5.1 %	6.1%
-9 (M)	MISSING:(-9)	396	16.6 %	-

Based upon 1985 valid cases out of 2381 total cases.

**V2446 092E14B:SCH ACTV-PRF ART**

Location: 622-623 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22180

Question Number(s): 2E14B

To what extent have you participated in the following school activities during this school year?

B: Music or other performing arts

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	1233	51.8 %	62.2%
2	SLIGHT:(2)	168	7.1 %	8.5%
3	MODERATE:(3)	127	5.3 %	6.4%
4	CONSDBLE:(4)	120	5.0 %	6.1%
5	GREAT:(5)	334	14.0 %	16.9%
-9 (M)	MISSING:(-9)	399	16.8 %	-

Based upon 1982 valid cases out of 2381 total cases.

**V2447 092E14C:SCH ACTV-ATHLTCS**

Location: 624-625 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22190

Question Number(s): 2E14C

To what extent have you participated in the following school activities during this school year?

C: Athletic teams

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"

- Study 28401 -

5="Great"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	917	38.5 %	46.1%
2	SLIGHT:(2)	148	6.2 %	7.4%
3	MODERATE:(3)	166	7.0 %	8.3%
4	CONSDBLE:(4)	174	7.3 %	8.7%
5	GREAT:(5)	586	24.6 %	29.4%
-9 (M)	MISSING:(-9)	390	16.4 %	-

Based upon 1991 valid cases out of 2381 total cases.

**V2448** **092E14D:SCH ACTV-OTH ACT**

Location: 626-627 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22200

Question Number(s): 2E14D

To what extent have you participated in the following school activities during this school year?

D: Other school clubs or activities

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT @ALL:(1)	638	26.8 %	32.1%
2	SLIGHT:(2)	314	13.2 %	15.8%
3	MODERATE:(3)	312	13.1 %	15.7%
4	CONSDBLE:(4)	308	12.9 %	15.5%
5	GREAT:(5)	413	17.3 %	20.8%
-9 (M)	MISSING:(-9)	396	16.6 %	-

Based upon 1985 valid cases out of 2381 total cases.

**V2373** **092E15A:PRCL INFL SCL RN**

Location: 628-629 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07650



- Study 28401 -

Question Number(s): 2E15A

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

A: The principal

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO INFLC:(1)	283	11.9 %	14.4%
2	SOME:(2)	243	10.2 %	12.3%
3	MODERATE:(3)	341	14.3 %	17.3%
4	CNSIDRBL:(4)	489	20.5 %	24.8%
5	GRT DEAL:(5)	615	25.8 %	31.2%
-9 (M)	MISSING:(-9)	410	17.2 %	-

Based upon 1971 valid cases out of 2381 total cases.

**V2374**

**092E15B:TCHR INFL SCL RN**

Location: 630-631 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07660

Question Number(s): 2E15B

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

B: The teachers

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO INFLC:(1)	191	8.0 %	9.7%
2	SOME:(2)	327	13.7 %	16.6%
3	MODERATE:(3)	571	24.0 %	29.0%
4	CNSIDRBL:(4)	533	22.4 %	27.1%
5	GRT DEAL:(5)	344	14.4 %	17.5%
-9 (M)	MISSING:(-9)	415	17.4 %	-

Based upon 1966 valid cases out of 2381 total cases.

**V2375 092E15C:STDS INFL SCL RN**

Location: 632-633 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07670

Question Number(s): 2E15C

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

C: The students

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO INFLC:(1)	519	21.8 %	26.4%
2	SOME:(2)	405	17.0 %	20.6%
3	MODERATE:(3)	385	16.2 %	19.6%
4	CNSIDRBL:(4)	305	12.8 %	15.5%
5	GRT DEAL:(5)	353	14.8 %	17.9%
-9 (M)	MISSING:(-9)	414	17.4 %	-

Based upon 1967 valid cases out of 2381 total cases.

**V2376 092E15D:PRTS INFL SCL RN**

Location: 634-635 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07680

Question Number(s): 2E15D

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

D: Parents of students

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO INFLC:(1)	440	18.5 %	22.4%
2	SOME:(2)	559	23.5 %	28.5%
3	MODERATE:(3)	435	18.3 %	22.2%
4	CNSIDRBL:(4)	299	12.6 %	15.2%
5	GRT DEAL:(5)	229	9.6 %	11.7%
-9 (M)	MISSING:(-9)	419	17.6 %	-

Based upon 1962 valid cases out of 2381 total cases.

**V2377                      092E16 :HAD DRUG EDUCATN**

Location: 636-637 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07690

Question Number(s): 2E16

Have you had any drug education courses or lectures in school?

1="No--GO TO QUESTION 20" 2="No, and I wish I had--GO TO QUESTION 20" 3="Yes"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO:(1)	504	21.2 %	26.7%
2	WISH HAD:(2)	51	2.1 %	2.7%
3	YES:(3)	1336	56.1 %	70.7%
-9 (M)	MISSING:(-9)	490	20.6 %	-

Based upon 1891 valid cases out of 2381 total cases.

**V2378                      092E17 :DG ED,>DG INTRST**

Location: 638-639 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07840

Question Number(s): 2E17

Would you say that the information about drugs that you received in school classes or programs has . . . ?

1="Made you less interested in trying drugs" 2="Not changed your interest in trying drugs" 3="Made you more interested in

- Study 28401 -

trying drugs"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	<INTERST:(1)	702	29.5 %	52.8%
2	NO CHNGE:(2)	573	24.1 %	43.1%
3	>INTERST:(3)	55	2.3 %	4.1%
-9 (M)	MISSING:(-9)	1051	44.1 %	-

Based upon 1330 valid cases out of 2381 total cases.

**V2379 092E18A:DG ED,SPC COURSE**

Location: 640-641 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07850

Question Number(s): 2E18A

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

A. A special course about drugs

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MRKED:(0)	924	38.8 %	71.4%
1	MARKED:(1)	371	15.6 %	28.6%
-9 (M)	MISSING:(-9)	1086	45.6 %	-

Based upon 1295 valid cases out of 2381 total cases.

**V2380 092E18B:DG ED,IN REG CRS**

Location: 642-643 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07860

Question Number(s): 2E18B

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

B. Films, lectures, or discussions in one of my regular courses

- Study 28401 -

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MRKED:(0)	391	16.4 %	30.2%
1	MARKED:(1)	904	38.0 %	69.8%
-9 (M)	MISSING:(-9)	1086	45.6 %	-

Based upon 1295 valid cases out of 2381 total cases.

**V2381 092E18C:DG ED,NT REG CRS**

Location: 644-645 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07870

Question Number(s): 2E18C

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

C. Films or lectures, outside of my regular courses

0="UNMARKED" 1="MARKED"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MRKED:(0)	931	39.1 %	71.9%
1	MARKED:(1)	364	15.3 %	28.1%
-9 (M)	MISSING:(-9)	1086	45.6 %	-

Based upon 1295 valid cases out of 2381 total cases.

**V2382 092E18D:DG ED,SPC DISCUS**

Location: 646-647 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07880

Question Number(s): 2E18D

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

D. Special group discussions about drugs

0="UNMARKED" 1="MARKED"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NT MRKED:(0)	1065	44.7 %	82.2%
1	MARKED:(1)	230	9.7 %	17.8%
-9 (M)	MISSING:(-9)	1086	45.6 %	-

Based upon 1295 valid cases out of 2381 total cases.

**V2383                      092E19 :DG ED,GRT VALUE**

Location: 648-649 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07890

Question Number(s): 2E19

Overall, how valuable were the experiences to you?

1="Little or no value" 2="Some value" 3="Considerable value"  
4="Great value"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO VALUE:(1)	321	13.5 %	24.4%
2	SOME:(2)	499	21.0 %	38.0%
3	CNSIDRBL:(3)	295	12.4 %	22.5%
4	GT VALUE:(4)	198	8.3 %	15.1%
-9 (M)	MISSING:(-9)	1068	44.9 %	-

Based upon 1313 valid cases out of 2381 total cases.

**V2441                      092E20A:#X/2W DRIVE+ALCL**

Location: 650-651 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01811

Question Number(s): 2E20A

During the LAST TWO WEEKS, how many times have you driven a  
car, truck, or motorcycle after . . .

A: . . . drinking alcohol?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10  
or more"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 TIMES:(1)	1750	73.5 %	90.2%
2	1 TIME:(2)	91	3.8 %	4.7%
3	2 TIMES:(3)	53	2.2 %	2.7%
4	3-5 X:(4)	30	1.3 %	1.5%
5	6-9 X:(5)	7	0.3 %	0.4%
6	=>10 X:(6)	9	0.4 %	0.5%
-9 (M)	MISSING:(-9)	441	18.5 %	-

Based upon 1940 valid cases out of 2381 total cases.

**V2442** **092E20B:#X/2W DRIVE+5DRK**

Location: 652-653 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01812

Question Number(s): 2E20B

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

B: . . . having 5 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 TIMES:(1)	1807	75.9 %	93.6%
2	1 TIME:(2)	43	1.8 %	2.2%
3	2 TIMES:(3)	38	1.6 %	2.0%
4	3-5 X:(4)	26	1.1 %	1.3%
5	6-9 X:(5)	8	0.3 %	0.4%
6	=>10 X:(6)	9	0.4 %	0.5%
-9 (M)	MISSING:(-9)	450	18.9 %	-

Based upon 1931 valid cases out of 2381 total cases.

**V2517** **092E20C:#X/2W DRIVE+MJ**

Location: 654-655 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01813

- Study 28401 -

Question Number(s): 2E20C

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

C. . . . smoking marijuana?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 TIMES:(1)	1708	71.7 %	88.3%
2	1 TIME:(2)	66	2.8 %	3.4%
3	2 TIMES:(3)	51	2.1 %	2.6%
4	3-5 X:(4)	40	1.7 %	2.1%
5	6-9 X:(5)	21	0.9 %	1.1%
6	=>10 X:(6)	49	2.1 %	2.5%
-9 (M)	MISSING:(-9)	446	18.7 %	-

Based upon 1935 valid cases out of 2381 total cases.

**V2518 092E20D:#X/2W DRIVE+OTDG**

Location: 656-657 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01814

Question Number(s): 2E20D

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

D. . . . using other illicit drugs?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 TIMES:(1)	1887	79.3 %	97.9%
2	1 TIME:(2)	11	0.5 %	0.6%
3	2 TIMES:(3)	11	0.5 %	0.6%
4	3-5 X:(4)	8	0.3 %	0.4%
5	6-9 X:(5)	5	0.2 %	0.3%
6	=>10 X:(6)	5	0.2 %	0.3%
-9 (M)	MISSING:(-9)	454	19.1 %	-



- Study 28401 -

Based upon 1927 valid cases out of 2381 total cases.

**V2443 092E21A:#X/2W RIDE+ALCL**

Location: 658-659 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01815

Question Number(s): 2E21A

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

A: . . . when the driver had been drinking?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 TIMES:(1)	1624	68.2 %	83.9%
2	1 TIME:(2)	149	6.3 %	7.7%
3	2 TIMES:(3)	97	4.1 %	5.0%
4	3-5 X:(4)	38	1.6 %	2.0%
5	6-9 X:(5)	12	0.5 %	0.6%
6	=>10 X:(6)	16	0.7 %	0.8%
-9 (M)	MISSING:(-9)	445	18.7 %	-

Based upon 1936 valid cases out of 2381 total cases.

**V2444 092E21B:#X/2W RIDE+5DRK**

Location: 660-661 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01816

Question Number(s): 2E21B

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

B: . . . when you think the driver had 5 or more drinks?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 TIMES:(1)	1770	74.3 %	91.4%
2	1 TIME:(2)	78	3.3 %	4.0%
3	2 TIMES:(3)	45	1.9 %	2.3%
4	3-5 X:(4)	25	1.0 %	1.3%
5	6-9 X:(5)	8	0.3 %	0.4%
6	=>10 X:(6)	11	0.5 %	0.6%
-9 (M)	MISSING:(-9)	444	18.6 %	-

Based upon 1937 valid cases out of 2381 total cases.

**V2519** **092E21C:#X/2W RIDE+MJ**

Location: 662-663 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01817

Question Number(s): 2E21C

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

C. . . . when the driver had been smoking marijuana?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 TIMES:(1)	1597	67.1 %	82.5%
2	1 TIME:(2)	123	5.2 %	6.4%
3	2 TIMES:(3)	74	3.1 %	3.8%
4	3-5 X:(4)	58	2.4 %	3.0%
5	6-9 X:(5)	36	1.5 %	1.9%
6	=>10 X:(6)	48	2.0 %	2.5%
-9 (M)	MISSING:(-9)	445	18.7 %	-

Based upon 1936 valid cases out of 2381 total cases.

**V2520** **092E21D:#X/2W RIDE+OTDG**

Location: 664-665 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01818

- Study 28401 -

Question Number(s): 2E21D

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

D. . . . when the driver had been using using other illicit drugs?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 TIMES:(1)	1874	78.7 %	96.8%
2	1 TIME:(2)	21	0.9 %	1.1%
3	2 TIMES:(3)	12	0.5 %	0.6%
4	3-5 X:(4)	11	0.5 %	0.6%
5	6-9 X:(5)	6	0.3 %	0.3%
6	=>10 X:(6)	11	0.5 %	0.6%
-9 (M)	MISSING:(-9)	446	18.7 %	-

Based upon 1935 valid cases out of 2381 total cases.

**V2414**

**092E22A:OFTN EAT BRKFST**

Location: 666-667 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20740

Question Number(s): 2E22A

How often do you . . .

A: . . . Eat breakfast?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	159	6.7 %	8.1%
2	SELDOM:(2)	413	17.3 %	21.2%
3	SOMETIME:(3)	418	17.6 %	21.4%
4	MST DAYS:(4)	243	10.2 %	12.4%
5	NR EV DA:(5)	207	8.7 %	10.6%
6	EVERYDAY:(6)	512	21.5 %	26.2%
-9 (M)	MISSING:(-9)	429	18.0 %	-

- Study 28401 -

Based upon 1952 valid cases out of 2381 total cases.

**V2415 092E22B:OFTN EAT GN VEG**

Location: 668-669 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20750

Question Number(s): 2E22B

How often do you . . .

B: . . . Eat at least some green vegetables?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	120	5.0 %	6.2%
2	SELDOM:(2)	216	9.1 %	11.1%
3	SOMETIME:(3)	420	17.6 %	21.6%
4	MST DAYS:(4)	464	19.5 %	23.8%
5	NR EV DA:(5)	363	15.2 %	18.7%
6	EVERYDAY:(6)	363	15.2 %	18.7%
-9 (M)	MISSING:(-9)	435	18.3 %	-

Based upon 1946 valid cases out of 2381 total cases.

**V2416 092E22C:OFTN EAT FRUIT**

Location: 670-671 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20760

Question Number(s): 2E22C

How often do you . . .

C: . . . Eat at least some fruit?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	85	3.6 %	4.4%

- Study 28401 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	SELDOM:(2)	131	5.5 %	6.7%
3	SOMETIME:(3)	394	16.5 %	20.3%
4	MST DAYS:(4)	494	20.7 %	25.5%
5	NR EV DA:(5)	387	16.3 %	19.9%
6	EVERYDAY:(6)	450	18.9 %	23.2%
-9 (M)	MISSING:(-9)	440	18.5 %	-

Based upon 1941 valid cases out of 2381 total cases.

**V2417 092E22D:OFTN EXERCISE**

Location: 672-673 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20770

Question Number(s): 2E22D

How often do you . . .

D: . . . Exercise vigorously (jogging, swimming, calisthenics, or any other active sports)?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	144	6.0 %	7.5%
2	SELDOM:(2)	317	13.3 %	16.6%
3	SOMETIME:(3)	457	19.2 %	23.9%
4	MST DAYS:(4)	327	13.7 %	17.1%
5	NR EV DA:(5)	288	12.1 %	15.1%
6	EVERYDAY:(6)	380	16.0 %	19.9%
-9 (M)	MISSING:(-9)	468	19.7 %	-

Based upon 1913 valid cases out of 2381 total cases.

**V2418 092E22E:OFTN 7HRS SLEEP**

Location: 674-675 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20780

Question Number(s): 2E22E

- Study 28401 -

How often do you . . .

E: . . . Get at least seven hours of sleep?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	108	4.5 %	5.5%
2	SELDOM:(2)	320	13.4 %	16.4%
3	SOMETIME:(3)	473	19.9 %	24.3%
4	MST DAYS:(4)	437	18.4 %	22.5%
5	NR EV DA:(5)	325	13.6 %	16.7%
6	EVERYDAY:(6)	283	11.9 %	14.5%
-9 (M)	MISSING:(-9)	435	18.3 %	-

Based upon 1946 valid cases out of 2381 total cases.

**V2419**

**092E22F:OFTN SLEEP <SHLD**

Location: 676-677 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20790

Question Number(s): 2E22F

How often do you . . .

F: . . . Get less sleep than you think you should?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER:(1)	162	6.8 %	8.3%
2	SELDOM:(2)	237	10.0 %	12.2%
3	SOMETIME:(3)	466	19.6 %	24.0%
4	MST DAYS:(4)	375	15.7 %	19.3%
5	NR EV DA:(5)	307	12.9 %	15.8%
6	EVERYDAY:(6)	394	16.5 %	20.3%
-9 (M)	MISSING:(-9)	440	18.5 %	-

Based upon 1941 valid cases out of 2381 total cases.

## **APPENDIX**





## **Appendix A: Publications**

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future [Publications](#) web page.

Publications are divided into the following categories:

- Monographs
- Reference Volumes
- Books
- Journal Articles
- Chapters
- Research Reports
- Occasional Papers
- Congressional Testimony
- Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.



## Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83
2007	111	21	132	15,132	81
2008	103	17	120	14,577	79
2009	106	19	125	14,268	82

\* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.