ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 34409

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2011

Lloyd D. Johnston
University of Michigan. Institute for Social Research. Survey Research Center

Jerald G. Bachman
University of Michigan. Institute for Social Research. Survey Research Center

Patrick M. O'Malley
University of Michigan. Institute for Social Research. Survey Research Center

John E. Schulenberg
University of Michigan. Institute for Social Research. Survey Research Center

Form 5 Data Codebook

Inter-university Consortium for Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/34409/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2011 is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, and John Schulenberg, co-principal investigators.) The research project is unusually comprehensive in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 11 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate only very small decreases in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationally representative sample of high school seniors in public and private schools is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 350 seniors may be included in the data collection. In schools with fewer than 350 seniors, we attempt to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. A sampling weight is assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two- year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and

examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A local SRC representative is assigned to work with the school to set a mutually agreeable date for the survey and to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter describing the study and a copy of the student flyer to the parents. The letter provides parents with an easy way to decline their child’s participation, if they so wish. Active consent procedures are used when the school or district requires them.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward.

Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automated scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer file at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the cross-time index of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others

regarding drugs.

B. EDUCATION. Educational lifestyle, values, experiences, and environments

C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities including computer use, preferences regarding occupational characteristics and type of work setting.

D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.

E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.

F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.

G. RELIGION. Religious affiliation, practices, and views.

H. POLITICS. Political affiliation, activities, and views.

I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.

J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.

K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).

L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.

M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.

N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.

O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.

P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.

Q OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility, boredom.

R. BACKGROUND. Demographic and family background characteristics, living arrangements.

S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.

T. HEALTH. Health habits, somatic symptoms, illness, medical treatment.

_____

_____

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples.

About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors attending private or public schools throughout the 48 contiguous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate

are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all 12th graders sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire, either on their own or because their parents refused consent. However, SRC representatives in the field estimate this proportion to be only about two percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 3 – 4 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of

schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- each of which constitutes approximately 8-15 percent of each year's sample -- are represented by perhaps as few as 200 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial

comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to under represent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and descriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

Frequency and percentage distributions displayed in codebooks produced after 2007 are unweighted, rather than weighted by variable V5 as they had been in previous years. This change was made to simplify both the production of the codebooks and their interpretation by the analyst.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2011 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ascii text file.

part #	form	# of variables	Logical record length	Unweighted n
1	Core	185	384	14,855
2	Form 1	635	1,281	2,478
3	Form 2	329	671	2,465
4	Form 3	360	734	2,470
5	Form 4	267	550	2,463
6	Form 5	309	631	2,493
7	Form 6	337	688	2,486

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers. The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V2119 **[2] 082A04E #X INTERNET NEWS**

[3] Location: 64-65(width: 2, decimal: 0)
[4] Variable Type: numeric (ISO)
[5] Range of Missing Values (M): -9
Question:

[6] Item Number: 24815

[7] Question Number(s): 2A04E

[8] How often do you use each of the following to get information about news and current events?

E: The Internet

[9] 5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

V2119:082A04E #X INTERNET NEWS

Value [10]	*Label* [11]	*Unweighted Frequency* [12]	*%* [13]	*Valid %* [14]
1	NEVER:(1)	280	5.2%	5.2%
2	FEW/YR:(2)	216	4.0%	4.0%
3	1-2/MO:(3)	576	10.6%	10.8%
4	1 /WK:(4)	1235	22.8%	23.1%
5	NR DAILY:(5)	3050	56.3%	56.9%
-9(M)	MISSING:(-9)	59	1.1%	-

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

[2] Indicates the abbreviated variable name used to identify the variable for the user.

[3]Indicates starting and ending column locations of this variable. Variable width and number of decimal places are noted within parentheses.

[4]Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).

[5]Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes:-9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.

[6] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.

[7] The question number, which consists of the number of the questionnaire form, the alphabetic section, the question number itself, and, if part of a series, the alphabetic part.

[8] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.

[9] Response category codes and the full text of the answer categories as they are worded in the questionnaire.

[10] Indicates the code values occurring in the data for this variable.

[11] Indicates the text labels of the codes for this variable, as they are provided in the data.

[12] Indicates the frequency of occurrence of each code value for this variable.

[13] Indicates the percentage distribution of each code value for this variable including cases where the value is missing.

[14] Indicates the percentage distribution of each code value for this variable excluding cases where the value is missing.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

For reasons of confidentiality, the weight variable (V5) was altered from its original version to a modified version prior to public distribution of the data. THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND THOSE FROM WEIGHTED ANALYSES OF THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

OMITTED VARIABLES:

All datasets	C01. R'S BIRTH YEAR
	C02. R'S BIRTH MONTH
	C04A-I, R'S RACE (9 categories)
	C07A-B. # OLDER BR/SR, # YOUNGER BR/SR
	C07Ca,e-i. R'S HSHLD (other than mother/father/sibling)
	C13A. R'S RELGS PRFNC
Form 1	D19. CURRENT HEIGHT
	D20. CURRENT WEIGHT
Form 2	2A19P. ARRSTD&TKN 2 POL
Form 5	5A21. CURRENT HEIGHT
	5A22. CURRENT WEIGHT

RECODED VARIABLES:

Core dataset and Part C section of individual forms

AGE <> 18 DICHOTOMY
1=younger than 18 years old,
2=18 years old or more
-9=missing data on birth year, or birth month if it is required
Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy
1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing data on Q. C04.
From 2006 on, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS
Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)
0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING
0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]
0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]
0=None, 1=One, 2=Two, 3=Three or More

Core dataset (Part B)

*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]
Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]
Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

Form 6

A10. EVER HELD BACK
1=No, 2=Yes

A11. NEED SUMMER SCHL
1=No, 2=Yes

A12. EVER SUSPENDED
1=No, 2=Yes

MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC
	C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT
	4A15B GD LIV TG BF MRG
	4A15C 1 PRTNR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND
	5A18J FULLR LVS IF MRY
	5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK
	6A08B #X PRNT HLP HMWK
	6A08C #X PRNT GV CHORE
	6A08D #X PRNT LIMIT TV
	6A08E #X PRNT LMT OUT

QUESTIONNAIRE FORM 1 PROCESSING

The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

REVISED QUESTION TEXT FOR THE CORE DATASET

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series. This additional text is meant to clarify and provide detail about the question for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.

ICPSR 34409

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2011

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2011

Form 5 Data

Variable Groups

Variable Groups Containing Variables

Variable Group Name	*Variable Group Label*	*Page*
GROUP 1	SURVEY INFORMATION	20
GROUP 2	GEOGRAPHIC	20
GROUP 3	SECTION A	20
GROUP 4	SECTION B	23
GROUP 5	SECTION C	24
GROUP 6	SECTION D	25
GROUP 7	SECTION E	26

GROUP 1 SURVEY INFORMATION

Variables within this Variable Group

Variable	*Variable Label*	*Page*
CASEID	CASE IDENTIFICATION NUMBER	28
V1	YEAR OF ADMIN (4-DIGITS)	28
V3	115:FORM ID	28
V4	115:Rs ID-SERIAL #	29
V5	SAMPLING WEIGHT	29

GROUP 2 GEOGRAPHIC

Variables within this Variable Group

Variable	*Variable Label*	*Page*
V13	SCH REG-4 CAT	29
V16	LARGE MSA = 1/NOT = 0	29
V17	MSA/NON-MSA = 0	30

GROUP 3 SECTION A

Variables within this Variable Group

Variable	*Variable Label*	*Page*
V5208	115A01 :VRY HPY THS DAYS	30
V5209	115A02 :THK ABT SOC ISSU	30
V5210	115A03A:WR/NT NUCLER WAR	31
V5211	115A03B:WR/NT POP GROWTH	31
V5212	115A03C:WR/NT CRIME/VLNC	32
V5213	115A03D:WR/NT POLLUTION	32
V5214	115A03E:WR/NT ENRGY SHRT	33
V5215	115A03F:WR/NT RACE RELTN	33

Variables within this Variable Group		
Variable	*Variable Label*	*Page*
V5216	115A03G:WR/NT HNGR/PVRTY	34
V5217	115A03H:WR/NT USE OPN LD	34
V5218	115A03I:WR/NT URBN DECAY	35
V5219	115A03J:WR/NT ECON PRBLM	35
V5220	115A03K:WR/NT DRUG ABUSE	36
V5221	115A04A:XPRC MK R GD SPS	36
V5222	115A04B:XPRC MK R GD PRT	37
V5223	115A04C:XPRC MK R GD WKR	37
V5224	115A05A:PLC WRK LG CORPN	38
V5225	115A05B:PLC WRK SM BSNSS	38
V5226	115A05C:PLC WRK GVT AGCY	39
V5227	115A05D:PLC WRK MLTY SVC	39
V5228	115A05E:PLC WRK SCH/UNIV	40
V5229	115A05F:PLC WRK PLC DEPT	41
V5230	115A05G:PLC WRK SOC SVCS	41
V5231	115A05H:PLC WRK SML GRP	42
V5232	115A05I:PLC WRK SLF EMPL	42
V5233	115A06 :ENUF$,NT WNT WRK	43
V5234	115A07A:RCL CNTCT SCHOOL	43
V5235	115A07B:RCL CNTCT NGHBHD	44
V5236	115A07C:RCL CNTCT CHURCH	44
V5237	115A07D:RCL CNTCT SPORTS	45
V5238	115A07E:RCL CNTCT CLUBS	45
V5239	115A07F:RCL CNTCT JOB	46
V5240	115A08 :B/W RLTNS WRSE	46
V5241	115A09 :DNT HV DRVR LCNS	47
V5242	115A10 :DONT OWN CAR	47
V5243	115A11 :NEVR USE OTHS CR	48
V5244	115A12 :R CUT DRIVING	48
V5245	115A13 :R CUT ELECTRICTY	49
V5246	115A14 :RDCE HEAT Rs HM	49
V5247	115A15A:ENJOY SHOPPING	50
V5248	115A15B:CARE LATST FASHN	50
V5249	115A15C:CR FAM HV NBR HV	51
V5250	115A16 :XPCT 2 OWN>PRNTS	51
V5251	115A17 :LST CNT OWN>PRNT	52
V5252	115A18A:WRRY ABT OW CTRY	52
V5253	115A18B:BTTR IF CTZ WRLD	53
V5254	115A18C:-SYMP TWD STARVG	53
V5255	115A18D:MNRTY NT MY BSNS	54
V5256	115A18E:UPST PL TR -FAIR	54

Variables within this Variable Group		
Variable	*Variable Label*	*Page*
V5257	115A18F:HELP POOR W MY $	55
V5258	115A18G:-MY PRB OT ND HP	55
V5259	115A18H:RB CHNG ETG HABT	56
V5260	115A18I:FAM BUYS THG -ND	57
V5261	115A18J:FULLR LVS IF MRY	57
V5262	115A18K:ENCRG = INDP DT/SN	58
V5263	115A18L:BNG MOTH V FULFL	58
V5264	115A18M:FTHR>TIME W CHLD	59
V5265	115A18N:HSB MAK IMP DCSN	59
V5266	115A19 :INTEREST IN GOVT	60
V5267	115A20A:CTB TO UNTD FUND	60
V5268	115A20B:CTB TO INTL RELF	61
V5269	115A20C:CTB TO MNRTY GRP	62
V5270	115A20D:CTB TO RELGS ORG	62
V5271	115A20E:CTB TO PLTCL PTY	63
V5272	115A20F:CTB TO CTZN LBBY	63
V5273	115A20G:CTB TO VS DISEAS	64
V5274	115A20H:CTB TO POP PRBMS	64
V5275	115A20I:CTB TO ENVIR PBM	65
V5503	115A23A:OFTN EAT BRKFST	65
V5504	115A23B:OFTN EAT GN VEG	66
V5505	115A23C:OFTN EAT FRUIT	67
V5506	115A23D:OFTN EXERCISE	67
V5507	115A23E:OFTN 7HRS SLEEP	68
V5508	115A23F:OFTN SLEEP<SHLD	68
V5277	115A24A:DSCM WN COLLG ED	69
V5278	115A24B:DSCM WN LDRSHP	69
V5279	115A24C:DSCM WN EXEC/BSN	70
V5280	115A24D:DSCM WN TOP/PRFN	70
V5281	115A24E:DSCM WN SKL LABR	71
V5282	115A24F:DSCM WN PLTCL OF	72
V5283	115A24G:DSCM WN = PAY = WK	72
V5284	115A25A:RSK OF CIG1+PK/D	73
V5285	115A25B:RSK OF MJ 1-2 X	73
V5286	115A25C:RSK OF MJ OCSNLY	74
V5287	115A25D:RSK OF MJ REGLY	74
V5288	115A25E:RSK OF LSD 1-2 X	75
V5289	115A25F:RSK OF LSD REGLY	75
V5290	115A25G:RSK OF H 1-2 X	76
V5291	115A25H:RSK OF H OCSNL	76
V5292	115A25I:RSK OF H REGLY	77

Variables within this Variable Group		
Variable	*Variable Label*	*Page*
V5509	115A25J:RSK SED/BRB 1-2X	77
V5510	115A25K:RSK SED/BRB REGY	78
V5295	115A25L:RSK OF AMPH 1-2X	79
V5296	115A25M:RSK OF AMPH REG	79
V5297	115A25N:RSK OF COKE 1-2X	80
V5298	115A25O:RSK OF COKE REG	80
V5299	115A25P:RSK OF 1-2 DRINK	81
V5300	115A25Q:RSK OF 1-2 DR/DA	81
V5301	115A25R:RSK OF 4-5 DR/DA	82
V5302	115A25S:RSK OF 5+DR/WKND	82
V5483	115A25T:RSK OF COKE OCSN	83
V5484	115A25U:RSK OF SMKLSS RG	83

GROUP 4 **SECTION B**

Variables within this Variable Group		
Variable	*Variable Label*	*Page*
V5101	115B01 :EVR SMK CIG,REGL	84
V5102	115B02 :#CIGS SMKD/30DAY	84
V5103	115B03 :EVER DRINK	85
V5104	115B04A:#X ALC/LIF SIPS	86
V5105	115B04B:#X ALC/ANN SIPS	86
V5106	115B04C:#X ALC/30D SIPS	87
V5107	115B05 :#X DRK ENF FL HI	87
V5108	115B06 :5+DRK ROW/LST 2W	88
V5115	115B07A:#XMJ+HS/LIFETIME	88
V5116	115B07B:#XMJ+HS/LAST12MO	89
V5117	115B07C:#XMJ+HS/LAST30DA	90
V5118	115B08A:#X LSD/LIFETIME	90
V5119	115B08B:#X LSD/LAST 12MO	91
V5120	115B08C:#X LSD/LAST 30DA	91
V5121	115B09A:#X PSYD/LIFETIME	92
V5122	115B09B:#X PSYD/LAST12MO	93
V5123	115B09C:#X PSYD/LAST30DA	93
V5124	115B10A:#X COKE/LIFETIME	94
V5125	115B10B:#X COKE/LAST12MO	95
V5126	115B10C:#X COKE/LAST30DA	95
V5127	115B11A:#X AMPH/LIFETIME	96
V5128	115B11B:#X AMPH/LAST12MO	96
V5129	115B11C:#X AMPH/LAST30DA	97
V5130	115B12A:#X ICE/LIFETIME	98
V5131	115B12B:#X ICE/LAST12MO	98

Variables within this Variable Group		
Variable	*Variable Label*	*Page*
V5132	115B12C:#X ICE/LAST30DA	99
V5133	115B13A:#X SED/BARB/LIFE	99
V5134	115B13B:#X SED/BARB/12MO	100
V5135	115B13C:#X SED/BARB/30DA	101
V5136	115B14A:#X TRQL/LIFETIME	101
V5137	115B14B:#X TRQL/LAST12MO	102
V5138	115B14C:#X TRQL/LAST30DA	103
V5489	115B15A:#X H LIF USE NDL	103
V5490	115B15B:#X H 12M USE NDL	104
V5491	115B15C:#X H 30D USE NDL	104
V5492	115B16A:#X H LIF W/O NDL	105
V5493	115B16B:#X H 12M W/O NDL	106
V5494	115B16C:#X H 30D W/O NDL	106
V5139	115R* :#X H/LIFETIME	107
V5140	115R* :#X H/LAST12MO	107
V5141	115R* :#X H/LAST30DAY	108
V5142	115B17A:#X NARC/LIFETIME	109
V5143	115B17B:#X NARC/LAST12MO	110
V5144	115B17C:#X NARC/LAST30DA	110
V5145	115B18A:#X INHL/LIFETIME	111
V5146	115B18B:#X INHL/LAST12MO	111
V5147	115B18C:#X INHL/LAST30DA	112

GROUP 5 **SECTION C**

Variables within this Variable Group		
Variable	*Variable Label*	*Page*
V5148	115C01(R):AGE <>18 DICHOTOMY	113
V5150	115C03 :Rs SEX	113
V5151	115C04(R):R'S RACE B/W/H	113
V5152	115C05 :R SPD >TIM R-URB	114
V5153	115C06 :R NOT MARRIED	115
V49	11C07R:# SIBLINGS	115
V5155	115C07Cb(R):R'S HSHLD FATHER	116
V5156	115C07Cc(R):R'S HSHLD MOTHER	116
V5157	115C07Cd(R):R'S HSHLD BR/SR	117
V5163	115C08 :FATHR EDUC LEVEL	117
V5164	115C09 :MOTHR EDUC LEVEL	118
V5165	115C10 :MOTH PD JB R YNG	118
V5166	115C11 :Rs POLTL PRFNC	119
V5167	115C12 :R POL BLF RADCL	119
V5169	115C13B:R ATTND REL SVC	120

Variables within this Variable Group		
Variable	*Variable Label*	*Page*
V5170	115C13C:RLGN IMP Rs LF	121
V5171	115C14 :WHEN R XPCT GRAD	121
V5172	115C15 :Rs HS PROGRAM	121
V5173	115C16 :RT SF SCH AB>AVG	122
V5174	115C17 :RT SF INTELL>AVG	122
V5175	115C18A:#DA/4W SC MS ILL	123
V5176	115C18B:#DA/4W SC MS CUT	124
V5177	115C18C:#DA/4W SC MS OTH	124
V5178	115C19 :#DA/4W SKP CLASS	125
V5179	115C20 :R HS GRADE/D = 1	125
V5180	115C21A:R WL DO VOC/TEC	126
V5181	115C21B:R WL DO ARMD FC	126
V5182	115C21C:R WL DO 2YR CLG	127
V5183	115C21D:R WL DO 4YR CLG	127
V5184	115C21E:R WL DO GRD/PRF	128
V5185	115C22A:R WNTDO VOC/TEC	129
V5186	115C22B:R WNTDO ARMD FC	129
V5187	115C22C:R WNTDO 2YR CLG	129
V5188	115C22D:R WNTDO 4YR CLG	130
V5189	115C22E:R WNTDO GRD/PRF	130
V5190	115C22F:R WNTDO NONE	131
V5191	115C23 :HRS/W WRK SCHYR	131
V5192	115C24A:R$/AVG WEEK JOB	132
V5193	115C24B:R$/AVG WEEK OTH	132
V5194	115C25 :#X/AV WK GO OUT	133
V5195	115C26 :#X DATE 3+/WK	134
V5196	115C27 :DRIVE>200 MI/WK	134
V5197	115C28 :#X/12MO R TCKTD	135
V5198	115C29AR:#TCKTS AFT DRNK	135
V5199	115C29BR:#TCKTS AFT MARJ	136
V5200	115C29CR:#TCKTS AFT OTDG	136
V5201	115C30 :#ACCIDNTS/12 MO	137
V5202	115C31AR:#ACDTS AFT DRNK	137
V5203	115C31BR:#ACDTS AFT MARJ	138
V5204	115C31CR:#ACDTS AFT OTDG	138
V5205	115C32 :Rs BRANCH SERV	139
V5206	115C33 :R XPCTS B OFFCR	139
V5207	115C34 :R XPCTS MLTR CR	140

GROUP 6 **SECTION D**

Variables within this Variable Group		
Variable	*Variable Label*	*Page*
V5303	115D01A:POS ATT TWD SELF	140
V5304	115D01B:LUCK>IMP HRD WRK	141
V5305	115D01C:AM PRSN OF WORTH	141
V5306	115D01D:DO WELL AS OTHRS	142
V5307	115D01E:TRY GT AHD,STOPD	142
V5308	115D01F:PLNNG MKS UNHPPY	143
V5309	115D01G:ACPT LIFE->HAPPR	143
V5310	115D01H:SATISFD W MYSELF	144
V5311	115D01I:PPL LK ME -CHANC	145
V5312	115D01J:MY PLANS DO WORK	145
V5313	115D01K:OFTN FEEL LONELY	146
V5314	115D01L:-MUCH TO B PROUD	146
V5315	115D01M:ALWYS SM1 HELP R	147
V5316	115D01N:I AM NO GOOD	147
V5317	115D01O:OFTN FL LEFT OUT	148
V5318	115D01P:PPL MASTER FATE	148
V5319	115D01Q:USLY SM1 TALK TO	149
V5320	115D01R:I DO WRONG THING	149
V5321	115D01S:OFT WSH MOR FRND	150
V5322	115D01T:PLANS->BTR RSLTS	150
V5323	115D01U:MY LIFE NT USEFL	151
V5324	115D01V:USLY FRDS BE WTH	151
V5414	115D01W:EAGR TO LEAV HOM	152
V5415	115D01X:HEST PRT ADLT WL	152
V5416	115D02A:%$SAVE FUTR EDUC	153
V5417	115D02B:%$SAVE/SPEND CAR	154
V5418	115D02C:%$SAVE OTHER	154
V5419	115D02D:%$SPEND ON SELF	155
V5420	115D02E:%$SPEND HELP FAM	155
V5523	115D03:EVER AD STIM DR	156
V5524	115D04:AGE 1ST AD STIM	157
V5525	115D05:# YRS TK AD STIM	157
V5526	115D06:EVER AD NONSTIM	158

GROUP 7 **SECTION E**

Variables within this Variable Group		
Variable	*Variable Label*	*Page*
V5552	115E01:# ENERGY DRINKS/DAY	158
V5553	115E02:# ENERGY SHOTS/DAY	159
V5554	115E03:# REG SOFT DRINKS/DAY	159
V5555	115E04:# DIET SOFT DRINKS/DAY	160

Variables within this Variable Group		
Variable	*Variable Label*	*Page*
V5334	115E05A:I/MJ USR,>CREATV	161
V5335	115E05B:I/MJ USR,<SENSBL	161
V5336	115E05C:I/MJ USR,>INTRST	162
V5337	115E05D:I/MJ USR,<HRDWKG	162
V5338	115E05E:I/MJ USR,>INDPND	163
V5339	115E05F:I/MJ USR,>UNSTBL	163
V5340	115E05G:I/MJ USR,>CNCRND	164
V5341	115E05H:I/MJ USR,>WKWLD	164
V5342	115E05I:I/MJ USR,>CRMNL	164
V5433	115E06A:SMKRS ENJOY LIFE	165
V5434	115E06B:PRFR DATE N-SMKR	165
V5435	115E06C:HARMFUL CIG EXAG	166
V5436	115E06D:SMKR POOR JDGMNT	166
V5437	115E06E:DONT MIND SMOKNG	167
V5438	115E06F:SMKG DIRTY HABIT	168
V5485	115E06G:DTEST NEAR SMKRS	168
V5511	115E07A:#X FLVRDALC/LIFE	169
V5512	115E07B:#X FLVRDALC/12MO	169
V5513	115E07C:#X FLVRDALC/30DA	170
V5486	115E08A:#X CRACK/LIFETIM	171
V5487	115E08B:#X CRACK/LAST12M	171
V5488	115E08C:#X CRACK/LAST30D	172
V5527	115E09A:#X STRD/LIFETIME	172
V5528	115E09B:#X STRD/LAST12MO	173
V5529	115E09C:#X STRD/LAST30DA	174
V5530	115E10A:MTHD STRD-INJECT	174
V5531	115E10B:MTHD STRD-MOUTH	175
V5532	115E10C:HVNT USED STRDS	175
V5496	115E11A:#X KETAMINE/12M	176
V5499	115E11B:#X OXYCONTN/12MO	176
V5500	115E11C:#X VICODIN/12MO	177
V5550	115E11D:#X SALVIA/12MO	177
V5551	115E11E:#X PROVIGIL/12MO	178
V5564	115E11F:#X COUGHMED/12MO	179
V5565	115E11G:#X DISSOVBL TOBAC/12MO	179
V5566	115E11H:#X SNUS/12MO	180
V5567	115E11I:#X ALC BVRG W-CAFF/12MO	180
V5533	115E12A:SPORT/12M NONE	181
V5534	115E12B:SPORT/12M BASEBL	181
V5535	115E12C:SPORT/12M BSKTBL	182
V5556	115E12D:SPORT/12M CHEERLDG	182

Variables within this Variable Group		
Variable	*Variable Label*	*Page*
V5557	115E12E:SPORT/12M CREW	183
V5536	115E12F:SPORT/12M XCNTRY	183
V5558	115E12G:SPORT/12M EQUESTRN	184
V5537	115E12H:SPORT/12M FLDHKY	184
V5538	115E12I:SPORT/12M FOOTBL	185
V5559	115E12J:SPORT/12M GOLF	185
V5539	115E12K:SPORT/12M GYMNST	186
V5540	115E12L:SPORT/12M ICEHKY	186
V5541	115E12M:SPORT/12M LCRSSE	187
V5543	115E12N:SPORT/12M SOCCER	187
V5542	115E12O:SPORT/12M SWIM	188
V5544	115E12P:SPORT/12M TENNIS	188
V5545	115E12Q:SPORT/12M TRACK	188
V5546	115E12R:SPORT/12M VLLYBL	189
V5560	115E12S:SPORT/12M WATER POLO	189
V5547	115E12T:SPORT/12M WTLIFT	190
V5548	115E12U:SPORT/12M WRESTL	190
V5549	115E12V:SPORT/12M OTHER	191
V5561	115E13:#DA/WK ACTV 60 MIN	191
V5562	115E14:#SEMESTERS/YR GYM	192
V5563	115E15:#DA/WK GYM CLASS	192

CASEID — CASE IDENTIFICATION NUMBER

Location: 1-4 (width: 4; decimal: 0)

Variable Type: numeric

Based upon 2493 valid cases out of 2493 total cases.

V1 — YEAR OF ADMIN (4-DIGITS)

Location: 5-8 (width: 4; decimal: 0)

Variable Type: numeric

Value	*Unweighted Frequency*	*%*	*Valid %*
2011	2493	100.0 %	100.0%

Based upon 2493 valid cases out of 2493 total cases.

V3 — 115:FORM ID

Location: 9-10 (width: 2; decimal: 0)

Variable Type: numeric

Value	*Unweighted Frequency*	*%*	*Valid %*
5	2493	100.0 %	100.0%

Based upon 2493 valid cases out of 2493 total cases.

V4 **115:Rs ID-SERIAL #**

Location: 11-15 (width: 5; decimal: 0)

Variable Type: numeric

Based upon 2493 valid cases out of 2493 total cases.

V5 **SAMPLING WEIGHT**

Location: 16-21 (width: 6; decimal: 4)

Variable Type: numeric

Based upon 2493 valid cases out of 2493 total cases.

V13 **SCH REG-4 CAT**

Location: 22-23 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NORTHEAST:(1)	474	19.0 %	19.0%
2	NORTH CENTRL:(2)	649	26.0 %	26.0%
3	SOUTH:(3)	811	32.5 %	32.5%
4	WEST:(4)	559	22.4 %	22.4%

Based upon 2493 valid cases out of 2493 total cases.

V16 **LARGE MSA = 1/NOT = 0**

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NOT:(0)	1593	63.9 %	63.9%
1	LARGE MSA:(1)	900	36.1 %	36.1%

Based upon 2493 valid cases out of 2493 total cases.

V17 **MSA/NON-MSA = 0**

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

Question:

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NOT:(0)	494	19.8 %	19.8%
1	MSA:(1)	1999	80.2 %	80.2%

Based upon 2493 valid cases out of 2493 total cases.

V5208 **115A01 :VRY HPY THS DAYS**

Location: 28-29 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NT HAPPY:(1)	304	12.2 %	12.3%
2	PRTY HPY:(2)	1618	64.9 %	65.3%
3	VRY HPY:(3)	557	22.3 %	22.5%
-9 (M)	MISSING:(-9)	14	0.6 %	-

Based upon 2479 valid cases out of 2493 total cases.

V5209 **115A02 :THK ABT SOC ISSU**

Location: 30-31 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06880

Some people think a lot about the social problems of the

nation and the world, and about how they might be solved. Others spend little time thinking about these issues. How much do you think about such things?

1="Never" 2="Seldom" 3="Sometimes" 4="Quite often" 5="A great deal"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NEVER:(1)	112	4.5 %	4.5%
2	SELDOM:(2)	412	16.5 %	16.6%
3	SOMETIME:(3)	1153	46.2 %	46.6%
4	QUITE OFTN:(4)	646	25.9 %	26.1%
5	GREAT DEAL:(5)	153	6.1 %	6.2%
-9 (M)	MISSING:(-9)	17	0.7 %	-

Based upon 2476 valid cases out of 2493 total cases.

V5210 **115A03A:WR/NT NUCLER WAR**

Location: 32-33 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 11660

Of all the problems facing the nation today, how often do you worry about each of the following?

A: Chance of nuclear war

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NEVER:(1)	913	36.6 %	36.9%
2	SELDOM:(2)	879	35.3 %	35.6%
3	SOMETIME:(3)	517	20.7 %	20.9%
4	OFTEN:(4)	163	6.5 %	6.6%
-9 (M)	MISSING:(-9)	21	0.8 %	-

Based upon 2472 valid cases out of 2493 total cases.

V5211 **115A03B:WR/NT POP GROWTH**

Location: 34-35 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 11670

Of all the problems facing the nation today, how often do you worry about each of the following?

B: Population growth

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NEVER:(1)	849	34.1 %	34.3%
2	SELDOM:(2)	777	31.2 %	31.4%
3	SOMETIME:(3)	599	24.0 %	24.2%
4	OFTEN:(4)	249	10.0 %	10.1%
-9 (M)	MISSING:(-9)	19	0.8 %	-

Based upon 2474 valid cases out of 2493 total cases.

V5212 **115A03C:WR/NT CRIME/VLNC**

Location: 36-37 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 11680

Of all the problems facing the nation today, how often do you worry about each of the following?

C: Crime and violence

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NEVER:(1)	128	5.1 %	5.2%
2	SELDOM:(2)	454	18.2 %	18.3%
3	SOMETIME:(3)	1050	42.1 %	42.4%
4	OFTEN:(4)	844	33.9 %	34.1%
-9 (M)	MISSING:(-9)	17	0.7 %	-

Based upon 2476 valid cases out of 2493 total cases.

V5213 **115A03D:WR/NT POLLUTION**

Location: 38-39 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 11690

Of all the problems facing the nation today, how often do you

worry about each of the following?

D: Pollution

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NEVER:(1)	376	15.1 %	15.2%
2	SELDOM:(2)	813	32.6 %	32.9%
3	SOMETIME:(3)	838	33.6 %	33.9%
4	OFTEN:(4)	442	17.7 %	17.9%
-9 (M)	MISSING:(-9)	24	1.0 %	-

Based upon 2469 valid cases out of 2493 total cases.

V5214 **115A03E:WR/NT ENRGY SHRT**

Location: 40-41 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 11700

Of all the problems facing the nation today, how often do you worry about each of the following?

E: Energy shortages

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NEVER:(1)	813	32.6 %	32.8%
2	SELDOM:(2)	842	33.8 %	34.0%
3	SOMETIME:(3)	559	22.4 %	22.6%
4	OFTEN:(4)	261	10.5 %	10.5%
-9 (M)	MISSING:(-9)	18	0.7 %	-

Based upon 2475 valid cases out of 2493 total cases.

V5215 **115A03F:WR/NT RACE RELTN**

Location: 42-43 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 11710

Of all the problems facing the nation today, how often do you worry about each of the following?

F: Race relations

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NEVER:(1)	674	27.0 %	27.3%
2	SELDOM:(2)	777	31.2 %	31.4%
3	SOMETIME:(3)	638	25.6 %	25.8%
4	OFTEN:(4)	382	15.3 %	15.5%
-9 (M)	MISSING:(-9)	22	0.9 %	-

Based upon 2471 valid cases out of 2493 total cases.

V5216 **115A03G:WR/NT HNGR/PVRTY**

Location: 44-45 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 11720

Of all the problems facing the nation today, how often do you worry about each of the following?

G: Hunger and poverty

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NEVER:(1)	316	12.7 %	12.8%
2	SELDOM:(2)	691	27.7 %	28.0%
3	SOMETIME:(3)	950	38.1 %	38.5%
4	OFTEN:(4)	512	20.5 %	20.7%
-9 (M)	MISSING:(-9)	24	1.0 %	-

Based upon 2469 valid cases out of 2493 total cases.

V5217 **115A03H:WR/NT USE OPN LD**

Location: 46-47 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 11730

Of all the problems facing the nation today, how often do you worry about each of the following?

H: Using open land for housing or industry

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NEVER:(1)	1142	45.8 %	46.2%
2	SELDOM:(2)	702	28.2 %	28.4%
3	SOMETIME:(3)	410	16.4 %	16.6%
4	OFTEN:(4)	218	8.7 %	8.8%
-9 (M)	MISSING:(-9)	21	0.8 %	-

Based upon 2472 valid cases out of 2493 total cases.

V5218 **115A03I:WR/NT URBN DECAY**

Location: 48-49 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 11740

Of all the problems facing the nation today, how often do you worry about each of the following?

I: Urban decay

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NEVER:(1)	1337	53.6 %	54.5%
2	SELDOM:(2)	720	28.9 %	29.4%
3	SOMETIME:(3)	310	12.4 %	12.6%
4	OFTEN:(4)	86	3.4 %	3.5%
-9 (M)	MISSING:(-9)	40	1.6 %	-

Based upon 2453 valid cases out of 2493 total cases.

V5219 **115A03J:WR/NT ECON PRBLM**

Location: 50-51 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 11750

Of all the problems facing the nation today, how often do you worry about each of the following?

J: Economic problems

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NEVER:(1)	215	8.6 %	8.7%
2	SELDOM:(2)	403	16.2 %	16.3%
3	SOMETIME:(3)	923	37.0 %	37.3%
4	OFTEN:(4)	931	37.3 %	37.7%
-9 (M)	MISSING:(-9)	21	0.8 %	-

Based upon 2472 valid cases out of 2493 total cases.

V5220 **115A03K:WR/NT DRUG ABUSE**

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11760

Of all the problems facing the nation today, how often do you worry about each of the following?

K: Drug abuse

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NEVER:(1)	458	18.4 %	18.5%
2	SELDOM:(2)	691	27.7 %	27.9%
3	SOMETIME:(3)	781	31.3 %	31.6%
4	OFTEN:(4)	544	21.8 %	22.0%
-9 (M)	MISSING:(-9)	19	0.8 %	-

Based upon 2474 valid cases out of 2493 total cases.

V5221 **115A04A:XPRC MK R GD SPS**

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11770

How well do you think your experiences and training (at home, school, work, etc.) have prepared you to be a good . . .

A: . . . husband or wife?

1="Poorly" 2="Not So Well" 3="Fairly Well" 4="Well" 5="Very Well"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	POORLY:(1)	88	3.5 %	3.6%
2	NOT WELL:(2)	137	5.5 %	5.6%
3	FAIR WELL:(3)	484	19.4 %	19.9%
4	WELL:(4)	853	34.2 %	35.1%
5	VERY WELL:(5)	866	34.7 %	35.7%
-9 (M)	MISSING:(-9)	65	2.6 %	-

Based upon 2428 valid cases out of 2493 total cases.

V5222 **115A04B:XPRC MK R GD PRT**

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11780

How well do you think your experiences and training (at home, school, work, etc.) have prepared you to be a good . . .

B: . . . parent?

1="Poorly" 2="Not So Well" 3="Fairly Well" 4="Well" 5="Very Well"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	POORLY:(1)	67	2.7 %	2.7%
2	NOT WELL:(2)	132	5.3 %	5.4%
3	FAIR WELL:(3)	443	17.8 %	18.1%
4	WELL:(4)	757	30.4 %	30.9%
5	VERY WELL:(5)	1049	42.1 %	42.9%
-9 (M)	MISSING:(-9)	45	1.8 %	-

Based upon 2448 valid cases out of 2493 total cases.

V5223 **115A04C:XPRC MK R GD WKR**

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11790

How well do you think your experiences and training (at home,

school, work, etc.) have prepared you to be a good . . .

C: . . . worker on a job?

1="Poorly" 2="Not So Well" 3="Fairly Well" 4="Well" 5="Very Well"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	POORLY:(1)	33	1.3 %	1.3%
2	NOT WELL:(2)	68	2.7 %	2.8%
3	FAIR WELL:(3)	298	12.0 %	12.2%
4	WELL:(4)	819	32.9 %	33.4%
5	VERY WELL:(5)	1232	49.4 %	50.3%
-9 (M)	MISSING:(-9)	43	1.7 %	-

Based upon 2450 valid cases out of 2493 total cases.

V5224 **115A05A:PLC WRK LG CORPN**

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11800

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

A: Working in a large corporation

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT@ALL:(1)	205	8.2 %	8.3%
2	SOMEWHAT:(2)	649	26.0 %	26.3%
3	ACCEPTBL:(3)	1240	49.7 %	50.3%
4	DESIRBL:(4)	371	14.9 %	15.1%
-9 (M)	MISSING:(-9)	28	1.1 %	-

Based upon 2465 valid cases out of 2493 total cases.

V5225 **115A05B:PLC WRK SM BSNSS**

Location: 62-63 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11810

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

B: Working in a small business

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT@ALL:(1)	101	4.1 %	4.1%
2	SOMEWHAT:(2)	576	23.1 %	23.4%
3	ACCEPTBL:(3)	1429	57.3 %	58.0%
4	DESIRBL:(4)	359	14.4 %	14.6%
-9 (M)	MISSING:(-9)	28	1.1 %	-

Based upon 2465 valid cases out of 2493 total cases.

V5226 **115A05C:PLC WRK GVT AGCY**

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11820

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

C: Working in a government agency

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT@ALL:(1)	430	17.2 %	17.5%
2	SOMEWHAT:(2)	712	28.6 %	29.0%
3	ACCEPTBL:(3)	908	36.4 %	36.9%
4	DESIRBL:(4)	409	16.4 %	16.6%
-9 (M)	MISSING:(-9)	34	1.4 %	-

Based upon 2459 valid cases out of 2493 total cases.

V5227 **115A05D:PLC WRK MLTY SVC**

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11830

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

D: Working in the military service

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT@ALL:(1)	1021	41.0 %	41.4%
2	SOMEWHAT:(2)	596	23.9 %	24.2%
3	ACCEPTBL:(3)	563	22.6 %	22.8%
4	DESIRBL:(4)	285	11.4 %	11.6%
-9 (M)	MISSING:(-9)	28	1.1 %	-

Based upon 2465 valid cases out of 2493 total cases.

V5228 115A05E:PLC WRK SCH/UNIV

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11840

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

E: Working in a school or university

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT@ALL:(1)	493	19.8 %	20.1%
2	SOMEWHAT:(2)	723	29.0 %	29.4%
3	ACCEPTBL:(3)	875	35.1 %	35.6%
4	DESIRBL:(4)	366	14.7 %	14.9%
-9 (M)	MISSING:(-9)	36	1.4 %	-

Based upon 2457 valid cases out of 2493 total cases.

V5229 **115A05F:PLC WRK PLC DEPT**

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11850

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

F: Working in a police department or police agency

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT@ALL:(1)	704	28.2 %	28.6%
2	SOMEWHAT:(2)	680	27.3 %	27.6%
3	ACCEPTBL:(3)	743	29.8 %	30.1%
4	DESIRBL:(4)	338	13.6 %	13.7%
-9 (M)	MISSING:(-9)	28	1.1 %	-

Based upon 2465 valid cases out of 2493 total cases.

V5230 **115A05G:PLC WRK SOC SVCS**

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11860

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

G: Working in a social service organization

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT@ALL:(1)	524	21.0 %	21.3%
2	SOMEWHAT:(2)	884	35.5 %	36.0%
3	ACCEPTBL:(3)	775	31.1 %	31.6%
4	DESIRBL:(4)	272	10.9 %	11.1%
-9 (M)	MISSING:(-9)	38	1.5 %	-

Based upon 2455 valid cases out of 2493 total cases.

V5231 **115A05H:PLC WRK SML GRP**

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11870

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

H: Working with a small group of partners

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT@ALL:(1)	237	9.5 %	9.6%
2	SOMEWHAT:(2)	709	28.4 %	28.8%
3	ACCEPTBL:(3)	1143	45.8 %	46.5%
4	DESIRBL:(4)	371	14.9 %	15.1%
-9 (M)	MISSING:(-9)	33	1.3 %	-

Based upon 2460 valid cases out of 2493 total cases.

V5232 **115A05I:PLC WRK SLF EMPL**

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11880

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

I: Working on your own (self-employed)

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT@ALL:(1)	312	12.5 %	12.7%
2	SOMEWHAT:(2)	534	21.4 %	21.7%
3	ACCEPTBL:(3)	906	36.3 %	36.8%

Value	Label	Unweighted Frequency	%	Valid %
4	DESIRBL:(4)	712	28.6 %	28.9%
-9 (M)	MISSING:(-9)	29	1.2 %	-

Based upon 2464 valid cases out of 2493 total cases.

V5233 **115A06 :ENUF$,NT WNT WRK**

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08100

If you were to get enough money to live as comfortably as you'd like for the rest of your life, would you want to work?

1="I would want to work" 2="I would not want to work"

Value	Label	Unweighted Frequency	%	Valid %
1	WORK:(1)	1834	73.6 %	75.6%
2	NOT WORK:(2)	591	23.7 %	24.4%
-9 (M)	MISSING:(-9)	68	2.7 %	-

Based upon 2425 valid cases out of 2493 total cases.

V5234 **115A07A:RCL CNTCT SCHOOL**

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11890

The next questions are about race relations. How much have you gotten to know people of other races . . .

A: . . . In school?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	66	2.6 %	2.7%
2	LITTLE:(2)	339	13.6 %	13.7%
3	SOME:(3)	689	27.6 %	27.9%
4	A LOT:(4)	1342	53.8 %	54.4%
8	NOT APPL:(8)	30	1.2 %	1.2%

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
-9 (M)	MISSING:(-9)	27	1.1 %	-

Based upon 2466 valid cases out of 2493 total cases.

V5235 **115A07B:RCL CNTCT NGHBHD**

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11900

The next questions are about race relations. How much have you gotten to know people of other races . . .

B: . . . In your neighborhood?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT @ALL:(1)	711	28.5 %	28.9%
2	LITTLE:(2)	709	28.4 %	28.8%
3	SOME:(3)	480	19.3 %	19.5%
4	A LOT:(4)	400	16.0 %	16.2%
8	NOT APPL:(8)	162	6.5 %	6.6%
-9 (M)	MISSING:(-9)	31	1.2 %	-

Based upon 2462 valid cases out of 2493 total cases.

V5236 **115A07C:RCL CNTCT CHURCH**

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11910

The next questions are about race relations. How much have you gotten to know people of other races . . .

C: . . . In church?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT @ALL:(1)	619	24.8 %	25.2%

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
2	LITTLE:(2)	491	19.7 %	20.0%
3	SOME:(3)	364	14.6 %	14.8%
4	A LOT:(4)	336	13.5 %	13.7%
8	NOT APPL:(8)	648	26.0 %	26.4%
-9 (M)	MISSING:(-9)	35	1.4 %	-

Based upon 2458 valid cases out of 2493 total cases.

V5237 **115A07D:RCL CNTCT SPORTS**

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11920

The next questions are about race relations. How much have you gotten to know people of other races . . .

D: . . . On sports teams?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT @ALL:(1)	267	10.7 %	10.8%
2	LITTLE:(2)	318	12.8 %	12.9%
3	SOME:(3)	575	23.1 %	23.4%
4	A LOT:(4)	794	31.8 %	32.3%
8	NOT APPL:(8)	508	20.4 %	20.6%
-9 (M)	MISSING:(-9)	31	1.2 %	-

Based upon 2462 valid cases out of 2493 total cases.

V5238 **115A07E:RCL CNTCT CLUBS**

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11930

The next questions are about race relations. How much have you gotten to know people of other races . . .

E: . . . In clubs?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not

Apply To Me"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT @ALL:(1)	402	16.1 %	16.4%
2	LITTLE:(2)	432	17.3 %	17.6%
3	SOME:(3)	555	22.3 %	22.6%
4	A LOT:(4)	548	22.0 %	22.3%
8	NOT APPL:(8)	521	20.9 %	21.2%
-9 (M)	MISSING:(-9)	35	1.4 %	-

Based upon 2458 valid cases out of 2493 total cases.

V5239 **115A07F:RCL CNTCT JOB**

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11940

The next questions are about race relations. How much have you gotten to know people of other races . . .

F: . . . On a job?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT @ALL:(1)	273	11.0 %	11.1%
2	LITTLE:(2)	318	12.8 %	12.9%
3	SOME:(3)	535	21.5 %	21.7%
4	A LOT:(4)	786	31.5 %	31.9%
8	NOT APPL:(8)	553	22.2 %	22.4%
-9 (M)	MISSING:(-9)	28	1.1 %	-

Based upon 2465 valid cases out of 2493 total cases.

V5240 **115A08 :B/W RLTNS WRSE**

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11950

Thinking about the country as a whole, would you say relations between white people and black people have been getting better,

getting worse, or staying pretty much the same?

1="Better" 2="A little better" 3="Same" 4="A little worse"
5="Worse"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	BETTER:(1)	666	26.7 %	27.1%
2	LTL BTR:(2)	1036	41.6 %	42.1%
3	SAME:(3)	606	24.3 %	24.6%
4	LTL WRS:(4)	105	4.2 %	4.3%
5	WORSE:(5)	46	1.8 %	1.9%
-9 (M)	MISSING:(-9)	34	1.4 %	-

Based upon 2459 valid cases out of 2493 total cases.

V5241 **115A09 :DNT HV DRVR LCNS**

Location: 94-95 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 11960

The next questions are about driving. Do you have a driver's license?

1="Yes" 2="No, but I soon will--GO TO TOP OF NEXT COLUMN"
3="No--GO TO TOP OF NEXT COLUMN"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	YES:(1)	1675	67.2 %	72.2%
2	SOON:(2)	510	20.5 %	22.0%
3	NO:(3)	135	5.4 %	5.8%
-9 (M)	MISSING:(-9)	173	6.9 %	-

Based upon 2320 valid cases out of 2493 total cases.

V5242 **115A10 :DONT OWN CAR**

Location: 96-97 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 11970

Do you own a car?

1="Yes" 2="No, but I expect to own one in another year or two"

3="No"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	YES:(1)	1163	46.7 %	69.4%
2	EXPECT:(2)	342	13.7 %	20.4%
3	NO:(3)	170	6.8 %	10.1%
-9 (M)	MISSING:(-9)	818	32.8 %	-

Based upon 1675 valid cases out of 2493 total cases.

V5243 **115A11 :NEVR USE OTHS CR**

Location: 98-99 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 11980

Are you able to use someone else's car when you want to?

1="Yes, whenever I wish" 2="Yes, most of the time"
3="Sometimes" 4="Rarely" 5="Never"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	YES WHNVR:(1)	470	18.9 %	28.1%
2	MOST TIME:(2)	695	27.9 %	41.6%
3	SOME TIME:(3)	345	13.8 %	20.6%
4	RARELY:(4)	112	4.5 %	6.7%
5	NEVER:(5)	50	2.0 %	3.0%
-9 (M)	MISSING:(-9)	821	32.9 %	-

Based upon 1672 valid cases out of 2493 total cases.

V5244 **115A12 :R CUT DRIVING**

Location: 100-101 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 11990

Do you make an effort to cut down on driving, in order to save gasoline?

1="Not at all" 2="Not very much" 3="Yes, to some extent"
4="Yes, quite a bit" 8="Don't know"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT @ALL:(1)	212	8.5 %	12.7%
2	NOT VMCH:(2)	440	17.6 %	26.3%
3	YES SOME:(3)	737	29.6 %	44.0%
4	YES QUITE:(4)	257	10.3 %	15.3%
8	DK:(8)	29	1.2 %	1.7%
-9 (M)	MISSING:(-9)	818	32.8 %	-

Based upon 1675 valid cases out of 2493 total cases.

V5245 **115A13 :R CUT ELECTRICTY**

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12000

Do you make an effort to cut down on the amount of electricity you use, in order to save energy?

1="Not at all" 2="Not very much" 3="Yes, to some extent" 4="Yes, quite a bit" 8="Don't know"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT @ALL:(1)	279	11.2 %	11.3%
2	NOT VMCH:(2)	679	27.2 %	27.6%
3	YES SOME:(3)	1045	41.9 %	42.4%
4	YES QUITE:(4)	377	15.1 %	15.3%
8	DK:(8)	82	3.3 %	3.3%
-9 (M)	MISSING:(-9)	31	1.2 %	-

Based upon 2462 valid cases out of 2493 total cases.

V5246 **115A14 :RDCE HEAT Rs HM**

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12010

In the house or apartment where you live, is an effort made to reduce heat during the winter, in order to save energy?

1="Not at all" 2="Not very much" 3="Yes, to some extent" 4="Yes, quite a bit" 8="Don't know"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT @ALL:(1)	279	11.2 %	11.3%
2	NOT VMCH:(2)	586	23.5 %	23.8%
3	YES SOME:(3)	898	36.0 %	36.4%
4	YES QUITE:(4)	537	21.5 %	21.8%
8	DK:(8)	165	6.6 %	6.7%
-9 (M)	MISSING:(-9)	28	1.1 %	-

Based upon 2465 valid cases out of 2493 total cases.

V5247 **115A15A:ENJOY SHOPPING**

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12020

How do you feel about each of the following?

A: How much do you enjoy shopping for things like clothes, music, videos, sporting goods, and books?

1="Not At All" 2="Not Very Much" 3="Pretty Much" 4="Very Much"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT @ALL:(1)	74	3.0 %	3.0%
2	NOT VMCH:(2)	318	12.8 %	12.9%
3	PRTY MCH:(3)	845	33.9 %	34.3%
4	VERY MCH:(4)	1227	49.2 %	49.8%
-9 (M)	MISSING:(-9)	29	1.2 %	-

Based upon 2464 valid cases out of 2493 total cases.

V5248 **115A15B:CARE LATST FASHN**

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12030

How do you feel about each of the following?

B: How much do you care about having the latest fashion in your clothes, music, videos, leisure activities, and so on?

1="Not At All" 2="Not Very Much" 3="Pretty Much" 4="Very Much"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT @ALL:(1)	357	14.3 %	14.5%
2	NOT VMCH:(2)	923	37.0 %	37.5%
3	PRTY MCH:(3)	739	29.6 %	30.0%
4	VERY MCH:(4)	443	17.8 %	18.0%
-9 (M)	MISSING:(-9)	31	1.2 %	-

Based upon 2462 valid cases out of 2493 total cases.

V5249 **115A15C:CR FAM HV NBR HV**

Location: 110-111 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12040

How do you feel about each of the following?

C: How much do you care about whether your family has most of the things your friends and neighbors have?

1="Not At All" 2="Not Very Much" 3="Pretty Much" 4="Very Much"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT @ALL:(1)	939	37.7 %	38.2%
2	NOT VMCH:(2)	1078	43.2 %	43.9%
3	PRTY MCH:(3)	319	12.8 %	13.0%
4	VERY MCH:(4)	120	4.8 %	4.9%
-9 (M)	MISSING:(-9)	37	1.5 %	-

Based upon 2456 valid cases out of 2493 total cases.

V5250 **115A16 :XPCT 2 OWN>PRNTS**

Location: 112-113 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12050

When you are older, do you expect to own more possessions than your parents do now, or about the same, or less?
I expect to own . . . ?

1="Much less than my parents" 2="Somewhat less than my parents" 3="About as much as my parents" 4="Somewhat more than my parents" 5="Much more than my parents"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	MCH LESS:(1)	62	2.5 %	2.5%
2	SMWT LESS:(2)	190	7.6 %	7.7%
3	ABT AS MCH:(3)	822	33.0 %	33.5%
4	SMWT MORE:(4)	833	33.4 %	33.9%
5	MCH MORE:(5)	549	22.0 %	22.4%
-9 (M)	MISSING:(-9)	37	1.5 %	-

Based upon 2456 valid cases out of 2493 total cases.

V5251 **115A17 :LST CNT OWN>PRNT**

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12060

Compared with your parents, what is the smallest amount that you could be content or satisfied to own? The least I could be content to own is . . . ?

1="Much less than my parents" 2="Somewhat less than my parents" 3="About as much as my parents" 4="Somewhat more than my parents" 5="Much more than my parents"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	MCH LESS:(1)	290	11.6 %	11.9%
2	SMWT LESS:(2)	670	26.9 %	27.4%
3	ABT AS MCH:(3)	921	36.9 %	37.7%
4	SMWT MORE:(4)	386	15.5 %	15.8%
5	MCH MORE:(5)	174	7.0 %	7.1%
-9 (M)	MISSING:(-9)	52	2.1 %	-

Based upon 2441 valid cases out of 2493 total cases.

V5252 **115A18A:WRRY ABT OW CTRY**

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12070

These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A: We ought to worry about our own country and let the rest

of the world take care of itself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	415	16.6 %	16.9%
2	MOST DIS:(2)	493	19.8 %	20.0%
3	NEITHER:(3)	497	19.9 %	20.2%
4	MOST AGR:(4)	651	26.1 %	26.5%
5	AGREE:(5)	405	16.2 %	16.5%
-9 (M)	MISSING:(-9)	32	1.3 %	-

Based upon 2461 valid cases out of 2493 total cases.

V5253 **115A18B:BTTR IF CTZ WRLD**

Location: 118-119 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12080

How much do you agree or disagree with each statement below?

B: It would be better if we all felt more like citizens of
the world than of any particular country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	285	11.4 %	11.6%
2	MOST DIS:(2)	306	12.3 %	12.5%
3	NEITHER:(3)	706	28.3 %	28.8%
4	MOST AGR:(4)	657	26.4 %	26.8%
5	AGREE:(5)	497	19.9 %	20.3%
-9 (M)	MISSING:(-9)	42	1.7 %	-

Based upon 2451 valid cases out of 2493 total cases.

V5254 **115A18C:-SYMP TWD STARVG**

Location: 120-121 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12090

How much do you agree or disagree with each statement below?

C: I find it hard to be sympathetic toward starving people in foreign lands, when there is so much trouble in our own country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	889	35.7 %	36.2%
2	MOST DIS:(2)	563	22.6 %	23.0%
3	NEITHER:(3)	410	16.4 %	16.7%
4	MOST AGR:(4)	356	14.3 %	14.5%
5	AGREE:(5)	235	9.4 %	9.6%
-9 (M)	MISSING:(-9)	40	1.6 %	-

Based upon 2453 valid cases out of 2493 total cases.

V5255 **115A18D:MNRTY NT MY BSNS**

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12100

How much do you agree or disagree with each statement below?

D: Maybe some minority groups do get unfair treatment, but that's no business of mine

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	902	36.2 %	37.0%
2	MOST DIS:(2)	600	24.1 %	24.6%
3	NEITHER:(3)	515	20.7 %	21.1%
4	MOST AGR:(4)	245	9.8 %	10.0%
5	AGREE:(5)	179	7.2 %	7.3%
-9 (M)	MISSING:(-9)	52	2.1 %	-

Based upon 2441 valid cases out of 2493 total cases.

V5256 **115A18E:UPST PL TR -FAIR**

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12110

How much do you agree or disagree with each statement below?

E: I get very upset when I see other people treated unfairly

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	109	4.4 %	4.4%
2	MOST DIS:(2)	106	4.3 %	4.3%
3	NEITHER:(3)	245	9.8 %	10.0%
4	MOST AGR:(4)	822	33.0 %	33.6%
5	AGREE:(5)	1168	46.9 %	47.7%
-9 (M)	MISSING:(-9)	43	1.7 %	-

Based upon 2450 valid cases out of 2493 total cases.

V5257 115A18F:HELP POOR W MY $

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12120

How much do you agree or disagree with each statement below?

F: I would agree to a good plan to make a better life for the poor, even if it cost me money

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	162	6.5 %	6.6%
2	MOST DIS:(2)	291	11.7 %	11.9%
3	NEITHER:(3)	640	25.7 %	26.1%
4	MOST AGR:(4)	813	32.6 %	33.2%
5	AGREE:(5)	544	21.8 %	22.2%
-9 (M)	MISSING:(-9)	43	1.7 %	-

Based upon 2450 valid cases out of 2493 total cases.

V5258 115A18G:-MY PRB OT ND HP

Location: 128-129 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12130

How much do you agree or disagree with each statement below?

G: It's not really my problem if others are in trouble and need help

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	901	36.1 %	36.8%
2	MOST DIS:(2)	866	34.7 %	35.4%
3	NEITHER:(3)	438	17.6 %	17.9%
4	MOST AGR:(4)	162	6.5 %	6.6%
5	AGREE:(5)	79	3.2 %	3.2%
-9 (M)	MISSING:(-9)	47	1.9 %	-

Based upon 2446 valid cases out of 2493 total cases.

V5259 115A18H:RB CHNG ETG HABT

Location: 130-131 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12140

How much do you agree or disagree with each statement below?

H: Americans could change their eating habits to provide more food for the hungry people in other parts of the world, and at the same time be healthier themselves

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	168	6.7 %	6.8%
2	MOST DIS:(2)	206	8.3 %	8.4%
3	NEITHER:(3)	417	16.7 %	17.0%
4	MOST AGR:(4)	764	30.6 %	31.1%
5	AGREE:(5)	900	36.1 %	36.7%
-9 (M)	MISSING:(-9)	38	1.5 %	-

Based upon 2455 valid cases out of 2493 total cases.

V5260 **115A18I:FAM BUYS THG -ND**

Location: 132-133 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 10060

How much do you agree or disagree with each statement below?

I: My family and I often buy things we really don't need; we could get along with much less

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Responses from the Western region intentionally obliterated.

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	266	10.7 %	14.0%
2	MOST DIS:(2)	357	14.3 %	18.8%
3	NEITHER:(3)	410	16.4 %	21.6%
4	MOST AGR:(4)	573	23.0 %	30.2%
5	AGREE:(5)	290	11.6 %	15.3%
-9 (M)	MISSING:(-9)	597	23.9 %	-

Based upon 1896 valid cases out of 2493 total cases.

V5261 **115A18J:FULLR LVS IF MRY**

Location: 134-135 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12150

How much do you agree or disagree with each statement below?

J: Most people will have fuller and happier lives if they choose legal marriage rather than staying single, or just living with someone

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Responses from the Western region intentionally obliterated.

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	343	13.8 %	18.1%
2	MOST DIS:(2)	254	10.2 %	13.4%
3	NEITHER:(3)	679	27.2 %	35.8%
4	MOST AGR:(4)	323	13.0 %	17.0%
5	AGREE:(5)	296	11.9 %	15.6%
-9 (M)	MISSING:(-9)	598	24.0 %	-

Based upon 1895 valid cases out of 2493 total cases.

V5262 **115A18K:ENCRG = INDP DT/SN**

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12160

How much do you agree or disagree with each statement below?

K: Parents should encourage just as much independence in their daughters as in their sons

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	82	3.3 %	3.4%
2	MOST DIS:(2)	114	4.6 %	4.7%
3	NEITHER:(3)	345	13.8 %	14.1%
4	MOST AGR:(4)	616	24.7 %	25.2%
5	AGREE:(5)	1284	51.5 %	52.6%
-9 (M)	MISSING:(-9)	52	2.1 %	-

Based upon 2441 valid cases out of 2493 total cases.

V5263 **115A18L:BNG MOTH V FULFL**

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12170

How much do you agree or disagree with each statement below?

L: Being a mother and raising children is one of the most fulfilling experiences a woman can have

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	127	5.1 %	5.2%
2	MOST DIS:(2)	138	5.5 %	5.7%
3	NEITHER:(3)	713	28.6 %	29.3%
4	MOST AGR:(4)	676	27.1 %	27.8%
5	AGREE:(5)	779	31.2 %	32.0%
-9 (M)	MISSING:(-9)	60	2.4 %	-

Based upon 2433 valid cases out of 2493 total cases.

V5264 **115A18M:FTHR>TIME W CHLD**

Location: 140-141 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12180

How much do you agree or disagree with each statement below?

M: Most fathers should spend more time with their children
than they do now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	44	1.8 %	1.8%
2	MOST DIS:(2)	70	2.8 %	2.9%
3	NEITHER:(3)	449	18.0 %	18.4%
4	MOST AGR:(4)	870	34.9 %	35.6%
5	AGREE:(5)	1011	40.6 %	41.4%
-9 (M)	MISSING:(-9)	49	2.0 %	-

Based upon 2444 valid cases out of 2493 total cases.

V5265 **115A18N:HSB MAK IMP DCSN**

Location: 142-143 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12190

How much do you agree or disagree with each statement below?

N: The husband should make all the important decisions in the family

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Responses from the Western region intentionally obliterated.

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	760	30.5 %	40.2%
2	MOST DIS:(2)	394	15.8 %	20.8%
3	NEITHER:(3)	432	17.3 %	22.9%
4	MOST AGR:(4)	171	6.9 %	9.0%
5	AGREE:(5)	133	5.3 %	7.0%
-9 (M)	MISSING:(-9)	603	24.2 %	-

Based upon 1890 valid cases out of 2493 total cases.

V5266 **115A19 :INTEREST IN GOVT**

Location: 144-145 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06330

Some people think about what's going on in government very often, and others are not that interested. How much of an interest do you take in government and current events?

1="No interest at all" 2="Very little interest" 3="Some interest" 4="A lot of interest" 5="A very great interest"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO INTRST:(1)	255	10.2 %	10.5%
2	VRY LITTLE:(2)	514	20.6 %	21.1%
3	SOME:(3)	1028	41.2 %	42.3%
4	A LOT:(4)	413	16.6 %	17.0%
5	VRY GRT:(5)	221	8.9 %	9.1%
-9 (M)	MISSING:(-9)	62	2.5 %	-

Based upon 2431 valid cases out of 2493 total cases.

V5267 **115A20A:CTB TO UNTD FUND**

Location: 146-147 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12200

If you have at least an average income in the future, how likely is it that you will contribute money to the following organizations? If you have already contributed, mark the last circle only. Are you likely to contribute to . . .

A: . . . The United Fund or other community charities?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DEF NOT:(1)	162	6.5 %	6.7%
2	PROB NOT:(2)	405	16.2 %	16.7%
3	DK:(3)	1046	42.0 %	43.1%
4	PROB WILL:(4)	601	24.1 %	24.8%
5	DEF WILL:(5)	124	5.0 %	5.1%
6	ALRDY HAV:(6)	87	3.5 %	3.6%
-9 (M)	MISSING:(-9)	68	2.7 %	-

Based upon 2425 valid cases out of 2493 total cases.

V5268 **115A20B:CTB TO INTL RELF**

Location: 148-149 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12210

Are you likely to contribute to . . .

B: . . . International relief organizations (CARE, UNICEF, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DEF NOT:(1)	159	6.4 %	6.6%
2	PROB NOT:(2)	404	16.2 %	16.6%
3	DK:(3)	809	32.5 %	33.3%
4	PROB WILL:(4)	712	28.6 %	29.3%
5	DEF WILL:(5)	194	7.8 %	8.0%
6	ALRDY HAV:(6)	149	6.0 %	6.1%
-9 (M)	MISSING:(-9)	66	2.6 %	-

Based upon 2427 valid cases out of 2493 total cases.

V5269 115A20C:CTB TO MNRTY GRP

Location: 150-151 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12220

Are you likely to contribute to . . .

C: . . . Minority group organizations (NAACP, SCLC, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DEF NOT:(1)	292	11.7 %	12.1%
2	PROB NOT:(2)	583	23.4 %	24.1%
3	DK:(3)	961	38.5 %	39.7%
4	PROB WILL:(4)	424	17.0 %	17.5%
5	DEF WILL:(5)	137	5.5 %	5.7%
6	ALRDY HAV:(6)	24	1.0 %	1.0%
-9 (M)	MISSING:(-9)	72	2.9 %	-

Based upon 2421 valid cases out of 2493 total cases.

V5270 115A20D:CTB TO RELGS ORG

Location: 152-153 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12230

Are you likely to contribute to . . .

D: . . . Church or religious organizations?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DEF NOT:(1)	351	14.1 %	14.4%
2	PROB NOT:(2)	298	12.0 %	12.3%
3	DK:(3)	455	18.3 %	18.7%
4	PROB WILL:(4)	527	21.1 %	21.7%

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
5	DEF WILL:(5)	344	13.8 %	14.2%
6	ALRDY HAV:(6)	455	18.3 %	18.7%
-9 (M)	MISSING:(-9)	63	2.5 %	-

Based upon 2430 valid cases out of 2493 total cases.

V5271 **115A20E:CTB TO PLTCL PTY**

Location: 154-155 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12240

Are you likely to contribute to . . .

E: . . . Political parties or organizations?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DEF NOT:(1)	612	24.5 %	25.3%
2	PROB NOT:(2)	688	27.6 %	28.4%
3	DK:(3)	792	31.8 %	32.7%
4	PROB WILL:(4)	226	9.1 %	9.3%
5	DEF WILL:(5)	68	2.7 %	2.8%
6	ALRDY HAV:(6)	36	1.4 %	1.5%
-9 (M)	MISSING:(-9)	71	2.8 %	-

Based upon 2422 valid cases out of 2493 total cases.

V5272 **115A20F:CTB TO CTZN LBBY**

Location: 156-157 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12250

Are you likely to contribute to . . .

F: . . . Citizen lobbies (Common Cause, Public Citizen, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DEF NOT:(1)	321	12.9 %	13.3%
2	PROB NOT:(2)	630	25.3 %	26.0%
3	DK:(3)	1131	45.4 %	46.7%
4	PROB WILL:(4)	250	10.0 %	10.3%
5	DEF WILL:(5)	68	2.7 %	2.8%
6	ALRDY HAV:(6)	21	0.8 %	0.9%
-9 (M)	MISSING:(-9)	72	2.9 %	-

Based upon 2421 valid cases out of 2493 total cases.

V5273 **115A20G:CTB TO VS DISEAS**

Location: 158-159 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12260

Are you likely to contribute to . . .

G: . . . Charities to help fight diseases (cancer, heart disease, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DEF NOT:(1)	87	3.5 %	3.6%
2	PROB NOT:(2)	143	5.7 %	5.9%
3	DK:(3)	403	16.2 %	16.6%
4	PROB WILL:(4)	794	31.8 %	32.7%
5	DEF WILL:(5)	665	26.7 %	27.4%
6	ALRDY HAV:(6)	339	13.6 %	13.9%
-9 (M)	MISSING:(-9)	62	2.5 %	-

Based upon 2431 valid cases out of 2493 total cases.

V5274 **115A20H:CTB TO POP PRBMS**

Location: 160-161 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12270

Are you likely to contribute to . . .

H: . . . Organizations concerned with population problems
(Planned Parenthood, ZPG, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably
Will" 5="Definitely Will" 6="Already Have"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DEF NOT:(1)	337	13.5 %	13.9%
2	PROB NOT:(2)	552	22.1 %	22.7%
3	DK:(3)	960	38.5 %	39.5%
4	PROB WILL:(4)	377	15.1 %	15.5%
5	DEF WILL:(5)	173	6.9 %	7.1%
6	ALRDY HAV:(6)	34	1.4 %	1.4%
-9 (M)	MISSING:(-9)	60	2.4 %	-

Based upon 2433 valid cases out of 2493 total cases.

V5275 **115A20I:CTB TO ENVIR PBM**

Location: 162-163 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12280

Are you likely to contribute to . . .

I: . . . Organizations concerned with environmental problems
(Sierra Club, Friends of the Earth, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably
Will" 5="Definitely Will" 6="Already Have"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DEF NOT:(1)	249	10.0 %	10.2%
2	PROB NOT:(2)	392	15.7 %	16.1%
3	DK:(3)	863	34.6 %	35.5%
4	PROB WILL:(4)	569	22.8 %	23.4%
5	DEF WILL:(5)	271	10.9 %	11.1%
6	ALRDY HAV:(6)	87	3.5 %	3.6%
-9 (M)	MISSING:(-9)	62	2.5 %	-

Based upon 2431 valid cases out of 2493 total cases.

V5503 **115A23A:OFTN EAT BRKFST**

Location: 164-165 (width: 2; decimal: 0)
Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20740

How often do you . . .

A: . . . Eat breakfast?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NEVER:(1)	142	5.7 %	5.8%
2	SELDOM:(2)	495	19.9 %	20.2%
3	SOMETIME:(3)	544	21.8 %	22.2%
4	MST DAYS:(4)	339	13.6 %	13.8%
5	NR EV DA:(5)	338	13.6 %	13.8%
6	EVERYDAY:(6)	593	23.8 %	24.2%
-9 (M)	MISSING:(-9)	42	1.7 %	-

Based upon 2451 valid cases out of 2493 total cases.

V5504 115A23B:OFTN EAT GN VEG

Location: 166-167 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20750

How often do you . . .

B: . . . Eat at least some green vegetables?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NEVER:(1)	85	3.4 %	3.5%
2	SELDOM:(2)	214	8.6 %	8.7%
3	SOMETIME:(3)	566	22.7 %	23.1%
4	MST DAYS:(4)	616	24.7 %	25.2%
5	NR EV DA:(5)	499	20.0 %	20.4%
6	EVERYDAY:(6)	469	18.8 %	19.2%
-9 (M)	MISSING:(-9)	44	1.8 %	-

Based upon 2449 valid cases out of 2493 total cases.

V5505 **115A23C:OFTN EAT FRUIT**

Location: 168-169 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 20760

How often do you . . .

C: . . . Eat at least some fruit?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NEVER:(1)	44	1.8 %	1.8%
2	SELDOM:(2)	114	4.6 %	4.7%
3	SOMETIME:(3)	537	21.5 %	22.0%
4	MST DAYS:(4)	602	24.1 %	24.7%
5	NR EV DA:(5)	545	21.9 %	22.4%
6	EVERYDAY:(6)	596	23.9 %	24.4%
-9 (M)	MISSING:(-9)	55	2.2 %	-

Based upon 2438 valid cases out of 2493 total cases.

V5506 **115A23D:OFTN EXERCISE**

Location: 170-171 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 20770

How often do you . . .

D: . . . Exercise vigorously (jogging, swimming, calisthenics, or any other active sports)?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NEVER:(1)	119	4.8 %	4.9%
2	SELDOM:(2)	354	14.2 %	14.5%
3	SOMETIME:(3)	552	22.1 %	22.6%
4	MST DAYS:(4)	484	19.4 %	19.8%
5	NR EV DA:(5)	447	17.9 %	18.3%

Value	Label	Unweighted Frequency	%	Valid %
6	EVERYDAY:(6)	491	19.7 %	20.1%
-9 (M)	MISSING:(-9)	46	1.8 %	-

Based upon 2447 valid cases out of 2493 total cases.

V5507 **115A23E:OFTN 7HRS SLEEP**

Location: 172-173 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20780

How often do you . . .

E: . . . Get at least seven hours of sleep?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	91	3.7 %	3.7%
2	SELDOM:(2)	381	15.3 %	15.6%
3	SOMETIME:(3)	601	24.1 %	24.6%
4	MST DAYS:(4)	565	22.7 %	23.1%
5	NR EV DA:(5)	462	18.5 %	18.9%
6	EVERYDAY:(6)	347	13.9 %	14.2%
-9 (M)	MISSING:(-9)	46	1.8 %	-

Based upon 2447 valid cases out of 2493 total cases.

V5508 **115A23F:OFTN SLEEP<SHLD**

Location: 174-175 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20790

How often do you . . .

F: . . . Get less sleep than you think you should?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NEVER:(1)	163	6.5 %	6.7%
2	SELDOM:(2)	309	12.4 %	12.6%
3	SOMETIME:(3)	678	27.2 %	27.7%
4	MST DAYS:(4)	466	18.7 %	19.0%
5	NR EV DA:(5)	440	17.6 %	18.0%
6	EVERYDAY:(6)	391	15.7 %	16.0%
-9 (M)	MISSING:(-9)	46	1.8 %	-

Based upon 2447 valid cases out of 2493 total cases.

V5277 **115A24A:DSCM WN COLLG ED**

Location: 176-177 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12290

These questions are about whether you think women are discriminated against in each of the following areas.
To what extent are women discriminated against . . .

A: . . . In getting a college education?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT @ALL:(1)	971	38.9 %	40.0%
2	VRY LITL:(2)	636	25.5 %	26.2%
3	SOME:(3)	376	15.1 %	15.5%
4	GOOD DEAL:(4)	82	3.3 %	3.4%
5	GREAT DL:(5)	72	2.9 %	3.0%
8	DK:(8)	293	11.8 %	12.1%
-9 (M)	MISSING:(-9)	63	2.5 %	-

Based upon 2430 valid cases out of 2493 total cases.

V5278 **115A24B:DSCM WN LDRSHP**

Location: 178-179 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12300

To what extent are women discriminated against . . .

B: . . . In gaining positions of leadership over men and women?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT @ALL:(1)	283	11.4 %	11.7%
2	VRY LITL:(2)	298	12.0 %	12.3%
3	SOME:(3)	774	31.0 %	31.9%
4	GOOD DEAL:(4)	560	22.5 %	23.1%
5	GREAT DL:(5)	295	11.8 %	12.1%
8	DK:(8)	219	8.8 %	9.0%
-9 (M)	MISSING:(-9)	64	2.6 %	-

Based upon 2429 valid cases out of 2493 total cases.

V5279 **115A24C:DSCM WN EXEC/BSN**

Location: 180-181 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12310

To what extent are women discriminated against . . .

C: . . . In obtaining executive positions in business?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT @ALL:(1)	323	13.0 %	13.3%
2	VRY LITL:(2)	367	14.7 %	15.1%
3	SOME:(3)	697	28.0 %	28.7%
4	GOOD DEAL:(4)	488	19.6 %	20.1%
5	GREAT DL:(5)	263	10.5 %	10.8%
8	DK:(8)	288	11.6 %	11.9%
-9 (M)	MISSING:(-9)	67	2.7 %	-

Based upon 2426 valid cases out of 2493 total cases.

V5280 **115A24D:DSCM WN TOP/PRFN**

Location: 182-183 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12320

To what extent are women discriminated against . . .

D: . . . In obtaining top jobs in the professions?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT @ALL:(1)	370	14.8 %	15.3%
2	VRY LITL:(2)	403	16.2 %	16.6%
3	SOME:(3)	660	26.5 %	27.3%
4	GOOD DEAL:(4)	468	18.8 %	19.3%
5	GREAT DL:(5)	250	10.0 %	10.3%
8	DK:(8)	271	10.9 %	11.2%
-9 (M)	MISSING:(-9)	71	2.8 %	-

Based upon 2422 valid cases out of 2493 total cases.

V5281 115A24E:DSCM WN SKL LABR

Location: 184-185 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12330

To what extent are women discriminated against . . .

E: . . . In getting skilled labor jobs?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT @ALL:(1)	333	13.4 %	13.8%
2	VRY LITL:(2)	387	15.5 %	16.0%
3	SOME:(3)	627	25.2 %	25.9%
4	GOOD DEAL:(4)	452	18.1 %	18.7%
5	GREAT DL:(5)	271	10.9 %	11.2%
8	DK:(8)	349	14.0 %	14.4%
-9 (M)	MISSING:(-9)	74	3.0 %	-

Based upon 2419 valid cases out of 2493 total cases.

V5282 **115A24F:DSCM WN PLTCL OF**

Location: 186-187 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12340

To what extent are women discriminated against . . .

F: . . . In getting elected to political office?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT @ALL:(1)	284	11.4 %	11.7%
2	VRY LITL:(2)	337	13.5 %	13.9%
3	SOME:(3)	601	24.1 %	24.8%
4	GOOD DEAL:(4)	539	21.6 %	22.2%
5	GREAT DL:(5)	429	17.2 %	17.7%
8	DK:(8)	237	9.5 %	9.8%
-9 (M)	MISSING:(-9)	66	2.6 %	-

Based upon 2427 valid cases out of 2493 total cases.

V5283 **115A24G:DSCM WN = PAY = WK**

Location: 188-189 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12350

To what extent are women discriminated against . . .

G: . . . In getting equal pay for equal work?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT @ALL:(1)	541	21.7 %	22.3%
2	VRY LITL:(2)	369	14.8 %	15.2%
3	SOME:(3)	488	19.6 %	20.1%
4	GOOD DEAL:(4)	402	16.1 %	16.6%
5	GREAT DL:(5)	356	14.3 %	14.7%
8	DK:(8)	271	10.9 %	11.2%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	66	2.6 %	-

Based upon 2427 valid cases out of 2493 total cases.

V5284 **115A25A:RSK OF CIG1+PK/D**

Location: 190-191 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. First, how much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	82	3.3 %	3.4%
2	SLIGHT:(2)	76	3.0 %	3.1%
3	MOD RISK:(3)	322	12.9 %	13.2%
4	GRT RISK:(4)	1909	76.6 %	78.4%
5	CANT SAY:(5)	45	1.8 %	1.8%
-9 (M)	MISSING:(-9)	59	2.4 %	-

Based upon 2434 valid cases out of 2493 total cases.

V5285 **115A25B:RSK OF MJ 1-2 X**

Location: 192-193 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12370

How much do you think people risk harming themselves (physically or in other ways), if they . . .

B: . . . Try marijuana (pot, weed) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO RISK:(1)	981	39.4 %	40.3%
2	SLIGHT:(2)	705	28.3 %	29.0%
3	MOD RISK:(3)	327	13.1 %	13.4%
4	GRT RISK:(4)	366	14.7 %	15.0%
5	CANT SAY:(5)	53	2.1 %	2.2%
-9 (M)	MISSING:(-9)	61	2.4 %	-

Based upon 2432 valid cases out of 2493 total cases.

V5286 **115A25C:RSK OF MJ OCSNLY**

Location: 194-195 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12380

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO RISK:(1)	566	22.7 %	23.3%
2	SLIGHT:(2)	663	26.6 %	27.3%
3	MOD RISK:(3)	623	25.0 %	25.6%
4	GRT RISK:(4)	530	21.3 %	21.8%
5	CANT SAY:(5)	50	2.0 %	2.1%
-9 (M)	MISSING:(-9)	61	2.4 %	-

Based upon 2432 valid cases out of 2493 total cases.

V5287 **115A25D:RSK OF MJ REGLY**

Location: 196-197 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12390

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO RISK:(1)	303	12.2 %	12.5%
2	SLIGHT:(2)	437	17.5 %	18.0%
3	MOD RISK:(3)	539	21.6 %	22.2%
4	GRT RISK:(4)	1097	44.0 %	45.2%
5	CANT SAY:(5)	52	2.1 %	2.1%
-9 (M)	MISSING:(-9)	65	2.6 %	-

Based upon 2428 valid cases out of 2493 total cases.

V5288 **115A25E:RSK OF LSD 1-2 X**

Location: 198-199 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12400

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

E: . . . Try LSD once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO RISK:(1)	179	7.2 %	7.4%
2	SLIGHT:(2)	432	17.3 %	17.8%
3	MOD RISK:(3)	564	22.6 %	23.3%
4	GRT RISK:(4)	827	33.2 %	34.1%
5	CANT SAY:(5)	423	17.0 %	17.4%
-9 (M)	MISSING:(-9)	68	2.7 %	-

Based upon 2425 valid cases out of 2493 total cases.

V5289 **115A25F:RSK OF LSD REGLY**

Location: 200-201 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12410

How much do you think people risk harming themselves

(physically or in other ways), if they . . .

F: . . . Take LSD regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO RISK:(1)	87	3.5 %	3.6%
2	SLIGHT:(2)	66	2.6 %	2.7%
3	MOD RISK:(3)	264	10.6 %	10.9%
4	GRT RISK:(4)	1586	63.6 %	65.4%
5	CANT SAY:(5)	421	16.9 %	17.4%
-9 (M)	MISSING:(-9)	69	2.8 %	-

Based upon 2424 valid cases out of 2493 total cases.

V5290 **115A25G:RSK OF H 1-2 X**

Location: 202-203 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12420

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

G: . . . Try heroin once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO RISK:(1)	113	4.5 %	4.7%
2	SLIGHT:(2)	230	9.2 %	9.5%
3	MOD RISK:(3)	531	21.3 %	21.9%
4	GRT RISK:(4)	1435	57.6 %	59.2%
5	CANT SAY:(5)	116	4.7 %	4.8%
-9 (M)	MISSING:(-9)	68	2.7 %	-

Based upon 2425 valid cases out of 2493 total cases.

V5291 **115A25H:RSK OF H OCSNL**

Location: 204-205 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9

Question:

Item Number: 12430

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

H: . . . Take heroin occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO RISK:(1)	86	3.4 %	3.5%
2	SLIGHT:(2)	50	2.0 %	2.1%
3	MOD RISK:(3)	292	11.7 %	12.0%
4	GRT RISK:(4)	1883	75.5 %	77.5%
5	CANT SAY:(5)	118	4.7 %	4.9%
-9 (M)	MISSING:(-9)	64	2.6 %	-

Based upon 2429 valid cases out of 2493 total cases.

V5292 **115A25I:RSK OF H REGLY**

Location: 206-207 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12440

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

I: . . . Take heroin regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO RISK:(1)	86	3.4 %	3.5%
2	SLIGHT:(2)	24	1.0 %	1.0%
3	MOD RISK:(3)	54	2.2 %	2.2%
4	GRT RISK:(4)	2137	85.7 %	88.2%
5	CANT SAY:(5)	122	4.9 %	5.0%
-9 (M)	MISSING:(-9)	70	2.8 %	-

Based upon 2423 valid cases out of 2493 total cases.

V5509 **115A25J:RSK SED/BRB 1-2X**

Location: 208-209 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12455

How much do you think people risk harming themselves (physically or in other ways), if they . . .

J: . . . Try sedatives/barbiturates (downers) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO RISK:(1)	204	8.2 %	8.4%
2	SLIGHT:(2)	484	19.4 %	20.0%
3	MOD RISK:(3)	576	23.1 %	23.8%
4	GRT RISK:(4)	673	27.0 %	27.8%
5	CANT SAY:(5)	481	19.3 %	19.9%
-9 (M)	MISSING:(-9)	75	3.0 %	-

Based upon 2418 valid cases out of 2493 total cases.

V5510 115A25K:RSK SED/BRB REGY

Location: 210-211 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12465

How much do you think people risk harming themselves (physically or in other ways), if they . . .

K: . . . Take sedatives/barbiturates regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO RISK:(1)	92	3.7 %	3.8%
2	SLIGHT:(2)	119	4.8 %	4.9%
3	MOD RISK:(3)	464	18.6 %	19.2%
4	GRT RISK:(4)	1260	50.5 %	52.1%
5	CANT SAY:(5)	484	19.4 %	20.0%
-9 (M)	MISSING:(-9)	74	3.0 %	-

Based upon 2419 valid cases out of 2493 total cases.

V5295 **115A25L:RSK OF AMPH 1-2X**

Location: 212-213 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12470

How much do you think people risk harming themselves (physically or in other ways), if they . . .

L: . . . Try amphetamines (uppers, speed, Adderall, Ritalin, etc.) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO RISK:(1)	258	10.3 %	10.6%
2	SLIGHT:(2)	455	18.3 %	18.8%
3	MOD RISK:(3)	574	23.0 %	23.7%
4	GRT RISK:(4)	852	34.2 %	35.1%
5	CANT SAY:(5)	286	11.5 %	11.8%
-9 (M)	MISSING:(-9)	68	2.7 %	-

Based upon 2425 valid cases out of 2493 total cases.

V5296 **115A25M:RSK OF AMPH REG**

Location: 214-215 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12480

How much do you think people risk harming themselves (physically or in other ways), if they . . .

M: . . . Take amphetamines regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO RISK:(1)	114	4.6 %	4.7%
2	SLIGHT:(2)	151	6.1 %	6.2%
3	MOD RISK:(3)	403	16.2 %	16.7%

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
4	GRT RISK:(4)	1432	57.4 %	59.2%
5	CANT SAY:(5)	318	12.8 %	13.2%
-9 (M)	MISSING:(-9)	75	3.0 %	-

Based upon 2418 valid cases out of 2493 total cases.

V5297 **115A25N:RSK OF COKE 1-2X**

Location: 216-217 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12490

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

N: . . . Try cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO RISK:(1)	147	5.9 %	6.1%
2	SLIGHT:(2)	310	12.4 %	12.8%
3	MOD RISK:(3)	558	22.4 %	23.0%
4	GRT RISK:(4)	1300	52.1 %	53.7%
5	CANT SAY:(5)	107	4.3 %	4.4%
-9 (M)	MISSING:(-9)	71	2.8 %	-

Based upon 2422 valid cases out of 2493 total cases.

V5298 **115A25O:RSK OF COKE REG**

Location: 218-219 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12500

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

O: . . . Take cocaine regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO RISK:(1)	82	3.3 %	3.4%
2	SLIGHT:(2)	49	2.0 %	2.0%
3	MOD RISK:(3)	157	6.3 %	6.5%
4	GRT RISK:(4)	2025	81.2 %	83.7%
5	CANT SAY:(5)	105	4.2 %	4.3%
-9 (M)	MISSING:(-9)	75	3.0 %	-

Based upon 2418 valid cases out of 2493 total cases.

V5299 **115A25P:RSK OF 1-2 DRINK**

Location: 220-221 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12510

How much do you think people risk harming themselves (physically or in other ways), if they . . .

P: . . . Try one or two drinks of an alcoholic beverage (beer, wine, liquor)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO RISK:(1)	1162	46.6 %	48.1%
2	SLIGHT:(2)	760	30.5 %	31.4%
3	MOD RISK:(3)	219	8.8 %	9.1%
4	GRT RISK:(4)	233	9.3 %	9.6%
5	CANT SAY:(5)	44	1.8 %	1.8%
-9 (M)	MISSING:(-9)	75	3.0 %	-

Based upon 2418 valid cases out of 2493 total cases.

V5300 **115A25Q:RSK OF 1-2 DR/DA**

Location: 222-223 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12520

How much do you think people risk harming themselves (physically or in other ways), if they . . .

Q: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO RISK:(1)	323	13.0 %	13.3%
2	SLIGHT:(2)	606	24.3 %	25.0%
3	MOD RISK:(3)	842	33.8 %	34.7%
4	GRT RISK:(4)	608	24.4 %	25.1%
5	CANT SAY:(5)	46	1.8 %	1.9%
-9 (M)	MISSING:(-9)	68	2.7 %	-

Based upon 2425 valid cases out of 2493 total cases.

V5301 **115A25R:RSK OF 4-5 DR/DA**

Location: 224-225 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12530

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

R: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO RISK:(1)	111	4.5 %	4.6%
2	SLIGHT:(2)	187	7.5 %	7.7%
3	MOD RISK:(3)	552	22.1 %	22.8%
4	GRT RISK:(4)	1527	61.3 %	62.9%
5	CANT SAY:(5)	49	2.0 %	2.0%
-9 (M)	MISSING:(-9)	67	2.7 %	-

Based upon 2426 valid cases out of 2493 total cases.

V5302 **115A25S:RSK OF 5+DR/WKND**

Location: 226-227 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12540

How much do you think people risk harming themselves (physically or in other ways), if they . . .

S: . . . Have five or more drinks once or twice each weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO RISK:(1)	209	8.4 %	8.6%
2	SLIGHT:(2)	366	14.7 %	15.1%
3	MOD RISK:(3)	649	26.0 %	26.8%
4	GRT RISK:(4)	1150	46.1 %	47.5%
5	CANT SAY:(5)	48	1.9 %	2.0%
-9 (M)	MISSING:(-9)	71	2.8 %	-

Based upon 2422 valid cases out of 2493 total cases.

V5483 **115A25T:RSK OF COKE OCSN**

Location: 228-229 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12495

How much do you think people risk harming themselves (physically or in other ways), if they . . .

T: . . . Take cocaine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO RISK:(1)	103	4.1 %	4.3%
2	SLIGHT:(2)	116	4.7 %	4.8%
3	MOD RISK:(3)	414	16.6 %	17.1%
4	GRT RISK:(4)	1694	68.0 %	70.0%
5	CANT SAY:(5)	93	3.7 %	3.8%
-9 (M)	MISSING:(-9)	73	2.9 %	-

Based upon 2420 valid cases out of 2493 total cases.

V5484 **115A25U:RSK OF SMKLSS RG**

Location: 230-231 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12365

How much do you think people risk harming themselves (physically or in other ways), if they . . .

U: . . . Use smokeless tobacco regularly (chewing tobacco, plug, dipping tobacco, snuff)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO RISK:(1)	159	6.4 %	6.6%
2	SLIGHT:(2)	386	15.5 %	15.9%
3	MOD RISK:(3)	767	30.8 %	31.6%
4	GRT RISK:(4)	1010	40.5 %	41.7%
5	CANT SAY:(5)	102	4.1 %	4.2%
-9 (M)	MISSING:(-9)	69	2.8 %	-

Based upon 2424 valid cases out of 2493 total cases.

V5101 115B01 :EVR SMK CIG,REGL

Location: 232-233 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NEVER:(1)	1467	58.8 %	60.2%
2	1-2X:(2)	452	18.1 %	18.6%
3	OCCASNLY:(3)	243	9.7 %	10.0%
4	REG PAST:(4)	114	4.6 %	4.7%
5	REG NOW:(5)	159	6.4 %	6.5%
-9 (M)	MISSING:(-9)	58	2.3 %	-

Based upon 2435 valid cases out of 2493 total cases.

V5102 115B02 :#CIGS SMKD/30DAY

Location: 234-235 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NT DAILY:(1)	2035	81.6 %	83.6%
2	<1 CIG/D:(2)	186	7.5 %	7.6%
3	1-5/DAY:(3)	124	5.0 %	5.1%
4	1/2 PK:(4)	56	2.2 %	2.3%
5	1 PK:(5)	17	0.7 %	0.7%
6	1 1/2 PK:(6)	11	0.4 %	0.5%
7	2+ PKS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	59	2.4 %	-

Based upon 2434 valid cases out of 2493 total cases.

V5103 **115B03 :EVER DRINK**

Location: 236-237 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00790

Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, or any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO TOP OF NEXT COLUMN" 2="Yes"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO:(1)	713	28.6 %	29.9%
2	YES:(2)	1669	66.9 %	70.1%
-9 (M)	MISSING:(-9)	111	4.5 %	-

Based upon 2382 valid cases out of 2493 total cases.

V5104 **115B04A:#X ALC/LIF SIPS**

Location: 238-239 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00810

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	713	28.6 %	30.5%
2	1-2X:(2)	190	7.6 %	8.1%
3	3-5X:(3)	274	11.0 %	11.7%
4	6-9X:(4)	236	9.5 %	10.1%
5	10-19X:(5)	265	10.6 %	11.3%
6	20-39X:(6)	242	9.7 %	10.4%
7	40+OCCAS:(7)	415	16.6 %	17.8%
-9 (M)	MISSING:(-9)	158	6.3 %	-

Based upon 2335 valid cases out of 2493 total cases.

V5105 **115B04B:#X ALC/ANN SIPS**

Location: 240-241 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00820

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	828	33.2 %	35.6%

Value	Label	Unweighted Frequency	%	Valid %
2	1-2X:(2)	393	15.8 %	16.9%
3	3-5X:(3)	340	13.6 %	14.6%
4	6-9X:(4)	239	9.6 %	10.3%
5	10-19X:(5)	244	9.8 %	10.5%
6	20-39X:(6)	125	5.0 %	5.4%
7	40+OCCAS:(7)	158	6.3 %	6.8%
-9 (M)	MISSING:(-9)	166	6.7 %	-

Based upon 2327 valid cases out of 2493 total cases.

V5106 **115B04C:#X ALC/30D SIPS**

Location: 242-243 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00830

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1414	56.7 %	60.7%
2	1-2X:(2)	451	18.1 %	19.4%
3	3-5X:(3)	240	9.6 %	10.3%
4	6-9X:(4)	104	4.2 %	4.5%
5	10-19X:(5)	74	3.0 %	3.2%
6	20-39X:(6)	22	0.9 %	0.9%
7	40+OCCAS:(7)	25	1.0 %	1.1%
-9 (M)	MISSING:(-9)	163	6.5 %	-

Based upon 2330 valid cases out of 2493 total cases.

V5107 **115B05 :#X DRK ENF FL HI**

Location: 244-245 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NONE:(1)	463	18.6 %	27.7%
2	FEW OCC:(2)	452	18.1 %	27.1%
3	HALF OCC:(3)	238	9.5 %	14.3%
4	MOST OCC:(4)	331	13.3 %	19.8%
5	NRLY ALL:(5)	186	7.5 %	11.1%
-9 (M)	MISSING:(-9)	823	33.0 %	-

Based upon 1670 valid cases out of 2493 total cases.

V5108 **115B06 :5+DRK ROW/LST 2W**

Location: 246-247 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a glass of wine, a bottle of beer, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above] 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NONE:(1)	1778	71.3 %	77.8%
2	ONCE:(2)	204	8.2 %	8.9%
3	TWICE:(3)	132	5.3 %	5.8%
4	3-5X:(4)	119	4.8 %	5.2%
5	6-9X:(5)	31	1.2 %	1.4%
6	10+ TIME:(6)	21	0.8 %	0.9%
-9 (M)	MISSING:(-9)	208	8.3 %	-

Based upon 2285 valid cases out of 2493 total cases.

V5115 **115B07A:#XMJ+HS/LIFETIME**

Location: 248-249 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00860

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	1277	51.2 %	53.2%
2	1-2X:(2)	257	10.3 %	10.7%
3	3-5X:(3)	144	5.8 %	6.0%
4	6-9X:(4)	100	4.0 %	4.2%
5	10-19X:(5)	140	5.6 %	5.8%
6	20-39X:(6)	120	4.8 %	5.0%
7	40+OCCAS:(7)	361	14.5 %	15.0%
-9 (M)	MISSING:(-9)	94	3.8 %	-

Based upon 2399 valid cases out of 2493 total cases.

V5116 **115B07B:#XMJ+HS/LAST12MO**

Location: 250-251 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00870

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	1516	60.8 %	63.4%
2	1-2X:(2)	241	9.7 %	10.1%
3	3-5X:(3)	144	5.8 %	6.0%
4	6-9X:(4)	92	3.7 %	3.8%
5	10-19X:(5)	110	4.4 %	4.6%

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
6	20-39X:(6)	78	3.1 %	3.3%
7	40+OCCAS:(7)	212	8.5 %	8.9%
-9 (M)	MISSING:(-9)	100	4.0 %	-

Based upon 2393 valid cases out of 2493 total cases.

V5117 **115B07C:#XMJ+HS/LAST30DA**

Location: 252-253 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00880

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	1859	74.6 %	77.8%
2	1-2X:(2)	181	7.3 %	7.6%
3	3-5X:(3)	92	3.7 %	3.8%
4	6-9X:(4)	54	2.2 %	2.3%
5	10-19X:(5)	62	2.5 %	2.6%
6	20-39X:(6)	53	2.1 %	2.2%
7	40+OCCAS:(7)	89	3.6 %	3.7%
-9 (M)	MISSING:(-9)	103	4.1 %	-

Based upon 2390 valid cases out of 2493 total cases.

V5118 **115B08A:#X LSD/LIFETIME**

Location: 254-255 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00890

On how many occasions (if any) have you used LSD ("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2310	92.7 %	95.6%
2	1-2X:(2)	60	2.4 %	2.5%
3	3-5X:(3)	15	0.6 %	0.6%
4	6-9X:(4)	12	0.5 %	0.5%
5	10-19X:(5)	8	0.3 %	0.3%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	77	3.1 %	-

Based upon 2416 valid cases out of 2493 total cases.

V5119 **115B08B:#X LSD/LAST 12MO**

Location: 256-257 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00900

On how many occasions (if any) have you used LSD ("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2347	94.1 %	97.3%
2	1-2X:(2)	37	1.5 %	1.5%
3	3-5X:(3)	10	0.4 %	0.4%
4	6-9X:(4)	9	0.4 %	0.4%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	82	3.3 %	-

Based upon 2411 valid cases out of 2493 total cases.

V5120 **115B08C:#X LSD/LAST 30DA**

Location: 258-259 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00910

On how many occasions (if any) have you used LSD ("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2390	95.9 %	99.0%
2	1-2X:(2)	14	0.6 %	0.6%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	3	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	80	3.2 %	-

Based upon 2413 valid cases out of 2493 total cases.

V5121 115B09A:#X PSYD/LIFETIME

Location: 260-261 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00920

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2241	89.9 %	93.0%
2	1-2X:(2)	100	4.0 %	4.2%
3	3-5X:(3)	24	1.0 %	1.0%
4	6-9X:(4)	11	0.4 %	0.5%

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
5	10-19X:(5)	16	0.6 %	0.7%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	84	3.4 %	-

Based upon 2409 valid cases out of 2493 total cases.

V5122 **115B09B:#X PSYD/LAST12MO**

Location: 262-263 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2307	92.5 %	95.8%
2	1-2X:(2)	58	2.3 %	2.4%
3	3-5X:(3)	15	0.6 %	0.6%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	8	0.3 %	0.3%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	6	0.2 %	0.2%
-9 (M)	MISSING:(-9)	86	3.4 %	-

Based upon 2407 valid cases out of 2493 total cases.

V5123 **115B09C:#X PSYD/LAST30DA**

Location: 264-265 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2376	95.3 %	98.7%
2	1-2X:(2)	18	0.7 %	0.7%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	86	3.4 %	-

Based upon 2407 valid cases out of 2493 total cases.

V5124 **115B10A:#X COKE/LIFETIME**

Location: 266-267 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00950

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2309	92.6 %	95.7%
2	1-2X:(2)	48	1.9 %	2.0%
3	3-5X:(3)	25	1.0 %	1.0%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	10	0.4 %	0.4%
-9 (M)	MISSING:(-9)	79	3.2 %	-

Based upon 2414 valid cases out of 2493 total cases.

V5125 **115B10B:#X COKE/LAST12MO**

Location: 268-269 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00960

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock") . . .

B: . . . during last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2351	94.3 %	97.4%
2	1-2X:(2)	33	1.3 %	1.4%
3	3-5X:(3)	14	0.6 %	0.6%
4	6-9X:(4)	8	0.3 %	0.3%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	79	3.2 %	-

Based upon 2414 valid cases out of 2493 total cases.

V5126 **115B10C:#X COKE/LAST30DA**

Location: 270-271 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00970

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock") . . .

C: . . . during last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2386	95.7 %	98.9%
2	1-2X:(2)	17	0.7 %	0.7%

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	80	3.2 %	-

Based upon 2413 valid cases out of 2493 total cases.

V5127 **115B11A:#X AMPH/LIFETIME**

Location: 272-273 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00980

Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills or stay-awake pills. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2111	84.7 %	87.7%
2	1-2X:(2)	120	4.8 %	5.0%
3	3-5X:(3)	47	1.9 %	2.0%
4	6-9X:(4)	37	1.5 %	1.5%
5	10-19X:(5)	25	1.0 %	1.0%
6	20-39X:(6)	23	0.9 %	1.0%
7	40+OCCAS:(7)	44	1.8 %	1.8%
-9 (M)	MISSING:(-9)	86	3.4 %	-

Based upon 2407 valid cases out of 2493 total cases.

V5128 **115B11B:#X AMPH/LAST12MO**

Location: 274-275 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2210	88.6 %	91.8%
2	1-2X:(2)	79	3.2 %	3.3%
3	3-5X:(3)	47	1.9 %	2.0%
4	6-9X:(4)	26	1.0 %	1.1%
5	10-19X:(5)	16	0.6 %	0.7%
6	20-39X:(6)	12	0.5 %	0.5%
7	40+OCCAS:(7)	17	0.7 %	0.7%
-9 (M)	MISSING:(-9)	86	3.4 %	-

Based upon 2407 valid cases out of 2493 total cases.

V5129 115B11C:#X AMPH/LAST30DA

Location: 276-277 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2317	92.9 %	96.3%
2	1-2X:(2)	42	1.7 %	1.7%

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
3	3-5X:(3)	18	0.7 %	0.7%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	12	0.5 %	0.5%
6	20-39X:(6)	7	0.3 %	0.3%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	87	3.5 %	-

Based upon 2406 valid cases out of 2493 total cases.

V5130 **115B12A:#X ICE/LIFETIME**

Location: 278-279 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24380

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2358	94.6 %	98.2%
2	1-2X:(2)	21	0.8 %	0.9%
3	3-5X:(3)	8	0.3 %	0.3%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	4	0.2 %	0.2%
7	40+OCCAS:(7)	6	0.2 %	0.2%
-9 (M)	MISSING:(-9)	91	3.7 %	-

Based upon 2402 valid cases out of 2493 total cases.

V5131 **115B12B:#X ICE/LAST12MO**

Location: 280-281 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24390

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2377	95.3 %	98.9%
2	1-2X:(2)	11	0.4 %	0.5%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	89	3.6 %	-

Based upon 2404 valid cases out of 2493 total cases.

V5132 **115B12C:#X ICE/LAST30DA**

Location: 282-283 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24400

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2390	95.9 %	99.5%
2	1-2X:(2)	5	0.2 %	0.2%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	3	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	91	3.7 %	-

Based upon 2402 valid cases out of 2493 total cases.

V5133 **115B13A:#X SED/BARB/LIFE**

Location: 284-285 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2236	89.7 %	93.1%
2	1-2X:(2)	59	2.4 %	2.5%
3	3-5X:(3)	38	1.5 %	1.6%
4	6-9X:(4)	20	0.8 %	0.8%
5	10-19X:(5)	23	0.9 %	1.0%
6	20-39X:(6)	11	0.4 %	0.5%
7	40+OCCAS:(7)	14	0.6 %	0.6%
-9 (M)	MISSING:(-9)	92	3.7 %	-

Based upon 2401 valid cases out of 2493 total cases.

V5134 115B13B:#X SED/BARB/12MO

Location: 286-287 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 01052

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2292	91.9 %	95.5%
2	1-2X:(2)	47	1.9 %	2.0%
3	3-5X:(3)	25	1.0 %	1.0%
4	6-9X:(4)	15	0.6 %	0.6%
5	10-19X:(5)	7	0.3 %	0.3%
6	20-39X:(6)	9	0.4 %	0.4%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	94	3.8 %	-

Based upon 2399 valid cases out of 2493 total cases.

V5135 **115B13C:#X SED/BARB/30DA**

Location: 288-289 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01062

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2348	94.2 %	97.9%
2	1-2X:(2)	27	1.1 %	1.1%
3	3-5X:(3)	7	0.3 %	0.3%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	5	0.2 %	0.2%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	94	3.8 %	-

Based upon 2399 valid cases out of 2493 total cases.

V5136 **115B14A:#X TRQL/LIFETIME**

Location: 290-291 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2198	88.2 %	91.5%
2	1-2X:(2)	81	3.2 %	3.4%
3	3-5X:(3)	48	1.9 %	2.0%
4	6-9X:(4)	21	0.8 %	0.9%
5	10-19X:(5)	28	1.1 %	1.2%
6	20-39X:(6)	10	0.4 %	0.4%
7	40+OCCAS:(7)	17	0.7 %	0.7%
-9 (M)	MISSING:(-9)	90	3.6 %	-

Based upon 2403 valid cases out of 2493 total cases.

V5137 **115B14B:#X TRQL/LAST12MO**

Location: 292-293 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2266	90.9 %	94.3%
2	1-2X:(2)	72	2.9 %	3.0%
3	3-5X:(3)	23	0.9 %	1.0%
4	6-9X:(4)	16	0.6 %	0.7%

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
5	10-19X:(5)	15	0.6 %	0.6%
6	20-39X:(6)	8	0.3 %	0.3%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	89	3.6 %	-

Based upon 2404 valid cases out of 2493 total cases.

V5138 **115B14C:#X TRQL/LAST30DA**

Location: 294-295 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2342	93.9 %	97.5%
2	1-2X:(2)	32	1.3 %	1.3%
3	3-5X:(3)	14	0.6 %	0.6%
4	6-9X:(4)	9	0.4 %	0.4%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	90	3.6 %	-

Based upon 2403 valid cases out of 2493 total cases.

V5489 **115B15A:#X H LIF USE NDL**

Location: 296-297 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29630

On how many occasions (if any) have you taken heroin using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2380	95.5 %	99.2%
2	1-2X:(2)	8	0.3 %	0.3%
3	3-5X:(3)	3	0.1 %	0.1%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	93	3.7 %	-

Based upon 2400 valid cases out of 2493 total cases.

V5490 **115B15B:#X H 12M USE NDL**

Location: 298-299 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29640

On how many occasions (if any) have you taken heroin using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2388	95.8 %	99.5%
2	1-2X:(2)	2	0.1 %	0.1%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	94	3.8 %	-

Based upon 2399 valid cases out of 2493 total cases.

V5491 **115B15C:#X H 30D USE NDL**

Location: 300-301 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29650

On how many occasions (if any) have you taken heroin using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2389	95.8 %	99.6%
2	1-2X:(2)	6	0.2 %	0.3%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	94	3.8 %	-

Based upon 2399 valid cases out of 2493 total cases.

V5492 115B16A:#X H LIF W/O NDL

Location: 302-303 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29660

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2364	94.8 %	98.7%
2	1-2X:(2)	17	0.7 %	0.7%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	4	0.2 %	0.2%

Value	Label	Unweighted Frequency	%	Valid %
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	97	3.9 %	-

Based upon 2396 valid cases out of 2493 total cases.

V5493 **115B16B:#X H 12M W/O NDL**

Location: 304-305 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29670

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2378	95.4 %	99.2%
2	1-2X:(2)	9	0.4 %	0.4%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	96	3.9 %	-

Based upon 2397 valid cases out of 2493 total cases.

V5494 **115B16C:#X H 30D W/O NDL**

Location: 306-307 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29680

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2385	95.7 %	99.6%
2	1-2X:(2)	6	0.2 %	0.3%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	98	3.9 %	-

Based upon 2395 valid cases out of 2493 total cases.

V5139 **115R* :#X H/LIFETIME**

Location: 308-309 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01100

Component questions for "any heroin" measure:

"On how many occasions (if any) have you taken heroin using a needle . . .

. . . In your lifetime?" (item 29630)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . In your lifetime?" (item 29660)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2369	95.0 %	98.3%
2	1-2X:(2)	18	0.7 %	0.7%
3	3-5X:(3)	7	0.3 %	0.3%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	6	0.2 %	0.2%
-9 (M)	MISSING:(-9)	83	3.3 %	-

Based upon 2410 valid cases out of 2493 total cases.

V5140 **115R* :#X H/LAST12MO**

Location: 310-311 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 01110

Component questions for "any heroin" measure:

"On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 12 months?" (item 29640)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 12 months?" (item 29670)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2387	95.7 %	99.1%
2	1-2X:(2)	8	0.3 %	0.3%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	84	3.4 %	-

Based upon 2409 valid cases out of 2493 total cases.

V5141 115R* :#X H/LAST30DAY

Location: 312-313 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 01120

Component questions for "any heroin" measure:

"On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 30 days?" (item 29650)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 30 days?" (item 29680)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2392	95.9 %	99.3%
2	1-2X:(2)	8	0.3 %	0.3%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	85	3.4 %	-

Based upon 2408 valid cases out of 2493 total cases.

V5142 **115B17A:#X NARC/LIFETIME**

Location: 314-315 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2103	84.4 %	87.8%
2	1-2X:(2)	98	3.9 %	4.1%
3	3-5X:(3)	64	2.6 %	2.7%
4	6-9X:(4)	32	1.3 %	1.3%
5	10-19X:(5)	37	1.5 %	1.5%
6	20-39X:(6)	24	1.0 %	1.0%
7	40+OCCAS:(7)	38	1.5 %	1.6%
-9 (M)	MISSING:(-9)	97	3.9 %	-

Based upon 2396 valid cases out of 2493 total cases.

V5143 **115B17B:#X NARC/LAST12MO**

Location: 316-317 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2189	87.8 %	91.4%
2	1-2X:(2)	78	3.1 %	3.3%
3	3-5X:(3)	48	1.9 %	2.0%
4	6-9X:(4)	26	1.0 %	1.1%
5	10-19X:(5)	26	1.0 %	1.1%
6	20-39X:(6)	15	0.6 %	0.6%
7	40+OCCAS:(7)	13	0.5 %	0.5%
-9 (M)	MISSING:(-9)	98	3.9 %	-

Based upon 2395 valid cases out of 2493 total cases.

V5144 **115B17C:#X NARC/LAST30DA**

Location: 318-319 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2309	92.6 %	96.4%
2	1-2X:(2)	47	1.9 %	2.0%
3	3-5X:(3)	22	0.9 %	0.9%
4	6-9X:(4)	9	0.4 %	0.4%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	99	4.0 %	-

Based upon 2394 valid cases out of 2493 total cases.

V5145 **115B18A:#X INHL/LIFETIME**

Location: 320-321 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01160

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2224	89.2 %	93.0%
2	1-2X:(2)	79	3.2 %	3.3%
3	3-5X:(3)	35	1.4 %	1.5%
4	6-9X:(4)	19	0.8 %	0.8%
5	10-19X:(5)	17	0.7 %	0.7%
6	20-39X:(6)	8	0.3 %	0.3%
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	102	4.1 %	-

Based upon 2391 valid cases out of 2493 total cases.

V5146 **115B18B:#X INHL/LAST12MO**

Location: 322-323 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01170

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2323	93.2 %	97.2%
2	1-2X:(2)	36	1.4 %	1.5%
3	3-5X:(3)	11	0.4 %	0.5%
4	6-9X:(4)	6	0.2 %	0.3%
5	10-19X:(5)	7	0.3 %	0.3%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	104	4.2 %	-

Based upon 2389 valid cases out of 2493 total cases.

V5147 115B18C:#X INHL/LAST30DA

Location: 324-325 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01180

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2369	95.0 %	99.2%
2	1-2X:(2)	9	0.4 %	0.4%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	4	0.2 %	0.2%

Value	Label	Unweighted Frequency	%	Valid %
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	104	4.2 %	-

Based upon 2389 valid cases out of 2493 total cases.

V5148 115C01(R):AGE <>18 DICHOTOMY

Location: 326-327 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number:

Component questions: 1) "In what year were you born?" (item and 3) date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

Value	Label	Unweighted Frequency	%	Valid %
1	< 18 YRS:(1)	1051	42.2 %	43.6%
2	18+ YRS:(2)	1358	54.5 %	56.4%
-9 (M)	MISSING:(-9)	84	3.4 %	-

Based upon 2409 valid cases out of 2493 total cases.

V5150 115C03 :Rs SEX

Location: 328-329 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00030

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%	Valid %
1	MALE:(1)	1199	48.1 %	50.4%
2	FEMALE:(2)	1179	47.3 %	49.6%
-9 (M)	MISSING:(-9)	115	4.6 %	-

Based upon 2378 valid cases out of 2493 total cases.

V5151 115C04(R):R'S RACE B/W/H

Location: 330-331 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number:

How do you describe yourself? (Select one or more responses.) Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic..."). All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)" 3="Hispanic" [see above]

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	BLACK:(1)	337	13.5 %	16.6%
2	WHITE:(2)	1360	54.6 %	67.2%
3	HISPANIC:(3)	328	13.2 %	16.2%
-9 (M)	MISSING:(-9)	468	18.8 %	-

Based upon 2025 valid cases out of 2493 total cases.

V5152 115C05 :R SPD >TIM R-URB

Location: 332-333 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	DK/MIXED:(0)	297	11.9 %	11.9%
1	A FARM:(1)	101	4.1 %	4.1%

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
2	COUNTRY:(2)	232	9.3 %	9.3%
3	SM CITY:(3)	632	25.4 %	25.4%
4	MED CITY:(4)	290	11.6 %	11.6%
5	SUB MED:(5)	266	10.7 %	10.7%
6	LGE CITY:(6)	232	9.3 %	9.3%
7	SUB LGE:(7)	198	7.9 %	7.9%
8	V-LGE CITY:(8)	140	5.6 %	5.6%
9	SUB V-LGE:(9)	105	4.2 %	4.2%

Based upon 2493 valid cases out of 2493 total cases.

V5153 **115C06 :R NOT MARRIED**

Location: 334-335 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	MARRIED:(1)	124	5.0 %	5.2%
2	ENGAGED:(2)	94	3.8 %	3.9%
3	SEP/DIV:(3)	48	1.9 %	2.0%
4	SINGLE:(4)	2128	85.4 %	88.9%
-9 (M)	MISSING:(-9)	99	4.0 %	-

Based upon 2394 valid cases out of 2493 total cases.

V49 **11C07R:# SIBLINGS**

Location: 336-337 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more"

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more siblings".

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NONE:(0)	144	5.8 %	6.0%
1	ONE:(1)	653	26.2 %	27.3%
2	TWO:(2)	639	25.6 %	26.7%
3	THREE+:(3-4)	960	38.5 %	40.1%
-9 (M)	MISSING:(-9)	97	3.9 %	-

Based upon 2396 valid cases out of 2493 total cases.

V5155 **115C07Cb(R):R'S HSHLD FATHER**

Location: 338-339 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	689	27.6 %	28.8%
1	MARKED:(1)	1705	68.4 %	71.2%
-9 (M)	MISSING:(-9)	99	4.0 %	-

Based upon 2394 valid cases out of 2493 total cases.

V5156 **115C07Cc(R):R'S HSHLD MOTHER**

Location: 340-341 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	250	10.0 %	10.4%
1	MARKED:(1)	2144	86.0 %	89.6%
-9 (M)	MISSING:(-9)	99	4.0 %	-

Based upon 2394 valid cases out of 2493 total cases.

V5157 **115C07Cd(R):R'S HSHLD BR/SR**

Location: 342-343 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	766	30.7 %	32.0%
1	MARKED:(1)	1628	65.3 %	68.0%
-9 (M)	MISSING:(-9)	99	4.0 %	-

Based upon 2394 valid cases out of 2493 total cases.

V5163 **115C08 :FATHR EDUC LEVEL**

Location: 344-345 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed
college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	GRDE SCH:(1)	84	3.4 %	3.5%
2	SOME HS:(2)	245	9.8 %	10.2%
3	HS GRAD:(3)	603	24.2 %	25.2%
4	SOME CLG:(4)	429	17.2 %	17.9%
5	CLG GRAD:(5)	503	20.2 %	21.0%
6	GRAD SCH:(6)	325	13.0 %	13.6%
7	DK:(7)	203	8.1 %	8.5%
-9 (M)	MISSING:(-9)	101	4.1 %	-

Based upon 2392 valid cases out of 2493 total cases.

V5164 **115C09 :MOTHR EDUC LEVEL**

Location: 346-347 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed
college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	GRDE SCH:(1)	72	2.9 %	3.0%
2	SOME HS:(2)	213	8.5 %	8.9%
3	HS GRAD:(3)	536	21.5 %	22.4%
4	SOME CLG:(4)	489	19.6 %	20.4%
5	CLG GRAD:(5)	684	27.4 %	28.6%
6	GRAD SCH:(6)	291	11.7 %	12.2%
7	DK:(7)	107	4.3 %	4.5%
-9 (M)	MISSING:(-9)	101	4.1 %	-

Based upon 2392 valid cases out of 2493 total cases.

V5165 **115C10 :MOTH PD JB R YNG**

Location: 348-349 (width: 2; decimal: 0)
Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO:(1)	305	12.2 %	12.8%
2	YES/SOME:(2)	420	16.8 %	17.6%
3	YES/MOST:(3)	443	17.8 %	18.6%
4	YES/NRLY ALL:(4)	1216	48.8 %	51.0%
-9 (M)	MISSING:(-9)	109	4.4 %	-

Based upon 2384 valid cases out of 2493 total cases.

V5166 **115C11 :Rs POLTL PRFNC**

Location: 350-351 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	STRG GOP:(1)	191	7.7 %	8.3%
2	MILD GOP:(2)	292	11.7 %	12.6%
3	MILD DEM:(3)	318	12.8 %	13.7%
4	STRG DEM:(4)	194	7.8 %	8.4%
5	INDEPNDT:(5)	290	11.6 %	12.5%
6	NO PREF:(6)	391	15.7 %	16.9%
7	OTHER:(7)	41	1.6 %	1.8%
8	DK/HVNT DECID:(8)	597	23.9 %	25.8%
-9 (M)	MISSING:(-9)	179	7.2 %	-

Based upon 2314 valid cases out of 2493 total cases.

V5167 **115C12 :R POL BLF RADCL**

Location: 352-353 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the above, or don't know"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	VRY CONS:(1)	107	4.3 %	4.5%
2	CONSERV:(2)	285	11.4 %	12.0%
3	MODERATE:(3)	570	22.9 %	24.1%
4	LIBERAL:(4)	309	12.4 %	13.1%
5	VRY LIB:(5)	101	4.1 %	4.3%
6	RADICAL:(6)	44	1.8 %	1.9%
8	NONE/DK:(8)	950	38.1 %	40.2%
-9 (M)	MISSING:(-9)	127	5.1 %	-

Based upon 2366 valid cases out of 2493 total cases.

V5169 115C13B:R ATTND REL SVC

Location: 354-355 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00370

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the Western region intentionally obliterated.

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NEVER:(1)	391	15.7 %	21.3%
2	RARELY:(2)	611	24.5 %	33.3%
3	1-2X/MO:(3)	284	11.4 %	15.5%
4	1/WK OR+:(4)	547	21.9 %	29.8%
-9 (M)	MISSING:(-9)	660	26.5 %	-

Based upon 1833 valid cases out of 2493 total cases.

V5170 **115C13C:RLGN IMP Rs LF**

Location: 356-357 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Responses from the Western region intentionally obliterated.

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NOT IMPT:(1)	396	15.9 %	21.6%
2	LITL IMP:(2)	459	18.4 %	25.1%
3	PRTY IMP:(3)	491	19.7 %	26.8%
4	VERY IMP:(4)	485	19.5 %	26.5%
-9 (M)	MISSING:(-9)	662	26.6 %	-

Based upon 1831 valid cases out of 2493 total cases.

V5171 **115C14 :WHEN R XPCT GRAD**

Location: 358-359 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"
6="Don't expect to graduate"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	JUNE:(1)	2336	93.7 %	98.7%
2	JUL-JAN:(2)	22	0.9 %	0.9%
6	DONT EXPCT:(6)	8	0.3 %	0.3%
-9 (M)	MISSING:(-9)	127	5.1 %	-

Based upon 2366 valid cases out of 2493 total cases.

V5172 **115C15 :Rs HS PROGRAM**

Location: 360-361 (width: 2; decimal: 0)
Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	CLG PREP:(1)	1311	52.6 %	55.6%
2	GENERAL:(2)	742	29.8 %	31.5%
3	VOC-TECH:(3)	117	4.7 %	5.0%
4	OTH/DK:(4)	186	7.5 %	7.9%
-9 (M)	MISSING:(-9)	137	5.5 %	-

Based upon 2356 valid cases out of 2493 total cases.

V5173 115C16 :RT SF SCH AB>AVG

Location: 362-363 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	FAR BELOW:(1)	29	1.2 %	1.2%
2	BELOW AVG:(2)	44	1.8 %	1.9%
3	SLIGHT BELOW:(3)	112	4.5 %	4.7%
4	AVERAGE:(4)	760	30.5 %	32.2%
5	SLIGHT ABOVE:(5)	558	22.4 %	23.6%
6	ABOVE AVG:(6)	690	27.7 %	29.2%
7	FAR ABOVE:(7)	167	6.7 %	7.1%
-9 (M)	MISSING:(-9)	133	5.3 %	-

Based upon 2360 valid cases out of 2493 total cases.

V5174 115C17 :RT SF INTELL>AVG

Location: 364-365 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00420

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	FAR BELOW:(1)	31	1.2 %	1.3%
2	BELOW AVG:(2)	31	1.2 %	1.3%
3	SLIGHT BELOW:(3)	111	4.5 %	4.7%
4	AVERAGE:(4)	677	27.2 %	28.7%
5	SLIGHT ABOVE:(5)	600	24.1 %	25.5%
6	ABOVE AVG:(6)	687	27.6 %	29.2%
7	FAR ABOVE:(7)	219	8.8 %	9.3%
-9 (M)	MISSING:(-9)	137	5.5 %	-

Based upon 2356 valid cases out of 2493 total cases.

V5175 115C18A:#DA/4W SC MS ILL

Location: 366-367 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NONE:(1)	1395	56.0 %	60.2%
2	1 DAY:(2)	406	16.3 %	17.5%
3	2 DAYS:(3)	249	10.0 %	10.7%
4	3 DAYS:(4)	145	5.8 %	6.3%
5	4-5 DAYS:(5)	81	3.2 %	3.5%
6	6-10 DA:(6)	28	1.1 %	1.2%

Value	Label	Unweighted Frequency	%	Valid %
7	11+ DAYS:(7)	14	0.6 %	0.6%
-9 (M)	MISSING:(-9)	175	7.0 %	-

Based upon 2318 valid cases out of 2493 total cases.

V5176 **115C18B:#DA/4W SC MS CUT**

Location: 368-369 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1618	64.9 %	70.7%
2	1 DAY:(2)	317	12.7 %	13.9%
3	2 DAYS:(3)	157	6.3 %	6.9%
4	3 DAYS:(4)	96	3.9 %	4.2%
5	4-5 DAYS:(5)	51	2.0 %	2.2%
6	6-10 DA:(6)	25	1.0 %	1.1%
7	11+ DAYS:(7)	24	1.0 %	1.0%
-9 (M)	MISSING:(-9)	205	8.2 %	-

Based upon 2288 valid cases out of 2493 total cases.

V5177 **115C18C:#DA/4W SC MS OTH**

Location: 370-371 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10

Days" 7="11 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NONE:(1)	1307	52.4 %	56.6%
2	1 DAY:(2)	447	17.9 %	19.4%
3	2 DAYS:(3)	250	10.0 %	10.8%
4	3 DAYS:(4)	152	6.1 %	6.6%
5	4-5 DAYS:(5)	93	3.7 %	4.0%
6	6-10 DA:(6)	38	1.5 %	1.6%
7	11+ DAYS:(7)	23	0.9 %	1.0%
-9 (M)	MISSING:(-9)	183	7.3 %	-

Based upon 2310 valid cases out of 2493 total cases.

V5178 **115C19 :#DA/4W SKP CLASS**

Location: 372-373 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times" 5="11-20 times" 6="More than 20 times"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NONE:(1)	1668	66.9 %	70.8%
2	1-2:(2)	434	17.4 %	18.4%
3	3-5:(3)	155	6.2 %	6.6%
4	6-10:(4)	55	2.2 %	2.3%
5	11-20:(5)	22	0.9 %	0.9%
6	21+:(6)	22	0.9 %	0.9%
-9 (M)	MISSING:(-9)	137	5.5 %	-

Based upon 2356 valid cases out of 2493 total cases.

V5179 **115C20 :R HS GRADE/D = 1**

Location: 374-375 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)" 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)" 1="D (69 or below)"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	D:(1)	20	0.8 %	0.9%
2	C-:(2)	55	2.2 %	2.3%
3	C:(3)	99	4.0 %	4.2%
4	C+:(4)	198	7.9 %	8.5%
5	B-:(5)	257	10.3 %	11.0%
6	B:(6)	424	17.0 %	18.1%
7	B+:(7)	461	18.5 %	19.7%
8	A-:(8)	459	18.4 %	19.6%
9	A:(9)	369	14.8 %	15.8%
-9 (M)	MISSING:(-9)	151	6.1 %	-

Based upon 2342 valid cases out of 2493 total cases.

V5180 **115C21A:R WL DO VOC/TEC**

Location: 376-377 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00480

How likely is it that you will do each of the following things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DEF WONT:(1)	1295	51.9 %	57.0%
2	PRB WONT:(2)	526	21.1 %	23.2%
3	PRB WILL:(3)	283	11.4 %	12.5%
4	DEF WILL:(4)	167	6.7 %	7.4%
-9 (M)	MISSING:(-9)	222	8.9 %	-

Based upon 2271 valid cases out of 2493 total cases.

V5181 **115C21B:R WL DO ARMD FC**

Location: 378-379 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00490

How likely is it that you will do each of the following things after high school?

B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DEF WONT:(1)	1468	58.9 %	67.1%
2	PRB WONT:(2)	408	16.4 %	18.6%
3	PRB WILL:(3)	184	7.4 %	8.4%
4	DEF WILL:(4)	128	5.1 %	5.9%
-9 (M)	MISSING:(-9)	305	12.2 %	-

Based upon 2188 valid cases out of 2493 total cases.

V5182 115C21C:R WL DO 2YR CLG

Location: 380-381 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00500

How likely is it that you will do each of the following things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DEF WONT:(1)	892	35.8 %	39.4%
2	PRB WONT:(2)	377	15.1 %	16.7%
3	PRB WILL:(3)	525	21.1 %	23.2%
4	DEF WILL:(4)	470	18.9 %	20.8%
-9 (M)	MISSING:(-9)	229	9.2 %	-

Based upon 2264 valid cases out of 2493 total cases.

V5183 115C21D:R WL DO 4YR CLG

Location: 382-383 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00510

How likely is it that you will do each of the following things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DEF WONT:(1)	185	7.4 %	8.0%
2	PRB WONT:(2)	188	7.5 %	8.1%
3	PRB WILL:(3)	514	20.6 %	22.3%
4	DEF WILL:(4)	1423	57.1 %	61.6%
-9 (M)	MISSING:(-9)	183	7.3 %	-

Based upon 2310 valid cases out of 2493 total cases.

V5184 115C21E:R WL DO GRD/PRF

Location: 384-385 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00520

How likely is it that you will do each of the following things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DEF WONT:(1)	361	14.5 %	15.8%
2	PRB WONT:(2)	589	23.6 %	25.8%
3	PRB WILL:(3)	736	29.5 %	32.3%
4	DEF WILL:(4)	595	23.9 %	26.1%
-9 (M)	MISSING:(-9)	212	8.5 %	-

Based upon 2281 valid cases out of 2493 total cases.

V5185 **115C22A:R WNTDO VOC/TEC**

Location: 386-387 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	1966	78.9 %	84.9%
1	MARKED:(1)	350	14.0 %	15.1%
-9 (M)	MISSING:(-9)	177	7.1 %	-

Based upon 2316 valid cases out of 2493 total cases.

V5186 **115C22B:R WNTDO ARMD FC**

Location: 388-389 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	1948	78.1 %	84.1%
1	MARKED:(1)	368	14.8 %	15.9%
-9 (M)	MISSING:(-9)	177	7.1 %	-

Based upon 2316 valid cases out of 2493 total cases.

V5187 **115C22C:R WNTDO 2YR CLG**

Location: 390-391 (width: 2; decimal: 0)
Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	1676	67.2 %	72.4%
1	MARKED:(1)	640	25.7 %	27.6%
-9 (M)	MISSING:(-9)	177	7.1 %	-

Based upon 2316 valid cases out of 2493 total cases.

V5188 115C22D:R WNTDO 4YR CLG

Location: 392-393 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	457	18.3 %	19.7%
1	MARKED:(1)	1859	74.6 %	80.3%
-9 (M)	MISSING:(-9)	177	7.1 %	-

Based upon 2316 valid cases out of 2493 total cases.

V5189 115C22E:R WNTDO GRD/PRF

Location: 394-395 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	1008	40.4 %	43.5%
1	MARKED:(1)	1308	52.5 %	56.5%
-9 (M)	MISSING:(-9)	177	7.1 %	-

Based upon 2316 valid cases out of 2493 total cases.

V5190 **115C22F:R WNTDO NONE**

Location: 396-397 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	2215	88.8 %	95.6%
1	MARKED:(1)	101	4.1 %	4.4%
-9 (M)	MISSING:(-9)	177	7.1 %	-

Based upon 2316 valid cases out of 2493 total cases.

V5191 **115C23 :HRS/W WRK SCHYR**

Location: 398-399 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours"

8="More than 30 hours"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NONE:(1)	956	38.3 %	41.2%
2	5 OR <:(2)	251	10.1 %	10.8%
3	6-10 HRS:(3)	249	10.0 %	10.7%
4	11-15 HR:(4)	221	8.9 %	9.5%
5	16-20 HR:(5)	264	10.6 %	11.4%
6	21-25 HR:(6)	171	6.9 %	7.4%
7	26-30 HR:(7)	95	3.8 %	4.1%
8	30+ HRS:(8)	114	4.6 %	4.9%
-9 (M)	MISSING:(-9)	172	6.9 %	-

Based upon 2321 valid cases out of 2493 total cases.

V5192 **115C24A:R$/AVG WEEK JOB**

Location: 400-402 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00600

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50" 7="$51-75" 8="$76-125" 9="$126-175" 10="$176+"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NONE:(1)	1036	41.6 %	45.6%
2	$1-5:(2)	25	1.0 %	1.1%
3	$6-10:(3)	52	2.1 %	2.3%
4	$11-20:(4)	72	2.9 %	3.2%
5	$21-35:(5)	76	3.0 %	3.3%
6	$36-50:(6)	119	4.8 %	5.2%
7	$51-75:(7)	161	6.5 %	7.1%
8	$76-125:(8)	306	12.3 %	13.5%
9	$126-175:(9)	202	8.1 %	8.9%
10	$176+:(10)	224	9.0 %	9.9%
-9 (M)	MISSING:(-9)	220	8.8 %	-

Based upon 2273 valid cases out of 2493 total cases.

V5193 **115C24B:R$/AVG WEEK OTH**

Location: 403-405 (width: 3; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00610

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50" 7="$51-75" 8="$76-125" 9="$126-175" 10="$176+"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NONE:(1)	924	37.1 %	41.3%
2	$1-5:(2)	119	4.8 %	5.3%
3	$6-10:(3)	194	7.8 %	8.7%
4	$11-20:(4)	372	14.9 %	16.6%
5	$21-35:(5)	240	9.6 %	10.7%
6	$36-50:(6)	149	6.0 %	6.7%
7	$51-75:(7)	85	3.4 %	3.8%
8	$76-125:(8)	64	2.6 %	2.9%
9	$126-175:(9)	21	0.8 %	0.9%
10	$176+:(10)	70	2.8 %	3.1%
-9 (M)	MISSING:(-9)	255	10.2 %	-

Based upon 2238 valid cases out of 2493 total cases.

V5194 115C25 :#X/AV WK GO OUT

Location: 406-407 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or five" 6="Six or seven"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	< 1:(1)	292	11.7 %	12.6%
2	ONE:(2)	364	14.6 %	15.7%
3	TWO:(3)	619	24.8 %	26.8%
4	THREE:(4)	519	20.8 %	22.4%

Value	Label	Unweighted Frequency	%	Valid %
5	4-5:(5)	356	14.3 %	15.4%
6	6-7:(6)	162	6.5 %	7.0%
-9 (M)	MISSING:(-9)	181	7.3 %	-

Based upon 2312 valid cases out of 2493 total cases.

V5195 **115C26 :#X DATE 3+/WK**

Location: 408-409 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00630

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month" 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	795	31.9 %	35.0%
2	ONCE/MO:(2)	416	16.7 %	18.3%
3	2-3X MO:(3)	334	13.4 %	14.7%
4	ONCE WK:(4)	318	12.8 %	14.0%
5	2-3X WK:(5)	277	11.1 %	12.2%
6	3+ WEEK:(6)	129	5.2 %	5.7%
-9 (M)	MISSING:(-9)	224	9.0 %	-

Based upon 2269 valid cases out of 2493 total cases.

V5196 **115C27 :DRIVE>200 MI/WK**

Location: 410-411 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NONE:(1)	592	23.7 %	25.7%
2	1-10 MI:(2)	248	9.9 %	10.8%
3	11-50:(3)	615	24.7 %	26.7%
4	51-100:(4)	435	17.4 %	18.9%
5	101-200:(5)	263	10.5 %	11.4%
6	> 200:(6)	150	6.0 %	6.5%
-9 (M)	MISSING:(-9)	190	7.6 %	-

Based upon 2303 valid cases out of 2493 total cases.

V5197 **115C28 :#X/12MO R TCKTD**

Location: 412-413 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NONE:(0)	1790	71.8 %	78.4%
1	ONCE:(1)	326	13.1 %	14.3%
2	TWICE:(2)	102	4.1 %	4.5%
3	3 TIMES:(3)	34	1.4 %	1.5%
4	4+ TIMES:(4)	32	1.3 %	1.4%
-9 (M)	MISSING:(-9)	209	8.4 %	-

Based upon 2284 valid cases out of 2493 total cases.

V5198 **115C29AR:#TCKTS AFT DRNK**

Location: 414-415 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00660

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NONE:(0)	459	18.4 %	93.9%
1	ONE:(1)	24	1.0 %	4.9%
2	TWO:(2)	4	0.2 %	0.8%
3	THREE+:(3-4)	2	0.1 %	0.4%
-9 (M)	MISSING:(-9)	2004	80.4 %	-

Based upon 489 valid cases out of 2493 total cases.

V5199 **115C29BR:#TCKTS AFT MARJ**

Location: 416-417 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00670

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NONE:(0)	465	18.7 %	95.7%
1	ONE:(1)	14	0.6 %	2.9%
2	TWO:(2)	6	0.2 %	1.2%
3	THREE+:(3-4)	1	0.0 %	0.2%
-9 (M)	MISSING:(-9)	2007	80.5 %	-

Based upon 486 valid cases out of 2493 total cases.

V5200 **115C29CR:#TCKTS AFT OTDG**

Location: 418-419 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00680

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NONE:(0)	477	19.1 %	98.8%
1	ONE:(1)	2	0.1 %	0.4%
2	TWO:(2)	3	0.1 %	0.6%
3	THREE+:(3-4)	1	0.0 %	0.2%
-9 (M)	MISSING:(-9)	2010	80.6 %	-

Based upon 483 valid cases out of 2493 total cases.

V5201 **115C30 :#ACCIDNTS/12 MO**

Location: 420-421 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NONE:(0)	1892	75.9 %	84.5%
1	ONCE:(1)	265	10.6 %	11.8%
2	TWICE:(2)	62	2.5 %	2.8%
3	3 TIMES:(3)	16	0.6 %	0.7%
4	4+ TIMES:(4)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	254	10.2 %	-

Based upon 2239 valid cases out of 2493 total cases.

V5202 **115C31AR:#ACDTS AFT DRNK**

Location: 422-423 (width: 2; decimal: 0)

Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NONE:(0)	334	13.4 %	96.0%
1	ONE:(1)	12	0.5 %	3.4%
2	TWO:(2)	1	0.0 %	0.3%
3	THREE+:(3-4)	1	0.0 %	0.3%
-9 (M)	MISSING:(-9)	2145	86.0 %	-

Based upon 348 valid cases out of 2493 total cases.

V5203 115C31BR:#ACDTS AFT MARJ

Location: 424-425 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NONE:(0)	331	13.3 %	95.9%
1	ONE:(1)	13	0.5 %	3.8%
3	THREE+:(3-4)	1	0.0 %	0.3%
-9 (M)	MISSING:(-9)	2148	86.2 %	-

Based upon 345 valid cases out of 2493 total cases.

V5204 115C31CR:#ACDTS AFT OTDG

Location: 426-427 (width: 2; decimal: 0)
Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NONE:(0)	340	13.6 %	98.6%
1	ONE:(1)	4	0.2 %	1.2%
3	THREE+:(3-4)	1	0.0 %	0.3%
-9 (M)	MISSING:(-9)	2148	86.2 %	-

Based upon 345 valid cases out of 2493 total cases.

V5205 115C32 :Rs BRANCH SERV

Location: 428-429 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00730

If you have not entered military service, and do not expect to enter, GO TO PART D.

What is, or will be, your branch of service?

1="Army" 2="Navy" 3="Marine Corps" 4="Air Force" 5="Coast Guard" 6="Uncertain"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	ARMY:(1)	79	3.2 %	24.0%
2	NAVY:(2)	50	2.0 %	15.2%
3	MARINES:(3)	79	3.2 %	24.0%
4	AIR FORCE:(4)	64	2.6 %	19.5%
5	COAST GUARD:(5)	13	0.5 %	4.0%
6	UNCERTN:(6)	44	1.8 %	13.4%
-9 (M)	MISSING:(-9)	2164	86.8 %	-

Based upon 329 valid cases out of 2493 total cases.

V5206 115C33 :R XPCTS B OFFCR

Location: 430-431 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00740

Do you expect to be an officer?

1="No" 2="Uncertain" 3="Yes"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO:(1)	46	1.8 %	13.6%
2	UNCERTN:(2)	148	5.9 %	43.9%
3	YES:(3)	143	5.7 %	42.4%
-9 (M)	MISSING:(-9)	2156	86.5 %	-

Based upon 337 valid cases out of 2493 total cases.

V5207 115C34 :R XPCTS MLTR CR

Location: 432-433 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00750

Do you expect to have a career in the Armed Forces?

1="No" 2="Uncertain" 3="Yes"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO:(1)	48	1.9 %	14.1%
2	UNCERTN:(2)	163	6.5 %	47.9%
3	YES:(3)	129	5.2 %	37.9%
-9 (M)	MISSING:(-9)	2153	86.4 %	-

Based upon 340 valid cases out of 2493 total cases.

V5303 115D01A:POS ATT TWD SELF

Location: 434-435 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12550

This section asks for your views and feelings about a number of different things. Do you agree or disagree with each of the following?

A: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	68	2.7 %	3.0%
2	MOST DIS:(2)	145	5.8 %	6.3%
3	NEITHER:(3)	182	7.3 %	7.9%
4	MOST AGR:(4)	949	38.1 %	41.4%
5	AGREE:(5)	946	37.9 %	41.3%
-9 (M)	MISSING:(-9)	203	8.1 %	-

Based upon 2290 valid cases out of 2493 total cases.

V5304 **115D01B:LUCK>IMP HRD WRK**

Location: 436-437 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12560

Do you agree or disagree with each of the following?

B: Good luck is more important than hard work for success

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	801	32.1 %	35.0%
2	MOST DIS:(2)	761	30.5 %	33.3%
3	NEITHER:(3)	485	19.5 %	21.2%
4	MOST AGR:(4)	159	6.4 %	6.9%
5	AGREE:(5)	82	3.3 %	3.6%
-9 (M)	MISSING:(-9)	205	8.2 %	-

Based upon 2288 valid cases out of 2493 total cases.

V5305 **115D01C:AM PRSN OF WORTH**

Location: 438-439 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12570

Do you agree or disagree with each of the following?

C: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	47	1.9 %	2.1%
2	MOST DIS:(2)	119	4.8 %	5.2%
3	NEITHER:(3)	301	12.1 %	13.1%
4	MOST AGR:(4)	856	34.3 %	37.4%
5	AGREE:(5)	966	38.7 %	42.2%
-9 (M)	MISSING:(-9)	204	8.2 %	-

Based upon 2289 valid cases out of 2493 total cases.

V5306 **115D01D:DO WELL AS OTHRS**

Location: 440-441 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12580

Do you agree or disagree with each of the following?

D: I am able to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	29	1.2 %	1.3%
2	MOST DIS:(2)	60	2.4 %	2.6%
3	NEITHER:(3)	206	8.3 %	9.0%
4	MOST AGR:(4)	942	37.8 %	41.2%
5	AGREE:(5)	1049	42.1 %	45.9%
-9 (M)	MISSING:(-9)	207	8.3 %	-

Based upon 2286 valid cases out of 2493 total cases.

V5307 **115D01E:TRY GT AHD,STOPD**

Location: 442-443 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12590

Do you agree or disagree with each of the following?

E: Every time I try to get ahead, something or somebody stops me

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	401	16.1 %	17.5%
2	MOST DIS:(2)	670	26.9 %	29.3%
3	NEITHER:(3)	646	25.9 %	28.3%
4	MOST AGR:(4)	402	16.1 %	17.6%
5	AGREE:(5)	166	6.7 %	7.3%
-9 (M)	MISSING:(-9)	208	8.3 %	-

Based upon 2285 valid cases out of 2493 total cases.

V5308 115D01F:PLNNG MKS UNHPPY

Location: 444-445 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12600

Do you agree or disagree with each of the following?

F: Planning only makes a person unhappy since plans hardly ever work out anyway

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	628	25.2 %	27.5%
2	MOST DIS:(2)	701	28.1 %	30.7%
3	NEITHER:(3)	500	20.1 %	21.9%
4	MOST AGR:(4)	298	12.0 %	13.1%
5	AGREE:(5)	156	6.3 %	6.8%
-9 (M)	MISSING:(-9)	210	8.4 %	-

Based upon 2283 valid cases out of 2493 total cases.

V5309 115D01G:ACPT LIFE->HAPPR

Location: 446-447 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12610

Do you agree or disagree with each of the following?

G: People who accept their condition in life are happier than those who try to change things

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	319	12.8 %	14.0%
2	MOST DIS:(2)	373	15.0 %	16.4%
3	NEITHER:(3)	591	23.7 %	25.9%
4	MOST AGR:(4)	585	23.5 %	25.7%
5	AGREE:(5)	412	16.5 %	18.1%
-9 (M)	MISSING:(-9)	213	8.5 %	-

Based upon 2280 valid cases out of 2493 total cases.

V5310 115D01H:SATISFD W MYSELF

Location: 448-449 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12620

Do you agree or disagree with each of the following?

H: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	80	3.2 %	3.5%
2	MOST DIS:(2)	169	6.8 %	7.4%
3	NEITHER:(3)	244	9.8 %	10.7%
4	MOST AGR:(4)	831	33.3 %	36.5%
5	AGREE:(5)	955	38.3 %	41.9%
-9 (M)	MISSING:(-9)	214	8.6 %	-

Based upon 2279 valid cases out of 2493 total cases.

V5311 **115D01I:PPL LK ME -CHANC**

Location: 450-451 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12630

Do you agree or disagree with each of the following?

I: People like me don't have much of a chance to be successful in life

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	1281	51.4 %	56.3%
2	MOST DIS:(2)	489	19.6 %	21.5%
3	NEITHER:(3)	308	12.4 %	13.5%
4	MOST AGR:(4)	126	5.1 %	5.5%
5	AGREE:(5)	73	2.9 %	3.2%
-9 (M)	MISSING:(-9)	216	8.7 %	-

Based upon 2277 valid cases out of 2493 total cases.

V5312 **115D01J:MY PLANS DO WORK**

Location: 452-453 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12640

Do you agree or disagree with each of the following?

J: When I make plans, I am almost certain that I can make them work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	55	2.2 %	2.4%
2	MOST DIS:(2)	148	5.9 %	6.5%
3	NEITHER:(3)	412	16.5 %	18.1%
4	MOST AGR:(4)	1038	41.6 %	45.6%
5	AGREE:(5)	622	24.9 %	27.3%

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
-9 (M)	MISSING:(-9)	218	8.7 %	-

Based upon 2275 valid cases out of 2493 total cases.

V5313 **115D01K:OFTN FEEL LONELY**

Location: 454-455 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12650

Do you agree or disagree with each of the following?

K: A lot of times I feel lonely

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	669	26.8 %	29.5%
2	MOST DIS:(2)	544	21.8 %	24.0%
3	NEITHER:(3)	428	17.2 %	18.9%
4	MOST AGR:(4)	425	17.0 %	18.8%
5	AGREE:(5)	200	8.0 %	8.8%
-9 (M)	MISSING:(-9)	227	9.1 %	-

Based upon 2266 valid cases out of 2493 total cases.

V5314 **115D01L:-MUCH TO B PROUD**

Location: 456-457 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12660

Do you agree or disagree with each of the following?

L: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	1036	41.6 %	45.7%
2	MOST DIS:(2)	571	22.9 %	25.2%

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
3	NEITHER:(3)	278	11.2 %	12.3%
4	MOST AGR:(4)	272	10.9 %	12.0%
5	AGREE:(5)	111	4.5 %	4.9%
-9 (M)	MISSING:(-9)	225	9.0 %	-

Based upon 2268 valid cases out of 2493 total cases.

V5315 **115D01M:ALWYS SM1 HELP R**

Location: 458-459 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12670

Do you agree or disagree with each of the following?

M: There is always someone I can turn to if I need help

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	87	3.5 %	3.8%
2	MOST DIS:(2)	119	4.8 %	5.3%
3	NEITHER:(3)	206	8.3 %	9.1%
4	MOST AGR:(4)	648	26.0 %	28.6%
5	AGREE:(5)	1202	48.2 %	53.1%
-9 (M)	MISSING:(-9)	231	9.3 %	-

Based upon 2262 valid cases out of 2493 total cases.

V5316 **115D01N:I AM NO GOOD**

Location: 460-461 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12680

Do you agree or disagree with each of the following?

N: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	912	36.6 %	40.5%
2	MOST DIS:(2)	499	20.0 %	22.1%
3	NEITHER:(3)	361	14.5 %	16.0%
4	MOST AGR:(4)	313	12.6 %	13.9%
5	AGREE:(5)	169	6.8 %	7.5%
-9 (M)	MISSING:(-9)	239	9.6 %	-

Based upon 2254 valid cases out of 2493 total cases.

V5317 **115D01O:OFTN FL LEFT OUT**

Location: 462-463 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12690

Do you agree or disagree with each of the following?

O: I often feel left out of things

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	636	25.5 %	28.3%
2	MOST DIS:(2)	521	20.9 %	23.2%
3	NEITHER:(3)	454	18.2 %	20.2%
4	MOST AGR:(4)	409	16.4 %	18.2%
5	AGREE:(5)	229	9.2 %	10.2%
-9 (M)	MISSING:(-9)	244	9.8 %	-

Based upon 2249 valid cases out of 2493 total cases.

V5318 **115D01P:PPL MASTER FATE**

Location: 464-465 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12700

Do you agree or disagree with each of the following?

P: I believe a person is master of his/her own fate

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	114	4.6 %	5.1%
2	MOST DIS:(2)	109	4.4 %	4.9%
3	NEITHER:(3)	394	15.8 %	17.5%
4	MOST AGR:(4)	724	29.0 %	32.2%
5	AGREE:(5)	906	36.3 %	40.3%
-9 (M)	MISSING:(-9)	246	9.9 %	-

Based upon 2247 valid cases out of 2493 total cases.

V5319 **115D01Q:USLY SM1 TALK TO**

Location: 466-467 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12710

Do you agree or disagree with each of the following?

Q: There is usually someone I can talk to if I need to

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	81	3.2 %	3.6%
2	MOST DIS:(2)	93	3.7 %	4.1%
3	NEITHER:(3)	203	8.1 %	9.0%
4	MOST AGR:(4)	579	23.2 %	25.7%
5	AGREE:(5)	1296	52.0 %	57.5%
-9 (M)	MISSING:(-9)	241	9.7 %	-

Based upon 2252 valid cases out of 2493 total cases.

V5320 **115D01R:I DO WRONG THING**

Location: 468-469 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12720

Do you agree or disagree with each of the following?

R: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	1001	40.2 %	44.6%
2	MOST DIS:(2)	584	23.4 %	26.0%
3	NEITHER:(3)	368	14.8 %	16.4%
4	MOST AGR:(4)	193	7.7 %	8.6%
5	AGREE:(5)	100	4.0 %	4.5%
-9 (M)	MISSING:(-9)	247	9.9 %	-

Based upon 2246 valid cases out of 2493 total cases.

V5321 **115D01S:OFT WSH MOR FRND**

Location: 470-471 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12730

Do you agree or disagree with each of the following?

S: I often wish I had more good friends

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	584	23.4 %	26.0%
2	MOST DIS:(2)	337	13.5 %	15.0%
3	NEITHER:(3)	407	16.3 %	18.1%
4	MOST AGR:(4)	521	20.9 %	23.2%
5	AGREE:(5)	395	15.8 %	17.6%
-9 (M)	MISSING:(-9)	249	10.0 %	-

Based upon 2244 valid cases out of 2493 total cases.

V5322 **115D01T:PLANS->BTR RSLTS**

Location: 472-473 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12740

Do you agree or disagree with each of the following?

T: Planning ahead makes things turn out better

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	93	3.7 %	4.1%
2	MOST DIS:(2)	149	6.0 %	6.6%
3	NEITHER:(3)	514	20.6 %	22.9%
4	MOST AGR:(4)	882	35.4 %	39.3%
5	AGREE:(5)	604	24.2 %	26.9%
-9 (M)	MISSING:(-9)	251	10.1 %	-

Based upon 2242 valid cases out of 2493 total cases.

V5323 **115D01U:MY LIFE NT USEFL**

Location: 474-475 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12750

Do you agree or disagree with each of the following?

U: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	1224	49.1 %	54.8%
2	MOST DIS:(2)	455	18.3 %	20.4%
3	NEITHER:(3)	344	13.8 %	15.4%
4	MOST AGR:(4)	128	5.1 %	5.7%
5	AGREE:(5)	83	3.3 %	3.7%
-9 (M)	MISSING:(-9)	259	10.4 %	-

Based upon 2234 valid cases out of 2493 total cases.

V5324 **115D01V:USLY FRDS BE WTH**

Location: 476-477 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 12760

Do you agree or disagree with each of the following?

V: I usually have a few friends around that I can get together with

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	143	5.7 %	6.4%
2	MOST DIS:(2)	137	5.5 %	6.1%
3	NEITHER:(3)	246	9.9 %	11.0%
4	MOST AGR:(4)	759	30.4 %	33.9%
5	AGREE:(5)	952	38.2 %	42.6%
-9 (M)	MISSING:(-9)	256	10.3 %	-

Based upon 2237 valid cases out of 2493 total cases.

V5414 **115D01W:EAGR TO LEAV HOM**

Location: 478-479 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13950

Do you agree or disagree with each of the following?

W: I am eager to leave home and live on my own--independent from my parents

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	168	6.7 %	7.5%
2	MOST DIS:(2)	216	8.7 %	9.6%
3	NEITHER:(3)	455	18.3 %	20.3%
4	MOST AGR:(4)	646	25.9 %	28.9%
5	AGREE:(5)	754	30.2 %	33.7%
-9 (M)	MISSING:(-9)	254	10.2 %	-

Based upon 2239 valid cases out of 2493 total cases.

V5415 **115D01X:HEST PRT ADLT WL**

Location: 480-481 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13960

Do you agree or disagree with each of the following?

X: I feel hesitant about taking a full-time job and becoming part of the "adult" world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	594	23.8 %	26.6%
2	MOST DIS:(2)	439	17.6 %	19.6%
3	NEITHER:(3)	403	16.2 %	18.0%
4	MOST AGR:(4)	504	20.2 %	22.6%
5	AGREE:(5)	295	11.8 %	13.2%
-9 (M)	MISSING:(-9)	258	10.3 %	-

Based upon 2235 valid cases out of 2493 total cases.

V5416 115D02A:%$SAVE FUTR EDUC

Location: 482-483 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20830

Please think about all the money you earned during the past year, including last summer. About how much of your past year's earnings have gone into . . .

A: . . . Savings for your future education?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NONE:(1)	1034	41.5 %	46.9%
2	LITL (20%):(2)	480	19.3 %	21.8%
3	SOME(40%):(3)	303	12.2 %	13.8%
4	HALF(60%):(4)	172	6.9 %	7.8%
5	MOST(80%):(5)	108	4.3 %	4.9%
6	ALMST(99%):(6)	71	2.8 %	3.2%
7	ALL:(7)	35	1.4 %	1.6%
-9 (M)	MISSING:(-9)	290	11.6 %	-

Based upon 2203 valid cases out of 2493 total cases.

V5417 **115D02B:%$SAVE/SPEND CAR**

Location: 484-485 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20840

About how much of your past year's earnings have gone into . . .

B: . . . Savings or payments for a car or car expenses?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NONE:(1)	1148	46.0 %	52.2%
2	LITL (20%):(2)	328	13.2 %	14.9%
3	SOME(40%):(3)	293	11.8 %	13.3%
4	HALF(60%):(4)	212	8.5 %	9.6%
5	MOST(80%):(5)	122	4.9 %	5.5%
6	ALMST(99%):(6)	58	2.3 %	2.6%
7	ALL:(7)	39	1.6 %	1.8%
-9 (M)	MISSING:(-9)	293	11.8 %	-

Based upon 2200 valid cases out of 2493 total cases.

V5418 **115D02C:%$SAVE OTHER**

Location: 486-487 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20850

About how much of your past year's earnings have gone into . . .

C: . . . Other savings for long-range purposes?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NONE:(1)	1014	40.7 %	46.2%

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
2	LITL (20%):(2)	457	18.3 %	20.8%
3	SOME(40%):(3)	303	12.2 %	13.8%
4	HALF(60%):(4)	200	8.0 %	9.1%
5	MOST(80%):(5)	104	4.2 %	4.7%
6	ALMST(99%):(6)	66	2.6 %	3.0%
7	ALL:(7)	51	2.0 %	2.3%
-9 (M)	MISSING:(-9)	298	12.0 %	-

Based upon 2195 valid cases out of 2493 total cases.

V5419 **115D02D:%$SPEND ON SELF**

Location: 488-489 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20860

About how much of your past year's earnings have gone into . . .

D: . . . Spending on your own needs and activities--things such as clothing, electronic equipment, videos, other possessions, movies, eating out, other recreation, hobbies, gifts for others, and other personal expenses?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NONE:(1)	246	9.9 %	11.4%
2	LITL (20%):(2)	376	15.1 %	17.4%
3	SOME(40%):(3)	386	15.5 %	17.9%
4	HALF(60%):(4)	356	14.3 %	16.5%
5	MOST(80%):(5)	353	14.2 %	16.3%
6	ALMST(99%):(6)	253	10.1 %	11.7%
7	ALL:(7)	191	7.7 %	8.8%
-9 (M)	MISSING:(-9)	332	13.3 %	-

Based upon 2161 valid cases out of 2493 total cases.

V5420 **115D02E:%$SPEND HELP FAM**

Location: 490-491 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 20870

About how much of your past year's earnings have gone into . . .

E: . . . Helping to pay family living expenses (groceries, housing, etc.)?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NONE:(1)	1195	47.9 %	55.3%
2	LITL (20%):(2)	464	18.6 %	21.5%
3	SOME(40%):(3)	230	9.2 %	10.6%
4	HALF(60%):(4)	123	4.9 %	5.7%
5	MOST(80%):(5)	77	3.1 %	3.6%
6	ALMST(99%):(6)	34	1.4 %	1.6%
7	ALL:(7)	37	1.5 %	1.7%
-9 (M)	MISSING:(-9)	333	13.4 %	-

Based upon 2160 valid cases out of 2493 total cases.

V5523 115D03:EVER AD STIM DR

Location: 492-493 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31460

The next questions are about drugs that doctors sometimes prescribe for people who have problems concentrating on one task at a time (attention deficit disorder), or with being too active or too disruptive (hyperactive), or both (ADHD). Stimulant-type drugs (i.e., amphetamine, methylphenidate, and pemoline) are prescribed for these conditions. These drugs include Ritalin, Adderall, Concerta, Metadate, Dexedrine, Focalin, Cylert, and others. Have you ever taken any of these stimulant-type prescription drugs under a doctor's supervision for these conditions? (Do not count drugs that are not stimulant-type, like Strattera, Wellbutrin, Provigil, Tenex, or Tofranil.)

1="No--GO TO QUESTION 6" 2="Yes, in the past, but not now" 3="Yes, I take them now"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO:(1)	2002	80.3 %	92.3%

Value	Label	Unweighted Frequency	%	Valid %
2	YES PAST:(2)	99	4.0 %	4.6%
3	YES NOW:(3)	68	2.7 %	3.1%
-9 (M)	MISSING:(-9)	324	13.0 %	-

Based upon 2169 valid cases out of 2493 total cases.

V5524 **115D04:AGE 1ST AD STIM**

Location: 494-495 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 31470

How old were you when you first took one of these stimulant-type drugs under a doctor's supervision?

1="1-4 yrs. old" 2="5-9" 3="10-14" 4="15+ yrs. old"

Value	Label	Unweighted Frequency	%	Valid %
1	1-4 YRS:(1)	8	0.3 %	4.9%
2	5-9:(2)	47	1.9 %	28.8%
3	10-14:(3)	60	2.4 %	36.8%
4	15+ YRS:(4)	48	1.9 %	29.4%
-9 (M)	MISSING:(-9)	2330	93.5 %	-

Based upon 163 valid cases out of 2493 total cases.

V5525 **115D05:# YRS TK AD STIM**

Location: 496-497 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 31480

Altogether, for about how many years have you actually taken such drugs under a doctor's supervision?

1="Less than 1 yr." 2="1 year" 3="2 yrs." 4="3-5 yrs." 5="6-9 yrs." 6="10 or more yrs."

Value	Label	Unweighted Frequency	%	Valid %
1	<1 YEAR:(1)	46	1.8 %	28.2%
2	1 YEAR:(2)	10	0.4 %	6.1%
3	2 YRS:(3)	25	1.0 %	15.3%

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
4	3-5 YRS:(4)	41	1.6 %	25.2%
5	6-9 YRS:(5)	18	0.7 %	11.0%
6	10+ YRS:(6)	23	0.9 %	14.1%
-9 (M)	MISSING:(-9)	2330	93.5 %	-

Based upon 163 valid cases out of 2493 total cases.

V5526 **115D06:EVER AD NONSTIM**

Location: 498-499 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31490

Have you ever taken a non-stimulant-type prescription drug under a doctor's supervision for these conditions (like Strattera, Wellbutrin, Provigil, Tenex, or Tofranil)?

1="No' 2="Yes, in the past, but not now" 3="Yes, I take them now" 8="Don't know"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO:(1)	1908	76.5 %	89.0%
2	YES PAST:(2)	79	3.2 %	3.7%
3	YES NOW:(3)	30	1.2 %	1.4%
8	DONT KNOW:(8)	127	5.1 %	5.9%
-9 (M)	MISSING:(-9)	349	14.0 %	-

Based upon 2144 valid cases out of 2493 total cases.

V5552 **115E01:# ENERGY DRINKS/DAY**

Location: 500-501 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item number: 32540

"Energy drinks" are non-alcoholic beverages that usually contain high amounts of caffeine, including such drinks as Red Bull, Full Throttle, Monster, and Rockstar. They are usually sold in 8- or 16-ounce cans or bottles. About how many (if any) energy drinks do you drink PER DAY, on average?

0="None" 1="Less than 1" 2="One" 3="Two" 4="Three" 5="Four" 6="Five or six" 7="7 or more"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NONE:(0)	1552	62.3 %	71.1%
1	< 1:(1)	429	17.2 %	19.7%
2	1:(2)	107	4.3 %	4.9%
3	2:(3)	48	1.9 %	2.2%
4	3:(4)	23	0.9 %	1.1%
5	4:(5)	7	0.3 %	0.3%
6	5-6:(6)	8	0.3 %	0.4%
7	7 OR +:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	310	12.4 %	-

Based upon 2183 valid cases out of 2493 total cases.

V5553 **115E02:# ENERGY SHOTS/DAY**

Location: 502-503 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item number: 32550

Energy drinks are also sold as small "shots", that usually contain just 2 or 3 ounces. How many (if any) energy drink shots do you drink PER DAY, on average?

0="None" 1="Less than 1" 2="One" 3="Two" 4="Three" 5="Four" 6="Five or six" 7="7 or more"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NONE:(0)	1965	78.8 %	89.4%
1	< 1:(1)	141	5.7 %	6.4%
2	1:(2)	37	1.5 %	1.7%
3	2:(3)	21	0.8 %	1.0%
4	3:(4)	12	0.5 %	0.5%
5	4:(5)	2	0.1 %	0.1%
6	5-6:(6)	8	0.3 %	0.4%
7	7 OR +:(7)	11	0.4 %	0.5%
-9 (M)	MISSING:(-9)	296	11.9 %	-

Based upon 2197 valid cases out of 2493 total cases.

V5554 **115E03:# REG SOFT DRINKS/DAY**

Location: 504-505 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item number: 32560

Regular (non-diet) soft drinks include Coke, Pepsi, Mountain Dew, Dr. Pepper, etc. How many (if any) 12-ounce cans or bottles (or the equivalent) of regular (non-diet) soft drinks do you drink PER DAY, on average?

0="None" 1="Less than 1" 2="One" 3="Two" 4="Three" 5="Four" 6="Five or six" 7="7 or more"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NONE:(0)	696	27.9 %	31.8%
1	< 1:(1)	571	22.9 %	26.1%
2	1:(2)	419	16.8 %	19.1%
3	2:(3)	261	10.5 %	11.9%
4	3:(4)	120	4.8 %	5.5%
5	4:(5)	59	2.4 %	2.7%
6	5-6:(6)	37	1.5 %	1.7%
7	7 OR +:(7)	27	1.1 %	1.2%
-9 (M)	MISSING:(-9)	303	12.2 %	-

Based upon 2190 valid cases out of 2493 total cases.

V5555 **115E04:# DIET SOFT DRINKS/DAY**

Location: 506-507 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item number: 32570

How many (if any) 12-ounce cans or bottles (or the equivalent) of diet soft drinks (like Diet Coke, Diet Pepsi, etc.) do you drink PER DAY, on average?

0="None" 1="Less than 1" 2="One" 3="Two" 4="Three" 5="Four" 6="Five or six" 7="7 or more"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NONE:(0)	1438	57.7 %	65.8%
1	< 1:(1)	341	13.7 %	15.6%
2	1:(2)	190	7.6 %	8.7%
3	2:(3)	111	4.5 %	5.1%
4	3:(4)	49	2.0 %	2.2%
5	4:(5)	20	0.8 %	0.9%
6	5-6:(6)	18	0.7 %	0.8%

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
7	7 OR +:(7)	17	0.7 %	0.8%
-9 (M)	MISSING:(-9)	309	12.4 %	-

Based upon 2184 valid cases out of 2493 total cases.

V5334 **115E05A:I/MJ USR,>CREATV**

Location: 508-509 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13060

The next questions ask about characteristics which some people associate with the use of particular drugs. We want to know what you think. Do YOU think that people who smoke marijuana several times a week tend to be . . .

A: . . . more creative than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO:(1)	996	40.0 %	45.6%
2	YES:(2)	739	29.6 %	33.8%
3	NT SUR/NO OP:(3)	451	18.1 %	20.6%
-9 (M)	MISSING:(-9)	307	12.3 %	-

Based upon 2186 valid cases out of 2493 total cases.

V5335 **115E05B:I/MJ USR,<SENSBL**

Location: 510-511 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13070

Do YOU think that people who smoke marijuana several times a week tend to be . . .

B: . . . less sensible than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO:(1)	749	30.0 %	34.3%
2	YES:(2)	1016	40.8 %	46.5%

Value	Label	Unweighted Frequency	%	Valid %
3	NT SUR/NO OP:(3)	420	16.8 %	19.2%
-9 (M)	MISSING:(-9)	308	12.4 %	-

Based upon 2185 valid cases out of 2493 total cases.

V5336 **115E05C:I/MJ USR,>INTRST**

Location: 512-513 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13080

Do YOU think that people who smoke marijuana several times a week tend to be . . .

C: . . . more interesting people than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	1028	41.2 %	47.1%
2	YES:(2)	764	30.6 %	35.0%
3	NT SUR/NO OP:(3)	390	15.6 %	17.9%
-9 (M)	MISSING:(-9)	311	12.5 %	-

Based upon 2182 valid cases out of 2493 total cases.

V5337 **115E05D:I/MJ USR,<HRDWKG**

Location: 514-515 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13090

Do YOU think that people who smoke marijuana several times a week tend to be . . .

D: . . . less hard-working than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	663	26.6 %	30.4%
2	YES:(2)	1161	46.6 %	53.2%
3	NT SUR/NO OP:(3)	360	14.4 %	16.5%

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
-9 (M)	MISSING:(-9)	309	12.4 %	-

Based upon 2184 valid cases out of 2493 total cases.

V5338 **115E05E:I/MJ USR,>INDPND**

Location: 516-517 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 13100

Do YOU think that people who smoke marijuana several times a week tend to be . . .

E: . . . more independent than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO:(1)	1146	46.0 %	52.7%
2	YES:(2)	560	22.5 %	25.7%
3	NT SUR/NO OP:(3)	470	18.9 %	21.6%
-9 (M)	MISSING:(-9)	317	12.7 %	-

Based upon 2176 valid cases out of 2493 total cases.

V5339 **115E05F:I/MJ USR,>UNSTBL**

Location: 518-519 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 13110

Do YOU think that people who smoke marijuana several times a week tend to be . . .

F: . . . more emotionally unstable than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO:(1)	768	30.8 %	35.2%
2	YES:(2)	972	39.0 %	44.5%
3	NT SUR/NO OP:(3)	442	17.7 %	20.3%
-9 (M)	MISSING:(-9)	311	12.5 %	-

Based upon 2182 valid cases out of 2493 total cases.

V5340 **115E05G:I/MJ USR,>CNCRND**

Location: 520-521 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 13120

Do YOU think that people who smoke marijuana several times a week tend to be . . .

G: . . . more concerned about other people than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO:(1)	1351	54.2 %	62.0%
2	YES:(2)	345	13.8 %	15.8%
3	NT SUR/NO OP:(3)	483	19.4 %	22.2%
-9 (M)	MISSING:(-9)	314	12.6 %	-

Based upon 2179 valid cases out of 2493 total cases.

V5341 **115E05H:I/MJ USR,>WKWLD**

Location: 522-523 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 13130

Do YOU think that people who smoke marijuana several times a week tend to be . . .

H: . . . more weak-willed than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO:(1)	757	30.4 %	34.8%
2	YES:(2)	948	38.0 %	43.6%
3	NT SUR/NO OP:(3)	470	18.9 %	21.6%
-9 (M)	MISSING:(-9)	318	12.8 %	-

Based upon 2175 valid cases out of 2493 total cases.

V5342 **115E05I:I/MJ USR,>CRMNL**

Location: 524-525 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 13140

Do YOU think that people who smoke marijuana several times a week tend to be . . .

I: . . . more criminal than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	NO:(1)	831	33.3 %	38.2%
2	YES:(2)	920	36.9 %	42.3%
3	NT SUR/NO OP:(3)	424	17.0 %	19.5%
-9 (M)	MISSING:(-9)	318	12.8 %	-

Based upon 2175 valid cases out of 2493 total cases.

V5433 115E06A:SMKRS ENJOY LIFE

Location: 526-527 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 21000

Do you agree or disagree?

A: Smokers know how to enjoy life more than non-smokers

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	1347	54.0 %	61.9%
2	MOST DIS:(2)	220	8.8 %	10.1%
3	NEITHER:(3)	440	17.6 %	20.2%
4	MOST AGR:(4)	93	3.7 %	4.3%
5	AGREE:(5)	76	3.0 %	3.5%
-9 (M)	MISSING:(-9)	317	12.7 %	-

Based upon 2176 valid cases out of 2493 total cases.

V5434 115E06B:PRFR DATE N-SMKR

Location: 528-529 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21010

Do you agree or disagree?

B: I would prefer to date people who don't smoke

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	130	5.2 %	6.0%
2	MOST DIS:(2)	70	2.8 %	3.2%
3	NEITHER:(3)	367	14.7 %	16.8%
4	MOST AGR:(4)	271	10.9 %	12.4%
5	AGREE:(5)	1342	53.8 %	61.6%
-9 (M)	MISSING:(-9)	313	12.6 %	-

Based upon 2180 valid cases out of 2493 total cases.

V5435 115E06C:HARMFUL CIG EXAG

Location: 530-531 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 21020

Do you agree or disagree?

C: The harmful effects of cigarettes have been exaggerated

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	1105	44.3 %	50.9%
2	MOST DIS:(2)	380	15.2 %	17.5%
3	NEITHER:(3)	381	15.3 %	17.5%
4	MOST AGR:(4)	166	6.7 %	7.6%
5	AGREE:(5)	140	5.6 %	6.4%
-9 (M)	MISSING:(-9)	321	12.9 %	-

Based upon 2172 valid cases out of 2493 total cases.

V5436 115E06D:SMKR POOR JDGMNT

Location: 532-533 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 21030

Do you agree or disagree?

D: I think that becoming a smoker reflects poor judgment

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	224	9.0 %	10.3%
2	MOST DIS:(2)	224	9.0 %	10.3%
3	NEITHER:(3)	531	21.3 %	24.5%
4	MOST AGR:(4)	462	18.5 %	21.3%
5	AGREE:(5)	727	29.2 %	33.5%
-9 (M)	MISSING:(-9)	325	13.0 %	-

Based upon 2168 valid cases out of 2493 total cases.

V5437 115E06E:DONT MIND SMOKNG

Location: 534-535 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 21040

Do you agree or disagree?

E: I personally don't mind being around people who are smoking

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	726	29.1 %	33.5%
2	MOST DIS:(2)	394	15.8 %	18.2%
3	NEITHER:(3)	375	15.0 %	17.3%
4	MOST AGR:(4)	411	16.5 %	18.9%
5	AGREE:(5)	263	10.5 %	12.1%
-9 (M)	MISSING:(-9)	324	13.0 %	-

Based upon 2169 valid cases out of 2493 total cases.

V5438 **115E06F:SMKG DIRTY HABIT**

Location: 536-537 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 21050

Do you agree or disagree?

F: Smoking is a dirty habit

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	150	6.0 %	6.9%
2	MOST DIS:(2)	119	4.8 %	5.5%
3	NEITHER:(3)	336	13.5 %	15.5%
4	MOST AGR:(4)	430	17.2 %	19.8%
5	AGREE:(5)	1132	45.4 %	52.2%
-9 (M)	MISSING:(-9)	326	13.1 %	-

Based upon 2167 valid cases out of 2493 total cases.

V5485 **115E06G:DTEST NEAR SMKRS**

Location: 538-539 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 21055

Do you agree or disagree?

G: I strongly dislike being near people who are smoking

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	DISAGREE:(1)	349	14.0 %	16.1%
2	MOST DIS:(2)	263	10.5 %	12.2%
3	NEITHER:(3)	464	18.6 %	21.4%
4	MOST AGR:(4)	338	13.6 %	15.6%
5	AGREE:(5)	750	30.1 %	34.7%
-9 (M)	MISSING:(-9)	329	13.2 %	-

Based upon 2164 valid cases out of 2493 total cases.

V5511 **115E07A:#X FLVRDALC/LIFE**

Location: 540-541 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31360

On how many occasions (if any) have you had flavored alcoholic beverages like Mike's Hard Lemonade, Smirnoff Ice, Baccardi Silver, wine coolers, etc. to drink--more than just a few sips . . .

A: . . . in your lifetime?

Do not include regular liquor, beer, or wine.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	797	32.0 %	37.5%
2	1-2X:(2)	341	13.7 %	16.0%
3	3-5X:(3)	260	10.4 %	12.2%
4	6-9X:(4)	226	9.1 %	10.6%
5	10-19X:(5)	208	8.3 %	9.8%
6	20-39X:(6)	136	5.5 %	6.4%
7	40+OCCAS:(7)	160	6.4 %	7.5%
-9 (M)	MISSING:(-9)	365	14.6 %	-

Based upon 2128 valid cases out of 2493 total cases.

V5512 **115E07B:#X FLVRDALC/12MO**

Location: 542-543 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31370

On how many occasions (if any) have you had flavored alcoholic beverages like Mike's Hard Lemonade, Smirnoff Ice, Baccardi Silver, wine coolers, etc. to drink--more than just a few sips . . .

B: . . . During the last 12 months?

Do not include regular liquor, beer, or wine.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	1104	44.3 %	52.1%
2	1-2X:(2)	388	15.6 %	18.3%
3	3-5X:(3)	255	10.2 %	12.0%
4	6-9X:(4)	159	6.4 %	7.5%
5	10-19X:(5)	124	5.0 %	5.8%
6	20-39X:(6)	48	1.9 %	2.3%
7	40+OCCAS:(7)	42	1.7 %	2.0%
-9 (M)	MISSING:(-9)	373	15.0 %	-

Based upon 2120 valid cases out of 2493 total cases.

V5513 **115E07C:#X FLVRDALC/30DA**

Location: 544-545 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31380

On how many occasions (if any) have you had flavored alcoholic beverages like Mike's Hard Lemonade, Smirnoff Ice, Baccardi Silver, wine coolers, etc. to drink--more than just a few sips . . .

C: . . . During the last 30 days?

Do not include regular liquor, beer, or wine.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	1630	65.4 %	76.9%
2	1-2X:(2)	294	11.8 %	13.9%
3	3-5X:(3)	105	4.2 %	5.0%
4	6-9X:(4)	55	2.2 %	2.6%
5	10-19X:(5)	22	0.9 %	1.0%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	373	15.0 %	-

Based upon 2120 valid cases out of 2493 total cases.

V5486 115E08A:#X CRACK/LIFETIM

Location: 546-547 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22260

Lately, there has been some attention paid to certain drugs, including "crack" (cocaine in chunks or rocks). On how many occasions have you used "crack" cocaine . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2090	83.8 %	97.6%
2	1-2X:(2)	26	1.0 %	1.2%
3	3-5X:(3)	7	0.3 %	0.3%
4	6-9X:(4)	8	0.3 %	0.4%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	352	14.1 %	-

Based upon 2141 valid cases out of 2493 total cases.

V5487 115E08B:#X CRACK/LAST12M

Location: 548-549 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22270

On how many occasions have you used "crack" cocaine . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2108	84.6 %	98.5%
2	1-2X:(2)	18	0.7 %	0.8%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	353	14.2 %	-

Based upon 2140 valid cases out of 2493 total cases.

V5488 **115E08C:#X CRACK/LAST30D**

Location: 550-551 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22280

On how many occasions have you used "crack" cocaine . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2121	85.1 %	99.1%
2	1-2X:(2)	8	0.3 %	0.4%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	353	14.2 %	-

Based upon 2140 valid cases out of 2493 total cases.

V5527 **115E09A:#X STRD/LIFETIME**

Location: 552-553 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22690

Anabolic steroids are prescription drugs sometimes prescribed

by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2112	84.7 %	98.5%
2	1-2X:(2)	11	0.4 %	0.5%
3	3-5X:(3)	7	0.3 %	0.3%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	349	14.0 %	-

Based upon 2144 valid cases out of 2493 total cases.

V5528 **115E09B:#X STRD/LAST12MO**

Location: 554-555 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22700

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2123	85.2 %	99.1%
2	1-2X:(2)	9	0.4 %	0.4%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	4	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	350	14.0 %	-

Based upon 2143 valid cases out of 2493 total cases.

V5529 **115E09C:#X STRD/LAST30DA**

Location: 556-557 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22710

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2131	85.5 %	99.5%
2	1-2X:(2)	2	0.1 %	0.1%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	351	14.1 %	-

Based upon 2142 valid cases out of 2493 total cases.

V5530 **115E10A:MTHD STRD-INJECT**

Location: 558-559 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23790

What methods have you used for taking steroids on your own? (Mark all that apply.)

A. Injection

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	19	0.8 %	70.4%
1	MARKED:(1)	8	0.3 %	29.6%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	2466	98.9 %	-

Based upon 27 valid cases out of 2493 total cases.

V5531 115E10B:MTHD STRD-MOUTH

Location: 560-561 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 23800

What methods have you used for taking steroids on your own?
(Mark all that apply.)

B. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	8	0.3 %	29.6%
1	MARKED:(1)	19	0.8 %	70.4%
-9 (M)	MISSING:(-9)	2466	98.9 %	-

Based upon 27 valid cases out of 2493 total cases.

V5532 115E10C:HVNT USED STRDS

Location: 562-563 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 30940

What methods have you used for taking steroids on your own?
(Mark all that apply.)

C. Haven't used steroids

0="UNMARKED" 1="MARKED [Includes respondents who reported nonuse on preceding prevalence question]"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	22	0.9 %	1.0%
1	MARKED:(1)	2117	84.9 %	99.0%
-9 (M)	MISSING:(-9)	354	14.2 %	-

Based upon 2139 valid cases out of 2493 total cases.

V5496 **115E11A:#X KETAMINE/12M**

Location: 564-565 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31060

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

A. . . . taken ketamine ("special K," "super K")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2139	85.8 %	98.2%
2	1-2X:(2)	24	1.0 %	1.1%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	314	12.6 %	-

Based upon 2179 valid cases out of 2493 total cases.

V5499 **115E11B:#X OXYCONTN/12MO**

Location: 566-567 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31310

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

B. . . . taken OxyContin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2072	83.1 %	95.5%
2	1-2X:(2)	37	1.5 %	1.7%

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
3	3-5X:(3)	25	1.0 %	1.2%
4	6-9X:(4)	14	0.6 %	0.6%
5	10-19X:(5)	10	0.4 %	0.5%
6	20-39X:(6)	6	0.2 %	0.3%
7	40+OCCAS:(7)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	323	13.0 %	-

Based upon 2170 valid cases out of 2493 total cases.

V5500 **115E11C:#X VICODIN/12MO**

Location: 568-569 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31320

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

C. . . . taken Vicodin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	1996	80.1 %	91.8%
2	1-2X:(2)	89	3.6 %	4.1%
3	3-5X:(3)	34	1.4 %	1.6%
4	6-9X:(4)	23	0.9 %	1.1%
5	10-19X:(5)	18	0.7 %	0.8%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	10	0.4 %	0.5%
-9 (M)	MISSING:(-9)	318	12.8 %	-

Based upon 2175 valid cases out of 2493 total cases.

V5550 **115E11D:#X SALVIA/12MO**

Location: 570-571 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32500

During the LAST 12 MONTHS, on how many occasions (if any) have

you . . .

D. . . . taken Salvia?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2053	82.4 %	95.0%
2	1-2X:(2)	66	2.6 %	3.1%
3	3-5X:(3)	19	0.8 %	0.9%
4	6-9X:(4)	17	0.7 %	0.8%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	331	13.3 %	-

Based upon 2162 valid cases out of 2493 total cases.

V5551 **115E11E:#X PROVIGIL/12MO**

Location: 572-573 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32510

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

E. . . . taken Provigil, a prescription stay-awake drug (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2139	85.8 %	98.6%
2	1-2X:(2)	10	0.4 %	0.5%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	11	0.4 %	0.5%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	323	13.0 %	-

Based upon 2170 valid cases out of 2493 total cases.

V5564 **115E11F:#X COUGHMED/12MO**

Location: 574-575 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31675

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

F. . . . taken a nonprescription cough or cold medicine ("robos", "DXM", etc.) to get high?

Do NOT include prescription cough medicines with codeine.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2033	81.5 %	93.6%
2	1-2X:(2)	51	2.0 %	2.3%
3	3-5X:(3)	46	1.8 %	2.1%
4	6-9X:(4)	19	0.8 %	0.9%
5	10-19X:(5)	10	0.4 %	0.5%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	322	12.9 %	-

Based upon 2171 valid cases out of 2493 total cases.

V5565 **115E11G:#X DISSOVBL TOBAC/12MO**

Location: 576-577 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32710

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

G. . . . used dissolvable tobacco products (Ariva, Stonewall, Orbs)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2136	85.7 %	98.5%
2	1-2X:(2)	8	0.3 %	0.4%
3	3-5X:(3)	6	0.2 %	0.3%
4	6-9X:(4)	6	0.2 %	0.3%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	8	0.3 %	0.4%
-9 (M)	MISSING:(-9)	325	13.0 %	-

Based upon 2168 valid cases out of 2493 total cases.

V5566 **115E11H:#X SNUS/12MO**

Location: 578-579 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32720

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

H. . . . used snus (a small packet of tobacco that is put in the mouth)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	2007	80.5 %	92.5%
2	1-2X:(2)	47	1.9 %	2.2%
3	3-5X:(3)	27	1.1 %	1.2%
4	6-9X:(4)	23	0.9 %	1.1%
5	10-19X:(5)	15	0.6 %	0.7%
6	20-39X:(6)	12	0.5 %	0.6%
7	40+OCCAS:(7)	38	1.5 %	1.8%
-9 (M)	MISSING:(-9)	324	13.0 %	-

Based upon 2169 valid cases out of 2493 total cases.

V5567 **115E11I:#X ALC BVRG W-CAFF/12MO**

Location: 580-581 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 32690

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

I. . . . had an alcoholic beverage containing caffeine (like Four Loco or Joose)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
1	O OCCAS:(1)	1580	63.4 %	72.8%
2	1-2X:(2)	250	10.0 %	11.5%
3	3-5X:(3)	135	5.4 %	6.2%
4	6-9X:(4)	93	3.7 %	4.3%
5	10-19X:(5)	67	2.7 %	3.1%
6	20-39X:(6)	19	0.8 %	0.9%
7	40+OCCAS:(7)	27	1.1 %	1.2%
-9 (M)	MISSING:(-9)	322	12.9 %	-

Based upon 2171 valid cases out of 2493 total cases.

V5533 115E12A:SPORT/12M NONE

Location: 582-583 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31500

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

A: None

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	1481	59.4 %	69.1%
1	MARKED:(1)	662	26.6 %	30.9%
-9 (M)	MISSING:(-9)	350	14.0 %	-

Based upon 2143 valid cases out of 2493 total cases.

V5534 115E12B:SPORT/12M BASEBL

Location: 584-585 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 31510

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

B: Baseball/Softball

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	1847	74.1 %	86.2%
1	MARKED:(1)	296	11.9 %	13.8%
-9 (M)	MISSING:(-9)	350	14.0 %	-

Based upon 2143 valid cases out of 2493 total cases.

V5535 115E12C:SPORT/12M BSKTBL

Location: 586-587 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 31520

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

C: Basketball

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	1748	70.1 %	81.6%
1	MARKED:(1)	395	15.8 %	18.4%
-9 (M)	MISSING:(-9)	350	14.0 %	-

Based upon 2143 valid cases out of 2493 total cases.

V5556 115E12D:SPORT/12M CHEERLDG

Location: 588-589 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9

Question:

Item Number: 31525

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

D. Cheerleading / Spirit Squad

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	2029	81.4 %	94.7%
1	MARKED:(1)	114	4.6 %	5.3%
-9 (M)	MISSING:(-9)	350	14.0 %	-

Based upon 2143 valid cases out of 2493 total cases.

V5557 115E12E:SPORT/12M CREW

Location: 590-591 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31528

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

E. Crew

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	2129	85.4 %	99.3%
1	MARKED:(1)	14	0.6 %	0.7%
-9 (M)	MISSING:(-9)	350	14.0 %	-

Based upon 2143 valid cases out of 2493 total cases.

V5536 115E12F:SPORT/12M XCNTRY

Location: 592-593 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31530

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and

other organized sports. (Mark all that apply.)

F: Cross country

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	2033	81.5 %	94.9%
1	MARKED:(1)	110	4.4 %	5.1%
-9 (M)	MISSING:(-9)	350	14.0 %	-

Based upon 2143 valid cases out of 2493 total cases.

V5558 **115E12G:SPORT/12M EQUESTRN**

Location: 594-595 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31535

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

G. Equestrian

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	2115	84.8 %	98.7%
1	MARKED:(1)	28	1.1 %	1.3%
-9 (M)	MISSING:(-9)	350	14.0 %	-

Based upon 2143 valid cases out of 2493 total cases.

V5537 **115E12H:SPORT/12M FLDHKY**

Location: 596-597 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31540

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

H: Field hockey

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	2131	85.5 %	99.4%
1	MARKED:(1)	12	0.5 %	0.6%
-9 (M)	MISSING:(-9)	350	14.0 %	-

Based upon 2143 valid cases out of 2493 total cases.

V5538 **115E12I:SPORT/12M FOOTBL**

Location: 598-599 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31550

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

I: Football

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	1819	73.0 %	84.9%
1	MARKED:(1)	324	13.0 %	15.1%
-9 (M)	MISSING:(-9)	350	14.0 %	-

Based upon 2143 valid cases out of 2493 total cases.

V5559 **115E12J:SPORT/12M GOLF**

Location: 600-601 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31555

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

J. Golf

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	2048	82.2 %	95.6%
1	MARKED:(1)	95	3.8 %	4.4%
-9 (M)	MISSING:(-9)	350	14.0 %	-

Based upon 2143 valid cases out of 2493 total cases.

V5539 **115E12K:SPORT/12M GYMNST**

Location: 602-603 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31560

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

K: Gymnastics

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	2103	84.4 %	98.1%
1	MARKED:(1)	40	1.6 %	1.9%
-9 (M)	MISSING:(-9)	350	14.0 %	-

Based upon 2143 valid cases out of 2493 total cases.

V5540 **115E12L:SPORT/12M ICEHKY**

Location: 604-605 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31570

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

L: Ice hockey

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	2118	85.0 %	98.8%
1	MARKED:(1)	25	1.0 %	1.2%

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
-9 (M)	MISSING:(-9)	350	14.0 %	-

Based upon 2143 valid cases out of 2493 total cases.

V5541 **115E12M:SPORT/12M LCRSSE**

Location: 606-607 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31580

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

M: Lacrosse

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	2073	83.2 %	96.7%
1	MARKED:(1)	70	2.8 %	3.3%
-9 (M)	MISSING:(-9)	350	14.0 %	-

Based upon 2143 valid cases out of 2493 total cases.

V5543 **115E12N:SPORT/12M SOCCER**

Location: 608-609 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31600

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

N: Soccer

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	1849	74.2 %	86.3%
1	MARKED:(1)	294	11.8 %	13.7%
-9 (M)	MISSING:(-9)	350	14.0 %	-

Based upon 2143 valid cases out of 2493 total cases.

V5542 **115E12O:SPORT/12M SWIM**

Location: 610-611 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31590

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

O: Swimming/Diving

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	1977	79.3 %	92.3%
1	MARKED:(1)	166	6.7 %	7.7%
-9 (M)	MISSING:(-9)	350	14.0 %	-

Based upon 2143 valid cases out of 2493 total cases.

V5544 **115E12P:SPORT/12M TENNIS**

Location: 612-613 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31610

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

P: Tennis

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	2032	81.5 %	94.8%
1	MARKED:(1)	111	4.5 %	5.2%
-9 (M)	MISSING:(-9)	350	14.0 %	-

Based upon 2143 valid cases out of 2493 total cases.

V5545 **115E12Q:SPORT/12M TRACK**

Location: 614-615 (width: 2; decimal: 0)

Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 31620

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

Q: Track & Field

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	1899	76.2 %	88.6%
1	MARKED:(1)	244	9.8 %	11.4%
-9 (M)	MISSING:(-9)	350	14.0 %	-

Based upon 2143 valid cases out of 2493 total cases.

V5546 115E12R:SPORT/12M VLLYBL

Location: 616-617 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 31630

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

R: Volleyball

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	1975	79.2 %	92.2%
1	MARKED:(1)	168	6.7 %	7.8%
-9 (M)	MISSING:(-9)	350	14.0 %	-

Based upon 2143 valid cases out of 2493 total cases.

V5560 115E12S:SPORT/12M WATER POLO

Location: 618-619 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 31635

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

S. Water polo

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	2116	84.9 %	98.7%
1	MARKED:(1)	27	1.1 %	1.3%
-9 (M)	MISSING:(-9)	350	14.0 %	-

Based upon 2143 valid cases out of 2493 total cases.

V5547 **115E12T:SPORT/12M WTLIFT**

Location: 620-621 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31640

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

T: Weight lifting

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	1887	75.7 %	88.1%
1	MARKED:(1)	256	10.3 %	11.9%
-9 (M)	MISSING:(-9)	350	14.0 %	-

Based upon 2143 valid cases out of 2493 total cases.

V5548 **115E12U:SPORT/12M WRESTL**

Location: 622-623 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31650

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

U: Wrestling

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	2048	82.2 %	95.6%
1	MARKED:(1)	95	3.8 %	4.4%
-9 (M)	MISSING:(-9)	350	14.0 %	-

Based upon 2143 valid cases out of 2493 total cases.

V5549 **115E12V:SPORT/12M OTHER**

Location: 624-625 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31660

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

V: Other

0="UNMARKED" 1="MARKED"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NT MARKD:(0)	1785	71.6 %	83.3%
1	MARKED:(1)	358	14.4 %	16.7%
-9 (M)	MISSING:(-9)	350	14.0 %	-

Based upon 2143 valid cases out of 2493 total cases.

V5561 **115E13:#DA/WK ACTV 60 MIN**

Location: 626-627 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item number: 32520

During the LAST 7 DAYS, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you get out of breath some of the time.)

0="0 days" 1="1 day" 2="2 days" 3="3 days" 4="4 days" 5="5 days" 6="6 days" 7="7 days"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	0 DAYS:(0)	318	12.8 %	14.6%
1	1 DAY:(1)	210	8.4 %	9.7%
2	2 DAYS:(2)	300	12.0 %	13.8%
3	3 DAYS:(3)	275	11.0 %	12.6%
4	4 DAYS:(4)	226	9.1 %	10.4%
5	5 DAYS:(5)	322	12.9 %	14.8%
6	6 DAYS:(6)	180	7.2 %	8.3%
7	7 DAYS:(7)	345	13.8 %	15.9%
-9 (M)	MISSING:(-9)	317	12.7 %	-

Based upon 2176 valid cases out of 2493 total cases.

V5562 **115E14:#SEMESTERS/YR GYM**

Location: 628-629 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item number: 32680

For how many semesters (if any) have you taken physical education (P.E.) or gym class this school year? (Don't count a general health class.)

0="None" 1="1 semester" 2="2 or more semesters"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	NONE:(0)	822	33.0 %	37.8%
1	1 SEMESTER:(1)	429	17.2 %	19.7%
2	2+ SEMESTERS:(2)	923	37.0 %	42.5%
-9 (M)	MISSING:(-9)	319	12.8 %	-

Based upon 2174 valid cases out of 2493 total cases.

V5563 **115E15:#DA/WK GYM CLASS**

Location: 630-631 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item number: 32530

On how many days per week (if any) have you had a physical education (P.E.) or gym class this semester?

0="0 days" 1="1 day" 2="2 days" 3="3 days" 4="4 days" 5="5 days"

Value	*Label*	*Unweighted Frequency*	*%*	*Valid %*
0	0 DAYS:(0)	1314	52.7 %	60.7%
1	1 DAY:(1)	31	1.2 %	1.4%
2	2 DAYS:(2)	133	5.3 %	6.1%
3	3 DAYS:(3)	177	7.1 %	8.2%
4	4 DAYS:(4)	99	4.0 %	4.6%
5	5 DAYS:(5)	412	16.5 %	19.0%
-9 (M)	MISSING:(-9)	327	13.1 %	-

Based upon 2166 valid cases out of 2493 total cases.

APPENDIX

Appendix A: Publications

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future Publications web page.

Publications are divided into the following categories:

Monographs
Reference Volumes
Books
Journal Articles
Chapters
Research Reports
Occasional Papers
Congressional Testimony
Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	Number of Public Schools	Number of Private Schools	Total Number of Schools	Total Number of Students	Student Response Rate*
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83

	Number of Public Schools	Number of Private Schools	Total Number of Schools	Total Number of Students	Student Response Rate*
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83
2007	111	21	132	15,132	81
2008	103	17	120	14,577	79
2009	106	19	125	14,268	82
2010	104	22	126	15,127	85
2011	110	19	129	14,855	83

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.