

# Cucumber Report

28 Apr, 2022 11:44:17 AM

**Start : Apr 28, 11:43:25.442 AM**

**End : Apr 28, 11:44:16.857 AM**

**Duration : 51.415 s**

Features

Scenarios

Steps

PASSED - 0

FAILED - 2

SKIPPED - 0

PASSED - 0




FAILED - 5


SKIPPED - 0

PASSED - 18


FAILED - 5

SKIPPED - 23







#	Feature Name	T	P	F	S	Duration
1	<u>feature to My account Page on Address(billing/shipping) functionality</u>	4	0	4	0	51.415 s
2	<u>feature to My account Page on Account Details functionality</u>	1	0	1	0	47.153 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>feature to My account Page on Address(billing/shipping) functionality</u>	<u>Verify My account page for billing address functionality</u>	7	3	1	3	47.180 s
2	<u>feature to My account Page on Address(billing/shipping) functionality</u>	<u>Verify country dropdown functionality</u>	10	4	1	5	47.096 s
3	<u>feature to My account Page on Address(billing/shipping) functionality</u>	<u>Verify billing &amp; Shipping address Edit(navigation) click functionality</u>	11	5	1	5	51.384 s
4	<u>feature to My account Page on Address(billing/shipping) functionality</u>	<u>Verify billing address on by default country functionality</u>	9	3	1	5	47.152 s
5	<u>feature to My account Page on Account Details functionality</u>	<u>Update my account page related info</u>	9	3	1	5	47.149 s

**(F)- feature to My account Page on Address(billing/shipping) functionality**

<b>FAILED</b>	<b>DURATION - 51.415 s</b>	Scenarios		Steps	
/ 11:43:25.442 AM // 11:44:16.857 AM /		Total - 4	4	Total - 37	37
		Pass - 0		Pass - 15	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 18	

**(S)- Verify My account page for billing address functionality**

<div>FAILED</div> <div>DURATION - 47.180 s</div>	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div><div></div><div>7</div></div>
<div>/ 11:43:25.446 AM // 11:44:12.626 AM /</div>			
<div>feature to My account Page on Address(billing/shipping) functionality</div>			
<div>@MyAccount_Address_feature @smoketest</div>			



#	Step / Hook Details	Status	Duration
1	Given user is on Home Page	PASSED	2.078 s
2	When user click on Myaccount link	PASSED	3.768 s
3	Then user navigate to Register Page	PASSED	4.022 s
4	When user has enter "<emailid>" & "<password>"	FAILED	1.463 s
	<p>org.openqa.selenium.WebDriverException: The driver server has unexpectedly died! Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'preyas-r', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.13.0-40-generic', java.version: '1.8.0_212' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d2bb2024536616b77d63d693b1e9eeab, findElement {using=id, value=password}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.41, chrome: {chromedriverVersion: 100.0.4896.60 (6a5d10861ce8..., userDataDir: /tmp/.com.google.Chrome.Qo5hjQ), goog:chromeOptions: {debuggerAddress: localhost:36581}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:36581/devtoo..., se:cdpVersion: 101.0.4951.41, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:148)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:385)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:377)</p>		

#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at com.sun.proxy.\$Proxy29.sendKeys(Unknown Source)  at Pages.Login_page.enter_password(Login_page.java:73)  at parallel.LoginSteps.user_has_enter_emailid_password(LoginSteps.java:33)  at ?.user has enter "&lt;emailid&gt;" &amp; "&lt;password&gt;"(file:///home/preyas.r@ah.zymrinc.com/Desktop/preyas/Cucumber_TestNG_ParallelTesting/src/test/resources/parallel/myaccount/002.myaccount.address.feature:12)  Caused by: java.io.UncheckedIOException: java.net.ConnectException: Connection refused: localhost/127.0.0.1:52217  at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:80)  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)  at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56)  at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:51)  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)  at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56)  at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:124)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:385)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:377)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at com.sun.proxy.\$Proxy29.sendKeys(Unknown Source)  at Pages.Login_page.enter_password(Login_page.java:73)  at parallel.LoginSteps.user_has_enter_emailid_password(LoginSteps.java:33)  at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)  at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.lang.reflect.Method.invoke(Method.java:498)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)  at io.cucumber.core.runner.TestStep.run(TestStep.java:57)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:748) Caused by: java.net.ConnectException: Connection refused: localhost/127.0.0.1:52217 at org.asynchttpclient.netty.channel.NettyConnectListener.onFailure(NettyConnectListener.java:179) at org.asynchttpclient.netty.channel.NettyChannelConnector\$1.onFailure(NettyChannelConnector.java:108) at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:28) at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:20) at io.netty.util.concurrent.DefaultPromise.notifyListener0(DefaultPromise.java:578) at io.netty.util.concurrent.DefaultPromise.notifyListeners0(DefaultPromise.java:571) at io.netty.util.concurrent.DefaultPromise.notifyListenersNow(DefaultPromise.java:550) at io.netty.util.concurrent.DefaultPromise.notifyListeners(DefaultPromise.java:491) at io.netty.util.concurrent.DefaultPromise.setValue0(DefaultPromise.java:616) at io.netty.util.concurrent.DefaultPromise.setFailure0(DefaultPromise.java:609) at io.netty.util.concurrent.DefaultPromise.tryFailure(DefaultPromise.java:117) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.fulfillConnectPromise(AbstractNioChannel.java:321) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:337) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:710) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:658) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:584) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:496) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:986) </pre>		


#	Step / Hook Details	Status	Duration
	at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) ... 1 more Caused by: io.netty.channel.AbstractChannel\$AnnotatedConnectException: Connection refused: localhost/127.0.0.1:52217 Caused by: java.net.ConnectException: Connection refused at sun.nio.ch.SocketChannelImpl.checkConnect(Native Method) at sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:717) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:330) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:710) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:658) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:584) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:496) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:986) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.lang.Thread.run(Thread.java:748) * Not displayable characters are replaced by '?'.		
5	And click on login button	SKIPPED	0.001 s
6	Then user navigate to myaccount page	SKIPPED	0.000 s
7	And click on Address link	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'preyas-r', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.13.0-40-generic', java.version: '1.8.0_212' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.41, chrome: {chromedriverVersion: 100.0.4896.60 (6a5d10861ce8..., userDataDir: /tmp/.com.google.Chrome.Qo5hjq}, goog:chromeOptions: {debuggerAddress: localhost:36581}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:36581/devtoo..., se:cdpVersion: 101.0.4951.41, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:626) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:351) at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:52)	FAILED	0.001 s

**(S)- Verify country dropdown functionality**



<div>FAILED</div> <div>DURATION - 47.096 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 5</div> <div></div>
/ 11:43:25.471 AM // 11:44:12.567 AM /			
feature to My account Page on Address(billing/shipping) functionality			
@MyAccount_Address_feature @smoketest			

#	Step / Hook Details	Status	Duration
1	Given user is on Home Page	PASSED	2.071 s
2	When user click on Myaccount link	PASSED	3.981 s
3	Then user navigate to Register Page	PASSED	4.022 s
4	When user has enter "<emailid>" & "<password>"	PASSED	1.022 s
5	And click on login button	FAILED	1.136 s
	<p>org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=101.0.4951.41) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#stale_element_reference">https://selenium.dev/exceptions/#stale_element_reference</a> Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'preyas-r', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.13.0-40-generic', java.version: '1.8.0_212' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d2bb2024536616b77d63d693b1e9eeab, clickElement {id=5853fa38-8786-4680-a0ac-11a72dfe1253}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.41, chrome: {chromedriverVersion: 100.0.4896.60 (6a5d10861ce8..., userDataDir: /tmp/.com.google.Chrome.Qo5hjq}, goog:chromeOptions: {debuggerAddress: localhost:36581}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:36581/devtoo..., se:cdpVersion: 101.0.4951.41, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on LINUX (d2bb2024536616b77d63d693b1e9eeab)] -&gt; name: login]</p> <p>Session ID: d2bb2024536616b77d63d693b1e9eeab</p> <pre> at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) </pre>		



#	Step / Hook Details	Status	Duration
	<pre> at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at com.sun.proxy.\$Proxy29.click(Unknown Source) at Pages.Login_page.click_login(Login_page.java:77) at parallel.LoginSteps.click_on_login_button(LoginSteps.java:41) at ?.click on login button(file:///home/preyas.r@ah.zymrinc.com/Desktop/preyas/Cucumber_TestNG_ParallelTesting/src/test/resources/parallel/myaccount/002.myaccount.address.feature:49) * Not displayable characters are replaced by '?'. </pre>		
6	Then user navigate to myaccount page	SKIPPED	0.000 s
7	And click on Address link	SKIPPED	0.000 s
8	And click on billing edit link	SKIPPED	0.000 s
9	Then click on country dropdown	SKIPPED	0.000 s
10	And user enter j in country searchpanel Verify fetch country list	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.449 s
	Verify_country_dropdown_functionality		
			

### (S)- Verify billing & Shipping address Edit(navigation) click functionality

<div>FAILED</div> <div>DURATION - 51.384 s</div>		<div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 11:43:25.473 AM // 11:44:16.857 AM /				
feature to My account Page on Address(billing/shipping) functionality				
@MyAccount_Address_feature @smoketest				

#	Step / Hook Details	Status	Duration
1	Given user is on Home Page	PASSED	2.677 s
2	When user click on Myaccount link	PASSED	5.183 s

#	Step / Hook Details	Status	Duration
3	Then user navigate to Register Page	PASSED	4.034 s
4	When user has enter "<emailid>" & "<password>"	PASSED	0.983 s
5	And click on login button	PASSED	6.129 s
6	Then user navigate to myaccount page org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'preyas-r', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.13.0-40-generic', java.version: '1.8.0_212' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, findElement {using=xpath, value=//div[@class='woocommerce-MyAccount-content']//p/a[contains(text(),'Sign out')]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.41, chrome: {chromedriverVersion: 100.0.4896.60 (6a5d10861ce8..., userDataDir: /tmp/.com.google.Chrome.Qo5hjq}, goog:chromeOptions: {debuggerAddress: localhost:36581}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:36581/devtoo..., se:cdpVersion: 101.0.4951.41, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:385) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:377) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy29.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at Utility.testbase.waitForWebElementIsVisible(testbase.java:43) at Utility.testbase.isdisplay(testbase.java:49) at Pages.Register_page.signout_isdisplay(Register_page.java:101) at parallel.RegisterSteps.user_navigate_to_myaccount_page(RegisterSteps.java:150) at ?.user navigate to myaccount page(file:///home/preyas.r@ah.zymrinc.com/Desktop/preyas/Cucumber_TestNG_ParallelTesting/src/test/resources/parallel/myaccount/002.myaccount.address.feature:24) * Not displayable characters are replaced by '?'.	FAILED	0.006 s
7	And click on Address link	SKIPPED	0.001 s
8	And click on billing edit link	SKIPPED	0.000 s
9	Then user click on browser back button	SKIPPED	0.000 s
10	And user click on shipping edit link	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
11	And click on Address link	SKIPPED	0.001 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.004 s
	<p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'preyas-r', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.13.0-40-generic', java.version: '1.8.0_212' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.41, chrome: {chromedriverVersion: 100.0.4896.60 (6a5d10861ce8..., userDataDir: /tmp/.com.google.Chrome.Qo5hjg), goog:chromeOptions: {debuggerAddress: localhost:36581}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:36581/devtoo..., se:cdpVersion: 101.0.4951.41, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:626)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:351)  at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:52)</p>		

### (S)- Verify billing address on by default country functionality

<b>FAILED</b>	<b>DURATION - 47.152 s</b>		<b>Steps</b> Total - 9 Pass - 3 Fail - 1 Skip - 5	
/ 11:43:25.481 AM // 11:44:12.633 AM /				
feature to My account Page on Address(billing/shipping) functionality				
@MyAccount_Address_feature @smoketest				

#	Step / Hook Details	Status	Duration
1	Given user is on Home Page	PASSED	2.046 s
2	When user click on Myaccount link	PASSED	2.505 s
3	Then user navigate to Register Page	PASSED	4.005 s
4	When user has enter "<emailid>" & "<password>"	FAILED	0.151 s
	<p>org.openqa.selenium.WebDriverException: The driver server has unexpectedly died! Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'preyas-r', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.13.0-40-generic', java.version: '1.8.0_212' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d2bb2024536616b77d63d693b1e9eeab, findElement {using=id, value=username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.41, chrome: {chromedriverVersion:</p>		



#	Step / Hook Details	Status	Duration
	<p>100.0.4896.60 (6a5d10861ce8..., userDataDir: /tmp/.com.google.Chrome.Qo5hjq}, goog:chromeOptions: {debuggerAddress: localhost:36581}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:36581/devtoo..., se:cdpVersion: 101.0.4951.41, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:148)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:385)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:377)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at com.sun.proxy.\$Proxy29.sendKeys(Unknown Source)  at Pages.Login_page.enter_emailid(Login_page.java:67)  at parallel.LoginSteps.user_has_enter_emailid_password(LoginSteps.java:32)  at ?.user has enter "&lt;emailid&gt;" &amp; "&lt;password&gt;"(file:///home/preyas.r@ah.zymrinc.com/Desktop/preyas/Cucumber_TestNG_ParallelTesting/src/test/resources/parallel/myaccount/002.myaccount.address.feature:36)</p> <p>Caused by: java.io.UncheckedIOException: java.net.ConnectException: Connection refused: localhost/127.0.0.1:52217</p> <p>at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:80)  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)  at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56)  at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:51)  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)  at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56)  at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:124)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:385)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:377)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at com.sun.proxy.\$Proxy29.sendKeys(Unknown Source)  at Pages.Login_page.enter_emailid(Login_page.java:67)  at parallel.LoginSteps.user_has_enter_emailid_password(LoginSteps.java:32)  at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)  at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.lang.reflect.Method.invoke(Method.java:498)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:748) Caused by: java.net.ConnectException: Connection refused: localhost/127.0.0.1:52217 at org.asynchttpclient.netty.channel.NettyConnectListener.onFailure(NettyConnectListener.java:179) at org.asynchttpclient.netty.channel.NettyChannelConnector\$1.onFailure(NettyChannelConnector.java:108) at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:28) at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:20) at io.netty.util.concurrent.DefaultPromise.notifyListener0(DefaultPromise.java:578) at io.netty.util.concurrent.DefaultPromise.notifyListeners0(DefaultPromise.java:571) at io.netty.util.concurrent.DefaultPromise.notifyListenersNow(DefaultPromise.java:550) at io.netty.util.concurrent.DefaultPromise.notifyListeners(DefaultPromise.java:491) </pre>		



#	Step / Hook Details	Status	Duration
	<pre> at io.netty.util.concurrent.DefaultPromise.setValue0(DefaultPromise.java:616) at io.netty.util.concurrent.DefaultPromise.setFailure0(DefaultPromise.java:609) at io.netty.util.concurrent.DefaultPromise.tryFailure(DefaultPromise.java:117) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.fulfillConnectPromise(AbstractNioChannel.java:321) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:337) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:710) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:658) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:584) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:496) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:986) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) ... 1 more Caused by: io.netty.channel.AbstractChannel\$AnnotatedConnectException: Connection refused: localhost/127.0.0.1:52217 Caused by: java.net.ConnectException: Connection refused at sun.nio.ch.SocketChannelImpl.checkConnect(Native Method) at sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:717) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:330) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:710) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:658) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:584) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:496) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:986) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.lang.Thread.run(Thread.java:748) * Not displayable characters are replaced by '?'. </pre>		
5	And click on login button	SKIPPED	0.003 s
6	Then user navigate to myaccount page	SKIPPED	0.001 s
7	And click on Address link	SKIPPED	0.002 s
8	And click on billing edit link	SKIPPED	0.000 s
9	Then by default country show as India	SKIPPED	0.001 s
	<p>AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'preyas-r', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.13.0-40-generic', java.version: '1.8.0_212' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.41, chrome: {chromedriverVersion: 100.0.4896.60 (6a5d10861ce8..., userDataDir: /tmp/.com.google.Chrome.Qo5hjq}, goog:chromeOptions: {debuggerAddress: localhost:36581}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:36581/devtoo..., se:cdpVersion: 101.0.4951.41, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre>webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:626) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:351) at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:52)</pre>		

### (F)- feature to My account Page on Account Details functionality

<b>FAILED</b>	<b>DURATION - 47.153 s</b>	Scenarios		Steps	
/ 11:43:25.459 AM // 11:44:12.612 AM /		Total - 1		Total - 9	
		Pass - 0		Pass - 3	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

### (S)- Update my account page related info

<b>FAILED</b>	<b>DURATION - 47.149 s</b>		Steps	
/ 11:43:25.463 AM // 11:44:12.612 AM /				
feature to My account Page on Account Details functionality				
@smoketest @MyAccount_AccountDetail_feature				

#	Step / Hook Details	Status	Duration
1	Given user is on Home Page	PASSED	2.044 s
2	When user click on Myaccount link	PASSED	2.588 s
3	Then user navigate to Register Page	PASSED	4.010 s
4	When user has enter "<emailid>" & "<password>"	FAILED	1.447 s
	<pre>org.openqa.selenium.WebDriverException: The driver server has unexpectedly died! Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'preyas-r', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.13.0-40-generic', java.version: '1.8.0_212' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d2bb2024536616b77d63d693b1e9eeab, findElement {using=id, value=password}]</pre>		



#	Step / Hook Details	Status	Duration
	<p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.41, chrome: {chromedriverVersion: 100.0.4896.60 (6a5d10861ce8..., userDataDir: /tmp/.com.google.Chrome.Qo5hjq}, goog:chromeOptions: {debuggerAddress: localhost:36581}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:36581/devtoo..., se:cdpVersion: 101.0.4951.41, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:148)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:385)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:377)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at com.sun.proxy.\$Proxy29.sendKeys(Unknown Source)  at Pages.Login_page.enter_password(Login_page.java:73)  at parallel.LoginSteps.user_has_enter_emailid_password(LoginSteps.java:33)  at ?.user has enter "&lt;emailid&gt;" &amp; "&lt;password&gt;"(file:///home/preyas.r@ah.zymrinc.com/Desktop/preyas/Cucumber_TestNG_ParallelTesting/src/test/resources/parallel/myaccount/001.myaccount.accdetails.feature:22)</p> <p>Caused by: java.io.UncheckedIOException: java.net.ConnectException: Connection refused: localhost/127.0.0.1:52217  at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:80)  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)  at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56)  at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:51)  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)  at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56)  at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:124)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:385)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:377)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at com.sun.proxy.\$Proxy29.sendKeys(Unknown Source)  at Pages.Login_page.enter_password(Login_page.java:73)  at parallel.LoginSteps.user_has_enter_emailid_password(LoginSteps.java:33)  at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)  at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:748) Caused by: java.net.ConnectException: Connection refused: localhost/127.0.0.1:52217 at org.asynchttpclient.netty.channel.NettyConnectListener.onFailure(NettyConnectListener.java:179) at org.asynchttpclient.netty.channel.NettyChannelConnector\$1.onFailure(NettyChannelConnector.java:108) at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:28) at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:20) at io.netty.util.concurrent.DefaultPromise.notifyListener0(DefaultPromise.java:578) at io.netty.util.concurrent.DefaultPromise.notifyListeners0(DefaultPromise.java:571) at io.netty.util.concurrent.DefaultPromise.notifyListenersNow(DefaultPromise.java:550) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.netty.util.concurrent.DefaultPromise.notifyListeners(DefaultPromise.java:491) at io.netty.util.concurrent.DefaultPromise.setValue0(DefaultPromise.java:616) at io.netty.util.concurrent.DefaultPromise.setFailure0(DefaultPromise.java:609) at io.netty.util.concurrent.DefaultPromise.tryFailure(DefaultPromise.java:117) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.fulfillConnectPromise(AbstractNioChannel.java:321) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:337) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:710) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:658) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:584) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:496) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:986) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) ... 1 more Caused by: io.netty.channel.AbstractChannel\$AnnotatedConnectException: Connection refused: localhost/127.0.0.1:52217 Caused by: java.net.ConnectException: Connection refused at sun.nio.ch.SocketChannelImpl.checkConnect(Native Method) at sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:717) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:330) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:710) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:658) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:584) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:496) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:986) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.lang.Thread.run(Thread.java:748) * Not displayable characters are replaced by '?'. </pre>		
5	And click on login button	SKIPPED	0.000 s
6	Then user navigate to myaccount page	SKIPPED	0.000 s
7	And click on Accountdetail link	SKIPPED	0.000 s
8	When user has entered profiledata "Preyas" & "Rana"	SKIPPED	0.000 s
9	And click on savechanges button	SKIPPED	0.000 s
	<p>AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'preyas-r', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.13.0-40-generic', java.version: '1.8.0_212' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.41, chrome: {chromedriverVersion: 100.0.4896.60 (6a5d10861ce8..., userDataDir: /tmp/.com.google.Chrome.Qo5hjq}, goog:chromeOptions: {debuggerAddress: localhost:36581}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:36581/devtoo..., se:cdpVersion: 101.0.4951.41, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, </pre>	FAILED	0.021 s


#	Step / Hook Details	Status	Duration
	<pre>unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:626)   at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:351)   at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:52)</pre>		


(Step) AFTER - parallel.ApplicationHooks.  
tearDown(io.cucumber.java.Scenario)

(S) Verify country dropdown functionality

(F) feature to My account Page on  
Address(billing/shipping) functionality



Shop **My Account** Test Cases AT Site Demo Site  0 Items - P0.00

 **ERROR:** Invalid username. [Lost your password?](#)

## Login

Username or email address \*

WIKVFONQEA@gmail.comWIKVFONQEA@gmail.cc

Password \*

**LOGIN** ☐ Remember me

## Register

Email address \*

Password \*

**REGISTER**