



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	feature to Filter by Price test functionality	1	0	1	0	1 m 38.723 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	feature to Filter by Price test	Verify Shop link page redirection	4	1	1	2	1 m 38.720 s
	functionality						

DETAILED SECTION -- 4 --

(F)- feature to Filter by Price test functionality

FAILED	DURATION - 1 m 38.723 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 3:19:00.842 PN	M // 3:20:39.565 PM /	Pass - 0	1	Pass - 1	4
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- Verify Shop link page redirection



#	Step / Hook Details	Status	Duration
1	Given user is on Home Page	PASSED	2.514 s
2	When user click on Shop link	FAILED	11.852 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //ul[@id='main-nav']//lii/a[contains(text(),'Shop')]' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at Utility.testbase.waitForWebElementIsClickable(testbase.java:45) at Utility.testbase.isClickable(testbase.java:83) at Pages.Home_page.click_on_shop(Home_page.java:26) at StepDefinition.HomePageSteps.user_click_on_Shop_link(HomePageSteps.java:15) at ?.user click on Shop link(file:///home/preyas.r@ah.zymrinc.com/Desktop/preyas/eclipse-workspace/git_project/src/test/resources/Features/ Shop/Shop.feature:14) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//ul[@id='main-nav']//lii/a[contains(text(),'Shop')]"} (Session info: chrome=101.0.4951.54) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'preyas-r', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.13.0-40-generic', java.version: '1.8.0_212' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [54eca70eebe6858dc1034b596141e4e9, findElement {using=xpath, value=//ul[@id='main-nav']//lii/a[contains(text(),'Shop')]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.54, chrome: {chromedriverVersion: 101.0.4951.41 (93c720db8323, userDataDir: /tmp/.com.google.Chrome.i5eVil}, goog:chromeOptions:		

#	Step / Hook Details	Status	Duration
	{debuggerAddress: localhost:34711}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX,		
	platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:34711/devtoo, se:cdpVersion: 101.0.4951.54, setWindowRect: true,		
	strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 54eca70eebe6858dc1034b596141e4e9		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java.200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:385) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:377)		
	· · · · · · · · · · · · · · · · · · ·		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at com.sun.proxy.\$Proxy30.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java.40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java.295) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java.295)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java.290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java.666)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.appty(ExpectedConditions.java.030) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at Utility.testbase.waitForWebElementIsClickable(testbase.java:45)		
	at Utility.testbase.isClickable(testbase.java:43) at Utility.testbase.isClickable(testbase.java:43)		
	at Pages.Home_page.click_on_shop(Home_page.java:26)		
	at StepDefinition.HomePageSteps.user_click_on_Shop_link(HomePageSteps.java:15)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invokeo(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:47)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at 13.0000 miles 100.00 miles 1		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:95)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.util.ArrayList.forEach(ArrayList.java:1257)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	* Not displayable characters are replaced by '?'.		

DETAILED SECTION --- 7 -

#	Step / Hook Details	Status	Duration
	AFTER_STEP - factory.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.125 s
	Verify_Shop_link_page_redirection		
	This learns to enable point and remaining third at your discovered point and remaining the point and remaining the remaining third at your discovered point		
3	Then verify filter by price content	SKIPPED	0.000 s
4	Then Verify list product based on Filtration	SKIPPED	0.001 s

EXPANDED SECTION -- 8 --

(Step) AFTER_STEP - factory. ApplicationHooks.tearDown(io.cucumber. java.Scenario)

- (S) Verify Shop link page redirection
- (F) feature to Filter by Price test functionality



This site can't be reached

practice.automationtesting.in refused to connect.

Trv

- Checking the connection
- Checking the proxy and the firewall

ERR_CONNECTION_REFUSED

Details

Reload