

GRI 302-1 Energy Consumption Within the Organization

Energy consumed (GJ)

Source	Units	2019	2020	2021	2022	2023	2024	2025
Oil (Non-production)	GJ	38,066	35,079	57,457	47,344	49,088	34,425	49,076
Natural Gas (Non-prod.)	GJ	274,074	263,092	323,193	311,118	245,441	318,434	347,991
Electricity Consumed	GJ	647,119	613,880	635,614	601,946	584,968	796,084	825,364
Steam Consumed	GJ	1,827,159	1,708,341	1,730,880	1,744,968	2,106,702	2,237,642	2,297,634
Tail Gas Consumed	GJ	1,712,962	1,596,089	1,673,424	2,759,484	1,828,535	1,846,055	1,878,260
Compressed Air	GJ	0	0	0	0	0	0	0
Hot Water Consumed	GJ	0	0	0	0	0	0	0
Total Energy Consumed	GJ	4,499,380	4,216,481	4,420,567	5,464,861	4,814,734	5,232,641	5,398,324

Notes:

Site-specific gross calorific values (GCV) used for natural gas.

Compressed air and hot water conversion factors varied by site.

Used conversion factor of 780 MKCal for power and 4.187 MKCal to GJ.

Energy sold (GJ)

Source	Units	2019	2020	2021	2022	2023	2024	2025
Electricity Sold	GJ	464,403	445,502	420,151	456,532	564,514	533,592	553,217
Tail Gas Sold	GJ	761,317	715,609	678,706	581,656	707,688	748,750	762,904
Hot Water Sold	GJ	0	0	0	0	0	0	0
Steam Sold	GJ	1,180,041	1,112,000	1,106,040	946,882	1,161,754	1,333,979	1,351,812
Total Energy Sold	GJ	2,405,760	2,273,111	2,204,897	1,985,070	2,433,956	2,616,320	2,667,932
Net Energy	GJ	4,499,380	4,216,481	4,420,567	5,464,861	4,814,734	5,232,641	5,398,324

Renewable electricity and energy intensity

Metric	Units	2019	2020	2021	2022	2023	2024	2025
Renewable Electricity	GJ	61,102	61,208	61,232	61,227	56,157	77,709	81,388
Non-Renewable Electricity	GJ	586,017	552,672	574,382	540,719	528,811	718,375	743,976

Metric	Units	2019	2020	2021	2022	2023	2024	2025
Renewable Electricity %	%	9.5	10.1	9.7	10.2	9.6	9.9	9.7
Energy Intensity	GJ/t	11.71	11.91	12.20	15.97	11.66	12.06	12.00

GRI 302-2 Energy Consumption Outside the Organization

Upstream and downstream energy (GJ)

Source	Units	2019	2020	2021	2022	2023	2024	2025
Upstream Energy	GJ	3,502,056	3,279,875	3,375,575	3,195,726	3,898,421	4,298,855	4,224,970
Downstream Energy	GJ	704,218	659,483	678,706	642,527	777,230	817,600	838,748
Upstream Intensity	GJ/t	9.20	9.35	9.40	9.45	9.53	9.99	9.47
Downstream Intensity	GJ/t	1.85	1.88	1.89	1.90	1.90	1.90	1.88

Notes:
Upstream: extraction, transport, refining and distribution of raw materials (Scope 3 Cat 1, 3, 4).
Downstream: transportation and distribution of finished products (Scope 3 Cat 9).

GRI 303 Management Approach

Disclosure 303-1: Interactions with water as a shared resource

Disclosure Element	Required Content / Placeholder
a. How the organization interacts with water	<i>[Required — manual input] Describe how and where water is withdrawn, consumed, and discharged, including any water-related impacts the organization has caused, contributed to, or is directly linked to through its business relationships.</i>
b. Approach used to identify water-related impacts	<i>[Required — manual input] Describe the approach used to identify water-related impacts across the value chain, including scope, timeframe, and tools/methodologies applied (e.g., WRI Aqueduct Water Risk Atlas, WWF Water Risk Filter).</i>
c. How water-related impacts are addressed	<i>[Required — manual input] Describe how the organization works with stakeholders — communities, regulators, and value-chain partners — to steward water as a shared resource.</i>
d. Process for setting water-related goals and targets	<i>[Required — manual input] Describe the process for setting water-related goals and targets, and explain how they relate to public policy and the local context of each water-stressed area.</i>

Notes:

GRI 303-1 is a management approach disclosure requiring qualitative organizational narrative.

This section cannot be auto-generated from dataset values and must be completed by the reporting organization.

Reference: GRI 303: Water and Effluents 2018, Disclosure 303-1.

Disclosure 303-2: Management of water discharge-related impacts

Disclosure Element	Required Content / Placeholder
a. Minimum standards for effluent quality	<i>[Required — manual input] Describe minimum standards set for effluent discharge quality and how they were determined, covering: (i) standards for facilities with no local discharge requirements; (ii) any internally developed water quality standards; (iii) sector-specific standards applied; (iv) whether the receiving waterbody profile was considered.</i>

Notes:

GRI 303-2 is a management approach disclosure requiring qualitative organizational narrative.

This section cannot be auto-generated from dataset values and must be completed by the reporting organization.

Reference: GRI 303: Water and Effluents 2018, Disclosure 303-2.

GRI 303-3 Water Withdrawal

Total water withdrawal from all areas (GRI 303-3-a)

Source	Units	2019	2020	2021	2022	2023	2024	2025
Surface Water	megaliters	5,500.0	7,223.0	6,585.0	25,914.0	202,749.0	184,168.0	246,376.0
Groundwater	megaliters	5,100.0	4,992.0	4,221.0	4,377.0	3,393.0	2,356.0	4,580.0
Seawater	megaliters	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Source	Units	2019	2020	2021	2022	2023	2024	2025
Produced Water	megaliters	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Third-party Water	megaliters	4,100.0	4,340.0	4,660.0	5,991.0	5,923.0	5,463.0	5,245.0

Notes:

Surface Water, Groundwater, Seawater, and Produced Water are sourced directly from metered withdrawal data.

Third-party Water reflects water purchased from municipal suppliers (e.g. DJB, MCGM, CMWSSB).

Per GRI 303 guidance, harvested (collected) rainwater is classified as surface water and is included in the Surface Water withdrawal total.

Values converted from cubic meters (m³) to megaliters (ML) by dividing by 1,000 (1 ML = 1,000 m³).

Total water withdrawal from areas with water stress (GRI 303-3-b)

Source	Units	2019	2020	2021	2022	2023	2024	2025
Surface Water	megaliters	1,620.0	1,729.0	1,455.0	1,789.0	2,082.0	793.0	860.0
Groundwater	megaliters	900.0	982.0	328.0	445.0	435.0	1,167.0	1,016.0
Seawater	megaliters	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Produced Water	megaliters	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Third-party Water	megaliters	1,600.0	1,696.0	2,483.0	2,967.0	3,117.0	2,457.0	2,452.0
Total — all sources (stress areas)	megaliters	4,120.0	4,407.0	4,266.0	5,201.0	5,634.0	4,417.0	4,328.0

Notes:

Stress-area volumes are sourced directly from the dataset's per-source water-stress columns.

Water stress classification methodology: [Required — specify the tool used, e.g., WRI Aqueduct Water Risk Atlas at high (40–80%) or extremely high (>80%) baseline water stress, or WWF Water Risk Filter at moderate/high/very high water depletion.]

GRI 303 compilation requirement 2.1 (SHALL): Organizations must use publicly available and credible tools to assess water stress.

GRI 303-3-b-v: For Third-party water in stress areas, the standard additionally requires a breakdown by the source (surface, groundwater, seawater, produced water) from which the third-party supplier draws. This sub-breakdown is not currently available in the dataset.

Total water withdrawal by water quality (GRI 303-3-c)

Quality	Units	2019	2020	2021	2022	2023	2024	2025
Freshwater (≤1,000 mg/L TDS)	megaliters	14,700.0	16,555.0	15,466.0	36,282.0	212,065.0	191,987.0	256,201.0
Other Water (>1,000 mg/L TDS)	megaliters	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Notes:

TDS threshold: freshwater ≤1,000 mg/L Total Dissolved Solids; other water >1,000 mg/L (GRI 303 Glossary).

GRI 303-3-c requires this TDS quality breakdown per source (Surface Water, Groundwater, etc.) not as an aggregate total.

The current dataset tracks aggregate freshwater/other-water volumes across all sources. Per-source TDS breakdown requires additional dataset columns (e.g., SurfaceWaterFreshwater, GroundwaterFreshwater).

GRI 303-4 Water Discharge

Total water discharge to all areas (GRI 303-4-a)

Destination	Units	2019	2020	2021	2022	2023	2024	2025
Surface Water	megaliters	2,800.0	3,039.0	3,029.0	21,339.0	199,051.0	180,625.0	242,458.0
Groundwater	megaliters	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Seawater	megaliters	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Third-party Water	megaliters	590.0	623.0	577.0	683.0	685.0	624.0	636.0

Notes:

Third-party Water reflects discharge routed to municipal sewage / third-party treatment facilities.

Per GRI 303 definitions, discharge destination 'Seawater' covers marine environments. Brackish/estuarine discharge is reported under this category with this note.

Total water discharge by water quality (GRI 303-4-b)

Quality	Units	2019	2020	2021	2022	2023	2024	2025
Freshwater ($\leq 1,000$ mg/L TDS)	megaliters	2,800.0	3,039.0	3,029.0	21,339.0	199,051.0	180,625.0	242,458.0
Other Water ($> 1,000$ mg/L TDS)	megaliters	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Notes:

TDS threshold: freshwater $\leq 1,000$ mg/L; other water $> 1,000$ mg/L (GRI 303 Glossary).

GRI 303-4-d: Priority substances of concern — defining priority substances, setting discharge limits, and reporting non-compliance incidents — requires qualitative input and effluent quality monitoring data not currently in the dataset.

Total water discharge to areas with water stress (GRI 303-4-c)

Quality Category	Units	2019	2020	2021	2022	2023	2024	2025
Freshwater ($\leq 1,000$ mg/L TDS) — to water stress areas	megaliters	0	0	0	0	0	0	0
Other Water ($> 1,000$ mg/L TDS) — to water stress areas	megaliters	0	0	0	0	0	0	0

Notes:

GRI 303-4-c requires total water discharge to water stress areas broken down by freshwater/other water quality.

DATA GAP: The current dataset does not include discharge-to-stress-area classification by TDS quality.

Action required: Add 'FreshwaterDischargedStressArea' and 'OtherWaterDischargedStressArea' columns to GRI303_Water_Dataset to complete this disclosure.

GRI 303-5 Water Consumption

Water consumption (GRI 303-5)

Metric	Units	2019	2020	2021	2022	2023	2024	2025
Water Consumed (withdrawn – discharged)	megaliters	11,310.0	12,893.0	11,860.0	14,260.0	12,329.0	10,738.0	13,107.0
Water Recycled / Reused	megaliters	1,361.2	1,558.1	1,416.3	1,725.0	1,482.4	1,297.6	1,579.6
Water Consumed in Stress Areas	megaliters	3,570.0	3,810.0	3,632.0	4,514.0	4,933.0	4,417.0	4,328.0

Notes:

GRI 303-5 formula: *Water Consumption = Total Water Withdrawn – Total Water Discharged.*

Water Recycled/Reused is reported as a positive efficiency indicator; it does not affect withdrawal or consumption totals.

GRI 303-5-c Change in water storage: Assessed as not significant — no large water storage facilities are operated. If significant water storage is introduced, this metric must be added to this table.

GRI 305-1 Direct (Scope 1) GHG Emissions

Category	Units	2019	2020	2021	2022	2023	2024	2025
Direct Scope 1 Emissions	tCO2e	3,100,000	3,151,354	3,177,044	3,806,644	3,657,396	3,698,154	3,573,988

Notes:

CO₂, CH₄, and N₂O are included in the calculation. No biogenic CO₂ emissions.

Emission factors sourced from 2021 IPCC (AR6) Guidelines. Consolidation approach: operational control.

GRI 305-2 Energy Indirect (Scope 2) GHG Emissions

Category	Units	2019	2020	2021	2022	2023	2024	2025
Indirect (Scope 2) Emissions	tCO2e	82,000	83,913	86,950	87,605	83,656	56,093	52,251

Notes:

Location-based method used. Emission factors for electricity sourced from IEA; steam from EPA 2022.

GRI 305-3 Other Indirect (Scope 3) GHG Emissions

Category	Units	2019	2020	2021	2022	2023	2024	2025
Indirect (Scope 3) Emissions	tCO2e	1,700,000	1,830,931	0	2,025,020	2,074,032	1,809,748	1,723,314

Notes:

Includes upstream transport, business travel, commute, goods & services, capital goods, fuel, energy, and downstream transport.

Where Scope 3 data was unavailable, values are shown as "0".

GRI 305-4 GHG Emissions Intensity

Category	Units	2019	2020	2021	2022	2023	2024	2025
Scope 1 Intensity	tCO2e/t	8.1608	9.0418	8.8256	11.2007	8.9148	8.5761	8.0292
Scope 2 Intensity	tCO2e/t	0.2159	0.2408	0.2415	0.2578	0.2039	0.1301	0.1174
Scope 3 Intensity	tCO2e/t	4.4753	5.2533	0	5.9584	5.0554	4.1968	3.8716

GRI 305-7 NO_x, SO_x, VOC, and Particulate Matter Air Emissions

Category	Units	2022	2023	2024	2025
Gross NOx	tonnes	4,161	4,610	3,322	3,426
Gross SOx	tonnes	25,410	19,034	10,055	10,496
Gross Volatile Organic Compounds (VOC)	tonnes	143	110	52	87
Gross Particulate Matter (PM)	tonnes	909	795	450	772

Notes:
Air emissions measured via direct continuous emissions monitoring. Mass balance used where direct measurement unavailable.

GRI 306-3 Waste Generated

Category	Units	2019	2020	2021	2022	2023	2024	2025
Total Waste Generated	tonnes	22,155	24,648	25,597	35,660	41,773	42,709	41,176
Hazardous Waste	tonnes	2,500	2,778	717	1,582	1,129	1,003	1,415
Non-hazardous Waste	tonnes	19,655	21,870	24,880	34,078	40,644	41,706	39,761

Notes:

The waste disposal method is determined by the organization except for landfill disposal which defaults to the waste contractor.

GRI 306-4 Waste Diverted From Disposal

Category	Units	2019		2020		2021		2022		2023		2024		2025	
		Haz.	Non-haz.	Haz.	Non-haz.	Haz.	Non-haz.	Haz.	Non-haz.	Haz.	Non-haz.	Haz.	Non-haz.	Haz.	Non-haz.
Reuse	tonnes	80	2,200	98	2,449	0	1,576	72	1,252	143	3,757	8	2,092	5	4,080
Recycling	tonnes	5	7,500	3	8,332	52	8,128	21	10,167	46	25,586	15	23,582	94	19,333
Other	tonnes	0	2,600	0	2,895	0	6,600	0	11,730	0	0	0	0	0	0
Total	tonnes	85	12,300	101	13,676	52	16,304	93	23,149	189	29,343	23	25,674	99	23,413

Notes:

Values split by Hazardous / Non-hazardous classification per GRI 306-4.

GRI 306-5 Waste Directed to Disposal

Category	Units	2019		2020		2021		2022		2023		2024		2025	
		Haz.	Non-haz.	Haz.	Non-haz.	Haz.	Non-haz.	Haz.	Non-haz.	Haz.	Non-haz.	Haz.	Non-haz.	Haz.	Non-haz.
Incineration	tonnes	850	155	908	166	88	174	212	210	235	237	322	1,574	591	271
Incineration (with recovery)	tonnes	0	0	0	0	2	0	50	11	33	0	23	85	2	591
Landfill	tonnes	1,565	7,200	1,769	8,028	575	8,402	1,227	10,708	672	11,064	635	14,373	723	15,486
Total	tonnes	2,415	7,355	2,677	8,194	665	8,576	1,489	10,929	940	11,301	980	16,032	1,316	16,348

Notes:

Values split by Hazardous / Non-hazardous classification per GRI 306-5.

GRI 403-8 Workers Covered by an OHS Management System (2025)

Category	Number	Percentage
Employee Coverage	Number	Percentage
Those covered by an OHS management system	28680	100%
Those covered by an OHS management system — internally audited	28680	100%
Those covered by an OHS management system — externally certified	28680	100%
Contractor Coverage	Number	Percentage
Those covered by an OHS management system	9528	100%
Those covered by an OHS management system — internally audited	9528	100%
Those covered by an OHS management system — externally certified	9528	100%

Notes:

No workers have been excluded.

GRI 403-9 Work-related Injuries (2025)

Category	Employees	Contractors
Number and rate of fatalities (work-related injury)	0 / 0.00	0 / 0.00
Number and rate of high consequence injuries (excl. fatalities)	0 / 0.00	0 / 0.00
Number and rate of recordable work-related injuries	15 / 0.62	2 / 0.06
Main types of work-related injuries	Slips, trips, and fall from same level	Struck by tool, slips and trips
Number of hours worked	4,828,956	6,887,496

GRI 403-10 Work-related Ill Health (2025)

Category	Employees	Contractors
Number of fatalities — work-related ill health	0	0
Number of recordable work-related ill health cases	0	0
Main types of work-related ill health	N/A	N/A

Notes:
No known cases of work-related ill health identified during the reporting period.