

RT-CH-110 / RT-CH-120 — GHG Emissions & Air Quality

RT-CH-110a.1 GHG Emissions

Metric	Units	2019	2020	2021	2022	2023	2024	2025
Scope 1 GHG Emissions	tCO2e	3,100,000.0	3,151,354.0	3,177,044.0	3,806,644.0	3,657,396.0	3,698,154.0	3,573,987.8

Notes:
RT-CH-110a.1: Gross global Scope 1 emissions, identical to GRI 305-1. Percentage covered under emissions-limiting regulations is not currently tracked (data gap).

RT-CH-120a.1 Air Quality

Metric	Units	2022	2023	2024	2025
NOx Emissions	t	4,161.03	4,610.00	3,322.00	3,425.98
SOx Emissions	t	25,410.02	19,034.04	10,055.03	10,496.00
VOC Emissions	t	142.99	110.01	52.03	86.98
Particulate Matter (PM)	t	908.98	794.97	449.98	771.98

Notes:
RT-CH-120a.1: Air emissions of NOx, SOx, VOCs, and particulate matter. Hazardous air pollutants (HAPs) are not currently tracked (data gap).
Air emission data available from 2022 onwards, when systematic stack monitoring and air quality measurement was established across all sites. Pre-2022 data is not available and is excluded from this disclosure (same restriction applied to the equivalent GRI 305-7 table).

RT-CH-110a.2 GHG Management Strategy

Disclosure Element	Required Content / Placeholder
Long/short-term GHG strategy & targets	[Required — manual input] Describe the long- and short-term strategy to manage Scope 1 emissions, including emissions-reduction targets and performance against those targets.

RT-CH-130 — Energy Management

RT-CH-130a.1 Energy Management

Metric	Units	2019	2020	2021	2022	2023	2024	2025
Total Energy Consumed	GJ	4,499,380.3	4,216,480.6	4,420,567.3	5,464,861.3	4,814,734.0	5,232,640.6	5,398,324.3
Renewable Energy	GJ	61,102.3	61,208.2	61,232.0	61,227.2	56,156.9	77,709.0	81,387.5
Non-Renewable Energy	GJ	586,016.7	552,672.1	574,381.7	540,719.2	528,810.8	718,375.3	743,976.1
Renewable Energy %	%	9.4	10.0	9.6	10.2	9.6	9.8	9.9

Notes:

Percentage of total energy from grid electricity is not yet broken out separately from renewable/non-renewable electricity (partial — see sasb_requirements.json).

RT-CH-140 — Water Management

RT-CH-140a.1 Water Management

Metric	Units	2019	2020	2021	2022	2023	2024	2025
Total Water Withdrawn	megaliters	14,700.0	16,555.0	15,466.0	36,282.0	212,065.0	191,987.0	256,201.0
Total Water Consumed	megaliters	11,310.0	12,893.0	11,860.0	14,260.0	12,329.0	10,738.0	13,107.0
% Withdrawn in Water-Stress Areas	%	28.0	26.6	27.6	14.3	2.7	2.3	1.7

Notes:
Values converted from cubic meters (m3) to megaliters (ML) by dividing by 1,000, matching the GRI 303 report convention.
Water-stress classification is currently self-reported and has not been confirmed to align with the WRI Aqueduct Baseline Water Stress methodology SASB references (status: partial — see sasb_requirements.json).
RT-CH-140a.2 (water permit non-compliance incidents) is not currently tracked (data gap).

RT-CH-150 — Hazardous Waste Management

RT-CH-150a.1 Hazardous Waste Management

Metric	Units	2019	2020	2021	2022	2023	2024	2025
Hazardous Waste Generated	tonnes	2,500.1	2,778.1	717.1	1,582.2	1,128.9	1,002.9	1,415.0
Non-Hazardous Waste Generated	tonnes	19,655.0	21,870.0	24,879.9	34,077.9	40,644.0	41,706.1	39,761.0
Hazardous Waste Recycled %	%	3.4	3.6	7.3	5.9	16.7	2.3	7.0

Notes:

Hazardous/Non-hazardous split reuses the HazardousFlag column already present in the GRI 306 waste dataset (the same column GRI 306-4/306-5 hazardous-split tables already use).

RT-CH-320 — Workforce Health & Safety

RT-CH-320a.1 Workforce Health & Safety

Metric	Units	2019	2020	2021	2022	2023	2024	2025
TRIR (All Workers)	per 200k hrs	0.67	0.70	0.43	0.51	0.38	0.31	0.29
TRIR (Employees)	per 200k hrs	0.87	0.95	0.68	0.53	0.65	0.42	0.62
TRIR (Contractors)	per 200k hrs	0.51	0.52	0.26	0.51	0.19	0.24	0.06
Fatality Rate	per 200k hrs	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Notes:
Employee/Contractor split reuses the WorkerType column already present in the GRI 403 dataset.
Near Miss Frequency Rate (NMFR) is not currently tracked (data gap — no near-miss column exists).

RT-CH-540 — Process Safety

RT-CH-540a.1 / RT-CH-540a.2 Operational Safety, Emergency Preparedness & Response

Disclosure Element	Required Content / Placeholder
Process Safety Incidents Count (PSIC)	[Data gap — no source] Requires a dedicated process-safety incident dataset (loss of containment, fire/explosion events), distinct from the occupational-safety dataset (GRI 403) used elsewhere in this dashboard. See SASB_INTEGRATION_PLAN.md Section 4/9.
Process Safety Total Incident Rate (PSTIR)	[Data gap — no source] Formula would reuse the existing rate_per_basis() convention once incident-count and covered-facility hours data exists.
Process Safety Incident Severity Rate (PSISR)	[Data gap — no source] Same dependency as PSTIR, plus a severity classification per incident.