

INDEX

A

- abort signal, 227
- access control, 44, 51–52, 97
- access control lists (ACLs), 52
- AcidRain, 28, 248
- Advanced Encryption Standard (AES), 88
- Advanced Orbiting Systems (AOS)
 - protocol, 76
- advanced persistent threats (APTs), 28
- adversarial threats, 17–28
- African Space Agency (AfSA), 287–288
- anti-satellite weapons. *See* ASATs
- application process ID (APID), 61
- APTs, 28
- ARP spoofing, 152, 153
- ASATs
 - co-orbital, 19
 - direct ascent, 18–19
 - kinetic vs. non-kinetic, 18
 - tests, 18
- Asia-Pacific Space Cooperation Organization (APSCO), 287
- ASN.1 encoding, 151
- atmospheric layers, 33
- attribute-based access control (ABAC), 51–52
- auroras, 31
- AWS Ground Station, 289
- Azure Orbital, Microsoft, 289

B

- BeiDou, 5
- Binwalk, 252, 256
- black-box testing, 54, 162
- Bose–Chaudhuri–Hocquenghem (BCH) code, 93
- botnet, 24, 26

- buffer overflow, 44, 45, 54, 60, 63, 83
- Burp Suite, 162, 165–166, 173, 175–178, 188–193

C

- CAN bus, 45, 48
- CCSDS, 42, 59, 292. *See also* SPP
 - blue books, 60
 - Cross Support Transfer Services (CSTS), 131–132
 - Day Segmented (CDS) format, 63–65
 - File Delivery Protocol (CFDP), 49, 204
 - frame synchronization, 91–92
 - pseudorandomization, 92
 - Synchronization and Channel Coding, 90–93
 - time formats, 63–65
 - TM/TC standards, 46, 49, 76–86
 - Unsegmented Code (CUC)
 - format, 67
- cFS, 46, 203–215
 - applications, 204–205
 - architecture, 203–204
 - cFE, 203–205
 - configuration, 207
 - crashing, 241
 - debugging, 242
 - installing, 206
 - Memory Management (MM) module, 211, 232
 - dumping memory to file, 232–241
 - malicious telecommands, 239
 - valid memory ranges, 238
 - out-of-bounds read vulnerability, 232–243
 - receiving telemetry, 214–215
 - sending commands, 211–213
 - vulnerability analysis, 234

- cFS-GroundSystem, 211–212
- CH341A USB programmer, 249
- China
 - Aerospace Science and Technology Corporation (CASC), 284
 - BeiDou, 5
 - National Space Administration (CNSA), 284
- classified missions, 12
- CLCW, 80, 84–86
- CLTU, 93, 129
- cmdUtil, 211, 239
- command and control bus, 48
- command injection, 82
- Command Pulse Distribution Unit (CPDU), 74
- command queue overflow, 218
- commercial space companies, 5, 288–289
- communications link control word (CLCW), 80, 84–86
- communications link transmission unit (CLTU), 93, 129
- Communications Operation Procedure-I. *See* COP-1
- Consultative Committee for Space Data Systems. *See* CCSDS
- controller area network (CAN) bus, 45, 48
- convolutional codes, 90–92
- cookie exfiltration, 172
- COP-1, 80, 84, 89–90
 - components, 89
 - security considerations, 89–90
- core Flight Executive (cFE), 203, 205
- core Flight System. *See* cFS
- coronal mass ejections (CMEs), 31–32
- COSMOS, 112
 - automation, 119
 - basic functionality, 114
 - Content Security Policy (CSP), 174
 - data storage, 119
 - installing, 112
 - V5.20.0, 169
 - link configuration, 116
 - mission database, 114
 - remote code execution, 175–182
 - Repeater, 176
 - Script Runner, 119–120, 175
 - sending telecommands, 117
 - telemetry processing, 116
 - XSS vulnerability, 169–182
- Cour-Palais, Burton G., 34
- CPDU, 74
- CRC, 67, 81
- cross-domain attack, 43
- cross-site scripting (XSS) attack, 159
 - COSMOS, 169–182
 - F' GDS, 159–169
- CSF. *See* NIST Cybersecurity Framework
- CubeSats, 289, 296
- CVE-2023-45277 (Yamcs), 182
- CVE-2023-45278 (Yamcs), 182
- CVE-2024-55029 (F' GDS), 159
- CVE-2024-55030 (F' FSW), 218, 231
- CVE-2025-25372 (cFS), 232, 243
- CVE-2025-28380 (COSMOS), 169
- cyberattacks, 23–28. *See also* DoS
 - airgapped systems, 26–27
 - DDoS, 24
 - hacktivism, 24
 - hijacking, 24
 - industrial sabotage, 27
 - malware, 25–26
 - phishing, 24
 - social engineering, 27
 - state-sponsored, 25, 28
 - supply chain attacks, 27
 - zero-day vulnerabilities, 25
- cyclic redundancy check (CRC), 67, 81

D

- DDoS, 24
- debugpy, 224
- defense-in-depth strategies, 10
- denial of service. *See* DoS
- discretionary access control (DAC), 52
- distributed denial of service (DDoS), 24
- DoS, 24, 83, 89
 - F' vulnerability, 218–231
 - jamming, 19, 270
 - Viasat, 248–249
- dynamic vulnerability analysis, 54

E

electrical qualification model (EQM),
13–14

electromagnetic pulse (EMP), 22

electronic warfare, 19–22

definition, 19

directed-energy weapons

electromagnetic pulse, 22

laser, 21

microwave, 21

jamming, 19, 270

spoofing, 21, 275

elliptical orbits, 8

embedded systems, 9

error correction coding, 90–93

parity symbols, 91

in TC frames, 93

in TM frames, 90

Ethernet, 48

European Cooperation for Space

Standardization (ECSS), 42, 292

European Space Agency (ESA), 8, 30,

98, 287

EGS-CC, 98

GNSS Science Support Center

(GSSC), 278

SLE API, 132

European Space Operations Centre

(ESOC), 14

European Union Agency for the Space

Programme (EUSPA), 287

F

Federal Office for Information Security

(BSI), German, 292

firmware emulation, 252

firmware extraction, 249

5G non-terrestrial networks, 303

flash memory, accessing, 249

Flashrom, 249–252

flight dynamics, 301

F' framework, 120, 198

architecture, 198

documentation, 222

DoS vulnerability, 218

flight software, 220

crashing, 227

debugging, 228

flooding, 227

fuzzing, 222

testing, 221

ground dictionary, 120

installing, 120

V3.4.3, 218

reference project, 219

type safety, 199

F' Ground Data System (GDS), 120,
159–169

crashing flight software, 227

debugging, 223

handling events, 123

installing, 120

V3.6.1, 160

interacting with flight software, 220

modifying source code, 226

sending telecommands, 123

viewing dictionaries, 124

F Prime Prime (FPP), 198, 218

Frame Acceptance and Reporting

Mechanism-1 (FARM-1), 89

Frame Operation Procedure-1

(FOP-1), 89

frame synchronization, 91

free-space path loss, 272

fuzzing, 49, 60, 222

G

Galileo, 5

gdb (GNU debugger), 54, 228–229

GDB Enhanced Features (GEF), 228

geostationary orbit (GEO), 7

Ghidra, 261

Git, 99

global navigation satellite systems.

See GNSS

Global Positioning System. *See* GPS

GLONASS, 5

GNSS, 5, 269

attacks on, 269–281

constellations

BeiDou, 5

Galileo, 5

GLONASS, 5

GPS, 5, 270

ephemeris data, 277

frequency bands, 270, 275

GNSS (*continued*)

- IQ samples, 276
- jamming, 270–275
 - J/S* ratio, 272
 - mitigation, 274
 - signal-to-noise ratio, 271
 - simulation example, 272
- meaconing, 275
- position calculation, 270
- replay attacks, 275
- software receiver, 279
- spoofing, 21, 275–281
 - simulation setup, 276
- time-shift attacks, 276
- GNSS Science Support Center (GSSC), 278
- GNSS-SDR receiver, 279
- GNU Radio, 279
- GPS, 5, 270
 - simulator, 276
- GPS-SDR-SIM, 276
- graveyard orbit, 7
- ground segment, 4, 96, 300–302. *See also*
 - mission control system
- ground station, 300
- hacking, 159
- physical attacks, 22–23
- protocols, 127
- security testing, 42, 47

H

- HackRF, 279
- Hifly, 98
- high Earth orbit, 8
- highly elliptical orbit (HEO), 8

I

- idle packets, 79
- iframe, 171
- Indian Space Research Organisation (ISRO), 285
- industrial control systems (ICS), 3, 9
- intergovernmental space organizations, 286–288
- International Space Station (ISS), 5, 6, 98
- International Telecommunication Union (ITU), 94, 291
- Internet SLE Protocol 1 (ISP1), 149

- interprocess communication (IPC), 48
- intrusion detection systems (IDS), 10
- iptables, 152
- iptables-nft, 152

J

- jammer-to-signal ratio (*J/S*), 272
- jamming, 19–20, 270–275
- Japan Aerospace Exploration Agency (JAXA), 284
- Jet Propulsion Laboratory, 120

K

- KA-SAT attack, 9, 28, 248–249
- Kessler, Donald J., 34
- Kessler syndrome, 34

L

- lasers, 21
- launch segment, 4, 41, 296
- leap seconds, 65
- LibreCube, 132
- low-density parity check (LDPC) codes, 90, 92
- low Earth orbit (LEO), 6

M

- mandatory access control (MAC), 52
- man-in-the-middle attack, 145, 152
- MAP ID, 81, 83
- Maven, 99, 134
- meaconing attack, 275
- medium Earth orbit (MEO), 7
- memcpy (cFS vulnerability), 232, 237, 242
- Memory Management (MM) module.
 - See* cFS
- message authentication code (MAC), 88
- microwave weapons, 21
- military and defense space programs, 286
- mission control system, 50, 301
 - alarm handling, 97
 - automation, 97
 - data archive/storage, 96
 - interfaces, 97
 - main functions, 96–98
 - scripting, 97
 - software, 98
 - telecommanding, 96

- telemetry monitoring and
 - processing, 96
 - visualization, 97
- Mission Shakti, 18
- Molniya orbit, 8
- multilateration, 270
- multiplexer access point identifier (MAP ID), 81, 83

N

- NASA, 30, 66, 203, 283. *See also* cFS
 - core Flight Executive, 203, 205
- National Oceanic and Atmospheric Administration (NOAA), 5, 30
- national space agencies, 283–286
- national space laws, 291
- Netfilter queue, 152, 154
- network layer
 - enumeration, 47–49
 - protocols and standards, 46
 - traffic analysis, 49
- NewSpace, 5, 288
- NIST Cybersecurity Framework (CSF), 34, 292
 - core functions, 35
 - implementation tiers, 35
 - profiles, 35
- NOAA, 5, 30
- NodeJS, 99
- nonadversarial threats, 29–34
 - atmospheric effects, 33
 - extreme temperatures, 32
 - micrometeoroids, 33
 - radiation, 29–30
 - space debris, 33–34
 - space weather, 30–32
 - thermal cycling, 32
 - vacuum effects, 32
- nongovernmental organizations (NGOs), 289

O

- onboard computer, 43, 47–48, 197
- onboard software, 44–46, 198
- OpenC3 COSMOS. *See* COSMOS
- open source software, 11, 98
- operational technology (OT), 10
- Operation Olympic Games, 27

- orbits
 - debris in, 9
 - types of, 6–8
- Outer Space Treaty, 12, 19, 286
- over-the-air rekeying (OTAR), 88
- OWASP, 36
 - Threat Dragon, 36–40

P

- Packet Utilization Standard. *See* PUS
- parity symbols, 91
- PASTA, 36
- phishing, 172
- physical attack vectors
 - ground segment attacks, 22
 - undersea cable damage, 23
- physical layer, 94
- Physical Layer Operations Procedures 1 and 2 (PLOP-1 and PLOP-2), 93
- polar orbit, 6
- private sector space companies, 288–289
- protocol data units (PDUs), 150
- pseudorandomization, 90, 92
- PUS, 47, 65–76
 - device access service, 73–76
 - on/off device subservice, 74
 - request verification service, 69–71
 - security considerations, 71, 76
 - services, 66
 - SPP relationship, 66
 - TC[2,1] implementation example, 74
 - telecommand packets, 71–73
 - telemetry packets, 66–69
 - TM[1,1] implementation example, 70
- python-sle*, 132
 - configuring, 136
 - installing, 135

R

- Radio Frequency and Modulation Systems, 93–94
- ranging, 94
- RCE, 169, 175–182, 266
- real-time intrusion detection systems (IDS), 10
- real-time operating system (RTOS), 43, 44
- Receiver Independent Exchange Format (RINEX), 277, 278

- reconnaissance
 - active vs. passive, 42
 - open source intelligence, 42
- Reed–Solomon codes, 90–92
- regulatory bodies, 12
- remote code execution (RCE), 169, 175–182, 266
- replay attacks, 84, 88
 - GNSS, 275
- research organizations, 288
- reverse engineering, 49, 54, 260
- risk assessment, 34–35
- risk management, 35
- rockets, 4, 296
- role-based access control (RBAC), 51, 97
- Rosetta mission, 14
- RTL-SDR, 279
- RTOS, 43, 44
- Russia, 19, 23
 - GLONASS, 5
 - KA-SAT attack, 9, 28, 248–249
 - Roscosmos State Corporation for Space Activities, 285

S

- SAR satellites, 20
- satellite communications
 - (SATCOM), 247
- satellite operators and service providers, 290
- satellites
 - constellations of, 7
 - debris from, 9
 - disposal, 7
 - orbit types, 6–8
 - radiation, effects on, 11
 - use cases, 4
- SatNOGS, 132
- SCOS-2000, 98
- scrambling, 92
- SDLS protocol, 86–89
 - additions to TC and TM transfer frames, 87
 - extended procedures, 88
 - frame security report, 89
 - key management service, 88
 - message authentication code, 86

- security association, 87
- security features, 86
- security header, 87
- security standards, 12
- security testing, 41
 - access control, 51
 - authentication, 50
 - authorization, 51
 - black box, 54, 162
 - client-side validation, 50
 - communication protocols, 43
 - debugging, 54
 - end-to-end system test, 42
 - exploit development, 55
 - ground segment, 42, 47
 - interprocess communication, 47
 - intrusion detection and monitoring, 46
 - modular approach, 42
 - network layer, 46–49
 - server-side logic, 52
 - session management, 51
 - sink-to-source analysis, 53
 - source-to-sink analysis, 53
 - of spacecraft platform, 42–46
 - space–ground communication, 48
 - static analysis, 54
 - taint analysis, 53
 - user segment, 42, 49–53
 - vulnerability research, 43
 - white box, 53, 182
 - zero-day hunting methodology, 53
- Serial Peripheral Interface (SPI), 249
- server-side request forgery (SSRF)
 - attack, 52
- signal-to-noise ratio (SNR), 271
- simulator, 14, 46
 - COSMOS, 112
 - GNSS, 277
 - GPS, 276
 - Yamcs, 100
- SLE, 47, 127–157
 - analyzing the protocol, 150
 - capturing traffic, 145
 - ESA API, 132
 - configuring, 137–139
 - installing, 132
 - test harness, 139

- exploiting, 145–157
 - implementations, 132
 - man-in-the-middle attack, 152
 - python-sle*, 132
 - configuring, 136
 - installing, 135
 - telecommand services, 129–131
 - telemetry services, 128–129
 - software-defined radio (SDR), 46, 279
 - solar flares, 31
 - solar wind, 31
 - Space Assigned Numbers Authority (SANA), 61, 78
 - Space-Based Infrared System (SBIRS), 5
 - space congestion, 34
 - spacecraft platform, 43–46
 - hardware, 43
 - onboard computer, 43, 47–48, 197
 - onboard software, 44–46, 198
 - operating systems, 44
 - attack surface, 44
 - updating, 44
 - subsystems, 43
 - space data link protocols, 76–93
 - Space Data Link Security protocol. *See* SDLS
 - Space Link Extension protocol. *See* SLE
 - space mission life cycle, 13
 - Space Packet Protocol. *See* SPP
 - space segment, 4, 197, 295–300
 - hacking, 217
 - launch vehicle, 296
 - satellite classes, 295
 - space standards
 - reading and understanding, 62
 - security considerations, 62
 - space systems, 3
 - attitude determination and control system, 298
 - cyberattacks, 23
 - data links, 4
 - electrical power, 297
 - embedded systems and ICS,
 - similarities to, 9
 - environmental security challenges, 11
 - legal and regulatory challenges, 12
 - mechanical structure, 297
 - requirements, 5
 - segments, 4
 - technical security challenges, 10
 - telecommunications, 298
 - testing, 13–14
 - thermal control, 32, 297
 - updating, 9, 10
 - vulnerabilities and threats, 8
 - space treaties and agreements, 290
 - space weather, 30–32
 - SpaceWire, 48
 - SPARTA, 36, 292
 - SPI bus, 249
 - spoofing, 21, 275–281
 - SPP, 46, 60–65
 - application process ID, 61
 - packet construction, 61–63
 - packet structure, 60
 - primary header, 60
 - secondary header, 61, 66
 - segmentation, 61
 - time codes, 61, 63–65
 - user data field, 67, 72
 - SQL injection, 162
 - Starlink, 9
 - STRIDE, 36
 - Stuxnet, 26
 - sunspots, 30
 - sun-synchronous orbit (SSO), 7
 - supervisory control and data acquisition (SCADA), 27
 - supply chain attack, 27, 43
 - synthetic aperture radar (SAR), 20
- ## T
- TC Space Data Link Protocol, 49, 81–86
 - security considerations, 82–84
 - service types, 81
 - transfer frames, 82–86
 - data field, 83, 84
 - error detection, 84
 - frame error control field, 82
 - primary header, 82
 - segmentation, 83
 - structure, 82
 - virtual channels, 81
 - telecommands, 59
 - telemetry, 59

- threat modeling, 36–40
 - actors, 37
 - definition, 36
 - frameworks
 - PASTA, 36
 - SPARTA, 36, 292
 - STRIDE, 36
 - mitigation strategies, 39
 - OWASP Threat Dragon, 36
 - proactive security, 36
 - system decomposition, 37
 - threat identification, 39
 - trust boundaries, 38
- time-shift attack, 276
- TM[1,1] packet, 69
- TM Space Data Link Protocol, 49, 76–81
 - master channels, 77
 - security considerations, 78, 81
 - transfer frames, 77–81
 - data field, 77
 - data field status field, 79
 - frame data, 80
 - frame error control field, 78, 81
 - idle packets, 79
 - length, 78
 - operational control field, 77, 80
 - primary header, 77–79
 - secondary header, 77, 79–80
 - spacecraft identifier, 77
 - structure, 77
 - trailer, 78, 80
 - version number, 77
 - virtual channels, 77
- trilateration, 270
- Turbo codes, 90, 92

U

- UART, 48
- Ukraine, 9, 28
- Unified Space Data Link Protocol (USLP), 76
- United Nations Office for Outer Space Affairs (UNOOSA), 12
- user data exfiltration, 172
- user segment, 4, 247, 302–303
 - architectures, 302
 - equipment and interfaces, 303

- firmware emulation, 252
- firmware extraction, 249
- hacking, 269
- security testing, 42, 49–53

V

- Van Allen belts, 29
- Viasat, 9, 28, 248
- virtual channels, 77, 81
- VisionSpace, 132
- VS Code, 186, 224

W

- web penetration testing, 161
- web proxy, 161, 165
- white-box testing, 53, 182
- wiper malware, 248
- Wireshark, 145–152

X

- XSS. *See* cross-site scripting attack
- XZ Utils, 27

Y

- Yamcs, 98
 - authentication, 111, 184
 - basic functionality, 100
 - data storage, 110
 - debug mode, 187
 - directory traversal, 189
 - display view, 105
 - file deletion, 191
 - installing, 99
 - V5.8.6, 182
 - link configuration, 102
 - mission database, 101
 - Packet Viewer, 103
 - Parameters view, 103
 - privilege escalation, 182–193
 - scripting, 105
 - sending telecommands, 107
 - simulator, 100, 102
 - telemetry processing, 102

Z

- zero days, 25, 53