INDEX

Symbols

$|n|$ (absolute value), 102
+ = (addition assignment operator), 22
+ (addition operator), 5
$\bar{R}^2$ (adjusted coefficient of determination), 308
$\rightarrow$ (approaches), 102, 138, 279, 316
$\approx$ (approximately equal to), 107, 356
δ (argument tolerance), 102
= (assignment operator), 14
$\in$ (belongs to), 204
R^2 (coefficient of determination), 302
: (colon), 18, 56, 67, 179, 218, 264, 265
$\circ$ (composition), 88
{} (curly brackets), 16
δ (delta function), 316
Y (DFT matrix), 334, 335
$\mathbf{s}$ (discrete signal), 334
$\hat{\boldsymbol{s}}$ (discrete Fourier transform), 336
/ (division operator), 5, 181, 219
• (dot operator), 23, 24, 42, 94, 217, 218
e (Euler's number) 25, 323
= (equal to operator), 8
** (exponentiation operator), 5, 181, 219
$n!$ (factorial), 336, 118
// (floor division operator), 7, 96, 343
∇ (gradient operator), 280, 292, 304
> (greater than operator), 7, 8
$\geq$ (greater than or equal to operator), 7, 8
$\odot$ (Hadamard product), 206
(hash mark) for comments, 12
ϵ (image tolerance), 102
j (imaginary unit), 319
∞ (infinity), 138, 316
• (inner product), 207, 306, 314, 329
$\int$ (integral), 127, 138, 312, 329
< (less than operator), 7, 8
$\leq$ (less than or equal to operator), 7, 8
% (modulo operator), 7, 181, 219
* (multiplication operator), 5, 181, 210, 219, 330
$\backslash n$ (newline), 18
$\neq$ (not equal to operator), 8
$\otimes$ (outer product), 336
() (parentheses), 6, 11, 56, 218
π (pi), 25, 354
$\hat{y}$ (prediction), 296
$\propto$ (proportional to), 186
$\rightarrow$ (reaction arrow), 195
:= (reassignment operator), 297
{} (set), 85, 205
$\mathbb{C}$ (set of complex numbers), 321
$\mathbb{R}$ (set of real numbers), 319
$\mathbb{R}^2$ (set of real-valued 2D vectors), 204
$\mathbb{R}^3$ (set of real-valued 3D vectors), 204
$\mathbb{R}^n$ (set of real-valued n-dimensional vectors), 204
[] (square brackets), 66, 178, 218, 235, 265
– (subtraction operator), 5
–= (subtraction assignment operator), 295
Σ (summation), 22, 131, 138, 198, 240, 297, 302, 329
$\backslash t$ (tab), 18
_ (underscore), 17
$\hat{\boldsymbol{v}}$ (unit vector), 173, 314
v (vector), 167, 313
$\vec{v}$(vector), 167
$|\mathbf{v}|$ (vector magnitude), 173

A

absolute value, 12, 102
agent-based model, 274

algebra, 83, 351–359
  expression, 352
  linear equation, 120, 352
  quadratic equation, 353
  variable, 352
algorithm, 28–29
  Big O notation, 145
  complexity, 145
  divide and conquer, 342
  linear complexity, 145
  linearithmic complexity, 347
  quadratic complexity, 339
  recursion, 60, 342
    base case, 60
American Standard Code for Information Interchange, 118
  Note G, 118
Archimedes, 139
arithmetic, 352
  base, 358
  expression, 352
  integer, 358
  order of operations, 352
  PEMDAS, 352–353
ASCII, 4
ASCII art, 4, 17
atmosphere, 32, 195
  box model, 35, 76
  homosphere, 195
  Lorenz system, 261
  variable gas, 195

B

Beatles, 295
Bernoulli, Jacob, 25–26, 118
Bernoulli numbers, 118
bug, 30

C

chaos, 189–193, 261
  butterfly effect, 261
  determinism, 192
  irregularity, 192
  Lorenz system, 261
  n-body problem, 189, 244
  recurrence, 261
  sensitive dependence on initial conditions, 192
  three-body problem, 189
chemistry
  atom, 33
  concentration, 196
  elementary chemical reaction, 195
  gas, 33
  hydrogen, 33
  ideal gas law, 33, 278
  kinetic reaction, 196
  Lewis structure, 33
  molecular geometry, 75
  molecule, 33
  nitrogen dioxide, 196
  nitrogen monoxide, 196
  oxygen, 33, 196
    atomic, 196
    molecular, 196
  ozone, 196
  photolysis reaction, 196
  photon, 196
  pressure, 33
  product, 195
  rate coefficient, 196
  reactant, 195
  reaction rate, 195
  reactive organic gas, 197
  volume, 33
  water, 33
closed form, 129, 161
color
  grayscale, 71
  palette, 71
constructionism, 39. *See also* Papert, Seymour
Cooley, J.W., 340

D

data, 5, 41
debugging, 30–31
de Fermat, Pierre, xx, 46, 62, 80, 84
derivative, 83, 84, 103, 128
  chain rule, 111, 296–297
  common derivatives, 110–111
  $\frac{df}{dx}$, 104
  difference quotient, 103, 279
  $\frac{d}{dx}f$, 104
  $\dot{f}$, 104
  f', 104
  finite difference, 113
  forward difference, 113, 163

partial derivative, 275, 277–280
$\frac{\partial f}{\partial x}$, 279
$\frac{\partial}{\partial x} f$, 279
f_x, 279
point of tangency, 106, 114
product rule, 112, 150, 323
quotient rule, 112
rules, 110
second derivative, 109
second derivative test, 292
tangent line, 106, 114
Descartes, René, xx, 39, 46, 62, 80, 84
difference equation, xx, 49
differential, 49
differential equation, 157–159, 246
coupled, 246
explicit solution, 160
first-order, 164
linear, 247
nonlinear, 195, 261
ordinary, 159
parameter, 159
partial, 159
second-order, 164
separation of variables, 160
solution, 159
Dirac, Paul, 315
directly proportional, 159
dynamical systems, 243–244
bifurcation, 261
change vector, 249
state space, 245
state vector, 249
tangent space, 250
time series, 252
trajectory, 249

E

economics
compound interest, 26, 193
consumer surplus, 152
cost curve, 120–121
demand, 120
economic surplus, 151–152
economies of scale, 120–121
Gini coefficient, 141–142
income, 141, 206, 209
market, 120, 151
market equilibrium, 120
monopoly, 151–152
perfect competition, 151–152
price, 120
principal, 26
producer surplus, 152
supply, 120
Einstein, Albert, xxi, 323
encapsulation, 56
epidemiology
agent-based model, 274
compartmental model, 195
SIR model, 195
Euclid, xx, 39
Euler, Leonhard, 162, 323
Euler's formula, 323–324
Euler's method, 161–164, 247
initial value, 162
step size, 162
Euler's number, 25

F

factorial, 36, 118
feedback control, 154–155
floating-point operation, 145
floating-point arithmetic, 6, 45
floating-point number, 6
FLOP, 145
Fourier, Joseph, 333
Fourier series, 333
Fourier transform, 311, 333
compression, 339
DFT matrix, 334–335
discrete Fourier transform (DFT), 334
fast Fourier transform (FFT), 311, 339–340
twiddle factor, 341
frequency mirroring, 339
function space, 318
basis function, 319, 333
inverse, 334
function, 85, 313
argument, 86
Bézier curve, 282
bijective, 86
codomain, 85, 237
complex exponential, 324

function *(continued)*
composition, 87
constant, 86
cosine, 87
critical points, 291
delta function, 315
domain, 85
exponential, 87
exponential decay, 98
exponential growth, 98
graph, 28, 89
image, 86, 237
inverse, 91
logarithmic, 87
map, 85
multivariable, 277
one-to-one, 86
onto, 86
piecewise, 117, 123, 296
plotting, 28, 89
power, 87
relation, 93
ReLU, 296
scalar-valued, 175
sine, 86
trigonometric, 87
vector-valued, 175, 275, 280
vertical line test, 93
fundamental theorem of calculus, xx, 125–127, 138

G

Gauss, Carl Friedrich, 340
geometry, 37, 353–358
analytic, xx, 39, 80, 221
angle, 353–354
Cartesian, 46
Cartesian coordinates, xx, 45, 226
circle, xx, 356
coordinate, 45, 356
coordinate grid, 284
coordinate mesh, 284
cosine wave, 331, 358
degrees, 354
differential geometry, xxi
displacement, 355
dodecagon, 76
extrinsic, 45
fractal, 80
hexadecagon, 38
hexagon, 282
homogeneous coordinates, 226
hypotenuse, 354
intrinsic, 45
line segment, 38
octagon, 38
origin, 45, 356
paraboloid, 276, 278, 285, 288–290
point, 38, 167, 226–227
polygon, 38, 145–146, 282
regular, xx, 76, 238
Pythagoras's theorem, 46, 169, 183, 353–355
quadrilateral, 282–284
radians, 354
radius, 356
right triangle, 354–356
rotation, 221, 224–226
roulette curve, 77
scaling, 221–223
sine wave, 312, 328, 358
square, 38
translation, 221, 227–231
triangle, 282
trigonometric ratios, 355–356
turtle geometry, xxi, 37, 39
unit circle, 324, 357
vertex, 145–146, 233–234
gradient, 275–277, 280. *See also* ∇

H

Hidden Figures, 161

I

inequality, 87
infinity, 25
integral, 125, 127
antiderivative, 125, 127
common, 129
constant of integration, 127, 139
definite, 138, 140
difference rule, 149
indefinite, 127
integration by parts, 150
left sum, 131–132, 142–143
limits of integration, 138–139, 153

numerical integration, 142–143, 164, 166, 261
Riemann sum, 125, 129–132, 142–143, 145, 148–149, 329
subinterval, 129–131
sum rule, 149
interpolate, 72–74
interval, 87
notation, 87
`ipycc`, 40
`IPython`, 24, 349
`display`, 24
`Audio`, 349
`clear_output`, 24
magic command, 144
`timeit`, 144

J

Johnson, Katherine, 162
Hidden Figures, 161
JupyterLab, xxiii
Jupyter notebook, xxiii

L

Leibniz, Gottfried Wilhelm, 139
lim (limit), 102, 138, 279, 316
limit, 25
epsilon-delta definition, 101–103
linear algebra, 201
change of basis, 216, 319, 328, 333
closure, 204
function space, 318
basis function, 319, 333
linear combination, 203, 209, 247
linear transformation, 213–215
R^2, 204, 250
R^3, 204
R^N, 204
vector space, 204, 245, 314
basis, 205
span, 205
standard basis, 205
logarithm, 108–109, 160, 358
Lorenz, Edward, 261
Lovelace, Ada, 117–118

M

machine learning, 275–277, 295
adjusted coefficient of determination, 308
backpropagation, 297
classification, 295, 296
coefficient of determination, 302
correlation, 302
dataset, 295
audio, 350
Consumer Price Index (CPI), 308, 350
observation, 296
Wind Resource Database (WRDB), 309, 350
World Development Indicator (WDI), 298
dependent variable, 296
epoch, 297, 300
independent variable, 296
learning rate, 297
linear regression, 295
mean, 297, 302
mean squared error, 297
multiple linear regression, 306–307
neural network, 296
Perceptron, 296
regression, 295
regression line, 301, 305
residual sum of squares, 302
scatter plot, 301
squared error, 296
supervised learning, 295
total sum of squares, 302
training, 295, 299–300
matrix, 201, 211
add, 212
column vector, 211
element, 211
Hadamard product, 212
identity matrix, 216
inversion, 334
matrix-matrix multiplication, 212
matrix-vector multiplication, 212
row vector, 211
scale, 212
square matrix, 211

matrix *(continued)*
symmetric, 335–336
transpose, 213
music
chord, 311
note, 311
tone, 312
mutability, 66

N

National Laboratory of the Rockies, 309
Newton, Isaac, xxi, 49, 139, 175, 189, 296
Nightingale, Florence, 297–298
normalization, 286
notebook, xxiii
number systems
complex numbers, 321–323
add, 322
complex conjugate, 322
complex plane, 321
components, 321
multiply, 322
imaginary numbers, 319
add, 320
exponentiate, 320
multiply, 320
imaginary unit, 319
real numbers, 319
NumPy, 178
`abs`, 327
`arange`, 180
`argsort`, 350
`array`, 178
binary file (*.npy*), 298
broadcasting, 337
`clip`, 183
`cos`, 183, 218, 327
`exp`, 183, 218, 327
`eye`, 217
`imag`, 327
`linalg.norm`, 183
`linspace`, 180, 285, 327
`load`, 298
`max`, 183
`meshgrid`, 283
`min`, 183
`ndarray`, 178
broadcasting, 181, 219
reassignment, 179
shape, 217
slice, 179, 218
`T`, 218. *See also* transpose
transpose, 218. *See also* `T`
`ones`, 181, 217
`outer`, 337
`pi`, 225
`random.uniform`, 181, 217
`real`, 327
`sin`, 183, 219, 327
`sum`, 183, 219–220
universal functions, 182, 219–220
`ValueError`, 221
`zeros`, 181, 217, 286

O

object state, 49. *See also* Python and `turtle`
state, 49
Ocean, Frank, 311
optimization, 290
gradient descent, 293
inflection point, 291
maximum, 290
minimum, 290
objective function, 290, 296

P

Papert, Seymour, 38–39
parabola, 90, 291
parametric equation, 80, 110, 155
Lissajous curve, 81
parameter, 80
physics
acceleration, 110, 177–178
atmosphere, 36, 76, 122, 152–154, 195–197, 261, 309, 350
atom, 33
body, 169, 175–178, 185, 189
box model, 36, 76
conservation of mass, 35
control volume, 36
mass flux in, 36
mass flux out, 36
convection, 261
electrical energy, 154, 309

energy, 32
force, 32, 175
Hooke's law, 273
ideal gas law, 33, 278
kinetic energy, 32
law of gravitation, 175, 185
location, 45
mass balance, 36
motion, 109–110, 353
n-body problem, 189–193
position, 45, 109, 130–131, 138–139
power, 122
pressure, 33
resonance, 273
second law of motion, 164, 177–178
simple harmonic oscillator, 273
steady state, 36
temperature, 33, 261
third law of motion, 177–178, 185, 188
velocity, 110, 129, 138–139
volume, 33
wind
distribution, 152–154
log law, 122
power curve, 122–123
surface roughness length, 122
turbulence, 122
work, 32, 208–209
zero-dimensional model, 36
Piaget, Jean, 39
Poincaré, Henri, 244, 261
probability
cumulative distribution function, 141
expected value, 153
exponential distribution, 154
mean, 153
probability density function, 152
Rayleigh distribution, 154
Weibull distribution, 153–154
scale parameter, 153
shape parameter, 153
proportional-integral-derivative (PID) controller, 154–155
Python
`abs`, 13, 65
addition assignment operator, 22
alias, 94
arithmetic operator, 5
assignment, 14
assignment operator, 14
Boolean, 7
Boolean expression, 7
Boolean operator, 8–9
cast, 12
chained comparison, 8
class, 41–44
code branch, 19
comment, 12
comparison operator, 7–8
`complex`, 326–327
concatenate, 11
curly brackets, 16
data structure, 66, 178, 218
`def`, 56
`docstring`, 95
dot operator, 23, 24, 42, 94, 217, 218
expression, 5
falsy values, 19
`float`, 6
`for` loop, 21
nested loop, 46–47
formatted strings, 16
`from`, 24
f-strings, 16
function, 11
argument, 12
call, 11, 56
define, 56
header, 56
keyword argument, 220
optional argument, 97
parameter, 58
return value, 11–12
`if...else` statement, 19
`if` statement, 18
body, 18
condition, 18
`import`, 23, 24
`in`, 21
`int`, 5
iteration, 20–23
keywords, 16
`len`, 67
list, 66, 178
2D, 217
`append`, 68

Python *(continued)*
list *(continued)*
comprehension, 66
element, 66
indexing, 66–67
`pop`, 68
slice, 67
traversal, 69
unpack, 70
`math`, 98
`exp`, 98
`max`, 13, 65
`min`, 13, 65
module, 23, 93
modulo operator, 7, 181, 219
object, 41–43
instance, 41, 52–53
method, 41
state, 41
operator, 5
operator precedence, 6, 11
package, 24, 40, 178
`pass`, 61
`print`, 17
`random`, 78
`uniform`, 78
`range`, 21, 27, 180
reassignment, 15
`return`, 64
`round`, 13
snake case, 17
standard library, 23, 40, 78, 98
statement, 5
`str`, 10
subtraction assignment operator, 295
`time`, 23–24
`tuple`, 217
`type`, 5, 11
`TypeError`, 12
variable, 14
increment, 20–21, 22
`while loop`, 20–21
body, 20
condition, 20
infinite loop, 21
Python interpreter, 4

R

relation, 93
Riemann sum, 129–133, 142–143, 145–148, 149, 151, 163, 329
Rosenblatt, Frank, 294

S

scalar, 168
sequence
arithmetic, 35, 76, 117
geometric, 35, 76
series
arithmetic, 35
geometric, 35
set, 85, 204
element, 85, 204
subset, 90
superset, 321
signal processing
continuous sampling, 333
cycle, 325
discrete sampling, 333
folding frequency, 347
frequency, 325
frequency domain, 333
Nyquist frequency, 347
phase shift, 331
sampling period, 329
signal, 328
similarity, 329–330
superposition, 329
time domain, 333
tuning fork, 328
summation, 22
synchronization, 197, 240
coupling, 198
Kuramoto model, 198
natural frequency, 198
oscillator, 197, 240
phase, 198, 240
swarmalator, 240

T

tangent line, 107–109, 114–115
Tukey, John, 340
`turtle`, 24, 38, 40
`bgcolor`, 40
buffering, 64

clearscreen, 75
showscreen, 40
tracer, 63–64
Turtle, 41
begin_fill, 146, 283
begin_poly, 283
color, 71–72
distance, 46, 54
dot, 47–48
end_fill, 146, 283
end_poly, 146, 283
fillcolor, 267
forward, 42–44
goto, 45–46
heading, 43
hideturtle, 52–53, 97
left, 43
pencolor, 267
pendown, 97
penup, 48
reset, 45, 52–53
seth, 54–55, 97
shape, 81
stamp,96–97
teleport, 48–49, 185
towards, 55, 96–97, 185
xcor, 45
ycor, 45
Turtle Graphics, 40. *See also* turtle geometry
turtle geometry, 39

U

US Bureau of Labor Statistics, 308

V

vector, 158, 167–168
addition, 171–172, 203
components, 167
dot product, 206
equality, 169
geometry, 168
Hadamard product, 206, 210
inner product, 206, 210, 212, 329
linear combination, 203
linear independence, 205
magnitude, 169, 172–173
magnitude and direction, 168
orthogonal, 202
outer product, 336
resultant, 171
scale, 172–173, 203
standard basis vector, 202, 205, 304, 318
standard position, 169
subtraction, 174–175
three-vector, 262
two-vector, 204
unit vector, 173
vector field, 250, 252
vector graphics, 221
edge list, 235
surface plot, 282
transformation matrix, 221
rotation matrix, 224–225
scaling matrix, 222
translation matrix, 230
Utah teapot, 282
wireframe, 233

W

World Bank, 298