



Evidencia GA6-220501096-AA2-EV01. Destrezas y conocimientos en el manejo de sentencias DDL y DML de SQL

July Andrea Herreño Gonzalez

Servicio Nacional de Aprendizaje – SENA

Análisis y Desarrollo de Software

Instructor:

Jorge Mario Hernández Torres

Bogotá Distrito Capital

31/05/2026


INTRODUCCIÓN

El presente informe tiene como objetivo desarrollar y documentar la creación y manipulación de una base de datos utilizando el lenguaje SQL. Se trabaja con la creación de una tabla denominada libreta, donde se almacenan datos básicos de contactos como nombre, domicilio y teléfono.

Desarrollo del Taller

1. Creación de la tabla libreta:

```
CREATE TABLE libreta (  
    nombre VARCHAR(20),  
    domicilio VARCHAR(30),  
    telefono VARCHAR(11)  
);
```



2. Visualización de las tablas:

```
SHOW TABLES;
```

Local instance MySQL80 x Local instance MySQL80 (age... x

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

agenda

Tables

Views

Stored Procedures

Functions

sys

Query 1 x

SHOW TABLES;

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Filter Rows:

Tables_in_agenda

libreta

Administration Schemas

Information

Schema: agenda

Object Info Session

Result 1 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
16	20:35:24	CREATE DATABASE agenda	Error Code: 1007. Can't create database 'agenda'; database exists	0.000 sec
17	20:35:24	CREATE DATABASE agenda	Error Code: 1007. Can't create database 'agenda'; database exists	0.000 sec
18	20:35:24	CREATE DATABASE agenda	Error Code: 1007. Can't create database 'agenda'; database exists	0.000 sec
19	20:36:57	CREATE DATABASE agenda	Error Code: 1007. Can't create database 'agenda'; database exists	0.000 sec
20	12:07:24	CREATE TABLE libreta (nombre VARCHAR(20), domicilio VARCHAR(30), telefono VARCHAR(11))	0 row(s) affected	0.140 sec
21	12:10:09	SHOW TABLES	1 row(s) returned	0.000 sec / 0.000 sec

3. Estructura de la tabla:

DESCRIBE libreta;

Local instance MySQL80 x Local instance MySQL80 (age... x

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

agenda

Tables

Views

Stored Procedures

Functions

sys

Query 1 x

DESCRIBE libreta;

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Filter Rows:

Field	Type	Null	Key	Defa
nombre	varchar(20)	YES		
domicilio	varchar(30)	YES		
telefono	varchar(11)	YES		

Administration Schemas

Information

Schema: agenda

Object Info Session

Result 2 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
17	20:35:24	CREATE DATABASE agenda	Error Code: 1007. Can't create database 'agenda'; database exists	0.000 sec
18	20:35:24	CREATE DATABASE agenda	Error Code: 1007. Can't create database 'agenda'; database exists	0.000 sec
19	20:36:57	CREATE DATABASE agenda	Error Code: 1007. Can't create database 'agenda'; database exists	0.000 sec
20	12:07:24	CREATE TABLE libreta (nombre VARCHAR(20), domicilio VARCHAR(30), telefono VARCHAR(11))	0 row(s) affected	0.140 sec
21	12:10:09	SHOW TABLES	1 row(s) returned	0.000 sec / 0.000 sec
22	12:11:39	DESCRIBE libreta	3 row(s) returned	0.016 sec / 0.000 sec

4. Inserción de registros iniciales:

```
INSERT INTO libreta VALUES ('Alberto Mores','Colon 123','4234567');
```

```
INSERT INTO libreta VALUES ('Juan Torres','Avellaneda 135','4458787');
```

The screenshot shows a database management tool interface. The top menu bar includes File, Edit, View, Query, Database, Server, Tools, Scripting, and Help. The left sidebar shows a tree view of the database structure with 'agenda' selected. The main window displays a SQL query in 'Query 1':

```
1
2 • INSERT INTO libreta (nombre, domicilio, telefono) VALUES
3 ('Alberto Mores','Colon 123','4234567'),
4 ('Juan Torres','Avellaneda 135','4458787');
```

The right sidebar shows a message: "Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help."

The bottom section shows the 'Output' window with a table of execution results:

#	Time	Action	Message	Duration / Fetch
18	20:35:24	CREATE DATABASE agenda	Error Code: 1007. Can't create database 'agenda'; database exists	0.000 sec
19	20:36:57	CREATE DATABASE agenda	Error Code: 1007. Can't create database 'agenda'; database exists	0.000 sec
20	12:07:24	CREATE TABLE libreta (nombre VARCHAR(20), domicilio VARC...	0 row(s) affected	0.140 sec
21	12:10:09	SHOW TABLES	1 row(s) returned	0.000 sec / 0.000 sec
22	12:11:39	DESCRIBE libreta	3 row(s) returned	0.016 sec / 0.000 sec
23	12:21:33	INSERT INTO libreta (nombre, domicilio, telefono) VALUES ('Alberto ...	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec

5. Consulta de registros:

```
SELECT * FROM libreta;
```

Local instance MySQL80 x Local instance MySQL80 (age... x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x

Limit to 1000 rows

1 • `SELECT * FROM libreta;`

SQLAdditions: Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

nombre	domicilio	telefono
Alberto Mores	Colon 123	4234567
Juan Torres	Avellaneda 135	4458787

libreta 3 x

Read Only Context Help Snippets

Schema: agenda

Output

#	Time	Action	Message	Duration / Fetch
19	20:36:57	CREATE DATABASE agenda	Error Code: 1007. Can't create database 'agenda'; database exists	0.000 sec
20	12:07:24	CREATE TABLE libreta (nombre VARCHAR(20), domicilio VARC...	0 row(s) affected	0.140 sec
21	12:10:09	SHOW TABLES	1 row(s) returned	0.000 sec / 0.000 sec
22	12:11:39	DESCRIBE libreta	3 row(s) returned	0.016 sec / 0.000 sec
23	12:21:33	INSERT INTO libreta (nombre, domicilio, telefono) VALUES ('Alberto ...	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
24	12:24:16	SELECT * FROM libreta LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec

6. Actualización de datos:

`UPDATE libreta SET domicilio='Colon 456' WHERE nombre='Alberto Mores';`

`UPDATE libreta SET telefono='4000000' WHERE nombre='Juan Torres';`

Navigator: Query 1 x

Limit to 1000 rows

1 • `SET SQL_SAFE_UPDATES = 0;`
 2 • `UPDATE libreta`
 3 `SET domicilio = 'Colon 456';`
 4 `WHERE nombre = 'Alberto Mores';`
 5 • `UPDATE libreta`
 6 `SET telefono = '4000000';`
 7 `WHERE nombre = 'Juan Torres';`

SQLAdditions: Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Schema: agenda

Output


#	Time	Action	Message	Duration / Fetch
25	12:38:42	UPDATE libreta SET domicilio = 'Colon 456' WHERE nombre = 'Albert...	Error Code: 1175. You are using safe update mode and you tried to upd...	0.000 sec
26	12:41:35	UPDATE libreta SET telefono = '4000000' WHERE nombre = 'Juan T...	Error Code: 1175. You are using safe update mode and you tried to upd...	0.000 sec
27	12:42:48	UPDATE libreta SET telefono = '4000000' WHERE nombre = 'Juan T...	Error Code: 1175. You are using safe update mode and you tried to upd...	0.000 sec
28	12:43:21	SET SQL_SAFE_UPDATES = 0	0 row(s) affected	0.000 sec
29	12:43:21	UPDATE libreta SET domicilio = 'Colon 456' WHERE nombre = 'Alber...	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec
30	12:43:21	UPDATE libreta SET telefono = '4000000' WHERE nombre = 'Juan T...	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec

7. Inserción de más registros:

```

INSERT INTO libreta VALUES ('Maria Lopez','Calle 10','3001234567');
INSERT INTO libreta VALUES ('Carlos Perez','Carrera 15','3109876543');
INSERT INTO libreta VALUES ('Ana Ruiz','Calle 8','3114567890');
INSERT INTO libreta VALUES ('Luis Gomez','Av 20','3126547890');
INSERT INTO libreta VALUES ('Sofia Diaz','Carrera 30','3131122334');

```



8. Conteo de registros:

```

SELECT COUNT(*) AS total_registros FROM libreta;

```

Navigation

Filter objects

agenda

Tables

Views

Stored Procedures

Functions

sys

Administration

Schemas

Schema: agenda

Object Info

Session

Query 1

Limit to 1000 rows

1

SELECT COUNT(*) AS total_registros FROM libreta;

Result Grid

Filter Rows:

Exports

Wrap Cell Contents

Result Grid

Form Editor

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result 4

Read Only

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
31	12:44:48	INSERT INTO libreta VALUES (Maria Lopez,'Calle 10','3001234567)	1 row(s) affected	0.000 sec
32	12:44:48	INSERT INTO libreta VALUES (Carlos Perez,'Camera 15','3109876543)	1 row(s) affected	0.000 sec
33	12:44:48	INSERT INTO libreta VALUES (Ana Ruiz,'Calle 8','3114567890)	1 row(s) affected	0.000 sec
34	12:44:48	INSERT INTO libreta VALUES (Luis Gomez,'Av 20','3126547890)	1 row(s) affected	0.000 sec
35	12:44:48	INSERT INTO libreta VALUES (Sofia Diaz,'Camera 30','3131122334)	1 row(s) affected	0.016 sec
36	12:45:32	SELECT COUNT(*) AS total_registros FROM libreta LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec

OBJETIVOS

Objetivo General:

Desarrollar habilidades en el uso del lenguaje SQL mediante la creación, consulta y modificación de una tabla de datos.

Objetivos Específicos:

- Crear estructuras de tablas en una base de datos
- Insertar registros en una tabla
- Consultar información almacenada
- Actualizar datos existentes
- Contar registros dentro de una tabla

CONCLUSIÓN

El desarrollo del taller permitió afianzar conocimientos básicos en SQL, especialmente en la creación y manipulación de tablas dentro de una base de datos.