
Aluna: Pricilla Souza da Cruz Silva - RA: 2200555

No do Azure



Comandos executados no terminal bash no VS. code

prici@DESKTOP-05738JN MINGW64 ~/Desktop/terraform_azure_apache (main)

\$ terraform validate

Success! The configuration is valid.

prici@DESKTOP-05738JN MINGW64 ~/Desktop/terraform_azure_apache (main)

\$ terraform plan

azurerm_resource_group.rg-aulainfracloud: Refreshing state... [id=/subscriptions/955c4122-f7bc-4586-b925-1387d093dcef/resourceGroups/aulainfracloudterraform]

Terraform used the selected providers to generate the following execution plan.

Resource actions are indicated with the following symbols:

```
+ create
<= read (data resources)
```

Terraform will perform the following actions:

```
# data.azurerm public ip.ip-aula will be read during apply
# (config refers to values not yet known)
<= data "azurerm public ip" "ip-aula" {
  + allocation method
                          = (known after apply)
  + domain_name_label
                           = (known after apply)
                   = (known after apply)
  + fqdn
                  = (known after apply)
  + id
  + idle_timeout_in_minutes = (known after apply)
                      = (known after apply)
  + ip_address
                    = (known after apply)
  + ip_tags
                     = (known after apply)
  + ip_version
                    = (known after apply)
  + location
                    = "ip-aula"
  + name
  + resource_group_name = "aulainfracloudterraform"
  + reverse_fqdn
                       = (known after apply)
  + sku
                   = (known after apply)
```

```
= (known after apply)
  + tags
                   = (known after apply)
  + zones
  + timeouts {
    + read = (known after apply)
   }
 }
# azurerm_network_interface.nic-aulainfra will be created
+ resource "azurerm_network_interface" "nic-aulainfra" {
  + applied_dns_servers
                             = (known after apply)
  + dns servers
                         = (known after apply)
  + enable_accelerated_networking = false
  + enable_ip_forwarding
                              = false
  + id
                    = (known after apply)
  + internal_dns_name_label = (known after apply)
  + internal_domain_name_suffix = (known after apply)
  + location
                       = "australiaeast"
  + mac_address
                          = (known after apply)
                       = "nic-aula"
  + name
  + private_ip_address
                            = (known after apply)
  + private_ip_addresses
                             = (known after apply)
                               = "aulainfracloudterraform"
  + resource_group_name
  + virtual_machine_id
                             = (known after apply)
  + ip_configuration {
    + gateway_load_balancer_frontend_ip_configuration_id = (known after apply)
                                    = "ip-aula-nic"
    + name
                                     = (known after apply)
    + primary
    + private_ip_address
                                          = (known after apply)
    + private_ip_address_allocation
                                               = "Dynamic"
                                              = "IPv4"
    + private_ip_address_version
    + public_ip_address_id
                                           = (known after apply)
    + subnet_id
                                      = (known after apply)
```

```
}
 }
# azurerm_network_interface_security_group_association.nic-nsg-aulainfra will be created
+ resource "azurerm_network_interface_security_group_association" "nic-nsg-aulainfra" {
  + id
                  = (known after apply)
  + network_interface_id = (known after apply)
  + network_security_group_id = (known after apply)
 }
# azurerm_network_security_group.nsg-aulainfra will be created
+ resource "azurerm_network_security_group" "nsg-aulainfra" {
  + id
               = (known after apply)
                 = "australiaeast"
  + location
                 = "nsg-aula"
  + name
  + resource_group_name = "aulainfracloudterraform"
  + security_rule = [
    + {
                                 = "Allow"
      + access
                                   = ""
      + description
      + destination_address_prefix
      + destination_address_prefixes
                                            = []
      + destination_application_security_group_ids = []
                                         = "22"
      + destination_port_range
      + destination_port_ranges
                                          = []
                                  = "Inbound"
      + direction
      + name
                                  = "SSH"
      + priority
                                 = 1001
                                  = "Tcp"
      + protocol
                                         = "*"
      + source_address_prefix
      + source_address_prefixes
                                          = []
      + source_application_security_group_ids
      + source_port_range
      + source_port_ranges
                                        = []
```

```
},
    + {
                                  = "Allow"
      + access
                                    = ""
      + description
                                            = "*"
      + destination_address_prefix
      + destination_address_prefixes
                                            = []
      + destination_application_security_group_ids = []
                                          = "80"
      + destination_port_range
      + destination_port_ranges
                                           = []
      + direction
                                   = "Inbound"
      + name
                                  = "web"
      + priority
                                  = 1003
                                   = "Tcp"
      + protocol
                                          = "*"
      + source_address_prefix
      + source_address_prefixes
                                           = []
      + source_application_security_group_ids
                                                 = []
                                         = "*"
      + source_port_range
      + source_port_ranges
                                         = []
     },
   ]
                = {
  + tags
    + "environment" = "Production"
   }
# azurerm_public_ip.ip-aulainfra will be created
+ resource "azurerm_public_ip" "ip-aulainfra" {
  + allocation_method
                         = "Static"
  + fqdn
                   = (known after apply)
  + id
                 = (known after apply)
  + idle_timeout_in_minutes = 4
  + ip_address
                     = (known after apply)
                     = "IPv4"
  + ip_version
                    = "australiaeast"
  + location
```

}

```
+ resource_group_name = "aulainfracloudterraform"
                  = "Basic"
  + sku
  + sku_tier
                    = "Regional"
  + tags
                  = {
    + "environment" = "Production"
   }
 }
# azurerm_subnet.sub-aulainfra will be created
+ resource "azurerm_subnet" "sub-aulainfra" {
  + address_prefixes
                                    = [
    + "10.0.1.0/24",
  1
  + enforce_private_link_endpoint_network_policies = false
  + enforce_private_link_service_network_policies = false
  + id
                             = (known after apply)
                                = "sub-aula"
  + name
  + resource_group_name
                                        = "aulainfracloudterraform"
  + virtual_network_name
                                        = "vnet-aula"
 }
# azurerm_virtual_machine.vm-aulainfra will be created
+ resource "azurerm_virtual_machine" "vm-aulainfra" {
  + availability_set_id
                            = (known after apply)
  + delete_data_disks_on_termination = false
  + delete_os_disk_on_termination = false
  + id
                      = (known after apply)
  + license_type
                           = (known after apply)
                        = "australiaeast"
  + location
                        = "vm-aula"
  + name
  + network_interface_ids
                               = (known after apply)
  + resource_group_name
                                 = "aulainfracloudterraform"
                       = {
  + tags
```

= "ip-aula"

+ name

```
+ "environment" = "staging"
 }
                       = "Standard_DS1_v2"
+ vm_size
+ identity {
  + identity_ids = (known after apply)
  + principal_id = (known after apply)
             = (known after apply)
  + type
 }
+ os_profile {
  # At least one attribute in this block is (or was) sensitive,
  # so its contents will not be displayed.
 }
+ os_profile_linux_config {
  + disable_password_authentication = false
 }
+ storage_data_disk {
                     = (known after apply)
  + caching
  + create_option
                        = (known after apply)
  + disk_size_gb
                       = (known after apply)
                   = (known after apply)
  + lun
                           = (known after apply)
  + managed_disk_id
  + managed_disk_type
                            = (known after apply)
  + name
                     = (known after apply)
  + vhd_uri
                     = (known after apply)
  + write_accelerator_enabled = (known after apply)
 }
+ storage_image_reference {
  + offer = "UbuntuServer"
  + publisher = "Canonical"
```

```
+ sku
            = "16.04-LTS"
    + version = "latest"
   }
  + storage_os_disk {
    + caching
                       = "ReadWrite"
    + create_option
                          = "FromImage"
    + disk_size_gb
                         = (known after apply)
    + managed_disk_id
                            = (known after apply)
    + managed_disk_type
                              = "Standard_LRS"
    + name
                       = "myosdisk1"
                       = (known after apply)
    + os_type
    + write_accelerator_enabled = false
   }
 }
# azurerm_virtual_network.vnet-aulainfra will be created
+ resource "azurerm_virtual_network" "vnet-aulainfra" {
  + address_space
                     = [
    + "10.0.0.0/16",
  ]
  + dns_servers
                    = (known after apply)
                = (known after apply)
  + guid
  + id
               = (known after apply)
                 = "australiaeast"
  + location
                 = "vnet-aula"
  + name
  + resource_group_name = "aulainfracloudterraform"
  + subnet
                 = (known after apply)
                = {
  + tags
    + "environment" = "Production"
    + "faculdade" = "Impacta"
    + "turma"
                 = "ES23"
   }
 }
```

```
# null_resource.install-apache will be created
+ resource "null_resource" "install-apache" {
    + id = (known after apply)
}
```

Plan: 8 to add, 0 to change, 0 to destroy.

Note: You didn't use the -out option to save this plan, so Terraform can't guarantee to take exactly these actions if you run "terraform apply" now.

prici@DESKTOP-05738JN MINGW64 ~/Desktop/terraform_azure_apache (main)

\$ terraform apply

azurerm_resource_group.rg-aulainfracloud: Refreshing state... [id=/subscriptions/955c4122-f7bc-4586-b925-1387d093dcef/resourceGroups/aulainfracloudterraform]

Terraform used the selected providers to generate the following execution plan.

Resource actions are indicated with the following symbols:

```
+ create
<= read (data resources)
```

Terraform will perform the following actions:

```
# data.azurerm_public_ip.ip-aula will be read during apply
# (config refers to values not yet known)
<= data "azurerm_public_ip" "ip-aula" {
    + allocation_method = (known after apply)
    + domain_name_label = (known after apply)
    + fqdn = (known after apply)
    + id = (known after apply)
    + idle_timeout_in_minutes = (known after apply)
    + ip_address = (known after apply)
    + ip_tags = (known after apply)</pre>
```

```
= (known after apply)
  + ip_version
  + location
                    = (known after apply)
                    = "ip-aula"
  + name
  + resource_group_name = "aulainfracloudterraform"
  + reverse_fqdn
                       = (known after apply)
                  = (known after apply)
  + sku
                  = (known after apply)
  + tags
                   = (known after apply)
  + zones
  + timeouts {
    + read = (known after apply)
   }
 }
# azurerm_network_interface.nic-aulainfra will be created
+ resource "azurerm_network_interface" "nic-aulainfra" {
  + applied_dns_servers
                             = (known after apply)
  + dns_servers
                         = (known after apply)
  + enable_accelerated_networking = false
  + enable_ip_forwarding
                              = false
  + id
                    = (known after apply)
  + internal_dns_name_label
                                = (known after apply)
  + internal_domain_name_suffix = (known after apply)
                       = "australiaeast"
  + location
  + mac_address
                          = (known after apply)
                       = "nic-aula"
  + name
  + private_ip_address
                            = (known after apply)
  + private_ip_addresses
                             = (known after apply)
  + resource_group_name
                               = "aulainfracloudterraform"
  + virtual machine id
                             = (known after apply)
  + ip_configuration {
    + gateway_load_balancer_frontend_ip_configuration_id = (known after apply)
                                    = "ip-aula-nic"
    + name
```

```
+ private_ip_address
                                          = (known after apply)
    + private_ip_address_allocation
                                              = "Dynamic"
    + private_ip_address_version
                                              = "IPv4"
    + public_ip_address_id
                                          = (known after apply)
    + subnet_id
                                     = (known after apply)
   }
 }
# azurerm_network_interface_security_group_association.nic-nsg-aulainfra will be created
+ resource "azurerm_network_interface_security_group_association" "nic-nsg-aulainfra" {
  + id
                  = (known after apply)
  + network_interface_id = (known after apply)
  + network_security_group_id = (known after apply)
 }
# azurerm_network_security_group.nsg-aulainfra will be created
+ resource "azurerm_network_security_group" "nsg-aulainfra" {
               = (known after apply)
  + id
                 = "australiaeast"
  + location
                 = "nsg-aula"
  + name
  + resource_group_name = "aulainfracloudterraform"
  + security_rule = [
    + {
                                  = "Allow"
      + access
                                    = ""
      + description
      + destination_address_prefix
      + destination_address_prefixes
                                            = []
      + destination_application_security_group_ids = []
                                          = "22"
      + destination_port_range
      + destination_port_ranges
                                          = []
                                  = "Inbound"
      + direction
                                  = "SSH"
      + name
      + priority
                                 = 1001
```

= (known after apply)

+ primary

```
= "Tcp"
      + protocol
                                         = "*"
      + source_address_prefix
      + source_address_prefixes
                                          = []
      + source_application_security_group_ids
                                                = []
      + source_port_range
      + source_port_ranges
                                        = []
     },
    + {
                                 = "Allow"
      + access
                                   = ""
      + description
      + destination_address_prefix
      + destination_address_prefixes
                                            = []
      + destination_application_security_group_ids = []
                                          = "80"
      + destination_port_range
      + destination_port_ranges
                                          = []
      + direction
                                  = "Inbound"
                                  = "web"
      + name
      + priority
                                 = 1003
                                  = "Tcp"
      + protocol
                                         = "*"
      + source_address_prefix
      + source_address_prefixes
                                          = []
      + source_application_security_group_ids
                                                = []
      + source_port_range
      + source_port_ranges
                                        = []
     },
   ]
  + tags
                = {
    + "environment" = "Production"
   }
# azurerm_public_ip.ip-aulainfra will be created
+ resource "azurerm_public_ip" "ip-aulainfra" {
  + allocation_method
                         = "Static"
```

}

```
+ fqdn
                   = (known after apply)
  + id
                 = (known after apply)
  + idle_timeout_in_minutes = 4
  + ip_address
                     = (known after apply)
                     = "IPv4"
  + ip_version
  + location
                    = "australiaeast"
                    = "ip-aula"
  + name
  + resource_group_name = "aulainfracloudterraform"
                  = "Basic"
  + sku
                    = "Regional"
  + sku_tier
  + tags
                  = {
    + "environment" = "Production"
   }
 }
# azurerm_subnet.sub-aulainfra will be created
+ resource "azurerm_subnet" "sub-aulainfra" {
  + address_prefixes
                                    = [
    + "10.0.1.0/24",
  ]
  + enforce_private_link_endpoint_network_policies = false
  + enforce_private_link_service_network_policies = false
  + id
                             = (known after apply)
                                = "sub-aula"
  + name
                                        = "aulainfracloudterraform"
  + resource_group_name
  + virtual_network_name
                                        = "vnet-aula"
 }
# azurerm_virtual_machine.vm-aulainfra will be created
+ resource "azurerm_virtual_machine" "vm-aulainfra" {
  + availability_set_id
                            = (known after apply)
  + delete_data_disks_on_termination = false
  + delete_os_disk_on_termination = false
                      = (known after apply)
  + id
```

```
= (known after apply)
+ license_type
+ location
                       = "australiaeast"
                       = "vm-aula"
+ name
                              = (known after apply)
+ network_interface_ids
                               = "aulainfracloudterraform"
+ resource_group_name
                     = {
+ tags
  + "environment" = "staging"
}
+ vm_size
                       = "Standard_DS1_v2"
+ identity {
  + identity_ids = (known after apply)
  + principal_id = (known after apply)
             = (known after apply)
  + type
 }
+ os_profile {
  # At least one attribute in this block is (or was) sensitive,
  # so its contents will not be displayed.
 }
+ os_profile_linux_config {
  + disable_password_authentication = false
 }
+ storage_data_disk {
  + caching
                     = (known after apply)
  + create_option
                        = (known after apply)
  + disk_size_gb
                       = (known after apply)
                   = (known after apply)
  + lun
                          = (known after apply)
  + managed_disk_id
                            = (known after apply)
  + managed_disk_type
                     = (known after apply)
  + name
                     = (known after apply)
  + vhd_uri
```

```
+ write_accelerator_enabled = (known after apply)
   }
  + storage_image_reference {
    + offer = "UbuntuServer"
    + publisher = "Canonical"
            = "16.04-LTS"
    + sku
    + version = "latest"
   }
  + storage_os_disk {
    + caching
                       = "ReadWrite"
                          = "FromImage"
    + create_option
                         = (known after apply)
    + disk_size_gb
    + managed_disk_id
                            = (known after apply)
                             = "Standard_LRS"
    + managed_disk_type
                       = "myosdisk1"
    + name
    + os_type
                       = (known after apply)
    + write_accelerator_enabled = false
   }
 }
# azurerm_virtual_network.vnet-aulainfra will be created
+ resource "azurerm_virtual_network" "vnet-aulainfra" {
  + address_space
                     = [
    + "10.0.0.0/16",
   ]
  + dns_servers
                   = (known after apply)
  + guid
                = (known after apply)
  + id
               = (known after apply)
                 = "australiaeast"
  + location
                 = "vnet-aula"
  + name
  + resource_group_name = "aulainfracloudterraform"
                  = (known after apply)
  + subnet
```

```
= {
   + tags
     + "environment" = "Production"
     + "faculdade" = "Impacta"
                  = "ES23"
     + "turma"
    }
  }
# null_resource.install-apache will be created
+ resource "null_resource" "install-apache" {
   + id = (known after apply)
  }
Plan: 8 to add, 0 to change, 0 to destroy.
Do you want to perform these actions?
Terraform will perform the actions described above.
Only 'yes' will be accepted to approve.
Enter a value: yes
azurerm_virtual_network.vnet-aulainfra: Creating...
azurerm_public_ip.ip-aulainfra: Creating...
azurerm_network_security_group.nsg-aulainfra: Creating...
azurerm_network_security_group.nsg-aulainfra: Still creating... [10s elapsed]
azurerm_public_ip.ip-aulainfra: Still creating... [10s elapsed]
azurerm_virtual_network.vnet-aulainfra: Still creating... [10s elapsed]
azurerm_virtual_network.vnet-aulainfra: Creation complete after 19s [id=/subscriptions/955c4122-f7bc-4586-b925-
1387d093dcef/resourceGroups/aulainfracloudterraform/providers/Microsoft.Network/virtualNetworks/vnet-aula]
azurerm subnet.sub-aulainfra: Creating...
azurerm public ip.ip-aulainfra: Creation complete after 19s [id=/subscriptions/955c4122-f7bc-4586-b925-
1387d093dcef/resourceGroups/aulainfracloudterraform/providers/Microsoft.Network/publicIPAddresses/ip-aula]
data.azurerm_public_ip.ip-aula: Reading...
azurerm_network_security_group.nsg-aulainfra: Creation complete after 20s [id=/subscriptions/955c4122-f7bc-
4586-b925-
1387d093dcef/resourceGroups/aulainfracloudterraform/providers/Microsoft.Network/networkSecurityGroups/nsg-
aula]
```

data.azurerm_public_ip.ip-aula: Read complete after 2s [id=/subscriptions/955c4122-f7bc-4586-b925-1387d093dcef/resourceGroups/aulainfracloudterraform/providers/Microsoft.Network/publicIPAddresses/ip-aula]

azurerm_subnet.sub-aulainfra: Creation complete after 9s [id=/subscriptions/955c4122-f7bc-4586-b925-1387d093dcef/resourceGroups/aulainfracloudterraform/providers/Microsoft.Network/virtualNetworks/vnet-aula/subnets/sub-aula]

azurerm_network_interface.nic-aulainfra: Creating...

azurerm_network_interface.nic-aulainfra: Still creating... [10s elapsed]

azurerm_network_interface.nic-aulainfra: Creation complete after 11s [id=/subscriptions/955c4122-f7bc-4586-b925-1387d093dcef/resourceGroups/aulainfracloudterraform/providers/Microsoft.Network/networkInterfaces/nic-aula]

azurerm_network_interface_security_group_association.nic-nsg-aulainfra: Creating...

azurerm_virtual_machine.vm-aulainfra: Creating...

azurerm_network_interface_security_group_association.nic-nsg-aulainfra: Creation complete after 9s [id=/subscriptions/955c4122-f7bc-4586-b925-

1387d093dcef/resourceGroups/aulainfracloudterraform/providers/Microsoft.Network/networkInterfaces/nic-aula|/subscriptions/955c4122-f7bc-4586-b925-

1387d093dcef/resourceGroups/aulainfracloudterraform/providers/Microsoft.Network/networkSecurityGroups/nsg-aula]

azurerm_virtual_machine.vm-aulainfra: Still creating... [10s elapsed]

azurerm virtual machine.vm-aulainfra: Still creating... [20s elapsed]

azurerm_virtual_machine.vm-aulainfra: Creation complete after 30s [id=/subscriptions/955c4122-f7bc-4586-b925-1387d093dcef/resourceGroups/aulainfracloudterraform/providers/Microsoft.Compute/virtualMachines/vm-aula]

null_resource.install-apache: Creating...

null_resource.install-apache: Provisioning with 'remote-exec'...

null_resource.install-apache (remote-exec): Connecting to remote host via SSH...

null_resource.install-apache (remote-exec): Host: 20.211.178.70

null_resource.install-apache (remote-exec): User: testeadmin

null_resource.install-apache (remote-exec): Password: true

null_resource.install-apache (remote-exec): Private key: false

null_resource.install-apache (remote-exec): Certificate: false

null_resource.install-apache (remote-exec): SSH Agent: false

null resource.install-apache (remote-exec): Checking Host Key: false

null resource.install-apache (remote-exec): Target Platform: unix

null resource.install-apache (remote-exec): Connecting to remote host via SSH...

null_resource.install-apache (remote-exec): Host: 20.211.178.70

null_resource.install-apache (remote-exec): User: testeadmin

null_resource.install-apache (remote-exec): Password: true

null_resource.install-apache (remote-exec): Private key: false

```
null_resource.install-apache (remote-exec): Certificate: false
null_resource.install-apache (remote-exec): SSH Agent: false
null_resource.install-apache (remote-exec): Checking Host Key: false
null_resource.install-apache (remote-exec): Target Platform: unix
null_resource.install-apache (remote-exec): Connecting to remote host via SSH...
null_resource.install-apache (remote-exec): Host: 20.211.178.70
null_resource.install-apache (remote-exec): User: testeadmin
null_resource.install-apache (remote-exec): Password: true
null_resource.install-apache (remote-exec): Private key: false
null_resource.install-apache (remote-exec): Certificate: false
null_resource.install-apache (remote-exec): SSH Agent: false
null resource.install-apache (remote-exec): Checking Host Key: false
null resource.install-apache (remote-exec): Target Platform: unix
null_resource.install-apache (remote-exec): Connected!
null_resource.install-apache: Still creating... [10s elapsed]
null_resource.install-apache (remote-exec):
null_resource.install-apache (remote-exec): 0% [Working]
null_resource.install-apache (remote-exec): Hit:1 http://azure.archive.ubuntu.com/ubuntu xenial InRelease
null_resource.install-apache (remote-exec):
null_resource.install-apache (remote-exec): 0% [Connecting to security.ubuntu.com]
null_resource.install-apache (remote-exec): Get:2 http://azure.archive.ubuntu.com/ubuntu xenial-updates InRelease
[99.8 kB]
null resource.install-apache (remote-exec): Get:3 http://azure.archive.ubuntu.com/ubuntu xenial-backports
InRelease [97.4 kB]
null resource.install-apache (remote-exec):
null resource.install-apache (remote-exec): 0% [Connecting to security.ubuntu.com]
null resource.install-apache (remote-exec): 0% [1 InRelease gpgv 247 kB] [Connectin
null resource.install-apache (remote-exec): 0% [Connecting to security.ubuntu.com]
null_resource.install-apache (remote-exec): 0% [2 InRelease gpgv 99.8 kB] [Waiting
null resource.install-apache (remote-exec): Get:4 http://azure.archive.ubuntu.com/ubuntu xenial/universe amd64
Packages [7,532 kB]
null_resource.install-apache (remote-exec):
null_resource.install-apache (remote-exec): 0% [2 InRelease gpgv 99.8 kB] [4 Packag
null_resource.install-apache (remote-exec): 0% [2 InRelease gpgv 99.8 kB] [Connecti
null_resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [2 InRelease
```

```
null_resource.install-apache (remote-exec): Get:5 http://azure.archive.ubuntu.com/ubuntu xenial/universe
Translation-en [4,354 kB]
null_resource.install-apache (remote-exec):
null_resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [2 InRelease
null_resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [5 Translatio
null_resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [3 InRelease
null resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [3 InRelease
null resource.install-apache (remote-exec): Get:6 http://azure.archive.ubuntu.com/ubuntu xenial/multiverse amd64
Packages [144 kB]
null resource.install-apache (remote-exec):
null resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [3 InRelease
null resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [3 InRelease
null resource.install-apache (remote-exec): Get:7 http://azure.archive.ubuntu.com/ubuntu xenial/multiverse
Translation-en [106 kB]
null_resource.install-apache (remote-exec):
null resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [3 InRelease
null resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [3 InRelease
null resource.install-apache (remote-exec): Get:8 http://azure.archive.ubuntu.com/ubuntu xenial-updates/main
amd64 Packages [2,049 kB]
null resource.install-apache (remote-exec):
null_resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [3 InRelease
null_resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [3 InRelease
null_resource.install-apache (remote-exec): Get:9 http://azure.archive.ubuntu.com/ubuntu xenial-updates/main
Translation-en [461 kB]
null resource.install-apache (remote-exec):
null resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [3 InRelease
null resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [3 InRelease
null resource.install-apache (remote-exec):
null_resource.install-apache (remote-exec): Get:10 http://azure.archive.ubuntu.com/ubuntu xenial-
updates/universe amd64 Packages [1,219 kB]
null_resource.install-apache (remote-exec):
null_resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [3 InRelease
null_resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [3 InRelease
null_resource.install-apache (remote-exec): Get:11 http://azure.archive.ubuntu.com/ubuntu xenial-
updates/universe Translation-en [358 kB]
null resource.install-apache (remote-exec):
null resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [3 InRelease
```

```
null_resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [3 InRelease
null_resource.install-apache (remote-exec): Get:12 http://azure.archive.ubuntu.com/ubuntu xenial-
updates/multiverse amd64 Packages [22.6 kB]
null_resource.install-apache (remote-exec):
null_resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [3 InRelease
null_resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [3 InRelease
null resource.install-apache (remote-exec): Get:13 http://azure.archive.ubuntu.com/ubuntu xenial-
updates/multiverse Translation-en [8,476 B]
null resource.install-apache (remote-exec):
null resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [3 InRelease
null resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [3 InRelease
null resource.install-apache (remote-exec): Get:14 http://security.ubuntu.com/ubuntu xenial-security InRelease
[99.8 kB]
null_resource.install-apache (remote-exec):
null_resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [3 InRelease
null resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [14 InRelease
null resource.install-apache (remote-exec): Get:15 http://azure.archive.ubuntu.com/ubuntu xenial-backports/main
amd64 Packages [9,812 B]
null resource.install-apache (remote-exec):
null_resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [14 InRelease
null resource.install-apache (remote-exec): Get:16 http://azure.archive.ubuntu.com/ubuntu xenial-backports/main
Translation-en [4,456 B]
null resource.install-apache (remote-exec):
null resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [Waiting for
null resource.install-apache (remote-exec): Get:17 http://azure.archive.ubuntu.com/ubuntu xenial-
backports/universe amd64 Packages [11.3 kB]
null_resource.install-apache (remote-exec): Get:18 http://azure.archive.ubuntu.com/ubuntu xenial-
backports/universe Translation-en [4,476 B]
null resource.install-apache (remote-exec):
null resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [14 InRelease
null resource.install-apache (remote-exec):
null resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [14 InRelease
null resource.install-apache (remote-exec):
null resource.install-apache (remote-exec): 0% [4 Packages store 0 B]
null resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [14 InRelease
null resource.install-apache (remote-exec):
null resource.install-apache (remote-exec): 0% [4 Packages store 0 B]
```

```
null_resource.install-apache (remote-exec): Get:19 https://esm.ubuntu.com/infra/ubuntu xenial-infra-security
InRelease [7,515 B]
null_resource.install-apache (remote-exec):
null_resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [Waiting for
null_resource.install-apache (remote-exec): 0% [4 Packages store 0 B] [19 InRelease
null_resource.install-apache (remote-exec): 0% [19 InRelease gpgv 7,515 B] [Waiting
null resource.install-apache (remote-exec): 0% [5 Translation-en store 0 B] [19 InR
null resource.install-apache (remote-exec): Get:20 http://security.ubuntu.com/ubuntu xenial-security/main
Translation-en [360 kB]
null resource.install-apache (remote-exec):
null resource.install-apache (remote-exec): 0% [5 Translation-en store 0 B] [19 InR
null resource.install-apache (remote-exec): 0% [5 Translation-en store 0 B] [20 Tra
null resource.install-apache (remote-exec): Get:21 https://esm.ubuntu.com/infra/ubuntu xenial-infra-updates
InRelease [7,475 B]
null_resource.install-apache (remote-exec):
null resource.install-apache (remote-exec): 0% [5 Translation-en store 0 B] [20 Tra
null resource.install-apache (remote-exec): 0% [5 Translation-en store 0 B] [21 InR
null resource.install-apache (remote-exec):
null resource.install-apache (remote-exec): 88% [5 Translation-en store 0 B] [20 Tr
null resource.install-apache (remote-exec): Get:22 https://esm.ubuntu.com/infra/ubuntu xenial-infra-security/main
amd64 Packages [371 kB]
null resource.install-apache (remote-exec):
null_resource.install-apache (remote-exec): 89% [5 Translation-en store 0 B] [20 Tr
null_resource.install-apache (remote-exec): 89% [5 Translation-en store 0 B] [22 Pa
null_resource.install-apache (remote-exec): 89% [Waiting for headers] [22 Packages
null_resource.install-apache (remote-exec): 89% [6 Packages store 0 B] [Waiting for
null_resource.install-apache (remote-exec): 90% [Waiting for headers] [22 Packages
null resource.install-apache (remote-exec): 90% [7 Translation-en store 0 B] [Waiti
null resource.install-apache (remote-exec): 90% [Waiting for headers] [22 Packages
null resource.install-apache (remote-exec): 90% [8 Packages store 0 B] [Waiting for
null resource.install-apache (remote-exec): Get:23 http://security.ubuntu.com/ubuntu xenial-security/universe
amd64 Packages [785 kB]
null_resource.install-apache (remote-exec):
null_resource.install-apache (remote-exec): 90% [8 Packages store 0 B] [23 Packages
null_resource.install-apache (remote-exec):
null_resource.install-apache (remote-exec): 93% [23 Packages 492 kB/785 kB 63%] [22
```

```
null_resource.install-apache (remote-exec): 93% [9 Translation-en store 0 B] [23 Pa
null_resource.install-apache (remote-exec): Get:24 http://security.ubuntu.com/ubuntu xenial-security/universe
Translation-en [225 kB]
null_resource.install-apache (remote-exec):
null_resource.install-apache (remote-exec): 94% [9 Translation-en store 0 B] [24 Tr
null_resource.install-apache (remote-exec): 95% [24 Translation-en 139 kB/225 kB 62
null resource.install-apache (remote-exec): 95% [10 Packages store 0 B] [24 Transla
null resource.install-apache (remote-exec): Get:25 http://security.ubuntu.com/ubuntu xenial-security/multiverse
amd64 Packages [7,864 B]
null resource.install-apache (remote-exec):
null resource.install-apache (remote-exec): 96% [10 Packages store 0 B] [25 Package
null resource.install-apache (remote-exec): Get:26 http://security.ubuntu.com/ubuntu xenial-security/multiverse
Translation-en [2,672 B]
null_resource.install-apache (remote-exec):
null_resource.install-apache (remote-exec): 96% [10 Packages store 0 B] [26 Transla
null resource.install-apache (remote-exec): 96% [10 Packages store 0 B] [22 Package
null resource.install-apache (remote-exec):
null resource.install-apache (remote-exec): 97% [22 Packages 343 kB/371 kB 92%]
null resource.install-apache (remote-exec): 97% [11 Translation-en store 0 B] [22 P
null resource.install-apache (remote-exec): 97% [11 Translation-en store 0 B]
null resource.install-apache (remote-exec): 97% [Working]
null_resource.install-apache (remote-exec): 97% [12 Packages store 0 B]
null_resource.install-apache (remote-exec): 97% [Working]
null_resource.install-apache (remote-exec): 97% [13 Translation-en store 0 B]
null_resource.install-apache (remote-exec): 97% [Working]
null_resource.install-apache (remote-exec): 97% [15 Packages store 0 B]
null_resource.install-apache (remote-exec): 98% [Working]
null_resource.install-apache (remote-exec): 98% [16 Translation-en store 0 B]
null_resource.install-apache (remote-exec): 98% [Working]
null_resource.install-apache (remote-exec): 98% [17 Packages store 0 B]
null_resource.install-apache (remote-exec): 98% [Working]
null_resource.install-apache (remote-exec): 98% [18 Translation-en store 0 B]
null resource.install-apache (remote-exec): 98% [Working]
null_resource.install-apache (remote-exec): 98% [20 Translation-en store 0 B]
```

null_resource.install-apache (remote-exec): 99% [Working]

```
null_resource.install-apache (remote-exec): 99% [23 Packages store 0 B]
null_resource.install-apache (remote-exec):
null_resource.install-apache (remote-exec): 99% [Working]
null_resource.install-apache (remote-exec): 99% [24 Translation-en store 0 B]
null_resource.install-apache (remote-exec): 99% [Working]
null_resource.install-apache (remote-exec): 99% [25 Packages store 0 B]
null_resource.install-apache (remote-exec): 99% [Working]
null_resource.install-apache (remote-exec): 99% [26 Translation-en store 0 B]
null_resource.install-apache (remote-exec): 100% [Working]
null_resource.install-apache (remote-exec): 100% [22 Packages store 0 B]
null_resource.install-apache (remote-exec): 100% [Working]
null resource.install-apache (remote-exec): Fetched 18.3 MB in 3s (5,260 kB/s)
null resource.install-apache (remote-exec): Reading package lists... 0%
null_resource.install-apache (remote-exec): Reading package lists... 0%
null_resource.install-apache (remote-exec): Reading package lists... 1%
null_resource.install-apache (remote-exec): Reading package lists... 5%
null_resource.install-apache (remote-exec): Reading package lists... 5%
null_resource.install-apache (remote-exec): Reading package lists... 8%
null_resource.install-apache: Still creating... [20s elapsed]
null_resource.install-apache (remote-exec): Reading package lists... 40%
null_resource.install-apache (remote-exec): Reading package lists... 40%
null_resource.install-apache (remote-exec): Reading package lists... 58%
null_resource.install-apache (remote-exec): Reading package lists... 58%
null_resource.install-apache (remote-exec): Reading package lists... 58%
null resource.install-apache (remote-exec): Reading package lists... 66%
null resource.install-apache (remote-exec): Reading package lists... 67%
```

null_resource.install-apache (remote-exec): Reading package lists... 67% null_resource.install-apache (remote-exec): Reading package lists... 73% null_resource.install-apache (remote-exec): Reading package lists... 78% null_resource.install-apache (remote-exec): Reading package lists... 78% null_resource.install-apache (remote-exec): Reading package lists... 80% null_resource.install-apache (remote-exec): Reading package lists... 80% null resource.install-apache (remote-exec): Reading package lists... 80% null resource.install-apache (remote-exec): Reading package lists... 80% null_resource.install-apache (remote-exec): Reading package lists... 80% null resource.install-apache (remote-exec): Reading package lists... 80% null resource.install-apache (remote-exec): Reading package lists... 80% null resource.install-apache (remote-exec): Reading package lists... 80% null_resource.install-apache (remote-exec): Reading package lists... 87% null_resource.install-apache (remote-exec): Reading package lists... 87% null_resource.install-apache (remote-exec): Reading package lists... 93% null resource.install-apache (remote-exec): Reading package lists... 93% null resource.install-apache (remote-exec): Reading package lists... 93% null resource.install-apache (remote-exec): Reading package lists... 96% null resource.install-apache (remote-exec): Reading package lists... 96% null resource.install-apache (remote-exec): Reading package lists... 98%

```
null_resource.install-apache (remote-exec): Reading package lists... 98%
null_resource.install-apache (remote-exec): Reading package lists... 99%
null_resource.install-apache (remote-exec): Reading package lists... Done
null_resource.install-apache (remote-exec): Building dependency tree... 0%
null resource.install-apache (remote-exec): Building dependency tree... 0%
null resource.install-apache (remote-exec): Building dependency tree... 1%
null_resource.install-apache (remote-exec): Building dependency tree... 50%
null_resource.install-apache (remote-exec): Building dependency tree... 50%
null_resource.install-apache (remote-exec): Building dependency tree
null resource.install-apache (remote-exec): Reading state information... 0%
null resource.install-apache (remote-exec): Reading state information... 1%
null_resource.install-apache (remote-exec): Reading state information... Done
null_resource.install-apache (remote-exec): 1 package can be upgraded. Run 'apt list --upgradable' to see it.
null_resource.install-apache (remote-exec): Reading package lists... 0%
null_resource.install-apache (remote-exec): Reading package lists... 100%
null_resource.install-apache (remote-exec): Reading package lists... Done
null_resource.install-apache (remote-exec): Building dependency tree... 0%
null_resource.install-apache (remote-exec): Building dependency tree... 0%
null_resource.install-apache (remote-exec): Building dependency tree... 50%
null_resource.install-apache (remote-exec): Building dependency tree... 50%
null_resource.install-apache (remote-exec): Building dependency tree
null_resource.install-apache (remote-exec): Reading state information... 0%
null resource.install-apache (remote-exec): Reading state information... 1%
null resource.install-apache (remote-exec): Reading state information... Done
null resource.install-apache (remote-exec): The following package was automatically installed and is no longer
required:
null resource.install-apache (remote-exec): grub-pc-bin
```

```
null_resource.install-apache (remote-exec): Use 'sudo apt autoremove' to remove it.
null_resource.install-apache (remote-exec): The following additional packages will be installed:
null_resource.install-apache (remote-exec): apache2-bin apache2-data
null_resource.install-apache (remote-exec): apache2-utils libapr1 libaprutil1
null_resource.install-apache (remote-exec): libaprutil1-dbd-sqlite3
null_resource.install-apache (remote-exec): libaprutil1-ldap liblua5.1-0
null_resource.install-apache (remote-exec): ssl-cert
null_resource.install-apache (remote-exec): Suggested packages:
null_resource.install-apache (remote-exec): www-browser apache2-doc
null_resource.install-apache (remote-exec): apache2-suexec-pristine
null_resource.install-apache (remote-exec): | apache2-suexec-custom
null resource.install-apache (remote-exec): openssl-blacklist
null resource.install-apache (remote-exec): The following NEW packages will be installed:
null_resource.install-apache (remote-exec): apache2 apache2-bin apache2-data
null_resource.install-apache (remote-exec): apache2-utils libapr1 libaprutil1
null_resource.install-apache (remote-exec): libaprutil1-dbd-sqlite3
null_resource.install-apache (remote-exec): libaprutil1-ldap liblua5.1-0
null_resource.install-apache (remote-exec): ssl-cert
null_resource.install-apache (remote-exec): 0 upgraded, 10 newly installed, 0 to remove and 1 not upgraded.
null_resource.install-apache (remote-exec): Need to get 1,559 kB of archives.
null_resource.install-apache (remote-exec): After this operation, 6,448 kB of additional disk space will be used.
null_resource.install-apache (remote-exec):
null_resource.install-apache (remote-exec): 0% [Working]
null_resource.install-apache (remote-exec): Get:1 http://azure.archive.ubuntu.com/ubuntu xenial/main amd64
libapr1 amd64 1.5.2-3 [86.0 kB]
null resource.install-apache (remote-exec):
null resource.install-apache (remote-exec): 0% [1 libapr1 0 B/86.0 kB 0%]
null resource.install-apache (remote-exec): 6% [Working]
null resource.install-apache (remote-exec): Get:2 http://azure.archive.ubuntu.com/ubuntu xenial/main amd64
libaprutil1 amd64 1.5.4-1build1 [77.1 kB]
null resource.install-apache (remote-exec):
null_resource.install-apache (remote-exec): 6% [2 libaprutil1 0 B/77.1 kB 0%]
null resource.install-apache (remote-exec): 12% [Working]
null_resource.install-apache (remote-exec): Get:3 http://azure.archive.ubuntu.com/ubuntu xenial/main amd64
libaprutil1-dbd-sglite3 amd64 1.5.4-1build1 [10.6 kB]
```

```
null_resource.install-apache (remote-exec):
null_resource.install-apache (remote-exec): 12% [3 libaprutil1-dbd-sqlite3 0 B/10.6
null_resource.install-apache (remote-exec): 15% [Working]
null_resource.install-apache (remote-exec): Get:4 http://azure.archive.ubuntu.com/ubuntu xenial/main amd64
libaprutil1-ldap amd64 1.5.4-1build1 [8,720 B]
null_resource.install-apache (remote-exec):
null resource.install-apache (remote-exec): 15% [4 libaprutil1-ldap 0 B/8,720 B 0%]
null resource.install-apache (remote-exec): 17% [Working]
null resource.install-apache (remote-exec): Get:5 http://azure.archive.ubuntu.com/ubuntu xenial/main amd64
liblua5.1-0 amd64 5.1.5-8ubuntu1 [102 kB]
null resource.install-apache (remote-exec):
null resource.install-apache (remote-exec): Selecting previously unselected pack
null resource.install-apache (remote-exec): 25% [Working]
null resource.install-apache (remote-exec): Get:6 http://azure.archive.ubuntu.com/ubuntu xenial-updates/main
amd64 apache2-bin amd64 2.4.18-2ubuntu3.17 [927 kB]
null resource.install-apache (remote-exec):
null resource.install-apache (remote-exec): 25% [6 apache2-bin 0 B/927 kB 0%]
null resource.install-apache (remote-exec): 74% [Working]
null_resource.install-apache (remote-exec): Get:7 http://azure.archive.ubuntu.com/ubuntu xenial-updates/main
amd64 apache2-utils amd64 2.4.18-2ubuntu3.17 [81.9 kB]
null resource.install-apache (remote-exec):
null_resource.install-apache (remote-exec): 74% [7 apache2-utils 0 B/81.9 kB 0%]
null resource.install-apache (remote-exec): 80% [Working]
null_resource.install-apache (remote-exec): Get:8 http://azure.archive.ubuntu.com/ubuntu xenial-updates/main
amd64 apache2-data all 2.4.18-2ubuntu3.17 [162 kB]
null resource.install-apache (remote-exec):
null resource.install-apache (remote-exec): 80% [8 apache2-data 0 B/162 kB 0%]
null resource.install-apache (remote-exec): 91% [Working]
null_resource.install-apache (remote-exec): Get:9 http://azure.archive.ubuntu.com/ubuntu xenial-updates/main
amd64 apache2 amd64 2.4.18-2ubuntu3.17 [86.8 kB]
null_resource.install-apache (remote-exec):
null_resource.install-apache (remote-exec): 91% [9 apache2 0 B/86.8 kB 0%]
null_resource.install-apache (remote-exec): 97% [Working]
null_resource.install-apache (remote-exec): Get:10 http://azure.archive.ubuntu.com/ubuntu xenial/main amd64 ssl-
cert all 1.0.37 [16.9 kB]
null resource.install-apache (remote-exec):
null resource.install-apache (remote-exec): 97% [10 ssl-cert 0 B/16.9 kB 0%]
```

```
null_resource.install-apache (remote-exec): 100% [Working]
null_resource.install-apache (remote-exec): Fetched 1,559 kB in 0s (29.2 MB/s)
null_resource.install-apache (remote-exec): Preconfiguring packages ...
                                           kage libapr1:amd64.
null_resource.install-apache (remote-exec): (Reading database ...
null_resource.install-apache (remote-exec): (Reading database ... 5%
null_resource.install-apache (remote-exec): (Reading database ... 10%
null_resource.install-apache (remote-exec): (Reading database ... 15%
null_resource.install-apache (remote-exec): (Reading database ... 20%
null_resource.install-apache (remote-exec): (Reading database ... 25%
null_resource.install-apache (remote-exec): (Reading database ... 30%
null resource.install-apache (remote-exec): (Reading database ... 35%
null resource.install-apache (remote-exec): (Reading database ... 40%
null resource.install-apache (remote-exec): (Reading database ... 45%
null resource.install-apache (remote-exec): (Reading database ... 50%
null_resource.install-apache (remote-exec): (Reading database ... 55%
null_resource.install-apache (remote-exec): (Reading database ... 60%
null_resource.install-apache (remote-exec): (Reading database ... 65%
null_resource.install-apache (remote-exec): (Reading database ... 70%
null_resource.install-apache (remote-exec): (Reading database ... 75%
null_resource.install-apache (remote-exec): (Reading database ... 80%
null_resource.install-apache (remote-exec): (Reading database ... 85%
null_resource.install-apache (remote-exec): (Reading database ... 90%
null_resource.install-apache (remote-exec): (Reading database ... 95%
null_resource.install-apache (remote-exec): (Reading database ... 100%
null_resource.install-apache (remote-exec): (Reading database ... 54185 files and directories currently installed.)
null_resource.install-apache (remote-exec): Preparing to unpack .../libapr1_1.5.2-3_amd64.deb ...
Progress: [ 1%] [#.....] xec):
null_resource.install-apache (remote-exec): Unpacking libapr1:amd64 (1.5.2-3) ...
Progress: [5%] [##......xec): Selecting previously unselected package libaprutil1:amd64.
null resource.install-apache (remote-exec): Preparing to unpack .../libaprutil1 1.5.4-1build1 amd64.deb ...
Progress: [7%] [##.....] xec): Unpacking libaprutil1:amd64 (1.5.4-1build1) ...
Progress: [11%] [###......] xec): Selecting previously unselected package libaprutil1-dbd-sqlite3:amd64.
```

```
null_resource.install-apache (remote-exec): Preparing to unpack .../libaprutil1-dbd-sqlite3_1.5.4-
1build1 amd64.deb ...
Progress: [ 13%] [###............] xec): Unpacking libaprutil1-dbd-sqlite3:amd64 (1.5.4-1build1) ...
Progress: [ 17%] [####.....] xec): Selecting previously unselected package libaprutil1-ldap:amd64.
null_resource.install-apache (remote-exec): Preparing to unpack .../libaprutil1-ldap_1.5.4-1build1_amd64.deb ...
Progress: [ 19%] [####.....] xec):
null resource.install-apache (remote-exec): Unpacking libaprutil1-ldap:amd64 (1.5.4-1build1) ...
Progress: [23%] [#####...........] xec): Selecting previously unselected package liblua5.1-0:amd64.
null resource.install-apache (remote-exec): Preparing to unpack .../liblua5.1-0 5.1.5-8ubuntu1 amd64.deb ...
Progress: [ 25%] [####...........] xec): Unpacking liblua5.1-0:amd64 (5.1.5-8ubuntu1) ...
Progress: [29%] [#####...........] xec): Selecting previously unselected package apache2-bin.
null resource.install-apache (remote-exec): Preparing to unpack .../apache2-bin 2.4.18-2ubuntu3.17 amd64.deb ...
Progress: [31%] [######...........] xec): Unpacking apache2-bin (2.4.18-2ubuntu3.17) ...
Progress: [35%] [######..........] xec): Selecting previously unselected package apache2-utils.
null resource.install-apache (remote-exec): Preparing to unpack .../apache2-utils 2.4.18-2ubuntu3.17 amd64.deb
Progress: [ 37%] [#######...........] xec): Unpacking apache2-utils (2.4.18-2ubuntu3.17) ...
Progress: [41%] [########.........] xec): Selecting previously unselected package apache2-data.
null resource.install-apache (remote-exec): Preparing to unpack .../apache2-data 2.4.18-2ubuntu3.17 all.deb ...
Progress: [ 43%] [########.......] xec): Unpacking apache2-data (2.4.18-2ubuntu3.17) ...
Progress: [47%] [########.......] xec): Selecting previously unselected package apache2.
null resource.install-apache (remote-exec): Preparing to unpack .../apache2 2.4.18-2ubuntu3.17 amd64.deb ...
Progress: [49%] [########.......] xec): Unpacking apache2 (2.4.18-2ubuntu3.17) ...
Progress: [52%] [###########......] xec): Selecting previously unselected package ssl-cert.
null resource.install-apache (remote-exec): Preparing to unpack .../ssl-cert 1.0.37 all.deb ...
Progress: [54%] [##########......] xec): Unpacking ssl-cert (1.0.37) ...
Progress: [58%] [###########......] xec): Processing triggers for libc-bin (2.23-0ubuntu11.3) ...
null_resource.install-apache (remote-exec): Processing triggers for man-db (2.7.5-1) ...
null_resource.install-apache: Still creating... [30s elapsed]
null_resource.install-apache: Still creating... [40s elapsed]
null_resource.install-apache (remote-exec): Processing triggers for ufw (0.35-0ubuntu2) ...
null_resource.install-apache (remote-exec): Processing triggers for ureadahead (0.100.0-19.1) ...
null_resource.install-apache (remote-exec): Processing triggers for systemd (229-4ubuntu21.31) ...
null_resource.install-apache (remote-exec): Setting up libapr1:amd64 (1.5.2-3) ...
```

```
Progress: [66%] [#############....] xec): Setting up libaprutil1-dbd-sqlite3:amd64 (1.5.4-1build1) ...
Progress: [70%] [############....] xec): Setting up libaprutil1-ldap:amd64 (1.5.4-1build1) ...
Progress: [ 74%] [###############....] xec): Setting up liblua5.1-0:amd64 (5.1.5-8ubuntu1) ...
Progress: [ 78%] [###############...] xec): Setting up apache2-bin (2.4.18-2ubuntu3.17) ...
Progress: [82%] [##############...] xec): Setting up apache2-utils (2.4.18-2ubuntu3.17) ...
Progress: [86%] [##############..] xec): Setting up apache2-data (2.4.18-2ubuntu3.17) ...
Progress: [90%] [########################] xec): Setting up apache2 (2.4.18-2ubuntu3.17) ...
Progress: [ 92%] [##############.] xec): Enabling module mpm_event.
null_resource.install-apache (remote-exec): Enabling module authz_core.
null resource.install-apache (remote-exec): Enabling module authz host.
null_resource.install-apache (remote-exec): Enabling module authn_core.
null_resource.install-apache (remote-exec): Enabling module auth_basic.
null_resource.install-apache (remote-exec): Enabling module access_compat.
null_resource.install-apache (remote-exec): Enabling module authn_file.
null_resource.install-apache (remote-exec): Enabling module authz_user.
null_resource.install-apache (remote-exec): Enabling module alias.
null_resource.install-apache (remote-exec): Enabling module dir.
null_resource.install-apache (remote-exec): Enabling module autoindex.
null_resource.install-apache (remote-exec): Enabling module env.
null_resource.install-apache (remote-exec): Enabling module mime.
null_resource.install-apache (remote-exec): Enabling module negotiation.
null_resource.install-apache (remote-exec): Enabling module setenvif.
null_resource.install-apache (remote-exec): Enabling module filter.
null_resource.install-apache (remote-exec): Enabling module deflate.
null_resource.install-apache (remote-exec): Enabling module status.
null_resource.install-apache (remote-exec): Enabling conf charset.
null_resource.install-apache (remote-exec): Enabling conf localized-error-pages.
null resource.install-apache (remote-exec): Enabling conf other-vhosts-access-log.
null resource.install-apache (remote-exec): Enabling conf security.
null resource.install-apache (remote-exec): Enabling conf serve-cgi-bin.
null resource.install-apache (remote-exec): Enabling site 000-default.
Progress: [ 94%] [##############.] xec):
```

Progress: [62%] [############.....] xec): Setting up libaprutil1:amd64 (1.5.4-1build1) ...

null_resource.install-apache (remote-exec): Setting up ssl-cert (1.0.37) ...

Progress: [96%] [############## xec):

null_resource.install-apache (remote-exec): sent invalidate(group) request, exiting
null_resource.install-apache (remote-exec): sent invalidate(passwd) request, exiting
null_resource.install-apache (remote-exec): sent invalidate(group) request, exiting
null_resource.install-apache (remote-exec): sent invalidate(group) request, exiting
null_resource.install-apache (remote-exec): sent invalidate(group) request, exiting

Progress: [98%] [################] xec): Processing triggers for libc-bin (2.23-0ubuntu11.3) ...

null_resource.install-apache (remote-exec): Processing triggers for ureadahead (0.100.0-19.1) ...

null_resource.install-apache (remote-exec): Processing triggers for systemd (229-4ubuntu21.31) ...

null_resource.install-apache (remote-exec): Processing triggers for ufw (0.35-0ubuntu2) ...

null_resource.install-apache: Still creating... [50s elapsed]
null_resource.install-apache: Creation complete after 51s [id=1660371246952251142]

Apply complete! Resources: 8 added, 0 changed, 0 destroyed.

TESTANDO IP no UBUNTO

C:\WINDOWS\system32>ssh testadmin@20.211.103.11

The authenticity of host '20.211.103.11 (20.211.103.11)' can't be established.

ECDSA key fingerprint is SHA256:NPN5zp1SDC7mkG/aPTsJQT6ZhNq5vLQ1TRRcQj7SDgI.

Are you sure you want to continue connecting (yes/no/[fingerprint])? yes

Warning: Permanently added '20.211.103.11' (ECDSA) to the list of known hosts.

testadmin@20.211.103.11's password:

Welcome to Ubuntu 16.04.7 LTS (GNU/Linux 4.15.0-1113-azure x86 64)

* Documentation: https://help.ubuntu.com

* Management: https://landscape.canonical.com

* Support: https://ubuntu.com/advantage

UA Infra: Extended Security Maintenance (ESM) is not enabled.

0 updates can be applied immediately.

52 additional security updates can be applied with UA Infra: ESM

Learn more about enabling UA Infra: ESM service for Ubuntu 16.04 at

https://ubuntu.com/16-04

The programs included with the Ubuntu system are free software; the exact distribution terms for each program are described in the individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by applicable law.

To run a command as administrator (user "root"), use "sudo <command>".

See "man sudo_root" for details.

testadmin@hostname:~\$ uname -ar

Linux hostname 4.15.0-1113-azure $#126^16.04.1$ -Ubuntu SMP Tue Apr 13 16:55:24 UTC 2021 $x86_64$ $x86_64$ $x86_64$ GNU/Linux

testadmin@hostname:~\$ apt update

Reading package lists... Done

W: chmod 0700 of directory /var/lib/apt/lists/partial failed - SetupAPTPartialDirectory (1: Operation not permitted)

E: Could not open lock file /var/lib/apt/lists/lock - open (13: Permission denied)

E: Unable to lock directory /var/lib/apt/lists/

W: Problem unlinking the file /var/cache/apt/pkgcache.bin - RemoveCaches (13: Permission denied)

W: Problem unlinking the file /var/cache/apt/srcpkgcache.bin - RemoveCaches (13: Permission denied)

testadmin@hostname:~\$ sudo apt update

Hit:1 http://azure.archive.ubuntu.com/ubuntu xenial InRelease

```
Get:2 http://azure.archive.ubuntu.com/ubuntu xenial-updates InRelease [99.8 kB]
Get:3 http://azure.archive.ubuntu.com/ubuntu xenial-backports InRelease [97.4 kB]
Get:4 http://azure.archive.ubuntu.com/ubuntu xenial/universe amd64 Packages [7,532 kB]
Get:5 http://azure.archive.ubuntu.com/ubuntu xenial/universe Translation-en [4,354 kB]
Get:6 http://security.ubuntu.com/ubuntu xenial-security InRelease [99.8 kB]
Get:7 http://azure.archive.ubuntu.com/ubuntu xenial/multiverse amd64 Packages [144 kB]
Get:8 http://azure.archive.ubuntu.com/ubuntu xenial/multiverse Translation-en [106 kB]
Get:9 http://azure.archive.ubuntu.com/ubuntu xenial-updates/main amd64 Packages [2,049 kB]
Get:10 http://azure.archive.ubuntu.com/ubuntu xenial-updates/main Translation-en [461 kB]
Get:11 http://azure.archive.ubuntu.com/ubuntu xenial-updates/universe amd64 Packages [1,219 kB]
Get:12 http://azure.archive.ubuntu.com/ubuntu xenial-updates/universe Translation-en [358 kB]
Get:13 http://azure.archive.ubuntu.com/ubuntu xenial-updates/multiverse amd64 Packages [22.6 kB]
Get:14 http://azure.archive.ubuntu.com/ubuntu xenial-updates/multiverse Translation-en [8,476 B]
Get:15 http://azure.archive.ubuntu.com/ubuntu xenial-backports/main amd64 Packages [9,812 B]
Get:16 http://azure.archive.ubuntu.com/ubuntu xenial-backports/main Translation-en [4,456 B]
Get:17 http://azure.archive.ubuntu.com/ubuntu xenial-backports/universe amd64 Packages [11.3 kB]
Get:18 http://azure.archive.ubuntu.com/ubuntu xenial-backports/universe Translation-en [4,476 B]
Get:19 https://esm.ubuntu.com/infra/ubuntu xenial-infra-security InRelease [7,515 B]
Get:20 http://security.ubuntu.com/ubuntu xenial-security/main Translation-en [360 kB]
Get:21 https://esm.ubuntu.com/infra/ubuntu xenial-infra-updates InRelease [7,475 B]
Get:22 https://esm.ubuntu.com/infra/ubuntu xenial-infra-security/main amd64 Packages [371 kB]
Get:23 http://security.ubuntu.com/ubuntu xenial-security/universe amd64 Packages [785 kB]
Get:24 http://security.ubuntu.com/ubuntu xenial-security/universe Translation-en [225 kB]
Get:25 http://security.ubuntu.com/ubuntu xenial-security/multiverse amd64 Packages [7,864 B]
Get:26 http://security.ubuntu.com/ubuntu xenial-security/multiverse Translation-en [2,672 B]
Fetched 18.3 MB in 3s (5,475 kB/s)
Reading package lists... Done
Building dependency tree
Reading state information... Done
1 package can be upgraded. Run 'apt list --upgradable' to see it.
testadmin@hostname:~$ apt install -y apache2
```

E: Could not open lock file /var/lib/dpkg/lock-frontend - open (13: Permission denied)

E: Unable to acquire the dpkg frontend lock (/var/lib/dpkg/lock-frontend), are you root?

testadmin@hostname:~\$ sudo apt install -y apache2

Reading package lists... Done

Building dependency tree

Reading state information... Done

The following package was automatically installed and is no longer required:

grub-pc-bin

Use 'sudo apt autoremove' to remove it.

The following additional packages will be installed:

apache2-bin apache2-data apache2-utils libapr1 libaprutil1

libaprutil1-dbd-sqlite3 libaprutil1-ldap liblua5.1-0 ssl-cert

Suggested packages:

www-browser apache2-doc apache2-suexec-pristine | apache2-suexec-custom

openssl-blacklist

The following NEW packages will be installed:

apache2 apache2-bin apache2-data apache2-utils libapr1 libaprutil1

libaprutil1-dbd-sqlite3 libaprutil1-ldap liblua5.1-0 ssl-cert

0 upgraded, 10 newly installed, 0 to remove and 1 not upgraded.

Need to get 1,559 kB of archives.

After this operation, 6,448 kB of additional disk space will be used.

Get:1 http://azure.archive.ubuntu.com/ubuntu xenial/main amd64 libapr1 amd64 1.5.2-3 [86.0 kB]

Get:2 http://azure.archive.ubuntu.com/ubuntu xenial/main amd64 libaprutil1 amd64 1.5.4-1build1 [77.1 kB]

Get:3 http://azure.archive.ubuntu.com/ubuntu xenial/main amd64 libaprutil1-dbd-sqlite3 amd64 1.5.4-1build1 [10.6 kB]

Get:4 http://azure.archive.ubuntu.com/ubuntu xenial/main amd64 libaprutil1-ldap amd64 1.5.4-1build1 [8,720 B]

Get:5 http://azure.archive.ubuntu.com/ubuntu xenial/main amd64 liblua5.1-0 amd64 5.1.5-8ubuntu1 [102 kB]

Get:6 http://azure.archive.ubuntu.com/ubuntu xenial-updates/main amd64 apache2-bin amd64 2.4.18-2ubuntu3.17 [927 kB]

Get:7 http://azure.archive.ubuntu.com/ubuntu xenial-updates/main amd64 apache2-utils amd64 2.4.18-2ubuntu3.17 [81.9 kB]

Get:8 http://azure.archive.ubuntu.com/ubuntu xenial-updates/main amd64 apache2-data all 2.4.18-2ubuntu3.17 [162 kB]

Get:9 http://azure.archive.ubuntu.com/ubuntu xenial-updates/main amd64 apache2 amd64 2.4.18-2ubuntu3.17 [86.8 kB]

Get:10 http://azure.archive.ubuntu.com/ubuntu xenial/main amd64 ssl-cert all 1.0.37 [16.9 kB]

Fetched 1,559 kB in 0s (27.3 MB/s)

Preconfiguring packages ...

```
Selecting previously unselected package libapr1:amd64.
(Reading database ... 54185 files and directories currently installed.)
Preparing to unpack .../libapr1_1.5.2-3_amd64.deb ...
Unpacking libapr1:amd64 (1.5.2-3) ...
Selecting previously unselected package libaprutil1:amd64.
Preparing to unpack .../libaprutil1_1.5.4-1build1_amd64.deb ...
Unpacking libaprutil1:amd64 (1.5.4-1build1) ...
Selecting previously unselected package libaprutil1-dbd-sqlite3:amd64.
Preparing to unpack .../libaprutil1-dbd-sqlite3_1.5.4-1build1_amd64.deb ...
Unpacking libaprutil1-dbd-sqlite3:amd64 (1.5.4-1build1) ...
Selecting previously unselected package libaprutil1-ldap:amd64.
Preparing to unpack .../libaprutil1-ldap_1.5.4-1build1_amd64.deb ...
Unpacking libaprutil1-ldap:amd64 (1.5.4-1build1) ...
Selecting previously unselected package liblua5.1-0:amd64.
Preparing to unpack .../liblua5.1-0_5.1.5-8ubuntu1_amd64.deb ...
Unpacking liblua5.1-0:amd64 (5.1.5-8ubuntu1) ...
Selecting previously unselected package apache2-bin.
Preparing to unpack .../apache2-bin_2.4.18-2ubuntu3.17_amd64.deb ...
Unpacking apache2-bin (2.4.18-2ubuntu3.17) ...
Selecting previously unselected package apache2-utils.
Preparing to unpack .../apache2-utils_2.4.18-2ubuntu3.17_amd64.deb ...
Unpacking apache2-utils (2.4.18-2ubuntu3.17) ...
Selecting previously unselected package apache2-data.
Preparing to unpack .../apache2-data_2.4.18-2ubuntu3.17_all.deb ...
Unpacking apache2-data (2.4.18-2ubuntu3.17) ...
Selecting previously unselected package apache2.
Preparing to unpack .../apache2_2.4.18-2ubuntu3.17_amd64.deb ...
Unpacking apache2 (2.4.18-2ubuntu3.17) ...
Selecting previously unselected package ssl-cert.
Preparing to unpack .../ssl-cert 1.0.37 all.deb ...
Unpacking ssl-cert (1.0.37) ...
Processing triggers for libc-bin (2.23-0ubuntu11.3) ...
Processing triggers for man-db (2.7.5-1) ...
Processing triggers for ufw (0.35-0ubuntu2) ...
```

Processing triggers for ureadahead (0.100.0-19.1) ... Processing triggers for systemd (229-4ubuntu21.31) ... Setting up libapr1:amd64 (1.5.2-3) ... Setting up libaprutil1:amd64 (1.5.4-1build1) ... Setting up libaprutil1-dbd-sqlite3:amd64 (1.5.4-1build1) ... Setting up libaprutil1-ldap:amd64 (1.5.4-1build1) ... Setting up liblua5.1-0:amd64 (5.1.5-8ubuntu1) ... Setting up apache2-bin (2.4.18-2ubuntu3.17) ... Setting up apache2-utils (2.4.18-2ubuntu3.17) ... Setting up apache2-data (2.4.18-2ubuntu3.17) ... Setting up apache2 (2.4.18-2ubuntu3.17) ... Enabling module mpm_event. Enabling module authz_core. Enabling module authz_host. Enabling module authn_core. Enabling module auth_basic. Enabling module access_compat. Enabling module authn_file. Enabling module authz_user. Enabling module alias. Enabling module dir. Enabling module autoindex. Enabling module env. Enabling module mime. Enabling module negotiation. Enabling module setenvif. Enabling module filter. Enabling module deflate. Enabling module status. Enabling conf charset. Enabling conf localized-error-pages. Enabling conf other-vhosts-access-log. Enabling conf security.

Enabling conf serve-cgi-bin.

```
Enabling site 000-default.

Setting up ssl-cert (1.0.37) ...

sent invalidate(group) request, exiting

sent invalidate(passwd) request, exiting

sent invalidate(group) request, exiting

sent invalidate(group) request, exiting

sent invalidate(group) request, exiting

Processing triggers for libc-bin (2.23-0ubuntu11.3) ...

Processing triggers for ureadahead (0.100.0-19.1) ...

Processing triggers for systemd (229-4ubuntu21.31) ...

Processing triggers for ufw (0.35-0ubuntu2) ...
```

testadmin@hostname:~\$ curl localhost

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<a href="http://www.w3.org/1999/xhtml">
<!--
  Modified from the Debian original for Ubuntu
  Last updated: 2014-03-19
  See: https://launchpad.net/bugs/1288690
 -->
 <head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
  <title>Apache2 Ubuntu Default Page: It works</title>
  <style type="text/css" media="screen">
  margin: 0px 0px 0px 0px;
  padding: Opx Opx Opx Opx;
}
body, html {
  padding: 3px 3px 3px 3px;
  background-color: #D8DBE2;
  font-family: Verdana, sans-serif;
  font-size: 11pt;
```

```
text-align: center;
}
div.main_page {
 position: relative;
 display: table;
 width: 800px;
 margin-bottom: 3px;
 margin-left: auto;
 margin-right: auto;
 padding: Opx Opx Opx Opx;
 border-width: 2px;
 border-color: #212738;
 border-style: solid;
 background-color: #FFFFFF;
 text-align: center;
}
div.page_header {
 height: 99px;
 width: 100%;
 background-color: #F5F6F7;
}
div.page_header span {
 margin: 15px 0px 0px 50px;
 font-size: 180%;
 font-weight: bold;
}
div.page_header img {
 margin: 3px 0px 0px 40px;
 border: 0px 0px 0px;
}
div.table_of_contents {
 clear: left;
 min-width: 200px;
 margin: 3px 3px 3px 3px;
```

```
background-color: #FFFFFF;
 text-align: left;
}
div.table_of_contents_item {
 clear: left;
 width: 100%;
 margin: 4px 0px 0px 0px;
 background-color: #FFFFFF;
 color: #000000;
 text-align: left;
}
div.table_of_contents_item a {
 margin: 6px 0px 0px 6px;
}
div.content_section {
 margin: 3px 3px 3px 3px;
 background-color: #FFFFF;
 text-align: left;
}
div.content_section_text {
 padding: 4px 8px 4px 8px;
 color: #000000;
 font-size: 100%;
}
div.content_section_text pre {
 margin: 8px 0px 8px 0px;
 padding: 8px 8px 8px 8px;
 border-width: 1px;
 border-style: dotted;
 border-color: #000000;
 background-color: #F5F6F7;
 font-style: italic;
}
```

```
div.content_section_text p {
 margin-bottom: 6px;
}
div.content_section_text ul, div.content_section_text li {
 padding: 4px 8px 4px 16px;
}
div.section_header {
 padding: 3px 6px 3px 6px;
 background-color: #8E9CB2;
 color: #FFFFF;
 font-weight: bold;
 font-size: 112%;
 text-align: center;
}
div.section_header_red {
 background-color: #CD214F;
}
div.section_header_grey {
 background-color: #9F9386;
}
.floating_element {
 position: relative;
 float: left;
}
div.table_of_contents_item a,
div.content_section_text a {
 text-decoration: none;
 font-weight: bold;
}
div.table_of_contents_item a:link,
div.table_of_contents_item a:visited,
div.table_of_contents_item a:active {
 color: #000000;
}
```

```
div.table_of_contents_item a:hover {
  background-color: #000000;
  color: #FFFFFF;
}
div.content_section_text a:link,
div.content_section_text a:visited,
 div.content_section_text a:active {
  background-color: #DCDFE6;
  color: #000000;
}
div.content_section_text a:hover {
  background-color: #000000;
  color: #DCDFE6;
}
div.validator {
}
  </style>
</head>
<body>
  <div class="main_page">
   <div class="page_header floating_element">
    <img src="/icons/ubuntu-logo.png" alt="Ubuntu Logo" class="floating_element"/>
    <span class="floating_element">
     Apache2 Ubuntu Default Page
    </span>
   </div>
<!--
      <div class="table_of_contents floating_element">
    <div class="section_header section_header_grey">
     TABLE OF CONTENTS
    </div>
    <div class="table_of_contents_item floating_element">
     <a href="#about">About</a>
    </div>
    <div class="table_of_contents_item floating_element">
```

```
<a href="#changes">Changes</a>
 </div>
 <div class="table_of_contents_item floating_element">
  <a href="#scope">Scope</a>
 </div>
 <div class="table_of_contents_item floating_element">
  <a href="#files">Config files</a>
 </div>
</div>
<div class="content_section floating_element">
 <div class="section_header_section_header_red">
  <div id="about"></div>
 It works!
 </div>
 <div class="content_section_text">
  >
     This is the default welcome page used to test the correct
     operation of the Apache2 server after installation on Ubuntu systems.
     It is based on the equivalent page on Debian, from which the Ubuntu Apache
     packaging is derived.
     If you can read this page, it means that the Apache HTTP server installed at
     this site is working properly. You should <b>replace this file</b> (located at
     <tt>/var/www/html/index.html</tt>) before continuing to operate your HTTP server.
  >
     If you are a normal user of this web site and don't know what this page is
     about, this probably means that the site is currently unavailable due to
     maintenance.
     If the problem persists, please contact the site's administrator.
  </div>
 <div class="section_header">
  <div id="changes"></div>
```

```
Configuration Overview
    </div>
    <div class="content_section_text">
     >
        Ubuntu's Apache2 default configuration is different from the
        upstream default configuration, and split into several files optimized for
        interaction with Ubuntu tools. The configuration system is
        <b>fully documented in
        /usr/share/doc/apache2/README.Debian.gz</b>. Refer to this for the full
        documentation. Documentation for the web server itself can be
                                                                             found by accessing the <a
href="/manual">manual</a> if the <tt>apache2-doc</tt>
        package was installed on this server.
     >
        The configuration layout for an Apache2 web server installation on Ubuntu systems is as follows:
     /etc/apache2/
|-- apache2.conf
    `-- ports.conf
|-- mods-enabled
    |-- *.load
    `-- *.conf
|-- conf-enabled
    `-- *.conf
|-- sites-enabled
    `-- *.conf
     <tt>apache2.conf</tt> is the main configuration
              file. It puts the pieces together by including all remaining configuration
              files when starting up the web server.
```

```
<tt>ports.conf</tt> is always included from the
              main configuration file. It is used to determine the listening ports for
              incoming connections, and this file can be customized anytime.
            Configuration files in the <tt>mods-enabled/</tt>,
                                                                            <tt>conf-enabled/</tt> and
<tt>sites-enabled/</tt> directories contain
              particular configuration snippets which manage modules, global configuration
              fragments, or virtual host configurations, respectively.
            They are activated by symlinking available
              configuration files from their respective
              *-available/ counterparts. These should be managed
                                                                              by using our helpers
              <tt>
                <a href="http://manpages.debian.org/cgi-bin/man.cgi?query=a2enmod">a2enmod</a>,
                <a href="http://manpages.debian.org/cgi-bin/man.cgi?query=a2dismod">a2dismod</a>,
              </tt>
              <tt>
                <a href="http://manpages.debian.org/cgi-bin/man.cgi?query=a2ensite">a2ensite</a>,
                <a href="http://manpages.debian.org/cgi-bin/man.cgi?query=a2dissite">a2dissite</a>,
              </tt>
                and
              <tt>
                <a href="http://manpages.debian.org/cgi-bin/man.cgi?query=a2enconf">a2enconf</a>,
                <a href="http://manpages.debian.org/cgi-bin/man.cgi?query=a2disconf">a2disconf</a>
              </tt>. See their respective man pages for detailed information.
            The binary is called apache2. Due to the use of
              environment variables, in the default configuration, apache2 needs to be
              started/stopped with <tt>/etc/init.d/apache2</tt> or <tt>apache2ctl</tt>.
```

```
<b>Calling <tt>/usr/bin/apache2</tt> directly will not work</b> with the
              default configuration.
            </div>
    <div class="section_header">
      <div id="docroot"></div>
        Document Roots
    </div>
    <div class="content_section_text">
      >
        By default, Ubuntu does not allow access through the web browser to
        <em>any</em> file apart of those located in <tt>/var/www</tt>,
        <a href="http://httpd.apache.org/docs/2.4/mod/mod_userdir.html">public_html</a>
        directories (when enabled) and <tt>/usr/share</tt> (for web
        applications). If your site is using a web document root
        located elsewhere (such as in <tt>/srv</tt>) you may need to whitelist your
        document root directory in <tt>/etc/apache2/apache2.conf</tt>.
      >
        The default Ubuntu document root is <tt>/var/www/html</tt>. You
        can make your own virtual hosts under /var/www. This is different
        to previous releases which provides better security out of the box.
      </div>
    <div class="section_header">
     <div id="bugs"></div>
        Reporting Problems
    </div>
    <div class="content_section_text">
     >
        Please use the <tt>ubuntu-bug</tt> tool to report bugs in the
                                                                          Apache2 package with Ubuntu.
However, check <a
        href="https://bugs.launchpad.net/ubuntu/+source/apache2">existing
```

```
bug reports</a> before reporting a new bug.

Please report bugs specific to modules (such as PHP and others)

to respective packages, not to the web server itself.

</div>
</div
```