SONJU ENGINEERING SERVICES

Satellite Office: Blk 1 Lot 49 Jubilation Commercial Strip, Binan, Laguna, 4024
☎ (049) 840-5397/ (02) 782-215 Tel/ Fax: (049) 512-8345; 0923-658-1107
sonju_engineering@ymail.cor http://www.wix.com/SonjuEngineering/Sonju-Engineering-Services

SERVICE QUOTATION

No. 2017-344 Rev.: 00

4F-304-01-02

DATE	:	4/4/2017		ACCOUNT OF	:		Pls. mark (X) applicable service/s required
COMPANY	:	PRICON MICROELECTRONICS, INC.		REQUEST REF #	:	email	
ADDRESS	:	Light Industry and Science Park 1, Bo. Diezmo, Cabuyao City, Laguna 4025 Philippine		REMARKS			[x] CALIBRATION [ ] REPAIR
EMAIL	:	rebvale@pricon.ph					[ ] PM [ ] OTHERS (Please pecify)
TEL #	:	+(63)2-843-0870 local 228	FAX #:				
ATTENTION	:	Ms. Rebecca Valenzuela					

Dear Ma'am;

Thank you so much for your inquiry. In compliance with your request, we are pleased to submit our quotation for the following:

ITEM	DESCRIPTION	BRAND	MODEL	SERIAL NUMBER	UNIT PRICE	UOM	QTY	SUB-TOTAL PRICE	VAT 12%	TOTAL PRICE	OTHER CHARGES	TOTAL
1	Digital Height Gauge	Nikon	MF-1001	F03658	$ 100.00	pc(s)	1	$ 100.00		$ 100.00		$ 100.00
2	Digital Height Gauge	Nikon	MF-1001	F00370	$ 100.00	pc(s)	1	$ 100.00		$ 100.00		$ 100.00
3	On Site Fee				$ 30.00	pc(s)	1	$ 30.00		$ 30.00		$ 30.00
TOTAL							3	$ 230.00		$ 230.00		$ 230.00

GENERAL TERMS AND CONDITIONS:

TERMS OF PAYMENT : PMI Rate
VALIDITY : 1 YEAR

Should you have further queries regarding this matter, please feel free to inform us and we will be very glad to assist you. Moreover, should you find our quotation acceptable, please indicate your acceptance by signing on the space provided hereunder and send back to us immediately to facilitate your requirement. Thank you so much and we are looking forward to your most valued order soon.

CUSTOMER'S CONFORME:
Signature/ Printed Name/ Date

Prepared by: **MA.FLORENCE E. BAUTISTA**

Approved by: **MA. VICTORIA GALANG-JUSON**
Operations Manager

A Proud Member of:
PHILIPPINE METROLOGY, STANDARDS, TESTING AND QUALTITY INC

This is an electronic copy, no signature is required. For print-out, please inform us.

Please consider the environment before printing this document