


Assignment -2


Name : Harsh Hemalkumar Mehta

Student Id: 202412048


- 1) Find the name price and quantity of the most expensive product
→ select name , price , stock_quantity from "EC_DB".products
where price = (select max(price) from "EC_DB".products);




- 2) Get the total number of order placed by each user
→ select user_id , count(*) from "EC_DB".orders group by user_id;




- 3) Find the product with the highest number of reviews.
 → select product_id , count(*) from "EC_DB".reviews group by product_id order by 2 desc limit(4);



- 4) Get the average rating of each product.
 → select product_id , avg(rating) from "EC_DB".reviews group by product_id;




- 5) Get the total revenue generated by each category.
 ->select category_id , sum(price) from "EC_DB".products group by category_id;



6) Find the most popular product (most ordered)

-> select product_id , count(*) as maximum from "EC_DB".order_details group by product_id order by 2 desc limit(2) ;



The screenshot shows the pgAdmin 4 interface with a SQL query executed in the 'Query' tab. The query is:

```
1 -- select * from "EC_DB".products;
2 -- select name, price, stock_quantity from "EC_DB".products where price = (select
3 -- select user_id, count(*) from "EC_DB".orders group by user_id;
4 -- select product_id, count(*) from "EC_DB".reviews group by product_id order by 2
5 -- select product_id, avg(rating) from "EC_DB".reviews group by product_id;
6 select product_id, count(*) as maximum from "EC_DB".order_details group by product_id
7 -- select user_id, sum(total_amount) from "EC_DB".orders group by user_id having sum
8
9
10
```


The 'Data output' tab shows the results of the query:

product_id	maximum
1	29
2	32

Total rows: 2 of 2. Query complete 00:00:00.089. Ln 6, Col 15.

7) List users who have spent more than \$1000 in total.

-> select user_id , sum(total_amount) from "EC_DB".orders group by user_id having sum(total_amount) > 1000 ;



The screenshot shows the pgAdmin 4 interface with a SQL query executed in the 'Query' tab. The query is:

```
1 3".products;
2 stock_quantity from "EC_DB".products where price = (select max(price) from "EC_DB"
3 count(*) from "EC_DB".orders group by user_id;
4 count(*) from "EC_DB".reviews group by product_id order by 2 desc limit(4);
5 avg(rating) from "EC_DB".reviews group by product_id;
6 count(*) from "EC_DB".order_details group by product_id ;
7 total_amount) from "EC_DB".orders group by user_id having sum(total_amount) > 1000 ;
8
9
10
```


The 'Data output' tab shows the results of the query:

user_id	sum
1	87 17062.15
2	74 26604.03
3	54 13965.43
4	29 5410.19
5	71 2420.14
6	68 20154.03

Total rows: 63 of 63. Query complete 00:00:00.103. Ln 7, Col 106.

8) Get the details of the largest order (by total amount).

→ select * from "EC_DB".orders where total_amount =(select max(total_amount) from "EC_DB".orders);



The screenshot shows the pgAdmin 4 interface with a SQL query executed in the 'Query' tab. The query is:


```
1 * from "EC_DB".products;
2 name, price, stock_quantity from "EC_DB".products where price = (select max(price)
3 user_id, count(*) from "EC_DB".orders group by user_id;
4 product_id, count(*) from "EC_DB".reviews group by product_id order by 2 desc limit(
5 product_id, avg(rating) from "EC_DB".reviews group by product_id;
6 product_id, count(*) as maximum from "EC_DB".order_details group by product_id order
7 user_id, sum(total_amount) from "EC_DB".orders group by user_id having sum(total_amo
8 "EC_DB".orders where total_amount =(select max(total_amount) from "EC_DB".orders);
9
```

The 'Data output' tab shows the results of the query:


order_id	user_id	order_date	shipping_address	total_amount	status
1	4	2024-03-24	H No. 27, Ramac.	19885.41	Pending

Total rows: 1 of 1. Query complete 00:00:00.093. Ln 8, Col 32.


9) List all products that have never been ordered.
 -> select * from "EC_DB".products where product_id NOT IN (select product_id from "EC_DB".orders);



10) Find the most active user (by the number of reviews).
 -> select user_id, count(*) from "EC_DB".reviews group by user_id order by 2 desc limit(3);



11) Get the average order amount per user
 -> select user_id, avg(total_amount) from "EC_DB".orders group by user_id;



12) List all users who have not placed any orders.

-> select * from "EC_DB".users where user_id NOT IN (select user_id from "EC_DB".orders);

Data Output Messages Notifications							
SQL							
	user_id [PK] integer	username character varying (50)	email character varying (100)	password character varying (255)	first_name character varying (50)	last_name character varying (50)	address text
1	4	jvin46	abaral@swaminathan.com	6_m0MUOmXP	Rasha	Batra	H.No. 773, Barad Circle, Thoothukudi-650008
2	5	adash	aarav17@lala-rajagopal.net	a*4TPgQ*qA	Rasha	Bumb	740, Yadav Marg, Vellore 700715
3	6	bkapoor	cheriansumer@das.com	jzeWXOSM(5	Ivana	Bhat	H.No. 991, Soman, Firozabad 523490
4	7	birhrishita	samiha83@hotmail.com	_4q1TGcvbv	Arnav	Rama	H.No. 104, Deshmukh Street, Nalhati-585014
5	9	dasguptaneysa	vivaan21@yahoo.com	(%W8Dc3uk0	Pihu	Warrior	05/606, Gulati Zila, Kalyan-Dombivli 332419
6	13	usangha	nchaudhry@yahoo.com	&gIC3fiT5	Nitara	Bumb	02/813, Ghose Nagar, Hubli-Dharwad 868311
7	14	charamira	tejas41@dora-singh.org	8)%5Rj0bG	Mahika	Varghese	H.No. 247, Dara Zila, Malda-059508
8	19	vsagar	diyaarya@bains-mangat.com	)35ArNdxvq	Nitya	Hans	H.No. 124, Bajwa Nagar, Dharmavaram-695531
9	23	rhea19	jayant25@yahoo.com	\$%wyQxj5i7	Faiyaz	Chakraborty	054, Rajagopalan Ganj, Phagwara-218855
10	24	kotamadhap	kalazaina@dhilloon.com	+FC0A&5hPO	Priyansh	Bumb	138, Chakraborty Marg, Salem 092861
11	25	ojaskota	yadavlagan@walli.net	_3(E06e#J	Eshani	Gokhale	491, Sampath Road, Bettiah 173976
12	26	bshirdhara	ebhatia@hotmail.com	4s8i7EuaVM	Ahans	Gokhale	H.No. 07, Datta Chauri, Kichanani-831450

Total rows: 35 of 35 Query complete 00:00:00.067

Ln 1, Col 84

13) Find the most recent review for each product.

```

-> SELECT
    p.product_id,
    p.name,
    r.review_id,
    r.review_date,
    r.comment,
    r.rating
FROM
    "EC_DB".products p
JOIN
    "EC_DB".reviews r ON p.product_id = r.product_id
WHERE
    r.review_date = (
        SELECT MAX(r2.review_date)
        FROM "EC_DB".reviews r2
        WHERE r2.product_id = p.product_id
    )
order by 1;

```

Data Output Messages Notifications							
SQL							
	product_id integer	name character varying (100)	review_id integer	review_date date	comment text	rating integer	
1	1	Mobile Phone	14	2024-07-07	Great performance with a sleek design, but the battery life could be better.	4	
2	2	Laptop	24	2024-01-28	Powerful and reliable, though it runs a bit hot during intensive tasks.	4	
3	3	Smart Watch	85	2024-03-29	Convenient for tracking fitness and notifications, but the battery life is short.	1	
4	4	Headphones	6	2024-06-26	Excellent sound quality and noise cancellation, though they can be a bit bulky.	2	
5	6	Shirt	29	2024-06-21	Comfortable and well-fitting, but the color fades after a few washes.	5	
6	7	Dress	61	2024-07-25	Stylish and flattering, though the sizing can be inconsistent.	3	
7	8	Shoes	93	2024-06-18	Comfortable for everyday wear, but they scuff easily.	5	
8	9	Jacket	100	2024-01-06	Fresh and flavorful, but the containers can be difficult to open.	2	
9	10	Jeans	92	2024-05-02	Fits well and looks great, though they shrink slightly after washing.	2	
10	11	Air Conditioner	26	2024-04-14	Effective at cooling the room quickly, but it's a bit noisy.	4	
11	12	Washing Machine	46	2024-06-07	Cleans clothes thoroughly and is easy to use, though it's a bit noisy.	1	
12	13	Refrigerator	99	2024-01-20	Spacious and keeps food fresh, but the freezer section is small.	1	

Total rows: 44 of 44 Query complete 00:00:00.059

Ln 15, Col 35

14) Get the list of users who have reviewed all products they have purchased.
 -> select u.user_id,u.username,u.email,u.first_name,o.order_id from "EC_DB".users
 u join "EC_DB".orders o ON u.user_id = o.order_id
 WHERE o.status = 'Delivered'

Data Output Messages Notifications					
	user_id integer	username character varying (50)	email character varying (100)	first_name character varying (50)	order_id integer
1	3	hrishita94	mamootyaja@yahoo.com	Sahil	3
2	7	birishita	samiha83@hotmail.com	Arnav	7
3	15	ravalvuvraj	vaibhav86@gmail.com	Indranil	15
4	16	divithayre	bhallaveer@yahoo.com	Gokul	16
5	26	vivaanandra	ryansinghal@tak.com	Stuvan	26
6	27	tanyahanda	ritviksarna@yahoo.com	Parinaaz	27
7	30	kabiridugar	nbhatia@hotmail.com	Ahana	30
8	31	rbhardwaj	vritikaramaswamy@yahoo.com	Nirvaan	31
9	32	cbaral	hvarghese@suresh.biz	Ivan	32
10	33	cswamy	gollaazad@borde.com	Arnav	33
11	38	hazel63	anahi08@gmail.com	Siya	38
12	40	hridaannannan	shaanbal@yahoo.com	Romil	40

Total rows: 23 of 23 Query complete 00:00:00.071 Ln 22, Col 1

15) Create a view that shows the total amount spent by each user.
 -> CREATE OR REPLACE VIEW "EC_DB".userSpent AS select
 u.user_id,u.username,u.email,u.first_name,sum(o.total_amount) from
 "EC_DB".users u join "EC_DB".orders o on u.user_id = o.user_id group by
 u.user_id,u.username;

select * from "EC_DB".userSpent view;

Data Output Messages Notifications					
	user_id integer	username character varying (50)	email character varying (100)	first_name character varying (50)	sum numeric
1	87	bandiadah	mkarnik@gmail.com	Yuvraj	17062.15
2	74	tiyamander	acharyaadvik@dayal.net	Vivaan	26604.03
3	54	anaya74	ojas72@yahoo.com	Tara	13965.43
4	29	arhaanagrawal	sanghaaaina@ravel.org	Neelofar	5410.19
5	71	veermand	parigrewal@hotmail.com	Ojas	24920.14
6	68	vswaminathan	vaibhavbera@sathe.net	Heer	29154.63
7	34	wkar	indranchowdhury@sheth.com	Ritvik	1845.87
8	51	lavanya60	mreddy@hotmail.com	Tejas	18337.45
9	96	qganguly	prerak39@hotmail.com	Veer	22239.80
10	52	ivan34	borahushar@hotmail.com	Hiran	17457.60
11	67	anika40	orattan@babu-master.com	Charvi	3293.58
12	63	veerbala	rhea81@uppal.com	Shalv	18275.76

Total rows: 65 of 65 Query complete 00:00:00.089 Ln 23, Col 29

16) Get the average price of products in each category that have been reviewed.
 -> SELECT
 c.category_id,c.category_name,AVG(p.price) AS average_price
 FROM
 "EC_DB".products p
 JOIN
 "EC_DB".categories c ON p.category_id = c.category_id
 JOIN
 "EC_DB".reviews r ON p.product_id = r.product_id
 GROUP BY
 c.category_id,
 c.category_name;

Data Output Messages Notifications			
	category_id [PK] integer	category_name character varying (100)	average_price numeric
1	4	Books	2987.1125000000000000
2	10	Furniture	4278.4150000000000000
3	6	Sports & Fitness	6155.1570000000000000
4	2	Fashion	3339.5378571428571429
5	7	Groceries	4607.7738461538461538
6	9	Automotive	6132.2745454545454545
7	3	Home Appliances	4004.2200000000000000
8	1	Electronics	5391.9925000000000000
9	5	Beauty & Personal Care	8884.3642857142857143
10	8	Toys & Baby Products	5029.1460000000000000

Total rows: 10 of 10 Query complete 00:00:00.192 Ln 37, Col 21

17) List all users who have placed more than 2 orders.

```
-> SELECT
    u.user_id,
    u.username,
    COUNT(o.order_id) AS order_count
FROM
    "EC_DB".users u
JOIN
    "EC_DB".orders o ON u.user_id = o.user_id
GROUP BY
    u.user_id,
    u.username
HAVING
    COUNT(o.order_id) > 2;
```

Data Output Messages Notifications			
	user_id [PK] integer	username character varying (50)	order_count bigint
1	59	suhanakunda	3
2	75	prisharaja	3
3	88	eshani50	3
4	40	hridaannannan	3
5	8	rgola	4

Total rows: 5 of 5 Query complete 00:00:00.150 Ln 50, Col 27

18) Find users who have made purchases from all categories

```
-> SELECT o.user_id
FROM "EC_DB".orders o
JOIN "EC_DB".order_details od ON o.order_id = od.order_id
JOIN "EC_DB".products p ON od.product_id = p.product_id
GROUP BY o.user_id
HAVING COUNT(DISTINCT p.category_id) = (SELECT COUNT(*) FROM
"EC_DB".categories);
```

Data Output	Messages	Notifications
SQL user_id integer		
Total rows: 0 of 0 Query complete 00:00:00.054 Ln 11, Col 1		

19) List all users who have placed orders in the last 30 days but haven't made a purchase in the last 7 days.

```
->. SELECT DISTINCT o.user_id
FROM "EC_DB".orders o
WHERE o.order_date >= CURRENT_DATE - INTERVAL '30 days' -- Orders in the
last 30 days
AND o.user_id NOT IN (
    SELECT o2.user_id
    FROM "EC_DB".orders o2
    WHERE o2.order_date >= CURRENT_DATE - INTERVAL '7 days' -- Exclude
users with orders in the last 7 days
);
```

Data Output

Messages

Notifications

20) Identify the products with a stock quantity below the average stock level.

```
->SELECT PRODUCT_ID , NAME , DESCRIPTION , PRICE , STOCK_QUANTITY
FROM "EC_DB".PRODUCTS WHERE STOCK_QUANTITY < (SELECT
AVG(STOCK_QUANTITY) FROM "EC_DB".PRODUCTS);
```


Data Output Messages Notifications					
	product_id [PK] integer	name character varying (100)	description text	price numeric (10,2)	stock_quantity integer
1	1	Mobile Phone	Portable communication device with internet access and app...	7498.65	28
2	4	Headphones	Audio device for listening to music or calls privately.	6992.10	18
3	6	Shirt	Upper body garment with sleeves and a collar.	5909.62	32
4	8	Shoes	Footwear for protection and style.	2334.15	30
5	13	Refrigerator	Appliance for storing food at low temperatures.	9781.32	21
6	15	Vacuum Cleaner	Device for cleaning floors by suction.	4826.74	26
7	16	Novel	Long work of fiction with a complex plot.	7583.52	37
8	21	Skincare Cream	Product for moisturizing and improving skin health.	7258.87	5
9	22	Shampoo	Hair care product for cleansing and conditioning hair.	9140.97	23
10	23	Lipstick	Cosmetic product for coloring and defining lips.	4237.06	23
11	24	Perfume	Fragrant liquid applied to the body for scent.	9345.83	5
12	26	Dumbbells	Weights used for strength training exercises.	7900.81	24
Total rows: 24 of 24		Query complete 00:00:00.114			Ln 1, Col 88

21) Create a view 'product_avg_rating' to show the average rating of each product.

-> CREATE OR REPLACE VIEW "EC_DB".product_avg_rating AS select P.PRODUCT_ID , P.NAME , P.DESCRPTION , P.PRICE , AVG(R.RATING) from "EC_DB".PRODUCTS P join "EC_DB".REVIEWS R on P.PRODUCT_id = R.PRODUCT_id group by P.PRODUCT_ID;

SELECT * FROM "EC_DB".product_avg_rating VIEW ORDER BY 1;

Data Output Messages Notifications					
	product_id integer	name character varying (100)	description text	price numeric (10,2)	avg numeric
1	1	Mobile Phone	Portable communication device with internet access and app...	7498.65	4.0000000000000000
2	2	Laptop	Compact computer for personal and professional use.	2100.47	4.0000000000000000
3	3	Smart Watch	Wearable device for tracking fitness and notifications.	2784.21	2.0000000000000000
4	4	Headphones	Audio device for listening to music or calls privately.	6992.10	3.0000000000000000
5	6	Shirt	Upper body garment with sleeves and a collar.	5909.62	3.2000000000000000
6	7	Dress	One-piece garment for formal or casual wear.	602.58	3.3333333333333333
7	8	Shoes	Footwear for protection and style.	2334.15	5.0000000000000000
8	9	Jacket	Outerwear garment for warmth and protection.	619.66	2.0000000000000000
9	10	Jeans	Durable pants made from denim fabric.	3369.91	1.6666666666666667
10	11	Air Conditioner	Device for cooling and controlling indoor climate.	1095.39	3.0000000000000000
11	12	Washing Machine	Appliance for washing clothes automatically.	1460.92	2.3333333333333333
12	13	Refrigerator	Appliance for storing food at low temperatures.	9781.32	3.0000000000000000
Total rows: 44 of 44		Query complete 00:00:00.120			Ln 3, Col 58

22) List products with an average rating above 4.5 using the 'product_avg_rating' view.

-> SELECT * FROM "EC_DB".product_avg_rating VIEW WHERE AVGRATING > 4.5 ORDER BY 1 ;

Data Output Messages Notifications					
	product_id integer	name character varying (100)	description text	price numeric (10,2)	avgrating numeric
1	8	Shoes	Footwear for protection and style.	2334.15	5.0000000000000000
2	17	Textbook	Educational book used for studying and reference.	3279.56	4.6666666666666667
3	24	Perfume	Fragrant liquid applied to the body for scent.	9345.83	4.6666666666666667
4	28	Yoga Mat	Cushioning surface for practicing yoga and stretchin...	8779.76	5.0000000000000000
5	30	Exercise Bike	Stationary bike for cardiovascular workouts.	1162.28	5.0000000000000000
6	33	Pulses	Edible seeds like lentils and beans.	8903.67	5.0000000000000000
7	44	Bike Helmet	Protective headgear for cycling safety.	3346.47	5.0000000000000000

Total rows: 7 of 7 Query complete 00:00:00.134 Ln 4, Col 81

23) Create a view '**product_review_count**' to show the number of reviews per product.

->CREATE OR REPLACE VIEW "EC_DB".product_review_count AS select P.PRODUCT_ID , P.NAME , P.DESCRPTION , P.PRICE , COUNT(R.REVIEW_ID) AS REVIEWCOUNT from "EC_DB".PRODUCTS P join "EC_DB".REVIEWS R on P.PRODUCT_id = R.PRODUCT_id group by P.PRODUCT_ID;

SELECT * FROM "EC_DB".product_review_count VIEW

Data Output Messages Notifications					
	product_id integer	name character varying (100)	description text	price numeric (10,2)	reviewcount bigint
1	29	Protein Powder	Supplement for increasing dietary protein intake.	3054.08	3
2	4	Headphones	Audio device for listening to music or calls privately.	6992.10	4
3	34	Spices	Flavoring substances used in cooking.	8525.49	2
4	10	Jeans	Durable pants made from denim fabric.	3369.91	3
5	35	Cooking Oil	Fat used for frying and baking.	2801.09	3
6	45	Car Vacuum Cleaner	Portable vacuum for cleaning vehicle interiors.	6725.63	1
7	6	Shirt	Upper body garment with sleeves and a collar.	5909.62	5
8	39	Crib	Bed for infants with safety features.	7392.52	1
9	36	Toy Car	Miniature vehicle for children to play with.	3373.77	2
10	31	Rice	Staple grain used in a variety of dishes.	2917.16	5
11	14	Microwave	Appliance for quickly heating and cooking food.	4128.38	2
12	13	Refrigerator	Appliance for storing food at low temperatures.	9781.32	2

Total rows: 44 of 44 Query complete 00:00:00.139 Ln 7, Col 1

24) List products with more than 10 reviews using the '**product_review_count**' view.

-> SELECT * FROM "EC_DB".product_review_count VIEW WHERE REVIEWCOUNT > 10 ORDER BY 1

Data Output Messages Notifications					
	product_id integer	name character varying (100)	description text	price numeric (10,2)	reviewcount bigint

Total rows: 0 of 0 Query complete 00:00:00.127 Ln 6, Col 83

25) Create a view 'recent_orders' to show all orders placed in the last 30 days.

```
-> CREATE VIEW recent_orders AS  
SELECT * FROM "EC_DB".ORDERS  
WHERE order_date >= CURRENT_DATE - INTERVAL '30' DAY;
```

```
SELECT * FROM RECENT_ORDERS VIEW;
```

Data Output Messages Notifications									
SQL									
	order_id integer	user_id integer	order_date date	shipping_address text	total_amount numeric (10,2)	status character varying (50)			
1	9	89	2024-07-26	97/92, Chhabra Zila, Nagaon-085732	8472.91	Pending			
2	20	91	2024-07-16	H.No. 895, Ratti Zila, Anand-352399	13813.24	Pending			
3	29	29	2024-07-23	H.No. 392, Kunda Marg, Bareilly 871521	4842.46	Cancelled			
4	38	54	2024-07-23	83/609, Barad, Sasaram 479972	7250.11	Delivered			
5	75	75	2024-07-29	02, Johal Street, Tirunelveli-120696	17654.42	Shipped			
6	82	17	2024-08-02	05/57, Lala Path, Miryalaguda 003294	13591.18	Pending			
7	83	66	2024-07-24	H.No. 264, Soni, Allahabad-911510	15823.19	Cancelled			
8	92	93	2024-07-20	242, Jain Ganj, Bharatpur-294743	14297.75	Pending			

Total rows: 8 of 8 Query complete 00:00:00.112 Ln 12, Col 32

26) List the most expensive orders placed in the last 30 days using the 'recent_orders' view.

```
-> SELECT * FROM RECENT_ORDERS VIEW WHERE TOTAL_AMOUNT =  
(SELECT MAX(TOTAL_AMOUNT) FROM RECENT_ORDERS VIEW)
```

Data Output Messages Notifications									
SQL									
	order_id integer	user_id integer	order_date date	shipping_address text	total_amount numeric (10,2)	status character varying (50)			
1	75	75	2024-07-29	02, Johal Street, Tirunelveli-120696	17654.42	Shipped			

Total rows: 1 of 1 Query complete 00:00:00.308 Ln 12, Col 32

27) Create a view 'product_sales_quantity' to show the total quantity sold for each product.

```
-> CREATE OR REPLACE VIEW "EC_DB".product_sales_quantity AS select  
P.PRODUCT_ID , P.NAME , P.DESCRPTION , P.PRICE , SUM(O.QUANTITY) AS  
QTYTOTAL from "EC_DB".PRODUCTS P join "EC_DB".ORDER_DETAILS O on  
P.PRODUCT_id = O.PRODUCT_id group by P.PRODUCT_ID;
```

```
SELECT * FROM "EC_DB".product_sales_quantity VIEW ORDER BY 1;
```

Data Output Messages Notifications					
SQL					
	product_id	name	description	price	qtytotal
	integer	character varying (100)	text	numeric (10,2)	bigint
1	1	Mobile Phone	Portable communication device with internet access and app...	7498.65	19
2	2	Laptop	Compact computer for personal and professional use.	2100.47	9
3	3	Smart Watch	Wearable device for tracking fitness and notifications.	2784.21	23
4	4	Headphones	Audio device for listening to music or calls privately.	6992.10	14
5	5	Tablet	Touchscreen device for media consumption and productivity.	1181.34	19
6	6	Shirt	Upper body garment with sleeves and a collar.	5909.62	13
7	7	Dress	One-piece garment for formal or casual wear.	602.58	33
8	8	Shoes	Footwear for protection and style.	2334.15	35
9	9	Jacket	Outerwear garment for warmth and protection.	619.66	52
10	10	Jeans	Durable pants made from denim fabric.	3369.91	35
11	11	Air Conditioner	Device for cooling and controlling indoor climate.	1095.39	36
12	12	Washing Machine	Appliance for washing clothes automatically.	1460.92	41
Total rows: 50 of 50 Query complete 00:00:00.106 Ln 14, Col 61					

28) List the top 5 best-selling products using the 'product_sales_quantity' view.
 -> SELECT * FROM "EC_DB".product_sales_quantity VIEW ORDER BY QTYTOTAL DESC LIMIT(5);

Data Output Messages Notifications					
SQL					
	product_id	name	description	price	qtytotal
	integer	character varying (100)	text	numeric (10,2)	bigint
1	32	Wheat Flour	Ground flour used in baking and cooking.	5478.67	56
2	46	Sofa	Comfortable seating for multiple people.	9818.68	53
3	44	Bike Helmet	Protective headgear for cycling safety.	3346.47	53
4	9	Jacket	Outerwear garment for warmth and protection.	619.66	52
5	41	Car Tyre	Rubber covering for vehicle wheels.	2012.30	52
Total rows: 5 of 5 Query complete 00:00:00.099 Ln 14, Col 11					

29) Create a view 'product_sales_quantity' to show the total number of orders each user has placed.
 -> CREATE OR REPLACE VIEW "EC_DB".product_sales_users AS select U.USER_ID , U.USERNAME , U.EMAIL , U.FIRST_NAME , COUNT(O.USER_ID) AS TOTALORDER from "EC_DB".USERS U join "EC_DB".ORDERS O on U.USER_id = O.USER_id group by U.USER_ID;

SELECT * FROM "EC_DB".product_sales_users ORDER BY 1;

Data Output Messages Notifications					
SQL					
	user_id	username	email	first_name	totalorder
	integer	character varying (50)	character varying (100)	character varying (50)	bigint
1	1	mamooty17	devansh14@khanna-gala.com	Amani	1
2	2	stuvantara	vkhalasa@sha.com	Priyansh	1
3	3	hrishita94	mamootyrajaa@yahoo.com	Sahil	1
4	8	rgola	isood@gmail.com	Arnav	4
5	10	siyengar	aniruddh81@gour.com	Madhup	2
6	11	sahilvala	kuppala@kata.com	Armaan	1
7	12	armaan19	amira64@sheth.biz	Dhruv	1
8	15	ravaluyuvraj	vaibhav86@gmail.com	Indranil	2
9	16	divithayre	bhallaveer@yahoo.com	Gokul	2
Total rows: 65 of 65 Query complete 00:00:00.309 Ln 16, Col 53					

30) List users who have placed more than 3 orders using the 'user_order_count' view.

-> SELECT * FROM "EC_DB".product_sales_users WHERE TOTALORDER > 3
ORDER BY 1;

Data Output					
Messages					
Notifications					
SQL					
	user_id	username	email	first_name	totalorder
	Integer	character varying (50)	character varying (100)	character varying (50)	bigint
1	8	rgola	isood@gmail.com	Amav	4

Total rows: 1 of 1 Query complete 00:00:00.083 Ln 16, Col 74