```
1
    HTML CODE:
    < ! DOCT YPE html>
     <html>
      <hend>
       <Style>
       body &
         margin: 0;
        font-family: Arial, helvetica, sans-sorif;
        image &
           background-image: unl("3.jpg");
            background - color: # ccccc;
             height: Soopx;
            background - position: center;
             background - repeat: no-repeat;
             backgeround - size: cover;
              position: relative;
         . text {
             text-align: center;
               position: absolute;
               top: 50%;
               left: 50 %;
               transform: translate (-50%, -50%);
               Color: white;
```

```
· btn ?
  color; white;
   padding: 12/x 24/xi
    text-align: center;
    test - decoration : none;
     font-size : 16 px;
      margin: 4/x 2/x;
     transition-duration: 0.45)
       curses: pointer;
    3
   · btn [
      background - color; white;
       Color: black;
        border: apx solid #555555;
        color: white;
    · Content &
         padding: Spx;
          width : 50%;
       4
      </5tyle>
      </head >
       <body>
       <div class = "image">
        < iny
         style = "width: 200px; height: 200px; position: fixed"
            Src = " gehv. Ifil
              alt = "graphic era logo"
```

```
< img
 style = "width : 200px; height: 200px;
   float : right "
       Src = " gehua .jfig"
        alt = " (oder lego"
        <dir class = "text">
          <h1 style = "font-size: 55 px"> welcome </h1>
          < button class - "btn"> contact Us </button>
            </div>
            </div>
style = " padding: 5 px; font-size; larger"> About the
     page 
  <p dal = " (ontent")
       Lorem ipsum dolor sit amet Consuctetur
      adipisicing elit.
   <//>
  < |body >
    </html>
```

```
link 1. html
(2)
    <! DOCTYPE html>
      <html>
      <head>
        <meta charlet= "tetg-8">
         <meta name = "viewport" Gontent = "width = device - width,</pre>
           initial - scale = 1">
            <title > link. html </title>
          </nead>
           Ybody>
           <h1 style = "(olor: red; font-family: monospace; font-size;</p>
              30 px;"> <(enter><hr>> online shopping website
              <hr></h2>
                <a href="link.html" taget="f1"> Home </a>
                 I a href = "about html" taget = "f2"> About < h>
                  < a href: "(ontact.html' tayet = "g2"> Contact </a>
            16.da>
             </html>
   navigation frome. html
   <! DOCTYPE html>
       くわかり
        thead>
            Kmeta charget = " utg-g">
            < meta name = " viewport" content = "width = device -width,
               initial-scale=1'>
              <+i+le> </title>
           Thead >
```