Vladimir Podolskii

Computer Science Department, Higher School of Economics

Outline

Even and Odd Numbers

Piece on a Chessboard

Summing up Digits

Switching Signs

Advanced Signs Switching

 Even numbers are integer numbers divisible by 2

- Even numbers are integer numbers divisible by 2
- Odd numbers are all others

- Even numbers are integer numbers divisible by 2
- Odd numbers are all others
- 2, 4, 6, 8, ... are even

- Even numbers are integer numbers divisible by 2
- Odd numbers are all others
- 2, 4, 6, 8, ... are even
- 1, 3, 5, 7, ... are odd

- Even numbers are integer numbers divisible by 2
- Odd numbers are all others
- 2, 4, 6, 8, ... are even
- 1, 3, 5, 7, ... are odd
- What about 0?

- Even numbers are integer numbers divisible by 2
- Odd numbers are all others
- 2, 4, 6, 8, ... are even
- 1, 3, 5, 7, ... are odd
- What about 0? Also even

- Even numbers are integer numbers divisible by 2
- Odd numbers are all others
- 2, 4, 6, 8, ... are even
- 1, 3, 5, 7, ... are odd
- What about 0? Also even

... -5 -4 -3 -2 -1 0 1 2 3 4 5 6 ...

- Even numbers are integer numbers divisible by 2
- Odd numbers are all others
- 2, 4, 6, 8, ... are even
- 1, 3, 5, 7, ... are odd
- What about 0? Also even

... -5 -4 -3 -2 -1 0 1 2 3 4 5 6 ...

 The properties of a number to be even and odd are important invariants



geograph.org.uk

Outline

Even and Odd Numbers

Piece on a Chessboard

Summing up Digits


Switching Signs

Advanced Signs Switching


Puzzle

A piece on a chessboard can move to any cell adjacent by edge to the current one. Can it return to the original position after 17 moves? What about 18 moves?

Let's start with a more simple case of 18 moves




Let's start with a more simple case of 18 moves




We can return after 2 steps

Let's start with a more simple case of 18 moves




We can return after 2 steps

Let's start with a more simple case of 18 moves




We can return after 2 steps

Let's start with a more simple case of 18 moves




We can return after 2 steps Repeat 9 times

The same argument does not work for 17 steps




Indeed, 17 is odd

The same argument does not work for 17 steps



Indeed, 17 is odd
Observation: after even
number of steps a
piece is on the light
field
After odd number of
steps it is on the dark
field

The same argument does not work for 17 steps



Indeed, 17 is odd
Observation: after even
number of steps a
piece is on the light
field
After odd number of
steps it is on the dark
field

No way to get back after odd number of steps

Outline

Even and Odd Numbers

Piece on a Chessboard

Summing up Digits

Switching Signs

Advanced Signs Switching

Puzzle

$$\pm$$
 1 \pm 2 \pm 3 \pm 4 \pm 5 \pm 6 \pm 7 \pm 8 \pm 9

Puzzle

Is it possible to place signs in the expression $\pm 1 \pm 2 \pm ... \pm 9$ to get as a result the sum 100? Can we get 2?

$$\pm$$
 1 \pm 2 \pm 3 \pm 4 \pm 5 \pm 6 \pm 7 \pm 8 \pm 9

Let's start with 100

Puzzle

$$\pm$$
 1 \pm 2 \pm 3 \pm 4 \pm 5 \pm 6 \pm 7 \pm 8 \pm 9

- Let's start with 100
- We get the largest sum if place '+' everywhere

Puzzle

$$+$$
 1 + 2 + 3 + 4 + 5 + 6 + 7 + 8 + 9

- Let's start with 100
- We get the largest sum if place '+' everywhere

Puzzle

$$+$$
 1 + 2 + 3 + 4 + 5 + 6 + 7 + 8 + 9 = 45

- Let's start with 100
- We get the largest sum if place '+' everywhere

Puzzle

$$+$$
 1 + 2 + 3 + 4 + 5 + 6 + 7 + 8 + 9 = 45

- Let's start with 100
- We get the largest sum if place '+' everywhere
- So we cannot get anything greater than 45

Puzzle

$$\pm$$
 1 \pm 2 \pm 3 \pm 4 \pm 5 \pm 6 \pm 7 \pm 8 \pm 9

Puzzle

Is it possible to place signs in the expression $\pm 1 \pm 2 \pm ... \pm 9$ to get as a result the sum 100? Can we get 2?

$$\pm$$
 1 \pm 2 \pm 3 \pm 4 \pm 5 \pm 6 \pm 7 \pm 8 \pm 9

What about the sum 2?

Puzzle

$$\pm$$
 1 \pm 2 \pm 3 \pm 4 \pm 5 \pm 6 \pm 7 \pm 8 \pm 9

- What about the sum 2?
- Note that there are 4 even numbers and 5 odd numbers in the sequence

Puzzle

$$\pm$$
 1 \pm 2 \pm 3 \pm 4 \pm 5 \pm 6 \pm 7 \pm 8 \pm 9

- What about the sum 2?
- Note that there are 4 even numbers and 5 odd numbers in the sequence
- No matter how we put the signs, the sum will be odd

Puzzle

$$\pm$$
 1 \pm 2 \pm 3 \pm 4 \pm 5 \pm 6 \pm 7 \pm 8 \pm 9

- What about the sum 2?
- Note that there are 4 even numbers and 5 odd numbers in the sequence
- No matter how we put the signs, the sum will be odd
- So the sum 2 is impossible

Puzzle

Which sums is it possible to get by place signs in the expression $\pm 1 \pm 2 \pm ... \pm 9$?

Puzzle

Which sums is it possible to get by place signs in the expression $\pm 1 \pm 2 \pm ... \pm 9$?

 We have seen two obstacles: the sum is odd and the sum is at most 45 (and symmetrically, at least —45)

Puzzle

Which sums is it possible to get by place signs in the expression $\pm 1 \pm 2 \pm ... \pm 9$?

- We have seen two obstacles: the sum is odd and the sum is at most 45 (and symmetrically, at least —45)
- But what about other sums?

Summing up Digits

Puzzle

Which sums is it possible to get by place signs in the expression $\pm 1 \pm 2 \pm ... \pm 9$?

- We have seen two obstacles: the sum is odd and the sum is at most 45 (and symmetrically, at least —45)
- But what about other sums?
- It turns out, all sums satisfying restrictions are possible!
 We will not discuss it, but you can try to show it yourself

Summing up Digits

Puzzle

Which sums is it possible to get by place signs in the expression $\pm 1 \pm 2 \pm ... \pm 9$?

- We have seen two obstacles: the sum is odd and the sum is at most 45 (and symmetrically, at least —45)
- But what about other sums?
- It turns out, all sums satisfying restrictions are possible!
 We will not discuss it, but you can try to show it yourself
- For this consider the following "greedy" algorithm. Start from right to left and place the signs greedily: if the current sum is less than the goal, increase the sum, otherwise decrease it

Outline

Even and Odd Numbers


Piece on a Chessboard

Summing up Digits


Switching Signs


Puzzle


We are given a 4×4 table. In left top corner there is '-' sign. In all other cells there are '+' signs. On one step we are allowed to switch all signs in some column or some row. Can we switch all signs to '+'?





_	+	+	+
+	+	+	+
+	+	+	+
+	+	+	+





















- If we try to do it, we can notice that the number of minuses is always odd
- This is an invariant!



- If we try to do it, we can notice that the number of minuses is always odd
- This is an invariant!
- Cannot switch to all '+' since then the number of '-' would be even (zero)

Outline

Even and Odd Numbers

Piece on a Chessboard

Summing up Digits

Switching Signs

Puzzle

We are given a 4×4 table. In all corners there are '-' signs. In all other cells there are '+' signs. On one step we are allowed to switch all signs in some column or some row. Can we switch all signs to '+'?

_	+	+	_
+	+	+	+
+	+	+	+
-	+	+	_

-	+	+	_
+	+	+	+
+	+	+	+
_	+	+	_

_	+	+	_
+	+	+	+
+	+	+	+
_	+	+	_


• Now, this looks way more tricky.

_	+	+	
+	+	+	+
+	+	+	+
_	+	+	_


 Now, this looks way more tricky. The old solution does not work

_	+	+	_
+	+	+	+
+	+	+	+
_	+	+	_


- Now, this looks way more tricky. The old solution does not work
- If you know about residues modulo 4 (we will learn later), you can try to use them.



- Now, this looks way more tricky. The old solution does not work
- If you know about residues modulo 4 (we will learn later), you can try to use them. But it also does not help!




- Now, this looks way more tricky. The old solution does not work
- If you know about residues modulo 4 (we will learn later), you can try to use them. But it also does not help!
- Yet, there is a very simple solution




- Now, this looks way more tricky. The old solution does not work
- If you know about residues modulo 4 (we will learn later), you can try to use them. But it also does not help!
- Yet, there is a very simple solution
- If you do not know it, think a bit more before watching further for a better experience


-	+	+	_
+	+	+	+
+	+	+	+
_	+	+	_




 The idea is simple. Let's look at the small part of the problem




 The idea is simple. Let's look at the small part of the problem




- The idea is simple. Let's look at the small part of the problem
- If we switch a column or a row in the large table, we switch a row or a column in the small too (or do nothing)




- To solve a big problem we have to solve this 2×2 problem




- To solve a big problem we have to solve this 2×2 problem
- And 2×2 problem is unsolvable by the old argument!




• We have found powerful obstacles: each 2×2 square should have even number of '—' for the puzzle to be solvable




- We have found powerful obstacles: each 2×2 square should have even number of '—' for the puzzle to be solvable
- In fact these are the only obstacles! That is, if all 2×2 squares have even number of '—', it is possible to switch all signs to '+'.







- Assume that our invariant holds: each 2×2 square has even number of '—'



- Assume that our invariant holds: each 2×2 square has even number of '—'
- Switch the first row and the first column to all '+'



- Assume that our invariant holds: each 2×2 square has even number of '—'
- Switch the first row and the first column to all '+'



- Assume that our invariant holds: each 2×2 square has even number of '—'
- Switch the first row and the first column to all '+'
- Use invariant to show that the rest of the table is filled with '+'

• Invariants are important

- Invariants are important
- Help to prove impossibility

- Invariants are important
- Help to prove impossibility
- And also to establish termination and running time bounds (important)

- Invariants are important
- Help to prove impossibility
- And also to establish termination and running time bounds (important)
- Can take many forms: numbers, "being even or odd", equations, inequalities, etc.

- Invariants are important
- Help to prove impossibility
- And also to establish termination and running time bounds (important)
- Can take many forms: numbers, "being even or odd", equations, inequalities, etc.
- Double counting: a special case

- Invariants are important
- Help to prove impossibility
- And also to establish termination and running time bounds (important)
- Can take many forms: numbers, "being even or odd", equations, inequalities, etc.
- Double counting: a special case
- This is not all: there are other forms of invariants (e.g. residues); we will see some more later on