### **Problems in Combinatorics**

#### Vladimir Podolskii

Computer Science Department, Higher School of Economics

### **Outline**

### Distributing Assignments Among People

Distributing Candies Among Kids

Numbers with Fixed Sum of Digits

Numbers with Non-increasing Digits

Splitting into Working Groups

#### **Problem**

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?

We have count selections of assignments for 4 people

#### **Problem**

- We have count selections of assignments for 4 people
- In this problem people are different, so the selection is ordered

#### **Problem**

- We have count selections of assignments for 4 people
- In this problem people are different, so the selection is ordered
- No assignment can be given to two persons simultaneously, so no repetitions

#### **Problem**

- We have count selections of assignments for 4 people
- In this problem people are different, so the selection is ordered
- No assignment can be given to two persons simultaneously, so no repetitions
- So we are dealing with k-permutations

#### **Problem**

Persons	1	2	3	4
Number of options				

#### **Problem**

Persons	1	2	3	4
Number of options	9			

#### **Problem**

Persons	1	2	3	4
Number of options	9	8		

#### **Problem**

Persons	1	2	3	4
Number of options	9	8	7	

#### **Problem**

Persons	1	2	3	4
Number of options	9	8	7	6

#### **Problem**

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?

• The answer is  $9 \times 8 \times 7 \times 6 = 3024$ 

#### **Problem**

- The answer is  $9 \times 8 \times 7 \times 6 = 3024$
- Needed to count permutations

#### **Problem**

#### **Problem**

There are 4 people and 9 different assignments. We need to distribute all assignments among people. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

Each person receives several assignments

#### **Problem**

- Each person receives several assignments
- Can try to look at persons one by one

#### **Problem**

- Each person receives several assignments
- Can try to look at persons one by one
- The first person is assigned arbitrary subset; we know how to count the number of subsets

#### **Problem**

- Each person receives several assignments
- Can try to look at persons one by one
- The first person is assigned arbitrary subset; we know how to count the number of subsets
- The second person: the number of options left depends on what we choose for the first person

#### **Problem**

There are 4 people and 9 different assignments. We need to distribute all assignments among people. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

Seems tricky

#### **Problem**

- Seems tricky
- Idea: look from the other point of view!

#### **Problem**

- Seems tricky
- Idea: look from the other point of view!
- Don't give assignments to people, assign people to assignments instead

#### **Problem**

Assignment	1	2	3	4	5	6	7	8	9
Number of options									

#### **Problem**

Assignment	1	2	3	4	5	6	7	8	9
Number of options	4	4	4	4	4	4	4	4	4

#### **Problem**

There are 4 people and 9 different assignments. We need to distribute all assignments among people. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

• So the answer is  $4^9 = 262144$ 

#### **Problem**

- So the answer is  $4^9 = 262144$
- Just needed to count tuples

#### **Problem**

- So the answer is  $4^9 = 262144$
- Just needed to count tuples
- But needed also to look from the other side

### **Outline**

Distributing Assignments Among People

Distributing Candies Among Kids

Numbers with Fixed Sum of Digits

Numbers with Non-increasing Digits

Splitting into Working Groups

#### **Problem**

There are 15 identical candies. How many ways are there to distribute them among 7 kids?

Giving each candy we choose one of 7 kids

### **Problem**

- Giving each candy we choose one of 7 kids
- Repetitions are allowed, the same kid can receive a candy several times

#### **Problem**

- Giving each candy we choose one of 7 kids
- Repetitions are allowed, the same kid can receive a candy several times
- Candies are identical, so the order does not matter

#### **Problem**

- Giving each candy we choose one of 7 kids
- Repetitions are allowed, the same kid can receive a candy several times
- · Candies are identical, so the order does not matter
- We are dealing with combinations with repetitions!

#### **Problem**

There are 15 identical candies. How many ways are there to distribute them among 7 kids?

Number of candies is the size of a combination

### **Problem**

- Number of candies is the size of a combination
- Number of kids is the number of options

#### **Problem**

- Number of candies is the size of a combination
- Number of kids is the number of options
- So, the answer is  $\binom{15+(7-1)}{(7-1)} = \binom{21}{6} = 54264$

### **More Fair Distribution**

#### **Problem**

There are 15 identical candies. How many ways are there to distribute them among 7 kids in such a way that each kid receives at least 1 candy?

The previous solution does not work, we have additional restriction

### **More Fair Distribution**

#### **Problem**

There are 15 identical candies. How many ways are there to distribute them among 7 kids in such a way that each kid receives at least 1 candy?

- The previous solution does not work, we have additional restriction
- But we can reduce the problem to the previous one

### **Problem**

- The previous solution does not work, we have additional restriction
- But we can reduce the problem to the previous one
- We have to give each kid at least one candy

#### **Problem**

- The previous solution does not work, we have additional restriction
- But we can reduce the problem to the previous one
- We have to give each kid at least one candy
- · So let's just do it!

### **Problem**

There are 15 identical candies. How many ways are there to distribute them among 7 kids in such a way that each kid receives at least 1 candy?

• Now we are left with 15–7=8 candies

### **Problem**

- Now we are left with 15—7=8 candies
- And we can distribute them as in the previous problem!

### **Problem**

- Now we are left with 15—7=8 candies
- And we can distribute them as in the previous problem!
- Combinations with repetitions, the size of the combination is 8, the number of options is 7

### **Problem**

- Now we are left with 15—7=8 candies
- And we can distribute them as in the previous problem!
- Combinations with repetitions, the size of the combination is 8, the number of options is 7
- So, the answer is  $\binom{8+(7-1)}{(7-1)}=\binom{14}{6}=3\,003$

### **Problem**

There are 15 identical candies. How many ways are there to distribute them among 7 kids in such a way that each kid receives at least 1 candy?

• So, the answer is  $\binom{8+(7-1)}{(7-1)} = \binom{14}{6} = 3003$ 

### **Problem**

- So, the answer is  $\binom{8+(7-1)}{(7-1)}=\binom{14}{6}=3\,003$
- Compare to the answer to the previous problem:  $54\,264$

### **Problem**

- So, the answer is  $\binom{8+(7-1)}{(7-1)}=\binom{14}{6}=3\,003$
- Compare to the answer to the previous problem:  $54\,264$
- Vast majority of ways to share candies will leave some kids without any

## **Outline**

Distributing Assignments Among People

Distributing Candies Among Kids

Numbers with Fixed Sum of Digits

Numbers with Non-increasing Digits

Splitting into Working Groups

### **Problem**

How many non-negative integer numbers are there below 10 000 such that their sum of digits is equal to 9?

Consider numbers as sequences of 4 digits

### **Problem**

- Consider numbers as sequences of 4 digits
- We can look at the problem from the side of numbers

### **Problem**

- Consider numbers as sequences of 4 digits
- We can look at the problem from the side of numbers
- Nine options for the first one; but already unclear for the second one

#### **Problem**

- Consider numbers as sequences of 4 digits
- We can look at the problem from the side of numbers
- Nine options for the first one; but already unclear for the second one
- Idea: look from the other side

• There are four positions

- There are four positions
- We split the weight 9 among them

0 0 0 0

- There are four positions
- We split the weight 9 among them
- Assume they are 0 in the beginning and add 1 nine times

0 0 0 0

- There are four positions
- We split the weight 9 among them
- Assume they are 0 in the beginning and add 1 nine times
- Each time we pick one of the digits to increase

- There are four positions
- We split the weight 9 among them
- Assume they are 0 in the beginning and add 1 nine times
- Each time we pick one of the digits to increase
- Order does not matter; there are repetitions

- There are four positions
- We split the weight 9 among them
- Assume they are 0 in the beginning and add 1 nine times
- Each time we pick one of the digits to increase
- Order does not matter; there are repetitions
- We have combinations of size 9 among 4 options

- There are four positions
- We split the weight 9 among them
- Assume they are 0 in the beginning and add 1 nine times
- Each time we pick one of the digits to increase
- · Order does not matter; there are repetitions
- · We have combinations of size 9 among 4 options
- The answer is  $\binom{9+(4-1)}{(4-1)} = \binom{12}{3} = 220$

### **Problem**

### **Problem**

How many non-negative integer numbers are there below 10 000 such that their sum of digits is equal to 10?

Looks very similar to the previous one

### **Problem**

- Looks very similar to the previous one
- · Distribute ten ones between four positions

### **Problem**

- Looks very similar to the previous one
- Distribute ten ones between four positions
- Combinations of size 10 among 4 options

### **Problem**

- Looks very similar to the previous one
- · Distribute ten ones between four positions
- Combinations of size 10 among 4 options
- The answer is  $\binom{10+(4-1)}{(4-1)} = \binom{13}{3} = 286$

### **Problem**

- Looks very similar to the previous one
- Distribute ten ones between four positions
- Combinations of size 10 among 4 options
- The answer is  $\binom{10+(4-1)}{(4-1)} = \binom{13}{3} = 286$
- · Is everything right?

### **Problem**

- Looks very similar to the previous one
- · Distribute ten ones between four positions
- Combinations of size 10 among 4 options
- The answer is  $\binom{10+(4-1)}{(4-1)}=\binom{13}{3}=286$
- Is everything right? Let's check!

The following code searches through all combinations:

```
import itertools as it
count = 0
for d in it.product(range(10), repeat = 4):
    if sum(d) == 10:
        count += 1
print(count)
```

The following code searches through all combinations:

```
import itertools as it
count = 0
for d in it.product(range(10), repeat = 4):
    if sum(d) == 10:
        count += 1
print(count)
```

Here is the output

282

The following code searches through all combinations:

```
import itertools as it
count = 0
for d in it.product(range(10), repeat = 4):
    if sum(d) == 10:
        count += 1
print(count)
```

Here is the output

282

The answer is off by 4!

The following code searches through all combinations:

```
import itertools as it
count = 0
for d in it.product(range(10), repeat = 4):
    if sum(d) == 10:
        count += 1
print(count)
```

Here is the output

282

The answer is off by 4!

What went wrong?

### **Problem**

How many non-negative integer numbers are there below 10 000 such that their sum of digits is equal to 10?

With our approach we can assign all ten ones to the same position

### **Problem**

- With our approach we can assign all ten ones to the same position
- But digits should be at most 9

#### **Problem**

- With our approach we can assign all ten ones to the same position
- But digits should be at most 9
- What should we do now?

#### **Problem**

- With our approach we can assign all ten ones to the same position
- But digits should be at most 9
- What should we do now?
- Just subtract the number of things that we should not have counted!

• What we should not have counted

- What we should not have counted
- Assignments of all ten ones to the same digit

- What we should not have counted
- Assignments of all ten ones to the same digit
- But there are just 4 of them!

10 0 0 0

- What we should not have counted
- Assignments of all ten ones to the same digit
- But there are just 4 of them!

0 10 0 0

- What we should not have counted
- Assignments of all ten ones to the same digit
- But there are just 4 of them!

0 0 10 0

- What we should not have counted
- Assignments of all ten ones to the same digit
- But there are just 4 of them!

0 0 0 10

- · What we should not have counted
- Assignments of all ten ones to the same digit
- But there are just 4 of them!
- So our previous answer was of by just 4

- · What we should not have counted
- Assignments of all ten ones to the same digit
- But there are just 4 of them!
- · So our previous answer was of by just 4
- The correct answer is 286 4 = 282

### **Outline**

Distributing Assignments Among People

Distributing Candies Among Kids

Numbers with Fixed Sum of Digits

Numbers with Non-increasing Digits

### **Problem**

How many four-digit numbers are there such that their digits are not increasing? Three-digit numbers are also four-digit, they just start with 0

### **Problem**

How many four-digit numbers are there such that their digits are not increasing? Three-digit numbers are also four-digit, they just start with 0

 If we try to count options for each position and apply the product rule, there are problems

#### **Problem**

How many four-digit numbers are there such that their digits are not increasing? Three-digit numbers are also four-digit, they just start with 0

- If we try to count options for each position and apply the product rule, there are problems
- 10 options for the first position, but for the second the number of options depends on the first number

#### **Problem**

How many four-digit numbers are there such that their digits are not increasing? Three-digit numbers are also four-digit, they just start with 0

- If we try to count options for each position and apply the product rule, there are problems
- 10 options for the first position, but for the second the number of options depends on the first number
- Idea: look from the other side

• We pick digits from 0 to 9 to be in our number

- We pick digits from 0 to 9 to be in our number
- Once we picked four digits, our number is uniquely determined

\* \* \* \* \*
Picked 3, 4, 3, 7

- We pick digits from 0 to 9 to be in our number
- Once we picked four digits, our number is uniquely determined

7 4 3 3

Picked 3, 4, 3, 7

- We pick digits from 0 to 9 to be in our number
- Once we picked four digits, our number is uniquely determined

- We pick digits from 0 to 9 to be in our number
- Once we picked four digits, our number is uniquely determined
- Order of picks does not matter; repetitions are allowed

- We pick digits from 0 to 9 to be in our number
- Once we picked four digits, our number is uniquely determined
- Order of picks does not matter; repetitions are allowed
- We have combinations of size 4 from 10 options

- We pick digits from 0 to 9 to be in our number
- Once we picked four digits, our number is uniquely determined
- · Order of picks does not matter; repetitions are allowed
- We have combinations of size 4 from 10 options
- The answer is  $\binom{4+(10-1)}{(10-1)} = \binom{13}{9} = 715$

### **Outline**

Distributing Assignments Among People

Distributing Candies Among Kids

Numbers with Fixed Sum of Digits

Numbers with Non-increasing Digits

### **Problem**

There are 12 students in the class. How many ways are there to split them into working groups of size 2 to work on the same assignment?

### **Problem**

There are 12 students in the class. How many ways are there to split them into working groups of size 2 to work on the same assignment?

This problems is more tricky

### **Problem**

There are 12 students in the class. How many ways are there to split them into working groups of size 2 to work on the same assignment?

- This problems is more tricky
- There are several ways to solve it

### **Problem**

There are 12 students in the class. How many ways are there to split them into working groups of size 2 to work on the same assignment?

- This problems is more tricky
- There are several ways to solve it
- · But we need to combine several ideas

One solution goes by looking from the position of working groups

- One solution goes by looking from the position of working groups
- We have to pick 2 people out of 12 in a working group

- One solution goes by looking from the position of working groups
- We have to pick 2 people out of 12 in a working group
- Order in the group does not matter, so combinations,  $\binom{12}{2}$  ways to do it

- One solution goes by looking from the position of working groups
- We have to pick 2 people out of 12 in a working group
- Order in the group does not matter, so combinations,  $\binom{12}{2}$  ways to do it
- For the second group we have 10 people left, there are  $\binom{10}{2}$  options

- One solution goes by looking from the position of working groups
- We have to pick 2 people out of 12 in a working group
- Order in the group does not matter, so combinations,  $\binom{12}{2}$  ways to do it
- For the second group we have 10 people left, there are  $\binom{10}{2}$  options
- · And so on

- One solution goes by looking from the position of working groups
- We have to pick 2 people out of 12 in a working group
- Order in the group does not matter, so combinations,  $\binom{12}{2}$  ways to do it
- For the second group we have 10 people left, there are  $\binom{10}{2}$  options
- · And so on
- Overall we have  $\binom{12}{2} \times \binom{10}{2} \times \binom{8}{2} \times \binom{6}{2} \times \binom{4}{2} \times \binom{2}{2}$  options

- One solution goes by looking from the position of working groups
- We have to pick 2 people out of 12 in a working group
- Order in the group does not matter, so combinations,  $\binom{12}{2}$  ways to do it
- For the second group we have 10 people left, there are  $\binom{10}{2}$  options
- · And so on
- Overall we have  $\binom{12}{2} \times \binom{10}{2} \times \binom{8}{2} \times \binom{6}{2} \times \binom{4}{2} \times \binom{2}{2}$  options
- · Are we done?

- One solution goes by looking from the position of working groups
- We have to pick 2 people out of 12 in a working group
- Order in the group does not matter, so combinations,  $\binom{12}{2}$  ways to do it
- For the second group we have 10 people left, there are  $\binom{10}{2}$  options
- · And so on
- Overall we have  $\binom{12}{2} \times \binom{10}{2} \times \binom{8}{2} \times \binom{6}{2} \times \binom{4}{2} \times \binom{2}{2}$  options
- Are we done? No!

• Enumerate people by numbers from 1 to 12

$${3,7}, {1,5}, {6,9}, {11,2}, {8,12}, {4,10}$$

- Enumerate people by numbers from 1 to 12
- For example, we have counted this splitting in the groups

```
{3,7}, {1,5}, {6,9}, {11,2}, {8,12}, {4,10}
{1,5}, {3,7}, {6,9}, {11,2}, {8,12}, {4,10}
```

- Enumerate people by numbers from 1 to 12
- For example, we have counted this splitting in the groups

```
{3,7}, {1,5}, {6,9}, {11,2}, {8,12}, {4,10}
{1,5}, {3,7}, {6,9}, {11,2}, {8,12}, {4,10}
```

- Enumerate people by numbers from 1 to 12
- For example, we have counted this splitting in the groups

```
{3,7}, {1,5}, {6,9}, {11,2}, {8,12}, {4,10}
{1,5}, {3,7}, {6,9}, {11,2}, {8,12}, {4,10}
```

- Enumerate people by numbers from 1 to 12
- For example, we have counted this splitting in the groups
- Order between groups also does not matter!

```
{3,7}, {1,5}, {6,9}, {11,2}, {8,12}, {4,10}
{1,5}, {3,7}, {6,9}, {11,2}, {8,12}, {4,10}
```

- Enumerate people by numbers from 1 to 12
- For example, we have counted this splitting in the groups
- Order between groups also does not matter!
- So, what to do now?

```
{3,7}, {1,5}, {6,9}, {11,2}, {8,12}, {4,10}
{1,5}, {3,7}, {6,9}, {11,2}, {8,12}, {4,10}
```

- Enumerate people by numbers from 1 to 12
- For example, we have counted this splitting in the groups
- Order between groups also does not matter!
- So, what to do now?
- Apply the old idea! We have counted each splitting 6! times, for each permutation of 6 groups

• In our first attempt the answer was  $\binom{12}{2} \times \binom{10}{2} \times \binom{8}{2} \times \binom{6}{2} \times \binom{4}{2} \times \binom{2}{2}$ 

- In our first attempt the answer was  $\binom{12}{2} \times \binom{10}{2} \times \binom{8}{2} \times \binom{6}{2} \times \binom{4}{2} \times \binom{2}{2}$
- We counted each splitting 6! times

- In our first attempt the answer was  $\binom{12}{2} \times \binom{10}{2} \times \binom{8}{2} \times \binom{6}{2} \times \binom{4}{2} \times \binom{2}{2}$
- We counted each splitting 6! times
- So the right answer is

$${\binom{12}{2} \times \binom{10}{2} \times \binom{8}{2} \times \binom{6}{2} \times \binom{4}{2} \times \binom{2}{2} \times \frac{1}{6!} =}$$

$$\frac{12 \times 11}{2} \times \frac{10 \times 9}{2} \times \frac{8 \times 7}{2} \times \frac{6 \times 5}{2} \times \frac{4 \times 3}{2} \times \frac{2 \times 1}{2} \times \frac{1}{6!} =$$

$$\frac{12!}{6! \times 2^6} = 10395$$

 We have discussed several standard settings in Combinatorics

- We have discussed several standard settings in Combinatorics
- Vast majority of counting problems we meet in practice fall into one of these settings

- We have discussed several standard settings in Combinatorics
- Vast majority of counting problems we meet in practice fall into one of these settings
- There are more complicated situations that we have not discussed

- We have discussed several standard settings in Combinatorics
- Vast majority of counting problems we meet in practice fall into one of these settings
- There are more complicated situations that we have not discussed
- There are situations that are so complicated, they stay unresolved

- We have discussed several standard settings in Combinatorics
- Vast majority of counting problems we meet in practice fall into one of these settings
- There are more complicated situations that we have not discussed
- There are situations that are so complicated, they stay unresolved
- Next week we will proceed to Probability