# **Bills Reminder**Data Design Document

#### Submitted to:

Asst. Prof. Ma. Rowena C. Solamo
Faculty Member
Department of Computer Science
College of Engineering
University of the Philippines, Diliman

Submitted by: Dacoco, Anthony Cornell M. Sason, Paul Matthew L. Yiu, Arthur Kevin N.

In partial fulfillment of Academic Requirements for the course CS 191 Software Engineering I of the

1<sup>st</sup> Semester, AY 2016-2017

System: Bills Reminder

Version: 1.1


## **Revision Control**

## History Revision:

| Revision<br>Date | Person<br>Responsible | Version<br>Number | Modification   |
|------------------|-----------------------|-------------------|--|
| 11/16/16         | Anthony Dacoco        | 1.0               | Initial Document; Class Diagram; Data<br>Sources                               |
| 11/16/16         | Arthur Yiu            | 1.1               | Data Access Object classes and Transfer Object classes along with descriptions |
| 11/29/16         | Paul Sason            | 1,2               | Edit Data Transfer   |

System: Bills Reminder Version: 1.1

## Data Design:



System: Bills Reminder

Version: 1.1

## Data Access Object (DAO) Classes:

| Class Name         | Description  |
|--------------------|--|
| UpdateToneUI       | Creates Tone Object and retrieves/sends data to database       |
| UpdateFreqUI       | Creates Frequency Object and retrieves/sends data to database  |
| UpdateAlarmTimeUI  | Creates Alarm Time Object and retrieves sends data to database |
| AddReminderUI      | Creates Reminder Object and sends data to database             |
| UpdateReminderUI   | Creates Reminder Object and sends data to database             |
| ViewRemindersUI    | Creates Reminder Object and retrieves data from database       |
| FinishedReminderUI | Creates Reminder Object and sends data to database             |
| DeleteReminderUI   | Creates Reminder Object and sends data to database             |
| DBDriver           | Accesses the database for reading and writing                  |

System: Bills Reminder Version: 1.1

## TransferObject Classes:

| Class Name        | Description                            |
|-------------------|--|
| Tone Object       | Stores the data read from the database |
| Frequency Object  | Stores the data read from the database |
| Alarm Time Object | Stores the data read from the database |
| Reminder Object   | Stores the data read from the database |

System: Bills Reminder Version: 1.1

#### List of Data Source:

Data Source Name: reminders.db

Description: Will store all the information about reminders. Will be a CSV file and each reminder will be separated by a new line. The first line of the file will denote how many reminders will be read

#### Sample Source File:

<number of reminders (int)>
<reminder name (str)>,<description (str)>,<amount due (float)>,<due date (date)>
\*all str should have no special characters (',','!','/',etc)

```
Globe, last payment na yey, 2440.34, 11/22/2016
Manila Water, report yung leak sa katipunan street, 1129.35, 11/22/2016
Meralco,, 6945.40, 11/26/2016
PLDT, downgrade after this payment, 3960.40, 11/30/2016
Metrobank,, 6898.78, 11/30/2016
```

Data Source Name: settings.db

Description: Will store all the information about the application settings. Will be a CSV file and each app setting will be separated by a new line.

### Sample Source File:

<alarm frequency (choice of '1','2','3','4')> <alarm tone (choice of '1','2','3','4','5')> <alarm time (time)>

3 5

6:45

System: Bills Reminder

Version: 1.1