

Bills Reminder

Use Case Specification

Submitted to:

Asst. Prof. Ma. Rowena C. Solamo
Faculty Member
Department of Computer Science
College of Engineering
University of the Philippines, Diliman

Submitted by:

Dacoco, Anthony Cornell M.
Sason, Paul Matthew L.
Yiu, Arthur Kevin N.

In partial fulfillment of academic requirements
for the course
CS 191 Software Engineering I
of the
1st Semester, AY 2016-2017

Unique Reference:

The documents are stored in the <https://github.com/primorskey/CS-191-Project>
<https://github.com/primorskey/CS-191-Project/tree/master/02-Requirements%20Engineering>

Document Purpose:

This document will give the supplementary information for each use case and provide the flow of events for each.

Target Audience:

This document is targeted at the customers, end-users and system developers.

Revision Control*History Revision:*

Revision Date	Person Responsible	Version Number	Modification
09/29/2016	Arthur Yiu	1.0	Initial Document; Scenarios
09/30/2016	Anthony Dacoco	1.1	Document Purpose, Activity Diagram

Use-Case Name: User deletes a bill reminder.


Description: The user is able to delete any existing reminder.

Preconditions: Must already have an existing reminder.

Flow of Events:

Scenario Name	Description
Scenario 1 (Basic Flow) User successfully deletes a bill reminder.	<ol style="list-style-type: none">1. User selects the delete reminder button.2. User selects the reminder to be removed.3. Prompts user for confirmation.4. User confirms the action.5. Reminder is successfully deleted.
Scenario 2 User cancels the action when asked for confirmation.	<ol style="list-style-type: none">1. User selects the delete reminder button.2. User selects the reminder to be removed.3. Prompts user for confirmation.4. User cancels the action.5. User can again choose to delete a reminder or to return to the main window.
Scenario 3 User cancels the delete action before choosing a reminder to delete.	<ol style="list-style-type: none">1. User selects the delete reminder button.2. User decides to not delete any of the reminders.3. User presses the cancel button and returns to the main window.
Scenario 4 User cancels the delete action after choosing a reminder to delete.	<ol style="list-style-type: none">1. User selects the delete reminder button.2. User selects a reminder to delete.3. User decides to not delete the reminder.4. User presses the cancel button and returns to the main window.

Activity Diagram of the Flow of Events:



Postcondition: NONE

Relationships: 1.0 Maintain Reminders is the parent use case of this use case.

Special Requirements: NONE