

Lab05 - Screenshots

sreda, 22. april 2026 17:59

```
(root@kali)-[~]
# gpg --full-generate-key
gpg (GnuPG) 2.4.9; Copyright (C) 2025 g10 Code GmbH
This is free software: you are free to change and redistribute it.
There is NO WARRANTY, to the extent permitted by law.

Please select what kind of key you want:
  (1) RSA and RSA
  (2) DSA and Elgamal
  (3) DSA (sign only)
  (4) RSA (sign only)
  (9) ECC (sign and encrypt) *default*
 (10) ECC (sign only)
 (14) Existing key from card
Your selection? 1
RSA keys may be between 1024 and 4096 bits long.
What keysize do you want? (3072) 4096
Requested keysize is 4096 bits
Please specify how long the key should be valid.
  0 = key does not expire
 <n> = key expires in n days
 <n>w = key expires in n weeks
 <n>m = key expires in n months
 <n>y = key expires in n years
Key is valid for? (0) 1y
Key expires at Thu 22 Apr 2027 11:56:50 AM EDT
Is this correct? (y/N) y

GnuPG needs to construct a user ID to identify your key.

Real name: Alice
Email address: alice@example.com
Comment:
You selected this USER-ID:
"Alice <alice@example.com>"

Change (N)ame, (C)omment, (E)mail or (O)kay/(Q)uit? 0
We need to generate a lot of random bytes. It is a good idea to perform
some other action (type on the keyboard, move the mouse, utilize the
disks) during the prime generation; this gives the random number
(root@kali)-[~]
#
```

```
(root@kali)-[~]
# gpg --full-generate-key
gpg (GnuPG) 2.4.9; Copyright (C) 2025 g10 Code GmbH
This is free software: you are free to change and redistribute it.
There is NO WARRANTY, to the extent permitted by law.

Please select what kind of key you want:
  (1) RSA and RSA
  (2) DSA and Elgamal
  (3) DSA (sign only)
  (4) RSA (sign only)
  (9) ECC (sign and encrypt) *default*
 (10) ECC (sign only)
 (14) Existing key from card
Your selection? 1
RSA keys may be between 1024 and 4096 bits long.
What keysize do you want? (3072) 4096
Requested keysize is 4096 bits
Please specify how long the key should be valid.
  0 = key does not expire
 <n> = key expires in n days
 <n>w = key expires in n weeks
 <n>m = key expires in n months
 <n>y = key expires in n years
Key is valid for? (0) 1y
Key expires at Thu 22 Apr 2027 11:58:48 AM EDT
Is this correct? (y/N) y

GnuPG needs to construct a user ID to identify your key.

Real name: Mallory
Email address: mallory@example.com
Comment:
You selected this USER-ID:
"Mallory <mallory@example.com>"

Change (N)ame, (C)omment, (E)mail or (O)kay/(Q)uit? 0
We need to generate a lot of random bytes. It is a good idea to perform
some other action (type on the keyboard, move the mouse, utilize the
disks) during the prime generation; this gives the random number
generator a better chance to gain enough entropy.
#
```

```

(root@kali)-[~]
# gpg --list-keys
/root/.gnupg/pubring.kbx

pub   rsa4096 2026-04-22 [SC] [expires: 2027-04-22]
      07A60FD7D0A1EBD481EBD82533E8CA9BF1D2999B
uid     [ultimate] Primož Test (FIS) <primož@test.local>
sub     rsa4096 2026-04-22 [E] [expires: 2027-04-22]

pub   rsa4096 2026-04-22 [SC] [expires: 2027-04-22]
      E90469DE46081E396BDC6C769D522C56D35989EE
uid     [ unknown] Robi Test (FIS) <robi@test.local>
sub     rsa4096 2026-04-22 [E] [expires: 2027-04-22]

pub   rsa4096 2026-04-22 [SC] [expires: 2027-04-22]
      0C100752B8773EAABA906F7C1347222A2160053
uid     [ unknown] Igor (FIS Vaje) <igor@test.com>
sub     rsa4096 2026-04-22 [E] [expires: 2027-04-22]

pub   rsa4096 2026-04-22 [SC] [expires: 2027-04-22]
      17904EE537EC62C2B556BF7032E9027DAEBA2797
uid     [ultimate] Alice <alice@example.com>
sub     rsa4096 2026-04-22 [E] [expires: 2027-04-22]

pub   rsa4096 2026-04-22 [SC] [expires: 2027-04-22]
      F24B60342A54460D324460A547F2F970278A2705
uid     [ultimate] Bob <bob@example.com>
sub     rsa4096 2026-04-22 [E] [expires: 2027-04-22]

pub   rsa4096 2026-04-22 [SC] [expires: 2027-04-22]
      3BFEDC57C4B582E1D96628430C133099AD21564F
uid     [ultimate] Mallory <mallory@example.com>
sub     rsa4096 2026-04-22 [E] [expires: 2027-04-22]

(root@kali)-[~]
#

```

```

(root@kali)-[~]
# gpg --fingerprint alice@example.com
gpg --fingerprint bob@example.com
gpg --fingerprint mallory@example.com
pub   rsa4096 2026-04-22 [SC] [expires: 2027-04-22]
      1790 4EE5 37EC 62C2 B556 BF70 32E9 027D AEBA 2797
uid     [ultimate] Alice <alice@example.com>
sub     rsa4096 2026-04-22 [E] [expires: 2027-04-22]

pub   rsa4096 2026-04-22 [SC] [expires: 2027-04-22]
      F24B 6034 2A54 460D 3244 60A5 47F2 F970 278A 2705
uid     [ultimate] Bob <bob@example.com>
sub     rsa4096 2026-04-22 [E] [expires: 2027-04-22]

pub   rsa4096 2026-04-22 [SC] [expires: 2027-04-22]
      3BFE DC57 C4B5 82E1 D966 2843 0C13 3099 AD21 564F
uid     [ultimate] Mallory <mallory@example.com>
sub     rsa4096 2026-04-22 [E] [expires: 2027-04-22]

(root@kali)-[~]
#

```

```

(root@kali)-[~]
# echo "Confidential message for Bob" > secret4bob.txt

(root@kali)-[~]
#

```

```

(root@kali)-[~]
# gpg --encrypt --recipient bob@example.com secret4bob.txt

```

```

(root@kali)-[~]
# cat secret4bob.txt.gpg
*****
AdX
<R+l+i>i
s_x_p%|>6+_j>'7y"e.~o+~<u>m1>2g+
*****y++E+K/)
/!~C~A+~+0$?YB+Lv)~+0;+1
+
q++In+Qw+lp++AY++me|z+--+e+++++jZ>Y*Y*7++U/+
+6+Q+_+{++k+KJ++S++x+9K8)(~++9"+++_X+bPK+WeV,+ZG/%S;QLVB+B>7[
\g++3+{++++-t+`q++/(+c+OE++++@+Y++Y++++ncX+Is++^+p+?(y+0+;+f+U+m+TS+ +##+ R+ +y)%v++ +i6~+ +K;q++++6PJ++++huv+?+t6
2+++--+{a+x+L
%@=
{Xp+5
(root@kali)-[~]
#

```

```

(root@kali)-[~]
# gpg --decrypt secret4bob.txt.gpg
gpg: encrypted with rsa4096 key, ID A88502AA8BF112AB, created 2026-04-22
"Bob <bob@example.com>"
Confidential message for Bob

```

```

(root@kali)-[~]
# gpg --edit-key bob@example.com
gpg (GnuPG) 2.4.9; Copyright (C) 2025 g10 Code GmbH
This is free software: you are free to change and redistribute it.
There is NO WARRANTY, to the extent permitted by law.

Secret key is available.

sec  rsa4096/47F2F970278A2705
    created: 2026-04-22  expires: 2027-04-22  usage: SC
    trust: ultimate      validity: ultimate
ssb  rsa4096/A88502AA8BF112AB
    created: 2026-04-22  expires: 2027-04-22  usage: E
[ultimate] (1). Bob <bob@example.com>

gpg> trust
sec  rsa4096/47F2F970278A2705
    created: 2026-04-22  expires: 2027-04-22  usage: SC
    trust: ultimate      validity: ultimate
ssb  rsa4096/A88502AA8BF112AB
    created: 2026-04-22  expires: 2027-04-22  usage: E
[ultimate] (1). Bob <bob@example.com>

Please decide how far you trust this user to correctly verify other users' keys
(by looking at passports, checking fingerprints from different sources, etc.)

  1 = I don't know or won't say
  2 = I do NOT trust
  3 = I trust marginally
  4 = I trust fully
  5 = I trust ultimately
  m = back to the main menu

Your decision? 5
Do you really want to set this key to ultimate trust? (y/N) y

sec  rsa4096/47F2F970278A2705
    created: 2026-04-22  expires: 2027-04-22  usage: SC
    trust: ultimate      validity: ultimate
ssb  rsa4096/A88502AA8BF112AB
    created: 2026-04-22  expires: 2027-04-22  usage: E
[ultimate] (1). Bob <bob@example.com>

gpg> quit
(root@kali)-[~]
#

```