PROMISES TREATMENT & REHABILITATION CENTRE

Is your alcohol or drug addiction controlling your life and destroying everyone and everything that is dear to you? Do you feel depressed, alone with your problems, or that no one wants to help you? Is someone you love suffering from addiction?

At Promises Treatment Centre, we're here to help. Deep down, you know that living with addiction is not living at all. But how do you get out of it? Don't face addiction alone. You are not your drug or alcohol habit. You have simply lost your way. We are a residential alcohol and drug rehab treatment centre offering safe, confidential and affordable treatment. Our services make the road easier for drug recovery.

Whether it's you or a loved one that is suffering from addiction to alcohol or drugs, we have a variety of programs to offer you. We understand the principle of addiction fully and our team's knowledge and experience in rehabilitation allows us to offer you a wealth of valuable addiction related information, advice and guidance.

All of the staff at Promises Treatment Centre share the core belief that addiction is a treatable disease and recovery is a process that heals the mind, body and spirit. With that in mind, treatment is provided through medical, psychological, spiritual and holistic means in order to treat the whole person.

At our substance abuse treatment centre, we have created a "therapeutic community" where our clients disconnect from their addictions and reconnect to a higher presence. Many of our professional staff have overcome their own addictions and have the experience of their own recovery to share.

Our entire structure - from our beautiful facility, to our wholesome food and our loving staff - supports a caring environment where participants are safe to share with other clients and staff members.

Promises Treatment Centre uses a variety of counseling approaches to ensure clients are exposed to a balance of professional and self-help options. Clients leave our treatment centre with the tools needed to continue their recovery.

Who are we?

Promises Treatment Centre is a highly respected addiction recovery centre— renowned for breaking the cycle of addiction and restoring hope and health to individuals, families and communities.

Our staff will put your culture, family and values at the center of your recovery.

Our team's knowledge and experience in rehabilitation allows us to offer you a wealth of valuable addiction related information, advice and guidance. We have qualified medical and counseling staff with good credentials. Our costs are reasonable, and treatment services tailor made for each case.

Our Vision

A healthy society free from addictions.

Our Mission

To provide professional treatment and rehabilitation of persons with substance use disorders.

Core Values

- Confidentiality

- Accountability
- Empowerment
- Participation

Our Core Beliefs

- We believe that addiction is a treatable disease and the cycle can be broken.
- We believe in the empowerment of our clients to take responsibility for their ongoing recovery.

"Rarely have we seen a person fail who has thoroughly followed our path…" - Alcoholics Anonymous, pg 58

Treatment Centre Info

Admission into the program is available to all suitable clients irrespective of their race, ethnicity, gender, culture, ideology, political or religious beliefs, sexual orientation, language and HIV status.

Treatment Services

Detox, Alcohol & Drug Abuse Treatment (including family therapy), Aftercare.

Warning Signs of Alcoholism & Drug Abuse

- Loss of Control: Inability to stop or limit the use of the substance/behavior, even after repeated attempts to quit.
- Preoccupation: An intense, constant focus on acquiring, using, or recovering from the effects of the substance.
- Neglected Responsibilities: Failing to fulfill obligations at work, school, or home due to use.
- Secrecy and Isolation: Withdrawing from friends and family, being defensive when questioned, and lying about whereabouts or usage.
- Mood Swings: Unexplained irritability, agitation, hostility, or sudden changes in personality.
- Loss of Interest: Giving up hobbies, sports, or social activities that were once enjoyed.
- Tolerance: Needing larger or more frequent amounts of the substance to achieve the same euphoric effect.
- Withdrawal Symptoms: Experiencing physical or mental distress (e.g., shaking, sweating, nausea, anxiety) when use is stopped or reduced.
- Appetite and Sleep Changes: Sudden weight loss or gain, insomnia, or sleeping at unusual times.
- Appearance: A noticeable deterioration in personal hygiene, grooming, and clothing choices.
- Physical Clues: Bloodshot or glassy eyes, unusual pupils (larger or smaller than usual), slurred speech, or poor coordination.
- Financial Difficulties: Unexplained shortages of money, frequently borrowing from others, or stealing.

- Risky Behavior: Engaging in dangerous activities while under the influence, such as driving impaired, engaging in unprotected sex, or using in unsafe environments.
- Among others.

Treatment Programs

- Hard drugs & narcotics - 6 months
- Alcoholics - 3 months
- Relapsees - 2 months
- Expelled students - 1 month
- Suspended students - 2 weeks

Family Therapy Program

Families can enhance or hinder the behaviors and recovery of a loved one with an addiction. Family therapy teaches them how to stop participating in unhealthy behaviors, support recovery, and heal the family unit.

The disease affects the entire family. We offer a comprehensive 3-day family therapy program. We encourage family and friends of our patients/clients to participate. We can help you build a supportive network for yourself and your loved one, to foster a healing, sober lifestyle.

Family therapy is talk therapy for family members and couples who want to improve their relationships. Its goals include:

- Decreasing stress
- Increasing coping skills
- Helping families work together to resolve problems

Family therapy for addiction treatment helps family members recognize how they influence the behaviors of members who misuse substances. It also helps them learn how to respond differently, which can lead to positive changes.

Family therapy helps each member gain confidence, set healthy boundaries, and apply new skills to assist their loved ones in getting the help they need.

Benefits Of Family Therapy in Recovery

Family therapy in recovery has rewards and benefits for each family as a whole and for each member separately. The uses of family therapy in addiction treatment typically include the following:

- Restore broken family relationships
- Replace negative interactions with positive processes
- Teach positive behaviors to support healing and growth
- Improve communication within the family
- Provide education regarding addiction
- Foster healing from the effects of addiction
- Leverage the family to influence change

Family therapy promotes change and healing in dysfunctional families. It also increases the likelihood of a loved one entering and staying in recovery treatment and maintaining recovery long-term.

Treatment

Our treatment programs focus on personal spiritual growth in recovery.

Successful recovery encompasses several changes, including improvement in self-esteem, interpersonal relationships, improvement in family interaction, formation of a meaningful and workable relationship with a power greater than him/her, vocational productivity, the establishment and attainment of realistic life goals and a healthy lifestyle.

The basis of our treatment is on the belief that the chemically dependent person has the capacity to abstain from mood altering drugs (MAD's) and the capacity to actualize his/her human potential.

Addiction

Addiction is a chronic, treatable medical condition characterized by compulsive substance use or behavior despite harmful consequences. It occurs when repeated engagement with a drug, substance, or activity alters the brain's reward and self-control circuits, causing intense cravings and a loss of control over the behavior.

Major health organizations, such as the American Society of Addiction Medicine and the National Institute on Drug Abuse, classify addiction as a chronic brain disorder.

People develop a tolerance when they repeatedly misuse substances over time. That means more significant amounts of drugs or alcohol or more frequent involvement in certain behaviors are required to achieve the desired effects, escalating the nature of the addiction.

Long-term use can result in a dangerous cycle of addiction in which people need to continue using substances or engaging in behaviors to avoid the uncomfortable symptoms of withdrawal. Eventually, they prioritize their addiction over everything else that was once important in their lives.

Addiction generally encompasses two main categories:

1. Substance Use Disorders (SUDs)

This involves the compulsive use of chemical substances despite negative effects on physical health, mental well-being, and relationships. Common examples include addiction to:

Alcohol: Alcoholism is one of the most widespread and socially accepted addictions, heavily impacting physical health and cognitive function.

Nicotine/Tobacco: Highly addictive chemical reliance driven by the fast-acting effects of nicotine.

Opioids: Includes prescription painkillers (e.g., OxyContin, morphine) and illicit drugs (heroin, fentanyl) that are highly addictive and carry severe overdose risks.

Stimulants: Includes cocaine, methamphetamine, and prescription ADHD medications.

Cannabis: Can lead to cannabis use disorder, characterized by compulsive daily use despite disruptions to daily life.

Sedatives & Hallucinogens: Misuse of prescription tranquilizers, sleeping pills, or hallucinogenic substances.

2. Behavioral Addictions

These involve an intense, compulsive urge to perform an activity or behavior that produces short-term pleasure or relief, continuing even when it causes long-term harm to a person's life. Common examples include:

Gambling Addiction: The only behavioral addiction officially recognized as a mental health disorder in the DSM-5.

Internet and Social Media Addiction: A growing compulsion to stay online, often driven by the "likes" or engagement triggers of digital platforms.

Video Gaming: Excessive and all-consuming gaming behavior that negatively affects work, relationships, or personal well-being.

Shopping Addiction: Compulsive purchasing and overspending driven by the thrill of buying rather than actual necessity.

Food Addiction: An unhealthy, compulsive relationship with highly palatable or sugary foods, characterized by intense cravings and overeating.

Sex and Pornography Addiction: Uncontrollable urges, thoughts, or behaviors surrounding sexual activity or explicit material that interfere with daily functioning.

Work Addiction: An unhealthy obsession with working that leads to neglecting personal relationships, health, and well-being.

Core Characteristics

Medical definitions (such as those outlined by the American Psychological Association in the DSM-5) identify four basic categories of addictive behavior:

Impaired Control: Using more of a substance or engaging in a behavior longer than intended, and being unable to cut down or stop.

Compulsive Use: An intense preoccupation with obtaining the substance or participating in the activity, making it a primary focus of daily life.

Continued Use Despite Harm: Persisting in the behavior despite physical, psychological, social, or financial consequences.

Risky Use: Engaging in the addictive behavior in hazardous situations or ignoring the high risk of personal harm.

Is Addiction A Disease?

Yes, addiction is a disease, not a choice. Excessive substance abuse alters how the brain functions. When a person consumes drugs or alcohol, the brain produces large amounts of dopamine, which triggers the brain’s reward system, giving them a sense of euphoria and pleasure.

After repeated drug use, the brain cannot produce normal amounts of dopamine on its own. Therefore, they prioritize the substance or action over everything else to feel good. If they go without, they will experience withdrawal symptoms, which can be painful.

Dependency Vs. Addiction

Someone can be dependent and never develop an addiction. Also, someone can have an addiction without having a dependence on a substance. However, when someone becomes dependent on drugs or alcohol, their risk of having an addiction dramatically increases.

The World Health Organization (WHO) describes dependence as a pattern of continuous use of a substance with evidence of impaired regulation, in which it is manifested in at least two of the following:

Experiencing impaired control over substance use or unhealthy behavior

Increasingly placing more importance on substance use or unhealthy behaviors over essential daily activities and responsibilities

Continuing to misuse substances or participate in unhealthy behaviors, even though some consequences are beginning to occur

Having an increasing tolerance for the substance or needing more to feel the enjoyable effects

Undergoing some withdrawal symptoms when they go through a period without the substance or behavior

The WHO states that a person must exhibit these symptoms for at least 12 months. However, it is also a sign of dependence if the use is continuous or daily over the previous three months.

Dependence on a substance can be physical or psychological. Symptoms of both include the following:

- Anxiety
- Depression
- Panic
- Obsessive thoughts
- Intense cravings and urges
- Restlessness
- Agitation
- Insomnia
- Body aches
- Chills or sweats
- Fever
- Digestive issues

Many of the symptoms of dependence mimic those of addiction. For example, developing a tolerance and experiencing withdrawal symptoms are also typical of dependence. The difference is that when a person is addicted, they lose complete control over the substance, which takes priority over everything else in a person's life.

The WHO also suggests paying attention to two other sure signs of addiction:

An episode of harmful psychoactive substance use in which the use of drugs or alcohol leads to significant physical or mental health damage, or results in harming the health of someone else.

A harmful pattern of psychoactive substance use in which the pattern of use has caused significant damage to a person's physical or mental health or has harmed someone else's health. The pattern is evident over 12 months or one month of daily use.

The harm inflicted on oneself or someone else occurs due to behavior related to intoxication, damage to internal organs, or the route of administration. When either of these occurs, a person should seek treatment to avoid further injuries from happening in the future.

Causes of Addiction

Addiction is a complex condition driven by a combination of genetic, environmental, and developmental factors. There is no single cause, but rather a combination of underlying influences that make certain individuals more vulnerable to the brain-altering effects of substances and behavioral habits.

1. Biological and Genetic Factors

Genetics: Hereditary traits account for roughly half of a person's risk for developing an addiction. Having a blood relative with a substance use disorder significantly increases your susceptibility.

Brain Chemistry: Addictive substances and behaviors hijack the brain's reward system by causing massive surges of dopamine. Over time, the brain desensitizes, requiring more of the substance or activity to produce the same feeling of pleasure.

Mental Health: Individuals coping with co-occurring disorders like depression, anxiety, ADHD, or PTSD are at a higher risk. Substances are often used as an unhealthy coping mechanism to manage painful feelings or symptoms.

2. Environmental and Social Influences

Trauma and Stress: Experiencing physical, emotional, or sexual abuse, especially during childhood, severely increases the risk of developing addictive behaviors. Chronic stress from financial instability or unstable living environments is also a major trigger.

Social Surroundings: Growing up in a household where substance use is normalized, or facing strong peer pressure, significantly raises the likelihood of early experimentation.

Early Exposure: Using highly addictive substances at a young age causes changes in the developing brain, greatly increasing the chances of progression to severe addiction.

3. Brain Development

The Prefrontal Cortex: Because areas of the brain that control decision-making, judgment, and self-control are still developing during adolescence, younger people are especially prone to risky behaviors and impulsive actions that can lead to addiction.

TREATMENT SERVICES

Detoxification

Detoxification is the process of allowing the body to rid itself of a drug while managing the symptoms of withdrawal. It is often the first step in a drug treatment program and should be followed by treatment with a behavioral-based therapy and/or a medication, if available. Detox alone with no follow-up is not treatment.

Detoxification usually takes between a few days and a few weeks to complete, depending on the substance being misused, the severity of dependence and the support available to the user.

The time that it takes to get the harmful substances out of the body is generally less important than making long-term changes to ensure that the user won't relapse — and that recurring triggers can be managed effectively. Both inpatient and outpatient rehab can help those struggling with problematic

use of drugs or alcohol not only get through detox as quickly and comfortably as possible, but also gain new coping strategies that will enable them to weather any unpleasant mental or physical symptoms of withdrawal that may occur down the line.

It's crucial because it addresses the physical dependence on substances, making it an essential first step in addiction treatment.

The Process of Detoxification

Everyone's detox needs are different. The drug detox process helps addicted people get personalized treatment. In most cases, the process involves 3 steps:

Evaluation

The medical team screens incoming patients for physical and mental health issues. Doctors use blood tests to measure the amount of drugs in the patient's system. This helps determine the level of treatment medications needed.

There is also a comprehensive review of drug, medical, and psychiatric histories. This information sets up the basis for the patient's long-term treatment plan.

Stabilization

The next step is to stabilize the patient with medical and psychological therapy. The goal of stabilization is to prevent any form of harm to the patient. Doctors can prescribe addiction treatment medications to prevent complications and reduce withdrawal symptoms.

Preparing Entry into Treatment

The final step of detox is preparation for a treatment program. Doctors familiarize their patients with the treatment process and what to expect. Inpatient rehab offers the best chances of success after detox.

Detox is just the first part of addiction treatment. Detox on its own is usually insufficient for a successful recovery. Individuals seeking addiction treatment need to treat the psychological part of their addiction. They can accomplish this with counseling, support groups, or an inpatient rehab program.

Alcohol and Drug Abuse Treatment

Our treatment program take place in a residential facility where individuals live while receiving a comprehensive approach to recovery, including detoxification, medication-assisted treatment, and individual counseling.

By removing patients from their daily environments, inpatient rehab minimizes stress and triggers, enabling them to fully focus on overcoming addiction.

Inpatient rehab is different and unique from other forms of addiction treatment because of its comprehensive approach. Some of its features are:

Residential setting: Residential rehab provides a safe and supportive environment away from the normal triggers and temptations of a person's daily life. .

Structured schedule: A daily schedule offers stability and routine, helping individuals establish healthy habits and reduce the risk of relapse.

Intensive therapy: Living full-time in a facility provides large blocks of time for frequent and intensive therapy sessions where the root causes of addiction can be addressed.

Medical supervision: Medical professionals are available to monitor withdrawal symptoms, manage treatment medications, and address any medical concerns that may arise.

Peer support: Central to the inpatient setting is the opportunity to be immersed in a community of peers, which helps reduce the feelings of isolation and shame.

Holistic approach: Many inpatient rehab programs incorporate holistic therapies, such as yoga, meditation, and art therapy, to promote overall well-being and address the emotional and spiritual aspects of addiction.

Inpatient rehab offers an environment where one can devote full time to recovery without the distractions of daily life. This comprehensive approach aims for lasting recovery and personal growth.

What To Expect During Inpatient Rehab

A week in inpatient rehab is structured to provide a balance of therapeutic, educational, and personal time. We have a daily routine integrating individual therapy, group sessions, and personal time. Typically, individual therapy might be 1–3 times per week, while group therapy often occurs daily. Our structure often includes:

Group Therapy

Group therapy creates a space where people can share their experiences, feelings, and struggles with others who can relate. Group therapy sessions are led by qualified professionals, like certified therapists, who help guide and mediate the sessions. Different types of groups, such as psychotherapeutic and educational groups, develop different communication skills.

Individual Therapy

Inpatient rehab is a place where you can meet one-on-one with a therapist and explore the root causes of your addiction. There are many effective approaches to therapy, but psychotherapy techniques, like cognitive-behavioral therapy (CBT) and motivational enhancement therapy (MET), are commonly used methods, as they help reveal how an individual's thoughts and actions are determined.

Family Therapy

Family therapy is a type of counseling that helps family members improve communication, resolve conflicts, and strengthen their relationships by addressing issues affecting the family as a whole. Family members usually visit their loved ones for these sessions.

Support Groups

Participation in 12-step programs or other support groups offers peer support, encouragement, and accountability. These groups provide a sense of community and shared interests with others who understand the challenges of recovery, fostering hope and motivation.

Inpatient rehab programs follow a structured schedule to comprehensively address addiction.

The Benefits of Inpatient Rehab

Inpatient rehab, where you live at a specialized facility and receive intensive, round-the-clock care, offers several advantages over outpatient treatment, which typically involves attending therapy sessions while living at home.

Removal from Triggers

Triggers are people, places, or things that make you want to use drugs or alcohol. Inpatient rehab removes you from having contact with these things in your daily life. For example, if you always drank with certain friends at a particular bar, seeing those friends or passing that bar might trigger a craving.

Inpatient rehab lessens the chance that something in your immediate surroundings will cause you to have cravings and a chance to focus on recovery. The new environment creates opportunities for growth and encourages learning healthy ways to cope with challenges without resorting to substance use.

Structured Environment

Inpatient rehab provides a structured and predictable daily routine, which is incredibly helpful in early recovery. This structured environment minimizes stress and helps you avoid triggers.

- Set schedule: A predictable daily schedule with specific times for meals, therapy sessions, group meetings, medication, and even free time provides a sense of stability.
- Rules and boundaries: Having clear guidelines can help you stay on track with your recovery and feel more confident in making healthy choices. These might include things like setting a curfew, limiting phone use, and having some structure around social interactions.
- Healthy habits: The structured environment encourages healthy habits that support both physical and mental well-being. This includes regular mealtimes, scheduled exercise, and enough time for sleep.

Intensive Therapy

Inpatient therapy provides ample time for therapy, allowing a person to learn about the underlying causes of their addiction, address unresolved trauma, and develop effective coping mechanisms.

24/7 Support

The around-the-clock support from medical professionals, therapists, and trained staff ensures access to help and guidance whenever needed. This is especially true when cravings arise.

Peer Support

As with group therapy and communal living, the same underlying dynamic is being built, and that is one of mutual interest, care, and community. Being in a group of like-minded people and receiving understanding and empathy helps us heal and forgive ourselves and others. Interaction with others in recovery fosters a sense of community, shared understanding, and mutual support.

Focus On Self-Care

Inpatient rehab programs emphasize the importance of self-care, including proper nutrition, exercise, sleep hygiene, and stress management techniques. These healthy habits contribute to well-being, reduce stress, and support long-term recovery. By prioritizing self-care, individuals can improve their physical and mental health, increase their resilience, and reduce the risk of relapse.

<u>Aftercare</u>

Going to an addiction treatment facility is the first and most important step for many in their recovery from alcoholism, but it is only one step. The 90 to 180 days most individuals spend in a rehab facility is only a very small period of time compared to the many years that follow in recovery. For many, adjusting to life after rehab proves more challenging, especially the loss of the rehab

routine and the reappearance of external factors and influences. There are also many steps that recovering alcoholics can take themselves to minimize the likelihood of relapse.

Aftercare programs offer more than just emotional assistance. They can provide valuable strategies for managing alcohol cravings and stress, aiding in your recovery journey from alcoholism or excessive drinking.

It is strongly recommended that all recovering alcoholics regularly attend support groups, especially early in sobriety. Support groups are groups of recovering alcoholics (and other substance abusers) and sometimes their families who meet and discuss shared issues. These issues range from how they came to realize they needed to get sober to how specific alcoholism treatment medications impact them. Support groups provide a number of benefits, including offering a judgment free atmosphere where members feel understood, giving a sense of stability and people to fall back on in hard times, and being a source of advice and information.

The vast majority of support groups are classified as 12-Step programs. These programs generally break down recovery into steps that all members are expected to follow. 12-Step programs are modeled after Alcoholics Anonymous, by far the best known and most widely attended substance abuse group in the world according to research.

Aftercare Steps for The Individual

Sobriety is not a single action, but rather a continuous chain of actions and decisions made throughout a recovering alcoholic's life. Many in recovery find that sobriety is hardest to maintain early in the process, and gradually grows easier as new habits, relationships, and routines are formed.

Here are some individual aftercare steps for an individual to take after leaving rehab, in a general timeline of when they should be made.

Aftercare Timeline

1-30 Days After Rehab

- Develop a recovery plan that includes goals and how to achieve them.
- Learn how to recognize and handle negative impulses.
- Find healthy and supportive living arrangements.
- Organize and establish a daily living routine and schedule.
- Find and attend at least two support groups to choose the best fit.
- Find and attend a counselor or therapist.
- Establish a support system that can be turned to when the urge to drink appears.
- Incorporate physical activity and exercise on a regular basis.
- Avoid taking on too much.

30 – 90 Days After Rehab

- Continue regular involvement in support groups – at least once a week if not more.
- Continue involvement in counseling or therapy – ideally at least once a week.
- Maintain a recovery journal, including triggers and how they were overcome.

- Discuss professional goals with a career counselor.

90 – 180 Days After Rehab

- Begin repairing broken or damaged relationships.
- Develop short and long-term goals with a financial planner.
- Start focusing more on longer term goals.
- Try out new hobbies, and ideally focus efforts on one or several.

180 – 365 Days After Rehab

- Celebrate important recovery milestones, especially 6-month and 1-year marks.
- Help others who are just beginning the road to recovery.
- Develop five and ten-year plans, personal, professional, and financial.
- Seek out new motivation and ways to occupy time.

What Happens If I Relapse?

Relapses happen, even to the most dedicated recovering alcoholics. Some studies suggest that the majority of recovering alcoholics relapse, even if only briefly. Luckily, help is out here.

If you have relapsed and need treatment, don't wait until the problem gets worse. Contact us immediately.

Location

We are located in Webuye, along the main Eldoret-Bungoma Highway, Next to Lake Energy Petrol Station, Off Milo Road, just after Half London.