
Part 1 - System Information

Step 1 - Who am I and where am I?





This screenshot displays the outcome of the “whoami”, “hostname” & “pwd” commands.

The username shown by “whoami” is “kali”

My machine’s hostname is kali and I am currently in the home directory

Step 2 - Operating System & Hardware Info





The two figures above displays Operating System & Hardware Info


My VM has a total RAM of 5.8Gi

There is 4.5Gi of disk space available on the main partition

My Kali is using version 6.19.14 of the Linux kernel

Part 2 - Basic Network Connectivity Test


Step 1 - Ping a known IP Address



This figure displays the output on a full ping on -c 2 8.8.8.8 including the statistics summary.

The average round-trip time (ms) is 183.032 ms with 0% packet loss.

Step 2 - Ping a Domain Name



This screenshot displays the full ping -c 4 google.com output

The IP address google.com resolved to is 92.249.39.135. The google.com round-trip time is 56.252 ms which is different to the round-trip time of pinging 8.8.8.8 directly as this is 183.032 ms. I think this is because the two addresses could be in different places and the data could also travel along a different route on the internet.

-c 4 means send 4 ping messages, then stop. If the ping doesn't stop at 4 then the IP address will be continually pinged until it is stopped manually with the Ctrl+C command.