

1. Style

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.1/
dist/css/bootstrap.min.css" rel="stylesheet"
crossorigin="anonymous">
```

2. SearchForm

```
<form action="">
<div class="mb-3">
<label class="form-label">Search for Movie:</label>
<input type="text" name="searchMovie"
class="form-control" />
</div>
<button type="submit" class="btn btn-primary">
Search
</button>
</form>
```

3. Sending a form to another page

```
<br />
<br />
<h2>Join our mailing list:</h2>
<form action="{% url 'signup' %}">
<div class="mb-3">
<label for="email" class="form-label">
Enter your email:
</label>
<input type="email" class="form-control"
name="email" />
</div>
<button type="submit" class="btn btn-primary">
Sign Up
</button>
```

4. Signup.html

```
<!DOCTYPE html>
<html>
<head>
<title>Movies App</title>
<link href="https://cdn.jsdelivr.net/npm/
bootstrap@5.1.1/dist/css/bootstrap.min.css"
rel="stylesheet" crossorigin="anonymous">
</head>
<body>
<div class="container">
<h2>Added {{ email }} to mailing list</h2>
</div>
</body>
</html>
```

5. Display object

```
<p>Searching for: {{ searchTerm }}</p>
{% for movie in movies %}
<h2>{{ movie.title }}</h2>
<h3>{{ movie.description }}</h3>

{% if movie.url %}
<a href="{{ movie.url }}">Movie Link</a>
{% endif %}
{% endfor %}
```

6. Card component

```
<p>Searching for: {{ searchTerm }}</p>
<div class="row row-cols-1 row-cols-md-3 g-4">
  {% for movie in movies %}
    <div v-for="movie in movies" class="col">
      <div class="card">
        
        <div class="card-body">
          <h5 class="card-title fw-bold">{{ movie.title }}</h5>
          <p class="card-text">{{ movie.description }}</p>
          {% if movie.url %}
            <a href="{{ movie.url }}" class="btn btn-primary"> Movie Link </a>
          {% endif %}
        </div>
      </div>
    </div>
  {% endfor %}
</div>
```

7. News.html

```
<!DOCTYPE html>
<html>
<head>
  <title>Movies App</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.1/dist/css/bootstrap.min.css"
    rel="stylesheet" crossorigin="anonymous">
</head>
<body>
  <div class="container">
    {% for news in newss %}
      <h2>{{ news.headline }}</h2>
```

```
        <h5>{{ news.date }}</h5>
        <p>{{ news.body }}</p>
    {% endfor %}
</div>
</body>
</html>
```

8. News.html with css

```
{% for news in newss %}
<div class="card mb-3">
<div class="row g-0">
<div>
<div class="card-body">
<h5 class="card-title">{{ news.headline
}}</h5>
<p class="card-text">{{ news.body }}</p>
<p class="card-text"><small
class="text-muted">
{{ news.date }}
</small></p>
</div>
</div>
</div>
</div>
    {% endfor %}
```