


What is JavaScript?



JS is a programming language. We use it to give instructions to the computer.



Setting up VS Code </>


It is a free & popular code editor by Microsoft

Apna College

Our 1st JS Code

Console.log is used to log (print) a message to the console


log means to print



```
console.log("Apna College");
```

Variables in JS

Variables are containers for data



memory

write `age=5` or `age=50.2` but
`string="prince"` inside double quotes
only

Variable Rules

variable names always by camel case ,
meaning firstword first letter small,
secondword first letter large,
isFollow
fullName

- Variable names are case sensitive; “a” & “A” is different.
- Only letters, **digits**, underscore(_) and \$ is allowed. (not even space)
- **Only a letter, underscore(_) or \$ should be 1st character.**
- Reserved words cannot be variable names.

digitd cant be the first
letter

like console, log , mtlb
jo language ki dictionary me aate hai

let, const & var

block means { inside this braces}
let variable can only be used
inside one block

var : Variable can be re-declared & updated. A global scope variable.

let : Variable cannot be re-declared but can be updated. A block scope variable.

const : Variable cannot be re-declared or updated. A block scope variable.

in js you never declare a variable just by its name u always write in front of it either var, let or const, in var u can redeclare the variable too so its bad so always use let in which u cant redeclare but can update and const for constants like PI (3.14), which cannot even be redeclared and nor be updates see the code...

Data Types in JS

Primitive Types: Number, String, Boolean, Undefined, Null, BigInt, Symbol

7 primitive types of datatype
and nonprimitives are
like objects

boolean means true
or false statements
it differs with string
coz we dont write
it in double quotes
isFollow=true;
like this.

null means empty

null is a value not a variable
null=1; is wrong
x=null; is right

undefined means
undefined, not known

BigInt is a datatype used to store big integers
howd u write it?

```
let x=BigInt("123");
```

remember to always write BigInt and not bigint,

also when u print it in console itll show 123n
theres always an n after the bigint value in th e
output;
typeof x
BigInt

Symbol

```
let y=Symbol("Hello!");
```

print y in console
print typeof y in console

NOTE : we rarely use these two types of datatype

Data Types in JS

Number, String, Boolean, Undefined, Null, BigInt, Symbol

Primitive (7)

Non-primitive

Objects
(Arrays, Functions)



Data Types in JS

Number, String, Boolean, Undefined, Null, BigInt, Symbol

Primitive (7)

Non-primitive

Objects → collection of values


Students

↳ name	String
↳ age	number
↳ marks	number
↳ isPass	boolean



Data Types in JS

Number, String, Boolean, Undefined, Null, BigInt, Symbol



key : value
{ age : 24
 name : "Rahul"
}



objects variables are called keys,
they are always written inside blocks
meaning curly braces

key:value

Data Types in JS

Number, String, Boolean, Undefined, Null, BigInt, Symbol

key : value

obj.key ✓

obj["key"] ✓

u can access object
keys like this ,
obj.key
or
obj["key"]

Students

↳ name	String
↳ age	number
↳ marks	number
↳ isPass	boolean



make objects as

```
const student={  
  fullName:"Rahul kumar",  
  age:15,  
}
```

note: u cant redeclare a const value
again
but u can
redeclare the key values of
a object

To **educate** someone is the highest privilege



4.3 Million



510K



...

Shradha Khapra



Apna College

Co-founder, Apna College | Ex-Microsoft | Tedx Speaker |
Google SPS'20

441K followers · 500+ connections

Follow

LinkedIn

Number

String

Boolean

Apna College

Let's Practice

Qs1. Create a const object called “product” to store information shown in the picture.



Let's Practice

Qs2. Create a const object called “profile” to store information shown in the picture.

