

Comments in JS

Part of Code which is **not executed**

```
1  //This is a single line comment
2
3  /* This is a multi-line
4  |   comment. */
```

Operators in JS

Used to perform some **operation** on data

Arithmetic Operators

+, -, *, /

- **Modulus** %

- **Exponentiation** ** $a^{**}b$ means a^b $2^{**}3$, is , $2*2*2=8$

- **Increment** ++ like $i++$

- **Decrement** -- like $i--$

these are unary operators
which needs only 2
operands unlike other
binart operators which
needs2 operands

Operators in JS

Assignment Operators

= += -= *= %= **=

$a+=4$ means $a=a+4$

$a-=4$ means $a=a-4$

$a*=b$ means $a=a*b$

$a\%=b$ means $a=a\%b$

$a**=b$ means $a=a**b$

Apna College

Operators in JS

Comparison Operators

Equal to **==**

Not equal to **!=**

>, >=, <, <=

Equal to & type **===**

Not equal to & type **!==**

if u let a number 5 and string as 5 and then compare them by == you will get true as output and if u dont want this and want number and string to be treated as differently use these stricter options above with 3 equals to ka sign

Operators in JS

Logical Operators

Logical AND &&

Logical OR ||

Logical NOT !

Apna College

very imp pls see code line 56 it reverse the outcome lets say $a < b$ is true but $!(a < b)$ is false

Conditional Statements

To implement some condition in the code

if Statement

```
let color;  
if(mode === "dark-mode") {  
  color = "black";  
}
```

Conditional Statements

if-else Statement

```
let color;  
if(mode === "dark-mode") {  
  color = "black";  
} else {  
  color = "white";  
}
```

Conditional Statements

else-if Statement

```
if(age < 18) {  
    console.log("junior");  
} else if (age > 60) {  
    console.log("senior");  
} else {  
    console.log("middle");  
}
```


Operators in JS

Ternary Operators

condition ? true output : false output

ternary operator means 3
operands
me kaam krne waala

```
age > 18 ? "adult" : "not adult";
```

MDN Docs

this is for html css and js , u can see every element or css property and mainly javascripts more properties and things like switch statement pls do revise switch statement do to mdn docs and search for switch itll provide u with the syntax of it

Let's Practice

Qs1. Get user to input a number using prompt("Enter a number:"). Check if the number is a multiple of 5 or not.

prompt and alert ,,,

alert makes a pop up in the widnow like this web says"xyz";

alert("Hello");

prompt("hello");

prompt does the same pop up thing but also takes input

Let's Practice

Qs2. Write a code which can give grades to students according to their scores:

- **80-100, A**
- **70-89, B**
- **60-69, C**
- **50-59, D**
- **0-49, F**

Apna College