Spring Boot Library Management Project Report

1. Introduction

This document outlines the development of a Spring Boot application designed to manage `Authors` and `Books`. The project utilizes Spring Data JPA for data access, H2 as an in-memory database, and JSP for the view layer.

2. Entity Relationship Design

The project features two entities: **Author** and **Book**.

- **Relationship:** One-to-Many (`@OneToMany`). An Author can write multiple Books, but each Book belongs to a specific Author.
- **Attributes (Author):** `id` (Primary Key), `name` , `email` (Unique).
- **Attributes (Book):** `id` (Primary Key), `title` , `isbn` (Unique), `author_id` (Foreign Key referencing Author).

```
erDiagram
    AUTHOR ||--o{ BOOK : "writes"
    AUTHOR {
        Long id PK
        String name
        String email UK
    }
    BOOK {
        Long id PK
        String title
        String isbn UK
        Long author_id FK
    }
```

3. Implementation Details

A. Populate Database

Upon application startup, Spring Boot automatically executes `data.sql` located in the `src/main/resources/` directory. This script populates the database with 10 Authors and 10 Books to facilitate immediate testing and demonstration.

B. Create Operation

- **Controller:** The `AuthorBookController` handles `GET` requests to display the forms (`showNewAuthorForm` , `showNewBookForm`) and `POST` requests to save entities (`saveAuthor` , `saveBook`).
- **JSP View:** The `new_author.jsp` and `new_book.jsp` files provide user-friendly input forms utilizing the Spring Form tag library (`<form:form>`).
- **Exception Handling:** If an integrity violation occurs (e.g., trying to add an Author with an existing email, or a Book with a duplicate ISBN), the service layer catches the exception, and the controller

utilizes `RedirectAttributes` to pass an error message back to the UI seamlessly.

Add Author Form:



Add Book Form:



C. Read Operation

- **Custom Inner Join Query:** The `BookRepository` implements a custom query to perform an inner join between Book and Author using `@Query("SELECT b FROM Book b JOIN FETCH b.author")`. This efficiently fetches the author details alongside the book.
- **Controller:** The `viewHomePage` method maps to the root URL (`/`) and retrieves both the list of authors and the list of books (utilizing the custom inner join query).
- **JSP View:** The `index.jsp` page uses JSTL (`<c:forEach>`) to display the lists in an organized HTML table.

Home Page / List View:



Library Management System

Authors

Add New Author

ID	Name	Email	Actions
1	J.K. Rowling	jk.rowling@example.com	Update
2	George R.R. Martin	grrm@example.com	Update
3	J.R.R. Tolkien	jrrt@example.com	Update
4	Isaac Asimov	asimov@example.com	Update
5	Arthur C. Clarke	clarke@example.com	Update
6	Agatha Christie	agatha@example.com	Update
7	Stephen King	sking@example.com	Update
8	Dan Brown	dbrown@example.com	Update
9	Haruki Murakami	hmurakami@example.com	Update
10	Neil Gaiman	ngaiman@example.com	Update

Books

Add New Book

ID	Title	ISBN	Author Name	Actions
1	Harry Potter and the Sorcerer's Stone	978-0439708180	J.K. Rowling	Update
2	A Game of Thrones	978-0553103540	George R.R. Martin	Update
3	The Fellowship of the Ring	978-0618260224	J.R.R. Tolkien	Update
4	Foundation	978-0553293357	Isaac Asimov	Update
5	2001: A Space Odyssey	978-0451457736	Arthur C. Clarke	Update
6	Murder on the Orient Express	978-0062073495	Agatha Christie	Update
7	The Shining	978-0307743657	Stephen King	Update
8	The Da Vinci Code	978-0307474278	Dan Brown	Update
9	Norwegian Wood	978-0375704024	Haruki Murakami	Update
10	American Gods	978-0380789030	Neil Gaiman	Update

D. Update Operation

- **Controller:** The application handles `GET` requests matching `/showFormForAuthorUpdate/{id}` to fetch the existing entity details by its ID and bind it to the view. `POST` requests to

`/saveAuthor` or `/saveBook` utilize JPA's `save()` method, which performs an update (`UPDATE`) if the primary key exists.

- **JSP View:** `update_author.jsp` and `update_book.jsp` forms populate the existing data into the input fields and contain a hidden field (`<form:hidden>`) to preserve the ID during submission.

Update Author Form:



Update Book Form:



4. Challenges Faced & Solutions

1. **JSP Configuration with Spring Boot 3+:**
   - *Challenge:* Spring Boot typically favors Thymeleaf; using JSP requires specific configurations and avoiding executable JAR packaging limits (JSP often fails in standard jar packaging).
   - *Solution:* Added `tomcat-embed-jasper` and Jakarta JSTL API dependencies to the `pom.xml` . Also configured `spring.mvc.view.prefix` and `.suffix` in `application.properties` .
2. **Testing Environment Configuration:**
   - *Challenge:* `BookRepositoryTest` initially failed due to a missing dependency for standard `@SpringBootTest` context loading and `@DataJpaTest` resolution in the updated Spring Boot 3 testing scope.

- *Solution:* Included the `spring-boot-starter-test` dependency in the `pom.xml` and adjusted the test annotations to leverage the `@SpringBootTest` context, successfully allowing the database tests to pass.

5. Github URL

- The project has been committed to a local Git repository and pushed to GitHub.
- **Repository URL:** https://github.com/prince-shakyaa/LibraryManagementSystem