

Student 31 **PRINCE RAJ N** 192312284RD

10 / 10 submitted

Q1. Payroll System

Score: 10.00

CODE

```

START
    INPUT basic_salary
    INPUT bonus
    total_salary = basic_salary + bonus
    OUTPUT total_salary
END

```

INPUT

10000
530

OUTPUT

Compilation Error:
 C:\Windows\TEMP\sandbox_192312284RD_6a5f2839d7eb66.29501151\main.c:1:1: error: unknown type name 'START'
 1 | START
 | ^~~~~
 C:\Windows\TEMP\sandbox_192312284RD_6a5f2839d7eb66.29501151\main.c:2:11: error: expected '=', ',', ';', 'asm' or '__attribute__' before 'basic_salary'
 2 | INPUT basic_salary
 | ^~~~~~
 C:\Windows\TEMP\sandbox_192312284RD_6a5f2839d7eb66.29501151\main.c:2:11: error: unknown type name 'basic_salary'

Q2. Swapping Variables

Score: 10.00

CODE

```

START
    INPUT num1
    INPUT num2
    PRINT "Before Swapping : num1,num2"

    temp = num1
    num1=num2
    num2=temp
    PRINT "After Swapping : num1,num2"
END

```

INPUT

2
3

OUTPUT**Q3. Swapping without third Variables**

Score: 10.00

CODE

```

START
    INPUT num1
    INPUT num2
    PRINT "Before Swapping : num1, num2"

    num1=num1+num2
    num2=num1-num2
    num1=num1-num2
    PRINT "After Swapping : num1,num2"
END

```

INPUT

3
2

OUTPUT

SIMATS Engineering • Department of Computer Science and Engineering • CSA0209 — C PROGRAMMING • 06-08-2026 • Category: CO1_Assessment Test-1 Pseudocode writing • Student Submissions Report

Q4. Simple Interest

Score: 10.00

CODE

```
START
    INPUT principal
    INPUT rate
    INPUT time
    simple_Interest = (principal * rate * time)/100
    OUTPUT simple_Interest
    PRINT "Interest Amount:" , simple_Interest
END
```

INPUT

5000
5
2

OUTPUT

Q5. Celsius to Fahrenheit

Score: 10.00

CODE

```
START
    INPUT celsius
    fahrenheit = (celsius * 1.8) + 32
    OUTPUT fahrenheit
    PRINT "Temperature Celsius to Fahrenheit: " , fahrenheit
END
```

OUTPUT

Q6. Quotient and remainder

Score: 10.00

CODE

```
START
    INPUT dividend
    INPUT divisor
    quotient = dividend / divisor
    remainder = dividend % divisor
    OUTPUT quotient
    OUTPUT remainder
    PRINT "THE Quotient and Remainder for the given Value: " , quotient,remainder
END
```

INPUT

4
2

OUTPUT

Q7. Odd or even

Score: 10.00

CODE

```
START
    INPUT ticket_number
    IF(ticket_number % 2 ==0) THEN
        PRINT "EVEN Ticket - Entry Allowed"
    ELSE
        PRINT "ODD Ticket - Entry Not Allowed"
    ENDIF
END
```

INPUT

3

OUTPUT

SIMATS Engineering • Department of Computer Science and Engineering • CSA0209 — C PROGRAMMING • 06-08-2026 • Category: CO1_Assessment Test-1 Pseudocode writing • Student Submissions Report

Q8. Quadratic equation

Score: 10.00

CODE

```
START
  INPUT a,b,c
  discriminant = (b*b) - (4*a*c)
  IF discriminant > 0 THEN
    root1 = (-b + sqrt(discriminant))/(2*a)
    root2 = (-b - sqrt(discriminant))/(2*a)
    Print "Two distinct real roots:" , root1, root2
  ELSE IF discriminant == 0 THEN
    root1 = root2 = -b / (2*a)
    PRINT "Two equal real roots:", root1,root2
  ELSE
    realPart = -b / (2*a)
    imaginaryPart = sqrt(-discriminant)/(2*a)
    PRINT "Complex roots:", realPart + i*imaginaryPart, realPart - i*imaginaryPart
  ENDIF
END
```

OUTPUT

Q9. Scientific calculator application

Score: 10.00

CODE

```
START
  INPUT number
  sqare = number * number
  cube = number * number * number
  OUTPUT sqare
  OUTPUT cube
  PRINT "Square of the Given number: ", square
  PRINT "Cube of the given number: ", cube
END
```

OUTPUT

Q10. Largest among three numbers

Score: 10.00

CODE

```
START
  INPUT num1
  INPUT num2
  INPUT num3

  IF (num1 ≥ num2 AND num1 ≥ num3) THEN
    Largest = num1
    PRINT "The Largest number is num1:", num1
  ELSE IF (num2 ≥ num1 AND num2 ≥ num3) THEN
    Largest = num2
    PRINT "The Largest number is num2:", num2
  ELSE
    Largest = num3
    PRINT "The Largest number is num3:", num3
  ENDIF
  OUTPUT Largest
END
```

INPUT

3
4
1

OUTPUT