

Student 28	PRINCE RAJ N	192312284RD	2 / 2 submitted
Level 3 — 25 marks/question			

SIMATS Engineering • Department of Computer Science and Engineering • CSA0209 — C Programming • 29-08-2026 • Category: CO5-AT1-LEVEL3 • Student Submissions Report
L3-Q1. findMedian (H)

c

CODE

```
#include <stdio.h>
int findMedian(int a[],int n){
    int i,j,temp;
    for(i=0;i<n-1;i++){
        for(j=i-1;j<n;j++){
            if(a[i]>a[j]){
                temp=a[i];
                a[i]=a[j];
                a[j]=temp;
            }
        }
    }
    if(n%2==1){
        return a[n/2];
    }
    else{
        return (a[n/2-1]+a[n/2])/2;
    }
}
int main(){
    int a[100],n,i;
    printf("Enter the size of the array:\n");
    scanf("%d",&n);
    printf("Enter the elements of the array:\n");
    for(int i=0;i<=n;i++){
        scanf("%d",&a[i]);
    }
    printf("Median of array elements is:%d",findMedian(a,n));
    return 0;
}
```

INPUT

```
5
3 1 4 1 5
```

OUTPUT

```
Enter the size of the array:
Enter the elements of the array:
Median of array elements is:1
```

SIMATS Engineering • Department of Computer Science and Engineering • CSA0209 — C Programming • 29-08-2026 • Category: CO5-AT1-LEVEL3 • Student Submissions Report
L3-Q2. substring (H)

c

CODE

```
#include <stdio.h>
#include <string.h>
int isSubstring(char *str,char *sub){
    char *p,*q;
    while(*str){
        p=str;
        q=sub;
        while(*p && *q && *p==*q){
            p++;
            q++;
        }
        if(*q=='\0'){
            return 1;
        }
        str++;
    }
    return 0;
}
int main(){
    char str[100],sub[100];
    printf("Enter main String:\n");
    scanf("%99s",str);
    printf("Enter the Substring:\n");
    scanf("%99s",sub);
    if(isSubstring(str,sub)){
        printf("%s is a Substring of %s",sub,str);
    }
    else{
        printf("%s is not a Substring of %s",sub,str);
    }
    return 0;
}
```

INPUT

HelloWorld
World

OUTPUT

Enter main String:
Enter the Substring:
World is a Substring of HelloWorld