

Student 31 **PRINCE RAJ N** 192312284RD

4 / 4 submitted

Q1. Electric Battery Manufacturing

Score: 25.00 TC: 3/3 passed

CODE

```
#include <stdio.h>

int main(){
    int monthly, annual, average;
    scanf("%d %d %d", &monthly,&annual,&average);
    if(average > 5000)
        printf("Yes Incentive\n");
    else
        printf("No Incentive\n");
    if(average < 4000)
        printf("Yes Inspection\n");
    else
        printf("No Inspection\n");
    return 0;
}
```

INPUT

5500

OUTPUT

Q2. Maintenance

Score: 25.00 TC: 3/3 passed

CODE

```
#include <stdio.h>
#include <string.h>

int main()
{
    int load;
    char m[10];
    scanf("%d%s",&load,m);
    if(strcmp(m,"Yes")==0)
    {
        printf("Substation Under Maintenance");
        return 0;
    }

    if(load>500)
    {
        printf("Grid Failure");
        return 0;
    }
    printf("Load Percentage = %.0f%%\n",load*100.0/500);
    printf("Available Capacity = %d MW\n",500-load);
    if(load≤300)
        printf("Status = Normal");
    else if(load≤425)
        printf("Status = High Load");
    else
        printf("Status = Critical");

    return 0;
}
```

OUTPUT

```
Load Percentage = 50%
Available Capacity = 250 MW
Status = Normal
Load Percentage = 90%
Available Capacity = 50 MW
Status = Critical
```

Q3. Medical

Score: 25.00 TC: 3/3 passed

CODE

```
#include <stdio.h>
#include <string.h>

int main()
{
    int dose, stock = 250000;
    char status[10];

    scanf("%d%s", &dose, status);

    if(strcmp(status, "CLOSED") == 0)
    {
        printf("Hospital Closed");
        return 0;
    }

    stock = stock - dose;

    if(dose ≥ 10000)
        printf("Hospital Status = Sufficient\n");
    else if(dose ≥ 8000)
        printf("Hospital Status = Minimum Requirement\n");
    else
        printf("Hospital Status = Emergency Supply Required\n");

    printf("Remaining Stock = %d doses", stock);

    return 0;
}
```

OUTPUT

```
Hospital Status = Sufficient
Remaining Stock = 238000 doses
Hospital Status = Minimum Requirement
Remaining Stock = 229500 doses
Hospital Status = Emergency Supply Required
Remaining Stock = 222000 doses
```

Q4. Storage

Score: 25.00 TC: 3/3 passed

CODE

```
#include <stdio.h>
#include <string.h>
int main()
{
    int used, total, remaining, extra = 0;
    char plan[20];
    scanf("%d %s", &used, plan);
    if (strcmp(plan, "Basic") == 0)
        total = 100;
    else if (strcmp(plan, "Standard") == 0)
        total = 500;
    else
        total = 2000;
    if (used > total)
    {
        extra = used - total;
        remaining = 0;
    }
    else
    {
        remaining = total - used;
    }
    if (extra > 0)
    {
        printf("Remaining = %d GB\n", remaining);
        printf("Extra Storage = %d GB\n", extra);
        printf("Extra Charge = Rs.%d\n", extra * 4);
        printf("Status = Extra Storage Used\n");
    }
    else if (used ≥ total * 95 / 100)
    {
        printf("Remaining = %d GB\n", remaining);
        printf("Extra Charge = Rs. %d\n", extra * 4);
        printf("Warning Generated\n");
        printf("Status = Storage Nearly Full\n");
    }
    else
    {
        printf("Total Storage = %d GB\n", total);
        printf("Remaining = %d GB\n", remaining);
        printf("Extra Storage = 0 GB\n");
        printf("Extra Charge = Rs. 0\n");
        printf("Status = Normal\n");
    }

    return 0;
}
```

INPUT

1950 Enterprise

OUTPUT

Total Storage = 2000 GB
Remaining = 50 GB
Extra Storage = 0 GB
Extra Charge = Rs. 0
Warning Generated
Status = Storage Nearly Full