

---

## Derived Formulas for the nth Derivative of Select Functions

*Jojiemar M. Obligar*  
*Tanauan City Integrated High School*  
*Tanauan City, Batangas, Philippines*  
*jojiemar01.obligar@deped.gov.ph*  
*ORCID No.: <https://orcid.org/0000-0003-1273-0222>*

### Abstract

Calculus is an important subject since it exists in most of university courses. Derivatives is one of the important concepts of calculus which is a precondition topic for most of mathematics courses and other courses in different fields of studies. The main aim of this study was to derive formulas for determining the nth derivative of some standard functions in selected forms. Also, it aimed to evaluate the Taylor Series Expansion and Maclaurin Series of select functions using the derived formulas for the nth derivative. In this study, basic research was employed. Expository method was used in developing the algorithms. Proofs through mathematical induction were presented to guarantee the generalization of the assertion. The following formulas for the nth derivative of selected functions were derived:  $(ax^m)^{(n)} = [\prod_{j=0}^{n-1} (m - j)] ax^{m-n}$ ,  $m > 0$ ;  
 $(ax^m)^{(n)} = a \frac{(-1)^n \prod_{j=0}^{n-1} (m + j)}{x^{m+n}}$ ,  $m < 0$ ;  $[(ax + b)^m]^{(n)} = (a)^n [\prod_{j=0}^{n-1} (m - j)] (ax + b)^{m-n}$ ,  $n = 1, 2, 3, \dots$ ;  $m > 0$ ; and  $[(ax + b)^m]^{(n)} = \frac{(a)^n (-1)^n \prod_{j=0}^{n-1} (m + j)}{(ax + b)^{m+n}}$ ,  $n = 1, 2, 3, \dots$ ;  $m < 0$ . The derived nth derivative formulas were applied to Taylor Series Expansion and Maclaurin Series.

**Keywords:** *derivatives, differential calculus, expository method, nth derivative, maclaurin series, taylor series, Philippines*

## **Introduction**

Calculus is an important subject since it exists in most of university courses such as economy, engineering, statistics, science, and all mathematical courses like numerical analysis, statistic, differential equation, and operation research.

Calculus is one of the fundamental and underlying branches of mathematics. It was known before as infinitesimal calculus, which is focused on functions, infinite series and sequences, limits, derivatives, and anti-derivatives (Guce, 2013). For most students in mathematics, science, and engineering, calculus is the entry-point to undergraduate mathematics.

Differential calculus is a subfield of calculus concerned with the study of the rates at which quantities change. It is one of the two traditional divisions of calculus, the other being integral calculus, the study of the area beneath a curve. The primary objects of study in differential calculus are the derivative of a function, related notions such as the differential, and their applications. The derivative of a function at a chosen input value describes the rate of change of the function near that input value. The process of finding a derivative is called differentiation.

Finding the  $n$ th derivative means to take a few derivatives and examine for a pattern. If one exists, then a formula for the  $n$ th derivative can be devised. The usual rules of differentiation to a function will be applied to find each successive derivatives to arrive at the  $n$ th. Solving for the  $n$ th derivative of some functions is a recurring task especially if successive differentiations will be performed. When solving for the derivative of function one time, the first derivative will be obtained. Differentiating the new function another time will result to the second derivative. Likewise, a third, fourth or fifth application of the rules of differentiation will lead to the third derivative, fourth derivative and fifth derivative, respectively. Having an  $n$ th derivative formula

will help the teachers and the students to easily solve for the  $n$ th derivative they want to find without performing long and repetitive solutions.

The  $n$ th derivative formula can be applied to Taylor Series Expansion and Maclaurin Series since those series involve  $n$ th derivatives. An  $n$ th derivative formula can be incorporated to Taylor and Maclaurin series, and the result may be expressed in compact form or expanded form. Because of this, the  $n$ th term of an expanded Taylor or Maclaurin series can already be determined even without working on lengthy and tedious computations.

The main aim of this study was to derive formulas for determining the  $n$ th derivative of some standard functions in selected forms. It also aimed to evaluate the Taylor Series Expansion and Maclaurin Series of select functions using the derived formulas for the  $n$ th derivative. The formulas that were generalized were different from existing equations regarding  $n$ th derivatives. This study is hoped to be a contribution to the body of mathematical, scientific, and theoretical knowledge as well as to uncover new facts and learn more accurately the characteristics of discovered facts without any direct functional utility. Basic research was conducted with any expected practical use in the end. It primarily aims to generate new knowledge and understand nature and its laws. The new knowledge provides foundation from which the practical applications of it may be drawn.

### **Methods**

This study utilized the expository method of research. Journals, books and electronic references are the sources of data for the conduct of the study. The researcher read, analyzed, and scrutinized several related studies on  $n$ th derivatives to achieve the desired objectives. Pertinent data needed in solving the  $n$ th derivatives were gathered from various learning resources which

include but not limited to internet and library. Comparative analysis on the different concepts from different research has been undertaken to consolidate the ideas presented in this paper. Furthermore, consultation with the experts on the field as sought to widen and deepen the understanding and presentation of all the information.

Afterwards, proofs of conjectures were illustrated. Mathematical induction was employed to guarantee the generalization of the assertion. In the principle of mathematical induction, the conjecture satisfied two important properties which are the base case and the inductive hypothesis. Subsequently, algorithms in finding the  $n$ th derivative of select functions as well as examples were presented. Finally, the derived formulas were applied to Maclaurin Series and Taylor Series Expansion since those series also involve  $n$ th derivatives.

## Results and Discussion

The following formulas for the  $n$ th derivative of selected functions were derived. The  $n$ th derivative formulas were applied to Taylor Series Expansion and Maclaurin Series.

### 1. Derived formulas for the $n^{\text{th}}$ derivative of the functions $ax^m$

$$(ax^m)^{(n)} = \begin{cases} [\prod_{j=0}^{n-1} (m - j)] ax^{m-n}, & m > 0 \\ a \frac{(-1)^n \prod_{j=0}^{n-1} (m + j)}{x^{m+n}}, & m < 0 \end{cases}$$

#### 1.1. Power Rule on the $n^{\text{th}}$ derivative of $ax^m$ if $m > 0, m \in \mathbb{R}$

Let  $m > 0$ , then  $(ax^m)^{(n)} = [\prod_{j=0}^{n-1} (m - j)] ax^{m-n}$ , where  $n = 1, 2, 3, \dots$ ;  $a \in \mathbb{R}$ ;  $m \in \mathbb{R}$ ; and  $m < n$ .

#### I. Base Case

$$\text{For } n = 1, (ax^m)^{(1)} = amx^{m-1} = [\prod_{j=0}^{1-1} (m - j)] ax^{m-1}$$

For  $n = 2$ ,  $(ax^m)^{(2)} = a(m)(m-1)x^{m-2} = [\prod_{j=0}^{2-1}(m-j)]ax^{m-2}$

$$(ax^m)^{(2)} = \left[ \prod_{j=0}^1 (m-j) \right] ax^{m-2}$$

## II. Induction Steps

Suppose  $n = k$ ,  $(ax^m)^{(k)} = [\prod_{j=0}^{k-1}(m-j)]ax^{m-k}$ , then  $(ax^m)^{(k+1)} = \{[\prod_{j=0}^{k-1}(m-j)]ax^{m-k}\}'$

$$= [\prod_{j=0}^{k-1}(m-j)](m-k)ax^{(m-k)-1}$$

$$= [\prod_{j=0}^{(k+1)-1}(m-j)]ax^{m-(k+1)}$$

By the Principle of Mathematical Induction,

$$(ax^m)^{(n)} = \left[ \prod_{j=0}^{n-1} (m-j) \right] ax^{m-n},$$

where  $n = 1, 2, 3, \dots$ ;  $a \in \mathbb{R}$ ;  $m > 0$ ;  $m \in \mathbb{R}$ ; and  $m < n$ .

### 1.2. Power Rule on the $n^{\text{th}}$ derivative of $ax^m$ if $m < 0$ , $m \in \mathbb{R}$

Let  $m < 0$ , then  $(ax^m)^{(n)} = a \frac{(-1)^n \prod_{j=0}^{n-1} (m+j)}{x^{m+n}}$ , where  $n = 1, 2, 3, \dots$ ;  $a \in \mathbb{R}$  and  $m \in \mathbb{R}$ .

#### I. Base Case

For  $n = 1$ ,  $(ax^m)^{(1)} = -mx^{-m-1}a = a \frac{(-1)m}{x^{m+1}} = a \frac{(-1)^1 \prod_{j=0}^0 (m+j)}{x^{m+1}}$

For  $n = 2$ ,  $(ax^m)^{(2)} = (-m)(-m-1)ax^{-m-2} = a \frac{(-1)^2 (m)(m+1)}{x^{m+2}}$

$$= a \frac{(-1)^2 \prod_{j=0}^{2-1} (m+j)}{x^{m+2}}$$

$$= a \frac{(-1)^2 \prod_{j=0}^1 (m+j)}{x^{m+2}}$$

## II. Induction Steps

Suppose for  $n = k$ ,  $(ax^m)^{(k)} = a \frac{(-1)^k \prod_{j=0}^{k-1} (m+j)}{x^{m+k}}$ , then

$$\begin{aligned}
 &= (ax^m)^{(k+1)} = a \left[ \frac{(-1)^k \prod_{j=0}^{k-1} (m+j)}{x^{m+k}} \right]' \\
 &= a \left\{ (-1)^k \left[ \prod_{j=0}^{k-1} (m+j) \right] x^{-(m+k)} \right\}' \\
 &= a(-1)^k \left[ \prod_{j=0}^{k-1} (m+j) \right] [-(m+k)] x^{-(m+k)-1} \\
 &= a(-1)^k \left[ \prod_{j=0}^{k-1} (m+j) \right] [-(m+k)] x^{-m-k-1} \\
 &= a(-1)^k \left[ \prod_{j=0}^{k-1} (m+j) \right] [-(m+k)] x^{-m-(k+1)} \\
 &= a \frac{(-1)^k (-1) \left[ \prod_{j=0}^{k-1} (m+j) \right] (m+k)}{x^{m+(k+1)}} \\
 &= a \frac{(-1)^{k+1} \prod_{j=0}^{(k+1)-1} (m+j)}{x^{m+(k+1)}}
 \end{aligned}$$

By the Principle of Mathematical Induction,

$$(ax^m)^{(n)} = a \frac{(-1)^n \prod_{j=0}^{n-1} (m+j)}{x^{m+n}}$$

where  $n = 1, 2, 3, \dots$ ;  $a \in \mathbb{R}$ ;  $m < 0$ ; and  $m \in \mathbb{R}$ .

2. Derived Formulas for the  $n^{\text{th}}$  Derivative of the Function  $(ax + b)^m$ 

$$[(ax + b)^m]^{(n)} = \begin{cases} (a)^n \left[ \prod_{j=0}^{n-1} (m - j) \right] (ax + b)^{m-n}, n = 1, 2, 3, \dots; m > 0 \\ \frac{(a)^n (-1)^n \prod_{j=0}^{n-1} (m + j)}{(ax + b)^{m+n}}, n = 1, 2, 3, \dots; m < 0 \end{cases}$$

2.1. Power Rule on the  $n^{\text{th}}$  derivative of  $(ax + b)^m$  if  $m > 0, m \in \mathbb{R}$ 

$$\text{Let } m > 0, \text{ then } [(ax + b)^m]^{(n)} = (a)^n \left[ \prod_{j=0}^{n-1} (m - j) \right] (ax + b)^{m-n}$$

where  $n = 1, 2, 3, \dots; a \in \mathbb{R}; m \in \mathbb{R};$  and  $m < n$ .

## I. Base Case

For  $n = 1, [(ax + b)^m]^{(1)}$

$$\begin{aligned} &= m(ax + b)^{m-1}(a)^1 = \left[ \prod_{j=0}^{1-1} (m - j) \right] (ax + b)^{m-1}(a)^1 \\ &= \left[ \prod_{j=0}^0 (m - j) \right] (ax + b)^{m-1}(a)^1 \end{aligned}$$

For  $n = 2, [(ax + b)^m]^{(2)}$

$$\begin{aligned} &= m(m-1)(ax + b)^{m-2}(a)^2 = \left[ \prod_{j=0}^{2-1} (m - j) \right] (ax + b)^{m-2}(a)^2 \\ &= \left[ \prod_{j=0}^1 (m - j) \right] (ax + b)^{m-2}(a)^2 \end{aligned}$$

## II. Induction Steps

Suppose  $n = k$ ,

$$[(ax + b)^m]^{(k)} = m(ax + b)^{m-k}(a)^k = \left[ \prod_{j=0}^{k-1} (m - j) \right] (ax + b)^{m-k}(a)^k$$

$$\begin{aligned} \text{then } [(ax + b)^m]^{(k+1)} &= \left\{ \left[ \prod_{j=0}^{k-1} (m - j) \right] (ax + b)^{m-k}(a)^{k+1} \right\}' \\ &= \left[ \prod_{j=0}^{k-1} (m - j) \right] (m - k)(ax + b)^{m-k}(a)^{k+1} \\ &= \left[ \prod_{j=0}^{k+1-1} (m - j) \right] (ax + b)^{m-k}(a)^{k+1} \end{aligned}$$

By the Principle of Mathematical Induction,

$$[(ax + b)^m]^{(n)} = \left[ \prod_{j=0}^{n-1} (m - j) \right] (ax + b)^{m-n}(a)^n$$

where  $n = 1, 2, 3, \dots$ ;  $a \in \mathbb{R}$ ;  $m > 0$ ;  $m \in \mathbb{R}$ ; and  $m < n$ .

2.2. Power Rule on the  $n^{\text{th}}$  derivative of  $(ax + b)^m$  if  $m < 0$ ,  $m \in \mathbb{R}$

Let  $m < 0$ , then  $[(ax + b)^m]^{(n)} = \frac{(-1)^n \prod_{j=0}^{n-1} (m + j)}{(ax + b)^{m+n}} (a)^n$  where  $n = 1, 2, 3, \dots$ ;  $a \in \mathbb{R}$  and

$m \in \mathbb{R}$ .

## I. Base Case

For  $n = 1$ ,  $[(ax + b)^m]^{(1)} = -m(ax + b)^{-m-1}(a)^1$

$$\begin{aligned} &= \frac{(-1)m}{(ax + b)^{m+1}} (a)^1 \\ &= \frac{(-1)^1 \prod_{j=0}^{1-1} (m + j)}{(ax + b)^{m+1}} (a)^1 \end{aligned}$$



$$= \frac{(-1)^1 \prod_{j=0}^0 (m+j)}{(ax+b)^{m+1}} (a)^1$$

For  $n = 2$ ,  $[(ax+b)^m]^{(n)} = -m(-m-1)(ax+b)^{-m-2}(a)^2$

$$\begin{aligned} &= \frac{(-1)^2 (m)(m+1)}{(ax+b)^{m+2}} (a)^2 \\ &= \frac{(-1)^2 \prod_{j=0}^1 (m+j)}{(ax+b)^{m+2}} (a)^2 \\ &= \frac{(-1)^2 \prod_{j=0}^1 (m+j)}{(ax+b)^{m+2}} (a)^2 \end{aligned}$$

## II. Induction Steps

Suppose for  $n = k$ ,  $[(ax+b)^m]^{(k)} = \frac{(-1)^k \prod_{j=0}^{k-1} (m+j)}{(ax+b)^{m+1}} (a)^k$ , then

$$\begin{aligned} [(ax+b)^m]^{(k+1)} &= \left[ \frac{(-1)^k \prod_{j=0}^{k-1} (m+j)}{(ax+b)^{m+k}} (a)^{k+1} \right]' \\ &= \left\{ (-1)^k \left[ \prod_{j=0}^{k-1} (m+j) \right] (ax+b)^{-(m+k)} (a)^{k+1} \right\}' \\ &= (-1)^k \left[ \prod_{j=0}^{k-1} (m+j) \right] [-(m+k)] (ax+b)^{-(m+k)-1} (a)^{k+1} \\ &= \frac{(-1)^k (-1) \left[ \prod_{j=0}^{k-1} (m+j) \right] (m+k)}{(ax+b)^{m+k+1}} (a)^{k+1} \\ &= \frac{(-1)^{k+1} \prod_{j=0}^{(k+1)-1} (m+j)}{(ax+b)^{m+(k+1)}} (a)^{k+1} \end{aligned}$$

By the Principle of Mathematical Induction,

$$[(ax+b)^m]^{(n)} = (a)^n \frac{(-1)^n \prod_{j=0}^{n-1} (m+j)}{(ax+b)^{m+n}}$$

where  $n = 1, 2, 3, \dots$ ;  $a \in \mathbb{R}$ ;  $m < 0$ ; and  $m \in \mathbb{R}$ .

### 3. Evaluating the Derived Formulas on the Following Series

The derived  $n$ th derivative formulas will be applied to Taylor Series and Maclaurin Series since those series involve  $n$ th derivatives.

#### 3.1. Taylor Series

The Taylor Series of a real or complex-valued function  $f(x)$  that is infinitely differentiable at a real or complex number  $c$  is the power series

$$f(x) = f(c) + \frac{f'(c)}{1!}(x - c) + \frac{f''(c)}{2!}(x - c)^2 + \frac{f'''(c)}{3!}(x - c)^3 + \dots,$$

where  $n!$  denotes the factorial of  $n$ . In the more compact sigma notation, this can be written as

$$f(x) = \sum_{n=0}^{\infty} \frac{f^{(n)}(c)}{n!} (x - c)^n$$

where  $f^{(n)}(c)$  denotes the  $n$ th derivative of  $f$  evaluated at the point  $c$ . The Taylor series for any polynomial is the polynomial itself.

##### 3.1.1. Taylor Series Expansion of $ax^m$ if $m > 0$

To evaluate the Taylor Series of  $ax^m$  if  $m > 0$ , we can apply the  $n$ th derivative formula  $(ax^m)^{(n)} = [\prod_{j=0}^{n-1} (m - j)] ax^{m-n}$ .

$$ax^m = ax^m \Big|_{x=c} + \sum_{n=1}^{\infty} \frac{\prod_{j=0}^{n-1} (m - j) \cdot ax^{m-n} \Big|_{x=c}}{n!} (x - c)^n.$$

Using the  $n$ th derivative formula for  $ax^m$  if  $m > 0$ , the Taylor Series for  $ax^m$  at  $x = c$  is

$$ax^m = ax^m \Big|_{x=c} + \sum_{n=1}^{\infty} \frac{(ax^m)^{(n)} \Big|_{x=c}}{n!} (x - c)^n.$$

3.1.2. Taylor Series Expansion of  $ax^m$  if  $m < 0$ 

To evaluate the Taylor Series of  $ax^m$  if  $m < 0$ , we can apply the  $n$ th derivative formula

$$(ax^m)^{(n)} = a \frac{(-1)^n \prod_{j=0}^{n-1} (m+j)}{x^{m+n}} \cdot ax^m \text{ where } m < 0 \text{ can also be expressed as } \frac{a}{x^m}.$$

$$\frac{a}{x^m} = \left. \frac{a}{x^m} \right|_{x=c} + \sum_{n=1}^{\infty} a \frac{(-1)^n \prod_{j=0}^{n-1} (m+j)}{n! x^{m+n}} \Big|_{x=c} \cdot (x-c)^n.$$

Using the  $n$ th derivative formula for  $ax^m$  if  $m < 0$ , the Taylor Series for  $\frac{a}{x^m}$  at  $x = c$  is

$$\frac{a}{x^m} = \left. \frac{a}{x^m} \right|_{x=c} + \sum_{n=1}^{\infty} \frac{\left( \frac{a}{x^m} \right)^{(n)} \Big|_{x=c}}{n!} \cdot (x-c)^n.$$

3.1.3. Taylor Series Expansion of  $(ax+b)^m$  if  $m > 0$ 

To evaluate the Taylor Series of  $(ax+b)^m$  if  $m > 0$ , we can apply the  $n$ th derivative formula

$$[(ax+b)^m]^{(n)} = \left[ \prod_{j=0}^{n-1} (m-j) \right] (ax+b)^{m-n} (a)^n.$$

$$(ax+b)^m = (ax+b)^m \Big|_{x=c} + \sum_{n=1}^{\infty} \frac{(a)^n \left[ \prod_{j=0}^{n-1} (m-j) \right] [(ax+b)^{m-n}]}{n!} (x-c)^n.$$

Using the  $n$ th derivative formula for  $(ax+b)^m$  if  $m > 0$ , the Taylor Series for  $(ax+b)^m$  at  $x = c$  is

$$(ax+b)^m = (ax+b)^m \Big|_{x=c} + \sum_{n=1}^{\infty} \frac{[(ax+b)^m]^{(n)} \Big|_{x=c}}{n!} (x-c)^n.$$

3.1.4. Taylor Series Expansion of  $(ax + b)^m$  if  $m < 0$ 

To evaluate the Taylor Series of  $(ax + b)^m$  if  $m < 0$ , we can apply the  $n$ th derivative formula

$$[(ax + b)^m]^{(n)} = \frac{(-1)^n \prod_{j=0}^{n-1} (m+j)}{(ax+b)^{m+n}} (a)^n. (ax + b)^m \text{ where } m < 0 \text{ can also be expressed as } \frac{1}{(ax+b)^m}.$$

$$\frac{1}{(ax + b)^m} = \frac{1}{(ax + b)^m} \Big|_{x=c} + \sum_{n=1}^{\infty} \frac{(-1)^n (a)^n [\prod_{j=0}^{n-1} (m+j)]}{n! (ax + b)^{m+n}} \Big|_{x=c} \cdot (x - c)^n.$$

Using the  $n$ th derivative formula for  $(ax + b)^m$  if  $m < 0$ , the Taylor Series for  $\frac{1}{(ax+b)^m}$  at  $x = c$  is

$$\frac{1}{(ax + b)^m} = \frac{1}{(ax + b)^m} \Big|_{x=c} + \sum_{n=1}^{\infty} \frac{\left[ \frac{1}{(ax + b)^m} \right]^{(n)} \Big|_{x=c}}{n!} \cdot (x - c)^n.$$

## 3.2. Maclaurin Series

A Maclaurin series is a Taylor series expansion of a function about 0,  $f(x) = f(0) +$

$$\frac{f'(0)}{1!}x + \frac{f''(0)}{2!}x^2 + \frac{f'''(0)}{3!}x^3 + \dots + \frac{f^{(n)}(0)}{n!}x^n + \dots \text{ where } n! \text{ denotes the factorial of } n. \text{ In the more}$$

compact sigma notation, this can be written as

$$f(x) = \sum_{n=0}^{\infty} \frac{f^{(n)}(0)}{n!} x^n.$$

3.2.1. Maclaurin Series of  $ax^m$  if  $m > 0$ 

To evaluate the Maclaurin Series of  $ax^m$  if  $m > 0$ , we can apply the derived  $n$ th derivative formula  $(ax^m)^{(n)} = [\prod_{j=0}^{n-1} (m - j)] ax^{m-n}.$

$$ax^m = ax^m \Big|_{x=0} + \sum_{n=1}^{\infty} \frac{\prod_{j=0}^{n-1} (m - j) \cdot ax^{m-n} \Big|_{x=0}}{n!} x^n.$$

Using the nth derivative formula of  $ax^m$  if  $m > 0$ , the Maclaurin Series for  $ax^m$  at  $x = 0$  is

$$ax^m = ax^m \Big|_{x=0} + \sum_{n=1}^{\infty} \frac{(ax^m)^{(n)} \Big|_{x=0}}{n!} x^n.$$

### 3.2.2. Maclaurin Series of $ax^m$ if $m < 0$

To evaluate the Maclaurin Series of  $ax^m$  if  $m < 0$ , we can apply the nth derivative formula

$$(ax^m)^{(n)} = a \frac{(-1)^n \prod_{j=0}^{n-1} (m+j)}{x^{m+n}} \cdot ax^m \text{ where } m < 0 \text{ can be expressed as } \frac{a}{x^m}.$$

$$\frac{a}{x^m} = \frac{a}{x^m} \Big|_{x=0} + \sum_{n=1}^{\infty} a \frac{(-1)^n \prod_{j=0}^{n-1} (m+j)}{n! x^{m+n}} \Big|_{x=0} \cdot x^n.$$

Using the nth derivative formula for  $ax^m$  if  $m < 0$ , the Maclaurin Series for  $ax^m$  if  $m < 0$  at  $x = c$  is

$$\frac{a}{x^m} = \frac{a}{x^m} \Big|_{x=0} + \sum_{n=1}^{\infty} \frac{\left( \frac{a}{x^m} \right)^{(n)} \Big|_{x=c}}{n!} \Big|_{x=0} \cdot x^n.$$

### 3.2.3. Maclaurin Series of $(ax + b)^m$ if $m > 0$

To evaluate the Maclaurin Series of  $(ax + b)^m$  if  $m > 0$ , we can apply the nth derivative formula  $[(ax + b)^m]^{(n)} = [\prod_{j=0}^{n-1} (m - j)](ax + b)^{m-n}(a)^n$ .

$$(ax + b)^m = (ax + b)^m \Big|_{x=0} + \sum_{n=1}^{\infty} \frac{(a)^n [\prod_{j=0}^{n-1} (m - j)] [(ax + b)^{m-n}] \Big|_{x=0}}{n!} \cdot x^n.$$

Using the nth derivative formula for  $(ax + b)^m$  if  $m > 0$ , the Maclaurin Series for  $(ax + b)^m$  is

$$(ax + b)^m = (ax + b)^m \Big|_{x=0} + \sum_{n=1}^{\infty} \frac{[(ax + b)^m]^{(n)} \Big|_{x=0}}{n!} x^n.$$

3.1.4. Maclaurin Series of  $(ax + b)^m$  if  $m < 0$ 

To evaluate the Maclaurin Series of  $(ax + b)^m$  if  $m < 0$ , we can apply the nth derivative formula  $[(ax + b)^m]^{(n)} = \frac{(-1)^n \prod_{j=0}^{n-1} (m+j)}{(ax+b)^{m+n}} (a)^n \cdot (ax + b)^m$  where  $m < 0$  can also be expressed as  $\frac{1}{(ax+b)^m}$ .

$$\frac{1}{(ax + b)^m} = \frac{1}{(ax + b)^m} \Big|_{x=0} + \sum_{n=1}^{\infty} \frac{(-1)^n (a)^n [\prod_{j=0}^{n-1} (m+j)]}{n! (ax + b)^{m+n}} \Big|_{x=0} \cdot x^n.$$

Using the nth derivative formula for  $(ax + b)^m$  if  $m < 0$ , the Maclaurin Series for  $f(x) = \frac{1}{(ax+b)^m}$  at  $x = c$  is

$$\frac{1}{(ax + b)^m} = \frac{1}{(ax + b)^m} \Big|_{x=c} + \sum_{n=1}^{\infty} \frac{\left[ \frac{1}{(ax + b)^m} \right]^{(n)} \Big|_{x=0}}{n!} \cdot x^n.$$

### Conclusions

The following conclusions were drawn from the results of this study.

1. The same nth derivative is obtained when both using successive differentiation and the nth derivative formula for the function  $ax^m$ . If the nth derivative is a very long expression, the result can be written in product notation form. In  $ax^m$ , if  $m > 0$ , the nth derivative is 0 when  $n > m$  while in  $ax^m$  if  $m < 0$ , the nth derivative is a constant when  $n = m$ .
2. The same nth derivative is obtained when both using successive differentiation and the nth derivative formula for the function  $(ax + b)^m$ . If the nth derivative is a very long expression, the result can be written in product notation form. In  $(ax + b)^m$  if  $m > 0$ , the nth derivative is 0 when  $n > m$  while in  $(ax + b)^m$  if  $m < 0$ , the nth derivative is a constant when  $n = m$ .

3. The  $n$ th derivative formula for functions  $ax^m$  and  $(ax + b)^m$  can be applied in Taylor Series and Maclaurin Series. The same Taylor Series are obtained for functions  $ax^m$  and  $(ax + b)^m$  when using both conventional method and the application of the  $n$ th derivative formula. Also, the same Maclaurin Series are obtained for functions  $ax^m$  and  $(ax + b)^m$  when using both conventional method and the application of the  $n$ th derivative formula.

### **Recommendations**

From the results of this research study, the following recommendations are endorsed.

1. The algorithms and formulas maybe presented to students taking differential calculus. The teachers may use the algorithms and formulas in teaching  $n$ th derivative of some functions.
2. Algorithms on the  $n$ th derivative of other functions may be developed such as logarithmic, exponential, trigonometric, inverse trigonometric and hyperbolic functions. Derivation of other formulas in getting the  $n$ th derivative of other elementary functions maybe explored.
3. Derivative formulas maybe applied in other series like power series, binomial series and infinite series.
4. Concepts like convergence and divergence of series, ratio test, root tests, limit comparison test and alternating series test may be explored in some series that involve  $n$ th derivatives.
5. Future researcher may delve on the exploration of application of  $n$ th derivatives and series related to it.

### **Acknowledgment**

This precious work will not be realized without these individuals and institutions whose assistance, cooperation, effort, and support made significant impact in the completion of this research paper. With heartfelt appreciation, the researcher sincerely expresses his gratitude to the following:

First and foremost, to Almighty God, the most Divine Source of Life for bestowing the researcher grace, guidance, love and wisdom that gave way to the accomplishment of this dissertation;

To Dr. Tirso A. Ronquillo, President of the Batangas State University, for his leadership in securing quality services and learning experiences rendered by the university;

To Dr. Rowena R. Abrea, Dean of the College of Teacher Education, for her outstanding leadership that serves as an inspiration to the students of the graduate school that motivates them to continue upgrading their professional career as individuals making significant contributions in the field of education;

To Dr. Norrie E. Gayeta, for equipping the researcher the necessary knowledge in writing, organizing and editing research paper and for guiding him in the proper and formal way of conducting research;

To Dr. Emil C. Alcantara, the dissertation adviser, for his insights, ideas, assistance, guidance, and supervision serving as a strong enticement in the pursuance of this study;

To Dr. Charity A. Aldover, Dr. Realiza M. Mame, Dr. Felix M. Panopio and Dr. Ivey K. Guce, for the valuable comments and suggestions they provided to enhance the content of this study;



To Dr. Richard M. Bañez, the technical editor, for meticulously enhancing the readability of this research work;

To the Batangas State University professors who have shaped the researcher to be a persistent, open-minded and smart-working individual enabling him to finish this graduate program;

To the researchers' friends, colleagues and co-teachers, for believing in the essence and success of this research, and for their support during the busy and hectic times;

And for those people who were not mentioned but somehow served as inspirations to the researcher, thank you.

## References

### A. Books

Calmorin, L.P. (2007). *Research methods and thesis writing*. REX Book Store, Inc.

Comandante, F. L. (2010). *Differential calculus*. National Bookstore

Domingo, A. E., Egarguin, N. J. A., Fontanil, L. L., & Lawas, V. M. (2017). *Basic calculus for senior high school*. C & E Publishing, Inc.

Stewart, J. (2008). *Calculus early transcendentals*. Thomson Brooks/Cole

Stewart, J. (2012). *Multivariable calculus*. Thomson Brooks/Cole, Cengage Learning

### B. Theses and Dissertations

Manalo, B. P. (2019).  *$n$ th derivative of some algebraic functions*. [Doctoral Dissertation, Batangas State University]

### C. Internet Sources

Abramson, J. (2019). *Power functions and polynomial functions*. [https://math.libretexts.org/Bookshelves/Precalculus/Book%3APrecalculus\\_\(OpenStax\)/03%3APolynomial\\_and\\_Rational\\_Functions/3.04%3APower\\_Functions\\_and\\_Polynomial\\_Functions](https://math.libretexts.org/Bookshelves/Precalculus/Book%3APrecalculus_(OpenStax)/03%3APolynomial_and_Rational_Functions/3.04%3APower_Functions_and_Polynomial_Functions)

- Adegoke, K. (2016). *The higher derivatives of the inverse tangent function and rapidly convergent BBP-type formulas*. <https://arxiv.org/pdf/1603.08540.pdf>
- Ash, J. M. (2000). *On the  $n$ th quantum derivative*. <https://math.depaul.edu/~mash/quant-n.pdf>
- Ewumi T.O., & Enoch O.A. (2012). *A new method for obtaining the  $n$ th derivative of a function of the form  $y = l_1(x)l_2(x)l_3(x)$* . <https://www.ajol.info/index.php/jonamp/article/view/121039>
- Jackson, C. (2020). *Power functions*. <https://study.com/academy/lesson/what-is-a-power-function-equations-and-graphs.html>
- Mihoubi, M. (2007). *Bell polynomials and binomial type sequences*. <https://www.sciencedirect.com/science/article/pii/S0012365X07003664>
- Nishimoto, K., & Miyakoda, T. (2007).  *$N$ -fractional calculus and  $n$ th derivatives of some algebraic functions*. [https://www.researchgate.net/publication/265930654\\_N-fractional\\_calculus\\_and\\_nth\\_derivatives\\_of\\_some\\_algebraic\\_functions](https://www.researchgate.net/publication/265930654_N-fractional_calculus_and_nth_derivatives_of_some_algebraic_functions)
- Nykamp, D. Q. (2019). *The derivative of a power function*. [https://mathinsight.org/derivative\\_power\\_function](https://mathinsight.org/derivative_power_function)
- Tremblay R., Gaboury, S., & Fugere, B.J. (2012). *A new Leibniz rule and its integral analogue for fractional derivatives*. <https://www.tandfonline.com/doi/full/10.1080/10652469.2012.668904?src=recsys>
- Xenophontos, C. (2007). *A formula for the  $n$ th derivative of the quotient of two functions*. <http://www.mas.ucy.ac.cy/~xenophon/pubs/capsule.pdf>

#### D. Journals

- Benghorbal, M. M., & Corless, R. M. (2002). *The  $n$ th derivative*. ACM SIGSAM Bulletin, 36(1): 10-14. DOI: 10.1145/565145.565149
- Benghorbal, M. M. (2009). *A unified formula for the  $n$ th derivative and the  $n$ th anti-derivative of the power-logarithmic class*. International Journal of Pure and Applied Mathematics, 37(3): 349-365. DOI: 10.1109/ICC.2009.53
- Benghorbal, M. M. (2015). *A unified formula for the  $n$ th derivative and the  $n$ th anti-derivative of the Bessel function of real orders*. American Journal of Applied Mathematics and Statistics, 3(3):100-104. DOI: 10.12691/ajams-3-3-3
- Farid, G., & Javed, A. (2018). *On Hadamard and Fej'er-Hadamard inequalities for Caputo  $k$ -fractional derivatives*. The International Journal of Nonlinear Analysis and Applications (IJNAA), 9(1):69-81. DOI: 10.22075/ijnaa.2018.10724.1521

- Guce, Ivey K. (2013). *On fractional derivative: the non-integer order of the derivative*. International Journal of Scientific and Engineering Research, 4(3): 1-6.
- Hashemi, N., Abu M.S., Kashefi, H., Mokhtar, M., & Rahimi, K. (2015). *Designing learning strategy to improve undergraduate students' problem solving in derivatives and integrals: A conceptual framework*. Eurasia Journal of Mathematics, Science and Technology Education, 11(2): 227-238. DOI: 10.12973/eurasia.2015.1318a
- Pietro, C. (2002). *Generalised trapezoidal rules with error involving bounds of the  $n$ th derivative*. Mathematical Inequalities and Applications, 5(3): [https://www.researchgate.net/publication/331670391\\_Multivariate\\_Bell\\_Polynomials\\_and\\_Derivatives\\_of\\_Composed\\_Functions451-462](https://www.researchgate.net/publication/331670391_Multivariate_Bell_Polynomials_and_Derivatives_of_Composed_Functions451-462).
- Vera, C., & Jovanovic, M. S. (2012). *On a formula for the  $n$ th derivative and its applications*. Mathematical Inequalities and Applications, 15(1): 211–216. DOI: 10.7153/mia-15-17