FACULTY OF COMPUTER APPLICATIONS

Marwadi University
Marwadi Chandarana Group

NAAC A+

Faculty of Computer Applications

BCA Sem-1
(AY-2026-27)

Lab Book

Sub Code : 05BC3103
(Programming Practices : 1)

Roll No :	92600527021
Full Name :	Jadeja Princerajsinh

GitHub Link |princejadeja1881-dev

Sub.Faculty Name : Dr.Ashwin Dobariya

Index

Unit : 1	
Program No	**Definition**
1.	Print "Hello World".
2.	2 Values from user and Perform All Arithmetic Operations.
3.	Print numbers from 1 to 20.
4.	Input 3 values from user and find out its Average.
5.	Calculate the Square and Cube of a number.
6.	Interchange the value of two numbers.
7.	Find largest out of three numbers.
8.	Find out Fibonacci series up to given n values.
9.	Find out Number is Odd or Even.
10.	Find out sum of digits of a given number.

(1) Print "Hello World".

Algorithm :

Step 1 : START
Step 2 : PRINT “Hello World”
Step 3 : STOP

Flowchart :



Code :

```
#include<stdio.h>
#include<conio.h>

void main(){
		clrscr();
		printf("Hello World");
		getch();
}
```

Output :



(2) 2 Values from user and Perform All Arithmetic Operations.

Algorithm :

Step 1 : START
Step 2 : DECLARE variables x=0.0, y=0.0, a, s, m, d
Step 3 : INPUT x,y
Step 4 : a = x + y
Step 5 : s = x – y
Step 6 : m = x * y
Step 7 : d = x / y
Step 8 : OUTPUT a, s, m, d
Step 9 : STOP

Flowchart :



Code :

```
#include<stdio.h>
#include<conio.h>

void main()
{
        float x,y;
        clrscr();
        printf("\n Enter Number 1: ");
        scanf("%f",&x);
        printf("\n Enter Number 2: ");
        scanf("%f",&y);

        printf("Addition Is: %.2f \n",x+y);
        printf("Subtraction Is: %.2f \n",x-y);
        printf("Multiplication Is: %.2f \n",x*y);
        printf("Division Is: %.2f \n",x/y);

        getch();

}
```

Output :



(4) Input 3 values from user and find out its Average.

Algorithm :

Step 1 : START
Step 2 : DECLARE variables x, y, z, avg
Step 3 : INPUT x, y, z
Step 4 : avg = (x + y + z) / 3
Step 5 : PRINT avg
Step 6 : STOP

Flowchart :



Code :

```
#include<stdio.h>
#include<conio.h>

void main()
{
                    int x,y,z;
                    clrscr();
                    printf("\n Enter Number 1: ");
                    scanf("%d",&x);
                    printf("\n Enter Number 2: ");
                    scanf("%d",&y);
                     printf("\n Enter Number 3: ");
                    scanf("%d",&z);
                    printf("\n Average is: %d ",(x+y+z)/3);
                    getch();

}
```

Output :



(5) Calculate the Square and Cube of a number.

Algorithm :

Step 1 : START
Step 2 : DECLARE variables n, sqr, cube
Step 3 : INPUT n
Step 4 : sqr = n * n
Step 5 : cube = n* n* n
Step 6 : OUTPUT sqr, cube
Step 7 : STOP

Flowchart :



Code :

```
#include<stdio.h>
#include<conio.h>

void main()
{
        int n;
        clrscr();
        printf("\n Enter Number: ");
        scanf("%d",&n);
        printf("\n Enter Square: %d",n*n);
        printf("\n Cube is: %d",n*n*n);
        getch();

}
```

Output :



(6) Interchange the value of two numbers.

Algorithm :

Step 1 : START
Step 2 : DECLARE variables temp, x, y
Step 3 : INPUT x, y
Step 4 : temp = x
Step 5 : x = y
Step 6 : y = temp
Step 7 : PRINT x, y
Step 8 : STOP

Flowchart :



Code :

```c
#include<stdio.h>
#include<conio.h>

void main()
{
			int temp,x,y;
			clrscr();
			printf("\n Enter Number 1: ");
			scanf("%d",&x);
			printf("\n Enter Number 2: ");
			scanf("%d",&y);
			temp=x;
			x=y;
			y=temp;
			printf("\nNew Number 1: %d",x);
			printf("\nNew Number 2: %d",y);
			getch();

}
```

Output :



(7) Find largest out of three numbers.

Algorithm :

Step 1 : START
Step 2 : DECLARE variables X, Y, Z
Step 3 : INPUT X, Y, Z
Step 4 : IF X > Y && X > Z THEN
PRINT "X is Largest"
Step 5 : ELSE IF Y > Z && Y > X THEN
PRINT "Y is Largest"
Step 6 : ELSE
PRINT "Z is Largest"
Step 7 : STOP

Flowchart :



Code :

```
#include<stdio.h>
#include<conio.h>

void main(){
		int x,y,z;
		clrscr();
		printf("\n Enter Number 1: ");
		scanf("%d",&x);
		printf("\n Enter Number 2: ");
		scanf("%d",&y);
		printf("\n Enter Number 3: ");
		scanf("%d",&z);

		if(x>y && x>z){
			printf("Number 1 is largest");
		}
		else if(y>z && y>x){
			printf("Number 2 is largest");
		}
		else{
			printf("Number 3 is largest");
		}
		getch();

}
```

Output :



(9) Find out Number is Odd or Even.

Algorithm :

Step 1 : START
Step 2 : DECLARE variable x = 0
Step 3 : INPUT x
Step 4 : IF x % 2 = 0 THEN
    PRINT "Even Number"
Step 5 : ELSE
    PRINT "Odd Number"
Step 6 : STOP

Flowchart :



Code :

```
#include<stdio.h>
#include<conio.h>

void main()
{
		int n;
		clrscr();
		printf("\n Enter Number: ");
		scanf("%d",&n);

		if(n%2==0){
		     printf("Even Number");
		}
		else
		     printf("Odd Number");
		getch();
}
```

Output :



(10) Find out sum of digits of a given number.

Algorithm :

Step 1 : START
Step 2 : DECLARE variables n, x, y
Step 3 : INPUT n
Step 4 : x = n % 10
Step 5 : y = n / 10
Step 6 : OUTPUT x + y
Step 7 : STOP

Flowchart :



Code :

```
#include<stdio.h>
#include<conio.h>

void main()
{
   int n,x,y;
   clrscr();
   printf("\n Enter Two Digit Number: ");
   scanf("%d",&n);
   x=n%10;
   y=n/10;
   printf("Sum Of Digits is: %d",x+y);
   getch();

}
```

Output :