## DSA\_Quiz-2\_2/3/2021

This form will record your name, please fill your name.	
1. Following is C like pseudo code of a function that takes a Stack as an argument, ar uses a Queue Q to do processing.	าด
void fun(Stack *S) {	
Queue Q; // Say it creates an empty Queue Q while (!isEmpty(S))	
{     // pop an item from S and enqueue the popped item to Q     Enqueue(&Q, pop(S));	
} // Run while Queue Q is not empty while (!isEmpty(&Q)) {	
'// dequeue an item from Q and push the dequeued item to S push(S, dequeue(&Q));	
What does the above function do in general? (2 Points)	
Removes the last from S	
Comparison Keeps the S same as it was before the call	
Makes S empty	
Reverses the S	

using a stack assuming that the input is the sequence 10, 20, 30, 44, 45 in that order? (1 Point)
30, 44, 45, 10, 20
30, 44, 45, 20, 10
45, 44, 30, 10, 20
10, 45, 20, 30, 44
3. To implement stack using singly linked list, which of the scenarios are true? (1 Point)
Insert from First, Delete from First
Insert from last, Delete from First
Insert from last, Delete from Last
Insert from First, Delete from last
<ul> <li>4. Consider the following operations on Circular Queue of size 5.</li> <li>(i)Insert 12,23,45,67(ii)Delete(iii)Insert 13(iv)Delete(v)Delete(vi)Insert 40(vii)Insert 50</li> <li>What are the values of rear and front variables?</li> <li>(2 Points)</li> </ul>
O 1,4
O 2,5
O,5
O 1,5

5. An array of size A is used to implement a circular queue. Front, Rear, and count are tracked. Suppose front is 0 and rear is A -1. How many elements are present in the queue?  (1 Point)
$\bigcirc$ A
○ 0
O 1
6. Consider the scenario where a resource is shared among multiple consumers. Which data structure can be used to grant access to resource in a fair manner? (1 Point)
○ Stack
Queue

This content is neither created nor endorsed by Microsoft. The data you submit will be sent to the form owner.

Microsoft Forms