



**MGM**  
**NEW BOMBAY HOSPITAL, VASHI**



Organization Accredited by  
Joint Commission International  
JCI ACCREDITED

MR. KIRAN BHAGWAN TAWARE  
UHID : MGM240017131 IPD : MGMIP2406720  
Age/Sex : 56 Years / M DOA : 05/10/2024  
BED : SICU-011 WARD : SICU  
DR : DR.PRASHANT ATHALE

## FALL RISK RE-ASSESSMENT FORM (Adult)

**DIAGNOSIS:**

Sepsis

Date Time	Fall Risk Score	Category	Intervention	Sign & Employee ID	INTERVENTIONS POST MODIFIED MORSE SCALE
2-24-2020 3pm	35	medium risk	1-36	MS412	0-24: Low Risk 25-44: Medium Risk * 45 & Above: High Risk**
10pm	35	medium risk	1-36	MS412	Interventions for Low Risk (0-24)
2-24-2020 8am	35	medium risk	1-36	MS412	1. Familiarize the patient with the immediate surroundings
2-24-2020 8am	35	medium risk	1-26	MS412	2. Provide continuous orientation to person, place, time and environment
2-24-2020 8am	35	medium risk	1-26	MS412	3. Remind the patient to use call bell before getting out of bed
2-24-2020 8am	35	medium risk	1-26	MS412	4. Keep the two side rails in the raised position at all times for all patients regardless of age
2-24-2020 8am	35	medium risk	1-26	MS412	5. Keep the call bell, bedside table, water, glasses within the patient's easy reach
2-24-2020 8am	35	medium risk	1-26	MS412	6. Remove excess equipment or furniture to make a clear path
2-24-2020 8am	35	medium risk	1-26	MS412	7. Keep the patient's bed in the low position at all times except during procedure
2-24-2020 8am	35	medium risk	1-26	MS412	8. Teach fall-prevention techniques, such as sitting up for a moment before rising from the bed
2-24-2020 8am	35	medium risk	1-26	MS412	9. Equipment such as wheel chairs, beds, commode chairs should have brakes that are working properly
2-24-2020 8am	35	medium risk	1-26	MS412	10. Bed wheels should be locked
2-24-2020 8am	35	medium risk	1-26	MS412	11. Assign attendant if possible, to help the patients to feel secure
2-24-2020 8am	35	medium risk	1-26	MS412	12. Encourage family participation in the patient's care
2-24-2020 8am	35	medium risk	1-26	MS412	13. Ensure that floor of the bathroom is dry & not slippery
2-24-2020 8am	35	medium risk	1-26	MS412	14. Review medications for potential side effects that can promote falls
2-24-2020 8am	35	medium risk	1-26	MS412	15. Use safety belts during movement in wheelchair
2-24-2020 8am	35	medium risk	1-26	MS412	16. The patients are not ambulated by themselves. They are to be ambulated only with assistance
2-24-2020 8am	35	medium risk	1-26	MS412	Interventions for Medium Risk (25-44)
2-24-2020 8am	35	medium risk	1-26	MS412	17. Apply all the low risk interventions.
2-24-2020 8am	35	medium risk	1-26	MS412	18. Make sure that proper transfer precautions are instituted for heavy or debilitated patients in a bed or wheel chair or on a toilet seat
2-24-2020 8am	35	medium risk	1-26	MS412	19. Use restraints and bed monitors as ordered by the doctor
2-24-2020 8am	35	medium risk	1-26	MS412	20. Allow the patient to ambulate only with assistance
2-24-2020 8am	35	medium risk	1-26	MS412	21. Make "comfort" rounds every 2 hours and include change in position, toileting, offer fluids and ensure that patient is warm and dry
2-24-2020 8am	35	medium risk	1-26	MS412	22. Consider peak effects of the medications that effects level of consciousness, gait and elimination when planning patient's care
2-24-2020 8am	35	medium risk	1-26	MS412	23. Do not leave patients unattended in diagnostic or treatment areas
2-24-2020 8am	35	medium risk	1-26	MS412	24. Accompany the patient while going to bathroom
2-24-2020 8am	35	medium risk	1-26	MS412	25. Assist the patient to grab bars near the toilet, bathtub, and shower
2-24-2020 8am	35	medium risk	1-26	MS412	26. Make sure the family and other visitors understand the restrictions mentioned above
2-24-2020 8am	35	medium risk	1-26	MS412	Interventions for High Risk (45 & Above)
2-24-2020 8am	35	medium risk	1-26	MS412	27. Apply all the low and medium risk interventions
2-24-2020 8am	35	medium risk	1-26	MS412	28. Locate the high-risk patients in a room close to the nurses 'station
2-24-2020 8am	35	medium risk	1-26	MS412	29. Answer these patients call bells as quickly as possible
2-24-2020 8am	35	medium risk	1-26	MS412	30. Provide a commode at bedside (if appropriate)
2-24-2020 8am	35	medium risk	1-26	MS412	31. Urinal/bedpan should be within easy reach (if appropriate)
2-24-2020 8am	35	medium risk	1-26	MS412	32. Encourage family members or other visitors to stay with them
2-24-2020 8am	35	medium risk	1-26	MS412	33. If appropriate, consider using protection devices: safety belts.
2-24-2020 8am	35	medium risk	1-26	MS412	34. Place red beds tags for easy identification.