



Mr. KIRAN BHAGWAN TAWARE

PID NO: P10424533863650

Age: 56 Year(s) Sex: Male

Medical Laboratory Report

Reference: DR.PRASHANT ATHALE

VID: 240067106841336

Sample Collected At:

Mahatma Gandhi Mission New Bombay
Hsp
Mahatma Gandhi Mission New Bombay
Hsp Plot # 35 Sector-3 Vashi Navi
Mumbai Mumbai 27-mh 400703 In
Processing Location:- Metropolis
Healthcare Ltd,Unit No409-416,4th
Floor,Commercial Building-1,Kohinoor

Registered On:

12/10/2024 07:13 PM

Collected On:

12/10/2024 7:13PM

Reported On:

13/10/2024 02:28 PM

- Additional laboratory testing (e.g., bacterial culture, immunofluorescence, and radiography) may be necessary when evaluating a patient with possible Central nervous system infection.
- Caution is to be exercised during specimen collection to prevent contamination.
- This test is not intended for use with CSF collected from indwelling medical devices (e.g., CSF shunts).
- Viral shedding into CSF may occur in cases of zoster (shingles; caused by reactivation of VZV). Detection of VZV in CSF may not indicate the cause of CNS disease in these cases.
- Herpesviruses (HSV-1, HSV-2, CMV, HHV-6 and VZV) can exist in latent form that may get re-activated during infection by other pathogens that may cause meningitis/encephalitis. Herpesviruses should be considered as the likely cause of meningitis/encephalitis only in appropriate clinical context & expert consultation.

Associated test:

- Culture & Sensitivity, Aerobic bacteria CSF (Test code C0190)
- Fungal stain, culture and identification CSF (Test code F0084)
- Pneumonia panel (lower respiratory tract) (Test code: B0108)
- Respiratory panel by Filmarray (Test code R0066)
- Gastrointestinal panel by Filmarray (Test code G0324)
- Biofire (BCID) Blood Panel (Test code: B0126)

Clinical references:

- Fleischer E, Aronson PL. Rapid Diagnostic Tests for Meningitis and Encephalitis-BioFire. *Pediatr Emerg Care*. 2020 Aug;36(8):397-401. doi: 10.1097/PEC.0000000000002180. PMID: 32740268; PMCID: PMC7703746.
- Pfefferte, S., Chrisiner, M., Aepfelbacher, M. et al. Implementation of the FilmArray ME panel in laboratory routine using a simple sample selection strategy for diagnosis of meningitis and encephalitis. *BMC Infect Dis* 20, 170 (2020). <https://doi.org/10.1186/s12879-020-4904-4>.

-- End of Report --



Tests marked with NABL symbol are accredited by NABL vide Certificate no MC-2139

Look for '●' mark for the authenticity of this report.



INNER HEALTH REVEALED

This is computer generated medical diagnosis report that has been validated by an Authorized Medical Practitioner/Doctor. The report does not need physical signature. Date only to the sample as received. Refer to conditions of reporting overleaf. ** Referred Test

Dr. Niranjan Patil
MD (Microbiology)

