

WARRIOR COMMAND CENTER - Akash Deployment Guide

Overview

This guide gets your Warrior Command Center running on Akash Network.

Account: princekoyawarrior@gmail.com

Budget: \$200 AKT credits

Estimated Monthly Cost: \$30-50/month (full stack) or \$15-25/month (minimal)

STEP 1: Prerequisites

1.1 Install Tools

```
# Install Docker
curl -fsSL https://get.docker.com | sh

# Install Akash CLI (provider-services)
curl -sSfL https://raw.githubusercontent.com/akash-network/provider/main/install.sh | sh

# Or use Akash Console (Web UI) - RECOMMENDED for beginners
# Go to: https://console.akash.network
```

1.2 Docker Hub Account

- Create account at <https://hub.docker.com>
 - You'll push your container image here
 - Note your username: `YOUR_DOCKERHUB_USERNAME`
-

STEP 2: Build & Push Docker Image

2.1 Build the Image

```
# Navigate to the project
cd warrior_command_backend/nodejs_space

# Build the Docker image
docker build -t YOUR_DOCKERHUB_USERNAME/warrior-command-backend:latest .

# Test locally first
docker run -p 3000:3000 \
  -e DATABASE_URL=postgresql://warrior:password@host.docker.internal:5432/warrior-command \
  -e PORT=3000 \
  YOUR_DOCKERHUB_USERNAME/warrior-command-backend:latest

# Verify it works
curl http://localhost:3000/health
```

2.2 Push to Docker Hub

```
# Login to Docker Hub
docker login

# Push the image
docker push YOUR_DOCKERHUB_USERNAME/warrior-command-backend:latest
```

STEP 3: Deploy to Akash

Option A: Akash Console (RECOMMENDED - Easiest)

1. Go to <https://console.akash.network>
2. Login with your Akash wallet (princekoyawarrior@gmail.com)
3. Click **“Deploy”** → **“Upload SDL”**
4. Upload `akash-deploy.yaml` (or `akash-deploy-minimal.yaml` for budget mode)
5. **IMPORTANT:** Edit the SDL in the console to replace:
 - `YOUR_DOCKERHUB_USERNAME` → your actual Docker Hub username
 - `CHANGE_THIS_PASSWORD_NOW` → a strong password (both in postgres env AND DATABASE_URL)
 - `YOUR_ABACUS_API_KEY` → your Abacus.AI API key
 - `GENERATE_A_STRONG_SECRET_HERE` → a random 32+ character string
6. Click **“Create Deployment”**
7. Select a provider with good pricing
8. Accept the bid and wait for deployment

Option B: Akash CLI

```
# Set up your certificate (first time only)
akash tx cert create client --from warrior-wallet

# Deploy
akash tx deployment create akash-deploy.yaml --from warrior-wallet

# Check status
akash query deployment list --owner YOUR_AKASH_ADDRESS

# Accept a bid
akash tx market lease create \
  --dseq DEPLOYMENT_SEQ \
  --from warrior-wallet \
  --provider PROVIDER_ADDRESS
```

STEP 4: Initialize Database

Once deployed, you need to run Prisma migrations:

```
# SSH into the backend container (via Akash console shell)
# Or run migrations before building the image:

# Option 1: Add to Dockerfile (recommended)
# Add this line before CMD in Dockerfile:
# RUN npx prisma migrate deploy

# Option 2: Run after deployment
# Access the container shell via Akash Console
npx prisma migrate deploy
```

STEP 5: Verify Deployment

```
# Get your deployment URL from Akash Console
# It will look like: https://RANDOM.provider.akash.pub

# Test health
curl https://YOUR_AKASH_URL/health

# Test API docs
open https://YOUR_AKASH_URL/api-docs

# Create your user (Prince)
curl -X POST https://YOUR_AKASH_URL/users \
  -H 'Content-Type: application/json' \
  -d '{
    "username": "prince",
    "display_name": "Prince",
    "email": "princekoyawarrior@gmail.com",
    "role": "admin"
  }'
```

DEPLOYMENT OPTIONS

Full Stack (~\$30-50/month)

Use `akash-deploy.yaml`

-  PostgreSQL on Akash (persistent storage)
-  Qdrant on Akash (vector memory)
-  Backend API
- Best for: Full Web3 sovereignty

Minimal (~\$15-25/month)

Use `akash-deploy-minimal.yaml`

-  Backend API on Akash
-  External PostgreSQL (Neon free tier / Supabase)
-  No Qdrant (memory stored in PostgreSQL only)
- Best for: Getting started cheaply, proving the concept

Budget Breakdown

Service	CPU	RAM	Storage	~Cost/month
PostgreSQL	0.5	512Mi	5Gi	~\$8-12
Qdrant	0.5	512Mi	2Gi	~\$6-10
Backend	1.0	1Gi	1Gi	~\$12-20
Total	2.0	2Gi	8Gi	~\$26-42

STEP 6: Connect Custom Domain (Future)

Once `.warriorweb` is minted on Solana:

1. Point DNS to your Akash deployment URL
2. Configure the `accept` field in SDL to match your domain
3. Update the backend's `APP_ORIGIN` env var

Troubleshooting

Container won't start

- Check logs in Akash Console → Logs tab
- Verify `DATABASE_URL` is correct
- Ensure Docker image is public on Docker Hub

Database connection refused

- PostgreSQL may need a few seconds to initialize

- The backend has retry logic built in

Out of AKT

- Monitor balance in Akash Console
 - Minimal deployment extends budget significantly
 - \$200 AKT $\approx$ 4-6 months of minimal deployment
-

Next Steps After Deployment

1.  Create your admin user via API
2.  Create your first project
3.  Add LiveKit server (Phase 2)
4.  Mint .warriorweb on Solana
5.  Connect domain to Akash deployment