

Holomotion Frontend Code Overview

index.js

```
export default function Home() {  
  return <h1>Welcome to Holomotion</h1>;  
}
```

login.js

```
export default function Login() {  
  return <div><h2>Login Page</h2></div>;  
}
```

signup.js

```
export default function Signup() {  
  return <div><h2>Signup Page</h2></div>;  
}
```

dashboard.js

```
export default function Dashboard() {  
  return <div><h2>User Dashboard</h2></div>;  
}
```

upload.js

```
export default function Upload() {  
  return <div><h2>Upload Video Page</h2></div>;  
}
```

Navbar.jsx

```
const Navbar = () => (  
  <nav>  
    <a href="/">Home</a> | <a href="/login">Login</a> | <a href="/upload">Upload</a>  
  </nav>  
);  
export default Navbar;
```

Footer.jsx

```
const Footer = () => (  
  <footer>  
    <p>© 2025 Holomotion</p>  
  </footer>  
);  
export default Footer;
```

authAPI.js

```
export const loginUser = async (email, password) => {
  return await fetch(`${process.env.NEXT_PUBLIC_BACKEND_URL}/api/auth/login`, {
    method: "POST",
    headers: { "Content-Type": "application/json" },
    body: JSON.stringify({ email, password }),
  }).then(res => res.json());
};
```

uploadAPI.js

```
export const uploadVideo = async (formData, token) => {
  return await fetch(`${process.env.NEXT_PUBLIC_BACKEND_URL}/api/video/upload`, {
    method: "POST",
    headers: { Authorization: `Bearer ${token}` },
    body: formData,
  }).then(res => res.json());
};
```

AuthContext.js

```
import { createContext, useState, useContext } from "react";

const AuthContext = createContext();
export const useAuth = () => useContext(AuthContext);

export const AuthProvider = ({ children }) => {
  const [user, setUser] = useState(null);
  return (
    <AuthContext.Provider value={{ user, setUser }}>
      {children}
    </AuthContext.Provider>
  );
};
```

App.js

```
import Navbar from "../components/Navbar";
import Footer from "../components/Footer";

function App() {
  return (
    <div>
      <Navbar />
      <main> { /* Routes go here */ } </main>
      <Footer />
    </div>
  );
}
export default App;
```

package.json

```
{
  "name": "holomotion-frontend",
```

```
"version": "1.0.0",
"scripts": {
  "dev": "next dev",
  "build": "next build",
  "start": "next start"
},
"dependencies": {
  "next": "^13.x",
  "react": "^18.x",
  "react-dom": "^18.x"
}
}
```

.env.local

NEXT_PUBLIC_BACKEND_URL=https://your-backend-url.com