

AI Seller Management Platform

Complete Project Blueprint & Technical Structure

Technology Stack

React + Vite • Node.js • Express.js • MongoDB • Firebase Authentication • AI Services • Marketplace APIs

A unified platform for managing online marketplaces, offline clothing sales, AI-powered product listing, inventory, orders, pricing, analytics and market trends.

Project Type: AI-powered Omnichannel / Multi-Marketplace Seller Management SaaS

1. Project Overview

The AI Seller Management Platform is designed for sellers who operate across marketplaces such as Amazon, Flipkart and Myntra while also selling through an offline clothing store or hand-cart. The platform provides one central system for products, inventory, orders, pricing, offline billing and AI-assisted marketplace listing.

The key idea is to maintain a Master Product Catalog. A seller creates one product in the platform, AI prepares the content and marketplace-specific mappings are generated, and supported marketplace integrations publish or synchronize the listing.

The system should not store marketplace passwords or OTPs. Marketplace authentication should use each marketplace's supported authorization/API mechanism. The seller completes login/OTP/2FA on the marketplace's official page when required; the backend securely manages the resulting authorized credentials/tokens.

Primary business domain: Fashion & Clothing, including products sold online and offline from a hand-cart/store.

2. Main Objectives

- Connect seller accounts to supported marketplaces through official authorization/integration mechanisms.
- Create and manage a single master catalog with SKU, variants, price, cost and inventory.
- Use AI to generate product titles, descriptions, categories, attributes, keywords and listing-ready content from product images and seller inputs.
- Map master product attributes to marketplace-specific category and attribute requirements.
- Publish products to supported marketplaces after seller review and approval.
- Synchronize orders, inventory, prices and returns where marketplace APIs support those operations.
- Maintain offline products and offline sales even when a product is not listed online.
- Provide a unified inventory so online and offline sales affect the same stock position.
- Provide fashion trend intelligence such as trending categories, styles and colors using verifiable data sources/signals.
- Provide dashboards, reports, alerts and business analytics.

3. Major Modules

Module	Main Responsibilities
Authentication	Firebase login, user session, protected routes, seller profile.
Seller Store	Store profile, business details, store type, locations and settings.
Marketplace Connections	Amazon/Flipkart/Myntra connection status, authorization, token lifecycle and disconnect.
Master Products	Products, variants, SKU, images, pricing, cost, categories and channels.
AI Product Studio	Image analysis, content generation, attribute extraction, image enhancement and validation.

Module	Main Responsibilities
Marketplace Mapping	Category mapping, attribute mapping, required fields and marketplace-specific listing payloads.
Publishing	Create/update listings, publishing status, error handling and retry queue.
Orders	Online orders, offline bills, statuses, returns and fulfillment information.
Inventory	Stock ledger, reservations, adjustments, low-stock alerts and channel allocation.
Offline POS / MyBill	Offline billing, barcode/QR scanning, cash/UPI/card payments and stock deduction.
Trend Intelligence	Trend signals, popular categories/styles/colors, trend direction and historical comparisons.
Analytics	Sales, profit estimates, marketplace performance, top/slow products and inventory reports.
Notifications	Low stock, failed sync, authorization expiry, publishing errors and important events.
Admin/SaaS	Seller accounts, plans, usage limits, subscriptions, audit logs and platform settings.

4. Core User Flow

The overall flow is divided into seven implementation phases:

PHASE 1 – FOUNDATION

Firestore Login

↓

Seller Store

↓

Marketplace Connection UI

PHASE 2 – AMAZON

Connect → Official Authorization → Token Management → Test API

PHASE 3 – FLIPKART

Connect → Supported Authorization → Token Management → Test API

PHASE 4 – MYNTRA

Connect → Supported Integration → Token Management → Test API

PHASE 5 – AI PRODUCT

Master Product → Image Upload → AI Generation → Seller Review

↓

Marketplace Attribute Mapping

PHASE 6 – PUBLISH

Approved Product → Marketplace Adapter → API → Listing Status

PHASE 7 – OPERATIONS

Orders Sync → Inventory Sync → Price Sync → Returns → Analytics

5. Marketplace Connection Architecture

Marketplace connection is an integration problem, not a normal website login problem. The UI can be consistent across Amazon, Flipkart and Myntra, but the backend connector must follow the official authorization/API mechanism available for each marketplace.

Seller

↓

Your App → "Connect Marketplace"

↓

```

Official Marketplace Authorization Page
↓
Seller Login / OTP / 2FA (handled by marketplace)
↓
Seller grants required permissions
↓
Callback / authorization result
↓
Backend exchanges/validates credentials as required
↓
Encrypted credential/token storage
↓
Connection = CONNECTED

```

Security rule: Do not ask the seller to enter marketplace OTP/password into your own application and do not store those values. Use the marketplace's supported authorization flow.

The backend should expose a common interface such as connect(), disconnect(), publishProduct(), updateProduct(), updateInventory(), fetchOrders(), updatePrice(), fetchReturns(). Each marketplace then gets its own adapter/service.

6. High-Level System Architecture



Recommended deployment can use Vercel for the React frontend, Render/Railway/AWS-style hosting for the Node.js API, MongoDB Atlas for the database, Firebase Authentication for login, and a secure secrets manager/environment variables for API credentials.

7. React Frontend Structure

```

frontend/
  src/
    app/
      router.jsx
      providers.jsx

```

```

■ ■ ■ ■ components/
■ ■ ■ ■ common/
■ ■ ■ ■ forms/
■ ■ ■ ■ tables/
■ ■ ■ ■ charts/
■ ■ ■ ■ layouts/
■ ■ ■ ■ AuthLayout.jsx
■ ■ ■ ■ DashboardLayout.jsx
■ ■ ■ ■ pages/
■ ■ ■ ■ auth/
■ ■ ■ ■ dashboard/
■ ■ ■ ■ products/
■ ■ ■ ■ ai/
■ ■ ■ ■ marketplaces/
■ ■ ■ ■ orders/
■ ■ ■ ■ inventory/
■ ■ ■ ■ pos/
■ ■ ■ ■ trends/
■ ■ ■ ■ analytics/
■ ■ ■ ■ settings/
■ ■ ■ ■ services/
■ ■ ■ ■ api.js
■ ■ ■ ■ authService.js
■ ■ ■ ■ productService.js
■ ■ ■ ■ marketplaceService.js
■ ■ ■ ■ orderService.js
■ ■ ■ ■ inventoryService.js
■ ■ ■ ■ store/
■ ■ ■ ■ hooks/
■ ■ ■ ■ utils/
■ ■ ■ ■ config/
■ ■ ■ ■ main.jsx
■ ■ ■ ■ .env

```

Recommended frontend stack: React + Vite, React Router, Tailwind CSS, Axios/fetch, TanStack Query for server state, and optionally Redux Toolkit where global application state is genuinely needed.

8. Node.js + Express Backend Structure

```

backend/
■ ■ ■ ■ src/
■ ■ ■ ■ config/
■ ■ ■ ■ db.js
■ ■ ■ ■ firebase.js
■ ■ ■ ■ env.js
■ ■ ■ ■ middleware/
■ ■ ■ ■ authMiddleware.js
■ ■ ■ ■ errorMiddleware.js
■ ■ ■ ■ validationMiddleware.js
■ ■ ■ ■ rateLimitMiddleware.js
■ ■ ■ ■ modules/
■ ■ ■ ■ users/
■ ■ ■ ■ stores/
■ ■ ■ ■ products/
■ ■ ■ ■ inventory/
■ ■ ■ ■ orders/
■ ■ ■ ■ offlineSales/
■ ■ ■ ■ returns/
■ ■ ■ ■ ai/
■ ■ ■ ■ trends/
■ ■ ■ ■ analytics/
■ ■ ■ ■ notifications/
■ ■ ■ ■ marketplaces/
■ ■ ■ ■ core/
■ ■ ■ ■ marketplace.interface.js

```

```

■ ■ ■ ■ marketplaceFactory.js
■ ■ ■ ■ amazon/
■ ■ ■ ■ flipkart/
■ ■ ■ ■ myntra/
■ ■ ■ ■ jobs/
■ ■ ■ ■ orderSync.job.js
■ ■ ■ ■ inventorySync.job.js
■ ■ ■ ■ retryFailedJobs.job.js
■ ■ ■ ■ routes/
■ ■ ■ ■ controllers/
■ ■ ■ ■ services/
■ ■ ■ ■ models/
■ ■ ■ ■ validators/
■ ■ ■ ■ utils/
■ ■ ■ ■ app.js
■ ■ ■ ■ server.js
■ ■ ■ ■ .env

```

For marketplace synchronization, background jobs/queues are preferable to making every synchronization task depend on a single user HTTP request. Failed operations should be retryable and logged.

9. Firebase Authentication

Firebase Authentication will handle application-user identity. The seller signs into your platform using the methods you choose, such as email/password, phone OTP or Google Sign-In.

```

React
↓
Firebase Auth
↓
Firebase ID Token
↓
Authorization header
↓
Express authMiddleware
↓
Verify Firebase ID Token
↓
Resolve internal User/Seller record
↓
Protected API

```

Firebase authentication is for your application account. Marketplace authentication remains separate and must use the marketplace's own supported authorization mechanism.

10. MongoDB Data Model

```

users
stores
marketplaceAccounts
products
productVariants
categories
marketplaceListings
inventory
inventoryTransactions
orders
orderItems
offlineSales
customers
suppliers
purchases
returns

```

```
aiJobs
trendSignals
notifications
subscriptions
auditLogs
```

Important: inventory should be ledger-oriented. Every stock change should create an inventory transaction so the current stock can be audited and reconciled.

```
InventoryTransaction
{
  storeId,
  productId,
  variantId,
  type: "SALE | PURCHASE | RETURN | ADJUSTMENT | SYNC",
  channel: "AMAZON | FLIPKART | MYNTRA | OFFLINE",
  quantityChange,
  referenceId,
  previousStock,
  newStock,
  createdAt
}
```


11. Master Product Architecture

```
Master Product
■■■ Product identity
■ ■■■ SKU
■ ■■■ Name
■ ■■■ Brand
■ ■■■ Description
■■■ Fashion attributes
■ ■■■ Category
■ ■■■ Gender
■ ■■■ Color
■ ■■■ Material
■ ■■■ Pattern
■ ■■■ Fit
■ ■■■ Season
■■■ Variants
■ ■■■ Size
■ ■■■ Color
■ ■■■ SKU
■ ■■■ Stock
■■■ Pricing
■ ■■■ Cost price
■ ■■■ Selling price
■ ■■■ Channel price
■■■ Images
■■■ Marketplace mappings
```

A product may be Online + Offline, Offline only, or Online only. Offline-only products remain in the master catalog and inventory.


12. AI Product Generation Pipeline

```
Product Images + Seller Input
↓
AI Processing
↓
Structured Product JSON
↓
Validation
↓
Seller Review/Edit
```



13. Product Publishing Architecture

Each listing should have its own status such as DRAFT, QUEUED, PUBLISHING, PUBLISHED, FAILED, NEEDS ACTION or DISCONNECTED.





Offline Sale

Example: stock 100 → Amazon sale 10 → offline sale 5 → Flipkart sale 8 → current stock 77, subject to returns, reservations and synchronization rules.

15. Fashion Trend Intelligence

The Trend Intelligence module should use current and historical signals from permitted/reliable sources. AI can summarize and interpret those signals, but the system should distinguish measured data from AI-generated inference.

- Trending product categories: oversized T-shirts, cargo pants, baggy jeans, etc.
- Trending colors and styles.
- Trend direction: Rising, Stable or Declining.
- Time-window comparisons: 7 days, 30 days and custom periods.
- Seller's own sales trend compared with broader market signals.
- AI-generated product opportunities based on available data.
- Confidence/source indicators so the seller can understand where a trend insight came from.

16. Main UI Screens

Screen	Purpose
Login / Signup	Firestore authentication and account creation.
Dashboard	Sales, orders, stock, alerts and marketplace overview.
Marketplace Connections	Connect/disconnect Amazon, Flipkart and Myntra; status and actions.
Products	Master catalog, search, filters, variants and SKU management.
AI Product Studio	Upload images, generate content, review AI output.
Product Publish	Select marketplaces and view publishing progress/errors.
Orders	Unified online + offline order view.
Inventory	Current stock, transactions, low-stock and reconciliation.
Offline POS	Hand-cart/store billing and stock deduction.
Trends	Fashion trends, colors, categories and insights.
Analytics	Sales, margins, channels, products and reports.
Settings	Store, users, marketplace connections, notifications and security.

17. Suggested API Structure

AUTH

POST /api/auth/profile

GET /api/auth/me

STORES

POST /api/stores

GET /api/stores/:id

PATCH /api/stores/:id

MARKETPLACES

GET /api/marketplaces

GET /api/marketplaces/:name/connect

GET /api/marketplaces/:name/callback

POST /api/marketplaces/:name/disconnect

GET /api/marketplaces/accounts

POST /api/marketplaces/publish

PRODUCTS

POST /api/products

GET /api/products

GET /api/products/:id

PATCH /api/products/:id

DELETE /api/products/:id

AI

POST /api/ai/product/generate

POST /api/ai/product/attributes

POST /api/ai/image/enhance

ORDERS

GET /api/orders

GET /api/orders/:id

POST /api/orders/sync

INVENTORY

GET /api/inventory

POST /api/inventory/adjust

POST /api/inventory/sync

OFFLINE

POST /api/offline-sales

GET /api/offline-sales

POST /api/pos/bills

TRENDS

GET /api/trends

GET /api/trends/categories

GET /api/trends/colors

ANALYTICS

GET /api/analytics/sales

GET /api/analytics/inventory

GET /api/analytics/profit

18. Security Requirements

- Use HTTPS everywhere in production.
- Use Firebase ID token verification on protected backend routes.
- Never store marketplace passwords or OTPs.
- Encrypt sensitive marketplace tokens/credentials at rest where applicable.
- Keep API keys and secrets in environment variables or a secrets manager.
- Use rate limiting, request validation and centralized error handling.
- Implement role-based access if staff accounts are added.
- Maintain audit logs for marketplace connection, product publication, price changes and inventory adjustments.

- Use idempotency keys for important order/payment/inventory operations.
- Never trust AI-generated product data without schema validation and business-rule checks.

19. Recommended Development Roadmap

Phase	Scope	Target
1	Firebase login, seller store, dashboard shell, marketplace UI	2-4 days
2	Amazon connection POC: authorization, token handling, test API	5-10 days
3	Flipkart connection POC: supported authorization + test API	5-10 days
4	Myntra integration investigation + supported integration	5-15 days
5	Master product, SKU, variants, AI generation, attribute mapping	7-12 days
6	Marketplace publishing, statuses, retries and listing mapping	7-14 days
7	Orders, inventory, price, returns and offline POS sync	10-20 days
8	Trend intelligence, analytics, security, QA and production hardening	10-20 days

Indicative overall timeline: approximately 5-7 weeks for a functional MVP and 10-14+ weeks for a more production-ready platform, assuming focused development and that required marketplace access/permissions are available. Marketplace onboarding and approval can change the schedule.

20. MVP Definition

The first usable release should avoid trying to build every advanced feature at once.

- Firebase login and seller store.
- Marketplace connection UI.
- At least one marketplace connection proof-of-concept.
- Master product catalog with SKU and variants.
- AI product generation with seller review.
- Inventory ledger.
- Offline sales/POS basics.
- Product publishing for supported marketplace operations.
- Order synchronization for the first supported marketplace.
- Basic dashboard and alerts.

After the MVP works end-to-end, add additional marketplace connectors, trend intelligence, advanced analytics, returns, supplier management, barcode workflows and subscription/SaaS features.

21. Final Project Structure at a Glance

```

AI SELLER MANAGEMENT PLATFORM
■
■■■ Authentication
■ ■■■ Firebase
■
■■■ Seller & Store
■ ■■■ Store / Staff / Settings

```

-
- Marketplace Layer
 - ■■■ Amazon Connector
 - ■■■ Flipkart Connector
 - ■■■ Myntra Connector
-
- Master Commerce
 - ■■■ Products
 - ■■■ Variants
 - ■■■ SKU
 - ■■■ Pricing
 - ■■■ Inventory Ledger
-
- AI Layer
 - ■■■ Product Content
 - ■■■ Attribute Extraction
 - ■■■ Image Processing
 - ■■■ Listing Validation
-
- Operations
 - ■■■ Online Orders
 - ■■■ Offline POS / MyBill
 - ■■■ Returns
 - ■■■ Notifications
-
- Intelligence
 - ■■■ Trend Intelligence
 - ■■■ Sales Analytics
 - ■■■ Inventory Analytics
 - ■■■ Profit Reports
-
- Platform / SaaS
 - Subscriptions
 - Usage Limits
 - Audit Logs
 - Admin

This structure keeps the platform modular: Firebase handles your app's identity, Node/Express handles business logic and marketplace orchestration, MongoDB stores the commerce data, and marketplace-specific adapters isolate external API differences.

22. Pre-Development Checklist

- Create Firebase project and enable selected sign-in methods.
- Create MongoDB Atlas database and define indexes.
- Create React/Vite frontend and Node/Express backend repositories.
- Define environment variables and secret-management policy.
- Register/obtain access for each marketplace's supported developer/seller integration.
- Confirm which marketplace operations are actually available: listing creation, updates, inventory, orders, prices and returns.
- Build Amazon connection proof-of-concept before implementing all marketplaces.
- Define the Master Product schema before AI integration.
- Define marketplace attribute mapping tables.
- Define inventory transaction rules for online and offline sales.
- Create automated tests for authorization, publishing, inventory changes and order synchronization.