XLSTAT 2015.2.01.17315 - ROC Curves - on 5/3/2015 at 20:47:52

Event data: Workbook = ALL_NN / Sheet = ALL_NN / Range = ALL_NN!\$C:\$C / 2168 rows and 1 column Test data: Workbook = ALL_NN / Sheet = ALL_NN / Range = ALL_NN!\$E:\$E / 2168 rows and 1 column

Size (%): 95 / Clopper-Pearson


Area under the curve (Variance): Hanley & McNeil

Costs: TP = 1 / TN = 1 / FP = 1 / FN = 1

Summary statistics (Test):

Variable	Observationwith	missinętho	ut missi	Minimum	Maximum	Mean	td. deviation
Test	2168	0	2168	1.000	5.000	3.008	1.417


Event	Frequency	%
1	415	19%
2	298	14%
3	554	26%
4	272	13%
5	629	29%
Prevalence	0.191	19%




ROC analysis:

	1.000	0.504	0.455	0.553	0.868	0.851	0.883	2168	0.474
	2.000	0.841	0.801	0.874	0.713	0.691	0.734	2168	0.410
	3.000	0.945	0.917	0.964	0.488	0.464	0.511	2168	0.304
	4.000	0.976	0.955	0.988	0.241	0.221	0.262	2168	0.233
	5.000	1.000	0.989	1.000	0.000	0.000	0.003	2168	0.191
_									

Test is positive if Test <= threshold value





Area under the curve (AUC):

AUC	tandard errier	bound (Ser	bound (95%)
 0.813	0.013	0.787	0.840

Comparison of the AUC to 0.5:

95% confidence interval on the difference between the AUC and 0.5 (Two-tailed test):] 0.287, 0.340 [

Difference	0.313
z (Observec	23.511
z (Critical v	1.960
p-value (Tw	< 0.0001
alpha	0.05

Test interpretation:

H0: The AUC is equal to 0.5.

Ha: The AUC is different from 0.5.

As the computed p-value is lower than the significance level alpha=0.05, one should reject the null hypothesis H0, and accept the alternative hypothesis Ha.

The risk to reject the null hypothesis H0 while it is true is lower than 0.01%.

NPV TP TN FP FN tivity+Spec Accuracy LR+ LR-

0.881	3.805	0.572	209	1521	232	206	1.371	0.798
0.950	2.931	0.223	349	1250	503	66	1.554	0.738
0.974	1.844	0.114	392	855	898	23	1.432	0.575
0.977	1.285	0.100	405	422	1331	10	1.217	0.381
	1.000		415	0	1753	0	1.000	0.191