



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

### KATIPUNAN NG KABATAAN INFORMATION SYSTEM

A Capstone Project  
Presented to the Faculty of  
the Polytechnic University of the Philippines  
Sto. Tomas, Batangas

In Partial Fulfillment of the Requirements for the Degree  
Bachelor of Science in Information Technology

by

**Abrigo, Patricia Mae P.  
Alcala, Nicole M.  
Austria, Princess Carl B.  
Baylon, Stephanie M.  
Gonzales, Justin Charles R.  
Morano, John Marc C.  
Palalimpa, Michael John S.**

February 2023



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

I

### CERTIFICATION OF ORIGINALITY

This is to certify that the research work presented in this Capstone project entitled **Katipunan ng Kabataan Information System (KKIS)**, at the Polytechnic University of the Philippines, embodies the result of original and scholarly work carried out by the undersigned. This Capstone Project does not contain words or ideas from published sources or written works that have been accepted as a basis for the award of a degree from any higher education institution, except where proper referencing and acknowledgement were made.

**Abrigo, Patricia Mae P.**

**Alcala, Nicole M.**

**Austria, Princess Carl B.**

**Baylon, Stephanie M.**

**Gonzales, Justin Charles R.**

**Morano, John Marc C.**

**Palalimpa, Michael John S.**



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

IV

### ACKNOWLEDGMENT

The researchers wish to acknowledge with their earnest gratitude to the following people who helped and contributed wholeheartedly and who allotted their valuable time and resources towards the completion of this study.

First of all, we would like to thank our Almighty God for the talents and patience that He gave to us. Also, for guiding us in the process of conducting the study.

To Ms. Marienel Velasco, our Capstone adviser, for giving us the opportunity to conduct this study. Also, for validating our questionnaires and for overseeing and correcting the content of our papers.

We would like to express our sincerest gratitude to our professor Mr. Christopher Jay De Claro for his endless and continuous support. Without his patience, motivation, guidance, and knowledge, we would not have finished our system.

Sincere gratitude to the Chairman of Sangguniang Kabataan ng Sampiruhan Mr. Daniel Gecale for being our client and for lending his time despite his busy schedule. Also, for welcoming us to their barangay to test and implement the system.

To the staff of Sangguniang Kabataan ng Sampiruhan, for allowing us to gain insight into their experiences in using our project system.

We would also like to express our gratitude to the Department of Science and Technology for supporting our team financially.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

IV

Our sincere thanks to the Department of Information Technology, and to our professors and instructors who shaped us. The knowledge they shared with us became our foundation to build this system.

Last but not least, we would like to thank our family and friends for their patience and unwavering support as we built this system.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

V

### DEDICATION

We would like to give back all the glory and honor to our Lord and Savior for the success of our capstone, for giving us strength and courage, for enlightening our minds, and for guiding our way in the right direction.

To our professor, friends, and classmates who gave us words of wisdom and motivation to complete this study.

We would like to offer this hardship and achievement to our family who always loved us without condition and supported us spiritually throughout our life.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

VI

### EXECUTIVE SUMMARY

The general purpose of the study was to develop a system called KATIPUNAN NG KABATAAN INFORMATION SYSTEM. This system provided a modern solution to the lack of a consolidated and updated database that contains relevant information about the youth of Barangay Sampiruhan, Calamba City.

According to Bidani (n.d.), implementing Barangay Management Information Systems (BMIS) assisted in identifying barangay requirements, which is critical for planning nutrition and development, implementing initiatives, monitoring progress, and assessing them.

We did this by creating an information system that enhanced and advanced the Sangguniang Kabataan of Barangay Sampiruhan's performance to better serve their constituents. To store and maintain the data on its youths, we integrated the system with a database that can be accessed from a single location and has maximum data integrity.

The researchers' findings indicated that the system's functionality, usability, and effectiveness meet the requirements of ISO 9126. The client's and other respondents' favorable comments following the system's testing demonstrated that the system accomplished its goal. Additionally, the system would help speed up the transactions offered by the Sangguniang Kabataan of Barangay Sampiruhan.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

VI

The researchers and developers recommend that future researchers extend its functionalities to fulfill the needs of both the Sangguniang Kabataan and Barangay. It also suggested that other services, such as certificate of residency, barangay clearance and blotter reporting, barangay health clearance, barangay business permit and payment transaction be added in the future. Adding a page for the information of the Barangay is also suggested. The system's failed login attempts should also be kept to a minimum because they create a significant security risk. Adding an SMS or short message services notification function in the system would also be a good service for the youths, to inform them when their information is added or updated.

In summary, the Katipunan ng Kabataan Information System's objective is to capitalize on the services that the Sangguniang Kabataan in Barangay Sampiruhan offers by digitizing the gathering, storing, and processing of data.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

### TABLE OF CONTENTS

<b>Title page .....</b>	<b>I</b>
<b>Certification – Approval Sheet .....</b>	<b>II</b>
<b>Certification of Originality .....</b>	<b>III</b>
<b>Acknowledgement .....</b>	<b>IV</b>
<b>Dedication .....</b>	<b>V</b>
<b>Executive Summary .....</b>	<b>VI</b>
<b>Chapter 1</b>	
Introduction .....	1
Project Context .....	3
Objectives / Statement of the Problem .....	5
Scope and Limitation of the Study.....	6
Theoretical Framework .....	10
Conceptual / IPO Diagram .....	12
<b>Chapter 2</b>	
Review of Related Literature and Studies .....	13
Synthesis .....	20
<b>Chapter 3</b>	
Methodology .....	22
Requirement Analysis & Documentation .....	27



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

Design of Software, System Product Processes .....	32
Implementation plan .....	51
<b>Chapter 4</b>	
Results and Discussions .....	53
<b>Chapter 5</b>	
Findings .....	63
Conclusions .....	64
Recommendations .....	65
<b>Appendices</b>	
Bibliography .....	68
Research Instrument / Questionnaire .....	73
Photo Documentation .....	79
Proposal Letter .....	85
User Manual .....	87
Source Code .....	137
Curriculum Vitae .....	345
<b>List of Tables</b>	
Activity with Corresponding Months .....	48
Implementation Plan .....	52
Levels of Users .....	53



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

### Functionality

Information/ Data Processing .....	54
Document Generation .....	55
Add Entry .....	56
Update Entry .....	57
QR Code Generation .....	58
Transaction Management .....	59
Security .....	60
Usability .....	60
Efficiency .....	61
Feedback and Recommendations .....	62

### List of Figures

Technology Acceptance Model .....	11
Conceptual/IPO Diagram .....	12
Agile Model .....	23
Katipunan ng Kabataan Information System Process Flow .....	35
KKIS Login Process Flow .....	37
KK ID Generation Process Flow .....	38
Add New Entry Process Flow .....	39
Update Entry Process Flow .....	40
Delete Entry Process Flow .....	41



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

KKIS Level-0 DFD .....	42
KKIS Level-1 DFD .....	42
KKIS Level-2 DFD .....	43
Entity Relationship Diagram .....	44
Database Schema .....	45



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

1

### Chapter 1

#### THE PROBLEM AND ITS BACKGROUND

##### Introduction

In the Philippines, the barangay is the smallest political unit. Hence, each municipality or city is composed of barangays. The planning and execution of various initiatives to promote, maintain and develop policies that will benefit their citizens and community occurs at the barangay level. In order to carry out those plans, the barangay officials need their youths' information as a baseline. The Local Government Code of 1991 (Republic Act 7160) established *Sangguniang Kabataan* (SK) and *Katipunan ng Kabataan* (KK), which allows the youth to engage directly in local administration. The Sangguniang Kabataan of Brgy. Sampiruhan offers services such as generating identification cards for the locals. The SK staff heavily relied on paper and used computers for office applications to encode periodic reports and other information. The majority of their papers and records were kept in physical file cabinets. Although some government bodies used computers and other electronic devices for their transactions, others were lagging in utilizing the power of technology as they still rely on manual procedures.

Modern technology has given LGUs new opportunities to serve their people better. It made gathering, processing, storing, and disseminating information easier for LGUs. However, Brgy. Sampiruhan still lacked a system, a database, to store their youths' personal information, socioeconomic characteristics, records, and



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

2

transactions. In today's generation, it should be a standard that the delivery of public services and government transactions is digitized.

Successful digital transformation management may improve people's quality of life, reestablish the public's trust, and boost the government's competitiveness (Bertrand, 2019). Thus, we addressed the aforementioned problems of the Sangguniang Kabataan of Barangay Sampiruhan by developing a centralized system that benefits the SK officials and their barangay. The youths were also ensured that their personal information was of utmost security.

According to Bidani (n.d.), implementing Barangay Management Information Systems (BMIS) assisted in identifying barangay requirements, which is critical for planning nutrition and development, implementing initiatives, monitoring progress, and assessing them. Data was central to BMIS, from collection to analysis to storage and retrieval. It serves as the focal point for barangay information and data for strategic planning, leveraging accurate, reliable, and readily available data for program design and implementation.

In this study, we also incorporated the use of QR codes for storing and retrieving data. Everyone can now read QR codes due to the increasing use of smart devices such as mobile phones and tablets. More importantly, with QR Code Management Systems in place, operations tend to run more smoothly. This incredible technique popularized the ability of people to transfer massive amounts of information and content with the click of a button. The QR code is becoming increasingly popular



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

3

as businesses seek a more digitally effective way to connect with their target audiences than ever before.

With these technologies, we developed a QR code-supported, web-based information system that speeds up document transactions with guaranteed data integrity. An information system is an integrated set of components that collect, store, and process data and provide information, knowledge, and digital products. Thus, the objective of an information system is to convert raw data into meaningful information that can be utilized for organizational decision-making.

### Project Context

The Local Government Code of 1991 stated that local government units (LGUs) must be effective partners in achieving national development. Hence, they should provide programs, services, and activities that greatly benefit the people. However, the barangay requires precise data to successfully implement such efforts and better grasp its citizens' needs (Carpio, 2020).

The Sangguniang Kabataan of Barangay Sampiruhan in Calamba City had problems in collecting, storing, and maintaining youths' information, particularly that of the youths, which must always be accurate. Meanwhile, in terms of issuing documents, they had only been using Microsoft Word, and this caused slow transactions and data retrieval. Similarly, some other barangays in the Philippines are



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

4

still manually gathering their community data, which is less efficient and inaccurate. Due to this, there were times when the barangay could not provide adequate services because they lacked information about the specific number and details regarding their targeted group of youths.

Some are forced to continue using this traditional model for several reasons. One is illiteracy; if the computerized system is introduced and appropriately taught, everyone around the globe can grasp and adapt to it. Others doubt the system; they think manual systems can work more accurately than automated ones. However, as time has passed, many specific works have emerged suggesting that the manual technique is no longer helpful and practical. In the modern world, people are more aware of the value of their time and look for practical ways to do tasks faster or to complete many tasks simultaneously.

With this, we introduced modern technologies to the Sangguniang Kabataan of Barangay Sampiruhan by developing an information system that improved and advanced their performance to serve their people better. We integrated the system with a database that can be accessed at a single location and has maximized data integrity to store and maintain its youth's information.

The proposed system has a document generation feature for listings and ID cards. Additionally, a QR code generation functionality was also incorporated. These QR codes were printed along with their youth ID cards containing basic information such as their name, birthday, and purok. Creating an ID card with a respective QR



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

5

code was helpful in youth verification and smoother processing of relief aids and other government-issued projects. This significantly affected the barangay youths, SK Officials who were in charge of it, and the barangay itself. The barangay's file system procedures changed due to the system's implementation: Katipunan ng Kabataan Information System guaranteed data confidentiality, integrity, and availability.

### **Objectives / Statement of the Problem**

Generally, the objectives of the study were to design, develop and implement a system that generates documents and automates barangay services entitled, KATIPUNAN NG KABATAAN INFORMATION SYSTEM. Both the Sangguniang Kabataan officials and their members benefited from this system. We sought to evaluate the proposed system based on the following:

1. What are the levels of users?
  - Super Admin
  - Admin
  - Staff
2. System evaluation to determine if the project sticks with ISO 9126 standards:
  - 2.1. Functionality
    - 2.1.1. Information/Data Processing
    - 2.1.2. Document Generation
    - 2.1.3. Add Entry



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

6

- 2.1.4. Update Entry
  - 2.1.5. QR Code Generation
  - 2.1.6. Transaction Management
  - 2.1.7. Security
  - 2.2. Usability
  - 2.3. Efficiency
3. Feedback and Recommendations

### **Scope and Limitation of the Study**

The general purpose of the study was to develop a system called KATIPUNAN NG KABATAAN INFORMATION SYSTEM. This system provided a modern solution to the lack of a consolidated and updated database that contains relevant information about the youth of Barangay Sampiruhan, Calamba City. The Super Admin, Admin, and Staff of the system were able to input data and efficiently retrieve information when needed. The system was developed over the course of six months.

Although this system automated the current manual processes and transactions of Sangguniang Kabataan in Barangay Sampiruhan, Calamba City, other complex processes were not provided by the system due to some government policies and guidelines; however, manual verifications can still be an option for those that the system cannot automate.

Moreover, to avoid data breaches, changes, and theft, the web-based system was only available to the SK Chairman and other SK Officials. All necessary



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

7

information for the development of the system was solely obtained from the SK Chairman.

The system was limited to the following:

1. The system only operates online and can only be authorized by the Super Admin.
2. Youths who have not been registered correctly in the system database will have to add their details before being given IDs.
3. Details of the youths within the barangay, KKIS ID, and monitoring of transactions were the services available in the system.
4. Scanning of a QR code is only possible through the utilization of a QR code scanner.

### **Hardware and Software Requirements:**

- **Desktop or laptop:** Windows (7,8,10,11) or macOS (Monterey to Sierra) Intel i3 3.5 GHz or Higher
- **Smartphone:** Android or iOS
- **QR Code Scanner**

**Simple Analytics.** The system was mainly used for document generation and automation and as a profiling tool. The system also offered QR code generation for faster transactions.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

8

**Super Admin Login.** The Super Admin of the barangay could access Katipunan ng Kabataan Information System with an email and a password. The super administrator that is logged into the system will have complete control over the information and documents needed by the youths.

**Admin Login.** Katipunan ng Kabataan Information System could be accessed by the Admin or authorized personnel of the barangay with an email and a password. The Admin could also use all the features but with limited access. They could only view and search on the Dashboard and Profiles page. In the Transaction History, the Admin can view the transactions made in the system.

**Staff Login.** The Staff can log in to the system through an email and a password credential. With this feature, the system could be accessed through different accounts with specific access levels. The system accounts' access level defines access to certain features. The Staff account could only access the Add New Entry function of the system to gather data. Such access level would help with the data gathering of the Sangguniang Kabataan members and Staff.

**Dashboard.** In the system's dashboard, the Super Admin and Admin would see the total number of youth and youths residing in the barangay. It was categorized and filtered depending on the youths' characteristics.

**Profiles.** This feature has a table that contains the list of all the youth together with their information. It has buttons for viewing the complete information, deleting,



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

9

and updating an entry from the list. Additionally, it has a search function, which serves as the only function that the Admin can use in this feature. The Super Admin and Admin can generate an Excel sheet, Comma-Separated Value (CSV) file, and PDF in this tab. The Super Admin can also prompt the system to print the existing table with the Print function.

**Document Generation.** This feature included the printing of information about the youths. It also generates identification cards or Katipunan ng Kabataan ID (KKID) with their profile information such as Full name, Birthdate, Purok Address, and QR code. The preview of the KKID was on the right side of the page. The Super Admin and Admin could also do batch printing of the KKID depending on the batch characteristic: Age or Purok or could opt to have a custom ID release that let the Super Admin and Admin input details to release an ID with specific personal details.

**QR Code Generation.** The QR Code was generated once the Super Admin, Admin, or Staff adds the youth to the system. The code was based on their identification. It was printed along with the ID given by the SK official. The youths used this on their following transactions by scanning the code. With this, the Barangay Super Admin and Admin only have to scan, and then the system loads the information on their screen. If there is a lack of data that needs to be filled up, the Super Admin can edit the entry.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

10

**Transaction History.** A preview page that logged the entire transactions done in the system. The Super Admin and Admin could view the system's transaction history in this tab and delete a specifically selected transaction.

### Theoretical Framework

The researchers constructed the study on Technology Acceptance Model and Visual Communication Theory. These two theories became a valuable basis for the study. Presenting a new system to a client became easier, knowing what they needed, what would be helpful, and what would make their work easier.

Visual Communication Theory conveys information and ideas in visually appealing forms through visual communication. This is based on vision and is shown in two-dimensional visuals, such as the QR code employed in this study. QR codes were scanned to transmit information visually, and this visual assistance of QR codes plays an integral part in how individuals absorb information. In this study, a QR code was used for data retrieval. It has information about the youth.


On the other hand, the Technology Acceptance Model is one of the most significant technology adoption theories, with two key elements affecting a person's propensity to utilize new technology: perceived ease of use and perceived utility. Fred Davis defined perceived usefulness (PU) as "the degree to which a person feels that employing a certain system will improve his or her work performance." Furthermore, perceived ease of use (PEOU) was defined as "the degree to which a person feels that utilizing a given technology will be devoid of effort." The Technology Acceptance

## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES


11

Model is an excellent basis for developing a new online portal, particularly in the B2B space. Many businesses set up customer login areas to allow online purchase processing.

Using TAM assured the researchers that they have built a more functional and user-friendly system than others. Following an initial trial, this model was used to evaluate rolling out a new piece of technology to the youths of Brgy. Sampiruhan.



**Fig.1. Technology Acceptance Model**

**Conceptual/ IPO Diagram**

**Fig.2. Conceptual/ IPO Diagram**

The figure above shows an admin's approach in the development of the system. The first column shows the data used to generate the expected outcome: username, password, and youth information. The second column is a list of processes needed to produce an output. The Super Admin has all these privileges and a list of processes to be able to connect and provide information to the users. The final column contains an output that is associated with each process.

**Chapter 2****REVIEW OF RELATED LITERATURE AND STUDIES**

This chapter included international and local research and literature that affects the research variables. It focused on numerous facets of this study's development. The research focused on the development of the Katipunan ng Kabataan Information System. This study's literature included articles, journals, and international and local theses and dissertations deemed valuable for advancing the study's awareness.

**Importance of Barangay Information Systems**

The initial planning and execution of community projects and endeavors occur in the barangay. However, it has the least available information that serves as a baseline for planning and policy implementation, as stated by Carpio (2020). According to Lacasandile et al. (2020), a crucial issue that necessitated the attention of those in positions of authority was the need to address societal problems in every community. Every barangay and its officials in the Philippines must fulfill these crucial duties. Using information and communication technology to create profiles of each household in the community could lead to good governance with e-government at its core. Essential information could include statistics on labor and employment, family income and expenditures, demography by population and age, water and sanitation, type of housing, and education once profile data has been aggregated.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

14

The Barangay Management System, also known as e-barangay, was a web-based management system aiming to transform barangay management from a traditional centralized unit to a more inclusive and citizen-oriented scheme (Carpio, 2020). The increasing tendency for information technology has risen above the surface of development endeavors as the global environment matures. On the contrary, barangays still use a manual approach to issue documents and gather household data. This results in a lengthy method for obtaining the records and files, occasionally resulting in record redundancy. (Villones, 2021).

According to a study by Imus et al. (2018), the Philippines' Barangay Management Information System for Cities and Municipalities was critical to the country's quest for greater productivity. The goal of this research was to find a solution to a problem that has been plaguing a barangay. The plan was to implement a management information system to aid in the resolution of the problem. The Barangay Management Information System was a software that captured and maintained information while sending papers from the barangay hall to the city hall.

Developing a computerized information system that could automate the recordkeeping process was essential in providing efficient and accurate reports and proper automated file management. It transforms data into a usable format that allows the action to run smoothly. The system ensured that the file was safe and secure since it required authorization before anybody could use it. This served as the barangay's file management system, which was utilized to preserve their records.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

15

Furthermore, this ensured that the file was safely saved in the system and created backup data of the files in the event of a technical failure (Lado et al., 2017).

### Information Access through QR Code

The phrase “QR code” in its complete form is called a Quick Response code. QR code technology works similarly to barcode technology. The distinction between barcode technology and QR code technology was that the former could only handle information in one way, but the latter could handle information in both directions. QR code technology is frequently utilized for communicating with end consumers. According to Jathar et al. (2019), QR codes have enormous data storage capacities and are also damage-resistant, which helped them get around one of the leading security issues. In the last ten years, the use of QR codes in public places like supermarkets and for educational purposes like book scanning or stationary scanning has grown significantly, and as awareness grows, they will continue to flourish in more industries. Jathar et al. (2019) also added that as technology advances, the QR code method is becoming more and more common while at the same time becoming more secure. When people are more aware of these codes, a more comprehensive range of people will be able to assess their importance. This technology will soon be utilized in numerous public spaces. Originally, QR codes were used to store data



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

16

about inventory items, but they are now widely used in other fields, including marketing, safe payment methods, advertising, and even educational systems. Libraries typically employ QR codes to promote their services. Many libraries employ QR code technology to provide rapid access to their content. (Parabhoi et al., 2017). According to research, QR codes encoded with text data, phone numbers, and URL connections to mobile websites exhibit a high degree of functionality, usability, and utility (Raymundo, 2017). A QR code is used to keep data on hand. To retrieve the information contained in a QR code, the user must use a scanner to decode the data. Everyone can access those details. In this case, exclusive information intended for a specific individual is not secured in QR codes since the visual secret presented in this paper is the encoding method to split up shares in a hidden QR code. A strategy for exchanging secrets is a visual secret-sharing scheme between individuals in a group (Pawar & Khanuja, 2019).

The cheapest and most flexible of all the solutions was using a QR code to access the requested content. Infrastructure modifications are not necessary to accommodate such. It was frequently used in universities because of the popularity of smartphones and internet accessibility. The need for QR codes will decrease as technology advances. Due to their high level of authentication and security, QR codes are routinely used to store and download private information, documents, and general information. (Patil et al., 2022).

According to Isik et al. (2017), all data may be effectively and thoroughly described, saved, processed, and evaluated in the same database in this system. Thus, time



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

17

and effort may be saved in decision-making and implementation procedures, and the substructure of institutional resource planning could be carried out. It was possible to successfully utilize management procedures and strategic planning based on information equipped with the methodology covered in the study that was suitable for designing the information system. Furthermore, accessing the data of structural stock data will be non-spatially possible.

Some QR code detection frequently struggles with issues such as distorted images, uneven background variations, and insufficient lighting, making it difficult to read the code. Due to this, solutions based on artificial intelligence were developed to address this issue. The artificial intelligence method has a particular impact on raising the rate at which the two-dimensional code image is recognized (Hou, L. et al., 2021).

### **Document Generation System in Barangays**

Barangay is the most minor but essential government unit. The government cascades its services through its officials. However, due to the expanding population, the quality of service, notably in managing records and papers, degraded. With this, the document generation system is an effective technique that improves the competency and efficiency of any organization (Lacasandile et al., 2020). Document automation is "the process of generating rules to drive the development of documents," as stated by Abel (n.d.). Automated papers are capable of behaving like robots and intelligently generating documents by the guidelines that have been established in advance. The advantages of document creation were made feasible



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

18

by using the automated approach. It means a law office secretary would need to click on a document, enter the parties' names and addresses, and the rest of the legal information would be created automatically. An example of such a document would be a purchase agreement for a piece of real estate.

However, due to the manual processing of transactions, the quality of services declines as manual handling of transactions takes more time, is prone to human error, and is less secure in terms of keeping records. For these reasons, digitizing government transactions and public service delivery was significant, as modern technology opens up new opportunities for barangays to better serve their youths (Bondoc, 2019). According to Ontask (2020), automating document generation and routing is one of the many benefits of document automation. Other benefits included enhancing processes and procedures, speeding up document creation, and creating documents quicker. It also reduces errors, improving the quality of the end-user experience, increasing access, version control and consistency, simple collaboration, and integrated systems that are more secure and may enhance processes. The automation of document processing allows for time savings as well as an improvement in profitability.

According to the Local Government Code of 1991, local government units (LGUs) should effectively partner in attaining national development. Hence, LGUs should provide programs, services, and activities that greatly benefit the people. However, the barangay needs the exact data to understand better what its constituents need (Carpio, 2020). Data-driven decisions were the key to performing



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

19

an effective resolution regarding what the barangay's necessities are. According to Carpio (2020), the document generation system could transform barangay management from a traditional centralized unit into a more inclusive and citizen-oriented scheme. Since the barangay is where the initial planning and policy implementation takes place, it was crucial to have and maintain a database that stores its barangay population, youths' socio-economic profile, records, and transactions to achieve efficient and effective policies, projects, and services.

The study by Lee-Geiller (2019) investigated the relevance of municipal e-government practices to its citizens' needs. Citizens can easily participate in the process of deliberation and decision-making at the local level, which is critical for setting a citizen-oriented public outcome. It allows for more tangible effects of how e-government initiatives, which included document generation systems, could fulfill public value co-creation to develop benefits for citizens and society. However, according to Bringula (2022), there was a lack of framework related to e-governance which may result in not being able to address the youth's needs.

The computerized system aided the authorized person in file management. Because there was a large amount of information and records that must be organized and secured, computer machines could save large files and provide methods for securing the files. With the documents readily available on the server, concerned government agencies could collect data for planning and development. For instance, using ICT tools, such as a centralized system, influences the opportunities available for the efficient use of public resources and helps improve the quality of public service



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

20

delivery (Puron-Cid, 2017). However, it was not easy to believe that many barangay offices continue to use the manual method, although a computerized system is just waiting for us to take advantage.

### Synthesis

The prior conceptual and researched literature and studies associated directly and indirectly with the present research provided more insights about the nature and scope of the study, which is titled "Katipunan ng Kabataan Information System."

As a result, the literature and studies in this chapter uncovered sufficient studies but not enough implementation of efficient data management and document generation in different barangays. A data management system aims to maintain proper and accurate information that could aid in reports needed by barangays. Some barangays are still working with papers to derive information. However, now that we are in a technologically improved world, a computerized system would help to lessen these paper-based transactions and offer a new view to presenting data with charts connected to a database system that could create a backup in case of a technical failure.

Digitized data management and document generation are far more efficient and effective than pen and paper. The system the common barangays have in processing data and offering papers was lacking, as it requires more time than processing it digitally. Concerning the data management of barangays, it might have less accurate data, and problems such as lost files, erased inks, and unreadable



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

21

papers will only contribute to poorly acquired data. However, there is always an opportunity for development. Based on the related systems, the researchers have gathered sufficient knowledge and aimed to develop a new system that was improved and implements the shortcomings of previous systems.



## **Chapter 3**

### **METHODOLOGY**

This chapter is divided into several parts, including the SDLC methods to be used, the design of system processes, the development plan and testing procedure, and the implementation of the developed system.

#### **RESEARCH DESIGN**


In this research, the project team used a quantitative method since the study focused on developing a system for Brgy. Sampiruhan. This method helped the researchers determine if the system solved their problem in data gathering and retrieving. It also assisted the project team in gathering numerical data that analyzed the system's overall performance. Additionally, this helped them understand what else could be improved in the system after a thorough observation. The quantitative method also guided the researchers to collect and analyze the data from the client and his constituents' findings in the developed system.

The project team utilized the Systems Development Life Cycle technique to create the system. This offered them a methodical framework for designing, developing, and delivering software applications from start to finish. The researchers developed a high-quality system by following the SDLC steps of planning, analysis, design, development, testing, and deployment. This method gave them a clear and defined view of the process.

## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

23

Moreover, the Agile model was used by the researchers for the management of the project and the development of the system. It focused on helping them to provide work in small, manageable amounts, allowing them to create a quality system for their client efficiently. This model guaranteed the accountability and quality of the system based on the client's requirements. Additionally, since the project team and the client collaborated closely, the condition, progress, and adjustments were delivered correctly, contributing to the client's satisfaction.



**Fig. 3. Agile Model**

Instead of a top-down procedure with a single sequence of phases, the Agile SDLC development technique helped the researchers focus on collaborative decision-making, customer satisfaction, and development across numerous short cycles or sprints. Rather than following a predetermined path, the researchers employed an iterative method to focus on the essential attributes at any given time.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

24

### SOURCES OF DATA

Purposive sampling was a non-probability technique that the researchers utilized in choosing the required respondents for this research. In this method, the researchers' judgment determined which participants provided the data required to meet the study's goals. Specifically, participants were generally selected "on purpose" (Nikolopoulou, 2022). It was also based on the idea that researchers occasionally need to pre-select subgroups from the entire population to conduct case studies or develop grounded theories. In this technique, the researchers selected the participants based on the qualifications needed for the project. The SK Chairman and his counselors served as the client and respondents of this study as the system was created for the usage of the Sangguniang Kabataan of Barangay Sampiruhan.

### RESEARCH INSTRUMENT

A survey questionnaire was used as a research instrument to gather the needed data for this study. It was composed of questions that helped achieve the study's objectives. It also included indicators that evaluate the system's overall performance. The questionnaire was submitted, reviewed, and validated by the research instructor. All the recommendations and suggestions of the validators were considered in developing the final questionnaire and were disseminated to the respondents.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

25

### DATA GENERATION PROCEDURE

The survey questionnaire was distributed and conducted via Microsoft Forms. The project team sent this questionnaire to the client via email. Since the system was developed for the use of Sangguniang Kabataan of Barangay Sampiruhan, the SK Chairman and his counselors served as the client and respondents of this study. The questionnaire was composed of questions about the functionality of the developed system. The survey consists of questions that must be responded to using a 5-point Likert scale. It also covers their opinions and experiences with the system as well as the questions that are in line with the study's unique purpose. The researchers delivered the Katipunan ng Kabataan Information System to the client and staff members for them to try and use. It was criticized and analyzed for its features and functionality thoroughly. Following the survey, the researchers collected all questionnaires, evaluated them, and then analyzed and discussed the results. The researchers obtained the results for each question by computing their frequency.

The client's input and recommendations were also gathered and documented for future system improvement.

### DATA CASE ANALYSIS

#### Functional Requirement

**Log-in Function** – This module was done for the Super Admin, Admin, and Staff accounts used to access the Katipunan ng Kabataan system. The Super Admin account has the authority to access all the system's features, such as the dashboard



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

26

where all the total numbers of youths with various categories are displayed. The Super Admin could also access the KK ID Printing page, Transaction History, and Profiles, as well as the Add and Update Entry features. The Super Admin is also assigned to manage the Access Control panel, whereas the Super Admin appoints the other user's account role. And once the Super Admin deletes or updates an account's role, an email notification will be sent to the Admin or Staff users. On the other hand, the Admin could only search and view the youths' information in the Dashboard, Profiles and Transaction History. The Admin can also use the Add New Entry. In contrast, the Staff account could only access the Add New Entry function of the system to gather data.

**Add New Entry Function** – this module allows the Super Admin, Admin, and Staff to input the youths' or youths' information that they have gathered.

**Profiles Function** – this module allows only the Super Admin to access and update the information of the youths/youths that is already in the system. At the same time, the Admin can only use the search functionality of this feature. This will verify if the youth that the SK official is looking for is in the system.

**Document Generation Function** – this module automatically generates ready-to-print documents such as youth information and identification cards.

**QR Code Scanning** – this module allows the SK officials and the youths to verify their identities when making transactions.

**Transaction History Monitoring** – this module allows the Super Admin and Admin to track the transactions made in the system.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

27

### I/O Requirement

#### Input Requirements

##### **Super Admin, Admin and Staff Registration**

- First Name
- Last Name
- Birthdate
- Contact No.
- Email
- Password

##### **Admin and Staff Login**

- Email
- Password

##### **Super Admin, Admin and Staff Add entry**

- **Personal Information**
  - First Name
  - Middle Name
  - Last Name
  - Extension (if any)
  - Sex/Gender Preference
  - Birthday



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

28

- Birthplace
- Religion
- Marital Status
- House No./Street/Subdivision
- Purok
- Contact No.
- Organization (if any)

### • Educational Status

- Status
- Level
- Public/Private
- Name of School
- Occupation
- Salary Range

### • Employment Status

- Status
- Employee Type
- Public/Private
- Name of Employer/Company
- Occupation



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

29

- Salary Range

### • House Declaration

- Head of the Family First Name
- Head of the Family Middle Name
- Head of the Family Last Name
- Extension (if any)
- Remarks
- No. of Family Members

## Output Requirements

### Super Admin Account

- KK ID Card
- ID Number
- Resident Information
- Transaction History

### Admin Account

- KK ID Card
- ID Number
- Resident Information
- Transaction History



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

30

### Dashboard

- Total Citizens
- Total Child Youth
- Total Youth
- Total Enrolled Youth
- Total Out-of-School Youth
- Total Working Students
- Total Employed
- Total Unemployed
- Total Registered Voters
- Total Unregistered Voters
- Total PWDs
- General Residents
- Total Senior Citizens

### QR Code Scanning Procedure

- Make sure that the ID card layout where the QR code is located has a plain and clear background.
- Upon scanning, ensure that the QR code is visible in the scanner to access the youths' information.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

31

### KKID Card Generation Procedure

- The identity card was 3.375" by 2.125" in size, with the youth's details on the left side and a QR code on the right.
- The ID number was determined by the youths' encrypted information encoded into the database system.
- Ensure all the necessary information is accurate to start the printing and distribution process.
- The printing method could be batch printing according to either the youth's age, purok, or by customization.
- The QR code was printed on the ID card, and each youth will have a unique code and ID number.

### Authorization and Access Control

- The system was secured with a password and can only be accessed by authorized persons such as the Super Admin, Admin, and Staff to provide confidentiality and privacy to the youths' information. The system will also generate an OTP, or one-time password, to authenticate the user if they want to reset their password.
- The user must log in using their username and password to access the system.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

32

- The Super Admin can also assign, delete, and update the users' role in the system. This is done to limit the access of the functionalities that a user can use in the Katipunan ng Kabataan Information system.
- The Super Admin can use all the functionality of the system provided. While the Admin can also access almost all the functionalities in the system, except the Update Entry and with limited access only such as, in Profiles and Transaction History the Admin can only search for the youths. Furthermore, the Staff can only use the add entry function to maintain and secure data privacy.

### Design of System Product Processes

#### System Description

Katipunan ng Kabataan Information System is a web-based data management and document generation system that supports QR codes that are responsive to mobile phones and laptops. It aims to help the Sangguniang Kabataan in Barangay Sampiruhan, Calamba City, Laguna to address their problem in the manual processing of documents and services. The objective of this system is to digitize the processing of documents and to automate barangay services and transactions. The system provides a dashboard that shows the total number of youths that reside in the barangay. It also has a category where they can know the status of each youth residence, such as the total number of enrolled, working, and out-of-school youth.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

33

The available record on the server allows the concerned organization to gather data that can be used to plan projects or activities. The system also offers document generation for the list of the youths' information and identification cards. KKIS can also generate a unique QR Code for each youth to be included in their identification card for verification. With this, the manual processing of documents transforms into a digitized method translating to faster transaction time. The system provides a youth resident's profile that contains all of the youth's information in their barangay. Entries functions, including the update and add entry, are also offered in this system. Here, the Super Admin can encode other data and update the current information stored in the database. With this feature, KKIS helps improve youths' information stored in a central database, allowing the easy storing and updating of records. It also has a transaction history that monitors the transactions done by the youths and documents issued in the system. The authorized personnel who could access the system were the SK Chairman who was the Super Admin, the SK Secretary as the Admin, and the SK Counselors as Staff. The Super Admin can access all the system's functionality. In contrast, the Admin can only access limited functionalities, such as the Dashboard, Profiles, and Transaction History, where the Admin can only search and view the youths' information. The Admin can also generate documents and add new entries in the system. On the other hand, the Staff can only use the add entry function.

The lack of an affordable system that could provide accuracy, accountability, and efficiency in SK activities or responses, motivated the project team to develop this system. It is essential to be one step ahead and take advantage of technology's



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

34

benefits. The Katipunan ng Kabataan Information System is beneficial because it allows authorized personnel to manage and acquire the necessary data. Thus, having this system gives the SK officials ease when managing transaction processes.

### **System Architecture Diagram**

### **Flowchart of the System**

A flowchart is a visual representation of the steps and decisions required to complete a process. A diagram shape represents each step in the sequence. Connecting lines and directional arrows connect the steps. It allows anyone to view the flowchart and follow the process logically from start to finish.


The flowcharts are shown in the following pages of the study. This included the Katipunan ng Kabataan Information System, Login, Document Generation, Add New Entry, Update Entry, and Delete Entry Process Flow.


The figure below represents how the whole Katipunan ng Kabataan Information System flows.




## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

35






**Fig. 4. Katipunan ng Kabataan Information System Process Flow**


**Fig.5. KKIS Login Process Flow**

The figure above shows how the process of registration and login of authorized personnel in the system flows.




**Fig.6. KKID Generation Process Flow**

The figure above shows the generation process of the youths' identification cards with their QR codes.




**Fig.7. Add New Entry Process Flow**

The figure above illustrates the process of adding a new entry to the system.



**Fig.8. Update Entry Process Flow**


The figure above illustrates the process of updating an entry to the system.




**Fig.9. Delete Entry Process Flow**

The figure above illustrates the process of deleting an entry to the database of the system flows.


## Low-Level DFD



**Fig.10. KKIS Level-0 DFD**




**Fig.11. KKIS Level-1 DFD**


**Fig.12. KKIS Level-2 DFD**

### Database ERD

Entity Relationship Diagrams, also referred to as ER Diagrams, ER Models, or ERD, is a type of structural diagram used in database design. The significant entities included in the system scope and the relationships between these entities were visualized by the various symbols and connectors in an ERD.




**Fig.13. Entity Relationship Diagram**

The figure above shows the Database Entity Diagram of the Katipunan ng Kabataan Information System. As shown in the diagram, one or more instances of a youth have zero or one transaction\_history, education\_info, and employment\_info. One or more instances of youths can also have one and only one Admin and household\_info. On the other hand, zero or more instances of education\_info of a youth can have zero or one job\_info. And zero or more employment\_info of a youth has zero or one job\_info.

## Database Schema

A database schema is a collection of metadata that outlines the connections between database objects and information. A database's "blueprint" explains how the data may link to other tables or models. A schema may be considered a box containing tables, stored procedures, views, and other data assets. A schema defines this box's infrastructure.

Database objects and schemas are critical to ensuring efficiency in day-to-day organizational operations as big data grows. Relational models that are poorly organized and documented will be more difficult to maintain, posing problems for both users and the company. Database schema design aids in the organization of data into distinct entities, making it easier to share a single schema across multiple databases.



**Fig.14. Database Schema**



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

46

The figure above represents the Database Schema of the Katipunan ng Kabataan Information System.

### Development and Testing Procedure Plan

The development of the system was based upon the procedure that was stated below. In the first month of the capstone project, the requirements that should be accomplished were discussed. The researchers had gathered the possible clients that they could have. After emailing the proposal to the possible client, the project team had an interview meeting to talk about the system to be developed.

The researchers had another meeting with the client and thoroughly discussed the overall function and design of the system. The system's users and what hardware that will be used were also defined. The researchers also analyzed how to make innovations and make them unique compared to other existing barangay information systems. The team also started to make its design and prototype. Another meeting was done the same week, and the UI and prototype were presented to the client.

In the second month, the researchers began to code the front end of the system. The client-required changes were considered and done. Talks with the client are ongoing through online platforms to maintain their involvement in the project. A face-to-face meeting with the client occurred in the third week of October. The researchers presented the system in the process. The SK Chairman's recommendations and revisions for the system design and functionalities were



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

47

considered. The developers' team of the project started coding for the back end of the system the following three months. During this time, the researchers were also finishing up the overall system.

Then the developers worked on turning the website over to a live server, testing its overall performance, and bringing it into production during the project's last month, February.

In terms of documentation, it was continuously written and examined simultaneously since the first month. And when the development and testing procedures were done, the system's implementation was planned.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

48

**Table 1. Activity with corresponding months**

Activity Definition	Month 1	Month 2	Month 3	Month 4	Month 5	Month 6
<b>Preparation</b>						
1.1. Requirement gathering and analysis						
1.2. Client Proposal						
1.3. Meeting						
1.4. Client Approval						
1.5. Project Planning						
1.6. Define System Goals						
1.7. Develop Competitive Analysis						
1.8. Define System Users						
<b>Design</b>						
2.1. Wireframe						
<b>2.2. Website Features (Super Admin Account)</b>						
2.2.1. Dashboard						
2.2.2. Declared Households						
2.2.3. Profiles						
2.2.4. Add New Entry						
2.2.5. KK ID Card						
2.2.6. Transaction History						
2.2.7. Update Entry						



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

49

2.2.8. Login Page						
2.2.9. Sign up Page						
2.2.10. Settings Page						
<b>2.3. Website Features (Admin Account)</b>						
2.3.1. Dashboard						
2.3.2. Declared Households						
2.3.3. Add New Entry						
2.3.4. KK ID Card						
2.3.5. Transaction Management						
2.3.6. Login Page						
2.3.7. Sign up Page						
2.3.8. Settings Page						
<b>2.4. Website Features (Staff Account)</b>						
2.4.1. Add New Entry						
2.4.2. Login Page						
2.4.3. Sign up Page						
2.4.4. Settings Page						
<b>System Development</b>						
<b>3.1. Super Admin Account</b>						
3.2.1. Dashboard						
3.2.2. Declared Households						



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

50

3.2.3. Profiles						
2.2.4. Add New Entry						
3.2.5. KK ID Card						
3.2.6. Transaction History						
3.2.7. Update Entry						
3.2.8. Login Page						
3.2.9. Sign up Page						
3.2.10. Settings Page						
<b>3.3. Admin Account</b>						
3.3.1. Dashboard						
3.3.2. Declared Households						
3.3.3. Add New Entry						
3.3.4. KK ID Card						
3.3.5. Transaction Management						
3.3.6. Login Page						
3.3.7. Sign up Page						
3.3.8. Settings Page						
<b>3.4. Staff Account</b>						
3.4.1. Add New Entry						
3.4.2. Login Page						
3.4.3. Sign up Page						
3.4.4. Settings Page						
<b>Testing</b>						



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

51

4.1. Functionality						
4.2. Usability						
4.3. Efficiency						
<b>Implementation and Training</b>						
5.1. Documentation						
5.2. Go Live						

### Implementation Plan

The table below shows the implementation plan for the Katipunan ng Kabataan Information System. The plan consists of things starting from planning the project, initiating the ideas, and implementing the project.

The researchers gathered ideas and data for this matter, and meetings were held with the people involved to collaborate, recommend, and input ideas for the project's improvement. Additional plans were considered per the client's feedback on the presented in-process system. Revisions were also considered.

The table below also shows the strategies, the people involved in this project, the duration of the project, and the activities performed by both researchers and clients to achieve the project's goals and objectives.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

52

**Table 2. Implementation Plan**

Strategy	Activities	Persons Involved	Duration
Approval from the client	Proposal to clients	Team leader Clients	2 days
Gathering of requirements	Call with concerned personnel	Team leader and members	3 days
Organizing of ideas	Collaboration of ideas and input from clients	Team leader and members, Client	2 weeks
Initiating of ideas	Designing Coding	Team leader and members	26 weeks
Trials	Test system Procedure	Team leader and members	26 weeks
Evaluation	Discrepancies were integrated	Team leader and members	2 days
Presentation with clients	Present the system with the concerned personnel for comments, suggestions, and additional inputs	Team leader and members, clients	3 days
Analyzation	Clearing the errors of the system	Team leader and members	5 weeks
Implementation	Installing the system at users, workstations Creating a domain for the system	Team leader and members	1 week

**Chapter 4****RESULTS AND DISCUSSION**

This chapter contains the results that the researchers gathered upon conducting a survey with the selected Sangguniang Kabataan officials in Brgy. Sampiruhan, Calamba City, Laguna. This was followed by the discussion of the research findings where the data gathered were summarized and analyzed.

**1. What are the levels of users?****Table 3. Levels of Users**

	<b>Total</b>	<b>Percentage</b>
Super Admin	1	10%
Admin	1	10%
Staff	8	80%
<b>General Assessment</b>	<b>10</b>	<b>100%</b>

The table above shows the respondents of this study categorized based on their role and access to the system. They are the current officials of the Sangguniang Kabataan in Brgy. Sampiruhan. The Super Admin, or the SK Chairman, made up 10% of the responses. An additional 10% goes to the Admin, or the SK Secretary. The remaining 80% of the respondents came from the Staff account users which represents the SK Officials and/or other authorized personnel.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

54

### 2. System evaluation to determine if the project sticks with ISO 9126 standards:

Three aspects of the ISO 9126 standard were examined in this study. Below are the evaluation results regarding the system's functionality, usability, and efficiency.

#### Functionality

**Table 4.1. Information/Data Processing Functionality**

**(Super Admin and Admin Account)**

Question	Mean	Verbal Interpretation
The collected data is processed and converted to the desired form based on the system requirements.	5	Strongly Agree
The data gathered from available sources is of the highest quality.	4.5	Strongly Agree
The data stored in digital form performed the meaningful analysis and presentation in accordance with the system requirements.	4.5	Strongly Agree
The data is sorted in a useful order, and only the necessary information is filtered out, making it easier to understand, visualize, and analyze.	5	Strongly Agree
The continuous use and processing of data in order to verify, transform, organize, integrate, and extract useful output data for future use.	5	Strongly Agree
<b>General Assessment</b>	<b>4.8</b>	<b>Strongly Agree</b>



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

55

The table above shows the assessment results for the system's information/data processing functionality, which solely applies to Super Admin and Admin. Their responses scored a mean of 4.8 with a verbal interpretation of "Strongly Agree", indicating that they agreed with its effectiveness.

**Table 4.2. Document Generation  
(Super Admin and Admin Account)**

Question	Mean	Verbal Interpretation
It allowed users to create, customize, and edit templates to automatically assemble documents from a set of data or templates.	4	Agree
It generates a high-volume barangay document that is critical to the SK's operation.	4.5	Strongly Agree
The generation of documents increased efficiency and productivity, resulting in greater control over the Sangguniang Kabataan overall.	5	Strongly Agree
Using official templates and documents reduces the risk of deviating from the Sangguniang Kabataan's requirements.	5	Strongly Agree
The Super Admin and Admin have control over documents created in the system to ensure its data's security and reliability.	5	Strongly Agree
<b>General Assessment</b>	<b>4.7</b>	<b>Strongly Agree</b>



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

56

The table above shows the functionality of the system in terms of document generation. The Super Admin and the Admin are the ones who can access this functionality. Based on the table shown, both Super Admin and Admin strongly agreed that the document generation functions efficiently with the mean of 4.7.

**Table 4.3. Add Entry**

**(All Users)**

<b>Question</b>	<b>Mean</b>	<b>Verbal Interpretation</b>
It enables users to input youths' information with ease.	4.6	Strongly Agree
Easy to classify the youths.	4.5	Strongly Agree
It has all the youths' identification that the users need to gather.	4.6	Strongly Agree
<b>General Assessment</b>	<b>4.6</b>	<b>Strongly Agree</b>

The system's Add Entry functionality is accessible to all user types. The summary of their responses is shown in the table above. With a mean of 4.6, the respondents strongly agree that the functionality sticks with the ISO 9126.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

57

**Table 4.4. Update Entry**

**(Super Admin Account)**

Question	Mean	Verbal Interpretation
It enabled the Super Admin to search the youths easily.	4	Agree
It enabled the Super Admin to update the youths' information when there are changes.	5	Strongly Agree
<b>General Assessment</b>	<b>4.5</b>	<b>Strongly Agree</b>

The table above shows the assessment results for the functionality of the system in terms of updating an entry. This feature is only available to the Super Admin. The Super Admin strongly agreed that the functionality adheres to ISO 9126 based on the mean of 4.5.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

58

**Table 4.5. QR Code Generation**

**(Super Admin and Admin)**

Question	Mean	Verbal Interpretation
Residents' information is more accessible. QR codes make it quicker and easier to retrieve information.	4.5	Strongly Agree
QR codes enable more storage. It can display information in a single location.	3.5	Agree
QR codes can be generated and printed in seconds, and youth information can be printed in under a minute.	4	Agree
<b>General Assessment</b>	<b>4</b>	<b>Agree</b>

The table above presents the evaluation outcomes for the QR code generation capability of the system. According to the feedback from Super Admin and Admin users, the QR code generation adheres to the ISO 9126 standard with a mean score of 4.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

59

**Table 4.6. Transaction Management**

**(Super Admin and Admin)**

Question	Mean	Verbal Interpretation
Systems and processes are updated in line with regulatory requirements.	4	Agree
Database is consistent before and after a transaction.	4	Agree
Each transaction executes independently. Multiple transactions occurring do not interfere with each other.	4.5	Strongly Agree
Once a transaction is successfully completed, it stays in the system even if there is a system failure.	5	Strongly Agree
<b>General Assessment</b>	<b>4.4</b>	<b>Agree</b>

The results of the system's performance in managing transactions is displayed above. Only Super Admin and Admin users who have access to this feature participated in this question. The respondents gave an average rating of 4.4, indicating that they agree that the transaction management feature meets the ISO 9126 standards.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

60

**Table 4.7. Security (All Users)**

Question	Mean	Verbal Interpretation
The software prevents unauthorized access.	4.5	Strongly Agree
The system can keep confidential information safe.	4.5	Strongly Agree
<b>General Assessment</b>	<b>4.5</b>	<b>Strongly Agree</b>

The table above shows the security of the system. With a 4.5 mean, the respondents strongly agreed that the system efficiency adheres to the ISO 9126 standards.

**Table 5. Usability (All Users)**

Question	Mean	Verbal Interpretation
The user can comprehend how to use the system easily.	4.4	Agree
The user can learn to use the system easily.	4.6	Strongly Agree
The user can use the system without much effort.	4.4	Agree
The interface looks good.	4.7	Strongly Agree
Easy to navigate UX.	4.7	Strongly Agree
<b>General Assessment</b>	<b>4.6</b>	<b>Strongly Agree</b>



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

61

The table above shows usability of the system based on ISO 9126. Most of the respondents with a mean of 4.6 strongly agreed that the system has the ability to provide a setting in which its users can perform tasks safely and effectively.

**Table 6. Efficiency (All Users)**

Question	Mean	Verbal Interpretation
The system responds quickly.	4.7	Strongly Agree
The system utilizes resources efficiently.	4.6	Strongly Agree
<b>General Assessment</b>	<b>4.7</b>	<b>Strongly Agree</b>

The table above shows the efficiency of the system based on ISO 9126. The respondents strongly agreed that the efficiency of the system adheres to the ISO 9126 standards with a mean of 4.7.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

62

### 3. Feedback and Recommendations

**Table 7. Feedback and Recommendations**

Category	Feedback and Recommendations
Functionality	There's room for improvement in account management. The system is very good, and the functions are working well. It is very efficient to use. You can also add a notification function.
Usability	Nice system. It can be used to easily gather data.
Others	Looking for ASAP full usage of the system. The system has the functionalities that our barangay's SK needed most in collecting and storing the youths' information. Nice so far, I hope that this will be implemented as soon as possible. Very Good!

The table above shows the feedback and recommendation of the respondents. The users commented that the system is easy to navigate and understand. They also mentioned that the system has the functionalities that their barangay needed most in collecting and storing the youths' information. All the recommendations that they raised will be taken into consideration.

The results presented by the researchers showed that the functionality, usability, and efficiency of the system adhere to the standards of ISO 9126. Upon testing the system, the client and other respondents' positive feedback proved that the system served its purpose. And that the system would be beneficial to fasten the transactions that the Sangguniang Kabataan of Brgy. Sampiruhan offers.



## **Chapter 5**

### **SUMMARY, CONCLUSION, AND RECOMMENDATION**

This chapter presents the overall summary of the findings, the conclusion, and recommendations. The important outcomes of the study were put together, findings were discussed, conclusions were drawn, and recommendations were formulated.

#### **Findings**

Upon testing and analyzing of the researchers, clients, and other users of the Katipunan ng Kabataan Information System, the following findings were drawn:

1. Katipunan ng Kabataan Information System sticks with the ISO 9126 standards.
2. According to the result, with a mean of 4.8, the Super Admin and Admin strongly agreed that the Data/Information Processing functionality of the Katipunan ng Kabataan Information works effectively.
3. According to the feedback from Super Admin and Admin users, with a mean of 4, they have agreed that the QR code generation capability of the system adheres to its functionality well.
4. Based on the results of the system's performance in managing transactions, the respondents (Super Admin and Admin) strongly agreed with its functions. With a mean of 4.4.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

64

5. Based on the mean of 4.5, the respondents strongly agreed that the system's security adheres to the ISO 9126 standards.
6. Based on the results that were analyzed, the respondents strongly agreed with the usability of the system. With a mean of 4.6, the system has the ability to provide a setting in which its users can perform tasks safely and effectively.
7. According to the results gathered from the Super Admin, Admin, and Staff users, the respondents strongly agreed that the efficiency of the system adheres to the ISO 9126 standards with a mean of 4.7.

### Conclusion

The results of this research revealed the following:

1. The system provides a modern solution to the lack of a consolidated and updated database that contains relevant information about the youth and youths of Barangay Sampiruhan, Calamba City.
2. The Super Admin, Admin, and Staff strongly agreed that the system adheres to the ISO 9126 Standard criteria, as the system was perceived to be useful in increasing the efficiency and effectiveness of managing data and performing SK transactions.
3. The developed system would provide a better alternative to the currently existing process.
4. The system offers the user up-to-date, comprehensive information, including the ability to view, search, add, and update.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

65

5. All the system's functionalities suffice its purpose as it received a high user-rated rating. The system user interface is easy to understand and navigate.
6. The system performed all the recommendations and expectations of the client.
7. Overall, the client is satisfied with the performance of the system as it serves its purpose to fasten the process of transactions that they offer.

### Recommendations

While further research is required, the following are the recommendations presented by the researchers after extensively studying and analyzing the capstone's findings and conclusions:

1. Since the scope of the developed system is exclusive to the Sangguniang Kabataan operations only, it is recommended to extend its functionalities to fulfill the needs of both the Sangguniang Kabataan and Barangay.
2. The current system is limited to generating ID cards and lists of youths; the researchers recommend that other services, such as certificate of residency, barangay clearance and blotter reporting, barangay health clearance, and barangay business permit be added in the future.
3. And since the future system will accommodate the whole barangay, the project team also suggested adding payment transactions.
4. The researchers also recommended for the future researchers to add a page where information about the barangay is shown such as the Barangay and Sangguniang Kabataan officials.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

66

5. The system's failed login attempts should also be kept to a minimum because they pose a significant security risk. Until the users reset the account or the time period for the account lockout expires, the account won't be accessible.
6. Implementation of an in-app notification system that notifies Super Admins about newly registered users who are waiting for role assignments.
7. Adding an SMS or short message services notification function in the system would also be a good service for the youths, to inform them when their information is added or updated.

Katipunan ng Kabataan Information System aimed to help the Sangguniang Kabataan in Barangay Sampiruhan, Calamba City, Laguna to address their problem in the manual processing of documents and services. And through thorough investigations, the researchers have obtained the findings and conclusions stated above. It showed that the researchers have achieved the objectives and committed to the purpose of the study. The researchers have developed a web-based data management system that would help the Sangguniang Kabataan speed up their transactions with guaranteed data integrity.



# APPENDICES



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

68

### Bibliography:

Abel. G. (n.d.). Document Automation and Document Generation - Differences You Need to Know. Windward Studios. <https://www.windwardstudios.com/blog/compare-document-automation-generation>

Agile Model (Software Engineering) - javatpoint. (n.d.). www.javatpoint.com. <https://www.javatpoint.com/software-engineering-agile-model>

Allen, R. (2020). The Technology Acceptance Model. Smart Insights. <https://www.smartinsights.com/manage-digital-transformation/digital-transformation-strategy/digital-marketing-models-technology-acceptance-model/>

Altvater, A. (2021). What Is SDLC? Understand the Software Development Life Cycle. Stackify. <https://stackify.com/what-is-sdlc/>

Bertrand, A. (2019). How does digital government become a better government?. EY. [https://www.ey.com/en\\_gl/government-public-sector/how-can-data-tell-a-story-that-keeps-a-child-safe-](https://www.ey.com/en_gl/government-public-sector/how-can-data-tell-a-story-that-keeps-a-child-safe-)

Bidani. (n.d.). Barangay Management Information System. University of the Philippines, Los Baños. <https://bidani.uplb.edu.ph/bidani-strategy/bmis/>

Bringula, R. P., Vale, M. A. D. et al. (2022). E-Barangay: A Framework for a Web-Based System for Local Communities and Its Usability. *International Journal of Electronic Government Research*, 18(1), 1–13. <https://doi.org/10.4018/ijegr.288071>



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

69

Bondoc, B. C. (2019). Towards Digitization through e-Barangay “A Web-based Barangay Information System.” *Journal of Humanities and Education Development*, 1(2), 88–91. <https://doi.org/10.22161/jhed.1.2.5>

Carpio, C. (2020). Barangay Management System. *Barangay Management System*, 3(2), 26–32. <http://ijmrapp.com/wp-content/uploads/2020/07/IJMRAP-V3N1P78Y20.pdf>

Del Rosario-Raymundo, M. R. (2017). QR codes as mobile learning tools for labor room nurses at the San Pablo Colleges Medical Center. February 2017. <https://www.researchgate.net/publication/328214670>

Huo, L., Zhu, J. et al. (2021). Research on QR image code recognition systems based on artificial intelligence algorithms. *Journal of Intelligent Systems*. 30. 855-867. 10.1515/jisys-2020-0143. <https://www.researchgate.net/publication/353310617>

Imus, J. K. P., Magleo, E. D. et al. (2018). Barangay Management Information System (BMIS) for Cities and Municipalities in the Philippines. *International Journal of Computer Applications* 180(19):33-36, February 2018.

İşik, E., Isik, M. et al. (2017). QR Code Application for Geometric Location and Information of Historical Structures. <https://www.researchgate.net/publication/320036176>

Jathar, C., et al. (2019). A Review on QR Code Analysis. <https://www.ijaiem.org/Volume8Issue7/IJAIEM-2019-07-02-3.pdf>



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

70

Journal, I. J. C. S. M. C. (2021). BARANGAY CONSTITUENTS' INFORMATION and SERVICES MANAGEMENT SYSTEM. IJCSMC, 10(4), 63–66.

<https://doi.org/10.47760/ijcsmc.2021.v10i04.009>

Lacasandile, A. D., Abisado, M. B. et al. (2020). Development of anInformation-Based Dashboard: Automation of Barangay Information Profiling System (BIPS) for Decision Support towards e-Governance. *2020 The 4th International Conference on E-Society, E-Education and E-Technology*.

<https://doi.org/10.1145/3421682.3421691>

Lado, M. J. P., Maloloy-on, M. I. et al. (2017). Computerized Information System in Barangay Poblacion, Danao City, Cebu. February 2017.

<https://www.slideshare.net/MarkJohnPerezLado/computerized-information-system-in-barangay-poblacion-danao-city-cebu>

Lee-Geiller, S., & Taejun (David) Lee. (2019). Co-Creating Public Value in E-Government. *International Journal of Electronic Government Research*, 15(4), 19–36. <https://doi.org/10.4018/ijegr.2019100102>

NextService. (2021, July 19). *Digitize vs Digitalize: Why You Need to Know the Difference*. <https://nextservicesoftware.com/news/digitize-vs-digitalize-know-the-difference/>



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

71

- Nikolopoulou, K. (2022). *What Is Purposive Sampling? | Definition & Examples*. Scribbr. Retrieved 11 August 2022. <https://www.scribbr.com/methodology/purposive-sampling/>.
- Ontask. (2020). 11 Benefits of Document Automation. Ontask. <https://www.ontask.io/resources/blog/11-benefits-of-document-automation/>
- Parabhoi, L., Bhattacharjya, N. et al. (2017). Use of QR Code in Library. <https://www.researchgate.net/publication/318259063>
- Patil, V. et al. (2022). *QR Code Document Authentication and Retrieval*. International Research Journal of Engineering and Technology. <https://www.irjet.net/archives/V9/i2/IRJET-V9I2136.pdf>
- Pawar, A., & Khanuja, H. (2019). *Implementation of QR Code for Sharing Files*. Ijrite.Com. <https://www.ijrite.org/wp-content/uploads/papers/v8i2/B2715078219.pdf>
- Puron-Cid, G. (2017). From Technology to Social Development. *Proceedings of the 18th Annual International Conference on Digital Government Research*, 336–345. <https://doi.org/10.1145/3085228.3085272>
- Smith, M. (2021). What is Agile model in SDLC? Quicksrum. <https://guide.quicksrum.com/what-is-agile-model-in-sdlc/>



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

72

Villones, Teresita. (2021). BARANGAY CONSTITUENTS INFORMATION and SERVICES MANAGEMENT SYSTEM. International Journal of Computer Science and Mobile Computing. 10. 63-66. 10.47760/ijcsmc. 2021.v10i04.009.

Zwass, V. (2022, August 24). *information system | Definition, Examples, & Facts*. Encyclopedia Britannica. <https://www.britannica.com/topic/information-system>



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

73

**Instrument**  
Capstone Project  
Feedback Questionnaire  
KATIPUNAN NG KABATAAN INFORMATION SYSTEM

Dear Respondents,

Greetings! The undersigned is currently enrolled as 4th-year students of the Polytechnic University of the Philippines Sto. Tomas Batangas Branch, taking up Bachelor of Science in Information Technology, would like to kindly request your participation in this capstone project by completing the following survey, entitled "Katipunan ng Kabataan Information System" in partial fulfillment of the requirement for the subject INTE 40173 - Capstone Project 2.

All the information gathered from the respondents will be strictly kept for confidentiality and used solely for academic purposes. Thank you for your assistance and participation.

**1. What are the levels of users?**

- Super Admin
- Admin
- Staff

**Directions:** For each statement in the survey, please indicate how much you agree or disagree with the statement by putting a check in the box on the right side of each statement. There are no right or wrong answers. Your answers will be kept strictly confidential, and you will not be identified.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

74

### 2. System evaluation based on ISO 9126 standards

	Rating				
	Strongly Agree (5)	Agree (4)	Neither (3)	Disagree (2)	Strongly Disagree (1)
<b>2.1. Functionality</b>					
<b>2.1.1. Information/Data Processing</b>					
2.1.1.1. The collected data is processed and converted to the desired form based on the system requirements.					
2.1.1.2. The data gathered from available sources is of the highest quality.					
2.1.1.3. The data stored in digital form performed the meaningful analysis and presentation in accordance with the system requirements.					
2.1.1.4. The data is sorted in a useful order, and only the necessary information is filtered out, making it easier to understand, visualize, and analyze.					
2.1.1.5. The continuous use and processing of data in order to verify, transform, organize, integrate, and extract useful output data for future use.					



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

75

<b>2.1.2. Document Generation</b>					
2.1.2.1. It allowed users to create, customize, and edit templates to automatically assemble documents from a set of data or templates.					
2.1.2.2. It generates a high-volume barangay document that is critical to the SK's operation.					
2.1.2.3. The generation of documents increased efficiency and productivity, resulting in greater control over the Sangguniang Kabataan overall.					
2.1.2.4. Using official templates and documents reduces the risk of deviating from the Sangguniang Kabataan's requirements.					
2.1.2.5. The Super Admin and Admin have control over documents created in the system to ensure its data's security and reliability.					
<b>2.1.3. Add Entry</b>					
2.1.3.1. It enables users to input youths' information with ease.					
2.1.3.2. Easy to classify the youths					
2.1.3.3. It has all the youths' identification that the users need to gather.					



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

76

<b>2.1.4. Update Entry</b>					
2.1.4.1. It enabled the Super Admin and Admin to search the youths easily.					
2.1.4.2. It enabled the Super Admin and Admin to update the youths' information when there are changes.					
<b>2.1.5. QR Code Generation</b>					
2.1.5.1. Residents' information is more accessible. QR codes make it quicker and easier to retrieve information.					
2.1.5.2. QR codes enable more storage. It can display information in a single location.					
2.1.5.3. QR codes can be generated and printed in seconds, and youth information can be printed in under a minute.					
<b>2.1.6. Transaction management</b>					
2.1.6.1. Easy to navigate user experience design.					
2.1.6.2. Systems and processes are updated in line with regulatory requirements.					
2.1.6.3. Database is consistent before and after a transaction.					
2.1.6.4. Each transaction executes independently.					



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

77

Multiple transactions occurring do not interfere with each other.					
2.1.6.5. Once a transaction is successfully completed, it stays in the system even if there is a system failure.					
<b>2.1.7 Security</b>					
2.1.7.1. The software prevents unauthorized access.					
2.1.7.2. The system can keep confidential information safe.					
<b>2.2. Usability</b>					
2.2.1. The user can comprehend how to use the system easily.					
2.2.2. The user can learn to use the system easily.					
2.2.3. The user can use the system without much effort.					
2.2.4. The interface looks good.					
<b>2.3. Efficiency</b>					
2.3.1. The system responds quickly.					
2.3.2. The system utilizes resources efficiently.					



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

78

### 3. Feedback and Recommendations

---

---

---

---

**Signature/Date**

### **Members:**

Abrigo, Patricia Mae P., Alcala, Nicole M., Austria, Princess Carl B., Baylon, Stephanie M., Gonzales, Justin Charles R., Morano, John Marc C., Palalimpa, Michael John S. (BSIT 4-1)

**Thank you!**



### Project Team: Meeting Documentation Google Meet

The image shows a Google Meet session with 12 participants. The layout is a 4x3 grid. The first column has three rows: the top row shows a placeholder profile picture and the name "John Marc Morano"; the middle row shows a placeholder profile picture and the name "Kylie Alcalde"; the bottom row shows a placeholder profile picture and the name "Stephanie Baylon". The second column has three rows: the top row shows a participant named "Perry Mae"; the middle row shows a participant named "Stephanie Baylon"; the bottom row shows a participant named "Princess Carl Austria". The third column has three rows: the top row shows a participant named "Alyssa"; the middle row shows a participant named "Justine Gonzales"; the bottom row shows a participant named "Michael John Palaim...". A large presentation slide titled "Welcome!" is displayed at the bottom left of the screen, with a "Log In" button and a "Don't have an account yet? Sign up" link. The slide also features the text "EXPRESSO NO KABATAAN" and "INFORMATION SYSTEM". The bottom of the screen shows the Google Meet interface with controls for microphone, camera, and other participants.

## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

80

**Client: Face-to-face Meetings Documentation  
SM Calamba City - Krispy Kreme**





**Client: System Presentation and Survey  
Photo Documentation  
Brgy. Sampiruhan Calamba City Laguna**






## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

82





## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

83



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

84





## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

85

### Proposal Letter

August 15, 2022

Dear Potential Capstone Client,

**Daniel Gecale**

**Sangguniang Kabataan, Barangay Sampiruhan, Calamba City, Laguna**

Greetings of peace and solidarity!

As part of the BS Information Technology program at Polytechnic University of the Philippines - Sto. Tomas Branch, fourth year students are required to complete a Capstone project as a final requirement.

#### **What is Capstone?**

It is a consulting project that all students complete; it allows students to apply their learning and knowledge. In capstone projects, students are required to provide free technological solutions to prospect clients, such as web applications.

We are currently looking for clients who wish to be provided with these solutions in their ventures. If you are interested in the Capstone project, you as the client would be responsible for the following:

- Meeting the students so that they can prepare a proposal that you will approve in connection with the course Instructor;
- Providing students with relevant company information to complete the project;
- and Completing Feedback Sheets (provided by the students for both the presentation and the final report).

We look forward to a positive confirmation, until **August 17, 2022, Wednesday**. Once confirmed, we will arrange a meeting to discuss your project requirements and desired solutions. The meeting details will be sent to you if you agree to participate with us.

Thank you and God bless!

Respectfully yours,



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

86

Abrigo, Patricia Mae P.  
*Developer*

Alcala, Nicole M.  
*Developer*

Austria, Princess Carl B.  
*Developer*

Baylon, Stephanie M.  
*Developer*

Gonzales, Justin  
Charles R.  
*Developer*

Morano, John Marc C.  
*Developer*

Palalimpa, Michael John  
S.  
*Developer*



# User Manual



## Katipunan ng Kabataan Information System

User Manual

*Copyright*



# POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

89

## TABLE OF CONTENTS

### About KKIS

1. General Information	1
2. System Features	2
3. User Interface Design	3

### Account Manual

4. How to register?	8
5. How to log in?	9
6. How to change my password?	10
7. How to reset password?	11
8. How to update profile?	14
9. How to log out?	16

### Information/Data Processing and Management Manual

10. How to add an entry?	17
11. How to view an entry?	19
12. How to update an entry?	20
13. How to delete an entry?	22
14. How to filter entries?	23
15. Transaction Management	
15.1. How to name transactions?	24
15.2. How to delete transactions?	25
16. How to scan QR Codes?	27

### Document Generation Manual

17. How to copy lists to clipboard?	29
18. How to export lists in CSV format?	31
19. How to export lists in Excel?	32
20. How to export lists in PDF?	33
21. How to print lists?	34
22. Export custom lists	35
23. Print custom lists	36
24. How to print IDs	
24.1. Print ID based on age	37
24.2. Print ID based on purok	39
24.3. Print ID based on input data	40

### Access Control Manual

26. How to set/update roles for users?	43
26. How to delete a user?	46



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

90

### About KKIS



#### 1. General Information

Katipunan ng Kabataan Information System is a web-based data management and document generation system that supports QR codes that are responsive to mobile phones and laptops. It aims to help the Sangguniang Kabataan in Barangay Sampiruhan, Calamba City, Laguna to address their problem in the manual processing of documents and services. The objective of this system is to digitize the processing of documents and to automate barangay services and transactions.

The system provides a dashboard that shows the total number of youths and residents that reside in the barangay. It also has a category where they can know the status of each youth residence, such as the total number of enrolled, working, and out-of-school youth. The available records on the server allows the concerned organization to gather data that can be used to plan projects or activities.

The system also offers document generation for the list of the youths' information and identification cards. KKIS can also generate a unique QR Code for each resident to be included in their identification card for verification. With this, the manual processing of documents transforms into a digitized method translating to faster transaction time.

The system provides a youth resident's profile that contains all of the youth's information in their barangay. Entries functions, including the update and add entry, are also offered in this system. Here, the Super Admin can encode other data and update the current information stored in the database. With this feature, KKIS helps improve residents' information stored in a central database, allowing the easy storing and updating of records. It also has a transaction history that monitors documents issued in the system.

The authorized personnel who can access the system were the SK Chairman who was the Super Admin, the SK Secretary as the Admin, and the SK Counselors as Staff. The Super Admin can access all the system's functionality, while the Admin can only access the Kabataan Profile and Add entry, and on the other hand, the Staff can only use the add entry function.

The lack of an affordable system that could provide accuracy, accountability, and efficiency in SK activities or responses, motivated the project team to develop this system. It is essential to be one step ahead and take advantage of technology's benefits. The Katipunan ng Kabataan Information System is beneficial because it allows authorized personnel to manage and acquire the necessary data. Thus, having this system gives the SK officials ease when managing transaction processes.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

91

### About KKIS



#### 2. System Features

The system was mainly used for document generation and automation and as a profiling tool. The system also offered QR code generation for faster transactions.

##### Dashboard

In the system's dashboard, the Super Admin and Admin would see the total number of youth and residents residing in the barangay. It was categorized and filtered depending on the residents' characteristics.

##### Profiles

This feature has a table that contains the list of all the youth and general residents together with their information. It has buttons for viewing the complete information, deleting, and updating an entry from the list. Additionally, it has a search function, the only function the Admin can use in this feature. The Super Admin can generate an Excel sheet, Comma-Separated Value (CSV) file, and PDF in this tab. The Super Admin can also prompt the system to print the existing table with the Print function.

##### Document Generation

This feature included the printing of information about the youth residents. It also generates identification cards or KKID with their profile information such as Full name, Birthdate, Purok Address, and QR code. The preview of the KKID was on the right side of the page. The Super Admin could also do batch printing of the KKID depending on the batch characteristic: Age or Purok, or could opt to have a custom ID release that let the Super Admin input details to release an ID with specific personal details.

##### QR Code Generation

The QR Code was generated once the Super Admin, Admin, or Staff adds the resident to the system. The code was based on their identification. It was printed along with the ID given by the SK official. The residents used this on their following transactions by scanning the code. With this, the Barangay Admin only has to scan, and then the system loads the information on their screen. If there is a lack of data that needs to be filled up, the Super Admin can edit the entry.

##### Transaction History

A preview page that logged the entire transactions done in the system. The Super Admin could view the system's transaction history in this tab and delete a specifically selected transaction.

2



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

92



### 3. User Interface Design

KKIS Index

Sign Up

First Name \_\_\_\_\_ Last Name \_\_\_\_\_  
dd/mm/yyyy \_\_\_\_\_ Contact No. \_\_\_\_\_  
Email \_\_\_\_\_  
Password \_\_\_\_\_  
Confirm Password \_\_\_\_\_  
Profile Picture | No file chosen  
 I have read and agree to the [Terms and Conditions](#).

[Sign up](#) [Already have an account? Log in](#)

KKIS Dashboard





## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

93


About KKIS

### KKIS Declared Households (Families)

The screenshot shows a table titled "Declared Households" with the following columns: ID, Name, Age, Birthday, Purok, Members, and Remarks. The table contains 13 rows of data. The "Remarks" column includes entries like "PUROK LEADER", "SK SCHOLAR", and "SOLO PARENT".

ID	Name	Age	Birthday	Purok	Members	Remarks
1	ALCALA, CARLOS ATRILLANO	57	1965-11-04	PULONG KENDI	LESS THAN 5	PUROK LEADER
1	ALCALA, NICOLE MATALOBOS	23	1999-02-19	PULONG KENDI	LESS THAN 5	SK SCHOLAR
1	ALCALA, SAMUEL MATALOBOS	25	1997-12-02	PULONG KENDI	LESS THAN 5	
1	ALCALA, GINA MATALOBOS	49	1973-09-07	PULONG KENDI	LESS THAN 5	
2	MARASIGAN, ROSE NARITO	52	1970-06-30	CARDINAL	5 to 10	SOLO PARENT
2	ABRIGO, PATRICIA MAE PAPA	23	1999-04-07	CARDINAL	5 to 10	SK SCHOLAR
2	ABRIGO, JOSHUA PAPA	22	2001-01-13	CARDINAL	5 to 10	
2	MARASIGAN, CLARISSA NARITO	27	1995-05-19	CARDINAL	5 to 10	
2	MARASIGAN, CAMILLE NARITO	30	1993-01-27	CARDINAL	5 to 10	
3	PALAIMPA, PURISIMO GICARAYA	60	1962-10-10	PUTING KRUS	5 to 10	

### KKIS Declared Households (Overview)



4



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

94



### KKIS Profiles (Kabataan)

The screenshot shows a list of 12 residents under the 'Kabataan' tab. The columns include Name, Gender, Age, Birthdate, Civil status, Contact No., Purok, Remarks, and Actions. Each resident has a unique profile with specific details like gender (MAN/WOMAN), age (e.g., 22, 23, 25, 26, 27, 29, 30), birthdate (e.g., January 13, 2001, April 7, 1999, February 19, 1999, December 2, 1997, May 8, 2005, February 22, 1999, April 11, 1997, September 10, 1999, June 14, 1999, January 27, 1993), civil status (SINGLE/MARRIED), contact numbers (e.g., 09123456789, 09209360249, 09760453722, 0925729879, 0913456789, 09633660818, 0993456789, 09277093212, 0995085778, 09987654321), purok (e.g., CARDINAL, PULONG KENDI, DOÑA REGINA, NAVON), remarks (e.g., SK SCHOLAR, PUROK LEADER, FAMILY VILLAGE, SOLO PARENT), and actions (represented by icons for edit, delete, etc.).

Name	Gender	Age	Birthdate	Civil status	Contact No.	Purok	Remarks	Actions
ABRIGO, JOSHUA PAPA	MAN	22	January 13, 2001	SINGLE	09123456789	CARDINAL		
ABRIGO, PATRICIA MAE PAPA	WOMAN	23	April 7, 1999	SINGLE	09209360249	CARDINAL	SK SCHOLAR	
ALCALA, NICOLE MATALOBOS	WOMAN	23	February 19, 1999	SINGLE	09760453722	PULONG KENDI	SK SCHOLAR	
ALCALA, SAMUEL MATALOBOS	MAN	25	December 2, 1997	SINGLE	0925729879	PULONG KENDI		
AUSTRIA, CARLA MEI BANALO	WOMAN	17	May 8, 2005	SINGLE	0913456789	DOÑA REGINA		
AUSTRIA, PRINCESS CARL BANALO	WOMAN	23	February 22, 1999	SINGLE	09633660818	DOÑA REGINA	SK SCHOLAR	
BAYLON, JHONEL MACARANG	MAN	25	April 11, 1997	SINGLE	0993456789	NAVON		
BAYLON, STEPHANIE MACARANG	WOMAN	23	September 10, 1999	SINGLE	09277093212	NAVON	SK SCHOLAR	
GONZALES, JUSTIN CHARLES ROSITA	MAN	23	June 14, 1999	SINGLE	0995085778	FAMILY VILLAGE	SK SCHOLAR	
MARASIGAN, CAMILLE NARITO	WOMAN	30	January 27, 1993	SINGLE	09987654321	CARDINAL		

### KKIS Profiles (Residents)

The screenshot shows a list of 12 residents under the 'Residents' tab. The columns include Name, Gender, Age, Birthdate, Civil status, Contact No., Purok, Remarks, and Actions. Each resident has a unique profile with specific details like gender (MAN/WOMAN), age (e.g., 57, 49, 51, 47, 53, 60, 60, 52, 14, 54), birthdate (e.g., November 4, 1965, September 7, 1973, July 16, 1971, May 29, 1975, September 30, 1969, August 1, 1962, December 13, 1962, June 30, 1970, May 14, 2008, April 17, 1968), civil status (MARRIED), contact numbers (e.g., 09987654321, 0976045377, 0923456789, 0913456789, 09987654321, 0972638271, 09760453722, 09987654321, 0972638277, 0972638273, 09987654321), purok (e.g., PULONG KENDI, DOÑA REGINA, DOÑA REGINA, DOÑA REGINA, NAVON, PUROK LEADER, FAMILY VILLAGE, FAMILY VILLAGE, CARDINAL, LOOBAN), remarks (e.g., PUROK LEADER, FAMILY VILLAGE, SOLO PARENT), and actions (represented by icons for edit, delete, etc.).

Name	Gender	Age	Birthdate	Civil status	Contact No.	Purok	Remarks	Actions
ALCALA, CARLOS ATRILLANO	MAN	57	November 4, 1965	MARRIED	09987654321	PULONG KENDI	PUROK LEADER	
ALCALA, GINA MATALOBOS	WOMAN	49	September 7, 1973	MARRIED	0976045377	PULONG KENDI		
AUSTRIA, CARLITO LIZARDO	MAN	51	July 16, 1971	MARRIED	0923456789	DOÑA REGINA		
AUSTRIA, SHERLEE BANALO	WOMAN	47	May 29, 1975	MARRIED	0913456789	DOÑA REGINA		
BAYLON, JERRY VILLANUEVA	MAN	53	September 30, 1969	MARRIED	09987654321	NAVON		
GONZALES, ELISEO DELA ROSA	MAN	60	August 1, 1962	MARRIED	0972638271	FAMILY VILLAGE	PUROK LEADER	
GONZALES, ESPERANZA ROSITA	WOMAN	60	December 13, 1962	MARRIED	09760453722	FAMILY VILLAGE		
MARASIGAN, ROSE NARITO	WOMAN	52	June 30, 1970	SINGLE	0972638277	CARDINAL	SOLO PARENT	
MORANO, JANNAH ROSE CONCEPCION	WOMAN	14	May 14, 2008	SINGLE	0972638273	LOOBAN		
MORANO, JONAL ASAULA	MAN	54	April 17, 1968	MARRIED	09987654321	LOOBAN		



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

95

About KKIS

### KKIS Update Entry

The screenshot shows the 'Update Entry' page of the KKIS system. The left sidebar includes links for Dashboard, Declared Households, Profiles, Add New Entry, KK ID Card, Transaction History, Settings, and Log out. The main form is titled 'Update Entry' and is labeled 'Super Administrator'. It contains three main sections: 'Personal Information', 'Educational Status', and 'Employment Status'. The 'Personal Information' section requires fields for First Name (NICOLE), Middle Name (MATALEBOS), Last Name (AULALA), Gender Preference (WOMAN), Birthdate (19/02/1999), Birthplace (CABUYAO CITY, LAGUNA), Marital Status (SINGLE), Religion (CHRISTIAN), Disability (NONE), Contact No. (09160453722), Voter Type (REGISTERED), House No./Street/Subdivision (BORJA), Purok (PULONG KENDI), Organization (any), Remarks (any), and SK Scholar status (SK SCHOLAR). The 'Educational Status' section includes fields for Educational Status (ENROLLED), Level (COLLEGE), School Type (PUBLIC), Name of School (POLYTECHNIC UNIVERSITY OF THE PHILIPPINES - STO. TOMAS BRANCH), Work Industry, and Salary Range. The 'Employment Status' section includes fields for Employee Status, Employee Type, Employer Type, Name of Employee/Company/Business, Work Industry, and Salary Range.

### KKIS Add New Entry

The screenshot shows the 'Add New Entry' page of the KKIS system. The left sidebar includes links for Dashboard, Declared Households, Profiles, Add New Entry, KK ID Card, Transaction History, Settings, and Log out. The main form is titled 'Add New Entry' and is labeled 'Super Administrator'. It contains three main sections: 'Personal Information', 'Educational Status', and 'Employment Status'. The 'Personal Information' section requires fields for First Name, Middle Name, Last Name, Suffix, Gender Preference, Birthdate, Birthplace, Marital Status, Religion, Disability, Voter Type, Contact No. (090XXXXXXX), House No./Street/Subdivision, Purok, Organization (any), Remarks (any), and SK Scholar status. The 'Educational Status' section includes fields for Educational Status, Level, School Type, Name of School, Work Industry, and Salary Range. The 'Employment Status' section includes fields for Employee Status, Employee Type, Employer Type, Name of Employee/Company/Business, Work Industry, and Salary Range.

6



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

96



### KKIS KK ID Card

A screenshot of the KKIS software interface showing the "KK ID Card" feature. On the left sidebar, there are links for Dashboard, Declared Households, Profiles, Add New Entry, KK ID Card, Transaction History, Settings, and Log out. The main panel shows a "Batch Printing" section with dropdown menus for Age (0-4 years old [Children]), Rank (Cardinal), and Cadet. Below these are input fields for First Name, Middle Name, and Last Name. To the right is an "ID Preview" section displaying a sample ID card for "Juan dela Cruz" born on October 22, 2000, with rank Cardinal. The ID card features a QR code. At the bottom are "Clear All" and "Submit" buttons.

### KKIS Transaction History

A screenshot of the KKIS software interface showing the "Transaction History" feature. The left sidebar includes links for Dashboard, Declared Households, Profiles, Add New Entry, KK ID Card, Transaction History, Settings, and Log out. The main panel displays a table of transaction history entries. The table has columns for ID, Name, and Issued On. The data is as follows:



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

97


### Account Manual



#### 4. How to register?


4.1. Fill out the necessary information.

**Note:** Passwords must contain at least one number, one uppercase, one lowercase and should be at least 8 or more characters.



A screenshot of a web-based sign-up form titled "Sign Up". The form includes fields for First Name (Nicole), Last Name (Alcali), Date of Birth (18/02/2001), Contact Number (09123456789), Email (nicole.alcali@gmail.com), and two password fields. A note indicates "Passwords matched". There is also a "Profile Picture" field containing "nicole.png" and a checkbox for "I have read and agree to the Terms and Conditions". A "Sign up" button is at the bottom.

4.2. Click 'Sign up' to register.



8



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

98


### iK Account Manual




#### 5. How to log in?

5.1. Enter your 'Email' and 'Password'.

Note: The 'Email' and 'Password' must be registered.\



5.2. Click the 'Log in' button.





## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

99

### Account Manual



#### 6. How to change my password?

- 6.1. In 'Settings', go to 'Account Settings', then fill out the 'Change Password' form and click 'Update'.

The screenshot shows the 'Edit Profile' and 'Change Password' sections of the account settings. The 'Change Password' section contains fields for 'Current Password', 'New Password', and 'Confirm Password'. A note at the bottom says: 'Note: We recommend that you regularly update your password every three (3) months to prevent unauthorized access to your account.' The 'New Password' and 'Confirm Password' fields are highlighted with a yellow box and labeled '2'. The 'Update' button is highlighted with a yellow box and labeled '3'.

- 6.2. Click 'OK'.

The screenshot shows a confirmation message 'Password updated' with an 'OK' button. This message is overlaid on the 'Change Password' form from the previous screenshot. The 'OK' button is highlighted with a yellow box and labeled '1'.

10



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES


100

### iK Account Manual




#### 7. How to reset password?

7.1. Click 'Forgot Password?'



7.2. Enter Your Email Address.






## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES


101

### Account Manual

7.3. Click 'Request reset link' button.



7.4. Enter the one-time password sent to your email and click 'Verify' button.



12




## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES


102

### iAccount Manual

7.5. After you verified, you will be redirected to the 'Reset Password' page.



7.6. Enter your email address and new password. To confirm your password enter again your new password.




## Account Manual




### 8. How to update Profile?

8.1. Click your profile picture.



The screenshot shows the 'User Manual' section of the system. On the left, there's a sidebar with 'Settings' at the top, followed by 'General Settings' (User Manual, Account Settings), 'Access Control' (Admin Role Controls), and 'About' (Developers). The main area displays the 'Table of Contents' for the 'User Manual'. A modal window titled 'Edit profile picture' is open in the center. It contains a placeholder image of a person, a file input field with 'No file chosen' and a 'Browse' button, and a note 'Please upload 1:1 picture only.' At the bottom right of the modal is a 'Save changes' button. The background of the main area shows a list of topics under various sections like 'About KNIS', 'Information/Data Processing and Management Manual', and 'Access Control Manual'.

8.2. Click the 'Upload' button.




This screenshot is similar to the previous one but focuses on the 'Edit profile picture' dialog. The 'Upload' button in the dialog is highlighted with a yellow box. The rest of the interface, including the sidebar and the main content area with its table of contents, remains the same.




## Account Manual

8.3. Choose the picture you want to upload.



8.4. Once uploaded, click 'Save Changes' to update your profile.





## Account Manual

8.5. Now, your profile has been updated.

The screenshot shows the 'User Manual' section of the KKIS system. On the left, there's a sidebar with user settings and navigation links like 'General Settings', 'Access Control', and 'About'. The main content area displays a 'Table of Contents' for the User Manual, which includes sections for 'About KKIS', 'Account Manual', 'Information/Data Processing and Management Manual', 'Document Generation Manual', and 'Access Control Manual'. Each section lists several numbered items with descriptions.

Section	Description
About KKIS	1. General Information 2. System Features 3. User Interface Design
Account Manual	4. How to log in? 5. How to log out? 6. How to change my password? 7. How to reset password? 8. How to log out?
Information/Data Processing and Management Manual	9. How to add an entry? 10. How to view an entry? 11. How to filter entries? 12. How to update an entry? 13. How to delete an entry? 14. Transactions Management 14.1. How to make transactions? 14.2. How to delete transactions?
Document Generation Manual	15. How to use QR Codes? 16. How to scan QR Codes? 17. How to copy files to clipboard? 18. How to export data in CSV format? 19. How to export files in Excel? 20. How to export files in PDF? 21. How to print files? 22. Export custom files 23. Print custom files 24. How to print ID 24.1. Print ID based on age 24.2. Print ID based on gender
Access Control Manual	25. How to set/update roles for users? 26. How to delete a user?



### 9. How to log out?

9.1. On any page you were at, just click 'Log out' located in the navigation bar.

The screenshot shows the KKIS dashboard. On the left, there's a sidebar with navigation links like 'Dashboard', 'Declared Households', 'Profiles', 'Add New Entry', 'KK ID Card', and 'Transaction History'. At the bottom of this sidebar, the 'Log out' button is highlighted with a blue box. The main content area shows various statistics and charts related to 'General Residents' and 'Katipunan ng Kabataan'.

Category	Value	Percentage	Icon
Total Citizens	24	-	-
General Citizens	13	54%	Icon of three people
Children	0	0%	Icon of two children
Senior Citizens	4	16%	Icon of an elderly person
Total Youth	11	-	Icon of a group of young people
Enrolled Youth	8	-	Icon of a student studying
Out-of-school Youth	1	-	Icon of a group of youth
Working Student	1	-	Icon of a student with a laptop
Employed	5	-	Icon of a person working
Unemployed	9	-	Icon of a person holding a guitar



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

106

### iKIS Information/Data Processing and Management Manual



#### 10. How to add an entry?

10.1. Click the 'Add New Entry' tab.

The screenshot shows the KKIS software interface. On the left, there's a sidebar with options like Dashboard, Declared Households, Profiles, Add New Entry (which is highlighted), KK ID Card, and Transaction History. The main area is titled 'Add New Entry' and has tabs for Super Administrator and Super User. The 'Personal Information' tab is active, displaying fields for First Name, Middle Name, Last Name, Suffix, Gender Preference, Birthday, Birthplace, Marital Status, Religion, Disability, Voter Type, Contact No., House No./Street/Subdivision, Postcode, Organization (if any), Remarks (if any), and Select Remarks. Below it are sections for 'Educational Status' and 'Employment Status'. The 'House Declaration' section at the bottom also has several input fields.

10.2. Fill out the residents information needed. And make sure the you fill out all the required (\*) information

**Note: If the resident is enrolled, fill up the following.**

This screenshot is similar to the previous one, showing the 'Add New Entry' screen. However, three specific sections are highlighted with blue boxes: 'Personal Information' (containing fields for First Name, Middle Name, Last Name, Suffix, Gender Preference, Birthday, Birthplace, Marital Status, Religion, Disability, Voter Type, Contact No., House No./Street/Subdivision, Postcode, Organization (if any), Remarks (if any), and Select Remarks), 'Educational Status' (containing fields for Educational Status, Level, School Type, Name of School, Work Industry, and Salary Range), and 'House Declaration' (containing fields for First Name, Middle Name, Last Name, Suffix, No. of Family Members, and No. of Family Members). The sidebar and other parts of the interface remain the same.



## Information/Data Processing and Management Manual

Note: If the resident is employed, fill up the following.

The screenshot shows the KKIS system interface for adding a new entry. The main menu on the left includes Dashboard, Declared Households, Profiles, Add New Entry (which is selected), KK ID Card, and Transaction History. On the right, there's a 'Super Administrator' section. The central area is titled 'Add New Entry'. It contains several input fields grouped into three main sections, each highlighted with a blue box:

- Personal Information:** Fields include First Name, Middle Name, Last Name, Suffix, Gender Preference, Birthday, Birthplace, Marital Status, Religion, Disability, Voter Type, Contact No., House No./Street/Subdivision, Funct., Organization (if any), Remarks (if any), and Select Remarks.
- Employment Status:** Fields include Employee Status, Employee Type, Employee Type, Name of Employer/Company/Business, Work Industry, and Salary Range.
- House Declaration:** Fields include First Name, Middle Name, Last Name, Suffix, and No. of Family Members.

10.3. Click the 'Submit' button.

This screenshot shows the same 'Add New Entry' form as the previous one, but with all fields populated with sample data. The 'Submit' button at the bottom right is highlighted with a blue box.

Sample data entered:

- Personal Information:** First Name: JOHN, Middle Name: SANTOS, Last Name: DELA CRUZ, Suffix: MAN, Gender Preference: MAN, Birthday: 12/06/1989, Birthplace: CALAMBA CITY, LAGUNA, Marital Status: MARRIED, Religion: CHRISTIAN, Disability: Nothing selected, Voter Type: REGISTERED, Contact No.: 09957654321, House No./Street/Subdivision: 123 MANDUYAT ST., Funct.: DOÑA REGINA I, Organization (if any): LOCAL GOVERNMENT OF CALAMBA, Remarks (if any): Select Remarks.
- Employment Status:** Employee Status: EMPLOYED, Employee Type: REGULAR, Employee Type: PUBLIC, Name of Employer/Company/Business: LOCAL GOVERNMENT OF CALAMBA, Work Industry: VETERINARY, Salary Range: 21,000-30,999.
- House Declaration:** First Name: TECORA, Middle Name: SANTOS, Last Name: DELA CRUZ, Suffix: LESS THAN 5, No. of Family Members: LESS THAN 5.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

108

### iKIS Information/Data Processing and Management Manual



#### 11. How to view an entry?

11.1. Go to 'Profiles' page.

The screenshot shows the KKIS software interface. On the left, there's a sidebar with options like Dashboard, Declared Households, Profiles (which is highlighted with a blue border), Add New Entry, KK ID Card, and Transaction History. The main area is titled 'Profiles' and shows a table of resident information. The table has columns for Name, Gender, Age, Birthdate, Civil status, Contact No., Purok, Remarks, and Actions. Each row contains a resident's details, such as ALCALA, SAMUEL MATALOBOS (MAN, 24, February 13, 1999, SINGLE, 09023456789, PULONG KENDI, DONA REGINA I, SK SCHOLAR). To the right of the table, there are two buttons: 'Kabataan' and 'Residents'. At the top right, it says 'Super Administrator'.

Name	Gender	Age	Birthdate	Civil status	Contact No.	Purok	Remarks	Actions
ALCALA, SAMUEL MATALOBOS	MAN	24	February 13, 1999	SINGLE	09023456789	PULONG KENDI	DONA REGINA I	
AUSTRIA, CARLA MBI BANALO	WOMAN	19	October 2, 2003	SINGLE	09876786565		DONA REGINA I	
AUSTRIA, PRINCESS CARL BANALO	WOMAN	21	February 22, 2001	SINGLE	09833660898		SK SCHOLAR	
BAYLON, JHONEL MACARANG	MAN	23	June 23, 1999	SINGLE	09123456789	SMOKEY MOUNTAIN		
BAYLON, STEPHANIE MACARANG	WOMAN	22	September 15, 2000	SINGLE	09123456789	SMOKEY MOUNTAIN	SK SCHOLAR	
DE CLARIO, CJC	MAN	22	December 23, 2000	SINGLE	09450234567	NAYON		
GONZALES, JUSTIN CHARLES ROSITA	MAN	22	June 20, 2000	SINGLE	0984337048	FAMILY VILLAGE	SK SCHOLAR	
MORANO, JANNAH ROSE CONCEPCION	WOMAN	22	January 4, 2001	SINGLE	0984966886	MANGGAHAN		
MORANO, JERICHO CONCEPCION	MAN	17	January 2, 2006	SINGLE	0984966886	MANGGAHAN		
MORANO, JOHN MARC CONCEPCION	MAN	21	October 6, 2001	SINGLE	0984966886	MANGGAHAN		

11.2. Click the 'View' button of the resident you want to see the information of.

This screenshot is similar to the one above, showing the KKIS Profiles page. The 'Profiles' option is still highlighted in the sidebar. The main table displays the same list of residents. However, the last row (MORANO, JOHN MARC CONCEPCION) is now highlighted with a light blue background, indicating it is selected. The rest of the rows have a white background. The right-hand buttons ('Kabataan', 'Residents') and the 'Super Administrator' status are also present.

Name	Gender	Age	Birthdate	Civil status	Contact No.	Purok	Remarks	Actions
ALCALA, SAMUEL MATALOBOS	MAN	24	February 13, 1999	SINGLE	09023456789	PULONG KENDI	DONA REGINA I	
AUSTRIA, CARLA MBI BANALO	WOMAN	19	October 2, 2003	SINGLE	09876786565		DONA REGINA I	
AUSTRIA, PRINCESS CARL BANALO	WOMAN	21	February 22, 2001	SINGLE	09833660898		SK SCHOLAR	
BAYLON, JHONEL MACARANG	MAN	23	June 23, 1999	SINGLE	09123456789	SMOKEY MOUNTAIN		
BAYLON, STEPHANIE MACARANG	WOMAN	22	September 15, 2000	SINGLE	09123456789	SMOKEY MOUNTAIN	SK SCHOLAR	
DE CLARIO, CJC	MAN	22	December 23, 2000	SINGLE	09450234567	NAYON		
GONZALES, JUSTIN CHARLES ROSITA	MAN	22	June 20, 2000	SINGLE	0984337048	FAMILY VILLAGE	SK SCHOLAR	
MORANO, JANNAH ROSE CONCEPCION	WOMAN	22	January 4, 2001	SINGLE	0984966886	MANGGAHAN		
MORANO, JERICHO CONCEPCION	MAN	17	January 2, 2006	SINGLE	0984966886	MANGGAHAN		
MORANO, JOHN MARC CONCEPCION	MAN	21	October 6, 2001	SINGLE	0984966886	MANGGAHAN		



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

109

### Information/Data Processing and Management Manual

11.3. Once clicked, all the information of that resident will be on full view.

The screenshot shows the KKIS software interface. On the left is a sidebar with options: Dashboard, Declared Households, Profiles (which is selected and highlighted in blue), Add New Entry, KK ID Card, Transaction History, Settings, Log out, and Logout View. The main area is titled 'Profiles' and shows a detailed profile for 'ALCALA, NICOLE MATALOBOS'. The profile includes personal information (Birthday: 2001-02-19, Birthplace: CALAMBA CITY LAGUNA, Marital Status: SINGLE, Disability: BORJA), voter type (REGISTERED), contact number (09123456789), religion (CHRISTIAN), organization (SK SCHOLAR), and house address (PULONG KENDI). Below this is a 'Status' section with student status (ENROLLED) and school level (COLLEGE). The 'House Declaration' section shows the head of the family (ALCALA, CARLOS ATELLANO) and the number of members (LESS THAN 5). To the right of the profile is a QR code and a list of other residents categorized as SK SCHOLAR, with each entry having edit and delete icons. At the bottom, there is a table with columns: Name, Gender, Age, Birthdate, Civil status, Contact No., Purisk, Remarks, and Actions. The table lists several other residents with their details.

### 12. How to update an entry?

12.1. Go to 'Profiles' page.

The screenshot shows the KKIS software interface, specifically the 'Profiles' page. The sidebar on the left is identical to the previous screenshot. The main area displays a list of residents. At the top of the list table are buttons for Copy, CSV, Excel, PDF, and Print. The table has columns: Name, Gender, Age, Birthdate, Civil status, Contact No., Purisk, Remarks, and Actions. The 'Actions' column contains edit and delete icons. The list includes entries for ALCALA, SAMUEL MATALOBOS, AUSTRIA, CARLA MEI BANALO, AUSTRIA, PRINCESS CARL BANALO, BAYLON, JHONEL MACARANG, BAYLON, STEPHANIE MACARANG, DE CLARIO, C.J.C., GONZALES, JUSTIN CHARLES ROSITA, MORANO, JANNAH ROSE CONCEPCION, MORANO, JERICHO CONCEPCION, and MORANO, JOHN MARC CONCEPCION. Each entry provides basic demographic information such as name, gender, age, birthdate, civil status, contact number, and purisk. The 'Remarks' column is mostly empty or contains 'SK SCHOLAR'. The 'Actions' column for each entry has edit and delete icons.

20



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

110

### iKIS Information/Data Processing and Management Manual

12.2. Click the 'Edit' button of the entry you want to update.

The screenshot shows a software interface titled "Profiles". On the left is a sidebar with options: Dashboard, Declared Households, Profiles (selected), Add New Entry, KK ID Card, Transaction History, Settings, Log out, and Copyrights. The main area has a table with columns: Name, Gender, Age, Birthdate, Civil status, Contact No., Purok, Remarks, and Actions. The table lists several residents. The first row, for "ALCALA, SAMUEL MATALOBOS", has an "Edit" button highlighted with a blue box.

Name	Gender	Age	Birthdate	Civil status	Contact No.	Purok	Remarks	Actions
ALCALA, SAMUEL MATALOBOS	MAN	24	February 13, 1999	SINGLE	09123456789	PULONG KENDI		
AUSTRIA, CARLA MEI BANALO	WOMAN	19	October 2, 2003	SINGLE	09876543210	DONA REGINA 1		
AUSTRIA, PRINCESS CARL BANALO	WOMAN	21	February 22, 2001	SINGLE	09633660088	SK SCHOLAR		
BAYLOW, JHONEL MACARANG	MAN	23	June 23, 1999	SINGLE	09126548765	SMOKEY MOUNTAIN		
BAYLOW, STEPHANIE MACARANG	WOMAN	22	September 15, 2000	SINGLE	09123456789	SMOKEY MOUNTAIN		
DE CLARIO, CJC	MAN	22	December 23, 2000	SINGLE	09450234567	NAYON		
GONZALES, JUSTIN CHARLES ROSITA	MAN	22	June 20, 2000	SINGLE	0984337048	FAMILY VILLAGE		
MORANO, JAHNAH ROSE CONCEPCION	WOMAN	22	January 4, 2001	SINGLE	09849666688	MANGGAHAN		
MORANO, JERICHO CONCEPCION	MAN	17	January 2, 2006	SINGLE	09849666688	MANGGAHAN		
MORANO, JOHN MARC CONCEPCION	MAN	21	October 6, 2001	SINGLE	09849666688	MANGGAHAN		

12.3. Then you will be redirected to the 'Update Entry' page, where you can update the information of the residents.

The screenshot shows the "Update Entry" page. The left sidebar is identical to the previous screen. The main area has a "Personal Information" section with fields for First Name, Middle Name, Last Name, Gender Preference, Birthdate, Birthplace, Marital Status, Religion, Disability, Contact No., Voter Type, House No./Street/Subdivision, Purok, Organization (if any), and Remarks (if any). The first "First Name" field is highlighted with a blue box.

**Personal Information**

First Name *	Middle Name	Last Name *	Gender Preference *		
NICOLE	MATALOBOS	ALCALA	WOMAN		
Birthdate *	Birthplace *	Marital Status *	Religion *	Disability	Contact No. *
19/02/2001	CALAMBIA CITY, LAGUNA	SINGLE	CHRISTIAN	Nothing selected	09123456789
Voter Type *	House No./Street/Subdivision *	Purok *	Organization (if any)	Remarks (if any)	
REGISTERED	BORJA	PULONG KENDI		SK SCHOLAR	

**Educational Status**

Educational Status *	Level *	School Type *
ENROLLED	COLLEGE	PUBLIC
Name of School *	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES - STO. TOMAS BRANCH	
Work Industry	Salary Range	

**Employment Status**

Employee Status	Employee Type	Employer Type
Name of Employer/Company/Business		
Work Industry	Salary Range	

**House Declaration**

First Name *	Middle Name	Last Name *	No. of Family Members *



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

111

### Information/Data Processing and Management Manual



#### 13. How to delete an entry?

13.1. Click the 'Profiles' tab.

The screenshot shows the KKIS software interface. On the left, there's a sidebar with options like Dashboard, Declared Households, Profiles (which is highlighted with a blue box), Add New Entry, KK ID Card, and Transaction History. The main area is titled 'Profiles' and shows a table of居民 (Residents) data. The table has columns for Name, Gender, Age, Birthdate, Civil status, Contact No., Purok, Remarks, and Actions. There are 10 entries listed, each with a set of icons for edit, delete, and other actions. The top right of the interface says 'Super Administrator'.

Name	Gender	Age	Birthdate	Civil status	Contact No.	Purok	Remarks	Actions
ALCALA, SAMUEL MATALOBOS	MAN	24	February 13, 1999	SINGLE	09123456789	PULONG KENDI		
AUSTRIA, CARLA MEI BANALO	WOMAN	19	October 2, 2003	SINGLE	09876543210	DOÑA REGINA I		
AUSTRIA, PRINCESS CARL BANALO	WOMAN	21	February 22, 2001	SINGLE	09633660818	DOÑA REGINA I	SK SCHOLAR	
BAYLON, JHONEL MACARANG	MAN	23	June 23, 1999	SINGLE	09172654879	SMOKEY MOUNTAIN		
BAYLON, STEPHANIE MACARANG	WOMAN	22	September 15, 2000	SINGLE	09123456789	SMOKEY MOUNTAIN	SK SCHOLAR	
DE CLARIO, C.J.C	MAN	22	December 23, 2000	SINGLE	09451234567	NAYON		
GONZALES, JUSTIN CHARLES ROSITA	MAN	22	June 20, 2000	SINGLE	09154337048	FAMILY VILLAGE	SK SCHOLAR	
MORANO, JAHNAH ROSE CONCEPCION	WOMAN	22	January 4, 2001	SINGLE	09849686686	MANGGAHAN		
MORANO, JERICHO CONCEPCION	MAN	17	January 2, 2006	SINGLE	09849686686	MANGGAHAN		
MORANO, JOHN MARC CONCEPCION	MAN	21	October 6, 2001	SINGLE	09849686686	MANGGAHAN		

13.2. Click the 'Delete' button.

This screenshot is similar to the previous one, showing the KKIS software interface with the Profiles tab selected. The table of residents is visible. In this version, the third row from the top (the entry for 'AUSTRIA, CARLA MEI BANALO') has its entire row highlighted with a light blue color. This highlights the row for deletion.

22



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

112

### iKIS Information/Data Processing and Management Manual

13.3. Then click 'Proceed' to permanently delete the entry.

The screenshot shows a table of resident profiles. A modal dialog box is centered over the table, containing a yellow exclamation mark icon and the text "Are you sure?". Below this, a smaller message reads: "This will permanently delete ALCALA, SAMUEL MATALOBOS from the database. Do you still want to proceed?" At the bottom of the dialog are two buttons: "Proceed" (in blue) and "Cancel".

Name	Gender	Age	Birthdate	Civil status	Contact No.	Purok	Remarks	Actions
ALCALA, NICOLE MATALOBOS					09123456789	PULONG KENDI	SK SCHOLAR	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
ALCALA, SAMUEL MATALOBOS					09123456789	PULONG KENDI		<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
AUSTRIA, CARLA MEI BANALO					09876543210	DONA REGINA I		<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
AUSTRIA, PRINCESS CARL BANALO					09863366088	DONA REGINA I	SK SCHOLAR	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
BAYLON, JHONEL MACARANG	WOMAN	22	September 10, 2000	SINGLE	09123456789	SMOKEY MOUNTAIN	SK SCHOLAR	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
BAYLON, STEPHANIE MACARANG	WOMAN	22	December 23, 2000	SINGLE	09123456789	SMOKEY MOUNTAIN	NAYON	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
DE CLARIO, CJC	MAN	22	June 20, 2000	SINGLE	09450234567	FAMILY VILLAGE	SK SCHOLAR	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
GONZALES, JUSTIN CHARLES ROSITA	MAN	22	January 4, 2001	SINGLE	09154337048	MANGGAHAN		<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
MORANO, JANNAH ROSE CONCEPCION	WOMAN	22	January 2, 2006	SINGLE	09849666666	MANGGAHAN		<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
MORANO, JERICHO CONCEPCION	MAN	17	October 8, 2001	SINGLE	09849666666	MANGGAHAN		<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
MORANO, JOHN MARC CONCEPCION	MAN	21			09849666666	MANGGAHAN		<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>

### 14. How to filter an entry?

14.1. Click the 'Profiles' tab, to see the residents lists.

The screenshot shows the same table of resident profiles as the previous image, but with several filter dropdown menus visible above the table headers. These filters include "Filter Name", "Filter Gender", "Filter Age", "Filter Birthdate", "Filter Civil Status", "Filter Contact No.", "Filter Purok", and "Filter Remarks". The "Profiles" tab is highlighted in blue on the left sidebar.

Name	Gender	Age	Birthdate	Civil status	Contact No.	Purok	Remarks	Actions
ALCALA, SAMUEL MATALOBOS	MAN	24	February 13, 1999	SINGLE	09123456789	PULONG KENDI		<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
AUSTRIA, CARLA MEI BANALO	WOMAN	19	October 2, 2003	SINGLE	09876543210	DONA REGINA I		<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
AUSTRIA, PRINCESS CARL BANALO	WOMAN	21	February 22, 2001	SINGLE	09863366088	DONA REGINA I	SK SCHOLAR	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
BAYLON, JHONEL MACARANG	MAN	23	June 23, 1999	SINGLE	09123456789	SMOKEY MOUNTAIN		<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
BAYLON, STEPHANIE MACARANG	WOMAN	22	September 10, 2000	SINGLE	09123456789	SMOKEY MOUNTAIN	SK SCHOLAR	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
DE CLARIO, CJC	MAN	22	December 23, 2000	SINGLE	09450234567	NAYON		<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
GONZALES, JUSTIN CHARLES ROSITA	MAN	22	June 20, 2000	SINGLE	09154337048	FAMILY VILLAGE	SK SCHOLAR	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
MORANO, JANNAH ROSE CONCEPCION	WOMAN	22	January 4, 2001	SINGLE	09849666666	MANGGAHAN		<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
MORANO, JERICHO CONCEPCION	MAN	17	January 2, 2006	SINGLE	09849666666	MANGGAHAN		<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
MORANO, JOHN MARC CONCEPCION	MAN	21	October 8, 2001	SINGLE	09849666666	MANGGAHAN		<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>



## Information/Data Processing and Management Manual

14.2. Then click the 'Filter' in the categories you want to filter.

The screenshot shows the KKIS Profiles page. On the left is a sidebar with options: Dashboard, Declared Households, Profiles (highlighted), Add New Entry, KK ID Card, Transaction History, Settings, Log out, and Copyright Info. The main area has a title 'Profiles' and a sub-title 'Kabataan'. It includes buttons for Copy, CSV, Excel, PDF, Print, and a search bar. A table lists household members with columns: Name, Gender, Age, Birthdate, Civil status, Contact No., Purok, Remarks, and Actions. A modal window titled 'Filter' is open over the table, showing dropdown menus for 'Gender' (set to WOMAN), 'Age' (set to 19), and 'Birthdate' (set to January 7, 2001). Other filter options like 'Filter Civil', 'Filter Contact', 'Filter Purok', and 'Filter Remarks' are also visible.

### 15.1. How to name transactions?

15.1.1. Go to the 'KK ID Card' page. Then, click the 'Scan QR Code' button.

The screenshot shows the KK ID Card page. The sidebar includes options: Dashboard, Declared Households, Profiles, Add New Entry (highlighted), KK ID Card (highlighted), Transaction History, Settings, Log out, and Copyright Info. The main area has a title 'KK ID Card' and a sub-title 'Batch Printing'. It features a 'Batch Printing' section with checkboxes for Age, Purok, and Custom, and dropdown menus for '0-14 years old (Children)' (set to Cardinal) and 'Purok' (set to Cardinal). Below this are fields for First Name, Middle Name, and Last Name. To the right is an 'ID Preview' section showing a sample ID card for 'SK ng Sampiruhan' with the name 'DELA CRUZ, JUAN S.', date of birth 'June 12, 1989', and purok 'Cardinal'. A large orange button labeled 'Scan QR Code' with a question mark icon is positioned above the preview. Buttons for 'Clear All' and 'Submit' are at the bottom.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

114

### Information/Data Processing and Management Manual

15.2.2. Click the checkbox of the transaction you want to delete.

The screenshot shows the KKIS Transaction History page. The main content area displays a table of transactions. Each row contains information such as the transaction type (e.g., VIDEOKE, BLOOD DONATION, SCHOOL SUPPLIES DISTRIBUTION, HYGIENE KITS DISTRIBUTION), the resident name, and the date issued. To the right of each row is a checkbox. A blue rectangular box highlights the checkboxes for the first three transactions in the list. At the bottom right of the table, there is a 'Delete' button.

Name	Resident	Issued On	Options
BLOOD DONATION	AUSTRIA, SHERLEE BANALO	February 9, 2023	<input type="checkbox"/>
VIDEOKE	PALALUMPA, PURISIMO OCARAYA	February 8, 2023	<input checked="" type="checkbox"/>
BLOOD DONATION	ALCALA, SAMUEL MATALOBO	February 8, 2023	<input checked="" type="checkbox"/>
SCHOOL SUPPLIES DISTRIBUTION	MORANO, JOHN MARC CONCEPCION	February 8, 2023	<input checked="" type="checkbox"/>
HYGIENE KITS DISTRIBUTION	GONZALES, ESPERANZA ROSTA	February 8, 2023	<input checked="" type="checkbox"/>
HYGIENE KITS DISTRIBUTION	AUSTRIA, SHERLEE BANALO	February 8, 2023	<input type="checkbox"/>
BLOOD DONATION	PALALUMPA, MICHAEL JOHN SEURA	February 7, 2023	<input type="checkbox"/>
BLOOD DONATION	ALCALA, SAMUEL MATALOBO	February 17, 2023	<input type="checkbox"/>
BLOOD DONATION	ALCALA, CARLOS ATRILLANO	February 17, 2023	<input type="checkbox"/>

15.2.3. Click the 'Delete' button.

The screenshot shows the KKIS Transaction History page after a deletion action. The main content area displays a table of transactions. The 'Delete' button from the previous screenshot is now highlighted with a blue box. The table rows and data are identical to the previous screenshot, showing the same list of transactions with their respective checkboxes.

Name	Resident	Issued On	Options
BLOOD DONATION	AUSTRIA, SHERLEE BANALO	February 9, 2023	<input type="checkbox"/>
VIDEOKE	PALALUMPA, PURISIMO OCARAYA	February 8, 2023	<input checked="" type="checkbox"/>
BLOOD DONATION	ALCALA, SAMUEL MATALOBO	February 8, 2023	<input checked="" type="checkbox"/>
SCHOOL SUPPLIES DISTRIBUTION	MORANO, JOHN MARC CONCEPCION	February 8, 2023	<input checked="" type="checkbox"/>
HYGIENE KITS DISTRIBUTION	GONZALES, ESPERANZA ROSTA	February 8, 2023	<input checked="" type="checkbox"/>
HYGIENE KITS DISTRIBUTION	AUSTRIA, SHERLEE BANALO	February 8, 2023	<input type="checkbox"/>
BLOOD DONATION	PALALUMPA, MICHAEL JOHN SEURA	February 7, 2023	<input type="checkbox"/>
BLOOD DONATION	ALCALA, SAMUEL MATALOBO	February 17, 2023	<input type="checkbox"/>
BLOOD DONATION	ALCALA, CARLOS ATRILLANO	February 17, 2023	<input type="checkbox"/>

26



## iInformation/Data Processing and Management Manual

15.2.4. Click 'OK'.

The screenshot shows the KKIS Transaction History interface. On the left is a sidebar with options: Dashboard, Declared Households, Profiles, Add New Entry, KK ID Card, and Transaction History. The Transaction History tab is selected. The main area displays a table of transactions with columns for Name, Resident, and Issued On. A modal window in the center says "Transaction deleted" with a checkmark icon. The top right corner shows "Super Administrator".



### 16. How to scan QR Codes?

16.1. Scan the QR code attached to the KK ID card with the use of the QR code scanner. Simply point the scanner to the QR code and pull its trigger to capture.





## Information/Data Processing and Management Manual

16.2. The encrypted ID will be retrieved from the KK ID card's QR code and will be automatically entered into the 'Resident ID' field.

**Example:**

The screenshot shows the KKIS software interface. On the left is a sidebar with options like Dashboard, Declared Households, Profiles, Add New Entry, KK ID Card (which is selected), and Transaction History. The main area has tabs for Batch Printing and ID Preview. In the Batch Printing tab, there are dropdowns for Age (0-14 years old [Children]), Gender (Female), and Custom. Below these are fields for First Name, Middle Name, and Last Name, each with a 'Clear All' button. A modal window titled 'KK ID Card' is open, showing a transaction for 'BLOOD DONATION'. It includes a Resident ID field with the value 'V3BH53k1o2NheT7nbR2YzO+'. At the bottom of the modal is a 'Submit' button. To the right of the modal is an 'ID Preview' section showing a digital ID card for 'SK ng Sampiruhan' with a QR code. The QR code contains the same Resident ID value. The top right corner of the main window says 'Super Administrator'.

16.3. A modal will pop up after the procedure to confirm whether the operation was successful.

This screenshot shows the KKIS software interface after a successful transaction. The modal window from the previous screenshot has closed, replaced by a new one titled 'KK ID Card' with a large green checkmark icon. The text 'Success' is displayed above the message 'Transaction added successfully.' At the bottom is an 'OK' button. The background shows the same ID preview for 'SK ng Sampiruhan' with a QR code. The top right corner of the main window still says 'Super Administrator'.



# POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

117

## iDocument Generation Manual



### 17. How to copy lists to clipboard?

17.1. Go to the 'Profiles' page.

ID	Name	Age	Birthdate	Purok	Members	Remarks
1	PALALIMPA, PURISIMO QICARAVA	61	August 22, 1960	LOOBAN	5 to 10	
1	PALALIMPA, MELBA SEGURA	61	September 23, 1960	LOOBAN	5 to 10	
1	PALALIMPA, MICHELLE SEGURA	37	May 24, 1985	LOOBAN	5 to 10	
1	PALALIMPA, SHERYL SEGURA	32	October 18, 1990	LOOBAN	5 to 10	
1	PALALIMPA, MICHAEL JOHN SEGURA	22	August 11, 2000	LOOBAN	5 to 10	SK SCHOLAR
2	ALCALA, CARLOS ATRILLANO	58	November 4, 1964	PULONG KENDI	LESS THAN 5	
2	ALCALA, SAMUEL MATALOBOS	24	February 13, 1999	PULONG KENDI	LESS THAN 5	
2	ALCALA, GINA MATALOBOS	50	September 7, 1972	PULONG KENDI	LESS THAN 5	
2	ALCALA, NICOLE MATALOBOS	21	February 18, 2001	PULONG KENDI	LESS THAN 5	SK SCHOLAR
3	BAYLON, JERRY VILLANUEVA	58	May 10, 1964	SMOKEY MOUNTAIN	LESS THAN 5	

17.2. Choose whether to copy the 'Kabataan' or 'Residents' lists.

#### Kabataan Profile

Name	Gender	Age	Birthdate	Civil status	Contact No.	Purok	Remarks	Actions
ABRIGO, JOSHUA PAPA	MAN	19	2004-01-13	SINGLE	09123456789	CARDINAL		
ABRIGO, PATRICIA PAPA	WOMAN	22	2000-04-07	SINGLE	09887654321	CARDINAL		
ALCALA, NICOLE MATALOBOS	WOMAN	21	2001-02-19	SINGLE	09760453722	PULONG KENDI		
ALCALA, SAMUEL MATALOBOS	MAN	24	1998-02-13	SINGLE	0925729879	PULONG KENDI		
AUSTRIA, PRINCESS CAROLYN	WOMAN	22	2000-02-22	SINGLE	09123456789	CORDILLERA		



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

118

### Document Generation Manual

#### Residents Profile

Name	Gender	Age	Birthdate	Civil status	Contactct No.	Purok	Remarks	Actions
ALCALA , CARLOS ATTRILLANO	MAN	57	1965-11-04	MARRIED	0925729679	PULONG KENDI		
ALCALA , GINA MATALOBOS	WOMAN	50	1972-09-07	MARRIED	09123456789	PULONG KENDI		
AUSTRIA , CARLITO LIZARDO	MAN	43	1979-12-20	MARRIED	09897654321	CORDILLERA		
AUSTRIA , SHERLEE BANALO	WOMAN	43	1979-05-30	SINGLE	09760453722	CORDILLERA		
BAYLON , JERRY VILLANUEVA	MAN	45	1977-09-18	SINGLE	09987654321	IRAQ		

17.3. Click 'Copy' to copy to clipboard.

The screenshot shows the same 'Residents Profile' page as above, but with a red box highlighting the 'Copy' button in the top navigation bar. Below the table, a modal window titled 'Copy to clipboard' displays the message 'Copied 12 rows to clipboard'. The table data is identical to the previous screenshot.

Name	Gender	Age	Birthdate	Civil status	Contactct No.	Purok	Remarks	Actions
ABRIGO , JOSHUA PAPA	MAN	19	2004-01-13	SINGLE	09123456789	CARDINAL		
ABRIGO , PATRICIA PAPA	WOMAN	22	2000-04-07	SINGLE	09897654321	CARDINAL		
ALCALA , NICOLE MATALOBOS	WOMAN	21	2001-02-19	SINGLE	09760453722	PULONG KENDI		
ALCALA , SAMUEL MATALOBOS	MAN	24	1998-02-13	SINGLE	0925729679	PULONG KENDI		
AUSTRIA , PRINCESS	WOMAN	22	2000-02-	SINGLE	09123456789	CORDILLERA		

30



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

119




**iK Document Generation Manual**



### 18. How to export lists in CSV format?

18.1. To export the CSV lists, click 'CSV'.




The screenshot shows the KKIS software interface. On the left is a dark sidebar with navigation links: Dashboard, Declared Households (which is selected and highlighted in blue), Profiles, Add New Entry, KK ID Card, Transaction History, Settings, and Log Out. The main content area has a light gray background and displays a table titled 'Declared Households'. The table has columns for ID, Name, Age, Birthday, Purok, Members, and Remarks. The data in the table is as follows:

ID	Name	Age	Birthday	Purok	Members	Remarks
1	PALALIMA, PURISSIMO QICARAYA	61	August 22, 1961	LOOBAN	5 to 10	
1	PALALIMA, MELBA SEGURA	61	September 23, 1961	LOOBAN	5 to 10	
1	PALALIMA, MICHELLE SEGURA	37	May 24, 1985	LOOBAN	5 to 10	
1	PALALIMA, SHERYL SEGURA	32	October 18, 1990	LOOBAN	5 to 10	
1	PALALIMA, MICHAEL JOHN SEGURA	22	August 11, 2000	LOOBAN	5 to 10	SK SCHOLAR
2	ALCALA, CARLOS ATRILLANO	58	November 4, 1964	PULONG KENDI	LESS THAN 5	
2	ALCALA, SAMUEL MATALOBOS	24	February 13, 1999	PULONG KENDI	LESS THAN 5	
2	ALCALA, GINA MATALOBOS	50	September 7, 1972	PULONG KENDI	LESS THAN 5	
2	ALCALA, NICOLE MATALOBOS	21	February 18, 2001	PULONG KENDI	LESS THAN 5	SK SCHOLAR
3	BAYLON, JERRY VILLANUEVA	58	May 10, 1964	SMOKEY MOUNTAIN	LESS THAN 5	

At the top of the table, there is a toolbar with buttons for Copy, CSV, Excel, PDF, and Print. The 'CSV' button is highlighted with a red box. Below the table, there is a message: 'Showing 1 to 10 of 25 entries' and a navigation bar with buttons for Previous, Next, and page numbers 1, 2, 3.

18.2. Then the CSV lists will be downloaded to your device.

**Example:**



This screenshot is identical to the one above, showing the 'Declared Households' page in the KKIS software. The 'CSV' button is again highlighted. At the bottom of the screen, there is a download progress bar for a file named 'Declared Households.csv'. The progress bar shows a blue bar filling up from the left, with the text 'Downloaded 0.00% 0.00 MB' and a close button 'X' on the right.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

120

### Document Generation Manual



#### 19. How to export lists in Excel?

19.1. In 'Declared Households', click 'Excel' to export the lists in Excel format.

ID	Name	Age	Birthday	Purok	Members	Remarks
1	PALALIMA, PURISIMO GICARAYA	61	August 22, 1961	LOOBAN	5 to 10	
1	PALALIMA, MELBA SEGURA	61	September 23, 1961	LOOBAN	5 to 10	
1	PALALIMA, MICHELLE SEGURA	37	May 24, 1985	LOOBAN	5 to 10	
1	PALALIMA, SHERYL SEGURA	32	October 18, 1990	LOOBAN	5 to 10	
1	PALALIMA, MICHAEL JOHN SEGURA	22	August 11, 2000	LOOBAN	5 to 10	SK SCHOLAR
2	ALCALA, CARLOS ATRILLANO	58	November 4, 1964	PULONG KENDI	LESS THAN 5	
2	ALCALA, SAMUEL MATALOBOS	24	February 13, 1999	PULONG KENDI	LESS THAN 5	
2	ALCALA, GINA MATALOBOS	50	September 7, 1972	PULONG KENDI	LESS THAN 5	
2	ALCALA, NICOLE MATALOBOS	21	February 19, 2001	PULONG KENDI	LESS THAN 5	SK SCHOLAR
3	BAYLON, JERRY VILLANUEVA	58	May 19, 1964	SMOKEY MOUNTAIN	LESS THAN 5	

19.2. The Excel lists will then be exported to your device.

**Example:**

Declared Households.xlsx

32



# POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

121

20. How to export lists in PDF?

20.1. Go to the 'Profiles' page, then click 'PDF' to export the lists in that format.

ID	Name	Age	Birthday	Purok	Members	Remarks
1	PALALIMPA, PURISIMO GICARAYA	61	August 22, 1961	LOOBAN	5 to 10	
1	PALALIMPA, MELBA SEGURA	61	September 23, 1961	LOOBAN	5 to 10	
1	PALALIMPA, MICHELLE SEGURA	37	May 24, 1985	LOOBAN	5 to 10	
1	PALALIMPA, SHERYL SEGURA	32	October 18, 1990	LOOBAN	5 to 10	
1	PALALIMPA, MICHAEL JOHN SEGURA	22	August 11, 2000	LOOBAN	5 to 10	SK SCHOLAR
2	ALCALA, CARLOS ATRILLANO	58	November 4, 1964	PULONG KENDI	LESS THAN 5	
2	ALCALA, SAMUEL MATALOBOS	24	February 13, 1999	PULONG KENDI	LESS THAN 5	
2	ALCALA, GINA MATALOBOS	50	September 7, 1972	PULONG KENDI	LESS THAN 5	
2	ALCALA, NICOLE MATALOBOS	21	February 19, 2001	PULONG KENDI	LESS THAN 5	SK SCHOLAR
3	BAYLON, JERRY VILLANUEVA	58	May 18, 1964	SMOKEY MOUNTAIN	LESS THAN 5	

Example:

Declared Households

Showing 1 to 10 of 25 entries

ID	Name	Age	Birthday	Purok	Members	Remarks
1	PALALIMPA, PURISIMO GICARAYA	61	August 22, 1961	LOOBAN	5 to 10	
1	PALALIMPA, MELBA SEGURA	61	September 23, 1961	LOOBAN	5 to 10	
1	PALALIMPA, MICHELLE SEGURA	37	May 24, 1985	LOOBAN	5 to 10	
1	PALALIMPA, SHERYL SEGURA	32	October 18, 1990	LOOBAN	5 to 10	
1	PALALIMPA, MICHAEL JOHN SEGURA	22	August 11, 2000	LOOBAN	5 to 10	SK SCHOLAR
2	ALCALA, CARLOS ATRILLANO	58	November 4, 1964	PULONG KENDI	LESS THAN 5	
2	ALCALA, SAMUEL MATALOBOS	24	February 13, 1999	PULONG KENDI	LESS THAN 5	
2	ALCALA, GINA MATALOBOS	50	September 7, 1972	PULONG KENDI	LESS THAN 5	
2	ALCALA, NICOLE MATALOBOS	21	February 19, 2001	PULONG KENDI	LESS THAN 5	SK SCHOLAR
3	BAYLON, JERRY VILLANUEVA	58	May 18, 1964	SMOKEY MOUNTAIN	LESS THAN 5	

Declared Households.pdf



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

122

### Document Generation Manual



#### 21. How to print lists?

21.1. Click 'Print' in 'Profiles'.

The screenshot shows the KKIS software interface. On the left, there's a sidebar with options like 'Dashboard', 'Profiles' (which is selected), 'Add New Entry', 'KK ID Card', and 'Transaction History'. The main area is titled 'Declared Households' and shows a table of household profiles. The table has columns for 'Name', 'Age', 'Birthday', 'Purok', 'Members', and 'Remarks'. There are 25 entries listed. At the top of the table, there are several filter dropdowns for 'Age', 'Birthday', 'Purok', 'Members', and 'Remarks'. Below the table, there are buttons for 'Previous' and 'Next'. At the bottom of the table, there are buttons for 'Print', 'Copy', 'CSV', 'Excel', and 'PDF'. The 'Print' button is highlighted with a red box. The status bar at the bottom right says 'Super Administrator'.

21.2. Then customize it in the format you need, then click 'Print'.

**Example:**

This screenshot shows a 'Print' dialog box from Microsoft Print to PDF. It has sections for 'Destination' (set to 'Microsoft Print to PDF'), 'Pages' (set to 'All'), 'Layout' (set to 'Landscape'), and 'Color' (set to 'Color'). Below these, there are 'More settings' and 'Remarks' sections. The 'Remarks' section contains several entries: 'SK SCHOLAR', 'SK SCHOLAR', 'SK SCHOLAR', 'SK SCHOLAR', and 'SK SCHOLAR'. At the bottom right of the dialog box, there are 'Print' and 'Cancel' buttons, with the 'Print' button being highlighted in blue. The background shows the KKIS software interface with two tables of household profiles.

34



# POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

123

## iDocument Generation Manual



### 22. Export custom lists

22.1. In the 'Profiles' page, filter the categories to customize the lists you need to export.

The screenshot shows the KKIS (Kabataan Kaisipan ng Isang Sanggunian) software interface. On the left is a sidebar with navigation links: Dashboard, Declared Households, Profiles (selected), Add New Entry, KK ID Card, Transaction History, Settings, Log out, and Contact Us. The main area is titled 'Profiles' and shows a table of user data. The table has columns: Name, Gender, Age, Birthdate, Civil status, Contact No., Purok, Remarks, and Actions. A blue box highlights the 'Filter' dropdown menu above the table. The table contains 10 rows of sample data. At the top right of the main area, there are tabs for 'Kabataan' and 'Residents'. The status bar at the bottom right says 'Super Administrator'.

Name	Gender	Age	Birthdate	Civil status	Contact No.	Purok	Remarks	Actions
ALCALA, NICOLE MATALOBOS	WOMAN	21	January 16, 2001	SINGLE	09123456789	PULONG KENDI	SK SCHOLAR	
ALCALA, SAMUEL MATALOBOS	MAN	24	February 13, 1996	SINGLE	0903456789	PULONG KENDI		
AUSTRIA, CARLA MEI BANALO	WOMAN	18	October 2, 2003	SINGLE	09078796565	DONA REGINA I		
AUSTRIA, PRINCESS CARL BANALO	WOMAN	21	February 22, 2001	SINGLE	09033660888	DONA REGINA I	SK SCHOLAR	
BAYLON, JHONEL MACARANG	MAN	23	June 23, 1999	SINGLE	09172654875	SMOKEY MOUNTAIN		
BAYLON, STEPHANIE MACARANG	WOMAN	22	September 15, 2000	SINGLE	09123456789	SMOKEY MOUNTAIN	SK SCHOLAR	
DE CLARO, CJC	MAN	22	December 23, 2000	SINGLE	09450234567	NAYON		
GONZALES, JUSTIN CHARLES ROSITA	MAN	22	June 20, 2000	SINGLE	09104337048	FAMILY VILLAGE	SK SCHOLAR	
MORANO, JAHNAH ROSE CONCEPCION	WOMAN	22	January 4, 2001	SINGLE	09884966666	MANGGAHAN		
MORANO, JERICHO CONCEPCION	MAN	17	January 2, 2006	SINGLE	09884966666	MANGGAHAN		

22.2. Then choose the format of the lists.

This screenshot shows the same KKIS Profiles page as the previous one, but the 'Copy - CSV - Excel - PDF - Print' button at the top of the table is highlighted with a red box. The rest of the interface and data table are identical to the first screenshot.

Name	Gender	Age	Birthdate	Civil status	Contact No.	Purok	Remarks	Actions
ALCALA, NICOLE MATALOBOS	WOMAN	21	January 16, 2001	SINGLE	09123456789	PULONG KENDI	SK SCHOLAR	
ALCALA, SAMUEL MATALOBOS	MAN	24	February 13, 1996	SINGLE	0903456789	PULONG KENDI		
AUSTRIA, CARLA MEI BANALO	WOMAN	18	October 2, 2003	SINGLE	09078796565	DONA REGINA I		
AUSTRIA, PRINCESS CARL BANALO	WOMAN	21	February 22, 2001	SINGLE	09033660888	DONA REGINA I	SK SCHOLAR	
BAYLON, JHONEL MACARANG	MAN	23	June 23, 1999	SINGLE	09172654875	SMOKEY MOUNTAIN		
BAYLON, STEPHANIE MACARANG	WOMAN	22	September 15, 2000	SINGLE	09123456789	SMOKEY MOUNTAIN	SK SCHOLAR	
DE CLARO, CJC	MAN	22	December 23, 2000	SINGLE	09450234567	NAYON		
GONZALES, JUSTIN CHARLES ROSITA	MAN	22	June 20, 2000	SINGLE	09104337048	FAMILY VILLAGE	SK SCHOLAR	
MORANO, JAHNAH ROSE CONCEPCION	WOMAN	22	January 4, 2001	SINGLE	09884966666	MANGGAHAN		
MORANO, JERICHO CONCEPCION	MAN	17	January 2, 2006	SINGLE	09884966666	MANGGAHAN		



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

124

### Document Generation Manual



#### 23. Print custom lists

23.1. Filter the categories to customize the lists.

Name	Gender	Age	Birthdate	Civil status	Contact No.	Purok	Remarks	Actions
ALCALA, NICOLE MATALOBOS	WOMAN	21	February 19, 2001	SINGLE	09123456789	PULONG KENDI	SK SCHOLAR	
ALCALA, SAMUEL MATALOBOS	MAN	21	January 13, 2001	SINGLE	09123456789	PULONG KENDI		
AUSTRIA, CARLA MEI BANALO	WOMAN	23	October 2, 2003	SINGLE	09876789098	DONA REGNA I		
AUSTRIA, PRINCESS CARL BANALO	WOMAN	21	February 22, 2001	SINGLE	09876789098	DONA REGNA I	SK SCHOLAR	
BAYLON, JHONEL MACARANG	MAN	23	June 23, 1999	SINGLE	09172654875	SMOKEY MOUNTAIN		
BAYLON, STEPHANIE MACARANG	WOMAN	22	September 15, 2000	SINGLE	09123456789	SMOKEY MOUNTAIN	SK SCHOLAR	
DE CLARO, CJ C	MAN	27	December 23, 2000	SINGLE	091450234567	NAYON		
GONZALES, JUSTIN CHARLES ROSITA	MAN	22	June 20, 2000	SINGLE	09154337049	FAMILY VILLAGE	SK SCHOLAR	
MORANO, JAHNAH ROSE CONCEPCION	WOMAN	22	January 4, 2001	SINGLE	09184966686	MANGGAHAN		
MORANO, JERICHO CONCEPCION	MAN	17	January 2, 2006	SINGLE	09184966686	MANGGAHAN		

23.2. Click 'Print'.

**Example:**

Showing 1 to 3 of 3 entries (filtered from 12 total entries)

Previous Next

36



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

125

### iKKIS Document Generation Manual



#### 24.1. Print ID based on age

24.1.1. Go to the KK ID Card tab.

The screenshot shows the KKIS software interface. On the left, there's a sidebar with options like Dashboard, Declared Households, Profiles, Add New Entry, KK ID Card (which is currently selected), Transaction History, Settings, Log out, and Contact Us. The main area has a title 'KK ID Card'. Under 'Batch Printing', there's a dropdown menu set to 'Age' with '0-14 years old (Children)' selected. There are also 'Print' and 'Custom' options. Below the dropdown are fields for First Name, Middle Name, and Last Name, each with a placeholder 'Enter name'. At the bottom are 'Clear All' and 'Submit' buttons. To the right is an 'ID Preview' section showing a sample ID card for 'SK ng Sampiruhan'. The card displays 'DELA CRUZ, JUAN S.', 'June 12, 1989', 'Cardinal', and a QR code. A 'Scan QR Code' button is at the top right of the preview area.

24.1.2. Check 'Age', then choose from the given age category.

This screenshot is similar to the previous one but shows a different age selection. The dropdown menu in the 'Batch Printing' section now has '15-29 years old (Teenagers)' selected, while the other options ('0-14 years old (Children)', '30-59 years old (General Residents)', and '60 years old and above (Senior Citizens)') are grayed out. The rest of the interface, including the ID preview and navigation sidebar, remains the same.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

126

### Document Generation Manual

24.1.3. Click 'Submit' to print.

A screenshot of the KKIS software interface. The left sidebar shows navigation options: Dashboard, Declared Households, Profiles, Add New Entry, KK ID Card (selected), Transaction History, Settings, and Log Out. The main area has a title bar "KK ID Card" and "Batch Printing". It includes dropdown menus for Age (15-30 years old (Kabataan)), Purok (Cardinal), and Custom. Below these are fields for First Name, Middle Name, and Last Name. A "Submit" button is highlighted with a blue box. To the right is an "ID Preview" section showing a sample ID card for "SK ng Sampiruhan" with the name "DELA CRUZ, JUAN S.", date of birth "June 12, 1989", and purok "Cardinal". A QR code is also present. A "Scan QR Code" button is at the top right of the preview area.

38



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

127



### Document Generation Manual



#### 24.2. Print ID based on purok

24.2.1. Check 'Purok', then choose the specific purok you need for batch printing.

The screenshot shows the KKIS software interface. On the left is a sidebar with options: Dashboard, Declared Households, Profiles, Add New Entry, KK ID Card, Transaction History, Settings, and Log Out. The main area has a title 'x KK ID Card'. Under 'Batch Printing', there is a dropdown menu for 'Age' set to '0-16 years old (Children)' and a checked checkbox for 'Purok'. A dropdown menu for 'Purok' is open, showing 'Cardinal' selected. Below it is a list of other puroks: Cardinal, Compania, Davao Petra, Davao Regina I, Davao Regina II, Davao Regina III, Davao Regina IV, Davao Village, Iligan, Liloan, Mambajahan, Nasipon, Osmotic, Puting Knob, Ronda, Tala, Saint Anthony, Ira Sampaguita St., and Smokey Mountain. To the right is an 'ID Preview' section showing a sample ID card for 'SK ng Sampiruhan' with the name 'DELA CRUZ, JUAN S.', date of birth 'June 12, 1989', and purok 'Cardinal'. A QR code is also present. At the top right of the main area is the text 'Super Administrator'.

This screenshot is similar to the one above, showing the KKIS software interface. The left sidebar and main area are identical. The 'Batch Printing' section shows the 'Age' dropdown set to '0-16 years old (Children)' and the 'Purok' checkbox checked. The 'Purok' dropdown menu is open, displaying a list of puroks. The 'Davao Village' option is highlighted with a blue selection bar. To the right is the 'ID Preview' section showing the same sample ID card for 'SK ng Sampiruhan' with the name 'DELA CRUZ, JUAN S.', date of birth 'June 12, 1989', and purok 'Cardinal'. A QR code is also present. The top right of the main area still shows 'Super Administrator'.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

128

### Document Generation Manual

24.2.2. Click 'Submit' to print.

The screenshot shows the KKIS software interface. On the left is a sidebar with options: Dashboard, Declared Households, Profiles, Add New Entry, KK ID Card (which is selected), and Transaction History. The main area has a title 'KK ID Card'. Under 'Batch Printing', there are dropdown menus for 'Age' (set to '0-14 years old (Children)') and 'Purok' (set to 'Family Village'), and a checkbox for 'Custom'. Below these are input fields for 'First Name', 'Middle Name', and 'Last Name'. A 'Submit' button is highlighted with a blue border. To the right is an 'ID Preview' section showing a sample ID card for 'SK ng Sampiruhan' with the name 'DELA CRUZ, JUAN S.', birthdate 'June 12, 1989', and blood type 'Cardinal'. A QR code is also present.

#### 24.3. Print ID based on input data

24.3.1. Check 'Custom', then fill out the information needed.

This screenshot is similar to the previous one but with a key difference: the 'Custom' checkbox under 'Batch Printing' is checked, while the other settings remain the same. The 'ID Preview' shows the same sample ID card for 'SK ng Sampiruhan'.

40



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

129



### Document Generation Manual

The screenshot shows the KKIS software interface. On the left is a dark sidebar with navigation options: Dashboard, Declared Households, Profiles, Add New Entry, KK ID Card (which is selected), Transaction History, Settings, and Log out. The main area has a title 'KK ID Card' and a sub-section 'Batch Printing'. It includes dropdown menus for Age (0-14 years old (Children)) and Profile (Cardinal) and a checked 'Custom' option. Below these are input fields for First Name ('NICOLE'), Middle Name (''), and Last Name ('ALCALA'). To the right is an 'ID Preview' section showing a sample ID card for 'SK ng Sampiruhan' with the name 'DELA CRUZ, JUAN S.', date 'June 12, 1989', and profile 'Cardinal'. A QR code is also present. At the bottom are 'Clear All' and 'Submit' buttons, with the 'Submit' button highlighted with a red border.

24.3.2. Click 'Submit' once you are done, or;

This screenshot is identical to the one above, showing the KKIS software interface. The 'Batch Printing' screen is displayed with the same input fields and preview. However, the 'Submit' button at the bottom is now highlighted with a red border, indicating it has been recently clicked.



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

130

### Document Generation Manual

24.3.3. Click 'Clear All', to remove the information you filled out.

The screenshot shows the KKIS software interface. On the left is a sidebar with navigation links: Dashboard, Declared Households, Profiles, Add New Entry, KK ID Card (which is currently selected), Transaction History, Settings, and Log out. The main area is titled 'KK ID Card'. It has a 'Batch Printing' section with dropdown menus for Age (0-14 years old (Children) or Person) and Rank (Cardinal). There is also a 'Custom' section with input fields for First Name (NICOLE), Middle Name (MATALOBOS), and Last Name (ALCALA). Below these fields are two buttons: 'Clear All' (highlighted with a red border and a hand cursor) and 'Submit'. To the right is an 'ID Preview' section showing a sample ID card for 'SK ng Sampiruhan' with placeholder data: DELA CRUZ, JUAN S., June 12, 1989, Cardinal. The ID card also features a QR code.

42



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

131



### 25. How to set/update roles for users?

25.1. Once you are in 'Settings', click 'Admin Role Controls' in 'Access Control'.

Name	Email address	Contact No.	Status	Role	Actions
John Marc Moreno	schm0010@gmail.com	09649608888	● Online	Super Administrator	
Mark Prongoso	mark.prongoso@outlook.ph	09451234567	● Online	Super Administrator	
Michael John Palalima	michaelpalalima05@gmail.com	09770518390	● Offline	Super Administrator	
Nicole Alcala	nicoalcalaa@gmail.com	09760453722	● Online	Super Administrator	
Patricia Mae Abrego	pattyabrego@gmail.com	09269362410	● Offline	Super Administrator	
PRINCESS CARL AUSTRIA	princesscarl975@gmail.com	09633660818	● Offline	Super Administrator	
Stephanie Baylon	stephbaylon0@gmail.com	0927193212	● Online	Super Administrator	

25.2. Click the 'Edit' button of the user you want to set/update the role.

**Example: Updating the Admin user to Staff.**

Name	Email address	Contact No.	Status	Role	Actions
John Marc Moreno	schm0010@gmail.com	09649608888	● Online	Super Administrator	
Mark Prongoso	mark.prongoso@outlook.ph	09451234567	● Online	Super Administrator	
Michael John Palalima	michaelpalalima05@gmail.com	09770518390	● Offline	Super Administrator	
Nicole Alcala	nicoalcalaa@gmail.com	09760453722	● Online	Super Administrator	
Patricia Mae Abrego	pattyabrego@gmail.com	09269362410	● Offline	Super Administrator	
PRINCESS CARL AUSTRIA	princesscarl975@gmail.com	09633660818	● Offline	Super Administrator	
Stephanie Baylon	stephbaylon0@gmail.com	0927193212	● Online	Super Administrator	

43



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

132

### Access Control Manual

25.3. Click the dropdown to choose roles.

The screenshot shows the 'Admin Role Controls' section of a web application. On the left, there's a sidebar with 'General Settings' (User Manual, Account Settings), 'Access Control' (Admin Role Controls, which is selected), and 'About' (Developers). The main area displays a table of users with columns for Name, Email address, Contact No., Status, Role, and Actions. A modal dialog box is overlaid on the table, titled 'KKKIS'. It contains a dropdown menu labeled 'Change role to:' with options: Super Administrator, Adminstrator, and Staff Member. The 'Super Administrator' option is currently selected. At the bottom right of the modal is a 'Save' button.

25.4. Click the role you want to set/update the user to.

**Example: Updating Administrator role to Staff Member.**

This screenshot is similar to the previous one, showing the 'Admin Role Controls' page. The modal dialog now has the 'Staff Member' option selected in the dropdown menu. The 'Save' button at the bottom right of the modal is highlighted with a blue border.

44



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

133

### iAccess Control Manual

25.5. Click 'Save' to update the role.

The screenshot shows the 'Admin Role Controls' page. On the left is a sidebar with 'General Settings' (User Manual, Account Settings), 'Access Control' (Admin Role Controls, highlighted in blue), and 'About' (Developers). The main area displays a table of users with columns: Name, Email address, Contact No., Status, Role, and Actions. A modal dialog is open over the table, titled 'KKIS'. It contains a dropdown menu labeled 'Change role to:' with the option 'Staff Member' selected. At the bottom of the modal are 'Save' and 'Cancel' buttons. The status bar at the bottom right says 'Powered by 000webhost'.

25.6. Then a pop up will show, confirming that the role has been updated. Click 'OK'.

The screenshot shows the same 'Admin Role Controls' page as before, but now with a confirmation message in a modal dialog. The dialog has a green checkmark icon and the text 'Role updated'. At the bottom is a single 'OK' button. The status bar at the bottom right says 'Powered by 000webhost'.

45



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

134

### Access Control Manual

25.7. Finally, the Admin user has been updated to a Staff Member account.

Name	Email address	Contact No.	Status	Role	Actions
John Marc Morano	achoice00@gmail.com	0954968888	● Online	Super Administrator	
Mark Prongoso	mark.prongoso@outlook.ph	0945234567	● Online	Staff Member	
Michael John Palalimpe	michaeljohnpalalimpe00@gmail.com	0977507890	■ Offline	Super Administrator	
Nicole Alcala	nicoalealcala@gmail.com	09760453722	● Online	Super Administrator	
Patricia Mae Abrigo	patryabrigo@gmail.com	09293962419	■ Offline	Super Administrator	
PRINCESS CARL AUSTRIA	princesscarl975@gmail.com	0983386088	■ Offline	Super Administrator	
Stephanie Baylon	stephbaylon@gmail.com	0927190222	● Online	Super Administrator	



### 26. How to delete a user?

26.1. At 'Access Control' in 'Settings', click the 'Delete' button of the user you want to remove in the system.

**Example: Deleting the an account with a 'Staff Member' role.**

Name	Email address	Contact No.	Status	Role	Actions
John Marc Morano	achoice00@gmail.com	0954968888	● Online	Super Administrator	
Mark Prongoso	mark.prongoso@outlook.ph	0945234567	● Online	Staff Member	
Michael John Palalimpe	michaeljohnpalalimpe00@gmail.com	0977507890	■ Offline	Super Administrator	
Nicole Alcala	nicoalealcala@gmail.com	09760453722	● Online	Super Administrator	
Patricia Mae Abrigo	patryabrigo@gmail.com	09293962419	■ Offline	Super Administrator	
PRINCESS CARL AUSTRIA	princesscarl975@gmail.com	0983386088	■ Offline	Super Administrator	
Stephanie Baylon	stephbaylon@gmail.com	0927190222	● Online	Super Administrator	

46



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

135

### iAccess Control Manual

26.2. Click 'Proceed' to permanently delete the account.

The screenshot shows the 'Admin Role Controls' page of the iAccess Control system. On the left, there's a sidebar with 'General Settings' (User Manual, Account Settings), 'Access Control' (Admin Role Controls, which is selected), and 'About' (Developers). The main area displays a table of users with columns: Name, Email address, Contact No., Status, Role, and Actions. One row for 'Mark Prongoso' is selected. A modal dialog box is centered over the table, containing a yellow exclamation mark icon, the text 'Are you sure?', and a message: 'This will permanently delete Mark Prongoso from the database. Do you still want to proceed?'. At the bottom of the dialog are 'Proceed' and 'Cancel' buttons.

26.3. A confirmation will pop up to notify you that the account has been deleted.

**Example: 'Staff Member' deleted.**

The screenshot shows the same 'Admin Role Controls' page after the deletion. The user 'Mark Prongoso' is no longer listed in the table. A modal dialog box is centered, showing a green checkmark icon, the word 'Deleted', and a blue 'OK' button with a hand cursor icon pointing at it.

47



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

136

### Access Control Manual

26.4. And now, the 'Staff Member' user has been removed.

The screenshot shows a user interface for managing administrative roles. On the left, there's a sidebar with 'Settings' (containing a profile picture of Nicole Alcala, Super Administrator), 'General Settings' (User Manual, Account Settings), 'Access Control' (Admin Role Controls, which is the active tab), and 'About' (Developers). The main area is titled 'Admin Role Controls' and displays a table of users:

Name	Email address	Contact No.	Status	Role	Actions
John Marc Morano	sonoracco@gmail.com	0904960665	● Online	Super Administrator	
Michael John Paalimpa	michaeljohnpaalimpa03@gmail.com	09776519390	● Offline	Super Administrator	
Nicole Alcala	nicoalealcala@gmail.com	09760453722	● Online	Super Administrator	
Patricia Mae Abrigo	patbyabrigo@gmail.com	09269362479	● Offline	Super Administrator	
PRINCESS CARL AUSTRIA	princesscarl975@gmail.com	09633660618	● Offline	Super Administrator	
Stephanie Baylon	stephbybt@gmail.com	09271193212	● Online	Super Administrator	

At the bottom right of the main area, there's a small 'Powered by 000webhost' watermark.

48



# Source Code

**CSS****dashboard.min.css**

```
* {font: 100% DM Sans, sans-serif;}a {text-decoration: none;cursor: pointer;}.carousel {width: 99%;margin: 0 auto;z-index: 5;}.carousel .slick-next:before, .carousel .slick-prev:before {font-family: slick;position: relative;font-size: 30px;line-height: 1;opacity: 0.75;color: #219ebc;width: 100%;}.carousel .slick-next.slick-arrow {padding: 0;margin: auto;}.carousel .slick-prev.slick-arrow {padding: 0;margin: auto - 15px;}.slick-slide {margin: 15px;z-index: 1;border-radius: 1em;}.slick-track {padding: 3px;}.wrapper .slick-dots li button:before {font-size: 20px;color: black;}.minorCategory {position: relative;width: 100%;height: 200px;border: none;color: white;padding: 24px;border-radius: 1em;}.texts {width: 100%;text-decoration: none;z-index: 99;}.minilmg, .dashboardlmg {position: absolute;top: 85%;left: 15px;width: 100%;max-height: 15px;z-index: 1;}.#dashCategories {border: 2px solid #d9d9d9;border-radius: 30px;}.dashboardlmg {display: flex;justify-content: end;align-items: end;max-height: 150px;max-width: 100%;z-index: 1;top: 50%;left: 0;}.#totalCitizens {overflow: hidden;z-index: 1;}.totalCitizens-img {position: relative;margin: 0;padding: 0;max-width: 600px;max-height: 210px;opacity: 30%;z-index: -1;}.minorLbl {font-family: Poppins, sans-serif;font-size: 20px;font-weight: 500;color: #393737;}.mcCount, .percentage {font-family: Poppins, sans-serif;color: #393737;font-size: 45px;font-weight: 500;margin: 0;}.percentage {font-size: 20px;font-weight: 400;}.whiteLbl, .citizensCount {font-size: 1.5em;font-weight: 500;color: white;z-index: 99;}.citizensCount {display: block;align-self: end;font-size: 60px;}.slick-cloned .minorCategory {overflow: hidden;z-index: 1;}.slick-cloned .whiteLbl, .slick-cloned .citizensCount {font-weight: 500;color: white;z-index: 99;}.slick-cloned .mcCount {display: block;align-self: end;}.slick-cloned .totalCitizens-img {position: relative;margin: 0;padding: 0;max-width: 600px;max-height: 210px;opacity: 30%;z-index: -1;}.#viewBtn {width: 90%;background-color: white;color: #393737;font-size: 1.2em;font-weight: 500;z-index: 99;}.category {position: relative;width: 100%;max-height: 500px;height: 280px;padding: 24px 0 0 24px;border: none;border-radius: 1em;background-color: black;color: white;overflow: hidden;}.category:hover, .slick-slide:hover {box-shadow: 0 5px 10px #bbbbbb;}.count {font-size: 60px;color: white;font-weight: 500;margin-bottom: 0;}.subTitle {font-size: 24px;z-index: 99;color: white;}.mc-img {max-height: 90px;margin-right: 1em;}.c-img {-o-object-fit: cover;object-fit: cover;position: relative;max-height: 200px;height: 200px;max-width: 100%;}
```

**idPrint.min.css**

```
@page {size: A4 landscape;margin: 0.15in;}body {font: 100% DM Sans, sans-serif;}.imgContainer {float: left;width: auto;margin: 5px;position: relative;}.idImg
```

```
{width: auto;height: auto;overflow: hidden;z-index: 1;float: left;}.idImg .idTemplate {width: 340.66px;height: 204px;min-width: 340.66px;min-height: 204px;}.idInfo {position: absolute;top: 80px;left: 30px;}.idInfo .iconDiv {background-color: #FFB703;width: 20px;height: 20px;}.idInfo .iconDiv .fa-solid {font-size: 12px;}.idInfo .name, .idInfo .bdays, .idInfo .purok {font-size: 12px;font-weight: 700;color: #f6f6f6 !important;}.idInfo .bdays, .idInfo .purok {font-size: 12px;font-weight: 500;}.idQR {top: 118px;left: 247px;border-radius: 10px;width: 80px;height: 80px;position: absolute;z-index: 10;overflow: hidden;}.idQR .qrImg {width: 100%;height: 100%;}
```

**index.min.css**

```
* {font: 100% DM Sans, sans-serif;}.indexContent {width: auto;height: auto;margin: auto;}.indexContent .card {width: 430px;height: auto;z-index: 8;border-radius: 1.5em;border: 3px solid #e3e6f0;box-shadow: 0px 0px 20px 0px #aeaeae;}.indexContent .card .toggle-password {float: right;margin-top: -1.75em;margin-right: 0.65em;position: relative;z-index: 2;cursor: pointer;}.indexContent .card .card-body {margin: 10px;}.indexContent .card .card-body .cardHead {margin-top: 5px;padding: 0;font: 100% Poppins, sans-serif;font-size: 40px;font-weight: 700;color: #ffb703;}.indexContent .card .card-body .hrSvg {width: 60%;}.indexContent .card .card-body .fieldRow {margin: 25px 25px 0 25px;}.indexContent .card .card-body .controlBttn {width: 10em;background-color: #219ebc;color: white;font-size: 1.3em;font-weight: 700;}.indexContent .card .card-body #resetBttn {width: auto;font-size: 18px;font-weight: 500;}.indexContent .card .card-body #loginBttn:hover, .indexContent .card .card-body #resetBttn:hover {background-color: #04496a;}.indexContent .card .card-body #signupBttn, .indexContent .card .card-body #resetBttn {background-color: #ffb703;}.indexContent .card .card-body #signupBttn:hover, .indexContent .card .card-body #resetBttn {background-color: #fb8500;}.indexContent .card .card-body #signupPhrase {color: #219ebc;font-weight: 400;font-size: 15px;}.indexContent .card .card-body .signup-txt {text-decoration: none;color: #ffb703;font-weight: 800;}.indexContent .card .card-body .forgotPassText {text-decoration: none;font-size: 0.8em;font-weight: 400;color: #aeaeae;}.indexContent .card .card-body #forgotPassText {text-decoration: underline;color: #04496a;}.indexContent #rbackBttn {color: #aeaeae;}.indexContent #rbackBttn:hover {color: #393737;}.indexContent .resetPassHead {font: 100% Poppins, sans-serif;padding-right: 1em;font-size: 1.3em;font-weight: 500;color: #219ebc;}.#signupCard {width: 550px;}.#signupCard #loginPhrase {color: #ffb703;font-weight: 400;font-size: 15px;}.#signupCard .login-txt {text-decoration: none;color: #219ebc;font-weight: 800;}.#signupCard input[type=file] {margin-left: -2px !important;}.#signupCard input[type=file]:file-selector-
```



```
button {display: none;}#signupCard .input-group-text {border-radius: 7px 0px 0px 7px;}#signupCard .input-group-text:hover {background-color: #dde0e3;cursor: pointer;}#signupCard #inputGroupFile {border-radius: 0px 7px 7px 0px;}#message {color: red;}#agree-phrase, #message {font-size: 13px;}.toggle-password {float: right;margin-top: -1.75em;margin-right: 0.65em;position: relative;z-index: 2;cursor: pointer;}.resetBtn, .verifyBtn {width: 10em;background-color: #219ebc;color: white;font-size: 1.25em;font-weight: 500;}.resetBtn:hover, .verifyBtn:hover {background-color: #04496a;color: white;}#verifyCard {width: 430px;height: auto;}#verifyCard .forPadding {margin-top: auto;margin-bottom: auto;}@media screen and (max-width: 576px) {#loginCard, #signupCard, #forgotPassCard, #verifyCard, #resetCard {width: 350px;padding: 0;}#loginCard .card-body, #signupCard .card-body, #forgotPassCard .card-body, #verifyCard .card-body, #resetCard .card-body {margin: 5px;}#loginCard .card-body .fieldRow, #signupCard .card-body .fieldRow, #forgotPassCard .card-body .fieldRow, #verifyCard .card-body .fieldRow, #resetCard .card-body .fieldRow {margin: 5px;}}@media screen and (max-width: 350px) {#loginCard, #signupCard, #forgotPassCard, #verifyCard, #resetCard {width: 250px;padding: 0;}#loginCard .card-body, #signupCard .card-body, #forgotPassCard .card-body, #verifyCard .card-body, #resetCard .card-body {margin: 5px;}#loginCard .card-body .cardHead, #signupCard .card-body .cardHead, #forgotPassCard .card-body .cardHead, #verifyCard .card-body .cardHead, #resetCard .card-body .cardHead {font-size: 30px;}#loginCard .card-body .fieldRow, #signupCard .card-body .fieldRow, #forgotPassCard .card-body .fieldRow, #verifyCard .card-body .fieldRow, #resetCard .card-body .fieldRow {margin: 5px;}}
```

kkid.min.css

```
* {font: DM Sans, sans-serif;}#scanBtn {background-color: #f57441;font-size: 1.2em;color: white;fill: white;}.sectionTitle {font-size: 24px;color: #393737;font-weight: 500;}.categoryCol {margin: 0 auto;}.categoryCol .categoryLbl {font-size: 1em;margin-left: 1px;cursor: pointer;}.categoryCol .required:after {content: " *";color: red;}.categoryCol .customLbl {color: #707070;}[input{type=checkbox} {cursor: pointer;}.previewContainer {width: 90%;height: auto;border-radius: 20px;[border: none;box-shadow: 0 3px 10px #a0a0a0;}
```

## settings.min.css

```
* {font: DM Sans, sans-serif;}#scanBtn {background-color: #f57441;font-size: 1.2em;color: white;fill: white;}.sectionTitle {font-size: 24px;color: #393737;font-weight: 500;}.categoryCol {margin: 0 auto;}.categoryCol .categoryLbl {font-size: 1em;margin-left: 1px;cursor: pointer;}.categoryCol
```

```
.required:after {content: " *";color: red;}.categoryCol  
.customLbl {color: #707070;}.input[type=checkbox]  
{cursor: pointer;}.previewContainer {width: 90%;height:  
auto;border-radius: 20px;border: none;box-shadow: 0  
3px 10px #a0a0a0;}
```

## sideMenu.min.css



# POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

140

```
24px;">#headerRow .pageTitle {font-family: DM Sans, sans-serif;font-weight: 500;font-size: 26px;}#headerRow .accountType {color: #57441;font-size: 18px;}#headerHR {background-image: linear-gradient(90deg, #8ecae6, #ffb703);border: 0;height: 5px;width: 100%;opacity: 100%;margin-top: 0;}#headerContent {width: 95%;margin-top: 110px;z-index: 3;}#menuBtn {width: 115px;padding: auto;height: 35px;background: none;border: 2px solid #155675;color: #155675;font-weight: 500;}.menu-active {background-color: #155675;color: white;}.controlBtn {margin-top: 30px;font-size: 20px;width: 120px;border: none;color: white;background-color: #219ebc;}.controlBtn:hover {color: white;background-color: #155675;font-weight: 500;}.clearBtn {background-color: #f4895f;}.clearBtn:disabled, #submitBtn:disabled {border: 1px solid #aeaeae;background-color: white;color: #393737;}.submitBtn:hover {background-color: #219ebc;}.border: none;color: white;font-weight: 500;}.table.dataTable {margin: 0 !important;}.btn-secondary, .btn-group {max-width: 100%;border: none;background-color: #f57441;}.btn-secondary span, .btn-group span {color: white;}.icon:focus {color: #f3cb69;}.btn-secondary:hover, .btn-secondary:focus {background-color: #f0571f;}.btn-secondary:focus {font-weight: 500;}.table.dataTable td {vertical-align: middle;}.table.dataTable > tbody > tr.even {background-color: transparent;}.table.dataTable > tbody > tr.odd {background-color: transparent;}.table.table-bordered.dataTable th, table.table-bordered.dataTable td, table.dataTable.dtr-inline.collapsed > tbody > tr > td > ul {width: 100%;}.tr > td > ul li {display: flex;}.tr > td > ul li .dtr-control {color: #505050;}.tr > td > ul li .dtr-data {width: auto;margin-left: 15px;white-space: normal;}.ul.pagination {width: auto;float: right;margin-right: -2px;}.paginate_button {padding: 0 !important;}.ul.pagination {margin: 0 !important;}.table.dataTable.no-footer {border: rgb(209, 209, 209);}.dataTables_length, .dataTables_filter {max-height: 100%;}.dataTables_length label, .dataTables_filter label {display: flex;align-items: center;}.dataTables_length label select, .dataTables_length label input, .dataTables_filter label select, .dataTables_filter label input {margin: 0 5px;max-width: 100%;height: 100%;}.#totalCount {font-size: 18px;margin-right: 20px;color: #909090;}.#totalCount b {color: #393737;}.dataTables_filter {width: 100%;height: 100%;margin: 0;padding: 0;}.dataTables_filter label {font-size: 18px;color: #909090;max-height: 100%;height: 100%;margin: 0;}.dataTables_filter label input {margin: 0 0 10px;}.width: 100%;max-height: 100%;}.tblHeadRow {background-color: #219ebc;}.tblHeadRow color: white;justify-content: start;}.tblHeadRow .tblHead {font-size: 18px;color:
```

```
white;}.entryRow {font-size: 18px;white-space: normal;}.actionBtn {width: 30px;height: 30px;display: flex;justify-content: center;}.actionBtn i {font-size: 12px;}.margin: auto;color: white;}.sectionTitle {color: #393737;font-size: 24px;color: #393737;font-weight: 500;}.dashCategories {margin-top: 50px;}.markerDiv {padding: 10px;color: white;font-size: 20px;}.height: 35px;background-color: #219ebc;}.markerDiv label {color: white;font-size: 20px;}.fieldLabel, .educFieldLabel, .employFieldLabel, .subTitle {white-space: nowrap;}.width: 88%;overflow: hidden;text-overflow: ellipsis;}.card {padding: 15px;}.#educCard {margin-right: 10px;}.#employCard {margin-left: 10px;}.btn-warning {color: #404040;}.modalLabel {font-family: "Poppins";font-weight: 500;font-size: 14px;}.#proceedBtn {background-color: #9598ae;}.color: white;}.basicTxt {color: #393737;font-size: 20px;}.#modalTitle, #nameTxt, #nameTxt2 {font-family: "Gotham Black", sans-serif;}.color: #155675;font-size: 30px;}.titleCol {position: relative;}.top: -15px;}.left: 5px;}.titleCol .titleDiv {width: 100%;height: auto;}.background-color: #d5e8f5;}.titleCol .titleDiv .rowTitle {font-family: "Poppins";color: #04496a;}.swal2-icon-content {border-color: #facea8;}.color: #f8bb86;}.@media screen and (min-width: 992px) and (max-width: 1200px) {.sideNav, .expanded {position: fixed;}.padding: 0;}.width: 25vw;}.height: 100vh;}.z-index: 1;}.overflow-y: auto;}.sideNav {background: #155675;}.padding: 0.5em 3.5em 2em 2em;}.mainContainer {width: 79vw;}.height: 100vh;}.left: 21%;}.}@media screen and (max-width: 991px) {.full-width {padding: 20px 0;}.full-width .content {margin-top: 80px;}.#educCard, #employCard {margin: 0;}.@media screen and (max-width: 575px) {.previewContainer {border-radius: 10px;}.sectionTitle {font-size: 18px;}.}@media screen and (max-width: 430px) {*.font-size: 16px;}.controlBtn {font-size: 18px;}.width: 100px;}.sectionTitle {font-size: 16px;}.dataTables_filter > label {font-size: 16px;}.}@media screen and (max-width: 350px) {*.font-size: 12px;}.nav .container-fluid {width: 100%;}.padding: 0 15px;}.nav .container-fluid .navbar-brand {font-size: 30px;}.full-width {padding: 20px 0;}.full-width .content {width: 100%;}.padding: 15px;}.margin-top: 60px;}.menuBtn {width: 90px;}.font-size: 14px;}.markerDiv {height: 30px;}.font-size: 18px;}.markerDiv label {font-size: 16px;}.padding: 0;}.card {padding: 10px;}.box-shadow: 0 3px 5px #e3e3e3;}.#menuRow {display: none;}.controlBtn {font-size: 14px;}.width: 80px;}.dataTables_filter > label {font-size: 13px;}.#mainPanel::-webkit-scrollbar {width: 10px;}.#mainPanel::-webkit-scrollbar-track {background: #eaeaea;}.#mainPanel::-webkit-scrollbar-thumb {height: 100px;}.box-shadow: 0 2px 5px 0 rgba(0, 0, 0, 0.2), 0 2px 5px 0 rgba(0, 0, 0, 0.1), 0 2px 5px 0 rgba(0, 0, 0, 0.1), 0 2px 5px 0 rgba(0, 0, 0, 0.1);}.background-color: #8ecae6;}.border-radius: 10%;}.border: 3px solid #8ecae6;}.z-index: -60;}
```

**transactions.min.css**



```
* {font: 100% DM Sans, sans-serif;}.topBtnLbl {color: #393737;font-size: 1.3em;font-weight: normal;#deleteBtn, #checkBtn {width: auto;padding: 5px 10px;}#checkBtn {padding: 6.5px 10px;}#deleteIcon {font-size: 18px;stroke: 0.5px solid white;color: #707070;}#deleteTxt, #checkTxt {font-size: 16px;}label input {height: 500px;}.checkItem {z-index: 4;padding: 0;margin: 0;width: 20px;height: 20px;}
```

### JS addEntry.min.js

```
$(document).ready((function(){function e(){$("#employCheck").prop("checked",!1),$("#markerEmploy").css("background-color", "#c5d4e3"),$(".employSelectBox").each((function(){$(this).val("").change(),$(this).prop("disabled",!0),$ (this).removeAttr("required")))},$(".employUserInput").each((function(){$(this).val("").change(),$(this).prop("disabled",!0),$(this).removeAttr("required")))},$(".educSelectBox").each((function(){$(this).prop("disabled",!1), $(this).attr("required","required")))},$(".educUserInput").each((function(){$(this).prop("disabled",!1),$(this).attr ("required","required")))},$("#markerEduc").css("background-color", "#219EBC"),$(".educFieldLabel").css("opacity", ".70"),$(".employFieldLabel").removeClass("required"), $(".employFieldLabel").css("opacity", ".70"),$(".educFieldLabel").addClass("required"),$(".educFieldLabel").cs s("opacity", "1")})function t(){$(".educSelectBox").each((function(){$(this).prop("disabled",!1),$(this).attr("required","required"), "selectEducSalary"!=$(this).attr("id")&&"selectEducIndustry"!=$(this).attr("id")||$(this).val("")||($(").change(),$(this).prop("disabled",!0),$(this).removeAttr("required")))},$(".educUserInput").each((function(){$(this).prop("disabled",!1),$(this).attr("required","required"),$(".educUserInput").val ("").change()})),$(".educFieldLabel").each((function(){$(this).addClass("required"),$(this).css("opacity", "1"),"educlnustryLb"!=$(this).attr("id")&&"educlnustryLb"!=$(this).attr("id")||$(this).removeClass("required"),$(this).css("opacity", ".70"))))function i(){$(".educSelectBox").each((function(){$(this).prop("disabled",!0),$(this).removeAttr("required"), "selectEducStatus"==$ (this).attr("id")&&$(this).prop("disabled",!1),$(this).attr("required","required"),$(".educSelectBox").not(this).val("")||($(").change()))},$(".educUserInput").each((function(){$(this).prop("disabled",!0),$(this).removeAttr("required")))},$(".educFieldLabel").each((function(){$(this).removeAttr("required"),$(this).css("opacity", ".70"),"educStatusLb"==$ (this).attr("id")&&$(this).addClass("required"),$(this).css("opacity", "1"))})function s(){$(".educSelectBox").each((function(){$(this).prop("disabled",!1),$(this).attr("required","required"),$(".educSelectBox").not("#selectEducStatus").val("")||($(").change()))},$(".educUserInput").each((function(){$(this).prop("disabled",!1),$(this).attr("required","required")))},$(".educFieldLabel").addClass("required"),$(".educFieldLabel").css("opacity", "1")})function r(){$(".employSelectBox").each((function(){$(this).prop ("disabled",!1),$(this).attr("required","required")))},$(".employUserInput").each((function(){$(this).prop("disabled",!1),$(this).attr("required","required")))}),$(".employF
```

```
ieldLabel").each((function(){$(this).css("opacity", "1"),$(this).addClass("required"))}))function c(){$(".employSelectBox").each((function(){$(this).not("#selectEmployStatus").prop("disabled",!0),$(this).not("#selectEmployStatus").removeAttr("required")))},$(".employUserInput").each((function(){$(this).prop("disabled",!0),$(this).removeAttr("required")))},$(".employFieldLabel").each((function(){$(this).not("#employStatusLb l").css("opacity", ".70"),$(this).not("#employStatusLb l").removeClass("required"))})),$("#smallNav").appendTo("#mdHeader"),$(".select").not("#disabilitySelect").val("").change(),$(".userInput").keyup((function(){$(this).val($("#this).val().toUpperCase())}),$(".educUserInput").key up((function(){$(this).val($(".this).val().toUpperCase())}),$(".employUserInput").keyup((function(){$(this).val($(".this).val().toUpperCase())}),$(".fieldLabel").each((function(){$(this).addClass("required"),"remarksLb"==$ (this).attr("id")||"organizationLb"==$ (this).attr("id")||"disabilityLb"==$ (this).attr("id")||"mNameLb"==$ (this).attr("id")||"hMNameLb"==$ (this).attr("id")?$(this).removeClass("required"):"suffixLb"!=$ (this).attr("id")&&"headSuffixLb"!=$ (this).attr("id")||$(this).removeClass("required"))),$("#educCheck").is(":checked")&&e(),$("#educCheck").change((function(){$(e)})),$("#employCheck").change((function(){$(this).prop("checked",!1),$("#markerEduc").css("background-color", "#c5d4e3"),$(".educFieldLabel").each((function(){$(this).val("").change(),$(this).prop("disabled",!0),$(this).removeAttr("required")))},$(".educUserInput").each((function(){$(this).val("").change(),$(this).prop("disabled",!0),$(this).removeAttr("required")))},$(".employSelectBox").each((function(){$(this).val("")||($(").change(),$(this).prop("disabled",!1),$(this).attr("required","required")))},$(".employUserInput").each((function(){$(this).prop("disabled",!1),$(this).attr("required","required")))}),$("#markerEmploy").css("background-color", "#219EBC"),$(".employFieldLabel").css("opacity", "1"),$(".employFieldLabel").removeClass("required"),$(".employFieldLabel").css("opacity", ".70"))),$("#selectEducStatus option[value=ENROLLED]").is(":selected")?t():$("#selectEducStatus option[value=OUT-OF-SCHOOL YOUTH]").is(":selected")?i():s(),$("#selectEducStatus").on("change",function(){$("#selectEducStatus option[value=ENROLLED]").is(":selected")?t():$("#selectEducStatus option[value=OUT-OF-SCHOOL YOUTH]").is(":selected")?i():s()}),$("#selectEmployStatus option[value=EMPLOYED]").is(":selected")?r():c(),$("#selectEmployStatus").on("change",function(){$("#selectEmployStatus option[value=EMPLOYED]").is(":selected")?r():c()}));
```

### dashboard.min.js

```
$(document).ready((function(){$("#smallNav").appendTo("#mdHeader"),$(".carousel").slick({dots:!0,arrows:!0,infinite:!0,speed:300,cssEase:"ease-out",slidesToShow:5,slidesToScroll:1,variableWidth:!0,responsive:[{breakpoint:992,settings:{slidesToShow:3,slidesToScroll:3,infinite:!0,variableWidth:!1},{breakpoint:768,settings:{slidesToShow:2,slidesToScroll:2,variableWidth:!1},{breakpoint:450,settings:{slidesToShow:1,slidesToScroll:1,arrows:!1,variableWidth:!1}}]})));
```

**households.min.js**

```
$(document).ready((function(){($("#smallNav").append
To("#mdHeader"),$("#menu1").on("click",function(){($
 "#menu1").addClass("menu-
active"),$("#menu2").removeClass("menu-
active"),location.href="households.php"),$("#menu2"
).click((function(){($("#menu2").addClass("menu-
active"),$("#menu1").removeClass("menu-
active"),location.href="households-chart.php")));var
e=$("#familiesTbl").DataTable({responsive:!0,bFilter:!0
,blInfo:0,autoWidth:1,fixedHeader:10,columnDefs:[{wi
dth:"5%",targets:0},{width:"25%",targets:1},{width:"10
%",targets:2},{width:"15%",targets:3},{width:"15%",tar
gets:4},{width:"15%",targets:5},{width:"15%",targets:6}],buttons:[{extend:"copy",exportOptions:{columns:[1,2,3,
4,5,6]}}, {extend:"csv",filename:"Declared
Households",exportOptions:{columns:[1,2,3,4,5,6]}}, {e
xtend:"excel",filename:"Declared
Households",exportOptions:{columns:[1,2,3,4,5,6]}}, {e
xtend:"pdf",filename:"Declared
Households",exportOptions:{columns:[1,2,3,4,5,6]},ori
entation:"landscape",customize:function(e){e.styles.ta
bleHeader.fillStyle="#04496A",e.styles.tableHeader.te
xtColor="#fff",e.styles.tableHeader.fontSize=10,e.con
tent[1].table.widths=Array(e.content[1].table.body[0].le
ngth+1).join(""),e.defaultStyle.alignment="left"
,e.defaultStyle.fontSize=10,e.content.splice(0,1)}, {ext
end:"print",exportOptions:{columns:[1,2,3,4,5,6]},custo
mize:function(e){$(e.document.body).find("table").add
Class("display").css("font-
size","14px"),$(e.document.body).find("h1").remove(),
$(e.document.body).find("th").css("background-
color":"#04496A",color:"#fff")}}}],initComplete:function()
){this.api().columns([2,3,4,5,6]).every((function(e){var
t=this,n=$("#familiesTbl th").eq([e]).text(),o=$("<select
class = 'form-select'><option value=>Filter
"+n+"</option></select>").appendTo($(t.footer()).empt
y()),on("change",function(){var
e=$("#fn.dataTables.util.escapeRegex($(this).val());t.sear
ch(e?"^"+e+"$","!0,!1).draw()}));});$("#familiesTbl_l
ength").appendTo("#familiesLength"),e.buttons().conta
iner().appendTo("#familiesOutput"),$("#familiesTbl_filt
er").appendTo("#familiesSearch"),$("#familiesFooter").p
rependTo("#familiesTblHead"),$("#familiesTbl_info").ap
pendTo("#familiesTblInfo"),$("#familiesTbl_paginate").ap
pendTo("#familiesPaginate"))});
```

**index.min.js**

```
$(document).ready((function(){($("#signupLink").click((f
unction(){($("#loginCard").addClass("d-
none"),$("#signupCard").removeClass("d-
none"))),$("#loginLink").click((function(){($("#signu
pCard").addClass("d-
none"),$("#loginCard").removeClass("d-
none"))),$("#forgotPassText").click((function(){($("#logi
nCard").addClass("d-
none"),$("#forgotPassCard").removeClass("d-
none"))),$("#rbackBtn").click((function(){($("#forgotPas
sCard").addClass("d-
none"),$("#loginCard").removeClass("d-
none"))),$("#signup-
confirm_password").on("keyup",function(){var
```

```
s=$("#signup_password").val(),e=$("#signup-
confirm_password").val();e.length>=s.length&&s!=e?(
$("#errorMessage").removeClass("d-
none"),$("#errorMessage").html("Those passwords
didn't match. Try
again."),$("#successMessage").addClass("d-
none"),$("#confirmPassword").css("border", "1px solid
red"),$("#messageMismatch").removeClass("d-
none"),$("#messageMatch").addClass("d-
none")):e.length==s.length&&s==e&&0!=e?($("#error
Message").addClass("d-
none"),$("#successMessage").removeClass("d-
none"),$("#successMessage").html("Passwords
matched!"),$("#confirmPassword").css("border", "1px
solid #38c744"),$("#messageMismatch").addClass("d-
none"),$("#messageMatch").removeClass("d-
none")):0==e.length&&($("#errorMessage").addClass(
"d-none"),$("#successMessage").addClass("d-
none"),$("#confirmPassword").css("border", ""),$("#me
ssageMismatch").addClass("d-
none"),$("#messageMatch").addClass("d-
none")),$("#resetconPassword").on("keyup", (functio
n(){var
s=$("#resetNewPassword").val(),e=$("#resetconPass
word").val();e.length>=s.length&&s!=e?($("#errorMess
age").removeClass("d-
none"),$("#errorMessage").html("Those passwords
didn't match. Try
again."),$("#successMessage").addClass("d-
none"),$("#confirmPassword").css("border", "1px solid
red"),$("#messageMismatch").removeClass("d-
none"),$("#messageMatch").addClass("d-
none")):e.length==s.length&&s==e&&0!=e?($("#error
Message").addClass("d-
none"),$("#successMessage").removeClass("d-
none"),$("#successMessage").html("Passwords
matched!"),$("#confirmPassword").css("border", "1px
solid #38c744"),$("#messageMismatch").addClass("d-
none"),$("#messageMatch").removeClass("d-
none")):0==e.length&&($("#errorMessage").addClass(
"d-none"),$("#successMessage").addClass("d-
none"),$("#confirmPassword").css("border", ""),$("#me
ssageMismatch").addClass("d-
none"),$("#messageMatch").addClass("d-
none")),$(".modal").appendTo("body"))));
```

**kkid.min.js**

```
$(document).ready((function(){($("#smallNav").append
To("#mdHeader"),$("#qrBtn").on("click",function(){($thi
s).css("background-
color","#219EBC"),$(this).css("color", "white"),$(".iconC
ontainer").css("background-
color", "black"),$(".iconContainer").css("color", "#FFB70
3"))),$("#checkAge").on("change", (function(){($this).is
(":checked")?($("#selectAge").prop("disabled",!1),$("#
checkCustom").prop("disabled",!0),c()):($("#selectAge"
).prop("disabled",!0),$("#checkCustom").prop("disab
le",!1,c()))},$("#checkPurok").on("change", (function(){
$(this).is(":checked")?($("#selectPurok").prop("disab
le",!1),$("#checkCustom").prop("disabled",!0),c()):($("#
selectPurok").prop("disabled",!0),$("#checkCustom").p
rop("disabled",!1,c()))},$("#checkCustom").on("chang
e", (function(){($this).is(":checked")?($(".customLb1").cs
```



```
s({color:"#000",opacity:.75}),$(".customLbl").not("#nameLbl").addClass("required"),$(".checkboxCategory").not(this).prop("checked",!1),$(".checkboxCategory").not(this).prop("disabled",!0),($(".userInput").each((function(){($(this).prop("disabled",!1))),e()):($(".customLbl").css("color","#aeeaae"),$(".customLbl").removeClass("required"),$(".checkboxCategory").not(this).prop("disabled",!1),($(".userInput").each((function(){($this).prop("disabled",!0)))),$("#submitBtn").prop("disabled",!0),$("#clearBtn").prop("disabled",!0))),$("#submitBtn").prop("disabled",!0))),$("#checkCustom").is(":disabled")?$(".customLbl").css("opacity","1"): $(".customLbl").css("opacity",".5"),$("#clearBtn").on("click",(function(){($this).val("")})),$("#submitBtn").prop("disabled",!0),$("#clearBtn").prop("disabled",!0));var e=function(){($("#:text").on("input",function(){($("#:text").filter((function(){return!!this.value})).length>0)?($("#submitBtn").prop("disabled",!1),$("#clearBtn").prop("disabled",!1)):($("#submitBtn").prop("disabled",!0),$("#clearBtn").prop("disabled",!0))}),c=function(){($("#checkAge").is(":checked")||$("#checkPurok").is(":checked")?)?$("#submitBtn").prop("disabled",!1):$("#submitBtn").prop("disabled",!0)});$("#scanModal").on("shown.bs.modal",(function(){($("#.modal input[type='text']").focus())})),$(window).on("afterprint",function>{"complete"==document.readyState&&window.close()}))};
```

### profiles.min.js

```
$(document).ready((function(){($("#smallNav").appendTo("#mdHeader"),$("#residents").click((function(){($("#residents").addClass("menu-active"),$(this).css("transition",".1s"),$(location).attr("href","/profiles-residents.php"))),$("#kabataan").click((function(){($("#kabataan").addClass("menu-active"),$("#residents").removeClass("menu-active"),$(location).attr("href","/profiles-kabataan.php"))))});var e=$("#kabataanTbl").DataTable({buttons:["copy","csv","excel","pdf","print"],responsive:!0,bFilter:!0,blInfo:!0,fixEdHeader:!0,buttons:[{extend:"copy",exportOptions:{columns:[0,1,2,3,4,5,6,7]}},{extend:"csv",filename:"Kabataan Profiles",exportOptions:{columns:[0,1,2,3,4,5,6,7]}},{extend:"excel",filename:"Kabataan Profiles",exportOptions:{columns:[0,1,2,3,4,5,6,7]}},{extend:"pdf",filename:"Kabataan Profiles",exportOptions:{columns:[0,1,2,3,4,5,6,7]},orientation:"landscape",customize:function(e){e.styles.tableHeader.textHeader.fillColor="#04496A",e.styles.tableHeader.textColor="#fff",e.styles.tableHeader.fontSize=10,e.content[1].table.widths=Array(e.content[1].table.body[0].length+1).join("*"),e.defaultStyle.alignment="left",e.defaultStyle.fontSize=10,e.content.splice(0,1)},extnD:"print",exportOptions:{columns:[0,1,2,3,4,5,6,7]},customize:function(e){$(e.document.body).find("table").addClass("display").css("font-size","14px"),$(e.document.body).find("h1").remove(),$(e.document.body).find("th").css("background-color":"#04496A",color:"#fff")},autoWidth:!1,columnDefs:[{width:"25%",targets:0},{width:"10%",targets:1},{width:"5%",targets:2},{width:"10%",targets:3},{width:"10%",targets:4},{width:"10%",targets:5},{width:"10%",targets:6},{width:"10%",targets:7},{width:"10%",targets:8}],initComplete:function(){(this.api().columns([1,2,3,4,5,6,7]).every((function(e){var t=this,a=$("#residentsTbl").eq([e]).text(),n=$("<select class='form-select' id='filter'><option value='>Filter +a+</option></select>").appendTo($(t.footertable().empty().on("change",function(){var e=$("#fn.dataTables.util.escapeRegex($(this).val());t.sear ch(e?"^"+e+"$","!0,!1).draw();})).t.data().unique().sort().each((function(e,t){n.append("<option value='"+e+">'>"+e+"</option>")))))});$("#residentsTbl_length").appendTo("#residentsLength"),t.buttons().container().appendTo("#residentsOutput"),$("#residentsTbl_filter").appendTo("#residentsSearch"),$("#residentsFooter").prependTo("#residentsTblHead"),$("#residentsTbl_info").appendTo("#residentsTblInfo"),$("#residentsTbl_paginate").appendTo("#residentsPaginate")});};
```

```
tComplete:function(){this.api().columns([1,2,3,4,5,6,7]).every((function(e){var t=this,a=$("#kabataanTbl th").eq([e]).text(),n=$("<select class='form-select' id='filter'><option value='>Filter +a+</option></select>").appendTo($(t.footertable().empty().on("change",function(){var e=$("#fn.dataTables.util.escapeRegex($(this).val());t.sear ch(e?"^"+e+"$","!0,!1).draw();})).t.data().unique().sort().each((function(e,t){n.append("<option value='"+e+">'>"+e+"</option>")))))});$("#kabataanTbl_length").appendTo("#kabataanLength"),t.buttons().container().appendTo("#kabataanOutput"),$("#kabataanTbl_filter").appendTo("#kabataanSearch"),$("#kabataanFooter").prependTo("#kabataanTblHead"),$("#kabataanTbl_info").appendTo("#kabataanTblInfo"),$("#kabataanTbl_paginate").appendTo("#kabataanPaginate");var t=$("#residentsTbl").DataTable({title:"Residents",responsive:!0,bFilter:!0,fixedHeader:!0,blInfo:!0,buttons:[{text:"copy",exportOptions:{columns:[0,1,2,3,4,5,6,7]}},{extend:"csv",filename:"Resident Profiles",exportOptions:{columns:[0,1,2,3,4,5,6,7]}},{extend:"excel",filename:"Resident Profiles",exportOptions:{columns:[0,1,2,3,4,5,6,7]}},{extend:"pdf",exportOptions:{columns:[0,1,2,3,4,5,6,7]},filename:"Resident Profiles",exportOptions:{columns:[0,1,2,3,4,5,6,7]},orientation:"landscape",customize:function(e){e.styles.tableHeader.textHeader.fillColor="#04496A",e.styles.tableHeader.textColor="#fff",e.styles.tableHeader.fontSize=10,e.content[1].table.widths=Array(e.content[1].table.body[0].length+1).join("*"),e.defaultStyle.alignment="left",e.defaultStyle.fontSize=10,e.content.splice(0,1)},extnD:"print",title:"Resident Profiles",exportOptions:{columns:[0,1,2,3,4,5,6,7]},customize:function(e){$(e.document.body).find("table").addClass("display").css("font-size","14px"),$(e.document.body).find("h1").remove(),$(e.document.body).find("th").css("background-color":"#04496A",color:"#fff")},autoWidth:!1,columnDefs:[{width:"25%",targets:0},{width:"10%",targets:1},{width:"5%",targets:2},{width:"10%",targets:3},{width:"10%",targets:4},{width:"10%",targets:5},{width:"10%",targets:6},{width:"10%",targets:7},{width:"10%",targets:8}],initComplete:function(){(this.api().columns([1,2,3,4,5,6,7]).every((function(e){var t=this,a=$("#residentsTbl th").eq([e]).text(),n=$("<select class='form-select' id='filter'><option value='>Filter +a+</option></select>").appendTo($(t.footertable().empty().on("change",function(){var e=$("#fn.dataTables.util.escapeRegex($(this).val());t.sear ch(e?"^"+e+"$","!0,!1).draw();})).t.data().unique().sort().each((function(e,t){n.append("<option value='"+e+">'>"+e+"</option>")))))});$("#residentsTbl_length").appendTo("#residentsLength"),t.buttons().container().appendTo("#residentsOutput"),$("#residentsTbl_filter").appendTo("#residentsSearch"),$("#residentsFooter").prependTo("#residentsTblHead"),$("#residentsTbl_info").appendTo("#residentsTblInfo"),$("#residentsTbl_paginate").appendTo("#residentsPaginate")});};
```

### settings.min.js



```
$(document).ready((function(){$("#userManual-link").click((function(){$("#userManual-link").addClass("active"),$("a").not(this).removeClass("active"))),$("#account-link").click((function(){$("#account-link").addClass("active"),$("a").not(this).removeClass("active"))),$("#FAQs-link").click((function(){$("#FAQs-link").addClass("active"),$("a").not(this).removeClass("active"))),$("#FAQs-link").addClass("active"),$("#a").not(this).removeClass("active"))))),$("#admins-link").click((function(){$("#admins-link").addClass("active"),$("a").not(this).removeClass("active"))),$("#systemInfo-link").click((function(){$("#systemInfo-link").addClass("active"),$("a").not(this).removeClass("active"))),$("#dev-link").click((function(){$("#dev-link").addClass("active"),$("a").not(this).removeClass("active"))),$("#inputGroupFile").change((function(){$("#changeImgContainer").empty();var s=this.files[0],e=new FileReader;e.onload=function(s){$(".changeAdminImg").addClass("d-none"),$("#changeImgContainer").append("<img class='changeAdminImg' src='"+s.target.result+"' width='200' height='200' />"),e.readAsDataURL(s)}),$(".userInput").keyup((function(){$("#editProfileBtn").removeAttr("disabled"))),$(".passInput").keyup((function(){$("#updatePassBtn").removeAttr("disabled"))),$("#confirmPassword").on("keyup",function(){var s=$("#newPassword").val(),a=$("#confirmPassword").val();a.length>=s.length&&s!=a?($("#errorMessage").removeClass("d-none"),$("#errorMessage").html("Those passwords didn't match. Try again."),$("#successMessage").addClass("d-none"),$("#confirmPassword").css("border","1px solid red"),$("#messageMismatch").removeClass("d-none"),$("#messageMatch").addClass("d-none"),e.preventDefault()):a.length==s.length&&s==a&&!a.length?($("#errorMessage").addClass("d-none"),$("#successMessage").removeClass("d-none"),$("#successMessage").html("Passwords matched!"),$("#confirmPassword").css("border","1px solid #38c744"),$("#messageMismatch").addClass("d-none"),$("#messageMatch").removeClass("d-none")):0==a.length&&($("#errorMessage").addClass("d-none"),$("#successMessage").addClass("d-none"),$("#confirmPassword").css("border","",""),$("#messageMismatch").addClass("d-none"),$("#messageMatch").addClass("d-none"))}),$(window).resize((function(){$(window).width()<992&&($("#sidePanel").removeClass("expanded"),$("#sidePanel").addClass("shrunk"),$("#settingsPanel").removeClass("mainContainer"),$("#settingsPanel").addClass("full-width")))),$(window).resize((function(){$(window).width()>991&&($("#sidePanel").removeClass("shrunk"),$("#sidePanel").addClass("expanded"),$("#settingsPanel").removeClass("full-width"),$("#settingsPanel").addClass("mainContainer")))),$(window).width()<992?($("#sidePanel").removeClass("expanded"),$("#sidePanel").addClass("shrunk"),$("#settingsPanel").removeClass("mainContainer"),$("#settingsPanel").addClass("full-width")):$((window).width()>991&&($("#sidePanel").removeClass("shrunk"),$("#sidePanel").addClass("expanded"))))});
```

```
nded"),$("#settingsPanel").removeClass("full-width"),$("#settingsPanel").addClass("mainContainer"),$(".modal").appendTo("body"),$("#toTopBtn").hover((function(){$(this).find("i").css("opacity","0.8")}),function(){$(this).find("i").css("opacity","0.5")}))));
```

### showPass.min.js

```
const togglePassword=document.querySelector("#togglePassword"),password=document.querySelector("#id_password");togglePassword.addEventListener("click",function(s){const t="password"==password.getAttribute("type")?"text":"password";password.setAttribute("type",t),this.classList.toggle("fa-eye")));const signupPassword=document.querySelector("#toggleSignupPassword"),signup_password=document.querySelector("#signup_password");signupPassword.addEventListener("click",function(s){const t="password"==signup_password.getAttribute("type")?"text":"password";signup_password.setAttribute("type",t),this.classList.toggle("fa-eye")));const signupConfirmPassword=document.querySelector("#toggleSignupconPassword"),signup_confirm_password=document.querySelector("#signup-confirm_password");signupConfirmPassword.addEventListener("click",function(s){const t="password"==signup_confirm_password.getAttribute("type")?"text":"password";signup_confirm_password.setAttribute("type",t),this.classList.toggle("fa-eye")));const forgotPassword=document.querySelector("#toggleResetNewPassword"),forgot_new_password=document.querySelector("#resetNewPassword");forgotPassword.addEventListener("click",function(s){const t="password"==forgot_new_password.getAttribute("type")?"text":"password";forgot_new_password.setAttribute("type",t),this.classList.toggle("fa-eye")));const newPassIcn=document.querySelector("#toggleResetNewPassword"),newResetPass=document.querySelector("#resetNewPassword");newPassIcn.addEventListener("click",function(s){const t="password"==newResetPass.getAttribute("type")?"text":"password";newResetPass.setAttribute("type",t),this.classList.toggle("fa-eye")));const forgotConfirmPassword=document.querySelector("#toggle_confirm_forgot_pass"),forgot_confirm_password=document.querySelector("#confirm_forgot_pass");forgotConfirmPassword.addEventListener("click",function(s){const t="password"==forgot_confirm_password.getAttribute("type")?"text":"password";forgot_confirm_password.setAttribute("type",t),this.classList.toggle("fa-eye"))});
```

### sideMenu.min.js

```
$(document).ready((function(){$("#dashboard-link").click((function(){$(this).addClass("nav-active"),$("a").not(this).removeClass("nav-active"))),$("#households-link").click((function(){$(this).addClass("nav-active"),$("a").not(this).removeClass("nav-active"))),$("#profiles-link").click((function(){$(this).addClass("nav-active"),$("a").not(this).removeClass("nav-active"))),$("##add-link").click((function(){$(this).addClass("nav-
```

```

active"),$("a").not(this).removeClass("nav-
active"))),$("#kkid-
link").click((function(){$(this).addClass("nav-
active"),$("a").not(this).removeClass("nav-
active"))}),$("#transactions-
link").click((function(){$(this).addClass("nav-
active"),$("a").not(this).removeClass("nav-
active"))}),$("#close").click((function(){$("#leftPanel").re-
moveClass("expanded"),$("#leftPanel").addClass("shru-
nk"),$("#mainPanel").removeClass("mainContainer"),$("#
#mainPanel").addClass("full-
width"),$("#mainPanel").css("transition","0.5s"),$("#ham-
burger").removeClass("d-none"),$(this).addClass("d-
none")),$("#hamburger").click((function(){$("#leftPanel
").addClass("expanded"),$("#leftPanel").removeClass("shrun-
k"),$("#mainPanel").addClass("mainContainer"),$("#
#mainPanel").removeClass("full-
width"),$("#close").removeClass("d-
none"),$("#mainPanel").css("transition","0.5s"),$(this).a-
ddClass("d-none"))}),$("#dashboard-md-
link").click((function(){$(this).addClass("nav-md-
active"),$("a").not(this).removeClass("nav-md-
active"))}),$(document).click((function(a){var
n=$(a.target);!0==$(".navbar-
collapse").hasClass("show")||n.hasClass("navbar-
toggler")||($(".button.navbar-
toggler").click()),$(window).resize((function(){$(windo-
w).width(<992&&($("#close").addClass("d-
none"),$("#hamburger").removeClass("d-
none"),$("#leftPanel").removeClass("expanded"),$("#lef-
tPanel").addClass("shrunk"),$("#mainPanel").removeCl-
ass("mainContainer"),$("#mainPanel").addClass("full-
width")))),$(window).width(<992&&($("#close").addCl-
ass("d-none"),$("#hamburger").removeClass("d-
none"),$("#leftPanel").removeClass("expanded"),$("#lef-
tPanel").addClass("shrunk"),$("#mainPanel").removeCl-
ass("mainContainer"),$("#mainPanel").addClass("full-
width")),$("#modal").appendTo("body"))));

```

## transactions.min.js

```

$(document).ready((function(){$("#smallNav").appendT
o("#mdHeader"),$("#checkAllDiv").click((function(){$("#d
eselectAll").hasClass("d-
none")?($("#deselectAll").removeClass("d-
none"),$("#selectAll").addClass("d-
none"),$(".checkItem").each((function(){$(this).prop("ch
ecked",!0))))):($("#checkAllDiv").addClass("checked"),$("#
#deselectAll").addClass("d-
none"),$("#selectAll").removeClass("d-
none"),$(".checkItem").each((function(){$(this).prop("ch
ecked",!1))))))),$("#table
tr").length>0?$("#checkAll").prop("disabled",!1):$("#che
ckAll").prop("disabled",!0),$(".checkItem").change((funct
ion(){$(".checkItem:checked").length>0?$("#deleteBtn")
.removeClass("d-none"):$("#deleteBtn").addClass("d-
none"))},$("#checkAll").click((function(){$(this).is(":che
cked")?$(".checkItem").each((function(){$(this).prop("che
cked",!0))):$(".checkItem").each((function(){$(this).prop
("checked",!1))))});var
e=$("#transactionsTbl").DataTable({buttons:["copy", "cs
v", "excel", "pdf", "print"],responsive:!0,bFilter:!0,fixedHea
der:!0,blInfo:!0,buttons:[{extend:"copyHtml5",exportOpti
ons:{columns:[0,1,2]}, {extend:"csvHtml5",filename:"Tra
nsaction
History",exportOptions:{columns:[0,1,2]}}, {extend:"excel

```

```

Html5",filename:"Transaction
History",exportOptions:{columns:[0,1,2]}, {extend:"pdfHt
ml5",filename:"Transaction
History",exportOptions:{columns:[0,1,2]}, orientation:"por
trait",customize:function(e){e.styles.tableHeader.fillColo
r="#04496A",e.styles.tableHeader.textColor="#fff",e.styl
es.tableHeader.fontSize=10,e.content[1].table.widths=A
rray(e.content[1].table.body[0].length+1).join("")},e.defau
ltStyle.alignment="left",e.defaultStyle.fontSize=10,e.con
tent.splice(0,1)}, {extend:"print",exportOptions:{colum
ns:[0,1,2]}, customize:function(e){(e.document.bo
dy).find("table").addClass("display").css("font-
size", "14px"),(e.document.body).find("h1").remove()}},o
rder:[2,"desc"]}],autoWidth:!1,columnDefs:[{width:"30%
",targets:0},{width:"40%",targets:1},{width:"20%",targets
:2},{width:"10%",targets:3}],initComplete:function(){(this.
api().columns([0,1,2]).every((function(e){var
t=this,n=$("#transactionsTbl
th").eq([e]).text(),o=$("<select class ='form-select'
id='filter'>option value='>Filter
"+n+"</option></select>").appendTo($(t.footer()).empty
()).on("change",function(){var
e=$.fn.dataTable.util.escapeRegex($(this).val());t.searc
h(e?"^"+e+"$","!0,!1).draw()}));t.data().unique().sort().e
ach((function(e,t){o.append(<option
value=""+e+">"+e+"</option>")))}));$("#transactionsT
bl_length").appendTo("#transactionsLength"),e.buttons()
.container().appendTo("#transactionsOutput"),$("#tran
sactionsTbl_filter").appendTo("#transactionsSearch"),$("#
transactionsFooter").prependTo("#transactionsTblHe
ad"),$("#transactionsTbl_info").appendTo("#transaction
sTblInfo"),$("#transactionsTbl_paginate").appendTo("#t
ransactionsPaginate"))});

```

## updateEntry.min.js

```

$(document).ready((function(){function e(){function
e(){$(".educSelectBox").each((function(){$(this).prop("di
sabled",!1),$(this).attr("required","required"),"selectEdu
cSalary"!=$(this).attr("id")&&"selectEducIndustry"!=$(th
is).attr("id")||$(this).val("").change(),$(this).prop("dis
able",!0),$(this).removeAttr("required")))},$(".educUserInp
ut").each((function(){$(this).prop("disabled",!1),$(this).at
tr("required","required")))},$(".educFieldLabel").each((fu
nction(){$(this).addClass("required"),$(this).css("opacity
","0"),"eduIndustryLbl"!=$(this).attr("id")&&"educSalary
Lbl"!=$(this).attr("id")||$(this).removeClass("required"),
$(this).css("opacity",".70")))});function
t(){$(".educSelectBox").each((function(){$(this).not("#sel
ectEducStatus").prop("disabled",!0),$(this).not("#select
EducStatus").removeAttr("required"),$(this).not("#select
EducStatus").val("").change()),$(".educUserInput").ea
ch((function(){$(this).prop("disabled",!0),$(this).remov
eAttr("required"),$(this).not("#selectEducStatus").val("").c
hange()),$(".educFieldLabel").each((function(){$(this).
not("#eduStatusLbl").removeClass("required"),$(this).n
ot("#eduStatusLbl").css("opacity",".70")))});function
i(){$(".educSelectBox").each((function(){$(this).prop("dis
abled",!1),$(this).attr("required","required"))),$(".educU
serInput").each((function(){$(this).prop("disabled",!1),$(t
his).attr("required","required"))),$(".educFieldLabel").ad
dClass("required"),$(".educFieldLabel").css("opacity","1
"))};$("#employCheck").prop("checked",!1),$("#markerEm
ploy").css("background-
color", "#c5d4e3"),$(".employSelectBox").each((funct
ion(){$(this).val("").change(),$(this).prop("disabled",!0),$(th
i

```



# POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

146

```
s).removeAttr("required"))),$(".employUserInput").each
((function(){$(this).val("").change(),$(this).prop("disabled",!0),$(this).removeAttr("required"))}),$(".educSelectBox").each((function(){$(this).prop("disabled",!1),$(this).attr("required", "required"),$(".markerEduc").css("background-color","#219EBC"),$(".educFieldLabel").css("opacity", ".70"),$(".educFieldLabel").addClass("required"),$(".employFieldLabel").removeClass("required"),$(".employFieldLabel").css("opacity", ".70"),$("#selectEducStatus option[value=ENROLLED]").is(":selected")?e():$("#selectEducStatus option[value=OUT-OF-SCHOOL YOUTH]").is(":selected")?t():i(),$("#selectEducStatus").change((function(){$("#selectEducStatus option[value=ENROLLED]").is(":selected")?e():$("#selectEducStatus option[value=OUT-OF-SCHOOL YOUTH]").is(":selected")?t():i()}))),function t(){function e(){ $(".employSelectBox").each((function(){$(this).prop("disabled",!1),$(this).attr("required", "required"))),$(".employUserInput").each((function(){$(this).prop("disabled",!1),$(this).attr("required", "required"))),$(".employFieldLabel").each((function(){$(this).css("opacity", "1"),$(this).addClass("required"))),$(".educSelectBox").each((function(){$(this).val("").change(),$(this).prop("disabled",!0),$(this).removeAttr("required"))),$(".educUserInput").each((function(){$(this).val("").change(),$(this).prop("disabled",!0),$(this).removeAttr("required"))),$(".educFieldLabel").each((function(){$(this).removeAttr("required"))),$(".employFieldLabel").each((function(){$(this).not("#employStatusLbl").css("opacity", ".70"),$(this).not("#employStatusLabel").removeClass("required"))),$(".educUserInput").each((function(){$(this).prop("disabled",!0),$(this).removeAttr("required"))),$(".educSelectBox").each((function(){$(this).prop("disabled",!0),$(this).removeAttr("required"))),$(".markerEduc").css("background-color","#c5d4e3"),$(".educSelectBox").each((function(){$(this).val("").change(),$(this).prop("disabled",!0),$(this).removeAttr("required"))),$(".educUserInput").each((function(){$(this).val("").change(),$(this).prop("disabled",!0),$(this).removeAttr("required"))),$(".employSelectBox").each((function(){$(this).prop("disabled",!1),$(this).attr("required", "required"),$(".markerEmploy").css("background-color","#219EBC"),$(".employFieldLabel").css("opacity", "1"),$(".educFieldLabel").removeClass("required"),$(".employFieldLabel").css("opacity", ".70"),$(".employFieldLabel").addClass("required"),$("#selectEmployStatus").change((function(){$(this).prop("disabled",!1),$(this).attr("required", "required"))),$("#selectEmployStatus").change((function(){$(this).prop("disabled",!1),$(this).attr("required", "required"))))},$("#selectEmployStatus").change((function(){$(this).prop("disabled",!1),$(this).attr("required", "required"))}))}})
```

```
nction(){$("#selectEmployStatus option[value = 'EMPLOYED']").is(":selected")?e():$("#selectEmployStatus option[value = 'UNEMPLOYED']").is(":selected")?t():($(".educFieldLabel").each((function(){$(this).removeClass("required"))),$(".educFieldLabel").each((function(){$(this).css("opacity", ".70")))))),$("#smallNav").appendTo("#mdHeader"),$(".userInput").keyup((function(){$(this).val($(this).val().toUpperCase()))),$(".educUserInput").keyup((function(){$(this).val($(this).val().toUpperCase()))),$(".employUserInput").keyup((function(){$(this).val().toUpperCase()))),$(".fieldLabel").each((function(){$(this).addClass("required"),"remarksLbl"==$this.attr("id")||"organizationLbl"==$this.attr("id")||"disabilityLbl"==$this.attr("id")||"mNameLbl"==$this.attr("id")||"hMNameLbl"==$this.attr("id")?"$this.removeClass("required")":"suffixLbl"!=$this.attr("id")&&"headSuffixLbl"!=$this.attr("id")||$(this).removeClass("required"))),$("#educCheck").is(":checked")&&e(),$("#educCheck").change((function(){$(e()))),$("#employCheck").is(":checked")&&t(),$("#employCheck").change((function(){$(t())})))}}
```

## PHP fundamental-links.php

```
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css">
<link rel="stylesheet"
href="https://fonts.googleapis.com/css?family=DM+Sans:400,500,700&display=swap">
<link rel="stylesheet"
href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;500;600;700;800&display=swap">
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.2.0/css/all.min.css" />

<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.3.0/font/bootstrap-icons.css">

<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta3/dist/css/bootstrap-select.min.css">

<link rel="stylesheet"
href="https://cdn.datatables.net/1.13.2/css/jquery.dataTables.min.css">
<link rel="stylesheet"
href="https://cdn.datatables.net/1.13.2/css/dataTables.bootstrap5.min.css">
<link rel="stylesheet"
href="https://cdn.datatables.net/buttons/2.3.4/css/buttons.dataTables.min.css">
<link rel="stylesheet"
href="https://cdn.datatables.net/buttons/2.3.4/css/bootstrap5.min.css">
<link rel="stylesheet"
href="https://cdn.datatables.net/responsive/2.4.0/css/responsive.dataTables.min.css">
<link rel="stylesheet"
href="https://cdn.datatables.net/fixedheader/3.3.1/css/fixedHeader.dataTables.min.css">
```



# POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

147

```
<link rel="stylesheet"
      href="https://cdn.jsdelivr.net/npm/sweetalert2@11.6.16/dist/sweetalert2.min.css" integrity="sha256-sWZjHQiY9fvheUAOoxrszw9Wphl3zqfVaz1kZKEvot8=" crossorigin="anonymous">

<script
  src="https://cdn.jsdelivr.net/npm/sweetalert2@11.6.16/dist/sweetalert2.all.min.js" integrity="sha256-b+fVEXPbYTCRvyFMiFsP3TAaUr7X3fbvPaPg5JqwsDw=" crossorigin="anonymous"></script>
```

## fundamental-scripts.php

```
<script src="https://code.jquery.com/jquery-3.6.1.min.js"></script>
<script
  src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js"></script>

<script src="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta3/dist/js/bootstrap-select.min.js"></script>

<script
  src="https://cdn.datatables.net/1.13.2/js/jquery.dataTables.min.js"></script>
<script
  src="https://cdn.datatables.net/1.13.2/js/dataTables.bootstrap5.min.js"></script>
<script
  src="https://cdn.datatables.net/buttons/2.3.4/js/dataTables.buttons.min.js"></script>
<script
  src="https://cdn.datatables.net/buttons/2.3.4/js/buttons.bootstrap5.min.js"></script>
<script
  src="https://cdnjs.cloudflare.com/ajax/libs/jszip/3.1.3/jszip.min.js"></script>
<script
  src="https://cdnjs.cloudflare.com/ajax/libs/pdfmake/0.1.53/pdfmake.min.js"></script>
<script
  src="https://cdnjs.cloudflare.com/ajax/libs/pdfmake/0.1.53/vfs_fonts.js"></script>
<script
  src="https://cdn.datatables.net/buttons/2.3.4/js/buttons.html5.min.js"></script>
<script
  src="https://cdn.datatables.net/buttons/2.3.4/js/buttons.print.min.js"></script>
<script
  src="https://cdn.datatables.net/fixedheader/3.3.1/js/dataTables.fixedHeader.min.js"></script>
<script
  src="https://cdn.datatables.net/responsive/2.4.0/js/dataTables.responsive.min.js"></script>
```

## connection.php

```
<?php
session_start();
$dbhost = "kkis-do-user-13572871-0.b.db.ondigitalocean.com";
$dbuser = "doadmin";
```

```
$dbpass = "AVNS_u50R-JaD6EE2uiEF2d";
$db = "defaultdb";

$conn = new mysqli($dbhost, $dbuser, $dbpass, $db, 25060);
```

```
if (!$conn) {
    die("Connection Failed. " .
        mysqli_connect_error());
    echo "Can't connect to database";
}
```

```
function executeQuery($query) {
    $conn = $GLOBALS['conn'];
    return mysqli_query($conn, $query);
}
?>
```

## access-super.php

```
<?php
require_once "connection.php";

if (!isset($_SESSION['admin_type_id'])) {
    session_destroy();
    header("Location: index.php");
    exit;
} else if (isset($_SESSION['admin_type_id']) && ($_SESSION['admin_type_id'] != 1)) {
    session_destroy();
    header("Location: addEntry.php");
} else {
    $adminTypeID = $_SESSION['admin_type_id'];
}
?>
```

## access-super-admin.php

```
<?php
require_once "connection.php";

if (!isset($_SESSION['admin_type_id'])) {
    session_destroy();
    header("Location: index.php");
    exit;
} else if (isset($_SESSION['admin_type_id']) && ($_SESSION['admin_type_id'] == 1)) {
    $adminTypeID = $_SESSION['admin_type_id'];
} else if (isset($_SESSION['admin_type_id']) && ($_SESSION['admin_type_id'] == 2)) {
    $adminTypeID = $_SESSION['admin_type_id'];
} else if (isset($_SESSION['admin_type_id']) && ($_SESSION['admin_type_id'] == 3)){
    session_destroy();
    header("Location: index.php");
} else {
    header("Location: index.php");
}
?>
```

## access-staff.php

```
<?php
require_once "connection.php";

if (!isset($_SESSION['admin_type_id'])) {
```



```
session_destroy();
header("Location: index.php");
exit;
} else if (isset($_SESSION['admin_type_id']) &&
($_SESSION['admin_type_id'] <= 3) &&
($_SESSION['admin_type_id']) != 0) {
    $adminTypeID = $_SESSION['admin_type_id'];
} else {
    session_destroy();
    header("Location: index.php");
}

index.php

<?php
require_once "connection.php";

use PHPMailer\PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\Exception;
?>

<!DOCTYPE html>
<html>

<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, shrink-to-fit=no">
        <title>Log in/Sign Up</title>

    <?php
    require_once "fundamental-links.php"
    ?>

    <!-- Custom Stylesheets -->
    <link rel="stylesheet"
href="assets/css/animatedBG.css">
    <link rel="stylesheet" href="assets/scss/index.css">
    <link rel="stylesheet"
href="assets/scss/sideMenu.css">

    <!-- Favicon -->
    <link rel="icon" type="image/x-icon"
href="assets/img/logos/kkis.ico">
</head>

<body>
    <div class="header">
        <!--Content before waves-->
        <div class="inner-header flex">

            <div id="index-wrapper">
                <div class="container-fluid d-flex justify-content-center align-items-center indexContent">
                    <!-- Log in -->
                    <div class="card d-flex justify-content-center mt-3" id="loginCard">
                        <div class="card-body">
                            <div class="row m-0 w-100">
                                <div class="col-12 d-flex justify-content-center">
                                    
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```
<div class="row m-0 d-flex justify-content-center">
    <div class="col-12 text-center">
        <span
class="cardHead">Welcome!</span>
    </div>
</div>
<div class="row mx-3 my-0">
    <div class="col-12 text-center p-0"></div>
</div>
<!-- Form -->
<form id="loginForm" action="">
    method="post">
        <!-- Fields -->
        <div class="row gx-3 gy-3 fieldRow">
            <div class="col-12">
                <input class="form-control" type="email" name="email" placeholder="Email" required>
            </div>
            <!-- BASE PW FIELD W/ EYE ICON -->
            <div class="col-12">
                <input class="form-control" type="password" name="password" required="" placeholder="Password" id="id_password">
                <i class="toggle-password far fa-eye-slash" id="togglePassword" toggle="#password-field"></i>
                </div>
            <!-- FORGOT PW -->
            <div class="col-12 mt-2 d-flex justify-content-center">
                <a href="#" id="forgotPassText">Forgot Password?</a>
            </div>
            <!-- Log in btn -->
            <div class="row m-0 mt-3" id="rowBtn">
                <div class="col-12 d-flex justify-content-center align-items-center">
                    <button class="btn controlBtn rounded-pill mt-3" name="loginBtn" type="submit" form="loginForm" id="loginBtn">Log in</button>
                </div>
                <div class="col-12 d-flex justify-content-center align-items-center">
                    <p class="mt-2 text-center" id="signup-phrase">Don't have an account yet? <a href="#" class="signup-txt" id="signupLink">Sign up</a></p>
                </div>
            </div>
            </div>
        </form>
    </div>
</div>
<!-- Sign Up -->
<div class="card d-flex justify-content-center d-none" id="signupCard">
    <div class="card-body">
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

149

```
<div class="row m-0 w-100">
    <div class="col-12 d-flex justify-
content-center">
        
    </div>
</div>
<div class="row m-0 d-flex justify-
content-center">
    <div class="col-12 text-center">
        <span class="cardHead">Sign
Up</span>
    </div>
</div>
<div class="row mx-3 my-0">
    <div class="col-12 text-center p-
0"></div>
    </div>
    <!-- Form -->
    <form id="signupForm" action="">
        <!-- onSubmit="return validate();;" method="POST"
enctype="multipart/form-data">
            <!-- Fields -->
            <div class="row gx-3 gy-3
fieldRow">
                <!-- FName -->
                <div class="col-lg-6 col-md-6 col-
sm-12 col-12">
                    <input class="form-control
text-capitalize" type="text" name="firstName"
placeholder="First Name" required>
                </div>
                <!-- LName -->
                <div class="col-lg-6 col-md-6 col-
sm-12 col-12">
                    <input class="form-control
text-capitalize" type="text" name="lastName"
placeholder="Last Name" required>
                </div>
                <!-- Bday -->
                <div class="col-lg-6 col-md-6 col-
sm-12 col-12">
                    <input class="form-control"
type="date" name="birthday" placeholder="Birthday"
required>
                </div>
                <!-- Contact No. -->
                <div class="col-lg-6 col-md-6 col-
sm-12 col-12">
                    <input class="form-control"
type="text" name="contactNumber" pattern="[0-9]{11}"
title="Contact number should only contain 11
characters from 0-9" inputmode="numeric"
placeholder="Contact No." required>
                </div>
                <!-- Email -->
                <div class="col-12">
                    <input class="form-control"
type="email" name="email" placeholder="Email"
maxlength="30" required>
                </div>
                <!-- Password -->
                <div class="col-12">
<input class="form-control" type="password" name="password"
pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-
Z])(?=.*[_!@#$%^&*]).{8}" title="Must be at least 8
characters, including at least one number, one
uppercase and lowercase letter, and one special
character." placeholder="Password"
id="signup_password" required>
                <i class="fa-eye-slash" id="toggleSignupPassword"
toggle="#password-field"></i>
            </div>
        <!-- Confirm Password -->
        <div class="col-12">
            <input class="form-control" type="password" name="confirmPassword"
placeholder="Confirm Password" id="signup-
confirm_password" maxlength="30" required>
                <i class="fa-eye-slash" id="toggleSignupconPassword"
toggle="#password-field"></i>
            </div>
            <!-- Password mismatch -->
            <div id="messageMismatch"
class="d-none d-flex justify-content-start align-items-
center my-0 py-1">
                <i class="fa-solid fa-circle-
exclamation" style="font-size: 14px; color: red; margin-
right: 5px"></i>
                <span id="errorMessage"
class=" text-start py-1 my-0" style="font-size: 14px;
color: red"></span>
            </div>
            <!-- Password match -->
            <div id="messageMatch"
class="d-none d-flex justify-content-start align-items-
center my-0 py-1">
                <i class="fa-solid fa-circle-
check" style="font-size: 14px; color: #3FB44A; margin-
right: 5px"></i>
                <span id="successMessage"
class=" text-start py-1 my-0" style="font-size: 14px;
color: #3FB44A"></span>
            </div>
            <!-- Profile Pic -->
            <div class="col-12 text-start d-
flex justify-content-start">
                <label class="input-group-text"
for="inputGroupFile" id="browse">Profile
Picture</label>
                <input type="file" class="form-
control" name="dp" id="inputGroupFile">
            </div>
            <!-- Sign up btn -->
            <div class="row m-0" id="rowBtn">
                <div class=" col-12 d-flex justify-
content-center align-items-center px-0 py-3">
                    <input type="checkbox"
name="agreeCheck" id="agreeCheck" class="me-2"
required>
                    <label class="text-start"
id="agree-phrase" for="agreeCheck">I have read and
agree to the <a href="#" data-bs-toggle="modal" data-

```



# POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

150

bs-target="#termsConditions">Terms and Conditions</a></label>

</div>

<div class="col-12 d-flex justify-content-center align-items-center">

<button class="btn controlBtn rounded-pill mt-3" name="signupBtn" type="submit" form="signupForm" id="signupBtn">Sign up</button>

</div>

<div class="col-12 d-flex justify-content-center align-items-center">

<p class="mt-2 text-center" id="login-phrase">Already have an account? <a href="#" class="login-txt" id="loginLink">Log in</a></p>

</div>

</div>

</form>

</div>

</div>

<!-- Terms and Conditions -->

<div class="modal fade" tabindex="-1" id="termsConditions">

<div class="modal-dialog modal-dialog-centered modal-dialog-scrollable">

<div class="modal-content">

<div class="modal-header">

<div class="d-flex justify-content-start align-items-start">



<span class="ms-1 modal-title" id="modalTitle">KKIS</span>

</div>

</div>

<div class="modal-body">

<h5 class="text-start">Terms and Conditions</h5>

<p class="text-start">These Website Standard Terms and Conditions written on this webpage shall manage your use of our website, Katipunan ng Kabataan Information System accessible at url.

</p>

<p class="text-start">These Terms will be applied fully and affect your use of this Website. By using this Website, you agreed to accept all terms and conditions written here. You must not use this Website if you disagree with any of these Website's Standard Terms and Conditions.

</p>

<p class="text-start">Only authorized personnel are allowed to use this Website.</p>

<br>

<h5 class="text-start">Interpretation and Definitions</h5>

<h6 class="text-start">Interpretation</h6>

<p class="text-start">

The words of which the initial letter is capitalized have meanings defined under the following conditions. The following definitions shall have the same meaning regardless of whether they appear in singular or plural.

</p>

## <h6 class="text-start">Definitions</h6>

<p class="text-start">For the purposes of these Terms and Conditions:</p>

<p class="text-start"><em>Authorized</em> means having official permission or approval.</p>

<p class="text-start"><i>Company</i> (referred to as either "the Company", "We", "Us" or "Our" in this Agreement) refers to Katipunan ng Kabataan Information System website.</p>

<p class="text-start"><i>Content</i> refers to such as text, images, or other information that can be posted, uploaded, linked to, or otherwise made available by You, regardless of the form of that content.</p>

<p class="text-start"><i>Device</i> means any device that can access the Service such as a computer, a cellphone, or a digital tablet.</p>

<p><i>Terms and Conditions</i> (also referred to as "Terms") mean these Terms and Conditions that form the entire agreement between You and the Company regarding the use of the Service.</p>

<p class="text-start"><i>Website</i> refers to Katipunan ng Kabataan Information System.</p>

<p class="text-start"><i>You</i> mean the individual accessing or using the Service, or the company, or other legal entity on behalf of which such individual is accessing or using the Service, as applicable.</p>

## <h6 class="text-start">Acknowledgment</h6>

<p class="text-start">These are the Terms and Conditions governing the use of this Service and the agreement that operates between You and the Website. These Terms and Conditions set out the rights and obligations of all users regarding the use of the Service.</p>

<p class="text-start">Your access to and use of the Service is conditioned on Your acceptance of and compliance with these Terms and Conditions. These Terms and Conditions apply to all visitors, users, and others who access or use the Service.</p>

<p class="text-start">By accessing or using the Service You agree to be bound by these Terms and Conditions. If You disagree with



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

151

any part of these Terms and Conditions then You may not access the Service.</p>

<p class="text-start">Your access to and use of the Service is also conditioned on Your acceptance of and compliance with the Privacy Policy of the Company.</p>

<p class="text-start">Our Privacy Policy describes Our policies and procedures on the collection, use, and disclosure of Your personal information when You use the Application or the Website and tells You about Your privacy rights and how the law protects You.</p>

<p class="text-start">Please read Our Privacy Policy carefully before using Our Service.</p>

<ol><li><b class="text-start">Intellectual Property Rights</b><p class="text-start">Other than the content you own, under these Terms, KKIS and/or its licensors own all the intellectual property rights and materials contained in this Website.</p>

<p class="text-start">You are granted a limited license only for the purposes of viewing the material contained on this Website.</p>

</li>

<li><b class="text-start">Limitation of Liability</b><p class="text-start">In no event shall KKIS and any of its developers be held liable for anything arising out of or in any way connected with your use of this Website whether such liability is under contract. KKIS, including its developers, shall not be held liable for any indirect, consequential, or special liability arising out of or in any way related to your use of this Website.</p>

</li>

<li><b class="text-start">Suspension and Termination of Services</b><p class="text-start">We may terminate or suspend Your access immediately, without prior notice or liability, for any reason whatsoever, including without limitation if You breach these Terms and Conditions.</p>

<p>Upon termination, Your right to use the Service will cease immediately.</p>

</li>

<li><b class="text-start">Changes to These Terms and Conditions</b><p class="text-start">At Our sole discretion, we reserve the right to modify or replace these Terms at any time. If a revision is material We will make reasonable efforts to provide at least 30 days notice prior to any new terms taking

effect. What constitutes a material change will be determined at Our sole discretion.</p>

<p class="text-start">By continuing to access or use Our Service after those revisions become effective, You agree to be bound by the revised terms. If You do not agree to the new terms, in whole or in part, please stop using the website and the Service.</p>

</li>

<li><b class="text-start">Governing Law</b>

<p class="text-start">The laws of the Country, excluding its conflicts of law rules, shall govern these Terms and Your use of the Service. Your application use may also be subject to other local, state, national, or international laws.</p>

</li>

</ol>

</div>

</div>

</div>

<!-- Forgot Password -->

<div class="card d-flex justify-content-center d-none" id="forgotPassCard">

<div class="card-head p-2 mt-2 d-flex align-items-center"><i role="button" class="backIcon fa-solid fa-arrow-left me-3" id="rbackBtn"></i><span class="resetPassHead">Forgot Password</span>

</div>

<div class="card-body mt-1 mb-1">

<form id="resetPassForm" action="" method="post">

<!-- Fields -->

<div class="row gx-3 gy-3 mx-2">

<!-- Email -->

<div class="col-12">

<p class="text-start">Enter

your email address below and we'll send you a code to reset your password.</p>

</div>

<div class="col-12">

<input class="form-control" type="email" name="email" placeholder="Email" required>

</div>

</div>

<!-- Reset Pass btn -->

<div class="row m-0 mt-2">

<div class="col-12 d-flex justify-content-center align-items-center">

<button class="btn controlBt rounded-pill mt-3" name="resetBt" type="submit" form="resetPassForm" id="resetBt">Request reset link</button>

</div>

</div>

</form>

</div>

</div>



```
</div>
</div>

<!--Waves Container-->
<div>
<svg class="waves"
xmlns="http://www.w3.org/2000/svg"
xmlns:xlink="http://www.w3.org/1999/xlink" viewBox="0
24 150 28" preserveAspectRatio="none" shape-
rendering="auto">
<defs>
<path id="gentle-wave" d="M-160 44c30 0
58-18 88-18s 58 18 88 18 58 18 88 18
v44h-352z" />
</defs>
<g class="parallax">
<use xlink:href="#gentle-wave" x="48"
y="0" fill="rgba(255,255,255,0.7" />
<use xlink:href="#gentle-wave" x="48"
y="3" fill="rgba(255,255,255,0.5)" />
<use xlink:href="#gentle-wave" x="48"
y="5" fill="rgba(255,255,255,0.3)" />
<use xlink:href="#gentle-wave" x="48"
y="7" fill="#fff" />
</g>
</svg>
</div>
<!--Waves end-->

<?php
// LOGIN BTN
if (isset($_POST['loginBtn'])) {
    $email = $_POST['email'];
    $password = $_POST['password'];
    $password_hash = password_hash($password,
PASSWORD_DEFAULT);
    //hash = password_hash($password,
PASSWORD_DEFAULT);

    $queryLogin = "SELECT * FROM `admins` WHERE email = " . $email . "";
    $accounts = executeQuery($queryLogin);

    if (mysqli_num_rows($accounts) > 0) {
        while ($account =
mysqli_fetch_assoc($accounts)) {
            if (password_verify($password,
$account['password'])) {
                $_SESSION['admin_id'] =
$account['admin_id'];
                $_SESSION['firstName'] =
$account['first_name'];
                $_SESSION['lastName'] =
$account['last_name'];
                $_SESSION['birthday'] =
$account['birthday'];
                $_SESSION['contactNumber'] =
$account['contact_no'];
                $_SESSION['email'] = $account['email'];
                $_SESSION['admin_type_id'] =
$account['admin_type_id'];
                $_SESSION['dp'] =
$account['profile_pic'];
            }
        }
    }
}
```

```
$updateStatus = "UPDATE `admins` SET `status` = 'Online' WHERE `admin_id` = " .
$_SESSION['admin_id']. """;
executeQuery($updateStatus);

if ($_SESSION['admin_type_id'] == 1) {
    echo '<script>
        window.location.href =
"dashboard.php";
    </script>';
} else if (($_SESSION['admin_type_id']
== 2)) {
    echo '<script>
        window.location.href =
"dashboard.php";
    </script>';
} else if ($_SESSION['admin_type_id']
== 3) {
    echo '<script>
        window.location.href =
"addEntry.php";
    </script>';
} else {
    echo '<script>
        Swal.fire({
            icon: "info",
            title: "Hold on",
            html:
                "Your account is not yet verified.
Please wait for a confirmation email within 1 to 24
hours.",
        }).then((result) => {
            if (result.isConfirmed) {
                window.location.href =
"./index.php";
            }
        });
    </script>';
}
} else {
    echo '<script>
        Swal.fire({
            icon: "error",
            title: "Invalid email/password",
        }).then((result) => {
            if (result.isConfirmed) {
                window.location.href =
"./index.php";
            }
        });
    </script>';
}
} else {
    echo '<script>
        Swal.fire({
            icon: "error",
            title: "Oops...",
            text: "No account was found. Click Sign up to
create one."
        }).then((result) => {
            if (result.isConfirmed) {
                window.location.href = "./index.php";
            }
        });
    </script>';
}
```



```
        }

//SIGN UP
if (isset($_POST['signupBtn'])) {
    $firstName = $_POST['firstName'];
    $lastName = $_POST['lastName'];
    $birthday = $_POST['birthday'];
    $contactNumber = $_POST['contactNumber'];
    $email = $_POST['email'];
    $password = $_POST['password'];
    $confirmPassword =
$_POST['confirmPassword'];

    $verifyExisting = "SELECT * FROM `admins` WHERE `email` = '" . $email . "'";
    $existingResult =
executeQuery($verifyExisting);

    while (mysqli_num_rows($existingResult) > 0) {
        echo '<script>';
        Swal.fire({
            icon: "error",
            title: "Email already registered",
            text: "The same email has already been registered by another user. If it's you, just log in."
        }).then((result) => {
            if (result.isConfirmed) {
                window.location.href = "index.php";
            }
        });
        '</script>';
    }

    if ($password == $confirmPassword) {
        $password_hash =
password_hash($password, PASSWORD_DEFAULT);

        if (isset($_FILES['dp']['name']) &&
$_FILES['dp']['name'] != "") {

            $allowedTypes = ['image/jpeg', 'image/jpg',
'image/png'];
            $imgType = $_FILES['dp']['type'];

            if (!in_array($imgType, $allowedTypes)) {
                echo '<script>';
                Swal.fire({
                    icon: "error",
                    title: "File not accepted",
                    text: "Only JPG, JPEG, and PNG
images are allowed."
                }).then((result) => {
                    if (result.isConfirmed) {
                        window.location.href =
"index.php";
                    }
                });
                '</script>';
            }
        }
    }
}

$imgName = $_FILES['dp']['name'];
$imgTmp = $_FILES['dp']['tmp_name'];
$imgSize = $_FILES['dp']['size'];

if ($imgSize > 10000000) {
    echo '<script>';
    Swal.fire({
        icon: "error",
        title: "File not accepted",
        text: "File size must be less than
10MB."
    }).then((result) => {
        if (result.isConfirmed) {
            window.location.href =
"index.php";
        }
    });
    '</script>';
    exit;
}

$extension = pathinfo($imgName,
PATHINFO_EXTENSION);
$newName = $firstName . $lastName . '.' .
$extension;
$imgPath = 'assets/img/profile-pictures/' .
$newName;

if (!move_uploaded_file($imgTmp,
$imgPath)) {
    $imgPath = "assets/img/profile-
pictures/_default.png";
    echo '<script>';
    Swal.fire({
        icon: "error",
        title: "Failed to upload the image",
    })
    '</script>';
    exit;
} else {
    $imgPath = "assets/img/profile-
pictures/_default.png";
}

$querySignup = "INSERT INTO `admins`(
`first_name`, `last_name`, `birthday`, `contact_no`,
`email`, `password`, `status`, `profile_pic`,
`admin_type_id`) VALUES (" . $firstName . ",",
. $lastName . ", " . $birthday . ", " . $contactNumber . ",
. $email . ", " . $password_hash . ", 'Offline', "
. $imgPath . ", '0')";

if (executeQuery($querySignup)) {
    echo '<script>';
    Swal.fire({
        icon: "success",
        title: "Account created",
        text: "Please wait for the
verification email before logging in."
    }).then((result) => {
        if (result.isConfirmed) {
            window.location.href =
"index.php";
        }
    });
}
} else {
    echo '<script>'
```



```
Swal.fire({
    icon: "error",
    text: "" . $querySignup . ""
}).then((result) => {
    if (result.isConfirmed) {
        window.location.href =
    "index.php";
    }
});
</script>';
}
} else {
echo '<script>
Swal.fire({
icon: "error",
title: "Passwords do not match",
}).then((result) => {
if (result.isConfirmed) {
window.location.href =
"./index.php";
}
});
</script>';
}
}

// FORGOT PASSWORD
require_once
"assets/PHPMailer/src/Exception.php";
require_once
"assets/PHPMailer/src/PHPMailer.php";
require_once "assets/PHPMailer/src/SMTP.php";

if (isset($_POST["resetBtn"])) {
    $getAdminInfo = "SELECT * FROM `admins` WHERE `email` = " . $_POST['email'] . " ";
    $adminInfo = executeQuery($getAdminInfo);
    $count = mysqli_num_rows($adminInfo);

    if ($count > 0) {
        while ($adminData =
mysqli_fetch_assoc($adminInfo)) {
            function generateOTP($length = 6)
            {
                $characters = '0123456789';
                $charactersLength = strlen($characters);
                $otp = "";
                for ($i = 0; $i < $length; $i++) {
                    $otp .= $characters[rand(0,
$charactersLength - 1)];
                }
                $_SESSION['otp'] = [
                    'code' => $otp,
                    'created_at' => time()
                ];
                return $otp;
            }

            // Generate OTP
            $otp = generateOTP();

            //Set session email
            $_SESSION['email'] = $adminData['email'];
            $_SESSION['admin_type_id'] =
$adminData['admin_type_id'];
            $adminFname = $adminData['first_name'];
            $adminLname = $adminData['last_name'];
        }
    }
}

//Send email
$mail = new PHPMailer();
$mail->SMTPDebug = 0;
$mail->isSMTP();
$mail->Host = 'smtp.gmail.com';
$mail->Port = 587;
$mail->SMTPAuth = true;
$mail->From = "kksampiruhan@gmail.com";
$mail->FromName = "KKIS";
$mail->Username =
"kksampiruhan@gmail.com";
$mail->Password = 'ndvqboozxpnxhmoi';
$mail->addAddress($_SESSION['email']);
$mail->isHTML(true);
$mail->Subject = 'Reset password';
$mail->Body = "<p>Hi, " . $adminFname . " .
$adminLname . "</p>
<p>There was a request to change your
password.</p>
<p>If you did not make this request then please
ignore this email.</p>
<p>Otherwise, use the following code to reset
your password: <a href='#" . $_SESSION['otp']['code']
. "</a>. This will expire after 5 minutes.</p>
<br>
<br>
<div>
<p>Regards,</p>
<p><b>KATIPUNAN NG KABATAAN</b></p>
</div>";

if ($mail->send()) {
    echo '<script>
Swal.fire({
icon: "success",
title: "Link sent",
}).then((result) => {
if (result.isConfirmed) {
window.location.href = "verify-code.php";
}
});
</script>';
} else {
    echo '<script>
Swal.fire({
icon: "error",
title: "Email not sent",
}).then((result) => {
if (result.isConfirmed) {
window.location.href = "index.php";
}
});
</script>';
}
} else {
    echo '<script>
Swal.fire({
icon: "error",
title: "Email not registered",
}).then((result) => {
if (result.isConfirmed) {
window.location.href = "index.php";
}
});
</script>';
}
}
```



```
});  
    </script>';  
}  
?  
</div>  
  
<?php  
require_once "fundamental-scripts.php"  
?>  
  
<!-- Custom Script --&gt;<br/>    <script type="text/javascript"  
src="assets/js/index.js"></script>  
    <script type="text/javascript"  
src="assets/js/showPass.js"></script>  
  
</body>  
</html>  
  
        verify-code.php  
  
<?php  
require_once "access-staff.php";  
?>  
<!DOCTYPE html>  
<html>  
  
<head>  
    <meta charset="utf-8">  
    <meta name="viewport" content="width=device-width, initial-scale=1.0, shrink-to-fit=no">  
    <title>Verify Code</title>  
  
    <?php  
    require_once "fundamental-links.php"  
    ?>  
  
    <!-- Custom Stylesheets --&gt;<br/>    <link rel="stylesheet"  
href="assets/css/animatedBG.css">  
    <link rel="stylesheet" href="assets/scss/index.css">  
    <link rel="stylesheet"  
href="assets/scss/sideMenu.css">  
  
    <!-- Favicon --&gt;<br/>    <link rel="icon" type="image/x-icon"  
href="assets/img/logos/kkis.ico">  
</head>  
  
<body>  
  
    <div class="header">  
        <!--Content before waves-->  
        <div class="inner-header flex">  
  
            <!-- START OF CONTENT -->  
            <div class="container-fluid d-flex justify-content-center align-items-center indexContent">  
                <div class="card d-flex justify-content-center" id="verifyCard">  
                    <div class="card-body">  
                        <div class="row m-0 d-flex justify-content-center">  
                            <div class="col-12 text-center">  
                                <span class="cardHead">Verify it's  
you</span>  
                            </div>  
                        </div>  
                        <div class="row mx-3 my-0">  
                            <div class="col-12 text-center p-0">  
                                  
                            </div>  
                        </div>  
                        <form action="" method="POST">  
                            <div class="row mx-0 gx-3 fieldRow">  
                                <div class="col-12">  
                                    <p class="text-center mb-4" style="font-size: 16px;">The reset code was sent to  
your email.</p>  
                                    <label for="otp" class="form-label d-flex align-items-start justify-content-start" style="font-size: 14px; color: #a0a0a0">Enter  
code</label>  
                                    <input type="otp" class="form-control" name="otp">  
                                </div>  
                            </div>  
                            <div class="col-12 mt-4 d-flex justify-content-center">  
                                <button type="submit" class="btn verifyBtn rounded-pill mt-3" name="verify">Verify</button>  
                            </div>  
                        </div>  
                    </div>  
                </div>  
            </div>  
        </div>  
        <!-- END OF CONTENT -->  
    </div>  
  
    <!--Waves Container-->  
    <div>  
        <svg class="waves" xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" viewBox="0 24 150 28" preserveAspectRatio="none" shape-rendering="auto">  
            <defs>  
                <path id="gentle-wave" d="M-160 44c30 0 58-18 88-18s 58 18 88 18 58-18 88 18 v44h-352z" />  
            </defs>  
            <g class="parallax">  
                <use xlink:href="#gentle-wave" x="48" y="0" fill="rgba(255,255,255,0.7)" />  
                <use xlink:href="#gentle-wave" x="48" y="3" fill="rgba(255,255,255,0.5)" />  
                <use xlink:href="#gentle-wave" x="48" y="5" fill="rgba(255,255,255,0.3)" />  
                <use xlink:href="#gentle-wave" x="48" y="7" fill="#fff" />  
            </g>  
        </svg>  
    </div>  
    <!--Waves end-->  
    <?php
```



```
if (isset($_POST['verify'])) {
    $code = $_POST['otp'];

    function isValidOTP($otp)
    {
        if (!isset($_SESSION['otp']) ||
            !isset($_SESSION['otp']['code']) ||
            !isset($_SESSION['otp']['created_at'])) {
            return false;
        }
        $elapsed = time() -
        $_SESSION['otp']['created_at'];
        $expiration = 300; // 5 minutes
        if ($_SESSION['otp']['code'] !== $otp ||
            $elapsed > $expiration) {
            unset($_SESSION['otp']);
            return false;
        }
        unset($_SESSION['otp']);
        return true;
    }

    if ($code == $_SESSION['otp']['code']) {
        $valid = isValidOTP($code);
        if ($valid) {
            echo
'<script>window.location.href="password-
reset.php"</script>';
        } else {
            echo '
<script>
Swal.fire({
icon: "error",
title: "Code already expired!"
}).then((result) => {
    if (result.isConfirmed) {
        window.location.href="index.php"
    }
})
';
            echo '</script>';
        }
    } else {
        echo '<script>
Swal.fire({
icon: "error",
title: "Code invalid",
}).then((result) => {
    if (result.isConfirmed) {
        window.location.href = "index.php";
    }
});
';
        echo '</script>';
    }
}
?>
</div>

<?php
require_once "fundamental-scripts.php"
?>

<!-- Custom Script -->
<script type="text/javascript"
src="assets/js/index.js"></script>
```

```
</body>
</html>

password-reset.php

<?php
require_once "access-staff.php";
?>
<!DOCTYPE html>
<html>

<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-
width, initial-scale=1.0, shrink-to-fit=no">
    <title>Reset Password</title>

    <?php
require_once "fundamental-links.php"
?>

    <!-- Custom Stylesheets -->
    <link rel="stylesheet"
href="assets/css/animatedBG.css">
    <link rel="stylesheet" href="assets/scss/index.css">
    <link rel="stylesheet"
href="assets/scss/sideMenu.css">

    <!-- Favicon -->
    <link rel="icon" type="image/x-icon"
href="assets/img/logos/kkis.ico">
</head>

<body>
    <div class="header">
        <!--Content before waves-->
        <div class="inner-header flex">

            <!-- START OF CONTENT -->
            <div class="container-fluid d-flex justify-content-
center align-items-center indexContent">
                <div class="card d-flex justify-content-center"
id="resetCard">
                    <div class="card-body">
                        <div class="row m-0 d-flex justify-
content-center">
                            <div class="col-12 text-center mt-3">
                                <span class="cardHead">Reset
                                Password</span>
                            </div>
                        </div>
                    </div>
                <div class="row mx-3 my-0">
                    <div class="col-12 text-center p-
0">
                </div>
            </div>
        <form id="resetForm" action="">
            <div class="row mx-0 gx-3 gy-3
fieldRow">
                <!-- Email -->
                <div class="col-12">
```



```
<input type="email" class="form-control" name="email" placeholder="Email" required>
</div>

<div class="col-12">
    <input type="password" class="form-control" name="newPass" pattern="(?=.*d)(?=.*[a-z])(?=.*[A-Z])(?=.*[!@#$%^&*]).{8}" title="Must be at least 8 characters, including at least one number, one uppercase and lowercase letter, and one special character." placeholder="New password" id="resetNewPassword" required>
        <i class="toggle-password far fa-eye-slash" id="toggleResetNewPassword" toggle="#password-field"></i> </span>
    </div>

<div class="col-12">
    <input type="password" class="form-control" name="confirmPass" id="resetconPassword" placeholder="Confirm new password" maxlength="30" required>
        <i class="toggle-password far fa-eye-slash" id="toggleResetconPassword" toggle="#password-field"></i> </span>
    <!-- Password mismatch -->
    <div id="messageMismatch" class="d-none d-flex justify-content-start align-items-center my-0 py-1">
        <i class="fa-solid fa-circle-exclamation" style="font-size: 14px; color: red; margin-right: 5px"></i>
        <span id="errorMessage" class="text-start py-1 my-0" style="font-size: 14px; color: red"></span>
    </div>
    <!-- Password match -->
    <div id="messageMatch" class="d-none d-flex justify-content-start align-items-center my-0 py-1">
        <i class="fa-solid fa-circle-check" style="font-size: 14px; color: #3FB44A; margin-right: 5px"></i>
        <span id="successMessage" class="text-start py-1 my-0" style="font-size: 14px; color: #3FB44A"></span>
    </div>
    <div class="col-12 mt-4 d-flex justify-content-center">
        <button type="submit" class="btn resetBtn rounded-pill mt-3" name="reset">Reset Password</button>
    </div>
    </div>
    </form>
</div>
</div>
<!-- END OF CONTENT --&gt;
&lt;/div&gt;

&lt;!-- Waves Container--&gt;
&lt;div&gt;</pre>
```

```
<svg class="waves"
xmlns="http://www.w3.org/2000/svg"
xmlns:xlink="http://www.w3.org/1999/xlink" viewBox="0 24 150 28" preserveAspectRatio="none" shape-rendering="auto">
    <defs>
        <path id="gentle-wave" d="M-160 44c30 0 58-18 88-18s 58 18 88 18 58 18 88 18v44h-352z" />
    </defs>
    <g class="parallax">
        <use xlink:href="#gentle-wave" x="48" y="0" fill="rgba(255,255,255,0.7)" />
        <use xlink:href="#gentle-wave" x="48" y="3" fill="rgba(255,255,255,0.5)" />
        <use xlink:href="#gentle-wave" x="48" y="5" fill="rgba(255,255,255,0.3)" />
        <use xlink:href="#gentle-wave" x="48" y="7" fill="#fff" />
    </g>
</svg>
</div>
<!--Waves end-->

<?php
if (isset($_POST['reset'])) {
    $enteredEmail = $_POST['email'];
    $verifyEmail = "SELECT * FROM `admins` WHERE `email` = " . $enteredEmail . "";
    $verifyResult = executeQuery($verifyEmail);
    $verifyCount = mysqli_num_rows($verifyResult);
    $regEmail = "";

    if ($verifyCount == 1) {
        while ($existing = mysqli_fetch_assoc($verifyResult)) { //Check if entered email exists
            $regEmail = $existing['email'];
        }
        if ($regEmail == $_SESSION['email']) { // if entered email is owned by the user
            $password = $_POST['newPass'];
            $password_hash = password_hash($password, PASSWORD_DEFAULT);
            $updatePassword = "UPDATE `admins` SET `password` = '$password_hash' WHERE `email` = " . $regEmail . "";
            if (executeQuery($updatePassword)) {
                echo '<script>';
                Swal.fire({
                    icon: "success",
                    title: "Password updated",
                }).then((result) => {
                    if (result.isConfirmed) {
                        window.location.href = "index.php";
                    }
                });
                '</script>';
            } else {
                echo '<script>';
                Swal.fire({
                    icon: "error",
                    title: "Failed to reset password"
                }).then((result) => {
```



```
        if (result.isConfirmed) {
            window.location.href =
        "index.php";
        }
    });
    </script>';
}
} else {
echo '<script>
Swal.fire({
icon: "error",
title: "Invalid",
text: "Email is owned by someone
else."
}).then((result) => {
if (result.isConfirmed) {
    window.location.href = "index.php";
}
});
</script>';
}
} else {
echo '<script>
Swal.fire({
icon: "error",
title: "Email not registered",
}).then((result) => {
if (result.isConfirmed) {
    window.location.href = "index.php";
}
});
</script>';
}
} ?>
</div>

<?php
require_once "fundamental-scripts.php";
?>

<!-- Custom Script -->
<script type="text/javascript"
src="assets/js/index.js"></script>
<script>
// for password-reset new pw
const newPasslcn =
document.querySelector('#toggleResetNewPassword');
const newResetPass =
document.querySelector('#resetNewPassword');

newPasslcn.addEventListener('click', function(e) {
    // toggle the type attribute
    const type = newResetPass.getAttribute('type')
    === 'password' ? 'text' : 'password';
    newResetPass.setAttribute('type', type);
    // toggle the eye slash icon
    this.classList.toggle('fa-eye');
});

const passlcn =
document.querySelector('#toggleResetconPassword');
const resetPass =
document.querySelector('#resetconPassword');

passlcn.addEventListener('click', function(e) {
    // toggle the type attribute
```

```
        const type = resetPass.getAttribute('type') ===
'password' ? 'text' : 'password';
resetPass.setAttribute('type', type);
// toggle the eye slash icon
this.classList.toggle('fa-eye');
});
</script>
</body>
</html>
```

### sideMenu.php

```
<!DOCTYPE html>
<html lang="en">

<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible"
content="IE=edge">
<meta name="viewport" content="width=device-
width, initial-scale=1.0">
<title>Side Navigation</title>

<!-- Custom Stylesheets -->
<link rel="stylesheet"
href="assets/scss/sideMenu.css">
</head>

<body>
<div class="sideNav d-none d-lg-block">
<div class="logoDiv my-4 d-flex justify-content-
center align-items-center p-0">

<span id="logoTxt">KKIS</span>
</div>

<hr>

<!-- Page Links -->
<div class="row mx-0 my-4 p-0">
<div class="col-12 d-flex justify-content-start
align-items-center my-3 p-0">
<a href="./dashboard.php" class="navPage d-
flex justify-content-start align-items-center"
id="dashboard-link">
<div class="iconContainer d-flex justify-
content-start align-items-center me-2">
<i class="icon fa-solid fa-chart-column"
id="dashlcon"></i>
</div>
Dashboard
</a>
</div>

<div class="col-12 d-flex justify-content-start
align-items-center my-3 p-0">
<a href="./households.php" class="navPage d-
flex justify-content-start align-items-center"
id="households-link">
<div class="iconContainer d-flex justify-
content-start align-items-center me-2">
```



```
<i class="icon fa-solid fa-house-chimney-user" id="householdsIcon"></i>
</div>
    Declared Households
</a>
</div>

<div class="col-12 d-flex justify-content-start align-items-center my-3 p-0">
    <a href=".//profiles-kabataan.php" class="navPage d-flex justify-content-start align-items-center" id="profiles-link">
        <div class="iconContainer d-flex justify-content-start align-items-center me-2">
            <i class="icon fa-solid fa-user-group" id="profilesIcon"></i>
        </div>
        Profiles
    </a>
</div>

<div class="col-12 d-flex justify-content-start align-items-center my-3 p-0">
    <a href=".//addEntry.php" class="navPage d-flex justify-content-start align-items-center" id="add-link">
        <div class="iconContainer d-flex justify-content-start align-items-center me-2">
            <i class="icon fa-solid fa-user-plus" id="addEntryIcon"></i>
        </div>
        Add New Entry
    </a>
</div>

<div class="col-12 d-flex justify-content-start align-items-center my-3 p-0">
    <a href=".//kkid.php" class="navPage d-flex justify-content-start align-items-center" id="kkid-link">
        <div class="iconContainer d-flex justify-content-start align-items-center me-2">
            <i class="icon fa-regular fa-id-card" id="kkidIcon"></i>
        </div>
        KK ID Card
    </a>
</div>

<div class="col-12 d-flex justify-content-start align-items-center my-3 p-0">
    <a href=".//transactions.php" class="navPage d-flex justify-content-start align-items-center" id="transactions-link">
        <div class="iconContainer d-flex justify-content-start align-items-center me-2">
            <i class="icon fa-solid fa-clock-rotate-left" id="transacIcon"></i>
        </div>
        Transaction History
    </a>
</div>
<hr>
<footer>
```

```
<!-- Settings and Log out -->
<div class="row mx-0 mb-4 p-0" id="botOptions">
    <div class="col-12 my-1 p-0">
        <a href=".//settings.php?page=user-manual" class="navPage">
            Settings
        </a>
    </div>

    <hr>
    <div class="col-12 my-1 p-0">
        <a href=".//logout.php" class="navPage">
            Log out
        </a>
    </div>
    <hr width="80%">
</div>
<!-- Copyright -->
<p style="font-size: 14px; color: #808080">Copyright Here</p>
</footer>
</div>

<!-- SMALL SCREEN NAV -->
<nav class="d-flex d-lg-none navbar navbar-expand-lg navbar-light" id="smallNav">
    <div class="container-fluid d-flex align-items-center">
        <a class="navbar-brand d-flex align-items-center p-0" href=".//dashboard.php">KKIS</a>
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#smallNavMenu" aria-controls="smallNavMenu" aria-expanded="false" aria-label="Toggle navigation">
            <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="smallNavMenu">
            <ul class="navbar-nav me-auto mb-2 mb-lg-0">
                <li class="nav-item">
                    <a class="nav-link" href=".//dashboard.php" id="dashboard-md-link">Dashboard</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href=".//households.php" id="households-md-link">Declared Households</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href=".//profiles-kabataan.php" id="profiles-md-link">Profiles</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href=".//addEntry.php" id="add-md-link">Add New Entry</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href=".//kkid.php" id="kkid-md-link">KK ID Card</a>
                </li>
            </ul>
        </div>
    </div>
</nav>
```



```
</li>
<li class="nav-item">
    <a class="nav-link"
        href=".//transactions.php" id="transactions-md-link">Transaction History</a>
    </li>
    <br>
    <li class="nav-item">
        <a class="nav-link nav-md-link"
            href="settings.php?page=user-manual"
            id="transactions-md-link">Settings</a>
        </li>
        <li class="nav-item">
            <a class="nav-link nav-md-link"
                href=".//logout.php" id="transactions-md-link">Log out</a>
            </li>
        </ul>
    </div>
</div>
</nav>

<!-- Custom Script -->
<script type="text/javascript"
src="assets/js/sideMenu.js"></script>
</body>
</html>
```

#### sideMenu-admin.php

```
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible"
content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Side Navigation</title>

    <!-- Custom Stylesheets -->
    <link rel="stylesheet"
href="assets/scss/sideMenu.css">
</head>

<body>
    <div class="sideNav d-none d-lg-block">
        <div class="logoDiv my-4 d-flex justify-content-center align-items-center p-0">
            
            <span id="logoTxt">KKIS</span>
        </div>
        <hr>
        <!-- Page Links -->
        <div class="row mx-0 my-4 p-0">
            <div class="col-12 d-flex justify-content-start align-items-center my-3 p-0">
                <a href=".//dashboard.php" class="navPage d-flex justify-content-start align-items-center"
id="dashboard-link">
```

```
                <div class="iconContainer d-flex justify-content-start align-items-center me-2">
                    <i class="icon fa-solid fa-chart-column"
id="dashIcon"></i>
                </div>
                Dashboard
            </a>
        </div>

        <div class="col-12 d-flex justify-content-start align-items-center my-3 p-0">
            <a href=".//profiles-kabataan.php"
class="navPage d-flex justify-content-start align-items-center"
id="profiles-link">
                <div class="iconContainer d-flex justify-content-start align-items-center me-2">
                    <i class="icon fa-solid fa-user-group"
id="profilesIcon"></i>
                </div>
                Profiles
            </a>
        </div>

        <div class="col-12 d-flex justify-content-start align-items-center my-3 p-0">
            <a href=".//addEntry.php" class="navPage d-flex justify-content-start align-items-center"
id="add-link">
                <div class="iconContainer d-flex justify-content-start align-items-center me-2">
                    <i class="icon fa-solid fa-user-plus"
id="addEntryIcon"></i>
                </div>
                Add New Entry
            </a>
        </div>

        <div class="col-12 d-flex justify-content-start align-items-center my-3 p-0">
            <a href=".//kkid.php" class="navPage d-flex justify-content-start align-items-center"
id="kkid-link">
                <div class="iconContainer d-flex justify-content-start align-items-center me-2">
                    <i class="icon fa-regular fa-id-card"
id="kkidIcon"></i>
                </div>
                KK ID Card
            </a>
        </div>

        <div class="col-12 d-flex justify-content-start align-items-center my-3 p-0">
            <a href=".//transactions.php" class="navPage d-flex justify-content-start align-items-center"
id="transactions-link">
                <div class="iconContainer d-flex justify-content-start align-items-center me-2">
                    <i class="icon fa-solid fa-clock-rotate-left"
id="transacIcon"></i>
                </div>
                Transaction History
            </a>
        </div>
    </div>
</hr>
```



```
<footer>
    <!-- Settings and Log out -->
    <div class="row mx-0 mb-5 p-0"
id="botOptions">
        <div class="col-12 my-1 p-0">
            <a href="settings.php?page=user-manual"
class="navPage">
                Settings
            </a>
        </div>

        <hr>
        <div class="col-12 my-1 p-0">
            <a href=".logout.php" class="navPage">
                Log out
            </a>
        </div>
        <hr>
    </div>
    <!-- Copyright -->
    <p style="font-size: 14px; color:
#808080">Copyright Here</p>
</footer>
</div>

<!-- SMALL SCREEN NAV -->
<nav class="d-flex d-lg-none navbar navbar-expand-
lg navbar-light" id="smallNav">
    <div class="container-fluid d-flex align-items-
center">
        <a class="navbar-brand d-flex align-items-
center p-0" href="dashboard.php">KKIS</a>
        <button class="navbar-toggler" type="button"
data-bs-toggle="collapse" data-bs-
target="#smallNavMenu" aria-controls="smallNavMenu"
aria-expanded="false" aria-label="Toggle navigation">
            <span class="navbar-toggler-icon"></span>
        </button>

        <div class="collapse navbar-collapse"
id="smallNavMenu">
            <ul class="navbar-nav me-auto mb-2 mb-lg-
0">
                <li class="nav-item">
                    <a class="nav-link"
href=".dashboard.php" id="dashboard-md-
link">Dashboard</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href=".profiles-
kabataan.php" id="profiles-md-link">Profiles</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link"
href=".addEntry.php" id="add-md-link">Add New
Entry</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href=".kkid.php"
id="kkid-md-link">KK ID Card</a>
                </li>
            <li class="nav-item">

sideMenu-staff.php



```
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible"
content="IE=edge">
    <meta name="viewport" content="width=device-
width, initial-scale=1.0">
    <title>Side Navigation</title>

    <!-- Custom Stylesheets -->
    <link rel="stylesheet"
href="assets/scss/sideMenu.css">
</head>

<body>
    <div class="sideNav d-none d-lg-block">
        <div class="logoDiv my-4 d-flex justify-content-
center align-items-center p-0">
            
            <span id="logoTxt">KKIS</span>
        </div>
        <hr>
        <!-- Page Links -->
        <div class="row mx-0 my-4 p-0">
            <div class="col-12 d-flex justify-content-start
align-items-center my-3 p-0">
```


```



```
<a href=".//addEntry.php" class="navPage d-  
flex justify-content-start align-items-center" id="add-  
link">  
    <div class="iconContainer d-flex justify-  
    content-start align-items-center me-2">  
        <i class="icon fa-solid fa-user-plus" id="addEntryIcon"></i>  
        </div>  
        Add New Entry  
    </a>  
    </div>  
</div>  
  
<hr>  
  
<footer>  
    <!-- Settings and Log out -->  
    <div class="row mx-0 mb-5 p-0" id="botOptions">  
        <div class="col-12 my-1 p-0">  
            <a href="settings.php?page=user-manual" class="navPage">  
                Settings  
            </a>  
        </div>  
  
        <hr>  
        <div class="col-12 my-1 p-0">  
            <a href=".//logout.php" class="navPage">  
                Log out  
            </a>  
        </div>  
        <hr>  
    </div>  
    <!-- Copyright -->  
    <p style="font-size: 14px; color: #808080">Copyright Here</p>  
</footer>  
</div>  
  
<!-- SMALL SCREEN NAV -->  
<nav class="d-flex d-lg-none navbar navbar-expand-  
lg navbar-light" id="smallNav">  
    <div class="container-fluid d-flex align-items-  
center">  
        <a class="navbar-brand d-flex align-items-  
center p-0" href="addEntry.php">KKIS</a>  
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#smallNavMenu" aria-controls="smallNavMenu" aria-expanded="false" aria-label="Toggle navigation">  
            <span class="navbar-toggler-icon"></span>  
        </button>  
  
        <div class="collapse navbar-collapse" id="smallNavMenu">  
            <ul class="navbar-nav me-auto mb-2 mb-lg-  
0">  
                <li class="nav-item">  
                    <a class="nav-link" href=".//addEntry.php" id="add-md-link">Add New  
Entry</a>  
                </li>  
                <li class="nav-item">
```

```
<a class="nav-link nav-md-link" href="settings.php?page=user-manual" id="transactions-md-link">Settings</a>  
    </li>  
    <li class="nav-item">  
        <a class="nav-link nav-md-link" href=".//logout.php" id="transactions-md-link">Log  
out</a>  
    </li>  
</ul>  
</div>  
</div>  
</nav>  
  
<!-- Custom Script -->  
<script type="text/javascript" src="assets/js/sideMenu.js"></script>  
</body>  
</html>
```

### dashboard.php

```
<?php  
require_once "access-super-admin.php";  
  
$UserRole = "SELECT `description` FROM  
`admin_type` WHERE `admin_type_id` = ".  
$_SESSION['admin_type_id']. """;  
$role = mysqli_fetch_array(executeQuery($UserRole));  
?>  
  
<!DOCTYPE html>  
<html>  
  
<head>  
    <meta charset="utf-8">  
    <meta name="viewport" content="width=device-  
width, initial-scale=1.0, shrink-to-fit=no">  
    <title>Dashboard</title>  
  
<?php  
require_once "fundamental-links.php";  
?>  
  
<!-- Slick -->  
    <link rel="stylesheet" type="text/css" href="//cdn.jsdelivr.net/npm/slick-  
carousel@1.8.1/slick/slick.css" />  
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/slick-  
carousel/1.8.1/slick-theme.min.css" />  
  
<!-- Custom Stylesheets -->  
    <link rel="stylesheet" href="assets/scss/dashboard.css" />  
    <link rel="stylesheet" href="assets/scss/sideMenu.css" />  
  
<!-- Favicon -->  
    <link rel="icon" type="image/x-icon" href="assets/img/logos/kkis.ico" />  
</head>  
  
<body>
```



```

<div class="expanded d-none d-lg-flex"
id="leftPanel">
    <?php
    if ($adminTypeID == 1) {
        include 'sideMenu.php';
    } else if ($adminTypeID == 2) {
        include 'sideMenu-admin.php';
    } else {
        include "sideMenu-staff.php";
    }
?>
</div>

<div class="mainContainer" id="mainPanel">
    <header class="d-lg-none d-flex" id="mdHeader">
        <!-- Append Small Nav here -->
    </header>
    <header class="d-none d-lg-block" id="lgHeader">
        <div class="row mx-0" id="headerRow">
            <div class="col-md-8 col-12 d-flex justify-
content-start align-items-center">
                <i class="fa-solid fa-bars me-4 d-none"
id="hamburger" role="button"></i>
                <i class="fa-solid fa-xmark me-4"
id="close" role="button"></i>
                <span
class="pageTitle">Dashboard</span>
            </div>
            <div class="col-md-4 d-none d-md-flex justify-
content-end align-items-center">
                <span class="accountType"><?php echo
$role['description']; ?></span>
            </div>
            <hr id="headerHR">
        </div>
    </header>

    <!-- CONTENT START -->
    <div class="container-fluid content">
        <div class="sectionDiv">
            <div class="row gx-5 mb-1">
                <!-- Minor Categories -->
                <p class="sectionTitle">General
Residents</p>
                <div class="carousel d-flex justify-content-
center">
                    <!-- Mini Category1: Total Citizens -->
                    <div class="d-flex justify-content-center
align-items-center" style="width: 500px;">
                        <a href="tblTotalCitizens.php"
style="background-color: #001E40; width: 100%;
border-radius: 1em">
                            <div class="minorCategory"
id="totalCitizens">
                                <div class="texts w-100">
                                    <p class="whiteLbl">Total
Citizens</p>
                                </div>
                                <div class="row m-0 align-self-
end" style="z-index: 99">
                                    <div class="col-12 col-md-9 p-
0">
                                        <p class="mcCount
citizensCount" id="">
                                            <?php
                                                $totalCitizens_query =
"SELECT * FROM `residents`";
                                                $totalCitizens_query_run =
executeQuery($totalCitizens_query);
                                                if ($dash_totalCitizens =
mysqli_num_rows($totalCitizens_query_run)) {
                                                    echo
$dash_totalCitizens;
                                                } else {
                                                    echo '0';
                                                }
?>
                                    </div>
                                </div>
                            </div>
                        </a>
                    </div>
                </div>
                <!-- Mini Category2: General Citizens -->
                <div class="d-flex justify-content-center
align-items-center" style="width: 300px;">
                    <a href="tblGeneralCitizens.php"
style="background-color: #D7ECFA; width: 100%;
border-radius: 1em;">
                        <div class="minorCategory row"
id="genCitizens">
                            <div class="texts">
                                <p class="minorLbl">General
Citizens</p>
                            </div>
                            <?php
                                $genCitizens_query =
"SELECT *, DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(),
birthday)), '%Y') + 0 AS `age` FROM `residents` WHERE
DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(),
birthday)), '%Y') + 0 NOT BETWEEN 14 AND 31";
                                $genCitizens_query_run =
executeQuery($genCitizens_query);
                                if ($dash_genCitizens =
mysqli_num_rows($genCitizens_query_run)) {
                                    echo '<p class="mcCount d-
flex"> ' . $dash_genCitizens . '</p>';
                                } else {
                                    echo '<p class="mcCount d-
flex"> 0 </p>';
                                }
?>
                            <!-- PERCENTAGE IS TAKEN
FROM TOTAL NUMBER OF CITIZENS (a/b)*100 -->
                            <?php
                                // Data for total citizens
                                $totalCitizens = "SELECT *
FROM `residents`";
                                $totalCitizens_comp =
executeQuery($totalCitizens);
?>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

164

```
$dash_totalCitizens_comp =
mysqli_num_rows($totalCitizens_comp);
// Query to get data for general
citizens
$genCitizens_query =
"SELECT *,
DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(),
birthday)), '%Y') + 0 AS `age` FROM `residents`
WHERE
DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(),
birthday)), '%Y') + 0 NOT BETWEEN 15 AND 30";
$genCitizens_query_run =
executeQuery($genCitizens_query);
if ($dash_genCitizens =
mysqli_num_rows($genCitizens_query_run)) {
    // Formula to get
percentage
$percentage =
($dash_genCitizens / $dash_totalCitizens_comp) * 100;
$percentageConverted =
intval($percentage);
settype($percentage, 'int');
echo '<p class="percentage
d-flex"> ' . $percentage . '%' </p>';
} else {
    echo '<p class="percentage
d-flex"> 0% </p>';
}
?>
</div>
<div class="minilmg d-flex justify-
content-end align-items-end justify-content-sm-center">

</div>
</div>
<!-- Mini Category3: Children -->
<div class="d-flex justify-content-center
align-items-center" style="width: 300px;">
<a href="tblChildren.php"
style="background-color: #FFE5DB; width: 100%;
border-radius: 1em;">
<div class="minorCategory row"
id="children">
<div class="texts">
<p
class="minorLbl">Children</p>
<?php
$children_query = "SELECT
*, DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(),
birthday)), '%Y') + 0 AS `age` FROM `residents`
WHERE
DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(),
birthday)), '%Y') + 0 < 15";
$children_query_run =
executeQuery($children_query);
if ($dash_children =
mysqli_num_rows($children_query_run)) {
    echo '<p class="mcCount d-
flex"> ' . $dash_children . ' </p>';
} else {
    echo '0 </p>';
}
?>
</div>
<!-- Mini Category4: Senior Citizens -->
<div class="d-flex justify-content-center
align-items-center" style="width: 300px;">
<a href="tblSeniors.php"
style="background-color: #FFF4D1; width: 100%;
border-radius: 1em;">
<div class="minorCategory row"
id="senior">
<div class="texts">
<p class="minorLbl">Senior
Citizens</p>
```



```
<?php
$seniors_query = "SELECT *, DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(), birthday)), '%Y') + 0 AS `age` FROM `residents` WHERE DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(), birthday)), '%Y') + 0 >= 60";
$seniors_query_run = executeQuery($seniors_query);
if ($dash_seniors = mysqli_num_rows($seniors_query_run)) {
    echo '<p class="mcCount d-flex"> ' . $dash_seniors . '</p>';
} else {
    echo '<p class="mcCount d-flex"> 0 </p>';
}
?>
<!-- PERCENTAGE IS TAKEN FROM TOTAL NUMBER OF CITIZENS (a/b)*100 -->
<?php
// Data for total citizens
$totalCitizens = "SELECT * FROM `residents`";
$totalCitizens_comp = executeQuery($totalCitizens);
$dash_totalCitizens_comp = mysqli_num_rows($totalCitizens_comp);

// Query to get data for seniors
$seniors_query = "SELECT *, DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(), birthday)), '%Y') + 0 AS `age` FROM `residents` WHERE DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(), birthday)), '%Y') + 0 >= 60";
$seniorsquery_run = executeQuery($seniors_query);
if ($dash_seniors = mysqli_num_rows($seniors_query_run)) {
    // Formula to get percentage
    $percentage =
        ($dash_seniors / $dash_totalCitizens_comp) * 100;
    $percentageConverted =
        intval($percentage);
    settype($percentage, 'int');
    echo '<p class="percentage d-flex"> ' . $percentage . '% </p>';
} else {
    echo '<p class="percentage d-flex"> 0% </p>';
}
?>
<div class="minilmg d-flex justify-content-end align-items-end justify-content-sm-center">
    
</div>
</div>

<a>
</div>
<!-- Mini Category5: PWDs -->
<div class="d-flex justify-content-center align-items-center" style="width: 300px;">
    <a href="tblPWD.php" style="background-color: #DDFFF8; width: 100%; border-radius: 1em;">
        <div class="minorCategory row" id="pwd">
            <div class="texts">
                <p class="minorLbl">PWDs</p>
                <?php
                    $disability_query = "SELECT `disability` FROM `residents` WHERE `disability` != 'None' AND `disability` != '';
                    $disability_query_run = executeQuery($disability_query);
                    if ($dash_disability = mysqli_num_rows($disability_query_run)) {
                        echo '<p class="mcCount d-flex"> ' . $dash_disability . '</p>';
                    } else {
                        echo '<p class="mcCount d-flex"> 0 </p>';
                    }
                ?>
                <!-- PERCENTAGE IS TAKEN FROM TOTAL NUMBER OF CITIZENS (a/b)*100 -->
                <?php
                    $totalCitizens = "SELECT * FROM `residents`";
                    $totalCitizens_comp = executeQuery($totalCitizens);
                    $dash_totalCitizens_comp = mysqli_num_rows($totalCitizens_comp);

                    $disability_query = "SELECT `disability` FROM `residents` WHERE `disability` != 'None'";
                    $disability_query_run = executeQuery($disability_query);
                    $dash_disability =
                        mysqli_num_rows($disability_query_run);

                    $percentage =
                        $dash_totalCitizens_comp > 0 ? ($dash_disability / $dash_totalCitizens_comp) * 100 : 0;
                    $percentageConverted =
                        intval($percentage);
                    settype($percentage, 'int');
                    echo '<p class="percentage d-flex"> ' . $percentage . '% </p>';
                ?>
            </div>
            <div class="minilmg d-flex justify-content-end align-items-end justify-content-sm-center">
                
            </div>
        </div>
    </a>
</div>
```



```
</div>
<!-- Mini Category6: Registered Voters --
>
<div class="d-flex justify-content-center align-items-center" style="width: 300px;">
    <a href="tblRegisteredVoters.php" style="background-color: #FFFCBB; width: 100%; border-radius: 1em;">
        <div class="minorCategory row" id="registered">
            <div class="texts">
                <p>class="minorLbl">Registered Voters</p>
                <?php
                    $voterType_query = "SELECT `voter_type` FROM `residents` WHERE `voter_type` = 'Registered'";
                    $voterType_query_run = executeQuery($voterType_query);
                    $dash_voterType = mysqli_num_rows($voterType_query_run);
                    echo '<p class="mcCount d-flex">' . $dash_voterType . '</p>';
                ?>
                <?php
                    $totalCitizens = "SELECT * FROM `residents`";
                    $totalCitizens_comp = executeQuery($totalCitizens);
                    $dash_totalCitizens_comp = mysqli_num_rows($totalCitizens_comp);

                    $voterType_query = "SELECT `voter_type` FROM `residents` WHERE `voter_type` = 'Registered'";
                    $voterType_query_run = executeQuery($voterType_query);
                    if ($dash_voterType = mysqli_num_rows($voterType_query_run)) {
                        $percentage =
                            ($dash_voterType / $dash_totalCitizens_comp) * 100;
                        $percentageConverted =
                            intval($percentage);
                        settype($percentage, 'int');
                        echo '<p class="percentage d-flex">' . $percentage . '% </p>';
                    } else {
                        echo '<p class="percentage d-flex"> 0% </p>';
                    }
                ?>
            </div>
            <div class="minilmg d-flex justify-content-end align-items-end justify-content-sm-center">
                
            </div>
        </a>
    </div>
</div>
<!-- Mini Category7: Unregistered Voters --
-->
<div class="d-flex justify-content-center align-items-center" style="width: 300px;">
    <a href="tblUnregisteredVoters.php" style="background-color: #F8E7F8; width: 100%; border-radius: 1em;">
        <div class="minorCategory row" id="unregistered">
            <div class="texts">
                <p>class="minorLbl">Unregistered Voters</p>
                <?php
                    $voterType_query = "SELECT `voter_type` FROM `residents` WHERE `voter_type` = 'Unregistered'";
                    $voterType_query_run = executeQuery($voterType_query);
                    if ($dash_voterType = mysqli_num_rows($voterType_query_run)) {
                        echo '<p class="mcCount d-flex">' . $dash_voterType . '</p>';
                    } else {
                        echo '<p class="mcCount"> 0 </p>';
                    }
                ?>
            </div>
            <!-- PERCENTAGE IS FROM NUMBER OF RESIDENTS -->
            <?php
                $totalCitizens = "SELECT * FROM `residents`";
                $totalCitizens_comp = executeQuery($totalCitizens);
                $dash_totalCitizens_comp = mysqli_num_rows($totalCitizens_comp);

                $voterType_query = "SELECT `voter_type` FROM `residents` WHERE `voter_type` = 'Unregistered'";
                $voterType_query_run = executeQuery($voterType_query);
                if ($dash_voterType = mysqli_num_rows($voterType_query_run)) {
                    $percentage =
                        ($dash_voterType / $dash_totalCitizens_comp) * 100;
                    $percentageConverted =
                        intval($percentage);
                    settype($percentage, 'int');
                    echo '<p class="percentage d-flex">' . $percentage . '% </p>';
                } else {
                    echo '<p class="percentage d-flex"> 0% </p>';
                }
            ?>
            <div class="minilmg d-flex justify-content-end align-items-end justify-content-sm-center">
                <img class="img-fluid mc-img d-flex align-items-end" alt="Unregistered-Voters">
            </div>
        </div>
    </div>
</div>
```



**POLYTECHNIC UNIVERSITY OF THE PHILIPPINES**

```

src="assets/img/dashboard/mc-unregistered.png"
alt="Unregistered-Voters">
    </div>
    </div>
</a>
</div>
</div>
</div>
</div>

<!-- Main Categories --&gt;
&lt;div class="darkBG mx-0 py-4 px-3 px-md-4" id="dashCategories"&gt;
    &lt;p class="sectionTitle mb-4"&gt;Katipunan ng Kabataan&lt;/p&gt;
    &lt;div class="row gx-4 p-0 mx-0"&gt;
        <!-- Category1 --&gt;
        &lt;div class="col-lg-4 col-md-4 col-sm-12 col-12 mb-4 mb-md-5"&gt;
            &lt;a href="tblTotalYouth.php"&gt;
                &lt;div class="category" id="totalYouth" style="background-color: #8ECAE6"&gt;
                    &lt;div class="texts"&gt;
                        &lt;?php
                            $youth_query = "SELECT *, DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(), birthday)), '%Y') + 0 AS `age` FROM `residents` WHERE DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(), birthday)), '%Y') + 0 BETWEEN 15 AND 30";
                            $youth_query_run = executeQuery($youth_query);
                            if ($dash_youth = mysqli_num_rows($youth_query_run)) {
                                echo '&lt;h1 class="count"&gt;' . $dash_youth . '&lt;/h1&gt;';
                            } else {
                                echo '&lt;h1 class="count"&gt;0&lt;/h1&gt;';
                            }
                        &lt;?&gt;
                        &lt;p class="subTitle"&gt;Total Youth&lt;/p&gt;
                    &lt;/div&gt;
                    &lt;div class="dashboardImg d-flex justify-content-end align-items-end justify-content-sm-center"&gt;
                        &lt;img class="img-fluid c-img" src="assets/img/dashboard/c-totalYouth.png" alt="Total-Youth"&gt;
                    &lt;/div&gt;
                &lt;/div&gt;
            &lt;/a&gt;
        &lt;/div&gt;
        <!-- Category2 --&gt;
        &lt;div class="col-lg-4 col-md-4 col-sm-12 col-12 mb-4 mb-md-5"&gt;
            &lt;a href="tblEnrolled.php"&gt;
                &lt;div class="category" id="enrolledYouth" style="background-color: #219EBC"&gt;
                    &lt;div class="texts"&gt;
                        &lt;!-- &lt;h1
class="count"&gt;3155&lt;/h1&gt; --&gt;
</pre>

```



```
<!-- Category4 -->
<div class="col-lg-4 col-md-4 col-sm-12
col-12 mb-4 mb-md-5">
    <a href="tblWorkingStudent.php">
        <div class="category"
id="workingStudent" style="background-color:
#F3CB69">
            <div class="texts">
                <?php
                    $enrolled_query = "SELECT
`student_status` FROM `educational_info` WHERE
`student_status` = 'Working Student'";
                    $enrolled_query_run =
executeQuery($enrolled_query);
                    if ($dash_enrolled =
mysqli_num_rows($enrolled_query_run)) {
                        echo '<h1 class="count">' .
$dash_enrolled . '</h1>';
                    } else {
                        echo '<h1 class="count"> 0
</h1>';
                    }
                ?>
                <p class="subTitle">Working
Student</p>
            </div>
            <div class="dashboardImg d-flex
justify-content-end align-items-end justify-content-sm-
center">
                
            </div>
        </a>
    </div>

    <!-- Category5 -->
    <div class="col-lg-4 col-md-4 col-sm-12
col-12 mb-4 mb-md-5">
        <a href="tblEmployed.php">
            <div class="category" id="employed"
style="background-color: #FFB703">
                <div class="texts">
                    <?php
                        $employment_query = "SELECT
`employment_status` FROM `employment_info` WHERE
`employment_status` = 'Employed'";
                        $employment_query_run =
executeQuery($employment_query);
                        if ($dash_employment =
mysqli_num_rows($employment_query_run)) {
                            echo '<h1 class="count">' .
$dash_employment . '</h1>';
                        } else {
                            echo '<h1 class="count"> 0
</h1>';
                        }
                    ?>
                    <p
class="subTitle">Employed</p>
                </div>
            </div>
        </a>
    </div>
```

```
        <div class="dashboardImg d-flex
justify-content-end align-items-end justify-content-sm-
center">
            
        </div>
    </div>
</a>
</div>

    <!-- Category6 -->
    <div class="col-lg-4 col-md-4 col-sm-12
col-12 mb-4 mb-md-5">
        <a href="tblUnemployed.php">
            <div class="category"
id="unemployed" style="background-color: #FB8500">
                <div class="texts">
                    <?php
                        $employment_query = "SELECT
`employment_status` FROM `employment_info` WHERE
`employment_status` = 'Unemployed'";
                        $employment_query_run =
executeQuery($employment_query);
                        if ($dash_unemployment =
mysqli_num_rows($employment_query_run)) {
                            echo '<h1 class="count">' .
$dash_unemployment . '</h1>';
                        } else {
                            echo '<h1 class="count"> 0
</h1>';
                        }
                    ?>
                    <p
class="subTitle">Unemployed</p>
                </div>
            <div class="dashboardImg d-flex
justify-content-end align-items-end justify-content-sm-
center">
                
            </div>
        </a>
    </div>

    <!-- Slick -->
    <script type="text/javascript"
src="//cdn.jsdelivr.net/npm/slick-
carousel@1.8.1/slick/slick.min.js"></script>

    <!-- Custom Script -->
    <script type="text/javascript"
src="assets/js/dashboard.js"></script>
    <script type="text/javascript"
src="assets/js/sideMenu.js"></script>
```



```
<!-- Active Link -->
<script type="text/javascript">
$(document).ready(function() {
    $("#dashboard-link").addClass("nav-active");
    $("#dashboard-md-link").addClass("nav-md-active");
})
</script>
</body>

</html>
```

### tblTotalCitizens.php

```
<?php
require_once "access-super-admin.php";

$queryTotalCitizens = "SELECT *,
CONCAT(`last_name`, ' ', `first_name`, '',
`middle_name`) AS `full_name`,
DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(),
birthday)), '%Y') + 0 AS `age` FROM `residents`
WHERE
DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(),
birthday)), '%Y') + 0 < 150 "; //query to select all data
from table
$userRole = "SELECT description FROM admin_type
WHERE admin_type_id =
'$_SESSION[admin_type_id]'";
$role = mysqli_fetch_assoc(executeQuery($userRole));
$queryTotalCitizensResult =
executeQuery($queryTotalCitizens); //execute query

?>

<!DOCTYPE html>
<html>

<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-
width, initial-scale=1.0, shrink-to-fit=no">
<title>Total Citizens</title>

<?php
require_once "fundamental-links.php";
?>

<!-- Custom Page Stylesheets -->
<link rel="stylesheet" href="assets/scss/profiles.css">
<link rel="stylesheet"
href="assets/scss/sideMenu.css">

<!-- Favicon -->
<link rel="icon" type="image/x-icon"
href="assets/img/logos/kkis.ico">

</head>
<body>
```

```
<div class="shrunk d-none d-lg-flex" id="leftPanel">
<?php
if ($adminTypeID == 1) {
    include 'sideMenu.php';
} else if ($adminTypeID == 2) {
    include 'sideMenu-admin.php';
} else {
    include "sideMenu-staff.php";
}
?>
</div>

<div class="full-width" id="mainPanel">
<header class="d-lg-none d-flex" id="mdHeader">
<!-- Append Small Nav here -->
</header>
<header class="d-none d-lg-block" id="lgHeader">
<div class="row mx-0" id="headerRow">
<div class="col-md-8 col-12 d-flex justify-
content-start align-items-center">
<i class="fa-solid fa-arrow-left me-4"
role="button" id="backPage"></i>
<span class="pageTitle">Total
Citizens</span>
</div>

<div class="col-md-4 d-none d-md-flex justify-
content-end align-items-center">
<span class="accountType"><?php echo
"$role[description]" ?></span>
</div>
<hr id="headerHR">
</header>

<!-- Content Start -->
<div class="container-fluid content"
id="contentID">
<div class="sectionDiv">
<!-- Kabataan Table Start -->
<div class="sectionDiv mx-0 mt-4"
id="sectionKabataan">
<!-- Options Rows -->
<div class="optionRow row gx-5 m-0 mb-
1">
<!-- Show No. of Rows -->
<div class="col-12 d-flex align-items-
center my-1 p-0" id="kabataanLength">
</div>
<!-- Output Buttons -->
<div class="d-none col-md-6 d-md-flex
justify-content-md-start p-0"
id="kabataanOutput"></div>
<!-- Filter -->
<div class="d-none col-lg-3 d-lg-flex
align-items-center justify-content-end"></div>
<!-- Search -->
<div class="col-12 col-md-6 col-lg-3 p-0"
id="kabataanSearch">
</div>
</div>

<!-- Actual table -->
<table class="table table-striped table-
bordered dataTable responsive display nowrap no-
footer dtr-inline collapsed printTable darkBG"
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

170

```
role="grid" cellspacing="0" id="kabataanTbl"
style="width:100%">
<thead class="tblHeadRow">
<tr>
<th class="tblHead">Name</th>
<th class="tblHead">Gender</th>
<th class="tblHead">Age</th>
<th class="tblHead">Birthdate</th>
<th class="tblHead">Civil
status</th>
<th class="tblHead">Contact
No.</th>
<th class="tblHead">Purok</th>
<th class="tblHead">Remarks</th>
<th class="tblHead
actions">Actions</th>
</tr>
</thead>

<thead id="kabataanTblHead">
<tr>
</tr>
</thead>

<tbody>
<?php
while ($totalCitizens =
mysqli_fetch_assoc($queryTotalCitizensResult)) {
    $totalCitizensID =
$totalCitizens["resident_id"]; //get resident id
    $totalCitizensEID =
$totalCitizens["renrypted_id"];
?
    <tr>
        <td id="fullName"
class="entryRow" scope="col" data-
label="Name"><?php echo $totalCitizens["full_name"];
?></td>

        <td id="gender"
class="entryRow" scope="col" data-
label="Gender"><?php echo
$totalCitizens["gender_preference"]; ?></td>

        <td id="age" class="entryRow"
scope="col" data-label="Age"><?php echo
$totalCitizens["age"]; ?></td>

        <td id="birthday"
class="entryRow" scope="col" data-
label="Birthdate"><?php echo
$totalCitizens["birthday"]; ?></td>

        <td id="civilStatus"
class="entryRow" scope="col" data-label="Civil
status"><?php echo $totalCitizens["marital_status"];
?></td>

        <td id="contactNo"
class="entryRow" scope="col" data-label="Contact
No."><?php echo $totalCitizens["contact_no"]; ?></td>
    </tr>
    <?php
}
    <tr>
        <td id="purok" class="entryRow"
scope="col" data-label="Purok"><?php echo
$totalCitizens["purok"]; ?></td>

        <td id="remarks"
class="entryRow" scope="col" data-
label="Remarks"><?php echo
$totalCitizens["remarks"]; ?></td>

        <td id="actions"
class="entryRow" scope="col" data-label="Actions">
        <!-- View More -->
        <div class="col-lg-12 col-12 d-
flex justify-content-center align-items-center p-0">
            <a class="btn btn-warning"
data-bs-toggle="modal" data-bs-
target="#viewMore<?php echo
$totalCitizens["resident_id"]; ?>" data-id="<?php echo
$totalCitizens["resident_id"]; ?>"
href="#viewMore">View More</a>
        </div>
        </td>
    </tr>
    <!-- Kabataan Modal -->
    <div class="modal" role="dialog"
tabindex="1" id="viewMore<?php echo
$totalCitizens["resident_id"]; ?>">
        <div class="modal-dialog modal-
xl modal-dialog-scrollable modal-dialog-centered"
id="modalDialogID" role="document">
            <div class="modal-content"
id="modalContentID">
                <div class="modal-header"
id="modalHeaderID">
                    <div class="d-flex justify-
content-start align-items-start">
                        
                        <span class="ms-1
modal-title" id="modalTitle">KKIS</span>
                    </div>
                    <button type="button"
class="btn-close" data-bs-dismiss="modal" aria-
label="Close"></button>
                </div>
                <div class="modal-body m-
0" id="modalBodyID">
                    <!-- Basic Info -->
                    <div class="row mx-3 px-
3" width="100%" height="100%" style="border: 1px
solid #aeaeae; border-radius: 20px;">
                        <!-- Text -->
                        <div class="col-12 col-
lg-8 d-flex align-items-center">
                            <div>
                                <span
class="basicTxt w-100 my-1" id="nameTxt"><?php
echo $totalCitizens["full_name"]; ?></span>
                                <br>
                                <span
class="basicTxt w-100 my-1 mt-2"
id="ageGender"><?php echo $totalCitizens["age"] . " " . $totalCitizens["gender"];
?></span>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <!-- End Kabataan Modal -->

```



YEARS OLD, " . \$totalCitizens["gender\_preference"];  
?></span>  
                <br>  
                <span  
class="basicTxt w-100 my-1" id="purok"><?php echo  
\$totalCitizens["purok"]; ?></span>  
                </div>  
                </div>  
                <!-- QR Code --&gt;<br/>                <div class="col-12 col-  
lg-4 d-flex justify-content-lg-end justify-content-  
center">  
                    <img  
class="rounded-2" src=<?php echo  
\$totalCitizens["qr\_code"]; ?> width="200px"  
height="auto">  
                    </div>  
                    </div>  
                <!-- Personal Info -->  
                <div class="row mx-3 px-  
3 my-5" width="100%" height="auto" style="border:  
1px solid #aeaeae; border-radius: 20px;">  
                    <div class="col-12  
titleCol">  
                        <div class="titleDiv  
rounded-pill d-flex justify-content-center align-items-  
center">  
                            <span  
class="rowTitle">Personal Information</span>  
                            </div>  
                            </div>  
                        <br>  
                        <div class="col-md-2  
col-6">  
                            <label class="form-  
label modalLabel">Birthday:&nbsp;</label>  
                            </div>  
                        <div class="col-md-3  
col-6">  
                            <p  
class="textRetrieved" id="textRetrievedID"><?php  
echo \$totalCitizens["birthday"]; ?></p>  
                            </div>  
                        <div class="col-md-3  
col-6">  
                            <div class="col-md-3  
col-6">  
                                <label class="form-  
label modalLabel">Voter Type:&nbsp;</label>  
                                </div>  
                                <div class="col-md-4  
col-6">  
                                    <p  
class="textRetrieved" id="textRetrievedID"><?php  
echo \$totalCitizens["voter\_type"]; ?></p>  
                                    </div>  
                                <div class="col-md-2  
col-6">  
                                    <label class="form-  
label modalLabel">Birthplace:&nbsp;</label>  
                                    </div>  
                                <div class="col-md-3  
col-6">

                                    <p  
class="textRetrieved" id="textRetrievedID"><?php  
echo \$totalCitizens["birthplace"]; ?></p>  
                                    </div>  
                                <div class="col-md-3  
col-6">  
                                    <label class="form-  
label modalLabel">Contact No:&nbsp;</label>  
                                    </div>  
                                <div class="col-md-4  
col-6">  
                                    <p  
class="textRetrieved" id="textRetrievedID"><?php  
echo \$totalCitizens["contact\_no"]; ?></p>  
                                    </div>  
                                <div class="col-md-2  
col-6">  
                                    <label class="form-  
label modalLabel">Marital Status:&nbsp;</label>  
                                    </div>  
                                <div class="col-md-3  
col-6">  
                                    <p  
class="textRetrieved" id="textRetrievedID"><?php  
echo \$totalCitizens["marital\_status"]; ?></p>  
                                    </div>  
                                <div class="col-md-3  
col-6">  
                                    <label class="form-  
label modalLabel">Religion:&nbsp;</label>  
                                    </div>  
                                <div class="col-md-4  
col-6">  
                                    <p  
class="textRetrieved" id="textRetrievedID"><?php  
echo \$totalCitizens["religion"]; ?></p>  
                                    </div>  
                                <div class="col-md-2  
col-6">  
                                    <label class="form-  
label modalLabel">Disability:&nbsp;</label>  
                                    </div>  
                                <div class="col-md-3  
col-6">  
                                    <p  
class="textRetrieved" id="textRetrievedID"><?php  
echo \$totalCitizens["disability"]; ?></p>  
                                    </div>  
                                <div class="col-md-3  
col-6">  
                                    <label class="form-  
label modalLabel">Organization/s (if  
any):&nbsp;</label>  
                                    </div>  
                                <div class="col-md-4  
col-6">  
                                    <p  
class="textRetrieved" id="textRetrievedID"><?php  
echo \$totalCitizens["organization"]; ?></p>  
                                    </div>



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

172

```
<div class="col-md-2
col-6">
    <label class="form-
label modalLabel">House Address:&nbsp;</label>
    </div>
    <div class="col-md-3
col-6">
        <p
class="textRetrieved" id="textRetrievedID"><?php
echo $totalCitizens["house_address"]; ?></p>
        </div>
        <div class="col-md-3
col-6">
            <label class="form-
label modalLabel">Remarks:&nbsp;</label>
            </div>
            <div class="col-md-4
col-6">
                <p
class="textRetrieved" id="textRetrievedID"><?php
echo $totalCitizens["remarks"]; ?></p>
                </div>
                </div>
                <!-- Status -->
<div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border:
1px solid #aeaeae; border-radius: 20px;">
    <div class="col-12
titleCol">
        <div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
            <span
class="rowTitle">Status</span>
            </div>
            </div>
            <?php
$employmentCheck =
"SELECT * FROM employment_info WHERE
resident_id = $totalCitizensID"; //check if resident has
employment info

$employmentCheckResult =
executeQuery($employmentCheck);

$educationCheck =
"SELECT * FROM educational_info WHERE
resident_id = $totalCitizensID"; //check if resident has
educational info

$educationCheckResult =
executeQuery($educationCheck);

if ($employment =
mysqli_fetch_assoc($employmentCheckResult)) {
//checking if the user is an employee
?
>
    <div class="col-md-
2 col-6">
        <label
class="form-label modalLabel">Employment
Status:&nbsp;</label>
        </div>
        <p
class="textRetrieved" id="textRetrievedID"><?php
echo $employment["employment_status"]; ?></p>
        </div>
        <div class="col-md-
3 col-6">
            <label
class="form-label modalLabel">Employee
Type:&nbsp;</label>
            </div>
            <div class="col-md-
4 col-6">
                <p
class="textRetrieved" id="textRetrievedID"><?php
echo $employment["employee_type"]; ?></p>
                </div>
                <div class="col-md-
2 col-6">
                    <label
class="form-label modalLabel">Employer
Type:&nbsp;</label>
                    </div>
                    <div class="col-md-
3 col-6">
                        <p
class="textRetrieved" id="textRetrievedID"><?php
echo $employment["employer_type"]; ?></p>
                        </div>
                        <div class="col-md-
3 col-6">
                            <label
class="form-label modalLabel">Employer
Name:&nbsp;</label>
                            </div>
                            <div class="col-md-
4 col-6">
                                <p
class="textRetrieved" id="textRetrievedID"><?php
echo $employment["employer_name"]; ?></p>
                                </div>
                                <?php
$industry_id =
$employment["industry_id"]; // store industry_id to
variable
$salary_id =
$employment["salary_id"]; // store salary_id to variable

$industryCheck =
"SELECT * FROM industries WHERE
industry_id='$industry_id'";

$queryIndustryCheck = mysqli_query($conn,
$industryCheck);

$salaryCheck =
"SELECT * FROM salaries WHERE
salary_id='$salary_id'";
$querySalaryCheck
= mysqli_query($conn, $salaryCheck);
                </div>
            </div>
        </div>
    </div>
</div>
```



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

```

?>
<div class="col-md-6" style="display: flex; justify-content: space-between;">
    <div class="col-md-3" style="width: 33%;">
        <label class="form-label modalLabel">Work Industry:&nbsp;</label>
        <div class="col-md-3" style="display: flex; align-items: center;">
            <p class="textRetrieved" id="textRetrievedID"><?php echo $education["student_level"]; ?></p>
        </div>
    </div>
    <div class="col-md-3" style="width: 33%;">
        <label class="form-label modalLabel">School Type:&nbsp;</label>
        <div class="col-md-3" style="display: flex; align-items: center;">
            <p class="textRetrieved" id="textRetrievedID"><?php echo $education["school_type"]; ?></p>
        </div>
    </div>
    <div class="col-md-3" style="width: 33%;">
        <label class="form-label modalLabel">School Name:&nbsp;</label>
        <div class="col-md-3" style="display: flex; align-items: center;">
            <p class="textRetrieved" id="textRetrievedID"><?php echo $education["school_name"]; ?></p>
        </div>
    </div>

```

3 col-6" style="width: 33%; padding: 10px;"><?php \$industry = mysqli\_fetch\_assoc(\$queryIndustryCheck); echo \$industry["description"]; ?>

```

        </div>
        <div class="col-md-3" style="width: 33%; padding: 10px;"><?php $salary = mysqli_fetch_assoc($querySalaryCheck); echo $salary["description"]; ?>
```

4 col-6" style="width: 33%; padding: 10px;"><?php } else if (\$education = mysqli\_fetch\_assoc(\$educationCheckResult)) { //checking if the user is a student

```

            if ($education["student_status"] == "ENROLLED") {
                <div class="col-md-6" style="display: flex; justify-content: space-between;">
                    <div class="col-md-3" style="width: 33%;">
                        <label class="form-label modalLabel">Student Status:&nbsp;</label>
                        <div class="col-md-3" style="display: flex; align-items: center;">
                            <p class="textRetrieved" id="textRetrievedID"><?php echo $education["student_status"]; ?></p>
                        </div>
                    </div>
                    <div class="col-md-3" style="width: 33%;">
                        <label class="form-label modalLabel">Student Level:&nbsp;</label>
                        <div class="col-md-3" style="display: flex; align-items: center;">
                            <p class="textRetrieved" id="textRetrievedID"><?php echo $education["student_status"]; ?></p>
                        </div>
                    </div>
                    <div class="col-md-3" style="width: 33%;">
                        <label class="form-label modalLabel">Student Status:&nbsp;</label>
                        <div class="col-md-3" style="display: flex; align-items: center;">
                            <p class="textRetrieved" id="textRetrievedID"><?php echo $education["student_status"]; ?></p>
                        </div>
                    </div>
                </div>
            }
        
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

174

```
<label
class="form-label modalLabel">Student
Level:&nbs;p;</label>
</div>
<div class="col-
md-3 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php
echo $education["student_level"]; ?></p>
</div>

<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">School
Type:&nbs;p;</label>
</div>
<div class="col-
md-3 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php
echo $education["school_type"]; ?></p>
</div>

<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">School
Name:&nbs;p;</label>
</div>
<div class="col-
md-3 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php
echo $education["school_name"]; ?></p>
</div>

<?php
$industry_id =
$education["industry_id"]; // store industry_id to
variable
$salary_id =
$education["salary_id"]; // store salary_id to variable
$industryCheck =
"SELECT * FROM industries WHERE
industry_id='$industry_id';

$queryIndustryCheck = mysqli_query($conn,
$industryCheck);

$salaryCheck =
"SELECT * FROM salaries WHERE
salary_id='$salary_id';

$querySalaryCheck = mysqli_query($conn,
$salaryCheck);
?>
<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">Work
Industry:&nbs;p;</label>
</div>
```

```
<div class="col-
md-3 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php
$industry =
mysqli_fetch_assoc($queryIndustryCheck);
echo $industry["description"]; ?>
</p>
</div>

<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">Salary
Range:&nbs;p;</label>
</div>
<div class="col-
md-3 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php
$salary = mysqli_fetch_assoc($querySalaryCheck);
echo $salary["description"]; ?>
</p>
</div>
<?php
}
?>
<?php
}
$household_id =
$totalCitizens["household_id"]; //getting the household
id of the user
$householdCheck =
"SELECT *, CONCAT(`head_first_name`, ' ', ,
`head_first_name`, ' ', `head_middle_name`) AS
`head_name` FROM households WHERE
household_id = $household_id"; //getting the
household details of the user
$householdCheckResult =
executeQuery($householdCheck);
?>
</div>
<!-- House Dec -->
<div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border:
1px solid #aeaeae; border-radius: 20px;">
<div class="col-12
titleCol">
<div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
<span
class="rowTitle">House Declaration</span>
</div>
</div>
<div class="col"
id="row2Body">
```



```

    <div class="row gy-1">
        <?php
        while ($household
    = mysqli_fetch_assoc($householdCheckResult)) {
            ?>
            <div class="col-md-2 col-6">
                <label
                class="form-label modalLabel">Family
                head:&nbsp;</label>
                </div>
            <div class="col-md-4 col-6">
                <p
                class="textRetrieved" id="textRetrievedID"><?php
                echo $household["head_name"]; ?></p>
                </div>
            <div class="col-md-2 col-6">
                <label
                class="form-label modalLabel">No. of
                members:&nbsp;</label>
                </div>
            <div class="col-md-4 col-6">
                <p
                class="textRetrieved" id="textRetrievedID"><?php
                echo $household["members_count"]; ?></p>
                </div>
                <?php
                }
                ?>
                </div>
            </div>
        </div>
        <?php
    };
    ?>
</tbody>
<tfoot>
    <tr id="kabataanFooter">
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
    </tr>
</tfoot>
</table>
<div class="row mx-0 mt-1">
    <div class="col-12 col-md-6 d-flex
justify-content-center justify-content-md-start align-items-center p-0" id="kabataanTbllInfo">
        <!-- Append Info here -->
    </div>

```

<div class="col-12 col-md-6 d-flex
justify-content-center justify-content-md-end align-items-center p-0" id="kabataanPaginate">
 <!-- Append pagination btns here -->
 </div>
 </div>
 </div>
 </div>
 </div>
 </div>
 <?php
 require\_once "fundamental-scripts.php";
 ?>
 <!-- Custom Script -->
 <script type="text/javascript"
src="assets/js/profiles.js"></script>
 <script type="text/javascript"
src="assets/js/sideMenu.js"></script>
 <script type="text/javascript"
src="assets/js/settings.js"></script>
 <!-- Active Link -->
 <script type="text/javascript">
 \$(document).ready(function() {
 \$("#dashboard-link").addClass('nav-active');
 \$("#dashboard-md-link").addClass("nav-md-active");
 \$("#backPage").click(function() {
 location.href = "dashboard.php";
 });
 });
 </script>
</body>
</html>

**tblGeneralCitizens.php**

```

<?php
require_once "access-super-admin.php";

$queryGeneralCitizens = "SELECT *,
    CONCAT(`last_name`, ' ', `first_name`, '',
    `middle_name`) AS full_name,
    DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(),
    birthday)), '%Y') + 0 AS `age` FROM `residents` WHERE
    DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(),
    birthday)), '%Y') + 0 NOT BETWEEN 15 AND 30 ";
//query to select all data from table
$userRole = "SELECT description FROM admin_type
    WHERE admin_type_id =
    '".$_SESSION['admin_type_id']."'"; $role = mysqli_fetch_assoc(executeQuery($userRole));
$queryGeneralCitizensResult =
    executeQuery($queryGeneralCitizens); //execute query
?>
<!DOCTYPE html>
<html>
<head>
```



```
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0, shrink-to-fit=no">
<title>General Citizens</title>

<?php
require_once "fundamental-links.php";
?>


<link rel="stylesheet" href="assets/scss/profiles.css">
<link rel="stylesheet"
href="assets/scss/sideMenu.css">


<link rel="icon" type="image/x-icon"
href="assets/img/logos/kkis.ico">

</head>

<body>
<div class="shrunk d-none d-lg-flex" id="leftPanel">
<?php
if ($adminTypeID == 1) {
    include 'sideMenu.php';
} else if ($adminTypeID == 2) {
    include 'sideMenu-admin.php';
} else {
    include "sideMenu-staff.php";
}
?>
</div>

<div class="full-width" id="mainPanel">
<header class="d-lg-none d-flex" id="mdHeader">
    <!-- Append Small Nav here -->
</header>
<header class="d-none d-lg-block" id="lgHeader">
    <div class="row mx-0" id="headerRow">
        <div class="col-md-8 col-12 d-flex justify-content-start align-items-center">
            <i class="fa-solid fa-arrow-left me-4" role="button" id="backPage"></i>
            <span class="pageTitle">General
Citizens</span>
        </div>
        <div class="col-md-4 d-none d-md-flex justify-content-end align-items-center">
            <span class="accountType"><?php echo
"$role[description]" ?></span>
        </div>
        <hr id="headerHR">
    </div>
    <!-- Content Start -->
    <div class="container-fluid content"
id="contentID">
        <div class="sectionDiv">
            <!-- Kabataan Table Start -->
            <div class="sectionDiv mx-0 mt-4"
id="sectionKabataan">
                <!-- Options Rows -->
<div class="optionRow row gx-5 m-0 mb-1">
    <!-- Show No. of Rows -->
    <div class="col-12 d-flex align-items-center my-1 p-0" id="kabataanLength"></div>
    <!-- Output Buttons -->
    <div class="d-none col-md-6 d-md-flex justify-content-md-start p-0"
id="kabataanOutput"></div>
    <!-- Filter -->
    <div class="d-none col-lg-3 d-lg-flex align-items-center justify-content-end"></div>
    <!-- Search -->
    <div class="col-12 col-md-6 col-lg-3 p-0"
id="kabataanSearch"></div>
</div>

    <!-- Actual table -->
    <table class="table table-striped table-bordered dataTable responsive display nowrap no-footer dtr-inline collapsed printTable darkBG"
role="grid" cellspacing="0" id="kabataanTbl"
style="width:100%">
        <thead class="tblHeadRow">
            <tr>
                <th class="tblHead">Name</th>
                <th class="tblHead">Gender</th>
                <th class="tblHead">Age</th>
                <th class="tblHead">Birthdate</th>
                <th class="tblHead">Civil
status</th>
                <th class="tblHead">Contact
No.</th>
                <th class="tblHead">Purok</th>
                <th class="tblHead">Remarks</th>
                <th class="tblHead">Actions</th>
            </tr>
        </thead>
        <thead id="kabataanTblHead">
            <tr>
                </tr>
            </thead>
            <tbody>
                <?php
                    while ($generalCitizens =
mysqli_fetch_assoc($queryGeneralCitizensResult)) {
                        $generalCitizensID =
$generalCitizens["resident_id"]; //get resident id
                        $generalCitizensEID =
$generalCitizens["encrypted_id"];
                    ?>
                <tr>
                    <td id="fullName"
class="entryRow" scope="col" data-
label="Name"><?php echo
$generalCitizens["full_name"] ; ?></td>
                    <td id="gender"
class="entryRow" scope="col" data-
label="Gender"><?php echo
$generalCitizens["gender_preference"] ; ?></td>
                </tr>
            </tbody>
        </table>
    </div>
</div>
</div>
</body>
```



```
<td id="age" class="entryRow"
scope="col" data-label="Age"><?php echo
$generalCitizens["age"]; ?></td>

<td id="birthday"
class="entryRow" scope="col" data-
label="Birthdate"><?php echo
$generalCitizens["birthday"]; ?></td>

<td id="civilStatus"
class="entryRow" scope="col" data-label="Civil
status"><?php echo $generalCitizens["marital_status"];
?></td>

<td id="contactNo"
class="entryRow" scope="col" data-label="Contact
No."><?php echo $generalCitizens["contact_no"];
?></td>

<td id="purok" class="entryRow"
scope="col" data-label="Purok"><?php echo
$generalCitizens["purok"]; ?></td>

<td id="remarks"
class="entryRow" scope="col" data-
label="Remarks"><?php echo
$generalCitizens["remarks"]; ?></td>

<td id="actions"
class="entryRow" scope="col" data-label="Actions">
<div class="row mx-0 p-2">
<!-- View More -->
<div class="col-lg-12 col-12
d-flex justify-content-center align-items-center p-0">
<a class="btn btn-
warning" data-bs-toggle="modal" data-bs-
target="#viewMore<?php echo
$generalCitizens["resident_id"]; ?>" data-id=<?php
echo $generalCitizens["resident_id"]; ?>
href="#viewMore">View More</a>
</div>
</div>
</td>
</tr>

<!-- Kabataan Modal -->
<div class="modal" role="dialog"
tabindex="1" id="viewMore<?php echo
$generalCitizens["resident_id"]; ?>">
<div class="modal-dialog modal-
xl modal-dialog-scrollable modal-dialog-centered"
id="modalDialogID" role="document">
<div class="modal-content"
id="modalContentID">
<div class="modal-header"
id="modalHeaderID">
<div class="d-flex justify-
content-start align-items-start">

```

```
<span class="ms-1
modal-title" id="modalTitle">KKIS</span>
</div>
<button type="button"
class="btn-close" data-bs-dismiss="modal" aria-
label="Close"></button>
</div>
<div class="modal-body m-
0" id="modalBodyID">
<!-- Basic Info -->
<div class="row mx-3 px-
3" width="100%" height="100%" style="border: 1px
solid #aeaeae; border-radius: 20px;">
<!-- Text -->
<div class="col-12 col-
lg-8 d-flex align-items-center">
<div>
<span
class="basicTxt w-100 my-1" id="nameTxt"><?php
echo $generalCitizens["full_name"]; ?></span>
<br>
<span
class="basicTxt w-100 my-1 mt-2"
id="ageGender"><?php echo $generalCitizens["age"] .
" YEARS OLD, " .<br>
$generalCitizens["gender_preference"]; ?></span>
<br>
<span
class="basicTxt w-100 my-1" id="purok"><?php echo
$generalCitizens["purok"]; ?></span>
</div>
</div>
<!-- QR Code -->
<div class="col-12 col-
lg-4 d-flex justify-content-lg-end justify-content-center">
<img
class="rounded-2" src=<?php echo
$generalCitizens["qr_code"]; ?> width="200px"
height="auto">
</div>
</div>
<!-- Personal Info -->
<div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border: 1px
solid #aeaeae; border-radius: 20px;">
<div class="col-12
titleCol">
<div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
<span
class="rowTitle">Personal Information</span>
</div>
</div>
<br>
<div class="col-md-2
col-6">
<label class="form-
label modalLabel">Birthday:&nbsp;</label>
</div>
<div class="col-md-3
col-6">
```



```
<p>
<?php echo
$generalCitizens["birthday"]; ?></p>
</div>

<div class="col-md-3
col-6">
<label class="form-
label modalLabel">Voter Type:&nbsp;</label>
</div>
<div class="col-md-4
col-6">
<p>
<?php echo
$generalCitizens["voter_type"]; ?></p>
</div>

<div class="col-md-2
col-6">
<label class="form-
label modalLabel">Birthplace:&nbsp;</label>
</div>
<div class="col-md-3
col-6">
<p>
<?php echo
$generalCitizens["birthplace"]; ?></p>
</div>

<div class="col-md-3
col-6">
<label class="form-
label modalLabel">Contact No:&nbsp;</label>
</div>
<div class="col-md-4
col-6">
<p>
<?php echo
$generalCitizens["contact_no"]; ?></p>
</div>

<div class="col-md-2
col-6">
<label class="form-
label modalLabel">Marital Status:&nbsp;</label>
</div>
<div class="col-md-3
col-6">
<p>
<?php echo
$generalCitizens["marital_status"]; ?></p>
</div>

<div class="col-md-3
col-6">
<label class="form-
label modalLabel">Religion:&nbsp;</label>
</div>
<div class="col-md-4
col-6">
<p>
<?php echo
$generalCitizens["religion"]; ?></p>
</div>
```

```
<div class="col-md-2
col-6">
<label class="form-
label modalLabel">Disability:&nbsp;</label>
</div>
<div class="col-md-3
col-6">
<p>
<?php echo
$generalCitizens["disability"]; ?></p>
</div>

<div class="col-md-3
col-6">
<label class="form-
label modalLabel">Organization/s (if
any):&nbsp;</label>
</div>
<div class="col-md-4
col-6">
<p>
<?php echo
$generalCitizens["organization"]; ?></p>
</div>

<div class="col-md-2
col-6">
<label class="form-
label modalLabel">House Address:&nbsp;</label>
</div>
<div class="col-md-3
col-6">
<p>
<?php echo
$generalCitizens["house_address"]; ?></p>
</div>

<div class="col-md-3
col-6">
<label class="form-
label modalLabel">Remarks:&nbsp;</label>
</div>
<div class="col-md-4
col-6">
<p>
<?php echo
$generalCitizens["remarks"]; ?></p>
</div>

<!-- Status -->
<div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border: 1px
solid #aeaeae; border-radius: 20px;">
<div class="col-12
titleCol">
<div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
<span
class="rowTitle">Status</span>
</div>
</div>
<?php
$employmentCheck =
"SELECT * FROM employment_info WHERE"
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

179

```
resident_id = $generalCitizensID"; //check if resident
has employment info

$employmentCheckResult =
executeQuery($employmentCheck);

$educationCheck =
"SELECT * FROM educational_info WHERE
resident_id = $generalCitizensID"; //check if resident
has educational info

$educationCheckResult =
executeQuery($educationCheck);

if ($employment =
mysqli_fetch_assoc($employmentCheckResult)) {
//checking if the user is an employee
?>
<div class="col-md-
2 col-6">
<label
class="form-label modalLabel">Employment
Status:&nbs;p;</label>
</div>
<div class="col-md-
3 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employment_status"]; ?></p>
</div>
<div class="col-md-
3 col-6">
<label
class="form-label modalLabel">Employee
Type:&nbs;p;</label>
</div>
<div class="col-md-
4 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employee_type"]; ?></p>
</div>
<div class="col-md-
2 col-6">
<label
class="form-label modalLabel">Employer
Type:&nbs;p;</label>
</div>
<div class="col-md-
3 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employer_type"]; ?></p>
</div>
<div class="col-md-
3 col-6">
<label
class="form-label modalLabel">Employer
Name:&nbs;p;</label>
</div>
<div class="col-md-
4 col-6">

<p
class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employer_name"]; ?></p>
</div>
```

```
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$employment["industry_id"]; ?></p>
</div>

<?php
$industry_id =
$employment["industry_id"]; // store industry_id to
variable
$salary_id =
$employment["salary_id"]; // store salary_id to variable

$industryCheck =
"SELECT * FROM industries WHERE
industry_id='$industry_id'";
$queryIndustryCheck = mysqli_query($conn,
$industryCheck);

$salaryCheck =
"SELECT * FROM salaries WHERE
salary_id='$salary_id'";
$querySalaryCheck
= mysqli_query($conn, $salaryCheck);
?>

<div class="col-md-
2 col-6">
<label
class="form-label modalLabel">Work
Industry:&nbs;p;</label>
</div>
<div class="col-md-
3 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php
$industry = mysqli_fetch_assoc($queryIndustryCheck);
echo $industry["description"]; ?>
</p>
</div>
<div class="col-md-
3 col-6">
<label
class="form-label modalLabel">Salary
Range:&nbs;p;</label>
</div>
<div class="col-md-
4 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php
$salary = mysqli_fetch_assoc($querySalaryCheck);
echo $salary["description"]; ?>
</p>
</div>
<?php
} else if ($education =
mysqli_fetch_assoc($educationCheckResult)) {
//checking if the user is a student
```



```

($education["student_status"] == "ENROLLED") {
    >
        <div class="col-
md-2 col-6">
            <label
class="form-label modalLabel">Student
Status:&nbs;p;</label>
        </div>
        <div class="col-
md-3 col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_status"]; ?></p>
        </div>
        <div class="col-
md-3 col-6">
            <label
class="form-label modalLabel">Student
Level:&nbs;p;</label>
        </div>
        <div class="col-
md-4 col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_level"]; ?></p>
        </div>
        <div class="col-
md-2 col-6">
            <label
class="form-label modalLabel">School
Type:&nbs;p;</label>
        </div>
        <div class="col-
md-3 col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["school_type"]; ?></p>
        </div>
        <div class="col-
md-3 col-6">
            <label
class="form-label modalLabel">School
Name:&nbs;p;</label>
        </div>
        <div class="col-
md-4 col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["school_name"]; ?></p>
        </div>
        <?php
        } else if
        ($education["student_status"] == "OUT-OF-SCHOOL
YOUTH") {
    >
        <div class="col-
6">
            <label
class="form-label modalLabel">School
Status:&nbs;p;</label>
        </div>
        <div class="col-
md-3 col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_status"]; ?></p>
        </div>
        <div class="col-
md-3 col-6">
            <label
class="form-label modalLabel">Student
Level:&nbs;p;</label>
        </div>
        <div class="col-
md-4 col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_level"]; ?></p>
        </div>
        <div class="col-
md-3 col-6">
            <label
class="form-label modalLabel">School
Type:&nbs;p;</label>
        </div>
        <div class="col-
md-3 col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["school_type"]; ?></p>
        </div>
        <div class="col-
md-3 col-6">
            <label
class="form-label modalLabel">School
Name:&nbs;p;</label>
        </div>
        <div class="col-
md-4 col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["school_name"]; ?></p>
        </div>
        <?php
        } else if
        ($education["student_status"] == "OUT-OF-SCHOOL
YOUTH") {
    >
        <div class="col-
6">
            <label
class="form-label modalLabel">Industry
Name:&nbs;p;</label>
        </div>
        <div class="col-
md-3 col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["industry_name"]; ?></p>
        </div>
        <div class="col-
md-3 col-6">
            <label
class="form-label modalLabel">Industry
ID:&nbs;p;</label>
        </div>
        <div class="col-
md-4 col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["industry_id"]; // store industry_id to variable
$industry_id =
$education["industry_id"]</p>
        </div>
    </div>
</div>

```



```
$salary_id =
$education["salary_id"]; // store salary_id to variable

$industryCheck =
"SELECT * FROM industries WHERE
industry_id='$industry_id'";

$queryIndustryCheck = mysqli_query($conn,
$industryCheck);

$salaryCheck =
"SELECT * FROM salaries WHERE
salary_id='$salary_id'";

$querySalaryCheck = mysqli_query($conn,
$salaryCheck);
?>



<label
class="form-label modalLabel">Work
Industry:&nbsp;</label>
</div>


<p
class="textRetrieved" id="textRetrievedID"><?php
$industry = mysqli_fetch_assoc($queryIndustryCheck);
echo $industry["description"]; ?>
</p>
</div>


<label
class="form-label modalLabel">Salary
Range:&nbsp;</label>
</div>


<p
class="textRetrieved" id="textRetrievedID"><?php
$salary = mysqli_fetch_assoc($querySalaryCheck);
echo $salary["description"]; ?>
</p>
</div>
<?php
}
?>
<?php
}
$household_id =
$generalCitizens["household_id"]; //getting the
household id of the user
$householdCheck =
"SELECT *, CONCAT(`head_first_name` , ' ,
`head_first_name` , ' , `head_middle_name`) AS
`head_name` FROM households WHERE
household_id = $household_id"; //getting the household
details of the user
$householdCheckResult =
executeQuery($householdCheck);
?>
</div>
<!-- House Dec -->
<div class="row mx-3 px-3 my-5" width="100%" height="auto" style="border: 1px solid #aeaeae; border-radius: 20px;">
<div class="col-12 titleCol">
<div class="titleDiv rounded-pill d-flex justify-content-center align-items-center">
<span
class="rowTitle">House Declaration</span>
</div>
</div>
<div class="col" id="row2Body">
<div class="row gy-1" id="row4Content">
<?php
while ($household
= mysqli_fetch_assoc($householdCheckResult)) {
?>
<div class="col-md-2 col-6">
<label
class="form-label modalLabel">Family
head:&nbsp;</label>
</div>


<p
class="textRetrieved" id="textRetrievedID"><?php echo
$household["head_name"]; ?></p>
</div>
<div class="col-md-2 col-6">
<label
class="form-label modalLabel">No. of
members:&nbsp;</label>
</div>


<p
class="textRetrieved" id="textRetrievedID"><?php echo
$household["members_count"]; ?></p>
</div>
<?php
}
?>
</div>
</div>
</div>
</div>
</div>


```



```
<?php
};

?>
</tbody>
<tfoot>
<tr id="kabataanFooter">
<td></td>
</tr>
</tfoot>
</table>
<div class="row mx-0 mt-1">
<div class="col-12 col-md-6 d-flex justify-content-center justify-content-md-start align-items-center p-0" id="kabataanTblInfo">
    <!-- Append Info here -->
</div>
<div class="col-12 col-md-6 d-flex justify-content-center justify-content-md-end align-items-center p-0" id="kabataanPaginate">
    <!-- Append pagination btns here -->
</div>
</div>
</div>
</div>

<?php
require_once "fundamental-scripts.php";
?>

<!-- Custom Script -->
<script type="text/javascript"
src="assets/js/profiles.js"></script>
<script type="text/javascript"
src="assets/js/sideMenu.js"></script>
<script type="text/javascript"
src="assets/js/settings.js"></script>

<!-- Active Link -->
<script type="text/javascript">
$(document).ready(function() {
    $("#dashboard-link").addClass('nav-active');
    $("#dashboard-md-link").addClass("nav-md-active");
    $("#backPage").click(function() {
        location.href = "dashboard.php";
    });
})
</script>
</body>
</html>

tblChildren.php

<?php
require_once "access-super-admin.php";
```

```
$queryChildren = "SELECT *, CONCAT(`last_name` , ', ' , `first_name` , '' , `middle_name`) AS full_name, DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(), birthday)) , '%Y') + 0 AS `age` FROM `residents` WHERE DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(), birthday)) , '%Y') + 0 < 15"; //query to select all data from table
$userRole = "SELECT description FROM admin_type WHERE admin_type_id = '$_SESSION[admin_type_id]'";
$role = mysqli_fetch_assoc(executeQuery($userRole));
$queryChildrenResult = executeQuery($queryChildren);
//execute query
?>

<!DOCTYPE html>
<html>

<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, shrink-to-fit=no">
    <title>Children</title>
    <?php
    require_once "fundamental-links.php";
    ?>

    <!-- Custom Page Stylesheets -->
    <link rel="stylesheet" href="assets/scss/profiles.css">
    <link rel="stylesheet"
href="assets/scss/sideMenu.css">

    <!-- Favicon -->
    <link rel="icon" type="image/x-icon"
href="assets/img/logos/kkis.ico">

</head>

<body>
<div class="shrunk d-none d-lg-flex" id="leftPanel">
    <?php
    if ($AdminTypeID == 1) {
        include 'sideMenu.php';
    } else if ($AdminTypeID == 2) {
        include 'sideMenu-admin.php';
    } else {
        include "sideMenu-staff.php";
    }
    ?>
</div>

<div class="full-width" id="mainPanel">
    <header class="d-lg-none d-flex" id="mdHeader">
        <!-- Append Small Nav here -->
    </header>
    <header class="d-none d-lg-block" id="lgHeader">
        <div class="row mx-0" id="headerRow">
            <div class="col-md-8 col-12 d-flex justify-content-start align-items-center">
                <i class="fa-solid fa-arrow-left me-4"
role="button" id="backPage"></i>
                <span class="pageTitle">Children</span>
            </div>
        </div>
    </header>
</div>
```



```
</div>

<div class="col-md-4 d-none d-md-flex justify-content-end align-items-center">
    <span class="accountType"><?php echo $role[description]></span>
</div>
</div>
<hr id="headerHR">
</header>

<!-- Content Start -->
<div class="container-fluid content" id="contentID">
    <div class="sectionDiv">
        <!-- Kabataan Table Start -->
        <div class="sectionDiv mx-0 mt-4" id="sectionKabataan">
            <!-- Options Rows -->
            <div class="optionRow row gx-5 m-0 mb-1">
                <!-- Show No. of Rows -->
                <div class="col-12 d-flex align-items-center my-1 p-0" id="kabataanLength">
                    </div>
                    <!-- Output Buttons -->
                    <div class="d-none col-md-6 d-md-flex justify-content-md-start p-0" id="kabataanOutput"></div>
                    <!-- Filter -->
                    <div class="d-none col-lg-3 d-lg-flex align-items-center justify-content-end"></div>
                    <!-- Search -->
                    <div class="col-12 col-md-6 col-lg-3 p-0" id="kabataanSearch"></div>
                </div>

                <!-- Actual table -->
                <table class="table table-striped table-bordered dataTable responsive display nowrap no-footer dtr-inline collapsed printTable" role="grid" darkBG cellspacing="0" id="kabataanTbl" style="width:100%">
                    <thead class="tblHeadRow">
                        <tr>
                            <th class="tblHead">Name</th>
                            <th class="tblHead">Gender</th>
                            <th class="tblHead">Age</th>
                            <th class="tblHead">Birthdate</th>
                            <th class="tblHead">Civil status</th>
                            <th class="tblHead">Contact No.</th>
                            <th class="tblHead">Actions</th>
                        </tr>
                    </thead>

                    <thead id="kabataanTblHead">
                        <tr>
                            </tr>
                        </thead>

                    <tbody>
<?php
while ($children = mysqli_fetch_assoc($queryChildrenResult)) {
    $childrenID = $children["resident_id"]; //get resident id
    $childrenEID = $children["rencrypted_id"];
    ?>
<tr>
    <td id="fullName" class="entryRow" scope="col" data-label="Name"><?php echo $children["full_name"];></td>
    <td id="gender" class="entryRow" scope="col" data-label="Gender"><?php echo $children["gender_preference"];></td>
    <td id="age" class="entryRow" scope="col" data-label="Age"><?php echo $children["age"];></td>
    <td id="birthday" class="entryRow" scope="col" data-label="Birthdate"><?php echo $children["birthday"];></td>
    <td id="civilStatus" class="entryRow" scope="col" data-label="Civil status"><?php echo $children["marital_status"];></td>
    <td id="contactNo" class="entryRow" scope="col" data-label="Contact No."><?php echo $children["contact_no"];></td>
    <td id="purok" class="entryRow" scope="col" data-label="Purok"><?php echo $children["purok"];></td>
    <td id="remarks" class="entryRow" scope="col" data-label="Remarks"><?php echo $children["remarks"];></td>
    <td id="actions" class="entryRow" scope="col" data-label="Actions">
        <div class="row mx-0 p-2">
            <!-- View More -->
            <div class="col-lg-12 col-12 d-flex justify-content-center align-items-center p-0">
                <a class="btn btn-warning" data-bs-toggle="modal" data-bs-target="#viewMore<?php echo $children["resident_id"]; ?>" href="#viewMore">View More</a>
            </div>
        </div>
    </td>
</tr>
</tbody>
```



```
<!-- Kabataan Modal -->
<div class="modal" role="dialog"
tabindex="1" id="viewMore<?php echo
$children["resident_id"]; ?>">
    <div class="modal-dialog modal-
xl modal-dialog-scrollable modal-dialog-centered"
id="modalDialogID" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <div class="d-flex justify-
content-start align-items-start">
                    
                    <span class="ms-1
modal-title" id="modalTitle">KKIS</span>
                </div>
                <button type="button"
class="btn-close" data-bs-dismiss="modal" aria-
label="Close"></button>
            </div>
            <div class="modal-body m-
0" id="modalBodyID">
                <!-- Basic Info -->
                <div class="row mx-3 px-
3 gy-2" width="100%" height="100%" style="border:
1px solid #aeaeae; border-radius: 20px;">
                    <!-- Text -->
                    <div class="col-12 col-
lg-8 d-flex align-items-center">
                        <div>
                            <span
class="basicTxt w-100 my-1" id="nameTxt"><?php
echo $children["full_name"]; ?></span>
                        <br>
                        <span
class="basicTxt w-100 my-1 mt-2"
id="ageGender"><?php echo $children["age"] . "
YEARS OLD, " . $children["gender_preference"];
?></span>
                        <br>
                        <span
class="basicTxt w-100 my-1" id="purok"><?php echo
$children["purok"]; ?></span>
                    </div>
                    <!-- QR Code -->
                    <div class="col-12 col-
lg-4 d-flex justify-content-lg-end justify-content-center">
                        " width="200px" height="auto">
                    </div>
                </div>
                <!-- Personal Info -->
                <div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border: 1px
solid #aeaeae; border-radius: 20px;">
                    <div class="col-12
titleCol">
                        <div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
```

```
                <span
class="rowTitle">Personal Information</span>
            </div>
        </div>
        <br>
        <div class="col-md-2
col-6">
            <label class="form-
label modalLabel">Birthday:&nbsp;</label>
        </div>
        <div class="col-md-3
col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$children["birthday"]; ?></p>
        </div>
        <div class="col-md-3
col-6">
            <label class="form-
label modalLabel">Voter Type:&nbsp;</label>
        </div>
        <div class="col-md-4
col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$children["voter_type"]; ?></p>
        </div>
        <div class="col-md-2
col-6">
            <label class="form-
label modalLabel">Birthplace:&nbsp;</label>
        </div>
        <div class="col-md-3
col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$children["birthplace"]; ?></p>
        </div>
        <div class="col-md-3
col-6">
            <label class="form-
label modalLabel">Contact No:&nbsp;</label>
        </div>
        <div class="col-md-4
col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$children["contact_no"]; ?></p>
        </div>
        <div class="col-md-2
col-6">
            <label class="form-
label modalLabel">Marital Status:&nbsp;</label>
        </div>
        <div class="col-md-3
col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$children["marital_status"]; ?></p>
        </div>
```



```
col-6">          <div class="col-md-3
                    <label class="form-
label modalLabel">Religion:&nbsp;</label>
                    </div>
                    <div class="col-md-4
col-6">          <p
                    class="textRetrieved" id="textRetrievedID"><?php echo
$children["religion"]; ?></p>
                    </div>
                    <div class="col-md-2
col-6">          <label class="form-
label modalLabel">Disability:&nbsp;</label>
                    </div>
                    <div class="col-md-3
col-6">          <p
                    class="textRetrieved" id="textRetrievedID"><?php echo
$children["disability"]; ?></p>
                    </div>
                    <div class="col-md-3
col-6">          <label class="form-
label modalLabel">Organization/s (if
any):&nbsp;</label>
                    </div>
                    <div class="col-md-4
col-6">          <p
                    class="textRetrieved" id="textRetrievedID"><?php echo
$children["organization"]; ?></p>
                    </div>
                    <div class="col-md-2
col-6">          <label class="form-
label modalLabel">House Address:&nbsp;</label>
                    </div>
                    <div class="col-md-3
col-6">          <p
                    class="textRetrieved" id="textRetrievedID"><?php echo
$children["house_address"]; ?></p>
                    </div>
                    <div class="col-md-3
col-6">          <label class="form-
label modalLabel">Remarks:&nbsp;</label>
                    </div>
                    <div class="col-md-4
col-6">          <p
                    class="textRetrieved" id="textRetrievedID"><?php echo
$children["remarks"]; ?></p>
                    </div>
                    <!-- Status -->
                    <div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border: 1px
solid #aeaeae; border-radius: 20px;">
titleCol">          <div class="col-12
                    <div class="titleDiv rounded-pill d-flex justify-content-center align-items-
center">
<span
class="rowTitle">Status</span>
                    </div>
                    </div>
                    <?php
$employmentCheck =
"SELECT * FROM employment_info WHERE
resident_id = $childrenID"; //check if resident has
employment info
$employmentCheckResult =
executeQuery($employmentCheck);

$educationCheck =
"SELECT * FROM educational_info WHERE
resident_id = $childrenID"; //check if resident has
educational info
$educationCheckResult =
executeQuery($educationCheck);

if ($employment =
mysqli_fetch_assoc($employmentCheckResult)) {
//checking if the user is an employee
?>
<div class="col-md-
2 col-6">
<label
class="form-label modalLabel">Employment
Status:&nbsp;</label>
                    </div>
<div class="col-md-
3 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employment_status"]; ?></p>
                    </div>
                    <div class="col-md-
3 col-6">
<label
class="form-label modalLabel">Employee
Type:&nbsp;</label>
                    </div>
<div class="col-md-
4 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employee_type"]; ?></p>
                    </div>
                    <div class="col-md-
2 col-6">
<label
class="form-label modalLabel">Employer
Type:&nbsp;</label>
                    </div>
<div class="col-md-
3 col-6">
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

186

```
<p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$employment["employer_type"]; ?></p>  
</div>  
  
<div class="col-md-  
3 col-6">  
    <label  
    class="form-label modalLabel">Employer  
Name:&nbsp;</label>  
    </div>  
    <div class="col-md-  
4 col-6">  
        <p  
        class="textRetrieved" id="textRetrievedID"><?php echo  
$employment["employer_name"]; ?></p>  
        </div>  
  
        <?php  
        $industry_id =  
$employment["industry_id"]; // store industry_id to  
variable  
        $salary_id =  
$employment["salary_id"]; // store salary_id to variable  
  
        $industryCheck =  
"SELECT * FROM industries WHERE  
industry_id='$industry_id';  
  
$queryIndustryCheck = mysqli_query($conn,  
$industryCheck);  
  
        $salaryCheck =  
"SELECT * FROM salaries WHERE  
salary_id='$salary_id';  
        $querySalaryCheck  
= mysqli_query($conn, $salaryCheck);  
        ?>  
  
<div class="col-md-  
2 col-6">  
    <label  
    class="form-label modalLabel">Work  
Industry:&nbsp;</label>  
    </div>  
    <div class="col-md-  
3 col-6">  
        <p  
        class="textRetrieved" id="textRetrievedID"><?php  
$industry = mysqli_fetch_assoc($queryIndustryCheck);  
echo $industry["description"]; ?>  
        </p>  
        </div>  
        <div class="col-md-3  
col-6">  
            <label  
            class="form-label modalLabel">Salary  
Range:&nbsp;</label>  
            </div>  
            <div class="col-md-4  
col-6">  
                <p  
                class="textRetrieved" id="textRetrievedID"><?php  
$salary = mysqli_fetch_assoc($querySalaryCheck);  
echo $salary["description"]; ?>  
                </p>  
                </div>  
            </div>  
        </div>  
    </div>  
    <?php  
} else if ($education =  
mysqli_fetch_assoc($educationCheckResult)) {  
//checking if the user is a student  
  
    if  
    ($education["student_status"] == "ENROLLED") {  
        ?>  
        <div class="col-  
md-2 col-6">  
            <label  
            class="form-label modalLabel">Student  
Status:&nbsp;</label>  
            </div>  
            <div class="col-  
md-3 col-6">  
                <p  
                class="textRetrieved" id="textRetrievedID"><?php echo  
$education["student_status"]; ?></p>  
                </div>  
  
                <div class="col-  
md-3 col-6">  
                    <label  
                    class="form-label modalLabel">Student  
Level:&nbsp;</label>  
                    </div>  
                    <div class="col-  
md-4 col-6">  
                        <p  
                        class="textRetrieved" id="textRetrievedID"><?php echo  
$education["student_level"]; ?></p>  
                        </div>  
  
                        <div class="col-  
md-2 col-6">  
                            <label  
                            class="form-label modalLabel">School  
Type:&nbsp;</label>  
                            </div>  
                            <div class="col-  
md-3 col-6">  
                                <p  
                                class="textRetrieved" id="textRetrievedID"><?php echo  
$education["school_type"]; ?></p>  
                                </div>  
  
                                <div class="col-  
md-3 col-6">  
                                    <label  
                                    class="form-label modalLabel">School  
Name:&nbsp;</label>  
                                    </div>  
                                    <div class="col-  
md-4 col-6">  
                                        <p  
                                        class="textRetrieved" id="textRetrievedID"><?php echo  
$education["school_name"]; ?></p>  
                                        </div>  
                                    </div>  
                                </div>  
                            </div>  
                        </div>  
                    </div>  
                </div>  
            </div>  
        </div>  
    </div>  
    </div>  
}</div>
```



```
<?php
} else if
($education["student_status"] == "OUT-OF-SCHOOL
YOUTH") {
?>
<div class="col-
6">
<label
class="form-label modalLabel">School
Status:&nbsp;</label>
</div>
<div class="col-
6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_status"]; ?></p>
</div>
<?php
} else {
?>
<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">Student
Status:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_status"]; ?></p>
</div>
<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">Student
Level:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_level"]; ?></p>
</div>
<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">School
Type:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["school_type"]; ?></p>
</div>
<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">School
Name:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">
<p
$industry_id =
$education["industry_id"]; // store industry_id to variable
$salary_id =
$education["salary_id"]; // store salary_id to variable
$industryCheck =
"SELECT * FROM industries WHERE
industry_id='$industry_id'";
$queryIndustryCheck = mysqli_query($conn,
$industryCheck);
$salaryCheck =
"SELECT * FROM salaries WHERE
salary_id='$salary_id'";
$querySalaryCheck = mysqli_query($conn,
$salaryCheck);
?>
<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">Work
Industry:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">
<p
$industry = mysqli_fetch_assoc($queryIndustryCheck);
echo $industry["description"]; ?>
</p>
</div>
<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">Salary
Range:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">
<p
$salary = mysqli_fetch_assoc($querySalaryCheck);
echo $salary["description"]; ?>
</p>
</div>
<?php
}
?>
<?php
```





# POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

189

```
</body>
</html>

tblSeniors.php

<?php
require_once "access-super-admin.php";

$querySeniorCitizens = "SELECT *, 
CONCAT(`last_name`, ' ', `first_name`, ' ', 
`middle_name`) AS full_name,
DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(), 
birthday)), '%Y') + 0 AS `age` FROM `residents` 
WHERE
DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(), 
birthday)), '%Y') >= 60 "; //query to select all data from
table
$userRole = "SELECT description FROM admin_type
WHERE admin_type_id =
$_SESSION[admin_type_id]";
$role = mysqli_fetch_assoc(executeQuery($userRole));
$querySeniorCitizensResult =
executeQuery($querySeniorCitizens); //execute query

?>

<!DOCTYPE html>
<html>

<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-
width, initial-scale=1.0, shrink-to-fit=no">
    <title>Senior Citizens</title>

    <?php
    require_once "fundamental-links.php";
    ?>

    <!-- Custom Page Stylesheets -->
    <link rel="stylesheet" href="assets/scss/profiles.css">
    <link rel="stylesheet"
href="assets/scss/sideMenu.css">

    <!-- Favicon -->
    <link rel="icon" type="image/x-icon"
href="assets/img/logos/kkis.ico">

</head>

<body>
    <div class="shrunk d-none d-lg-flex" id="leftPanel">
        <?php
        if ($adminTypeID == 1) {
            include 'sideMenu.php';
        } else if ($adminTypeID == 2) {
            include 'sideMenu-admin.php';
        } else {
            include "sideMenu-staff.php";
        }
        ?>
    </div>

    <div class="full-width" id="mainPanel">
        <header class="d-lg-none d-flex" id="mdHeader">
            <!-- Append Small Nav here -->
        </header>
        <header class="d-none d-lg-block" id="lgHeader">
            <div class="row mx-0" id="headerRow">
                <div class="col-md-8 col-12 d-flex justify-
content-start align-items-center">
                    <i class="fa-solid fa-arrow-left me-4"
role="button" id="backPage"></i>
                    <span class="pageTitle">Senior
Citizens</span>
                </div>
            <div class="col-md-4 d-none d-md-flex justify-
content-end align-items-center">
                <span class="accountType"><?php echo
"$role[description]" ?></span>
            </div>
        </div>
        <hr id="headerHR">
        </header>

        <!-- Content Start -->
        <div class="container-fluid content"
id="contentID">
            <div class="sectionDiv">
                <!-- Kabataan Table Start -->
                <div class="sectionDiv mx-0 mt-4"
id="sectionKabataan">
                    <!-- Options Rows -->
                    <div class="optionRow row gx-5 m-0 mb-
1">
                        <!-- Show No. of Rows -->
                        <div class="col-12 d-flex align-items-
center my-1 p-0" id="kabataanLength">
                            </div>
                        <!-- Output Buttons -->
                        <div class="d-none col-md-6 d-md-flex
justify-content-md-start p-0"
id="kabataanOutput">
                            <!-- Filter -->
                            <div class="d-none col-lg-3 d-lg-flex
align-items-center justify-content-end"></div>
                            <!-- Search -->
                            <div class="col-12 col-md-6 col-lg-3 p-0"
id="kabataanSearch">
                                </div>
                            </div>
                        <!-- Actual table -->
                        <table class="table table-striped table-
bordered dataTable responsive display nowrap no-
footer dtr-inline collapsed printTable darkBG"
role="grid" cellspacing="0" id="kabataanTbl"
style="width:100%">
                            <thead class="tblHeadRow">
                                <tr>
                                    <th class="tblHead">Name</th>
                                    <th class="tblHead">Gender</th>
                                    <th class="tblHead">Age</th>
                                    <th class="tblHead">Birthdate</th>
                                    <th class="tblHead">Civil
status</th>
                                    <th class="tblHead">Contact
No.</th>
                                    <th class="tblHead">Purok</th>
                                </tr>
                            </thead>
                            <tbody>
                                <tr>
                                    <td>John Doe</td>
                                    <td>Male</td>
                                    <td>30</td>
                                    <td>1993-01-01</td>
                                    <td>Single</td>
                                    <td>123 Main St</td>
                                    <td>101</td>
                                </tr>
                            </tbody>
                        </table>
                    </div>
                </div>
            </div>
        </div>
    </div>

```



```
<th class="tblHead">Remarks</th>
<th class="tblHead"
actions">Actions</th>
</tr>
</thead>

<thead id="kabataanTblHead">
<tr>
</tr>
</thead>

<tbody>
<?php
while ($seniorCitizens =
mysqli_fetch_assoc($querySeniorCitizensResult)) {
$seniorCitizensID =
$seniorCitizens["resident_id"]; //get resident id
$seniorCitizensEID =
$seniorCitizens["renrypted_id"];
?>

<tr>

<td id="fullName"
class="entryRow" scope="col" data-
label="Name"><?php echo
$seniorCitizens["full_name"]; ?></td>

<td id="gender"
class="entryRow" scope="col" data-
label="Gender"><?php echo
$seniorCitizens["gender_preference"]; ?></td>

<td id="age" class="entryRow"
scope="col" data-label="Age"><?php echo
$seniorCitizens["age"]; ?></td>

<td id="birthday"
class="entryRow" scope="col" data-
label="Birthdate"><?php echo
$seniorCitizens["birthday"]; ?></td>

<td id="civilStatus"
class="entryRow" scope="col" data-label="Civil
status"><?php echo $seniorCitizens["marital_status"];
?></td>

<td id="contactNo"
class="entryRow" scope="col" data-label="Contact
No."><?php echo $seniorCitizens["contact_no"];
?></td>

<td id="purok" class="entryRow"
scope="col" data-label="Purok"><?php echo
$seniorCitizens["purok"]; ?></td>

<td id="remarks"
class="entryRow" scope="col" data-
label="Remarks"><?php echo
$seniorCitizens["remarks"]; ?></td>

<td id="actions"
class="entryRow" scope="col" data-label="Actions">


<div class="modal-dialog modal-
xl modal-dialog-scrollable modal-dialog-centered"
id="modalDialogID" role="document">
<div class="modal-content"
id="modalContentID">
<div class="modal-header"
id="modalHeaderID">
<div class="d-flex justify-
content-start align-items-start">

<span class="ms-1
modal-title" id="modalTitle">KKIS</span>
</div>
<button type="button"
class="btn-close" data-bs-dismiss="modal" aria-
label="Close"></button>
</div>
<div class="modal-body m-
0" id="modalBodyID">
<!-- Basic Info -->
<div class="row mx-3 px-
3" width="100%" height="100%" style="border: 1px
solid #aeaeae; border-radius: 20px;">
<!-- Text -->
<div class="col-12 col-
lg-8 d-flex align-items-center">
<div>
<span
class="basicTxt w-100 my-1" id="nameTxt"><?php
echo $seniorCitizens["full_name"]; ?></span>
<br>
<span
class="basicTxt w-100 my-1 mt-2"
id="ageGender"><?php echo $seniorCitizens["age"] . " "
YEARS OLD, " . $seniorCitizens["gender_preference"];
?></span>
<br>
<span
class="basicTxt w-100 my-1" id="purok"><?php echo
$seniorCitizens["purok"]; ?></span>
</div>
</div>
<!-- QR Code -->
<div class="col-12 col-
lg-4 d-flex justify-content-lg-end justify-content-center">


```



```
" width="200px"  
height="auto">  
    </div>  
    </div>  
  
    <!-- Personal Info -->  
    <div class="row mx-3 px-  
3 my-5" width="100%" height="auto" style="border: 1px  
solid #aeaeae; border-radius: 20px;">  
        <div class="col-12  
titleCol">  
            <div class="titleDiv  
rounded-pill d-flex justify-content-center align-items-  
center">  
                <span  
class="rowTitle">Personal Information</span>  
                </div>  
                </div>  
                <br>  
                <div class="col-md-2  
col-6">  
                    <label class="form-  
label modalLabel">Birthday:&nbsp;</label>  
                    </div>  
                    <div class="col-md-3  
col-6">  
                        <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$seniorCitizens["birthday"]; ?></p>  
                        </div>  
                <div class="col-md-3  
col-6">  
                    <label class="form-  
label modalLabel">Voter Type:&nbsp;</label>  
                    </div>  
                    <div class="col-md-4  
col-6">  
                        <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$seniorCitizens["voter_type"]; ?></p>  
                        </div>  
                <div class="col-md-2  
col-6">  
                    <label class="form-  
label modalLabel">Birthplace:&nbsp;</label>  
                    </div>  
                    <div class="col-md-3  
col-6">  
                        <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$seniorCitizens["birthplace"]; ?></p>  
                        </div>  
                <div class="col-md-3  
col-6">  
                    <label class="form-  
label modalLabel">Contact No:&nbsp;</label>  
                    </div>  
                    <div class="col-md-4  
col-6">  
                        <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$seniorCitizens["contact_no"]; ?></p>  
                        </div>  
                <div class="col-md-2  
col-6">  
                    <label class="form-  
label modalLabel">Marital Status:&nbsp;</label>  
                    </div>  
                <div class="col-md-3  
col-6">  
                    <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$seniorCitizens["marital_status"]; ?></p>  
                    </div>  
                <div class="col-md-3  
col-6">  
                    <label class="form-  
label modalLabel">Religion:&nbsp;</label>  
                    </div>  
                <div class="col-md-4  
col-6">  
                    <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$seniorCitizens["religion"]; ?></p>  
                    </div>  
                <div class="col-md-2  
col-6">  
                    <label class="form-  
label modalLabel">Disability:&nbsp;</label>  
                    </div>  
                <div class="col-md-3  
col-6">  
                    <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$seniorCitizens["disability"]; ?></p>  
                    </div>  
                <div class="col-md-3  
col-6">  
                    <label class="form-  
label modalLabel">Organization/s (if  
any):&nbsp;</label>  
                    </div>  
                <div class="col-md-4  
col-6">  
                    <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$seniorCitizens["organization"]; ?></p>  
                    </div>  
                <div class="col-md-2  
col-6">  
                    <label class="form-  
label modalLabel">House Address:&nbsp;</label>  
                    </div>  
                <div class="col-md-3  
col-6">  
                    <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$seniorCitizens["house_address"]; ?></p>  
                    </div>
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

192

```
col-6">                                <div class="col-md-3
                                         <label class="form-
label modalLabel">Remarks:&nbsp;</label>
                                         </div>
                                         <div class="col-md-4
col-6">                                <p
                                         class="textRetrieved" id="textRetrievedID"><?php echo
$seniorCitizens["remarks"]; ?></p>
                                         </div>
                                         </div>
                                         <!-- Status -->
                                         <div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border: 1px
solid #aeaeae; border-radius: 20px;">
                                         <div class="col-12
titleCol">
                                         <div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
                                         <span
                                         class="rowTitle">Status</span>
                                         </div>
                                         </div>
                                         <?php
                                         $employmentCheck =
"SELECT * FROM employment_info WHERE
resident_id = $seniorCitizenID"; //check if resident has
employment info
                                         $employmentCheckResult =
executeQuery($employmentCheck);

                                         $educationCheck =
"SELECT * FROM educational_info WHERE
resident_id = $seniorCitizenID"; //check if resident has
educational info
                                         $educationCheckResult =
executeQuery($educationCheck);

                                         if ($employment =
mysqli_fetch_assoc($employmentCheckResult)) {
//checking if the user is an employee
                                         ?>
                                         <div class="col-md-
2 col-6">
                                         <label
                                         class="form-label modalLabel">Employment
Status:&nbsp;</label>
                                         </div>
                                         <div class="col-md-
3 col-6">
                                         <p
                                         class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employment_status"]; ?></p>
                                         </div>
                                         <div class="col-md-
3 col-6">
                                         <label
                                         class="form-label modalLabel">Employee
Type:&nbsp;</label>
                                         </div>
                                         <div class="col-md-
4 col-6">
                                         <p
                                         class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employee_type"]; ?></p>
                                         </div>
                                         <div class="col-md-
2 col-6">
                                         <label
                                         class="form-label modalLabel">Employer
Type:&nbsp;</label>
                                         </div>
                                         <div class="col-md-
3 col-6">
                                         <p
                                         class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employer_type"]; ?></p>
                                         </div>
                                         <div class="col-md-
3 col-6">
                                         <label
                                         class="form-label modalLabel">Employer
Name:&nbsp;</label>
                                         </div>
                                         <div class="col-md-
4 col-6">
                                         <p
                                         class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employer_name"]; ?></p>
                                         </div>
                                         <?php
                                         $industry_id =
$employment["industry_id"]; // store industry_id to
variable
                                         $salary_id =
$employment["salary_id"]; // store salary_id to variable
                                         $industryCheck =
"SELECT * FROM industries WHERE
industry_id=$industry_id";
                                         $queryIndustryCheck = mysqli_query($conn,
$industryCheck);
                                         $salaryCheck =
"SELECT * FROM salaries WHERE
salary_id=$salary_id";
                                         $querySalaryCheck =
mysqli_query($conn, $salaryCheck);
                                         ?>
                                         <div class="col-md-
2 col-6">
                                         <label
                                         class="form-label modalLabel">Work
Industry:&nbsp;</label>
                                         </div>
                                         <div class="col-md-
3 col-6">
                                         <p
                                         class="textRetrieved" id="textRetrievedID"><?php
```



```
$industry = mysqli_fetch_assoc($queryIndustryCheck);
echo $industry["description"]; ?>
    </p>
    </div>

    <div class="col-md-3 col-6">
        <label
            class="form-label modalLabel">Salary
        Range:&nbsp;</label>
    </div>
    <div class="col-md-4 col-6">
        <p
            class="textRetrieved" id="textRetrievedID"><?php
$salary = mysqli_fetch_assoc($querySalaryCheck);
echo $salary["description"]; ?>
        </p>
        </div>

        <?php
    } else if ($education =
mysqli_fetch_assoc($educationCheckResult)) {
//checking if the user is a student

        if
    ($education["student_status"] == "ENROLLED") {
        ?>
            <div class="col-md-2 col-6">
                <label
                    class="form-label modalLabel">Student
                Status:&nbsp;</label>
            </div>
            <div class="col-md-3 col-6">
                <p
                    class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_status"]; ?></p>
                </div>

                <div class="col-md-3 col-6">
                    <label
                        class="form-label modalLabel">Student
                    Level:&nbsp;</label>
                </div>
                <div class="col-md-4 col-6">
                    <p
                        class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_level"]; ?></p>
                    </div>

                    <div class="col-md-2 col-6">
                        <label
                            class="form-label modalLabel">School
                        Type:&nbsp;</label>
                    </div>
                    <div class="col-md-3 col-6">
                        <p
                            class="textRetrieved" id="textRetrievedID"><?php echo
$education["school_type"]; ?></p>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    <?php
} else if
($education["student_status"] == "OUT-OF-SCHOOL
YOUTH") {
    ?>
        <div class="col-6">
            <label
                class="form-label modalLabel">School
            Status:&nbsp;</label>
        </div>
        <div class="col-6">
            <p
                class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_status"]; ?></p>
            </div>
            <?php
} else {
    ?>
        <div class="col-6">
            <label
                class="form-label modalLabel">Student
            Status:&nbsp;</label>
        </div>
        <div class="col-6">
            <p
                class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_status"]; ?></p>
            </div>
        </div>
    <div class="col-6">
        <label
            class="form-label modalLabel">Student
        Level:&nbsp;</label>
    </div>
    <div class="col-6">
        <p
            class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_level"]; ?></p>
        </div>
    </div>
</div>
<div class="col-6">
    <label
        class="form-label modalLabel">School
    Type:&nbsp;</label>
</div>
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

194

```
<label
class="form-label modalLabel">School
Type:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["school_type"]; ?></p>
</div>
<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">School
Name:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["school_name"]; ?></p>
</div>
<?php
$industry_id =
$education["industry_id"]; // store industry_id to variable
$salary_id =
$education["salary_id"]; // store salary_id to variable
$industryCheck =
"SELECT * FROM industries WHERE
industry_id=$industry_id";
$queryIndustryCheck = mysqli_query($conn,
$industryCheck);
$salaryCheck =
"SELECT * FROM salaries WHERE
salary_id='$salary_id'";
$querySalaryCheck = mysqli_query($conn,
$salaryCheck);
?>
<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">Work
Industry:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php
$industry = mysqli_fetch_assoc($queryIndustryCheck);
echo $industry["description"]; ?>
</p>
</div>
<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">Salary
Range:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php
$salary = mysqli_fetch_assoc($querySalaryCheck);
echo $salary["description"]; ?>
</p>
</div>
<?php
}
?>
<?php
}
$household_id =
$seniorCitizens["household_id"]; //getting the household
id of the user
$householdCheck =
"SELECT *, CONCAT(`head_first_name`, ',',
`head_first_name`, ', ', `head_middle_name`) AS
`head_name` FROM households WHERE
household_id = $household_id"; //getting the household
details of the user
$householdCheckResult =
executeQuery($householdCheck);
?>
</div>
<!-- House Dec -->
<div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border: 1px
solid #aeaeae; border-radius: 20px;">
<div class="col-12
titleCol">
<div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
<span
class="rowTitle">House Declaration</span>
</div>
</div>
<div class="col-
id="row2Body">
<div class="row gy-
1" id="row4Content">
<?php
while ($household
= mysqli_fetch_assoc($householdCheckResult)) {
?>
<div class="col-
md-2 col-6">
<label
class="form-label modalLabel">Family
head:&nbsp;</label>
</div>
<div class="col-
md-4 col-6">
```



```

<p
class="textRetrieved" id="textRetrievedID"><?php echo
$household["head_name"]; ?></p>
                </div>
            <div class="col-
md-2 col-6">
                <label
class="form-label modalLabel">No. of
members.&nbsp;</label>
                </div>
                <div class="col-
md-4 col-6">
                    <p
class="textRetrieved" id="textRetrievedID"><?php echo
$household["members_count"]; ?></p>
                    </div>
                    <?php
                }
            ?>
                    </div>
                </div>
            </div>
        </div>
    </div>
<?php
};

?>
</tbody>
<tfoot>
    <tr id="kabataanFooter">
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
    </tr>
</tfoot>
</table>
<div class="row mx-0 mt-1">
    <div class="col-12 col-md-6 d-flex
justify-content-center justify-content-md-start align-
items-center p-0" id="kabataanTblInfo">
        <!-- Append Info here -->
    </div>
    <div class="col-12 col-md-6 d-flex
justify-content-center justify-content-md-end align-
items-center p-0" id="kabataanPaginate">
        <!-- Append pagination btns here -->
    </div>
</div>
</div>
</div>
</div>
<?php
require_once "fundamental-scripts.php";
?>
                <!-- Custom Script -->
                <script type="text/javascript">
src="assets/js/profiles.js"></script>
                <script type="text/javascript">
src="assets/js/sideMenu.js"></script>
                <script type="text/javascript">
src="assets/js/settings.js"></script>

                <!-- Active Link -->
                <script type="text/javascript">
$(document).ready(function() {
    $("#dashboard-link").addClass('nav-active');
    $("#dashboard-md-link").addClass("nav-md-
active");
    $("#backPage").click(function() {
        location.href = "dashboard.php";
    });
})
</script>
</body>
</html>

```

**tbIPWD.php**

```

<?php
require_once "access-super-admin.php";

$queryPWD = "SELECT *, CONCAT(`last_name` , ' ' ,
`first_name` , '' , `middle_name`) AS full_name,
DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(),
birthday)), '%Y') + 0 AS age FROM `residents` WHERE
`disability` != 'NONE' AND `disability` != "";//query to
select all data from table
$userRole = "SELECT description FROM admin_type
WHERE admin_type_id =
$_SESSION[admin_type_id]";
$role = mysqli_fetch_assoc(executeQuery($userRole));
$queryPWDResult = executeQuery($queryPWD);
//execute query
?>

<!DOCTYPE html>
<html>

<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-
width, initial-scale=1.0, shrink-to-fit=no">
    <title>PWDs</title>

    <?php
    require_once "fundamental-links.php";
?>

                <!-- Custom Page Stylesheets -->
                <link rel="stylesheet" href="assets/scss/profiles.css">
                <link rel="stylesheet"
href="assets/scss/sideMenu.css">

                <!-- Favicon -->
                <link rel="icon" type="image/x-icon"
href="assets/img/logos/kkis.ico">

```



```
</head>

<body>
    <div class="shrunk d-none d-lg-flex" id="leftPanel">
        <?php
        if ($adminTypeID == 1) {
            include 'sideMenu.php';
        } else if ($adminTypeID == 2) {
            include 'sideMenu-admin.php';
        } else {
            include "sideMenu-staff.php";
        }
        ?>
    </div>

    <div class="full-width" id="mainPanel">
        <header class="d-lg-none d-flex" id="mdHeader">
            <!-- Append Small Nav here -->
        </header>
        <header class="d-none d-lg-block" id="lgHeader">
            <div class="row mx-0" id="headerRow">
                <div class="col-md-8 col-12 d-flex justify-content-start align-items-center">
                    <i class="fa-solid fa-arrow-left me-4" role="button" id="backPage"></i>
                    <span class="pageTitle">PWDs</span>
                </div>
                <div class="col-md-4 d-none d-md-flex justify-content-end align-items-center">
                    <span class="accountType"><?php echo $role[description]>?</span>
                </div>
            <hr id="headerHR">
        </header>

        <!-- Content Start -->
        <div class="container-fluid content" id="contentID">
            <div class="sectionDiv">
                <!-- Kabataan Table Start -->
                <div class="sectionDiv mx-0 mt-4" id="sectionKabataan">
                    <!-- Options Rows -->
                    <div class="optionRow row gx-5 m-0 mb-1">
                        <!-- Show No. of Rows -->
                        <div class="col-12 d-flex align-items-center my-1 p-0" id="kabataanLength">
                            </div>
                        <!-- Output Buttons -->
                        <div class="d-none col-md-6 d-md-flex justify-content-md-start p-0" id="kabataanOutput"></div>
                        <!-- Filter -->
                        <div class="d-none col-lg-3 d-lg-flex align-items-center justify-content-end"></div>
                        <!-- Search -->
                        <div class="col-12 col-md-6 col-lg-3 p-0" id="kabataanSearch">
                            </div>
                        </div>
                    </div>
                <!-- Actual table -->
            <table class="table table-striped table-bordered dataTable responsive display nowrap no-footer dtr-inline collapsed printTable darkBG" role="grid" cellspacing="0" id="kabataanTbl" style="width:100%">
                <thead class="tblHeadRow">
                    <tr>
                        <th class="tblHead">Name</th>
                        <th class="tblHead">Gender</th>
                        <th class="tblHead">Age</th>
                        <th class="tblHead">Birthdate</th>
                        <th class="tblHead">Civil status</th>
                        <th class="tblHead">Contact No.</th>
                        <th class="tblHead">Purok</th>
                        <th class="tblHead">Remarks</th>
                        <th class="tblHead" actions">Actions</th>
                    </tr>
                </thead>
                <thead id="kabataanTblHead">
                    <tr>
                    </tr>
                </thead>
                <tbody>
                    <?php
                    while ($pwd = mysqli_fetch_assoc($queryPWDResult)) {
                        $pwdID = $pwd["resident_id"]; //get resident id
                        $pwdEID = $pwd["rencrypted_id"];
                    ?>
                    <tr>
                        <td id="fullName" class="entryRow" scope="col" data-label="Name"><?php echo $pwd["full_name"]; ?></td>
                        <td id="gender" class="entryRow" scope="col" data-label="Gender"><?php echo $pwd["gender_preference"]; ?></td>
                        <td id="age" class="entryRow" scope="col" data-label="Age"><?php echo $pwd["age"]; ?></td>
                        <td id="birthday" class="entryRow" scope="col" data-label="Birthdate"><?php echo $pwd["birthday"]; ?></td>
                        <td id="civilStatus" class="entryRow" scope="col" data-label="Civil status"><?php echo $pwd["marital_status"]; ?></td>
                        <td id="contactNo" class="entryRow" scope="col" data-label="Contact No."><?php echo $pwd["contact_no"]; ?></td>
                    </tr>
                </tbody>
            </table>
        </div>
    </div>
</body>
```



```
<td id="purok" class="entryRow"
scope="col" data-label="Purok"><?php echo
$pwd["purok"]; ?></td>

<td id="remarks"
class="entryRow" scope="col" data-
label="Remarks"><?php echo $pwd["remarks"];
?></td>

<td id="actions"
class="entryRow" scope="col" data-label="Actions">
<div class="row mx-0 p-2">
<!-- View More -->
<div class="col-lg-12 col-12
d-flex justify-content-center align-items-center p-0">
<a class="btn btn-
warning" data-bs-toggle="modal" data-bs-
target="#viewMore<?php echo $pwd["resident_id"]; ?>" data-
id="<?php echo $pwd["resident_id"]; ?>" href="#viewMore">View More</a>
</div>
</div>
</td>
</tr>

<!-- Kabataan Modal -->
<div class="modal" role="dialog"
tabindex="1" id="viewMore<?php echo
$pwd["resident_id"]; ?>">
<div class="modal-dialog modal-
xl modal-dialog-scrollable modal-dialog-centered"
id="modalDialogID" role="document">
<div class="modal-content">
<div class="modal-header">
<div class="d-flex justify-
content-start align-items-start">

<span class="ms-1
modal-title" id="modalTitle">KKIS</span>
</div>
<button type="button"
class="btn-close" data-bs-dismiss="modal" aria-
label="Close"></button>
</div>
<div class="modal-body m-
0" id="modalBodyID">
<!-- Basic Info -->
<div class="row mx-3 px-
3" width="100%" height="100%" style="border: 1px
solid #aeaeae; border-radius: 20px;">
<!-- Text -->
<div class="col-12 col-
lg-8 d-flex align-items-center">
<div>
<span
class="basicTxt w-100 my-1" id="nameTxt"><?php
echo $pwd["full_name"]; ?></span>
<br>
<span
class="basicTxt w-100 my-1 mt-2" id="ageGender"><?php echo $pwd["age"] . " YEARS
OLD, " . $pwd["gender_preference"]; ?></span>
<br>
<span
class="basicTxt w-100 my-1" id="purok"><?php echo
$pwd["purok"]; ?></span>
</div>
</div>
<!-- QR Code -->
<div class="col-12 col-
lg-4 d-flex justify-content-lg-end justify-content-center">
" width="200px" height="auto">
</div>
</div>

<!-- Personal Info -->
<div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border: 1px
solid #aeaeae; border-radius: 20px;">
<div class="col-12
titleCol">
<div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
<span
class="rowTitle">Personal Information</span>
</div>
</div>
<br>
<div class="col-md-2
col-6">
<label class="form-
label modalLabel">Birthday:&nbsp;</label>
</div>
<div class="col-md-3
col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$pwd["birthday"]; ?></p>
</div>
<div class="col-md-3
col-6">
<label class="form-
label modalLabel">Voter Type:&nbsp;</label>
</div>
<div class="col-md-4
col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$pwd["voter_type"]; ?></p>
</div>
<div class="col-md-2
col-6">
<label class="form-
label modalLabel">Birthplace:&nbsp;</label>
</div>
<div class="col-md-3
col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$pwd["birthplace"]; ?></p>
</div>
</div>
</div>
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

198

```
</div>
<div class="col-md-3
col-6">
    <label class="form-
label modalLabel">Contact No:&nbsp;</label>
    </div>
    <div class="col-md-4
col-6">
        <p
class="textRetrieved" id="textRetrievedID"><?php echo
$pwd["contact_no"]; ?></p>
        </div>
        <div class="col-md-2
col-6">
            <label class="form-
label modalLabel">Marital Status:&nbsp;</label>
            </div>
            <div class="col-md-3
col-6">
                <p
class="textRetrieved" id="textRetrievedID"><?php echo
$pwd["marital_status"]; ?></p>
                </div>
                <div class="col-md-3
col-6">
                    <label class="form-
label modalLabel">Religion:&nbsp;</label>
                    </div>
                    <div class="col-md-4
col-6">
                        <p
class="textRetrieved" id="textRetrievedID"><?php echo
$pwd["religion"]; ?></p>
                        </div>
                        <div class="col-md-2
col-6">
                            <label class="form-
label modalLabel">Disability:&nbsp;</label>
                            </div>
                            <div class="col-md-3
col-6">
                                <p
class="textRetrieved" id="textRetrievedID"><?php echo
$pwd["disability"]; ?></p>
                                </div>
                                <div class="col-md-3
col-6">
                                    <label class="form-
label modalLabel">Organization/s (if
any):&nbsp;</label>
                                    </div>
                                    <div class="col-md-4
col-6">
                                        <p
class="textRetrieved" id="textRetrievedID"><?php echo
$pwd["organization"]; ?></p>
                                        </div>
                                        <div class="col-md-2
col-6">
```

<label class="form-
label modalLabel">House Address:&nbsp;</label>
</div>
<div class="col-md-3
col-6">
 <p
class="textRetrieved" id="textRetrievedID"><?php echo
\$pwd["house\_address"]; ?></p>
 </div>
 <div class="col-md-3
col-6">
 <label class="form-
label modalLabel">Remarks:&nbsp;</label>
 </div>
 <div class="col-md-4
col-6">
 <p
class="textRetrieved" id="textRetrievedID"><?php echo
\$pwd["remarks"]; ?></p>
 </div>
 </div>
 <!-- Status -->
<div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border: 1px
solid #aaeae; border-radius: 20px;">
 <div class="col-12
titleCol">
 <div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
 <span
class="rowTitle">Status</span>
 </div>
 </div>
 <?php
\$employmentCheck =
"SELECT \* FROM employment\_info WHERE
resident\_id = \$pwdID"; //check if resident has
employment info
\$employmentCheckResult =
executeQuery(\$employmentCheck);

\$educationCheck =
"SELECT \* FROM educational\_info WHERE
resident\_id = \$pwdID"; //check if resident has
educational info
\$educationCheckResult =
executeQuery(\$educationCheck);

if (\$employment =
mysqli\_fetch\_assoc(\$employmentCheckResult)) {
//checking if the user is an employee
?>
 <div class="col-md-
2 col-6">
 <label
class="form-label modalLabel">Employment
Status:&nbsp;</label>
 </div>
 <div class="col-md-
3 col-6">



```
<p>
<?php echo
$employment["employment_status"]; ?></p>
</div>

<div class="col-md-3 col-6">
<label
class="form-label modalLabel">Employee
Type:&nbsp;</label>
</div>
<div class="col-md-4 col-6">
<p>
<?php echo
$employment["employee_type"]; ?></p>
</div>

<div class="col-md-2 col-6">
<label
class="form-label modalLabel">Employer
Type:&nbsp;</label>
</div>
<div class="col-md-3 col-6">
<p>
<?php echo
$employment["employer_type"]; ?></p>
</div>

<div class="col-md-3 col-6">
<label
class="form-label modalLabel">Employer
Name:&nbsp;</label>
</div>
<div class="col-md-4 col-6">
<p>
<?php echo
$employment["employer_name"]; ?></p>
</div>

<?php
$industry_id =
$employment["industry_id"]; // store industry_id to
variable
$salary_id =
$employment["salary_id"]; // store salary_id to variable

$industryCheck =
"SELECT * FROM industries WHERE
industry_id='$industry_id'";

$queryIndustryCheck = mysqli_query($conn,
$industryCheck);

$salaryCheck =
"SELECT * FROM salaries WHERE
salary_id='$salary_id'";
$querySalaryCheck
= mysqli_query($conn, $salaryCheck);
?>
```

```
<div class="col-md-2 col-6">
<label
class="form-label modalLabel">Work
Industry:&nbsp;</label>
</div>
<div class="col-md-3 col-6">
<p>
<?php
$industry = mysqli_fetch_assoc($queryIndustryCheck);
echo $industry["description"]; ?>
</p>
</div>

<div class="col-md-3 col-6">
<label
class="form-label modalLabel">Salary
Range:&nbsp;</label>
</div>
<div class="col-md-4 col-6">
<p>
<?php
$salary = mysqli_fetch_assoc($querySalaryCheck);
echo $salary["description"]; ?>
</p>
</div>

<?php
} else if ($education =
mysqli_fetch_assoc($educationCheckResult)) {
//checking if the user is a student

if
($education["student_status"] == "ENROLLED") {
?>
<div class="col-
md-2 col-6">
<label
class="form-label modalLabel">Student
Status:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">
<p>
<?php echo
$education["student_status"]; ?></p>
</div>

<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">Student
Level:&nbsp;</label>
</div>
<div class="col-
md-4 col-6">
<p>
<?php echo
$education["student_level"]; ?></p>
</div>
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

200

```
</div>
<div class="col-
md-2 col-6">
    <label
        class="form-label modalLabel">School
        Type:&nbs;p;</label>
    </div>
    <div class="col-
md-3 col-6">
        <p
            class="textRetrieved" id="textRetrievedID"><?php echo
            $education["student_level"]; ?></p>
        </div>
        <div class="col-
md-3 col-6">
            <label
                class="form-label modalLabel">School
                Name:&nbs;p;</label>
            </div>
            <div class="col-
md-4 col-6">
                <p
                    class="textRetrieved" id="textRetrievedID"><?php echo
                    $education["school_name"]; ?></p>
                </div>
                <?php
                } else if
                ($education["student_status"] == "OUT-OF-SCHOOL
                YOUTH") {
                    ?>
                    <div class="col-
6">
                        <label
                            class="form-label modalLabel">School
                            Status:&nbs;p;</label>
                        </div>
                        <div class="col-
6">
                            <p
                                class="textRetrieved" id="textRetrievedID"><?php echo
                                $education["student_status"]; ?></p>
                            </div>
                            <?php
                            } else {
                            ?>
                            <div class="col-
md-3 col-6">
                                <label
                                    class="form-label modalLabel">Student
                                    Status:&nbs;p;</label>
                                </div>
                                <div class="col-
md-3 col-6">
                                    <p
                                        class="textRetrieved" id="textRetrievedID"><?php echo
                                        $education["student_status"]; ?></p>
                                    </div>
                                    <div class="col-
md-3 col-6">
                                        <label
                                            class="form-label modalLabel">Student
                                            Level:&nbs;p;</label>
                                        </div>
<div class="col-
md-3 col-6">
    <p
        class="textRetrieved" id="textRetrievedID"><?php echo
        $education["student_level"]; ?></p>
    </div>
<div class="col-
md-3 col-6">
    <label
        class="form-label modalLabel">School
        Type:&nbs;p;</label>
    </div>
    <div class="col-
md-3 col-6">
        <p
            class="textRetrieved" id="textRetrievedID"><?php echo
            $education["school_type"]; ?></p>
        </div>
        <div class="col-
md-3 col-6">
            <label
                class="form-label modalLabel">School
                Name:&nbs;p;</label>
            </div>
            <div class="col-
md-3 col-6">
                <p
                    class="textRetrieved" id="textRetrievedID"><?php echo
                    $education["school_name"]; ?></p>
                </div>
                <?php
                    $industry_id =
                    $education["industry_id"]; // store industry_id to variable
                    $salary_id =
                    $education["salary_id"]; // store salary_id to variable
                    $industryCheck =
                    "SELECT * FROM industries WHERE
                    industry_id='$industry_id'";
                    $queryIndustryCheck = mysqli_query($conn,
                    $industryCheck);
                    $salaryCheck =
                    "SELECT * FROM salaries WHERE
                    salary_id='$salary_id'";
                    $querySalaryCheck = mysqli_query($conn,
                    $salaryCheck);
                    ?>
                    <div class="col-
md-3 col-6">
                        <label
                            class="form-label modalLabel">Work
                            Industry:&nbs;p;</label>
                        </div>
                        <div class="col-
md-3 col-6">
                            <p
                                class="textRetrieved" id="textRetrievedID"><?php
```



```
$industry = mysqli_fetch_assoc($queryIndustryCheck);
echo $industry["description"]; ?>
                                </p>
                                </div>

                <div class="col-
md-3 col-6">
                                <label
class="form-label modalLabel">Salary
Range:&nbsp;</label>
                                </div>
                <div class="col-
md-3 col-6">
                                <p
class="textRetrieved" id="textRetrievedID"><?php
$salary = mysqli_fetch_assoc($querySalaryCheck);
echo $salary["description"]; ?>
                                </p>
                                <?php
}
?
<?php
}
$household_id =
$pwd["household_id"]; //getting the household id of the
user
$householdCheck =
"SELECT *, CONCAT(`head_first_name` , ' ,
`head_first_name` , ' , `head_middle_name`) AS
`head_name` FROM households WHERE
household_id = $household_id"; //getting the household
details of the user
$householdCheckResult =
executeQuery($householdCheck);
?>
                </div>
<!-- House Dec --&gt;
&lt;div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border: 1px
solid #aeaeae; border-radius: 20px;"&gt;
                &lt;div class="col-12
titleCol"&gt;
                    &lt;div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center"&gt;
                        &lt;span
class="rowTitle"&gt;House Declaration&lt;/span&gt;
                    &lt;/div&gt;
                &lt;div class="col"
id="row2Body"&gt;
                    &lt;div class="row gy-
1" id="row4Content"&gt;
                        &lt;?php
                        while ($household
= mysqli_fetch_assoc($householdCheckResult)) {</pre>

```
?>
                                <div class="col-6">
                                    <label
class="form-label modalLabel">Family
head:&nbsp;</label>
                                </div>
                <div class="col-
md-4 col-6">
                                <p
class="textRetrieved" id="textRetrievedID"><?php echo
$household["head_name"]; ?></p>
                                </div>
                <div class="col-
md-2 col-6">
                                <label
class="form-label modalLabel">No. of
members:&nbsp;</label>
                                </div>
                <div class="col-
md-4 col-6">
                                <p
class="textRetrieved" id="textRetrievedID"><?php echo
$household["members_count"]; ?></p>
                                <?php
}
?
<?php
}
</div>
                </div>
            </div>
        </div>
    </div>
</tbody>
<tfoot>
    <tr id="kabataanFooter">
        <td></td>
        <td></td>
    </tr>
</tfoot>
</table>
<div class="row mx-0 mt-1">
    <div class="col-12 col-md-6 d-flex
justify-content-center justify-content-md-start align-
items-center p-0" id="kabataanTbInfo">
        <!-- Append Info here -->
    </div>
    <div class="col-12 col-md-6 d-flex
justify-content-center justify-content-md-end align-
items-center p-0" id="kabataanPaginate">
        <!-- Append pagination btns here -->
```


```



```
</div>
</div>
</div>
</div>
</div>

<?php
require_once "fundamental-scripts.php";
?>

<!-- Custom Script -->
<script type="text/javascript"
src="assets/js/profiles.js"></script>
<script type="text/javascript"
src="assets/js/sideMenu.js"></script>
<script type="text/javascript"
src="assets/js/settings.js"></script>

<!-- Active Link -->
<script type="text/javascript">
$(document).ready(function() {
    $("#dashboard-link").addClass('nav-active');
    $("#dashboard-md-link").addClass("nav-md-
active");
    $("#backPage").click(function() {
        location.href = "dashboard.php";
    });
})
</script>
</body>
</html>

tblRegisteredVoters.php

<?php
require_once "access-super-admin.php";

$queryRegisteredVoters = "SELECT *,
CONCAT(`last_name`, ' ', `first_name`, '',
`middle_name`) AS full_name,
DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(),
birthday)), '%Y') + 0 AS `age` FROM `residents`
WHERE `voter_type` = 'Registered' "; //query to select
all data from table
$userRole = "SELECT description FROM admin_type
WHERE admin_type_id =
'$_SESSION[admin_type_id]'";
$role = mysqli_fetch_assoc(executeQuery($userRole));
$queryRegisteredVoters =
executeQuery($queryRegisteredVoters); //execute
query
?>

<!DOCTYPE html>
<html>

<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-
width, initial-scale=1.0, shrink-to-fit=no">
    <title>Registered Voters</title>
    <?php
    require_once "fundamental-links.php";
```

```
?>

<!-- Custom Page Stylesheets -->
<link rel="stylesheet" href="assets/scss/profiles.css">
<link rel="stylesheet"
href="assets/scss/sideMenu.css">

<!-- Favicon -->
<link rel="icon" type="image/x-icon"
href="assets/img/logos/kkis.ico">

</head>

<body>
<div class="shrunk d-none d-lg-flex" id="leftPanel">
<?php
if ($adminTypeID == 1) {
    include 'sideMenu.php';
} else if ($adminTypeID == 2) {
    include 'sideMenu-admin.php';
} else {
    include "sideMenu-staff.php";
}
?>
</div>

<div class="full-width" id="mainPanel">
<header class="d-lg-none d-flex" id="mdHeader">
<!-- Append Small Nav here -->
</header>
<header class="d-none d-lg-block" id="lgHeader">
<div class="row mx-0" id="headerRow">
<div class="col-md-8 col-12 d-flex justify-
content-start align-items-center">
<i class="fa-solid fa-arrow-left me-4"
role="button" id="backPage"></i>
<span class="pageTitle">Registered
Voters</span>
</div>
<div class="col-md-4 d-none d-md-flex justify-
content-end align-items-center">
<span class="accountType"><?php echo
"$role[description]" ?></span>
</div>
<hr id="headerHR">
</header>

<!-- Content Start -->
<div class="container-fluid content"
id="contentID">
<div class="sectionDiv">
<!-- Kabataan Table Start -->
<div class="sectionDiv mx-0 mt-4"
id="sectionKabataan">
<!-- Options Rows -->
<div class="optionRow row gx-5 m-0 mb-
1">
<!-- Show No. of Rows -->
<div class="col-12 d-flex align-items-
center my-1 p-0" id="kabataanLength">
</div>
<!-- Output Buttons -->
```



```
<div class="d-none col-md-6 d-md-flex justify-content-md-start p-0" id="kabataanOutput"></div>
<!-- Filter -->
<div class="d-none col-lg-3 d-lg-flex align-items-center justify-content-end"></div>
<!-- Search -->
<div class="col-12 col-md-6 col-lg-3 p-0" id="kabataanSearch">
    </div>
</div>

<!-- Actual table -->
<table class="table table-striped table-bordered dataTable responsive display nowrap no-footer dtr-inline collapsed printTable darkBG" role="grid" cellspacing="0" id="kabataanTbl" style="width:100%">
    <thead class="tblHeadRow">
        <tr>
            <th class="tblHead">Name</th>
            <th class="tblHead">Gender</th>
            <th class="tblHead">Age</th>
            <th class="tblHead">Birthdate</th>
            <th class="tblHead">Civil status</th>
            <th class="tblHead">Contact No.</th>
            <th class="tblHead">Purok</th>
            <th class="tblHead">Remarks</th>
            <th class="tblHead" actions">Actions</th>
        </tr>
    </thead>

    <thead id="kabataanTblHead">
        <tr>
        </tr>
    </thead>

    <tbody>
        <?php
            while ($registeredVoters =
                mysqli_fetch_assoc($queryRegisteredVoters)) {
                $registeredVotersID =
                $registeredVoters["resident_id"]; //get resident id
                $registeredVotersEID =
                $registeredVoters["rencrypted_id"];
            ?>

        <tr>
            <td id="fullName"
                class="entryRow" scope="col" data-label="Name"><?php echo
                $registeredVoters["full_name"]; ?></td>

            <td id="gender"
                class="entryRow" scope="col" data-label="Gender"><?php echo
                $registeredVoters["gender_preference"]; ?></td>

            <td id="age" class="entryRow"
                scope="col" data-label="Age"><?php echo
                $registeredVoters["age"]; ?></td>

            <td id="birthday"
                class="entryRow" scope="col" data-label="Birthdate"><?php echo
                $registeredVoters["birthday"]; ?></td>

            <td id="civilStatus"
                class="entryRow" scope="col" data-label="Civil status"><?php echo
                $registeredVoters["marital_status"]; ?></td>

            <td id="contactNo"
                class="entryRow" scope="col" data-label="Contact No."><?php echo
                $registeredVoters["contact_no"]; ?></td>

            <td id="purok" class="entryRow"
                scope="col" data-label="Purok"><?php echo
                $registeredVoters["purok"]; ?></td>

            <td id="remarks"
                class="entryRow" scope="col" data-label="Remarks"><?php echo
                $registeredVoters["remarks"]; ?></td>

            <td id="actions"
                class="entryRow" scope="col" data-label="Actions">
                <div class="row mx-0 p-2">
                    <!-- View More -->
                    <div class="col-lg-12 col-12 d-flex justify-content-center align-items-center p-0">
                        <a class="btn btn-warning" data-bs-toggle="modal" data-bs-target="#viewMore<?php echo
                            $registeredVoters["resident_id"]; ?>" data-id="<?php echo
                            $registeredVoters["resident_id"]; ?>" href="#viewMore">View More</a>
                    </div>
                </div>
            </td>
        </tr>
    </tbody>
</table>

<!-- Kabataan Modal -->
<div class="modal" role="dialog"
    tabindex="1" id="viewMore<?php echo
    $registeredVoters["resident_id"]; ?>">
    <div class="modal-dialog modal-xl modal-dialog-scrollable modal-dialog-centered"
        id="modalDialogID" role="document">
        <div class="modal-content"
            id="modalContentID">
            <div class="modal-header"
                id="modalHeaderID">
                <div class="d-flex justify-content-start align-items-start">
                    
                    <span class="ms-1
                        modal-title" id="modalTitle">KKIS</span>
                </div>
                <button type="button"
                    class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
            </div>
    </div>
</div>
```



```
<div class="modal-body m-0" id="modalBodyID">
    <!-- Basic Info -->
    <div class="row mx-3 px-3" width="100%" height="100%" style="border: 1px solid #aeaeae; border-radius: 20px;">
        <!-- Text -->
        <div class="col-12 col-lg-8 d-flex align-items-center">
            <div>
                <span class="basicTxt w-100 my-1" id="nameTxt"><?php echo $registeredVoters["full_name"]; ?></span>
                <br>
                <span class="basicTxt w-100 my-1 mt-2" id="ageGender"><?php echo $registeredVoters["age"] . " YEARS OLD, ". $registeredVoters["gender_preference"]; ?></span>
                <br>
                <span class="basicTxt w-100 my-1" id="purok"><?php echo $registeredVoters["purok"]; ?></span>
            </div>
            <!-- QR Code -->
            <div class="col-12 col-lg-4 d-flex justify-content-lg-end justify-content-center">
                " width="200px" height="auto">
            </div>
        <!-- Personal Info -->
        <div class="row mx-3 px-3 my-5" width="100%" height="auto" style="border: 1px solid #aeaeae; border-radius: 20px;">
            <div class="col-12 titleCol">
                <div class="titleDiv rounded-pill d-flex justify-content-center align-items-center">
                    <span class="rowTitle">Personal Information</span>
                </div>
            </div>
            <div class="col-6">
                <label class="form-label modalLabel">Birthday:&nbsp;</label>
            </div>
            <div class="col-6">
                <p class="textRetrieved" id="textRetrievedID"><?php echo $registeredVoters["birthday"]; ?></p>
            </div>
            <div class="col-6">
                <label class="form-label modalLabel">Voter Type:&nbsp;</label>
            </div>
        </div>
    </div>
    <div class="col-6">
        <p class="textRetrieved" id="textRetrievedID"><?php echo $registeredVoters["voter_type"]; ?></p>
    </div>
    <div class="col-6">
        <label class="form-label modalLabel">Birthplace:&nbsp;</label>
    </div>
    <div class="col-6">
        <p class="textRetrieved" id="textRetrievedID"><?php echo $registeredVoters["birthplace"]; ?></p>
    </div>
    <div class="col-6">
        <label class="form-label modalLabel">Contact No:&nbsp;</label>
    </div>
    <div class="col-6">
        <p class="textRetrieved" id="textRetrievedID"><?php echo $registeredVoters["contact_no"]; ?></p>
    </div>
    <div class="col-6">
        <label class="form-label modalLabel">Marital Status:&nbsp;</label>
    </div>
    <div class="col-6">
        <p class="textRetrieved" id="textRetrievedID"><?php echo $registeredVoters["marital_status"]; ?></p>
    </div>
    <div class="col-6">
        <label class="form-label modalLabel">Religion:&nbsp;</label>
    </div>
    <div class="col-6">
        <p class="textRetrieved" id="textRetrievedID"><?php echo $registeredVoters["religion"]; ?></p>
    </div>
    <div class="col-6">
        <label class="form-label modalLabel">Disability:&nbsp;</label>
    </div>
    <div class="col-6">
        <p class="textRetrieved" id="textRetrievedID"><?php echo $registeredVoters["disability"]; ?></p>
    </div>
</div>
```



```
</div>
<div class="col-md-3
col-6">
    <label class="form-
label modalLabel">Organization/s (if
any):&nbsp;</label>
    </div>
    <div class="col-md-4
col-6">
        <p
class="textRetrieved" id="textRetrievedID"><?php echo
$registeredVoters["organization"]; ?></p>
        </div>
        <div class="col-md-2
col-6">
            <label class="form-
label modalLabel">House Address:&nbsp;</label>
            </div>
            <div class="col-md-3
col-6">
                <p
class="textRetrieved" id="textRetrievedID"><?php echo
$registeredVoters["house_address"]; ?></p>
                </div>
                <div class="col-md-3
col-6">
                    <label class="form-
label modalLabel">Remarks:&nbsp;</label>
                    </div>
                    <div class="col-md-4
col-6">
                        <p
class="textRetrieved" id="textRetrievedID"><?php echo
$registeredVoters["remarks"]; ?></p>
                        </div>
                        </div>
                        <!-- Status -->
                        <div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border: 1px
solid #aeaeae; border-radius: 20px;">
                            <div class="col-12
titleCol">
                                <div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
                                    <span
class="rowTitle">Status</span>
                                    </div>
                                    </div>
                                    <?php
                                    $employmentCheck =
"SELECT * FROM employment_info WHERE
resident_id = $registeredVotersID"; //check if resident
has employment info
                                    $employmentCheckResult =
executeQuery($employmentCheck);
                                    $educationCheck =
"SELECT * FROM educational_info WHERE
resident_id = $registeredVotersID"; //check if resident
has educational info
                                    $educationCheckResult =
executeQuery($educationCheck);
                                    if ($employment =
mysql_fetch_assoc($employmentCheckResult)) {
//checking if the user is an employee
                                    ?>
                                    <div class="col-md-
2 col-6">
                                        <label
class="form-label modalLabel">Employment
Status:&nbsp;</label>
                                        </div>
                                    <div class="col-md-
3 col-6">
                                        <p
class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employment_status"]; ?></p>
                                        </div>
                                    <div class="col-md-
3 col-6">
                                        <label
class="form-label modalLabel">Employee
Type:&nbsp;</label>
                                        </div>
                                    <div class="col-md-
4 col-6">
                                        <p
class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employee_type"]; ?></p>
                                        </div>
                                    <div class="col-md-
2 col-6">
                                        <label
class="form-label modalLabel">Employer
Type:&nbsp;</label>
                                        </div>
                                    <div class="col-md-
3 col-6">
                                        <p
class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employer_type"]; ?></p>
                                        </div>
                                    <div class="col-md-
3 col-6">
                                        <label
class="form-label modalLabel">Employer
Name:&nbsp;</label>
                                        </div>
                                    <div class="col-md-
4 col-6">
                                        <p
class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employer_name"]; ?></p>
                                        </div>
                                    <?php
                                    $industry_id =
$employment["industry_id"]; // store industry_id to
variable
                                    ?>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```



```
$salary_id =
$employment["salary_id"]; // store salary_id to variable

$industryCheck =
"SELECT * FROM industries WHERE
industry_id='$industry_id'";

$queryIndustryCheck = mysqli_query($conn,
$industryCheck);

$salaryCheck =
"SELECT * FROM salaries WHERE
salary_id='$salary_id'";
$querySalaryCheck
= mysqli_query($conn, $salaryCheck);
?>

<div class="col-md-2 col-6">
    <label
        class="form-label modalLabel">Work
        Industry:&nbsp;</label>
    </div>
    <div class="col-md-3 col-6">
        <p
            class="textRetrieved" id="textRetrievedID"><?php
$industry = mysqli_fetch_assoc($queryIndustryCheck);
echo $industry["description"]; ?>
        </p>
        </div>
        <div class="col-md-3 col-6">
            <label
                class="form-label modalLabel">Salary
                Range:&nbsp;</label>
            </div>
            <div class="col-md-4 col-6">
                <p
                    class="textRetrieved" id="textRetrievedID"><?php
$salary = mysqli_fetch_assoc($querySalaryCheck);
echo $salary["description"]; ?>
                </p>
                </div>
                <?php
} else if ($education =
mysqli_fetch_assoc($educationCheckResult)) {
//checking if the user is a student
if
($education["student_status"] == "ENROLLED") {
?>
                <div class="col-md-2 col-6">
                    <label
                        class="form-label modalLabel">Student
                        Status:&nbsp;</label>
                    </div>
                    <div class="col-6">
                        <p
                            class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_status"]; ?></p>
                        </div>
                        <?php
} else {
?>
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

207

```
md-3 col-6"> <div class="col- salaryCheck =  
          <label "SELECT * FROM salaries WHERE  
          class="form-label modalLabel">Student salary_id=$salary_id";  
          Status:&nbsp;</label> $querySalaryCheck = mysqli_query($conn,  
          </div> $salaryCheck);  
          md-3 col-6"> ?>  
          <p <div class="col-  
          class="textRetrieved" id="textRetrievedID"><?php echo  
          $education["student_status"]; ?></p> md-3 col-6">  
          </div> <div class="col-  
          md-3 col-6"> <label  
          <label class="form-label modalLabel">Student  
          Level:&nbsp;</label> md-3 col-6">  
          </div> <div class="col-  
          md-3 col-6"> <p  
          <p class="textRetrieved" id="textRetrievedID"><?php echo  
          $education["student_level"]; ?></p> md-3 col-6">  
          </div> <div class="col-  
          md-3 col-6"> <label  
          <label class="form-label modalLabel">School  
          Type:&nbsp;</label> md-3 col-6">  
          </div> <div class="col-  
          md-3 col-6"> <p  
          <p class="textRetrieved" id="textRetrievedID"><?php echo  
          $education["school_type"]; ?></p> md-3 col-6">  
          </div> <div class="col-  
          md-3 col-6"> <label  
          <label class="form-label modalLabel">School  
          Name:&nbsp;</label> md-3 col-6">  
          </div> <div class="col-  
          md-3 col-6"> <p  
          <p class="textRetrieved" id="textRetrievedID"><?php echo  
          $education["school_name"]; ?></p> md-3 col-6">  
          </div> <?php  
          $industry_id =  
          $education["industry_id"]; // store industry_id to variable  
          $salary_id =  
          $education["salary_id"]; // store salary_id to variable  
          $industryCheck =  
          "SELECT * FROM industries WHERE  
          industry_id=$industry_id";  
          $queryIndustryCheck = mysqli_query($conn,  
          $industryCheck);  
          <div class="col-  
          <label class="form-label modalLabel">Work  
          Industry:&nbsp;</label> md-3 col-6">  
          </div> <div class="col-  
          md-3 col-6"> <p  
          <p class="textRetrieved" id="textRetrievedID"><?php  
          $industry = mysqli_fetch_assoc($queryIndustryCheck);  
          echo $industry["description"]; ?>  
          </p>  
          </div>  
          <div class="col-  
          md-3 col-6"> <label  
          <label class="form-label modalLabel">Salary  
          Range:&nbsp;</label> md-3 col-6">  
          </div> <div class="col-  
          md-3 col-6"> <p  
          <p class="textRetrieved" id="textRetrievedID"><?php  
          $salary = mysqli_fetch_assoc($querySalaryCheck);  
          echo $salary["description"]; ?>  
          </p>  
          </div>  
          <?php  
          }  
          ?>  
          <?php  
          }  
          $household_id =  
          $registeredVoters["household_id"]; //getting the  
          household id of the user  
          $householdCheck =  
          "SELECT *, CONCAT(`head_first_name`, ', ',  
          `head_first_name`, ', ', `head_middle_name`) AS  
          `head_name` FROM households WHERE  
          household_id = $household_id"; //getting the household  
          details of the user  
          $householdCheckResult =  
          executeQuery($householdCheck);  
          ?>  
          </div>  
          <!-- House Dec -->  
          <div class="row mx-3 px-  
          3 my-5" width="100%" height="auto" style="border: 1px  
          solid #aeaeae; border-radius: 20px;">
```



```
<div class="col-12
titleCol">
    <div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
        <span
class="rowTitle">House Declaration</span>
    </div>
</div>

<div class="col"
id="row2Body">
    <div class="row gy-
1" id="row4Content">
        <?php
        while ($household
= mysqli_fetch_assoc($householdCheckResult)) {
            ?>
            <div class="col-
md-2 col-6">
                <label
class="form-label modalLabel">Family
head:&nbsp;</label>
                </div>
            <div class="col-
md-4 col-6">
                <p
class="textRetrieved" id="textRetrievedID"><?php echo
$household["head_name"]; ?></p>
                </div>
            <div class="col-
md-2 col-6">
                <label
class="form-label modalLabel">No. of
members:&nbsp;</label>
                </div>
            <div class="col-
md-4 col-6">
                <p
class="textRetrieved" id="textRetrievedID"><?php echo
$household["members_count"]; ?></p>
                </div>
            <?php
            }
            ?>
            </div>
        </div>
    </div>
</div>

<?php
};

?>
</tbody>
<tfoot>
    <tr id="kabataanFooter">
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
</tr>
</tfoot>
</table>
<div class="row mx-0 mt-1">
    <div class="col-12 col-md-6 d-flex
justify-content-center justify-content-md-start align-
items-center p-0" id="kabataanTblInfo">
        <!-- Append Info here -->
    </div>
    <div class="col-12 col-md-6 d-flex
justify-content-center justify-content-md-end align-
items-center p-0" id="kabataanPaginate">
        <!-- Append pagination btns here -->
    </div>
</div>
<?php
require_once "fundamental-scripts.php";
?>

<!-- Custom Script -->
<script type="text/javascript"
src="assets/js/profiles.js"></script>
<script type="text/javascript"
src="assets/js/sideMenu.js"></script>
<script type="text/javascript"
src="assets/js/settings.js"></script>

<!-- Active Link -->
<script type="text/javascript">
$(document).ready(function() {
    $("#dashboard-link").addClass('nav-active');
    $("#dashboard-md-link").addClass("nav-md-
active");
    $("#backPage").click(function() {
        location.href = "dashboard.php";
    });
})
</script>
</body>
</html>

tblUnregisteredVoters.php

<?php
require_once "access-super-admin.php";

$queryUnregisteredVoters = "SELECT *,
CONCAT(`last_name`, ' ', `first_name`, '',
`middle_name`) AS full_name,
DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(),
birthday)), '%Y') + 0 AS `age` FROM `residents`
WHERE `voter_type` != 'Registered' "; //query to select
all data from table
$userRole = "SELECT description FROM admin_type
WHERE admin_type_id =
$_SESSION[admin_type_id]";
```



```
$role = mysqli_fetch_assoc(executeQuery($UserRole));
$queryUnregisteredVotersResult =
executeQuery($queryUnregisteredVoters); //execute
query

?>

<!DOCTYPE html>
<html>

<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-
width, initial-scale=1.0, shrink-to-fit=no">
    <title>Unregistered Voters</title>

    <?php
    require_once "fundamental-links.php";
    ?>

    <!-- Custom Page Stylesheets -->
    <link rel="stylesheet" href="assets/scss/profiles.css">
    <link rel="stylesheet"
href="assets/scss/sideMenu.css">

    <!-- Favicon -->
    <link rel="icon" type="image/x-icon"
href="assets/img/logos/kkis.ico">

</head>

<body>
    <div class="shrunk d-none d-lg-flex" id="leftPanel">
        <?php
        if ($adminTypeID == 1) {
            include 'sideMenu.php';
        } else if ($adminTypeID == 2) {
            include 'sideMenu-admin.php';
        } else {
            include "sideMenu-staff.php";
        }
        ?>
    </div>

    <div class="full-width" id="mainPanel">
        <header class="d-lg-none d-flex" id="mdHeader">
            <!-- Append Small Nav here -->
        </header>
        <header class="d-none d-lg-block" id="lgHeader">
            <div class="row mx-0" id="headerRow">
                <div class="col-md-8 col-12 d-flex justify-
content-start align-items-center">
                    <i class="fa-solid fa-arrow-left me-4"
role="button" id="backPage"></i>
                    <span class="pageTitle">Unregistered
Voters</span>
                </div>
            <div class="col-md-4 d-none d-md-flex justify-
content-end align-items-center">
                <span class="accountType"><?php echo
"$role[description]" ?></span>
            </div>
        </div>
        <hr id="headerHR">
    </div>
</body>
</html>
```

```
</header>

<!-- Content Start -->
<div class="container-fluid content"
id="contentID">
    <div class="sectionDiv">
        <!-- Kabataan Table Start -->
        <div class="sectionDiv mx-0 mt-4"
id="sectionKabataan">
            <!-- Options Rows -->
            <div class="optionRow row gx-5 m-0 mb-
1">
                <!-- Show No. of Rows -->
                <div class="col-12 d-flex align-items-
center my-1 p-0" id="kabataanLength">
                    </div>
                <!-- Output Buttons -->
                <div class="d-none col-md-6 d-md-flex
justify-content-md-start p-0"
id="kabataanOutput"></div>
                <!-- Filter -->
                <div class="d-none col-lg-3 d-lg-flex
align-items-center justify-content-end"></div>
                <!-- Search -->
                <div class="col-12 col-md-6 col-lg-3 p-0"
id="kabataanSearch">
                    </div>
                </div>
            </div>
            <!-- Actual table -->
            <table class="table table-striped table-
bordered dataTable responsive display nowrap no-
footer dtr-inline collapsed printTable darkBG"
role="grid" cellspacing="0" id="kabataanTbl"
style="width:100%">
                <thead class="tblHeadRow">
                    <tr>
                        <th class="tblHead">Name</th>
                        <th class="tblHead">Gender</th>
                        <th class="tblHead">Age</th>
                        <th class="tblHead">Birthdate</th>
                        <th class="tblHead">Civil
status</th>
                        <th class="tblHead">Contactct
No.</th>
                        <th class="tblHead">Purok</th>
                        <th class="tblHead">Remarks</th>
                        <th class="tblHead">Actions</th>
                    </tr>
                <thead id="kabataanTblHead">
                    <tr>
                    </tr>
                </thead>
                <tbody>
                    <?php
                    while ($unregisteredVoters =
mysqli_fetch_assoc($queryUnregisteredVotersResult))
{
                        $unregisteredVotersID =
$unregisteredVoters["resident_id"]; //get resident id
                        $unregisteredVotersEID =
$unregisteredVoters["renencrypted_id"];
                    }
                </tbody>
            </table>
        </div>
    </div>
</div>
```



```
?>
<tr>
    <td id="fullName"
        class="entryRow" scope="col" data-
        label="Name"><?php echo
        $unregisteredVoters["full_name"]; ?></td>

    <td id="gender"
        class="entryRow" scope="col" data-
        label="Gender"><?php echo
        $unregisteredVoters["gender_preference"]; ?></td>

    <td id="age" class="entryRow"
        scope="col" data-label="Age"><?php echo
        $unregisteredVoters["age"]; ?></td>

    <td id="birthday"
        class="entryRow" scope="col" data-
        label="Birthdate"><?php echo
        $unregisteredVoters["birthday"]; ?></td>

    <td id="civilStatus"
        class="entryRow" scope="col" data-label="Civil
        status"><?php echo
        $unregisteredVoters["marital_status"]; ?></td>

    <td id="contactNo"
        class="entryRow" scope="col" data-label="Contact
        No."><?php echo $unregisteredVoters["contact_no"];
        ?></td>

    <td id="purok" class="entryRow"
        scope="col" data-label="Purok"><?php echo
        $unregisteredVoters["purok"]; ?></td>

    <td id="remarks"
        class="entryRow" scope="col" data-
        label="Remarks"><?php echo
        $unregisteredVoters["remarks"]; ?></td>

    <td id="actions"
        class="entryRow" scope="col" data-label="Actions">
        <div class="row mx-0 p-2">
            <!-- View More -->
            <div class="col-lg-12 col-12
d-flex justify-content-center align-items-center p-0">
                <a class="btn btn-
warning" data-bs-toggle="modal" data-bs-
target="#viewMore<?php echo
$unregisteredVoters["resident_id"]; ?>" data-id="<?php
echo $unregisteredVoters["resident_id"]; ?>"
href="#viewMore">View More</a>
            </div>
        </div>
    </td>
</tr>

<!-- Kabataan Modal -->
<div class="modal" role="dialog"
tabindex="1" id="viewMore<?php echo
$unregisteredVoters["resident_id"]; ?>">
```

```
<div class="modal-dialog modal-
xl modal-dialog-scrollable modal-dialog-centered"
id="modalDialogID" role="document">
    <div class="modal-content"
id="modalContentID">
        <div class="modal-header"
id="modalHeaderID">
            <div class="d-flex justify-
content-start align-items-start">
                
                <span class="ms-1
modal-title" id="modalTitle">KKIS</span>
            </div>
            <button type="button"
class="btn-close" data-bs-dismiss="modal" aria-
label="Close"></button>
        </div>
        <div class="modal-body m-
0" id="modalBodyID">
            <!-- Basic Info -->
            <div class="row mx-3 px-
3" width="100%" height="100%" style="border: 1px
solid #aeaeae; border-radius: 20px;">
                <!-- Text -->
                <div class="col-12 col-
lg-8 d-flex align-items-center">
                    <div>
                        <span
class="basicTxt w-100 my-1" id="nameTxt"><?php
echo $unregisteredVoters["full_name"]; ?></span>
                    <br>
                    <span
class="basicTxt w-100 my-1 mt-2"
id="ageGender"><?php echo
$unregisteredVoters["age"] . " YEARS OLD, " .
$unregisteredVoters["gender_preference"]; ?></span>
                    <br>
                    <span
class="basicTxt w-100 my-1" id="purok"><?php echo
$unregisteredVoters["purok"]; ?></span>
                </div>
                <div>
                    <!-- QR Code -->
                    <div class="col-12 col-
lg-4 d-flex justify-content-lg-end justify-content-center">
                        " width="200px"
height="auto">
                    </div>
                </div>
                <!-- Personal Info -->
                <div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border: 1px
solid #aeaeae; border-radius: 20px;">
                    <div class="col-12
titleCol">
                        <div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
                            <span
class="rowTitle">Personal Information</span>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```



```
</div>
<br>
<div class="col-md-2
col-6">
    <label class="form-
label modalLabel">Birthday:&nbsp;</label>
        </div>
        <div class="col-md-3
col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$unregisteredVoters["birthday"]; ?></p>
        </div>

        <div class="col-md-3
col-6">
            <label class="form-
label modalLabel">Voter Type:&nbsp;</label>
                </div>
                <div class="col-md-4
col-6">
                    <p
class="textRetrieved" id="textRetrievedID"><?php echo
$unregisteredVoters["voter_type"]; ?></p>
                    </div>

                    <div class="col-md-2
col-6">
                        <label class="form-
label modalLabel">Birthplace:&nbsp;</label>
                            </div>
                            <div class="col-md-3
col-6">
                                <p
class="textRetrieved" id="textRetrievedID"><?php echo
$unregisteredVoters["birthplace"]; ?></p>
                                </div>

                                <div class="col-md-3
col-6">
                                    <label class="form-
label modalLabel">Contact No:&nbsp;</label>
                                        </div>
                                        <div class="col-md-4
col-6">
                                            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$unregisteredVoters["contact_no"]; ?></p>
                                            </div>

                                            <div class="col-md-2
col-6">
                                                <label class="form-
label modalLabel">Marital Status:&nbsp;</label>
                                                    </div>
                                                    <div class="col-md-3
col-6">
                                                        <p
class="textRetrieved" id="textRetrievedID"><?php echo
$unregisteredVoters["marital_status"]; ?></p>
                                                        </div>

                                                        <div class="col-md-3
col-6">

```

<label class="form-
label modalLabel">Religion:&nbsp;</label>
</div>
<div class="col-md-4
col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
\$unregisteredVoters["religion"]; ?></p>
</div>

```
<div class="col-md-2
col-6">
    <label class="form-
label modalLabel">Disability:&nbsp;</label>
        </div>
        <div class="col-md-3
col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$unregisteredVoters["disability"]; ?></p>
            </div>

            <div class="col-md-3
col-6">
                <label class="form-
label modalLabel">Organization/s (if
any):&nbsp;</label>
                    </div>
                    <div class="col-md-4
col-6">
                        <p
class="textRetrieved" id="textRetrievedID"><?php echo
$unregisteredVoters["organization"]; ?></p>
                        </div>

                        <div class="col-md-2
col-6">
                            <label class="form-
label modalLabel">House Address:&nbsp;</label>
                                </div>
                                <div class="col-md-3
col-6">
                                    <p
class="textRetrieved" id="textRetrievedID"><?php echo
$unregisteredVoters["house_address"]; ?></p>
                                    </div>

                                    <div class="col-md-3
col-6">
                                        <label class="form-
label modalLabel">Remarks:&nbsp;</label>
                                            </div>
                                            <div class="col-md-4
col-6">
                                                <p
class="textRetrieved" id="textRetrievedID"><?php echo
$unregisteredVoters["remarks"]; ?></p>
                                                </div>
                                                </div>

                                                <!-- Status -->
                                                <div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border: 1px
solid #aeaeae; border-radius: 20px;">

```

<div class="col-12
titleCol">



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

212

```
<div class="titleDiv rounded-pill d-flex justify-content-center align-items-center">
    <span>Status</span>
</div>

<?php
$employmentCheck =
"SELECT * FROM employment_info WHERE
resident_id = $unregisteredVotersID"; //check if resident
has employment info

$employmentCheckResult =
executeQuery($employmentCheck);

$educationCheck =
"SELECT * FROM educational_info WHERE
resident_id = $unregisteredVotersID"; //check if resident
has educational info

$educationCheckResult =
executeQuery($educationCheck);

if ($employment =
mysqli_fetch_assoc($employmentCheckResult)) {
//checking if the user is an employee
?
    <div class="col-md-2 col-6">
        <label class="form-label modalLabel">Employment
        Status:&nbsp;</label>
        </div>
    <div class="col-md-3 col-6">
        <p class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employment_status"]; ?></p>
    </div>
    <div class="col-md-3 col-6">
        <label class="form-label modalLabel">Employee
        Type:&nbsp;</label>
        </div>
    <div class="col-md-4 col-6">
        <p class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employee_type"]; ?></p>
    </div>
    <div class="col-md-2 col-6">
        <label class="form-label modalLabel">Employer
        Type:&nbsp;</label>
        </div>
    <div class="col-md-3 col-6">
        <p class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employer_type"]; ?></p>
    </div>
</div>

<div class="col-md-3 col-6">
    <label class="form-label modalLabel">Employer
    Name:&nbsp;</label>
</div>
<div class="col-md-4 col-6">
    <p class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employer_name"]; ?></p>
</div>

<div class="col-md-3 col-6">
    <?php
    $industry_id =
$employment["industry_id"]; // store industry_id to
variable
    <div class="col-md-3 col-6">
        <label class="form-label modalLabel">Work
        Industry:&nbsp;</label>
        </div>
    <div class="col-md-3 col-6">
        <p class="textRetrieved" id="textRetrievedID"><?php
$industry = mysqli_fetch_assoc($queryIndustryCheck);
echo $industry["description"]; ?>
        </p>
    </div>
    <div class="col-md-3 col-6">
        <label class="form-label modalLabel">Salary
        Range:&nbsp;</label>
        </div>
    <div class="col-md-4 col-6">
        <p class="textRetrieved" id="textRetrievedID"><?php
$salary = mysqli_fetch_assoc($querySalaryCheck);

```



```
echo $salary["description"]; ?>
    </p>
</div>

    <?php
} else if ($education =
mysqli_fetch_assoc($educationCheckResult)) {
//checking if the user is a student

    if
($education["student_status"] == "ENROLLED") {
    ?>
        <div class="col-
md-2 col-6">
            <label
class="form-label modalLabel">Student
Status:&nbs;p;</label>
            </div>
        <div class="col-
md-3 col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_status"]; ?></p>
            </div>
        <div class="col-
md-3 col-6">
            <label
class="form-label modalLabel">Student
Level:&nbs;p;</label>
            </div>
        <div class="col-
md-4 col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_level"]; ?></p>
            </div>
        <div class="col-
md-2 col-6">
            <label
class="form-label modalLabel">School
Type:&nbs;p;</label>
            </div>
        <div class="col-
md-3 col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["school_type"]; ?></p>
            </div>
        <div class="col-
md-3 col-6">
            <label
class="form-label modalLabel">School
Name:&nbs;p;</label>
            </div>
        <div class="col-
md-4 col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["school_name"]; ?></p>
            </div>
        <?php
    } else if ($education["student_status"] == "OUT-OF-SCHOOL
YOUTH") {
    ?>
        <div class="col-
6">
            <label
class="form-label modalLabel">School
Status:&nbs;p;</label>
            </div>
        <div class="col-
6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_status"]; ?></p>
            </div>
        <?php
    } else {
    ?>
        <div class="col-
md-3 col-6">
            <label
class="form-label modalLabel">Student
Status:&nbs;p;</label>
            </div>
        <div class="col-
md-3 col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_status"]; ?></p>
            </div>
        <div class="col-
md-3 col-6">
            <label
class="form-label modalLabel">Student
Level:&nbs;p;</label>
            </div>
        <div class="col-
md-3 col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_level"]; ?></p>
            </div>
        <div class="col-
md-3 col-6">
            <label
class="form-label modalLabel">School
Type:&nbs;p;</label>
            </div>
        <div class="col-
md-3 col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["school_type"]; ?></p>
            </div>
        <div class="col-
md-3 col-6">
            <label
class="form-label modalLabel">School
Name:&nbs;p;</label>
            </div>
        <div class="col-
md-3 col-6">
            <label
class="form-label modalLabel">School
Name:&nbs;p;</label>
            </div>
        <div class="col-
```



```
<p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$education["school_name"]; ?></p>  
        </div>  
        <?php  
  
        $industry_id =  
$education["industry_id"]; // store industry_id to variable  
$salary_id =  
$education["salary_id"]; // store salary_id to variable  
  
        $industryCheck =  
"SELECT * FROM industries WHERE  
industry_id=$industry_id";  
  
$queryIndustryCheck = mysqli_query($conn,  
$industryCheck);  
  
        $salaryCheck =  
"SELECT * FROM salaries WHERE  
salary_id='$salary_id';  
  
$querySalaryCheck = mysqli_query($conn,  
$salaryCheck);  
    ?>  
        <div class="col-  
md-3 col-6">  
            <label  
class="form-label modalLabel">Work  
Industry:&nbsp;</label>  
            </div>  
        <div class="col-  
md-3 col-6">  
            <p  
class="textRetrieved" id="textRetrievedID"><?php  
$industry = mysqli_fetch_assoc($queryIndustryCheck);  
echo $industry["description"]; ?>  
            </p>  
            </div>  
        <div class="col-  
md-3 col-6">  
            <label  
class="form-label modalLabel">Salary  
Range:&nbsp;</label>  
            </div>  
        <div class="col-  
md-3 col-6">  
            <p  
class="textRetrieved" id="textRetrievedID"><?php  
$salary = mysqli_fetch_assoc($querySalaryCheck);  
echo $salary["description"]; ?>  
            </p>  
            </div>  
        <?php  
    }  
    ?>  
    <?php  
}>  
  
        $household_id =  
$unregisteredVoters["household_id"]; //getting the  
household id of the user  
        $householdCheck =  
"SELECT *, CONCAT(`head_first_name`, ' ',  
'head_first_name', ' ', 'head_middle_name') AS  
'head_name' FROM households WHERE  
household_id = $household_id"; //getting the household  
details of the user  
  
        $householdCheckResult =  
executeQuery($householdCheck);  
    ?>  
        </div>  
  
        <!-- House Dec -->  
        <div class="row mx-3 px-  
3 my-5" width="100%" height="auto" style="border: 1px  
solid #aeaeae; border-radius: 20px;">  
            <div class="col-12  
titleCol">  
                <div class="titleDiv  
rounded-pill d-flex justify-content-center align-items-  
center">  
                    <span  
class="rowTitle">House Declaration</span>  
                </div>  
            </div>  
            <div class="col"  
id="row2Body">  
                <div class="row gy-  
1" id="row4Content">  
                    <?php  
                    while ($household  
= mysqli_fetch_assoc($householdCheckResult)) {  
                    ?>  
                    <div class="col-  
md-2 col-6">  
                        <label  
class="form-label modalLabel">Family  
head:&nbsp;</label>  
                        </div>  
                    <div class="col-  
md-4 col-6">  
                        <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$household["head_name"]; ?></p>  
                        </div>  
                    <div class="col-  
md-2 col-6">  
                        <label  
class="form-label modalLabel">No. of  
members:&nbsp;</label>  
                        </div>  
                    <div class="col-  
md-4 col-6">  
                        <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$household["members_count"]; ?></p>  
                        </div>  
                    <?php  
                }  
                ?>
```



```
</div>
</div>
</div>
</div>
</div>
</div>

<?php
};

?>
</tbody>
<tfoot>
|

```
</script>
</body>
</html>

tblTotalYouth.php

<?php
require_once "access-super-admin.php";

$queryKabataan = "SELECT *, CONCAT(`last_name`, ' ', `first_name` , ' ', `middle_name`) AS full_name, DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(), birthday)), '%Y') + 0 AS `age` FROM `residents` WHERE DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(), birthday)), '%Y') + 0 BETWEEN 14 AND 31"; //query to select all data from table
$userRole = "SELECT description FROM admin_type WHERE admin_type_id = '".$_SESSION[admin_type_id]"';
$role = mysqli_fetch_assoc(executeQuery($userRole));
$queryKabataanResult = executeQuery($queryKabataan); //execute query
?>

<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0, shrink-to-fit=no">
<title>Total Youth</title>
<?php
require_once "fundamental-links.php";
?>

<!-- Custom Page Stylesheets -->
<link rel="stylesheet" href="assets/scss/profiles.css">
<link rel="stylesheet"
href="assets/scss/sideMenu.css">

<!-- Favicon -->
<link rel="icon" type="image/x-icon"
href="assets/img/logos/kkis.ico">

</head>
<body>
<div class="shrunk d-none d-lg-flex" id="leftPanel">
<?php
if ($adminTypeID == 1) {
    include 'sideMenu.php';
} else if ($adminTypeID == 2) {
    include 'sideMenu-admin.php';
} else {
    include "sideMenu-staff.php";
}
?>
</div>
<div class="full-width" id="mainPanel">
```


|  |

```



```
<header class="d-lg-none d-flex" id="mdHeader">
    <!-- Append Small Nav here -->
</header>
<header class="d-none d-lg-block" id="lgHeader">
    <div class="row mx-0" id="headerRow">
        <div class="col-md-8 col-12 d-flex justify-
content-start align-items-center">
            <i class="fa-solid fa-arrow-left me-4"
role="button" id="backPage"></i>
            <span class="pageTitle">Total
Youth</span>
        </div>
        <div class="col-md-4 d-none d-md-flex justify-
content-end align-items-center">
            <span class="accountType"><?php echo
"$role[description]" ?></span>
        </div>
        <hr id="headerHR">
    </header>

    <!-- Content Start -->
    <div class="container-fluid content"
id="contentID">
        <div class="sectionDiv">
            <!-- Kabataan Table Start -->
            <div class="sectionDiv mx-0 mt-4"
id="sectionKabataan">
                <!-- Options Rows -->
                <div class="optionRow row gx-5 m-0 mb-
1">
                    <!-- Show No. of Rows -->
                    <div class="col-12 d-flex align-items-
center my-1 p-0" id="kabataanLength">
                        </div>
                    <!-- Output Buttons -->
                    <div class="d-none col-md-6 d-md-flex
justify-content-md-start p-0"
id="kabataanOutput"></div>
                    <!-- Filter -->
                    <div class="d-none col-lg-3 d-lg-flex
align-items-center justify-content-end"></div>
                    <!-- Search -->
                    <div class="col-12 col-md-6 col-lg-3 p-0"
id="kabataanSearch">
                        </div>
                    </div>
                <!-- Actual table -->
                <table class="table table-striped table-
bordered dataTable responsive display nowrap no-
footer dtr-inline collapsed printTable darkBG"
role="grid" cellspacing="0" id="kabataanTbl"
style="width:100%">
                    <thead class="tblHeadRow">
                        <tr>
                            <th class="tblHead">Name</th>
                            <th class="tblHead">Gender</th>
                            <th class="tblHead">Age</th>
                            <th class="tblHead">Birthdate</th>
                            <th class="tblHead">Civil
status</th>
                            <th class="tblHead">Contact
No.</th>
                            <th class="tblHead">Purok</th>
                        </tr>
                    <tbody id="kabataanTbody">
                        <tr>
                            <td id="fullName"
class="entryRow" scope="col" data-
label="Name"><?php echo $kabataan["full_name"];
?></td>
                            <td id="gender"
class="entryRow" scope="col" data-
label="Gender"><?php echo
$kabataan["gender_preference"]; ?></td>
                            <td id="age" class="entryRow"
scope="col" data-label="Age"><?php echo
$kabataan["age"]; ?></td>
                            <td id="birthday"
class="entryRow" scope="col" data-
label="Birthdate"><?php echo $kabataan["birthday"];
?></td>
                            <td id="civilStatus"
class="entryRow" scope="col" data-label="Civil
status"><?php echo $kabataan["marital_status"];
?></td>
                            <td id="contactNo"
class="entryRow" scope="col" data-label="Contact
No."><?php echo $kabataan["contact_no"]; ?></td>
                            <td id="purok" class="entryRow"
scope="col" data-label="Purok"><?php echo
$kabataan["purok"]; ?></td>
                            <td id="remarks"
class="entryRow" scope="col" data-
label="Remarks"><?php echo $kabataan["remarks"];
?></td>
                            <td id="actions"
class="entryRow" scope="col" data-label="Actions">
                                <div class="row mx-0 p-2">
                                    <!-- View More -->
                                </div>
                            </td>
                        </tr>
                    </tbody>
                </table>
            </div>
        </div>
    </div>

```



```
<div class="col-lg-12 col-12 d-flex justify-content-center align-items-center p-0">
    <a class="btn btn-warning" data-bs-toggle="modal" data-bs-target="#viewMore"><?php echo $kabataan["resident_id"]; ?>" data-id=<?php echo $kabataan["resident_id"]; ?>" href="#viewMore">View More</a>
        </div>
    </div>
</td>

</tr>

<!-- Kabataan Modal -->
<div class="modal" role="dialog" tabindex="1" id="viewMore"><?php echo $kabataan["resident_id"]; ?>">
    <div class="modal-dialog modal-xl modal-dialog-scrollable modal-dialog-centered" id="modalDialogID" role="document">
        <div class="modal-content" id="modalContentID">
            <div class="modal-header" id="modalHeaderID">
                <div class="d-flex justify-content-start align-items-start">
                    
                    <span class="ms-1 modal-title" id="modalTitle">KKIS</span>
                </div>
                <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
            </div>
            <div class="modal-body m-0" id="modalBodyID">
                <!-- Basic Info -->
                <div class="row mx-3 px-3" width="100%" height="100%" style="border: 1px solid #aeaeae; border-radius: 20px;">
                    <!-- Text -->
                    <div class="col-12 col-lg-8 d-flex align-items-center">
                        <div>
                            <span class="basicTxt w-100 my-1" id="nameTxt"><?php echo $kabataan["full_name"]; ?></span>
                            <br>
                            <span class="basicTxt w-100 my-1 mt-2" id="ageGender"><?php echo $kabataan["age"] . " YEARS OLD, " . $kabataan["gender_preference"]; ?></span>
                            <br>
                            <span class="basicTxt w-100 my-1" id="purok"><?php echo $kabataan["purok"]; ?></span>
                        </div>
                    </div>
                    <!-- QR Code -->
                    <div class="col-12 col-lg-4 d-flex justify-content-lg-end justify-content-center">
                        " width="200px" height="auto">
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

<!-- Personal Info -->
<div class="row mx-3 px-3 my-5" width="100%" height="auto" style="border: 1px solid #aeaeae; border-radius: 20px;">
    <div class="col-12 titleCol">
        <div class="titleDiv rounded-pill d-flex justify-content-center align-items-center">
            <span class="rowTitle" style="font-weight: bold;">Personal InformationBirthday: Voter Type: Birthplace: Contact No: 
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

218

```
<p>
<?php echo
$kapataan["contact_no"]; ?></p>
</div>

<div class="col-md-2
col-6">
<label class="form-
label modalLabel">Marital Status:&nbsp;</label>
</div>
<div class="col-md-3
col-6">
<p>
<?php echo
$kapataan["marital_status"]; ?></p>
</div>

<div class="col-md-3
col-6">
<label class="form-
label modalLabel">Religion:&nbsp;</label>
</div>
<div class="col-md-4
col-6">
<p>
<?php echo
$kapataan["religion"]; ?></p>
</div>

<div class="col-md-2
col-6">
<label class="form-
label modalLabel">Disability:&nbsp;</label>
</div>
<div class="col-md-3
col-6">
<p>
<?php echo
$kapataan["disability"]; ?></p>
</div>

<div class="col-md-3
col-6">
<label class="form-
label modalLabel">Organization/s (if
any):&nbsp;</label>
</div>
<div class="col-md-4
col-6">
<p>
<?php echo
$kapataan["organization"]; ?></p>
</div>

<div class="col-md-2
col-6">
<label class="form-
label modalLabel">House Address:&nbsp;</label>
</div>
<div class="col-md-3
col-6">
<p>
<?php echo
$kapataan["house_address"]; ?></p>
</div>
```

```
<div class="col-md-3
col-6">
<label class="form-
label modalLabel">Remarks:&nbsp;</label>
</div>
<div class="col-md-4
col-6">
<p>
<?php echo
$kapataan["remarks"]; ?></p>
</div>
</div>

<!-- Status -->
<div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border: 1px
solid #aeaeae; border-radius: 20px;">
<div class="col-12
titleCol">
<div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
<span
class="rowTitle">Status</span>
</div>
</div>

<?php
$employmentCheck =
"SELECT * FROM employment_info WHERE
resident_id = $kapataanID"; //check if resident has
employment info

$employmentCheckResult =
executeQuery($employmentCheck);

$educationCheck =
"SELECT * FROM educational_info WHERE
resident_id = $kapataanID"; //check if resident has
educational info

$educationCheckResult =
executeQuery($educationCheck);

if ($employment =
mysqli_fetch_assoc($employmentCheckResult)) {
//checking if the user is an employee
?>
<div class="col-md-
2 col-6">
<label
class="form-label modalLabel">Employment
Status:&nbsp;</label>
</div>
<div class="col-md-
3 col-6">
<p>
<?php echo
$employment["employment_status"]; ?></p>
</div>
<div class="col-md-
3 col-6">
```



```
<label  
class="form-label modalLabel">Employee  
Type:&nbsp;</label>  
                        </div>  
                        <div class="col-md-  
4 col-6">  
                        <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$employment["employee_type"]; ?></p>  
                        </div>  
                        <div class="col-md-  
2 col-6">  
                        <label  
class="form-label modalLabel">Employer  
Type:&nbsp;</label>  
                        </div>  
                        <div class="col-md-  
3 col-6">  
                        <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$employment["employer_type"]; ?></p>  
                        </div>  
                        <div class="col-md-  
3 col-6">  
                        <label  
class="form-label modalLabel">Employer  
Name:&nbsp;</label>  
                        </div>  
                        <div class="col-md-  
4 col-6">  
                        <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$employment["employer_name"]; ?></p>  
                        </div>  
                        <?php  
                        $industry_id =  
$employment["industry_id"]; // store industry_id to  
variable  
                        $salary_id =  
$employment["salary_id"]; // store salary_id to variable  
                        $industryCheck =  
"SELECT * FROM industries WHERE  
industry_id='$industry_id';  
  
$queryIndustryCheck = mysqli_query($conn,  
$industryCheck);  
  
                        $salaryCheck =  
"SELECT * FROM salaries WHERE  
salary_id='$salary_id';  
                        $querySalaryCheck  
= mysqli_query($conn, $salaryCheck);  
                        ?>  
                        <div class="col-md-  
2 col-6">  
                        <label  
class="form-label modalLabel">Work  
Industry:&nbsp;</label>  
                        </div>  
                        <div class="col-md-  
3 col-6">
```

```
<p  
class="textRetrieved" id="textRetrievedID"><?php  
$industry = mysqli_fetch_assoc($queryIndustryCheck);  
echo $industry["description"]; ?>  
                        </p>  
                        </div>  
                        <div class="col-md-  
3 col-6">  
                        <label  
class="form-label modalLabel">Salary  
Range:&nbsp;</label>  
                        </div>  
                        <div class="col-md-  
4 col-6">  
                        <p  
class="textRetrieved" id="textRetrievedID"><?php  
$salary = mysqli_fetch_assoc($querySalaryCheck);  
echo $salary["description"]; ?>  
                        </p>  
                        </div>  
                        <?php  
                        } else if ($education =  
mysqli_fetch_assoc($educationCheckResult)) {  
//checking if the user is a student  
                        if  
($education["student_status"] == "ENROLLED") {  
?>  
                        <div class="col-  
md-2 col-6">  
                        <label  
class="form-label modalLabel">Student  
Status:&nbsp;</label>  
                        </div>  
                        <div class="col-  
md-3 col-6">  
                        <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$education["student_status"]; ?></p>  
                        </div>  
                        <div class="col-  
md-3 col-6">  
                        <label  
class="form-label modalLabel">Student  
Level:&nbsp;</label>  
                        </div>  
                        <div class="col-  
md-4 col-6">  
                        <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$education["student_level"]; ?></p>  
                        </div>  
                        <div class="col-  
md-2 col-6">  
                        <label  
class="form-label modalLabel">School  
Type:&nbsp;</label>  
                        </div>
```



```
<div class="col-  
md-3 col-6">  
    <p  
        class="textRetrieved" id="textRetrievedID"><?php echo  
        $education["school_type"]; ?></p>  
    </div>  
  
<div class="col-  
md-3 col-6">  
    <label  
        class="form-label modalLabel">School  
        Name:&nbsp;</label>  
    </div>  
    <div class="col-  
    md-4 col-6">  
        <p  
            class="textRetrieved" id="textRetrievedID"><?php echo  
            $education["school_name"]; ?></p>  
        </div>  
        <?php  
        } else if  
        ($education["student_status"] == "OUT-OF-SCHOOL  
        YOUTH") {  
            ?>  
        <div class="col-  
        6">  
            <label  
                class="form-label modalLabel">School  
                Status:&nbsp;</label>  
            </div>  
            <div class="col-  
            6">  
                <p  
                    class="textRetrieved" id="textRetrievedID"><?php echo  
                    $education["student_status"]; ?></p>  
                </div>  
                <?php  
                } else {  
                    ?>  
                <div class="col-  
                md-3 col-6">  
                    <label  
                        class="form-label modalLabel">Student  
                        Status:&nbsp;</label>  
                    </div>  
                    <div class="col-  
                    md-3 col-6">  
                        <p  
                            class="textRetrieved" id="textRetrievedID"><?php echo  
                            $education["student_status"]; ?></p>  
                        </div>  
                        <div class="col-  
                        md-3 col-6">  
                            <label  
                                class="form-label modalLabel">Student  
                                Level:&nbsp;</label>  
                            </div>  
                            <div class="col-  
                            md-3 col-6">  
                                <p  
                                    class="textRetrieved" id="textRetrievedID"><?php echo  
                                    $education["student_level"]; ?></p>  
                                </div>  
                            </div>  
                        </div>  
                    </div>  
                </div>  
            </div>  
        </div>  
    </div>  
    <div class="col-  
    md-3 col-6">  
        <label  
            class="form-label modalLabel">School  
            Type:&nbsp;</label>  
        </div>  
        <div class="col-  
        md-3 col-6">  
            <p  
                class="textRetrieved" id="textRetrievedID"><?php echo  
                $education["school_type"]; ?></p>  
            </div>  
        </div>  
    </div>  
    <div class="col-  
    md-3 col-6">  
        <label  
            class="form-label modalLabel">School  
            Name:&nbsp;</label>  
        </div>  
        <div class="col-  
        md-3 col-6">  
            <p  
                class="textRetrieved" id="textRetrievedID"><?php echo  
                $education["school_name"]; ?></p>  
            </div>  
        </div>  
    </div>  
    <?php  
    $industry_id =  
    $education["industry_id"]; // store industry_id to variable  
    $salary_id =  
    $education["salary_id"]; // store salary_id to variable  
    $industryCheck =  
    "SELECT * FROM industries WHERE  
    industry_id='$industry_id';  
    $queryIndustryCheck = mysqli_query($conn,  
    $industryCheck);  
    $salaryCheck =  
    "SELECT * FROM salaries WHERE  
    salary_id='$salary_id';  
    $querySalaryCheck = mysqli_query($conn,  
    $salaryCheck);  
    ?>  
    <div class="col-  
    md-3 col-6">  
        <label  
            class="form-label modalLabel">Work  
            Industry:&nbsp;</label>  
        </div>  
        <div class="col-  
        md-3 col-6">  
            <p  
                class="textRetrieved" id="textRetrievedID"><?php  
                $industry = mysqli_fetch_assoc($queryIndustryCheck);  
                echo $industry["description"]; ?>  
            </p>  
        </div>  
    </div>
```



```
md-3 col-6">
    <div class="col-
        <label
class="form-label modalLabel">Salary
Range:&nbsp;</label>
    </div>
    <div class="col-
md-3 col-6">
    <p
class="textRetrieved" id="textRetrievedID"><?php echo
$household["head_name"]; ?></p>
$salary = mysqli_fetch_assoc($querySalaryCheck);
echo $salary["description"]; ?>
    </p>
    </div>
    <?php
}
?>
<?php
}
$household_id =
$kabataan["household_id"]; //getting the household id of
the user
$householdCheck =
"SELECT *, CONCAT(`head_first_name` , ' ', 
`head_first_name` , ' ', `head_middle_name`) AS
`head_name` FROM households WHERE
household_id = $household_id"; //getting the household
details of the user
$householdCheckResult =
executeQuery($householdCheck);
?>
    </div>
    <!-- House Dec -->
    <div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border: 1px
solid #aeaeae; border-radius: 20px;">
        <div class="col-12
titleCol">
            <div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
                <span
class="rowTitle">House Declaration</span>
            </div>
            </div>
            <div class="col"
id="row2Body">
                <div class="row gy-
1" id="row4Content">
                    <?php
                    while ($household
= mysqli_fetch_assoc($householdCheckResult)) {
                    ?>
                    <div class="col-
md-2 col-6">
                        <label
class="form-label modalLabel">Family
head:&nbsp;</label>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <div class="col-4 col-md-6
d-flex justify-content-between align-items-
center">
        <p
class="textRetrieved" id="textRetrievedID"><?php echo
$household["head_name"]; ?></p>
        </div>
        <div class="col-2 col-md-6
d-flex justify-content-between align-items-
center">
            <label
class="form-label modalLabel">No. of
members:&nbsp;</label>
        </div>
        <div class="col-4 col-md-6
d-flex justify-content-between align-items-
center">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$household["members_count"]; ?></p>
            </div>
            <div class="col-2 col-md-6
d-flex justify-content-between align-items-
center">
                <?php
}
?>
                </div>
            </div>
        </div>
    </div>
<?php
};
?>
</tbody>
<tfoot>
    <tr id="kabataanFooter">
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
    </tr>
</tfoot>
</table>
<div class="row mx-0 mt-1">
    <div class="col-12 col-md-6 d-flex
justify-content-center justify-content-md-start align-
items-center p-0" id="kabataanTblInfo">
        <!-- Append Info here -->
    </div>
    <div class="col-12 col-md-6 d-flex
justify-content-center justify-content-md-end align-
items-center p-0" id="kabataanPaginate">
        <!-- Append pagination btns here -->
    </div>
</div>
<div class="col-12 col-md-6 d-flex
justify-content-center justify-content-md-end align-
items-center p-0" id="kabataanPaginate">
    <!-- Append pagination btns here -->
</div>
</div>
</div>
<?php
require_once "fundamental-scripts.php";

```



```
?>

<!-- Custom Script -->
<script type="text/javascript"
src="assets/js/profiles.js"></script>
<script type="text/javascript"
src="assets/js/sideMenu.js"></script>
<script type="text/javascript"
src="assets/js/settings.js"></script>

<!-- Active Link -->
<script type="text/javascript">
$(document).ready(function() {
    $("#dashboard-link").addClass('nav-active');
    $("#dashboard-md-link").addClass("nav-md-active");
    $("#backPage").click(function() {
        location.href = "dashboard.php";
    });
})
</script>
</body>
</html>
```

**tblEnrolled.php**

```
<?php
require_once "access-super-admin.php";

$queryEnrolled = "SELECT *, CONCAT(`last_name`, ',',
`first_name`, ' ', `middle_name`) AS full_name,
DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(),
birthday)), '%Y') + 0 AS age,
educational_info.student_status FROM
`educational_info` RIGHT JOIN `residents` ON
educational_info.resident_id = residents.resident_id
WHERE `student_status` = 'Enrolled' "; //query to select
all data from table
$userRole = "SELECT description FROM admin_type
WHERE admin_type_id =
'$_SESSION[admin_type_id]'";
$role = mysqli_fetch_assoc(executeQuery($userRole));
$queryEnrolledResult = executeQuery($queryEnrolled);
//execute query

?>

<!DOCTYPE html>
<html>

<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-
width, initial-scale=1.0, shrink-to-fit=no">
    <title>Enrolled</title>

    <?php
    require_once "fundamental-links.php";
?>

    <!-- Custom Page Stylesheets -->
    <link rel="stylesheet" href="assets/scss/profiles.css">
    <link rel="stylesheet"
href="assets/scss/sideMenu.css">
```

```
<!-- Favicon -->
<link rel="icon" type="image/x-icon"
href="assets/img/logos/kkis.ico">

</head>
<body>
<div class="shrunken d-none d-lg-flex" id="leftPanel">
<?php
if ($adminTypeID == 1) {
    include 'sideMenu.php';
} else if ($adminTypeID == 2) {
    include 'sideMenu-admin.php';
} else {
    include "sideMenu-staff.php";
}
?>
</div>

<div class="full-width" id="mainPanel">
<header class="d-lg-none d-flex" id="mdHeader">
<!-- Append Small Nav here -->
</header>
<header class="d-none d-lg-block" id="lgHeader">
<div class="row mx-0" id="headerRow">
    <div class="col-md-8 col-12 d-flex justify-
content-start align-items-center">
        <i class="fa-solid fa-arrow-left me-4" role="button" id="backPage"></i>
        <span class="pageTitle">Enrolled</span>
    </div>
    <div class="col-md-4 d-none d-md-flex justify-
content-end align-items-center">
        <span class="accountType"><?php echo
"$role[description]" ?></span>
    </div>
    <hr id="headerHR">
</header>

<!-- Content Start -->
<div class="container-fluid content"
id="contentID">
    <div class="sectionDiv">
        <!-- Kabataan Table Start -->
        <div class="sectionDiv mx-0 mt-4"
id="sectionKabataan">
            <!-- Options Rows -->
            <div class="optionRow row gx-5 m-0 mb-
1">
                <!-- Show No. of Rows -->
                <div class="col-12 d-flex align-items-
center my-1 p-0" id="kabataanLength"></div>
                <!-- Output Buttons -->
                <div class="d-none col-md-6 d-md-flex
justify-content-md-start p-0"
id="kabataanOutput"></div>
                <!-- Filter -->
                <div class="d-none col-lg-3 d-lg-flex
align-items-center justify-content-end"></div>
                <!-- Search -->
                <div class="col-12 col-md-6 col-lg-3 p-0"
id="kabataanSearch"></div>
            </div>
        </div>
    </div>
</div>
```



```
<!-- Actual table -->
<table class="table table-striped table-bordered dataTable responsive display nowrap no-footer dtr-inline collapsed printTable darkBG" role="grid" cellspacing="0" id="kabataanTbl" style="width:100%>
    <thead class="tblHeadRow">
        <tr>
            <th class="tblHead">Name</th>
            <th class="tblHead">Gender</th>
            <th class="tblHead">Age</th>
            <th class="tblHead">Birthdate</th>
            <th class="tblHead">Civil status</th>
            <th class="tblHead">Contact No.</th>
            <th class="tblHead">Purok</th>
            <th class="tblHead">School Type</th>
            <th class="tblHead" data-label="Actions">Actions</th>
        </tr>
    </thead>

    <thead id="kabataanTblHead">
        <tr>
        </tr>
    </thead>

    <tbody>
        <?php
        while ($enrolled =
mysqli_fetch_assoc($queryEnrolledResult)) {
            $enrolledID =
$enrolled["resident_id"]; //get resident id
            $enrolledEID =
$enrolled["rencrypted_id"];
        ?>
        <tr>
            <td id="fullName" class="entryRow" scope="col" data-label="Name"><?php echo $enrolled["full_name"]; ?></td>
            <td id="gender" class="entryRow" scope="col" data-label="Gender"><?php echo $enrolled["gender_preference"]; ?></td>
            <td id="age" class="entryRow" scope="col" data-label="Age"><?php echo $enrolled["age"]; ?></td>
            <td id="birthday" class="entryRow" scope="col" data-label="Birthdate"><?php echo $enrolled["birthday"]; ?></td>
            <td id="civilStatus" class="entryRow" scope="col" data-label="Civil status"><?php echo $enrolled["marital_status"]; ?></td>
            <td id="contactNo" class="entryRow" scope="col" data-label="Contact No."><?php echo $enrolled["contact_no"]; ?></td>
            <td id="purok" class="entryRow" scope="col" data-label="Purok"><?php echo $enrolled["purok"]; ?></td>
            <td id="school_type" class="entryRow" scope="col" data-label="School Type"><?php echo $enrolled["school_type"]; ?></td>
            <td id="actions" class="entryRow" scope="col" data-label="Actions">
                <div class="row mx-0 p-2">
                    <!-- View More -->
                    <div class="col-lg-12 col-12 d-flex justify-content-center align-items-center p-0">
                        <a class="btn btn-warning" data-bs-toggle="modal" data-bs-target="#viewMore<?php echo $enrolled["resident_id"]; ?>" data-id="<?php echo $enrolled["resident_id"]; ?>" href="#viewMore">View More</a>
                    </div>
                </div>
            </td>
        </tr>
    </tbody>
<!-- Kabataan Modal -->
<div class="modal" role="dialog" tabindex="1" id="viewMore<?php echo $enrolled["resident_id"]; ?>">
    <div class="modal-dialog modal-xl modal-dialog-scrollable" id="modalDialogID" role="document">
        <div class="modal-content" id="modalContentID">
            <div class="modal-header" id="modalHeaderID">
                <div class="d-flex justify-content-start align-items-start">
                    
                    <span class="ms-1 modal-title" id="modalTitle">KKIS</span>
                </div>
                <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
            </div>
            <div class="modal-body m-0" id="modalBodyID">
                <!-- Basic Info -->
                <div class="row mx-3 px-3" width="100%" height="100%" style="border: 1px solid #aeaeae; border-radius: 20px;">
                    <!-- Text -->
                    <div class="col-12 col-lg-8 d-flex align-items-center">
                        <div>
                            <span class="basicTxt w-100 my-1" id="nameTxt"><?php echo $enrolled["full_name"]; ?></span>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```



```
<br>
<span
class="basicTxt w-100 my-1 mt-2"
id="ageGender"><?php echo $enrolled["age"] . " YEARS OLD, " . $enrolled["gender_preference"]; ?></span>
<br>
<span
class="basicTxt w-100 my-1" id="purok"><?php echo
$enrolled["purok"]; ?></span>
</div>
</div>
<!-- QR Code --&gt;
&lt;div class="col-12 col-lg-4 d-flex justify-content-lg-end justify-content-center"&gt;
&lt;img
class="rounded-2" src=&lt;?php echo
$enrolled["qr_code"]; ?&gt;" width="200px" height="auto"&gt;
&lt;/div&gt;
&lt;/div&gt;

<!-- Personal Info --&gt;
&lt;div class="row mx-3 px-3 my-5" width="100%" height="auto" style="border: 1px solid #aeaeae; border-radius: 20px;"&gt;
&lt;div class="col-12 titleCol"&gt;
&lt;div class="titleDiv rounded-pill d-flex justify-content-center align-items-center"&gt;
&lt;span
class="rowTitle">Personal Information</span>
</div>
</div>
<br>
<div class="col-md-2 col-6">
<label class="form-label modalLabel">Birthday:&nbsp;</label>
</div>
<div class="col-md-3 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$enrolled["birthday"]; ?></p>
</div>
<div class="col-md-3 col-6">
<label class="form-label modalLabel">Voter Type:&nbsp;</label>
</div>
<div class="col-md-4 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$enrolled["voter_type"]; ?></p>
</div>
<div class="col-md-2 col-6">
<label class="form-label modalLabel">Birthplace:&nbsp;</label>
</div>
</div>
<div class="col-6">
<div class="col-md-3 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$enrolled["birthplace"]; ?></p>
</div>
<div class="col-md-3 col-6">
<label class="form-label modalLabel">Contact No:&nbsp;</label>
</div>
<div class="col-md-4 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$enrolled["contact_no"]; ?></p>
</div>
<div class="col-md-2 col-6">
<label class="form-label modalLabel">Marital Status:&nbsp;</label>
</div>
<div class="col-md-3 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$enrolled["marital_status"]; ?></p>
</div>
<div class="col-md-3 col-6">
<label class="form-label modalLabel">Religion:&nbsp;</label>
</div>
<div class="col-md-4 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$enrolled["religion"]; ?></p>
</div>
<div class="col-md-2 col-6">
<label class="form-label modalLabel">Disability:&nbsp;</label>
</div>
<div class="col-md-3 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$enrolled["disability"]; ?></p>
</div>
<div class="col-md-3 col-6">
<label class="form-label modalLabel">Organization/s (if
any):&nbsp;</label>
</div>
<div class="col-md-4 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$enrolled["organization"]; ?></p>
</div>
```



```
</div>
<div class="col-md-2
col-6">
    <label class="form-
label modalLabel">House Address:&nbsp;</label>
    </div>
    <div class="col-md-3
col-6">
        <p
class="textRetrieved" id="textRetrievedID"><?php echo
$enrolled["house_address"]; ?></p>
        </div>
        <div class="col-md-3
col-6">
            <label class="form-
label modalLabel">Remarks:&nbsp;</label>
            </div>
            <div class="col-md-4
col-6">
                <p
class="textRetrieved" id="textRetrievedID"><?php echo
$enrolled["remarks"]; ?></p>
                </div>
                <!-- Status -->
                <div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border: 1px
solid #aeaeae; border-radius: 20px;">
                    <div class="col-12
titleCol">
                        <div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
                            <span
class="rowTitle">Status</span>
                            </div>
                            </div>
                            <?php
                            $employmentCheck =
                            "SELECT * FROM employment_info WHERE
                            resident_id = $enrolledID"; //check if resident has
                            employment info
                            $employmentCheckResult =
                            executeQuery($employmentCheck);
                            $educationCheck =
                            "SELECT * FROM educational_info WHERE
                            resident_id = $enrolledID"; //check if resident has
                            educational info
                            $educationCheckResult =
                            executeQuery($educationCheck);
                            if ($employment =
                            mysqli_fetch_assoc($employmentCheckResult)) {
                            //checking if the user is an employee
                            ?>
                            <div class="col-md-
2 col-6">
```

```
        <label
class="form-label modalLabel">Employment
Status:&nbsp;</label>
        </div>
        <div class="col-md-
3 col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employment_status"]; ?></p>
            </div>
            <div class="col-md-
3 col-6">
                <label
class="form-label modalLabel">Employee
Type:&nbsp;</label>
                </div>
                <div class="col-md-
4 col-6">
                    <p
class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employee_type"]; ?></p>
                    </div>
                    <div class="col-md-
2 col-6">
                        <label
class="form-label modalLabel">Employer
Type:&nbsp;</label>
                        </div>
                        <div class="col-md-
3 col-6">
                            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employer_type"]; ?></p>
                            </div>
                            <div class="col-md-
3 col-6">
                                <label
class="form-label modalLabel">Employer
Name:&nbsp;</label>
                                </div>
                                <div class="col-md-
4 col-6">
                                    <p
class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employer_name"]; ?></p>
                                    </div>
                                    <?php
                                    $industry_id =
                                    $employment["industry_id"]; // store industry_id to
                                    variable
                                    $salary_id =
                                    $employment["salary_id"]; // store salary_id to variable
                                    $industryCheck =
                                    "SELECT * FROM industries WHERE
                                    industry_id='$industry_id'";
                                    $queryIndustryCheck = mysqli_query($conn,
                                    $industryCheck);
```



```
$salaryCheck =
"SELECT * FROM salaries WHERE
salary_id='".$salary_id."'";
$querySalaryCheck
= mysqli_query($conn, $salaryCheck);
?>



<label
class="form-label modalLabel">Work
Industry:&nbsp;</label>
</div>
<div class="col-md-3">
<p
class="textRetrieved" id="textRetrievedID"><?php
$industry = mysqli_fetch_assoc($queryIndustryCheck);
echo $industry["description"]; ?>
</p>
</div>
<div class="col-md-3">
<label
class="form-label modalLabel">Salary
Range:&nbsp;</label>
</div>
<div class="col-md-4">
<p
class="textRetrieved" id="textRetrievedID"><?php
$salary = mysqli_fetch_assoc($querySalaryCheck);
echo $salary["description"]; ?>
</p>
</div>
<?php
} else if ($education =
mysqli_fetch_assoc($educationCheckResult)) {
//checking if the user is a student
if
($education["student_status"] == "ENROLLED") {
?>
<div class="col-
md-2 col-6">
<label
class="form-label modalLabel">Student
Status:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_status"]; ?></p>
</div>
<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">Student
Level:&nbsp;</label>
</div>
<div class="col-
md-4 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_level"]; ?></p>
</div>
<div class="col-
md-2 col-6">
<label
class="form-label modalLabel">School
Type:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["school_type"]; ?></p>
</div>
<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">School
Name:&nbsp;</label>
</div>
<div class="col-
md-4 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["school_name"]; ?></p>
</div>
<?php
} else if
($education["student_status"] == "OUT-OF-SCHOOL
YOUTH") {
?>
<div class="col-
6">
<label
class="form-label modalLabel">School
Status:&nbsp;</label>
</div>
<div class="col-
6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_status"]; ?></p>
</div>
<?php
} else {
?>
<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">Student
Status:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">


```



```
<p>
<?php echo
$education["student_status"]; ?></p>
</div>

<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">Student
Level:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">
<p>
<?php echo
$education["student_level"]; ?></p>
</div>

<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">School
Type:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">
<p>
<?php echo
$education["school_type"]; ?></p>
</div>

<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">School
Name:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">
<p>
<?php echo
$education["school_name"]; ?></p>
</div>

<?php
$industry_id =
$education["industry_id"]; // store industry_id to variable
$salary_id =
$education["salary_id"]; // store salary_id to variable

$industryCheck =
"SELECT * FROM industries WHERE
industry_id=$industry_id";

$queryIndustryCheck = mysqli_query($conn,
$industryCheck);

$salaryCheck =
"SELECT * FROM salaries WHERE
salary_id='$salary_id'";

$querySalaryCheck = mysqli_query($conn,
$salaryCheck);
?>

<div class="col-
md-2 col-6">
<label
class="form-label modalLabel">Work
Industry:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">
<p>
<?php
$industry = mysqli_fetch_assoc($queryIndustryCheck);
echo $industry["description"]; ?>
</p>
</div>

<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">Salary
Range:&nbsp;</label>
</div>
<div class="col-
md-4 col-6">
<p>
<?php
$salary = mysqli_fetch_assoc($querySalaryCheck);
echo $salary["description"]; ?>
</p>
</div>
<?php
}
?>
<?php
}
$household_id =
$enrolled["household_id"]; //getting the household id of
the user
$householdCheck =
"SELECT *, CONCAT(`head_first_name` , ' ,
`head_first_name` , ' , `head_middle_name`) AS
`head_name` FROM households WHERE
household_id = $household_id"; //getting the household
details of the user
$householdCheckResult =
executeQuery($householdCheck);
?>

</div>

<!-- House Dec -->
<div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border: 1px
solid #aeaeae; border-radius: 20px;">
<div class="col-12
titleCol">
<div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
<span
class="rowTitle">House Declaration</span>
</div>
```



```
</div>

<div class="col">
    <div class="row gy-1" id="row2Body">
        <?php
        while ($household = mysqli_fetch_assoc($householdCheckResult)) {
            ?>
            <div class="col-md-2 col-6">
                <label class="form-label modalLabel">Family head:&nbsp;</label>
                </div>
                <div class="col-md-4 col-6">
                    <p class="textRetrieved" id="textRetrievedID"><?php echo $household["head_name"]; ?></p>
                    </div>
                    <div class="col-md-2 col-6">
                        <label class="form-label modalLabel">No. of members:&nbsp;</label>
                        </div>
                        <div class="col-md-4 col-6">
                            <p class="textRetrieved" id="textRetrievedID"><?php echo $household["members_count"]; ?></p>
                            </div>
                            <?php
                            ?
                            ?>
                            </div>
                            </div>
                            </div>
                            </div>
                            <?php
                            ;
                            ?>
                    </tbody>
                    <tfoot>
                        <tr id="kabataanFooter">
                            <td></td>
                            </tr>
                        </tfoot>
                    </table>
                    <div class="row mx-0 mt-1">
                        </div>
                    <div class="col-12 col-md-6 d-flex justify-content-center justify-content-md-start align-items-center p-0" id="kabataanTblInfo">
                        <!-- Append Info here -->
                    </div>
                    <div class="col-12 col-md-6 d-flex justify-content-center justify-content-md-end align-items-center p-0" id="kabataanPaginate">
                        <!-- Append pagination btns here -->
                    </div>
                </div>
            </div>
        <?php
        require_once "fundamental-scripts.php";
        ?>
        <!-- Custom Script -->
        <script type="text/javascript" src="assets/js/profiles.js"></script>
        <script type="text/javascript" src="assets/js/sideMenu.js"></script>
        <script type="text/javascript" src="assets/js/settings.js"></script>
        <!-- Active Link -->
        <script type="text/javascript">
            $(document).ready(function() {
                $("#dashboard-link").addClass('nav-active');
                $("#dashboard-md-link").addClass("nav-md-active");
                $("#backPage").click(function() {
                    location.href = "dashboard.php";
                });
            })
        </script>
    </body>
</html>
```

**tblOutOfSchool.php**

```
<?php
require_once "access-super-admin.php";

$queryOutOfSchool = "SELECT *, CONCAT(`last_name`, ' ', `first_name`, ' ', `middle_name`) AS full_name, DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(), birthday)), '%Y') + 0 AS age, educational_info.student_status FROM `educational_info` RIGHT JOIN `residents` ON educational_info.resident_id = residents.resident_id WHERE `student_status` = 'Out-of-school Youth' ";
//query to select all data from table
$userRole = "SELECT description FROM admin_type WHERE admin_type_id = '$_SESSION[admin_type_id]'";
$role = mysqli_fetch_assoc(executeQuery($userRole));
$queryOutOfSchoolResult = executeQuery($queryOutOfSchool); //execute query
?>
```



```
<!DOCTYPE html>
<html>

<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, shrink-to-fit=no">
        <title>Out-of-School Youth</title>

        <?php
        require_once "fundamental-links.php";
        ?>

        <!-- Custom Page Stylesheets -->
        <link rel="stylesheet" href="assets/scss/profiles.css">
        <link rel="stylesheet"
        href="assets/scss/sideMenu.css">

        <!-- Favicon -->
        <link rel="icon" type="image/x-icon"
        href="assets/img/logos/kkis.ico">

</head>

<body>
    <div class="shrunk d-none d-lg-flex" id="leftPanel">
        <?php
        if ($adminTypeID == 1) {
            include 'sideMenu.php';
        } else if ($adminTypeID == 2) {
            include 'sideMenu-admin.php';
        } else {
            include "sideMenu-staff.php";
        }
        ?>
    </div>

    <div class="full-width" id="mainPanel">
        <header class="d-lg-none d-flex" id="mdHeader">
            <!-- Append Small Nav here -->
        </header>
        <header class="d-none d-lg-block" id="lgHeader">
            <div class="row mx-0" id="headerRow">
                <div class="col-md-8 col-12 d-flex justify-content-start align-items-center">
                    <i class="fa-solid fa-arrow-left me-4"
                    role="button" id="backPage"></i>
                    <span class="pageTitle">Out-of-School
                    Youth</span>
                </div>
            </div>
            <div class="col-md-4 d-none d-md-flex justify-content-end align-items-center">
                <span class="accountType"><?php echo
                "$role[description]" ?></span>
            </div>
            <hr id="headerHR">
        </header>

        <!-- Content Start -->
        <div class="container-fluid content"
        id="contentID">
            <div class="sectionDiv">
```

```
<!-- Kabataan Table Start -->
<div class="sectionDiv mx-0 mt-4"
id="sectionKabataan">
    <!-- Options Rows -->
    <div class="optionRow row gx-5 m-0 mb-1">
        <!-- Show No. of Rows -->
        <div class="col-12 d-flex align-items-center my-1 p-0" id="kabataanLength"></div>
        <!-- Output Buttons -->
        <div class="d-none col-md-6 d-md-flex justify-content-md-start p-0"
id="kabataanOutput"></div>
        <!-- Filter -->
        <div class="d-none col-lg-3 d-lg-flex align-items-center justify-content-end"></div>
        <!-- Search -->
        <div class="col-12 col-md-6 col-lg-3 p-0"
id="kabataanSearch"></div>
    </div>

    <!-- Actual table -->
    <table class="table table-striped table-bordered dataTable responsive display nowrap no-footer dtr-inline collapsed printTable darkBG"
role="grid" cellspacing="0" id="kabataanTbl"
style="width:100%">
        <thead class="tblHeadRow">
            <tr>
                <th class="tblHead">Name</th>
                <th class="tblHead">Gender</th>
                <th class="tblHead">Age</th>
                <th class="tblHead">Birthdate</th>
                <th class="tblHead">Civil
                status</th>
                <th class="tblHead">Contact
                No.</th>
                <th class="tblHead">Purok</th>
                <th class="tblHead">School
                Type</th>
                <th class="tblHead">Actions</th>
            </tr>
        </thead>
        <thead id="kabataanTblHead">
            <tr>
                </tr>
            </thead>
            <tbody>
                <?php
                while ($outOfSchool =
                mysqli_fetch_assoc($queryOutOfSchoolResult)) {
                    $outOfSchoolID =
                    $outOfSchool["resident_id"]; //get resident id
                    $outOfSchoolEID =
                    $outOfSchool["rencrypted_id"];
                ?>
                <tr>
                    <td id="fullName"
                    class="entryRow" scope="col" data-
                    label="Name"><?php echo $outOfSchool["full_name"]"; ?></td>
```



```
<td id="gender"
class="entryRow" scope="col" data-
label="Gender"><?php echo
$outOfSchool["gender_preference"]; ?></td>

<td id="age" class="entryRow"
scope="col" data-label="Age"><?php echo
$outOfSchool["age"]; ?></td>

<td id="birthday"
class="entryRow" scope="col" data-
label="Birthdate"><?php echo $outOfSchool["birthday"];
?></td>

<td id="civilStatus"
class="entryRow" scope="col" data-label="Civil
status"><?php echo $outOfSchool["marital_status"];
?></td>

<td id="contactNo"
class="entryRow" scope="col" data-label="Contact
No."><?php echo $outOfSchool["contact_no"]; ?></td>

<td id="purok" class="entryRow"
scope="col" data-label="Purok"><?php echo
$outOfSchool["purok"]; ?></td>

<td id="school_type"
class="entryRow" scope="col" data-label="School
Type"><?php echo $outOfSchool["school_type"];
?></td>

<td id="actions"
class="entryRow" scope="col" data-label="Actions">
<div class="row mx-0 p-2">
    <!-- View More -->
    <div class="col-lg-12 col-12
d-flex justify-content-center align-items-center p-0">
        <a class="btn btn-
warning" data-bs-toggle="modal" data-bs-
target="#viewMore">View More</a>
    </div>
</div>
</td>
</tr>

<!-- Kabataan Modal -->
<div class="modal" role="dialog"
tabindex="1" id="viewMore"><?php echo
$outOfSchool["resident_id"]; ?>" data-id=<?php echo
$outOfSchool["resident_id"]; ?>" href="#viewMore">View More</a>
</div>
```

```

<span class="ms-1
modal-title" id="modalTitle">KKIS</span>
</div>
<button type="button"
class="btn-close" data-bs-dismiss="modal" aria-
label="Close"></button>
</div>
<div class="modal-body m-
0" id="modalBodyID">
    <!-- Basic Info -->
    <div class="row mx-3 px-
3" width="100%" height="100%" style="border: 1px
solid #aeaeae; border-radius: 20px;">
        <!-- Text -->
        <div class="col-12 col-
lg-8 d-flex align-items-center">
            <div>
                <span
class="basicTxt w-100 my-1" id="nameTxt"><?php
echo $outOfSchool["full_name"]; ?></span>
                <br>
                <span
class="basicTxt w-100 my-1 mt-2"
id="ageGender"><?php echo $outOfSchool["age"] . " YEARS OLD, " . $outOfSchool["gender_preference"];
?></span>
                <br>
                <span
class="basicTxt w-100 my-1" id="purok"><?php echo
$outOfSchool["purok"]; ?></span>
            </div>
        </div>
        <!-- QR Code -->
        <div class="col-12 col-
lg-4 d-flex justify-content-lg-end justify-content-center">
            " width="200px"
height="auto">
        </div>
    </div>
    <!-- Personal Info -->
    <div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border: 1px
solid #aeaeae; border-radius: 20px;">
        <div class="col-12
titleCol">
            <div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
                <span
class="rowTitle">Personal Information</span>
            </div>
        </div>
        <br>
        <div class="col-md-2
col-6">
            <label class="form-
label modalLabel">Birthday:&nbsp;</label>
        </div>
    </div>
</div>
```



```
<div class="col-md-3
col-6">
    <p
class="textRetrieved" id="textRetrievedID"><?php echo
$outOfSchool["birthday"]; ?></p>
</div>

<div class="col-md-3
col-6">
    <label class="form-
label modalLabel">Voter Type:&nbsp;</label>
    </div>
    <div class="col-md-4
col-6">
        <p
class="textRetrieved" id="textRetrievedID"><?php echo
$outOfSchool["voter_type"]; ?></p>
        </div>

        <div class="col-md-2
col-6">
            <label class="form-
label modalLabel">Birthplace:&nbsp;</label>
            </div>
            <div class="col-md-3
col-6">
                <p
class="textRetrieved" id="textRetrievedID"><?php echo
$outOfSchool["birthplace"]; ?></p>
                </div>

                <div class="col-md-3
col-6">
                    <label class="form-
label modalLabel">Contact No:&nbsp;</label>
                    </div>
                    <div class="col-md-4
col-6">
                        <p
class="textRetrieved" id="textRetrievedID"><?php echo
$outOfSchool["contact_no"]; ?></p>
                        </div>

                        <div class="col-md-2
col-6">
                            <label class="form-
label modalLabel">Marital Status:&nbsp;</label>
                            </div>
                            <div class="col-md-3
col-6">
                                <p
class="textRetrieved" id="textRetrievedID"><?php echo
$outOfSchool["marital_status"]; ?></p>
                                </div>

                                <div class="col-md-3
col-6">
                                    <label class="form-
label modalLabel">Religion:&nbsp;</label>
                                    </div>
                                    <div class="col-md-4
col-6">
                                        <p
class="textRetrieved" id="textRetrievedID"><?php echo
$outOfSchool["religion"]; ?></p>
                                        </div>
</div>
```

```
<div class="col-md-2
col-6">
    <label class="form-
label modalLabel">Disability:&nbsp;</label>
</div>
<div class="col-md-3
col-6">
    <p
class="textRetrieved" id="textRetrievedID"><?php echo
$outOfSchool["disability"]; ?></p>
</div>

<div class="col-md-3
col-6">
    <label class="form-
label modalLabel">Organization/s (if
any):&nbsp;</label>
    </div>
    <div class="col-md-4
col-6">
        <p
class="textRetrieved" id="textRetrievedID"><?php echo
$outOfSchool["organization"]; ?></p>
        </div>

        <div class="col-md-2
col-6">
            <label class="form-
label modalLabel">House Address:&nbsp;</label>
            </div>
            <div class="col-md-3
col-6">
                <p
class="textRetrieved" id="textRetrievedID"><?php echo
$outOfSchool["house_address"]; ?></p>
                </div>

                <div class="col-md-3
col-6">
                    <label class="form-
label modalLabel">Remarks:&nbsp;</label>
                    </div>
                    <div class="col-md-4
col-6">
                        <p
class="textRetrieved" id="textRetrievedID"><?php echo
$outOfSchool["remarks"]; ?></p>
                        </div>
                        </div>

                        <!-- Status -->
<div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border: 1px
solid #aeaeae; border-radius: 20px;">
    <div class="col-12
titleCol">
        <div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
            <span
class="rowTitle">Status</span>
            </div>
        </div>
    </div>
</div>
```



```
$employmentCheck =
"SELECT * FROM employment_info WHERE
resident_id = $outOfSchoolID"; //check if resident has
employment info

$employmentCheckResult =
executeQuery($employmentCheck);

$educationCheck =
"SELECT * FROM educational_info WHERE
resident_id = $outOfSchoolID"; //check if resident has
educational info

$educationCheckResult =
executeQuery($educationCheck);

if ($employment =
mysqli_fetch_assoc($employmentCheckResult)) {
//checking if the user is an employee
?>


<label
class="form-label modalLabel">Employment
Status:&nbsp;</label>
</div>


<p
class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employment_status"]; ?></p>
</div>
<div class="col-md-3 col-6">
<label
class="form-label modalLabel">Employee
Type:&nbsp;</label>
</div>


<p
class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employee_type"]; ?></p>
</div>
<div class="col-md-2 col-6">
<label
class="form-label modalLabel">Employer
Type:&nbsp;</label>
</div>


<p
class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employer_type"]; ?></p>
</div>
<div class="col-md-3 col-6">
<label
class="form-label modalLabel">Employer
Name:&nbsp;</label>
</div>


```

```
<div class="col-md-4 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employer_name"]; ?></p>
</div>
<div class="col-md-4 col-6">
<?php
$industry_id =
$employment["industry_id"]; // store industry_id to
variable
$salary_id =
$employment["salary_id"]; // store salary_id to variable
$industryCheck =
"SELECT * FROM industries WHERE
industry_id='$industry_id'";
$queryIndustryCheck = mysqli_query($conn,
$industryCheck);
$salaryCheck =
"SELECT * FROM salaries WHERE
salary_id=$salary_id";
$querySalaryCheck
= mysqli_query($conn, $salaryCheck);
?>
<div class="col-md-2 col-6">
<label
class="form-label modalLabel">Work
Industry:&nbsp;</label>
</div>
<div class="col-md-3 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php
$industry = mysqli_fetch_assoc($queryIndustryCheck);
echo $industry["description"]; ?>
</p>
</div>
<div class="col-md-3 col-6">
<label
class="form-label modalLabel">Salary
Range:&nbsp;</label>
</div>
<div class="col-md-4 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php
$salary = mysqli_fetch_assoc($querySalaryCheck);
echo $salary["description"]; ?>
</p>
</div>
<?php
} else if ($education =
mysqli_fetch_assoc($educationCheckResult)) {
//checking if the user is a student
```



```
if  
($education["student_status"] == "ENROLLED") {  
    ?>  
        <div class="col-  
md-2 col-6">  
            <label  
class="form-label modalLabel">Student  
Status:&nbsp;</label>  
            </div>  
        <div class="col-  
md-3 col-6">  
            <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$education["student_status"]; ?></p>  
            </div>  
        <div class="col-  
md-3 col-6">  
            <label  
class="form-label modalLabel">Student  
Level:&nbsp;</label>  
            </div>  
        <div class="col-  
md-4 col-6">  
            <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$education["student_level"]; ?></p>  
            </div>  
        <div class="col-  
md-2 col-6">  
            <label  
class="form-label modalLabel">School  
Type:&nbsp;</label>  
            </div>  
        <div class="col-  
md-3 col-6">  
            <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$education["school_type"]; ?></p>  
            </div>  
        <div class="col-  
md-3 col-6">  
            <label  
class="form-label modalLabel">School  
Name:&nbsp;</label>  
            </div>  
        <div class="col-  
md-4 col-6">  
            <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$education["school_name"]; ?></p>  
            </div>  
        <?php  
    } else if  
    ($education["student_status"] == "OUT-OF-SCHOOL  
YOUTH") {  
    ?>  
        <div class="col-  
6">  
            <label  
class="form-label modalLabel">School  
Status:&nbsp;</label>  
            </div>  
    <div class="col-  
6">  
        <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$education["student_status"]; ?></p>  
        </div>  
    <?php  
    $industry_id =  
    $education["industry_id"]; // store industry_id to variable
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

234

```
$salary_id =
$education["salary_id"]; // store salary_id to variable

$industryCheck =
"SELECT * FROM industries WHERE
industry_id='$industry_id'";

$queryIndustryCheck = mysqli_query($conn,
$industryCheck);

$salaryCheck =
"SELECT * FROM salaries WHERE
salary_id='$salary_id'";

$querySalaryCheck = mysqli_query($conn,
$salaryCheck);
?>



<label
class="form-label modalLabel">Work
Industry:&nbsp;</label>
</div>


<p
class="textRetrieved" id="textRetrievedID"><?php
$industry = mysqli_fetch_assoc($queryIndustryCheck);
echo $industry["description"]; ?>
</p>
</div>


<label
class="form-label modalLabel">Salary
Range:&nbsp;</label>
</div>


<p
class="textRetrieved" id="textRetrievedID"><?php
$salary = mysqli_fetch_assoc($querySalaryCheck);
echo $salary["description"]; ?>
</p>
</div>
<?php
}
?>
<?php
}
$household_id =
$outOfSchool["household_id"]; //getting the household
id of the user
$householdCheck =
"SELECT *, CONCAT(`head_first_name`, ',',
`head_first_name`, ', ', `head_middle_name`) AS
`head_name` FROM households WHERE
household_id = $household_id"; //getting the household
details of the user
?>

$householdCheckResult =
executeQuery($householdCheck);
?>
</div>
<!-- House Dec -->


<label
class="form-label modalLabel">Family
head:&nbsp;</label>
</div>


<p
class="textRetrieved" id="textRetrievedID"><?php echo
$household["head_name"]; ?></p>
</div>


<label
class="form-label modalLabel">No. of
members:&nbsp;</label>
</div>


<p
class="textRetrieved" id="textRetrievedID"><?php echo
$household["members_count"]; ?></p>
</div>
<?php
}
?>
</div>
</div>
</div>
</div>
<?php
};


```



```
?>
</tbody>
<tfoot>
<tr id="kabataanFooter">
<td></td>
</tr>
</tfoot>
</table>
<div class="row mx-0 mt-1">
<div class="col-12 col-md-6 d-flex justify-content-center justify-content-md-start align-items-center p-0" id="kabataanTblInfo">
    <!-- Append Info here -->
</div>
<div class="col-12 col-md-6 d-flex justify-content-center justify-content-md-end align-items-center p-0" id="kabataanPaginate">
    <!-- Append pagination btns here -->
</div>
</div>
</div>
</div>
<?php
require_once "fundamental-scripts.php";
?>

<!-- Custom Script -->
<script type="text/javascript"
src="assets/js/profiles.js"></script>
<script type="text/javascript"
src="assets/js/sideMenu.js"></script>
<script type="text/javascript"
src="assets/js/settings.js"></script>

<!-- Active Link -->
<script type="text/javascript">
$(document).ready(function() {
    $("#dashboard-link").addClass('nav-active');
    $("#dashboard-md-link").addClass("nav-md-active");
    $("#backPage").click(function() {
        location.href = "dashboard.php";
    });
})
</script>
</body>
</html>

tblWorkingStudent.php

<?php
require_once "access-super-admin.php";
```

```
$queryWorkingStudent = "SELECT *,  
CONCAT(`last_name`, ' ', `first_name`, '  
'middle_name') AS full_name,  
DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(),  
birthday)), '%Y') + 0 AS age,  
educational_info.student_status FROM  
`educational_info` RIGHT JOIN `residents` ON  
educational_info.resident_id = residents.resident_id  
WHERE `student_status` = 'Working Student' "; //query  
to select all data from table  
$UserRole = "SELECT description FROM admin_type  
WHERE admin_type_id =  
'$_SESSION[admin_type_id]';  
$role = mysqli_fetch_assoc(executeQuery($UserRole));  
$queryWorkingStudentResult =  
executeQuery($queryWorkingStudent); //execute query

?>

<!DOCTYPE html>
<html>

<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0, shrink-to-fit=no">
<title>Working Student</title>

<?php
require_once "fundamental-links.php";
?>

<!-- Custom Page Stylesheets -->
<link rel="stylesheet" href="assets/scss/profiles.css">
<link rel="stylesheet"
href="assets/scss/sideMenu.css">

<!-- Favicon -->
<link rel="icon" type="image/x-icon"
href="assets/img/logos/kkis.ico">

</head>

<body>
<div class="shrunk d-none d-lg-flex" id="leftPanel">
<?php
if ($adminTypeID == 1) {
    include 'sideMenu.php';
} else if ($adminTypeID == 2) {
    include 'sideMenu-admin.php';
} else {
    include "sideMenu-staff.php";
}
?>
</div>

<div class="full-width" id="mainPanel">
<header class="d-lg-none d-flex" id="mdHeader">
<!-- Append Small Nav here -->
</header>
<header class="d-none d-lg-block" id="lgHeader">
<div class="row mx-0" id="headerRow">
<div class="col-md-8 col-12 d-flex justify-content-start align-items-center">
```



```
<i class="fa-solid fa-arrow-left me-4"
role="button" id="backPage"></i>
<span class="pageTitle">Working
Student</span>
</div>

<div class="col-md-4 d-none d-md-flex justify-
content-end align-items-center">
<span class="accountType"><?php echo
"$role[description]" ?></span>
</div>
</div>
<hr id="headerHR">
</header>

<!-- Content Start -->
<div class="container-fluid content"
id="contentID">
<div class="sectionDiv">
<!-- Kabataan Table Start -->
<div class="sectionDiv mx-0 mt-4"
id="sectionKabataan">
<!-- Options Rows -->
<div class="optionRow row gx-5 m-0 mb-
1">
<!-- Show No. of Rows -->
<div class="col-12 d-flex align-items-
center my-1 p-0" id="kabataanLength">
</div>
<!-- Output Buttons -->
<div class="d-none col-md-6 d-md-flex
justify-content-md-start p-0"
id="kabataanOutput"></div>
<!-- Filter -->
<div class="d-none col-lg-3 d-lg-flex
align-items-center justify-content-end"></div>
<!-- Search -->
<div class="col-12 col-md-6 col-lg-3 p-0"
id="kabataanSearch">
</div>
</div>
</div>

<!-- Actual table -->
<table class="table table-striped table-
bordered dataTable responsive display nowrap no-
footer dtr-inline collapsed printTable darkBG"
role="grid" cellspacing="0" id="kabataanTbl"
style="width:100%">
<thead class="tblHeadRow">
<tr>
<th class="tblHead">Name</th>
<th class="tblHead">Gender</th>
<th class="tblHead">Age</th>
<th class="tblHead">Birthdate</th>
<th class="tblHead">Civil status</th>
<th class="tblHead">Contact No.</th>
<th class="tblHead">Purok</th>
<th class="tblHead">School
Type</th>
<th class="tblHead">Actions</th>
</tr>
</thead>

<thead id="kabataanTblHead">
```

```
<tr>
</tr>
</thead>

<tbody>
<?php
while ($workingStudent =
mysqli_fetch_assoc($queryWorkingStudentResult)) {
$workingStudentID =
$workingStudent["resident_id"]; //get resident id
$workingStudentEID =
$workingStudent["encrypted_id"];
?>

<tr>
<td id="fullName" class="entryRow"
scope="col" data-label="Name"><?php echo
$workingStudent["full_name"]; ?></td>

<td id="gender" class="entryRow"
scope="col" data-label="Gender"><?php echo
$workingStudent["gender_preference"]; ?></td>

<td id="age" class="entryRow"
scope="col" data-label="Age"><?php echo
$workingStudent["age"]; ?></td>

<td id="birthday" class="entryRow"
scope="col" data-label="Birthdate"><?php echo
$workingStudent["birthday"]; ?></td>

<td id="civilStatus"
class="entryRow" scope="col" data-label="Civil
status"><?php echo $workingStudent["marital_status"];
?></td>

<td id="contactNo"
class="entryRow" scope="col" data-label="Contact
No."><?php echo $workingStudent["contact_no"];
?></td>

<td id="purok" class="entryRow"
scope="col" data-label="Purok"><?php echo
$workingStudent["purok"]; ?></td>

<td id="school_type"
class="entryRow" scope="col" data-label="School
Type"><?php echo $workingStudent["remarks"];
?></td>

<td id="actions" class="entryRow"
scope="col" data-label="Actions">
<!-- View More -->
<div class="col-lg-12 col-12 d-
flex justify-content-center align-items-center p-0">
<a class="btn btn-warning"
data-bs-toggle="modal" data-bs-
target="#viewMore<?php echo
$workingStudent["resident_id"]; ?>" data-id="<?php
echo $workingStudent["resident_id"]; ?>"
href="#viewMore">View More</a>
</div>
</td>
```



```
</tr>

<!-- Kabataan Modal -->
<div class="modal" role="dialog"
tabindex="1" id="viewMore<?php echo
$workingStudent["resident_id"]; ?>">
<div class="modal-dialog modal-xl
modal-dialog-scrollable modal-dialog-centered"
id="modalDialogID" role="document">
<div class="modal-content"
id="modalContentID">
<div class="modal-header"
id="modalHeaderID">
<div class="d-flex justify-
content-start align-items-start">

<span class="ms-1
modal-title" id="modalTitle">KKIS</span>
</div>
<button type="button"
class="btn-close" data-bs-dismiss="modal" aria-
label="Close"></button>
</div>
<div class="modal-body m-0
id="modalBodyID">
<!-- Basic Info -->
<div class="row mx-3 px-3"
width="100%" height="100%" style="border: 1px solid
#aeaeae; border-radius: 20px;">
<!-- Text -->
<div class="col-12 col-lg-
8 d-flex align-items-center">
<div>
<span
class="basicTxt w-100 my-1" id="nameTxt"><?php
echo $workingStudent["full_name"]; ?></span>
<br>
<span
class="basicTxt w-100 my-1 mt-2"
id="ageGender"><?php echo $workingStudent["age"] . " YEARS OLD, ". $workingStudent["gender_preference"]; ?></span>
<br>
<span
class="basicTxt w-100 my-1" id="purok"><?php echo
$workingStudent["purok"]; ?></span>
</div>
</div>
<!-- QR Code -->
<div class="col-12 col-lg-
4 d-flex justify-content-lg-end justify-content-center">
"
width="200px" height="auto">
</div>
</div>
<!-- Personal Info -->
<div class="row mx-3 px-3
my-5" width="100%" height="auto" style="border: 1px
solid #aeaeae; border-radius: 20px;">
<div class="col-12
titleCol">
```

```
<div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
<span
class="rowTitle">Personal Information</span>
</div>
</div>
<br>
<div class="col-md-2 col-
6">
<label class="form-
label modalLabel">Birthday:&nbs;p;</label>
</div>
<div class="col-md-3 col-
6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$workingStudent["birthday"]; ?></p>
</div>
<div class="col-md-3 col-
6">
<label class="form-
label modalLabel">Voter Type:&nbs;p;</label>
</div>
<div class="col-md-4 col-
6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$workingStudent["voter_type"]; ?></p>
</div>
<div class="col-md-2 col-
6">
<label class="form-
label modalLabel">Birthplace:&nbs;p;</label>
</div>
<div class="col-md-3 col-
6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$workingStudent["birthplace"]; ?></p>
</div>
<div class="col-md-3 col-
6">
<label class="form-
label modalLabel">Contact No:&nbs;p;</label>
</div>
<div class="col-md-4 col-
6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$workingStudent["contact_no"]; ?></p>
</div>
<div class="col-md-2 col-
6">
<label class="form-
label modalLabel">Marital Status:&nbs;p;</label>
</div>
<div class="col-md-3 col-
6">
```



```
<p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$workingStudent["marital_status"]; ?></p>  
</div>  
  
<div class="col-md-3 col-  
6">  
    <label class="form-  
label modalLabel">Religion:&nbsp;</label>  
    </div>  
<div class="col-md-4 col-  
6">  
    <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$workingStudent["religion"]; ?></p>  
    </div>  
  
<div class="col-md-2 col-  
6">  
    <label class="form-  
label modalLabel">Disability:&nbsp;</label>  
    </div>  
<div class="col-md-3 col-  
6">  
    <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$workingStudent["disability"]; ?></p>  
    </div>  
  
<div class="col-md-3 col-  
6">  
    <label class="form-  
label modalLabel">Organization/s (if  
any):&nbsp;</label>  
    </div>  
<div class="col-md-4 col-  
6">  
    <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$workingStudent["organization"]; ?></p>  
    </div>  
  
<div class="col-md-2 col-  
6">  
    <label class="form-  
label modalLabel">House Address:&nbsp;</label>  
    </div>  
<div class="col-md-3 col-  
6">  
    <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$workingStudent["house_address"]; ?></p>  
    </div>  
  
<div class="col-md-3 col-  
6">  
    <label class="form-  
label modalLabel">Remarks:&nbsp;</label>  
    </div>  
<div class="col-md-4 col-  
6">  
    <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$workingStudent["remarks"]; ?></p>  
    </div>  
    </div>  
  
<!-- Status -->  
<div class="row mx-3 px-3  
my-5" width="100%" height="auto" style="border: 1px  
solid #aeaeae; border-radius: 20px;">  
    <div class="col-12  
titleCol">  
        <div class="titleDiv  
rounded-pill d-flex justify-content-center align-items-  
center">  
            <span  
class="rowTitle">Status</span>  
        </div>  
    </div>  
  
<?php  
$employmentCheck =  
"SELECT * FROM employment_info WHERE  
resident_id = $workingStudentID"; //check if resident  
has employment info  
  
$employmentCheckResult =  
executeQuery($employmentCheck);  
  
$educationCheck =  
"SELECT * FROM educational_info WHERE  
resident_id = $workingStudentID"; //check if resident  
has educational info  
$educationCheckResult  
= executeQuery($educationCheck);  
  
if ($employment =  
mysqli_fetch_assoc($employmentCheckResult)) {  
//checking if the user is an employee  
?>  
  
<div class="col-md-2  
col-6">  
    <label class="form-  
label modalLabel">Employment Status:&nbsp;</label>  
    </div>  
<div class="col-md-3  
col-6">  
    <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$employment["employment_status"]; ?></p>  
    </div>  
  
<div class="col-md-3  
col-6">  
    <label class="form-  
label modalLabel">Employee Type:&nbsp;</label>  
    </div>  
<div class="col-md-4  
col-6">  
    <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$employment["employee_type"]; ?></p>  
    </div>  
  
<div class="col-md-2  
col-6">  
    <label class="form-  
label modalLabel">Employer Type:&nbsp;</label>
```



```
</div>
<div class="col-md-3
col-6">
    <p
class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employer_type"]; ?></p>
</div>

    <div class="col-md-3
col-6">
        <label class="form-
label modalLabel">Employer Name:&nbsp;</label>
        </div>
        <div class="col-md-4
col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employer_name"]; ?></p>
            </div>

            <?php
                $industry_id =
$employment["industry_id"]; // store industry_id to
variable
                $salary_id =
$employment["salary_id"]; // store salary_id to variable

                $industryCheck =
"SELECT * FROM industries WHERE
industry_id=$industry_id";
                $queryIndustryCheck
= mysqli_query($conn, $industryCheck);

                $salaryCheck =
"SELECT * FROM salaries WHERE
salary_id=$salary_id";
                $querySalaryCheck =
mysqli_query($conn, $salaryCheck);
            ?>

            <div class="col-md-3
col-6">
                <label class="form-
label modalLabel">Work Industry:&nbsp;</label>
                </div>
                <div class="col-md-3
col-6">
                    <p
class="textRetrieved" id="textRetrievedID"><?php
$industry = mysqli_fetch_assoc($queryIndustryCheck);
echo $industry["description"]; ?>
                    </p>
                </div>

            <div class="col-md-3
col-6">
                <label class="form-
label modalLabel">Salary Range:&nbsp;</label>
                </div>
                <div class="col-md-4
col-6">
                    <p
class="textRetrieved" id="textRetrievedID"><?php
$salary = mysqli_fetch_assoc($querySalaryCheck);
echo $salary["description"]; ?>
                    </p>
                </div>
            </div>
        </div>
    </div>
</div>

<?php
} else if ($education =
mysqli_fetch_assoc($educationCheckResult)) {
//checking if the user is a student

if
($education["student_status"] == "ENROLLED") {
?>
<div class="col-md-2 col-
6">
    <label class="form-
label modalLabel">Student Status:&nbsp;</label>
    </div>
    <div class="col-md-3 col-
6">
        <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_status"]; ?></p>
        </div>

        <div class="col-md-3 col-
6">
            <label class="form-
label modalLabel">Student Level:&nbsp;</label>
            </div>
            <div class="col-md-4 col-
6">
                <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_level"]; ?></p>
                </div>

                <div class="col-md-2 col-
6">
                    <label class="form-
label modalLabel">School Type:&nbsp;</label>
                    </div>
                    <div class="col-md-3 col-
6">
                        <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["school_type"]; ?></p>
                        </div>

                        <div class="col-md-3 col-
6">
                            <label class="form-
label modalLabel">School Name:&nbsp;</label>
                            </div>
                            <div class="col-md-4 col-
6">
                                <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["school_name"]; ?></p>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

240

```
        } else if
    ($education["student_status"] == "OUT-OF-SCHOOL
YOUTH") {
        ?>
        <div class="col-6">
            <label class="form-
label modalLabel">School Status:&nbsp;</label>
        </div>
        <div class="col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_status"]; ?></p>
        </div>

        <?php
        } else {
        ?>

        <div class="col-md-2 col-
6">
            <label class="form-
label modalLabel">Student Status:&nbsp;</label>
        </div>
        <div class="col-md-3 col-
6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_status"]; ?></p>
        </div>

        <div class="col-md-3 col-
6">
            <label class="form-
label modalLabel">Student Level:&nbsp;</label>
        </div>
        <div class="col-md-4 col-
6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_level"]; ?></p>
        </div>

        <div class="col-md-2 col-
6">
            <label class="form-
label modalLabel">School Type:&nbsp;</label>
        </div>
        <div class="col-md-3 col-
6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["school_type"]; ?></p>
        </div>

        <div class="col-md-3 col-
6">
            <label class="form-
label modalLabel">School Name:&nbsp;</label>
        </div>
        <div class="col-md-4 col-
6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["school_name"]; ?></p>
        </div>
    
```

```
        <?php
        $industry_id =
$education["industry_id"]; // store industry_id to variable
        $salary_id =
$education["salary_id"]; // store salary_id to variable
        $industryCheck =
"SELECT * FROM industries WHERE
industry_id=$industry_id";
        $queryIndustryCheck = mysqli_query($conn,
$industryCheck);

        $salaryCheck =
"SELECT * FROM salaries WHERE
salary_id=$salary_id";
        $querySalaryCheck
= mysqli_query($conn, $salaryCheck);
        ?>

        <div class="col-md-2 col-
6">
            <label class="form-
label modalLabel">Work Industry:&nbsp;</label>
        </div>
        <div class="col-md-3 col-
6">
            <p
class="textRetrieved" id="textRetrievedID"><?php
$industry = mysqli_fetch_assoc($queryIndustryCheck);
echo $industry["description"]; ?>
            </p>
        </div>

        <div class="col-md-3 col-
6">
            <label class="form-
label modalLabel">Salary Range:&nbsp;</label>
        </div>
        <div class="col-md-4 col-
6">
            <p
class="textRetrieved" id="textRetrievedID"><?php
$salary = mysqli_fetch_assoc($querySalaryCheck);
echo $salary["description"]; ?>
            </p>
        </div>

        <?php
        }
        ?>
        <?php
        }
        $household_id =
$workingStudent["household_id"]; //getting the
household id of the user
        $householdCheck =
"SELECT *, CONCAT(`head_first_name`, ',',
`head_first_name`, ', ', `head_middle_name`) AS
`head_name` FROM households WHERE

```



# POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

241

```
household_id = $household_id"; //getting the household
details of the user
    $householdCheckResult
= executeQuery($householdCheck);
?>

</div>

<!-- House Dec -->
<div class="row mx-3 px-3 my-
5" width="100%" height="auto" style="border: 1px solid
#aeaeae; border-radius: 20px;">
    <div class="col-12 titleCol">
        <div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
            <span
class="rowTitle">House Declaration</span>
            </div>
        </div>
    <div class="col"
id="row2Body">
        <div class="row gy-1"
id="row4Content">
            <?php
                while ($household =
mysqli_fetch_assoc($householdCheckResult)) {
            ?>
            <div class="col-md-
2 col-6">
                <label
class="form-label modalLabel">Family
head:&nbs;p;</label>
                </div>
            <div class="col-md-
4 col-6">
                <p
class="textRetrieved" id="textRetrievedID"><?php echo
$household["head_name"]; ?></p>
                </div>
            <div class="col-md-
2 col-6">
                <label
class="form-label modalLabel">No. of
members:&nbs;p;</label>
                </div>
            <div class="col-md-
4 col-6">
                <p
class="textRetrieved" id="textRetrievedID"><?php echo
$household["members_count"]; ?></p>
                </div>
                <?php
                }
                ?>
            </div>
        </div>
    </div>
</div>
<!-- Kabataan Modal End -->
<?php
    require_once "access-super-admin.php";
    >
};

?>
</body>
<tfoot>
<tr id="kabataanFooter">
    <td></td>
    <td></td>
    <td></td>
    <td></td>
    <td></td>
    <td></td>
    <td></td>
    <td></td>
    <td></td>
</tr>
</tfoot>
</table>
<div class="row mx-0 mt-1">
    <div class="col-12 col-md-6 d-flex justify-
content-center justify-content-md-start align-items-
center p-0" id="kabataanTbllInfo">
        <!-- Append Info here -->
    </div>
    <div class="col-12 col-md-6 d-flex justify-
content-center justify-content-md-end align-items-
center p-0" id="kabataanPaginate">
        <!-- Append pagination btns here -->
    </div>
    </div>
</div>
</div>
<?php
require_once "fundamental-scripts.php";
?>

<!-- Custom Script -->
<script type="text/javascript"
src="assets/js/profiles.js"></script>
<script type="text/javascript"
src="assets/js/sideMenu.js"></script>
<script type="text/javascript"
src="assets/js/settings.js"></script>

<!-- Active Link -->
<script type="text/javascript">
$(document).ready(function() {
    $("#dashboard-link").addClass('nav-active');
    $("#dashboard-md-link").addClass("nav-md-
active");
    $("#backPage").click(function() {
        location.href = "dashboard.php";
    });
})
</script>
</body>
</html>

tblEmployed.php

<?php
require_once "access-super-admin.php";
?>
```



```
$queryEmployed = "SELECT *, CONCAT(`last_name`,  
' ', `first_name`, ' ', `middle_name`) AS full_name,  
DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(),  
birthday)), '%Y') + 0 AS age,  
employment_info.employment_status FROM  
'employment_info` RIGHT JOIN `residents` ON  
employment_info.resident_id = residents.resident_id  
WHERE `employment_status` = 'Employed' "; //query to  
select all data from table  
$userRole = "SELECT description FROM admin_type  
WHERE admin_type_id =  
'$SESSION[admin_type_id]';  
$role = mysqli_fetch_assoc(executeQuery($userRole));  
$queryEmployedResult =  
executeQuery($queryEmployed); //execute query  
  
>  
<!DOCTYPE html>  
<html>  
  
<head>  
    <meta charset="utf-8">  
    <meta name="viewport" content="width=device-width, initial-scale=1.0, shrink-to-fit=no">  
    <title>Employed</title>  
  
    <?php  
    require_once "fundamental-links.php";  
    ?>  
  
    <!-- Custom Page Stylesheets -->  
    <link rel="stylesheet" href="assets/scss/profiles.css">  
    <link rel="stylesheet"  
    href="assets/scss/sideMenu.css">  
  
    <!-- Favicon -->  
    <link rel="icon" type="image/x-icon"  
    href="assets/img/logos/kkis.ico">  
  
</head>  
  
<body>  
    <div class="shrunk d-none d-lg-flex" id="leftPanel">  
        <?php  
        if ($adminTypeID == 1) {  
            include 'sideMenu.php';  
        } else if ($adminTypeID == 2) {  
            include 'sideMenu-admin.php';  
        } else {  
            include "sideMenu-staff.php";  
        }  
        ?>  
    </div>  
  
    <div class="full-width" id="mainPanel">  
        <header class="d-lg-none d-flex" id="mdHeader">  
            <!-- Append Small Nav here -->  
        </header>  
        <header class="d-none d-lg-block" id="lgHeader">  
            <div class="row mx-0" id="headerRow">  
                <div class="col-md-8 col-12 d-flex justify-  
content-start align-items-center">  
                    <i class="fa-solid fa-arrow-left me-4"  
                    role="button" id="backPage"></i>  
                    <span  
                    class="pageTitle">Employed</span>  
                </div>  
            </div>  
        </header>  
        <div class="col-md-4 d-none d-md-flex justify-  
content-end align-items-center">  
            <span class="accountType"><?php echo  
"$role[description]" ?></span>  
        </div>  
        <hr id="headerHR">  
    </header>  
  
    <!-- Content Start -->  
    <div class="container-fluid content"  
id="contentID">  
        <div class="sectionDiv">  
            <!-- Kabataan Table Start -->  
            <div class="sectionDiv mx-0 mt-4"  
id="sectionKabataan">  
                <!-- Options Rows -->  
                <div class="optionRow row gx-5 m-0 mb-  
1">  
                    <!-- Show No. of Rows -->  
                    <div class="col-12 d-flex align-items-  
center my-1 p-0" id="kabataanLength">  
                        </div>  
                    <!-- Output Buttons -->  
                    <div class="d-none col-md-6 d-md-flex  
justify-content-md-start p-0"  
id="kabataanOutput"></div>  
                    <!-- Filter -->  
                    <div class="d-none col-lg-3 d-lg-flex  
align-items-center justify-content-end"></div>  
                    <!-- Search -->  
                    <div class="col-12 col-md-6 col-lg-3 p-0"  
id="kabataanSearch"></div>  
                    </div>  
  
                    <!-- Actual table -->  
                    <table class="table table-striped table-  
bordered dataTable responsive display nowrap no-  
footer dtr-inline collapsed printTable darkBG"  
role="grid" cellspacing="0" id="kabataanTbl"  
style="width:100%">  
                        <thead class="tblHeadRow">  
                            <tr>  
                                <th class="tblHead">Name</th>  
                                <th class="tblHead">Gender</th>  
                                <th class="tblHead">Age</th>  
                                <th class="tblHead">Birthdate</th>  
                                <th class="tblHead">Civil  
status</th>  
                                <th class="tblHead">Contact  
No.</th>  
                                <th class="tblHead">Purok</th>  
                                <th class="tblHead">Employer  
Type</th>  
                                <th class="tblHead">Actions</th>  
                            </tr>  
                        </thead>  
                        <tbody id="kabataanTblBody">  
                            <tr>  
                            </tr>  
                        </tbody>  
                    </table>  
                </div>  
            </div>  
        </div>  
    </div>
```



```
</thead>
<tbody>
<?php
while ($employed =
mysqli_fetch_assoc($queryEmployedResult)) {
    $employedID =
$employed["resident_id"]; //get resident id
    $employedEID =
$employed["rencrypted_id"];
?>

<tr>
    <td id="fullName"
class="entryRow" scope="col" data-
label="Name"><?php echo $employed["full_name"];
?></td>

    <td id="gender"
class="entryRow" scope="col" data-
label="Gender"><?php echo
$employed["gender_preference"]; ?></td>

    <td id="age" class="entryRow"
scope="col" data-label="Age"><?php echo
$employed["age"]; ?></td>

    <td id="birthday"
class="entryRow" scope="col" data-
label="Birthdate"><?php echo $employed["birthday"];
?></td>

    <td id="civilStatus"
class="entryRow" scope="col" data-label="Civil
status"><?php echo $employed["marital_status"];
?></td>

    <td id="contactNo"
class="entryRow" scope="col" data-label="Contact
No."><?php echo $employed["contact_no"]; ?></td>

    <td id="purok" class="entryRow"
scope="col" data-label="Purok"><?php echo
$employed["purok"]; ?></td>

    <td id="employer_type"
class="entryRow" scope="col" data-label="Employer
Type"><?php echo $employed["employer_type"];
?></td>

    <td id="actions"
class="entryRow" scope="col" data-label="Actions">
        <div class="row mx-0 p-0">
            <!-- View More -->
            <div class="col-lg-12 col-12
d-flex justify-content-center align-items-center p-2">
                <a class="btn btn-
warning" data-bs-toggle="modal" data-bs-
target="#viewMore<?php echo
$employed["resident_id"]; ?>" data-id="<?php echo
$employed["resident_id"]; ?>" href="#viewMore">View
More</a>
            </div>
        </div>
    </div>
</td>
</tr>
<!-- Kabataan Modal -->
<div class="modal" role="dialog"
tabindex="-1" id="viewMore<?php echo
$employed["resident_id"]; ?>">
    <div class="modal-dialog modal-
xl modal-dialog-scrollable modal-dialog-centered"
id="modalDialogID" role="document">
        <div class="modal-content"
id="modalContentID">
            <div class="modal-header"
id="modalHeaderID">
                <div class="d-flex justify-
content-start align-items-start">
                    
                    <span class="ms-1
modal-title" id="modalTitle">KKIS</span>
                </div>
                <button type="button"
class="btn-close" data-bs-dismiss="modal" aria-
label="Close"></button>
            </div>
            <div class="modal-body m-
0" id="modalBodyID">
                <!-- Basic Info -->
                <div class="row mx-3 px-
3" width="100%" height="100%" style="border: 1px
solid #aeaeae; border-radius: 20px;">
                    <!-- Text -->
                    <div class="col-12 col-
lg-8 d-flex align-items-center">
                        <div>
                            <span
class="basicTxt w-100 my-1" id="nameTxt"><?php
echo $employed["full_name"]; ?></span>
                            <br>
                            <span
class="basicTxt w-100 my-1 mt-2"
id="ageGender"><?php echo $employed["age"] . " "
YEARS OLD, " . $employed["gender_preference"];
?></span>
                            <br>
                            <span
class="basicTxt w-100 my-1" id="purok"><?php echo
$employed["purok"]; ?></span>
                        </div>
                    </div>
                    <!-- QR Code -->
                    <div class="col-12 col-
lg-4 d-flex justify-content-lg-end justify-content-center">
                        " width="200px"
height="auto">
                    </div>
                </div>
                <!-- Personal Info -->
                <div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border: 1px
solid #aeaeae; border-radius: 20px;">

```



```
<div class="col-12
titleCol">
    <div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
        <span
class="rowTitle">Personal Information</span>
        </div>
        <br>
        <div class="col-md-2
col-6">
            <label class="form-
label modalLabel">Birthday:&nbsp;</label>
            </div>
            <div class="col-md-3
col-6">
                <p
class="textRetrieved" id="textRetrievedID"><?php echo
$employed["birthday"]; ?></p>
            </div>
        <div class="col-md-3
col-6">
            <label class="form-
label modalLabel">Voter Type:&nbsp;</label>
            </div>
            <div class="col-md-4
col-6">
                <p
class="textRetrieved" id="textRetrievedID"><?php echo
$employed["voter_type"]; ?></p>
            </div>
        <div class="col-md-2
col-6">
            <label class="form-
label modalLabel">Birthplace:&nbsp;</label>
            </div>
            <div class="col-md-3
col-6">
                <p
class="textRetrieved" id="textRetrievedID"><?php echo
$employed["birthplace"]; ?></p>
            </div>
        <div class="col-md-3
col-6">
            <label class="form-
label modalLabel">Contact No:&nbsp;</label>
            </div>
            <div class="col-md-4
col-6">
                <p
class="textRetrieved" id="textRetrievedID"><?php echo
$employed["contact_no"]; ?></p>
            </div>
        <div class="col-md-2
col-6">
            <label class="form-
label modalLabel">Marital Status:&nbsp;</label>
            </div>
            <div class="col-md-3
col-6">
                <p
class="textRetrieved" id="textRetrievedID"><?php echo
$employed["marital_status"]; ?></p>
            </div>
        <div class="col-md-3
col-6">
            <label class="form-
label modalLabel">Religion:&nbsp;</label>
            </div>
        <div class="col-md-2
col-6">
            <label class="form-
label modalLabel">Disability:&nbsp;</label>
            </div>
        <div class="col-md-3
col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$employed["disability"]; ?></p>
            </div>
        <div class="col-md-3
col-6">
            <label class="form-
label modalLabel">Organization/s (if
any):&nbsp;</label>
            </div>
        <div class="col-md-4
col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$employed["organization"]; ?></p>
            </div>
        <div class="col-md-2
col-6">
            <label class="form-
label modalLabel">House Address:&nbsp;</label>
            </div>
        <div class="col-md-3
col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$employed["house_address"]; ?></p>
            </div>
        <div class="col-md-3
col-6">
            <label class="form-
label modalLabel">Remarks:&nbsp;</label>
            </div>
        <div class="col-md-4
col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$employed["remarks"]; ?></p>
            </div>
        </div>
    </div>
</div>
```



```
<!-- Status -->
<div class="row mx-3 px-3 my-5" width="100%" height="auto" style="border: 1px solid #aeaeae; border-radius: 20px;">
    <div class="col-12 titleCol">
        <div class="titleDiv rounded-pill d-flex justify-content-center align-items-center">
            <span class="rowTitle">Status</span>
        </div>
    </div>
    <?php
        $employmentCheck =
        "SELECT * FROM employment_info WHERE
        resident_id = $employedID"; //check if resident has
        employment info

        $employmentCheckResult =
        executeQuery($employmentCheck);

        $educationCheck =
        "SELECT * FROM educational_info WHERE
        resident_id = $employedID"; //check if resident has
        educational info

        $educationCheckResult =
        executeQuery($educationCheck);

        if ($employment =
        mysqli_fetch_assoc($employmentCheckResult)) {
        //checking if the user is an employee
        ?>
        <div class="col-md-2 col-6">
            <label class="form-label modalLabel">Employment
            Status:&nbsp;</label>
        </div>
        <div class="col-md-3 col-6">
            <p class="textRetrieved" id="textRetrievedID"><?php echo
            $employment["employment_status"]; ?></p>
        </div>
        <div class="col-md-3 col-6">
            <label class="form-label modalLabel">Employee
            Type:&nbsp;</label>
        </div>
        <div class="col-md-2 col-6">
            <p class="textRetrieved" id="textRetrievedID"><?php echo
            $employment["employee_type"]; ?></p>
        </div>
    </div>
</div>

<label class="form-label modalLabel">Employer
Type:&nbsp;</label>
</div>
<div class="col-md-3 col-6">
<p class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employer_type"]; ?></p>
</div>
<div class="col-md-3 col-6">
<label class="form-label modalLabel">Employer
Name:&nbsp;</label>
</div>
<div class="col-md-4 col-6">
<p class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employer_name"]; ?></p>
</div>
<?php
    $industry_id =
    $employment["industry_id"]; // store industry_id to
    variable
    $salary_id =
    $employment["salary_id"]; // store salary_id to variable
    $industryCheck =
    "SELECT * FROM industries WHERE
    industry_id='$industry_id'";
    $queryIndustryCheck = mysqli_query($conn,
    $industryCheck);

    $salaryCheck =
    "SELECT * FROM salaries WHERE
    salary_id='$salary_id'";
    $querySalaryCheck
    = mysqli_query($conn, $salaryCheck);
    ?>
<div class="col-md-2 col-6">
    <label class="form-label modalLabel">Work
    Industry:&nbsp;</label>
</div>
<div class="col-md-3 col-6">
    <p class="textRetrieved" id="textRetrievedID"><?php
    $industry = mysqli_fetch_assoc($queryIndustryCheck);
    echo $industry["description"]; ?>
</p>
</div>
<div class="col-md-3 col-6">
</div>
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

246

```
<label  
class="form-label modalLabel">Salary  
Range:&nbsp;</label>  
        </div>  
        <div class="col-md-  
4 col-6">  
            <p  
class="textRetrieved" id="textRetrievedID"><?php  
$salary = mysqli_fetch_assoc($querySalaryCheck);  
echo $salary["description"]; ?>  
            </p>  
            </div>  
            <?php  
        } else if ($education =  
mysqli_fetch_assoc($educationCheckResult)) {  
//checking if the user is a student  
  
        if  
        ($education["student_status"] == "ENROLLED") {  
            ?>  
            <div class="col-  
md-2 col-6">  
                <label  
class="form-label modalLabel">Student  
Status:&nbsp;</label>  
                </div>  
                <div class="col-  
md-3 col-6">  
                    <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$education["student_status"]; ?></p>  
                    </div>  
                    <div class="col-  
md-3 col-6">  
                        <label  
class="form-label modalLabel">Student  
Level:&nbsp;</label>  
                        </div>  
                        <div class="col-  
md-4 col-6">  
                            <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$education["student_level"]; ?></p>  
                            </div>  
                            <div class="col-  
md-2 col-6">  
                                <label  
class="form-label modalLabel">School  
Type:&nbsp;</label>  
                                </div>  
                                <div class="col-  
md-3 col-6">  
                                    <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$education["school_type"]; ?></p>  
                                    </div>  
                                    <div class="col-  
md-3 col-6">  
                                        <label  
class="form-label modalLabel">School  
Name:&nbsp;</label>  
                                        </div>  
                                        <div class="col-  
md-4 col-6">  
                                            <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$education["school_name"]; ?></p>  
                                            </div>  
                                            <?php  
                                        } else if  
($education["student_status"] == "OUT-OF-SCHOOL  
YOUTH") {  
?>  
    <div class="col-  
6">  
        <label  
class="form-label modalLabel">School  
Status:&nbsp;</label>  
        </div>  
        <div class="col-  
6">  
            <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$education["student_status"]; ?></p>  
            </div>  
            <?php  
        } else {  
?>  
    <div class="col-  
md-3 col-6">  
        <label  
class="form-label modalLabel">Student  
Status:&nbsp;</label>  
        </div>  
        <div class="col-  
md-3 col-6">  
            <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$education["student_status"]; ?></p>  
            </div>  
            <div class="col-  
md-3 col-6">  
                <label  
class="form-label modalLabel">Student  
Level:&nbsp;</label>  
                </div>  
                <div class="col-  
md-3 col-6">  
                    <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$education["student_level"]; ?></p>  
                    </div>  
                    <div class="col-  
md-3 col-6">  
                        <label  
class="form-label modalLabel">School  
Type:&nbsp;</label>  
                        </div>  
                        <div class="col-  
md-3 col-6">
```



```
<p>
<?php echo
$education["school_type"]; ?></p>
</div>

<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">School
Name:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">
<p>
<?php echo
$education["school_name"]; ?></p>
</div>
<?php
$industry_id =
$education["industry_id"]; // store industry_id to variable
$salary_id =
$education["salary_id"]; // store salary_id to variable
$industryCheck =
"SELECT * FROM industries WHERE
industry_id='$industry_id'";
$queryIndustryCheck = mysqli_query($conn,
$industryCheck);

$salaryCheck =
"SELECT * FROM salaries WHERE
salary_id='$salary_id'";
$querySalaryCheck = mysqli_query($conn,
$salaryCheck);
?>
<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">Work
Industry:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">
<p>
<?php
$industry = mysqli_fetch_assoc($queryIndustryCheck);
echo $industry["description"]; ?>
</p>
</div>
<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">Salary
Range:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">
<p>
<?php echo
$salary = mysqli_fetch_assoc($querySalaryCheck);
echo $salary["description"]; ?>
</p>
</div>
<?php
$household_id =
$employed["household_id"]; //getting the household id
of the user
$householdCheck =
"SELECT *, CONCAT(`head_first_name`, ',',
`head_first_name`, '', `head_middle_name`) AS
`head_name` FROM households WHERE
household_id = $household_id"; //getting the household
details of the user
$householdCheckResult =
executeQuery($householdCheck);
?>
</div>
<!-- House Decl -->
<div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border: 1px
solid #aeaeae; border-radius: 20px;">
<div class="col-12
titleCol">
<div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
<span
class="rowTitle">House Declaration</span>
</div>
</div>
<div class="col-
id="row2Body">
<div class="row gy-
1" id="row4Content">
<?php
while ($household
= mysqli_fetch_assoc($householdCheckResult)) {
?>
<div class="col-
md-2 col-6">
<label
class="form-label modalLabel">Family
head:&nbsp;</label>
</div>
<div class="col-
md-4 col-6">
<p>
<?php echo
$household["head_name"]; ?></p>
</div>
<div class="col-
md-2 col-6">
```



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

248



```
<body>
<div class="shrunk d-none d-lg-flex" id="leftPanel">
    <?php
    if ($adminTypeID == 1) {
        include 'sideMenu.php';
    } else if ($adminTypeID == 2) {
        include 'sideMenu-admin.php';
    } else {
        include "sideMenu-staff.php";
    }
    ?>
</div>

<div class="full-width" id="mainPanel">
    <header class="d-lg-none d-flex" id="mdHeader">
        <!-- Append Small Nav here -->
    </header>
    <header class="d-none d-lg-block" id="lgHeader">
        <div class="row mx-0" id="headerRow">
            <div class="col-md-8 col-12 d-flex justify-content-start align-items-center">
                <i class="fa-solid fa-arrow-left me-4" role="button" id="backPage"></i>
                <span class="pageTitle">Unemployed</span>
            </div>
        <div class="col-md-4 d-none d-md-flex justify-content-end align-items-center">
            <span class="accountType"><?php echo $role[description]>?</span>
        </div>
        <hr id="headerHR">
    </header>

    <!-- Content Start -->
    <div class="container-fluid content" id="contentID">
        <div class="sectionDiv">
            <!-- Kabataan Table Start -->
            <div class="sectionDiv mx-0 mt-4" id="sectionKabataan">
                <!-- Options Rows -->
                <div class="optionRow row gx-5 m-0 mb-1">
                    <!-- Show No. of Rows -->
                    <div class="col-12 d-flex align-items-center my-1 p-0" id="kabataanLength">
                        </div>
                    <!-- Output Buttons -->
                    <div class="d-none col-md-6 d-md-flex justify-content-md-start p-0" id="kabataanOutput"></div>
                    <!-- Filter -->
                    <div class="d-none col-lg-3 d-lg-flex align-items-center justify-content-end" id="kabataanSearch">
                        <!-- Search -->
                        <div class="col-12 col-md-6 col-lg-3 p-0" id="kabataanSearch">
                            </div>
                        </div>
                    </div>
                <!-- Actual table -->
            </div>
        </div>
    </div>
</div>
```

```
<table class="table table-striped table-bordered dataTable responsive display nowrap no-footer dtr-inline collapsed printTable darkBG" role="grid" cellspacing="0" id="kabataanTbl" style="width:100%">
    <thead class="tblHeadRow">
        <tr>
            <th class="tblHead">Name</th>
            <th class="tblHead">Gender</th>
            <th class="tblHead">Age</th>
            <th class="tblHead">Birthdate</th>
            <th class="tblHead">Civil status</th>
            <th class="tblHead">Contact No.</th>
            <th class="tblHead">Purok</th>
            <th class="tblHead">Employer Type</th>
            <th class="tblHead">Actions</th>
        </tr>
    </thead>
    <thead id="kabataanTblHead">
        <tr>
            </tr>
    </thead>
    <tbody>
        <?php
        while ($unemployed = mysqli_fetch_assoc($queryUnemployedResult)) {
            $unemployedID = $unemployed["resident_id"]; //get resident id
            $unemployedEID = $unemployed["encrypted_id"];
        ?>
        <tr>
            <td id="fullName" class="entryRow" scope="col" data-label="Name"><?php echo $unemployed["full_name"]?></td>
            <td id="gender" class="entryRow" scope="col" data-label="Gender"><?php echo $unemployed["gender_preference"]?></td>
            <td id="age" class="entryRow" scope="col" data-label="Age"><?php echo $unemployed["age"]?></td>
            <td id="birthday" class="entryRow" scope="col" data-label="Birthdate"><?php echo $unemployed["birthday"]?></td>
            <td id="civilStatus" class="entryRow" scope="col" data-label="Civil status"><?php echo $unemployed["marital_status"]?></td>
        </tr>
    </tbody>
</table>
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

250

```
<td id="contactNo"
class="entryRow" scope="col" data-label="Contact
No."><?php echo $unemployed["contact_no"]; ?></td>

<td id="purok" class="entryRow"
scope="col" data-label="Purok"><?php echo
$unemployed["purok"]; ?></td>

<td id="employer_type"
class="entryRow" scope="col" data-label="Employer
Type"><?php echo $unemployed["remarks"]; ?></td>

<td id="actions"
class="entryRow" scope="col" data-label="Actions">
<div class="row mx-0 p-2">
    <!-- View More -->
    <div class="col-lg-12 col-12
d-flex justify-content-center align-items-center p-0">
        <a class="btn btn-
warning" data-bs-toggle="modal" data-bs-
target="#viewMore<?php echo
$unemployed["resident_id"]; ?>" data-id="<?php echo
$unemployed["resident_id"]; ?>" href="#viewMore">View More</a>
    </div>
    </div>
</td>

</tr>

<!-- Kabataan Modal -->
<div class="modal" role="dialog"
tabindex="1" id="viewMore<?php echo
$unemployed["resident_id"]; ?>">
    <div class="modal-dialog modal-
xl modal-dialog-scrollable modal-dialog-centered"
id="modalDialogID" role="document">
        <div class="modal-content"
id="modalContentID">
            <div class="modal-header"
id="modalHeaderID">
                <div class="d-flex justify-
content-start align-items-start">
                    
                    <span class="ms-1
modal-title" id="modalTitle">KKIS</span>
                </div>
                <button type="button"
class="btn-close" data-bs-dismiss="modal" aria-
label="Close"></button>
            </div>
            <div class="modal-body m-
0" id="modalBodyID">
                <!-- Basic Info -->
                <div class="row mx-3 px-
3" width="100%" height="100%" style="border: 1px
solid #aeaeae; border-radius: 20px;">
                    <!-- Text -->
                    <div class="col-12 col-
lg-8 d-flex align-items-center">
                        <div>
                            <span
class="basicTxt w-100 my-1" id="nameTxt"><?php
echo $unemployed["full_name"]; ?></span>
                            <br>
                            <span
class="basicTxt w-100 my-1 mt-2"
id="ageGender"><?php echo $unemployed["age"] . "
YEARS OLD, " . $unemployed["gender_preference"];
?></span>
                            <br>
                            <span
class="basicTxt w-100 my-1" id="purok"><?php echo
$unemployed["purok"]; ?></span>
                        </div>
                    </div>
                    <!-- QR Code -->
                    <div class="col-12 col-
lg-4 d-flex justify-content-lg-end justify-content-center">
                        " width="200px"
height="auto">
                    </div>
                </div>
                <!-- Personal Info -->
                <div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border: 1px
solid #aeaeae; border-radius: 20px;">
                    <div class="col-12
titleCol">
                        <div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
                            <span
class="rowTitle">Personal Information</span>
                        </div>
                    </div>
                    <br>
                    <div class="col-md-2
col-6">
                        <label class="form-
label modalLabel">Birthday: </label>
                    </div>
                    <div class="col-md-3
col-6">
                        <p
class="textRetrieved" id="textRetrievedID"><?php echo
$unemployed["birthday"]; ?></p>
                    </div>
                    <div class="col-md-3
col-6">
                        <label class="form-
label modalLabel">Voter Type: </label>
                    </div>
                    <div class="col-md-4
col-6">
                        <p
class="textRetrieved" id="textRetrievedID"><?php echo
$unemployed["voter_type"]; ?></p>
                    </div>
                    <div class="col-md-2
col-6">
                </div>
            </div>
        </div>
    </div>
</div>
```



```
<label class="form-
label modalLabel">Birthplace:&nbsp;</label>
</div>
<div class="col-md-3
col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$unemployed["birthplace"]; ?></p>
</div>

<div class="col-md-3
col-6">
<label class="form-
label modalLabel">Contact No:&nbsp;</label>
</div>
<div class="col-md-4
col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$unemployed["contact_no"]; ?></p>
</div>

<div class="col-md-2
col-6">
<label class="form-
label modalLabel">Marital Status:&nbsp;</label>
</div>
<div class="col-md-3
col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$unemployed["marital_status"]; ?></p>
</div>

<div class="col-md-3
col-6">
<label class="form-
label modalLabel">Religion:&nbsp;</label>
</div>
<div class="col-md-4
col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$unemployed["religion"]; ?></p>
</div>

<div class="col-md-2
col-6">
<label class="form-
label modalLabel">Disability:&nbsp;</label>
</div>
<div class="col-md-3
col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$unemployed["disability"]; ?></p>
</div>

<div class="col-md-3
col-6">
<label class="form-
label modalLabel">Organization/s (if
any):&nbsp;</label>
</div>
<div class="col-md-4
col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$unemployed["organization"]; ?></p>
</div>
<div class="col-md-2
col-6">
<label class="form-
label modalLabel">House Address:&nbsp;</label>
</div>
<div class="col-md-3
col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$unemployed["house_address"]; ?></p>
</div>

<div class="col-md-3
col-6">
<label class="form-
label modalLabel">Remarks:&nbsp;</label>
</div>
<div class="col-md-4
col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$unemployed["remarks"]; ?></p>
</div>

<!-- Status -->
<div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border: 1px
solid #aeaeae; border-radius: 20px;">
<div class="col-12
titleCol">
<div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
<span
class="rowTitle">Status</span>
</div>
</div>

<?php
$employmentCheck =
"SELECT * FROM employment_info WHERE
resident_id = $unemployedID"; //check if resident has
employment info

$employmentCheckResult =
executeQuery($employmentCheck);

$educationCheck =
"SELECT * FROM educational_info WHERE
resident_id = $unemployedID"; //check if resident has
educational info

$educationCheckResult =
executeQuery($educationCheck);

if ($employment =
mysqli_fetch_assoc($employmentCheckResult)) {
//checking if the user is an employee
```



```
?>
<div class="col-md-2 col-6">
    <label
        class="form-label modalLabel">Employment
        Status:&nbsp;</label>
    </div>
    <div class="col-md-3 col-6">
        <p
            class="textRetrieved" id="textRetrievedID"><?php echo
            $employment["employment_status"]; ?></p>
        </div>
        <div class="col-md-3 col-6">
            <label
                class="form-label modalLabel">Employee
                Type:&nbsp;</label>
            </div>
            <div class="col-md-4 col-6">
                <p
                    class="textRetrieved" id="textRetrievedID"><?php echo
                    $employment["employee_type"]; ?></p>
                </div>
                <div class="col-md-2 col-6">
                    <label
                        class="form-label modalLabel">Employer
                        Type:&nbsp;</label>
                    </div>
                    <div class="col-md-3 col-6">
                        <p
                            class="textRetrieved" id="textRetrievedID"><?php echo
                            $employment["employer_type"]; ?></p>
                        </div>
                        <div class="col-md-3 col-6">
                            <label
                                class="form-label modalLabel">Employer
                                Name:&nbsp;</label>
                            </div>
                            <div class="col-md-4 col-6">
                                <p
                                    class="textRetrieved" id="textRetrievedID"><?php echo
                                    $employment["employer_name"]; ?></p>
                                </div>
                                <?php
                                    $industry_id =
                                    $employment["industry_id"]; // store industry_id to
                                    variable
                                    $salary_id =
                                    $employment["salary_id"]; // store salary_id to variable
                                    $industryCheck =
                                    "SELECT * FROM industries WHERE
                                    industry_id='$industry_id'";
                                    $queryIndustryCheck = mysqli_query($conn,
                                    $industryCheck);
                                
```

```
$salaryCheck =
        "SELECT * FROM salaries WHERE
        salary_id=$salary_id";
        $querySalaryCheck
        = mysqli_query($conn, $salaryCheck);
        ?>
        <div class="col-md-2 col-6">
            <label
                class="form-label modalLabel">Work
                Industry:&nbsp;</label>
            </div>
            <div class="col-md-3 col-6">
                <p
                    class="textRetrieved" id="textRetrievedID"><?php
                    $industry = mysqli_fetch_assoc($queryIndustryCheck);
                    echo $industry["description"]; ?>
                </p>
            </div>
            <div class="col-md-3 col-6">
                <label
                    class="form-label modalLabel">Salary
                    Range:&nbsp;</label>
                </div>
                <div class="col-md-4 col-6">
                    <p
                        class="textRetrieved" id="textRetrievedID"><?php
                        $salary = mysqli_fetch_assoc($querySalaryCheck);
                        echo $salary["description"]; ?>
                    </p>
                </div>
                <?php
                    } else if ($education =
                    mysqli_fetch_assoc($educationCheckResult)) {
                    //checking if the user is a student
                    if
                        ($education["student_status"] == "ENROLLED") {
                        ?>
                        <div class="col-md-2 col-6">
                            <label
                                class="form-label modalLabel">Student
                                Status:&nbsp;</label>
                            </div>
                            <div class="col-md-3 col-6">
                                <p
                                    class="textRetrieved" id="textRetrievedID"><?php echo
                                    $education["student_status"]; ?></p>
                                </div>
                                <div class="col-
```



```
<label  
class="form-label modalLabel">Student  
Level:&nbsp;</label>  
</div>  
<div class="col-  
md-4 col-6">  
    <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$education["student_level"]; ?></p>  
    </div>  
    <div class="col-  
md-2 col-6">  
        <label  
class="form-label modalLabel">School  
Type:&nbsp;</label>  
        </div>  
        <div class="col-  
md-3 col-6">  
            <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$education["school_type"]; ?></p>  
            </div>  
            <div class="col-  
md-3 col-6">  
                <label  
class="form-label modalLabel">School  
Name:&nbsp;</label>  
                </div>  
                <div class="col-  
md-4 col-6">  
                    <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$education["school_name"]; ?></p>  
                    </div>  
                    <?php  
                } else if  
($education["student_status"] == "OUT-OF-SCHOOL  
YOUTH") {  
                    ?>  
                    <div class="col-  
6">  
                        <label  
class="form-label modalLabel">School  
Status:&nbsp;</label>  
                        </div>  
                        <div class="col-  
6">  
                            <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$education["student_status"]; ?></p>  
                            </div>  
                            <?php  
                        } else {  
                            ?>  
                            <div class="col-  
md-3 col-6">  
                                <label  
class="form-label modalLabel">Student  
Status:&nbsp;</label>  
                                </div>  
                                <div class="col-  
md-3 col-6">
```

```
<p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$education["student_status"]; ?></p>  
</div>  
<div class="col-  
md-3 col-6">  
    <label  
class="form-label modalLabel">Student  
Level:&nbsp;</label>  
    </div>  
    <div class="col-  
md-3 col-6">  
        <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$education["student_level"]; ?></p>  
        </div>  
        <div class="col-  
md-3 col-6">  
            <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$education["school_type"]; ?></p>  
            </div>  
            <div class="col-  
md-3 col-6">  
                <label  
class="form-label modalLabel">School  
Name:&nbsp;</label>  
                </div>  
                <div class="col-  
md-3 col-6">  
                    <p  
class="textRetrieved" id="textRetrievedID"><?php echo  
$education["school_name"]; ?></p>  
                    </div>  
                    <?php  
                $industry_id =  
$education["industry_id"]; // store industry_id to variable  
$salary_id =  
$education["salary_id"]; // store salary_id to variable  
$industryCheck =  
"SELECT * FROM industries WHERE  
industry_id='$industry_id';  
$queryIndustryCheck = mysqli_query($conn,  
$industryCheck);  
$salaryCheck =  
"SELECT * FROM salaries WHERE  
salary_id='$salary_id';  
$querySalaryCheck = mysqli_query($conn,  
$salaryCheck);  
?>
```



```

        <div class="col-6" style="background-color: #f2f2f2; padding: 10px;">
            <div class="form-group" style="margin-bottom: 10px;">
                <label class="form-label modalLabel" style="font-weight: bold;">Work Industry:&nbsp;</label>
                <input type="text" value="{$industry}" id="textRetrievedID" style="width: 100%; height: 35px; border-radius: 10px; border: none; font-size: 14px; padding: 5px; margin-bottom: 5px;"/>
                <p class="textRetrieved" id="textRetrievedID"><?php
                $industry = mysqli_fetch_assoc($queryIndustryCheck);
                echo $industry["description"]; ?>
                </p>
            </div>
            <div class="form-group" style="margin-bottom: 10px;">
                <label class="form-label modalLabel" style="font-weight: bold;">Salary Range:&nbsp;</label>
                <input type="text" value="{$salary}" id="textRetrievedID" style="width: 100%; height: 35px; border-radius: 10px; border: none; font-size: 14px; padding: 5px; margin-bottom: 5px;"/>
                <p class="textRetrieved" id="textRetrievedID"><?php
                $salary = mysqli_fetch_assoc($querySalaryCheck);
                echo $salary["description"]; ?>
                </p>
                <?php
                }
                ?>
                <?php
                }
                $household_id =
                $unemployed["household_id"]; //getting the household id of the user
                $householdCheck =
                "SELECT *, CONCAT(`head_first_name` , ' ' ,
                `head_first_name` , '' , `head_middle_name`) AS
                `head_name` FROM households WHERE
                household_id = $household_id"; //getting the household details of the user
                $householdCheckResult =
                executeQuery($householdCheck);
                ?>
            </div>
            <!-- House Dec -->
            <div class="row mx-3 px-3 my-5" width="100%" height="auto" style="border: 1px solid #aeaeae; border-radius: 20px;">
                <div class="col-12 titleCol">
                    <div class="titleDiv rounded-pill d-flex justify-content-center align-items-center">
                        <span
                        class="rowTitle">House Declaration</span>
                    </div>
                </div>
            </div>
        </div>
    </div>

```



```
<div class="col-12 col-md-6 d-flex justify-content-center justify-content-md-start align-items-center p-0" id="kabataanTblInfo">
    <!-- Append Info here -->
</div>
<div class="col-12 col-md-6 d-flex justify-content-center justify-content-md-end align-items-center p-0" id="kabataanPaginate">
    <!-- Append pagination btns here -->
</div>
</div>
</div>
</div>

<?php
require_once "fundamental-scripts.php";
?>

<!-- Custom Script -->
<script type="text/javascript"
src="assets/js/profiles.js"></script>
<script type="text/javascript"
src="assets/js/sideMenu.js"></script>
<script type="text/javascript"
src="assets/js/settings.js"></script>

<!-- Active Link -->
<script type="text/javascript">
$(document).ready(function() {
    $("#dashboard-link").addClass('nav-active');
    $("#dashboard-md-link").addClass("nav-md-active");
    $("#backPage").click(function() {
        location.href = "dashboard.php";
    });
})
</script>
</body>
</html>
```

### households.php

```
<?php
require_once "access-super.php";

$userRole = "SELECT `description` FROM
`admin_type` WHERE `admin_type_id` = " .
$_SESSION['admin_type_id'] . "";
$role = mysqli_fetch_array(executeQuery($userRole));

$allResidents = "SELECT * FROM `residents`";
$residentsCount = executeQuery($allResidents);
?>

<!DOCTYPE html>
<html>

<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, shrink-to-fit=no">
    <title>Declared Household</title>
```

```
<?php
require_once "fundamental-links.php";
?>
<!-- Custom Stylesheets -->
<link rel="stylesheet"
href="assets/scss/sideMenu.css">

<!-- Favicon -->
<link rel="icon" type="image/x-icon"
href="assets/img/logos/kkis.ico">
</head>

<body>
    <div class="expanded d-none d-lg-flex" id="leftPanel">
        <?php
        if ($adminTypeID == 1) {
            include 'sideMenu.php';
        } else if ($adminTypeID == 2) {
            include 'sideMenu-admin.php';
        } else {
            include "sideMenu-staff.php";
        }
        ?>
    </div>

    <div class="mainContainer" id="mainPanel">
        <header class="d-lg-none d-flex" id="mdHeader">
            <!-- Append Small Nav here -->
        </header>
        <header class="d-none d-lg-block" id="lgHeader">
            <div class="row mx-0" id="headerRow">
                <div class="col-md-8 col-12 d-flex justify-content-start align-items-center">
                    <i class="fa-solid fa-bars me-4 d-none" id="hamburger" role="button"></i>
                    <i class="fa-solid fa-xmark me-4" id="close" role="button"></i>
                    <span class="pageTitle">Declared Households</span>
                </div>
            </div>
            <div class="col-md-4 d-none d-md-flex justify-content-end align-items-center">
                <span class="accountType"><?php echo $role['description'] ?></span>
            </div>
            <hr id="headerHR">
        </header>
        <!-- CONTENT START -->
        <div class="container-fluid content">
            <!-- Menu Buttons -->
            <div class="row d-flex justify-content-sm-end align-items-center justify-content-between m-0" id="menuRow">
                <button class="menuBtn menu1 rounded-pill menu-active me-2" id="menu1">Families</button>
                <button class="menuBtn menu2 rounded-pill" id="menu2">Overview</button>
            </div>
            <!-- Data Table -->
            <div class="sectionDiv mx-0 mt-4" id="familiesBody">
```



```
<!-- Options Row -->
<div class="row gx-5 m-0 mb-1">
    <!-- Show No. of Rows -->
    <div class="col-lg-12 col-md-4 col-sm-6 col-12 d-flex align-items-center my-1 p-0" id="familiesLength">
        </div>
    <!-- Output Buttons -->
    <div class="d-none col-lg-6 d-lg-flex justify-content-lg-start p-0" id="familiesOutput"></div>
        <!-- Filter -->
        <div class="d-none col-lg-3 d-lg-flex align-items-center justify-content-end"></div>
            <!-- Search -->
            <div class="col-lg-3 col-md-8 col-12 p-0" id="familiesSearch">
                </div>
            </div>

        <!-- Table start -->
        <table class="table table-striped table-bordered dataTable table-hover responsive display nowrap no-footer dtr-inline collapsed darkBG" role="grid" cellspacing="0" id="familiesTbl" style="width: 100%">
            <thead class="tblHeadRow">
                <tr>
                    <th class="tblHead">ID</th>
                    <th class="tblHead">Name</th>
                    <th class="tblHead">Age</th>
                    <th class="tblHead">Birthday</th>
                    <th class="tblHead">Purok</th>
                    <th class="tblHead">Members</th>
                    <th class="tblHead">Remarks</th>
                </tr>
            </thead>

            <thead id="familiesTblHead">
                <tr>
                </tr>
            </thead>

            <tbody>
                <?php
                    $householdMember = "SELECT
                        households.household_id, CONCAT(`last_name`, ' ', `first_name`, ' ', `middle_name`) AS `full_name`,
                        DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(), birthday)), '%Y') + 0 AS `age`, `birthday`, `purok`,
                        `members_count`, residents.remarks FROM
                        `households` INNER JOIN `residents` ON
                        households.household_id = residents.household_id
                        WHERE NOT households.hencrypted_id =
                        residents.rencrypted_id ORDER BY
                        households.household_id ASC";
                    $isMember =
                    executeQuery($householdMember);

                    $householdHead = "SELECT
                        CONCAT(`last_name`, ' ', `first_name`, ' ',
                        `middle_name`) AS `full_name`,
                        DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(), birthday)), '%Y') + 0 AS `age`, `birthday`, `purok`,
                        `remarks`, households.members_count,
                        households.household_id FROM `residents` INNER
                        JOIN `households` ON residents.rencrypted_id =
                        households.hencrypted_id ORDER BY
                        households.household_id ASC";
                    $isHead =
                    executeQuery($householdHead);

                    if ($isHead) {
                        while ($rowHead =
                        mysqli_fetch_assoc($isHead)) {
                            echo '
                                <tr class="houseHead"
                                style="background-color: #EFF0FA">
                                    <td class="entryRow" scope="col" data-label="ID">' . $rowHead["household_id"] . '</td>
                                    <td class="entryRow" scope="col" data-label="Name">' . $rowHead["full_name"] . '</td>
                                    <td class="entryRow" scope="col" data-label="Age">' . $rowHead["age"] . '</td>
                                    <td class="entryRow" scope="col" data-label="Birthday">' . date("F j, Y",
                                        strtotime($rowHead["birthday"])) . '</td>
                                    <td class="entryRow" scope="col" data-label="Purok">' . $rowHead["purok"] . '</td>
                                    <td class="entryRow" scope="col" data-label="Members">' . $rowHead["members_count"] . '</td>
                                    <td class="entryRow" scope="col" data-label="Remarks">' . $rowHead["remarks"] . '</td>
                                </tr>;
                            }
                        }
                    if ($isMember) {
                        while ($rowMember =
                        mysqli_fetch_assoc($isMember)) {
                            echo '
                                <tr>
                                    <td class="entryRow" scope="col" data-label="ID">' . $rowMember["household_id"] . '</td>
                                    <td class="entryRow" scope="col" data-label="Name">' . $rowMember["full_name"] . '</td>
                                    <td class="entryRow" scope="col" data-label="Age">' . $rowMember["age"] . '</td>
                                    <td class="entryRow" scope="col" data-label="Birthday">' . date("F j, Y",
                                        strtotime($rowMember["birthday"])) . '</td>
                                    <td class="entryRow" scope="col" data-label="Purok">' . $rowMember["purok"] . '</td>
                                    <td class="entryRow" scope="col" data-label="Members">' . $rowMember["members_count"] . '</td>
                                    <td class="entryRow" scope="col" data-label="Remarks">' . $rowMember["remarks"] . '</td>
                                </tr>;
                            }
                        }
                    
```



```
        }
    ?>
  </tbody>
<tfoot>
  <tr id="familiesFooter">
    <td></td>
    <td></td>
    <td></td>
    <td></td>
    <td></td>
    <td></td>
    <td></td>
  </tr>
</tfoot>
</table>
<div class="row mx-0 mt-1 gy-1">
  <div class="col-12 col-md-6 d-flex justify-content-center justify-content-md-start align-items-center p-0" id="familiesTblInfo">
    <!-- Append Info here -->
  </div>
  <div class="col-12 col-md-6 d-flex justify-content-center justify-content-md-end align-items-center p-0" id="familiesPaginate">
    <!-- Append pagination btns here -->
  </div>
</div>
</div>
<?php
require_once "fundamental-scripts.php";
?>

<!-- Custom Script -->
<script type="text/javascript"
src="assets/js/households.js"></script>
<script type="text/javascript"
src="assets/js/sideMenu.js"></script>

<!-- Active Link -->
<script type="text/javascript">
$(document).ready(function() {
  $("#households-link").addClass('nav-active');
  $("#households-md-link").addClass("nav-md-active");
});
</script>
</body>
</html>
```

### households-chart.php

```
<?php
require_once "access-super.php";

$userRole = "SELECT `description` FROM
`admin_type` WHERE `admin_type_id` = " .
$_SESSION['admin_type_id'] . "";
$role = mysqli_fetch_array(executeQuery($userRole));
?>

<!DOCTYPE html>
<html>
```

```
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0, shrink-to-fit=no">
  <title>Declared Household</title>

  <?php
require_once "fundamental-links.php";
?>

  <!-- Custom Stylesheets -->
  <link rel="stylesheet"
href="assets/scss/sideMenu.css">

  <!-- Favicon -->
  <link rel="icon" type="image/x-icon"
href="assets/img/logos/kkis.ico">
</head>

<body>
  <div class="expanded d-none d-lg-flex"
id="leftPanel">
    <?php
      if ($adminTypeID == 1) {
        include 'sideMenu.php';
      } else if ($adminTypeID == 2) {
        include 'sideMenu-admin.php';
      } else {
        include "sideMenu-staff.php";
      }
    ?>
  </div>

  <div class="mainContainer" id="mainPanel">
    <header class="d-lg-none d-flex" id="mdHeader">
      <!-- Append Small Nav here -->
    </header>
    <header class="d-none d-lg-block" id="lgHeader">
      <div class="row mx-0" id="headerRow">
        <div class="col-md-8 col-12 d-flex justify-content-start align-items-center">
          <i class="fa-solid fa-bars me-4 d-none"
id="hamburger" role="button"></i>
          <i class="fa-solid fa-xmark me-4"
id="close" role="button"></i>
          <span class="pageTitle">Declared
Households</span>
        </div>
        <div class="col-md-4 d-none d-md-flex justify-content-end align-items-center">
          <span class="accountType">Super
Administrator</span>
        </div>
      </div>
    <hr id="headerHR">
    </header>

    <!-- CONTENT START -->
    <div class="container-fluid content">
      <!-- Menu Buttons -->
      <div class="row d-flex justify-content-sm-end
align-items-center justify-content-between m-0"
id="menuRow">
```



```
<button class="menuBtn menu1 rounded-pill me-2" id="menu1">Families</button>
    <button class="menuBtn menu2 rounded-pill menu-active" id="menu2">Overview</button>
</div>

<div class="sectionDiv m-3" id="overviewBody">
    <div class="overviewDiv">
        <canvas id="overviewChart" style="width: 100vw; height: 70vh"></canvas>
    </div>
</div>
</div>

<?php
require_once "fundamental-scripts.php";
?>

<!-- Chart JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/Chart.js/3.9.1/chart.min.js"></script>

<!-- Custom Script -->
<script type="text/javascript"
src="assets/js/households.js"></script>
<script type="text/javascript"
src="assets/js/sideMenu.js"></script>

<!-- Active Link -->
<script type="text/javascript">
$(document).ready(function() {
    $("#households-link").addClass('nav-active');
    $("#households-md-link").addClass("nav-md-active");
});

//for Chart
const ctx = $("#overviewChart");

const overview = new Chart(ctx, {
    type: "pie",
    data: {
        labels: ["Less Than 5", "5 to 10", "11 to 15", "16 to 20", "More than 20"],
        datasets: [{label: "# of Votes", data: [<?php
            $households = "SELECT * FROM `households`";
            $getHouseholds = executeQuery($households);
            $queryLtf = "SELECT * FROM `households` WHERE `members_count` = 'LESS THAN 5'";
            $getLtf =
            mysqli_num_rows(executeQuery($queryLtf));
            $queryFtt = "SELECT * FROM `households` WHERE `members_count` = '5 TO 10'";
            $getFtt =
            mysqli_num_rows(executeQuery($queryFtt));
        ]]}];
    }
});
?>
```

```
$queryEtf = "SELECT * FROM `households` WHERE `members_count` = '11 TO 15'";
$getEtf =
mysqli_num_rows(executeQuery($queryEtf));

$queryStt = "SELECT * FROM `households` WHERE `members_count` = '16 TO 20'";
$getStt =
mysqli_num_rows(executeQuery($queryStt));

$queryMtt = "SELECT * FROM `households` WHERE `members_count` = 'MORE THAN 20'";
$getMtt =
mysqli_num_rows(executeQuery($queryMtt));

echo "$getLtf, $getFtt, $getEtf, $getStt, $getMtt" ?>,
backgroundColor: [
    "rgba(255, 99, 132, 0.5)",
    "rgba(54, 162, 235, 0.5)",
    "rgba(255, 206, 86, 0.5)",
    "rgba(75, 192, 192, 0.5)",
    "rgba(153, 102, 255, 0.5)",
    // "rgba(255, 159, 64, 0.5)",
commented since options were limited to 5
],
borderColor: [
    "rgba(255, 99, 132, 1)",
    "rgba(54, 162, 235, 1)",
    "rgba(255, 206, 86, 1)",
    "rgba(75, 192, 192, 1)",
    "rgba(153, 102, 255, 1)",
    // "rgba(255, 159, 64, 1)",
],
borderWidth: 1,
},
},
options: {
aspectRatio: 1,
responsive: true,
maintainAspectRatio: false,
plugins: {
legend: {
position: "top",
},
title: {
display: true,
text: "Declared Households",
},
},
},
}),
</script>
</body>
</html>
```

**profiles-kabataan.php**

```
<?php
require_once "access-super-admin.php";
```



```
$userRole = "SELECT `description` FROM
`admin_type` WHERE `admin_type_id` =
'$_SESSION[admin_type_id]'";
$role = mysqli_fetch_assoc(executeQuery($userRole));

//query to select all data from table
$queryKabataan = "SELECT *, CONCAT(`last_name`,
', ', `first_name`, ', ', `middle_name`) AS full_name,
DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(),
birthday)), '%Y') + 0 AS age FROM `residents` WHERE
DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(),
birthday)), '%Y') + 0 < 31";

$queryKabataanResult =
executeQuery($queryKabataan); //execute query
?>

<!DOCTYPE html>
<html>

<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-
width, initial-scale=1.0, shrink-to-fit=no">
<title>Profiles</title>

<?php
require_once "fundamental-links.php";
?>

<!-- Custom Page Stylesheets -->
<link rel="stylesheet"
href="assets/scss/sideMenu.css">

<!-- Favicon -->
<link rel="icon" type="image/x-icon"
href="assets/img/logos/kkis.ico">
</head>

<body>
<div class="expanded d-none d-lg-flex"
id="leftPanel">
<?php
if ($adminTypeID == 1) {
    include 'sideMenu.php';
} else if ($adminTypeID == 2) {
    include 'sideMenu-admin.php';
} else {
    include "sideMenu-staff.php";
}
?>
</div>

<div class="mainContainer" id="mainPanel">
<header class="d-lg-none d-flex" id="mdHeader">
<!-- Append Small Nav here -->
</header>
<header class="d-none d-lg-block" id="lgHeader">
<div class="row mx-0" id="headerRow">
<div class="col-md-8 col-12 d-flex justify-
content-start align-items-center">
<i class="fa-solid fa-bars me-4 d-none"
id="hamburger" role="button"></i>
<i class="fa-solid fa-xmark me-4"
id="close" role="button"></i>
<span class="pageTitle">Profiles</span>
</div>
</div>
</header>
<div class="col-md-4 d-none d-md-flex justify-
content-end align-items-center">
<span class="accountType"><?php echo
$role['description']; ?></span>
</div>
</div>
<hr id="headerHR">
</header>

<!-- Content Start -->
<div class="container-fluid content"
id="contentID">
<div class="sectionDiv">
<!-- Menu Buttons -->
<div class="row d-flex justify-content-sm-end
align-items-center justify-content-between m-0">
<button class="menuBtn menu1 rounded-
pill me-2" id="kabataan">Kabataan</button>
<button class="menuBtn menu2 rounded-
pill" id="residents">Residents</button>
</div>

<!-- Kabataan Table Start -->
<div class="sectionDiv mx-0 mt-4"
id="sectionKabataan">
<!-- Options Rows -->
<div class="optionRow row gx-5 m-0 mb-
1">
<!-- Show No. of Rows -->
<div class="col-12 d-flex align-items-
center my-1 p-0" id="kabataanLength">
</div>
<!-- Output Buttons -->
<div class="d-none col-md-6 d-md-flex
justify-content-md-start p-0"
id="kabataanOutput"></div>
<!-- Filter -->
<div class="d-none col-lg-3 d-lg-flex
align-items-center justify-content-end"></div>
<!-- Search -->
<div class="col-12 col-md-6 col-lg-3 p-0"
id="kabataanSearch">
</div>
</div>

<!-- Actual table -->
<table class="table table-striped table-
bordered dataTable responsive display nowrap no-
footer dtr-inline collapsed darkBG" role="grid"
cellspacing="0" id="kabataanTbl" style="width:100%">
<thead class="tblHeadRow">
<tr>
<th class="tblHead">Name</th>
<th class="tblHead">Gender</th>
<th class="tblHead">Age</th>
<th class="tblHead">Birthdate</th>
<th class="tblHead">Civil
status</th>
<th class="tblHead">Contact
No.</th>
<th class="tblHead">Purok</th>
<th class="tblHead">Remarks</th>
<th class="tblHead">Actions</th>

```



```
</tr>
</thead>

<thead id="kabataanTblHead">
<tr>

</tr>
</thead>

<tbody>

<?php
while ($kabataan =
mysqli_fetch_assoc($queryKabataanResult)) {
    $kabataanID =
$kabataan["resident_id"]; //get resident id
    $kabataanEID =
$kabataan["rencrypted_id"];

        //check if resident is employee
        $employmentCheck = "SELECT *
FROM `employment_info` WHERE `resident_id` =
'$kabataanID';
        $employmentCheckResult =
executeQuery($employmentCheck);

        //check is resident is student
        $educationCheck = "SELECT *
FROM `educational_info` WHERE `resident_id` =
'$kabataanID';
        $educationCheckResult =
executeQuery($educationCheck);

    ?>

    <tr>
        <td id="fullName"
class="entryRow" scope="col" data-
label="Name"><?php echo $kabataan["full_name"];
?></td>

        <td id="gender"
class="entryRow" scope="col" data-
label="Gender"><?php echo
$kabataan["gender_preference"]; ?></td>

        <td id="age" class="entryRow"
scope="col" data-label="Age"><?php echo
$kabataan["age"]; ?></td>

        <td id="birthday"
class="entryRow" scope="col" data-
label="Birthdate"><?php echo $birthday = date("F j, Y",
strtotime($kabataan["birthday"])); ?></td>

        <td id="civilStatus"
class="entryRow" scope="col" data-label="Civil
status"><?php echo $kabataan["marital_status"];
?></td>

        <td id="contactNo"
class="entryRow" scope="col" data-label="Contact
No."><?php echo $kabataan["contact_no"]; ?></td>

        <td id="purok" class="entryRow"
scope="col" data-label="Purok"><?php echo
$kabataan["purok"]; ?></td>

        <td id="remarks"
class="entryRow" scope="col" data-
label="Remarks"><?php echo $kabataan["remarks"];
?></td>

        <td id="actions"
class="entryRow" scope="col" data-label="Actions">
        <?php
        if
($_SESSION['admin_type_id'] != 1) {
            ?>
                <div class="row mx-0 p-0">
                    <div class="col-12 d-flex
justify-content-center align-items-center p-0">
                        <a class="btn btn-
warning" data-bs-toggle="modal" data-bs-
target="#viewMore<?php echo
$kabataan["resident_id"]; ?>" data-id="<?php echo
$kabataan["resident_id"]; ?>" href="#viewMore">View
More</a></a>
                    </div>
                </div>
            <?php
        } else {
            ?>
                <div class="row mx-0 p-0">
                    <!-- View More -->
                    <div class="col-4 d-flex
justify-content-center align-items-center p-0">
                        <a class="btn btn-
warning actionBtn" data-bs-toggle="modal" data-bs-
target="#viewMore<?php echo
$kabataan["resident_id"]; ?>" data-id="<?php echo
$kabataan["resident_id"]; ?>" href="#viewMore"><i
class="fa-regular fa-eye"></i></a>
                    </div>
                    <!-- Update -->
                    <div class="col-4 d-flex
justify-content-center align-items-center p-0">
                        <a href="update-
kabataan.php?residentID=<?php echo
$kabataan["rencrypted_id"]; ?>" value="" class="btn
btn-primary update edit actionBtn" role="button" aria-
pressed="true"><i class="fa-solid fa-pen"></i></a>
                    </div>
                    <!-- Delete -->
                    <div class="col-4 d-flex
justify-content-center align-items-center p-0">
                        <a class="btn btn-
danger actionBtn" data-bs-toggle="modal" data-bs-
target="#delete<?php echo $kabataan['resident_id'] ?>" data-id="<?php echo $kabataan["resident_id"]; ?>" href="#delete"><i class="fa-solid fa-trash-can"></i></a>
                    </div>
                </div>
            <?php
        }
    ?>
</td>
</tr>
```



```
<!-- Kabataan Modal -->
<div class="modal" role="dialog"
tabindex="1" id="viewMore"><?php echo
$kabataan["resident_id"]; ?>">
<div class="modal-dialog modal-
xl modal-dialog-scrollable modal-dialog-centered"
id="modalDialogID" role="document">
<div class="modal-content">
<div class="modal-header">
<div class="d-flex justify-
content-start align-items-start">

<span class="ms-1
modal-title" id="modalTitle">KKIS</span>
</div>
<button type="button"
class="btn-close" data-bs-dismiss="modal" aria-
label="Close"></button>
</div>
<hr id="modalHR">
<div class="modal-body">
<!-- Basic Info -->
<div class="row mx-3 px-
3" width="100%" height="100%" style="border: 1px
solid #aeaeae; border-radius: 20px;">
<!-- Text -->
<div class="col-12 col-
lg-8 d-flex align-items-center">
<div>
<span
class="basicTxt w-100 my-1" id="nameTxt"><?php
echo $kabataan["full_name"]; ?></span>
<br>
<span
class="basicTxt w-100 my-1 mt-2"
id="ageGender"><?php echo $kabataan["age"] . "
YEARS OLD, " . $kabataan["gender_preference"];
?></span>
<br>
<span
class="basicTxt w-100 my-1" id="purok"><?php echo
$kabataan["purok"]; ?></span>
</div>
</div>
<!-- QR Code -->
<div class="col-12 col-
lg-4 d-flex justify-content-lg-end justify-content-center">
" width="200px"
height="auto">
</div>
</div>
<!-- Personal Info -->
<div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border: 1px
solid #aeaeae; border-radius: 20px;">
<div class="col-12
titleCol">
```

```
<div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
<span
class="rowTitle">Personal Information</span>
</div>
<br>
<div class="col-md-2
col-6">
<label class="form-
label modalLabel">Birthday:&nbsp;</label>
</div>
<div class="col-md-3
col-6">
<p
class="textRetrieved"><?php echo
$kabataan["birthday"]; ?></p>
</div>
<div class="col-md-3
col-6">
<label class="form-
label modalLabel">Voter Type:&nbsp;</label>
</div>
<div class="col-md-4
col-6">
<p
class="textRetrieved"><?php echo
$kabataan["voter_type"]; ?></p>
</div>
<div class="col-md-2
col-6">
<label class="form-
label modalLabel">Birthplace:&nbsp;</label>
</div>
<div class="col-md-3
col-6">
<p
class="textRetrieved"><?php echo
$kabataan["birthplace"]; ?></p>
</div>
<div class="col-md-3
col-6">
<label class="form-
label modalLabel">Contact No:&nbsp;</label>
</div>
<div class="col-md-4
col-6">
<p
class="textRetrieved"><?php echo
$kabataan["contact_no"]; ?></p>
</div>
<div class="col-md-2
col-6">
<label class="form-
label modalLabel">Marital Status:&nbsp;</label>
</div>
<div class="col-md-3
col-6">
```



```
<p  
class="textRetrieved"><?php echo  
$kabataan["marital_status"]; ?></p>  
</div>  
  
<div class="col-md-3  
col-6">  
    <label class="form-  
label modalLabel">Religion:&nbsp;</label>  
    </div>  
    <div class="col-md-4  
col-6">  
        <p  
class="textRetrieved"><?php echo  
$kabataan["religion"]; ?></p>  
        </div>  
  
<div class="col-md-2  
col-6">  
    <label class="form-  
label modalLabel">Disability:&nbsp;</label>  
    </div>  
    <div class="col-md-3  
col-6">  
        <p  
class="textRetrieved"><?php echo  
$kabataan["disability"]; ?></p>  
        </div>  
  
<div class="col-md-3  
col-6">  
    <label class="form-  
label modalLabel">Organization/s (if  
any):&nbsp;</label>  
    </div>  
    <div class="col-md-4  
col-6">  
        <p  
class="textRetrieved"><?php echo  
$kabataan["organization"]; ?></p>  
        </div>  
  
<div class="col-md-2  
col-6">  
    <label class="form-  
label modalLabel">House Address:&nbsp;</label>  
    </div>  
    <div class="col-md-3  
col-6">  
        <p  
class="textRetrieved"><?php echo  
$kabataan["house_address"]; ?></p>  
        </div>  
  
<div class="col-md-3  
col-6">  
    <label class="form-  
label modalLabel">Remarks:&nbsp;</label>  
    </div>  
    <div class="col-md-4  
col-6">  
        <p  
class="textRetrieved"><?php echo  
$kabataan["remarks"]; ?></p>  
        </div>  
    </div>
```

```
<!-- Status -->  
<div class="row mx-3 px-  
3 my-5" width="100%" height="auto" style="border: 1px  
solid #aeaeae; border-radius: 20px;">  
    <div class="col-12  
titleCol">  
        <div class="titleDiv rounded-pill d-flex justify-content-center align-items-  
center">  
            <span  
class="rowTitle">Status</span>  
        </div>  
    </div>  
  
<?php  
if ($employment =  
mysqli_fetch_assoc($employmentCheckResult)) {  
//checking if the user is an employee  
if  
($employment["employment_status"] == "EMPLOYED")  
{  
    ?>  
    <div class="col-  
md-2 col-6">  
        <label  
class="form-label modalLabel">Employment  
Status:&nbsp;</label>  
    </div>  
    <div class="col-  
md-3 col-6">  
        <p  
class="textRetrieved"><?php echo  
$employment["employment_status"]; ?></p>  
    </div>  
  
<div class="col-  
md-3 col-6">  
        <label  
class="form-label modalLabel">Employee  
Type:&nbsp;</label>  
    </div>  
    <div class="col-  
md-4 col-6">  
        <p  
class="textRetrieved"><?php echo  
$employment["employee_type"]; ?></p>  
    </div>  
  
<div class="col-  
md-2 col-6">  
        <label  
class="form-label modalLabel">Employer  
Type:&nbsp;</label>  
    </div>  
    <div class="col-  
md-3 col-6">  
        <p  
class="textRetrieved"><?php echo  
$employment["employer_type"]; ?></p>  
    </div>  
    <div class="col-  
md-3 col-6">
```



```
<label
class="form-label modalLabel">Employer
Name:&nbsp;</label>
</div>
<div class="col-
md-4 col-6">
<p
class="textRetrieved"><?php echo
$employment["employer_name"]; ?></p>
</div>

<?php
$industry_id =
$employment["industry_id"]; // store industry_id to
variable
$salary_id =
$employment["salary_id"]; // store salary_id to variable

$industryCheck =
"SELECT * FROM industries WHERE
industry_id=$industry_id";
$queryIndustryCheck = executeQuery($industryCheck);

$salaryCheck =
"SELECT * FROM salaries WHERE
salary_id=$salary_id";
$querySalaryCheck = executeQuery($salaryCheck);
?>

<div class="col-
md-2 col-6">
<label
class="form-label modalLabel">Work
Industry:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">
<p
class="textRetrieved">
<?php
$industry =
mysqli_fetch_assoc($queryIndustryCheck);
echo
$industry["description"]; ?>
</p>
</div>
<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">Salary
Range:&nbsp;</label>
</div>
<div class="col-
md-4 col-6">
<p
class="textRetrieved">
<?php
$salary =
mysqli_fetch_assoc($querySalaryCheck);
echo
$salary["description"]; ?>
</p>
</div>
```

```
<?php
} else if
($employment["employment_status"] ==
"UNEMPLOYED") {
?>
<div class="col-
6">
<label
class="form-label modalLabel">Employment
Status:&nbsp;</label>
</div>
<div class="col-
6">
<p
class="textRetrieved"><?php echo
$employment["employment_status"]; ?></p>
</div>

<?php
}
} else if ($education =
mysqli_fetch_assoc($educationCheckResult)) {
//checking if the user is a student
if
($education["student_status"] == "ENROLLED") {
?>
<div class="col-
md-2 col-6">
<label
class="form-label modalLabel">Student
Status:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">
<p
class="textRetrieved"><?php echo
$education["student_status"]; ?></p>
</div>
<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">Student
Level:&nbsp;</label>
</div>
<div class="col-
md-4 col-6">
<p
class="textRetrieved"><?php echo
$education["student_level"]; ?></p>
</div>
<div class="col-
md-2 col-6">
<label
class="form-label modalLabel">School
Type:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">
<p
class="textRetrieved"><?php echo
$education["school_type"]; ?></p>
</div>
```



**POLYTECHNIC UNIVERSITY OF THE PHILIPPINES**

264

```
md-3 col-6">
    <div class="col-
        <label
            class="form-label modalLabel">School
            Name:&nbsp;</label>
        </div>
        <div class="col-
            <p
                class="textRetrieved"><?php echo
                $education["school_name"]; ?></p>
            </div>
            <?php
            } else if
            ($education["student_status"] == "OUT-OF-SCHOOL
            YOUTH") {
            ?>
            <div class="col-
                <label
                    class="form-label modalLabel">School
                    Status:&nbsp;</label>
                </div>
                <div class="col-
                    <p
                        class="textRetrieved"><?php echo
                        $education["student_status"]; ?></p>
                    </div>
                    <?php
                    } else {
                    ?>
                    <div class="col-
                        <label
                            class="form-label modalLabel">Student
                            Status:&nbsp;</label>
                        </div>
                        <div class="col-
                            <p
                                class="textRetrieved"><?php echo
                                $education["student_status"]; ?></p>
                            </div>
                            <div class="col-
                                <label
                                    class="form-label modalLabel">Student
                                    Level:&nbsp;</label>
                                </div>
                                <div class="col-
                                    <p
                                        class="textRetrieved"><?php echo
                                        $education["student_level"]; ?></p>
                                    </div>
                                    <div class="col-
                                        <label
                                            class="form-label modalLabel">School
                                            Type:&nbsp;</label>

```

</div>

```
<div class="col-
    <p
        class="textRetrieved"><?php echo
        $education["school_type"]; ?></p>
    </div>
<div class="col-
    <label
        class="form-label modalLabel">School
        Name:&nbsp;</label>
    </div>
<div class="col-
    <p
        class="textRetrieved"><?php echo
        $education["school_name"]; ?></p>
    </div>
    <?php
    $industry_id =
    $education["industry_id"]; // store industry_id to variable
    $salary_id =
    $education["salary_id"]; // store salary_id to variable
    $industryCheck =
    "SELECT * FROM industries WHERE
    industry_id=$industry_id";
    $queryIndustryCheck = mysqli_query($conn,
    $industryCheck);
    $salaryCheck =
    "SELECT * FROM salaries WHERE
    salary_id=$salary_id";
    $querySalaryCheck = mysqli_query($conn,
    $salaryCheck);
    ?>
    <div class="col-
        <label
            class="form-label modalLabel">Work
            Industry:&nbsp;</label>
        </div>
        <div class="col-
            <p
                class="textRetrieved">
                <?php
                    $industry =
                    mysqli_fetch_assoc($queryIndustryCheck);
                    echo
                    $industry["description"];
                ?>
            </p>
        </div>
        <div class="col-
            <label
                class="form-label modalLabel">Salary
                Range:&nbsp;</label>

```



```
</div>
<div class="col-md-3 col-6">
    <p class="textRetrieved">
        <?php
            $salary = mysqli_fetch_assoc($querySalaryCheck);
            echo $salary["description"];
        </p>
        <?php
            }
        >;
    </div>
    <?php
        $household_id = $kabataan["household_id"]; //getting the household id of
        the user
        $householdCheck =
        "SELECT *, CONCAT(`head_last_name` , ' ', `head_first_name` , ' ', `head_middle_name`) AS
        `head_name` FROM households WHERE
        household_id = $household_id"; //getting the household
        details of the user
        $householdCheckResult
        = executeQuery($householdCheck);
    <?>

    <div class="row mx-3 px-3 my-5" width="100%" height="auto" style="border: 1px solid #aeaeae; border-radius: 20px;">
        <div class="col-12 titleCol">
            <div class="titleDiv rounded-pill d-flex justify-content-center align-items-center">
                <span class="rowTitle">House Declaration</span>
            </div>
            <?php
                while ($household =
                mysqli_fetch_assoc($householdCheckResult)) {
            <?>
                <div class="col-md-2 col-6">
                    <label class="form-label modalLabel">Head of the
                    family:&nbsp;</label>
                    <div class="col-md-4 col-6">
                        <p class="textRetrieved"><?php echo
                            $household["head_name"];
                        </p>
                    </div>
                    <div class="col-md-2 col-6">

```

```
                <label
                    class="form-label modalLabel">No. of
                    members:&nbsp;</label>
                <div class="col-md-4 col-6">
                    <p class="textRetrieved"><?php echo
                        $household["members_count"];
                    </p>
                </div>
                <?php
                }
            <?>
        </div>
        <!-- Modal Body End -->
    </div>
    <!-- Modal Content End -->
</div>
<div id="modalOverlay"></div>
<!-- Modal dialog end -->
</div>
<!-- Kabataan Modal End -->
</div>

<!-- Delete Entry modal -->
<div class="modal fade" role="dialog" tabindex="-1" id="delete">
    <?php echo
    $kabataan['resident_id'];
    >
    <div class="modal-dialog modal-dialog-centered">
        <div class="modal-content">
            <div class="modal-body">
                <div class="swal2-warning swal2-icon-show d-flex justify-content-center">
                    <div class="swal2-warning swal2-icon-content">!</div>
                    <h1 class="text-center">Are you sure?
                    </h1>
                    <p class="text-center">This will permanently delete <b><?php echo
                        $kabataan["full_name"];
                    </b></p> from the database. Do
                    you still want to proceed?
                    </p>
                </div>
                <div class="modal-footer d-flex justify-content-evenly">
                    <form method="POST"
                        class="d-flex justify-content-center w-100 mx-0">
                        <!-- Modal Buttons -->
                        <input type="hidden"
                            name="residentID" value="<?php echo
                            $kabataan['resident_id'];
                        >">
                        <button type="submit"
                            class="btn btn-secondary" id="proceedBtn"
                            name="proceed">Proceed</button>
                        <button type="button"
                            class="btn btn-primary" data-bs-
                            dismiss="modal">Cancel</button>
                    </form>
                </div>
            </div>
        </div>
    </div>
    <!-- Modal Content end -->
</div>
```



```
</div>
<!-- Modal dialog end -->
</div>
<!-- Delete Modal End -->
</div>

<?php
};

if (isset($_POST["proceed"])) {
    //delete queries
    $deleteResidentQuery = "DELETE
FROM `residents` WHERE `resident_id` = "" .
$_POST['residentID'] . "" ;
    $deleteEmployQuery = "DELETE
FROM `employment_info` WHERE `resident_id` = "" .
$_POST['residentID'] . "" ;
    $deleteEducQuery = "DELETE
FROM `educational_info` WHERE `resident_id` = "" .
$_POST['residentID'] . "" ;

executeQuery($deleteResidentQuery);

executeQuery($deleteEmployQuery);
executeQuery($deleteEducQuery);
echo '<script>
    Swal.fire({
        icon: "success",
        title: "Entry deleted!"
    }).then((result) => {
        if (result.isConfirmed) {
            window.location.href =
"./profiles-kabataan.php"
        }
    });
</script>';
}
?>
</tbody>
<tfoot>
<tr id="kabataanFooter">
    <td></td>
    <td></td>
    <td></td>
    <td></td>
    <td></td>
    <td></td>
    <td></td>
    <td></td>
    <td></td>
</tr>
</tfoot>
</table>
<div class="row mx-0 mt-1 gy-1">
    <div class="col-12 col-md-6 d-flex
justify-content-center justify-content-md-start align-
items-center p-0" id="kabataanTblInfo">
        <!-- Append Info here -->
    </div>
    <div class="col-12 col-md-6 d-flex
justify-content-center justify-content-md-end align-
items-center p-0" id="kabataanPaginate">
        <!-- Append pagination btns here -->
    </div>
</div>
```

```
</div>
</div>
</div>

<?php
require_once "fundamental-scripts.php";
?>

<!-- Custom Script -->
<script type="text/javascript"
src="assets/js/profiles.js"></script>
<script type="text/javascript"
src="assets/js/sideMenu.js"></script>

<!-- Active Link -->
<script type="text/javascript">
$(document).ready(function() {
    $("#profiles-link").addClass('nav-active');
    $("#profiles-md-link").addClass("nav-md-
active");
    $("#kabataan").addClass("menu-active");
    $("#backPage").click(function() {
        window.location.href = "./profiles-
kabataan.php";
    });
})
</script>
</body>
</html>
```

**profiles-residents.php**

```
<?php
require_once "access-super-admin.php";

$userRole = "SELECT `description` FROM
`admin_type` WHERE `admin_type_id` =
'$_SESSION[admin_type_id]'";
$role = mysqli_fetch_assoc(executeQuery($userRole));

//query to select all data from table
$queryResident = "SELECT *, CONCAT(`last_name` ,
', `first_name` , '' , `middle_name`) AS full_name,
DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(),
birthday)), '%Y') + 0 AS age FROM `residents` WHERE
DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(),
birthday)), '%Y') + 0 > 30";
$queryResidentResult =
executeQuery($queryResident); //execute query
?>

<!DOCTYPE html>
<html>

<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-
width, initial-scale=1.0, shrink-to-fit=no">
    <title>Profiles</title>

    <?php
    require_once "fundamental-links.php";
    ?>
```



```
<!-- Custom Page Stylesheets -->
<link rel="stylesheet"
href="assets/scss/sideMenu.css">

<!-- Favicon -->
<link rel="icon" type="image/x-icon"
href="assets/img/logos/kkis.ico">
</head>

<body>
    <div class="expanded d-none d-lg-flex"
id="leftPanel">
        <?php
        if ($adminTypeID == 1) {
            include 'sideMenu.php';
        } else if ($adminTypeID == 2) {
            include 'sideMenu-admin.php';
        } else {
            include "sideMenu-staff.php";
        }
        ?>
    </div>

    <div class="mainContainer" id="mainPanel">
        <header class="d-lg-none d-flex" id="mdHeader">
            <!-- Append Small Nav here -->
        </header>
        <header class="d-none d-lg-block" id="lgHeader">
            <div class="row mx-0" id="headerRow">
                <div class="col-md-8 col-12 d-flex justify-
content-start align-items-center">
                    <i class="fa-solid fa-bars me-4 d-none"
id="hamburger" role="button"></i>
                    <i class="fa-solid fa-xmark me-4"
id="close" role="button"></i>
                    <span class="pageTitle">Profiles</span>
                </div>
                <div class="col-md-4 d-none d-md-flex justify-
content-end align-items-center">
                    <span class="accountType"><?php echo
$role['description'] ?></span>
                </div>
            <hr id="headerHR">
        </header>

        <!-- Content Start -->
        <div class="container-fluid content"
id="contentID">
            <div class="sectionDiv">
                <!-- Menu Buttons -->
                <div class="row d-flex justify-content-sm-end
align-items-center justify-content-between m-0">
                    <button class="menuBtn menu1 rounded-
pill me-2" id="kabataan">Kabataan</button>
                    <button class="menuBtn menu2 rounded-
pill" id="residents">Residents</button>
                </div>
                <!-- Residents Table Start -->
                <div class="sectionDiv mx-0 mt-4"
id="sectionKabataan">
                    <!-- Options Rows -->
                    <div class="optionRow row gx-5 m-0 mb-
1">
```

```
                <!-- Show No. of Rows -->
                <div class="col-12 d-flex align-items-
center my-1 p-0" id="residentsLength">
                    </div>
                    <!-- Output Buttons -->
                    <div class="d-none col-md-6 d-md-flex
justify-content-md-start p-0"
id="residentsOutput"></div>
                    <!-- Filter -->
                    <div class="d-none col-lg-3 d-lg-flex
align-items-center justify-content-end"></div>
                    <!-- Search -->
                    <div class="col-12 col-md-6 col-lg-3 p-0"
id="residentsSearch">
                        </div>
                        </div>
                    </div>

                    <!-- Actual table -->
                    <table class="table table-striped table-
bordered dataTable responsive display nowrap no-
footer dtr-inline collapsed darkBG" role="grid"
cellspacing="0" id="residentsTbl" style="width:100%">
                        <thead class="tblHeadRow">
                            <tr>
                                <th class="tblHead">Name</th>
                                <th class="tblHead">Gender</th>
                                <th class="tblHead">Age</th>
                                <th class="tblHead">Birthdate</th>
                                <th class="tblHead">Civil
status</th>
                                <th class="tblHead">Contact
No.</th>
                                <th class="tblHead">Purok</th>
                                <th class="tblHead">Remarks</th>
                                <th class="tblHead">Actions</th>
                            </tr>
                        </thead>
                        <thead id="residentsTblHead">
                            <tr>
                                </tr>
                            </thead>
                            <tbody>
                                <?php
                                while ($resident =
mysqli_fetch_assoc($queryResidentResult)) {
                                    $residentID =
$resident["resident_id"]; //get resident id
                                    $residentEID =
$resident["rencrypted_id"];

                                    //check if resident is employee
                                    $employmentCheck = "SELECT *
FROM `employment_info` WHERE `resident_id` =
'$residentID'";
                                    $employmentCheckResult =
executeQuery($employmentCheck);

                                    //check is resident is student
                                }
                            </tbody>
                        </table>
                    </div>
                </div>
            </div>
        </div>
    </div>
```



# POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

268

```
$educationCheck = "SELECT *  
FROM `educational_info` WHERE `resident_id` =  
'$residentID';  
$educationCheckResult =  
executeQuery($educationCheck);  
?>  
  
<tr>  
    <td id="fullName"  
    class="entryRow" scope="col" data-  
    label="Name"><?php echo $resident["full_name"];  
?></td>  
  
    <td id="gender"  
    class="entryRow" scope="col" data-  
    label="Gender"><?php echo  
$resident["gender_preference"]; ?></td>  
  
    <td id="age" class="entryRow"  
    scope="col" data-label="Age"><?php echo  
$resident["age"]; ?></td>  
  
    <td id="birthday"  
    class="entryRow" scope="col" data-  
    label="Birthdate"><?php echo $birthday = date("F j, Y",  
strtotime($resident["birthday"])); ?></td>  
  
    <td id="civilStatus"  
    class="entryRow" scope="col" data-label="Civil  
status"><?php echo $resident["marital_status"]; ?></td>  
  
    <td id="contactNo"  
    class="entryRow" scope="col" data-label="Contact  
No."><?php echo $resident["contact_no"]; ?></td>  
  
    <td id="purok" class="entryRow"  
    scope="col" data-label="Purok"><?php echo  
$resident["purok"]; ?></td>  
  
    <td id="remarks"  
    class="entryRow" scope="col" data-  
    label="Remarks"><?php echo $resident["remarks"];  
?></td>  
  
    <td id="actions"  
    class="entryRow" scope="col" data-label="Actions">  
        <?php  
        if  
($_SESSION['admin_type_id'] != "1") {  
            ?>  
            <div class="row mx-0 p-0">  
                <div class="col-12 d-flex  
justify-content-center align-items-center p-0">  
                    <a class="btn btn-  
warning" data-bs-toggle="modal" data-bs-  
target="#viewMore<?php echo $resident["resident_id"];  
?>" data-id="<?php echo $resident["resident_id"]; ?>"  
href="#viewMore">View More</a>  
                    </div>  
                </div>  
  
        <?php  
        } else {  
        ?>  
        <div class="row mx-0 p-0">  
            <!-- View More -->  
            <div class="col-4 d-flex  
justify-content-center align-items-center p-0">  
                <a class="btn btn-  
warning actionBtn" data-bs-toggle="modal" data-bs-  
target="#viewMore<?php echo $resident["resident_id"];  
?>" data-id="<?php echo $resident["resident_id"]; ?>"  
href="#viewMore"><i class="fa-regular fa-eye"></i></a>  
            </div>  
            <!-- Update -->  
            <div class="col-4 d-flex  
justify-content-center align-items-center p-0">  
                <a href="update-  
residents.php?residentID=<?php echo  
$resident["rencrypted_id"]; ?>" value="" class="btn btn-  
primary update edit actionBtn" role="button" aria-  
pressed="true"><i class="fa-solid fa-pen"></i></a>  
            </div>  
            <!-- Delete -->  
            <div class="col-4 d-flex  
justify-content-center align-items-center p-0">  
                <a class="btn btn-  
danger actionBtn" data-bs-toggle="modal" data-bs-  
target="#delete<?php echo $resident['resident_id'] ?>"  
data-id="<?php echo $resident["resident_id"]; ?>"  
href="#delete"><i class="fa-solid fa-trash-can"></i></a>  
            </div>  
            </div>  
        <?php  
        }  
        ?>  
    </td>  
    </tr>  
  
<!-- Residents Modal -->  
<div class="modal" role="dialog"  
tabindex="1" id="viewMore<?php echo  
$resident["resident_id"]; ?>">  
    <div class="modal-dialog modal-  
xl modal-dialog-scrollable" id="modalDialogID"  
role="document">  
        <div class="modal-content"  
id="modalContentID">  
            <div class="modal-header"  
id="modalHeaderID">  
                <div class="d-flex justify-  
content-start align-items-start">  
                      
                    <span class="ms-1  
modal-title" id="modalTitle">KKIS</span>  
                </div>  
                <button type="button"  
class="btn-close" data-bs-dismiss="modal" aria-  
label="Close"></button>  
            </div>  
            <hr id="modalHR">  
            <div class="modal-body">  
                <!-- Basic Info -->  
                <div class="row mx-3 px-  
3" width="100%" height="100%" style="border: 1px  
solid #aeaeae; border-radius: 20px;">  
                    <!-- Text -->
```



```
<div class="col-12 col-lg-8 d-flex align-items-center">
    <div>
        <span>
            <basicTxt w-100 my-1 id="nameTxt2"><?php echo $resident["full_name"]; ?></span>
        <br>
        <span>
            <basicTxt w-100 my-1 mt-2" id="ageGender"><?php echo $resident["age"] . " YEARS OLD, " . $resident["gender_preference"]; ?></span>
        <br>
        <span>
            <basicTxt w-100 my-1 id="purok"><?php echo $resident["purok"]; ?></span>
        </div>
        <!-- QR Code -->
        <div class="col-12 col-lg-4 d-flex justify-content-lg-end justify-content-center">
            " width="200px" height="auto">
        </div>
    <!-- Personal Info -->
    <div class="row mx-3 px-3 my-5" width="100%" height="auto" style="border: 1px solid #aeaeae; border-radius: 20px;">
        <div class="col-12 titleCol">
            <div class="titleDiv rounded-pill d-flex justify-content-center align-items-center">
                <span class="rowTitle">Personal Information</span>
            </div>
        <br>
        <div class="col-6">
            <label class="form-label modalLabel">Birthday:&nbsp;</label>
        <div class="col-6">
            <p class="textRetrieved" id="textRetrievedID"><?php echo $resident["birthday"]; ?></p>
        </div>
        <div class="col-6">
            <label class="form-label modalLabel">Voter Type:&nbsp;</label>
        <div class="col-6">
            <p class="textRetrieved" id="textRetrievedID"><?php echo $resident["voter_type"]; ?></p>
        </div>
    <div class="col-6">
        <label class="form-label modalLabel">Birthplace:&nbsp;</label>
    <div class="col-6">
        <p class="textRetrieved" id="textRetrievedID"><?php echo $resident["birthplace"]; ?></p>
    </div>
    <div class="col-6">
        <label class="form-label modalLabel">Contact No:&nbsp;</label>
    <div class="col-6">
        <p class="textRetrieved" id="textRetrievedID"><?php echo $resident["contact_no"]; ?></p>
    </div>
    <div class="col-6">
        <label class="form-label modalLabel">Marital Status:&nbsp;</label>
    <div class="col-6">
        <p class="textRetrieved" id="textRetrievedID"><?php echo $resident["marital_status"]; ?></p>
    </div>
    <div class="col-6">
        <label class="form-label modalLabel">Religion:&nbsp;</label>
    <div class="col-6">
        <p class="textRetrieved" id="textRetrievedID"><?php echo $resident["religion"]; ?></p>
    </div>
    <div class="col-6">
        <label class="form-label modalLabel">Disability:&nbsp;</label>
    <div class="col-6">
        <p class="textRetrieved" id="textRetrievedID"><?php echo $resident["disability"]; ?></p>
    </div>
    <div class="col-6">
        <label class="form-label modalLabel">Organization/s (if any):&nbsp;</label>
    </div>

```



```
</div>
<div class="col-md-4
class="textRetrieved" id="textRetrievedID"><?php echo
$resident["organization"]; ?></p>
</div>

<div class="col-md-2
label modalLabel">House Address:&nbsp;</label>
</div>
<div class="col-md-3
col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$resident["house_address"]; ?></p>
</div>

<div class="col-md-3
col-6">
<label class="form-
label modalLabel">Remarks:&nbsp;</label>
</div>
<div class="col-md-4
col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$resident["remarks"]; ?></p>
</div>

<!-- Status -->
<div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border: 1px
solid #aeaeae; border-radius: 20px;">
<div class="col-12
titleCol">
<div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
<span
class="rowTitle">Status</span>
</div>
</div>
<?php
if ($employment =
mysqli_fetch_assoc($employmentCheckResult)) {
//checking if the user is an employee
if
($employment["employment_status"] == "EMPLOYED")
{
?>
<div class="col-
md-2 col-6">
<label
class="form-label modalLabel">Employment
Status:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">
```

```
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employment_status"]; ?></p>
</div>

<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">Employee
Type:&nbsp;</label>
</div>
<div class="col-
md-4 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employee_type"]; ?></p>
</div>

<div class="col-
md-2 col-6">
<label
class="form-label modalLabel">Employer
Type:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employer_type"]; ?></p>
</div>

<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">Employer
Name:&nbsp;</label>
</div>
<div class="col-
md-4 col-6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employer_name"]; ?></p>
</div>

<?php
$industry_id =
$employment["industry_id"]; // store industry_id to
variable
$salary_id =
$employment["salary_id"]; // store salary_id to variable
$industryCheck =
"SELECT * FROM industries WHERE
industry_id='$industry_id'";
$queryIndustryCheck = executeQuery($industryCheck);

$salaryCheck =
"SELECT * FROM salaries WHERE
salary_id='$salary_id'";
$querySalaryCheck = executeQuery($salaryCheck);
?>

<div class="col-
md-2 col-6">
```



```
<label
class="form-label modalLabel">Work
Industry:&nbsp;</label>
</div>
<div class="col-
md-3 col-6">
<p
class="textRetrieved" id="textRetrievedID">
<?php
$industry =
mysqli_fetch_assoc($queryIndustryCheck);
echo
$industry["description"]; ?>
</p>
</div>
<div class="col-
md-3 col-6">
<label
class="form-label modalLabel">Salary
Range:&nbsp;</label>
</div>
<div class="col-
md-4 col-6">
<p
class="textRetrieved" id="textRetrievedID">
<?php
$salary =
mysqli_fetch_assoc($querySalaryCheck);
echo
$salary["description"]; ?>
</p>
</div>
<?php
} else if
($employment["employment_status"] ==
"UNEMPLOYED") {
?>
<div class="col-
6">
<label
class="form-label modalLabel">Employment
Status:&nbsp;</label>
</div>
<div class="col-
6">
<p
class="textRetrieved" id="textRetrievedID"><?php echo
$employment["employment_status"]; ?></p>
</div>
<?php
}
} else if ($education =
mysqli_fetch_assoc($educationCheckResult)) {
//checking if the user is a student
if
($education["student_status"] == "ENROLLED") {
?>
<div class="col-
md-2 col-6">
<label
class="form-label modalLabel">Student
Status:&nbsp;</label>
```



```
        } else {
    ?>
        <div class="col-
md-3 col-6">
            <label
class="form-label modalLabel">Student
Status:&nbsp;</label>
            </div>
        <div class="col-
md-3 col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_status"]; ?></p>
            </div>
        <div class="col-
md-3 col-6">
            <label
class="form-label modalLabel">Student
Level:&nbsp;</label>
            </div>
        <div class="col-
md-3 col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["student_level"]; ?></p>
            </div>
        <div class="col-
md-3 col-6">
            <label
class="form-label modalLabel">School
Type:&nbsp;</label>
            </div>
        <div class="col-
md-3 col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["school_type"]; ?></p>
            </div>
        <div class="col-
md-3 col-6">
            <label
class="form-label modalLabel">School
Name:&nbsp;</label>
            </div>
        <div class="col-
md-3 col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$education["school_name"]; ?></p>
            </div>
            <?php
                $industry_id =
$education["industry_id"]; // store industry_id to variable
                $salary_id =
$education["salary_id"]; // store salary_id to variable
                $industryCheck =
"SELECT * FROM industries WHERE
industry_id=$industry_id";
                $queryIndustryCheck = executeQuery($industryCheck);
                $salaryCheck =
"SELECT * FROM salaries WHERE
salary_id=$salary_id";
                $querySalaryCheck = executeQuery($salaryCheck);
            ?>
        <div class="col-
md-3 col-6">
            <label
class="form-label modalLabel">Work
Industry:&nbsp;</label>
            </div>
        <div class="col-
md-3 col-6">
            <p
class="textRetrieved" id="textRetrievedID">
<?php
$industry =
mysqli_fetch_assoc($queryIndustryCheck);
echo
$industry["description"]; ?>
            </p>
        </div>
        <div class="col-
md-3 col-6">
            <label
class="form-label modalLabel">Salary
Range:&nbsp;</label>
            </div>
        <div class="col-
md-3 col-6">
            <p
class="textRetrieved" id="textRetrievedID">
<?php
$salary =
mysqli_fetch_assoc($querySalaryCheck);
echo
$salary["description"]; ?>
            </p>
        </div>
        <?php
    }
};

?>
</div>
<?php
$household_id =
$resident["household_id"]; //getting the household id of
the user
$householdCheck =
"SELECT *, CONCAT(`head_last_name`, ',',
`head_first_name`, ', ', `head_middle_name`) AS
`head_name` FROM households WHERE
household_id = $household_id"; //getting the household
details of the user
$householdCheckResult
= executeQuery($householdCheck);
?>
<div class="row mx-3 px-
3 my-5" width="100%" height="auto" style="border: 1px
solid #aeaeae; border-radius: 20px;">
```



```
<div class="col-12
titleCol">
    <div class="titleDiv
rounded-pill d-flex justify-content-center align-items-
center">
        <span
class="rowTitle">House Declaration</span>
        </div>
    </div>

    <?php
    while ($household =
mysqli_fetch_assoc($householdCheckResult)) {
    ?>

    <div class="col-md-
2 col-6">
        <label
class="form-label modalLabel">Head of the
family:&nbsp;</label>
        </div>
        <div class="col-md-
4 col-6">
            <p
class="textRetrieved" id="textRetrievedID"><?php echo
$household["head_name"]; ?></p>
            </div>
            <div class="col-md-
2 col-6">
                <label
class="form-label modalLabel">No. of
members:&nbsp;</label>
                </div>
                <div class="col-md-
4 col-6">
                    <p
class="textRetrieved" id="textRetrievedID"><?php echo
$household["members_count"]; ?></p>
                    </div>
                    <?php
                }
                ?>
            </div>
            <!-- Modal Body End -->
        </div>
        <!-- Modal Content End -->
    </div>
    <div
id="modalOverlay"></div>
    <!-- Modal dialog end -->
</div>
    <!-- Residents Modal End -->
</div>

    <!-- Delete Entry modal -->

    <div class="modal fade"
role="dialog" tabindex="-1" id="delete<?php echo
$resident['resident_id'] ?>">
        <div class="modal-dialog modal-
dialog-centered">
            <div class="modal-content">
                <div class="modal-body">
```

```
<div class="swal2-icon
swal2-warning swal2-icon-show d-flex justify-content-
center">
    <div class="swal2-
warning swal2-icon-content">l</div>
    </div>
    <h1 class="text-center">
        Are you sure?
    </h1>
    <p class="text-
center">This will permanently delete <b><?php echo
$resident["full_name"] ?></b> from the database. Do
you still want to proceed?</p>
    </div>
    <div class="modal-footer d-
flex justify-content-evenly ">
        <form method="POST"
class="d-flex justify-content-center w-100 mx-0">
            <!-- Modal Buttons -->
            <input type="hidden"
name="residentID" value="<?php echo
$resident['resident_id']; ?>">
            <button type="submit"
class="btn btn-secondary" id="proceedBtn"
name="proceed">Proceed</button>
            <button type="button"
class="btn btn-primary" data-bs-
dismiss="modal">Cancel</button>
        </form>
    </div>
    <!-- Modal Content end -->
</div>
    <!-- Modal dialog end -->
</div>
    <!-- Delete Modal End -->
</div>

<?php
};

if (isset($_POST["proceed"])) {
    //delete queries
    $deleteResidentQuery = "DELETE
FROM `residents` WHERE `resident_id` = ".
$_POST['residentID'] . "";
    $deleteEmployQuery = "DELETE
FROM `employment_info` WHERE `resident_id` = ".
$_POST['residentID'] . "";
    $deleteEducQuery = "DELETE
FROM `educational_info` WHERE `resident_id` = ".
$_POST['residentID'] . "";

executeQuery($deleteResidentQuery);

executeQuery($deleteEmployQuery);
executeQuery($deleteEducQuery);
echo '<script>
    Swal.fire({
        icon: "success",
        title: "Deleted"
    }).then((result) => {
        if (result.isConfirmed) {
            window.location.href =
            "./profiles-kabataan.php"
    })
```



```
        });
        </script>';
    }
    ?>
</tbody>
<tfoot>
<tr id="residentsFooter">
    <td></td>
    <td></td>
</tr>
</tfoot>
</table>
<div class="row mx-0 mt-1 gy-1">
    <div class="col-12 col-md-6 d-flex justify-content-center justify-content-md-start align-items-center p-0" id="residentsTblInfo">
        <!-- Append Info here -->
    </div>
    <div class="col-12 col-md-6 d-flex justify-content-center justify-content-md-end align-items-center p-0" id="residentsPaginate">
        <!-- Append pagination btns here -->
    </div>
</div>
</div>
</div>

<?php
require_once "fundamental-scripts.php";
?>

<!-- Custom Script -->
<script type="text/javascript"
src="assets/js/profiles.js"></script>
<script type="text/javascript"
src="assets/js/sideMenu.js"></script>

<!-- Active Link -->
<script type="text/javascript">
$(document).ready(function() {
    $("#profiles-link").addClass('nav-active');
    $("#profiles-md-link").addClass("nav-md-active");
    $("#residents").addClass("menu-active");
    $("#backPage").click(function() {
        window.location.href = "./profiles-residents.php";
    });
});
</script>
</body>
</html>
```

updateEntry.php

```
<?php
require "access-super.php";
require_once "assets/phpqrcode/qlib.php";
require_once "assets/php-encrypt-decrypt-class-main/Encryption.php";

$userRole = "SELECT `description` FROM `admin_type` WHERE `admin_type_id` = '".$_SESSION['admin_type_id']."' ";
$role = mysqli_fetch_array(executeQuery($userRole));

$updateResidentID = $_GET['residentID']; //get the resident encrypted ID from URL
//UPDATE UPON SUBMIT
if (isset($_POST['submitBtn'])) {
    // Household Info
    $hFname = $_POST['hFname'];
    $hMname = isset($_POST['hMname']) ? $_POST['hMname'] : "";
    $hLname = $_POST['hLname'];
    $membersCount = $_POST['membersCount'];

    //Personal Info
    $fName = $_POST['fName'];
    $mName = isset($_POST['mName']) ? $_POST['mName'] : "";
    if (isset($_POST['mName'])) {
        $lName = $_POST['lName'] . " " . $_POST['suffix'];
    } else {
        $lName = $_POST['lName'];
    }
    $gender = $_POST['gender'];
    $birthday = $_POST['birthday'];
    $birthplace = $_POST['birthplace'];
    $mStatus = $_POST['mStatus'];
    $religion = $_POST['religion'];
    $disability = $_POST['disability'];
    $contact = $_POST['contact'];
    $voterType = $_POST['voterType'];
    $address = $_POST['address'];
    $purok = $_POST['purok'];
    $organization = $_POST['organization'];
    $remarks = isset($_POST['remarks']) ? $_POST['remarks'] : "";
    $householdID; //foreign key
    $date_added = date("Y-m-d");
    $encryptedName = $fName . " " . $lName;

    // Educational Info
    $educStatus = isset($_POST['educStatus']) ? $_POST['educStatus'] : null;
    $eduLevel = isset($_POST['educLevel']) ? $_POST['educLevel'] : "N/A";
    $schoolType = isset($_POST['schoolType']) ? $_POST['schoolType'] : "N/A";
    $school = isset($_POST['schoolName']) ? $_POST['schoolName'] : "N/A";
    $eduIndustry = isset($_POST['eduIndustry']) ? $_POST['eduIndustry'] : "64"; //foreign key
    $eduSalary = isset($_POST['eduSalary']) ? $_POST['eduSalary'] : "1"; // foreign key

    // Employment Info
    $employStatus = isset($_POST['employeeStatus']) ? $_POST['employeeStatus'] : null;
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

275

```
$employeeType = isset($_POST['employeeType']) ?  
$_POST['employeeType'] : "N/A";  
$employerType = isset($_POST['employerType']) ?  
$_POST['employerType'] : "N/A";  
$employer = isset($_POST['employerName']) ?  
$_POST['employerName'] : "N/A";  
$employIndustry = isset($_POST['employIndustry']) ?  
$_POST['employIndustry'] : "64"; //foreign key  
$employSalary = isset($_POST['employSalary']) ?  
$_POST['employSalary'] : "1"; //foreign key  
  
//FOR ENCRYPTED IDs  
$key = 'kkis2023';  
$rEncrypt = $fName . " " . $mName . " " . $lName;  
$hEncrypt = $hFname . " " . $hMname . " " .  
$hLname;  
  
$encryptedResident = Encryption::Encode($rEncrypt,  
$key);  
$encryptedHousehold =  
Encryption::Encode($hEncrypt, $key);  
  
//FOR QR CODE GENERATION  
  
$path = 'assets/img/qrCodes/';  
$file = $path . 'KKIS-' . $lName . "-" . $fName . "-".  
$mName . ".png";  
$ecc = 'Q';  
$pixelSize = 65;  
$frameSize = 2;  
QRcode::png($encryptedResident, $file, $ecc,  
$pixelSize, $frameSize);  
  
// getting Resident Info from Residents Tbl  
$updateResident = "UPDATE `residents` SET  
'rencrypted_id' = '$encryptedResident', 'first_name' =  
'$fName', 'middle_name' = '$mName', 'last_name' =  
'$lName'  
, 'gender_preference' = '$gender', 'birthday' = '$birthday',  
'birthplace' = '$birthplace', 'marital_status' = '$mStatus',  
'religion' = '$religion', 'disability' = '$disability', 'contact_no' = '$  
contact', 'voter_type' = '$voterType', 'house_address' = '$  
address', 'purok' = '$purok', 'organization' = '$organization',  
'remarks' = '$remarks', 'qr_code' = '$file' WHERE  
'rencrypted_id' = '$updateResidentID';  
$residentUpdated =  
executeQuery($updateResident);  
  
// getting Resident ID from Residents Tbl  
$getResidentID = "SELECT `resident_id` FROM  
'residents` WHERE `rencrypted_id` =  
'$updateResidentID';  
$resident_id =  
mysqli_fetch_assoc(executeQuery($getResidentID));  
  
// getting Household ID from Residents Tbl  
$getHouseholdID = "SELECT `household_id` FROM  
'residents` WHERE `rencrypted_id` =  
'$updateResidentID';  
$household_id =  
mysqli_fetch_assoc(executeQuery($getHouseholdID));  
  
// getting Educational Info from Educational Info Tbl  
for Specific Resident  
  
$updateEducation = "UPDATE `educational_info`  
SET  
'student_status' = '$educStatus', 'student_level' = '$eduLevel',  
'school_type' = '$schoolType', 'school_name' = '$school',  
'industry_id' = '$eduIndustry', 'salary_id' = '$eduSalary'  
WHERE `resident_id` = '$resident_id[resident_id]';  
$educUpdated = executeQuery($updateEducation);  
  
// getting Employment Info from Employment Info Tbl  
for Specific Resident  
$updateEmployment = "UPDATE `employment_info`  
SET  
'employment_status' = '$employStatus', 'employee_type' =  
'$employeeType', 'employer_type' = '$employerType', 'e  
mployer_name' = '$employer', 'industry_id' = '$employInd  
ustry', 'salary_id' = '$employSalary' WHERE  
'resident_id' = '$resident_id[resident_id]';  
$employUpdated =  
executeQuery($updateEmployment);  
  
// getting Household Info from Households Tbl for  
Specific Resident  
$updateHousehold = "UPDATE `households` SET  
'hencrypted_id' = '$encryptedHousehold', 'head_first_na  
me' = '$hFname', 'head_middle_name' = '$hMname', 'hea  
d_last_name' = '$hLname', 'members_count' = '$membe  
rCount' WHERE `household_id` =  
'$household_id[household_id]';  
$householdUpdated =  
executeQuery($updateHousehold);  
  
//Employment Status  
$loadEmployment = "SELECT * FROM  
employment_info WHERE resident_id =  
'$resident_id[resident_id]';  
  
//Education Status  
$loadEducation = "SELECT * FROM  
educational_info WHERE resident_id =  
'$resident_id[resident_id]';  
-----  
-----  
// Delete from employment_info when status changed  
to education  
$deleteEmploy = "DELETE FROM  
'employment_info` WHERE resident_id =  
'$resident_id[resident_id]';  
  
// Delete from educational_info when status changed  
to employment  
$deleteEducation = "DELETE FROM  
'educational_info` WHERE resident_id =  
'$resident_id[resident_id]';  
  
//Query for Educational Info  
$queryEducation = "INSERT INTO  
'educational_info` ('student_status', 'student_level',  
'school_type', 'school_name', 'industry_id', 'salary_id',  
'resident_id') VALUES (" . $educStatus . ", " .  
$eduLevel . ", " . $schoolType . ", " . $school . ", " .  
$eduIndustry . ", " . $eduSalary . ", " .  
$resident_id['resident_id'] . ")";  
  
//Query for Employment Info  
$queryEmployment = "INSERT INTO  
'employment_info` ('employment_status',
```



```
'employee_type', `employer_type`, `employer_name`,
`industry_id`, `salary_id`, `resident_id`) VALUES (" .
$employStatus . "", "" . $employeeType . "", "" .
$employerType . "", "" . $employer . "", "" .
$employIndustry . "", "" . $employSalary . "", "" .
$resident_id['resident_id'] . "")';

//Determine which query to execute based on
selected radio button

if (isset($_POST['eduInfo'])) {
    if
(mysql_num_rows(executeQuery($loadEmployment))
> 0) {
        executeQuery($queryEducation);
        executeQuery($deleteEmploy);
    } else {
        executeQuery($updateEducation);
    }
} else if (isset($_POST['employInfo'])) {
    if
(mysql_num_rows(executeQuery($loadEducation)) >
0) {
        executeQuery($queryEmployment);
        executeQuery($deleteEducation);
    } else {
        executeQuery($updateEmployment);
    }
} else {
    echo "<script>alert('Something went
wrong');</script>";
}

if (($residentUpdated && $householdUpdated) &&
($eduUpdated || $employUpdated)) {
    echo "<script>
Swal.fire({
    icon: 'success',
    title: 'Entry updated',
}).then((result) => {
    if (result.isConfirmed) {
        window.location.href = './profiles-
kabataan.php';
    }
});
</script>";
}
}

?>

<!DOCTYPE html>
<html>

<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-
width, initial-scale=1.0, shrink-to-fit=no">
    <title>Update Entry</title>
    <!-- Bootstrap-Select -->
    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap-
select@1.14.0-beta3/dist/css/bootstrap-
select.min.css">
    <!-- Custom Stylesheets -->
    <link rel="stylesheet"
href="assets/scss/addEntry.css">
    <link rel="stylesheet"
href="assets/scss/sideMenu.css">
    <!-- Favicon -->
    <link rel="icon" type="image/x-icon"
href="assets/img/logos/kkis.ico">
</head>

<body>
    <div class="expanded d-none d-lg-flex"
id="leftPanel">
        <?php
        if ($adminTypeID == 1) {
            include 'sideMenu.php';
        } else if ($adminTypeID == 2) {
            include 'sideMenu-admin.php';
        } else {
            include "sideMenu-staff.php";
        }
        ?>
    </div>

    <div class="mainContainer" id="mainPanel">
        <header class="d-lg-none d-flex" id="mdHeader">
            <!-- Append Small Nav here -->
        </header>
        <header class="d-none d-lg-block" id="lgHeader">
            <div class="row mx-0" id="headerRow">
                <div class="col-md-8 col-12 d-flex justify-
content-start align-items-center">
                    <i class="fa-solid fa-arrow-left me-4"
role="button" id="backPage"></i>
                    <span class="pageTitle">Update
Entry</span>
                </div>
                <div class="col-md-4 d-none d-md-flex justify-
content-end align-items-center">
                    <span class="accountType"><?php echo
$role['description']; ?></span>
                </div>
            </div>
            <hr id="headerHR">
        </header>
        <!-- Content Start -->
        <div class="container-fluid content">
            <div class="sectionDiv">
                <form method="POST" id="addForm"
class="mb-5">
                    <!-- Personal Info -->
                    <div class="card my-4 darkBG">
                        <div class="row m-0">
                            <div class="col col-12 p-0">
                                <div class="d-flex d-xxl-flex align-
items-center align-items-xxl-center markerDiv rounded-
2" id="markerPersonal">Personal Information</div>
                            </div>
                        </div>
                    <?php
```



```
$updateResidentID =
$_GET['residentID']; //get the resident encrypted ID
from URL
`loadResidents = "SELECT * FROM
`residents` WHERE `renrypted_id` =
'$updateResidentID"';
$resultResidents =
executeQuery($loadResidents);

while ($residents =
mysqli_fetch_assoc($resultResidents)) {
    $residentID =
$residents["resident_id"];
    $householdID =
$residents["household_id"];

    // Resident Info
    $fName = $residents['first_name'];
    $mName =
$residents['middle_name'];
    $lName = $residents['last_name'];
    $birthday = $residents['birthday'];
    $birthplace = $residents['birthplace'];
    $gender =
$residents['gender_preference'];
    $religion = $residents['religion'];
    $mStatus =
$residents['marital_status'];
    $disability = $residents['disability'];
    $contact = $residents['contact_no'];
    $voterType = $residents['voter_type'];
    $houseAddress =
$residents['house_address'];
    $purok = $residents['purok'];
    $organization =
$residents['organization'];
    $remarks = $residents['remarks'];

    //Employment Status
    $loadEmployment = "SELECT *
FROM employment_info WHERE resident_id =
$residentID";
    $resultEmployment =
executeQuery($loadEmployment);

    //Education Status
    $loadEducation = "SELECT * FROM
educational_info WHERE resident_id = $residentID";
    $resultEducation =
executeQuery($loadEducation);

    //Households
    $loadHousehold = "SELECT * FROM
households WHERE household_id = $householdID";
    $resultHouseholds
= executeQuery($loadHousehold);
?>

<div class="row m-0 my-3 gy-3 gx-3">
    <div class="col-md-3 col-sm-12 col-
12">
        <label class="col-form-label
fieldLabel required w-100 p-1" for="firstName">First
Name</label>
        <input class="form-control
userInput text-uppercase w-100" name="fName"
```

```
id="firstName" type="text" value=<?php echo $fName
?>" required>
    </div>
    <div class="col-md-3 col-sm-12 col-
12">
        <label class="col-form-label
fieldLabel required w-100 p-1" for="middleName">Middle Name</label>
        <input class="form-control
userInput text-uppercase w-100" name="mName"
id="middleName" type="text" value=<?php echo
$mName ?>" required>
    </div>
    <div class="col-md-3 col-sm-12 col-
12">
        <label class="col-form-label
fieldLabel required w-100 p-1" for="lastName">Last
Name</label>
        <input class="form-control
userInput text-uppercase w-100" name="lName"
id="lastName" type="text" value=<?php echo $lName
?>" required>
    </div>
    <!-- Gender -->
    <div class="col-md-3 col-sm-6 col-
12">
        <label class="col-form-label
fieldLabel required w-100 p-1" for="genderPreference">Gender Preference</label>
        <select class="form-select text-
uppercase w-100 personalSelectBox" name="gender"
id="genderPreference" required>
            <option value="MAN" <?php if
('MAN' == $gender) {
                echo "
selected";
            }
?>>Man</option>
            <option value="WOMAN" <?php if ('WOMAN' == $gender) {
                echo "
selected";
            }
?>>Woman</option>
            <option value="TRANSGENDER" <?php if ('TRANSGENDER'
== $gender) {
                echo "
selected";
            }
?>>Transgender</option>
            <option value="NON-
BINARY/NON-CONFORMING" <?php if ('NON-
BINARY/NON-CONFORMING' == $gender) {
                echo " selected";
            }
?>>Non-binary/Non-conforming</option>
            <option value="PREFER NOT
TO SAY" <?php if ('PREFER NOT TO SAY' ==
$gender) {
                echo "
selected";
            }
?>>Prefer Not To Say</option>
        </select>
    </div>

```



```
        }

    ?>>Prefer not to say</option>
        }
    </select>
</div>

    <!-- Birthday -->
<div class="col-lg-2 col-md-3 col-sm-6 col-12">
    <label class="col-form-label" fieldLabel required w-100 p-1" for="bday">Birthday</label>
        <input class="form-control text-uppercase w-100 personalSelectBox" name="birthday" id="bday" type="date" value=<?php echo $birthday ?> required>
    </div>

    <!-- Birthplace -->
<div class="col-lg-2 col-md-4 col-sm-6 col-12">
    <label class="col-form-label" fieldLabel required w-100 p-1" for="bplace">Birthplace</label>
        <input class="form-control userInput text-uppercase w-100" name="birthplace" id="bplace" type="text" value=<?php echo $birthplace ?>" required>
    </div>

    <!-- Marital status -->
<div class="col-lg-2 col-md-3 col-sm-6 col-12">
    <label class="col-form-label" fieldLabel required w-100 p-1" for="maritalStatus">Marital Status</label>
        <select class="form-select text-uppercase w-100 personalSelectBox" name="mStatus" id="maritalStatus" placeholder="Select Marital Status" required>
            <option value="SINGLE">
<?php if ('SINGLE' == $mStatus) { echo "
selected"; } ?>>Single</option>
            <option value="MARRIED">
<?php if ('MARRIED' == $mStatus) { echo "
selected"; } ?>>Married</option>
            <option value="LIVE IN">
<?php if ('LIVE IN' == $mStatus) { echo "
selected"; } ?>>Live-in</option>
            <option value="SEPARATED">
<?php if ('SEPARATED' == $mStatus) { echo "
selected"; } ?>>Separated</option>
            <option value="ANNULED">
<?php if ('ANNULED' == $mStatus) { echo "
selected"; } ?>>Annuled</option>
            <option value="WIDOWED">
<?php if ('WIDOWED' == $mStatus) { echo "
selected"; } ?>>Widowed</option>
            <option value="ATHEIST">
<?php if ('ATHEIST' == $religion) { echo "
selected"; } ?>>Atheist</option>
            <option value="BUDDHIST">
<?php if ('BUDDHIST' == $religion) { echo "
selected"; } ?>>Buddhist</option>
            <option value="CHRISTIAN">
<?php if ('CHRISTIAN' == $religion) { echo "
selected"; } ?>>Christian</option>
            <option value="MUSLIM">
<?php if ('MUSLIM' == $religion) { echo "
selected"; } ?>>Muslim</option>
            <option value="OTHERS">
<?php if ('OTHERS' == $religion) { echo "
selected"; } ?>>Others</option>
        </select>
    </div>

    <!-- DISABILITY -->
<div class="col-lg-2 col-md-2 col-sm-6 col-12">
    <div class="disabilityDiv">
        <label class="col-form-label" fieldLabel required w-100 p-1" for="disabilitySelect">Disability</label>
        <!-- Class form-select removed from select element in Disability -->
        <select class="selectpicker form-control text-uppercase houseSelectBox" multiple>
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

279

```
name="disability" data-selected-text-format="count > 3"
id="disabilitySelect" required>
    <option value="NONE">
<?php if ('NONE' == $disability) {
    echo "
selected";
}
?>>NONE</option>
    <option
value="COMMUNICATION DISABILITY" <?php if
('COMMUNICATION DISABILITY' == $disability) {
    echo " selected";
}
?>> Communication disability</option>
    <option value="LEARNING
DISABILITY" <?php if ('LEARNING DISABILITY' ==
$disability) {
    echo "
selected";
}
?>>Learning disability</option>
    <option value="MENTAL
DISABILITY" <?php if ('MENTAL DISABILITY' ==
$disability) {
    echo "
selected";
}
?>>Mental disability</option>
    <option
value="ORTHOPEDIC DISABILITY" <?php if
('ORTHOPEDIC DISABILITY' == $disability) {
    echo " selected";
}
?>>Orthopedic disability</option>
    <option
value="PYCHOSOCIAL DISABILITY" <?php if
('PYCHOSOCIAL DISABILITY' == $disability) {
    echo "
selected";
}
?>>Psychosocial disability</option>
    <option value="VISION
DISABILITY" <?php if ('VISION DISABILITY' ==
$disability) {
    echo "
selected";
}
?>>Vision disability</option>
    </select>
</div>
</div>

<!-- Contact no. -->
<div class="col-lg-2 col-md-3 col-
sm-6 col-12">
    <label class="col-form-label
fieldLabel required w-100 p-1" for="contactNo">Contact
No.</label>
    <input class="form-control text-
uppercase userInput w-100" type="text"
name="contact" id="contactNo"
placeholder="09XXXXXXXXXX" inputmode="numeric"
value="<?php echo $contact ?>" required>
</div>
<!-- Voter Type -->
<div class="col col-lg-2 col-md-3
col-sm-6 col-12" for="residentVote">
    <label class="col-form-label
fieldLabel required w-100 p-1">Voter Type</label>
    <select class="form-select text-
uppercase w-100 personalSelectBox"
name="voterType" id="residentVote" required>
    <option
value="REGISTERED" <?php if ('REGISTERED' ==
$voterType) {
        echo "
selected";
}
?>>Registered</option>
    <option
value="UNREGISTERED" <?php if ('UNREGISTERED' ==
$voterType) {
        echo "
selected";
}
?>>Unregistered</option>
    </select>
</div>

<!-- House Address -->
<div class="col col-lg-3 col-md-4
col-sm-8 col-12">
    <label class="col-form-label
fieldLabel required w-100 p-1"
for="residentAddress">House
No./Street/Subdivision</label>
    <input class="form-control
userInput text-uppercase w-100" type="text"
name="address" id="residentAddress" value="<?php
echo $houseAddress ?>" required>
</div>

<!-- Purok -->
<div class="col col-lg-2 col-md-4
col-sm-4 col-12">
    <label class="col-form-label
fieldLabel required w-100 p-1"
for="residentPurok">Purok</label>
    <select class="form-select text-
uppercase w-100 personalSelectBox" name="purok"
id="residentPurok" required>
    <option value="CARDINAL"
<?php if ('CARDINAL' == $purok) {
        echo "
selected";
}
?>>Cardinal</option>
    <option
value="CORDILLERA" <?php if ('CORDILLERA' ==
$purok) {
        echo "
selected";
}
?>>Cordillera</option>
    <option value="DOÑA
PETRA" <?php if ('DOÑA PETRA' == $purok) {
        echo "
selected";
}
?>>Doña Petra</option>
    </select>
</div>
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

280

```
Petra</option> } ?>Doña echo "
    <option value="DOÑA
REGINA 1" <?php if ('DOÑA REGINA 1' == $purok) {
        echo "
selected";
    } ?>>Doña
Regina 1</option> } ?>Doña
    <option value="DOÑA
REGINA 2" <?php if ('DOÑA REGINA 2' == $purok) {
        echo "
selected";
    } ?>>Doña
Regina 2</option> } ?>Doña
    <option value="DOÑA
REGINA 3" <?php if ('DOÑA REGINA 3' == $purok) {
        echo "
selected";
    } ?>>Doña
Regina 3</option> } ?>Family Village</option>
    <option value="IRAQ" <?php if
('IRAQ' == $purok) {
        echo "
selected";
    } ?>>Iraq</option>
    <option value="LOOBAN"
<?php if ('LOOBAN' == $purok) {
        echo "
selected";
    } ?>>Looban</option>
    <option
value="MANGGAHAN" <?php if ('MANGGAHAN' ==
$purok) {
        echo "
selected";
    } ?>>Manggahan</option>
    <option value="NAYON"
<?php if ('NAYON' == $purok) {
        echo "
selected";
    } ?>>Nayon</option>
    <option value="ORMOC"
<?php if ('ORMOC' == $purok) {
        echo "
selected";
    } ?>>Ormoc</option>
    <option value="PULONG
KENDI" <?php if ('PULONG KENDI' == $purok) {
        echo "
selected";
    } ?>>Pulong Kendi</option>
    <option value="PUTING
KRUS" <?php if ('PUTING KRUS' == $purok) {
        echo "
selected";
    } ?>>Putting Krus</option>
    <option value="SAINT
ANTHONY" <?php if ('SAINT ANTHONY' == $purok) {
        echo "
selected";
    } ?>>Saint Anthony </option>
    <option value="SAMPAGUITA
ST." <?php if ('SAMPAGUITA ST.' == $purok) {
        echo "
selected";
    } ?>>Sampaguita St.</option>
    <option value="SMOKEY
MOUNTAIN" <?php if ('SMOKEY MOUNTAIN' ==
$purok) {
        echo "
selected";
    } ?>>Smoky Mountain </option>
</select>
</div>
<!-- Organization --&gt;
&lt;div class="col col-lg-3 col-md-4
col-sm-6 col-12"&gt;
    &lt;label class="col-form-label
fieldLabel w-100 p-1" for="org"
id="organizationLbl"&gt;Organization (if any)&lt;/label&gt;
    &lt;input class="form-control
userInput text-uppercase w-100" type="text"
name="organization" id="org" value=&lt;?php echo
$organization; ?&gt;"&gt;
&lt;/div&gt;
<!-- Remarks --&gt;
&lt;div class="col col-lg-2 col-md-4
col-sm-6 col-12"&gt;
    &lt;label class="col-form-label
fieldLabel w-100 p-1" for="remarks"
id="remarksLbl"&gt;Remarks (if any)&lt;/label&gt;
    &lt;select class="selectpicker form-
control text-uppercase personalSelectBox" multiple
name="remarks" placeholder="Select Remarks" data-
selected-text-format="count &gt; 3" id="remarkDrop"&gt;
        &lt;option value="PUROK
LEADER" &lt;?php if ("PUROK LEADER" == $remarks)
echo " selected" ?&gt;PUROK LEADER&lt;/option&gt;
        &lt;option value="SK
SCHOLAR" &lt;?php if ("SK SCHOLAR" == $remarks)
echo " selected" ?&gt;SK SCHOLAR&lt;/option&gt;
        &lt;option value="SOLO
PARENT" &lt;?php if ("SOLO PARENT" == $remarks)
echo " selected" ?&gt;SOLO PARENT&lt;/option&gt;
        &lt;option value="TEENAGE
PREGNANCY" &lt;?php if ("TEENAGE PREGNANCY" ==
$remarks) echo " selected" ?&gt;TEENAGE
PREGNANCY&lt;/option&gt;
    &lt;/select&gt;
&lt;/div&gt;
&lt;/div&gt;
<!-- STATUS --&gt;</pre>
```



```
<div class="row gy-2 my-2 mx-0">
    <!-- Educational Info -->
    <div class="col eStatus col-lg-6 col-md-
12 col-sm-12 col-12 p-0">
        <div class="card p-3 darkBG"
id="educCard">
            <div class="d-flex align-items-
center markerDiv rounded-2 m-0 w-100"
id="markerEduc">
                <label class="d-flex align-items-
center justify-content-start">
                    <input type="radio"
id="educCheck" class="statusCheck" name="eduInfo"
<?php if ($row = mysqli_num_rows($resultEducation) >
0) {
                echo " checked";
            } ?>>
                    Educational Status
                </label>
            </div>

            <?php
if ($row =
mysqli_num_rows($resultEducation) > 0) {
    while ($education =
mysqli_fetch_assoc($resultEducation)) {
        // Educational Info
        $educStatus =
$education['student_status'];
        $educLevel =
$education['student_level'];
        $schoolType =
$education['school_type'];
        $school =
$education['school_name'];
        $eduIndustry
= $education['industry_id'];
        $educSalary =
$education['salary_id'];
    }
}
            <div class="row m-0 my-3 gy-
3 gx-3">
                <!-- Status -->
                <div class="col col-lg-4 col-
md-4 col-sm-6 col-12 colHolder">
                    <label class="col-form-
label educFieldLabel required w-100 p-1"
id="educStatusLbl" for="selectEducStatus">Educational
Status</label>
                    <select class="form-
select educSelectBox text-uppercase w-100"
name="educStatus" id="selectEducStatus" required>
                        <option
value="ENROLLED" <?php if ('ENROLLED' ==
$educStatus) {
                            ho " selected";
                        } ?>>
                    Enrolled</option>
                        <option value="OUT-
OF-SCHOOL YOUTH" <?php if ('OUT-OF-SCHOOL
YOUTH' == $educStatus) {
                            echo " selected";
                        } ?>>
                    Out-of-school Youth</option>
                        <option
value="WORKING STUDENT" <?php if ('WORKING
STUDENT' == $educStatus) {
                            echo " selected";
                        } ?>>
                    Working Student</option>
                </div>
                <!-- Level -->
                <div class="col col-lg-4 col-
md-4 col-sm-6 col-12 colHolder">
                    <label class="col-form-
label educFieldLabel required w-100 p-1" id="levelLbl"
for="selectLevel">Level</label>
                    <select class="form-
select educSelectBox text-uppercase w-100"
name="educLevel" id="selectLevel" required>
                        <option value="PRE-
ELEMENTARY" <?php if ('PRE-ELEMENTARY' ==
$educLevel) {
                            echo " selected";
                        } ?>>
                    Pre-elementary</option>
                        <option
value="ELEMENTARY" <?php if ('ELEMENTARY' ==
$educLevel) {
                            ho " selected";
                        } ?>>
                    Elementary</option>
                        <option
value="JUNIOR HIGH SCHOOL" <?php if ('JUNIOR
HIGH SCHOOL' == $educLevel) {
                            echo " selected";
                        } ?>>
                    Junior High School</option>
                        <option
value="SENIOR HIGH SCHOOL" <?php if ('SENIOR
HIGH SCHOOL' == $educLevel) {
                            echo " selected";
                        } ?>>
                    Senior High School</option>
                        <option
value="ALTERNATIVE LEARNING SYSTEM" <?php if (
'ALTERNATIVE LEARNING SYSTEM' == $educLevel)
{
                            echo " selected";
                        } ?>>
                    Alternative Learning System (ALS)</option>
                        <option
value="DIPLOMA COURSE" <?php if ('DIPLOMA
COURSE' == $educLevel) {
                            echo " selected";
                        } ?>>
                    Diploma Course</option>
                </div>
            </div>
        </div>
    </div>
</div>
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

282

```
<option  
value="COLLEGE" <?php if ('COLLEGE' ==  
$educLevel) {  
    echo  
    " selected";  
}>>College</option>  
  
<option  
value="GRADUATE STUDIES" <?php if ('GRADUATE  
STUDIES' == $educLevel) {  
    echo " selected";  
}>> Graduate Studies</option>  
</select>  
</div>  
  
<!-- School Type -->  
<div class="col col-lg-4 col-  
md-4 col-sm-4 col-12 colHolder">  
    <label class="col-form-  
label educFieldLabel required w-100 p-1"  
id="schoolTypeLbl" for="selectSchoolType">School  
Type</label>  
    <select class="form-  
select educSelectBox text-uppercase w-100"  
name="schoolType" id="selectSchoolType" required>  
        <option  
value="PRIVATE" <?php if ('PRIVATE' ==  
$schoolType) {  
    echo  
    " selected";  
}>>  
Private</option>  
        <option  
value="PUBLIC" <?php if ('PUBLIC' == $schoolType) {  
    echo  
    " selected";  
}>>Public</option>  
    </select>  
</div>  
  
<!-- School -->  
<div class="col col-lg-12  
col-md-12 col-sm-8 col-12 colHolder">  
    <label class="col-form-  
label educFieldLabel required w-100 p-1"  
id="schoolLbl" for="inputSchool">Name of  
School</label>  
    <input class="form-  
control educUserInput text-uppercase w-100"  
type="text" name="schoolName" id="inputSchool"  
value="<?php echo $school; ?>" required>  
</div>  
  
<!-- Industry -->  
<div class="col col-lg-6 col-  
md-6 col-sm-12 col-12 colHolder">  
    <label class="col-form-  
label educFieldLabel required w-100 p-1"  
id="eduIndustryLbl" for="selectEduIndustry">Work  
Industry</label>  
    <select class="form-  
select text-uppercase w-100 educSelectBox"  
name="eduIndustry" id="selectEduIndustry"  
required>  
        <option value="1"  
<?php if ('1' == $eduIndustry) {  
    echo  
    " selected";  
}>>Accounting</option>  
        <option value="2"  
<?php if ('2' == $eduIndustry) {  
    echo  
    " selected";  
}>>Advertising and Marketing</option>  
        <option value="3"  
<?php if ('3' == $eduIndustry) {  
    echo  
    " selected";  
}>>Aerospace</option>  
        <option value="4"  
<?php if ('4' == $eduIndustry) {  
    echo  
    " selected";  
}>>Agriculture</option>  
        <option value="5"  
<?php if ('5' == $eduIndustry) {  
    echo  
    " selected";  
}>>Animation</option>  
        <option value="6"  
<?php if ('6' == $eduIndustry) {  
    echo  
    " selected";  
}>>Apparel and Fashion</option>  
        <option value="7"  
<?php if ('7' == $eduIndustry) {  
    echo  
    " selected";  
}>>Architecture and Planning</option>  
        <option value="8"  
<?php if ('8' == $eduIndustry) {  
    echo  
    " selected";  
}>>Arts  
and Crafts</option>  
        <option value="9"  
<?php if ('9' == $eduIndustry) {  
    echo  
    " selected";  
}>>Automobile Engineering</option>  
        <option value="10"  
<?php if ('10' == $eduIndustry) {  
    echo  
    " selected";  
}>>Auto  
Mechanics</option>  
        <option value="11"  
<?php if ('11' == $eduIndustry) {  
    echo  
    " selected";  
}>
```



```
        }
    ?>>Aviation</option>
        <option value="12"
    <?php if ('12' == $eduIndustry) {
                    echo "
selected";
                }
    ?>>BPO</option>
        <option value="13"
    <?php if ('13' == $eduIndustry) {
                    echo "
selected";
                }
            } ?>>Buy
and Sell</option>
        <option value="14"
    <?php if ('14' == $eduIndustry) {
                    echo "
selected";
                }
    ?>>Casinos and Gambling</option>
        <option value="15"
    <?php if ('15' == $eduIndustry) {
                    echo "
selected";
                }
    ?>>Chemical</option>
        <option value="16"
    <?php if ('16' == $eduIndustry) {
                    echo "
selected";
                }
    ?>>Computer Technology</option>
        <option value="17"
    <?php if ('17' == $eduIndustry) {
                    echo "
selected";
                }
    ?>>Construction</option>
        <option value="18"
    <?php if ('18' == $eduIndustry) {
                    echo "
selected";
                }
    ?>>Cosmetics</option>
        <option value="19"
    <?php if ('19' == $eduIndustry) {
                    echo "
selected";
                }
    ?>>Design</option>
        <option value="20"
    <?php if ('20' == $eduIndustry) {
                    echo "
selected";
                }
            } ?>>E-
commerce</option>
        <option value="21"
    <?php if ('21' == $eduIndustry) {
                    echo "
selected";
                }
    ?>>Education</option>
        <option value="22"
    <?php if ('22' == $eduIndustry) {
                    echo "
selected";
                }
        }
    ?>>Electrical Power</option>
        <option value="23"
    <?php if ('23' == $eduIndustry) {
                    echo "
selected";
                }
    ?>>Electronics</option>
        <option value="24"
    <?php if ('24' == $eduIndustry) {
                    echo "
selected";
                }
    ?>>Event Services</option>
        <option value="25"
    <?php if ('25' == $eduIndustry) {
                    echo "
selected";
                }
    ?>>Finance and Insurance Services</option>
        <option value="26"
    <?php if ('26' == $eduIndustry) {
                    echo "
selected";
                }
    ?>>Fishery</option>
        <option value="27"
    <?php if ('27' == $eduIndustry) {
                    echo "
selected";
                }
    ?>>Fitness and Wellness</option>
        <option value="28"
    <?php if ('28' == $eduIndustry) {
                    echo "
selected";
                }
    ?>>Furniture</option>
        <option value="29"
    <?php if ('29' == $eduIndustry) {
                    echo "
selected";
                }
            } ?>>Food
and Beverages</option>
        <option value="30"
    <?php if ('30' == $eduIndustry) {
                    echo "
selected";
                }
    ?>>Government</option>
        <option value="31"
    <?php if ('31' == $eduIndustry) {
                    echo "
selected";
                }
    ?>>Graphic Arts</option>
        <option value="32"
    <?php if ('32' == $eduIndustry) {
                    echo "
selected";
                }
    ?>>Healthcare and Welfare</option>
        <option value="33"
    <?php if ('33' == $eduIndustry) {
                    echo "
selected";
                }
        }
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

284

```
        }
    ?>>Hospitality Management</option>
        <option value="34"
    <?php if ('34' == $eduIndustry) {
                    echo "
    selected";
                } ?>>Law
    Enforcement</option>
        <option value="35"
    <?php if ('35' == $eduIndustry) {
                    echo "
    selected";
                }
    ?>>Legislative Office</option>
        <option value="36"
    <?php if ('36' == $eduIndustry) {
                    echo "
    selected";
                }
    ?>>Luxury Goods and Jewelry</option>
        <option value="37"
    <?php if ('37' == $eduIndustry) {
                    echo "
    selected";
                }
    ?>>Manufacturing</option>
        <option value="38"
    <?php if ('38' == $eduIndustry) {
                    echo "
    selected";
                }
    ?>>Maritime</option>
        <option value="39"
    <?php if ('39' == $eduIndustry) {
                    echo "
    selected";
                }
    ?>>Military</option>
        <option value="40"
    <?php if ('40' == $eduIndustry) {
                    echo "
    selected";
                }
    ?>>Mining</option>
        <option value="41"
    <?php if ('41' == $eduIndustry) {
                    echo "
    selected";
                }
    ?>>Packaging and Containers</option>
        <option value="42"
    <?php if ('42' == $eduIndustry) {
                    echo "
    selected";
                }
    ?>>Performing Arts</option>
        <option value="43"
    <?php if ('43' == $eduIndustry) {
                    echo "
    selected";
                }
    ?>>Personal Service</option>
        <option value="44"
    <?php if ('44' == $eduIndustry) {
                    echo "
    selected";
}
    ?>>Pharmaceutical</option>
        <option value="45"
    <?php if ('45' == $eduIndustry) {
                    echo "
    selected";
}
    ?>>Poultry</option>
        <option value="46"
    <?php if ('46' == $eduIndustry) {
                    echo "
    selected";
}
    ?>>Printing and Publishing</option>
        <option value="47"
    <?php if ('47' == $eduIndustry) {
                    echo "
    selected";
}
    ?>>Production</option>
        <option value="48"
    <?php if ('48' == $eduIndustry) {
                    echo "
    selected";
}
    ?>>Public Safety</option>
        <option value="49"
    <?php if ('49' == $eduIndustry) {
                    echo "
    selected";
}
    ?>>Photography and Film</option>
        <option value="50"
    <?php if ('50' == $eduIndustry) {
                    echo "
    selected";
}
    ?>>Quick Service Restaurant (QSR)</option>
        <option value="51"
    <?php if ('51' == $eduIndustry) {
                    echo "
    selected";
}
    ?>>Real Estate</option>
        <option value="52"
    <?php if ('52' == $eduIndustry) {
                    echo "
    selected";
}
    ?>>Recreational Facilities and Services</option>
        <option value="53"
    <?php if ('53' == $eduIndustry) {
                    echo "
    selected";
}
    ?>>Religious Institutions</option>
        <option value="54"
    <?php if ('54' == $eduIndustry) {
                    echo "
    selected";
}
    ?>>Retail Industry</option>
        <option value="55"
    <?php if ('55' == $eduIndustry) {
                    echo "
    selected";
}
```



```
        }
    ?>>Shipping Services</option>
        <option value="56"
    <?php if ('56' == $eduIndustry) {
                echo "
selected";
            }
    ?>>Staffing and Recruiting</option>
        <option value="57"
    <?php if ('57' == $eduIndustry) {
                echo "
selected";
            }
    ?>>Supply Chain Management</option>
        <option value="58"
    <?php if ('58' == $eduIndustry) {
                echo "
selected";
            }
    ?>>Telecommunications</option>
        <option value="59"
    <?php if ('59' == $eduIndustry) {
                echo "
selected";
            }
    ?>>Transportation</option>
        <option value="60"
    <?php if ('60' == $eduIndustry) {
                echo "
selected";
            }
    ?>>Tourism</option>
        <option value="61"
    <?php if ('61' == $eduIndustry) {
                echo "
selected";
            }
    ?>>Utilities</option>
        <option value="62"
    <?php if ('62' == $eduIndustry) {
                echo "
selected";
            }
    ?>>Veterinary</option>
        <option value="63"
    <?php if ('63' == $eduIndustry) {
                echo "
selected";
            }
    ?>>Warehousing</option>
        <option value="64"
    <?php if ('64' == $eduIndustry) {
                echo "
selected";
            }
    ?>>Others</option>
        </select>
    </div>
    <!-- Salary -->
    <div class="col col-lg-6 col-md-6 col-sm-12 col-12 colHolder">
        <label class="col-form-label educFieldLabel required w-100 p-1" id="educSalaryLbl" for="selectEducSalary">Salary Range</label>
        <select class="form-select educSelectBox text-uppercase w-100" name="educSalary" id="selectEducSalary" required>
            <option value="1"
        <?php if ('1' == $educSalary) {
                    echo "
selected";
                }
            } ?>>Less than 10,000</option>
            <option value="2"
        <?php if ('2' == $educSalary) {
                    echo "
selected";
                }
            } ?>>10,000-20,999</option>
            <option value="3"
        <?php if ('3' == $educSalary) {
                    echo "
selected";
                }
            } ?>>21,000-30,999</option>
            <option value="4"
        <?php if ('4' == $educSalary) {
                    echo "
selected";
                }
            } ?>>31,000-40,999</option>
            <option value="5"
        <?php if ('5' == $educSalary) {
                    echo "
selected";
                }
            } ?>>41,000-50,999</option>
            <option value="6"
        <?php if ('6' == $educSalary) {
                    echo "
selected";
                }
            } ?>>More than 50,999</option>
        </select>
    </div>
    </div>
    <?php
    }; //education while loop end
} //education if end
else {
    ?>
    <div class="row m-0 my-3 gy-3 gx-3">
        <div class="col col-lg-4 col-md-4 col-sm-6 col-12 colHolder">
            <label class="col-form-label educFieldLabel required w-100 p-1" id="educStatusLbl" for="selectEducStatus">Educational Status</label>
            <select class="form-select educSelectBox text-uppercase w-100" name="educStatus" id="selectEducStatus" required>
                <option value="ENROLLED">Enrolled</option>
                <option value="OUT-OF-SCHOOL YOUTH">Out-of-school Youth</option>
                <option value="WORKING STUDENT">Working Student</option>
            </select>
        </div>
```



```
<div class="col col-lg-4 col-md-4 col-sm-6 col-12 colHolder">
    <label class="col-form-label">educFieldLabel required w-100 p-1" id="levelLbl" for="selectLevel">Level</label>
    <select class="form-select" educSelectBox text-uppercase w-100" name="educLevel" id="selectLevel" required>
        <option value="PRE-ELEMENTARY">Pre-elementary</option>
        <option value="ELEMENTARY">Elementary</option>
        <option value="JUNIOR HIGH SCHOOL">Junior High School</option>
        <option value="SENIOR HIGH SCHOOL">Senior High School</option>
        <option value="ALTERNATIVE LEARNING SYSTEM">Alternative Learning System (ALS)</option>
        <option value="DIPLOMA COURSE">Diploma Course</option>
        <option value="COLLEGE">College</option>
        <option value="GRADUATE STUDIES">Graduate Studies</option>
    </select>
</div>
<div class="col col-lg-4 col-md-4 col-sm-4 col-12 colHolder">
    <label class="col-form-label">educFieldLabel required w-100 p-1" id="schoolTypeLbl" for="selectSchoolType">School Type</label>
    <select class="form-select" educSelectBox text-uppercase w-100" name="schoolType" id="selectSchoolType" required>
        <option value="PRIVATE">Private</option>
        <option value="PUBLIC">Public</option>
    </select>
</div>
<div class="col col-lg-12 col-md-12 col-sm-8 col-12 colHolder">
    <label class="col-form-label">educFieldLabel required w-100 p-1" id="schoolLbl" for="inputSchool">Name of School</label>
    <input class="form-control" educUserInput text-uppercase w-100" type="text" name="schoolName" id="inputSchool" required>
</div>
<div class="col col-lg-6 col-md-6 col-sm-12 col-12 colHolder">
    <label class="col-form-label" id="eduIndustryLbl" for="selectEduIndustry">Work Industry</label>
    <select class="form-select" text-uppercase w-100" educSelectBox" name="eduIndustry" id="selectEduIndustry" required>
        <option value="1">Accounting</option>
        <option value="2">Advertising and Marketing</option>
    </select>
</div>
<div class="col col-lg-6 col-md-6 col-sm-12 col-12 colHolder">
    <label class="col-form-label">value="3">Aerospace</option>
    <option value="4">Agriculture</option>
    <option value="5">Animation</option>
    <option value="6">Apparel and Fashion</option>
    <option value="7">Architecture and Planning</option>
    <option value="8">Arts and Crafts</option>
    <option value="9">Automobile Engineering</option>
    <option value="10">Auto Mechanics</option>
    <option value="11">Aviation</option>
    <option value="12">BPO</option>
    <option value="13">Buy and Sell</option>
    <option value="14">Casinos and Gambling</option>
    <option value="15">Chemical</option>
    <option value="16">Computer Technology</option>
    <option value="17">Construction</option>
    <option value="18">Cosmetics</option>
    <option value="19">Design</option>
    <option value="20">E-commerce</option>
    <option value="21">Education</option>
    <option value="22">Electrical Power</option>
    <option value="23">Electronics</option>
    <option value="24">Event Services</option>
    <option value="25">Finance and Insurance Services</option>
    <option value="26">Fishery</option>
    <option value="27">Fitness and Wellness</option>
    <option value="28">Furniture</option>
    <option value="29">Food and Beverages</option>
    <option value="30">Government</option>
    <option value="31">Graphic Arts</option>
    <option value="32">Healthcare and Welfare</option>
    <option value="33">Hospitality Management</option>
    <option value="34">Law Enforcement</option>
    <option value="35">Legislative Office</option>
```



```
<option  
value="36">Luxury Goods and Jewelry</option>  
<option  
value="37">Manufacturing</option>  
<option  
value="38">Maritime</option>  
<option  
value="39">Military</option>  
<option  
value="40">Mining</option>  
<option  
value="41">Packaging and Containers</option>  
<option  
value="42">Performing Arts</option>  
<option  
value="43">Personal Service</option>  
<option  
value="44">Pharmaceutical</option>  
<option  
value="45">Poultry</option>  
<option  
value="46">Printing and Publishing</option>  
<option  
value="47">Production</option>  
<option  
value="48">Public Safety</option>  
<option  
value="49">Photography and Film</option>  
<option  
value="50">Quick Service Restaurant (QSR)</option>  
<option value="51">Real  
Estate</option>  
<option  
value="52">Recreational Facilities and  
Services</option>  
<option  
value="53">Religious Institutions</option>  
<option  
value="54">Retail Industry</option>  
<option  
value="55">Shipping Services</option>  
<option  
value="56">Staffing and Recruiting</option>  
<option  
value="57">Supply Chain Management</option>  
<option  
value="58">Telecommunications</option>  
<option  
value="59">Transportation</option>  
<option  
value="60">Tourism</option>  
<option  
value="61">Utilities</option>  
<option  
value="62">Veterinary</option>  
<option  
value="63">Warehousing</option>  
<option  
value="64">Others</option>  
</select>  
</div>  
<div class="col col-lg-6 col-  
md-6 col-sm-12 col-12 colHolder">  
<label class="col-form-label  
educFieldLabel required w-100 p-1" id="educSalaryLbl"  
for="selectEducSalary">Salary Range</label>  
  
<select class="form-select  
educSelectBox text-uppercase w-100"  
name="educSalary" id="selectEducSalary" required>  
<option value="1">Less  
than 10,000</option>  
<option  
value="2">10,000-20,999</option>  
<option  
value="3">21,000-30,999</option>  
<option  
value="4">31,000-40,999</option>  
<option  
value="5">41,000-50,999</option>  
<option value="6">More  
than 50,999</option>  
</select>  
</div>  
</div>  
<?php  
};  
?>  
<!-- Educ card end -->  
</div>  
<!-- educCol End -->  
</div>  
<!-- Employment Info -->  
<div class="col eStatus col-lg-6 col-md-  
12 col-sm-12 col-12 p-0">  
<div class="card p-3 darkBG"  
id="employCard">  
<div class="d-flex align-items-  
center markerDiv rounded-2 m-0 w-100"  
id="markerEmploy">  
<label class="d-flex align-items-  
center">  
<input type="radio"  
id="employCheck" class="statusCheck"  
name="employInfo" ?><?php if ($row =  
mysqli_num_rows($resultEmployment) > 0) {  
echo " checked";  
} ?>>  
Employment Status  
</label>  
</div>  
  
<?php  
if ($row =  
mysqli_num_rows($resultEmployment) > 0) {  
while ($employment =  
mysqli_fetch_assoc($resultEmployment)) {  
// Employment Info  
$employStatus =  
$employment['employment_status'];  
$employeeType =  
$employment['employee_type'];  
$employerType =  
$employment['employer_type'];  
$employer =  
$employment['employer_name'];  
$employIndustry =  
$employment['industry_id'];  
$employSalary =  
$employment['salary_id'];  
?>
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

288

```
<div class="row m-0 my-3 gy-3 gx-3">

    <!-- Status -->
    <div class="col col-lg-4 col-md-4 col-sm-6 col-12 colHolder">
        <label class="col-form-label employFieldLabel required w-100 p-1" id="employStatusLbl" for="selectEmployStatus">Employee Status</label>
        <select class="form-select employSelectBox text-uppercase w-100" name="employeeStatus" id="selectEmployStatus" required>
            <option value="EMPLOYED" <?php if ('EMPLOYED' == $employStatus) { echo " selected"; } ?>>Employed</option>
            <option value="UNEMPLOYED" <?php if ('UNEMPLOYED' == $employStatus) { echo " selected"; } ?>>Unemployed</option>
        </select>
    </div>

    <div class="col col-lg-4 col-md-4 col-sm-6 col-12 colHolder">
        <label class="col-form-label employFieldLabel required w-100 p-1" id="employTypeLbl" for="selectEmployeeType">Employee Type</label>
        <select class="form-select employSelectBox text-uppercase w-100" name="employeeType" id="selectEmployeeType" required>
            <option value="REGULAR" <?php if ('REGULAR' == $employeeType) { echo " selected"; } ?>>Regular</option>
            <option value="CONTRACTUAL" <?php if ('CONTRACTUAL' == $employeeType) { echo " selected"; } ?>>Contractual</option>
            <option value="JOB ORDER" <?php if ('JOB ORDER' == $employeeType) { echo " selected"; } ?>>Job Order</option>
        </select>
    </div>

    <div class="col col-lg-4 col-md-4 col-sm-4 col-12 colHolder">
        <label class="col-form-label employFieldLabel required w-100 p-1" id="employerTypeLbl" for="selectEmployerType">Employer Type</label>
        <select class="form-select employSelectBox text-uppercase w-100" name="employerType" id="selectEmployerType" required>
            <option value="PRIVATE" <?php if ('PRIVATE' == $employerType) { echo " selected"; } ?>>Private</option>
            <option value="PUBLIC" <?php if ('PUBLIC' == $employerType) { echo " selected"; } ?>>Public</option>
        </select>
    </div>

    <div class="col col-lg-12 col-md-12 col-sm-8 col-12 colHolder">
        <label class="col-form-label employFieldLabel required w-100 p-1" id="employerLbl" for="inputEmployer">Name of Employer/Company/Business</label>
        <input class="form-control employUserInput text-uppercase w-100" type="text" name="employerName" id="inputEmployer" value="<?php echo $employer ?>" required>
    </div>

    <div class="col col-lg-6 col-md-6 col-sm-12 col-12 colHolder">
        <label class="col-form-label employFieldLabel required w-100 p-1" id="employIndustryLbl" for="selectEmployIndustry">Work Industry</label>
        <select class="form-select employSelectBox text-uppercase w-100" name="employIndustry" id="selectEmployIndustry" required>
            <option value="1" <?php if ('1' == $employIndustry) { echo " selected"; } ?>>Accounting</option>
            <option value="2" <?php if ('2' == $employIndustry) { echo " selected"; } ?>>Advertising and Marketing</option>
            <option value="3" <?php if ('3' == $employIndustry) { echo " selected"; } ?>>Aerospace</option>
            <option value="4" <?php if ('4' == $employIndustry) { ?>>Other</option>
        </select>
    </div>

```



```
echo "
selected";
}
?>>Agriculture</option>
<option value="5"
<?php if ('5' == $employIndustry) {
echo "
selected";
}
?>>Animation</option>
<option value="6"
<?php if ('6' == $employIndustry) {
echo "
selected";
}
?>>Apparel and Fashion</option>
<option value="7"
<?php if ('7' == $employIndustry) {
echo "
selected";
}
?>>Architecture and Planning</option>
<option value="8"
<?php if ('8' == $employIndustry) {
echo "
selected";
}
?>>Arts and Crafts</option>
<option value="9"
<?php if ('9' == $employIndustry) {
echo "
selected";
}
?>>Automobile Engineering</option>
<option value="10"
<?php if ('10' == $employIndustry) {
echo "
selected";
}
?>>Auto Mechanics</option>
<option value="11"
<?php if ('11' == $employIndustry) {
echo "
selected";
}
?>>Aviation</option>
<option value="12"
<?php if ('12' == $employIndustry) {
echo "
selected";
}
?>>BPO</option>
<option value="13"
<?php if ('13' == $employIndustry) {
echo "
selected";
}
?>>Buy and Sell</option>
<option value="14"
<?php if ('14' == $employIndustry) {
echo "
selected";
}
?>>Casinos and Gambling</option>
<option value="15"
<?php if ('15' == $employIndustry) {
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

290

```
        echo "
selected";
}
?>Fishery</option>
<option value="27"
<?php if ('27' == $employIndustry) {
        echo "
selected";
}
?>Fitness and Wellness</option>
<option value="28"
<?php if ('28' == $employIndustry) {
        echo "
selected";
}
?>Furniture</option>
<option value="29"
<?php if ('29' == $employIndustry) {
        echo "
selected";
}
?>Food and Beverages</option>
<option value="30"
<?php if ('30' == $employIndustry) {
        echo "
selected";
}
?>Government</option>
<option value="31"
<?php if ('31' == $employIndustry) {
        echo "
selected";
}
?>Graphic Arts</option>
<option value="32"
<?php if ('32' == $employIndustry) {
        echo "
selected";
}
?>Healthcare and Welfare</option>
<option value="33"
<?php if ('33' == $employIndustry) {
        echo "
selected";
}
?>Hospitality Management</option>
<option value="34"
<?php if ('34' == $employIndustry) {
        echo "
selected";
}
?>Law Enforcement</option>
<option value="35"
<?php if ('35' == $employIndustry) {
        echo "
selected";
}
?>Legislative Office</option>
<option value="36"
<?php if ('36' == $employIndustry) {
        echo "
selected";
}
?>Luxury Goods and Jewelry</option>
<option value="37"
<?php if ('37' == $employIndustry) {
        echo "
selected";
}
?>Manufacturing</option>
<option value="38"
<?php if ('38' == $employIndustry) {
        echo "
selected";
}
?>Maritime</option>
<option value="39"
<?php if ('39' == $employIndustry) {
        echo "
selected";
}
?>Military</option>
<option value="40"
<?php if ('40' == $employIndustry) {
        echo "
selected";
}
?>Mining</option>
<option value="41"
<?php if ('41' == $employIndustry) {
        echo "
selected";
}
?>Packaging and Containers</option>
<option value="42"
<?php if ('42' == $employIndustry) {
        echo "
selected";
}
?>Performing Arts</option>
<option value="43"
<?php if ('43' == $employIndustry) {
        echo "
selected";
}
?>Personal Service</option>
<option value="44"
<?php if ('44' == $employIndustry) {
        echo "
selected";
}
?>Pharmaceutical</option>
<option value="45"
<?php if ('45' == $employIndustry) {
        echo "
selected";
}
?>Poultry</option>
<option value="46"
<?php if ('46' == $employIndustry) {
        echo "
selected";
}
?>Printing and Publishing</option>
<option value="47"
<?php if ('47' == $employIndustry) {
        echo "
selected";
}
?>Production</option>
<option value="48"
<?php if ('48' == $employIndustry) {
```



```
echo "
selected";
}
?>>Public Safety</option>
<option value="49"
<?php if ('49' == $employIndustry) {
echo "
selected";
}
?>>Photography and Film</option>
<option value="50"
<?php if ('50' == $employIndustry) {
echo "
selected";
}
?>>Quick Service Restaurant (QSR)</option>
<option value="51"
<?php if ('51' == $employIndustry) {
echo "
selected";
}
?>>Real
Estate</option>
<option value="52"
<?php if ('52' == $employIndustry) {
echo "
selected";
}
?>>Recreational Facilities and Services</option>
<option value="53"
<?php if ('53' == $employIndustry) {
echo "
selected";
}
?>>Religious Institutions</option>
<option value="54"
<?php if ('54' == $employIndustry) {
echo "
selected";
}
?>>Retail Industry</option>
<option value="55"
<?php if ('55' == $employIndustry) {
echo "
selected";
}
?>>Shipping Services</option>
<option value="56"
<?php if ('56' == $employIndustry) {
echo "
selected";
}
?>>Staffing and Recruiting</option>
<option value="57"
<?php if ('57' == $employIndustry) {
echo "
selected";
}
?>>Supply Chain Management</option>
<option value="58"
<?php if ('58' == $employIndustry) {
echo "
selected";
}
?>>Telecommunications</option>
<option value="59"
<?php if ('59' == $employIndustry) {
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

292

```
<option value="4"
<?php if ('4' == $employSalary) {
selected";
}
?>>31,000-40,999</option>
<option value="5"
<?php if ('5' == $employSalary) {
selected";
}
?>>41,000-50,999</option>
<option value="6"
<?php if ('6' == $employSalary) {
selected";
}
?>>More
than 50,999</option>
</select>
</div>
</div>
<?php
} //employ while end
} //employ if end

else {
?>
<div class="row m-0 my-3 gy-3
gx-3">
<div class="col col-lg-4 col-md-
4 col-sm-6 col-12 colHolder">
<label class="col-form-label
employFieldLabel required w-100 p-1"
id="employStatusLbl"
for="selectEmployStatus">Employee Status</label>
<select class="form-select
employSelectBox text-uppercase w-100"
name="employeeStatus" id="selectEmployStatus"
required>
<option
value="EMPLOYED">Employed</option>
<option
value="UNEMPLOYED">Unemployed</option>
</select>
</div>
<div class="col col-lg-4 col-md-
4 col-sm-6 col-12 colHolder">
<label class="col-form-label
employFieldLabel required w-100 p-1"
id="employTypeLbl"
for="selectEmployeeType">Employee Type</label>
<select class="form-select
employSelectBox text-uppercase w-100"
name="employeeType" id="selectEmployeeType"
required>
<option
value="REGULAR">Regular</option>
<option
value="CONTRACTUAL">Contractual</option>
<option value="JOB
ORDER">Job Order</option>
</select>
</div>
<div class="col col-lg-4 col-md-
4 col-sm-4 col-12 colHolder">
```

```
<label class="col-form-label
employFieldLabel required w-100 p-1"
id="employerTypeLbl"
for="selectEmployerType">Employer Type</label>
<select class="form-select
employSelectBox text-uppercase w-100"
name="employerType" id="selectEmployerType"
required>
<option
value="PRIVATE">Private</option>
<option
value="PUBLIC">Public</option>
</select>
</div>
<div class="col col-lg-12 col-
md-12 col-sm-8 col-12 colHolder">
<label class="col-form-label
employFieldLabel required w-100 p-1" id="employerLbl"
for="inputEmployer">Name of
Employer/Company/Business</label>
<input class="form-control
employUserInput text-uppercase w-100" type="text"
name="employerName" id="inputEmployer" required>
</div>
<div class="col col-lg-6 col-md-
6 col-sm-12 col-12 colHolder">
<label class="col-form-label
employFieldLabel required w-100 p-1"
id="employIndustryLbl"
for="selectEmployIndustry">Work Industry</label>
<select class="form-select
text-uppercase w-100 employSelectBox"
name="employIndustry" id="selectEmployIndustry"
required>
<option
value="1">Accounting</option>
<option
value="2">Advertising and Marketing</option>
<option
value="3">Aerospace</option>
<option
value="4">Agriculture</option>
<option
value="5">Animation</option>
<option value="6">Apparel
and Fashion</option>
<option
value="7">Architecture and Planning</option>
<option value="8">Arts
and Crafts</option>
<option
value="9">Automobile Engineering</option>
<option value="10">Auto
Mechanics</option>
<option
value="11">Aviation</option>
<option
value="12">BPO</option>
<option value="13">Buy
and Sell</option>
<option
value="14">Casinos and Gambling</option>
<option
value="15">Chemical</option>
<option
value="16">Computer Technology</option>
```



```
<option value="17">Construction</option>
<option value="18">Cosmetics</option>
<option value="19">Design</option>
<option value="20">E-commerce</option>
<option value="21">Education</option>
<option value="22">Electrical Power</option>
<option value="23">Electronics</option>
<option value="24">Event Services</option>
<option value="25">Finance and Insurance Services</option>
<option value="26">Fishery</option>
<option value="27">Fitness and Wellness</option>
<option value="28">Furniture</option>
<option value="29">Food and Beverages</option>
<option value="30">Government</option>
<option value="31">Graphic Arts</option>
<option value="32">Healthcare and Welfare</option>
<option value="33">Hospitality Management</option>
<option value="34">Law Enforcement</option>
<option value="35">Legislative Office</option>
<option value="36">Luxury Goods and Jewelry</option>
<option value="37">Manufacturing</option>
<option value="38">Maritime</option>
<option value="39">Military</option>
<option value="40">Mining</option>
<option value="41">Packaging and Containers</option>
<option value="42">Performing Arts</option>
<option value="43">Personal Service</option>
<option value="44">Pharmaceutical</option>
<option value="45">Poultry</option>
<option value="46">Printing and Publishing</option>
<option value="47">Production</option>
<option value="48">Public Safety</option>
<option value="49">Photography and Film</option>
```

```
<option value="50">Quick Service Restaurant (QSR)</option>
<option value="51">Real Estate</option>
<option value="52">Recreational Facilities and Services</option>
<option value="53">Religious Institutions</option>
<option value="54">Retail Industry</option>
<option value="55">Shipping Services</option>
<option value="56">Staffing and Recruiting</option>
<option value="57">Supply Chain Management</option>
<option value="58">Telecommunications</option>
<option value="59">Transportation</option>
<option value="60">Tourism</option>
<option value="61">Utilities</option>
<option value="62">Veterinary</option>
<option value="63">Warehousing</option>
<option value="64">Others</option>
</select>
</div>
<div class="col col-lg-6 col-md-6 col-sm-12 col-12 colHolder">
<label class="col-form-label" employFieldLabel required w-100 p-1" id="employSalaryLbl" for="selectEmploySalary">Salary Range</label>
<select class="form-select" employSelectBox text-uppercase w-100" name="employSalary" id="selectEmploySalary" required>
<option value="1">Less than 10,000</option>
<option value="2">10,000-20,999</option>
<option value="3">21,000-30,999</option>
<option value="4">31,000-40,999</option>
<option value="5">41,000-50,999</option>
<option value="6">More than 50,999</option>
</select>
</div>
<?php } ?>
<!-- Employ card end -->
</div>
</div>
<!-- House Declaration -->
<div class="card p-3 my-4 darkBG">
```



```
<div class="row m-0">
    <div class="col col-12 p-0">
        <div class="d-flex align-items-center">
markerDiv rounded-2>
            House Declaration
        </div>
    </div>
</div>

<?php
    while ($household =
mysqli_fetch_assoc($resultHouseholds)) {>

    // Household Info
    $hFname =
$household['head_first_name'];
    $hMname =
$household['head_middle_name'];
    $hLname =
$household['head_last_name'];
    $membersCount =
$household['members_count'];
?>

    <div class="row m-0 my-3 gy-3 gx-3"
id="householdRow">
        <div class="col-md-3 col-sm-6 col-12">
            <label class="col-form-label"
fieldLabel required w-100 p-1" for="headFname">First
Name</label>
            <input class="form-control"
userInput text-uppercase w-100" type="text"
name="hFname" id="headFname" value="<?php echo
$hFname; ?>" required>
        </div>
        <div class="col-md-3 col-sm-6 col-12">
            <label class="col-form-label"
fieldLabel required w-100 p-1" for="headMname">Middle
Name</label>
            <input class="form-control"
userInput text-uppercase w-100" type="text"
name="hMname" id="headMname" value="<?php echo
$hMname; ?>" required>
        </div>
        <div class="col-md-3 col-sm-6 col-12">
            <label class="col-form-label"
fieldLabel required w-100 p-1" for="headLname">Last
Name</label>
            <input class="form-control"
userInput text-uppercase w-100" type="text"
name="hLname" id="headLname" value="<?php echo
$hLname; ?>" required>
        </div>
        <div class="col-md-3 col-sm-6 col-12">
            <label class="col-form-label"
fieldLabel required w-100 p-1"
for="famCount">No. of Family Members</label>
            <select class="form-select text-
uppercase w-100 houseSelectBox"
name="membersCount" id="famCount" required>
                <option value="LESS THAN 5"
<?php if ('LESS THAN 5' == $membersCount) {
selected";
} ?>>Less
than 5</option>
                <option value="5 to 10" <?php if
('5 to 10' == $membersCount) {
echo "
selected";
} ?>>5 to
10</option>
                <option value="11 to 15" <?php
if ('11 to 15' == $membersCount) {
echo "
selected";
} ?>>11 to
15</option>
                <option value="16 to 20" <?php
if ('16 to 20' == $membersCount) {
echo "
selected";
} ?>>16 to
20</option>
                <option value="MORE THAN
20" <?php if ('MORE THAN 20' == $membersCount) {
echo "
selected";
} ?>>More
than 20</option>
            </select>
        </div>
    </div>
?>
</div>

<!-- Button -->
<div class="row m-0 d-flex d-md-flex d-lg-
flex d-xxl-flex justify-content-md-end align-items-md-
center justify-content-lg-end align-items-lg-center justify-
content-xxl-end gx-2" id="rowBtn">
    <div class="col d-flex d-sm-flex d-md-flex
d-xxl-flex justify-content-center justify-content-sm-center
justify-content-md-end justify-content-xxl-end col-lg-2
col-md-4 col-sm-12 col-12 p-0">
        <button class="btn controlBtn"
name="submitBtn" type="submit"
form="addForm">Submit</button>
    </div>
</div>
</form>

<?php
    }; //form while end
?>
</div>
</div>
</div>

<!-- Bootstrap-select -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap-
select@1.14.0-beta3/dist/js/bootstrap-
select.min.js"></script>
```



```
<!-- Custom Script -->
<script type="text/javascript"
src="assets/js/updateEntry.js"></script>
<script type="text/javascript"
src="assets/js/sideMenu.js"></script>
<script type="text/javascript"
src="assets/js/settings.js"></script>

<!-- Active Link -->
<script type="text/javascript">
$(document).ready(function() {
    $("#profiles-link").addClass('nav-active');
    $("#profiles-md-link").addClass("nav-md-active");
})
</script>
</body>
</html>
```

### addEntry.php

```
<?php
require_once "access-staff.php";
require_once "assets/phpqrCode/qrlib.php";
require_once "assets/php-encrypt-decrypt-class-
main/Encryption.php";

$userRole = "SELECT `description` FROM `admin_type` WHERE `admin_type_id` =
'$_SESSION[admin_type_id]'";
$role = mysqli_fetch_assoc(executeQuery($userRole));
?>

<!DOCTYPE html>
<html>

<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width,
initial-scale=1.0, shrink-to-fit=no">
    <title>Add New Entry</title>

    <?php
    require_once "fundamental-links.php";
    ?>

    <!-- Custom Stylesheets -->
    <link rel="stylesheet"
href="assets/scss/addEntry.css">
    <link rel="stylesheet"
href="assets/scss/sideMenu.css">

    <!-- Favicon -->
    <link rel="icon" type="image/x-icon"
href="assets/img/logos/kkis.ico">
</head>

<body>

    <div class="expanded d-none d-lg-flex" id="leftPanel">
        <?php
        if ($adminTypeID == 1) {
            include 'sideMenu.php';
        } else if ($adminTypeID == 2) {
            include 'sideMenu-admin.php';
        }
    </div>
```

```
        } else {
            include "sideMenu-staff.php";
        }
    ?>
</div>

<div class="mainContainer" id="mainPanel">
    <header class="d-lg-none d-flex" id="mdHeader">
        <!-- Append Small Nav here -->
    </header>
    <header class="d-none d-lg-block" id="lgHeader">
        <div class="row mx-0" id="headerRow">
            <div class="col-md-8 col-12 d-flex justify-
content-start align-items-center">
                <i class="fa-solid fa-bars me-4 d-none"
id="hamburger" role="button"></i>
                <i class="fa-solid fa-xmark me-4" id="close"
role="button"></i>
                <span class="pageTitle">Add New
Entry</span>
            </div>
        </div>
        <div class="col-md-4 d-none d-md-flex justify-
content-end align-items-center">
            <span class="accountType"><?php echo
$role["description"] ?></span>
        </div>
    </header>
    <!-- Content Start -->
    <div class="container-fluid content">
        <div class="sectionDiv">
            <form method="POST" id="addForm"
class="mb-5">
                <!-- Personal Info -->
                <div class="card my-4 darkBG">
                    <div class="row m-0">
                        <div class="col col-12 p-0">
                            <div class="d-flex d-xxl-flex align-
items-center align-items-xxl-center markerDiv rounded-2"
id="markerPersonal">Personal Information</div>
                        </div>
                    </div>
                    <div class="row m-0 my-3 gy-3 gx-3">
                        <div class="col-md-3 col-sm-12 col-
12">
                            <label class="col-form-label"
fieldLabel required w-100 p-1" id="fNameLbl"
for="firstName">First Name</label>
                            <input class="form-control userInput"
text-uppercase w-100" name="fName" id="firstName"
type="text" required>
                        </div>
                        <div class="col-md-3 col-12">
                            <label class="col-form-label"
fieldLabel required w-100 p-1" id="mNameLbl"
for="middleName">Middle Name</label>
                            <input class="form-control userInput"
text-uppercase w-100" name="mName"
id="middleName" type="text">
                        </div>
                    </div>
                <div class="col-md-3 col-sm-8 col-12">
```



```
<label class="col-form-label"
fieldLabel required w-100 p-1" id="lNameLbl"
for="lastName">Last Name</label>
<input class="form-control userInput
text-uppercase w-100" name="lName" id="lastName"
type="text" required>
</div>
<div class="col col-lg-1 col-md-3 col-
sm-4 col-12">
    <label class="col-form-label required
fieldLabel w-100 p-1" for="suf"
id="suffixLbl">Suffix</label>
    <input class="form-control userInput
text-uppercase w-100" val="" name="suffix" type="text"
id="suf">
</div>
<div class="col col-lg-2 col-md-2 col-
sm-6 col-12">
    <label class="col-form-label
fieldLabel required w-100 p-1"
for="genderPreference">Gender Preference</label>
    <select class="form-select text-
uppercase w-100 personalSelectBox" name="gender"
id="genderPreference" required>
        <option
value="MAN">Man</option>
        <option
value="WOMAN">Woman</option>
        <option
value="TRANSGENDER">Transgender</option>
        <option value="NON-BINARY /
NON-CONFORMING">Non-binary / Non-
conforming</option>
        <option value="PREFER NOT TO
SAY">Prefer not to say</option>
    </select>
</div>
<div class="col col-lg-2 col-md-3 col-
sm-6 col-12">
    <label class="col-form-label
fieldLabel required w-100 p-1"
for="bday">Birthday</label>
    <input class="form-control text-
uppercase w-100 personalSelectBox" name="birthday"
id="bday" type="date" required>
</div>
<div class="col col-lg-2 col-md-4 col-
sm-6 col-12">
    <label class="col-form-label
fieldLabel required w-100 p-1"
for="bplace">Birthplace</label>
    <input class="form-control userInput
text-uppercase w-100" name="birthplace" id="bplace"
type="text" required>
</div>
<div class="col col-lg-2 col-md-3 col-
sm-6 col-12">
    <label class="col-form-label
fieldLabel required w-100 p-1"
for="maritalStatus">Marital Status</label>
    <select class="form-select text-
uppercase w-100 personalSelectBox" name="mStatus"
id="maritalStatus" required>
        <option
value="SINGLE">Single</option>
</select>
</div>
<div class="col col-lg-2 col-md-3 col-
sm-6 col-12">
    <option
value="MARRIED">Married</option>
    <option value="LIVE IN">Live-
in</option>
    <option
value="SEPARATED">Separated</option>
    <option
value="ANNULED">Annuled</option>
    <option
value="WIDOWED">Widowed</option>
</select>
</div>
<div class="col col-lg-2 col-md-3 col-
sm-6 col-12">
    <label class="col-form-label
fieldLabel required w-100 p-1 p-1"
for="religionSelect">Religion</label>
    <select class="form-select text-
uppercase w-100 personalSelectBox" name="religion"
id="religionSelect" required>
        <!-- <option
value="ATHEIST">Atheist</option> -->
        <option
value="BUDDHIST">Buddhist</option>
        <option
value="CHRISTIAN">Christian</option>
        <option
value="MUSLIM">Muslim</option>
        <option
value="OTHERS">Others</option>
    </select>
</div>
<div class="col col-lg-2 col-md-3 col-
sm-6 col-12">
    <div class="disabilityDiv">
        <label class="col-form-label
fieldLabel required w-100 p-1" for="disabilitySelect"
id="disabilityLbl">Disability</label>
        <!-- Class form-select removed
from select element in Disability -->
        <select class="selectpicker
form-control text-uppercase houseSelectBox" multiple
name="disability" data-selected-text-format="count > 3"
id="disabilitySelect">
            <option
value="COMMUNICATION DISABILITY">
Communication disability</option>
            <option value="LEARNING
DISABILITY">Learning disability</option>
            <option value="MENTAL
DISABILITY">Mental disability</option>
            <option
value="ORTHOPEDIC DISABILITY">Orthopedic
disability</option>
            <option
value="PYCHOSOCIAL DISABILITY">Psychosocial
disability</option>
            <option value="VISION
DISABILITY">Vision disability</option>
        </select>
    </div>
    <div class="col col-lg-2 col-md-3 col-
sm-6 col-12">
```



```
<label class="col-form-label"
fieldLabel required w-100 p-1" for="residentVote">Voter
Type</label>
<select class="form-select text-
uppercase w-100 personalSelectBox" name="voterType"
id="residentVote" required>
<option
value="REGISTERED">Registered</option>
<option
value="UNREGISTERED">Unregistered</option>
</select>
</div>

<div class="col col-lg-2 col-md-3 col-
sm-6 col-12">
<label class="col-form-label"
fieldLabel required w-100 p-1" for="contactNo">Contact
No.</label>
<input class="form-control userInput
text-uppercase w-100 phoneNumber" type="text"
name="contact" id="contactNo" pattern="[0-9]{11}"
title="Contact number should only contain 11 characters
from 0-9" placeholder="09XXXXXXXXX"
inputmode="numeric" required>
</div>

<div class="col col-lg-3 col-md-3 col-
sm-8 col-12">
<label class="col-form-label"
fieldLabel required w-100 p-1"
for="residentAddress">House
No./Street/Subdivision</label>
<input class="form-control userInput
text-uppercase w-100" type="text" name="address"
id="residentAddress" required>
</div>
<div class="col col-lg-2 col-md-3 col-
sm-4 col-12">
<label class="col-form-label"
fieldLabel required w-100 p-1"
for="residentPurok">Purok</label>
<select class="form-select text-
uppercase w-100 personalSelectBox"
placeholder="Purok" name="purok" id="residentPurok"
required>
<option
value="CARDINAL">Cardinal</option>
<option
value="CORDILLERA">Cordillera</option>
<option value="DOÑA
PETRA">Doña Petra</option>
<option value="DOÑA REGINA
1">Doña Regina 1</option>
<option value="DOÑA REGINA
2">Doña Regina 2</option>
<option value="DOÑA REGINA
3">Doña Regina 3</option>
<option value="FAMILY
VILLAGE">Family Village</option>
<option
value="IRAQ">Iraq</option>
<option
value="LOOBAN">Looban</option>
<option
value="MANGGAHAN">Manggahan</option>
```

```
<option
value="NAYON">Nayon</option>
<option
value="ORMOC">Ormoc</option>
<option value="PULONG
KENDI">Pulong Kendi</option>
<option value="PUTING
KRUS">Putting Krus</option>
<option value="SAINT
ANTHONY">Saint Anthony </option>
<option value="SAMPAGUITA
ST.">Sampaguita St.</option>
<option value="SMOKEY
MOUNTAIN">Smoky Mountain </option>
</select>
</div>
<div class="col col-lg-3 col-md-3 col-
sm-8 col-12">
<label class="col-form-label"
fieldLabel w-100 p-1" for="org"
id="organizationLbl">Organization (if any)</label>
<input class="form-control userInput
text-uppercase w-100" type="text" name="organization"
id="org">
</div>
<div class="col col-lg-2 col-md-3 col-
sm-4 col-12">
<label class="col-form-label"
fieldLabel w-100 p-1" for="remarks"
id="remarksLbl">Remarks (if any)</label>
<select class="selectpicker form-
control text-uppercase personalSelectBox" multiple
name="remarks" placeholder="Select Remarks" data-
selected-text-format="count > 3" id="remarkDrop">
<option value="PUROK
LEADER">PUROK LEADER</option>
<option value="SK
SCHOLAR">SK SCHOLAR</option>
<option value="SOLO
PARENT">SOLO PARENT</option>
<option value="TEENAGE
PREGNANCY">TEENAGE PREGNANCY</option>
</select>
</div>
</div>
!-- Personal Info card end -->
</div>

<div class="row gy-4 mx-0">
!-- Educational Info -->
<div class="col eStatus col-lg-6 col-md-12
col-sm-12 col-12 p-0">
<div class="card p-3 darkBG"
id="educCard">
<div class="d-flex align-items-center
markerDiv rounded-2 m-0 w-100" id="markerEduc">
<label class="d-flex align-items-
center justify-content-start">
<input type="radio"
id="educCheck" class="statusCheck" name="eduInfo"
checked>
Educational Status
</label>
</div>
<div class="row m-0 my-3 gy-3 gx-
3">
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

298

```
<div class="col col-lg-4 col-md-4
col-sm-6 col-12 colHolder">
    <label class="col-form-label
educFieldLabel required w-100 p-1" id="educStatusLbl"
for="selectEducStatus">Educational Status</label>
    <select class="form-select
educSelectBox text-uppercase w-100"
name="educStatus" id="selectEducStatus" required>
        <option
value="ENROLLED">Enrolled</option>
        <option value="OUT-OF-
SCHOOL YOUTH">Out-of-school Youth</option>
        <option value="WORKING
STUDENT">Working Student</option>
    </select>
</div>
<div class="col col-lg-4 col-md-4
col-sm-6 col-12 colHolder">
    <label class="col-form-label
educFieldLabel required w-100 p-1" id="levelLbl"
for="selectLevel">Level</label>
    <select class="form-select
educSelectBox text-uppercase w-100"
name="educLevel" id="selectLevel" required>
        <option value="PRE-
ELEMENTARY">Pre-elementary</option>
        <option
value="ELEMENTARY">Elementary</option>
        <option value="JUNIOR
HIGH SCHOOL">Junior High School</option>
        <option value="SENIOR
HIGH SCHOOL">Senior High School</option>
        <option
value="ALTERNATIVE LEARNING
SYSTEM">Alternative Learning System (ALS)</option>
        <option value="DIPLOMA
COURSE">Diploma Course</option>
        <option
value="COLLEGE">College</option>
        <option value="GRADUATE
STUDIES">Graduate Studies</option>
    </select>
</div>
<div class="col col-lg-4 col-md-4
col-sm-4 col-12 colHolder">
    <label class="col-form-label
educFieldLabel required w-100 p-1" id="schoolTypeLbl"
for="selectSchoolType">School Type</label>
    <select class="form-select
educSelectBox text-uppercase w-100"
name="schoolType" id="selectSchoolType" required>
        <option
value="PRIVATE">Private</option>
        <option
value="PUBLIC">Public</option>
    </select>
</div>
<div class="col col-lg-12 col-md-
12 col-sm-8 col-12 colHolder">
    <label class="col-form-label
educFieldLabel required w-100 p-1" id="schoolLbl"
for="inputSchool">Name of School</label>
    <input class="form-control
educUserInput text-uppercase w-100" type="text"
name="schoolName" id="inputSchool" required>
</div>
```

```
<div class="col col-lg-6 col-md-6
col-sm-12 col-12 colHolder">
    <label class="col-form-label
educFieldLabel required w-100 p-1" id="educlndustryLbl"
for="selectEduIndustry">Work Industry</label>
    <select class="form-select text-
uppercase w-100 educSelectBox" name="educlndustry"
id="selectEduIndustry" required>
        <option
value="1">Accounting</option>
        <option
value="2">Advertising and Marketing</option>
        <option
value="3">Aerospace</option>
        <option
value="4">Agriculture</option>
        <option
value="5">Animation</option>
        <option value="6">Apparel
and Fashion</option>
        <option
value="7">Architecture and Planning</option>
        <option value="8">Arts and
Crafts</option>
        <option
value="9">Automobile Engineering</option>
        <option value="10">Auto
Mechanics</option>
        <option
value="11">Aviation</option>
        <option
value="12">BPO</option>
        <option value="13">Buy and
Sell</option>
        <option value="14">Casinos
and Gambling</option>
        <option
value="15">Chemical</option>
        <option
value="16">Computer Technology</option>
        <option
value="17">Construction</option>
        <option
value="18">Cosmetics</option>
        <option
value="19">Design</option>
        <option value="20">E-
commerce</option>
        <option
value="21">Education</option>
        <option value="22">Electrical
Power</option>
        <option
value="23">Electronics</option>
        <option value="24">Event
Services</option>
        <option value="25">Finance
and Insurance Services</option>
        <option
value="26">Fishery</option>
        <option value="27">Fitness
and Wellness</option>
        <option
value="28">Furniture</option>
        <option value="29">Food
and Beverages</option>
```



```
<option  
value="30">Government</option>  
<option value="31">Graphic  
Arts</option>  
<option  
value="32">Healthcare and Welfare</option>  
<option  
value="33">Hospitality Management</option>  
<option value="34">Law  
Enforcement</option>  
<option  
value="35">Legislative Office</option>  
<option value="36">Luxury  
Goods and Jewelry</option>  
<option  
value="37">Manufacturing</option>  
<option  
value="38">Maritime</option>  
<option  
value="39">Military</option>  
<option  
value="40">Mining</option>  
<option  
value="41">Packaging and Containers</option>  
<option  
value="42">Performing Arts</option>  
<option value="43">Personal  
Service</option>  
<option  
value="44">Pharmaceutical</option>  
<option  
value="45">Poultry</option>  
<option value="46">Printing  
and Publishing</option>  
<option  
value="47">Production</option>  
<option value="48">Public  
Safety</option>  
<option  
value="49">Photography and Film</option>  
<option value="50">Quick  
Service Restaurant (QSR)</option>  
<option value="51">Real  
Estate</option>  
<option  
value="52">Recreational Facilities and  
Services</option>  
<option value="53">Religious  
Institutions</option>  
<option value="54">Retail  
Industry</option>  
<option value="55">Shipping  
Services</option>  
<option value="56">Staffing  
and Recruiting</option>  
<option value="57">Supply  
Chain Management</option>  
value="58">Telecommunications</option>  
<option  
value="59">Transportation</option>  
<option  
value="60">Tourism</option>  
<option  
value="61">Utilities</option>
```

```
<option  
value="62">Veterinary</option>  
<option value="63">Warehousing</option>  
<option  
value="64">Others</option>  
</select>  
</div>  
<div class="col col-lg-6 col-md-6  
col-sm-12 col-12 colHolder">  
<label class="col-form-label  
educFieldLabel required w-100 p-1" id="educSalaryLbl"  
for="selectEducSalary">Salary Range</label>  
<select class="form-select  
educSelectBox text-uppercase w-100"  
name="educSalary" id="selectEducSalary" required>  
<option value="1">Less than  
10,000</option>  
<option value="2">10,000-  
20,999</option>  
<option value="3">21,000-  
30,999</option>  
<option value="4">31,000-  
40,999</option>  
<option value="5">41,000-  
50,999</option>  
<option value="6">More than  
50,999</option>  
</select>  
</div>  
</div>  
</div>  
<!-- Employment Info -->  
<div class="col eStatus col-lg-6 col-md-12  
col-sm-12 col-12 p-0">  
<div class="card p-3 darkBG  
id="employCard">  
<div class="d-flex align-items-center  
markerDiv rounded-2 m-0 w-100" id="markerEmploy">  
<label class="d-flex align-items-  
center">  
<input type="radio"  
id="employCheck" class="statusCheck"  
name="employInfo">  
Employment Status  
</label>  
</div>  
<div class="row m-0 my-3 gy-3 gx-  
3">  
<div class="col col-lg-4 col-md-4  
col-sm-6 col-12 colHolder">  
<label class="col-form-label  
employFieldLabel required w-100 p-1"  
id="employStatusLbl"  
for="selectEmployStatus">Employee Status</label>  
<select class="form-select  
employSelectBox text-uppercase w-100"  
name="employeeStatus" id="selectEmployStatus"  
required>  
<option  
value="EMPLOYED">Employed</option>  
<option  
value="UNEMPLOYED">Unemployed</option>  
</select>  
</div>
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

300

```
<div class="col col-lg-4 col-md-4
col-sm-6 col-12 colHolder">
    <label class="col-form-label
employFieldLabel required w-100 p-1"
id="employTypeLbl"
for="selectEmployeeType">Employee Type</label>
    <select class="form-select
employSelectBox text-uppercase w-100"
name="employeeType" id="selectEmployeeType"
required>
        <option
value="REGULAR">Regular</option>
        <option
value="CONTRACTUAL">Contractual</option>
        <option value="JOB
ORDER">Job Order</option>
    </select>
</div>
<div class="col col-lg-4 col-md-4
col-sm-4 col-12 colHolder">
    <label class="col-form-label
employFieldLabel required w-100 p-1"
id="employerTypeLbl"
for="selectEmployerType">Employer Type</label>
    <select class="form-select
employSelectBox text-uppercase w-100"
name="employerType" id="selectEmployerType"
required>
        <option
value="PRIVATE">Private</option>
        <option
value="PUBLIC">Public</option>
    </select>
</div>
<div class="col col-lg-12 col-md-
12 col-sm-8 col-12 colHolder">
    <label class="col-form-label
employFieldLabel required w-100 p-1" id="employerLbl"
for="inputEmployer">Name of
Employer/Company/Business</label>
    <input class="form-control
employUserInput text-uppercase w-100" type="text"
name="employerName" id="inputEmployer" required>
</div>
<div class="col col-lg-6 col-md-6
col-sm-12 col-12 colHolder">
    <label class="col-form-label
employFieldLabel required w-100 p-1"
id="employIndustryLbl"
for="selectEmployIndustry">Work Industry</label>
    <select class="form-select text-
uppercase w-100 employSelectBox"
name="employIndustry" id="selectEmployIndustry"
required>
        <option
value="1">Accounting</option>
        <option
value="2">Advertising and Marketing</option>
        <option
value="3">Aerospace</option>
        <option
value="4">Agriculture</option>
        <option
value="5">Animation</option>
        <option value="6">Apparel
and Fashion</option>
```

```
        <option
value="7">Architecture and Planning</option>
        <option value="8">Arts and
Crafts</option>
        <option
value="9">Automobile Engineering</option>
        <option value="10">Auto
Mechanics</option>
        <option
value="11">Aviation</option>
        <option
value="12">BPO</option>
        <option value="13">Buy and
Sell</option>
        <option value="14">Casinos
and Gambling</option>
        <option
value="15">Chemical</option>
        <option
value="16">Computer Technology</option>
        <option
value="17">Construction</option>
        <option
value="18">Cosmetics</option>
        <option
value="19">Design</option>
        <option value="20">E-
commerce</option>
        <option
value="21">Education</option>
        <option value="22">Electrical
Power</option>
        <option
value="23">Electronics</option>
        <option value="24">Event
Services</option>
        <option value="25">Finance
and Insurance Services</option>
        <option
value="26">Fishery</option>
        <option value="27">Fitness
and Wellness</option>
        <option
value="28">Furniture</option>
        <option value="29">Food
and Beverages</option>
        <option
value="30">Government</option>
        <option value="31">Graphic
Arts</option>
        <option
value="32">Healthcare and Welfare</option>
        <option
value="33">Hospitality Management</option>
        <option value="34">Law
Enforcement</option>
        <option
value="35">Legislative Office</option>
        <option value="36">Luxury
Goods and Jewelry</option>
        <option
value="37">Manufacturing</option>
        <option
value="38">Maritime</option>
        <option
value="39">Military</option>
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

301

```
<option value="40">Mining</option>
<option value="41">Packaging and Containers</option>
<option value="42">Performing Arts</option>
<option value="43">Personal Service</option>
<option value="44">Pharmaceutical</option>
<option value="45">Poultry</option>
<option value="46">Printing and Publishing</option>
<option value="47">Production</option>
<option value="48">Public Safety</option>
<option value="49">Photography and Film</option>
<option value="50">Quick Service Restaurant (QSR)</option>
<option value="51">Real Estate</option>
<option value="52">Recreational Facilities and Services</option>
<option value="53">Religious Institutions</option>
<option value="54">Retail Industry</option>
<option value="55">Shipping Services</option>
<option value="56">Staffing and Recruiting</option>
<option value="57">Supply Chain Management</option>
<option value="58">Telecommunications</option>
<option value="59">Transportation</option>
<option value="60">Tourism</option>
<option value="61">Utilities</option>
<option value="62">Veterinary</option>
<option value="63">Warehousing</option>
<option value="64">Others</option>
</select>
</div>
<div class="col col-lg-6 col-md-6 col-sm-12 col-12 colHolder">
<label class="col-form-label" employFieldLabel required w-100 p-1" id="employSalaryLbl" for="selectEmploySalary">Salary Range</label>
<select class="form-select" employSelectBox text-uppercase w-100" name="employSalary" id="selectEmploySalary" required>
<option value="1">Less than 10,000</option>
<option value="2">10,000-20,999</option>
<option value="3">21,000-30,999</option>
<option value="4">31,000-40,999</option>
<option value="5">41,000-50,999</option>
<option value="6">More than 50,999</option>
</select>
</div>
</div>
</div>
</div>
<!-- House Declaration -->
<div class="card p-3 my-4 darkBG">
<div class="row m-0">
<div class="col col-12 p-0">
<div class="d-flex align-items-center markerDiv rounded-2">
<div class="col-12" style="background-color: #f0f0f0; padding: 5px; border-radius: 5px;">House Declaration
```



```
<label class="col-form-label"
fieldLabel required w-100 p-1" for="famCount">No. of
Family Members</label>
<select class="form-select text-
uppercase w-100 houseSelectBox"
name="membersCount" id="famCount" required>
<option value="LESS THAN
5">Less than 5</option>
<option value="5 to 10">5 to
10</option>
<option value="11 to 15">11 to
15</option>
<option value="16 to 20">16 to
20</option>
<option value="MORE THAN
20">More than 20</option>
</select>
</div>
</div>

<!-- Button -->
<div class="row m-0 d-flex d-md-flex d-lg-
flex d-xxl-flex justify-content-md-end align-items-md-
center justify-content-lg-end align-items-lg-center justify-
content-xxl-end gx-2" id="rowBtn">
<div class="col d-flex d-sm-flex d-md-flex
d-xxl-flex justify-content-center justify-content-sm-center
justify-content-md-end justify-content-xxl-end col-lg-2
col-md-4 col-sm-12 col-12 p-0">
<button class="btn controlBtn"
name="submitBtn" type="submit"
form="addForm">Submit</button>
</div>
</div>
</form>
</div>

<?php
if (isset($_POST['submitBtn'])) {
    // Household Info
    $hFname = $_POST['hFname'];
    $hMname = $_POST['hMname'];

    if (isset($_POST['hSuffix']) && $_POST['hSuffix']
!= "") {
        $hLname = $_POST['hLname'] . " .
    $_POST['hSuffix'];
    } else {
        $hLname = $_POST['hLname'];
    }

    $membersCount = $_POST['membersCount'];

    //Personal Info
    $residentID;
    $fName = $_POST['fName'];
    $mName = $_POST['mName'];
    if (isset($_POST['suffix']) && $_POST['suffix'] !=
") {
        $iName = $_POST['iName'] . " .
    $_POST['suffix'];
    } else {
        $iName = $_POST['iName'];
    }
}

$gender = $_POST['gender'];
$birthday = $_POST['birthday'];
$birthplace = $_POST['birthplace'];
$mStatus = $_POST['mStatus'];
$religion = $_POST['religion'];
$disability = isset($_POST['disability']) ?
$_POST['disability'] : "";
$ccontact = $_POST['contact'];
$voterType = $_POST['voterType'];
$address = $_POST['address'];
$purok = $_POST['purok'];
$organization = $_POST['organization'];
$remarks = isset($_POST['remarks']) ?
$_POST['remarks'] : "";
$householdID; //foreign key
// $date_added = date("Y-m-d");
$encryptedName = $fName . " " . $iName;

// Educational Info
$eduStatus = isset($_POST['educStatus']) ?
($_POST['educStatus']) : null;
$eduLevel = isset($_POST['educLevel']) ?
($_POST['educLevel']) : "N/A";
$schoolType = isset($_POST['schoolType']) ?
($_POST['schoolType']) : "N/A";
$schoolAddSlash = isset($_POST['schoolName']) ?
($_POST['schoolName']) : "N/A";
$school = addslashes($schoolAddSlash);
$schoolName =
mysqli_real_escape_string($conn, $school);
$eduIndustry = isset($_POST['eduIndustry']) ?
($_POST['eduIndustry']) : "64"; //foreign key
$eduSalary = isset($_POST['educSalary']) ?
($_POST['educSalary']) : "1"; // foreign key

// Employment Info
$employStatus =
isset($_POST['employeeStatus']) ?
$_POST['employeeStatus'] : null;
$employeeType =
isset($_POST['employeeType']) ?
$_POST['employeeType'] : "N/A";
$employerType = isset($_POST['employerType']) ?
$_POST['employerType'] : "N/A";
$employerAddSlash =
isset($_POST['employerName']) ?
$_POST['employerName'] : "N/A";
$employer = addslashes($employerAddSlash);
$employerName =
mysqli_real_escape_string($conn, $employer);
$employIndustry =
isset($_POST['employIndustry']) ?
$_POST['employIndustry'] : "64"; //foreign key
$employSalary = isset($_POST['employSalary']) ?
$_POST['employSalary'] : "1"; //foreign key

//FOR ENCRYPTED IDs
$key = 'kkis2023';
$encrypt = $iName . "-" . $fName . "-" .
$mName;
$hEncrypt = $hLname . "-" . $hFname . "-" .
$hMname;

$encryptedResident =
Encryption::Encode($encrypt, $key);
```



```
$encryptedHousehold =
Encryption::Encode($hEncrypt, $key);

//Query for checking if RESIDENT entry already
exists
$checkResidents = "SELECT * FROM `residents`"
WHERE `hencrypted_id` = '$encryptedResident'";
$existingResident =
executeQuery($checkResidents);

if ($residentCount =
mysqli_num_rows($existingResident) > 0) {
    echo "<script>
    Swal.fire({
        icon: 'error',
        title: 'Oops...',
        text: 'Record already exists'
    }).then((result) => {
        if (result.isConfirmed) {
            window.location.href = './addEntry.php';
        }
    });
    </script>";
} else {
    //Query for Households
    $queryHousehold = "INSERT INTO
`households` (`hencrypted_id`, `head_first_name`,
`head_middle_name`, `head_last_name`,
`members_count`) VALUES (" . $encryptedHousehold .
"" . $hFname . "" . $hMname . "" . $hLname . "" .
$membersCount . ")";

    //Query for checking if HOUSEHOLD entry
already exists
    $checkHouseholds = "SELECT * FROM
`households` WHERE `hencrypted_id` =
'$encryptedHousehold'";
    $existingHousehold =
executeQuery($checkHouseholds);

    $updateHousehold = "UPDATE `households`"
SET `members_count` = '$membersCount' WHERE
`hencrypted_id` = '$encryptedHousehold';

    if ($householdCount =
mysqli_num_rows($existingHousehold) > 0) {
        //If entry already exists, update the Remarks
column and get the updated row ID
        executeQuery($updateHousehold);

        //Then get the household_id of the updated
row and pass the value to $householdID
        $retrieveHouseholdID = "SELECT
`household_id` FROM `households` WHERE
`hencrypted_id` = '$encryptedHousehold'";
        $getHouseholdID =
executeQuery($retrieveHouseholdID);
        while ($householdRow = $getHouseholdID-
>fetch_assoc()) {
            $householdID =
$householdRow['household_id'];
        }
    } else {
        //If entry is new, insert to db and get the
        inserted row id
        executeQuery($queryHousehold);
        $householdID = mysqli_insert_id($conn);
    }
}

//FOR QR CODE GENERATION
$path = 'assets/img/qrCodes/';
$file = $path . "KKIS-" . $rEncrypt . ".png";
$ecc = 'Q';
$pixelSize = 65;
$frameSize = 2;
$QRcode::png($encryptedResident, $file, $ecc,
$pixelSize, $frameSize);

//ADD LOGO IN QR CODE
$logoPath = "assets/img/logos/kkis-logo.png";
$QRImg = imagecreatefrompng($file);
$logoImg =
imagecreatefromstring(file_get_contents($logoPath));

$QRImgWidth = imagesx($QRImg);
$QRImgHeight = imagesy($QRImg);

$logoWidth = imagesx($logoImg);
$logoHeight = imagesy($logoImg);

//SCALE THE LOGO TO FIT IN THE QR
CODE
$logoQRWidth = $QRImgWidth / 4.5;
$scale = $logoWidth / $logoQRWidth;
$logoQRHeight = $logoHeight / $scale;

imagecopyresampled($QRImg, $logoImg,
$QRImgWidth / 2.5, $QRImgHeight / 2.5, 0, 0,
$logoQRWidth, $logoQRHeight, $logoWidth,
$logoHeight);

//SAVE QR CODE WITH LOGO ON IT
imagepng($QRImg, $file);

//Query for Personal info
$queryPersonal = "INSERT INTO
`residents`(`hencrypted_id`, `first_name`, `middle_name`,
`last_name`, `gender_preference`, `birthday`,
`birthplace`, `marital_status`, `religion`, `disability`,
`contact_no`, `voter_type`, `house_address`, `purok`,
`organization`, `remarks`, `qr_code`, `household_id`)
VALUES (" . $encryptedResident . "" . $fName . "" .
$mName . "" . $lName . "" . $gender . "" . $birthday .
"" . $birthplace . "" . $mStatus . "" . $religion . "" .
$disability . "" . $contact . "" . $voterType . "" .
$address . "" . $purok . "" . $organization . "" .
$remarks . "" . $file . "" . $householdID . ")";

//Execute personal info insertion and get the id
of the inserted entry
executeQuery($queryPersonal);
$residentID = mysqli_insert_id($conn);

//Query for Educational Info
$queryEducation = "INSERT INTO
`educational_info`(`student_status`, `student_level`,
`school_type`, `school_name`, `industry_id`, `salary_id`,
`resident_id`) VALUES (" . $eduStatus . "" .
$eduLevel . "" . $schoolType . "" . $schoolName . ",
```



```
"" . $eduIndustry . "", "" . $eduSalary . "", "" . $residentID  
. ")";  
  
//Query for Employment Info  
$queryEmployment = "INSERT INTO  
`employment_info`(`employment_status`,  
`employee_type`, `employer_type`, `employer_name`,  
`industry_id`, `salary_id`, `resident_id`) VALUES (" .  
$employStatus . ", " . $employeeType . ", " .  
$employerType . ", " . $employerName . ", " .  
$employIndustry . ", " . $employSalary . ", "  
$residentID . ")";  
  
//Determine which query to execute based on  
selected radio button  
if (isset($_POST['eduInfo'])) {  
    executeQuery($queryEducation);  
} else if (isset($_POST['employInfo'])) {  
    executeQuery($queryEmployment);  
} else {  
    echo "<script>alert('Something went  
wrong');</script>";  
}  
  
if (($queryPersonal && $updateHousehold) &&  
($queryEducation || $queryEmployment)) {  
    echo "<script>  
    Swal.fire({  
        icon: 'success',  
        title: 'Added successfully',  
    }).then((result) => {  
        if (result.isConfirmed) {  
            window.location.href = './addEntry.php';  
        }  
    });  
    </script>";  
} else if (($queryPersonal &&  
$queryHousehold) && ($queryEducation ||  
$queryEmployment)) {  
    echo "<script>  
    Swal.fire({  
        icon: 'success',  
        title: 'Added successfully',  
    }).then((result) => {  
        if (result.isConfirmed) {  
            window.location.href = './addEntry.php';  
        }  
    });  
    </script>";  
}  
}  
?  
</div>  
  
<?php  
require_once "fundamental-scripts.php";  
?>  
  
<!-- Custom Script -->  
<script type="text/javascript"  
src="assets/js/addEntry.js"></script>  
<script type="text/javascript"  
src="assets/js/sideMenu.js"></script>
```

```
<!-- Active Link -->  
<script type="text/javascript">  
$(document).ready(function() {  
    $("#add-link").addClass('nav-active');  
    $("#add-md-link").addClass("nav-md-active");  
})  
</script>  
</body>  
</html>
```

### kkid.php

```
<?php  
require_once "access-super-admin.php";  
  
$userRole = "SELECT `description` FROM `admin_type`  
WHERE `admin_type_id` =  
$_SESSION[admin_type_id]";  
$role = mysqli_fetch_assoc(executeQuery($userRole));  
?>  
<!DOCTYPE html>  
<html>  
  
<head>  
    <meta charset="utf-8">  
    <meta name="viewport" content="width=device-width,  
initial-scale=1.0, shrink-to-fit=no">  
    <title>KK ID Card</title>  
  
<?php  
require_once "fundamental-links.php"  
?>  
  
<!-- Custom Stylesheets -->  
<link rel="stylesheet" href="assets/scss/kkid.css">  
<link rel="stylesheet"  
href="assets/scss/sideMenu.css">  
  
<!-- Favicon -->  
<link rel="icon" type="image/x-icon"  
href="assets/img/logos/kkis.ico">  
</head>  
  
<body>  
    <div class="expanded d-none d-lg-flex" id="leftPanel">  
        <?php  
        if ($adminTypeID == 1) {  
            include 'sideMenu.php';  
        } else if ($adminTypeID == 2) {  
            include 'sideMenu-admin.php';  
        } else if ($adminTypeID == 3) {  
            include "sideMenu-staff.php";  
        } else {  
            header("Location: index.php");  
            exit;  
        }  
        ?>  
    </div>  
  
<div class="mainContainer" id="mainPanel">  
    <header class="d-lg-none d-flex" id="mdHeader">  
        <!-- Append Small Nav here -->  
    </header>  
    <header class="d-none d-lg-block" id="lgHeader">  
        <div class="row mx-0" id="headerRow">
```



```
<div class="col-md-8 col-12 d-flex justify-content-start align-items-center">
    <i class="fa-solid fa-bars me-4 d-none" id="hamburger" role="button"></i>
    <i class="fa-solid fa-xmark me-4" id="close" role="button"></i>
    <span class="pageTitle">KK ID Card</span>
</div>

<div class="col-md-4 d-none d-md-flex justify-content-end align-items-center">
    <span class="accountType"><?php echo $role[description] ?></span>
</div>
<hr id="headerHR">
</header>

<!-- BODY START -->
<div class="container-fluid content">
    <div class="sectionDiv">
        <div class="row mx-0">
            <!-- Scan Button -->
            <div class="d-none col-12 d-md-flex justify-content-end">
                <button class="btn rounded-2 px-3 py-2 w-auto d-flex justify-content-center align-items-center" id="scanBtn" data-bs-toggle="modal" data-bs-target="#scanModal" onclick="focusInput()">
                    Scan QR Code
                </button>
            </div>
        </div>
        <!-- Contents -->
        <div class="row mx-0">
            <!-- Batch Print -->
            <div class="col-12 col-lg-6 m-0 order-2 order-lg-1">
                <span class="sectionTitle">Batch Printing</span>
                <form method="POST" class="m-0 mt-4 d-flex justify-content-center align-items-center" id="kkidForm">
                    <div class="categoryCol row d-flex justify-content-end align-items-center gy-3">
                        <!-- Category: Age -->
                        <div class="col-3 p-0">
                            <div class="categoryDiv">
                                <input class="form-check-input checkboxCategory" type="checkbox" name="checkboxAge" id="checkAge">
                                    <label class="form-check-label categoryLbl" for="checkAge">Age</label>
                                </div>
                            <div class="col-8 p-0">
                                <select class="form-select" name="age" id="selectAge" disabled>
                                    <option value=< 15" selected>0-14 years old (Children)</option>
                                    <option value="BETWEEN 15 AND 30">15-30 years old (Kabataan)</option>
                                    <option value="BETWEEN 31 AND 59">31-59 years old (General Residents)</option>
                            </div>
                        </div>
                    </div>
                </form>
            </div>
        </div>
    </div>
</div>

<option value="">> 59">60 years old and above (Senior Citizens)</option>
</select>
</div>
<!-- Category: Purok -->
<div class="col-3 p-0">
    <div class="categoryDiv">
        <input class="form-check-input checkboxCategory" type="checkbox" name="checkboxPurok" id="checkPurok">
            <label class="form-check-label categoryLbl" for="checkPurok">Purok</label>
        </div>
    </div>
</div>
<div class="col-8 p-0">
    <select class="form-select" name="purok" id="selectPurok" disabled>
        <option value="CARDINAL">Cardinal</option>
        <option value="CORDILLERA">Cordillera</option>
        <option value="DOÑA PETRA">Doña Petra</option>
        <option value="DOÑA REGINA 1">Doña Regina 1</option>
        <option value="DOÑA REGINA 2">Doña Regina 2</option>
        <option value="DOÑA REGINA 3">Doña Regina 3</option>
        <option value="FAMILY VILLAGE">Family Village</option>
        <option value="IRAQ">Iraq</option>
        <option value="LOOBAN">Looban</option>
        <option value="MANGGAHAN">Manggahan</option>
        <option value="NAYON">Nayon</option>
        <option value="ORMOC">Ormoc</option>
        <option value="PULONG KENDI">Pulong Kendi</option>
        <option value="PUTING KRUS">Putting Krus</option>
        <option value="SAINT ANTHONY">Saint Anthony </option>
        <option value="SAMPAGUITA ST.">Ira Sampaguita St.</option>
        <option value="SMOKEY MOUNTAIN">Smoky Mountain </option>
    </select>
</div>
<!-- Custom Category -->
<div class="col-11 p-0">
    <div class="categoryDiv">
        <input class="form-check-input checkboxCategory" type="checkbox" id="checkCustom">
            <label class="form-check-label categoryLbl" for="checkCustom">Custom</label>
        </div>
    </div>
</div>
<!-- Custom Form -->
<div class="customDiv d-flex justify-content-end">
```



```
<div class="row customCategory gy-md-3 gy-1 d-flex justify-content-center justify-content-md-end">
    <div class="col-md-3">
        </div>
        <div class="col-9 col-md-3 p-0 d-flex align-items-center">
            <span class="customLbl" for="fName">First Name</span>
            </div>
            <div class="col-9 col-md-6 p-0">
                <input class="form-control" userInput text-uppercase w-100" type="text" name="firstName" id="fName" required disabled>
            </div>

            <div class="col-md-3">
                </div>
                <div class="col-9 col-md-3 p-0 d-flex align-items-center">
                    <span class="customLbl" for="mName" id="mNameLbl">Middle Name</span>
                    </div>
                    <div class="col-9 col-md-6 p-0">
                        <input class="form-control" userInput text-uppercase w-100" type="text" name="middleName" id="mName" disabled>
                    </div>

                    <div class="col-md-3">
                        </div>
                        <div class="col-9 col-md-3 p-0 d-flex align-items-center">
                            <span class="customLbl" for="lName">Last Name</span>
                            </div>
                            <div class="col-9 col-md-6 p-0">
                                <input class="form-control" userInput text-uppercase w-100" type="text" name="lastName" id="lName" required disabled>
                            </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        <div class="col-12 d-flex justify-content-lg-start justify-content-sm-center mt-4">
            <div class="col-6 d-flex justify-content-center">
                <button class="btn controlBtn" id="clearBtn" type="button" form="kkidForm" disabled>Clear All</button>
            </div>
            <div class="col-6 d-flex justify-content-center">
                <button class="btn controlBtn" id="submitBtn" type="submit" form="kkidForm" name="submitPrint" disabled>Submit</button>
            </div>
        </div>
    </div>
</div>

<!-- Preview -->
```

```
<div class="idPreview col-lg-6 col-12 m-0 order-1 order-lg-2">
    <div class="row m-0 w-100">
        <div class="col-12 p-0">
            <span class="text-start mb-3 sectionTitle">ID Preview</span>
        </div>
        <div class="col-12 p-3 d-flex justify-content-center align-items-center">
            
        </div>
    </div>

    <!-- Scan Modal -->
    <div class="modal fade" id="scanModal" data-bs-keyboard="false" tabindex="-1" aria-hidden="true">
        <div class="modal-dialog modal-md modal-dialog-centered">
            <div class="modal-content">
                <form action="" method="POST">
                    <div class="modal-header">
                        <div class="d-flex justify-content-start align-items-start">
                            
                            <span class="ms-1 modal-title" id="modalTitle">KKIS</span>
                        </div>
                    </div>
                    <div class="modal-body">
                        <div class="row mx-0 gy-3">
                            <div class="col-5 d-flex align-items-center">
                                <label for="transactionName">Transaction Name:</label>
                            </div>
                            <div class="col-7">
                                <select name="tName" id="transactionName" class="form-select" required>
                                    <option value="BLOOD DONATION" selected>BLOOD DONATION</option>
                                    <option value="CCC UNIFORM DONATION DRIVE">CCC UNIFORM DONATION DRIVE</option>
                                    <option value="HYGIENE KITS DISTRIBUTION">HYGIENE KITS DISTRIBUTION</option>
                                    <option value="SCHOOL SUPPLIES DISTRIBUTION">SCHOOL SUPPLIES DISTRIBUTION</option>
                                    <option value="SK SCHOLARSHIP (FINANCIAL ASSISTANCE)">SK SCHOLARSHIP</option>
                                    <option value="VIDEOKE">VIDEOKE</option>
                                </select>
                            </div>
                        </div>
                    <div class="col-5 d-flex align-items-center">
                    </div>
                </div>
            </div>
        </div>
    </div>
```



```
<label
for="residentName">Resident ID:</label>
</div>
<div class="col-7">
<input class="form-control"
type="text" id="residentName" name="rID" required>
</div>
</div>

<div class="row mx-0">
<div class="col-5"></div>
<div class="col-7">
<label for="" style="font-
size: 12px; color: #aeaeae">Scan the QR Code to
retrieve resident ID</label>
</div>
</div>

</div>
<div class="modal-footer">
<button type="submit"
class="btn btn-primary"
name="submitTransact">Submit</button>
</div>
</form>
</div>
</div>
</div>

<?php

//Submit Form
if (isset($_POST['submitPrint'])) {
    $fName = isset($_POST['firstName']) ?
$_POST['firstName'] : "";
    $mName = isset($_POST['middleName']) ?
$_POST['middleName'] : "";
    $lName = isset($_POST['lastName']) ?
$_POST['lastName'] : "";
    $age = isset($_POST['age']) ?
$_POST['age'] : "";
    $purok = isset($_POST['purok']) ?
$_POST['purok'] : "";

    if (isset($_POST['checkboxAge']) &&
!isset($_POST['checkboxPurok'])) {
        $query = "SELECT *,
CONCAT(`last_name`, ' ', `first_name`, '') AS
`full_name` FROM `residents` WHERE
DATE_FORMAT(FROM_DAYS(DATEDIFF(NOW(),
birthday)), '%Y') + 0 " . $age;
        $_SESSION['idQuery'] = $query;
    }

    if
(mysql_num_rows(executeQuery($query)) == 0) {
        echo '<script>
Swal.fire({
icon: "error",
title: "No record found",
}).then((result) => {
if (result.isConfirmed) {
window.location.href =
"kkid.php";
}
</script>';
    }
}
} else {
echo '<script>
window.open("idPrint.php",
"_blank");
</script>';
}
} else if (isset($_POST['checkboxPurok']) ||
!isset($_POST['checkboxAge'])) {
$query = "SELECT *,
CONCAT(`last_name`, ' ', `first_name`, '') AS
`full_name` FROM `residents` WHERE
`purok` = '$purok'";
$_SESSION['idQuery'] = $query;
if
(mysql_num_rows(executeQuery($query)) == 0) {
        echo '<script>
Swal.fire({
icon: "error",
title: "No record found",
}).then((result) => {
if (result.isConfirmed) {
window.location.href =
"kkid.php";
}
</script>';
    }
}
} else {
echo '<script>
window.open("idPrint.php",
"_blank");
</script>';
}
} else {
$query = "SELECT *,
CONCAT(`last_name`, ' ', `first_name`, '') AS
`full_name` FROM `residents` WHERE `first_name` = "
. $ fName . " AND `middle_name` = " . $ m Name . " AND

```



```
'last_name` = "" . $IName . " OR `first_name` = "" .  
$fName . "" AND `last_name` = "" . $IName . "";  
$_SESSION['idQuery'] = $query;  
  
if  
(mysqli_num_rows(executeQuery($query)) == 0) {  
    echo '
```



```
<!-- Custom stylesheets -->
<link rel="stylesheet" href="assets/scss/idPrint.css">

<!-- Favicon -->
<link rel="icon" type="image/x-icon"
href="assets/img/logos/kkis.ico">
</head>

<body onload="window.print();">
<div class="container-fluid">

<?php
$limit = 9;
$idQuery = $_SESSION['idQuery'];
$resident = executeQuery($idQuery);

$total_results = mysqli_num_rows($resident);
$total_loops = ceil($total_results / $limit);
$row = 0;

while ($row < $total_loops) {
    $start = $row * $limit;
    $query_paginated = $idQuery . " LIMIT $start,
$limit";
    $result_paginated =
executeQuery($query_paginated);

    ?>
    <div class="row mx-0 gy-1" id="print-area"
style="margin-bottom: 170px;">
        <?php
        while ($residentInfo =
mysqli_fetch_assoc($result_paginated)) {
            ?>
            <div class="imgContainer p-0">
                <div class="idImg">
                    
                </div>

                <div class="row idInfo gy-1">
                    <div class="col-12">
                        <div class="d-flex">
                            <div class="iconDiv d-flex justify-
content-center align-items-center rounded-1 me-2"><i
class="fa-solid fa-user"></i></div>
                            <span class="name"><?php
                                $middleName =
$residentInfo['middle_name'];
                            if ($middleName != "") {
                                $middleInitial =
substr($middleName, 0, 1);
                                echo
$residentInfo['full_name'] . ' ' . $middleInitial . ' ';
                            } else {
                                echo
$residentInfo['full_name'];
                            } ?></span>
                        </div>
                    </div>

                    <div class="col-12 d-flex">
                        <div class="d-flex">
                            <div class="iconDiv d-flex justify-
content-center align-items-center rounded-1 me-2"><i
class="fa-solid fa-cake-candles"></i></div>
                            <span class="bdy"><?php
                                $birthday = date("F j, Y",
strtotime($residentInfo['birthday']));
                                echo $birthday
                            ?></span>
                        </div>
                    </div>

                    <div class="col-12 d-flex">
                        <div class="d-flex">
                            <div class="iconDiv d-flex justify-
content-center align-items-center rounded-1 me-2"><i
class="fa-solid fa-location-dot"></i></div>
                            <span class="purok"><?php
                                $toLower =
strtolower($residentInfo['purok']);
                                $temp =
str_replace("Ñ", "*", $toLower);
                                $camelCase =
ucwords($temp);
                                $purok =
str_replace("*", "ñ", $camelCase);
                                echo $purok;
                            ?></span>
                        </div>
                    </div>

                    <div class="idQR">
                        
                    </div>
                </div>
            </div>
        </?php
        $row++;
    ?>
    </div>
<?php
require_once "fundamental-scripts.php"
?>

<!-- Custom Script -->
<script type="text/javascript"
src="assets/js/kkid.js"></script>
</body>

</html>
```

**transactions.php**

```
<?php
require_once "access-super-admin.php";

$userRole = "SELECT `description` FROM `admin_type`
WHERE `admin_type_id` = " .
$_SESSION['admin_type_id'] . "";
```



```
$role = mysqli_fetch_assoc(executeQuery($userRole));

$transactionCheck = "SELECT *, CONCAT(`last_name`, ', ', `first_name`, ', ', `middle_name`) AS `full_name` FROM `transactions` INNER JOIN `residents` ON transactions.resident_id = residents.resident_id";
$transactionResult = executeQuery($transactionCheck);
?>

<!DOCTYPE html>
<html>

<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, shrink-to-fit=no">
    <title>Transaction History</title>

    <?php
    require_once "fundamental-links.php"
    ?>

    <!-- Custom Stylesheets -->
    <link rel="stylesheet" href="assets/scss/transactions.css">
    <link rel="stylesheet" href="assets/scss/sideMenu.css">

    <!-- Favicon -->
    <link rel="icon" type="image/x-icon" href="assets/img/logos/kkis.ico">
</head>

<body>
    <div class="expanded d-none d-lg-flex" id="leftPanel">
        <?php
        if ($adminTypeID == 1) {
            include 'sideMenu.php';
        } else if ($adminTypeID == 2) {
            include 'sideMenu-admin.php';
        } else {
            include "sideMenu-staff.php";
        }
        ?>
    </div>

    <div class="mainContainer" id="mainPanel">
        <header class="d-lg-none d-flex" id="mdHeader">
            <!-- Append Small Nav here -->
        </header>
        <header class="d-none d-lg-block" id="lgHeader">
            <div class="row mx-0" id="headerRow">
                <div class="col-md-8 col-12 d-flex justify-content-start align-items-center">
                    <i class="fa-solid fa-bars me-4 d-none" id="hamburger" role="button"></i>
                    <i class="fa-solid fa-xmark me-4" id="close" role="button"></i>
                    <span class="pageTitle">Transaction History</span>
                </div>
                <!-- User Role -->
                <div class="col-md-4 d-none d-md-flex justify-content-end align-items-center">
                    <span class="accountType"><?php echo $role[description]></span>
                </div>
            </div>
        </header>
        <div class="content container-fluid">
            <div class="sectionDiv mx-0 mt-3 p-0">
                <form method="POST">
                    <!-- Options Row -->
                    <div class="row gx-5 mx-0 mb-1">
                        <!-- Show No. of Rows -->
                        <div class="col-12 d-flex align-items-center my-1 p-0" id="transactionsLength"></div>
                        <!-- Output Buttons -->
                        <div class="d-none col-md-5 col-lg-7 d-md-flex justify-content-md-start p-0" id="transactionsOutput"></div>
                        <!-- Filter -->
                        <!-- <div class="d-none col-lg-3 d-lg-flex align-items-center justify-content-end"></div> -->
                        <!-- Search -->
                        <div class="col-12 col-md-4 col-lg-3 p-0" id="transactionsSearch"></div>
                        <!-- Delete and Select -->
                        <div class="d-none d-md-flex align-items-center col-lg-2 col-md-3 justify-content-md-end p-0">
                            <div class="d-flex align-items-center me-2 rounded-1" id="checkBtn" disabled>
                                <input type="checkbox" class="checkItem me-2" name="rowCheck" id="checkAll" disabled>
                                <label id="checkTxt" for="checkAll">Select All</label>
                            </div>
                            <button class="btn d-none d-flex align-items-center rounded-1" id="deleteBtn" name="delete">
                                <i class="fa-regular fa-trash-can rounded-1 me-2" id="deleteIcon"></i>
                                <span id="deleteTxt">Delete</span>
                            </button>
                        </div>
                    </div>
                    <!-- Table start -->
                    <table class="table table-striped table-bordered dataTable table-hover responsive display nowrap no-footer dtr-inline collapsed darkBG" role="grid" cellspacing="0" id="transactionsTbl" style="width:100%">
                        <thead class="tblHeadRow">
                            <tr>
                                <th class="tblHead">Name</th>
                                <th class="tblHead">Resident</th>
                                <th class="tblHead">Issued On</th>
                                <th class="tblHead">Options</th>
                            </tr>
                        </thead>
                        <thead id="transactionsTblHead">
                            <tr>
                            </tr>
                        </thead>
                </div>
            </div>
        </div>
    </div>
</body>
```



```
<tbody>
<?php
while ($transact =
mysqli_fetch_assoc($transactionResult)) {
?>
<tr>
<td class="entryRow" scope="col"
data-label="Transaction"><?php echo
$transact['transaction_name'] ?></td>

<td class="entryRow" scope="col"
data-label="Resident"><?php echo $transact['full_name']
?></td>

<td class="entryRow" scope="col"
data-label="Issued On"><?php echo date("F j, Y",
strtotime($transact['issued_date'])) ?></td>

<td class="entryRow text-
center"><input class="checkItem" type="checkbox"
name="checkRow[]" value=<?php echo
$transact['transaction_id'] ?>></td>
</tr>
<?php
};

if (isset($_POST['delete']) &&
!empty($_POST['checkRow'])) {
    $ids = $_POST['checkRow'];
    foreach ($ids as $id) {
        $deleteTransact = "DELETE
FROM `transactions` WHERE `transaction_id` = " . $id .
"";;
        if
(executeQuery($deleteTransact)) {
            echo '<script>
Swal.fire({
    icon: "success",
    title: "Transaction deleted",
}).then((result) => {
    if (result.isConfirmed) {
        window.location.href =
"transactions.php";
    }
});
</script>';
        } else {
            echo '<script>
Swal.fire({
    icon: "error",
    title: "Failed to delete
transaction",
}).then((result) => {
    if (result.isConfirmed) {
        window.location.href =
"transactions.php";
    }
});
</script>';
        }
    }
}
?>
</tbody>
<tfoot>
<tr id="transactionsFooter">
<td></td>
<td></td>
<td></td>
<td></td>
</tr>
</tfoot>
</table>
<div class="row mx-0 mt-1 gy-1">
<div class="col-12 col-md-6 d-flex justify-
content-center justify-content-md-start align-items-center
p-0" id="transactionsTbInfo">
<!-- Append Info here -->
</div>
<div class="col-12 col-md-6 d-flex justify-
content-center justify-content-md-end align-items-center
p-0" id="transactionsPaginate">
<!-- Append pagination btns here -->
</div>
</div>
</form>
</div>
<?php
require_once "fundamental-scripts.php"
?>
<!-- Custom Script -->
<script type="text/javascript"
src="assets/js/transactions.js"></script>
<script type="text/javascript"
src="assets/js/sideMenu.js"></script>
<!-- Active Link -->
<script type="text/javascript">
$(document).ready(function() {
    $("#transactions-link").addClass('nav-active');
    $("#transactions-md-link").addClass("nav-md-
active");
})
</script>
</body>
</html>
settings.php
<?php
require_once "access-staff.php";
$userRole = "SELECT `description` FROM `admin_type`
WHERE `admin_type_id` =
$_SESSION[admin_type_id]";
$role = mysqli_fetch_assoc(executeQuery($userRole));
?>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8" />
<meta http-equiv="X-UA-Compatible"
content="IE=edge" />
<meta name="viewport" content="width=device-width,
initial-scale=1.0" />
```



```
<title>Settings</title>

<?php
require_once "fundamental-links.php"
?>


<link rel="stylesheet" href="assets/scss/settings.css" />


<link rel="icon" type="image/x-icon"
href="assets/img/logos/kkis.ico" />
</head>

<body>

<header class="d-lg-none d-flex" id="mdHeader">
<nav class="d-flex d-lg-none navbar navbar-expand-lg
navbar-light" id="smallNav">
<div class="container-fluid d-flex align-items-center">
<a class="navbar-brand d-flex align-items-center p-0" href=<?php if ($_SESSION['admin_type_id'] <= 2 &&
$_SESSION['admin_type_id'] != 0) {
echo
"dashboard.php";
} else if
($_SESSION['admin_type_id'] == 3) {
echo
"addEntry.php";
} ?>>KKIS</a>
<button class="navbar-toggler" type="button" data-
bs-toggle="collapse" data-bs-target="#smallNavMenu"
aria-controls="smallNavMenu" aria-expanded="false"
aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>

<div class="collapse navbar-collapse"
id="smallNavMenu">
<ul class="navbar-nav me-auto mb-2 mb-lg-0">
<li class="nav-item">
<a class="nav-md-link" href=<?php if
($_SESSION['admin_type_id'] <= 2 &&
$_SESSION['admin_type_id'] != 0) {
echo 'dashboard.php';
} else if
($_SESSION['admin_type_id'] == 3) {
echo 'addEntry.php';
} ?>" id="home-md-
link">Home</a>
</li>
<li class="nav-item">
<a class="nav-md-link"
href="settings.php?page=user-manual" id="userManual-
md-link">User Manual</a>
</li>
<li class="nav-item">
<a class="nav-md-link"
href="settings.php?page=account" id="account-md-
link">Account Settings</a>
</li>
<?php
if ($_SESSION['admin_type_id'] == 1) {
echo '<li class="nav-item">
<div class="expanded d-none d-lg-flex" id="sidePanel">
<div class="settingsPanel">
<a href=<?php
if (($_SESSION['admin_type_id'] <= 2) &&
($_SESSION['admin_type_id'] != 0)) {
echo "dashboard.php";
} else if ($_SESSION['admin_type_id'] == 3) {
echo "addEntry.php";
} else {
echo "index.php";
}
?>" id="settings-back">
<i role="button" class="backIcon fa-solid fa-arrow-
left me-3"></i>
<span class="sideTitle">Settings</span>
</a>


<div class="userType row d-flex justify-content-
center mx-0 mt-4 mb-5 gy-3">
<div class="col-12 d-flex justify-content-center">
<div class="colContainer">
<div class="imgContainer">
<img class="adminImg mx-auto d-block"
src=<?php echo $_SESSION['dp'] ?>" alt="" />
</div>
<button class="btn btn-secondary"
id="changeDP" data-bs-toggle="modal" data-bs-
target="#modalChangeDP"><i class="fa-solid fa-camera" style="color: white; font-size: 15px;"></i></button>
</div>
</div>
<div class="col-12">
<span class="adminName mx-auto d-block text-
center my-1"><?php echo $_SESSION['firstName']. " ". $__
SESSION['lastName'] ?></span>
<span class="settings-link mx-auto d-block text-
center"><?php echo $role['description'] ?></span>
</div>
</div>


<div class="modal" tabindex="-1"
id="modalChangeDP">
<div class="modal-dialog modal-dialog-centered">
<form class="w-100" action=""
enctype="multipart/form-data" method="POST">
<div class="modal-content">
```



```
<div class="modal-header">
    <h5 class="modal-title">Edit profile
picture</h5>
    <button type="button" class="btn-close" data-
bs-dismiss="modal" aria-label="Close"></button>
</div>
<div class="modal-body text-center mb-2">
    <div class="dpDiv d-flex justify-content-center
p-3">
        <div id="changeImgContainer">
            
        </div>
        </div>
        <div class="buttons d-flex justify-content-
center" style="padding: 5px 40px;">
            <label class="input-group-text"
for="inputGroupFile">Upload<span></label>
            <input type="file" class="form-control"
name="newDP" id="inputGroupFile">
        </div>
        <span class="text-start accountTxt">Note:
Please upload 1:1 picture only.</span>
        </div>
        <div class="modal-footer">
            <button type="submit" class="btn btn-primary"
name="saveChanges">Save changes</button>
        </div>
    </div>
</div>
</form>
</div>
</div>

<hr />

<div class="genSettings">
    <div class="row mx-0 mt-4 mb-5 gy-2">
        <div class="col-12 px-0">
            <span class="settingsCategory">General
Settings</span>
        </div>
        <!-- User Manual Page -->
        <div class="col-12 d-block align-items-center pe-
0">
            <a class="settings-link"
href="settings.php?page=user-manual" id="userManual-
link">User Manual</a>
        </div>
        <!-- Account Settings -->
        <div class="col-12 pe-0">
            <a class="settings-link"
href="settings.php?page=account" id="account-
link">Account Settings</a>
        </div>
    </div>
<hr />

<?php
if ($_SESSION['admin_type_id'] == 1) {
    echo '<div class="accessControl">
<div class="row mx-0 mt-4 mb-5 gy-2">
    <div class="col-12 px-0">
        <span class="settingsCategory">Access
Control</span>
    </div>
    <div class="col-12 pe-0">
        <a class="settings-link"
href="settings.php?page=admin-role-controls"
id="admins-link">Admin Role Controls</a>
    </div>
</div>
</div>
</div>
<hr />;
}
?>

<div class="about">
    <div class="row mx-0 mt-4 mb-5 gy-2">
        <div class="col-12 px-0">
            <span class="settingsCategory">About</span>
        </div>
        <div class="col-12 pe-0">
            <a class="settings-link"
href="settings.php?page=developers" id="dev-
link">Developers</a>
        </div>
    </div>
</div>

<!-- <hr> -->
<!-- UNDER DEVELOPMENT -->
<!-- <div class="col-12 d-flex align-items-center
justify-content-start pe-0">
    <label class="settings-link d-flex align-items-center"
role="" id="darkMode" for="dark-toggle">Dark Mode
    <label class="switch ms-2">
        <input type="checkbox" id="dark-toggle">
        <span class="slider round"></span>
    </label>
</div> -->
</div>
<!-- Main Container -->
<div class="mainContainer" id="settingsPanel">
<?php
if (isset($_GET['page'])) {
    $page = $_GET['page'];
    switch ($page) {
        case 'account':
            include('account.php');
            break;
        case 'admin-role-controls':
            include('admin-role-controls.php');
            break;
        case 'developers':
            include('developers.php');
            break;
        default:
            include('user-manual.php');
    }
}
?>
</div>

<!-- SMALL SCREEN NAV MAIN -->
```



```
<nav class="d-none navbar navbar-expand-lg navbar-light" id="smallNav">
    <div class="container-fluid">
        <a class="navbar-brand d-flex align-items-center" href="#">KKIS</a>
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#smallNavMenu" aria-controls="smallNavMenu" aria-expanded="false" aria-label="Toggle navigation">
            <span class="navbar-toggler-icon"></span>
        </button>
        <!-- Nav Menu -->
        <div class="collapse navbar-collapse" id="smallNavMenu">
            <ul class="navbar-nav me-auto mb-2 mb-lg-0">
                <li class="nav-item">
                    <a class="nav-link" href="settings.php?page=user-manual" id="userManual-md-link">User Manual</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="settings.php?page=account" id="account-md-link">Account Settings</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link nav-md-link" href="settings.php?page=admin-role-controls" id="admin-md-link">Admin Role Controls</a>
                </li>
                <br>
                <li class="nav-item">
                    <a class="nav-link nav-md-link" href="settings.php?page=developers" id="dev-md-link">Developers</a>
                </li>
            </ul>
        </div>
    </div>
</nav>

<?php
//Change DP
if (isset($_POST['saveChanges'])) {
    // $getPic = "SELECT `profile_pic` FROM `admins` WHERE `admin_id` = " . $_SESSION['admin_id'] . "";
    // $picResult = executeQuery($getPic);
    // while ($adminPic = mysqli_fetch_assoc($picResult))
    {
        // unlink($adminPic['profile_pic']);
        // }
    if (isset($_FILES['newDP']['name'])) {
        $types = ['image/jpeg', 'image/jpg', 'image/png'];
        $picType = $_FILES['newDP']['type'];
        if (!in_array($picType, $types)) {
            echo '<script>';
            Swal.fire({
                icon: "error",
                title: "File not accepted",
                text:"Only JPG, JPEG, and PNG images are allowed.",
            }).then((result) => {
                if (result.isConfirmed) {
                    window.location.href =
                    "settings.php?page=user-manual";
                }
            });
        }
    }
}
```



```
if (result.isConfirmed) {
    window.location.href =
"settings.php?page=user-manual";
}
)
</script>;
}
}
?
<?php
require_once "fundamental-scripts.php"
?>


<script type="text/javascript"
src="assets/js/settings.js"></script>
</body>
</html>
```

### user-manual.php

```
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible"
content="IE=edge">
    <meta name="viewport" content="width=device-width,
initial-scale=1.0">
    <title>User Manual</title>

    <!-- Custom Stylesheets --&gt;
    &lt;link rel="stylesheet" href="assets/scss/settings.css"&gt;

    <!-- Favicon --&gt;
    &lt;link rel="icon" type="image/x-icon"
href="assets/img/logos/kkis.ico"&gt;
&lt;/head&gt;

&lt;body&gt;
    &lt;header class="manualHeader"&gt;
        &lt;div class="row mx-0" id="headerRow"&gt;
            &lt;div class="col-12 d-flex justify-content-center
align-items-center py-4"&gt;
                &lt;img class="me-2" src="assets/img/logos/kkis-
logo.png" alt="" width="60px" height="60px"&gt;
                &lt;span class="d-none d-md-flex"&gt;
id="headerTitle"&gt;Kapitunan ng Kabataan Information
System&lt;/span&gt;
                &lt;span class="d-md-none d-flex"
id="fullTitle"&gt;KKIS&lt;/span&gt;
            &lt;/div&gt;
        &lt;div class="col-12 d-flex justify-content-center
align-items-center p-0" id="headerYellow"&gt;
            &lt;span id="headerSub"&gt;User Manual&lt;/span&gt;
        &lt;/div&gt;
    &lt;/header&gt;

    &lt;!-- CONTENT START --&gt;
    &lt;div class="container-fluid content"&gt;</pre>
```

```
<div class="sectionDiv">
    <!-- Back to top button -->
    <a href="#headerRow" class="btn rounded-pill d-
flex justify-content-center align-items-center"
id="toTopBtn"><i class="fa-solid fa-arrow-up"></i></a>
    <!-- Table of Contents -->
    <div class="block" id="tContents">
        <div class="blockHeader d-flex align-items-
center">
            <div class="iconContainer rounded-pill d-flex
justify-content-center align-items-center">
                
            </div>
            <div class="blockTitle">
                <span class="blockTitle">Table of
Contents</span>
            </div>
        </div>
        <div id="hrYellow"></div>
    </div>
    <div class="blockBody d-flex justify-content-
center">
        <table class="d-none d-lg-flex">
            <tbody>
                <tr>
                    <td class="contentTitle">About
KKIS</td>
                    <td class="contentTitle">Document
Generation Manual</td>
                </tr>
                <tr>
                    <td class="contentList">
                        <a href="#genInfo">1. General
Information</a>
                    </td>
                    <td class="contentList">
                        <a href="#copy">17. How to copy
lists to clipboard?</a>
                    </td>
                </tr>
                <tr>
                    <td class="contentList">
                        <a href="#systemFeatures">2.
System Features</a>
                    </td>
                    <td class="contentList">
                        <a href="#csv">18. How to export
lists in CSV format?</a>
                    </td>
                </tr>
                <tr>
                    <td class="contentList">
                        <a href="#uid">3. User Interface
Design</a>
                    </td>
                    <td class="contentList">
                        <a href="#excel">19. How to
export lists in Excel?</a>
                    </td>
                </tr>
            </tbody>
        </table>
    </div>

```



Manual</td>	<tr> <td class="contentTitle">&gt;Account</td> <td &gt;&lt;a="" &gt;20.="" a&gt;<="" class="contentList" export="" how="" href="#pdf" in="" lists="" pdf?&lt;="" td="" to=""></td>	>Account	
	<td class="contentList"><a href="#register">4. How to register?</a></td>	<td class="contentList"><a href="#print">21. How to print lists?</a>	<td class="contentList"><a href="#addEntry">10. How to add an entry?</a></td>
	<td class="contentList"><a href="#login">5. How to log in?</a></td>	<td class="contentList"><a href="#exportCustom">22. How to export custom lists?</a>	<td class="contentList"><a href="#viewEntry">11. How to view an entry?</a></td>
	<td class="contentList"><a href="#changePw">6. How to change my password?</a></td>	<td class="contentList"><a href="#printCustom">23. How to print custom lists?</a>	<td class="contentList"><a href="#updateEntry">12. How to update an entry?</a></td>
	<td class="contentList"><a href="#resetPw">7. How to reset my password?</a></td>	<td class="contentList"><a href="#printID">24. How to print IDs?</a>	<td class="contentList"><a href="#deleteEntry">13. How to delete an entry?</a></td>
	<td class="contentList"><a href="#updateProfile">8. How to update my profile?</a></td>	<td class="contentSubList"><a href="#printAge">24.1. Printing IDs based on age</a>	<td class="contentList"><a href="#filterEntry">14. How to filter entries?</a></td>
	<td class="contentList"><a href="#logout">9. How to log out?</a></td>	<td class="contentSubList"><a href="#printPurok">24.2. Printing IDs based on purok</a>	<td class="contentList"><a href="#transactionMngt">15. Transaction Management</a></td>
	<td class="contentList"><a href="#nameTransaction">15.1. How to name transactions?</a></td>		<td class="contentList"><a href="#nameTransaction">15.1. How to name transactions?</a></td>



	</tr>	</tr>
	<td class="contentSubList"><a href="#deleteTransaction">15.2. How to delete transactions?</a></td>	<td class="contentList"><a href="#resetPW">7. How to reset my password?</a></td>
	</td>	</td>
	<tr>	<tr>
	<td class="contentList"><a href="#scanQR">16. How to scan QR Codes?</a></td>	<td class="contentList"><a href="#updateProfile">8. How to update my profile?</a></td>
	</td>	</td>
	</tr>	</tr>
	</tbody>	</tbody>
	</table>	</table>
KKIS</td>	<table class="d-flex d-lg-none">	<td class="contentTitle">Information/Data Processing and Management Manual</td>
	<tbody>	</tr>
	<tr>	<td class="contentList"><a href="#addEntry">10. How to add an entry?</a></td>
	<td class="contentTitle">About Information</a>	</tr>
	<tr>	<td class="contentList"><a href="#viewEntry">11. How to view an entry?</a></td>
	<td class="contentList"><a href="#genInfo">1. General Information</a>	</tr>
	</td>	<td class="contentList"><a href="#updateEntry">12. How to update an entry?</a></td>
	</tr>	</tr>
	<tr>	<td class="contentList"><a href="#deleteEntry">13. How to delete an entry?</a></td>
	<td class="contentList"><a href="#uid">3. User Interface Design</a>	</tr>
	</td>	<td class="contentList"><a href="#filterEntry">14. How to filter entries?</a></td>
	</tr>	</tr>
	<tr>	<td class="contentList"><a href="#transactionMngt">15. Transaction Management</a></td>
	<td class="contentList"><a href="#register">4. How to register?</a></td>	</td>
	</tr>	<td class="contentList"><a href="#nameTransaction">15.1. How to name transactions?</a></td>
	<tr>	</tr>
	<td class="contentList"><a href="#login">5. How to log in?</a></td>	<tr>
	</tr>	<td class="contentSubList"><a href="#changePw">6. How to change my password?</a></td>
	<td class="contentList"><a href="#changePw">6. How to change my password?</a></td>	</tr>



# POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

318

<pre>&lt;td class="contentSubList"&gt;&lt;a href="#deleteTransaction"&gt;15.2. How to delete transactions?&lt;/a&gt;&lt;/td&gt; &lt;/tr&gt;  &lt;tr&gt; &lt;td class="contentList"&gt;&lt;a href="#scanQR"&gt;16. How to scan QR Codes?&lt;/a&gt;&lt;/td&gt; &lt;/tr&gt;  &lt;tr&gt; &lt;td class="contentTitle"&gt;Document Generation Manual&lt;/td&gt; &lt;/tr&gt;  &lt;tr&gt; &lt;td class="contentList"&gt; &lt;a href="#copy"&gt;17. How to copy lists to clipboard?&lt;/a&gt; &lt;/td&gt; &lt;/tr&gt;  &lt;tr&gt; &lt;td class="contentList"&gt; &lt;a href="#csv"&gt;18. How to export lists in CSV format?&lt;/a&gt; &lt;/td&gt; &lt;/tr&gt;  &lt;tr&gt; &lt;td class="contentList"&gt; &lt;a href="#excel"&gt;19. How to export lists in Excel?&lt;/a&gt; &lt;/td&gt; &lt;/tr&gt;  &lt;tr&gt; &lt;td class="contentList"&gt; &lt;a href="#pdf"&gt;20. How to export lists in PDF?&lt;/a&gt; &lt;/td&gt; &lt;/tr&gt;  &lt;tr&gt; &lt;td class="contentList"&gt; &lt;a href="#print"&gt;21. How to print lists?&lt;/a&gt; &lt;/td&gt; &lt;/tr&gt;  &lt;tr&gt; &lt;td class="contentList"&gt; &lt;a href="#exportCustom"&gt;22. How to export custom lists?&lt;/a&gt; &lt;/td&gt; &lt;/tr&gt;  &lt;tr&gt; &lt;td class="contentList"&gt; &lt;a href="#printCustom"&gt;23. How to print custom lists?&lt;/a&gt; &lt;/td&gt; &lt;/tr&gt;  &lt;tr&gt; &lt;td class="contentList"&gt;</pre>	<pre>&lt;a href="#printID"&gt;24. How to print IDs?&lt;/a&gt; &lt;/td&gt; &lt;/tr&gt;  &lt;tr&gt; &lt;td class="contentSubList"&gt; &lt;a href="#printAge"&gt;24.1. Printing IDs based on age&lt;/a&gt; &lt;/td&gt; &lt;/tr&gt;  &lt;tr&gt; &lt;td class="contentSubList"&gt; &lt;a href="#printPurok"&gt;24.2. Printing IDs based on purok&lt;/a&gt; &lt;/td&gt; &lt;/tr&gt;  &lt;tr&gt; &lt;td class="contentSubList"&gt; &lt;a href="#printInput"&gt;24.3. Printing IDs based on custom input data&lt;/a&gt; &lt;/td&gt; &lt;/tr&gt;  &lt;tr&gt; &lt;td class="contentTitle"&gt;Access Control Manual&lt;/td&gt; &lt;/tr&gt;  &lt;tr&gt; &lt;td class="contentList"&gt; &lt;a href="#roles"&gt;25. How to set/update roles for users?&lt;/a&gt; &lt;/td&gt; &lt;/tr&gt;  &lt;tr&gt; &lt;td class="contentList"&gt; &lt;a href="#deleteUser"&gt;26. How to delete a user?&lt;/a&gt; &lt;/td&gt; &lt;/tr&gt;  &lt;/tbody&gt; &lt;/table&gt; &lt;/div&gt; &lt;/div&gt;  <!-- 1. General Information --> &lt;div class="block" id="genInfo"&gt; &lt;div class="blockHeader d-flex align-items-center"&gt; &lt;div class="iconContainer rounded-pill d-flex justify-content-center align-items-center"&gt; &lt;img class="iconSVG" src="assets/img/userManualIcons/1.svg" alt=""&gt; &lt;/div&gt; &lt;div class="blockTitle"&gt; &lt;span class="blockTitle"&gt;1. General Information&lt;/span&gt; &lt;/div&gt; &lt;/div&gt; &lt;div id="hrYellow"&gt;&lt;/div&gt;</pre>
--	---



<div class="blockBody">  
    <p><strong>Katipunan ng Kabataan Information System</strong> is a web-based data management and document generation system that supports QR codes that are responsive to mobile phones and laptops. It aims to help the Sangguniang Kabataan in Barangay Sampiruhan, Calamba City, Laguna to address their problem in the manual processing of documents and services. The objective of this system is to digitize the processing of documents and to automate barangay services and transactions.</p>

<p>The system provides a dashboard that shows the total number of youths and residents that reside in the barangay. It also has a category where they can know the status of each youth residence, such as the total number of enrolled, working, and out-of-school youth. The available records on the server allows the concerned organization to gather data that can be used to plan projects or activities.</p>

<p>The system also offers document generation for the list of the youths' information and identification cards. KKIS can also generate a unique QR Code for each resident to be included in their identification card for verification. With this, the manual processing of documents transforms into a digitized method translating to faster transaction time.</p>

<p>The system provides a youth resident's profile that contains all of the youth's information in their barangay. Entries functions, including the update and add entry, are also offered in this system. Here, the Super Admin can encode other data and update the current information stored in the database. With this feature, KKIS helps improve residents' information stored in a central database, allowing the easy storing and updating of records. It also has a transaction history that monitors documents issued in the system.</p>

<p>The authorized personnel who can access the system were the SK Chairman who was the Super Admin, the SK Secretary as the Admin, and the SK Counselors as Staff. The Super Admin can access all the system's functionality, while the Admin can only access the Kabataan Profile and Add entry, and on the other hand, the Staff can only use the add entry function.</p>

<p>The lack of an affordable system that could provide accuracy, accountability, and efficiency in SK activities or responses, motivated the project team to develop this system. It is essential to be one step ahead and take advantage of technology's benefits. The Katipunan ng Kabataan Information System is beneficial because it allows authorized personnel to manage and acquire the necessary data. Thus, having this system gives the SK officials ease when managing transaction processes.</p>

    </div>  
</div>  
  
<!-- 2. System Features -->  
<div class="block" id="systemFeatures">  
    <div class="blockHeader d-flex align-items-center">  
        <div class="iconContainer rounded-pill d-flex justify-content-center align-items-center">  
              
        </div>

<div class="blockTitle">  
    <span class="blockTitle">2. System Features</span>  
</div>  
<div id="hrYellow"></div>

<div class="blockBody">  
    <p>The system was mainly used for document generation and automation and as a profiling tool. The system also offered QR code generation for faster transactions.</p>

    <strong>Dashboard</strong>  
    <p>In the system's dashboard, the Super Admin and Admin would see the total number of youth and residents residing in the barangay. It was categorized and filtered depending on the residents' characteristics.</p>

    <strong>Profiles</strong>  
    <p>This feature has a table that contains the list of all the youth and general residents together with their information. It has buttons for viewing the complete information, deleting, and updating an entry from the list. Additionally, it has a search function, the only function the Admin can use in this feature. The Super Admin can generate an Excel sheet, Comma-Separated Value (CSV) file, and PDF in this tab. The Super Admin can also prompt the system to print the existing table with the Print function.</p>

    <strong>Document Generation</strong>  
    <p>This feature included the printing of information about the youth residents. It also generates identification cards or KKID with their profile information such as Full name, Birthdate, Purok Address, and QR code. The preview of the KKID was on the right side of the page. The Super Admin could also do batch printing of the KKID depending on the batch characteristic: Age or Purok, or could opt to have a custom ID release that let the Super Admin input details to release an ID with specific personal details.</p>

    <strong>QR Code Generation</strong>  
    <p>The QR Code was generated once the Super Admin, Admin, or Staff adds the resident to the system. The code was based on their identification. It was printed along with the ID given by the SK official. The residents used this on their following transactions by scanning the code. With this, the Barangay Admin only has to scan, and then the system loads the information on their screen. If there is a lack of data that needs to be filled up, the Super Admin can edit the entry.</p>

    <strong>Transaction History</strong>  
    <p>A preview page that logged the entire transactions done in the system. The Super Admin could view the system's transaction history in this tab and delete a specifically selected transaction.</p>

    </div>  
</div>  
  
<!-- 3. User Interface Design -->  
<div class="block" id="uid">  
    <div class="blockHeader d-flex align-items-center">  
        <div class="iconContainer rounded-pill d-flex justify-content-center align-items-center">  
            



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

320

```
</div>
<div class="blockTitle">
    <span class="blockTitle">3. User
Interface Design</span>
</div>
<div id="hrYellow"></div>

<div class="blockBody">
    <div class="row">
        <!-- Index -->
        <div class="col-12 pageCol">
            <b>Index</b>
        </div>
        <div class="col-12 d-flex justify-content-
center">
            
        </div>

        <!-- Dashboard -->
        <div class="col-12 pageCol">
            <b>Dashboard</b>
        </div>
        <div class="col-12 d-flex justify-content-
center">
            
        </div>

        <!-- Households -->
        <div class="col-12 pageCol">
            <b>Declared Households
(Families)</b>
        </div>
        <div class="col-12 d-flex justify-content-
center">
            
        </div>

        <!-- Households -->
        <div class="col-12 pageCol">
            <b>Declared Households
(Overview)</b>
        </div>
        <div class="col-12 d-flex justify-content-
center">
            
        </div>

        <!-- Profiles -->
        <div class="col-12 pageCol">
            <b>Profiles (Kabataan)</b>
        </div>
        <div class="col-12 d-flex justify-content-
center">
            
        </div>

        <!-- Profiles -->
        <div class="col-12 pageCol">
            <b>Profiles (Residents)</b>
        </div>
    </div>
</div>

<div class="col-12 d-flex justify-content-
center">
    
</div>

<!-- Update Entry -->
<div class="col-12 pageCol">
    <b>Update Entry</b>
</div>
<div class="col-12 d-flex justify-content-
center">
    
</div>

<!-- Add New Entry -->
<div class="col-12 pageCol">
    <b>Add New Entry</b>
</div>
<div class="col-12 d-flex justify-content-
center">
    
</div>

<!-- KK ID Card -->
<div class="col-12 pageCol">
    <b>KK ID Card</b>
</div>
<div class="col-12 d-flex justify-content-
center">
    
</div>

<!-- Transaction History -->
<div class="col-12 pageCol">
    <b>Transaction History</b>
</div>
<div class="col-12 d-flex justify-content-
center">
    
</div>
</div>
</div>
</div>

<!-- 4. How to register? -->
<div class="block" id="register">
    <div class="blockHeader d-flex align-items-
center">
        <div class="iconContainer rounded-pill d-flex
justify-content-center align-items-center">
            
        </div>
        <div class="blockTitle">
            <span class="blockTitle">4. How to
register?</span>
        </div>
    </div>
    <div id="hrYellow"></div>
```



```
<div class="blockBody">
<div class="row">
<div class="col-12 pageCol">
    4.1 Fill out the necessary information.
</div>
<div class="col-12 note">
    <strong>Note: Passwords must contain
at least one number, one uppercase, one lowercase and
should be at least 8 or more characters.</strong>
</div>
<div class="col-12 d-flex justify-content-
center">
    
</div>

<div class="col-12 pageCol">
    4.2 Click 'Sign up' to register.
</div>
<div class="col-12 d-flex justify-content-
center">
    
</div>
</div>
</div>

<!-- 5. How to log in? -->
<div class="block" id="login">
    <div class="blockHeader d-flex align-items-
center">
        <div class="iconContainer rounded-pill d-flex
justify-content-center align-items-center">
            
        </div>
        <div class="blockTitle">
            <span class="blockTitle">5. How to log
in?</span>
        </div>
    </div>
    <div id="hrYellow"></div>

    <div class="blockBody">
        <div class="row">
            <div class="col-12 pageCol">
                5.1. Enter your 'Email' and 'Password'.
            </div>
            <div class="col-12 note">
                <strong>Note: The 'Email' and
'Password' must be registered.</strong>
            </div>
            <div class="col-12 d-flex justify-content-
center">
                
            </div>

            <div class="col-12 pageCol">
                5.2. Click the 'Log in' button.
            </div>
            <div class="col-12 d-flex justify-content-
center">
                
            </div>
        </div>
    </div>
</div>

<!-- 6. How to change my password? -->
<div class="block" id="changePw">
    <div class="blockHeader d-flex align-items-
center">
        <div class="iconContainer rounded-pill d-flex
justify-content-center align-items-center">
            
        </div>
        <div class="blockTitle">
            <span class="blockTitle">6. How to
change my password?</span>
        </div>
    </div>
    <div id="hrYellow"></div>

    <div class="blockBody">
        <div class="row">
            <div class="col-12 pageCol">
                6.1. In 'Settings', go to 'Account
Settings', then fill out the 'Change Password' form and
click 'Update'.
            </div>
            <div class="col-12 d-flex justify-content-
center">
                
            </div>

            <div class="col-12 pageCol">
                6.2. Click 'OK'.
            </div>
            <div class="col-12 d-flex justify-content-
center">
                
            </div>
        </div>
    </div>
</div>

<!-- 7. How to reset password? -->
<div class="block" id="resetPW">
    <div class="blockHeader d-flex align-items-
center">
        <div class="iconContainer rounded-pill d-flex
justify-content-center align-items-center">
            
        </div>
        <div class="blockTitle">
            <span class="blockTitle">7. How to reset
password?</span>
        </div>
    </div>
    <div id="hrYellow"></div>

    <div class="blockBody">
        <div class="row">
            <div class="col-12 pageCol">
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

322

7.1. Click 'Forgot Password?' in the 'Log in' page.

```
</div>
<div class="col-12 d-flex justify-content-center">
    
</div>
```

7.2. Enter Your Email Address.

```
</div>
<div class="col-12 note">
    <strong>Note: The 'Email' must be registered.</strong>
</div>
<div class="col-12 d-flex justify-content-center">
    
</div>
```

7.3. Click 'Request reset link' button.

```
</div>
<div class="col-12 d-flex justify-content-center">
    
</div>
```

7.4. Enter the one-time password sent to your email and click 'Verify' button.

```
</div>
<div class="col-12 d-flex justify-content-center">
    
</div>
```

7.5. After you verified, you will be redirected to the 'Reset Password' page.

```
</div>
<div class="col-12 d-flex justify-content-center">
    
</div>
```

7.6. Enter your email address and new password. To confirm your password enter again your new password.

```
</div>
<div class="col-12 d-flex justify-content-center">
    
</div>
</div>
</div>
```

<!-- 8. How to update profile? -->

```
<div class="block" id="updateProfile">
    <div class="blockHeader d-flex align-items-center">
        <div class="iconContainer rounded-pill d-flex justify-content-center align-items-center">
            
        </div>
        <div class="blockTitle">
            <span class="blockTitle">8. How to update profile?</span>
        </div>
    </div>
    <div id="hrYellow"></div>

    <div class="blockBody">
        <div class="row">
            <div class="col-12 pageCol">
                8.1. Go to settings then click the camera icon on your profile picture.
            </div>
            <div class="col-12 d-flex justify-content-center">
                
            </div>

            <div class="col-12 pageCol">
                8.2. Click the 'Upload' button.
            </div>
            <div class="col-12 d-flex justify-content-center">
                
            </div>

            <div class="col-12 pageCol">
                8.3. Choose the picture you want to upload.
            </div>
            <div class="col-12 d-flex justify-content-center">
                
            </div>

            <div class="col-12 pageCol">
                8.4. Once uploaded, click 'Save Changes' to update your profile.
            </div>
            <div class="col-12 d-flex justify-content-center">
                
            </div>
            </div>
        </div>
    </div>
    <!-- 9. How to log out?-->
    <div class="block" id="logout">
        <div class="blockHeader d-flex align-items-center">
            <div class="iconContainer rounded-pill d-flex justify-content-center align-items-center">
```



```

</div>
<div class="blockTitle">
<span class="blockTitle">9. How to log
out?</span>
</div>
<div id="hrYellow"></div>

<div class="blockBody">
<div class="row">
<div class="col-12 pageCol">
9.1. On any page you were at, just click
'Log out' located in the navigation bar.
</div>
<div class="col-12 d-flex justify-content-
center">

</div>
</div>
</div>

<!-- 10. How to add an entry? -->
<div class="block" id="addEntry">
<div class="blockHeader d-flex align-items-
center">
<div class="iconContainer rounded-pill d-flex
justify-content-center align-items-center">

</div>
<div class="blockTitle">
<span class="blockTitle">10. How to add
an entry?</span>
</div>
</div>
<div id="hrYellow"></div>

<div class="blockBody">
<div class="row">
<div class="col-12 pageCol">
10.1. Click the 'Add New Entry' tab.
</div>
<div class="col-12 d-flex justify-content-
center">

</div>

<div class="col-12 pageCol">
10.2. Fill out the residents information
needed. And make sure the you fill out all the required (*)<br/>
information
</div>

<div class="col-12 note">
<strong>Note: If the resident is a
student, out-of-school youth, or a working student, fill out
the following.</strong>
</div>
<div class="col-12 d-flex justify-content-
center">
```

```

</div>

<div class="col-12 note">
<strong>Note: If the resident is
employed or unemployed, fill out the following.</strong>
</div>

<div class="col-12 d-flex justify-content-
center">

</div>

<div class="col-12 pageCol">
10.3. Click the 'Submit' button.
</div>

<div class="col-12 d-flex justify-content-
center">

</div>
</div>

<!-- 11. How to view an entry?-->
<div class="block" id="viewEntry">
<div class="blockHeader d-flex align-items-
center">
<div class="iconContainer rounded-pill d-flex
justify-content-center align-items-center">

</div>
<div class="blockTitle">
<span class="blockTitle">11. How to view
an entry?</span>
</div>
</div>
<div id="hrYellow"></div>

<div class="blockBody">
<div class="row">
<div class="col-12 pageCol">
11.1. Go to 'Profiles' page.
</div>
<div class="col-12 d-flex justify-content-
center">

</div>

<div class="col-12 pageCol">
11.2. Click the 'View' button of the
resident you want to see the information of.
</div>
<div class="col-12 d-flex justify-content-
center">

</div>
```



```
<div class="col-12 pageCol">
    11.3. Once clicked, all the information
of that resident will be on full view.
</div>

<div class="col-12 d-flex justify-content-
center">
    
    </div>
</div>
</div>

<!-- 12. How to update an entry?-->
<div class="block" id="updateEntry">
    <div class="blockHeader d-flex align-items-
center">
        <div class="iconContainer rounded-pill d-flex
justify-content-center align-items-center">
            
        </div>
        <div class="blockTitle">
            <span class="blockTitle">12. How to
update an entry?</span>
        </div>
    </div>
    <div id="hrYellow"></div>

    <div class="blockBody">
        <div class="row">
            <div class="col-12 pageCol">
                12.1. Go to 'Profiles' page.
            </div>
        </div>
        <div class="col-12 d-flex justify-content-
center">
            
        </div>

            <div class="col-12 pageCol">
                12.2. Click the 'Edit' button of the entry
you want to update.
            </div>

            <div class="col-12 d-flex justify-content-
center">
                
            </div>

            <div class="col-12 pageCol">
                12.3. Then you will be redirected to the
'Update Entry' page, where you can update the
information of the residents.
            </div>
        <div class="col-12 d-flex justify-content-
center">
            
        </div>
    </div>
</div>

</div>
</div>

<!-- 13. How to delete an entry? -->
<div class="block" id="deleteEntry">
    <div class="blockHeader d-flex align-items-
center">
        <div class="iconContainer rounded-pill d-flex
justify-content-center align-items-center">
            
        </div>
        <div class="blockTitle">
            <span class="blockTitle">13. How to
delete an entry?</span>
        </div>
    </div>
    <div id="hrYellow"></div>

    <div class="blockBody">
        <div class="row">
            <div class="col-12 pageCol">
                13.1. Click the 'Profiles' tab.
            </div>
        </div>
        <div class="col-12 d-flex justify-content-
center">
            
        </div>

            <div class="col-12 pageCol">
                13.2. Click the 'Delete' button of the
resident you want to delete.
            </div>

            <div class="col-12 d-flex justify-content-
center">
                
            </div>

            <div class="col-12 pageCol">
                13.3. Then click 'Proceed' to
permanently delete the entry.
            </div>
        <div class="col-12 d-flex justify-content-
center">
            
        </div>
    </div>
</div>

<!-- 14. How to filter entries? -->
<div class="block" id="filterEntry">
    <div class="blockHeader d-flex align-items-
center">
        <div class="iconContainer rounded-pill d-flex
justify-content-center align-items-center">
            
        </div>
        <div class="blockTitle">
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

325

<span class="blockTitle">14. How to filter entries?</span>

</div>

</div>

<div id="hrYellow"></div>

<div class="blockBody">

<div class="row">

<div class="col-12 pageCol">

14.1. Click the 'Profiles' tab, to see the residents lists.

</div>

<div class="col-12 d-flex justify-content-center">



</div>

<div class="col-12 pageCol">

14.2. Then click the 'Filter' in the categories you want to filter.

</div>

<div class="col-12 d-flex justify-content-center">



</div>

</div>

<!-- 15.1. How to name transactions? -->

<div class="block" id="nameTransaction">

<div class="blockHeader d-flex align-items-center">

<div class="iconContainer rounded-pill d-flex justify-content-center align-items-center">



</div>

<div class="blockTitle">

<span class="blockTitle">15.1. How to name transactions?</span>

</div>

</div>

<div id="hrYellow"></div>

<div class="blockBody">

<div class="row">

<div class="col-12 pageCol">

15.1.1. Go to the 'KK ID Card' page. Then, click the 'Scan QR Code' button.

</div>

<div class="col-12 d-flex justify-content-center">



</div>

<div class="col-12 pageCol">

15.1.2. Select the name of transaction from the drop down box. Then <a href="#scanQR">scan

the QR code</a> of the resident's KK ID to fill the 'Resident ID' text field.

</div>

<div class="col-12 d-flex justify-content-center">



</div>

</div>

</div>

<!-- 15.2. How to delete transactions? -->

<div class="block" id="deleteTransaction">

<div class="blockHeader d-flex align-items-center">

<div class="iconContainer rounded-pill d-flex justify-content-center align-items-center">



</div>

<div class="blockTitle">

<span class="blockTitle">15.2. How to delete transactions?</span>

</div>

</div>

<div id="hrYellow"></div>

<div class="blockBody">

<div class="row">

<div class="col-12 pageCol">

15.2.1. Select 'Transaction History' tab.

</div>

<div class="col-12 d-flex justify-content-center">



</div>

<div class="col-12 pageCol">

15.2.2. Click the checkbox of the transaction you want to delete.

</div>

<div class="col-12 d-flex justify-content-center">



</div>

<div class="col-12 pageCol">

15.2.3. Click the 'Delete' button.

</div>

<div class="col-12 d-flex justify-content-center">



</div>

<div class="col-12 pageCol">

15.2.4. Click 'OK'.

</div>



```
<div class="col-12 d-flex justify-content-center">
    
</div>
</div>
</div>

<!-- 16. How to scan QR Codes? -->
<div class="block" id="scanQR">
    <div class="blockHeader d-flex align-items-center">
        <div class="iconContainer rounded-pill d-flex justify-content-center align-items-center">
            
        </div>
        <div class="blockTitle">
            <span class="blockTitle">16. How to scan QR Codes?</span>
        </div>
    </div>
    <div id="hrYellow"></div>

    <div class="blockBody">
        <div class="row">
            <div class="col-12 pageCol">
                16.1. Scan the QR code attached to the KK ID card with the use of the QR code scanner. Simply point the scanner to the QR code and pull its trigger to capture.
            </div>
        </div>
        <div class="col-12 d-flex justify-content-center">
            
        </div>

        <div class="col-12 pageCol">
            16.2. The encrypted ID will be retrieved from the KK ID card's QR code and will be automatically entered into the 'Resident ID' field.
        </div>
        <div class="col-12 d-flex justify-content-center">
            
        </div>

        <div class="col-12 pageCol">
            16.3. A modal will pop up after the procedure to confirm whether the operation was successful.
        </div>
        <div class="col-12 d-flex justify-content-center">
            
        </div>
    </div>
</div>

<!-- 17. How to copy lists to clipboard? -->
<div class="block" id="copy">
    <div class="blockHeader d-flex align-items-center">
        <div class="iconContainer rounded-pill d-flex justify-content-center align-items-center">
            
        </div>
        <div class="blockTitle">
            <span class="blockTitle">17. How to copy lists to clipboard?</span>
        </div>
    </div>
    <div id="hrYellow"></div>

    <div class="blockBody">
        <div class="row">
            <div class="col-12 pageCol">
                17.1. Go to the table you want to copy. In this example, we are going to copy the declared households table.
            </div>
        </div>
        <div class="col-12 d-flex justify-content-center">
            
        </div>

        <div class="col-12 pageCol">
            17.2. Click 'Copy' to copy to clipboard.
        </div>
        <div class="col-12 d-flex justify-content-center">
            
        </div>

        <div class="col-12 pageCol">
            17.3. A message indicating that the list has been copied will appear.
        </div>
        <div class="col-12 d-flex justify-content-center">
            
        </div>
    </div>

    <!-- 18. How to export lists in CSV format? -->
    <div class="block" id="csv">
        <div class="blockHeader d-flex align-items-center">
            <div class="iconContainer rounded-pill d-flex justify-content-center align-items-center">
                
            </div>
            <div class="blockTitle">
                <span class="blockTitle">18. How to export lists in CSV format?</span>
            </div>
        </div>
    </div>
```



```
</div>
<div id="hrYellow"></div>

<div class="blockBody">
    <div class="row">
        <div class="col-12 pageCol">
            18.1. To export the list in CSV format,
            click 'CSV'.
        </div>
    </div>
    <div class="col-12 d-flex justify-content-center">
        
    </div>

    <div class="col-12 pageCol">
        18.2. Then the CVS file will be
        automatically downloaded to your device.
    </div>
    <div class="col-12 d-flex justify-content-center">
        
    </div>
    </div>
</div>

<!-- 19. How to export lists in Excel? -->
<div class="block" id="excel">
    <div class="blockHeader d-flex align-items-center">
        <div class="iconContainer rounded-pill d-flex
justify-content-center align-items-center">
            
        </div>
        <div class="blockTitle">
            <span class="blockTitle">19. How to
            export lists in Excel?</span>
        </div>
    </div>
    <div id="hrYellow"></div>

    <div class="blockBody">
        <div class="row">
            <div class="col-12 pageCol">
                19.1. Click 'Excel' to export the list in
                Excel format.
            </div>
            <div class="col-12 d-flex justify-content-center">
                
            </div>

            <div class="col-12 pageCol">
                19.2. The Excel file will then be
                exported to your device.
            </div>
            <div class="col-12 d-flex justify-content-center">
                
            </div>
        </div>
    </div>
</div>

<!-- 20. How to export lists in PDF? -->
<div class="block" id="pdf">
    <div class="blockHeader d-flex align-items-center">
        <div class="iconContainer rounded-pill d-flex
justify-content-center align-items-center">
            
        </div>
        <div class="blockTitle">
            <span class="blockTitle">20. How to
            export lists in PDF?</span>
        </div>
    </div>
    <div id="hrYellow"></div>

    <div class="blockBody">
        <div class="row">
            <div class="col-12 pageCol">
                20.1. Click 'PDF' to export the list in
                PDF format.
            </div>
            <div class="col-12 d-flex justify-content-center">
                
            </div>

            <div class="col-12 pageCol">
                20.2. The PDF file will be downloaded
                automatically.
            </div>
            <div class="col-12 d-flex justify-content-center">
                
            </div>
        </div>
    </div>
</div>

<!-- 21. How to print lists? -->
<div class="block" id="print">
    <div class="blockHeader d-flex align-items-center">
        <div class="iconContainer rounded-pill d-flex
justify-content-center align-items-center">
            
        </div>
        <div class="blockTitle">
            <span class="blockTitle">21. How to print
            lists?</span>
        </div>
    </div>
    <div id="hrYellow"></div>

    <div class="blockBody">
        <div class="row">
            <div class="col-12 pageCol">
                21.1. Click 'Print'.
            </div>
        </div>
    </div>
</div>
```



```
<div class="col-12 d-flex justify-content-center">
    
</div>

    <div class="col-12 pageCol">
        21.2. Then customize it in the format
you need, then click 'Print'.
    </div>

    <div class="col-12 note">
        <strong>Example:</strong>
    </div>

    <div class="col-12 d-flex justify-content-center">
        
    </div>
    </div>
</div>

<!-- 22. Export custom lists -->
<div class="block" id="exportCustom">
    <div class="blockHeader d-flex align-items-center">
        <div class="iconContainer rounded-pill d-flex
justify-content-center align-items-center">
            
        </div>
        <div class="blockTitle">
            <span class="blockTitle">22. Export
custom lists</span>
        </div>
    </div>
    <div id="hrYellow"></div>

    <div class="blockBody">
        <div class="row">
            <div class="col-12 pageCol">
                22.1. Filter the categories to customize
the lists you need to export.
            </div>
        </div>
        <div class="col-12 d-flex justify-content-center">
            
        </div>

        <div class="col-12 pageCol">
            22.2. Then choose the format in which
you want the file to be exported.
        </div>
    <div class="col-12 d-flex justify-content-center">
        
    </div>
    </div>
</div>

</div>
```

```
</div>

<!-- 23. Print custom lists -->
<div class="block" id="printCustom">
    <div class="blockHeader d-flex align-items-center">
        <div class="iconContainer rounded-pill d-flex
justify-content-center align-items-center">
            
        </div>
        <div class="blockTitle">
            <span class="blockTitle">23. Print custom
list</span>
        </div>
    </div>
    <div id="hrYellow"></div>

    <div class="blockBody">
        <div class="row">
            <div class="col-12 pageCol">
                23.1. Filter the categories to customize
the lists.
            </div>
        </div>
        <div class="col-12 d-flex justify-content-center">
            
        </div>

        <div class="col-12 pageCol">
            23.2. Click 'Print'.
        </div>
        <div class="col-12 d-flex justify-content-center">
            
        </div>

        <!-- 24.1. How to print IDs based on age -->
        <div class="block" id="printAge">
            <div class="blockHeader d-flex align-items-center">
                <div class="iconContainer rounded-pill d-flex
justify-content-center align-items-center">
                    
                </div>
                <div class="blockTitle">
                    <span class="blockTitle">24.1. How to
print IDs based on age</span>
                </div>
            </div>
            <div id="hrYellow"></div>

            <div class="blockBody">
                <div class="row">
                    <div class="col-12 pageCol">
                        24.1.1. On the KK ID Card tab, check
'Age'.
                    </div>
                </div>
            </div>
        </div>
```



```
<div class="col-12 d-flex justify-content-center">
    
</div>

    <div class="col-12 pageCol">
        24.1.2. Then choose from the given age category.
    </div>
    <div class="col-12 d-flex justify-content-center">
        
    </div>

    <div class="col-12 pageCol">
        24.1.3. Click 'Submit' to print.
    </div>

    <div class="col-12 d-flex justify-content-center">
        
    </div>
    </div>
    </div>

    <!-- 24.2. How to print IDs based on purok -->
    <div class="block" id="printPurok">
        <div class="blockHeader d-flex align-items-center">
            <div class="iconContainer rounded-pill d-flex justify-content-center align-items-center">
                
            </div>
            <div class="blockTitle">
                <span class="blockTitle">24.2. How to print IDs based on purok</span>
            </div>
        </div>
        <div id="hrYellow"></div>

        <div class="blockBody">
            <div class="row">
                <div class="col-12 pageCol">
                    24.2.1. Check 'Purok', then choose the specific purok you need for batch printing.
                </div>
                <div class="col-12 d-flex justify-content-center">
                    
                </div>

                <div class="col-12 pageCol">
                    24.2.2. Choose from the list of purok in the dropdown menu.
                </div>
                <div class="col-12 d-flex justify-content-center">
                    
                </div>
            </div>
        </div>
    </div>
    </div>
    </div>

    <!-- 24.3. Click 'Submit' to print. -->
    <div class="col-12 pageCol">
        24.2.3. Click 'Submit' to print.
    </div>

    <div class="col-12 d-flex justify-content-center">
        
    </div>
    </div>
    </div>

    <!-- 24.3. How to print IDs based on input data -->
    <div class="block" id="printInput">
        <div class="blockHeader d-flex align-items-center">
            <div class="iconContainer rounded-pill d-flex justify-content-center align-items-center">
                
            </div>
            <div class="blockTitle">
                <span class="blockTitle">24.3. How to print IDs based on input data</span>
            </div>
        </div>
        <div id="hrYellow"></div>

        <div class="blockBody">
            <div class="row">
                <div class="col-12 pageCol">
                    24.3.1. Check 'Custom', then fill out the information needed.
                </div>
                <div class="col-12 d-flex justify-content-center">
                    
                </div>

                <div class="col-12 d-flex justify-content-center">
                    
                </div>

                <div class="col-12 pageCol">
                    24.3.2. Click 'Submit' once you are done.
                </div>
                <div class="col-12 d-flex justify-content-center">
                    
                </div>
            </div>
        </div>
    </div>
    </div>
    </div>

    <!-- 25. How to set/update roles for users -->

```



```
<div class="block" id="roles">
  <div class="blockHeader d-flex align-items-center">
    <div class="iconContainer rounded-pill d-flex justify-content-center align-items-center">
      
    </div>
    <div class="blockTitle">
      <span class="blockTitle">25. How to set/update roles for users</span>
    </div>
  </div>
  <div id="hrYellow"></div>

  <div class="blockBody">
    <div class="row">
      <div class="col-12 pageCol">
        25.1. Go to 'Settings', then click 'Admin Role Controls' in 'Access Control'.
      </div>
    </div>
    <div class="col-12 d-flex justify-content-center">
      
    </div>
    <div class="col-12 pageCol">
      25.2. Click the 'Edit' button to set/update the role of your chosen user.
    </div>
    <div class="col-12 note">
      <strong>Example: Updating the Admin user to Staff.</strong>
    </div>
    <div class="col-12 d-flex justify-content-center">
      
    </div>
    <div class="col-12 pageCol">
      25.3. Click the dropdown to choose roles.
    </div>
    <div class="col-12 d-flex justify-content-center">
      
    </div>
    <div class="col-12 pageCol">
      25.4. Click the role you want to set/update the user to.
    </div>
    <div class="col-12 note">
      <strong>Example: Updating Administrator role to Staff Member.</strong>
    </div>
  </div>
```

```
<div class="col-12 d-flex justify-content-center">
  
</div>

<div class="col-12 pageCol">
  25.5. Then a pop up will show, confirming that the role has been updated. Click 'OK'.
</div>

<div class="col-12 d-flex justify-content-center">
  
</div>

<div class="col-12 pageCol">
  25.6. Finally, the Admin user has been updated to a Staff Member account.
</div>

<div class="col-12 d-flex justify-content-center">
  
</div>
</div>
</div>

<!-- 26. How to delete a user? -->
<div class="block" id="deleteUser">
  <div class="blockHeader d-flex align-items-center">
    <div class="iconContainer rounded-pill d-flex justify-content-center align-items-center">
      
    </div>
    <div class="blockTitle">
      <span class="blockTitle">26. How to delete a user?</span>
    </div>
  </div>
  <div id="hrYellow"></div>

  <div class="blockBody">
    <div class="row">
      <div class="col-12 pageCol">
        26.1. At 'Access Control' in 'Settings', click the 'Delete' button of the user you want to remove in the system.
      </div>
      <div class="col-12 note">
        <strong>Example: Deleting the an account with a 'Staff Member' role.</strong>
      </div>
      <div class="col-12 d-flex justify-content-center">
        
      </div>
    </div>
```



```
<div class="col-12 pageCol">
    26.2. Click 'Proceed' to permanently
    delete the account.
</div>

<div class="col-12 d-flex justify-content-
center">
    
</div>

<div class="col-12 pageCol">
    26.3. A confirmation will pop up to
    notify you that the account has been deleted.
</div>

<div class="col-12 d-flex justify-content-
center">
    
</div>

<div class="col-12 pageCol">
    26.4. And now, the 'Staff Member'
    user has been removed.
</div>

<div class="col-12 d-flex justify-content-
center">
    
    </div>
    </div>
    </div>
    </div>
    </div>
</div>
<?php
require_once "fundamental-scripts.php";
?>

<!-- Custom Script -->
<script type="text/javascript"
src="assets/js/settings.js"></script>

<!-- Active page -->
<script type="text/javascript">
$(document).ready(function() {
    $("#userManual-link").addClass('active');
    $("#userManual-md-link").addClass('nav-md-
active');
});
</script>
</body>

</html>
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

332

```
<input type="text"
class="form-control userInput" name="lastName"
id="lastName" value="php echo $lastName ?"
required>
    </div>
</div>

<!-- Right Form -->
<div class="col-12 col-sm-6"
id="rightForm">
    <!-- New Email -->
    <div class="row my-2">
        <div class="col-12 col-lg-6">
            <label for="newEmail"
class="col-form-label accountTxt">New Email</label>
        </div>

        <div class="col-12 col-lg-6">
            <input type="email"
class="form-control userInput" name="newEmail"
id="email" value="php echo $email ?" required>
        </div>
    </div>

    <div class="row my-2">
        <!-- Contact No. -->
        <div class="col-12 col-lg-6">
            <label for="email"
class="col-form-label accountTxt">Contact
Number</label>
        </div>
        <div class="col-12 col-lg-6">
            <input type="numerals"
class="form-control userInput" name="contactNo"
id="contactNo" value="php echo $contactNo ?" required>
        </div>
    </div>

    <?php
    }
    ?>
</div>
<!-- Save Button -->
<div class="row mx-0 my-3">
    <div class="col-12 d-flex justify-
content-end align-items-end">
        <button class="btn accountBtn
rounded-pill" name="editProfileBtn" type="submit"
form="editProfileForm" id="editProfileBtn" disabled>
            Save
        </button>
    </div>
</div>
</div>
</div>

<!-- CHANGE PASSWORD -->
<div class="row my-4">
    <div class="col-12">
```

```
<p class="settingsTxt
settingsSubTxt">Change Password</p>
<hr id="headerHR">
</div>

<div class="col-12">
    <form method="POST"
id="updatePassForm">
        <div class="row my-4 gx-5">
            <!-- Left Form -->
            <div class="col-12 col-md-6"
id="leftForm">
                <div class="row my-2">
                    <!-- Current Password -->
                    <div class="col-12 col-lg-6">
                        <label for="currentPassword"
class="col-form-label accountTxt">Current
Password</label>
                    </div>
                    <div class="col-12 col-lg-6">
                        <input class="form-control
passInput" type="password" name="currentPassword"
id="currentPassword" required>
                    </div>
                </div>
                <i class="toggle-password far
fa-eye-slash" id="toggle_current_pass"
style="color:#393737;" toggle="#password-field"></i>
            </div>
        </div>

        <div class="row my-2">
            <!-- New Password -->
            <div class="col-12 col-lg-6">
                <label for="newPassword"
class="col-form-label accountTxt">New
Password</label>
            </div>
        </div>

        <div class="col-12 col-lg-6">
            <input class="form-control
passInput" type="password" pattern="(?=.*\d)(?=.*[a-
z])(?=.*[A-Z])(?=.*[!@#$%^&*]).{8,}" title="Must be at
least 8 characters, including at least one number, one
uppercase and lowercase letter, and one special
character." name="newPassword" id="newPassword" required>
        <i class="toggle-password far
fa-eye-slash" id="toggle_new_pass"
style="color:#393737;" toggle="#password-field"></i>
        </div>
    </div>

    <div class="row my-2">
        <!-- Confirm New Password -->
        <div class="col-12 col-lg-6">
            <label for="confirmPassword"
class="col-form-label accountTxt">Confirm
Password</label>
        </div>
    </div>

    <div class="col-12 col-lg-6">
        <input class="form-control
passInput" type="password" name="confirmPassword"
id="confirmPassword" required>
    </div>
</div>
```



```
<i class="toggle-password far fa-eye-slash" id="toggle_confirm_pass" style="color:#393737;" toggle="#password-field"></i>

        <!-- Password mismatch -->
        <div id="messageMismatch" class="d-none d-flex justify-content-start align-items-center my-0 py-1">
            <i class="fa-solid fa-circle-exclamation" style="font-size: 14px; color: red; margin-right: 5px"></i>
            <span id="errorMessage" class=" text-start py-1 my-0" style="font-size: 14px; color: red"></span>
        </div>
        <!-- Password match -->
        <div id="messageMatch" class="d-none d-flex justify-content-start align-items-center my-0 py-1">
            <i class="fa-solid fa-circle-check" style="font-size: 14px; color: #3FB44A; margin-right: 5px"></i>
            <span id="successMessage" class=" text-start py-1 my-0" style="font-size: 14px; color: #3FB44A"></span>
        </div>
    </div>
</div>

        <!-- Right Note -->
        <div class="col-12 col-md-6 d-flex align-items-center" id="rightForm">
            <p class="accountTxt note">
                <b>
                    class="accountTxt">Note:</b> We recommend that you regularly update your password every three (3) months to prevent unauthorized access to your account.
                </p>
            </div>
        </div>

        <!-- Save Button -->
        <div class="row mx-0 my-3" id="rowBtn">
            <div class="col-12 d-flex justify-content-end align-items-end">
                <button class="btn accountBtn rounded-pill" name="updatePassBtn" type="submit" form="updatePassForm" id="updatePassBtn" disabled>
                    Update
                </button>
            </div>
        </div>
    </form>
</div>
</div>

<?php
// UPDATE PROFILE
if (isset($_POST['editProfileBtn'])) {
    $firstName = $_POST['firstName'];
    $lastName = $_POST['lastName'];
    $email = $_POST['newEmail'];
    $contactNo = $_POST['contactNo'];
}
```

```
$verifyEmail = "SELECT * FROM `admins` WHERE `email` = " . $email . "";;
$verifyResult = executeQuery($verifyEmail);
$resultCount =
mysqli_num_rows($verifyResult);

if (($resultCount > 0) && ($email == $_SESSION['email']) || ($resultCount == 0)) {
    $updateInfo = "UPDATE `admins` SET `first_name` = " . $firstName . ", `last_name` = " . $lastName . ", `email` = " . $email . ", `contact_no` = " . $contactNo . " WHERE `admin_id` = " . $_SESSION['admin_id'] . "";;
    if (executeQuery($updateInfo)) {
        $_SESSION['firstName'] = $firstName;
        $_SESSION['lastName'] = $lastName;
        $_SESSION['email'] = $email;
        $_SESSION['contactNumber'] =
$contactNo;
        echo '<script>
Swal.fire({
    icon: "success",
    title: "Profile updated",
}).then((result) => {
    if (result.isConfirmed) {
        window.location.href =
"settings.php?page=account",
    }
});
</script>';
    } else {
        echo '<script>
Swal.fire({
    icon: "error",
    title: "Profile not updated",
}).then((result) => {
    if (result.isConfirmed) {
        window.location.href =
"settings.php?page=account",
    }
});
</script>';
    }
} else if (($resultCount > 0) && ($email != $_SESSION['email'])) {
    echo '<script>
Swal.fire({
    icon: "error",
    title: "Invalid",
    text: "Email address already in use by another user",
}).then((result) => {
    if (result.isConfirmed) {
        window.location.href =
"settings.php?page=account",
    }
});
</script>';
}
// CHANGE PW
if (isset($_POST["updatePassBtn"])) {
    $currentpassword =
$_POST["currentPassword"];
}
```



```

$passwordquery = "SELECT * FROM `admins` WHERE `email` = '" . $_SESSION['email'] . "'";
$passwordresult = executeQuery($passwordquery);
$count = mysqli_num_rows($passwordresult);

if ($count == 1) {
    while ($row =
mysqli_fetch_assoc($passwordresult)) {
        $fetchpassword = $row['password'];

        if
(!password_verify($currentpassword, $fetchpassword))
{
            echo '<script>
Swal.fire({
icon: "error",
title: "Current password incorrect",
}).then((result) => {
if (result.isConfirmed) {
window.location.href =
"settings.php?page=account";
}
});';
</script>';
        } else if ($newpassword ==
$currentpassword) {
            echo '<script>
Swal.fire({
icon: "error",
title: "Invalid password",
text: "New password is same as current
password"
}).then((result) => {
if (result.isConfirmed) {
window.location.href =
"settings.php?page=account";
}
});';
</script>';
        } else if ($newpassword !=
$confirmpassword) {
            echo '<script>
Swal.fire({
icon: "error",
title: "Passwords didn\'t match",
}).then((result) => {
if (result.isConfirmed) {
window.location.href =
"settings.php?page=account";
}
});';
</script>';
        } else if
(password_verify($currentpassword, $fetchpassword)) {
            $updatequery = "UPDATE `admins` SET `password` ='" . $password_hash . "' WHERE `email` = '" . $_SESSION['email'] . "'";

            if (executeQuery($updatequery))
{
                $_SESSION['password'] =
$newpassword;
                echo '<script>
Swal.fire({
icon: "success",
title: "Password updated",
}).then((result) => {
if (result.isConfirmed) {
window.location.href =
"settings.php?page=account";
}
});';
</script>';
            }
        }
    }
}
?>
</div>
</div>
<?php
require_once "fundamental-scripts.php";
?>

<!-- Custom Script -->
<script type="text/javascript"
src="assets/js/settings.js"></script>

<!-- Active page -->
<script type="text/javascript">
$(document).ready(function() {
    $("#account-link").addClass('active');
    $("#account-md-link").addClass('nav-md-active');

    //Current password
    const togglePassword =
document.querySelector('#toggle_current_pass');
    const password =
document.querySelector('#currentPassword');

    togglePassword.addEventListener('click',
function(e) {
    // toggle the type attribute
    const type = password.getAttribute('type');
    === 'password' ? 'text' : 'password';
    password.setAttribute('type', type);
    // toggle the eye slash icon
    this.classList.toggle('fa-eye');
});
</script>;

```



```
});  
  
//New Password  
const toggleNewPassword =  
document.querySelector('#toggle_new_pass');  
const newPassword =  
document.querySelector('#newPassword');  
  
toggleNewPassword.addEventListener('click',  
function(e) {  
    // toggle the type attribute  
    const type = newPassword.getAttribute('type')  
    === 'password' ? 'text' : 'password';  
    newPassword.setAttribute('type', type);  
    // toggle the eye slash icon  
    this.classList.toggle('fa-eye');  
});  
  
// Confirm new password  
const toggleConfirmPassword =  
document.querySelector('#toggle_confirm_pass');  
const confirmPassword =  
document.querySelector('#confirmPassword');  
  
toggleConfirmPassword.addEventListener('click',  
function(e) {  
    // toggle the type attribute  
    const type =  
confirmPassword.getAttribute('type') === 'password' ?  
'text' : 'password';  
    confirmPassword.setAttribute('type', type);  
    // toggle the eye slash icon  
    this.classList.toggle('fa-eye');  
});  
});  
</script>  
</body>  
</html>
```

### admin-role-controls.php

```
<?php  
use PHPMailer\PHPMailer\PHPMailer;  
use PHPMailer\PHPMailer\Exception;  
?>  
<!DOCTYPE html>  
<html lang="en">  
  
<head>  
    <meta charset="UTF-8">  
    <meta http-equiv="X-UA-Compatible"  
content="IE=edge">  
    <meta name="viewport" content="width=device-  
width, initial-scale=1.0">  
    <title>Admin Role Controls</title>  
  
    <!-- Custom Stylesheets -->  
    <link rel="stylesheet"  
href="assets/scss/settings.css">  
  
    <!-- Favicon -->  
    <link rel="icon" type="image/x-icon"  
href="assets/img/logos/kkis.ico">  
</head>
```

```
<body>  
    <div class="container-fluid content"  
id="settingsContent">  
        <span class="settingTitle">Admin Role  
Controls</span>  
        <div class="sectionDiv">  
            <div class="row my-4">  
                <div class="col-12">  
                    <table id="adminControl" class="table  
table-striped dataTable display nowrap no-footer dtr-  
inline collapsed" role="grid" cellspacing="0">  
                        <thead>  
                            <tr>  
                                <th  
class="adminHead">Name</th>  
                                <th class="adminHead">Email  
address</th>  
                                <th class="adminHead">Contact  
No.</th>  
                                <th  
class="adminHead">Status</th>  
                                <th class="adminHead">Role</th>  
                                <th  
class="adminHead">Actions</th>  
                            </tr>  
                        </thead>  
                        <tbody>  
                            <?php  
                            $queryAdmin = "SELECT *,"  
CONCAT(`first_name`, ' ', `last_name`) AS `full_name`  
FROM `admins` ORDER BY `full_name` ASC";  
                            $getAdmin =  
executeQuery($queryAdmin);  
  
                            while ($rowAdmin =  
mysqli_fetch_assoc($getAdmin)) {  
                                ?>  
                                <tr>  
                                    <td class="entryRow"  
scope="col" data-label="Name">  
                                        <div class="">  
                                            <div class="nameCell d-flex  
justify-content-start align-items-center">  
                                                <div  
class="adminDPContainer me-2">  
                                                    " alt="">  
                                                </div>  
                                                <span  
class="rowName"><?php echo  
$rowAdmin["full_name"]; ?></span><br>  
                                            </div>  
                                        </div>  
                                    </td>  
                                    <td class="entryRow"  
scope="col" data-label="Email">  
                                        <span  
class="rowName"><?php echo $rowAdmin["email"];  
?></span>  
                                    </td>  
                            
```



```
<td class="entryRow"
scope="col" data-label="Contact No.">
    <span
class="rowName"><?php echo
$rowAdmin["contact_no"]; ?></span>
</td>

<td class="entryRow"
scope="col" data-label="Status">
    <?php
if ($rowAdmin["status"] ==
"Online") {
    echo '<div class="online d-
flex justify-content-start align-items-center rounded-3">
        <div class="online-dot
me-1"></div><span class="onlineTxt">Online</span>
        </div>';
} else {
    echo '<div class="offline d-
flex justify-content-start align-items-center rounded-3">
        <i class="bi bi-wifi-off fa-sm
me-1" style="color: #505050;"></i>
        <span
class="offlineTxt">Offline</span>
        </div>';
}
?>
</td>

<td class="entryRow">
    <?php
if
($rowAdmin["admin_type_id"] == 1) {
    echo '<div class="btn
rounded-3 p-2 adminBtn" style="background-color:
#813AAE; color: white">Super Administrator</div>';
} else if
($rowAdmin["admin_type_id"] == 2) {
    echo '<div class="btn
rounded-3 p-2 adminBtn" style="background-color:
#DD3F9C; color: white">Administrator</div>';
} else if
($rowAdmin["admin_type_id"] == 3) {
    echo '<div class="btn
rounded-3 p-2 adminBtn" style="background-color:
#F67138; color: white;">Staff Member</div>';
} else {
    echo '<div class="btn btn-
secondary rounded-3 p-2">Not Verified</div>';
}
?>
</td>

<td>
    <div class="row mx-0 gx-1">
        <!-- Update -->
        <div class="col-6 d-flex
justify-content-center align-items-center">
            <button <?php if
($rowAdmin["admin_id"] == $_SESSION['admin_id']) {
                echo " disabled";
            } ?> class="btn btn-
primary" id="editBtn" data-bs-toggle="modal" data-bs-
target="#updateRole<?php echo
$rowAdmin["admin_id"]; ?>" data-id="<?php echo
$rowAdmin["admin_id"]"; ?>">
        </div>
    </div>
</td>
```



```
echo " selected";
        }
?>>Staff Member</option>
                </select>
            </div>
        </div>
    </div>
    <div class="modal-footer">
        <input type="hidden" name="adminID" value=<?php echo $rowAdmin['admin_id'] ?>">
        <input type="hidden" name="adminEmail" value=<?php echo $rowAdmin['email'] ?>">
        <button type="submit" class="btn btn-primary" name="update">Save</button>
    </div>
    </form>
</div>
</div>
</div>


<div class="modal fade" tabindex="-1" id="delete"><?php echo $rowAdmin['admin_id'] ?>">
    <div class="modal-dialog modal-dialog-centered">
        <div class="modal-content">
            <div class="modal-body">
                <div class="swal2-icon swal2-warning swal2-icon-show d-flex justify-content-center">
                    <div class="swal2-warning swal2-icon-content" style="border-color: #facea8; color: #f8bb86"></div>
                    <div class="text-center">
                        <h1>Are you sure?</h1>
                        <p>This will permanently delete <b><?php echo $rowAdmin["full_name"] ?></b> from the database. Do you still want to proceed?</p>
                    </div>
                    <div class="modal-footer d-flex justify-content-evenly">
                        <!-- Form Delete-->
                        <form method="POST" class="d-flex justify-content-center w-100 mx-0">
                            <input type="hidden" name="adminID" value=<?php echo $rowAdmin['admin_id'] ?>">
                            <button type="submit" class="btn btn-secondary" name="proceed">Proceed</button>
                            <button type="button" class="btn btn-primary" data-bs-dismiss="modal">Cancel</button>
                        </form>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

<?php
};

require_once "assets/PHPMailer/src/Exception.php";
require_once "assets/PHPMailer/src/PHPMailer.php";
require_once "assets/PHPMailer/src/SMTP.php";

//Deleting an Admin
if (isset($_POST['proceed'])) {
    $adminID =
    isset($_POST['adminID']) ? $_POST['adminID'] : "";
    $deleteAdmin = "DELETE FROM `admins` WHERE `admin_id` = $adminID;

    $getEmail = "SELECT * FROM `admins` WHERE `admin_id` = ". $adminID . "";

    $adminDetail =
    mysqli_fetch_assoc(executeQuery($getEmail));
    $adminName =
    $adminDetail['first_name'];
    $adminTypeID =
    $adminDetail['admin_type_id'];

    //Send email
    $mail = new PHPMailer;
    $mail->SMTPDebug = 0;
    $mail->isSMTP();
    $mail->Host = 'smtp.gmail.com';
    $mail->Port = 587;
    $mail->SMTPAuth = true;
    $mail->From =
    "kksampiruhan@gmail.com";
    $mail->FromName = "KKIS";
    $mail->Username =
    "kksampiruhan@gmail.com";
    $mail->Password =
    "ndvqboozxpnxhmoi";
    $mail-
    >addAddress($adminDetail['email']);
    $mail->isHTML(true);
    if ($adminTypeID == 0) {
        $mail->Subject = 'Request
Rejected';
        $mail->Body = "<p>Hi,
{$adminName}</p>
<p>We appreciate your
interest in managing Katipunan ng Kabataan
Information system.</p>
    
```



```

        <p>Unfortunately, your
request to access KKIS has been rejected.</p>
        <p>However, you can still
support our Sangguniang Kabataan by taking part in
our projects.</p>
        <br>
        <br>
        <div>
            <p>Regards</p>
            <p><b>KATIPUNAN NG</b></p>
        </div>";
    }

    //If Admin already has a role
} else if ($adminTypeID >= 1) {
    $mail->Subject = 'Account
Removed';
    $mail->Body = "<p>Hi,
{$adminName}</p>
        <p>We are sorry to inform you
that your account in KKIS has been deleted.</p>
        <p>We really appreciate the
time and effort you put into managing our website.
        <br>
        <br>
        <div>
            <p>Regards</p>
            <p><b>KATIPUNAN NG</b></p>
        </div>";
}

$mail->AltBody = 'This is a plain-
text message body';

        // $getPic = "SELECT `profile_pic`
FROM `admins` WHERE `admin_id` = $adminID";
        // $picResult =
executeQuery($getPic);
        // while ($adminPic =
mysqli_fetch_assoc($picResult)) {
            // if ($adminPic['profile_pic'] !=
"assets/img/qrCodes/_default.png") {
            //
unlink($adminPic['profile_pic']);
            //
        }
        //

        //Check if database updated and if
email sent
if (executeQuery($deleteAdmin) &&
$mail->send()) {
    echo '
    <script>
        Swal.fire({
            icon: "success",
            title: "Deleted"
        }).then((result) => {
            if (result.isConfirmed) {
                window.location.href="settings.php?page=admin-role-
controls"
            }
        });
    </script>';
}
}

        echo '
        <script>
            Swal.fire({
                icon: "success",
                title: "Deleted"
            }).then((result) => {
                if (result.isConfirmed) {
                    Swal.fire("Email not sent",
                    "", "error").then((result) => {
                        window.location.href="settings.php?page=admin-role-
controls"
                    })
                }
            });
        </script>';
}

        //Updating an Admin Role
if (isset($_POST['update'])) {
    $adminID =
isset($_POST['adminID']) ? $_POST['adminID'] : "";
    $adminRole =
isset($_POST['adminRole']) ? $_POST['adminRole'] :
"0";
    $updateAdmin = "UPDATE
`admins` SET `admin_type_id` = $adminRole WHERE
`admin_id` = $adminID";
    $getEmail = "SELECT * FROM
`admins` WHERE `admin_id` = " . $adminID . """;
    $adminDetail =
mysqli_fetch_assoc(executeQuery($getEmail));
    $adminName =
$adminDetail['first_name'];
    $adminTypeID =
$adminDetail['admin_type_id'];

        $getRole = "SELECT `description`
FROM `admin_type` INNER JOIN `admins` ON
admin_type.admin_type_id = admins.admin_type_id
WHERE `admin_id` = " . $adminID . "";
        $getOldRole =
mysqli_fetch_assoc(executeQuery($getRole));
        $adminOldRole =
$getOldRole['description'];

        //Admin Type Text format
if ($adminTypeID == 1) {
    $adminType = "Super
Administrator";
} else if ($adminTypeID == 2) {
    $adminType = "Administrator";
} else if ($adminTypeID == 3) {
    $adminType = "Staff Member";
}

        //Send email
$mail = new PHPMailer();
$mail->SMTPDebug = 0;
$mail->isSMTP();

```



```
$mail->Host = 'smtp.gmail.com';
$mail->Port = 587;
$mail->SMTPAuth = true;
$mail->From =
"kksampiruhan@gmail.com";
$mail->FromName = "KKIS";
$mail->Username =
'kksampiruhan@gmail.com';
$mail->Password =
'ndvqboozxpnxhmoi';
$mail->addAddress($adminDetail['email']);
$mail->isHTML(true);
if ($adminTypeID == 0) {
    $mail->Subject = 'Account
Verification';
    if ($adminRole == 1) {
        $mail->Body = "<p>Hi,
{$adminName}</p>
<p>We're glad you registered
for KKIS.</p>
<p>You now have the
privilege of utilizing the system as a <b>Super
Administrator</b>. You have access to the following:
<ul>
<li>Dashboard</li>
<li>Declared
Households</li>
<li>Profiles</li>
<li>Update Entry</li>
<li>Add New Entry</li>
<li>KK ID Card</li>
<li>Transaction
History</li>
<li>Settings</li>
</ul>
<p>You are authorized to
access all features of the system.</p>
<p>To start exploring the
website, just click <a href='http://aragon-
notice.000webhostapp.com/'>here</a>.</p>
<br>
<br>
<div>
<p>Regards,</p>
<p><b>KATIPUNAN NG
KABATAAN</b></p>
</div>";
} else if ($adminRole == 2) {
    $mail->Body = "<p>Hi,
{$adminName}</p>
<p>We're glad you registered
for KKIS.</p>
<p>You now have the
privilege of utilizing the system as an
```

<b>Administrator</b>. You have access to the following:

```
<ul>
<li>Dashboard</li>
<li>Profiles</li>
<li>Add New Entry</li>
<li>KK ID Card</li>
<li>Transaction
```

History</li>

```
<li>Settings</li>
</ul>
</p>
```

<p>You are authorized to
access certain features of the system.</p>

<p>To start exploring the
website, just click <a href='http://aragon-
notice.000webhostapp.com/'>here</a>.</p>

```
<br>
<br>
<div>
```

```
<p>Regards</p>
<p><b>KATIPUNAN NG
```

KABATAAN</b></p>

```
</div>";
} else if ($adminRole == 3) {
    $mail->Body = "<p>Hi,
{$adminName}</p>
<p>We're glad you registered
```

for KKIS.</p>
<p>You now have the
privilege of utilizing the system as a <b>Staff
Member</b>. You have access to the following:

```
<ul>
<li>Add New Entry</li>
<li>Settings</li>
</ul>
</p>
```

<p>You are authorized to
access limited features of the system.</p>

<p>To start exploring the
website, just click <a href='http://aragon-
notice.000webhostapp.com/'>here</a>.</p>

```
<br>
<br>
<div>
```

```
<p>Regards</p>
<p><b>KATIPUNAN NG
```

KABATAAN</b></p>

```
</div>";
}
```

//If Admin already has a role

```
} else if ($adminTypeID >= 1) {
    $mail->Subject = 'Account
```

Updates';

```
if ($adminRole == 1) {
    $mail->Body = "<p>Hi,
```

<{\$adminName}</p>
<p>This is to let you know that

your account has undergone some changes. Your role
is now updated from ". \$adminOldRole ." to <b>Super
Administrator</b>. You have access to the following:

```
<ul>
<li>Dashboard</li>
```



# POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

340

Households</li>

<li>Declared  
<li>Profiles</li>  
<li>Update Entry</li>  
<li>Add New Entry</li>  
<li>KK ID Card</li>  
<li>Transaction

History</li>

<li>Settings</li>  
</ul>  
</p>

You are authorized access all features of the system.</p>

<p>To start exploring the website, just click <a href='http://aragon-notice.000webhostapp.com/#'>here</a>.</p>

<br>  
<br>  
<div>  
<p>Regards</p>  
<p><b>KATIPUNAN NG KABATAAN</b></p>

</div>;  
<} else if (\$adminRole == 2) {  
\$mail->Body = "<p>Hi,  
{\$adminName}!</p>  
<p>This is to let you know that your account has undergone some changes. Your role is now updated from ". \$adminOldRole . " to <b>Administrator</b>. You have access to the following:</p>  
<ul>  
<li>Dashboard</li>  
<li>Profiles</li>  
<li>Add New Entry</li>  
<li>KK ID Card</li>  
<li>Transaction

History</li>

<li>Settings</li>  
</ul>  
</p>

You are authorized access certain features of the system.</p>

<p>To start exploring the website, just click <a href='http://aragon-notice.000webhostapp.com/'>here</a>.</p>

<br>  
<br>  
<div>  
<p>Regards</p>  
<p><b>KATIPUNAN NG KABATAAN</b></p>

</div>;  
<} else if (\$adminRole == 3) {  
\$mail->Body = "<p>Hi,  
{\$adminName}!</p>  
<p>This is to let you know that your account has undergone some changes. Your role is now updated from ". \$adminOldRole . " to <b>Staff Member</b>. You have access to the following:</p>  
<ul>  
<li>Add New Entry</li>  
<li>Settings</li>  
</ul>

</p>

You are authorized access limited features of the system.</p>

<p>To start exploring the website, just click <a href='http://aragon-notice.000webhostapp.com/'>here</a>.</p>

<br>  
<br>  
<div>  
<p>Regards</p>  
<p><b>KATIPUNAN NG KABATAAN</b></p>

</div>;  
<}>

\$mail->AltBody = 'This is a plain-text message body';

//Check if database updated and if email sent

if (executeQuery(\$updateAdmin) && \$mail->send()) {

echo '



```
<!-- Custom Script -->
<script type="text/javascript"
src="assets/js/settings.js"></script>

<!-- Active page -->
<script type="text/javascript">
$(document).ready(function() {
    $("#admins-link").addClass('active');
    //DataTables Admin Control
    var adminTbl = $("#adminControl").DataTable({
        buttons: ["copy", "csv", "excel", "pdf", "print"],
        responsive: true,
        bFilter: false,
        bInfo: false,
        fixedHeader: true,
        paging: false,
        buttons: [
            {
                extend: "copyHtml5",
                exportOptions: {
                    columns: [0, 1, 2, 3, 4],
                },
            },
            {
                extend: "csvHtml5",
                exportOptions: {
                    columns: [0, 1, 2, 3, 4],
                },
            },
            {
                extend: "excelHtml5",
                exportOptions: {
                    columns: [0, 1, 2, 3, 4],
                },
            },
            {
                extend: "pdfHtml5",
                exportOptions: {
                    columns: [0, 1, 2, 3, 4],
                },
            },
            {
                extend: "print",
                exportOptions: {
                    columns: [0, 1, 2, 3, 4],
                },
            },
        ],
        autoWidth: false,
        columnDefs: [{{
            width: "25%",
            targets: 0
        }},
        {{
            width: "20%",
            targets: 1
        }},
        {{
            width: "10%",
            targets: 2
        }},
        {{
            width: "15%",
            targets: 3
        }},
        {{
            width: "20%",
            targets: 4
        }},
        {{
            width: "10%",
            targets: 5
        }}];
    });
});</script>
</body>
</html>
```

**developers.php**

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Developers</title>
    <!-- Custom Stylesheets -->
    <link rel="stylesheet" href="assets/scss/settings.css">
    <!-- Favicon -->
    <link rel="icon" type="image/x-icon" href="assets/img/logos/kkis.ico">
</head>
<body>
    <div class="container-fluid content">
        <span class="settingTitle">Developers</span>
        <div class="sectionDiv">
            <!-- Abrigo -->
            <div class="card">
                <div class="row">
                    <div class="col-lg-5">
                        <span class="member">Abrigo, Patricia Mae P.</span>
                        <p class="school settingsTxt">Polytechnic University of the Philippines</p>
                        <p class="settingsTxt">Contacts:<br>
                            <i class="fa-brands fa-linkedin"><a class="contact-link" href="https://www.linkedin.com/in/abrigopat" target="_blank"> abrigopat</a></i><br>
                            <i class="fa-brands fa-square-github"><a class="contact-link" href="https://github.com/abrigopat" target="_blank"> abrigopat</a></i><br>
                            <i class="fa-brands fa-square-facebook"><a class="contact-link" href="https://facebook.com/abrigopat" target="_blank"> abrigopat</a></i>
                        </p>
                    </div>
                </div>
            </div>
        </div>
    </div>
</body>
```



## POLYTECHNIC UNIVERSITY OF THE PHILIPPINES

342

href="https://www.facebook.com/abrigopatricia?mibextid=ZbWKwL" target="\_blank"> abrigopatricia</a></i>

</p>

</div>

<div class="col-lg-7" style="display:flex; align-items:center">

<p class="contribution settingsTxt" align="justify">She was responsible for both designing and doing the prototype of the website.

She made sure that every page and every step the users will experience in their interaction with the finished system will conform to the overall vision the team created. This helped the team see how the site will function in real life. She was also part of the main developers team. Abrigo lives in Calamba, Laguna, taking up Bachelor in Science in Information Technology.</p>

</div>

</div>

</div>

<!-- Alcala -->

<div class="card">

<div class="row">

<div class="col-lg-5">

<span class="member">Alcala, Nicole M.</span>

<p class="school settingsTxt">Polytechnic University of the Philippines</p>

<p class="settingsTxt">Contacts:<br>

<i class="fa-brands fa-linkedin"><a href="https://www.linkedin.com/in/nicolealcala" target="\_blank"> nicolealcala</a></i><br>

<i class="fa-brands fa-square-github"><a class="contact-link" href="https://github.com/nicolealcala" target="\_blank"> nicolealcala</a></i><br>

<i class="fa-brands fa-square-facebook"><a class="contact-link" href="https://web.facebook.com/nicole.alcala.m" target="\_blank"> nicole.alcala.m</a></i>

</p>

</div>

<div class="col-lg-7" style="display:flex; align-items:center">

<p class="contribution settingsTxt" align="justify">She was also in charge of the design and developers team.

Alcala guided them through every step in developing the system. She was in charge of ensuring that the website looks good and functions properly. Alcala also collaborated with the website and graphic designers, monitoring website traffic, troubleshooting website problems when they arise, and updating websites as necessary. She also directed system testing and validation procedures. She is currently a 4th year student, taking up a bachelor degree in Information Technology.

</p>

</div>

</div>

<!-- Austria -->

<div class="card">

<div class="row">

<div class="col-lg-5">

<span class="member">Austria, Princess Carl B.</span>

<p class="school settingsTxt">Polytechnic University of the Philippines</p>

<p class="settingsTxt">Contacts:<br>

<i class="fa-brands fa-linkedin"><a href="https://www.linkedin.com/in/princess-austria" target="\_blank"> princess-austria</a></i><br>

<i class="fa-brands fa-square-github"><a class="contact-link" href="https://github.com/princesscarl" target="\_blank"> princesscarl</a></i><br>

<i class="fa-brands fa-square-facebook"><a class="contact-link" href="https://www.facebook.com/princesscarll/" target="\_blank"> princesscarll</a></i>

</p>

</div>

<div class="col-lg-7" style="display:flex; align-items:center">

<p class="contribution settingsTxt" align="justify">She was one of the people in charge of creating documentation to help others understand how the system worked. This provided a solid foundation for website development while also making things clearer to visitors. The documentation team supported the web developers in becoming acquainted with the system's functional aspects. In fact, the user-friendly wordings used to illustrate the system will undoubtedly help users understand how the website works.

Austria lives in Calamba, Laguna and is a 4th year student in Information Technology.

</p>

</div>

</div>

<!-- Baylon -->

<div class="card">

<div class="row">

<div class="col-lg-5">

<span class="member">Baylon, Stephanie M.</span>

<p class="school settingsTxt">Polytechnic University of the Philippines</p>

<p class="settingsTxt">Contacts:<br>

<i class="fa-brands fa-linkedin"><a class="contact-link" href="https://www.linkedin.com/in/stephanie-baylon" target="\_blank"> stephanie-baylon</a></i><br>



```
<i class="fa-brands fa-square-github"><a class="contact-link" href="https://github.com/smbaylon" target="_blank">smbaylon</a></i><br>    <i class="fa-brands fa-square-facebook"><a class="contact-link" href="https://www.facebook.com/panie.baylon" target="_blank"> panie.baylon</a></i>
    </p>
</div>

<div class="col-lg-7" style="display:flex; align-items:center">
    <p class="contribution settingsTxt" align="justify">She is also responsible for documenting the whole progress and functionality of the system. She guaranteed that every aspect regarding the website was well defined and easily understood. This will allow users to scan the entire website without difficulties. By properly documenting everything, the team effectively developed a "manual" for themselves, and everyone involved in the project. Baylon is also a 4th year student taking up Bachelor in Science in Information Technology. She lives in Calamba, Laguna.
        </p>
        </div>
    </div>
</div>

<!-- Gonzales -->
<div class="card">
    <div class="row">
        <div class="col-lg-5">
            <span class="member">Gonzales, Justin Charles R.</span>
            <p class="school settingsTxt">Polytechnic University of the Philippines</p>
            <p class="settingsTxt">Contacts:<br>                <i class="fa-brands fa-linkedin"><a class="contact-link" href="https://www.facebook.com/justincharles.gonzales" target="_blank"> justincharles.gonzales</a></i><br>                <i class="fa-brands fa-square-github"><a class="contact-link" href="https://github.com/HUSTATEN" target="_blank"> HUSTATEN</a></i><br>                <i class="fa-brands fa-square-facebook"><a class="contact-link" href="https://www.linkedin.com/in/justin-gonzales" target="_blank"> justin-gonzales</a></i>
            </p>
        </div>
    </div>
</div>

<div class="col-lg-7" style="display:flex; align-items:center">
    <p class="contribution settingsTxt" align="justify">He was a part of the documentation team. This team guaranteed that the system is simple to comprehend and use, while also serving as a reference for future adjustments or improvements. Users

```

will also be able to learn how to browse your program efficiently and without difficulty. Anyone who

reads the documentation will understand how to utilize the website and what information the user's need to know. Gonzales lives in Tanauan, Batangas and is taking up a bachelor degree in Information

Technology.

```
</p>
</div>
</div>
</div>
```

<!-- Morano -->

```
<div class="card">
    <div class="row">
        <div class="col-lg-5">
            <span class="member">Morano, John Marc C.</span>
            <p class="school settingsTxt">Polytechnic University of the Philippines</p>

```

```
<p class="settingsTxt">Contacts:<br>                <i class="fa-brands fa-linkedin"><a class="contact-link" href="https://www.linkedin.com/in/john-marc-morano" target="_blank"> john-marc-morano</a></i><br>                <i class="fa-brands fa-square-github"><a class="contact-link" href="https://github.com/JM-Morano" target="_blank"> JM-Morano</a></i><br>                <i class="fa-brands fa-square-facebook"><a class="contact-link" href="https://www.facebook.com/thr4llyvzefr/" target="_blank"> thr4llyvzefr/</a></i>
            </p>
        </div>
    </div>
```

```
<div class="col-lg-7" style="display:flex; align-items:center">
    <p class="contribution settingsTxt" align="justify">He was one of the people responsible for designing the overall layout and aesthetic
```

for websites. It involved a mixture of visual and technical skills. Morano created the look, layout, and features of a website. He is also one of the main developers. He lives in Calamba, Laguna and is

taking up a bachelor degree in Information Technology.

```
</p>
</div>
</div>
</div>
```

<!-- Palalimpa -->

```
<div class="card">
    <div class="row">
        <div class="col-lg-5">
            <span class="member">Palalimpa, Michael John S.</span>

```



```
<p class="school
settingsTxt">Polytechnic University of the
Philippines</p>
<p class="settingsTxt">Contacts:<br>
    <i class="fa-brands fa-linkedin"><a
class="contact-link"
href="https://www.linkedin.com/in/michael-palalimpa"
target="_blank"> michael-palalimpa</a></i><br>
    <i class="fa-brands fa-square-
github"><a class="contact-link"
href="https://github.com/michaelpalalimpa"
target="_blank"> michaelpalalimpa</a></i><br>
    <i class="fa-brands fa-square-
facebook"><a class="contact-link"
href="facebook.com/palalimpamichaeljohn"
target="_blank"> palalimpamichaeljohn</a></i>
</p>
</div>

<div class="col-lg-7" style="display:flex;
align-items:center">
    <p class="contribution settingsTxt"
align="justify">He was the head of the team. He led
them in doing this project, from web designing to
        coding the entire websites and in
        checking if everything is under control. Palalimpa also
        produced plans
        that effectively supported the project's
        goal and led the team to work efficiently. He worked
        hard to keep
        everyone on the team interested,
        motivated, and focused on the task at hand. He lives in
        Mamatid, Laguna.
        Palalimpa is currently in his fourth
        year in the university taking up Bachelor in Science in
        Information
        Technology.
    </p>
    </div>
</div>
</div>
</div>
<?php
require_once "fundamental-scripts.php";
?>

<!-- Custom Script -->
<script type="text/javascript"
src="assets/js/settings.js"></script>

<!-- Active page -->
<script type="text/javascript">
$(document).ready(function() {
    $("#dev-link").addClass('active');
    $("#dev-md-link").addClass('nav-md-active');
});
</script>
</body>

</html>

logout.php

<?php
require_once "connection.php";
```



# Curriculum Vitae





# PATRICIA MAE ABRIGO

Home 463 Lazado Compound, Halang, Calamba City, Laguna  
Email pmpabrigo@gmail.com  
Phone 09637620913

## TECHNICAL & NON-TECHNICAL SKILLS

- **Web & Graphic Design**  
Adobe XD, Figma
- **Front-End Development**  
HTML, CSS, Javascript, Bootstrap
- **Back-End Development**  
PHP, MySQL

---

## TOOLS

- Office Microsoft Office Suite
- Github

---

## AWARDS & RECOGNITIONS

- **President's Lister**  
Polytechnic University of the Philippines  
2020-2022
- **With Honors**  
Calamba City Science Integrated School  
2019

## EDUCATION

- 2019 - Present Bachelor of Science in Information Technology  
Polytechnic University of the Philippines - Sto. Tomas, Batangas  
A. Bonifacio St., Sto. Tomas, Batangas
- 2013-2019 Science, Technology, Engineering and Mathematics  
Calamba City Science Integrated School  
Calamba, Laguna

## PROJECT & RESEARCH

- February 2023 Katipunan ng Kabataan Information System (KKIS)  
Capstone Project  
Polytechnic University of the Philippines
- April 2022 bant.ai - UI Prototype  
Commission Project





# NICOLE ALCALA

 316 Farmville Borja Brgy. 7, Calamba City, Laguna  
 nclmalcala@gmail.com  
 09760453722

## TECHNICAL & NON-TECHNICAL SKILLS

- **Web & Graphic Design**  
Adobe XD, Adobe Photoshop, Figma
- **Front-End Development**  
HTML, CSS, Javascript, jQuery, Bootstrap
- **Back-End Development**  
PHP, MySQL

---

## TOOLS

-  Microsoft Office Suite
-  Google Workspace
-  Github

---

## AWARDS & RECOGNITIONS

- **President's Lister**  
Polytechnic University of the Philippines  
2020-2022
- **With High Honors**  
St. John Colleges  
2019

## EDUCATION

 2019 - Present **Bachelor of Science in Information Technology**  
Polytechnic University of the Philippines - Sto. Tomas, Batangas  
A. Bonifacio St., Sto. Tomas, Batangas

 2013-2019 **Science, Technology, Engineering and Mathematics**  
St. John Colleges  
Calamba, Laguna

## PROJECT & RESEARCH

 February 2023 **Katipunan ng Kabataan Information System (KKIS)**  
Capstone Project  
Polytechnic University of the Philippines

 February 2022 **Fitness Application Engagement Features: Impact on Physical Aspect of IT Students in Polytechnic University of the Philippines - Sto. Tomas Branch**  
Research Paper  
Polytechnic University of the Philippines





## PRINCESS CARL AUSTRIA

House 0415, Purok 4 Brgy. Milagrosa Calamba City, Laguna  
Email princesscarl975@gmail.com  
Phone 09633660818

### TECHNICAL & NON-TECHNICAL SKILLS

- Web & Graphic Design  
Figma
- Front-End Development  
HTML, CSS, Bootstrap

### TOOLS

- Microsoft Office Suite

### AWARDS & RECOGNITIONS

- President's Lister  
Polytechnic University of the Philippines  
2020-2022

### EDUCATION

2019 - Present **Bachelor of Science in Information Technology**  
Polytechnic University of the Philippines - Sto. Tomas, Batangas  
A. Bonifacio St., Sto. Tomas, Batangas

2017-2019 **Science, Technology, Engineering and Mathematics**  
STI College Calamba  
Barangay Uno, National Highway, Calamba City, Laguna

### PROJECT & RESEARCH

February 2023 **Katipunan ng Kabataan Information System (KKIS)**  
Capstone Project  
Polytechnic University of the Philippines

February 2022 **Computer Literacy of PUP Sto. Tomas Branch Students: Basis for Development of ICT Training Plan**  
Research Paper  
Polytechnic University of the Philippines





## STEPHANIE BAYLON

House 302, Purok 2 Brgy. Mapagong Calamba City, Laguna  
Email stphnbyln15@gmail.com  
Phone 09271193212

### TECHNICAL & NON-TECHNICAL SKILLS

- **Web & Graphic Design**  
Figma, Adobe Photoshop
- **Front-End Development**  
HTML, CSS, Javascript, Bootstrap

---

### TOOLS

- Microsoft Office Suite

---

### AWARDS & RECOGNITIONS

- **President's Lister**  
Polytechnic University of the Philippines  
2021-2022
- **Dean's Lister**  
Polytechnic University of the Philippines  
2020
- **With Honors**  
Camp Vicente Lim Integrated School

### EDUCATION

2019 - Present **Bachelor of Science in Information Technology**  
Polytechnic University of the Philippines - Sto. Tomas, Batangas  
A. Bonifacio St., Sto. Tomas, Batangas

2017-2019 **Science, Technology, Engineering and Mathematics**  
Camp Vicente Lim Integrated School  
Calamba City, Laguna

### PROJECT & RESEARCH

February 2023 **Katipunan ng Kabataan Information System (KKIS)**  
Capstone Project  
Polytechnic University of the Philippines

March 2022 **Cybersecurity Awareness of E-wallet Users and their Perception Towards Digital Payments and Transactions**  
Research Paper  
Polytechnic University of the Philippines



## JUSTIN CHARLES GONZALES



#107 Brgy Gonzales, Tanauan City Batangas



jcgonzs848@gmail.com



09950185778

### TECHNICAL & NON-TECHNICAL SKILLS

- **Web & Graphic Design**  
Figma, Adobe XD
- **Front-End Development**  
HTML, CSS, Bootstrap

### TOOLS



### AWARDS & RECOGNITIONS

- **President's Lister**  
Polytechnic University of the Philippines  
2020-2022

### EDUCATION

2019 - Present

#### Bachelor of Science in Information Technology

Polytechnic University of the Philippines - Sto. Tomas, Batangas  
A. Bonifacio St., Sto. Tomas, Batangas

2017-2019

#### Science, Technology, Engineering and Mathematics

La Consolacion College Tanauan  
Tanauan, Batangas



### PROJECT & RESEARCH

February 2023

#### Katipunan ng Kabataan Information System (KKIS)

Capstone Project  
Polytechnic University of the Philippines

February 2022

#### Fitness Application Engagement Features: Impact on Physical Aspect of IT Students in Polytechnic University of the Philippines - Sto. Tomas Branch

Research Paper  
Polytechnic University of the Philippines





## JOHN MARC MORANO

House Carmel Village Phase 2 Brgy. Barandal, Calamba, Laguna  
Email moranojohnmarc@gmail.com  
Mobile 09184968686

### TECHNICAL & NON-TECHNICAL SKILLS

- Web & Graphic Design**  
Figma, Krita, CorelDRAW, Blender, Adobe InDesign, Adobe Photoshop, Autodesk SketchBook
- Front-End Development**  
HTML, CSS, Javascript, Bootstrap

---

### TOOLS

- Microsoft Office Suite
- Github
- Adobe Creative Cloud

---

### AWARDS & RECOGNITIONS

- President's Lister**  
Polytechnic University of the Philippines  
2020-2022
- With Honors**  
AMA Computer College - Calamba Campus  
2018

### EDUCATION

- 2019 - Present **Bachelor of Science in Information Technology**  
Polytechnic University of the Philippines - Sto. Tomas, Batangas  
A. Bonifacio St., Sto. Tomas, Batangas
- 2017-2019 **TVL- ICT - Animation and Visual Graphics**  
AMA Computer College - Calamba Campus  
Calamba, Laguna

### PROJECT & RESEARCH

- February 2023 **Katipunan ng Kabataan Information System (KKIS)**  
Capstone Project  
Polytechnic University of the Philippines
- February 2022 **The Effectiveness of Social Media For E-Governance of The City of Sto. Tomas, Batangas LGU**  
Research Paper  
Polytechnic University of the Philippines





## MICHAEL JOHN PALALIMPA

House Phase 2 Mabuhay City Subdivision, Mamatid, Cabuyao City, Laguna  
Email michaeljohnpalalimpa@gmail.com  
Phone 09776519390

### TECHNICAL & NON-TECHNICAL SKILLS

- **Web & Graphic Design**  
Adobe XD, Adobe Photoshop, Adobe Illustrator, and Figma
- **Front-End Development**  
HTML, CSS, Javascript, Bootstrap
- **Back-End Development**  
PHP, MySQL

### TOOLS

- Microsoft Office Suite
- Github

### AWARDS & RECOGNITIONS

- **President's Lister**  
Polytechnic University of the Philippines  
2020-2022

### EDUCATION

2019 - Present	<b>Bachelor of Science in Information Technology</b> Polytechnic University of the Philippines - Sto. Tomas, Batangas A. Bonifacio St., Sto. Tomas, Batangas
2017-2019	<b>Science, Technology, Engineering and Mathematics</b> St. Vincent College of Cabuyao Cabuyao, Laguna

### PROJECT & RESEARCH

February 2023	<b>Katipunan ng Kabataan Information System (KKIS)</b> Capstone Project Polytechnic University of the Philippines
February 2022	<b>Computer Literacy of PUP Sto. Tomas Branch Students : Basis for Development of ICT Training Plan</b> Research Paper Polytechnic University of the Philippines