

R Bootcamp Day 2

Quarto

Christopher T. Kenny
Data-Driven Social Science

Table of contents

What is Quarto?

Including Text, Tables, and Figures

Including Code

Quarto Extensions

Academic Websites

Resources

What is Quarto?

What is Quarto?

Quarto

- Publishing system based on Pandoc
 - Input a markdown document, render to anything supported by Pandoc
 - HTML, PDF, Word, Beamer, GFM, MediaWiki, etc.

Quarto

- Publishing system based on Pandoc
 - Input a markdown document, render to anything supported by Pandoc
 - HTML, PDF, Word, Beamer, GFM, MediaWiki, etc.
- Built by Posit, PBC (formerly RStudio)

Quarto

- Publishing system based on Pandoc
 - Input a markdown document, render to anything supported by Pandoc
 - HTML, PDF, Word, Beamer, GFM, MediaWiki, etc.
- Built by Posit, PBC (formerly RStudio)
- Syntax builds on RMarkdown, but language agnostic
 - Existing .Rmd files and most Jupyter notebooks can be run by Quarto

Quarto

- Publishing system based on Pandoc
 - Input a markdown document, render to anything supported by Pandoc
 - HTML, PDF, Word, Beamer, GFM, MediaWiki, etc.
- Built by Posit, PBC (formerly RStudio)
- Syntax builds on RMarkdown, but language agnostic
 - Existing .Rmd files and most Jupyter notebooks can be run by Quarto
- Reproducible system to combine code and text together

The .qmd file

Two main components:

The .qmd file

Two main components:

1. YAML header
 1. Specify title, authors, and frontmatter
 2. Identify output type (e.g., PDF, PowerPoint, HTML)
 3. Style the document (e.g., pick fonts mainfont: Libre Franklin)

The .qmd file

Two main components:

1. YAML header
 1. Specify title, authors, and frontmatter
 2. Identify output type (e.g., PDF, PowerPoint, HTML)
 3. Style the document (e.g., pick fonts `mainfont: Libre Franklin`)
2. Body
 1. Contains text
 2. Include LaTeX equations `$x^2$` becomes x^2
 3. Write code chunks in R, Python, Julia, Observable, etc.
 4. Include raw chunks with format-specific code (e.g., HTML or Typst blocks)

Why Quarto?

- Common input format for many output types

Why Quarto?

- Common input format for many output types
- Many journal templates for general and social sciences
 - Lowers the barrier on resubmitting elsewhere

Why Quarto?

- Common input format for many output types
- Many journal templates for general and social sciences
 - Lowers the barrier on resubmitting elsewhere
- Reproducible writing
 - Avoid copying data or hard-coding statistics
 - Place code + text together

Why Quarto?

- Common input format for many output types
- Many journal templates for general and social sciences
 - Lowers the barrier on resubmitting elsewhere
- Reproducible writing
 - Avoid copying data or hard-coding statistics
 - Place code + text together
- Write in Markdown instead of LaTeX (or Typst or HTML ...)

Why Quarto?

- Common input format for many output types
- Many journal templates for general and social sciences
 - Lowers the barrier on resubmitting elsewhere
- Reproducible writing
 - Avoid copying data or hard-coding statistics
 - Place code + text together
- Write in Markdown instead of LaTeX (or Typst or HTML ...)
- Markdown formats work well with version control

Output formats

- Articles: PDF (LaTeX, Typst), Word

Output formats

- Articles: PDF (LaTeX, Typst), Word
- Slides: Beamer, RevealJS, PowerPoint

Output formats

- Articles: PDF (LaTeX, Typst), Word
- Slides: Beamer, RevealJS, PowerPoint
- Websites: Dashboards, Static HTML, or Shiny

Output formats

- Articles: PDF (LaTeX, Typst), Word
- Slides: Beamer, RevealJS, PowerPoint
- Websites: Dashboards, Static HTML, or Shiny
- Books: PDF and HTML

Output formats

- Articles: PDF (LaTeX, Typst), Word
- Slides: Beamer, RevealJS, PowerPoint
- Websites: Dashboards, Static HTML, or Shiny
- Books: PDF and HTML
- All other formats supported by Pandoc (e.g., Wiki, Markdown, JATS, InDesign, ePub)

Selected academic journal templates

- General science: Science, Nature, PNAS, PLOS

Selected academic journal templates

- General science: Science, Nature, PNAS, PLOS
- Major publishers: Taylor and Francis, Cambridge University Press, Springer, Elsevier

Selected academic journal templates

- General science: Science, Nature, PNAS, PLOS
- Major publishers: Taylor and Francis, Cambridge University Press, Springer, Elsevier
- Social sciences: Annual Reviews, APSR, BJPS, PA, PSRM, Perspectives, APA, and more

Including Text, Tables, and Figures

Selected academic journal templates

Including Text, Tables, and Figures

Writing 101 in Quarto

Quarto builds on Pandoc's flavor of Markdown

- Code blocks are fenced with backticks `` code `` becomes `code`

Writing 101 in Quarto

Quarto builds on Pandoc's flavor of Markdown

- Code blocks are fenced with backticks `` code `` becomes code
- Italics with **italics**

Writing 101 in Quarto

Quarto builds on Pandoc's flavor of Markdown

- Code blocks are fenced with backticks `` code `` becomes `code`
- Italics with `*italics*`
- Bold with `**bold**`

Writing 101 in Quarto

Quarto builds on Pandoc's flavor of Markdown

- Code blocks are fenced with backticks ``code`` becomes `code`
- Italics with *`*italics*`*
- Bold with **`**bold**`**
- Headers with `#` Header Level 1, `##` Header Level 2, etc.

Writing 101 in Quarto

Quarto builds on Pandoc's flavor of Markdown

- Code blocks are fenced with backticks ``code`` becomes `code`
- Italics with *`*italics*`*
- Bold with **`**bold**`**
- Headers with `#` Header Level 1, `##` Header Level 2, etc.
- Lists with `- item` or `1. item`

Writing 101 in Quarto

Quarto builds on Pandoc's flavor of Markdown

- Code blocks are fenced with backticks ``code`` becomes `code`
- Italics with *`*italics*`*
- Bold with **`**bold**`**
- Headers with `#` Header Level 1, `##` Header Level 2, etc.
- Lists with `- item` or `1. item`
- Links with `[text](url)` or `<url>`

Writing 101 in Quarto

Quarto builds on Pandoc's flavor of Markdown

- Code blocks are fenced with backticks ``code`` becomes `code`
- Italics with *`*italics*`*
- Bold with **`**bold**`**
- Headers with `#` Header Level 1, `##` Header Level 2, etc.
- Lists with `- item` or `1. item`
- Links with `[text](url)` or `<url>`
- LaTeX math with `$math$` for inline or `$$math$$` for display

Writing 101 in Quarto

Quarto builds on Pandoc's flavor of Markdown

- Code blocks are fenced with backticks ``code`` becomes `code`
- Italics with `*italics*`
- Bold with `**bold**`
- Headers with `#` Header Level 1, `##` Header Level 2, etc.
- Lists with `- item` or `1. item`
- Links with `[text](url)` or `<url>`
- LaTeX math with `$math$` for inline or `$$math$$` for display
- Reference figures, tables, and sections with `@fig-label`, `@tbl-label`, and `@sec-label`

Writing 101 in Quarto

Quarto builds on Pandoc's flavor of Markdown

- Code blocks are fenced with backticks ``code`` becomes `code`
- Italics with `*italics*`
- Bold with `**bold**`
- Headers with `#` Header Level 1, `##` Header Level 2, etc.
- Lists with `- item` or `1. item`
- Links with `[text](url)` or `<url>`
- LaTeX math with `$math$` for inline or `$$math$$` for display
- Reference figures, tables, and sections with `@fig-label`, `@tbl-label`, and `@sec-label`
- Reference citations with `[@citation]` for parenthetical or `@citation` for prose

Including figures

Basic figures can be included with `![]()` syntax:

```
![Caption](DDSS-stacked_PU_shield_black.png)
```



Figure 1: Caption

Making a table

Tables use “pipe” syntax:

```
| University | Color |  
|:-----|:-----:|  
| Princeton | #E98338 |  
| Harvard   | #A51C30 |  
| Cornell    | #B31B1B |  
| Brown     | #ED1C24 |
```

```
: Red and orange university colors {#tbl-colors}
```

University	Color
Princeton	#E98338
Harvard	#A51C30
Cornell	#B31B1B
Brown	#ED1C24

Red and orange university colors

Including Code

Making a table

Including Code

Formatting

Control code chunk behavior with options:

- `#| echo: false` - Hide code, show output only

Formatting

Control code chunk behavior with options:

- `#| echo: false` - Hide code, show output only
- `#| eval: false` - Show code but don't run it

Formatting

Control code chunk behavior with options:

- `#| echo: false` - Hide code, show output only
- `#| eval: false` - Show code but don't run it
- `#| warning: false / message: false` - Suppress warnings or messages

Formatting

Control code chunk behavior with options:

- `#| echo: false` - Hide code, show output only
- `#| eval: false` - Show code but don't run it
- `#| warning: false / message: false` - Suppress warnings or messages
- `#| fig-width: 8 / #| fig-height: 6` - Control figure dimensions

Formatting

Control code chunk behavior with options:

- `#| echo: false` - Hide code, show output only
- `#| eval: false` - Show code but don't run it
- `#| warning: false / message: false` - Suppress warnings or messages
- `#| fig-width: 8 / #| fig-height: 6` - Control figure dimensions
- `#| label: fig-myplot` - Add cross-reference labels

Formatting

Control code chunk behavior with options:

- `#| echo: false` - Hide code, show output only
- `#| eval: false` - Show code but don't run it
- `#| warning: false / message: false` - Suppress warnings or messages
- `#| fig-width: 8 / #| fig-height: 6` - Control figure dimensions
- `#| label: fig-myplot` - Add cross-reference labels
- `#| cache: true` - Cache expensive computations

Quarto Extensions

Journal Articles

Workflow for academic writing:

1. Start with a preprint template: `quarto use template christopherkenny/ctk-article`

Journal Articles

Workflow for academic writing:

1. Start with a preprint template: `quarto use template christopherkenny/ctk-article`
2. Write the paper in Markdown with embedded code

Journal Articles

Workflow for academic writing:

1. Start with a preprint template: `quarto use template christopherkenny/ctk-article`
2. Write the paper in Markdown with embedded code
3. Switch to a journal template: `quarto use template quarto-journals/jss`

Journal Articles

Workflow for academic writing:

1. Start with a preprint template: `quarto use template christopherkenny/ctk-article`
2. Write the paper in Markdown with embedded code
3. Switch to a journal template: `quarto use template quarto-journals/jss`
4. Add any journal-specific things to the header

Journal Articles

Workflow for academic writing:

1. Start with a preprint template: `quarto use template christopherkenny/ctk-article`
2. Write the paper in Markdown with embedded code
3. Switch to a journal template: `quarto use template quarto-journals/jss`
4. Add any journal-specific things to the header
5. Render to PDF: `quarto render manuscript.qmd`

Journal Articles

Workflow for academic writing:

1. Start with a preprint template: `quarto use template christopherkenny/ctk-article`
2. Write the paper in Markdown with embedded code
3. Switch to a journal template: `quarto use template quarto-journals/jss`
4. Add any journal-specific things to the header
5. Render to PDF: `quarto render manuscript.qmd`
6. Submit generated PDF (+ source files)

Journal Articles

Workflow for academic writing:

1. Start with a preprint template: `quarto use template christopherkenny/ctk-article`
2. Write the paper in Markdown with embedded code
3. Switch to a journal template: `quarto use template quarto-journals/jss`
4. Add any journal-specific things to the header
5. Render to PDF: `quarto render manuscript.qmd`
6. Submit generated PDF (+ source files)
7. Get desk rejected

Journal Articles

Workflow for academic writing:

1. Start with a preprint template: `quarto use template christopherkenny/ctk-article`
2. Write the paper in Markdown with embedded code
3. Switch to a journal template: `quarto use template quarto-journals/jss`
4. Add any journal-specific things to the header
5. Render to PDF: `quarto render manuscript.qmd`
6. Submit generated PDF (+ source files)
7. Get desk rejected
8. Reformat by importing next template `quarto add template christopherkenny/nature`

Academic Websites

Demo

quarto create project

Resources

Demo

Resources

[Table of contents](#)

These Slides

Written in Quarto

These Slides

Written in Quarto

Source available:

<https://github.com/christopherkenny/quarto-workshop-fall2025/blob/main/quarto-workshop-fall2025.qmd>