

VESSEL COMPATIBILITY REPORT

Form No:	OPS-OFD-016
Rev. No.	0.1
Issue Date:	20 Jul 2026
Approved by:	JS
Page:	1 of 3

JOB REFERENCE:

SS:

STBL :

****All calculations are in Meters***

A. HOSE CALCULATIONS


POINT A

SS -Distance manifold to ship rail

SS -MAX Freeboard

SS -MIN Freeboard

POINT C



POINT B

STBL -Distance manifold to ship

STBL -MAX Freeboard

STBL -MIN Freeboard

HOSE LENGTH REQUIRED:

Use Disclaimer

This document and its contents are intended solely for the internal use of Oceane Group, including its subsidiaries, affiliates, and authorized personnel.

VESSEL COMPATIBILITY REPORT

Form No:	OPS-OFD-016
Rev. No.	0.1
Issue Date:	20 Jul 2026
Approved by:	JS
Page:	2 of 3

B. FENDER CALCULATIONS

SS DWT

STBL DWT

SS BEAM

SS BEAM

SS DISP

SS DISP

SS DRAFT

SS DRAFT

Equivalent Disp. Coefficient

Combined virtual displacement

STBL Mass Coefficient

Energy Coefficient Calm


SS Mass Coefficient

Energy Coefficient Moderate

Virtual Displacement STBL

Energy Coefficient Rough

Virtual Displacement SS



CALM CONDITIONS 0 - 1.25M (0 - 4') SEAS

FENDERS REQUIRED FOR CALM WEATHER

Use Disclaimer

This document and its contents are intended solely for the internal use of Oceane Group, including its subsidiaries, affiliates, and authorized personnel.

