



Phase 1: Requirement Analysis & Planning


Step1: Defining Project Scope &Objective



Step2: Gathering & Analysis User Needs




Step 3: Identifying Key Salesforce Features & Tools Required




Step4: Designing Data Model and Security Model

Phase 2: Salesforce Development- Backend & Configurations Milestone 1: Salesforce Account



Milestone 2: Object Creation



This screenshot shows the Salesforce Setup interface in Developer Edition, specifically the Object Manager for the 'Parcel' object. The left sidebar contains a navigation menu with options like Fields & Relationships, Page Layouts, and Lightning Record Pages. The main content area is titled 'Details' and displays various configuration options for the object. The 'API Name' is 'Parcel_c', and the 'Singular Label' is 'Parcel'. The 'Plural Label' is 'parcels'. The 'Deployment Status' is 'Deployed'. The 'Enable Reports' checkbox is checked, and the 'Track Activities' checkbox is also checked. The 'Track Field History' checkbox is checked. The 'Help Settings' link is visible at the bottom right of the details section. The top of the page shows the 'Setup' tab and a search bar. The bottom of the page shows a Windows taskbar with the date 03-10-2026 and time 14:00.

SETUP > OBJECT MANAGER

Parcel

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Description

API Name
Parcel_c

Custom
✓

Singular Label
Parcel

Plural Label
parcels

Enable Reports
✓


Track Activities
✓

Track Field History
✓

Deployment Status
Deployed

Help Settings

Edit Delete



This screenshot shows the Salesforce Setup interface in Developer Edition, specifically the Object Manager for the 'Delivery' object. The left sidebar contains a navigation menu with options like Fields & Relationships, Page Layouts, and Lightning Record Pages. The main content area is titled 'Details' and displays various configuration options for the object. The 'API Name' is 'Delivery_c', and the 'Singular Label' is 'Delivery'. The 'Plural Label' is 'Deliveries'. The 'Deployment Status' is 'Deployed'. The 'Enable Reports' checkbox is checked, and the 'Track Activities' checkbox is also checked. The 'Track Field History' checkbox is checked. The 'Help Settings' link is visible at the bottom right of the details section. The top of the page shows the 'Setup' tab and a search bar. The bottom of the page shows a Windows taskbar with the date 03-10-2026 and time 14:15.

SETUP > OBJECT MANAGER

Delivery

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Description

API Name
Delivery_c

Custom
✓

Singular Label
Delivery

Plural Label
Deliveries

Enable Reports
✓

Track Activities
✓

Track Field History
✓

Deployment Status
Deployed

Help Settings
Standard salesforce.com Help Window

Edit Delete

Screenshot of the Salesforce Developer Edition interface showing the 'Sender' object configuration page. The browser tabs include SkillWallet, https://developersalesforce.com/sig, Lightning Experience | Salesforce, and Sender | Salesforce. The URL is https://orgfarm-ae68e17607-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ObjectManager/01lgK000007fsA5/Details/view. The page title is 'Sender' under 'OBJECT MANAGER'. The left sidebar shows navigation options: Details, Fields & Relationships, Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, and Related Lookup Filters. The main content area displays the 'Details' for the 'Sender' object, including fields like API Name (Sender__c), Custom (checked), Singular Label (Sender), Plural Label (Senders), and various settings like Enable Reports (checked), Track Activities (checked), Track Field History (checked), Deployment Status (Deployed), and Help Settings (Standard salesforce.com Help Window). The bottom status bar shows 'Hot days ahead 34°C' and the date '03-10-2026'.

Screenshot of the Salesforce Developer Edition interface showing the 'Receiver' object configuration page. The browser tabs include SkillWallet, https://developersalesforce.com/sig, Lightning Experience | Salesforce, and Receiver | Salesforce. The URL is https://orgfarm-ae68e17607-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ObjectManager/01lgK000007fsJI/Details/view. The page title is 'Receiver' under 'OBJECT MANAGER'. The left sidebar shows navigation options: Details, Fields & Relationships, Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, and Related Lookup Filters. The main content area displays the 'Details' for the 'Receiver' object, including fields like API Name (Receiver__c), Custom (checked), Singular Label (Receiver), Plural Label (Receivers), and various settings like Enable Reports (checked), Track Activities (checked), Track Field History (checked), Deployment Status (Deployed), and Help Settings (Standard salesforce.com Help Window). The bottom status bar shows '34°C Partly sunny' and the date '03-10-2026'.

Milestone 3: Tabs

Screenshot of the Salesforce Setup interface showing the Custom Tabs configuration page. The browser address bar shows the URL: `https://orgfarm-ae68e17607-dev-ed.develop.my.salesforce-setup.com/lightning/setup/CustomTabs/home`.

The page title is "Developer Edition". The left sidebar shows the "Setup" menu with "Home" and "Object Manager" options. The "Tabs" section is selected under "User Interface".

The main content area displays the "SETUP Tabs" configuration page. It includes a search bar and a "Search Setup" button. Below the search bar, there is a section for "Custom Object Tabs" and a section for "Web Tabs".

Custom Object Tabs

Action	Label	Tab Style	Description
Edit Del	Deliveries	Circle	
Edit Del	parcels	Headset	
Edit Del	Receivers	Car	
Edit Del	Senders	Desk	

Web Tabs

No Web Tabs have been defined

Milestone 4: Fields & Relationships

Screenshot of the Salesforce Setup interface showing the Fields & Relationships configuration page for the "Parcel" object. The browser address bar shows the URL: `https://orgfarm-ae68e17607-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ObjectManager/01lgK000007fmV/FieldsAndRelationships/view`.


The page title is "Developer Edition". The left sidebar shows the "Setup" menu with "Home" and "Object Manager" options. The "Object Manager" section is selected, and the "Fields & Relationships" sub-section is active.

The main content area displays the "SETUP > OBJECT MANAGER Parcel" configuration page. It includes a search bar and a "Search Setup" button. Below the search bar, there is a section for "Fields & Relationships" and a section for "Web Tabs".


Fields & Relationships

9 Items, Sorted by Field Label


FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Estimated Delivery	Estimated_Delivery__c	Date		
Last Modified By	LastModifiedById	Lookup(User)		
Owner	OwnerId	Lookup(User,Group)		✓
Parcel ID	Parcel_ID__c	Auto Number		
Parcel Name	Name	Text(80)		✓



Milestone 5: Prompt Builder




Milestone 6: Flows




Phase 3: UI/UX Development & Customization


Milestone -1 Creating Permission Sets




Milestone-2 Assigning Permission to your Agent user




Milestone-3 Org Setup for AgentForce



Milestone-4 Building The Agent




Milestone-5 Assigning Permissions to your Agent user



Phase 4: Data Migration, Testing & Security


1. Verify Agent
2. Validate Assigned Topic
3. Check the Flow Association

4. Activate and Test the agent
5. Validate Data in Salesforce



Phase 5: Deployment, Documentation & Maintenance

1. Maintenance, Monitoring & Troubleshooting
2. Project Documentation
3. Project Demo Video Presentation
4. Conclusion



scope of our **SwiftShip Tracker (AgentForce)** project implementation:
purpose of this phase is to validate that the **Parcel Tracking Agent**, created with **Salesforce Agent Builder**, works as intended within the Salesforce Developer environment.

main goal is to understand how an AI-powered Service Agent can be tested to correct topic recognition, Flow execution, and data retrieval from Salesforce objects.

Testing is conducted within the Developer Org to simulate how the Agent would function in a live setup, ensuring that permissions, flows, and interactions function properly before any deployment stage.

End-to-end production testing (UAT or sandbox deployment) is **not performed** in this phase because:

Developer Edition orgs are standalone environments and do not support production-linked testing environments.

Enterprise-level AgentForce deployment involves **sandbox testing, staging environments, and CI/CD automation**, which are outside the scope of this academic/prototype implementation.

- Phase 1: Requirement Analysis & Planning 50% ▾
- Phase 2: Salesforce Development -Backend & Configurations 50% ▾
- Phase 3: UI/UX Development & Customization 50% ▾
- Data Migration, Testing & Security 50% ▾
- Phase 5: Deployment, Documentation & Maintenance 50% ▴
 - Maintenance, Monitoring & Troubleshooting
 - Project Documentation
 - Project Demo Video Presentation
 - Conclusion