

Personal Details

Name : Princy Shah

Collage Name : Apollo Institute Of Engineering and Technology

E.NO : 181210116054

Sem : 7

Github Link : <https://github.com/princy2806/PHP>

Company Details

Company Name : Akash Technolabs

External Guide : Akash Padhiyar

Training Duration : 26-05-2021 to 10-06-2021


Day-2

Input:

```
<?php
echo "Welcome to PHP";
echo "<h1>I am Princy Shah</h1>";
?>

<html>
  <body>
    Welcome to HTML code.
    <?php
      echo "I am PHP inside HTML";
    ?>
  </body>
</html>
```

Output:




Input: If-Else Loop

```
<?php
$a=10;

if($a==10){
    echo "A is 10";
}else if($a<10){
    echo "A is below 10";
}else{
    echo "A is above 10";
}

?>
```


Output:



Input: SwithLoop

```
<?php
$a=2;
switch($a){
    case 1:
        echo "One";
        break;
    case 2:
        echo "Two";
        break;
    case 3:
        echo "Three";
        break;
    default:
        echo "Please select 1 to 3";
}
?>
```

Output:



Day-3

Input: Registration Form

```
<html>
  <body>
<!--
GET: Not secure
POST: secure
Acion: You can specify a page name where data will submit.
-->
<h1>Registration Form</h1>
  <form method="post" action="process.php">
    <table>
      <tr>
        <td>Name:</td>
        <td><input type="text" name="txt1" required/></td>
      </tr>

      <tr>
        <td>Email:</td>
        <td><input type="text" name="txt2" required/></td>
      </tr>


      <tr>
        <td>Branch:</td>
        <td><input type="text" name="txt3" required/></td>
      </tr>

      <tr>
        <td>Password:</td>
        <td><input type="password" name="txt4" required/></td>
      </tr>
      <tr>
        <td>
          <input type="submit"/></td>
```


```
<td>
<input type="reset"/></td>
</tr>

</table>
</form>
</body>
</html>
```

Output:






⇒ And also done below Program on Day-3




Day-4: Using Template Create Website Which contain AboutUs page, ContactUs page And home page.

- ◆ I have create a Tempate for Apollo collage





Screenshot of All Template Folder :-



Day-6 Input: Registration form without Theme

```
<?php
$host="localhost";
$username="root";
$password = "";
$dbname= "db_internship";

$connection = mysqli_connect($host, $username, $password, $dbname);

if($_POST)
{
    $name = $_POST['txt1'];
    $gender = $_POST['txt2'];
    $dob = $_POST['txt3'];
    $email = $_POST['txt4'];
    $mobile = $_POST['txt5'];
    $address = $_POST['txt6'];
    $password = $_POST['txt7'];
    $area = $_POST['txt8'];
    $bgroup = $_POST['txt9'];
}

$q = mysqli_query($connection,
    "insert into tbl_student(st_name,st_gender,st_dob,st_email,st_mobile,stt_address,st_pass-
word,st_area,st_bldgroup)
    values('{$name}','{$gender}','{$dob}','{$email}','{$mobile}','{$address}','{$pass-
word}','{$area}','{$bgroup}')"
or die("Error".mysqli_error($connection));

if($q){
    echo "<script>alert('Record Added');</script>";
}
?>
```

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
Strict//EN""http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<!--
```

Design by Free CSS Templates

<http://www.freecsstemplates.org>

Released for free under a Creative Commons Attribution 2.5 License

Name : StampALike

Description: A two-column, fixed-width design with dark color scheme.

Version : 1.0

Released : 20120528

```
-->
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta name="keywords" content="" />
<meta name="description" content="" />
<meta http-equiv="content-type" content="text/html; charset=utf-8" />
<title>Registration Form</title>
<link href="http://fonts.googleapis.com/css?family=Arvo" rel="stylesheet" type="text/css" />
<link href="http://fonts.googleapis.com/css?family=Coda:400,800" rel="stylesheet"
type="text/css" />
<link href="style.css" rel="stylesheet" type="text/css" media="screen" />
</head>
<body>
<div id="header-wrapper">
    <div id="header">
        <center><h2>Student Registration Form</h2></center>
    </div>
</div>
<div id="wrapper">
    <!-- end #header -->
    <div id="page-bgtop"></div>
    <div id="page">
        <h3>Here student can enter their detail for Admission</h3>
        <form method="post">
            <table border="4px">

                <tr><td>Name:</td><td><input type="text" name="txt1" re-
quired/></td></tr>

                <tr><td>Gender:</td><td><select name="txt2"><option>Male</option>
<option>Fe-
male</option>
</select></td></tr>

                <tr><td>DateOfBirth:</td><td><input type="date" name="txt3" re-
quired/></td></tr>

                <tr><td>Email:</td><td><input type="text" name="txt4" re-
quired/></td></tr>

                <tr><td>Mobile:</td><td><input type="int" name="txt5" re-
quired/></td></tr>

                <tr><td>Address:</td><td><input type="text" name="txt6" re-
quired/></td></tr>

                <tr><td>password:</td><td><input type="password" name="txt7" re-
quired/></td></tr>

                <tr><td>area:</td><td><input type="text" name="txt8" re-
quired/></td></tr>

                <tr><td>blodgroup:</td><td><input type="text" name="txt9" re-
```

```

quired/></td></tr>
        <tr><td><input type="submit"/></td></tr>
    </table>

</form>
</div>
    <div id="page-bgbtm"></div>
    <!-- end #page -->
</div>
<div id="footer">
    <p>1 Jun 2021 Design by <a href="https://github.com/princy2806" tar-
get="_blank">Princy</a>. </p>
</div>
<!-- end #footer -->
</body>
</html>

```

Output:

The screenshot shows a web browser window with the URL `localhost/Internship/Day-6/RegistrationFormWithoutTheme.php`. The page displays several PHP error messages:

- Notice: Undefined variable: password in C:\xampp\htdocs\Internship\Day-6\RegistrationFormWithoutTheme.php on line 25
- Notice: Undefined variable: area in C:\xampp\htdocs\Internship\Day-6\RegistrationFormWithoutTheme.php on line 25
- Notice: Undefined variable: bgroup in C:\xampp\htdocs\Internship\Day-6\RegistrationFormWithoutTheme.php on line 25

Below the error messages, the title "Student Registration Form" is displayed. The form contains the following fields:

- Name:
- Gender: (dropdown menu)
- DateOfBirth: (calendar icon)
- Email:
- Mobile:
- Address:
- password:
- area:
- blodgroup:
- Submit:

The Windows taskbar at the bottom shows the time as 11:58 AM on 6/11/2021, and the language is set to ENG. An "Activate Windows" watermark is visible in the bottom right corner.

Day-7:

⇒ Edit command of Student Form

```
<?php
$host="localhost";
$username="root";
$password = "";
$dbname= "db_internship";

$conection = mysqli_connect($host, $username, $password, $dbname);

if(!isset($_GET['id']) || empty($_GET['id'])) {
    header ("location:DisplayData.php");
}

$editid = $_GET['id'];
//select data from table

$editq = mysqli_query($conection, "select * from tbl_student where st_id='{ $editid }'")
    or die (mysqli_error($conection));

$editdata = mysqli_fetch_array($editq);

//print_r($editdata);

if($_POST){
    $txt1= $_POST['txt1'];
    $txt2= $_POST['txt2'];
    $txt3= $_POST['txt3'];
    $txt4= $_POST['txt4'];
    $txt5=$_POST['txt5'];
    $txt6= $_POST['txt6'];
    $txt7= $_POST['txt7'];
    $txt8= $_POST['txt8'];
    $txt9= $_POST['txt9'];

    $uq = mysqli_query($conection, "update tbl_student set st_name='{ $txt1 }',
    st_gender='{ $txt2 }',st_dob='{ $txt3 }', st_email='{ $txt4 }', st_mobile='{ $txt5 }',
    stt_address='{ $txt6 }', st_password='{ $txt7 }', st_area='{ $txt8 }', st_bloodgroup='{ $txt9 }'
    where st_id='{ $editid }'")
    or die (mysqli_error($conection));
```

```

        if($uq){
            echo "<script>alert('Record Updated');window.location='DisplayDa-
ta.php';</script>";
        }
    }
    ?>

<html>
<body>
<form method="post">
    Name: <input type="text" name="txt1" value="<?php echo $editdata['st_name'];
?>"/><br/>
    Gender: Male<input type="radio"<?php if($editdata['st_gender']=="Male"){echo
"checked";}?>
        value="Male" name="txt2" />
        Female<input type="radio"<?php if($editdata['st_gender']=="Fe-
male"){echo "checked";}?>
        value="Female" name="txt2"/><br/>
    DateOfBirth:<input type="date" name="txt3" value="<?php echo $editdata['st_dob']; ?>"
required/><br/>
    Email:<input type="text" name="txt4" value="<?php echo $editdata['st_email']; ?>" re-
quired/><br/>
    Mobile: <input type="text" name="txt5" value="<?php echo $editdata['st_mobile'];
?>"/><br/>

    Address:<input type="text" name="txt6" value="<?php echo $editdata['stt_address']; ?>"
required/><br/>
    password:<input type="password" name="txt7" value="<?php echo $editdata['st_pass-
word']; ?>" required/><br/>
    area:<input type="text" name="txt8" value="<?php echo $editdata['st_area']; ?>" re-
quired/><br/>
    blodgroup:<input type="text" name="txt9" value="<?php echo $editda-
ta['st_blodgroup'];?>" /><br/>
    <input type="submit"/>

</form>
</body>
</html>

```

⇒ Delete Command Of Student Form

```
<?php
$host="localhost";
$username="root";
$password = "";
$dbname= "db_internship";

$conn = mysqli_connect($host, $username, $password, $dbname);

$id = $_GET['deleteid'];

$q = mysqli_query($conn,
    "update tbl_student set is_delete = 1 where st_id='{ $id }'"
    or die (mysqli_error($conn));

if($q)
{
    echo "<script>alert('Record Deleted');window.location='DisplayData.php';
    </script>";
}

?>
```

⇒ Command of Display Data of Student Form

```
<html lang="en">
<head>
<title>log-in</title>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.js"></script>
<!--<link href="favicon.ico" rel="shortcut icon"/>-->

<style>

body{
    background-color:#e9ebee;
    position:absolute;
    overflow:auto;
    width:100%;
    -webkit-font-smoothing: antialiased;
```

```

font: normal 16px Roboto,arial,sans-serif;
font-family: 'Dancing Script', cursive!important;

}
#logo-img{
    padding-top:0px;
    height:27px;
}

#top-menu-bg{
    background-color:#fff;
    height:auto;
    width:100%;
    position:fixed;
    z-index:11;
}

#seabtn{
    background-color:DodgerBlue;
    margin-left:10px;
}

#div1{
    margin-top:70px;
}

.form-inline{
    padding-top:10px;
}

h2{width:auto;color:#12a70c;margin:5px 5px 5px 0px;}
div{display:block;}

#f1 {
    border: 2px solid black;
    padding:20px 10px 20px 10px;
    margin:50px 50px 50px 50px;
    width:50%;
    border-radius: 15px;
    box-shadow:0 1px 0 #cfcfcf;
    background:transparent!important;
    font-size: 18px!important;
}

input[type=text], input[type=password] {
    width: 75%;

```



```

padding: 5px 5px;
margin: 8px 0;
display: inline-block;
border: 1px solid black;
box-sizing: border-box;
border-radius: 10px;
}

input[type=submit]{
background-color:lightgreen;
color: black;
font-weight:bold;
font-size:16px;
padding: 5px 5px;
margin: 8px 0;
}

input[type=submit]:hover {
opacity: 0.8;
}

span.psw {
float: right;
padding-top: 16px;
}

.cancelbtn {
width: auto;
padding: 10px 18px;
background-color: #f44336;
}

.navbar {
margin-bottom: 0;
border-radius: 0;
}

.row.content {height: 450px}
.sidenav {
padding-top: 20px;
background-color:#e9ebee;
height: 100%;
}

/* Set black background color, white text and some padding */
footer {
background-color: #fff;
color: #000;
padding: 15px;
width:auto;

```

```

    }

    /* On small screens, set height to 'auto' for sidenav and grid */
    @media screen and (max-width: 767px) {
        .sidenav {
            height: auto;
            padding: 15px;
        }
        .row.content {height:auto;}
    }

    @media screen and (max-width: 300px) {
        span.psw {
            display: block;
            float: none;
        }
        .cancelbtn {
            width: 100%;
        }
    }
</style>
</head>
<body>

<div id="header-wrapper">
    <div id="header">
        <center><h2>Student Registration Form</h2></center>
    </div>
</div>

<?php
$host="localhost";
$username="root";
$password = "";
$dbname= "db_internship";

$connection = mysqli_connect($host, $username, $password, $dbname);

$q = mysqli_query($connection, "select * from tbl_student where is_delete = 0") or die("Error".mysqli_error($connection));

echo "<table border='1'>";
echo "<tr>";
echo "<th>ID</th>";
echo "<th>Name</th>";
echo "<th>Gender</th>";

```

```

echo "<th>DateOfBirth</th>";
echo "<th>Email</th>";
echo "<th>Mobile</th>";
echo "<th>Address</th>";
echo "<th>Password</th>";
echo "<th>Area</th>";
echo "<th>BlodGroup</th>";
echo "<th>Action</th>";
echo "</tr>";

$i=0;
while($row = mysqli_fetch_array($q)){
    $i++;
    echo "<tr>";
    echo "<td>$i</td>";
    echo "<td>{$row['st_name']}</td>";
    echo "<td>{$row['st_gender']}</td>";
    echo "<td>{$row['st_dob']}</td>";
    echo "<td>{$row['st_email']}</td>";
    echo "<td>{$row['st_mobile']}</td>";
    echo "<td>{$row['stt_address']}</td>";
    echo "<td>{$row['st_password']}</td>";
    echo "<td>{$row['st_area']}</td>";
    echo "<td>{$row['st_blodgroup']}</td>";
    echo "<td><a href='edit.php?id={$row['st_id']}'>Edit</a> | <a href='delete.php?dele-
teid={$row['st_id']}'>Delete</a></td>";
    echo "</tr>";
}
echo "</table>";
echo "<br/><br>";
echo "<a href='login.php'>Add Record</a>";

?>

</body>
</html>

```

Day-8

⇒ Create Admin Theme using Theme Integration.

1) LoginPage Code

```
<?php
session_start();
$host="localhost";
$user="root";
$pwd="";
$dbname="demo1";
$conn = new mysqli($host, $user, $pwd, $dbname);

// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
if(isset($_POST['login']) && $_POST['login']=="login")
{
    $sql = "SELECT * FROM tbl_user WHERE username='".$_POST['username']."' and
password='".$_POST['password']."'";
    $result = $conn->query($sql);
    if ($result->num_rows > 0) {
        $_SESSION['ROLE']="admin";
        $_SESSION['username']=$_POST['username'];
        header("Location:dashboard.php");die();
    }
    else
    {
        $err_msg="Username/Password is wrong";
    }
}
?>

<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>Demo Admin | Log in</title>
<!-- Tell the browser to be responsive to screen width -->
<meta name="viewport" content="width=device-width, initial-scale=1">
```

```

<!-- Font Awesome -->
<link rel="stylesheet" href="plugins/fontawesome-free/css/all.min.css">
<!-- Icons -->
<link rel="stylesheet" href="https://code.ionicframework.com/ionicons/2.0.1/css/ionicons.min.css">
<!-- icheck bootstrap -->
<link rel="stylesheet" href="plugins/icheck-bootstrap/icheck-bootstrap.min.css">
<!-- Theme style -->
<link rel="stylesheet" href="dist/css/adminlte.min.css">
<!-- Google Font: Source Sans Pro -->
<link href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,400i,700"
rel="stylesheet">
</head>
<body class="hold-transition login-page">
<div class="login-box">
<div class="login-logo">
<a href="index2.html"><b>Admin</b>LTE</a>
</div>
<!-- /.login-logo -->
<div class="card">
<div class="card-body login-card-body">
<p class="login-box-msg">Sign in to start your session</p>
        <?php if(isset($err_msg)&& $err_msg!="") {
                                ?>
                                <div class="text-danger">
                                <?php echo $err_msg; ?>
                                </div>
                                <?php
                                }
                                ?>

<form method="post">
<div class="input-group mb-3">
<input type="email" class="form-control" placeholder="Email" name="username" required>
<div class="input-group-append">
<div class="input-group-text">
<span class="fas fa-envelope"></span>
</div>
</div>
</div>
<div class="input-group mb-3">
<input type="password" class="form-control" placeholder="Password" name="password" required>
<div class="input-group-append">
<div class="input-group-text">
<span class="fas fa-lock"></span>
</div>

```

```

</div>
</div>
<div class="row">
<div class="col-8">
<div class="icheck-primary">
<input type="checkbox" id="remember">
<label for="remember">
    Remember Me
</label>
</div>
</div>
<!-- /.col -->
<div class="col-4">
<button type="submit" class="btn btn-primary btn-block" name="login" value="login">Sign
In</button>
</div>
<!-- /.col -->
</div>
</form>


<p class="mb-1">
<a href="change_password.php">I forgot my password</a>
</p>

</div>
<!-- /.login-card-body -->
</div>
</div>
<!-- /.login-box -->

<!-- jQuery -->
<script src="plugins/jquery/jquery.min.js"></script>
<!-- Bootstrap 4 -->
<script src="plugins/bootstrap/js/bootstrap.bundle.min.js"></script>
<!-- AdminLTE App -->
<script src="dist/js/adminlte.min.js"></script>

</body>
</html>

```



2) LogOut Code

```
<?php
include('conn/conn.php');
session_destroy();
header("Location:login.php");die();
?>
```

3) SignIn Page

```
<?php

$host="localhost";
$username="root";
$password = "";
$dbname= "demo1";

$connection = mysqli_connect($host, $username, $password, $dbname);

if($_POST)
{
    $name = $_POST['name'];
    $username = $_POST['username'];
```

```

        $password = $_POST['password'];
        $type = $_POST['type'];
    }

    $q = mysqli_query($connection,
        "insert into tbl_user(name,username,password,usertype) values('{ $name}','{ $user-
name}','{ $password}','{ $type}')"
    or die("Error".mysqli_error($connection));
    if($q){
        echo "<script>alert('Record Added');</script>";
    }
}

```

```
?>
```

```

<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>Demo Admin | Signin</title>
<!-- Tell the browser to be responsive to screen width -->
<meta name="viewport" content="width=device-width, initial-scale=1">

<!-- Font Awesome -->
<link rel="stylesheet" href="plugins/fontawesome-free/css/all.min.css">
<!-- Ionicons -->
<link rel="stylesheet" href="https://code.ionicframework.com/ionicons/2.0.1/css/ioni-
cons.min.css">
<!-- icheck bootstrap -->
<link rel="stylesheet" href="plugins/icheck-bootstrap/icheck-bootstrap.min.css">
<!-- Theme style -->
<link rel="stylesheet" href="dist/css/adminlte.min.css">
<!-- Google Font: Source Sans Pro -->
<link href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,400i,700"
rel="stylesheet">
</head>
<body class="hold-transition login-page">
<div class="login-box">
<div class="login-logo">
<a href="login1.php"><b>Admin</b>Login</a>
</div>
<!-- /.login-logo -->
<div class="card">
<div class="card-body login-card-body">

```



```

<p class="login-box-msg">Sign in to start your session</p>
    <?php if(isset($err_msg)&& $err_msg!="") {
        ?>
        <div class="text-danger">
            <?php echo $err_msg; ?>
        </div>
    <?php
    }
    ?>

<form method="post">
    <div class="input-group mb-3">
        <input type="text" class="form-control" placeholder="Name" name="name" required>
        <div class="input-group-append">
            <div class="input-group-text">
                <span class="fas fa-user"></span>
            </div>
        </div>
    </div>
    <div class="input-group mb-3">
        <input type="email" class="form-control" placeholder="Email" name="username" required>
        <div class="input-group-append">
            <div class="input-group-text">
                <span class="fas fa-envelope"></span>
            </div>
        </div>
    </div>
    <div class="input-group mb-3">
        <input type="password" class="form-control" placeholder="Password" name="password" required>
        <div class="input-group-append">
            <div class="input-group-text">
                <span class="fas fa-lock"></span>
            </div>
        </div>
    </div>
    <div class="input-group mb-3">
        <input type="text" class="form-control" placeholder="Type" name="type" required>
        <div class="input-group-append">
            <div class="input-group-text">
                <span class="fas fa-user"></span>
            </div>
        </div>
    </div>
</div>
<div class="row">

<!-- /.col -->

```

```


<div class="col-12">
<button type="submit" class="btn btn-primary btn-block" name="login" value="login">Sign
In</button>
</div>
<!-- /.col -->
</div>
</form>
</div>
<!-- /.login-card-body -->
</div>
</div>
<!-- /.login-box -->

<!-- jQuery -->
<script src="plugins/jquery/jquery.min.js"></script>
<!-- Bootstrap 4 -->
<script src="plugins/bootstrap/js/bootstrap.bundle.min.js"></script>
<!-- AdminLTE App -->
<script src="dist/js/adminlte.min.js"></script>

</body>
</html>

```

Output:-



4) Dashboard Code

```
<?php
include('conn/conn.php');
?>
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>Demo | Dashboard</title>
<!-- Tell the browser to be responsive to screen width -->
<meta name="viewport" content="width=device-width, initial-scale=1">

<!-- Font Awesome -->
<link rel="stylesheet" href="plugins/fontawesome-free/css/all.min.css">
<!-- Ionicons -->
<link rel="stylesheet" href="https://code.ionicframework.com/ionicons/2.0.1/css/ionicons.min.css">
<!-- overlayScrollbars -->
<link rel="stylesheet" href="dist/css/adminlte.min.css">
<!-- Google Font: Source Sans Pro -->
<link href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,400i,700"
rel="stylesheet">
</head>
<body class="hold-transition sidebar-mini">
<!-- Site wrapper -->
<div class="wrapper">
<!-- Navbar -->
<nav class="main-header navbar navbar-expand navbar-white navbar-light">
<!-- Left navbar links -->

<!-- Right navbar links -->
<ul class="navbar-nav ml-auto">
    <li><a href="change_password.php">Change Password</a></li>
<!-- Messages Dropdown Menu -->
<li class="nav-item dropdown">
<a class="nav-link" data-toggle="dropdown" href="#">
<i class="far fa-comments"></i>
<span class="badge badge-danger navbar-badge">3</span>
</a>
<div class="dropdown-menu dropdown-menu-lg dropdown-menu-right">
<a href="#" class="dropdown-item">
<!-- Message Start -->
<div class="media">
```

```


<div class="media-body">
<h3 class="dropdown-item-title">
    Brad Diesel
<span class="float-right text-sm text-danger"><i class="fas fa-star"></i></span>
</h3>
<p class="text-sm">Call me whenever you can...</p>
<p class="text-sm text-muted"><i class="far fa-clock mr-1"></i> 4 Hours Ago</p>
</div>
</div>
<!-- Message End -->
</a>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item">
<!-- Message Start -->
<div class="media">

<div class="media-body">
<h3 class="dropdown-item-title">
    John Pierce
<span class="float-right text-sm text-muted"><i class="fas fa-star"></i></span>
</h3>
<p class="text-sm">I got your message bro</p>
<p class="text-sm text-muted"><i class="far fa-clock mr-1"></i> 4 Hours Ago</p>
</div>
</div>
<!-- Message End -->
</a>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item">
<!-- Message Start -->
<div class="media">

<div class="media-body">
<h3 class="dropdown-item-title">
    Nora Silvester
<span class="float-right text-sm text-warning"><i class="fas fa-star"></i></span>
</h3>
<p class="text-sm">The subject goes here</p>
<p class="text-sm text-muted"><i class="far fa-clock mr-1"></i> 4 Hours Ago</p>
</div>
</div>
<!-- Message End -->
</a>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item dropdown-footer">See All Messages</a>

```

```

</div>
</li>
<!-- Notifications Dropdown Menu -->
<li class="nav-item dropdown">
<a class="nav-link" data-toggle="dropdown" href="#">
<i class="far fa-bell"></i>
<span class="badge badge-warning navbar-badge">15</span>
</a>
<div class="dropdown-menu dropdown-menu-lg dropdown-menu-right">
<span class="dropdown-item dropdown-header">15 Notifications</span>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item">
<i class="fas fa-envelope mr-2"></i> 4 new messages
<span class="float-right text-muted text-sm">3 mins</span>
</a>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item">
<i class="fas fa-users mr-2"></i> 8 friend requests
<span class="float-right text-muted text-sm">12 hours</span>
</a>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item">
<i class="fas fa-file mr-2"></i> 3 new reports
<span class="float-right text-muted text-sm">2 days</span>
</a>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item dropdown-footer">See All Notifications</a>
</div>
</li>
<li class="nav-item">
<a class="nav-link" data-widget="control-sidebar" data-slide="true" href="#">
<i class="fas fa-th-large"></i>
</a>
</li>
</ul>
</nav>
<!-- /.navbar -->

<!-- Main Sidebar Container -->
<aside class="main-sidebar sidebar-dark-primary elevation-4">
<!-- Brand Logo -->
<a href="index3.html" class="brand-link">


```

```

<span class="brand-text font-weight-light">AdminLTE 3</span>
</a>

<!-- Sidebar -->
<div class="sidebar">
<!-- Sidebar user (optional) -->
<div class="user-panel mt-3 pb-3 mb-3 d-flex">
<div class="image">

</div>
<div class="info">
<a href="#" class="d-block"><?php echo $_SESSION['username'];?></a>
</div>
</div>

<!-- Sidebar Menu -->
<nav class="mt-2">
<ul class="nav nav-pills nav-sidebar flex-column" data-widget="treeview" role="menu" data-accordion="false">
<!-- Add icons to the links using the .nav-icon class
      with font-awesome or any other icon font library -->
<li class="nav-item has-treeview">
<a href="dashboard.php" class="nav-link">
<i class="nav-icon fas fa-tachometer-alt"></i>
<p>
Dashboard
</p>
</a>

</li>
<li class="nav-item">
<a href="blog.php" class="nav-link">
<i class="nav-icon fas fa-th"></i>
<p>
Blogs
</p>
</a>
</li>
<li class="nav-item">
<a href="logout.php" class="nav-link">
<i class="nav-icon far fa-circle text-info"></i>
<p>Logout</p>
</a>
</li>
</ul>
</nav>

```

```

<!-- /.sidebar-menu -->
</div>
<!-- /.sidebar -->
</aside>

<!-- Content Wrapper. Contains page content -->
<div class="content-wrapper">
<!-- Content Header (Page header) -->
<section class="content-header">
<div class="container-fluid">
<div class="row mb-2">
<div class="col-sm-6">
<h1>Blank Page</h1>
</div>
<div class="col-sm-6">
<ol class="breadcrumb float-sm-right">
<li class="breadcrumb-item"><a href="#">Home</a></li>
<li class="breadcrumb-item active">Blank Page</li>
</ol>
</div>
</div>
</div><!-- /.container-fluid -->
</section>

<!-- Main content -->
<section class="content">

<!-- Default box -->
<div class="card">
<div class="card-header">
<h3 class="card-title">Title</h3>

<div class="card-tools">
<button type="button" class="btn btn-tool" data-card-widget="collapse" data-toggle="tooltip" title="Collapse">
<i class="fas fa-minus"></i></button>
<button type="button" class="btn btn-tool" data-card-widget="remove" data-toggle="tooltip" title="Remove">
<i class="fas fa-times"></i></button>
</div>
</div>
<div class="card-body">
    Start creating your amazing application!
</div>
<!-- /.card-body -->
<div class="card-footer">

```

```

        Footer
    </div>
    <!-- /.card-footer-->
</div>
<!-- /.card -->

</section>
<!-- /.content -->
</div>
<!-- /.content-wrapper -->


<footer class="main-footer">
<div class="float-right d-none d-sm-block">
<b>Version</b> 3.0.2
</div>
<strong>Copyright &copy; 2014-2019 <a href="http://adminlte.io">Ad-
minLTE.io</a>.</strong> All rights
    reserved.
</footer>

<!-- Control Sidebar -->
<aside class="control-sidebar control-sidebar-dark">
<!-- Control sidebar content goes here -->
</aside>
<!-- /.control-sidebar -->
</div>
<!-- ./wrapper -->

<!-- jQuery -->
<script src="plugins/jquery/jquery.min.js"></script>
<!-- Bootstrap 4 -->
<script src="plugins/bootstrap/js/bootstrap.bundle.min.js"></script>
<!-- AdminLTE App -->
<script src="dist/js/adminlte.min.js"></script>
<!-- AdminLTE for demo purposes -->
<script src="dist/js/demo.js"></script>
</body>
</html>

```

Output:-



5) Connection Code

```
<?php
session_start();
$host="localhost";
$user="root";
$password="";
$dbname="demo1";
$conn = new mysqli($host, $user, $password, $dbname);

// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
//echo "Connected successfully";
?>
```

6) Change Password Code

```
<?php
include('conn/conn.php');
if(isset($_POST['change_password']) && $_POST['change_password']=="change_password")
{
    $sql = "SELECT * FROM admin WHERE username='".$_SESSION['username']."' and
```

```

password="".$_POST['oldpassword']."";
$result = $conn->query($sql);
if($result->num_rows<1)
{
    $err_msg="Old Password not matched!!!";
}
else
{
    $sql = "UPDATE admin SET password = '".$_POST['newpassword']."' WHERE user-
name='".$_SESSION['username']."'";
    $result = $conn->query($sql);
    $suc_msg="Password updated Successfully!!!";
}
}
?>
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>Demo | Recover Password</title>
<!-- Tell the browser to be responsive to screen width -->
<meta name="viewport" content="width=device-width, initial-scale=1">

<!-- Font Awesome -->
<link rel="stylesheet" href="plugins/fontawesome-free/css/all.min.css">
<!-- Icons -->
<link rel="stylesheet" href="https://code.ionicframework.com/ionicons/2.0.1/css/ioni-
cons.min.css">
<!-- icheck bootstrap -->
<link rel="stylesheet" href="plugins/icheck-bootstrap/icheck-bootstrap.min.css">
<!-- Theme style -->
<link rel="stylesheet" href="dist/css/adminlte.min.css">
<!-- Google Font: Source Sans Pro -->
<link href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,400i,700"
rel="stylesheet">
<script>
    function checkvalid(f)
    {
        if(f.newpassword.value!=f.retypenewpassword.value)
        {
            alert("New password and confirm new password should be same");
            return false;
        }
    }
</script>

```

```

</head>
<body class="hold-transition login-page">
<div class="login-box">
<div class="login-logo">
<a href="index2.html"><b>Admin</b>LTE</a>
</div>
<!-- /.login-logo -->
<div class="card">
<div class="card-body login-card-body">
<p class="login-box-msg">You are only one step a way from your new password, recover your
password now.</p>
    <?php if(isset($err_msg)&& $err_msg!="") {
        ?>
        <div class="text-danger">
            <?php echo $err_msg; ?>
        </div>
        <?php
    }
    ?>
    <?php if(isset($suc_msg)&& $suc_msg!="") {
        ?>
        <div class="text-success">
            <?php echo $suc_msg; ?>
        </div>
        <?php
    }
    ?>
<form method="post" onsubmit="return checkvalid(this)">
    <div class="input-group mb-3">
<input type="password" class="form-control" placeholder="Old Password" name="oldpass-
word" required>
<div class="input-group-append">
<div class="input-group-text">
<span class="fas fa-lock"></span>
</div>
</div>
</div>
<div class="input-group mb-3">
<input type="password" class="form-control" placeholder="New Password" name="newpass-
word" required>
<div class="input-group-append">
<div class="input-group-text">
<span class="fas fa-lock"></span>
</div>
</div>
</div>

```

```

<div class="input-group mb-3">
<input type="password" class="form-control" placeholder="Confirm New Password" name="re-
typenewpassword" required>
<div class="input-group-append">
<div class="input-group-text">
<span class="fas fa-lock"></span>
</div>
</div>
</div>
<div class="row">
<div class="col-12">
<button type="submit" class="btn btn-primary btn-block" value="change_password"
name="change_password">Change password</button>
</div>
<!-- /.col -->
</div>
</form>


<p class="mt-3 mb-1">
<a href="login.html">Login</a>
</p>
</div>
<!-- /.login-card-body -->
</div>
</div>
<!-- /.login-box -->

<!-- jQuery -->
<script src="plugins/jquery/jquery.min.js"></script>
<!-- Bootstrap 4 -->
<script src="plugins/bootstrap/js/bootstrap.bundle.min.js"></script>
<!-- AdminLTE App -->
<script src="dist/js/adminlte.min.js"></script>

</body>
</html>

```

Output:-



6) Forgot Password Code

```
<?php
include('conn/conn.php');
if(isset($_POST['forgot']) && $_POST['forgot']=="forgot")
{
    $sql = "SELECT * FROM admin WHERE username='".$_POST['username']."'";
    $result = $conn->query($sql);
    if ($result->num_rows > 0) {
        while($row = $result->fetch_assoc()) {
            $pass=$row['password'];
        }
        $sub="your password";
        $msg="Your password is:".$pass;
        @mail($_POST['email'],$sub,$msg);
        $suc_msg="Mail sent with your password";
    }
    else
    {
        $err_msg="Email does not exist";
    }
}
?>
<!DOCTYPE html>
<html>
```

```

<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>Demo | Forgot Password</title>
<!-- Tell the browser to be responsive to screen width -->
<meta name="viewport" content="width=device-width, initial-scale=1">

<!-- Font Awesome -->
<link rel="stylesheet" href="plugins/fontawesome-free/css/all.min.css">
<!-- Icons -->
<link rel="stylesheet" href="https://code.ionicframework.com/ionicons/2.0.1/css/ionicons.min.css">
<!-- icheck bootstrap -->
<link rel="stylesheet" href="plugins/icheck-bootstrap/icheck-bootstrap.min.css">
<!-- Theme style -->
<link rel="stylesheet" href="dist/css/adminlte.min.css">
<!-- Google Font: Source Sans Pro -->
<link href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,400i,700"
rel="stylesheet">
</head>
<body class="hold-transition login-page">
<div class="login-box">
<div class="login-logo">
<a href="index2.html"><b>Admin</b>LTE</a>
</div>
<!-- /.login-logo -->
<div class="card">
<div class="card-body login-card-body">
<p class="login-box-msg">You forgot your password? Here you can easily retrieve a new password.</p>
<?php if(isset($err_msg)&& $err_msg!=""){
    ?>
    <div class="text-danger">
    <?php echo $err_msg; ?>
    </div>
    <?php
}
?>
<?php if(isset($suc_msg)&& $suc_msg!=""){
    ?>
    <div class="text-success">
    <?php echo $suc_msg; ?>
    </div>
    <?php
}
?>

```

```

<form method="post">
<div class="input-group mb-3">
<input type="email" class="form-control" placeholder="Email" name="username" required>
<div class="input-group-append">
<div class="input-group-text">
<span class="fas fa-envelope"></span>
</div>
</div>
</div>
<div class="row">
<div class="col-12">
<button type="submit" class="btn btn-primary btn-block" name="forgot" value="forgot">Re-
quest new password</button>
</div>
<!-- /.col -->
</div>
</form>

<p class="mt-3 mb-1">
<a href="login.php">Login</a>
</p>

</div>
<!-- /.login-card-body -->
</div>
</div>
<!-- /.login-box -->

<!-- jQuery -->
<script src="plugins/jquery/jquery.min.js"></script>
<!-- Bootstrap 4 -->
<script src="plugins/bootstrap/js/bootstrap.bundle.min.js"></script>
<!-- AdminLTE App -->
<script src="dist/js/adminlte.min.js"></script>

</body>
</html>

```

7) Code of AddBlog Page

```
<?php
include('conn/conn.php');
if(isset($_POST['submit']) && $_POST['submit']=="Create New Blog")
{
    if(isset($_FILES['image']['name']) && $_FILES['image']['name']!="")
    {
        $file_extn=explode(".",$_FILES['image']['name']);
        $iname=time().".$file_extn[1];
        move_uploaded_file($_FILES['image']['tmp_name'], "uploads_dir/".$iname);
    }
    else
    {
        $iname="";
    }
    $query="INSERT INTO `blog` (`id`, `title`,`image`,`short_desc`,`long_desc`,`status`)
VALUES (NULL, '".$_POST['title']."', '".$_$iname.
ame."','".$_POST['short_desc']."', '".$_POST['long_desc']."', '".$_POST['status']."'");
    $result = $conn->query($query);
    $suc_msg="Blog added Successfully!!!";
    header("location:blog.php");
}
?>
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>Demo | BLog Add</title>
<!-- Tell the browser to be responsive to screen width -->
<meta name="viewport" content="width=device-width, initial-scale=1">

<!-- Font Awesome -->
<link rel="stylesheet" href="plugins/fontawesome-free/css/all.min.css">
<!-- Icons -->
<link rel="stylesheet" href="https://code.ionicframework.com/ionicons/2.0.1/css/ioni-
cons.min.css">
<!-- overlayScrollbars -->
<link rel="stylesheet" href="dist/css/adminlte.min.css">
<!-- Google Font: Source Sans Pro -->
<link href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,400i,700"
rel="stylesheet">
</head>
<body class="hold-transition sidebar-mini">
<!-- Site wrapper -->
```



```

<div class="wrapper">
<!-- Navbar -->
<nav class="main-header navbar navbar-expand navbar-white navbar-light">
<!-- Left navbar links -->

<!-- Right navbar links -->
<ul class="navbar-nav ml-auto">
<!-- Messages Dropdown Menu -->
    <li><a href="change_password.php">Change Password</a></li>
<li class="nav-item dropdown">
<a class="nav-link" data-toggle="dropdown" href="#">
<i class="far fa-comments"></i>
<span class="badge badge-danger navbar-badge">3</span>
</a>
<div class="dropdown-menu dropdown-menu-lg dropdown-menu-right">
<a href="#" class="dropdown-item">
<!-- Message Start -->
<div class="media">

<div class="media-body">
<h3 class="dropdown-item-title">
    Brad Diesel
<span class="float-right text-sm text-danger"><i class="fas fa-star"></i></span>
</h3>
<p class="text-sm">Call me whenever you can...</p>
<p class="text-sm text-muted"><i class="far fa-clock mr-1"></i> 4 Hours Ago</p>
</div>
</div>
<!-- Message End -->
</a>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item">
<!-- Message Start -->
<div class="media">

<div class="media-body">
<h3 class="dropdown-item-title">
    John Pierce
<span class="float-right text-sm text-muted"><i class="fas fa-star"></i></span>
</h3>
<p class="text-sm">I got your message bro</p>
<p class="text-sm text-muted"><i class="far fa-clock mr-1"></i> 4 Hours Ago</p>
</div>
</div>
<!-- Message End -->
</a>

```

```

<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item">
<!-- Message Start -->
<div class="media">

<div class="media-body">
<h3 class="dropdown-item-title">
    Nora Silvester
<span class="float-right text-sm text-warning"><i class="fas fa-star"></i></span>
</h3>
<p class="text-sm">The subject goes here</p>
<p class="text-sm text-muted"><i class="far fa-clock mr-1"></i> 4 Hours Ago</p>
</div>
</div>
<!-- Message End -->
</a>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item dropdown-footer">See All Messages</a>
</div>
</li>
<!-- Notifications Dropdown Menu -->
<li class="nav-item dropdown">
<a class="nav-link" data-toggle="dropdown" href="#">
<i class="far fa-bell"></i>
<span class="badge badge-warning navbar-badge">15</span>
</a>
<div class="dropdown-menu dropdown-menu-lg dropdown-menu-right">
<span class="dropdown-item dropdown-header">15 Notifications</span>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item">
<i class="fas fa-envelope mr-2"></i> 4 new messages
<span class="float-right text-muted text-sm">3 mins</span>
</a>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item">
<i class="fas fa-users mr-2"></i> 8 friend requests
<span class="float-right text-muted text-sm">12 hours</span>
</a>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item">
<i class="fas fa-file mr-2"></i> 3 new reports
<span class="float-right text-muted text-sm">2 days</span>
</a>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item dropdown-footer">See All Notifications</a>
</div>

```

```

</li>
<li class="nav-item">
<a class="nav-link" data-widget="control-sidebar" data-slide="true" href="#">
<i class="fas fa-th-large"></i>
</a>
</li>
</ul>
</nav>
<!-- /.navbar -->

<!-- Main Sidebar Container -->
<aside class="main-sidebar sidebar-dark-primary elevation-4">
<!-- Brand Logo -->
<a href="index3.html" class="brand-link">
<span class="brand-text font-weight-light">AdminLTE 3</span>
</a>

<!-- Sidebar -->
<div class="sidebar">
<!-- Sidebar user (optional) -->

<!-- Sidebar Menu -->
<nav class="mt-2">
<ul class="nav nav-pills nav-sidebar flex-column" data-widget="treeview" role="menu" data-accordion="false">
<!-- Add icons to the links using the .nav-icon class
      with font-awesome or any other icon font library -->
<li class="nav-item has-treeview">
<a href="dashboard.php" class="nav-link">
<i class="nav-icon fas fa-tachometer-alt"></i>
<p>
Dashboard
</p>
</a>

</li>
<li class="nav-item">
<a href="blog.php" class="nav-link">
<i class="nav-icon fas fa-th"></i>
<p>
Blogs
</p>
</a>
</li>
<li class="nav-item">
<a href="logout.php" class="nav-link">

```

```

<i class="nav-icon far fa-circle text-info"></i>
<p>Logout</p>
</a>
</li>
</ul>
</nav>
<!-- /.sidebar-menu -->
</div>
<!-- /.sidebar -->
</aside>

<!-- Content Wrapper. Contains page content -->
<div class="content-wrapper">
<!-- Content Header (Page header) -->
<section class="content-header">
<div class="container-fluid">
<div class="row mb-2">
<div class="col-sm-6">
<h1>Blog Add</h1>
</div>
<div class="col-sm-6">
<ol class="breadcrumb float-sm-right">
<li class="breadcrumb-item"><a href="#">Home</a></li>
<li class="breadcrumb-item active">Blog Add</li>
</ol>
</div>
</div>
</div><!-- /.container-fluid -->
</section>

<!-- Main content -->
<section class="content">
    <form method="post" enctype="multipart/form-data">
<div class="row">
<div class="col-md-6">
<div class="card card-primary">
<div class="card-header">
<h3 class="card-title">General</h3>

<div class="card-tools">
<button type="button" class="btn btn-tool" data-card-widget="collapse" data-toggle="tooltip" ti-
tle="Collapse">
<i class="fas fa-minus"></i></button>
</div>
</div>
<div class="card-body">

```

```

<div class="form-group">
<label for="inputName">Blog Title</label>
<input type="text" id="inputName" class="form-control" name="title" required>
</div>
      <div class="form-group">
<label for="inputImage">Image</label>
<input type="file" id="inputFile" class="form-control" name="image" required>
</div>
<div class="form-group">
<label for="inputDescription">Short Description</label>
<textarea id="inputDescription" class="form-control" rows="2" name="short_descr" re-
quired></textarea>
</div>
      <div class="form-group">
<label for="inputLongDescription">Long Description</label>
<textarea id="inputDescription" class="form-control" rows="4" name="long_descr" re-
quired></textarea>
</div>
<div class="form-group">
<label for="inputStatus">Status</label>
<select class="form-control custom-select" name="status" required>
<option value="">Select one</option>
<option value="1">Active</option>
<option value="0">Inactive</option>
</select>
</div>
</div>
<!-- /.card-body -->
</div>
<!-- /.card -->
</div>
</div>
<div class="row">
<div class="col-12">
<input type="reset" class="btn btn-secondary" value="Cancel">
<input type="submit" name="submit" value="Create New Blog" class="btn btn-success float-
right">
</div>
</div>
      </form>
</section>
<!-- /.content -->
</div>
<!-- /.content-wrapper -->

<footer class="main-footer">

```

```


<div class="float-right d-none d-sm-block">
<b>Version</b> 3.0.2
</div>
<strong>Copyright &copy; 2014-2019 <a href="http://adminlte.io">Ad-
minLTE.io</a>.</strong> All rights
    reserved.
</footer>

<!-- Control Sidebar -->
<aside class="control-sidebar control-sidebar-dark">
<!-- Control sidebar content goes here -->
</aside>
<!-- /.control-sidebar -->
</div>
<!-- ./wrapper -->

<!-- jQuery -->
<script src="plugins/jquery/jquery.min.js"></script>
<!-- Bootstrap 4 -->
<script src="plugins/bootstrap/js/bootstrap.bundle.min.js"></script>
<!-- AdminLTE App -->
<script src="dist/js/adminlte.min.js"></script>
<!-- AdminLTE for demo purposes -->
<script src="dist/js/demo.js"></script>
</body>
</html>

```

Output:



8) Code of Blog Page

```
<?php
include('conn/conn.php');
if(isset($_GET['did']) && $_GET['did']!="")
{
    $sql="delete from blog where id=".$_GET['did'];
    $result = $conn->query($sql);
    $suc_msg="record deleted successfully";
}
?>
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>Demo | Blogs</title>
<!-- Tell the browser to be responsive to screen width -->
<meta name="viewport" content="width=device-width, initial-scale=1">

<!-- Font Awesome -->
<link rel="stylesheet" href="plugins/fontawesome-free/css/all.min.css">
<!-- Ionicons -->
<link rel="stylesheet" href="https://code.ionicframework.com/ionicons/2.0.1/css/ionicons.min.css">
<!-- overlayScrollbars -->
<link rel="stylesheet" href="dist/css/adminlte.min.css">
<!-- Google Font: Source Sans Pro -->
<link href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,400i,700"
rel="stylesheet">
</head>
<body class="hold-transition sidebar-mini">
<!-- Site wrapper -->
<div class="wrapper">
<!-- Navbar -->
<nav class="main-header navbar navbar-expand navbar-white navbar-light">
<!-- Left navbar links -->

<!-- Right navbar links -->
<ul class="navbar-nav ml-auto">
    <li><a href="change_password.php">Change Password</a></li>
<!-- Messages Dropdown Menu -->
<li class="nav-item dropdown">
<a class="nav-link" data-toggle="dropdown" href="#">
<i class="far fa-comments"></i>
<span class="badge badge-danger navbar-badge">3</span>
```

```

</a>
<div class="dropdown-menu dropdown-menu-lg dropdown-menu-right">
<a href="#" class="dropdown-item">
<!-- Message Start -->
<div class="media">

<div class="media-body">
<h3 class="dropdown-item-title">
Brad Diesel
<span class="float-right text-sm text-danger"><i class="fas fa-star"></i></span>
</h3>
<p class="text-sm">Call me whenever you can...</p>
<p class="text-sm text-muted"><i class="far fa-clock mr-1"></i> 4 Hours Ago</p>
</div>
</div>
<!-- Message End -->
</a>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item">
<!-- Message Start -->
<div class="media">

<div class="media-body">
<h3 class="dropdown-item-title">
John Pierce
<span class="float-right text-sm text-muted"><i class="fas fa-star"></i></span>
</h3>
<p class="text-sm">I got your message bro</p>
<p class="text-sm text-muted"><i class="far fa-clock mr-1"></i> 4 Hours Ago</p>
</div>
</div>
<!-- Message End -->
</a>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item">
<!-- Message Start -->
<div class="media">

<div class="media-body">
<h3 class="dropdown-item-title">
Nora Silvester
<span class="float-right text-sm text-warning"><i class="fas fa-star"></i></span>
</h3>
<p class="text-sm">The subject goes here</p>
<p class="text-sm text-muted"><i class="far fa-clock mr-1"></i> 4 Hours Ago</p>
</div>

```



```

</div>
<!-- Message End -->
</a>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item dropdown-footer">See All Messages</a>
</div>
</li>
<!-- Notifications Dropdown Menu -->
<li class="nav-item dropdown">
<a class="nav-link" data-toggle="dropdown" href="#">
<i class="far fa-bell"></i>
<span class="badge badge-warning navbar-badge">15</span>
</a>
<div class="dropdown-menu dropdown-menu-lg dropdown-menu-right">
<span class="dropdown-item dropdown-header">15 Notifications</span>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item">
<i class="fas fa-envelope mr-2"></i> 4 new messages
<span class="float-right text-muted text-sm">3 mins</span>
</a>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item">
<i class="fas fa-users mr-2"></i> 8 friend requests
<span class="float-right text-muted text-sm">12 hours</span>
</a>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item">
<i class="fas fa-file mr-2"></i> 3 new reports
<span class="float-right text-muted text-sm">2 days</span>
</a>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item dropdown-footer">See All Notifications</a>
</div>
</li>
<li class="nav-item">
<a class="nav-link" data-widget="control-sidebar" data-slide="true" href="#">
<i class="fas fa-th-large"></i>
</a>
</li>
</ul>
</nav>
<!-- /.navbar -->

<!-- Main Sidebar Container -->
<aside class="main-sidebar sidebar-dark-primary elevation-4">
<!-- Brand Logo -->

```

```

<a href="index3.html" class="brand-link">
<span class="brand-text font-weight-light">AdminLTE 3</span>
</a>

<!-- Sidebar -->
<div class="sidebar">
<!-- Sidebar user (optional) -->

<nav class="mt-2">
<ul class="nav nav-pills nav-sidebar flex-column" data-widget="treeview" role="menu" data-accordion="false">
<!-- Add icons to the links using the .nav-icon class
      with font-awesome or any other icon font library -->
<li class="nav-item has-treeview">
<a href="dashboard.php" class="nav-link">
<i class="nav-icon fas fa-tachometer-alt"></i>
<p>
Dashboard
</p>
</a>

</li>
<li class="nav-item">
<a href="blog.php" class="nav-link">
<i class="nav-icon fas fa-th"></i>
<p>
Blogs
</p>
</a>
</li>
<li class="nav-item">
<a href="logout.php" class="nav-link">
<i class="nav-icon far fa-circle text-info"></i>
<p>Logout</p>
</a>
</li>
</ul>
</nav>
</div>
<!-- /.sidebar -->
</aside>

<!-- Content Wrapper. Contains page content -->
<div class="content-wrapper">
<!-- Content Header (Page header) -->
<section class="content-header">

```

```

<div class="container-fluid">
<div class="row mb-2">
<div class="col-sm-6">
<h1>Blogs</h1>
</div>
<div class="col-sm-6">
<ol class="breadcrumb float-sm-right">
<li class="breadcrumb-item"><a href="#">Home</a></li>
<li class="breadcrumb-item active">Blogs</li>
</ol>
</div>
<div class="col-sm-3">
<a href="addblog.php"><button class="btn btn-block bg-gradient-primary">Add
New</button></a>
</div>
</div>
</div><!-- /.container-fluid -->
</section>

<!-- Main content -->
<section class="content">

<!-- Default box -->
<div class="card">
<div class="card-header">
<h3 class="card-title">Blogs</h3>

<div class="card-tools">
<button type="button" class="btn btn-tool" data-card-widget="collapse" data-toggle="tooltip" ti-
tle="Collapse">
<i class="fas fa-minus"></i></button>
<button type="button" class="btn btn-tool" data-card-widget="remove" data-toggle="tooltip" ti-
tle="Remove">
<i class="fas fa-times"></i></button>
</div>
</div>
<?php if(isset($suc_msg)&& $suc_msg!=""){
    ?>
    <div class="text-success">
    <?php echo $suc_msg; ?>
    </div>
    <?php
    }
    ?>

<div class="card-body p-0">
<table class="table table-striped projects">

```

```

<thead>
<tr>
<th style="width: 1%">
#
</th>
<th style="width: 20%">
Blog Title
</th>
<th style="width: 30%">
Image
</th>
<th>
Description
</th>
<th style="width: 8%" class="text-center">
Status
</th>
<th style="width: 20%">
</th>
</tr>
</thead>
<tbody>
<?php
$sql = "SELECT * FROM blog";
$result = $conn->query($sql);
if ($result->num_rows > 0) {
    $i=1;
    // output data of each row
    while($row = $result->fetch_assoc()) {
        ?>
<tr>
<td>
<?php echo $i; ?>
</td>
<td>
<?php echo $row['title'];?>
</td>
<td>

</td>
<td>
<?php echo $row['short_descr'];?>
</td>
<td class="project-state">
<?php if($row['status']=='1') { ?>
<span class="badge badge-success">Active</span>

```

```

                <?php } else { ?>
                <span class="badge badge-danger">Inac-
tive</span>

                <?php } ?>
            </td>
            <td class="project-actions text-right">
            <a class="btn btn-info btn-sm" href="editblog.php?eid=<?php echo $row['id'];?>">
            <i class="fas fa-pencil-alt">
            </i>
                Edit
            </a>
            <a class="btn btn-danger btn-sm" href="blog.php?did=<?php echo $row['id'];?>">
            <i class="fas fa-trash">
            </i>
                Delete
            </a>
            </td>
        </tr>

        <?php $i++;}
        }
        ?>

    </tbody>
</table>
</div>
<!-- /.card-body -->
</div>
<!-- /.card -->

</section>
<!-- /.content -->
</div>
<!-- /.content-wrapper -->

<footer class="main-footer">
<div class="float-right d-none d-sm-block">
<b>Version</b> 3.0.2
</div>
<strong>Copyright &copy; 2014-2019 <a href="http://adminlte.io">Ad-
minLTE.io</a>.</strong> All rights
    reserved.
</footer>

<!-- Control Sidebar -->
<aside class="control-sidebar control-sidebar-dark">
<!-- Control sidebar content goes here -->
</aside>

```


```

<!-- /.control-sidebar -->
</div>
<!-- ./wrapper -->

<!-- jQuery -->
<script src="plugins/jquery/jquery.min.js"></script>
<!-- Bootstrap 4 -->
<script src="plugins/bootstrap/js/bootstrap.bundle.min.js"></script>
<!-- AdminLTE App -->
<script src="dist/js/adminlte.min.js"></script>
<!-- AdminLTE for demo purposes -->
<script src="dist/js/demo.js"></script>
</body>
</html>

```

Output:



9) EditBlog Code:-

```
<?php
include('conn/conn.php');
if(isset($_GET['eid']) && $_GET['eid']!="")
{
    $sqlu = "SELECT * FROM blog WHERE id=".$_GET['eid'];
    $resultu = $conn->query($sqlu);
    $rowu = $resultu->fetch_assoc();
    //print_r($rowu);die;

}
if(isset($_POST['submit']) && $_POST['submit']=="Update Blog")
{
    if(isset($_FILES['image']['name']) && $_FILES['image']['name']!="")
    {
        $file_extn=explode(".",$_FILES['image']['name']);
        $iname=time().".".$file_extn[1];
        move_uploaded_file($_FILES['image']['tmp_name'], "uploads_dir/".$iname);
        $query="UPDATE `blog` SET `title`='".$_POST['title'].",'image'='".$_in-
ame.'"',`short_descr`='".$_POST['short_descr'].",'long_descr`='".$_POST['long_descr'].",'sta-
tus`='".$_POST['status'].'" WHERE id=".$_GET['eid'];
    }
    else
    {
        $query="UPDATE `blog` SET `title`='".$_POST['ti-
tle'].",'short_descr`='".$_POST['short_descr'].",'long_descr`='".$_POST['long_descr'].",'sta-
tus`='".$_POST['status'].'" WHERE id=".$_GET['eid'];
    }

    $result = $conn->query($query);
    $suc_msg="Blog updated Successfully!!!";
    header("location:blog.php");
}
?>
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>Demo | BLog Edit</title>
<!-- Tell the browser to be responsive to screen width -->
<meta name="viewport" content="width=device-width, initial-scale=1">

<!-- Font Awesome -->
<link rel="stylesheet" href="plugins/fontawesome-free/css/all.min.css">
```

```

<!-- Icons -->
<link rel="stylesheet" href="https://code.ionicframework.com/ionicons/2.0.1/css/ionicons.min.css">
<!-- overlayScrollbars -->
<link rel="stylesheet" href="dist/css/adminlte.min.css">
<!-- Google Font: Source Sans Pro -->
<link href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,400i,700" rel="stylesheet">
</head>
<body class="hold-transition sidebar-mini">
<!-- Site wrapper -->
<div class="wrapper">
<!-- Navbar -->
<nav class="main-header navbar navbar-expand navbar-white navbar-light">
<!-- Left navbar links -->

<!-- Right navbar links -->
<ul class="navbar-nav ml-auto">
<!-- Messages Dropdown Menu -->
      <li><a href="change_password.php">Change Password</a></li>
<li class="nav-item dropdown">
<a class="nav-link" data-toggle="dropdown" href="#">
<i class="far fa-comments"></i>
<span class="badge badge-danger navbar-badge">3</span>
</a>
<div class="dropdown-menu dropdown-menu-lg dropdown-menu-right">
<a href="#" class="dropdown-item">
<!-- Message Start -->
      <div class="media">

<div class="media-body">
<h3 class="dropdown-item-title">
      Brad Diesel
<span class="float-right text-sm text-danger"><i class="fas fa-star"></i></span>
</h3>
<p class="text-sm">Call me whenever you can...</p>
<p class="text-sm text-muted"><i class="far fa-clock mr-1"></i> 4 Hours Ago</p>
</div>
</div>
<!-- Message End -->
</a>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item">
<!-- Message Start -->
      <div class="media">


```



```

<div class="media-body">
<h3 class="dropdown-item-title">
    John Pierce
<span class="float-right text-sm text-muted"><i class="fas fa-star"></i></span>
</h3>
<p class="text-sm">I got your message bro</p>
<p class="text-sm text-muted"><i class="far fa-clock mr-1"></i> 4 Hours Ago</p>
</div>
</div>
<!-- Message End -->
</a>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item">
<!-- Message Start -->
<div class="media">

<div class="media-body">
<h3 class="dropdown-item-title">
    Nora Silvester
<span class="float-right text-sm text-warning"><i class="fas fa-star"></i></span>
</h3>
<p class="text-sm">The subject goes here</p>
<p class="text-sm text-muted"><i class="far fa-clock mr-1"></i> 4 Hours Ago</p>
</div>
</div>
<!-- Message End -->
</a>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item dropdown-footer">See All Messages</a>
</div>
</li>
<!-- Notifications Dropdown Menu -->
<li class="nav-item dropdown">
<a class="nav-link" data-toggle="dropdown" href="#">
<i class="far fa-bell"></i>
<span class="badge badge-warning navbar-badge">15</span>
</a>
<div class="dropdown-menu dropdown-menu-lg dropdown-menu-right">
<span class="dropdown-item dropdown-header">15 Notifications</span>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item">
<i class="fas fa-envelope mr-2"></i> 4 new messages
<span class="float-right text-muted text-sm">3 mins</span>
</a>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item">

```

```

<i class="fas fa-users mr-2"></i> 8 friend requests
<span class="float-right text-muted text-sm">12 hours</span>
</a>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item">
<i class="fas fa-file mr-2"></i> 3 new reports
<span class="float-right text-muted text-sm">2 days</span>
</a>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item dropdown-footer">See All Notifications</a>
</div>
</li>
<li class="nav-item">
<a class="nav-link" data-widget="control-sidebar" data-slide="true" href="#">
<i class="fas fa-th-large"></i>
</a>
</li>
</ul>
</nav>
<!-- /.navbar -->

<!-- Main Sidebar Container -->
<aside class="main-sidebar sidebar-dark-primary elevation-4">
<!-- Brand Logo -->
<a href="index3.html" class="brand-link">

<span class="brand-text font-weight-light">AdminLTE 3</span>
</a>

<!-- Sidebar -->
<div class="sidebar">
<!-- Sidebar user (optional) -->
<div class="user-panel mt-3 pb-3 mb-3 d-flex">
<div class="image">

</div>
<div class="info">
<a href="#" class="d-block"><?php echo $_SESSION['username'];?></a>
</div>
</div>

<!-- Sidebar Menu -->
<nav class="mt-2">

```

```

<ul class="nav nav-pills nav-sidebar flex-column" data-widget="treeview" role="menu" data-accordion="false">
  <!-- Add icons to the links using the .nav-icon class
        with font-awesome or any other icon font library -->
  <li class="nav-item has-treeview">
    <a href="dashboard.php" class="nav-link">
      <i class="nav-icon fas fa-tachometer-alt"></i>
    <p>
      Dashboard
    </p>
    </a>

  </li>
  <li class="nav-item">
    <a href="blog.php" class="nav-link">
      <i class="nav-icon fas fa-th"></i>
    <p>
      Blogs
    </p>
    </a>

  </li>
  <li class="nav-item">
    <a href="logout.php" class="nav-link">
      <i class="nav-icon far fa-circle text-info"></i>
    <p>Logout</p>
    </a>

  </li>
</ul>
</nav>
<!-- /.sidebar-menu -->
</div>
<!-- /.sidebar -->
</aside>

<!-- Content Wrapper. Contains page content -->
<div class="content-wrapper">
  <!-- Content Header (Page header) -->
  <section class="content-header">
    <div class="container-fluid">
      <div class="row mb-2">
        <div class="col-sm-6">
          <h1>Blog Edit</h1>
        </div>
        <div class="col-sm-6">
          <ol class="breadcrumb float-sm-right">
            <li class="breadcrumb-item"><a href="#">Home</a></li>

```

```

<li class="breadcrumb-item active">Blog Edit</li>
</ol>
</div>
</div>
</div><!-- /.container-fluid -->
</section>

<!-- Main content -->
<section class="content">
    <form method="post" enctype="multipart/form-data">
<div class="row">
<div class="col-md-6">
<div class="card card-primary">
<div class="card-header">
<h3 class="card-title">General</h3>

<div class="card-tools">
<button type="button" class="btn btn-tool" data-card-widget="collapse" data-toggle="tooltip" title="Collapse">
<i class="fas fa-minus"></i></button>
</div>
</div>
<div class="card-body">
<div class="form-group">
<label for="inputName">Blog Title</label>
<input type="text" id="inputName" class="form-control" name="title" value="<?php echo $rowu['title'];?>"required>
</div>

        <div class="form-group">
<label for="inputImage">Image</label>
<input type="file" id="inputFile" class="form-control" name="image">
                <?php if(isset($rowu['image']) && $rowu['image']!="")
                {
                    ?>
                    
                    <?php
                }
                ?>
</div>
<div class="form-group">
<label for="inputDescription">Short Description</label>
<textarea id="inputDescription" class="form-control" rows="2" name="short_descr" required><?php echo $rowu['short_descr'];?></textarea>
</div>

        <div class="form-group">

```

```

<label for="inputLongDescription">Long Description</label>
<textarea id="inputDescription" class="form-control" rows="4" name="long_descr" re-
quired><?php echo $rowu['long_descr'];?></textarea>
</div>
<div class="form-group">
<label for="inputStatus">Status</label>
<select class="form-control custom-select" name="status" required>
<option value="">Select one</option>
<option value="1"><?php if($rowu['status']=="1") echo "selected"; ?>>Active</option>
<option value="0"><?php if($rowu['status']=="0") echo "selected"; ?>>Inactive</option>
</select>
</div>
</div>
<!-- /.card-body -->
</div>
<!-- /.card -->
</div>
<div class="row">
<div class="col-12">
<input type="reset" class="btn btn-secondary" value="Cancel">
<input type="submit" name="submit" value="Update Blog" class="btn btn-success float-right">
</div>
</div>
</form>
</section>
<!-- /.content -->
</div>
<!-- /.content-wrapper -->

<footer class="main-footer">
<div class="float-right d-none d-sm-block">
<b>Version</b> 3.0.2
</div>
<strong>Copyright &copy; 2014-2019 <a href="http://adminlte.io">Ad-
minLTE.io</a>.</strong> All rights
reserved.
</footer>

<!-- Control Sidebar -->
<aside class="control-sidebar control-sidebar-dark">
<!-- Control sidebar content goes here -->
</aside>
<!-- /.control-sidebar -->
</div>
<!-- ./wrapper -->


```

```

<!-- jQuery -->
<script src="plugins/jquery/jquery.min.js"></script>
<!-- Bootstrap 4 -->
<script src="plugins/bootstrap/js/bootstrap.bundle.min.js"></script>
<!-- AdminLTE App -->
<script src="dist/js/adminlte.min.js"></script>
<!-- AdminLTE for demo purposes -->
<script src="dist/js/demo.js"></script>
</body>
</html>

```

Output:-



DATABASE:- Demo1 Images

1) Table:- tbl_user

The screenshot shows the phpMyAdmin interface for the 'demo1' database. The 'tbl_user' table is selected, and the 'Browse' tab is active. The table structure is shown as follows:

user_id	name	username	password	usertype
1	Hello	hello@gmail.com	Hello@1234	Admin
2	Princy	princy@gmail.com	Princy@1234	admin
6	Mansi	admin@gmail.com	princy#2806	Admin
8	Maya	maya@gmail.com	Maya@1234	Admin

2) Table:- blog

The screenshot shows the phpMyAdmin interface for the 'demo1' database. The 'blog' table is selected, and the 'Browse' tab is active. The table structure is shown as follows:

id	title	image	short_descr	long_descr	status
1	blog1	1622699486.jpg	this is blog1 this is blog1 this is blog1 this is ...	this is blog1 this is blog1 this is blog1 this is ...	1
3	blog2	1622614867.jpg	Create New Blog	this is blog2	1
4	Apollo	1622712165.jpg	this is collage blog this is collage blog.	this is cothis is collage blog llage blog this is ...	1