

WEEK 10 – STUDENT MANAGEMENT SYSTEM USING FAST API

GET / students

The screenshot displays a REST client interface with the following sections:

- GET / Home**: The top navigation bar.
- GET /students Get Students**: The active endpoint.
- Parameters**: A section with "No parameters" and a "Cancel" button.
- Execute**: A blue button to execute the request.
- Clear**: A button to clear the request.
- Responses**: A section containing:
 - Curl**: A code block with the command: `curl -X 'GET' \ 'http://127.0.0.1:8000/students' \ -H 'accept: */*'`
 - Request URL**: A text field containing `http://127.0.0.1:8000/students`
 - Server response**: A section with a "Code" column showing "200" and a "Details" column showing the response body and headers.
- Response body**: A code block showing the JSON response:

```
{  "students": {    "1": {      "name": "sam",      "age": 18,      "course": "cse",      "email": "sam@example.com"    }  } }
```
- Response headers**: A code block showing the headers:

```
content-length: 83content-type: application/jsondate: Tue, 22 Sep 2026 03:35:52 GMTserver: uvicorn
```
- Responses**: A table with the following content:

Code	Description	Links
200	Successful Response	No links
- Media type**: A dropdown menu showing "application/json".
- Controls**: A section with "Accept header" and "Example Value | Schema" links.

POST / students

POST /students Create Student

Parameters

Cancel

Reset

Name	Description
student_id ^{required}	1
Integer (query)	

Request body ^{required}

application/json

Edit Value | Schema

```
{  "name": "sam",  "age": 18,  "course": "cse",  "email": "sam@example.com"}  
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \  "http://127.0.0.1:8080/students?student_id=1" \  -H 'accept: */*' \  -H 'Content-Type: application/json' \  -d '{  "name": "sam",  "age": 18,  "course": "cse",  "email": "sam@example.com"}'  
```

Request URL

```
http://127.0.0.1:8080/students?student_id=1
```

Server response

Code	Details
201	Response body <pre>{ "message": "Student created successfully", "student_id": 1, "student": { "name": "sam", "age": 18, "course": "cse", "email": "sam@example.com"} } </pre> Download Response headers <pre>content-length: 132 content-type: application/json date: Tue, 22 Sep 2020 03:14:52 GMT server: unicorn </pre>

Responses

Code	Description	Links
201	Successful Response	No links
	Media type application/json	
	Controls Accept header	
	Example Value Schema <pre>"string"</pre>	
422	Validation Error	No links
	Media type application/json	
	Example Value Schema <pre>{ "detail": { "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} } } </pre>	

GET/ students / (student_id) Get Student

GET

/students/{student_id} Get Student

Cancel

Parameters

Name	Description
student_id required	
integer (path)	1

Execute Clear

Responses

Curl

```
curl -X GET \
  'http://127.0.0.1:8000/students/1' \
  -H 'accept: */*'
```

Request URL

```
http://127.0.0.1:8000/students/1
```

Server response

Code

Details

200

Response body

```
{
  "name": "sam",
  "age": 19,
  "course": "cse",
  "email": "sam@example.com"
}
```

Response headers

```
content-length: 64
content-type: application/json
date: Tue, 22 Sep 2026 03:36:45 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value Schema

PUT / students / (student_id) Update Student

PUT

/students/{student_id} Update Student

Cancel Reset

Parameters

Name	Description
student_id required	
integer (path)	1

Request body required

application/json

Edit Value Schema

```
{
  "name": "Aarav",
  "age": 19,
  "course": "Artificial Intelligence",
  "email": "aarav@example.com"
}
```

Execute Clear

Responses

Curl

```
curl -X 'PUT' \
  'http://127.0.0.1:8000/students/1' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "name": "Aarav",
    "age": 19,
    "course": "Artificial Intelligence",
    "email": "aarav@example.com"
  }'
```

Request URL

```
http://127.0.0.1:8000/students/1
```

Server response

CodeDetails

200

Response body

```
{
  "message": "student completely updated",
  "student_id": 1,
  "student": {
    "name": "Arav",
    "age": 15,
    "course": "Artificial Intelligence",
    "email": "arav@example.com"
  }
}
```

Download

Response headers

```
content-length: 154
content-type: application/json
date: Tue, 22 Sep 2026 03:37:58 GMT
server: uvicorn
```

Responses

CodeDescriptionLinks

200Successful ResponseNo links

Media type
application/json

Controls Accept header.

Example ValueSchema

```
"string"
```

422Validation ErrorNo links

Media type
application/json

Example ValueSchema

```
{
  "detail": {
    "loc": [
      "id",
      "string",
      0
    ],
    "msg": "string",
    "type": "string",
    "input": "string",
    "ctx": {}
  }
}
```

PATCH / students / (student_id) Partial Update Student

PATCH /students/{student_id} Partial Update Student

CancelReset

NameDescription

student_id * required
integer
(path)

1

Request body * required

application/json

Edit ValueSchema

```
{
  "course": "Data Science"
}
```

ExecuteClear

Responses

Curl

```
curl -X 'PATCH' \
  'http://127.0.0.1:8000/students/1' \
  -H 'accept: */*' \
  -H 'content-type: application/json' \
  -d '{
    "course": "Data Science"
  }'
```

Request URL

http://127.0.0.1:8000/students/1

Server response

CodeDetails

Code

Details

200

Response body

```
{
  "message": "Student partially updated",
  "student_id": 1,
  "student": {
    "name": "Aarav",
    "age": 19,
    "course": "Data Science",
    "email": "aarav@example.com"
  }
}
```

Download

Response headers

```
content-length: 162
content-type: application/json
date: Tue, 02 Sep 2026 03:41:13 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response	No links
Media type application/json		
Controls Accept header		
Example Value Schema		
<pre>"string"</pre>		
422	Validation Error	No links
Media type application/json		
Example Value Schema		
<pre>{ "detail": { { "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} } } }</pre>		

DELETE / students (student_id) Delete Student

DELETE /students/{student_id} Delete Student

Cancel

Parameters

Name	Description
student_id * required	
Integer (path)	1

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \
  "http://127.0.0.1:8000/students/1" \
  -H 'accept: */*'
```

Request URL

```
http://127.0.0.1:8000/students/1
```

Server response

Code

Details

200

Response body

```
{
  "message": "Student deleted successfully",
  "student_id": 1,
  "student": {
    "name": "Aarav",
    "age": 19,
    "course": "Data Science",
    "email": "aarav@example.com"
  }
}
```

Download

Response headers

```
content-length: 145
content-type: application/json
date: Tue, 02 Sep 2026 03:41:19 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response	No links
Media type application/json		
Controls Accept header		

GET / students (student_id) Get Student

GET

/students/{student_id} Get Student

⬆

Parameters

Cancel

Name	Description
student_id ↗ response	
integer (path)	1

Execute

Clear

Responses

Curl

```
curl -X GET \
  "http://127.0.0.1:8080/students/1" \
  -H "accept: */*"
```

⌵

Request URL

http://127.0.0.1:8080/students/1

Server response

Code	Details
404 (Not Found)	Error: Not Found Response body <pre>{ "detail": "Student not found" }</pre> ⌵ Download Response headers <pre>content-length: 30 content-type: application/json date: Tue, 22 Sep 2026 03:44:41 GMT server: uvicorn</pre>

Responses

Code	Description	Links
200	Successful Response Media type: application/json Controls Accept header: Example Value Schema	No links