

NAME: B . JASMITHA
SECTION:8
WEEK:3

Query 1 x

Limit to 1000 rows

```
22 (103,'Anil',1,55000),
23 (104,'Sneha',3,70000),
24 (105,'Kiran',2,48000);
25
26 • SHOW TABLES;
27 • SELECT * FROM departments;
28 • SELECT * FROM employees;
```

Result Grid

emp_id	emp_name	dept_id	salary
101	Rahul	1	53000.00
102	Priya	2	67000.00
103	Anil	1	55000.00
104	Sneha	3	70000.00
105	Kiran	2	48000.00

Result 1 departments 2 employees 3 x

Output

Action Output

#	Time	Action	Message
11	16:49:50	CREATE TABLE IF NOT EXISTS employees (emp_id INT PRIMARY KEY, e...	0 row(s) affected, 1 warning(s): 1050 Table 'employees' already exists
12	16:50:45	INSERT IGNORE INTO departments VALUES (1,'CSE'), (2,'ECE'), (3,'EEE')	0 row(s) affected, 3 warning(s): 1062 Duplicate entry '1' for key 'departments.PRIMA...
13	16:50:45	INSERT IGNORE INTO employees VALUES (101,'Rahul',1,50000), (102,'Priya',2,6...	0 row(s) affected, 5 warning(s): 1062 Duplicate entry '101' for key 'employees.PRIM...
14	16:51:09	SHOW TABLES	2 row(s) returned
15	16:51:09	SELECT * FROM departments LIMIT 0, 1000	3 row(s) returned
16	16:51:09	SELECT * FROM employees LIMIT 0, 1000	5 row(s) returned

Query 1 x

Limit to 1000 rows

```
30 • DROP VIEW IF EXISTS EmployeeView;
31
32 • CREATE VIEW EmployeeView AS
33 SELECT *
34 FROM employees;
35
36 • SELECT * FROM EmployeeView;
```

Result Grid

emp_id	emp_name	dept_id	salary
101	Rahul	1	53000.00
102	Priya	2	67000.00
103	Anil	1	55000.00
104	Sneha	3	70000.00
105	Kiran	2	48000.00

EmployeeView 4 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
14	16:51:09	SHOW TABLES	2 row(s) returned	0.016 sec / 0.000 s
15	16:51:09	SELECT * FROM departments LIMIT 0, 1000	3 row(s) returned	0.015 sec / 0.000 s
16	16:51:09	SELECT * FROM employees LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 s
17	16:55:25	DROP VIEW IF EXISTS EmployeeView	0 row(s) affected, 1 warning(s): 1051 Unknown table 'employeeb1 employeeview'	0.031 sec
18	16:55:25	CREATE VIEW EmployeeView AS SELECT * FROM employees	0 row(s) affected	0.047 sec
19	16:55:25	SELECT * FROM EmployeeView LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 s

Query 1

```

38 • DROP VIEW IF EXISTS EmployeeBasicView;
39
40 • CREATE VIEW EmployeeBasicView AS
41 SELECT emp_id, emp_name, salary
42 FROM employees;
43
44 • SELECT * FROM EmployeeBasicView;

```

Automatic content disabled. Use the manually get the current caret position to toggle automatic content.

emp_id	emp_name	salary
101	Rahul	53000.00
102	Priya	67000.00
103	Anil	55000.00
104	Sneha	70000.00
105	Kiran	48000.00

EmployeeView 5 EmployeeBasicView 6

Output

#	Time	Action	Message	Duration
18	16:55:25	CREATE VIEW EmployeeView AS SELECT * FROM employees	0 row(s) affected	0.047 s
19	16:55:25	SELECT * FROM EmployeeView LIMIT 0, 1000	5 row(s) returned	0.000 s
20	16:57:54	SELECT * FROM EmployeeView LIMIT 0, 1000	5 row(s) returned	0.000 s
21	16:57:54	DROP VIEW IF EXISTS EmployeeBasicView	0 row(s) affected, 1 warning(s): 1051 Unknown table 'employeeb1.employeebasicv...	0.000 s
22	16:57:54	CREATE VIEW EmployeeBasicView AS SELECT emp_id, emp_name, salary FRO...	0 row(s) affected	0.016 s
23	16:57:54	SELECT * FROM EmployeeBasicView LIMIT 0, 1000	5 row(s) returned	0.000 s

Query 1

```

47
48 • CREATE VIEW HighSalaryEmployees AS
49 SELECT emp_id, emp_name, salary
50 FROM employees
51 WHERE salary > 55000;
52
53 • SELECT * FROM HighSalaryEmployees;

```

Automatic content disabled. Use the manually get the current caret position to toggle automatic content.

emp_id	emp_name	salary
102	Priya	67000.00
104	Sneha	70000.00

HighSalaryEmployees 7

Output

#	Time	Action	Message	Duration
21	16:57:54	DROP VIEW IF EXISTS EmployeeBasicView	0 row(s) affected, 1 warning(s): 1051 Unknown table 'employeeb1.employee...	0.000 s
22	16:57:54	CREATE VIEW EmployeeBasicView AS SELECT emp_id, emp_name, salary FRO...	0 row(s) affected	0.016 s
23	16:57:54	SELECT * FROM EmployeeBasicView LIMIT 0, 1000	5 row(s) returned	0.000 s
24	16:59:12	DROP VIEW IF EXISTS HighSalaryEmployees	0 row(s) affected, 1 warning(s): 1051 Unknown table 'employeeb1.highsal...	0.016 s
25	16:59:12	CREATE VIEW HighSalaryEmployees AS SELECT emp_id, emp_name, salary FRO...	0 row(s) affected	0.015 s
26	16:59:12	SELECT * FROM HighSalaryEmployees LIMIT 0, 1000	2 row(s) returned	0.000 s

Query 1

```

61 d.dept_name,
62 e.salary
63 FROM employees e
64 JOIN departments d
65 ON e.dept_id = d.dept_id;
66
67 • SELECT * FROM EmployeeDepartmentView;

```

Automatic content disabled. Use the manually get the current caret position to toggle automatic content.

emp_id	emp_name	dept_name	salary
101	Rahul	CSE	53000.00
102	Priya	ECE	67000.00
103	Anil	CSE	55000.00
104	Sneha	EEE	70000.00
105	Kiran	ECE	48000.00

EmployeeDepartmentView 8

Output

#	Time	Action	Message	Duration
24	16:59:12	DROP VIEW IF EXISTS HighSalaryEmployees	0 row(s) affected, 1 warning(s): 1051 Unknown table 'employeeb1.highsalaryem...	0.016 s
25	16:59:12	CREATE VIEW HighSalaryEmployees AS SELECT emp_id, emp_name, salary FRO...	0 row(s) affected	0.016 s
26	16:59:12	SELECT * FROM HighSalaryEmployees LIMIT 0, 1000	2 row(s) returned	0.000 s
27	17:00:41	DROP VIEW IF EXISTS EmployeeDepartmentView	0 row(s) affected, 1 warning(s): 1051 Unknown table 'employeeb1.employeedepart...	0.016 s
28	17:00:41	CREATE VIEW EmployeeDepartmentView AS SELECT e.emp_id, e.emp_name, e...	0 row(s) affected	0.015 s
29	17:00:41	SELECT * FROM EmployeeDepartmentView LIMIT 0, 1000	5 row(s) returned	0.000 s

Query 1

```

91 e.salary
92 FROM employees e
93 JOIN departments d
94 ON e.dept_id = d.dept_id
95 WHERE d.dept_name = 'CSE';
96
97 • SELECT * FROM CSEEmployees;

```

Result Grid

emp_id	emp_name	dept_name	salary
101	Rahul	CSE	53000.00
103	Anil	CSE	55000.00

CSEEmployees 9

Output

#	Time	Action	Message
27	17:00:41	DROP VIEW IF EXISTS EmployeeDepartmentView	0 row(s) affected, 1 warning(s): 1051 Unknown table 'employeeeb1.employeedepart...
28	17:00:41	CREATE VIEW EmployeeDepartmentView AS SELECT e.emp_id, e.emp_name...	0 row(s) affected
29	17:00:41	SELECT * FROM EmployeeDepartmentView LIMIT 0, 1000	5 row(s) returned
30	17:01:39	DROP VIEW IF EXISTS CSEEmployees	0 row(s) affected, 1 warning(s): 1051 Unknown table 'employeeeb1.cseemployees'
31	17:01:39	CREATE VIEW CSEEmployees AS SELECT e.emp_id, e.emp_name, d.dept...	0 row(s) affected
32	17:01:39	SELECT * FROM CSEEmployees LIMIT 0, 1000	2 row(s) returned

Query 1

```

105 AVG(e.salary) AS AverageSalary
106 FROM employees e
107 JOIN departments d
108 ON e.dept_id = d.dept_id
109 GROUP BY d.dept_id, d.dept_name;
110
111 • SELECT * FROM DepartmentSalaryView;

```

Result Grid

dept_name	EmployeeCount	AverageSalary
CSE	2	54000.000000
ECE	2	57500.000000
EEE	1	70000.000000

DepartmentSalaryView 10

Output

#	Time	Action	Message
30	17:01:39	DROP VIEW IF EXISTS CSEEmployees	0 row(s) affected, 1 warning(s): 1051 Unknown table 'employeeeb1.cseemployees'
31	17:01:39	CREATE VIEW CSEEmployees AS SELECT e.emp_id, e.emp_name, d.dept...	0 row(s) affected
32	17:01:39	SELECT * FROM CSEEmployees LIMIT 0, 1000	2 row(s) returned
33	17:02:26	DROP VIEW IF EXISTS DepartmentSalaryView	0 row(s) affected, 1 warning(s): 1051 Unknown table 'employeeeb1.departmentssalar...
34	17:02:26	CREATE VIEW DepartmentSalaryView AS SELECT d.dept_name, COUNT(e...	0 row(s) affected
35	17:02:26	SELECT * FROM DepartmentSalaryView LIMIT 0, 1000	3 row(s) returned

Query 1

```

119 FROM employees e
120 JOIN departments d
121 ON e.dept_id = d.dept_id
122 GROUP BY d.dept_id, d.dept_name
123 HAVING AVG(e.salary) > 55000;
124
125 • SELECT * FROM HighAverageDepartments;

```

Result Grid

dept_name	AverageSalary
ECE	57500.000000
EEE	70000.000000

HighAverageDepartments 11

Output

#	Time	Action	Message
33	17:02:26	DROP VIEW IF EXISTS DepartmentSalaryView	0 row(s) affected, 1 warning(s): 1051 Unknown table 'employeeeb1.departmentssalar...
34	17:02:26	CREATE VIEW DepartmentSalaryView AS SELECT d.dept_name, COUNT(e...	0 row(s) affected
35	17:02:26	SELECT * FROM DepartmentSalaryView LIMIT 0, 1000	3 row(s) returned
36	17:03:28	DROP VIEW IF EXISTS HighAverageDepartments	0 row(s) affected, 1 warning(s): 1051 Unknown table 'employeeeb1.highaveragedep...
37	17:03:28	CREATE VIEW HighAverageDepartments AS SELECT d.dept_name, AVG(e.s...	0 row(s) affected
38	17:03:28	SELECT * FROM HighAverageDepartments LIMIT 0, 1000	2 row(s) returned

Query 1 x

Limit to 1000 rows

```

128
129 • CREATE VIEW SalaryRangeView AS
130 SELECT emp_id, emp_name, salary
131 FROM employees
132 WHERE salary BETWEEN 50000 AND 70000;
133
134 • SELECT * FROM SalaryRangeView;

```

Result Grid

emp_id	emp_name	salary
101	Rahul	53000.00
102	Priya	67000.00
103	Anil	55000.00
104	Sneha	70000.00

SalaryRangeView 12 x

Read Only Context Help

Output

Action Output

#	Time	Action	Message
36	17:03:28	DROP VIEW IF EXISTS HighAverageDepartments	0 row(s) affected, 1 warning(s): 1051 Unknown table 'employeeeb1.higaverage'
37	17:03:28	CREATE VIEW HighAverageDepartments AS SELECT d.dept_name, AVG(e.s...	0 row(s) affected
38	17:03:28	SELECT * FROM HighAverageDepartments LIMIT 0, 1000	2 row(s) returned
39	17:04:11	DROP VIEW IF EXISTS SalaryRangeView	0 row(s) affected, 1 warning(s): 1051 Unknown table 'employeeeb1.salaryran'
40	17:04:11	CREATE VIEW SalaryRangeView AS SELECT emp_id, emp_name, salary FROM e...	0 row(s) affected
41	17:04:11	SELECT * FROM SalaryRangeView LIMIT 0, 1000	4 row(s) returned

Query 1 x

Limit to 1000 rows

```

140 emp_id,
141 Execute the selected portion of the script or everything, if there is no selection
142 salary AS MonthlySalary,
143 salary * 12 AS AnnualSalary
144 FROM employees;
145
146 • SELECT * FROM AnnualSalaryView;

```

Result Grid

emp_id	emp_name	MonthlySalary	AnnualSalary
101	Rahul	53000.00	636000.00
102	Priya	67000.00	804000.00
103	Anil	55000.00	660000.00
104	Sneha	70000.00	840000.00
105	Kiran	48000.00	576000.00

AnnualSalaryView 13 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / F
39	17:04:11	DROP VIEW IF EXISTS SalaryRangeView	0 row(s) affected, 1 warning(s): 1051 Unknown table 'employeeeb1.salaryrangeview'	0.016 sec
40	17:04:11	CREATE VIEW SalaryRangeView AS SELECT emp_id, emp_name, salary FROM e...	0 row(s) affected	0.015 sec
41	17:04:11	SELECT * FROM SalaryRangeView LIMIT 0, 1000	4 row(s) returned	0.000 sec /
42	17:04:58	DROP VIEW IF EXISTS AnnualSalaryView	0 row(s) affected, 1 warning(s): 1051 Unknown table 'employeeeb1.annualsalaryview'	0.016 sec
43	17:04:58	CREATE VIEW AnnualSalaryView AS SELECT emp_id, emp_name, salary ...	0 row(s) affected	0.015 sec
44	17:04:58	SELECT * FROM AnnualSalaryView LIMIT 0, 1000	5 row(s) returned	0.000 sec /

Query 1

```

163 FROM employees;
164
165 • SELECT * FROM EmployeeBasicView;
166
167 • SHOW CREATE VIEW EmployeeDepartmentView;
168
169 • SHOW FULL TABLES
170 WHERE Table_type = 'VIEW';
171

```

SQLAdditions

Automatic context help disabled. Use the tool manually get help for current caret position toggle automatic help

Result Grid

Tables_in_employeedb1	Table_type
annalsalaryview	VIEW
cseemployees	VIEW
departmentsalaryview	VIEW
employeebasicview	VIEW
employeedepartmentview	VIEW
employeesalaryview	VIEW
employeeview	VIEW
highaveragedepartments	VIEW

Result 18

Output

#	Time	Action	Message	Duration / Fetch
48	17:05:37	SELECT * FROM EmployeeSalaryView LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
49	17:05:38	SELECT * FROM employees WHERE emp_id = 101 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
50	17:06:14	CREATE OR REPLACE VIEW EmployeeBasicView AS SELECT emp_name, salary...	0 row(s) affected	0.047 sec
51	17:06:14	SELECT * FROM EmployeeBasicView LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
52	17:06:55	SHOW CREATE VIEW EmployeeDepartmentView	1 row(s) returned	0.000 sec / 0.000 sec
53	17:07:43	SHOW FULL TABLES WHERE Table_type = 'VIEW'	10 row(s) returned	0.047 sec / 0.000 sec

Query 1

```

156 WHERE emp_id = 101;
157
158 • SELECT * FROM EmployeeSalaryView;
159 • SELECT * FROM employees WHERE emp_id = 101;
160
161 • CREATE OR REPLACE VIEW EmployeeBasicView AS
162 SELECT emp_name, salary
163 FROM employees;
164
165 • SELECT * FROM EmployeeBasicView;
166
167 • SHOW CREATE VIEW EmployeeDepartmentView;
168
169 • SHOW FULL TABLES
170 WHERE Table_type = 'VIEW';
171
172 • DROP VIEW IF EXISTS SalaryRangeView;

```

SQLAdditions

Automatic context help disabled. Use the tool manually get help for current caret position toggle automatic help

Output

#	Time	Action	Message	Duration / Fetch
49	17:05:38	SELECT * FROM employees WHERE emp_id = 101 LIMIT 0, 1000	1 row(s) returned	0.000 sec
50	17:06:14	CREATE OR REPLACE VIEW EmployeeBasicView AS SELECT emp_name, salary...	0 row(s) affected	0.047 sec
51	17:06:14	SELECT * FROM EmployeeBasicView LIMIT 0, 1000	5 row(s) returned	0.000 sec
52	17:06:55	SHOW CREATE VIEW EmployeeDepartmentView	1 row(s) returned	0.000 sec
53	17:07:43	SHOW FULL TABLES WHERE Table_type = 'VIEW'	10 row(s) returned	0.047 sec
54	17:10:19	DROP VIEW IF EXISTS SalaryRangeView	0 row(s) affected	0.031 sec